



EXISTING ROAD TO BE PLANED AND RESURFACED (SEE PLAN FOR EXTENT)

150 CONCRETE SLAB MIN RC28/35 REINFORCED WITH A393 MESH (T&B)

40 SMA10 WEARING COURSE ON 50 AC20 DENSE COURSE ON 110 AC32 BASE COURSE

300 6F5 COMPACTED IN MAX 150 LAYERS

6F5 COMPACTED IN MAX 150 LAYERS WITH MIN 100mm OVER PIPE

min. 900mm Ø GALVANIZED STEEL PIPE

100mm BED OF TYPE 1 STONE

TERRAM GEOTEXTILE MEMBRANE (OR SIMILAR)

A - A'  
(1:25)

NOTES: Plan is indicative and subject to detailed design.  
The infrastructure within the plan represents a worst-case scenario in terms of scale and design and has been accordingly assessed within the ES documentation

DCO Document Reference: 6.2.4  
APFP Regulation: (5)(2)(o)

**Figure 4.24**  
**Site Entrance Culvert**

0m 10m  
Scale: 1: 25 @ A3

Drawn by: \_\_\_\_\_ Checked by: \_\_\_\_\_ Approved by: \_\_\_\_\_

Ref: 6945\_T0097\_01 Date: January 2023