

THE LONDON RESORT

The London Resort Development Consent Order

BC080001

Environmental Statement Volume 3: Figures

Figure 11.14 Accurate Visual Representations

Document reference: 6.3.11.14
Revision: 00


December 2020

Planning Act 2008
The Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009
Regulation 5(2)(a)
The Infrastructure Planning (Environmental Impact Assessment) Regulations 2017
Regulation 12(1)

[This page is intentionally left blank]



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

Photoviewpoint 8: Rear of Leonard Avenue - Existing



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme













To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

 Gate 1	 Back of House and Infrastructure
 Gate 2	 Staff Accommodation
 Plaza	 Visitors Centre and Training Facilities
 Hotel	 E-Sports and Conferention Centre
 Transport Terminals	 Hotel and Market
 Car Park	 Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme













To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

 Gate 1	 Back of House and Infrastructure
 Gate 2	 Staff Accommodation
 Plaza	 Visitors Centre and Training Facilities
 Hotel	 E-Sports and Conferention Centre
 Transport Terminals	 Hotel and Market
 Car Park	 Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length


Photoviewpoint 14: A2260 looking north - Proposed




Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length

Photoviewpoint 21: Stonebridge Road B2175 - Existing



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length




To be viewed at comfortable arm's length




Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length




To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme













To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

 Gate 1	 Back of House and Infrastructure
 Gate 2	 Staff Accommodation
 Plaza	 Visitors Centre and Training Facilities
 Hotel	 E-Sports and Conferention Centre
 Transport Terminals	 Hotel and Market
 Car Park	 Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme













To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

 Gate 1	 Back of House and Infrastructure
 Gate 2	 Staff Accommodation
 Plaza	 Visitors Centre and Training Facilities
 Hotel	 E-Sports and Conferention Centre
 Transport Terminals	 Hotel and Market
 Car Park	 Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length




Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme













To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

 Gate 1	 Back of House and Infrastructure
 Gate 2	 Staff Accommodation
 Plaza	 Visitors Centre and Training Facilities
 Hotel	 E-Sports and Conferention Centre
 Transport Terminals	 Hotel and Market
 Car Park	 Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)













 Gate 1	 Back of House and Infrastructure
 Gate 2	 Staff Accommodation
 Plaza	 Visitors Centre and Training Facilities
 Hotel	 E-Sports and Conferention Centre
 Transport Terminals	 Hotel and Market
 Car Park	 Indicative Scheme



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

 Gate 1	 Back of House and Infrastructure
 Gate 2	 Staff Accommodation
 Plaza	 Visitors Centre and Training Facilities
 Hotel	 E-Sports and Conferention Centre
 Transport Terminals	 Hotel and Market
 Car Park	 Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme













To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

 Gate 1	 Back of House and Infrastructure
 Gate 2	 Staff Accommodation
 Plaza	 Visitors Centre and Training Facilities
 Hotel	 E-Sports and Conferention Centre
 Transport Terminals	 Hotel and Market
 Car Park	 Indicative Scheme

To be viewed at comfortable arm's length

Photoviewpoint 57: High Street, Swanscombe, looking north - Existing



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme













To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

 Gate 1	 Back of House and Infrastructure
 Gate 2	 Staff Accommodation
 Plaza	 Visitors Centre and Training Facilities
 Hotel	 E-Sports and Conferention Centre
 Transport Terminals	 Hotel and Market
 Car Park	 Indicative Scheme













To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

 Gate 1	 Back of House and Infrastructure
 Gate 2	 Staff Accommodation
 Plaza	 Visitors Centre and Training Facilities
 Hotel	 E-Sports and Conferention Centre
 Transport Terminals	 Hotel and Market
 Car Park	 Indicative Scheme













To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

 Gate 1	 Back of House and Infrastructure
 Gate 2	 Staff Accommodation
 Plaza	 Visitors Centre and Training Facilities
 Hotel	 E-Sports and Conferention Centre
 Transport Terminals	 Hotel and Market
 Car Park	 Indicative Scheme













To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

 Gate 1	 Back of House and Infrastructure
 Gate 2	 Staff Accommodation
 Plaza	 Visitors Centre and Training Facilities
 Hotel	 E-Sports and Conferention Centre
 Transport Terminals	 Hotel and Market
 Car Park	 Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length



To be viewed at comfortable arm's length



Maximum Proposed Parameters (refer to Section 4.1 of Document Reference 7.1)

	Gate 1		Back of House and Infrastructure
	Gate 2		Staff Accommodation
	Plaza		Visitors Centre and Training Facilities
	Hotel		E-Sports and Conferention Centre
	Transport Terminals		Hotel and Market
	Car Park		Indicative Scheme

To be viewed at comfortable arm's length