The London Resort Development Consent Order

BC080001

Environmental Statement
Volume 2: Appendices

Appendix 18.12 – Northfleet Landfill Annual Monitoring Report (2019)

Document reference: 6.2.18.12
Revision: 00

December 2020

Planning Act 2008
The Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009
Regulation 5(2)(a)
The Infrastructure Planning (Environmental Impact Assessment) Regulations 2017
Regulation 12(1)

[This page is intentionally left blank]

CMS-Enviro

Waste, Environment, Management

Northfleet Landfill Annual Report
EPR/KP3898HE
Tarmac Cement and Lime Ltd

CMS Enviro
Hydrogeological consultancy support has been provided by NSugg Ltd

The Annual Report for Northfleet Landfill Site has been produced by CMS-Enviro, on behalf of Tarmac Cement & Lime Ltd (TCLLtd), in compliance with **Section 3.8.1 of the Closure Report**.

Document Control			
Date	**Changes**	**Initials**	**Approval**
20/04/2020	Initial Data review and LFG review	RVT	RVT
14/04/2020	Extension agreed to include quarterly monitoring programmed for April 2020	RVT-LMcG	RVT
22/05/2020	Hydrogeological Review – Nicola Sugg	NS	RVT
25/05/2020	Technical review and compliance team updates	RVT	RVT
26/05/2020	Peter Coveney overview	PC	RVT
26/05/2020	Draft Submission to client for comments	RVT	PC
28.05.2020	Client review and approval	SP	RVT
29.05.2020	Distribution to Environment Agency	RVT	BT

Contents

Permit History Timeline		
P/1/26 – NORTHFLEET LANDFILL BAKERS HOLE SWANSCOMBE **EAWML/19375 (BLUE CIRCLE INDUSTRIES PLC)**		
Date Written		
30/03/2001	Condition 1.1 deleted Condition 1.12 deleted Condition 1.14 deleted Condition 1.15 inserted Condition 4.10 inserted Condition 5.1 inserted Condition 5.2 inserted Condition 5.3 inserted Condition 5.4 inserted	 Specified waste management operations Duration of activities – groundwater protection Security and availability of records Records of waste movements Site diary Periodic reporting of environmental performance
30/03/2001	Information Sheet	Disposal of Controlled Waste
19/01/2004	Condition 4.8 modified	Provision of final cap
25/10/2005	Condition 1.3.1, Table 1.3 modified Condition 1.4.2, Table 1.4A Appendix 2	Amend section headings in table. Amended permitted waste categories Amended list of permitted wastes
29/11/2005	Closure Notice issued	
08/11/2007	Change in name of operator	To Lafarge Cement UK PLC
06/07/2011	Change in name of operator	To Lafarge Cement UK Ltd
15/03/2012	Variation application EPR/KP3898HE/V004	Remove waste acceptance at the site and refer to the closure report
30/03/2012	Variation determined EPR/KP3898HE/V004	Site status definitely closed as of 01/04/2012
23/09/2013	Application for variation EPR/KP3898HE/V005 to change company name and registered office address	Name changed to Lafarge Tarmac Cement and Lime Limited
22/11/2013	Variation issued EPR/KP3898HE/V005	Varied permit issued to Lafarge Tarmac Cement and Lime Limited
15/09/2015	Notified of change of company name	Name changed to Tarmac Cement and Lime Limited
19/10/2015	Variation issued EPR/KP3898HE/V006	Varied permit issued to Tarmac Cement and Lime Limited

1. Introduction and Background

1.1. Executive summary

This annual report covers the period April 2019 to March 2020. The previous annual report concluded that the majority of results were consistent with previous year's data. The Environment Agency raised **CAR RDR_19375/0332980** (dated 31st March 2019) following the last monitoring data review period. **Compliance Classification Scheme (CCS)** scores were applied for the groundwater exceedances in Quarter 2. CMS continued to following **Action Plan Table 4** at 1NF007aWM and 1NF10aWM for two months, at which the results were reassessed; the outcome of the Action Plan was submitted to the Environment Agency by the routine Quarter 2 report and discussed in this Annual Report.

Monitoring data collected during this review period continue to be comparable to previous years. The primary risk is LFG which is under continuous management. Secondary risk of leachate contamination to groundwater is known but with very limited management options.

Two Methane exceedances of the compliance limit of 1%v/v were seen at non ranking point 1NF029GM on the Eastern Boundary, on days of lower Atmospheric pressure with revisits giving readings of 0% methane; the initial methane exceedance can be considered and reported as a direct response to atmospheric pressure drop.

Carbon Dioxide exceedances were minimal in this reporting period. T_{max} Risk ranking was completed for the 2019/2020 year and downgraded 3 high risk monitoring points to medium or low risk.

The focus continued to be to balance LFG extraction rates and manage off-site migration. Field balance targets have been used effectively. The LFG extraction system is operating efficiently, and routine balancing continues. Internal wells that CMS have deemed to be over-extracted show signs of improvement.

Leachate levels remained low in 2019/20 as anticipated for a landfill developed on the principle of dilute and attenuate. Leachate quality remains indicative of an ageing domestic waste landfill site.

The impact of the isolated plume of contaminated groundwater observed at down-gradient borehole 1NF009aWM in recent years has continued to reduce, with ammoniacal-nitrogen concentrations consistently below the groundwater compliance limit in 2019/20. A second seasonal peak in ammoniacal-nitrogen concentrations was observed at down-gradient borehole **1NF007aWM** in Spring 2019, as recorded in Spring 2018. Concentrations subsequently declined and remained below the compliance limit for the remainder of the 2019/20 review period.

Surface water samples were achieved in 2019/20 a total of three samples were obtained for analysis. The water quality at **SWB** recorded significantly higher concentrations of all parameters than the sample from **SWA**. There were no exceedances of the Closure Report control limits at either monitoring point.

1.2. Limitations of the Review – Notable Restrictions to Monitoring

CMS-Enviro carry out the monitoring, collate and assess field and laboratory data for operational response and regulatory reporting. If it has not been possible to obtain a sample the reason is shown in **Table 1** below. Laboratory results are provided by ALS Environmental Ltd and Derwentside Environmental Testing Services (DETS). Survey data is provided by JC White Geomatics Ltd.

Table 1: Notable Restrictions to Monitoring	
Monitoring Point	**Comments**
Quarterly monitoring	Completed in April instead of March due to limited working during Covid-19 pandemic
SWA and SWB	SWA achieved in March 2020, SWB samples only achieved in December 2019 and January 2020 due to 'no flows' for the rest of the reporting year.
1NF014DGM – all monitoring occasions	Monitoring point blocked
GW14.1	No leachate sample achieved, not enough leachate in borehole. See recommendations section.
CTRL GW4	No leachate sample achieved, wet base borehole

2. Site Characteristics

2.1. Site Location

Northfleet Landfill Site is located between the towns of Dartford and Gravesend in north Kent, the National Grid Reference is TQ 610 740. The Site location and layout are shown on **Closure Report Drawing Number 1, Site Location Plan and UKTD_NF122, Issue 3, March 2012**. The Site is accessed via the B2175, which now forms the entrance to Ebbsfleet International Railway Station and associated car parks. The full address is: **Northfleet Landfill, Bakers Hole, Northfleet, Gravesend, Kent DA11 8HF**.

2.2. Installation Details

The site area is approximately 20ha of which approximately 17.7ha is the waste footprint. The final landform consists of two raised areas with a valley feature draining towards two rocky outcrops, one of which is a SSSI for archaeological reasons and the other supports an electricity pylon.

The landfill is within a former chalk quarry, excavated by Blue Circle and partially back filled with Thanet Sand prior to waste deposit. Landfilling operations were first conducted between 1984 and 1994 where the site operated as a dilute and disperse landfill; accepting household, industrial and commercial waste, in accordance with **Waste Management License P/01/26**.

The site was developed without containment engineering or pollution control systems. A LFG collection and disposal system was installed as the waste was deposited and has changed over the life of the landfill (see Landfill Gas Risk Generation and Risk Assessment, Northfleet Landfill, October 2004, Golder Associates (UK) Ltd (Ref: 04519341) for further detail). The site was progressively restored and in 1995 a cap consisting of 750mm Thanet Sand was placed when waste acceptance stopped. Waste disposal recommenced in 2000, and the Permit modified to allow the acceptance of up to 750,000 tonnes per year of non-hazardous contaminated soil waste.

Between 1994 to 2000 landfill gas (LFG) control with power generation continued and it was following removal of the landfill gas engines that the licence was modified to allow the acceptance of non-hazardous soil. The landfill gas extraction system was extended vertically through the soil profile and connected to the two flares located on the southern boundary. Land raise activities were completed in 2006 and the site is now capped with a HDPE membrane, closed and has undergone restoration. Following approval of the **2012 Closure Report** the site entered definite closure. Post closure activity is limited to active LFG control and environmental monitoring.

2.3. Geology

Regional geology is shown on **BGS Geological Map 271 Dartford**. This indicates the sequence of geology at the Site is as follows: Head and Coombe Deposits (Thanet Sands) overlying Upper Chalk which dips gently to the south-east. The area surrounding Northfleet Landfill has been extensively used for Chalk extraction and site investigations around the margins of the waste have confirmed a variable thickness of Thanet Sand above the underlying Chalk.

2.4. Hydrogeology

The Upper Chalk is a principal aquifer and is used to provide water for both potable and industrial purposes. Local groundwater flow is towards the north and north-east, but this has been historically influenced by industrial abstraction. With the closure of many of the local industries and abstraction ceasing, groundwater levels have risen over recent years, but levels have now stabilised in monitoring points around the landfill perimeter.

2.5. Local Hydrology

The **River Thames** is approximately 1km to the north-east of the landfill and the **River Ebbsfleet**, a tributary of the Thames, flows northwards to the east of the Site. Monitoring of the **River Ebbsfleet** commenced in 2014 as part of an agreed action plan for investigation into ongoing non-compliance at groundwater monitoring borehole **1NF009AWM**. The requirement to continue monitoring of the River Ebbsfleet was assessed within the 2018 Hydrogeological Risk Assessment Review and it was concluded that monitoring would cease in December 2018, because the data record had shown no discernible impact from the site.

Surface water drainage ditches around the landfill perimeter collect surface water runoff from the restored landfill surface and there is a requirement to monitor this on a six monthly (twice a year) frequency at two locations. Due to the permeable Chalk surface and fast infiltration rate, water is not usually present at the designated monitoring points. It has been agreed with the Environment Agency that samples will be obtained when possible, with the monitoring points checked weekly during routine site visits.

2.6. Site Conceptual Model

Table 2: Northfleet Landfill Site Conceptual Model

Hazard	Source	Pathway	Receptor	Mitigation
Leachate	Leachate monitoring indicates that limited perched leachate may be present within the waste mass. The leachate quality is characteristic of an ageing domestic waste landfill. The Site was constructed on the principle of dilute and attenuate, therefore there is potential for vertical migration of leachate to groundwater.	An unsaturated zone is present beneath the Site, comprising mainly Thanet Sand infilled prior to waste management operations. Infiltration through the cap generates leachate within the waste mass which can migrate vertically through the unsaturated zone Thanet Sand fill and in-situ unsaturated Chalk to the saturated Chalk aquifer. In the saturated zone, diluted leachate will migrate in the direction of groundwater flow. Degradation and retardation will occur in the unsaturated and saturated pathways. An historic rise in groundwater levels has reduced the unsaturated zone thickness.	The groundwater within the Chalk is the principal receptor and compliance limits for key parameters have been set within the 2012 Closure Report. Surface water is a secondary receptor and monitoring at the River Ebbsfleet from 2014 to 2018 confirmed no discernible impact from leachate via groundwater baseflow to the River Ebbsfleet.	The Site was designed as a dilute and attenuate landfill and does not have containment engineering. Mitigation is provided by natural retardation and attenuation of pollutants in the unsaturated and saturated zones and dilution within groundwater.
Landfill Gas	The source term is landfill gas generated from waste deposited at Site from 1994 to 2006. From 1984 to 1994 the waste was household, commercial and industrial waste arising from local authority and private contracts. During this stage the waste breakdown was approximately 50:50 domestic to inert. In 2001 the waste stream changed to non-hazardous contaminated soils. For the Landfill Gas Risk Assessment (October 2004) the maximum volume of waste was estimated as 4,429,500 tonnes, with 3,757,000 tonnes deposited from 1984 to 1994 and 67,250 tonnes from 2000 to 2006. Flare and landfill gas engine emissions were also considered within the source term assessment in the October 2004 LFG Risk Assessment.	Point source and fugitive emissions considered in the risk assessment were: emissions from flares; subsurface and lateral emissions, and emissions from the surface from the landfill.	The closest residential properties are on the western boundary, approximately 200m from the centre of the landfill. Ebbsfleet International Station, associated platforms and carparks are located on the eastern boundary, approximately 280m from the centre of the landfill. The northern boundary is a public footpath and the southern boundary is an access road for the station.	Active landfill gas control via 45 extraction points and two flares operating 24/7.

3. Monitoring Data and Discussion

Full data sets are included in **Appendix 1**. The quality graphs have been grouped in this report to show the parameters of concern for each matrix, landfill gas, groundwater, surface water and leachate.

3.1. Landfill Gas Monitoring Data

Perimeter Landfill Gas Monitoring

The landfill gas within the site is managed through a gas collection system, a plan of the system is shown on Drawing UKTD-NF122, Issue 3, dated 8th March 2012. This system is maintained and balanced to reduce risks from off-site gas migration. Full details of Landfill Gas Monitoring are in Appendix F of the Closure Report and summarised below.

There is a total of 105 external landfill gas monitoring points spaced around the perimeter of the landfill site. The locations on the western boundary are multilevel installations with up to 5 depth horizons monitored at each point. The locations of each external well are listed below and shown on the site plan.

Table 3: LFG External Monitoring Point		
Location	**Point name**	**Number of Points**
Northern boundary	1NF025GM – 1NF027GM	3
Eastern boundary	1NF028GM – 1NF033GM, BH4, BH8, BH10	10
Western Boundary	1NF001GM – 1NF024GM	90
Southern Boundary	1NF034GM – 1NF036GM	2

Landfill Gas Control System - There are 45 landfill gas extraction wells arranged as shown on drawing UKTD-NF122. The system comprises a ring main with gas wells connecting from spurs. Other LFG infrastructure, including condensate drain tanks, splitter valves and gas control valves, are located at strategic positions along the main.

Methane - Methane exceedances of the compliance limit of 1%v/v were seen at point 1NF029GM on 13th February and 5th March 2020 reported via notification forms. On the days of the exceedances the Atmospheric pressure was recorded at a significant drop in pressure from previous weeks.

Revisits to site on the following days on both occasions; gave a CH_4 reading of 0% on a day of increase (back to recent trends) atmospheric pressure – The initial methane exceedance was considered a direct response to atmospheric pressure drop

Carbon dioxide - Elevated perimeter carbon dioxide at sites in a carbonate geology is not necessarily indicative of LFG migration but action levels for carbon dioxide were required by the Environment Agency during closure discussions. In order to derive action limits and in the absence of pre-operational background data, T_{max} statistical values were calculated for each point from a 2011 data set; this being the year following improvements to the LFG control system. The statistical values became the monitoring point specific action limits. The mechanism for reviewing carbon dioxide concentrations at the perimeter boreholes (included within the closure report); is a risk based statistical ranking assessment carried out each reporting year. The outcome deems each monitoring point as high, medium or low risk. - The risk ranking for the 2019/2020 year has downgraded 3 high risk monitoring points to medium or low risk and zero monitoring points moved to high risk this reporting year. Results of 2019/2020 ranking procedure are shown in **Appendix 2**.
Only for high risk points, three consecutive exceedances of the action level results signify a failed assessment test and is reported to the Environment Agency via a specific notification form.

In the 2019/2020 reporting period 5 notification forms were submitted for high risk monitoring points failed assessment test.

In-Waste Landfill Gas Monitoring

In-waste LFG monitoring is carried out on two LFG flares, extraction wells, control valves and condensate points on a four-weekly frequency. As set out in the Northfleet Landfill Closure Report March 2012, section 3.4.1 Perimeter and Internal Gas Monitoring.

Landfill gas continues to be generated in sufficient quantity and quality. The internal wells are used to balance LFG extraction rates and manage off-site migration. CMS carry out staged, effective field balancing using various targets as submitted on 27th July 2017 to Louise Mcgoochan, noted in table 4 below.

Table 4: Internal Landfill Gas Monitoring Field Balancing Targets		
Monitoring Point	**Parameter**	**Target**
Flare	CH_4	30% min
	O_2	<3%
GV1, GV2 & GV3	CH_4	25% min
	O_2	<5%
	CH_4:CO_2	>1:1
Internal Wells, incl. GV1	O_2	<5%
	CH_4:CO_2	>1:1
	Free N_2	Between 7.5% and 20%
	CO	<80ppm Turn off extraction if above 1000ppm

CMS continually review the LFG extraction, aiming to reduce over extraction and limit the introduction of oxygen into the waste mass, heightening the risk of fire or souring of the biological degradation process. CMS manage this by field balancing and reducing the flow at the flares. The flares continue to operate on a duty standby set up since 15/02/2018 and reported to the Environment Agency the 2017/2018 annual monitoring report.

The flow is only measured at the flare and since reducing to one flare running alone, CMS have recorded an average flow of 350m3, compared to approximately 500m3 with both flares running. Duty swapped on a weekly basis; flare remains on for 24 hours a day.

CMS match flow at the flare to meet LFG concentration production. Internal wells that CMS have deemed to be over-extracted are continuing to show signs of improvement, whilst being vigilant around the sensitive western boundary.

3.2. Leachate Monitoring Data

3.2.1. Elevation

Leachate levels are monitored six-monthly within the three in-waste monitoring wells: **GW4, GW14.1** and **GW17.1**. Significant accumulation of leachate is not expected because Northfleet Landfill was developed as an unlined site on the principle of dilute and attenuate. Due to the low leachate levels, there is often insufficient depth of leachate present to allow sample collection; only **GW17.1** contains sufficient liquid for a representative sample to be obtained.

Figures 3.1 and 3.2 present leachate levels from 2015 to 2020 as metres above Ordnance Datum (mAOD) and metres above base of well respectively. Leachate depths remained consistently low (<0.2m and often 'dry') within **GW14.1** and **GW4** during the review period. The 2019/20 data are consistent with previous years for **GW4** but lower and more consistent at **GW14.1** than previously observed. Leachate depths within **GW17.1** followed a gradual declining trend from 2016-2019 but increased slightly during the current review period with leachate depths ranging between 0.4m - 1.17m above base of well in 2019/20. Leachate levels recorded across the site in 2019/20 were between 6.73mAOD and 8.07mAOD; in comparison, groundwater levels ranged from 2.79mAOD up-gradient to 0.82mAOD down-gradient, confirming the presence of an outward hydraulic gradient from the site to groundwater.

Figure 3.1: Northfleet Landfill - Leachate Levels, 2015-2020





3.2.2. Leachate Quality

Due to the low levels of leachate recorded at site, leachate quality data are only available for monitoring point **GW17.1.**

Leachate quality is analysed six-monthly, in accordance with the Closure Report, with sampling undertaken March and September, but during the current review period sampling was undertaken in June and September 2019 to obtain two datasets within the review period.

Figures 3.3 to 3.7 present the concentrations of key leachate parameters from 2015 to 2020. The 2019/20 leachate quality data are generally comparable to historical data and confirm the leachate quality is characteristic of an aged domestic waste landfill with elevated concentrations of ammoniacal-nitrogen (average: 389mg/l), chloride (average: 1935mg/l) and COD (average: 962mg/l).


Figure 3.3: Northfleet Landfill - Leachate Quality, Chloride, 2015-2020
Concentration (mg/l)
2500
2000
1500
1000
500
0
01/01/2015
01/01/2016
01/01/2017
01/01/2018
01/01/2019
01/01/2020
01/01/2021
Sample Date
GW17.1


Figure 3.4: Northfleet Landfill - Leachate Quality, Ammoniacal-Nitrogen, 2015-2020
Concentration (mg/l)
900
800
700
600
500
400
300
200
100
0
01/01/2015
01/01/2016
01/01/2017
01/01/2018
01/01/2019
01/01/2020
01/01/2021
Sample Date
GW17.1


Figure 3.5: Northfleet Landfill - Leachate Quality, Electrical Conductivity,2015-2020
25000
20000
15000
10000
5000
0
Concentration (µS/cm)
01/01/2015
01/01/2016
01/01/2017
01/01/2018
01/01/2019
01/01/2020
01/01/2021
Sample Date
GW17.1


Figure 3.6: Northfleet Landfill - Leachate Quality, pH, 2015-2020
8.4
8.2
8
7.8
7.6
7.4
7.2
7
pH (units)
01/01/2015
01/01/2016
01/01/2017
01/01/2018
01/01/2019
01/01/2020
01/01/2021
Sample Date
GW17.1



Annually an extended suite of metals is specified in the permit schedule: As, Cd, Cr, Cu, Ni, Pb, Zn, Hg, V, Be, B, Se and Ba. The September 2019 annual leachate analysis from **GW17.1** confirms low metal concentrations, comparable with recent years, with no detection of antimony, arsenic, beryllium, cadmium, vanadium, selenium, chromium, copper, lead, zinc or mercury above laboratory reporting limits.

The September 2019 leachate sample was submitted for hazardous substance analysis and no hazardous substances were detected in the leachate above the Environment Agency's recommended LRL for leachate of 10µg/l. However, it is noted that mecoprop (MCPP), a non-hazardous pollutant, was recorded at 48.5µg/l.

3.2.3. Summary

Leachate levels remain low (<1.2m), as anticipated for a landfill developed under the principle of dilute and disperse, and leachate quality remains typical of an ageing domestic waste landfill site. There are no compliance limits for leachate level or quality within the site's Closure Report.

3.3. Surface Water Monitoring Data

3.3.1. Key Parameters

Surface water monitoring at on-site locations **SWA and SWB** is undertaken six monthly, when sufficient water is available, in accordance with the Closure Report. These two locations are within the boundary of the landfill at headwall locations on the perimeter drainage ditch.

SWB is in the south-west corner and is the point at which the surface water drains leave the site. **SWA** is in the centre of the western boundary at the point the drainage channel for the valley feature discharges to the perimeter drain. Due to the porous nature of the local geology, (minimal Thanet Sands overlying Chalk) incident rainfall preferentially infiltrates to ground and the generation of surface water run-off is minimal. Therefore, it is generally not possible to collect surface water samples. However, CMS visit the points during each monitoring visit and go equipped to take samples if the opportunity presents itself. Post closure only **three** sample records exist for **SWA and SWB:** 02/05/2012, 28/11/2012 and 08/01/2014. However, during the current 2019/20 review period, a sample was obtained from **SWA** in March 2020 and samples were obtained from **SWB** in December

2019 and January 2020. Table 5 presents the key surface water quality data for **SWA** and **SWB** in 2019/20 and the closure report control limits, where relevant.

Table 5: Northfleet Landfill - Surface Water Monitoring Data 2019/20				
Parameter	**Closure Report Control Limit**	**SWA**	**SWB**	
		05/03/2020	**23/12/2019**	**16/01/2020**
Ammoniacal-Nitrogen (mg/l)	1.1	0.073	0.219	0.193
Chloride (mg/l)	250	23	37	39
Alkalinity (mg/l)	-	280	595	620
BOD (mg/l)	-	<5	25	17
COD (mg/l)	-	20	64	68
Electrical Conductivity (µS/cm)	-	1010	2190	2200
Total Hardness (mg CaCO3/l)	-	461	1480	1460
pH (units)	-	8.2	7.6	7.8
Potassium (total) (mg/l)	-	10.8	19.1	24.4
Sodium (total) (mg/l)	-	32.3	48.1	53.5
Sulphate (mg/l)	-	334	1070	1110

The 2019/20 surface water quality data for SWA and SWB confirm that ammoniacal-nitrogen and chloride concentrations remained significantly below the relevant control limit. The samples from SWB recorded significantly higher concentrations of all parameters than the sample from SWA.

In response to the groundwater ammoniacal-nitrogen action plan (Nicola Sugg, September 2014, Northfleet Landfill, Swanscombe, Borehole **1NF009AWM** Ammoniacal-Nitrogen **Action Plan. Ref. NS_0111_22**) surface water monitoring of the adjacent **River Ebbsfleet** commenced in December 2014 on a monthly basis. The **River Ebbsfleet** is a potential secondary receptor for leachate migration from groundwater baseflow.

Samples were collected from **three** monitoring points within the **River Ebbsfleet**: **two** upstream of Northfleet Landfill (**R Ebbsfleet 1 and R Ebbsfleet 2**) and **one** downstream (**R Ebbsfleet 4**). Access to open stretches of the river is limited and a second downstream location in the vicinity of the site was not possible.

Monitoring of the River Ebbsfleet ceased in December 2018, in response to recommendations within the 2018 Hydrogeological Risk Assessment Review and confirmed in Environment Agency email 7th January 2019, because the data record had shown no discernible impact from the site.

3.3.2. Summary

Surface water samples have not been obtained from on-site monitoring points **SWA** and **SWB** since 2014 due to insufficient flow; however, in 2019/20 a total of three samples were obtained for analysis. There were no exceedances of the Closure Report control limits.

3.4. Groundwater Monitoring Data

3.4.1. Elevation

Groundwater levels are monitored quarterly within the network of five perimeter groundwater monitoring boreholes: **1NE004WM, 1NF006aWM, 1NF007aWM, 1NF009aWM** and **1NF010aWM**. Figure 3.11 presents groundwater levels from 2015 to 2020. Groundwater levels during the 2019/20 review period ranged from 0.82mAOD (**1NF007aWM**, September 2019) to 2.79mAOD (**1NE004WM**, April 2020) and therefore remained well below the estimated base of the landfill (5mAOD). Groundwater levels have followed a gradual declining trend since 2014 and were approximately 0.8m to 1.0m lower in mid-2019 than in 2014/15. However, the high Winter rainfall of 2019/20 resulted in a significant groundwater rebound, with groundwater levels in April 2020 almost back to 2015 levels.

The recent groundwater level data confirm that the inferred groundwater flow direction remains towards the north-north-east as previously reported.



3.4.2. Groundwater Quality

Groundwater quality is monitored quarterly within perimeter monitoring boreholes **1NE004WM** (up-gradient), **1NF007aWM** (down-gradient), **1NF009aWM** (down-gradient) and **1NF010aWM** (down-gradient). Groundwater quality compliance limits were derived in the **March 2012 Closure Report** for the down-gradient boreholes, for priority contaminants ammoniacal-nitrogen (4.6mg/l) and chloride (1045mg/l).

Figures 3.12 to 3.16 present groundwater quality data from 2015 to 2020 for the key leachate indicator parameters and general chemistry. Where relevant the groundwater compliance limits for boreholes **1NF007aWM**, **1NF009aWM** and **1NF010aWM** are presented.

The groundwater quality monitoring data for the current review period are presented in **Appendix 1**.



Ammoniacal–nitrogen – the laboratory transition from ALS to DETS in March 2019 resulted in a reduction in the laboratory reporting limit (LRL) for ammoniacal-nitrogen from 0.41mg/l to 0.05mg/l. During the current review period concentrations of ammoniacal-nitrogen in up-gradient borehole **1NE004WM** remained low (maximum: 0.315mg/l). Ammoniacal-nitrogen concentrations at down-gradient borehole **1NF010aWM** were also relatively low (maximum 0.849mg/l) as previously observed.

The declining trend in ammoniacal-nitrogen concentrations recorded at down-gradient borehole **1NF009aWM** continued throughout the current review period, with concentrations remaining below 2mg/l and therefore below the compliance limit (4.6mg/l) in 2019/20.

Ammoniacal-nitrogen concentrations in the third down-gradient borehole, **1NF007aWM**, have historically been very low, generally below the LRL, until Spring 2018 when a spike in concentrations was recorded, with a maximum of 15.9mg/l in April 2018. Ammoniacal-nitrogen concentrations at **1NF007aWM** subsequently declined to below the LRL by November 2018 but increased sharply again in Spring 2019, peaking at 14.3mg/l in March 2019. Concentrations subsequently declined rapidly, falling below the compliance limit by May 2019, and have remained below the compliance limit for the remainder of the review period.

It is noted that these seasonal, short-duration peaks in ammoniacal-nitrogen concentration at **1NF007aWM** are observed for other leachate indicator parameters at a much-reduced scale (refer to graphs below).

New groundwater compliance limits were proposed in the 2018 HRA Review for the down-gradient boreholes based on a statistical review of recent monitoring data, with a limit of 28mg/l proposed for ammoniacal-nitrogen; this was not exceeded during the current review period. There are currently no plans to update the closure report as this would require a permit variation (Louise confirmed in email 7th January 2019).



Chloride – Chloride concentrations recorded during the current review period are comparable to those previously observed, with concentrations remaining below 80mg/l at all monitoring boreholes except **1NF009aWM**. Chloride concentrations at **1NF009AWM** during 2019/2020 ranged from 41mg/l to 200mg/l, slightly lower than in recent years and remaining well below the compliance limit of 1045mg/l. A new groundwater compliance limit of 473mg/l was proposed in the 2018 HRA Review based on a statistical review of recent monitoring data; this was not exceeded during the current review period.


Figure 3.14: Northfleet Landfill - Groundwater Quality, Electrical Conductivity, 2015-2020
Concentration (µS/cm)
2500
2000
1500
1000
500
0
01/01/2015
01/01/2016
01/01/2017
01/01/2018
01/01/2019
01/01/2020
01/01/2021
Date
1NE004WM
1NF007aWM
1NF009aWM
1NF010aWM


Figure 3.15: Northfleet Landfill - Groundwater Quality, Sodium (filtered), 2015-2020
Concentration (mg/l)
250
200
150
100
50
0
01/01/2015
01/01/2016
01/01/2017
01/01/2018
01/01/2019
01/01/2020
01/01/2021
Date
1NE004WM
1NF007aWM
1NF009aWM
1NF010aWM



Other Parameters – The majority of other routine parameters, including electrical conductivity, potassium, and sodium, continue to report higher concentrations in groundwater at down-gradient borehole **1NF009AWM** than at the other monitoring locations. However, where Drinking Water Standards (DWS) exist, concentrations remained below the relevant DWS throughout 2019/20.

Annually an extended suite of metals is specified in the Closure Report schedule: As, Cd, Cr, Cu, Ni, Pb, Zn, Hg, V, Be, B, Se and Ba. Concentrations of metals in groundwater in September 2019 remained low up-gradient and down-gradient of the site with arsenic, cadmium, chromium, copper, lead, mercury, vanadium, beryllium and selenium consistently below the relevant laboratory reporting limit. Nickel and zinc were detected in groundwater down-gradient of the site, with concentrations at **1NF009aWM** higher than those recorded in the site leachate, as previously observed. The September 2019 analysis included hazardous substance suite; no hazardous substances were detected in groundwater up-gradient or down-gradient of the site. Non-hazardous pollutant picloram (a herbicide) was detected in low concentrations up-gradient and down-gradient of the site, but not within the site leachate. Mecoprop was detected at down-gradient **1NF009aWM** (0.49µg/l) and was recorded at 48.5µg/l within the site leachate.

3.4.3. Summary

The impact of the isolated plume of contaminated groundwater observed at down-gradient borehole **1NF009aWM** in recent years has continued to reduce, with ammoniacal-nitrogen concentrations consistently below the groundwater compliance limit in 2019/20.

A second seasonal peak in ammoniacal-nitrogen concentrations was observed at down-gradient borehole **1NF007aWM** in Spring 2019, as recorded in Spring 2018, with concentrations elevated above the compliance limit of 4.6mg/l from March until May 2019. Concentrations subsequently declined and remained below the compliance limit for the remainder of the 2019/20 review period.

Groundwater quality at the other down-gradient monitoring borehole (**1NF010aWM**) remained good in 2019/20.

4. Settlement and Site Condition Survey

4.1. Settlement and Stability

The site is subject to three yearly topographical surveys as per condition 3.6, most recent of which was in April 2018 and next due in 2021. An Isopachyte survey was carried out in April 2018 and reported in the last annual monitoring review; the survey concluded that no settlement or stability issues are evident.

A site walkover and condition report were completed in September 2019 as required by Closure Report March 2012, Section 3.6 Settlement and Site Condition Survey **See Appendix 3.** Any works will be managed via CMS routine works schedule and completed as necessary.

4.2. Landfill Surface Emissions

A Flame Ionisation Detector (FID) survey was completed on September 2019. All Detections of Methane are recorded in the report in **Appendix 3**. Detections recorded were minimal and due to few and low levels of detections recorded across the site and good performance of the Landfill gas extraction system, it is proposed to continue the discreet points FID survey annually.

5. Conclusions and Recommendations

5.1. Landfill Gas Conclusions and Recommendations

Two Methane exceedances of the compliance limit of 1%v/v were seen at the low risk eastern boundary point 1NF029GM on 13th February and 5th March 2020 on days of lower Atmospheric pressure with revisits giving readings of 0% methane; the initial methane exceedance can be considered a direct response to atmospheric pressure drop.

High risk monitoring points failure of CO2 assessment tests were submitted via notification forms and the risk ranking for the 2019/2020 year downgraded 3 high risk monitoring points to medium or low risk and zero monitoring points moved to high risk this reporting year.

The focus continued to be to balance LFG extraction rates and manage off-site migration; whilst maintaining 24/7 operation of the flare without ingress of air. Field balance targets have been used effectively. The LFG extraction system is operating efficiently, and routine balancing continues. Internal wells that CMS have deemed to be over-extracted are showing signs of improvement.

5.2. Leachate Conclusions and Recommendations

Leachate levels remained low in 2019/20 as anticipated for a landfill developed on the principle of dilute and attenuate. Due to the low levels of leachate within the site, leachate samples are taken from a single monitoring well and in 2019/20 leachate sampling was undertaken in June and September 2019. Leachate quality remains indicative of an ageing domestic waste landfill site.

Leachate monitoring will continue in accordance with the requirements of the Closure Report and 2018 HRA Review (Table 11).

5.3 Surface Water Conclusions and Recommendations

Surface water samples have not been obtained from on-site monitoring points **SWA** and **SWB** since 2014 due to insufficient flow; however, in 2019/20 a total of three samples were obtained for analysis. The water quality at **SWB** recorded significantly higher concentrations of all parameters than the sample from **SWA**. There were no exceedances of the Closure Report control limits at either monitoring point.

Monitoring of the **River Ebbsfleet** ceased in December 2018 in response to recommendations made in the 2018 HRA Review, due to a lack of discernible impact on the river water quality.

Surface water monitoring will continue in accordance with the requirements of the Closure Report and 2018 HRA Review (Table 14), if sufficient flow is available.

5.3. Groundwater Conclusions and Recommendations

The impact of the isolated plume of contaminated groundwater observed at down-gradient borehole 1NF009aWM in recent years has continued to reduce, with ammoniacal-nitrogen concentrations consistently below the groundwater compliance limit in 2019/20. A second seasonal peak in ammoniacal-nitrogen concentrations was observed at down-gradient borehole **1NF007aWM** in Spring 2019, as recorded in Spring 2018, with concentrations elevated above the compliance limit of 4.6mg/l from March until May 2019. Concentrations subsequently declined and remained below the compliance limit for the remainder of the 2019/20 review period. These seasonal, short-duration peaks in ammoniacal-nitrogen concentration at **1NF007aWM** are observed much more subtly for other leachate indicator parameters.

Groundwater compliance limits were reviewed within the 2018 HRA Review, with new limits proposed for chloride and ammoniacal-nitrogen. However, the EA have advised that these could only apply following Environment Agency approval of an update to the site Closure Report, for which they require a permit variation. This is under review within the upcoming HRA.

As outlined in the 2018 HRA Review, the site generally operates as designed (dilute and disperse) although presence of a discrete plume of contaminated groundwater is acknowledged. Monitoring of the River Ebbsfleet has confirmed no impact to this down-gradient receptor. The site is definitively closed and on-site actions to reduce the source term are not possible.

Drawing UKTD-NF122, Issue 3, dated 8th March 2012

Appendix 1 – Raw Data

Northfleet Landfill Groundwater Sampling Results - 1NE004WM

							Table note 2
		Laboratory Report Number:	**19-05573.2**	**19-08506.2**	**19-14072**	**19-16454**	**20-04812**
		Laboratory Number:	**403509**	**415226**	**438729**	**448814**	**475091**
		Time of Sample:	**09:00**	**12:45**	**10:40**	**11:48**	**09:55**
Determinand	**Units**	**RL**	**17/04/2019**	**13/06/2019**	**30/09/2019**	**21/11/2019**	**28/04/2020**
Alkalinity	mgCaCO3/l	< 20	400		380		
Ammoniacal Nitrogen as NH_4	ug/l	< 50	0.05	0.053	0.244	0.315	0.05
Antimony (total)	ug/l	< 5	5		5		
Arsenic (dissolved)	ug/l	< 5	0.005	0.005	0.005	0.005	0.005
Arsenic (total)	ug/l	< 5	0.005		0.005		
Barium (dissolved)	ug/l	< 5	48		44		
Barium (total)	ug/l	< 5	53		46		
Beryllium (dissolved)	ug/l	< 3	3		3		
Boron (dissolved)	ug/l	< 5	60	63	45	60	50
Cadmium (dissolved)	ug/l	< 0.4	0.4		0.4		
Cadmium (total)	ug/l	< 0.4	0.4		0.4		
Calcium (dissolved)	mg/l	< 0.2	190		184		
Chemical Oxygen Demand	mg/l	< 5					
Chloride	mg/l	< 1	62	76	72	48	44
Chromium (dissolved)	ug/l	< 5	5		5		
Chromium (hexavalent)	ug/l	< 20	20		20		
Chromium (total)	ug/l	< 5	5		5		
Copper (dissolved)	ug/l	< 5	5		5		
Electrical Conductivity	uS/cm	< 5	1320	1210	1040	1080	1050
Fluoride	mg/l	< 0.5	0.5		0.5		
Hardness - Total	mgCaCO3/l	< 1	543		513		
Lead (dissolved)	ug/l	< 5	5		5		
Magnesium (dissolved)	mg/l	< 0.1	16.8		13		
Mercury (dissolved)	ug/l	< 0.05	0.05		0.05		
Mercury (total)	ug/l	< 0.05	0.08		0.05		
Molybdenum (total)	ug/l	< 5	28.5		5		
Nickel (dissolved)	ug/l	< 5	0.005		0.005		
Nitrate as N	mg/l	< 0.5	43.3	33.8	10.7	10.5	30.2
Nitrite as N	mg/l	< 0.5	0.5		0.5		
Organo Tin (S)	ug/l	< 10	10		10		
Pentachlorobenzene	ug/l	< 0.1	0.1		0.1		
pH	pH Units	N/a	7.5	7.5	7.2	7	6.7
Phosphate as P	mg/l	< 1	1		1		
Potassium (dissolved)	mg/l	< 0.2	7.3	10.8	7.9	7.8	6.3
Selenium (dissolved)	ug/l	< 5	5	6	5	5	5
Selenium (total)	ug/l	< 5	11		5		
Sodium (dissolved)	mg/l	< 0.2	30.1	30.6	25.3	28.9	27
Sulphate as SO_4	mg/l	< 1	172		210		
Thallium (total) (S)	ug/l	< 1	1		1		
Toluene	ug/l	< 5	5	5	5	5	5
Total Organic Carbon (TOC)	mg/l	< 0.1	13.2	55.1	8.5	17.7	2.5
Total Suspended Solids	mg/l	< 5	7		5		
Vanadium (dissolved)	ug/l	< 5	5		5		
Zinc (dissolved)	ug/l	< 2	0.003		0.002		
Water Levels							
Depth to water from cap (piezo/pipe) m	m		25.9	26.02	26.22	26.85	25.28
Top of Cap (piezo/pipe)	mAOD	**Survey Level 28.07**	28.07	28.07	28.07	28.07	28.07
Water level mAOD	mAOD		2.17	2.05	1.85	1.22	2.79
Depth to base from cap (piezo/pipe)	m		46.33	46.15	46.28	46.58	46.29
Depth of water in Meters	m		20.43	20.13	20.06	19.73	21.01
Field tests							
pH	pH		7.57	7.38	6.78	7.88	6.5
Temperature	°C		12.4	11.8	12.3	9.2	10.9
Conductivity	m/s		1.28	1.01	1.25	1.11	1.34
Purge Volume	L		30	30	30	30	30

Table notes
1. All less than (<) symbols have been removed and marked in blue
2. Quarterly samples taken in April due to postponing quarterly monitoring due to Covid-19 outbreak

Northfleet Landfill Groundwater Sampling Results - 1NF010aWM

Determinand	Units	RL	Complince Closure Report Control Limit	Closure Report Compliance limit 2012	10/04/2019	17/04/2019	25/04/2019	30/04/2019	08/05/2019	14/05/2019	22/05/2019	28/05/2019	13/06/2019	30/09/2019	21/11/2019	28/04/2020 (table note 2)
Laboratory Report Number:					19-05142.2	19-05573.2	19-05813.2	19-06159.2	19-06482.2	19-06482	19-07339	19-07508.2	19-08506.2	19-14072	19-16454	20-04812
Laboratory Number:					401961	403512	404471	405742	407147	408198	410394	410975	415229	438732	448815	475094
Time of Sample:					09:40	13:20	12:45	12:45	13:15	11:45	12:10	10:55	11:55	12:41	12:00	
Alkalinity	mgCaCO3/l	< 20				350								355		
Ammoniacal Nitrogen as NH_4	ug/l	< 50	3.9	4.6	0.135	0.39	0.05	0.05	0.05	0.05	0.05	0.05	0.158	0.849	0.357	0.113
Antimony (total)	ug/l	< 5				5								5		
Arsenic (dissolved)	ug/l	< 5			0.005	0.005	0.005	0.005	0.005	0.005	0.005	0.005	0.005	0.005	0.005	0.005
Arsenic (total)	ug/l	< 5				0.005								0.005		
Barium (dissolved)	ug/l	< 5				41								41		
Barium (total)	ug/l	< 5				49								44		
Beryllium (dissolved)	ug/l	< 3				3								3		
Boron (dissolved)	ug/l	< 5			75	84	66	78	63	78	95	67	73	64	65	59
Cadmium (dissolved)	ug/l	< 0.4				0.4								0.4		
Cadmium (total)	ug/l	< 0.4				0.4								0.4		
Calcium (dissolved)	mg/l	< 0.2				171								170		
Chemical Oxygen Demand	mg/l	< 5														
Chloride	mg/l	< 1	974	1045	48	45	45	43	49	37	45	44	37	43	43	40
Chromium (dissolved)	ug/l	< 5				5								6		
Chromium (hexavalent)	ug/l	< 20				20								20		
Chromium (total)	ug/l	< 5				5								6		
Copper (dissolved)	ug/l	< 5				5								5		
Electrical Conductivity	uS/cm	< 5			892	912	884	938	939	926	923	917	937	890	871	870
Fluoride	mg/l	< 0.5				0.5								0.5		
Hardness - Total	mgCaCO3/l	< 1				462								455		
Lead (dissolved)	ug/l	< 5				5								5		
Magnesium (dissolved)	mg/l	< 0.1				8.6								7.3		
Mercury (dissolved)	ug/l	< 0.05				0.05								0.05		
Mercury (total)	ug/l	< 0.05				0.05								0.05		
Molybdenum (total)	ug/l	< 5				5								5		
Nickel (dissolved)	ug/l	< 5				0.005								0.005		
Nitrate as N	mg/l	< 0.5			38.7	38.7	45.4	40.3	44.3	34.5	38.8	0.5	30.1	9.2	9	14.9
Nitrite as N	mg/l	< 0.5				0.5								0.5		
Organo Tin (S)	ug/l	< 10				10								10		
Pentachlorobenzene	ug/l	< 0.1				0.1								0.1		
pH	pH Units	N/a			7.4	7.3	7.2	6.9	6.9	7.6	6.9	6.9	7.3	7.3	7.1	6.9
Phosphate as P	mg/l	< 1				1								1		
Potassium (dissolved)	mg/l	< 0.2			9.2	8	7	7.8	6.6	8.6	9.3	7.3	8	8	7.1	6.5
Selenium (dissolved)	ug/l	< 5			5	5	5	5	5	5	10	5	5	5	5	5
Selenium (total)	ug/l	< 5				5								5		
Sodium (dissolved)	mg/l	< 0.2			25	24.6	20.1	24.2	20.9	26.1	26	22.9	23	22.4	20.1	19.8
Sulphate as SO_4	mg/l	< 1				80								75		
Thallium (total) (S)	ug/l	< 1				1								1		
Toluene	ug/l	< 5			13.5	11.1	10.3	9.9	5.3	6.4	5.4	4.1	64.1	8.5	13.9	1.9
Total Organic Carbon (TOC)	mg/l	< 0.1			5	5	5	5	5	5	5	5	5	5	5	5
Total Suspended Solids	mg/l	< 5				5								12		
Vanadium (dissolved)	ug/l	< 5				5								5		
Zinc (dissolved)	ug/l	< 2				0.014								0.006		
Water Levels																
Depth to water from cap (piezo/pipe) m	m				15.33	15.35	15.36	15.4	15.37	15.37	15.38	15.43	15.41	15.58	15.33	15.01
Top of Cap (piezo/pipe)	mAOD		**Survey Level**	**16.79**	16.76	16.76	16.76	16.76	16.76	16.76	16.76	16.76	16.76	16.76	16.76	16.76
Water level mAOD	mAOD				1.43	1.41	1.40	1.36	1.39	1.39	1.38	1.33	1.35	1.18	1.43	1.75
Depth to base from cap (piezo/pipe)	m				20.63	20.86	20.76	20.68	20.68	20.68	20.66	20.73	20.72	20.69	20.7	20.7
Depth of water in Meters	m				5.3	5.51	5.4	5.28	5.31	5.31	5.28	5.3	5.31	5.11	5.37	5.69
Field tests																
pH	pH				7.37	7.47	7.46	7.57	8.14	6.55	6.95	7.21	6.77	6.74	7.58	6.64
Temperature	°C				13.9	14.7	14.6	14.3	13.8	14.8	14.9	14.6	14.9	15.1	11.3	13.9
Conductivity	m/s				0.82	0.96	0.96	0.82	0.8	0.94	0.95	0.82	0.87	1.05	0.81	1.01
Purge Volume	L				30	30	30	30	30	30	30	30	30	30	30	30

Table notes

1. All less than (<) symbols have been removed and marked in blue
2. Quarterly samples taken in April due to postponing quarterly monitoring due to Covid-19 outbreak

Northfleet Landfill Groundwater Sampling Results - 1NF009aWM

				Laboratory Report Number:	19-05573.2	19-08506.2	19-14072	19-16454	20-04812
				Laboratory Number:	403509	415226	438731	448816	475093
				Time of Sample:	09:00	12:45	11:10	11:12	11:00
Determinand	**Units**	**RL**	Complince Closure Report Control Limit	**Closure Report Compliance limit 2012**	**17/04/2019**	**13/06/2019**	**30/09/2019**	**21/11/2019**	**28/04/2020**
Alkalinity	mgCaCO3/l	< 20			510		415		
Ammoniacal Nitrogen as NH_4	ug/l	< 50	3.9	4.6	1.57	0.789	0.69	1.12	0.057
Antimony (total)	ug/l	< 5			5		5		
Arsenic (dissolved)	ug/l	< 5			0.005	0.005	0.005	0.005	0.005
Arsenic (total)	ug/l	< 5			0.008		0.008		
Barium (dissolved)	ug/l	< 5			80		87		
Barium (total)	ug/l	< 5			115		115		
Beryllium (dissolved)	ug/l	< 3			3		3		
Boron (dissolved)	ug/l	< 5			328	162	186	262	9
Cadmium (dissolved)	ug/l	< 0.4			0.4		0.4		
Cadmium (total)	ug/l	< 0.4			0.4		0.4		
Calcium (dissolved)	mg/l	< 0.2			248		207		
Chemical Oxygen Demand	mg/l	< 5							
Chloride	mg/l	< 1	974	1045	193	113	128	200	41
Chromium (dissolved)	ug/l	< 5			5		5		
Chromium (hexavalent)	ug/l	< 20			20		20		
Chromium (total)	ug/l	< 5			8		6		
Copper (dissolved)	ug/l	< 5			5		5		
Electrical Conductivity	uS/cm	< 5			2030	1420	1470	1870	323
Fluoride	mg/l	< 0.5			0.5		0.5		
Hardness - Total	mgCaCO3/l	< 1			748		603		
Lead (dissolved)	ug/l	< 5			5		5		
Magnesium (dissolved)	mg/l	< 0.1			31.1		20.8		
Mercury (dissolved)	ug/l	< 0.05			0.05		0.05		
Mercury (total)	ug/l	< 0.05			0.12		0.05		
Molybdenum (total)	ug/l	< 5			5		5		
Nickel (dissolved)	ug/l	< 5			0.062		0.045		
Nitrate as N	mg/l	< 0.5			1.2	0.5	0.5	1.6	2.5
Nitrite as N	mg/l	< 0.5			0.5		0.5		
Organo Tin (S)	ug/l	< 10			10		10		
Pentachlorobenzene	ug/l	< 0.1			0.1		0.1		
pH	pH Units	N/a			7.1	7.2	7.1	6.9	7.3
Phosphate as P	mg/l	< 1			1		1		
Potassium (dissolved)	mg/l	< 0.2			161	91.2	119	150	6.4
Selenium (dissolved)	ug/l	< 5			5	5	5	5	5
Selenium (total)	ug/l	< 5			5		5		
Sodium (dissolved)	mg/l	< 0.2			84.8	46.8	55.8	72.7	25.3
Sulphate as SO_4	mg/l	< 1			421		295		
Thallium (total) (S)	ug/l	< 1			1		1		
Toluene	ug/l	< 5			5	5	5	5	5
Total Organic Carbon (TOC)	mg/l	< 0.1			24.3	59.4	17.1	24.2	3.9
Total Suspended Solids	mg/l	< 5			5		21		
Vanadium (dissolved)	ug/l	< 5			5		5		
Zinc (dissolved)	ug/l	< 2			0.011		0.011		
Water Levels									
Depth to water from cap (piezo/pipe) m	m				11.72	11.8	11.97	11.7	11.36
Top of Cap (piezo/pipe)	mAOD		**Survey Level**	**14.19**	13.14	13.14	13.14	13.14	13.14
Water level mAOD	mAOD				1.42	1.34	1.17	1.44	1.78
Depth to base from cap (piezo/pipe)	m				14.84	14.91	14.8	14.7	14.85
Depth of water in Meters	m				3.12	3.11	2.83	3	3.49
Field tests									
pH	pH				7.66	6.79	6.63	8.04	6.71
Temperature	°C				17.3	16.1	16.8	12.24	11
Conductivity	m/s				2.16	1.27	1.84	1.9	0.3
Purge Volume	L				30	30	30	30	60
									Table note 2

Table notes

1. All less than (<) symbols have been removed and marked in blue

2. Heavily raining when sampling and rain water flowing into borehole. Purge water very black. m/s recorded as 0.38 after 30 litres purged. 60 litres purged in total to ensure representative sample. Final m/s 0.3.

Northfleet Landfill Groundwater Sampling Results - 1NE007aWM

					table note 2		table note 3		table note 4								Table note 5
Laboratory Report Number:					19-04581	19-05142.2	19-05573.2	19-05813.2	19-06159.2	19-06482.2	19-06771	19-07339	19-07508.2	19-08506.2	19-14072	19-16454	20-04812
Laboratory Number:					399637.2	401960	403510	404470	405741	407146	408197	410393	410974	415227	438730	448817	475092
Time of Sample:						11:25	09:30	13:00	12:40	12:30	13:00	11:30	11:50	10:30	11:40	12:44	11:30
Determinand	**Units**	**RL**	Complince Closure Report Control Limit	Closure Report Compliance limit 2012	**01/04/2019**	**10/04/2019**	**17/04/2019**	**25/04/2019**	**30/04/2019**	**08/05/2019**	**14/05/2019**	**22/05/2019**	**28/05/2019**	**13/06/2019**	**30/09/2019**	**21/11/2019**	**28/04/2020**
Alkalinity	mgCaCO3/l	< 20					390								350		
mmoniacal Nitrogen as NH_4	ug/l	< 50	3.9	4.6	12.5	10.2	10.6	7.43	5.59	5.07	4.3	3.29	4.31	1.75	0.46	0.379	1.76
Antimony (total)	ug/l	< 5					5								5		
Arsenic (dissolved)	ug/l	< 5			0.005	0.005	0.005	0.005	0.005	0.005	0.005	0.005	0.005	0.005	0.005	0.005	0.005
Arsenic (total)	ug/l	< 5					0.005								0.005		
Barium (dissolved)	ug/l	< 5					44								40		
Barium (total)	ug/l	< 5					56								45		
Beryllium (dissolved)	ug/l	< 3					3								3		
Boron (dissolved)	ug/l	< 5			241	222	190	142	151	117	133	131	118	98	69	83	100
Cadmium (dissolved)	ug/l	< 0.4					0.4								0.4		
Cadmium (total)	ug/l	< 0.4					0.4								0.4		
Calcium (dissolved)	mg/l	< 0.2					135								148		
Chemical Oxygen Demand	mg/l	< 5															
Chloride	mg/l	< 1	974	1045	71	63	58	55	51	57	42	51	48	51	48	44	51
Chromium (dissolved)	ug/l	< 5							0.01						5		
Chromium (hexavalent)	ug/l	< 20					20								20		
Chromium (total)	ug/l	< 5					7								5		
Copper (dissolved)	ug/l	< 5					5								5		
Electrical Conductivity	uS/cm	< 5			1150	974	1000	917	979	929	922	927	897	905	842	837	888
Fluoride	mg/l	< 0.5					0.5								0.5		
Hardness - Total	mgCaCO3/l	< 1					382								401		
Lead (dissolved)	ug/l	< 5					5								5		
Magnesium (dissolved)	mg/l	< 0.1					11								7.3		
Mercury (dissolved)	ug/l	< 0.05					0.05								0.05		
Mercury (total)	ug/l	< 0.05					0.07								0.05		
Molybdenum (total)	ug/l	< 5					7.5								5		
Nickel (dissolved)	ug/l	< 5					0.006								0.005		
Nitrate as N	mg/l	< 0.5			44.6	35.9	42.5	42.1	42.3	51.2	38.9	42.5	0.5	44.6	10.5	10.6	12.7
Nitrite as N	mg/l	< 0.5					0.5								0.5		
Organo Tin (S)	ug/l	< 10					10								10		
Pentachlorobenzene	ug/l	< 0.1					0.1								0.1		
pH	pH Units	N/a			7.7	7.4	7.3	7.2	6.9	6.8	7.6	6.9	7	7.6	7.2	7.3	7.1
Phosphate as P	mg/l	< 1					1								1		
Potassium (dissolved)	mg/l	< 0.2			15.8	16.6	12.5	10.5	11.3	9.2	11.4	11.2	9.1	9.7	7.9	7.1	7.9
Selenium (dissolved)	ug/l	< 5			5	5	5	5	5	5	5	10	5	5	5	5	5
Selenium (total)	ug/l	< 5					5								5		
Sodium (dissolved)	mg/l	< 0.2			37.1	45.2	37.9	31.6	35.7	31	36.8	34.6	31.4	28.6	25	25.5	28.5
Sulphate as SO_4	mg/l	< 1					65								71		
Thallium (total) (S)	ug/l	< 1					1								1		
Toluene	ug/l	< 5			5	5	5	5	5	5	5	5	5	5	5	5	5
Total Organic Carbon (TOC)	mg/l	< 0.1			16.4	17.9	15.8	10.4	12.3	5.3	9.2	6.2	5.6	23.6	6.7	12.3	2.6
Total Suspended Solids	mg/l	< 5					5								5		
Vanadium (dissolved)	ug/l	< 5					5								5		
Zinc (dissolved)	ug/l	< 2					0.004								0.003		
Water Levels																	
Depth to water from cap (piezo/pipe) m	m				15.74	15.77	15.8	15.77	15.84	15.79	15.78	15.85	15.86	15.84	16.3	15.83	15.44
Top of Cap (piezo/pipe)	mAOD	**Survey Level**		**17.1**	17.12	17.12	17.12	17.12	17.12	17.12	17.12	17.12	17.12	17.12	17.12	17.12	17.12
Water level mAOD	mAOD				1.38	1.35	1.32	1.35	1.28	1.33	1.34	1.27	1.26	1.28	0.82	1.29	1.68
Depth to base from cap (piezo/pipe)	m				19.15	19.12	19.18	19.12	19.18	19.17	19.16	19.12	19.12	19.18	19.16	19.13	19.19
Depth of water in Meters	m				3.41	3.35	3.38	3.35	3.34	3.38	3.38	3.27	3.26	3.34	2.86	3.3	3.75
Field tests																	
pH	pH				7.28	8.3	7.55	7.88	7.60	8.42	6.57	7.76	7.71	7.75	6.81	7.26	6.36
Temperature	°C				13.4	13.9	14.3	14	14.3	14	14.4	14.9	14	14.1	14.5	11.3	13.6
Conductivity	m/s				0.96	0.93	1.06	1	0.93	0.8	0.98	0.95	0.94	0.82	1	0.81	1.02
Purge Volume	L				30	30	30	30	30	30	30	30	30	30	30	30	30

Table notes

1. All less than (<) symbols have been removed and marked in blue
2. Transitioned to DETS laboratory. Resample of 7a due to ammoniacal nitrogen breach - CER.03.19
3. CER.04.19
4. CER.05.19
5. Quarterly samples taken in April due to postponing quarterly monitoring due to Covid-19 outbreak

Northfleet Landfill Groundwater Sampling Results - 1NE006aWM

	Date:	13/06/2019	30/09/2020	21/11/2019	28/04/2020
Dip to water from Cap.	**m**	13.69	13.77	13.38	13
Top of Cap (piezo/pipe)	mAOD	15.35	15.35	15.35	15.35
Water level	**mAOD**	1.66	1.58	1.97	2.35
Depth to base from cap (piezo/pipe)	m	19.4	19.42	19.36	19.37
Depth of water in Meters	m	5.71	5.65	5.98	6.37

Northfleet Landfill Groundwater Sampling Results - 1NE007bWM

	Date:	13/06/2019	30/09/2020	21/11/2019	28/04/2020
Dip to water from Cap.	**m**	10.59	10.82	10.47	10.15
Top of Cap (piezo/pipe)	mAOD	12.3	12.3	12.3	12.3
Water level	**mAOD**	1.71	1.48	1.83	2.15
Depth to base from cap (piezo/pipe)	m	15.38	15.37	15.38	15.38
Depth of water in Meters	m	4.79	4.55	4.91	5.23

Northfleet Landfill Leachate Sampling Results - GW14.1

	Date:	17/04/2019	13/06/2019	20/06/2019	18/07/2019	30/09/2019	21/11/2019	28/04/2020
Dip to Leachate from Cap.	**m**	17.25	17.63	17.67	17.65	17.68	17.72	17.65
Top of Cap (piezo/pipe)	mAOD	25.32	25.32	25.32	25.32	25.32	25.32	25.32
Leachate level	**mAOD**	8.07	7.69	7.65	7.67	7.64	7.6	7.67
Depth to base from cap (piezo/pipe)	m	17.65	17.66	17.72	17.72	17.71	17.72	17.8
Depth of Leachate in Meters	m	0.4	0.03	0.05	0.07	0.03	0	0.15

Northfleet Landfill Leachate Sampling Results - CTRL GW4

	Date:	17/04/2019	13/06/2019	20/06/2019	18/07/2019	30/09/2019	21/11/2019	28/04/2020
Dip to Leachate from Cap.	**m**	12.35	12.3	12.33	12.33	12.25	12.3	12.23
Top of Cap (piezo/pipe)	mAOD	19.6	19.6	19.6	19.6	19.6	19.6	19.6
Leachate level	**mAOD**	7.25	7.3	7.27	7.27	7.35	7.3	7.37
Depth to base from cap (piezo/pipe)	m	12.35	12.3	12.33	12.33	12.32	12.3	12.3
Depth of Leachate in Meters	m	0	0	0	0	0.07	0	0.07

Northfleet Landfill Leachate Sampling Results - GW17.1

	Date:	17/04/2019	13/06/2019	20/06/2019	18/07/2019	30/09/2019	21/11/2019	28/04/2020
Dip to Leachate from Cap.	**m**	17.33	16.96	17.01	16.99	16.54	16.9	16.65
Top of Cap (piezo/pipe)	mAOD	24.06	24.06	24.06	24.06	24.06	24.06	24.06
Leachate level	**mAOD**	6.73	7.1	7.05	7.07	7.52	7.16	7.41
Depth to base from cap (piezo/pipe)	m	17.73	17.74	17.73	17.72	17.71	17.78	17.76
Depth of Leachate in Meters	m	0.4	0.78	0.72	0.73	1.17	0.88	1.11

Northfleet Landfill Leachate Sampling Results - GW 17.1

			Table note 2		
Laboratory Report Number:			19-05573	19-08506	19-14072
Laboratory Number:			403513	415230	438733
Time of Sample:			09:00	12:45	12:30
Determinand/Paramater	**Unit**	**RL**	**16/04/1912**	**25/08/1910**	**30/09/2019**
Alkalinity	mgCaCO3/l	< 20	4490	3890	5330
Ammoniacal Nitrogen as NH_4	ug/l	< 50	773	256	521
Antimony (total)	ug/l	< 5			5
Arsenic (dissolved)	ug/l	< 5	0.006	0.005	0.005
Arsenic (total)	ug/l	< 5			0.019
Barium (dissolved)	ug/l	< 5	0.102	0.11	104
Barium (total)	ug/l	< 5			531
Beryllium (dissolved)	ug/l	< 3	3	3	3
Biochemical Oxygen Demand (BOD)	mg/l	< 5	Insufficient Sample	Insufficient Sample	832
Boron (dissolved)	ug/l	< 5	3.13	2.84	3100
Cadmium (dissolved)	ug/l	< 0.4	0.4	0.4	0.4
Cadmium (total)	ug/l	< 0.4			2.4
Calcium (dissolved)	mg/l	< 0.2	61.9	43.3	15.5
Chemical Oxygen Demand	mg/l	< 5		1092	832
Chloride	mg/l	< 1	1730	1870	2000
Chromium (dissolved)	ug/l	< 5	5	7	5
Chromium (hexavalent)	ug/l	< 20			20
Chromium (total)	ug/l	< 5			38
Copper (dissolved)	ug/l	< 5	5	5	5
Electrical Conductivity	uS/cm	< 5	12200	15100	20300
Fluoride	mg/l	< 0.5			0.5
Hardness - Total	mgCaCO3/l	< 1	674	709	456
Lead (dissolved)	ug/l	< 5	5	5	5
Magnesium (dissolved)	mg/l	< 0.1	126	146	101
Mercury (dissolved)	ug/l	< 0.05	5	5	5
Mercury (total)	ug/l	< 0.05			0.05
Molybdenum (total)	ug/l	< 5			5
Nickel (dissolved)	ug/l	< 5	0.019	0.021	0.015
Nitrate as N	mg/l	< 0.5	7.8	0.5	1.6
Nitrite as N	mg/l	< 0.5	0.5	11.8	0.5
Organo Tin (S)	ug/l	< 10			10
Pentachlorobenzene	ug/l	< 0.1			0.1
pH	pH Units	N/a	7.7	7.5	7.5
Phosphate as P	mg/l	< 1	1	1	1
Potassium (dissolved)	mg/l	< 0.2	171	567	142
Selenium (dissolved)	ug/l	< 5	5	5	5
Selenium (total)	ug/l	< 5			5
Sodium (dissolved)	mg/l	< 0.2	923	1650	1110
Sulphate as SO_4	mg/l	< 1	269	35	9
Thallium (total) (S)	ug/l	< 1			1
Total Organic Carbon (TOC)	mg/l	< 0.1		39.1	599
Total Suspended Solids	mg/l	< 5	4130	206	1240
Vanadium (dissolved)	ug/l	< 5	5	5	5
Zinc (dissolved)	ug/l	< 2	0.002	0.002	0.002
Water Levels					
Depth to water from cap (piezo/pipe) m	m		17.33	16.96	16.54
Top of Cap (piezo/pipe)	mAOD	**Survey level 24.06**	24.06	24.06	24.06
Water level mAOD	mAOD		6.73	7.1	7.52
Depth to base from cap (piezo/pipe)	m		17.73	17.74	17.71
Depth of water in Meters	m		0.4	0.78	1.17
Field tests					
pH	pH		NR	7.17	7.15
Temperature	°C		NR	17.7	19.8
Conductivity	m/s		NR	11.19	6.11
Sample method	Bailed or Waterra?		Bailed	Waterra	Waterra

Table notes

1. All less than (<) symbols have been removed and marked in blue
2. Unable to fill all bottles, only 1/2 filled 1 bottle. Not all parimeters tested.

Date	Monitoring Point	Methane (CH4) %	Carbon Dioxide (CO2) %	Oxygen (O2) %	Rel Pressure (mb)	Atmospheric Pressure (mb)	H2S (ppm)
01/04/2019	1NF001AGM	0	2.8	16.7	-0.76	1021	0
01/04/2019	1NF001BGM	0	1	15.8	-0.76	1020	0
01/04/2019	1NF002AGM	0	3.9	14.1	-1.12	1022	0
01/04/2019	1NF002BGM	0	0.1	17.1	-0.78	1021	0
01/04/2019	1NF003AGM	0	1	19.5	-11.42	1022	0
01/04/2019	1NF003BGM	0	1.2	17.3	-16.73	1020	0
01/04/2019	1NF004AGM	0	6.4	14.6	-0.72	1021	0
01/04/2019	1NF004BGM	0	7.8	13.2	-0.71	1020	0
01/04/2019	1NF005AGM	0	0.4	20.8	0.22	1021	
01/04/2019	1NF005BGM	0	0.4	20.7	0	1020	
01/04/2019	1NF005CGM	0	0.4	20.9	0.29	1020	
01/04/2019	1NF005DGM	0	1	20.3	0.28	1021	
01/04/2019	1NF005EGM	0	0.4	20.9	0.36	1021	
01/04/2019	1NF006AGM	0	1.4	19.4	-0.69	1021	0
01/04/2019	1NF006BGM	0	1	19.9	-0.74	1020	0
01/04/2019	1NF007AAGM	0	2	19.4	-0.69	1020	0
01/04/2019	1NF007ABGM	0	0.1	20.8	-0.59	1021	0
01/04/2019	1NF007ACGM	0	0.5	20.2	-0.83	1020	0
01/04/2019	1NF007ADGM	0	0.1	20.7	-0.67	1020	0
01/04/2019	1NF007AEGM	0	0.2	20.6	-0.78	1020	0
01/04/2019	1NF007AFGM	0	0.4	20.9	-0.79	1020	0
01/04/2019	1NF008AGM	0	0.1	21	-3.2	1021	
01/04/2019	1NF008BGM	0	0.4	20.7	0.28	1020	
01/04/2019	1NF008CGM	0	0.6	20.8	0.34	1020	
01/04/2019	1NF008DGM	0	0.5	20.1	-1.41	1020	
01/04/2019	1NF008EGM	0	0.1	21.1	0.33	1020	
01/04/2019	1NF009AAGM	0	0.1	20.9	-0.52	1020	0
01/04/2019	1NF009ABGM	0	0.1	21	-0.72	1022	0
01/04/2019	1NF009ACGM	0	0.1	21	-0.74	1020	0
01/04/2019	1NF009ADGM	0	0.1	20.9	-0.81	1020	0
01/04/2019	1NF009AEGM	0	0.1	21	-0.72	1020	0
01/04/2019	1NF009AFGM	0	0.6	20.8	-0.83	1021	0
01/04/2019	1NF010AAGM	0	6.4	18.9	0.45	1020	
01/04/2019	1NF010ABGM	0.1	1.3	19.2	0.31	1020	
01/04/2019	1NF010ACGM	0	0.2	21	0.34	1020	
01/04/2019	1NF010ADGM	0	4.9	20.5	0.4	1020	
01/04/2019	1NF010AEGM	0	1.6	20.6	0.4	1020	
01/04/2019	1NF010AFGM	0	3.6	20.6	0.33	1020	
01/04/2019	1NF011AAGM	0	0.7	20.2	-0.57	1019	0
01/04/2019	1NF011ABGM	0	0.1	21.1	-0.6	1022	0
01/04/2019	1NF011ACGM	0	0.5	20.2	-0.78	1020	0
01/04/2019	1NF011ADGM	0	0.1	21.1	-0.86	1020	0
01/04/2019	1NF011AEGM	0	2.2	19.8	-1.4	1020	0
01/04/2019	1NF011AFGM	0	0.8	20.3	2.77	1021	0
01/04/2019	1NF012AGM	0	2.1	19.8	0.4	1020	
01/04/2019	1NF012BGM	0	0.1	20.7	0.41	1020	
01/04/2019	1NF013AGM	0	0.1	21.2	0.41	1020	
01/04/2019	1NF013BGM	0	0.1	21.3	0.28	1020	
01/04/2019	1NF014AGM	0	0.1	21.2	-0.84	1021	0
01/04/2019	1NF014BGM	0	0.1	21.2	-0.69	1020	0
01/04/2019	1NF014CGM	0	0.6	20.8	-0.84	1020	0
01/04/2019	1NF014DG						
01/04/2019	1NF014EGM	0	1.3	20.3	-0.67	1020	0
01/04/2019	1NF014FGM	0	1.6	20	-0.71	1020	0
01/04/2019	1NF015AGM	0	0.2	21.2	0.29	1020	
01/04/2019	1NF015BGM	0	0.2	21.2	-5.3	1020	
01/04/2019	1NF016AAGM	0	0.5	20.9	0.52	1020	
01/04/2019	1NF016ABGM	0	1.1	21.2	0.36	1020	
01/04/2019	1NF016ACGM	0	0.1	21.4	0.29	1020	
01/04/2019	1NF016ADGM	0	0.1	21.4	0.33	1020	
01/04/2019	1NF016AEGM	0	0.1	21.3	0.36	1020	
01/04/2019	1NF016AFGM	0	0.8	21.1	0.48	1020	
01/04/2019	1NF017AGM	0	0.1	21.1	-0.67	1022	0
01/04/2019	1NF017BGM	0	0.1	21.1	-0.83	1020	0
01/04/2019	1NF018AGM	0	0.6	20.7	-0.79	1021	0
01/04/2019	1NF018BGM	0	0.4	20.9	-0.9	1020	0
01/04/2019	1NF018CGM	0	0.8	20.5	-0.62	1020	0
01/04/2019	1NF018DGM	0	0.3	21	-0.88	1020	0
01/04/2019	1NF018EGM	0	0.5	20.9	-0.88	1015	0
01/04/2019	1NF018FGM	0	0.4	21	-0.6	1020	0
01/04/2019	1NF019AGM	0	0.2	21.3	0.6	1020	
01/04/2019	1NF019BGM	0	0.1	21.3	0.33	1020	
01/04/2019	1NF020AGM	0	1	20.3	-0.62	1021	0
01/04/2019	1NF020BGM	0	1	19.9	-0.84	1019	0
01/04/2019	1NF020CGM	0	0.4	21	-0.67	1020	0
01/04/2019	1NF020DGM	0	0.2	21.1	-0.53	1020	0
01/04/2019	1NF020EGM	0	0.2	21.1	-0.71	1020	0
01/04/2019	1NF020FGM	0	0.1	21.3	-0.69	1020	0
01/04/2019	1NF021AGM	0	0.4	21.3	0.48	1020	
01/04/2019	1NF021BGM	0	0.5	21.2	0.36	1020	
01/04/2019	1NF022ABGM	0	0.1	21.3	-0.52	1020	0
01/04/2019	1NF022ADGM	0	0.1	21.3	-0.76	1019	0
01/04/2019	1NF022AFGM	0	0.3	20.9	-0.57	1011	0
01/04/2019	1NF022AGM	0	0.4	21.5	-0.62	1021	0
01/04/2019	1NF022CGM	0	0.4	21.1	-0.62	1020	0
01/04/2019	1NF022EGM	0	0.4	21.1	-0.59	1019	0
01/04/2019	1NF023AGM	0	3.2	19.9	0.45	1020	
01/04/2019	1NF023BGM	0	0.1	21.3	0.43	1020	
01/04/2019	1NF024AGM	0	0.1	21.2	0.53	1020	
01/04/2019	1NF024BGM	0	0.1	21.2	0.38	1020	
01/04/2019	1NF025AGM	0	0.8	20.5	0.5	1020	
01/04/2019	1NF025BGM	0	0.8	21	3.39	1020	
01/04/2019	1NF026GM	0	1.9	16.8	-0.69	1022	0
01/04/2019	1NF027GM	0	1.5	19.5	0.38	1020	
01/04/2019	1NF028GM	0	2.6	18.9	-0.67	1022	0
01/04/2019	1NF029GM	0	4.2	17.2	-0.52	1023	0
01/04/2019	1NF030GM	0	0.6	20.9	-0.45	1023	0
01/04/2019	1NF031AGM	0	0.2	20.8	0.24	1022	
01/04/2019	1NF032BGM	0	1.8	19.5	0.26	1022	
01/04/2019	1NF033BGM	0	0.4	20.7	0.14	1022	
01/04/2019	1NF034BGM	0	0.1	20.8	0.09	1022	
01/04/2019	1NF036GM	0	0.1	20.4	-1	1020	0
01/04/2019	BH4GM	0	10.1	16.9	1.39	1022	
01/04/2019	BH6GM	0	0.2	20.2	0.14	1022	
01/04/2019	BH8GM	0.1	6.1	2.7	0.64	1022	
01/04/2019	BH10GM	0	0.1	20.6	0.1	1022	
10/04/2019	1NF001AGM	0	2.6	17.1	-0.57	1018	1
10/04/2019	1NF001BGM	0	0.2	20.1	-0.67	1017	1
10/04/2019	1NF002AGM	0	2.1	18	-0.62	1018	1
10/04/2019	1NF002BGM	0	4.1	10.8	-1.36	1018	1
10/04/2019	1NF003AGM	0	0.8	19.7	-11.1	1018	1
10/04/2019	1NF003BGM	0	1.5	18.2	-7.12	1018	1
10/04/2019	1NF004AGM	0	0.2	20.4	-0.5	1018	1
10/04/2019	1NF004BGM	0	5.4	19.5	-0.59	1018	1
10/04/2019	1NF005AGM	0	0.2	20.5	-0.65	1018	1
10/04/2019	1NF005BGM	0	0.2	20.5	-2.48	1018	1
10/04/2019	1NF005CGM	0	0.2	20.5	-0.41	1018	1
10/04/2019	1NF005DGM	0	0.9	20.7	-0.55	1018	1
10/04/2019	1NF005EGM	0	0.2	20.7	0.59	1019	0
10/04/2019	1NF006AGM	0	1.4	20	-0.4	1019	0
10/04/2019	1NF006BGM	0	0.8	20.8	-0.41	1018	0
10/04/2019	1NF007AAGM	0	1.9	19.6	0.14	1017	
10/04/2019	1NF007ABGM	0	0.1	20.8	0.05	1017	
10/04/2019	1NF007ACGM	0	0.5	20.3	0.14	1017	
10/04/2019	1NF007ADGM	0	0.1	20.8	-0.19	1017	
10/04/2019	1NF007AEGM	0	0.2	20.7	-0.12	1017	
10/04/2019	1NF007AFGM	0	0.4	20.6	0.05	1017	
10/04/2019	1NF008AGM	0	0.1	21	-0.34	1019	0
10/04/2019	1NF008BGM	0	0.1	20.9	-0.59	1018	0
10/04/2019	1NF008CGM	0	0.4	21	-0.52	1017	0
10/04/2019	1NF008DGM	0	0.2	19.7	-0.65	1018	0
10/04/2019	1NF008EGM	0	0.1	21	-0.69	1019	0
10/04/2019	1NF009AAGM	0	0.1	20.8	0.1	1017	
10/04/2019	1NF009ABGM	0	0.1	20.8	0.19	1018	
10/04/2019	1NF009ACGM	0	0.1	20.8	0.03	1017	
10/04/2019	1NF009ADGM	0	0.1	20.8	-0.05	1017	
10/04/2019	1NF009AEGM	0	0.1	20.8	0.09	1017	
10/04/2019	1NF009AFGM	0	0.4	20.7	0.14	1017	
10/04/2019	1NF010AAGM	0	7.5	18.1	-0.57	1019	0
10/04/2019	1NF010ABGM	0	0.4	21.2	-0.4	1019	0
10/04/2019	1NF010ACGM	0	0.1	20.9	-0.43	1018	0
10/04/2019	1NF010ADGM	0	4.9	16.5	-0.71	1018	0
10/04/2019	1NF010AEGM	0	1.2	20.6	-0.31	1018	0
10/04/2019	1NF010AFGM	0	3.1	20.3	1.09	1019	0
10/04/2019	1NF011AAGM	0	0.8	20.1	0.31	1017	
10/04/2019	1NF011ABGM	0	0.1	20.8	0.33	1017	
10/04/2019	1NF011ACGM	0	0.5	20.2	0.19	1017	
10/04/2019	1NF011ADGM	0	0.1	20.9	0.21	1018	
10/04/2019	1NF011AEGM	0	2.3	19.3	-0.33	1017	
10/04/2019	1NF011AFGM	0	0.9	20	0.12	1017	
10/04/2019	1NF012AGM	0	2.1	20.7	-0.48	1019	0
10/04/2019	1NF012BGM	0	2	19.4	-0.57	1019	0
10/04/2019	1NF013AGM	0	0.1	22.1	-0.41	1019	0
10/04/2019	1NF013BGM	0	0.1	21.5	-0.48	1018	0
10/04/2019	1NF014AGM	0	0.1	20.8	0.29	1018	
10/04/2019	1NF014BGM	0	0.1	20.8	0.28	1017	
10/04/2019	1NF014CGM	0	0.5	20.6	0.19	1017	
10/04/2019	1NF014DG						
10/04/2019	1NF014EGM	0	1.2	20.4	0.17	1017	
10/04/2019	1NF014FGM	0	1.6	19.9	0.24	1017	
10/04/2019	1NF015AGM	0	0.2	21.5	-0.59	1019	0
10/04/2019	1NF015BGM	0	0.1	21.5	-4.7	1018	0
10/04/2019	1NF016AAGM	0	0.6	21.5	-0.17	1013	0
10/04/2019	1NF016ABGM	0	1	21.5	-0.59	1017	0
10/04/2019	1NF016ACGM	0	0.1	21.7	-0.55	1018	0
10/04/2019	1NF016ADGM	0	0.1	21.7	-0.57	1018	0
10/04/2019	1NF016AEGM	0	0.1	21.7	-0.57	1018	0
10/04/2019	1NF016AFGM	0	0.7	21.1	-0.67	1018	0
10/04/2019	1NF017AGM	0	0.2	20.7	0.33	1017	
10/04/2019	1NF017BGM	0	0.2	20.7	0.26	1017	
10/04/2019	1NF018AGM	0	0.5	20.6	0.21	1017	
10/04/2019	1NF018BGM	0	0.2	20.7	0.26	1017	
10/04/2019	1NF018CGM	0	0.7	20.4	0.24	1017	
10/04/2019	1NF018DGM	0	0.2	20.7	0.15	1017	
10/04/2019	1NF018EGM	0	0.4	20.6	0.28	1017	
10/04/2019	1NF018FGM	0	0.2	20.7	0.26	1017	
10/04/2019	1NF019AGM	0	0.2	20.7	0.46	1017	
10/04/2019	1NF019BGM	0	0.1	20.7	0.4	1017	
10/04/2019	1NF020AGM	0	1.1	19.7	0.34	1017	
10/04/2019	1NF020BGM	0	1.4	19.6	0.14	1017	
10/04/2019	1NF020CGM	0	0.6	20.1	0.19	1016	
10/04/2019	1NF020DGM	0	0.3	20.5	0.34	1016	
10/04/2019	1NF020EGM	0	0.1	20.8	0.09	1016	
10/04/2019	1NF020FGM	0	0.1	20.8	1.05	1017	
10/04/2019	1NF021AGM	0	0.3	20.7	-0.55	1017	
10/04/2019	1NF021BGM	0	0.5	20.4	0.48	1017	
10/04/2019	1NF022ABGM	0	0.1	21.8	0.69	1017	0
10/04/2019	1NF022ADGM	0	0.1	21.8	-0.57	1017	0
10/04/2019	1NF022AFGM	0	0.2	21.8	-0.47	1018	0
10/04/2019	1NF022AGM	0	0.1	21.8	0.41	1019	0
10/04/2019	1NF022CGM	0	0.2	21.7	-0.59	1017	0
10/04/2019	1NF022EGM	0	0.1	21.8	-0.59	1017	0
10/04/2019	1NF023AGM	0	1.2	20.2	0.33	1017	
10/04/2019	1NF023BGM	0	0.1	20.9	0.29	1017	
10/04/2019	1NF024AGM	0	0.1	21.8	-0.6	1018	0
10/04/2019	1NF024BGM	0	0.1	21.8	-0.48	1018	0
10/04/2019	1NF025AGM	0	0.2	20.8	0.24	1017	
10/04/2019	1NF025BGM	0	0.2	20.7	-0.93	1017	
10/04/2019	1NF026GM	0	2.2	11.9	0.41	1017	
10/04/2019	1NF027GM	0	1.5	19.4	0.48	1018	
10/04/2019	1NF028GM	0	0.2	21.7	-0.53	1020	0
10/04/2019	1NF029GM	0	2.3	19.4	0.4	1019	
10/04/2019	1NF030GM	0	0.4	20.5	3.46	1019	
10/04/2019	1NF031AGM	0	4.5	9.1	0.53	1019	
10/04/2019	1NF032BGM	0	0.1	20.6	0.4	1020	
10/04/2019	1NF033BGM	0	0.1	20.9	0.41	1019	
10/04/2019	1NF034BGM	0	0.1	20.6	0.48	1019	
10/04/2019	1NF036GM	0	0.1	20.9	NR	NR	0
10/04/2019	BH4GM	0	0.2	20.3	0.45	1019	
10/04/2019	BH6GM	0	0.1	20.9	0.4	1019	
10/04/2019	BH8GM	0	6.4	2.8	0.48	1020	
10/04/2019	BH10GM	0	3.3	16.5	0.59	1019	
17/04/2019	1NF001AGM	0	1	20.8	-0.57	1018	0
17/04/2019	1NF001BGM	0	0.1	20.7	-0.55	1018	0
17/04/2019	1NF002AGM	0	4.1	17.7	-0.71	1018	0
17/04/2019	1NF002BGM	0	0.2	20.5	-1.31	1018	0
17/04/2019	1NF003AGM	0	1	20.9	-9.56	1018	0
17/04/2019	1NF003BGM	0	1.3	20	-10.51	1018	0
17/04/2019	1NF004AGM	0	0.4	20.5	-0.47	1018	0
17/04/2019	1NF004BGM	0	3.9	20.6	-0.64	1018	0
17/04/2019	1NF005AGM	0	0.4	20.8	-0.65	1018	0
17/04/2019	1NF005BGM	0	0.2	20.8	-1.15	1018	0
17/04/2019	1NF005CGM	0	0.4	20.7	-0.38	1018	0
17/04/2019	1NF005DGM	0	0.9	20.3	-0.43	1018	0
17/04/2019	1NF005EGM	0	0.4	20.8	-0.43	1019	0
17/04/2019	1NF006AGM	0	0.2	20.8	-0.41	1018	0
17/04/2019	1NF006BGM	0	0.9	20.7	-0.43	1018	0
17/04/2019	1NF007AAGM	0	1.8	19.4	-0.31	1019	0
17/04/2019	1NF007ABGM	0	0.1	20.9	-0.4	1018	0
17/04/2019	1NF007ACGM	0	0.5	20.8	-0.24	1018	0
17/04/2019	1NF007ADGM	0	0.1	20.9	-0.34	1017	0
17/04/2019	1NF007AEGM	0	0.2	20.9	-0.43	1018	0
17/04/2019	1NF007AFGM	0	0.4	20.8	0.05	1019	0
17/04/2019	1NF008AGM	0	0.1	21	-3.69	1018	0
17/04/2019	1NF008BGM	0	0.4	20.9	-0.22	1018	0
17/04/2019	1NF008CGM	0	0.5	20.9	-0.22	1018	0
17/04/2019	1NF008DGM	0	0.1	20.6	-0.17	1018	0
17/04/2019	1NF008EGM	0	0.5	20.7	0.14	1018	0
17/04/2019	1NF009AAGM	0	0.1	21.1	-0.29	1018	0
17/04/2019	1NF009ABGM	0	1.2	18.7	-0.22	1019	0
17/04/2019	1NF009ACGM	0	0.1	21.1	-0.38	1018	0
17/04/2019	1NF009ADGM	0	0.1	21.1	-0.36	1019	0
17/04/2019	1NF009AEGM	0	0.1	21.2	-0.28	1019	0
17/04/2019	1NF009AFGM	0	0.4	21.1	-0.31	1018	0
17/04/2019	1NF010AAGM	0	7.5	18	-0.22	1019	0
17/04/2019	1NF010ABGM	0	0.7	20.4	-0.28	1019	0
17/04/2019	1NF010ACGM	0	0.2	21.1	-0.41	1019	0
17/04/2019	1NF010ADGM	0	4.8	16.6	-0.19	1019	0
17/04/2019	1NF010AEGM	0	1.4	19.7	-0.19	1018	0
17/04/2019	1NF010AFGM	0	3.4	18.3	-0.17	1019	0
17/04/2019	1NF011AAGM	0	0.7	21.1	-0.19	1019	0
17/04/2019	1NF011ABGM	0	0.1	21.4	-0.21	1019	0
17/04/2019	1NF011ACGM	0	0.4	21.3	-0.22	1019	0
17/04/2019	1NF011ADGM	0	0.1	21.4	-0.36	1019	0
17/04/2019	1NF011AEGM	0	2.1	19.8	-0.26	1019	0
17/04/2019	1NF011AFGM	0	0.8	20.4	-0.4	1018	0
17/04/2019	1NF012AGM	0	2	21.1	-0.28	1019	0
17/04/2019	1NF012BGM	0	2	19.6	-0.31	1019	0
17/04/2019	1NF013AGM	0	0.1	21.4	-0.21	1019	0
17/04/2019	1NF013BGM	0	0.1	21.3	-0.1	1019	0
17/04/2019	1NF014AGM	0	0.4	20.9	-0.19	1019	0
17/04/2019	1NF014BGM	0	0.1	21.4	-0.22	1019	0
17/04/2019	1NF014CGM	0	0.4	21	-0.05	1018	0
17/04/2019	1NF014DG						
17/04/2019	1NF014EGM	0	1.1	21.1	-0.28	1019	0
17/04/2019	1NF014FGM	0	1.3	20.2	-0.1	1019	0
17/04/2019	1NF015AGM	0	0.1	21.4	-0.03	1019	0
17/04/2019	1NF015BGM	0	0.2	21.3	-4	1019	0
17/04/2019	1NF016AAGM	0	0.6	21.1	-0.28	1019	0
17/04/2019	1NF016ABGM	0	1	20.4	-0.12	1018	0
17/04/2019	1NF016ACGM	0	0.1	21.4	-0.45	1019	0
17/04/2019	1NF016ADGM	0	0.1	21.3	-0.07	1018	0
17/04/2019	1NF016AEGM	0	0.1	21.3	0.03	1019	0
17/04/2019	1NF016AFGM	0	0.7	20.9	0	1018	0
17/04/2019	1NF017AGM	0	0.1	21.4	-0.1	1019	0
17/04/2019	1NF017BGM	0	0.2	21.3	0.47	1019	0
17/04/2019	1NF018AGM	0	0.6	20.9	-0.12	1017	0
17/04/2019	1NF018BGM	0	0.1	21.4	-0.53	1019	0
17/04/2019	1NF018CGM	0	0.7	21.2	-0.12	1019	0
17/04/2019	1NF018DGM	0	0.2	21.4	1	1019	0
17/04/2019	1NF018EGM	0	0.3	21.2	-0.05	1018	0
17/04/2019	1NF018FGM	0	0.2	21.4	0.64	1019	0
17/04/2019	1NF019AGM	0	0.1	20.7	0.79	1017	
17/04/2019	1NF019BGM	0	0.1	20.8	0.72	1017	
17/04/2019	1NF020AGM	0	0.1	21.5	0.05	1018	0
17/04/2019	1NF020BGM	0	1.5	19.7	0.34	1018	0
17/04/2019	1NF020CGM	0	0.7	21	-0.16	1019	0
17/04/2019	1NF020DGM	0	0.1	21.3	-0.05	1018	0
17/04/2019	1NF020EGM	0	0.1	21.4	-0.34	1018	0
17/04/2019	1NF020FGM	0	0.1	21.5	0.03	1018	0
17/04/2019	1NF021AGM	0	0.2	20.6	0.81	1017	
17/04/2019	1NF021BGM	0	0.3	20.5	0.69	1017	
17/04/2019	1NF022ABGM	0	0.1	21.5	0.12	1017	0
17/04/2019	1NF022ADGM	0	0.1	21.6	-0.19	1019	0
17/04/2019	1NF022AFGM	0	0.2	21.5	-0.02	1019	0
17/04/2019	1NF022AGM	0	0.2	21.4	-0.05	1019	0
17/04/2019	1NF022CGM	0	0.2	21.4	-0.1	1018	0
17/04/2019	1NF022EGM	0	0.2	21.4	-0.12	1018	0
17/04/2019	1NF023AGM	0	0.1	20.7	0.69	1017	
17/04/2019	1NF023BGM	0	0.1	20.7	0.72	1017	
17/04/2019	1NF024AGM	0	0.1	20.7	0.71	1017	
17/04/2019	1NF024BGM	0	0.1	20.7	0.67	1017	
17/04/2019	1NF025AGM	0	0.4	20.5	0.62	1017	
17/04/2019	1NF025BGM	0	0.3	20.4	-4.87	1017	
17/04/2019	1NF026GM	0	1.8	19.2	0.6	1018	
17/04/2019	1NF027GM	0	1.3	19.1	0.69	1018	
17/04/2019	1NF028GM	0	0.2	20.1	0.6	1019	
17/04/2019	1NF029GM	0	3	19.3	0.57	1019	
17/04/2019	1NF030GM	0	0.9	18.5	1.57	1018	
17/04/2019	1NF031AGM	0	4.1	11.6	0.6	1019	
17/04/2019	1NF032BGM	0	0.3	19.7	0.48	1019	
17/04/2019	1NF033BGM	0	0.1	20.4	0.41	1019	
17/04/2019	1NF034BGM	0	0.1	20.4	0.36	1019	
17/04/2019	1NF036GM	0.1	0.1	20.3	-1.24	1019	0
17/04/2019	BH4GM	0	0.3	20.1	0.21	1019	
17/04/2019	BH6GM	0	0.1	20.3	0.38	1019	
17/04/2019	BH8GM	0	6.5	6.5	0.33	1019	
17/04/2019	BH10GM	0	0.1	20.1	0.55	1019	
24/04/2019	1NF001AGM	0	1.4	19.9	-0.21	992	0
24/04/2019	1NF001BGM	0	4.6	19.3	-0.41	992	0
24/04/2019	1NF002AGM	0	5.2	19.8	-0.1	992	0
24/04/2019	1NF002BGM	0	3.2	18.5	-0.81	991	0
24/04/2019	1NF003AGM	0	2.1	15.2	-6.94	992	0
24/04/2019	1NF003BGM	0	1.5	17.9	-3.46	992	0
24/04/2019	1NF004AGM	0	10.2	17.1	-0.09	992	0
24/04/2019	1NF004BGM	0	9.1	11.2	-0.16	992	0
24/04/2019	1NF005AGM	0	1	20.1	-0.24	991	0
24/04/2019	1NF005BGM	0	0.9	20.2	-1.9	991	0
24/04/2019	1NF005CGM	0	1	20.5	0.07	991	0
24/04/2019	1NF005DGM	0	1.1	20.4	-0.03	992	0
24/04/2019	1NF005EGM	0	1	20.6	-0.21	992	0
24/04/2019	1NF006AGM	0	1.6	20.8	-0.33	992	0
24/04/2019	1NF006BGM	0	0.1	20.7	-0.28	991	0
24/04/2019	1NF007AAGM	0	2.4	19.7	-0.12	992	0
24/04/2019	1NF007ABGM	0	0.1	20.9	-0.19	991	0
24/04/2019	1NF007ACGM	0	0.6	20.8	0.07	992	0
24/04/2019	1NF007ADGM	0	0.1	20.9	-0.19	991	0
24/04/2019	1NF007AEGM	0	0.4	20.9	-0.09	992	0
24/04/2019	1NF007AFGM	0	0.6	20.8	-0.09	992	0
24/04/2019	1NF008AGM	0	0.1	20.9	0.21	991	0
24/04/2019	1NF008BGM	0	1.1	20.7	-0.14	991	0
24/04/2019	1NF008CGM	0	1	20.4	0.07	990	0
24/04/2019	1NF008DGM	0	0.1	20.7	1.29	992	0
24/04/2019	1NF008EGM	0	1	18.5	1	992	0
24/04/2019	1NF009AAGM	0	0.6	20.3	-0.02	992	0
24/04/2019	1NF009ABGM	0	3.4	16.6	-0.26	992	0
24/04/2019	1NF009ACGM	0	0.5	20.5	-0.12	992	0
24/04/2019	1NF009ADGM	0	0.2	20.8	-0.19	992	0
24/04/2019	1NF009AEGM	0	0.3	20.7	-0.1	992	0
24/04/2019	1NF009AFGM	0	0.7	20.9	-0.16	992	0
24/04/2019	1NF010AAGM	0	8.3	10.6	-0.19	992	0
24/04/2019	1NF010ABGM	0.2	2.3	17.9	0.07	992	0
24/04/2019	1NF010ACGM	0	0.8	20.3	-0.16	992	0
24/04/2019	1NF010ADGM	0	0.1	20.8	-0.05	992	0
24/04/2019	1NF010AEGM	0	1.9	20	-0.03	991	0
24/04/2019	1NF010AFGM	0	3.7	20.4	0.05	992	0
24/04/2019	1NF011AAGM	0	1.1	20.9	0.03	991	0
24/04/2019	1NF011ABGM	0	0.1	21.1	-0.09	992	0
24/04/2019	1NF011ACGM	0	0.6	20.2	-0.16	992	0
24/04/2019	1NF011ADGM	0	0.1	21.2	-0.07	992	0
24/04/2019	1NF011AEGM	0	2.5	20.6	-0.57	992	0
24/04/2019	1NF011AFGM	0	1	19.8	-0.1	992	0
24/04/2019	1NF012AGM	0	2.2	19.3	2.29	992	0
24/04/2019	1NF012BGM	0	2	20.5	2.79	992	0
24/04/2019	1NF013AGM	0	0.2	20.9	-0.1	993	0
24/04/2019	1NF013BGM	0	0.1	21.3	0	992	0
24/04/2019	1NF014AGM	0	0.5	21.1	-0.1	992	0
24/04/2019	1NF014BGM	0	0.5	21.2	-0.05	993	0
24/04/2019	1NF014CGM	0	0.7	21	0.36	992	0
24/04/2019	1NF014DG						
24/04/2019	1NF014EGM	0	1.4	20	-0.1	991	0
24/04/2019	1NF014FGM	0	1.7	19.7	-0.05	991	0
24/04/2019	1NF015AGM	0	0.2	21.3	-0.05	992	0
24/04/2019	1NF015BGM	0	0.1	21.4	-0.72	992	0
24/04/2019	1NF016AAGM	0	0.7	21.2	-0.09	992	0
24/04/2019	1NF016ABGM	0	0.9	20.8	-0.03	991	0
24/04/2019	1NF016ACGM	0	0.2	21.4	-0.14	992	0
24/04/2019	1NF016ADGM	0	0.4	21.3	0.22	992	0
24/04/2019	1NF016AEGM	0	0.1	21.5	0.17	992	0
24/04/2019	1NF016AFGM	0	0.8	20.6	-0.1	992	0
24/04/2019	1NF017AGM	0	0.1	21.5	0.02	992	0
24/04/2019	1NF017BGM	0	0.1	21.5	0.09	991	0
24/04/2019	1NF018AGM	0	1	20.9	0	990	0
24/04/2019	1NF018BGM	0	0.4	21.2	-0.03	991	0
24/04/2019	1NF018CGM	0	0.1	21.4	0.26	992	0
24/04/2019	1NF018DGM	0	0.4	21.4	0.14	992	0
24/04/2019	1NF018EGM	0	0.9	21.4	-0.02	992	0
24/04/2019	1NF018FGM	0	0.4	21.4	0.02	992	0
24/04/2019	1NF019AGM	0	0.1	21.5	0	992	0
24/04/2019	1NF019BGM	0	0.1	21.4	0.48	992	0
24/04/2019	1NF020AGM	0	0.1	21.4	0.07	992	0
24/04/2019	1NF020BGM	0	1.3	21.3	0.12	992	0
24/04/2019	1NF020CGM	0	0.1	21.4	-0.09	991	0
24/04/2019	1NF020DGM	0	0.8	21.2	0.05	992	0
24/04/2019	1NF020EGM	0	0.1	21.5	0.09	992	0
24/04/2019	1NF020FGM	0	0.2	21.3	0.05	992	0
24/04/2019	1NF021AGM	0	3	20.5	0.09	992	0
24/04/2019	1NF021BGM	0	0.9	21.2	-0.03	992	0
24/04/2019	1NF022ABGM	0	0.1	21.5	0.17	991	0
24/04/2019	1NF022ADGM	0	0.2	21.4	0.12	991	0
24/04/2019	1NF022AFGM	0	0.7	21.2	0.1	992	0
24/04/2019	1NF022AGM	0	0.5	21.3	-0.07	992	0
24/04/2019	1NF022CGM	0	0.5	21.2	-0.02	992	0
24/04/2019	1NF022EGM	0	0.5	21.3	0.12	992	0
24/04/2019	1NF023AGM	0	4.9	21	0.05	992	0
24/04/2019	1NF023BGM	0	0.2	21.3	0.03	993	0
24/04/2019	1NF024AGM	0	0.1	21.5	-0.03	992	0
24/04/2019	1NF024BGM	0	0.1	21.5	0.05	992	0
24/04/2019	1NF025AGM	0	0.1	21.5	0.09	992	0
24/04/2019	1NF025BGM	0	0.2	21.5	0.03	992	0
24/04/2019	1NF026GM	0	1.8	18.9	-0.02	992	0
24/04/2019	1NF027GM	0	1	21.1	-0.1	993	0
24/04/2019	1NF028GM	0	0.8	21.5	0.03	994	0
24/04/2019	1NF029GM	0.1	5.3	17.2	-0.03	994	0
24/04/2019	1NF030GM	0	1.7	20.9	-0.14	994	0
24/04/2019	1NF031AGM	0	3.4	15.1	0.64	992	
24/04/2019	1NF032BGM	0	0.1	20.9	0.4	992	
24/04/2019	1NF033BGM	0	0.1	20.7	0.6	986	
24/04/2019	1NF034BGM	0	0.1	20.7	0.52	992	
24/04/2019	1NF036GM	0	0.1	20.8	-0.48	993	0
24/04/2019	BH4GM	0	0.3	18	0.48	992	
24/04/2019	BH6GM	0	0.1	20.7	0.59	992	
24/04/2019	BH8GM	0	6	1	0.43	992	
24/04/2019	BH10GM	0	0.1	20.8	0.38	992	
02/05/2019	1NF001AGM	0	4.2	14.4	0.33	1013	0
02/05/2019	1NF001BGM	0	3.6	14.1	0.15	1013	0
02/05/2019	1NF002AGM	0	6.1	10.7	0.21	1014	0
02/05/2019	1NF002BGM	0	2.6	8.5	-0.33	1013	0
02/05/2019	1NF003AGM	0	1.6	19.3	-8.92	1014	0
02/05/2019	1NF003BGM	0	1.9	15.9	-1.88	1013	0
02/05/2019	1NF004AGM	0	9	11.2	0.24	1013	0
02/05/2019	1NF004BGM	0	5.7	13.5	0.24	1014	0
02/05/2019	1NF005AGM	0	1.3	20.8	0.24	1013	0
02/05/2019	1NF005BGM	0	1	20.4	0.14	1012	0
02/05/2019	1NF005CGM	0	1.4	19.8	0.17	1012	0
02/05/2019	1NF005DGM	0	1.1	20.5	0.22	1012	0
02/05/2019	1NF005EGM	0	3.3	18.2	0.14	1012	0
02/05/2019	1NF006AGM	0	1.6	21.1	0.24	1013	0
02/05/2019	1NF006BGM	0	1	20.8	0.12	1012	0
02/05/2019	1NF007AAGM	0	0.5	21.2	0.27	1012	0
02/05/2019	1NF007ABGM	0	0.1	21.7	0.1	1013	0
02/05/2019	1NF007ACGM	0	0.3	21.5	0.17	1012	0
02/05/2019	1NF007ADGM	0	0.1	21.6	0.22	1012	0
02/05/2019	1NF007AEGM	0	0.6	21.3	0.02	1013	0
02/05/2019	1NF007AFGM	0	0.5	21.4	-0.09	1012	0
02/05/2019	1NF008AGM	0	0.1	21.9	-0.38	1013	0
02/05/2019	1NF008BGM	0	2	20.4	0.17	1011	0
02/05/2019	1NF008CGM	0	2.1	18.9	-0.03	1012	0
02/05/2019	1NF008DGM	0.2	0.9	20.6	0.22	1012	0
02/05/2019	1NF008EGM	0	1	19.4	-2.47	1012	1
02/05/2019	1NF009AAGM	0	0.5	21.3	0.27	1012	0
02/05/2019	1NF009ABGM	0	4.4	13.3	0.19	1013	1
02/05/2019	1NF009ACGM	0	0.2	21.9	0.14	1012	0
02/05/2019	1NF009ADGM	0	0.2	18.9	0.05	1013	1
02/05/2019	1NF009AEGM	0	0.2	21.9	0.21	1012	1
02/05/2019	1NF009AFGM	0.1	0.5	21.7	-0.03	1012	0
02/05/2019	1NF010AAGM	0	7.9	15.5	0.22	1013	1
02/05/2019	1NF010ABGM	0.1	1.6	19.4	0.41	1012	1
02/05/2019	1NF010ACGM	0	0.6	20.2	0.34	1012	1
02/05/2019	1NF010ADGM	0	4.7	18.4	0.14	1012	0
02/05/2019	1NF010AEGM	0	1.8	19.9	0.26	1012	0
02/05/2019	1NF010AFGM	0	3.9	18.6	-0.07	1012	0
02/05/2019	1NF011AAGM	0	1.3	20.4	0.12	1013	1
02/05/2019	1NF011ABGM	0	0.2	22	0.15	1013	0
02/05/2019	1NF011ACGM	0	0.6	21.2	0.02	1012	0
02/05/2019	1NF011ADGM	0	0.1	22.3	0.22	1012	0
02/05/2019	1NF011AEGM	0	2.3	20.3	-0.27	1012	0
02/05/2019	1NF011AFGM	0	1	21	0.15	1012	0
02/05/2019	1NF012AGM	0	2.2	21.2	0.22	1013	1
02/05/2019	1NF012BGM	0	2.2	21	0.33	1012	1
02/05/2019	1NF013AGM	0	0.2	22.1	0.19	1013	0
02/05/2019	1NF013BGM	0	0.4	21.1	0.17	1012	0
02/05/2019	1NF014AGM	0	0.4	22.1	-0.74	1013	0
02/05/2019	1NF014BGM	0	0.4	22.2	0.26	1012	0
02/05/2019	1NF014CGM	0	0.5	21.9	0.33	1012	0
02/05/2019	1NF014DG						
02/05/2019	1NF014EGM	0	1.5	20.9	0.15	1012	0
02/05/2019	1NF014FGM	0	1.6	20.8	0.26	1013	1
02/05/2019	1NF015AGM	0	0.4	22	0.24	1013	0
02/05/2019	1NF015BGM	0	0.3	22.2	-4.59	1012	1
02/05/2019	1NF016AAGM	0	0.1	22.6	0.26	1013	0
02/05/2019	1NF016ABGM	0	0.1	22.6	0.1	1011	0
02/05/2019	1NF016ACGM	0	0.7	21.9	0.17	1012	0
02/05/2019	1NF016ADGM	0	0.1	22.6	0.24	1012	0
02/05/2019	1NF016AEGM	0	0.7	21.8	0.19	1012	0
02/05/2019	1NF016AFGM	0	0.1	22.6	0.17	1012	0
02/05/2019	1NF017AGM	0	0.3	22.1	0.26	1012	1
02/05/2019	1NF017BGM	0	0.2	22.4	0.21	1012	1
02/05/2019	1NF018AGM	0	0.8	22	0.15	1013	0
02/05/2019	1NF018BGM	0	0.3	22.5	0.12	1012	0
02/05/2019	1NF018CGM	0	1	22	0.14	1012	1
02/05/2019	1NF018DGM	0	0.3	22.3	0.17	1012	0
02/05/2019	1NF018EGM	0	0.6	22.1	0.19	1012	0
02/05/2019	1NF018FGM	0	0.4	22.4	0.05	1012	0
02/05/2019	1NF019AGM	0	0.3	22.1	0.14	1013	1
02/05/2019	1NF019BGM	0	0.2	22.5	0.26	1012	1
02/05/2019	1NF020AGM	0	0.2	22.5	0.31	1011	0
02/05/2019	1NF020BGM	0	1.3	21	0.12	1011	1
02/05/2019	1NF020CGM	0	0.8	21.5	-0.79	1011	1
02/05/2019	1NF020DGM	0	0.9	21.9	0.1	1011	1
02/05/2019	1NF020EGM	0	0.1	22.5	0.12	1011	1
02/05/2019	1NF020FGM	0	0.1	22.6	-0.27	1012	1
02/05/2019	1NF021AGM	0	0.1	22.7	0.21	1013	1
02/05/2019	1NF021BGM	0	0.1	22.7	0.17	1011	1
02/05/2019	1NF022ABGM	0	0.1	22.5	0.19	1011	0
02/05/2019	1NF022ADGM	0	0.1	22.6	0.21	1012	1
02/05/2019	1NF022AFGM	0	0.5	22.2	-1.2	1012	1

08/05/2019	1NF007AEGM	0	0.7	20.3	0.22	991	0
08/05/2019	1NF007AFGM	0	0.6	20.4	0.09	991	0
08/05/2019	1NF008AGM	0	0.1	20.9	-248.39	992	0
08/05/2019	1NF008BGM	0	3	18	-1.25	991	0
08/05/2019	1NF008CGM	0	2.5	17.6	-2.19	991	0
08/05/2019	1NF008DGM	0	2.2	17.4	0.07	991	0
08/05/2019	1NF008EGM	0	2	16.3	0.03	991	0
08/05/2019	1NF009AAGM	0	3.9	15.8	0.24	991	0
08/05/2019	1NF009ABGM	0	5.9	11.5	0.21	992	0
08/05/2019	1NF009ACGM	0	1	18.9	0.17	991	0
08/05/2019	1NF009ADGM	0	1	16.3	0.17	991	0
08/05/2019	1NF009AEGM	0	0.9	19.8	0.15	991	0
08/05/2019	1NF009AFGM	0	1.4	19.2	-0.91	991	0
08/05/2019	1NF010AAGM	0	8.3	15.6	0.29	992	0
08/05/2019	1NF010ABGM	0.2	2.9	16.6	0.17	991	0
08/05/2019	1NF010ACGM	0	1.4	19.3	0	991	0
08/05/2019	1NF010ADGM	0	4.6	15.9	0.03	991	0
08/05/2019	1NF010AEGM	0	2.1	18.6	0.12	991	0
08/05/2019	1NF010AFGM	0	4.5	16.9	-0.14	991	0
08/05/2019	1NF011AAGM	0	1.6	19.2	0.33	991	0
08/05/2019	1NF011ABGM	0	5.7	14.8	0.17	992	0
08/05/2019	1NF011ACGM	0	0.9	18.9	0.17	991	0
08/05/2019	1NF011ADGM	0	0.9	18.7	0.26	984	0
08/05/2019	1NF011AEGM	0	2.8	19.3	-0.63	991	0
08/05/2019	1NF011AFGM	0	1.3	19.4	0.21	991	0
08/05/2019	1NF012AGM	0	0.2	18.4	0.14	992	0
08/05/2019	1NF012BGM	0	0.1	20.7	0.19	991	0
08/05/2019	1NF013AGM	0	0.4	20.3	-0.03	992	0
08/05/2019	1NF013BGM	0	0.8	19.2	0.21	991	0
08/05/2019	1NF014AGM	0	0.4	20.7	0.15	992	0
08/05/2019	1NF014BGM	0	0.4	20.6	0.09	991	0
08/05/2019	1NF014CGM	0	0.5	20.5	0.19	991	0
08/05/2019	1NF014DG						
08/05/2019	1NF014EGM	0	1.4	20	0.14	991	0
08/05/2019	1NF014FGM	0	1.7	19.4	0.21	992	0
08/05/2019	1NF015AGM	0	0.4	20.7	0.19	992	1
08/05/2019	1NF015BGM	0	0.4	20.7	-1.66	991	0
08/05/2019	1NF016AAGM	0	0.9	20.7	0.22	992	0
08/05/2019	1NF016ABGM	0	1.1	20.2	0.24	991	0
08/05/2019	1NF016ACGM	0	0.3	20.8	0.1	991	0
08/05/2019	1NF016ADGM	0	0.3	20.9	-0.38	991	0
08/05/2019	1NF016AEGM	0	0.2	21.1	0.1	991	0
08/05/2019	1NF016AFGM	0	0.5	20.8	-0.45	991	0
08/05/2019	1NF017AGM	0	0.9	20.2	0.14	992	0
08/05/2019	1NF017BGM	0	0.5	20.3	0.24	991	0
08/05/2019	1NF018AGM	0	1.5	20.8	0.24	992	0
08/05/2019	1NF018BGM	0	1.2	20.2	0.22	991	0
08/05/2019	1NF018CGM	0	1.4	20.2	0.15	991	0
08/05/2019	1NF018DGM	0	1.3	20.1	0.24	991	0
08/05/2019	1NF018EGM	0	1.3	19.9	0.19	991	0
08/05/2019	1NF018FGM	0	1.2	20.2	0.27	991	0
08/05/2019	1NF019AGM	0	0.4	21.1	0.19	992	0
08/05/2019	1NF019BGM	0	1.3	19.6	0.07	991	0
08/05/2019	1NF020AGM	0	1.9	20.9	0.24	992	0
08/05/2019	1NF020BGM	0	1.3	19.6	0.19	991	0
08/05/2019	1NF020CGM	0	1	20	0.12	990	0
08/05/2019	1NF020DGM	0	1.5	19.7	0.1	990	0
08/05/2019	1NF020EGM	0	0.2	20.7	0.22	991	0
08/05/2019	1NF020FGM	0	0.7	20.8	0.19	991	0
08/05/2019	1NF021AGM	0	4.8	17.8	0.21	992	0
08/05/2019	1NF021BGM	0	1.1	19.8	0.21	991	0
08/05/2019	1NF022ABGM	0	0.2	20.4	0.17	991	0
08/05/2019	1NF022ADGM	0	0.3	21.1	0.17	991	0
08/05/2019	1NF022AFGM	0	1.5	20.2	0.15	991	0
08/05/2019	1NF022AGM	0	2.2	19.5	0.14	992	0
08/05/2019	1NF022CGM	0	2.1	19.1	0.21	991	0
08/05/2019	1NF022EGM	0	2.1	18.9	0.22	991	1
08/05/2019	1NF023AGM	0	6.9	14.5	0.26	992	0
08/05/2019	1NF023BGM	0	2.7	15.6	0.24	991	0
08/05/2019	1NF024AGM	0	1.2	20.6	-0.07	992	0
08/05/2019	1NF024BGM	0	1.7	19.9	0.15	991	0
08/05/2019	1NF025AGM	0	0.8	20.7	0.21	992	0
08/05/2019	1NF025BGM	0	0.9	20.3	0.22	991	0
08/05/2019	1NF026GM	0	0.2	7.7	0.34	992	0
08/05/2019	1NF027GM	0	0.6	20.9	0.21	992	0
08/05/2019	1NF028GM	0	0.1	21	0.07	993	0
08/05/2019	1NF029GM	0.2	6.7	6.4	0.21	992	0
08/05/2019	1NF030GM	0	3.8	18.4	3.36	994	0
08/05/2019	1NF031AGM	0	3.3	8.6	0.19	993	0
08/05/2019	1NF032BGM	0	6.6	18.5	0.17	992	0
08/05/2019	1NF033BGM	0	0.2	20	0.19	993	0
08/05/2019	1NF034BGM	0	0.1	21	0.09	993	0
08/05/2019	1NF036GM	0	0.7	20.6	0.24	994	0
08/05/2019	BH4GM	0	0.1	20.8	0.19	994	0
08/05/2019	BH6GM	0	2.3	19.4	0.21	994	0
08/05/2019	BH8GM	0	0.2	20.8	0.21	994	0
08/05/2019	BH10GM	0	5	20.3	0.26	994	0
14/05/2019	1NF001AGM	0	4.9	14.6	-0.24	1036	0
14/05/2019	1NF001BGM	0	0.2	19.3	-0.21	1034	0
14/05/2019	1NF002AGM	0	6.3	7.9	-0.34	1036	0
14/05/2019	1NF002BGM	0	0.1	12	-1.41	1034	0
14/05/2019	1NF003AGM	0	1.3	19	-8.75	1036	0
14/05/2019	1NF003BGM	0	3.7	16.5	-9.92	1035	0
14/05/2019	1NF004AGM	0	1.5	18.8	-0.07	1036	0
14/05/2019	1NF004BGM	0	6.5	18.2	-0.03	1034	0
14/05/2019	1NF005AGM	0	0.4	20.8	0.02	1036	0
14/05/2019	1NF005BGM	0	0.4	20.6	-2.79	1034	0
14/05/2019	1NF005CGM	0	0.4	20.9	-0.33	1034	0
14/05/2019	1NF005DGM	0	0.9	20.8	-0.17	1034	0
14/05/2019	1NF005EGM	0	0.3	20.6	-0.09	1034	0
14/05/2019	1NF006AGM	0	1.5	20.9	-0.12	1036	0
14/05/2019	1NF006BGM	0	1.2	20.1	-0.1	1034	0
14/05/2019	1NF007AAGM	0	1.7	20.3	-0.12	1034	0
14/05/2019	1NF007ABGM	0	0.1	21.1	-0.12	1035	0
14/05/2019	1NF007ACGM	0	0.4	20.3	-0.14	1034	0
14/05/2019	1NF007ADGM	0	0.1	21.1	-0.22	1034	0
14/05/2019	1NF007AEGM	0	0.2	21.1	-0.26	1034	0
14/05/2019	1NF007AFGM	0	0.4	21	-0.57	1034	0
14/05/2019	1NF008AGM	0.1	0.2	21.6	-4.64	1033	0
14/05/2019	1NF008BGM	0	0.3	20.9	-0.69	1033	0
14/05/2019	1NF008CGM	0.1	0.5	20.8	-2.86	1034	0
14/05/2019	1NF008DGM	0	0.5	20.8	-0.14	1034	0
14/05/2019	1NF008EGM	0	0.1	21.1	-4.1	1034	0
14/05/2019	1NF009AAGM	0	0.1	20.9	-0.34	1033	0
14/05/2019	1NF009ABGM	0	4.6	18.7	-0.47	1034	0
14/05/2019	1NF009ACGM	0	0.1	21	-0.9	1033	0
14/05/2019	1NF009ADGM	0	0.1	16.6	-0.5	1033	0
14/05/2019	1NF009AEGM	0	0.1	21.1	-0.41	1033	0
14/05/2019	1NF009AFGM	0	0.2	20.9	-0.67	1033	0
14/05/2019	1NF010AAGM	0	0.1	21	-0.5	1033	0
14/05/2019	1NF010ABGM	0.1	0.5	20.1	0.83	1033	0
14/05/2019	1NF010ACGM	0	0.2	20.9	-0.91	1033	0
14/05/2019	1NF010ADGM	0	4.5	18.9	-0.5	1033	0
14/05/2019	1NF010AEGM	0	1.3	20.2	-1.57	1033	0
14/05/2019	1NF010AFGM	0	0.1	21.7	-0.21	1033	0
14/05/2019	1NF011AAGM	0	1.1	20.1	-0.24	1033	0
14/05/2019	1NF011ABGM	0	0.1	21.4	-0.52	1035	0
14/05/2019	1NF011ACGM	0	0.5	19.8	-0.33	1034	0
14/05/2019	1NF011ADGM	0	0.1	21.4	-0.28	1034	0
14/05/2019	1NF011AEGM	0	1.9	20.4	-0.17	1034	0
14/05/2019	1NF011AFGM	0	0.7	20.9	-0.26	1033	0
14/05/2019	1NF012AGM	0	2.2	19.3	-0.19	1034	0
14/05/2019	1NF012BGM	0	2	19.6	-0.31	1034	0
14/05/2019	1NF013AGM	0	0.2	21.2	-0.14	1035	0
14/05/2019	1NF013BGM	0	0.1	21.2	-0.17	1034	0
14/05/2019	1NF014AGM	0	0.2	21.1	-0.21	1034	0
14/05/2019	1NF014BGM	0	0.3	21	-0.34	1034	0
14/05/2019	1NF014CGM	0	0.4	21	-0.12	1034	0
14/05/2019	1NF014DG						
14/05/2019	1NF014EGM	0	1.4	20.1	-0.28	1034	0
14/05/2019	1NF014FGM	0	1.6	20	-0.21	1034	0
14/05/2019	1NF015AGM	0	0.3	21.3	-0.34	1034	0
14/05/2019	1NF015BGM	0	0.3	21	-0.31	1033	0
14/05/2019	1NF016AAGM	0	0.1	21.2	-0.26	1033	0
14/05/2019	1NF016ABGM	0	1	20.5	-0.24	1033	0
14/05/2019	1NF016ACGM	0	0.1	21.2	-0.36	1033	0
14/05/2019	1NF016ADGM	0	0.6	21.1	-0.9	1033	0
14/05/2019	1NF016AEGM	0	0.1	21.3	-0.33	1033	0
14/05/2019	1NF016AFGM	0	0.1	21	-1.48	1033	0
14/05/2019	1NF017AGM	0	0.1	21.2	1.59	1034	0
14/05/2019	1NF017BGM	0	0.1	21	-0.53	1033	0
14/05/2019	1NF018AGM	0	0.7	20.5	-1.45	1033	0
14/05/2019	1NF018BGM	0	0.4	20.7	-0.76	1033	0
14/05/2019	1NF018CGM	0	0.9	20.5	-0.84	1033	0
14/05/2019	1NF018DGM	0	0.3	20.8	-1.17	1025	0
14/05/2019	1NF018EGM	0	0.5	20.8	-1.28	1033	0
14/05/2019	1NF018FGM	0	0.3	20.9	-0.22	1034	0
14/05/2019	1NF019AGM	0	0.5	20.2	-0.17	1034	0
14/05/2019	1NF019BGM	0	0.1	21	-0.22	1034	0
14/05/2019	1NF020AGM	0	0.4	21.1	-0.28	1034	0
14/05/2019	1NF020BGM	0	1.5	20.3	-0.19	1033	0
14/05/2019	1NF020CGM	0	0.6	19.9	-0.95	1033	0
14/05/2019	1NF020DGM	0	0.9	20.3	-0.29	1033	0
14/05/2019	1NF020EGM	0	0.1	21.1	-0.26	1033	0
14/05/2019	1NF020FGM	0	0.8	20.9	-0.26	1033	0
14/05/2019	1NF021AGM	0	0.1	21.1	-0.16	1034	0
14/05/2019	1NF021BGM	0	0.5	20.6	-0.28	1033	0
14/05/2019	1NF022ABGM	0	0.1	20.7	-0.19	1033	0
14/05/2019	1NF022ADGM	0	0.1	21.1	-0.24	1033	0
14/05/2019	1NF022AFGM	0	0.4	20.9	-0.29	1033	0
14/05/2019	1NF022AGM	0	0.4	21	-0.1	1034	0
14/05/2019	1NF022CGM	0	1.2	19.8	-0.24	1033	0
14/05/2019	1NF022EGM	0	0.4	20.5	-0.21	1033	0
14/05/2019	1NF023AGM	0	0.7	20.2	-0.29	1034	0
14/05/2019	1NF023BGM	0	0.2	20.7	-0.28	1033	0
14/05/2019	1NF024AGM	0	0.1	21.2	-0.09	1034	0
14/05/2019	1NF024BGM	0	0.1	21.2	-0.05	1033	0
14/05/2019	1NF025AGM	0	0.1	21.1	-1.29	1034	0
14/05/2019	1NF025BGM	0	0.2	21	-0.26	1033	0
14/05/2019	1NF026GM	0	2.1	17.1	-0.24	1035	0
14/05/2019	1NF027GM	0	0.8	20.2	-0.24	1035	0
14/05/2019	1NF028GM	0	2.7	18.2	-0.16	1036	0
14/05/2019	1NF029GM	0	0.1	20.8	-0.64	1036	0
14/05/2019	1NF030GM	0	0.5	20.1	2.07	1036	0
14/05/2019	1NF031AGM	0	0.4	18.8	-0.93	1033	0
14/05/2019	1NF032BGM	0	7.4	15.3	-0.84	1035	0
14/05/2019	1NF033BGM	0	0.1	20.7	-0.96	1034	0
14/05/2019	1NF034BGM	0	0.1	20.7	-0.95	1033	0
14/05/2019	1NF036GM	0	0.1	20.3	-0.62	1036	1
14/05/2019	BH4GM	0	5.1	5.4	0.83	1035	0
14/05/2019	BH6GM	0	0.1	20.6	-0.93	1035	0
14/05/2019	BH8GM	0	0.5	19.1	-0.29	1035	0
14/05/2019	BH10GM	0	0.1	19.2	-0.84	1034	0
22/05/2019	1NF001AGM	0	0.1	20.6	0.41	1019	
22/05/2019	1NF001BGM	0	0.1	20.8	0.52	1018	
22/05/2019	1NF002AGM	0	7.5	6.7	0.48	1018	
22/05/2019	1NF002BGM	0	0.2	12.7	-0.96	1018	
22/05/2019	1NF003AGM	0	1.4	20	-8.37	1019	
22/05/2019	1NF003BGM	0	1.8	18.9	-10.71	1018	
22/05/2019	1NF004AGM	0	0.2	19.8	0.45	1018	
22/05/2019	1NF004BGM	0	3	20.3	0.45	1018	
22/05/2019	1NF005AGM	0	0.7	20.2	0.38	1018	
22/05/2019	1NF005BGM	0	0.6	20.3	-0.41	1018	
22/05/2019	1NF005CGM	0	0.6	20.4	0.45	1018	
22/05/2019	1NF005DGM	0	0.9	20.1	0.46	1018	
22/05/2019	1NF005EGM	0	0.8	20.1	0.46	1018	
22/05/2019	1NF006AGM	0	1.9	19.8	0.57	1018	
22/05/2019	1NF006BGM	0	1.3	19.7	0.62	1018	
22/05/2019	1NF007AAGM	0	2.1	20.2	0.64	1018	
22/05/2019	1NF007ABGM	0	0.1	20.8	0.69	1018	
22/05/2019	1NF007ACGM	0	0.5	19.2	0.55	1018	
22/05/2019	1NF007ADGM	0	0.1	20.7	0.5	1018	
22/05/2019	1NF007AEGM	0	0.5	20.3	0.5	1018	
22/05/2019	1NF007AFGM	0	0.5	20.5	-0.1	1018	
22/05/2019	1NF008AGM	0	0.1	20.9	-7.95	1018	
22/05/2019	1NF008BGM	0	0.6	20.1	0.79	1017	
22/05/2019	1NF008CGM	0	0.6	20.1	-0.31	1018	
22/05/2019	1NF008DGM	0	0.6	20.3	0.29	1018	
22/05/2019	1NF008EGM	0	0.6	20.2	-0.53	1018	
22/05/2019	1NF009AAGM	0	0.1	20.7	0.64	1018	
22/05/2019	1NF009ABGM	0	0.1	20.8	0.71	1018	
22/05/2019	1NF009ACGM	0	0.1	20.8	0.59	1018	
22/05/2019	1NF009ADGM	0	0.1	20.8	0.65	1018	
22/05/2019	1NF009AEGM	0	0.1	20.9	0.59	1018	
22/05/2019	1NF009AFGM	0	0.4	20.7	0.26	1018	
22/05/2019	1NF010AAGM	0	8.5	13.6	0.17	1018	
22/05/2019	1NF010ABGM	0	0.4	20.1	0.79	1018	
22/05/2019	1NF010ACGM	0	0.3	17.7	0.69	1018	
22/05/2019	1NF010ADGM	0	4.9	16.8	0.62	1018	
22/05/2019	1NF010AEGM	0	1.6	18.9	0.52	1018	
22/05/2019	1NF010AFGM	0	3.8	17.6	0.43	1018	
22/05/2019	1NF011AAGM	0	1.8	18.9	0.74	1018	
22/05/2019	1NF011ABGM	0	0.1	20.9	0.76	1018	
22/05/2019	1NF011ACGM	0	0.7	19.5	0.64	1018	
22/05/2019	1NF011ADGM	0	0.1	20.8	0.64	1018	
22/05/2019	1NF011AEGM	0	2.3	19.3	0.59	1018	
22/05/2019	1NF011AFGM	0	0.9	20	0.62	1018	
22/05/2019	1NF012AGM	0	2.3	19.2	0.69	1018	
22/05/2019	1NF012BGM	0	2.2	19.2	0.76	1018	
22/05/2019	1NF013AGM	0	0.1	21	0.74	1018	
22/05/2019	1NF013BGM	0	0.1	20.8	0.76	1018	
22/05/2019	1NF014AGM	0	1.1	20.1	0.72	1018	
22/05/2019	1NF014BGM	0	1.1	19.9	0.55	1018	
22/05/2019	1NF014CGM	0	0.7	20.3	0.72	1018	
22/05/2019	1NF014DG						
22/05/2019	1NF014EGM	0	1.8	19.4	0.71	1018	
22/05/2019	1NF014FGM	0	1.9	19.3	0.71	1018	
22/05/2019	1NF015AGM	0	0.3	20.7	0.76	1018	
22/05/2019	1NF015BGM	0	0.3	20.8	-4.15	1018	
22/05/2019	1NF016AAGM	0	0.1	20.9	0.77	1018	
22/05/2019	1NF016ABGM	0	1	20.2	0.96	1018	
22/05/2019	1NF016ACGM	0	0.1	21.2	0.65	1018	
22/05/2019	1NF016ADGM	0	0.2	20.9	0.64	1018	
22/05/2019	1NF016AEGM	0	0.1	21	0.65	1018	
22/05/2019	1NF016AFGM	0	0.7	20.3	0.77	1018	
22/05/2019	1NF017AGM	0	0.1	21.2	0.74	1018	
22/05/2019	1NF017BGM	0	0.1	21	2.22	1018	
22/05/2019	1NF018AGM	0	0.8	20.6	0.91	1018	
22/05/2019	1NF018BGM	0	0.2	21	0.81	1018	
22/05/2019	1NF018CGM	0	1	20.3	0.84	1018	
22/05/2019	1NF018DGM	0	0.2	20.9	0.76	1018	
22/05/2019	1NF018EGM	0	0.7	20.6	0.71	1018	
22/05/2019	1NF018FGM	0	0.2	20.9	0.77	1018	
22/05/2019	1NF019AGM	0	0.1	21.3	0.83	1018	
22/05/2019	1NF019BGM	0	0.1	21.2	0.71	1018	
22/05/2019	1NF020AGM	0	0.1	21.1	0.77	1018	
22/05/2019	1NF020BGM	0	1.4	20.9	-0.83	1017	
22/05/2019	1NF020CGM	0	0.5	20.6	0.65	1017	
22/05/2019	1NF020DGM	0	0.8	20.6	0.72	1017	
22/05/2019	1NF020EGM	0	0.1	21.1	0.62	1017	
22/05/2019	1NF020FGM	0	1	20.1	0.12	1017	
22/05/2019	1NF021AGM	0	1	21.1	0.76	1018	
22/05/2019	1NF021BGM	0	0.9	20.5	0.76	1018	
22/05/2019	1NF022ABGM	0	0.1	21.2	0.83	1017	
22/05/2019	1NF022ADGM	0	0.2	21.2	0.77	1017	
22/05/2019	1NF022AFGM	0	0.3	21.1	0.69	1017	
22/05/2019	1NF022AGM	0	0.2	21	0.77	1018	
22/05/2019	1NF022CGM	0	0.3	21.1	0.72	1017	
22/05/2019	1NF022EGM	0	0.3	21.1	0.79	1017	
22/05/2019	1NF023AGM	0	0.1	21.3	0.86	1018	
22/05/2019	1NF023BGM	0	0.2	21.2	0.69	1017	
22/05/2019	1NF024AGM	0	0.1	21.3	0.77	1018	
22/05/2019	1NF024BGM	0	0.1	21.3	0.84	1017	
22/05/2019	1NF025AGM	0	0.3	21.1	0.84	1018	
22/05/2019	1NF025BGM	0	0.3	20.9	0.88	1018	
22/05/2019	1NF026GM	0	2.2	13.4	0.9	1018	
22/05/2019	1NF027GM	0	0.6	20.7	0.93	1019	
22/05/2019	1NF028GM	0	0.2	21	0.95	1019	
22/05/2019	1NF029GM	0	2	20	0.95	1019	
22/05/2019	1NF030GM	0	4.9	19.2	0.86	1019	
22/05/2019	1NF031AGM	0	0.5	19.1	0.79	1019	
22/05/2019	1NF032BGM	0	0.2	20.4	1.1	1020	
22/05/2019	1NF033BGM	0	0	20.8	1.08	1020	
22/05/2019	1NF034BGM	0	0	20.9	0.91	1020	
22/05/2019	1NF036GM	0	0.1	20.8	0.41	1020	
22/05/2019	BH4GM	0	0.1	20.1	0.98	1020	
22/05/2019	BH6GM	0	0	20.8	0.81	1020	
22/05/2019	BH8GM	0	4.2	8.7	1.07	1020	
22/05/2019	BH10GM	0	0	20.7	0.93	1020	
28/05/2019	1NF001AGM	0	5.3	14.1	0.33	1011	0
28/05/2019	1NF001BGM	0	0.2	19.2	0.26	1009	0
28/05/2019	1NF002AGM	0	8.3	4.6	0.21	1009	0
28/05/2019	1NF002BGM	0	5.6	11.8	-1.16	1009	0
28/05/2019	1NF003AGM	0	2.1	19.2	-8.17	1010	0
28/05/2019	1NF003BGM	0	1.9	18.9	-11.9	1009	0
28/05/2019	1NF004AGM	0	0.5	18.7	0.27	1010	0
28/05/2019	1NF004BGM	0	5.8	18.8	0.17	1009	0
28/05/2019	1NF005AGM	0	0.9	20.4	0.19	1009	0
28/05/2019	1NF005BGM	0	0.7	20.5	-0.17	1010	1
28/05/2019	1NF005CGM	0	0.8	20.4	0.12	1009	0
28/05/2019	1NF005DGM	0	1	20.2	0.1	1010	0
28/05/2019	1NF005EGM	0	0.9	20.3	0.22	1009	0
28/05/2019	1NF006AGM	0	2	19.7	0.17	1010	0
28/05/2019	1NF006BGM	0	1.1	20	0.15	1009	0
28/05/2019	1NF007AAGM	0	0.1	20.9	0.22	1009	0
28/05/2019	1NF007ABGM	0	0.1	20.9	0.22	1010	0
28/05/2019	1NF007ACGM	0	0.4	20.8	0.15	1009	0
28/05/2019	1NF007ADGM	0	0.2	20.9	0.1	1009	0
28/05/2019	1NF007AEGM	0	0.6	20.4	0.05	1009	0
28/05/2019	1NF007AFGM	0	0.6	20.7	-0.74	1009	0
28/05/2019	1NF008AGM	0	0.1	20.7	-5.53	1010	1
28/05/2019	1NF008BGM	0	0.6	20.4	0.67	1009	1
28/05/2019	1NF008CGM	0	0.6	20.6	-0.86	1009	0
28/05/2019	1NF008DGM	0	0.7	20.5	0.07	1009	0
28/05/2019	1NF008EGM	0	0.6	20.1	4.26	1009	0
28/05/2019	1NF009AAGM	0	0.7	20.3	0.1	1009	1
28/05/2019	1NF009ABGM	0	0.1	21.1	0.12	1010	1
28/05/2019	1NF009ACGM	0	0.1	21	-0.15	1009	1
28/05/2019	1NF009ADGM	0	0.2	20.9	0.58	1009	1
28/05/2019	1NF009AEGM	0	0.1	21.1	0	1009	1
28/05/2019	1NF009AFGM	0	0.8	20.3	-0.33	1009	0
28/05/2019	1NF010AAGM	0	8.5	12.5	0.12	1010	0
28/05/2019	1NF010ABGM	0.1	0.9	19.5	0.14	1010	1
28/05/2019	1NF010ACGM	0	0.6	20.5	0.02	1010	0
28/05/2019	1NF010ADGM	0	5	16.4	0.1	1010	0
28/05/2019	1NF010AEGM	0	1.9	19.1	2.23	1009	0
28/05/2019	1NF010AFGM	0	4.1	17.5	-0.62	1010	1
28/05/2019	1NF011AAGM	0	1.7	19.1	0.26	1009	0
28/05/2019	1NF011ABGM	0	0.1	21.1	0.31	1011	1
28/05/2019	1NF011ACGM	0	1	19.7	0.03	1010	1
28/05/2019	1NF011ADGM	0	0.1	21.1	0.22	1010	1
28/05/2019	1NF011AEGM	0	2.5	19.1	-1.99	1010	1
28/05/2019	1NF011AFGM	0	1.2	20.1	0.05	1010	1
28/05/2019	1NF012AGM	0	2.3	19.3	0.19	1010	0
28/05/2019	1NF012BGM	0	2.2	19.3	0.12	1010	1
28/05/2019	1NF013AGM	0	1	19.5	2.57	1011	0
28/05/2019	1NF013BGM	0	0.4	20.2	0.26	1010	1
28/05/2019	1NF014AGM	0	0.8	20.5	0.19	1011	1
28/05/2019	1NF014BGM	0	0.8	20.5	0.14	1010	0
28/05/2019	1NF014CGM	0	0.8	20.6	0.1	1010	0
28/05/2019	1NF014DG						
28/05/2019	1NF014EGM	0	2.1	19.5	0.05	1010	1
28/05/2019	1NF014FGM	0	2.3	19.3	0.33	1010	1
28/05/2019	1NF015AGM	0	0.3	20.8	0.21	1011	0
28/05/2019	1NF015BGM	0	0.4	20.9	-6.18	1010	1
28/05/2019	1NF016AAGM	0	0.1	21.3	0.21	1011	0
28/05/2019	1NF016ABGM	0	0.1	21.2	0.22	1009	0
28/05/2019	1NF016ACGM	0	0.1	21.3	0.17	1009	1
28/05/2019	1NF016ADGM	0	1.1	20.2	0.17	1009	0
28/05/2019	1NF016AEGM	0	0.1	21.4	0.21	1009	0
28/05/2019	1NF016AFGM	0	1.1	20.2	0.22	1009	0
28/05/2019	1NF017AGM	0	0.1	21.3	0.14	1010	0
28/05/2019	1NF017BGM	0	0.2	21.2	0.39	1009	0
28/05/2019	1NF018AGM	0	0.8	20.9	0.33	1010	0
28/05/2019	1NF018BGM	0	0.2	21.2	0.09	1010	0
28/05/2019	1NF018CGM	0	0.9	20.7	0.22	1010	0
28/05/2019	1NF018DGM	0	0.2	21.2	0.19	1009	0
28/05/2019	1NF018EGM	0	0.7	21	0.03	1009	1
28/05/2019	1NF018FGM	0	0.2	21.3	0.14	1009	1
28/05/2019	1NF019AGM	0	0.2	21.3	0.22	1010	0
28/05/2019	1NF019BGM	0	0.2	21.3	0.15	1010	1
28/05/2019	1NF020AGM	0	0.2	21.4	0.21	1010	0
28/05/2019	1NF020BGM	0	1.6	20.4	0.29	1009	1
28/05/2019	1NF020CGM	0	0.5	20.7	0.24	1009	0
28/05/2019	1NF020DGM	0	0.7	20.8	0.22	1009	1
28/05/2019	1NF020EGM	0	0.2	21.2	0.17	1009	0
28/05/2019	1NF020FGM	0	1.1	20.2	0	1009	0
28/05/2019	1NF021AGM	0	0.5	21.3	0.15	1011	0
28/05/2019	1NF021BGM	0	2.5	19.3	0.17	1009	1
28/05/2019	1NF022ABGM	0	0.1	21.4	0.27	1009	1
28/05/2019	1NF022ADGM	0	0.2	21.3	0.15	1009	1
28/05/2019	1NF022AFGM	0	0.3	21.2	0.07	1009	0
28/05/2019	1NF022AGM	0	0.2	21.3	0.27	1010	0
28/05/2019	1NF022CGM	0	0.3	21.3	0.1	1009	1
28/05/2019	1NF022EGM	0	0.3	21.3	0.22	1010	1
28/05/2019	1NF023AGM	0	3.8	15	0.17	1010	1
28/05/2019	1NF023BGM	0	0.2	20.8	0.22	1010	0
28/05/2019	1NF024AGM	0	0.2	21.3	0.21	1011	1
28/05/2019	1NF024BGM	0	0.1	21.4	0.07	1010	0
28/05/2019	1NF025AGM	0	0.3	21.1	-0.05	1010	1
28/05/2019	1NF025BGM	0	0.4	21	0.12	1010	1
28/05/2019	1NF026GM	0	0.1	21	0.19	1011	0
28/05/2019	1NF027GM	0	0.7	20.6	1.71	1011	0
28/05/2019	1NF028GM	0	0.1	20.9	0.15	1012	0
28/05/2019	1NF029GM	0	2	20.3	0.22	1012	0
28/05/2019	1NF030GM	0	0.7	19.7	0.12	1013	0
28/05/2019	1NF031AGM	0	1.1	17.8	0.14	1011	0
28/05/2019	1NF032BGM	0	0.1	21.1	0.1	1011	0
28/05/2019	1NF033BGM	0	0.1	21.3	0.1	1010	0
28/05/2019	1NF034BGM	0	0.1	21.4	0.24	1009	0
28/05/2019	1NF036GM	0	0.1	21.1	0.07	1010	1
28/05/2019	BH4GM	0	0.2	20.5	0.24	1011	0
28/05/2019	BH6GM	0	0.1	21.2	0.15	1011	0
28/05/2019	BH8GM	0	4.3	7.9	0.27	1011	0
28/05/2019	BH10GM	0	0.1	21.1	0.21	1011	0
06/06/2019	1NF001AGM	0	3.7	19.3	2.33	1011	0
06/06/2019	1NF001BGM	0	0.2	21.2	-0.03	1010	0
06/06/2019	1NF002AGM	0	0.1	21.7	0.07	1011	0
06/06/2019	1NF002BGM	0	0.1	21.6	0.33	1010	0
06/06/2019	1NF003AGM	0	1.7	20.4	-8.39	1011	0
06/06/2019	1NF003BGM	0	1.9	19	-2.33	1010	0
06/06/2019	1NF004AGM	0	0.2	21.4	0.26	1011	0
06/06/2019	1NF004BGM	0	1.3	21.4	0.28	1010	0
06/06/2019	1NF005AGM	0	0.1	21.5	0.17	1011	0
06/06/2019	1NF005BGM	0	0.6	21.2	0.17	1009	0
06/06/2019	1NF005CGM	0	0.5	21.4	0.24	1010	0
06/06/2019	1NF005DGM	0	1	21.5	0.28	1010	0
06/06/2019	1NF005EGM	0	0.5	21.4	0.33	1011	0
06/06/2019	1NF006AGM	0	0.3	21.4	0.34	1011	0
06/06/2019	1NF006BGM	0	0.7	21.6	0.43	1011	0
06/06/2019	1NF007AAGM	0	0.1	21.8	0.28	1010	0
06/06/2019	1NF007ABGM	0	0.1	21.8	0.16	1011	0
06/06/2019	1NF007ACGM	0	0.6	21.7	0.28	1010	0
06/06/2019	1NF007ADGM	0	0.1	21.8	0.43	1010	0
06/06/2019	1NF007AEGM	0	0.2	21.7	0.24	1010	0
06/06/2019	1NF007AFGM	0	0.1	21.8	0.4	1009	0
06/06/2019	1NF008AGM	0	0.1	21.9	-1.09	1011	0
06/06/2019	1NF008BGM	0	0.1	21.8	0.31	1010	0
06/06/2019	1NF008CGM	0	0.4	21.6	0.31	1011	0
06/06/2019	1NF008DGM	0	0.1	21.8	0.26	1010	0
06/06/2019	1NF008EGM	0	0.5	20	-2.57	1004	0
06/06/2019	1NF009AAGM	0	0.1	22	0.5	1011	0
06/06/2019	1NF009ABGM	0	0.1	21.7	0.24	1011	0
06/06/2019	1NF009ACGM	0	0.1	22.1	0.34	1010	0
06/06/2019	1NF009ADGM	0	0.1	21.9	0.33	1010	0
06/06/2019	1NF009AEGM	0	0.1	22.2	0.31	1011	0
06/06/2019	1NF009AFGM	0	0.6	21.5	0.36	1010	0
06/06/2019	1NF010AAGM	0	8.5	19	0.45	1011	0
06/06/2019	1NF010ABGM	0	0.5	21.6	0.33	1011	0
06/06/2019	1NF010ACGM	0	0.1	21.8	0.4	1011	0
06/06/2019	1NF010ADGM	0	0.1	22.1	0.36	1010	0
06/06/2019	1NF010AEGM	0	1.7	21.2	0.29	1010	0
06/06/2019	1NF010AFGM	0	0.1	21.9	0.4	1009	0
06/06/2019	1NF011AAGM	0	0.1	22.4	0.47	1011	0
06/06/2019	1NF011ABGM	0	0.1	22.2	0.4	1011	0
06/06/2019	1NF011ACGM	0	0.1	22.3	0.38	1010	0
06/06/2019	1NF011ADGM	0	0.1	22.3	0.41	1010	0
06/06/2019	1NF011AEGM	0	2.3	21.5	0.19	1011	0
06/06/2019	1NF011AFGM	0	1.2	22.2	0.24	1011	0
06/06/2019	1NF012AGM	0	1.7	21	0.26	1011	0
06/06/2019	1NF012BGM	0	2.3	20.1	0.28	1011	0
06/06/2019	1NF013AGM	0	1.1	21	0.38	1011	0
06/06/2019	1NF013BGM	0	0.4	22	0.34	1011	0
06/06/2019	1NF014AGM	0	0.9	21.6	0.28	1010	0
06/06/2019	1NF014BGM	0	0.8	22.3	0.26	1010	0
06/06/2019	1NF014CGM	0	0.1	22.3	0.33	1010	0
06/06/2019	1NF014DG						
06/06/2019	1NF014EGM	0	2	22.2	0.24	1011	0
06/06/2019	1NF014FGM	0	2.3	22.1	0.4	1011	0
06/06/2019	1NF015AGM	0	0.4	22.3	0.52	1011	0
06/06/2019	1NF015BGM	0	0.4	22.3	-3.86	1010	0
06/06/2019	1NF016AAGM	0	0.1	22.5	0.31	1011	0
06/06/2019	1NF016ABGM	0	1	21.4	0.22	1010	0
06/06/2019	1NF016ACGM	0	0.1	22.5	0.28	1010	0
06/06/2019	1NF016ADGM	0	0.1	22.4	0.36	1010	0
06/06/2019	1NF016AEGM	0	0.1	22.5	0.28	1011	0
06/06/2019	1NF016AFGM	0	0.8	22	0.26	1010	0

06/06/2019	1NF031AGM	0	0.3	19.6	0.03	1011	0
06/06/2019	1NF032BGM	0	0.1	20.7	-0.09	1011	0
06/06/2019	1NF033BGM	0	0.1	20.9	-0.19	1012	0
06/06/2019	1NF034BGM	0	0.1	20.9		1012	0
06/06/2019	1NF036GM	0	0.1	21	-0.14	1012	0
06/06/2019	BH4GM	0	9.2	2	-0.1	1011	0
06/06/2019	BH6GM	0	0.1	20.7	-0.12	1011	0
06/06/2019	BH8GM	0	3.7	14.8	0	1011	0
06/06/2019	BH10GM	0	0.1	20.7	0.05	1011	0
13/06/2019	1NF001AGM	0	2.7	14.5	-2.14	1005	1
13/06/2019	1NF001BGM	0	3.6	14.3	-2.46	1005	1
13/06/2019	1NF002AGM	0	8.4	4	-1.38	1005	1
13/06/2019	1NF002BGM	0	5.5	13.4	-1.17	1004	1
13/06/2019	1NF003AGM	0	2.1	14.8	-11.08	1005	1
13/06/2019	1NF003BGM	0	2	14.7	-8.55	1005	1
13/06/2019	1NF004AGM	0	5.5	14.5	-0.36	1005	1
13/06/2019	1NF004BGM	0	4.9	13.4	-0.64	1004	1
13/06/2019	1NF005AGM	0	1.4	14.1	-0.29	1005	1
13/06/2019	1NF005BGM	0	1.4	14.9	-0.33	1005	1
13/06/2019	1NF005CGM	0	1.4	14.6	-0.22	1004	1
13/06/2019	1NF005DGM	0	1.5	14.7	0.14	1004	1
13/06/2019	1NF005EGM	0	1.4	14.4	-0.22	1005	1
13/06/2019	1NF006AGM	0	2	20.2	0.26	1004	0
13/06/2019	1NF006BGM	0	1	20.3	-0.12	1004	0
13/06/2019	1NF007AAGM	0	2.3	18.9	0.17	1004	0
13/06/2019	1NF007ABGM	0	0.2	21.1	0.17	1004	0
13/06/2019	1NF007ACGM	0	0.8	20.3	0.14	1004	0
13/06/2019	1NF007ADGM	0	0.2	21.2	0.36	1005	0
13/06/2019	1NF007AEGM	0	0.6	20.6	0.15	1005	0
13/06/2019	1NF007AFGM	0	0.4	21	0.21	1004	0
13/06/2019	1NF008AGM	0	0.1	15	2.15	1005	1
13/06/2019	1NF008BGM	0	0.1	15	0.36	1003	1
13/06/2019	1NF008CGM	0	1	15	-1.02	1004	1
13/06/2019	1NF008DGM	0	0.1	15	2.93	1005	1
13/06/2019	1NF008EGM	0	1	14	-4.43	1005	1
13/06/2019	1NF009AAGM	0	0.9	14.9	-0.14	1004	1
13/06/2019	1NF009ABGM	0	4.2	14.6	-0.16	1005	1
13/06/2019	1NF009ACGM	0	0.2	15	-0.26	1004	1
13/06/2019	1NF009ADGM	0	0.1	14.9	-0.22	1005	1
13/06/2019	1NF009AEGM	0	0.2	15	-0.16	1005	1
13/06/2019	1NF009AFGM	0	0.6	15	-0.24	1004	1
13/06/2019	1NF010AAGM	0	8.6	15.4	0.29	1004	0
13/06/2019	1NF010ABGM	0	1.8	19.5	0.84	1004	0
13/06/2019	1NF010ACGM	0	0.9	20.7	0.17	1005	0
13/06/2019	1NF010ADGM	0	5.1	18	0.1	1004	0
13/06/2019	1NF010AEGM	0	2.1	20.3	0.17	1005	1
13/06/2019	1NF010AFGM	0	4.1	17.9	0	1004	0
13/06/2019	1NF011AAGM	0	1.4	20	0.22	1004	0
13/06/2019	1NF011ABGM	0	0.2	21.4	-0.22	1005	0
13/06/2019	1NF011ACGM	0	1.2	20	-0.09	1004	0
13/06/2019	1NF011ADGM	0	0.1	21.4	0.65	1005	0
13/06/2019	1NF011AEGM	0	2.8	19.3	-0.19	1004	0
13/06/2019	1NF011AFGM	0	1.3	20.2	0.31	1004	0
13/06/2019	1NF012AGM	0	2.2	14.9	-0.21	1005	1
13/06/2019	1NF012BGM	0	0.1	14.9	-0.21	1004	1
13/06/2019	1NF013AGM	0	1.1	14.9	-0.14	1005	1
13/06/2019	1NF013BGM	0	0.8	14.7	-0.12	1005	1
13/06/2019	1NF014AGM	0	1.4	20.3	0.21	1006	0
13/06/2019	1NF014BGM	0	1.4	20.1	0.21	998	0
13/06/2019	1NF014CGM	0	1.1	20.5	0.89	1005	1
13/06/2019	1NF014DG						
13/06/2019	1NF014EGM	0	1.6	20.1	0.22	1005	0
13/06/2019	1NF014FGM	0	2.2	19.6	0.21	1005	0
13/06/2019	1NF015AGM	0	0.7	15	-0.34	1005	1
13/06/2019	1NF015BGM	0	0.4	15	-2.6	1003	1
13/06/2019	1NF016AAGM	0	0.1	15.1	-0.12	1005	1
13/06/2019	1NF016ABGM	0	1.1	14.5	-0.12	1004	1
13/06/2019	1NF016ACGM	0	0.1	15.1	-0.16	1004	1
13/06/2019	1NF016ADGM	0	0.2	15	-0.21	1005	1
13/06/2019	1NF016AEGM	0	0.1	15.1	-0.16	1004	1
13/06/2019	1NF016AFGM	0	0.8	14.9	-0.09	1005	1
13/06/2019	1NF017AGM	0	0.1	21.4	0.26	1006	0
13/06/2019	1NF017BGM	0	0.2	21.4	0.14	1004	0
13/06/2019	1NF018AGM	0	1.4	20.7	0.19	1005	0
13/06/2019	1NF018BGM	0	0.5	21.1	0.17	1005	0
13/06/2019	1NF018CGM	0	1.5	20.5	0.27	1005	0
13/06/2019	1NF018DGM	0	1.4	20.4	0.89	1004	0
13/06/2019	1NF018EGM	0	1.3	20.4	0.19	1004	0
13/06/2019	1NF018FGM	0	0.6	21	1.13	1004	0
13/06/2019	1NF019AGM	0	0.2	15.1	-3.67	1005	1
13/06/2019	1NF019BGM	0	0.2	15	-0.53	1004	1
13/06/2019	1NF020AGM	0	1.7	15.1	-0.1	1005	1
13/06/2019	1NF020BGM	0	1.5	14.8	-0.02	1004	1
13/06/2019	1NF020CGM	0	0.5	15.1	-0.1	1004	1
13/06/2019	1NF020DGM	0	1.2	15.1	0.79	1005	1
13/06/2019	1NF020EGM	0	0.1	15	0.6	1004	1
13/06/2019	1NF020FGM	0	1.3	15.1	0.64	1005	1
13/06/2019	1NF021AGM	0	0.1	21.5	0.24	1005	0
13/06/2019	1NF021BGM	0	2.3	19	0.22	1004	0
13/06/2019	1NF022ABGM	0	0.2	21.3	2.72	1004	0
13/06/2019	1NF022ADGM	0	0.3	21.5	0.14	1004	0
13/06/2019	1NF022AFGM	0	0.3	21.4	0.84	1004	0
13/06/2019	1NF022AGM	0	1.2	21.2	0.36	1005	0
13/06/2019	1NF022CGM	0	1.2	20.7	0.07	1004	0
13/06/2019	1NF022EGM	0	1.1	20.7	0.21	1004	0
13/06/2019	1NF023AGM	0	5.1	17.9	0.29	1004	0
13/06/2019	1NF023BGM	0	0.4	16.1	0.22	1004	0
13/06/2019	1NF024AGM	0	0.3	15.1	-0.14	1005	1
13/06/2019	1NF024BGM	0	0.1	15.1	-0.19	1005	1
13/06/2019	1NF025AGM	0	0.5	21.1	0.31	1005	0
13/06/2019	1NF025BGM	0	0.5	20.8	0.21	1005	0
13/06/2019	1NF026GM	0	0.1	15.2	-0.05	1005	1
13/06/2019	1NF027GM	0	0.4	15.2	-0.07	1004	1
13/06/2019	1NF028GM	0	0.5	21.3	0.29	1007	0
13/06/2019	1NF029GM	0	4.2	17	0.14	1007	0
13/06/2019	1NF030GM	0	1.3	19.9	3.41	1007	1
13/06/2019	1NF031AGM	0	0.2	14.2	-0.09	1007	1
13/06/2019	1NF032BGM	0	0.1	14.9	-0.09	1007	1
13/06/2019	1NF033BGM	0	0.1	14.9	-0.24	1007	0
13/06/2019	1NF034BGM	0	0.1	14.9	-0.26	1007	0
13/06/2019	1NF036GM	0	0.1	20.2	0.15	1005	0
13/06/2019	BH4GM	0	9	13.3	-0.21	1007	1
13/06/2019	BH6GM	0	0.1	14.9	-0.17	1005	1
13/06/2019	BH8GM	0	4.1	12	-0.24	1006	1
13/06/2019	BH10GM	0	2.1	14.6	0.55	1006	1
20/06/2019	1NF001AGM	0	5.2	13.3	-3.07	1012	0
20/06/2019	1NF001BGM	0	0.2	17.8	-0.4	1011	0
20/06/2019	1NF002AGM	0	8.4	13	0.48	1012	0
20/06/2019	1NF002BGM	0	6	16.6	-1.22	1011	0
20/06/2019	1NF003AGM	0	1.8	19.7	0.52	1012	0
20/06/2019	1NF003BGM	0	2.1	18	-8.29	1011	0
20/06/2019	1NF004AGM	0	0.5	19.6	0.64	1012	0
20/06/2019	1NF004BGM	0	4.7	18.6	0.47	1011	0
20/06/2019	1NF005AGM	0	0.8	20.7	0.48	1012	0
20/06/2019	1NF005BGM	0	0.7	20.6	0.41	1011	0
20/06/2019	1NF005CGM	0	0.8	20.5	0.41	1011	0
20/06/2019	1NF005DGM	0	1.1	20.4	0.48	1011	0
20/06/2019	1NF005EGM	0	1	20.2	0.48	1011	0
20/06/2019	1NF006AGM	0	2	19.9	0.57	1013	0
20/06/2019	1NF006BGM	0	1	20.2	0.5	1011	0
20/06/2019	1NF007AAGM	0	0.2	21.4	0.55	1008	0
20/06/2019	1NF007ABGM	0	0.1	21.4	0.6	1012	0
20/06/2019	1NF007ACGM	0	0.7	19.5	0.57	1012	0
20/06/2019	1NF007ADGM	0	0.2	21.3	0.53	1011	0
20/06/2019	1NF007AEGM	0	0.5	21	0.59	1011	0
20/06/2019	1NF007AFGM	0	0.2	21.3	0.17	1012	0
20/06/2019	1NF008AGM	0	0.1	21.5	0.59	1013	0
20/06/2019	1NF008BGM	0	0.7	20.9	-0.16	1011	0
20/06/2019	1NF008CGM	0	0.7	20.9	0.57	1011	0
20/06/2019	1NF008DGM	0	0.7	20.8	0.36	1012	0
20/06/2019	1NF008EGM	0	0.7	20	0.02	1012	0
20/06/2019	1NF009AAGM	0	0.5	21.4	0.74	1012	0
20/06/2019	1NF009ABGM	0	4.9	17.3	0.57	1012	0
20/06/2019	1NF009ACGM	0	0.1	21.4	0.45	1012	0
20/06/2019	1NF009ADGM	0	0.1	20.2	0.47	1012	0
20/06/2019	1NF009AEGM	0	0.1	21.7	0.6	1011	0
20/06/2019	1NF009AFGM	0	0.5	21.4	0.09	1012	0
20/06/2019	1NF010AAGM	0	8.7	13.8	0.53	1013	0
20/06/2019	1NF010ABGM	0	0.6	20.8	0.5	1012	0
20/06/2019	1NF010ACGM	0	0.4	20.9	0.34	1012	0
20/06/2019	1NF010ADGM	0	5	17.5	0.67	1012	0
20/06/2019	1NF010AEGM	0	1.8	19.9	0.76	1012	0
20/06/2019	1NF010AFGM	0	4	18.2	0.24	1012	0
20/06/2019	1NF011AAGM	0	1.4	20.4	0.53	1011	0
20/06/2019	1NF011ABGM	0	0.1	22	0.59	1012	0
20/06/2019	1NF011ACGM	0	1.1	20.6	0.22	1005	0
20/06/2019	1NF011ADGM	0	0.1	21.5	0.53	1012	0
20/06/2019	1NF011AEGM	0	2.4	20.3	0.5	1011	0
20/06/2019	1NF011AFGM	0	1.2	20.6	0.45	1012	0
20/06/2019	1NF012AGM	0	2.4	19.9	0.55	1013	0
20/06/2019	1NF012BGM	0	1.9	20.2	0.47	1012	0
20/06/2019	1NF013AGM	0	1.5	20.7	0.62	1012	0
20/06/2019	1NF013BGM	0	0.6	21.2	0.53	1012	0
20/06/2019	1NF014AGM	0	1.5	21.2	0.6	1013	0
20/06/2019	1NF014BGM	0	1.5	20.7	0.57	1012	0
20/06/2019	1NF014CGM	0	1.1	21.2	0.4	1012	0
20/06/2019	1NF014DG						
20/06/2019	1NF014EGM	0	2.3	20.1	0.36	1012	0
20/06/2019	1NF014FGM	0	2.4	20.1	0.53	1012	0
20/06/2019	1NF015AGM	0	0.6	21.7	0.48	1012	0
20/06/2019	1NF015BGM	0	0.6	21.4	0.17	1012	0
20/06/2019	1NF016AAGM	0	0.9	21.3	0.59	1013	0
20/06/2019	1NF016ABGM	0	1.1	21.3	0.52	1012	0
20/06/2019	1NF016ACGM	0	0.1	22.1	0.64	1012	0
20/06/2019	1NF016ADGM	0	0.2	21.6	0.48	1011	0
20/06/2019	1NF016AEGM	0	0.1	22.2	0.48	1012	0
20/06/2019	1NF016AFGM	0	0.8	21.6	0.62	1012	0
20/06/2019	1NF017AGM	0	0.1	22.2	0.52	1013	0
20/06/2019	1NF017BGM	0	0.2	22.2	0.4	1012	0
20/06/2019	1NF018AGM	0	1.1	22.1	0.53	1013	0
20/06/2019	1NF018BGM	0	0.3	21.8	0.47	1012	0
20/06/2019	1NF018CGM	0	1.2	22	0.47	1012	0
20/06/2019	1NF018DGM	0	0.3	22.1	0.48	1012	0
20/06/2019	1NF018EGM	0	1	21.3	0.84	1012	0
20/06/2019	1NF018FGM	0	0.3	21.9	0.69	1012	0
20/06/2019	1NF019AGM	0	0.4	22.2	0.53	1013	0
20/06/2019	1NF019BGM	0	0.2	22.1	0.5	1013	0
20/06/2019	1NF020AGM	0	2.1	21.4	0.55	1013	0
20/06/2019	1NF020BGM	0	1.4	20.6	0.93	1011	0
20/06/2019	1NF020CGM	0	0.2	21.1	0.67	1011	0
20/06/2019	1NF020DGM	0	1	21.8	0.65	1011	0
20/06/2019	1NF020EGM	0	0.3	22	0.6	1011	0
20/06/2019	1NF020FGM	0	1.4	21.4	0.65	1011	0
20/06/2019	1NF021AGM	0	0.4	22.3	0.52	1013	0
20/06/2019	1NF021BGM	0	1.6	21.2	0.45	1012	0
20/06/2019	1NF022ABGM	0	0.1	22.2	0.65	1011	0
20/06/2019	1NF022ADGM	0	0.2	22.2	0.55	1012	0
20/06/2019	1NF022AFGM	0	0.4	22	0.53	1011	0
20/06/2019	1NF022AGM	0	0.4	22.2	0.57	1012	0
20/06/2019	1NF022CGM	0	0.4	22	0.43	1012	0
20/06/2019	1NF022EGM	0	0.4	22.1	0.48	1011	0
20/06/2019	1NF023AGM	0	3.2	21.1	0.53	1013	0
20/06/2019	1NF023BGM	0	0.3	19.5	0.52	1012	0
20/06/2019	1NF024AGM	0	0.3	22.1	0.55	1012	0
20/06/2019	1NF024BGM	0	0.1	22.3	0.6	1012	0
20/06/2019	1NF025AGM	0	0.6	22	0.55	1013	0
20/06/2019	1NF025BGM	0	0.6	21.6	0.59	1011	0
20/06/2019	1NF026GM	0	0.8	21.6	0.64	1013	0
20/06/2019	1NF027GM	0	0.4	21.7	0.67	1013	0
20/06/2019	1NF028GM	0	0.2	22	0.65	1013	0
20/06/2019	1NF029GM	0	2.6	20.7	0.91	1015	0
20/06/2019	1NF030GM	0	0.5	21.9	0.57	1015	0
20/06/2019	1NF031AGM	0	2.2	12.2	0.19	1013	1
20/06/2019	1NF032BGM	0	0.2	20.4	0.03	1013	0
20/06/2019	1NF033BGM	0	0.1	20.8	0.1	1011	0
20/06/2019	1NF034BGM	0	0.1	20.9	0.05	1013	0
20/06/2019	1NF036GM	0	0.1	20.9	0.43	1013	0
20/06/2019	BH4GM	0	0.1	16.7	0.12	1012	1
20/06/2019	BH6GM	0	0.1	20.7	0.09	1013	0
20/06/2019	BH8GM	0	4	8.5	0.12	1014	1
20/06/2019	BH10GM	0	0.1	20.6	0.28	1012	1
28/06/2019	1NF001AGM	0	3.7	19.2	-1.64	1026	0
28/06/2019	1NF001BGM	0	0.2	20.7	-0.09	1026	0
28/06/2019	1NF002AGM	0	0.1	20.8	0.36	1027	0
28/06/2019	1NF002BGM	0	7.6	15.7	-0.09	1026	0
28/06/2019	1NF003AGM	0	1.6	19.9	-10.6	1026	0
28/06/2019	1NF003BGM	0	2	18.7	-7.45	1026	0
28/06/2019	1NF004AGM	0	0.3	20.7	0.17	1026	0
28/06/2019	1NF004BGM	0	2.5	18.8	0.26	1026	0
28/06/2019	1NF005AGM	0	0.2	20.8	0.15	1026	0
28/06/2019	1NF005BGM	0	0.1	20.9	0.29	1026	0
28/06/2019	1NF005CGM	0	0.3	20.8	0.19	1025	0
28/06/2019	1NF005DGM	0	1	20.3	0.19	1026	0
28/06/2019	1NF005EGM	0	0.2	20.9	0.43	1026	0
28/06/2019	1NF006AGM	0	0.1	21	0.65	1026	0
28/06/2019	1NF006BGM	0	0.9	20.4	0.24	1025	0
28/06/2019	1NF007AAGM	0	2.2	20.1	0.27	1026	0
28/06/2019	1NF007ABGM	0	0.1	21.2	0.33	1026	0
28/06/2019	1NF007ACGM	0	0.5	21	0.07	1026	0
28/06/2019	1NF007ADGM	0	0.1	21.2	0.12	1026	0
28/06/2019	1NF007AEGM	0	0.2	21.3	0.19	1026	0
28/06/2019	1NF007AFGM	0	0.4	21.1	0.19	1026	0
28/06/2019	1NF008AGM	0	0.1	21.4	-6.42	1026	0
28/06/2019	1NF008BGM	0	0.4	21.2	0.05	1025	0
28/06/2019	1NF008CGM	0	0.4	21	-0.12	1026	0
28/06/2019	1NF008DGM	0	0.5	21.2	0.24	1026	0
28/06/2019	1NF008EGM	0	0.4	19.9	-6.37	1026	0
28/06/2019	1NF009AAGM	0	0.1	21.6	0.21	1026	0
28/06/2019	1NF009ABGM	0	0.1	21.5	0.24	1026	1
28/06/2019	1NF009ACGM	0	0.1	21.6	0.22	1026	0
28/06/2019	1NF009ADGM	0	0.1	21.5	0.17	1025	0
28/06/2019	1NF009AEGM	0	0.1	21.6	0.21	1026	0
28/06/2019	1NF009AFGM	0	0.4	21.4	0.19	1026	0
28/06/2019	1NF010AAGM	0	8.3	15.1	0.27	1026	0
28/06/2019	1NF010ABGM	0	0.2	21.6	0.36	1026	0
28/06/2019	1NF010ACGM	0	0.2	21.6	0.24	1026	1
28/06/2019	1NF010ADGM	0	5	17.1	0.27	1026	0
28/06/2019	1NF010AEGM	0	0.1	21.6	0.26	1026	0
28/06/2019	1NF010AFGM	0	3.5	20.3	0.27	1026	0
28/06/2019	1NF011AAGM	0	0.9	21.1	0.12	1026	0
28/06/2019	1NF011ABGM	0	0.1	21.7	0.02	1026	0
28/06/2019	1NF011ACGM	0	0.6	21.3	0.09	1026	0
28/06/2019	1NF011ADGM	0	0.1	21.8	0.19	1026	0
28/06/2019	1NF011AEGM	0	2.4	19.9	0.31	1026	0
28/06/2019	1NF011AFGM	0	1	21.1	0.12	1026	1
28/06/2019	1NF012AGM	0	1.7	20.9	0.14	1026	0
28/06/2019	1NF012BGM	0	2.2	21	0.12	1026	0
28/06/2019	1NF013AGM	0	0.5	21.4	0.31	1025	0
28/06/2019	1NF013BGM	0	0.1	21.7	0.24	1026	0
28/06/2019	1NF014AGM	0	0.2	21.6	0.53	1026	0
28/06/2019	1NF014BGM	0	0.2	21.6	0.17	1025	1
28/06/2019	1NF014CGM	0	0.2	21.6	0.46	1025	0
	1NF014DG						
28/06/2019	1NF014EGM	0	1.4	21.4	0.33	1025	0
28/06/2019	1NF014FGM	0	1.8	20.8	0.1	1026	0
28/06/2019	1NF015AGM	0	0.6	21.3	0.27	1026	1
28/06/2019	1NF015BGM	0	0.6	21.5	-5.94	1026	1

09/07/2019	1NF011ADGM	0	0.1	21.6	0.1	1021	1
09/07/2019	1NF011AEGM	0	2.5	19.8	0.62	1021	1
09/07/2019	1NF011AFGM	0	1.2	20.5	0.02	1021	0
09/07/2019	1NF012AGM	0	1.5	20.6	0.29	1022	1
09/07/2019	1NF012BGM	0	2.6	19.2	0.38	1021	1
09/07/2019	1NF013AGM	0	0.7	20.9	0.27	1020	1
09/07/2019	1NF013BGM	0	0.4	21.3	0.33	1021	1
09/07/2019	1NF014AGM	0	0.7	21	0.26	1022	1
09/07/2019	1NF014BGM	0	0.7	20.9	0.09	1021	1
09/07/2019	1NF014CGM	0	0.7	21	0.53	1021	1
09/07/2019	1NF014DG						
09/07/2019	1NF014EGM	0	1.6	20.5	0.24	1021	1
09/07/2019	1NF014FGM	0	1.8	20.3	0.53	1027	1
09/07/2019	1NF015AGM	0	0.6	21.2	0.27	1022	0
09/07/2019	1NF015BGM	0	0.6	21.2	-2.88	1021	1
09/07/2019	1NF016AAGM	0	0.9	21	0.17	1021	0
09/07/2019	1NF016ABGM	0	1.3	20.2	0.12	1020	1
09/07/2019	1NF016ACGM	0	0.1	21.7	0.26	1021	0
09/07/2019	1NF016ADGM	0	0.2	21.5	0.09	1021	0
09/07/2019	1NF016AEGM	0	0.1	21.7	-0.05	1021	1
09/07/2019	1NF016AFGM	0	0.3	21.5	0.03	1021	1
09/07/2019	1NF017AGM	0	0.1	21.7	0.15	1021	0
09/07/2019	1NF017BGM	0	0.1	21.7	-0.15	1020	1
09/07/2019	1NF018AGM	0	0.8	21.2	0.21	1021	1
09/07/2019	1NF018BGM	0	0.3	21.5	0.27	1015	0
09/07/2019	1NF018CGM	0	1	21	0.45	1021	1
09/07/2019	1NF018DGM	0	0.3	21.6	0.26	1021	1
09/07/2019	1NF018EGM	0	0.6	21.3	0.26	1021	1
09/07/2019	1NF018FGM	0	0.3	21.5	0.27	1021	1
09/07/2019	1NF019AGM	0	0.2	21.8	0.24	1021	0
09/07/2019	1NF019BGM	0	0.2	21.7	0.1	1021	1
09/07/2019	1NF020AGM	0	2.4	20.1	0.19	1021	1
09/07/2019	1NF020BGM	0	1.6	19.9	0.03	1020	1
09/07/2019	1NF020CGM	0	0.3	21.4	-0.39	1020	1
09/07/2019	1NF020DGM	0	0.5	21.3	0.14	1020	1
09/07/2019	1NF020EGM	0	0.3	21.5	-0.31	1021	0
09/07/2019	1NF020FGM	0	1.1	20.8	0.14	1021	1
09/07/2019	1NF021AGM	0	0.5	20.4	0.22	1021	1
09/07/2019	1NF021BGM	0	1.3	20.6	0.21	1021	1
09/07/2019	1NF022ABGM	0	0.1	21.8	0.17	1021	1
09/07/2019	1NF022ADGM	0	0.1	21.8	0.19	1020	1
09/07/2019	1NF022AFGM	0	0.2	21.7	-0.22	1020	1
09/07/2019	1NF022AGM	0	0.4	21.5	-0.45	1021	1
09/07/2019	1NF022CGM	0	0.4	21.6	0.12	1021	0
09/07/2019	1NF022EGM	0	0.4	21.5	0.17	1020	1
09/07/2019	1NF023AGM	0	1.3	20.9	0.26	1021	1
09/07/2019	1NF023BGM	0	0.6	20.8	0.24	1020	0
09/07/2019	1NF024AGM	0	0.1	21.8	0.24	1022	1
09/07/2019	1NF024BGM	0	0.1	21.8	0.03	1021	0
09/07/2019	1NF025AGM	0	0.1	21.8	0.26	1021	0
09/07/2019	1NF025BGM	0	0.1	21.7	0.14	1020	1
09/07/2019	1NF026GM	0	0.2	21.1	0.12	1021	1
09/07/2019	1NF027GM	0	0.3	20.9	0.21	1022	0
09/07/2019	1NF028GM	0	0.2	20.8	0.21	1023	0
09/07/2019	1NF029GM	0	1.7	20.2	0.26	1023	1
09/07/2019	1NF030GM	0	0.1	20.8	0.27	1023	0
09/07/2019	1NF031AGM	0	1.1	17.7	0.17	1023	0
09/07/2019	1NF032BGM	0	0.2	20.8	0.31	1024	0
09/07/2019	1NF033BGM	0	0.1	20.9	0.21	1024	0
09/07/2019	1NF034BGM	0	0.1	21	0.19	1024	0
09/07/2019	1NF036GM	0	0.1	21	0.22	1022	0
09/07/2019	BH4GM	0	7.4	6	0.19	1024	0
09/07/2019	BH6GM	0	0.1	20.9	0.14	1024	0
09/07/2019	BH8GM	0	4.6	8.1	0.19	1024	0
09/07/2019	BH10GM	0	0.1	20.7	0.05	1023	0
18/07/2019	1NF001AGM	0	8	16	-0.21	1010	0
18/07/2019	1NF001BGM	0	3.4	16.2	1.07	1009	0
18/07/2019	1NF002AGM	0	5.7	17.7	0.16	1010	0
18/07/2019	1NF002BGM	0	6.4	11.6	0.21	1009	0
18/07/2019	1NF003AGM	0	2.2	19.7	-7.15	1010	0
18/07/2019	1NF003BGM	0	2	18.1	-9.72	1009	0
18/07/2019	1NF004AGM	0	0.2	20.9	0.19	1010	0
18/07/2019	1NF004BGM	0	10	10.3	0.17	1008	0
18/07/2019	1NF005AGM	0	1.3	20.2	0.19	1010	0
18/07/2019	1NF005BGM	0	1.2	19.8	0.26	1009	0
18/07/2019	1NF005CGM	0	1.3	20.2	-0.03	1008	0
18/07/2019	1NF005DGM	0	1.3	20.1	0.19	1009	0
18/07/2019	1NF005EGM	0	1.3	20	0.05	1009	0
18/07/2019	1NF006AGM	0	2.5	19.6	0.62	1009	0
18/07/2019	1NF006BGM	0	1	20.9	0.65	1009	0
18/07/2019	1NF007AAGM	0	3	18	0.67	1008	0
18/07/2019	1NF007ABGM	0	0.1	21	0.65	1009	0
18/07/2019	1NF007ACGM	0	0.8	20.5	0.65	1009	0
18/07/2019	1NF007ADGM	0	0.1	21	0.67	1008	1
18/07/2019	1NF007AEGM	0	0.5	20.6	0.81	1008	0
18/07/2019	1NF007AFGM	0	0.8	20.4	0.67	1008	0
18/07/2019	1NF008AGM	0	0.1	21.2	-4.36	1010	0
18/07/2019	1NF008BGM	0	0.8	20.7	0.17	1008	0
18/07/2019	1NF008CGM	0	0.7	20.3	-7.91	1009	0
18/07/2019	1NF008DGM	0	0.8	20.5	0.17	1008	0
18/07/2019	1NF008EGM	0	0.7	19	-3.15	1008	0
18/07/2019	1NF009AAGM	0	1	20.6	0.21	1008	0
18/07/2019	1NF009ABGM	0	5	18.4	0.19	1009	0
18/07/2019	1NF009ACGM	0	0.3	20.7	0.24	1008	0
18/07/2019	1NF009ADGM	0	0.2	20	2.58	1008	0
18/07/2019	1NF009AEGM	0	0.3	21	0.17	1008	0
18/07/2019	1NF009AFGM	0	0.7	20.7	0.02	1009	0
18/07/2019	1NF010AAGM	0	8.7	14.5	0.36	1009	0
18/07/2019	1NF010ABGM	0	1.6	18.6	0.22	1008	0
18/07/2019	1NF010ACGM	0	0.8	19.5	0.24	1008	0
18/07/2019	1NF010ADGM	0	5.2	17.1	0.34	1009	0
18/07/2019	1NF010AEGM	0	0.1	20.8	0.17	1008	0
18/07/2019	1NF010AFGM	0	4.4	16.9	-0.09	1008	0
18/07/2019	1NF011AAGM	0	1.3	19.6	0.72	1007	0
18/07/2019	1NF011ABGM	0	0.1	21	0.77	1009	0
18/07/2019	1NF011ACGM	0	1.1	20	0.71	1009	0
18/07/2019	1NF011ADGM	0	0.1	21	0.69	1009	0
18/07/2019	1NF011AEGM	0	2.7	20.6	0.69	1009	0
18/07/2019	1NF011AFGM	0	0.1	21	0.62	1008	0
18/07/2019	1NF012AGM	0	1.5	20.5	0.31	1010	0
18/07/2019	1NF012BGM	0	2.1	19.4	0.24	1008	0
18/07/2019	1NF013AGM	0	1.5	20.6	0.22	1009	0
18/07/2019	1NF013BGM	0	1.6	18.9	0.12	1008	0
18/07/2019	1NF014AGM	0	1	20.6	0.24	1010	0
18/07/2019	1NF014BGM	0	1	20.5	0.21	1009	0
18/07/2019	1NF014CGM	0	1	20.5	0.64	1008	0
18/07/2019	1NF014DG						
18/07/2019	1NF014EGM	0	1.6	20.1	1.36	1009	0
18/07/2019	1NF014FGM	0	2.3	19.2	0.41	1009	0
18/07/2019	1NF015AGM	0	1	20.1	0.69	1009	0
18/07/2019	1NF015BGM	0	0.6	20.8	0.71	1009	0
18/07/2019	1NF016AAGM	0	1.2	21	0.74	1009	0
18/07/2019	1NF016ABGM	0	1.4	19.5	0.74	1009	1
18/07/2019	1NF016ACGM	0	0.1	21.1	0.67	1009	0
18/07/2019	1NF016ADGM	0	0.2	21	0.72	1008	0
18/07/2019	1NF016AEGM	0	0.2	21	0.79	1008	0
18/07/2019	1NF016AFGM	0	1	20.2	0.77	1009	1
18/07/2019	1NF017AGM	0	0.1	21.2	0.31	1009	0
18/07/2019	1NF017BGM	0	0.2	21.2	0.21	1008	0
18/07/2019	1NF018AGM	0	0.8	21.3	0.33	1009	0
18/07/2019	1NF018BGM	0	0.4	21.1	1.26	1008	0
18/07/2019	1NF018CGM	0	1	20.8	0.31	1008	0
18/07/2019	1NF018DGM	0	0.3	21	0.21	1008	0
18/07/2019	1NF018EGM	0	0.6	20.9	0.21	1008	0
18/07/2019	1NF018FGM	0	0.3	21.1	1.24	1009	0
18/07/2019	1NF019AGM	0	0.2	21.2	0.21	1009	0
18/07/2019	1NF019BGM	0	0.3	20.9	0.26	1008	0
18/07/2019	1NF020AGM	0	1.4	21	0.22	1009	0
18/07/2019	1NF020BGM	0	1.5	20.2	0.33	1008	0
18/07/2019	1NF020CGM	0	0.3	20.5	0.86	1008	0
18/07/2019	1NF020DGM	0	0.6	20.8	0.29	1008	0
18/07/2019	1NF020EGM	0	0.3	20.8	0.38	1008	0
18/07/2019	1NF020FGM	0	0.5	21	0.31	1008	0
18/07/2019	1NF021AGM	0	0.6	21	0.28	1010	0
18/07/2019	1NF021BGM	0	0.8	19.6	0.19	1008	0
18/07/2019	1NF022ABGM	0	0.3	20.9	0.79	1007	0
18/07/2019	1NF022ADGM	0	0.1	21.1	0.84	1008	1
18/07/2019	1NF022AFGM	0	0.4	21.1	1.29	1008	0
18/07/2019	1NF022AGM	0	0.4	20.9	0.83	1007	1
18/07/2019	1NF022CGM	0	0.4	21	0.76	1008	1
18/07/2019	1NF022EGM	0	0.1	21.1	0.81	1009	0
18/07/2019	1NF023AGM	0	6.5	19.9	0.28	1009	1
18/07/2019	1NF023BGM	0	0.3	21	0.47	1008	0
18/07/2019	1NF024AGM	0	0.1	21	0.72	1008	1
18/07/2019	1NF024BGM	0	0.1	21.1	0.67	1008	1
18/07/2019	1NF025AGM	0	0.1	21.2	0.34	1009	0
18/07/2019	1NF025BGM	0	0.2	21.1	0.84	1008	0
18/07/2019	1NF026GM	0	0.1	20.9	0.29	1008	0
18/07/2019	1NF027GM	0	0.2	20.6	0.36	1009	0
18/07/2019	1NF028GM	0	0.1	21.2	1.43	1010	1
18/07/2019	1NF029GM	0	0.1	20.8	0.29	1011	0
18/07/2019	1NF030GM	0	0.1	21.2	0.28	1011	0
18/07/2019	1NF031AGM	0	2.2	20.5	0.38	1012	1
18/07/2019	1NF032BGM	0	1.5	21	0.29	1012	0
18/07/2019	1NF033BGM	0	0.1	21.2	0.07	1006	1
18/07/2019	1NF034BGM	0	0.2	21	0.24	1012	0
18/07/2019	1NF036GM	0	0.1	21.2	0.1	1011	0
18/07/2019	BH4GM	0	8	18.9	0.31	1012	0
18/07/2019	BH6GM	0	0.1	21.2	0.22	1011	0
18/07/2019	BH8GM	0	4.1	14.5	0.31	1012	0
18/07/2019	BH10GM	0	0.1	21.1	0.21	1011	1
25/07/2019	1NF001AGM	0	5.8	11.2	-0.65	1011	3
25/07/2019	1NF001BGM	0	3.4	16.9	1.31	1008	3
25/07/2019	1NF002AGM	0	4.4	17.5	1.57	1010	4
25/07/2019	1NF002BGM	0	5.3	14.9	1.38	1010	4
25/07/2019	1NF003AGM	0	1.7	18.7	-5.68	1010	4
25/07/2019	1NF003BGM	0	2	14.9	4.3	1010	4
25/07/2019	1NF004AGM	0	0.2	20	1.34	1010	4
25/07/2019	1NF004BGM	0	7.5	18.1	1.38	1009	4
25/07/2019	1NF005AGM	0	2.1	19	1.46	1010	4
25/07/2019	1NF005BGM	0	1.1	19.6	1.41	1009	4
25/07/2019	1NF005CGM	0	2.4	18.5	1.45	1009	4
25/07/2019	1NF005DGM	0	3.6	18.9	1.5	1010	4
25/07/2019	1NF005EGM	0	3.1	18.7	1.48	1009	4
25/07/2019	1NF006AGM	0	2.2	18.5	1.36	1010	4
25/07/2019	1NF006BGM	0	1	19.8	1.33	1009	4
25/07/2019	1NF007AAGM	0	2.7	18.4	1.55	1010	5
25/07/2019	1NF007ABGM	0	0.1	20.7	2.91	1010	4
25/07/2019	1NF007ACGM	0	0.7	20.1	1.31	1009	4
25/07/2019	1NF007ADGM	0	0.1	20.8	1.43	1009	5
25/07/2019	1NF007AEGM	0	0.4	20.7	1.33	1009	4
25/07/2019	1NF007AFGM	0	0.7	20.5	1.27	1009	4
25/07/2019	1NF008AGM	0	0	21	0	1010	4
25/07/2019	1NF008BGM	0	1.1	20.2	1.39	1009	4
25/07/2019	1NF008CGM	0	0.1	20.9	1.64	1010	4
25/07/2019	1NF008DGM	0	1.1	19.8	1.36	1008	5
25/07/2019	1NF008EGM	0	0.8	20.4	-4.15	1009	5
25/07/2019	1NF009AAGM	0	0.9	19.8	1.46	1010	4
25/07/2019	1NF009ABGM	0	5.2	11.4	1.46	1010	5
25/07/2019	1NF009ACGM	0	0.1	20.8	1.38	1010	4
25/07/2019	1NF009ADGM	0	0.1	20.6	1.53	1009	5
25/07/2019	1NF009AEGM	0	0.1	20.9	1.46	1009	4
25/07/2019	1NF009AFGM	0	0.6	20.2	1.36	1009	4
25/07/2019	1NF010AAGM	0	8.3	12.2	1.41	1010	5
25/07/2019	1NF010ABGM	0	1.5	18.5	1.55	1009	4
25/07/2019	1NF010ACGM	0	0.1	21.2	1.55	1009	4
25/07/2019	1NF010ADGM	0	4.6	19.7	1.36	1009	4
25/07/2019	1NF010AEGM	0	0.4	20.8	1.33	1008	4
25/07/2019	1NF010AFGM	0	3.6	19.2	1.45	1009	4
25/07/2019	1NF011AAGM	0	1.1	20.2	1.5	1008	4
25/07/2019	1NF011ABGM	0	0.4	20.7	1.57	1010	4
25/07/2019	1NF011ACGM	0	0.9	20.5	1.58	1009	4
25/07/2019	1NF011ADGM	0	0	21.4	1.41	1009	4
25/07/2019	1NF011AEGM	0	2.4	19.3	1.27	1009	3
25/07/2019	1NF011AFGM	0	1.3	20.1	1.43	1009	4
25/07/2019	1NF012AGM	0	0	21.5	1.41	1010	4
25/07/2019	1NF012BGM	0	2.1	19.3	1.36	1009	4
25/07/2019	1NF013AGM	0	1.6	19.8	1.41	1009	4
25/07/2019	1NF013BGM	0	0.3	21.2	1.29	1009	4
25/07/2019	1NF014AGM	0	0.9	20.6	1.89	1008	4
25/07/2019	1NF014BGM	0	0.9	21.1	1.24	1010	4
25/07/2019	1NF014CGM	0	0.9	20.7	1.69	1009	4
25/07/2019	1NF014DG						
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
01/08/2019	1NF014EGM	0	2.1	20.2	0.81	1016	1
01/08/2019	1NF014FGM	0	2.2	19.9	0.98	1015	1
01/08/2019	1NF015AGM	0	0.3	21.5	0.91	1016	0
01/08/2019	1NF015BGM	0	0.6	21.2	-5.72	1015	1
01/08/2019	1NF016AAGM	0	1	21.3	0.9	1016	1
01/08/2019	1NF016ABGM	0	0.1	21.8	0.93	1015	2
01/08/2019	1NF016ACGM	0	1.1	20.9	0.9	1015	1
01/08/2019	1NF016ADGM	0	0.1	21.8	0.95	1015	1
01/08/2019	1NF016AEGM	0	1.1	20.9	0.88	1015	1
01/08/2019	1NF016AFGM	0	0.1	21.8	1.03	1015	1
01/08/2019	1NF017AGM	0	0.1	21.9	1.31	1016	1
01/08/2019	1NF017BGM	0	0.1	21.8	0.48	1015	2
01/08/2019	1NF018AGM	0	0.6	21.6	1.07	1014	1
01/08/2019	1NF018BGM	0	0.2	21.7	0.96	1015	1
01/08/2019	1NF018CGM	0	0.8	21.3	0.43	1015	1
01/08/2019	1NF018DGM	0	0.2	21.7	0.17	1015	1
01/08/2019	1NF018EGM	0	0.4	21.5	0.95	1015	1
01/08/2019	1NF018FGM	0	0.1	21.8	0.93	1015	1
01/08/2019	1NF019AGM	0	0.4	21.4	0.96	1016	1
01/08/2019	1NF019BGM	0	0.2	21.9	1.05	1015	1
01/08/2019	1NF020AGM	0	2.1	20.8	1	1016	1
01/08/2019	1NF020BGM	0	2.1	19.9	1.07	1015	1
01/08/2019	1NF020CGM	0	0.1	20.5	0.9	1015	1
01/08/2019	1NF020DGM	0	0.6	21.4	0.95	1015	1
01/08/2019	1NF020EGM	0	0.2	21.7	0.91	1015	1
01/08/2019	1NF020FGM	0	0.1	21.8	0.84	1015	1
01/08/2019	1NF021AGM	0	0.3	21.7	0.52	1016	1
01/08/2019	1NF021BGM	0	1.3	20.8	0.95	1015	1
01/08/2019	1NF022ABGM	0	0.1	21.9	1.22	1015	1
01/08/2019	1NF022ADGM	0	0.1	21.9	1	1015	1
01/08/2019	1NF022AFGM	0	0.1	21.9	0.93	1015	1
01/08/2019	1NF022AGM	0	0.2	21.8	1.02	1016	1
01/08/2019	1NF022CGM	0	0.2	21.8	0.91	1015	1
01/08/2019	1NF022EGM	0	0.2	21.8	0.98	1015	0
01/08/2019	1NF023AGM	0	0.5	21.5	1.02	1016	1
01/08/2019	1NF023BGM	0	0.3	21.8	0.93	1015	1
01/08/2019	1NF024AGM	0	0.1	22	1	1016	2
01/08/2019	1NF024BGM	0	0.1	22	1.02	1015	2
01/08/2019	1NF025AGM	0	0.1	22	0.93	1014	1
01/08/2019	1NF025BGM	0	0.1	22.1	1.03	1014	2
01/08/2019	1NF026GM	0	0.3	20.5	1	1017	0
01/08/2019	1NF027GM	0	0.2	20.5	1	1016	0
01/08/2019	1NF028GM	0	0.1	20.9	1.05	1018	0
01/08/2019	1NF029GM	0	1.4	20	1.02	1018	0
01/08/2019	1NF030GM	0	0.1	20.9	0.96	1018	0
01/08/2019	1NF031AGM	0	0.1	20	0.59	1018	0
01/08/2019	1NF032BGM	0	1	18.9	0.53	1018	0
01/08/2019	1NF033BGM	0	0.1	20.7	0.5	1018	0
01/08/2019	1NF034BGM	0	0.1	20.8	0.48	1018	0
01/08/2019	1NF036GM	0	0.1	20.2	0.74	1018	0
01/08/2019	BH4GM	0	0.1	20.4	0.67	1018	0
01/08/2019	BH6GM	0	0.1	20.6	0.53	1018	0
01/08/2019	BH8GM	0	0.1	19.8	0.6	1017	0
01/08/2019	BH10GM	0	0.1	20.5	0.65	1017	0
08/08/2019	1NF001AGM	0	0.2	21.1	0.46	1011	3
08/08/2019	1NF001BGM	0	0.2	20.9	0.26	1011	3
08/08/2019	1NF002AGM	0	0.1	21.2	0.21	1011	3
08/08/2019	1NF002BGM	0	0.2	20.5	0.22	1010	3
08/08/2019	1NF003AGM	0	1.2	20.9	-7.06	1012	3
08/08/2019	1NF003BGM	0	1.7	20.8	-6.39	1011	3
08/08/2019	1NF004AGM	0	0.8	19.5	0.33	1011	3
08/08/2019	1NF004BGM	0	4.7	17.3	0.45	1011	3
08/08/2019	1NF005AGM	0	0.7	20.8	0.19	1010	3
08/08/2019	1NF005BGM	0	0.5	21.1	1.56	1011	2
08/08/2019	1NF005CGM	0	1.8	19.6	0.19	1011	3
08/08/2019	1NF005DGM	0	1	20.9	1.06	1011	3
08/08/2019	1NF005EGM	0	0.6	21.3	1.03	1011	3
08/08/2019	1NF006AGM	0	2.5	21	0.19	1011	3
08/08/2019	1NF006BGM	0	0.6	21.2	0.29	1011	3
08/08/2019	1NF007AAGM	0	2.9	18.8	0.33	1010	3
08/08/2019	1NF007ABGM	0	0.1	21.6	0.03	1011	3
08/08/2019	1NF007ACGM	0	0.8	20.7	0.48	1011	3
08/08/2019	1NF007ADGM	0	0.7	21.3	0.26	1010	3
08/08/2019	1NF007AEGM	0	0.6	21.3	0.29	1010	3
08/08/2019	1NF007AFGM	0	0.1	21.6	0.22	1011	3
08/08/2019	1NF008AGM	0	0.1	21.8	-1.85	1011	3
08/08/2019	1NF008BGM	0	1	21.2	0.12	1011	3
08/08/2019	1NF008CGM	0	0.1	21.6	0.1	1011	3
08/08/2019	1NF008DGM	0	0.2	21.6	0.27	1010	3
08/08/2019	1NF008EGM	0	0.1	21.6	2.11	1010	3
08/08/2019	1NF009AAGM	0	0.1	21.7	0.29	1010	3
08/08/2019	1NF009ABGM	0	6.3	15.1	0.29	1011	3
08/08/2019	1NF009ACGM	0	0.1	21.8	0.24	1011	3
08/08/2019	1NF009ADGM	0	0.1	21.7	0.43	1010	3
08/08/2019	1NF009AEGM	0	0.1	21.8	0.22	1010	3
08/08/2019	1NF009AFGM	0	0.5	21.7	0	1011	3
08/08/2019	1NF010AAGM	0	8.7	16.4	0.1	1011	3
08/08/2019	1NF010ABGM	0.1	2.4	17.5	0.26	1011	3
08/08/2019	1NF010ACGM	0	0.3	21.5	0.24	1010	3
08/08/2019	1NF010ADGM	0	5.2	16.6	0.17	1011	3
08/08/2019	1NF010AEGM	0	1.9	20.4	0.14	1010	3
08/08/2019	1NF010AFGM	0	3.8	21	1.44	1011	3
08/08/2019	1NF011AAGM	0	1.5	21.2	0.29	1011	3
08/08/2019	1NF011ABGM	0	0.1	22.1	0.33	1011	3
08/08/2019	1NF011ACGM	0	1.1	20.4	0.22	1011	3
08/08/2019	1NF011ADGM	0	0.1	22.1	0.22	1010	3
08/08/2019	1NF011AEGM	0	2.6	19.9	0.15	1011	3
08/08/2019	1NF011AFGM	0	1.6	21.1	0.36	1010	3
08/08/2019	1NF012AGM	0	1.3	21.4	0.24	1011	3
08/08/2019	1NF012BGM	0	2.4	19.8	0.21	1011	3
08/08/2019	1NF013AGM	0	0.1	22	0.21	1011	3
08/08/2019	1NF013BGM	0	1.5	20.7	0.39	1010	3
08/08/2019	1NF014AGM	0	0.8	21.6	0.22	1010	3
08/08/2019	1NF014BGM	0	0.9	21.5	0.89	1011	2
08/08/2019	1NF014CGM	0	1	21.5	0.19	1011	2
08/08/2019	1NF014DG						
08/08/2019	1NF014EGM	0	1.9	21.3	0.19	1011	3
08/08/2019	1NF014FGM	0	2.3	20.9	0.24	1011	3
08/08/2019	1NF015AGM	0	0.4	21.9	0.15	1011	2
08/08/2019	1NF015BGM	0	0.1	22.2	-2.11	1011	3
08/08/2019	1NF016AAGM	0	0.8	21.5	0.22	1009	3
08/08/2019	1NF016ABGM	0	0.1	22.2	0.27	1011	3
08/08/2019	1NF016ACGM	0	0.1	22.2	0.36	1011	2
08/08/2019	1NF016ADGM	0	0.1	22.1	0.33	1011	3
08/08/2019	1NF016AEGM	0	0.1	22.2	0.22	1010	3
08/08/2019	1NF016AFGM	0	0.2	22.1	0.43	1010	3
08/08/2019	1NF017AGM	0	0.1	22.2	0.31	1011	3
08/08/2019	1NF017BGM	0	0.1	22.2	-0.33	1011	3
08/08/2019	1NF018AGM	0	0.6	21.7	0.31	1011	3
08/08/2019	1NF018BGM	0	0.2	22	1.06	1011	3
08/08/2019	1NF018CGM	0	0.8	21.7	3.68	1011	2
08/08/2019	1NF018DGM	0	0.2	22.1	0.22	1010	3
08/08/2019	1NF018EGM	0	0.2	22.1	0.15	1010	3
08/08/2019	1NF018FGM	0	0.1	22.2	0.33	1010	3
08/08/2019	1NF019AGM	0	0.2	22	0.21	1009	3
08/08/2019	1NF019BGM	0	0.1	22.1	0.14	1010	3
08/08/2019	1NF020AGM	0	0.1	22.2	0.19	1010	2
08/08/2019	1NF020BGM	0	0.1	22.2	1.71	1009	3
08/08/2019	1NF020CGM	0	0.7	21.9	0.27	1010	3
08/08/2019	1NF020DGM	0	0.4	21.9	1.25	1010	3
08/08/2019	1NF020EGM	0	0.2	22	-0.03	1009	3
08/08/2019	1NF020FGM	0	0.1	22	0.12	1010	3
08/08/2019	1NF021AGM	0	0.4	21.9	0.29	1011	3
08/08/2019	1NF021BGM	0	0.2	21.9	0.17	1010	3
08/08/2019	1NF022ABGM	0	0.1	22.1	0.14	1009	2
08/08/2019	1NF022ADGM	0	0.3	21.9	0.02	1009	2
08/08/2019	1NF022AFGM	0	0.1	22.1	0.24	1009	2
08/08/2019	1NF022AGM	0	0.1	22.3	0.14	1010	2
08/08/2019	1NF022CGM	0	0.3	22	0.34	1009	3
08/08/2019	1NF022EGM	0	0.2	22	0.21	1010	3
08/08/2019	1NF023AGM	0	0.1	22.2	-0.1	1010	3
08/08/2019	1NF023BGM	0	0.1	22.2	0.21	1010	3
08/08/2019	1NF024AGM	0	0.1	22.1	0.24	1010	3
08/08/2019	1NF024BGM	0	0.1	22.1	0.09	1009	3
08/08/2019	1NF025AGM	0	0.1	22.1	0.29	1010	3
08/08/2019	1NF025BGM	0	0.1	22	0.31	1009	3
08/08/2019	1NF026GM	0	0.3	21.5	0.34	1010	3
08/08/2019	1NF027GM	0	0.1	21.9	0.26	1011	2
08/08/2019	1NF028GM	0	0.1	21.9	0.22	1010	3
08/08/2019	1NF029GM	0	0.1	22	0.09	1011	2
08/08/2019	1NF030GM	0	0.1	22	0.1	1012	3
08/08/2019	1NF031AGM	0	0.1	20.3	0.17	1013	1
08/08/2019	1NF032BGM	0	0.1	20.7	0.17	1012	0
08/08/2019	1NF033BGM	0	0.1	20.9	0.24	1013	0
08/08/2019	1NF034BGM	0	0.1	20.9	0.17	1012	0
08/08/2019	1NF036GM	0	0.1	20.4	0	1013	1
08/08/2019	BH4GM	0	8.5	0.8	0.14	1013	1
08/08/2019	BH6GM	0	0.1	20.8	0.12	1012	0
08/08/2019	BH8GM	0	3.9	8.6	0.21	1013	1
08/08/2019	BH10GM	0	0.1	20.5	0.19	1012	1
15/08/2019	1NF001AGM	0	4.8	16.7	-0.84		0
15/08/2019	1NF001BGM	0	0.4	20.4	-1.37	1011	0
15/08/2019	1NF002AGM	0	4.4	17	-0.45	1011	0
15/08/2019	1NF002BGM	0	7	11.9	0.24	1011	0
15/08/2019	1NF003AGM	0	1.5	20	-9.37	1011	0
15/08/2019	1NF003BGM	0	2.5	14.8	-5.36	1011	0
15/08/2019	1NF004AGM	0	0.6	20.1	1.16	1011	0
15/08/2019	1NF004BGM	0	10.7	10.6	0.24	1010	0
15/08/2019	1NF005AGM	0	1.1	20.3	0.15	1010	0
15/08/2019	1NF005BGM	0	0.9	20.5	0.53	1011	0
15/08/2019	1NF005CGM	0	1.3	20.6	0.26	1010	0
15/08/2019	1NF005DGM	0	1.5	19.8	0.14	1010	0
15/08/2019	1NF005EGM	0	1	20.5	0.15	1010	0
15/08/2019	1NF006AGM	0	2.5	19.2	0.27	1011	0
15/08/2019	1NF006BGM	0	0.9	20.6	0.15	1011	0
15/08/2019	1NF007AAGM	0	0.8	20.9	0.09	1010	0
15/08/2019	1NF007ABGM	0	0.2	21	0.1	1011	1
15/08/2019	1NF007ACGM	0	2.9	19.9	0.27	1010	1
15/08/2019	1NF007ADGM	0	0.3	21.1	-0.09	1010	1
15/08/2019	1NF007AEGM	0	0.4	21	0.29	1010	1

15/08/2019	1NF007AFGM	0	0.9	20.6	0.21	1010	1
15/08/2019	1NF008AGM	0	0.1	21.3	-5.62	1010	0
15/08/2019	1NF008BGM	0	0.8	20.6	-0.05	1009	0
15/08/2019	1NF008CGM	0	0.6	20.9	-1.99	1010	1
15/08/2019	1NF008DGM	0	0.9	20.6	2.38	1010	1
15/08/2019	1NF008EGM	0	0.8	20.6	1.75	1011	0
15/08/2019	1NF009AAGM	0	1.1	20.8	0.21	1011	1
15/08/2019	1NF009ABGM	0	6.9	11.1	0.24	1011	0
15/08/2019	1NF009ACGM	0	0.2	21.4	0.17	1011	1
15/08/2019	1NF009ADGM	0	0.3	21.2	0.22	1010	1
15/08/2019	1NF009AEGM	0	0.1	21.5	0.12	1011	1
15/08/2019	1NF009AFGM	0	0.6	21	0.24	1011	1
15/08/2019	1NF010AAGM	0	9.3	12.7	0.17	1011	1
15/08/2019	1NF010ABGM	0.2	2.8	17.1	0.12	1010	1
15/08/2019	1NF010ACGM	0	0.1	21.6	0.12	1011	1
15/08/2019	1NF010ADGM	0	5.4	16.4	0.29	1011	1
15/08/2019	1NF010AEGM	0	2	20.8	0.05	1010	1
15/08/2019	1NF010AFGM	0	4.2	17.9	0.1	1011	1
15/08/2019	1NF011AAGM	0	0.1	21.6	0.19	1011	1
15/08/2019	1NF011ABGM	0	0.1	21.6	0.43	1011	1
15/08/2019	1NF011ACGM	0	1.2	20.6	0.12	1009	0
15/08/2019	1NF011ADGM	0	0.1	21.6	0.19	1011	0
15/08/2019	1NF011AEGM	0	2.2	20.2	0.26	1011	1
15/08/2019	1NF011AFGM	0	0.1	21.6	0.17	1010	1
15/08/2019	1NF012AGM	0	1.2	20.8	0.07	1011	1
15/08/2019	1NF012BGM	0	2.3	20.5	0.15	1011	1
15/08/2019	1NF013AGM	0	2.6	19.7	0.46	1011	1
15/08/2019	1NF013BGM	0	0.5	21.2	0.19	1011	1
15/08/2019	1NF014AGM	0	0.9	21	0.24	1011	1
15/08/2019	1NF014BGM	0	0.9	21.2	0.26	1011	1
15/08/2019	1NF014CGM	0	1	21	0.17	1011	1
	1NF014DG						
15/08/2019	1NF014EGM	0	2.2	20	0.22	1011	1
15/08/2019	1NF014FGM	0	2.2	20.8	0.22	1011	1
15/08/2019	1NF015AGM	0	0.3	21.5	0.33	1011	1
15/08/2019	1NF015BGM	0	0.6	21.3	-3.2	1011	1
15/08/2019	1NF016AAGM	0	1.1	20.9	1.27	1011	1
15/08/2019	1NF016ABGM	0	0.2	21.4	0.24	1009	1
15/08/2019	1NF016ACGM	0	0.1	21.6	0.27	1011	1
15/08/2019	1NF016ADGM	0	0.2	21.5	0.14	1011	1
15/08/2019	1NF016AEGM	0	0.2	21.6	0.17	1011	1
15/08/2019	1NF016AFGM	0	0.2	21.4	0.12	1010	1
15/08/2019	1NF017AGM	0	0.1	21.5	-0.05	1011	1
15/08/2019	1NF017BGM	0	0.2	21.5	0.22	1010	1
15/08/2019	1NF018AGM	0	0.8	21.1	0.07	1011	1
15/08/2019	1NF018BGM	0	0.2	21.4	0.19	1011	1
15/08/2019	1NF018CGM	0	1	20.9	0.15	1004	1
15/08/2019	1NF018DGM	0	0.2	21.5	0.34	1011	1
15/08/2019	1NF018EGM	0	0.2	21.5	0.19	1010	1
15/08/2019	1NF018FGM	0	0.7	21.1	1.44	1010	1
15/08/2019	1NF019AGM	0	0.5	21.1	-3.43	1011	1
15/08/2019	1NF019BGM	0	0.2	21.3	-0.07	1011	1
15/08/2019	1NF020AGM	0	1.9	20.4	0.24	1011	1
15/08/2019	1NF020BGM	0	0.1	21.5	0.79	1011	1
15/08/2019	1NF020CGM	0	0.5	21.2	0.22	1010	1
15/08/2019	1NF020DGM	0	0.5	21.2	0.29	1010	1
15/08/2019	1NF020EGM	0	0.2	21.4	1.13	1010	1
15/08/2019	1NF020FGM	0	0.8	21.3	0.17	1011	1
15/08/2019	1NF021AGM	0	0.5	21.3	0.24	1011	1
15/08/2019	1NF021BGM	0	0.8	20.3	0.29	1010	1
15/08/2019	1NF022ABGM	0	0.1	21.6	1.46	1010	1
15/08/2019	1NF022ADGM	0	0.1	21.6	0.14	1010	1
15/08/2019	1NF022AFGM	0	0.1	21.5	0.33	1011	1
15/08/2019	1NF022AGM	0	0.2	21.4	0.14	1011	1
15/08/2019	1NF022CGM	0	0.2	21.4	0.22	1010	1
15/08/2019	1NF022EGM	0	0.3	21.4	0.17	1010	1
15/08/2019	1NF023AGM	0	0.1	21.5	0.1	1011	1
15/08/2019	1NF023BGM	0	0.1	21.6	0.14	1011	1
15/08/2019	1NF024AGM	0	0.1	21.5	0.15	1010	1
15/08/2019	1NF024BGM	0	0.4	21.1	0.31	1010	1
15/08/2019	1NF025AGM	0	0.1	21.5	0.12	1011	1
15/08/2019	1NF025BGM	0	0.1	21.5	0.96	1011	1
15/08/2019	1NF026GM	0	0.4	21.1	0.12	1011	1
15/08/2019	1NF027GM	0	0.2	21.2	0.19	1012	1
15/08/2019	1NF028GM	0	0.1	21.7	0.19	1013	1
15/08/2019	1NF029GM	0	0.1	21.7	0.19	1013	1
15/08/2019	1NF030GM	0	0.1	21.7	0.29	1013	2
15/08/2019	1NF031AGM	0	1.9	14.7	0.76	1013	3
15/08/2019	1NF032BGM	0	2.3	18	0.69	1012	2
15/08/2019	1NF033BGM	0	0.1	20.9	3	1013	2
15/08/2019	1NF034BGM	0	0.1	21	0.71	1011	1
15/08/2019	1NF036GM	0	0.1	21	0.07	1012	0
15/08/2019	BH4GM	0	7.4	5.9	0.64	1013	2
15/08/2019	BH6GM	0	0.1	20.8	0.41	1013	1
15/08/2019	BH8GM	0	4	10.3	0.79	1014	2
15/08/2019	BH10GM	0	0.1	20.4	0.6	1012	2
23/08/2019	1NF001AGM	0	4.6	13.1	0.5	1025	1
23/08/2019	1NF001BGM	0	2.5	17.1	0.95	1023	0
23/08/2019	1NF002AGM	0	3.1	18.4	1.46	1024	0
23/08/2019	1NF002BGM	0	6	13	0.95	1024	0
23/08/2019	1NF003AGM	0	1.1	20.2	-11.99	1026	0
23/08/2019	1NF003BGM	0	1.6	19.8	-10.46	1026	0
23/08/2019	1NF004AGM	0	4.7	15.5	-0.21	1025	1
23/08/2019	1NF004BGM	0	10	8.8	0.27	1025	1
23/08/2019	1NF005AGM	0	2.5	17.8	1.03	1024	0
23/08/2019	1NF005BGM	0	0.6	20	0.21	1025	1
23/08/2019	1NF005CGM	0	2.2	18.7	1.08	1024	0
23/08/2019	1NF005DGM	0	1.1	19.8	0.14	1023	1
23/08/2019	1NF005EGM	0	2.8	17.7	0.98	1022	0
23/08/2019	1NF006AGM	0	2.2	19	1.07	1023	0
23/08/2019	1NF006BGM	0	0.7	20.1	0.1	1025	1
23/08/2019	1NF007AAGM	0	2.6	18.7	1.02	1024	0
23/08/2019	1NF007ABGM	0	0.7	20.2	1.03	1024	0
23/08/2019	1NF007ACGM	0	0.8	20.1	1.03	1023	0
23/08/2019	1NF007ADGM	0	0.1	20.8	0.22	1024	1
23/08/2019	1NF007AEGM	0	0.3	20.7	0.21	1025	1
23/08/2019	1NF007AFGM	0	0.7	20.4	0.29	1024	1
23/08/2019	1NF008AGM	0	0.1	21	-1.9	1025	2
23/08/2019	1NF008BGM	0	1.5	19.1	1	1023	0
23/08/2019	1NF008CGM	0	0.5	20.5	0.26	1024	1
23/08/2019	1NF008DGM	0	0.7	20.4	1.05	1023	0
23/08/2019	1NF008EGM	0	0.5	20.1	-4.45	1024	1
23/08/2019	1NF009AAGM	0	0.8	20.2	0.21	1025	1
23/08/2019	1NF009ABGM	0	6.7	10.7	1.03	1023	0
23/08/2019	1NF009ACGM	0	0.2	21	0.17	1024	1
23/08/2019	1NF009ADGM	0	0.1	21.1	0.96	1023	0
23/08/2019	1NF009AEGM	0	0.1	21.1	0.24	1025	1
23/08/2019	1NF009AFGM	0	0.5	20.8	0.96	1024	0
23/08/2019	1NF010AAGM	0	8.4	13.1	1.02	1023	0
23/08/2019	1NF010ABGM	0.1	2	18.2	0.19	1025	1
23/08/2019	1NF010ACGM	0	1.9	19.1	0.96	1024	0
23/08/2019	1NF010ADGM	0	5.3	15.9	0.12	1024	1
23/08/2019	1NF010AEGM	0	0.2	20.9	1.07	1023	0
23/08/2019	1NF010AFGM	0	3.9	17.8	0.21	1025	1
23/08/2019	1NF011AAGM	0	1.1	20.1	0.98	1023	0
23/08/2019	1NF011ABGM	0	0.2	21.2	-0.7	1024	1
23/08/2019	1NF011ACGM	0	0.8	19.9	1.1	1023	0
23/08/2019	1NF011ADGM	0	0.1	21.3	0.31	1025	1
23/08/2019	1NF011AEGM	0	2.4	19.1	1.05	1024	0
23/08/2019	1NF011AFGM	0	1.3	20	0.02	1024	2
23/08/2019	1NF012AGM	0	1.1	20.5	0.26	1025	2
23/08/2019	1NF012BGM	0	2.1	19.9	0.24	1024	1
23/08/2019	1NF013AGM	0	1.8	19.7	1	1023	0
23/08/2019	1NF013BGM	0	0.2	21	1.02	1023	0
23/08/2019	1NF014AGM	0	0.7	20.8	0.29	1024	2
23/08/2019	1NF014BGM	0	0.7	20.8	0.26	1025	2
23/08/2019	1NF014CGM	0	0.7	20.8	0.27	1024	1
23/08/2019	1NF014DG						
23/08/2019	1NF014EGM	0	1.5	20.2	0.27	1025	1
23/08/2019	1NF014FGM	0	1.9	19.9	-0.05	1025	2
23/08/2019	1NF015AGM	0	0.4	20.8	1.02	1023	0
23/08/2019	1NF015BGM	0	0.5	20.7	-1.52	1023	0
23/08/2019	1NF016AAGM	0	0.9	20.5	1.12	1023	0
23/08/2019	1NF016ABGM	0	1.4	19.9	0.22	1025	2
23/08/2019	1NF016ACGM	0	0.1	21.2	1.08	1023	0
23/08/2019	1NF016ADGM	0	0.1	21.3	0.17	1025	2
23/08/2019	1NF016AEGM	0	0	21.2	1.15	1022	0
23/08/2019	1NF016AFGM	0	0.8	20.5	0.12	1022	1
23/08/2019	1NF017AGM	0	0.2	20.9	1.05	1023	0
23/08/2019	1NF017BGM	0	0.2	20.6	1.07	1023	0
23/08/2019	1NF018AGM	0	0.7	20.7	0.22	1025	2
23/08/2019	1NF018BGM	0	0.5	20.6	0.33	1024	2
23/08/2019	1NF018CGM	0	0.8	20.6	0.31	1024	2
23/08/2019	1NF018DGM	0	0.3	20.8	0.48	1023	1
23/08/2019	1NF018EGM	0	0.6	20.7	0.34	1024	2
23/08/2019	1NF018FGM	0	0.2	21.1	0.22	1023	2
23/08/2019	1NF019AGM	0	0.4	20.7	1.86	1023	0
23/08/2019	1NF019BGM	0	0.1	21	1.05	1022	0
23/08/2019	1NF020AGM	0	1.6	19.6	0.98	1023	0
23/08/2019	1NF020BGM	0	1.7	19	1.05	1023	0
23/08/2019	1NF020CGM	0	0.3	20.9	1.02	1023	0
23/08/2019	1NF020DGM	0	0.3	20.7	1.05	1023	0
23/08/2019	1NF020EGM	0	0.1	21	1.15	1022	0
23/08/2019	1NF020FGM	0	0.9	20.2	1.21	1021	0
23/08/2019	1NF021AGM	0	0.4	20.9	0.27	1024	2
23/08/2019	1NF021BGM	0	0.8	20.7	0.27	1023	2
23/08/2019	1NF022ABGM	0	0.1	21.3	0.31	1024	2
23/08/2019	1NF022ADGM	0	0.1	21.2	0.22	1023	1
23/08/2019	1NF022AFGM	0	0.2	21	0.51	1023	2
23/08/2019	1NF022AGM	0	0.5	20.6	0.48	1023	1
23/08/2019	1NF022CGM	0	0.5	20.8	0.21	1023	1
23/08/2019	1NF022EGM	0	0.4	20.8	0.12	1024	2
23/08/2019	1NF023AGM	0	1.1	20	0.27	1022	2
23/08/2019	1NF023BGM	0	0.3	20.9	0.26	1024	2
23/08/2019	1NF024AGM	0	0.1	21	1.05	1023	0
23/08/2019	1NF024BGM	0	0.1	21.1	1.05	1022	0
23/08/2019	1NF025AGM	0	0.1	21.1	1.03	1022	0
23/08/2019	1NF025BGM	0	0.1	21	0.21	1024	1
23/08/2019	1NF026GM	0	0.4	20.7	1.12	1023	1
23/08/2019	1NF027GM	0	0.3	20.6	0.12	1025	2
23/08/2019	1NF028GM	0	1.5	19.6	1.12	1024	0
23/08/2019	1NF029GM	0	1.2	20.1	1.1	1024	1
23/08/2019	1NF030GM	0	0.1	20.9	0.15	1026	2
23/08/2019	1NF031AGM	0	0.8	18.2	0.91	1026	0
23/08/2019	1NF032BGM	0	1.9	16.3	0.79	1026	0
23/08/2019	1NF033BGM	0	0.1	20.2	0.77	1026	0
23/08/2019	1NF034BGM	0	0.4	20	0.71	1026	0
23/08/2019	1NF036GM	0	0.1	20.4	0.9	1026	0
23/08/2019	BH4GM	0	0.1	20.2	0.91	1026	0
23/08/2019	BH6GM	0	0.1	20.2	0.81	1026	0
23/08/2019	BH8GM	0	1.7	14.6	0.91	1026	0
23/08/2019	BH10GM	0	0.1	20.1	0.9	1026	0
29/08/2019	1NF001AGM	0	3.1	19.1	0.38	1021	0
29/08/2019	1NF001BGM	0	0.2	20.6	0.15	1021	0
29/08/2019	1NF002AGM						
29/08/2019	1NF002BGM						
29/08/2019	1NF003AGM						
29/08/2019	1NF003BGM						
29/08/2019	1NF004AGM						
29/08/2019	1NF004BGM						
29/08/2019	1NF005AGM						
29/08/2019	1NF005BGM						
29/08/2019	1NF005CGM						
29/08/2019	1NF005DGM						
29/08/2019	1NF005EGM						
29/08/2019	1NF006AGM	0	2.6	18.7	0.12	1021	0
29/08/2019	1NF006BGM	0	0.6	20.7	0.21	1021	0
29/08/2019	1NF007AAGM	0	0.1	21.3	0.22	1021	0
29/08/2019	1NF007ABGM	0	0.1	21.1	0.19	1021	1
29/08/2019	1NF007ACGM	0	0.7	20.6	0.1	1021	0
29/08/2019	1NF007ADGM	0	0.1	21.3	0.19	1020	0
29/08/2019	1NF007AEGM	0	0.2	22.1	0.19	1021	0
29/08/2019	1NF007AFGM	0	0.2	21.1	0.29	1020	0
29/08/2019	1NF008AGM						
29/08/2019	1NF008BGM						
29/08/2019	1NF008CGM						
29/08/2019	1NF008DGM						
29/08/2019	1NF008EGM						
29/08/2019	1NF009AAGM						
29/08/2019	1NF009ABGM						
29/08/2019	1NF009ACGM						
29/08/2019	1NF009ADGM						
29/08/2019	1NF009AEGM						
29/08/2019	1NF009AFGM						
29/08/2019	1NF010AAGM						
29/08/2019	1NF010ABGM						
29/08/2019	1NF010ACGM						
29/08/2019	1NF010ADGM						
29/08/2019	1NF010AEGM						
29/08/2019	1NF010AFGM						
29/08/2019	1NF011AAGM						
29/08/2019	1NF011ABGM						
29/08/2019	1NF011ACGM						
29/08/2019	1NF011ADGM						
29/08/2019	1NF011AEGM						
29/08/2019	1NF011AFGM						
29/08/2019	1NF012AGM	0	1.2	20.5	0.15	1021	0
29/08/2019	1NF012BGM	0	2.4	19.4	0.15	1021	0
29/08/2019	1NF013AGM						
29/08/2019	1NF013BGM						
29/08/2019	1NF014AGM						
29/08/2019	1NF014BGM						
29/08/2019	1NF014CGM						
29/08/2019	1NF014DG						
29/08/2019	1NF014EGM						
29/08/2019	1NF014FGM						
29/08/2019	1NF015AGM	0	0.3	21.2	0.19	1021	0
29/08/2019	1NF015BGM	0	0.5	21	-2.89	1021	1
29/08/2019	1NF016AAGM						
29/08/2019	1NF016ABGM	0	1.5	20	0.09	1021	0
29/08/2019	1NF016ACGM						
29/08/2019	1NF016ADGM	0	0.2	21.2	0.19	1020	1
29/08/2019	1NF016AEGM						
29/08/2019	1NF016AFGM	0	0.9	20.5	0.19	1020	1
29/08/2019	1NF017AGM						
29/08/2019	1NF017BGM						
29/08/2019	1NF018AGM						
29/08/2019	1NF018BGM						
29/08/2019	1NF018CGM						
29/08/2019	1NF018DGM						
29/08/2019	1NF018EGM						
29/08/2019	1NF018FGM						
29/08/2019	1NF019AGM						
29/08/2019	1NF019BGM						
29/08/2019	1NF020AGM	0	2	20	0.29	1020	1
29/08/2019	1NF020BGM	0	1.6	21.3	0.26	1020	0
29/08/2019	1NF020CGM	0	0.6	21	0.27	1020	0
29/08/2019	1NF020DGM	0	0.2	21.1	0.38	1019	1
29/08/2019	1NF020EGM	0	0.1	21.4	0.34	1020	0
29/08/2019	1NF020FGM	0	0.1	21.3	0.27	1020	0
29/08/2019	1NF021AGM						
29/08/2019	1NF021BGM						
29/08/2019	1NF022ABGM						
29/08/2019	1NF022ADGM						
29/08/2019	1NF022AFGM						
29/08/2019	1NF022AGM						
29/08/2019	1NF022CGM						
29/08/2019	1NF022EGM						
29/08/2019	1NF023AGM	0	1.2	20.1	0.21	1020	1
29/08/2019	1NF023BGM	0	0.3	21.1	0.31	1020	0
29/08/2019	1NF024AGM						
29/08/2019	1NF024BGM						
29/08/2019	1NF025AGM						
29/08/2019	1NF025BGM						
29/08/2019	1NF026GM						
29/08/2019	1NF027GM						
29/08/2019	1NF028GM						
29/08/2019	1NF029GM						
29/08/2019	1NF030GM	0	0.1	21	0.24	1022	1
29/08/2019	1NF031AGM						
29/08/2019	1NF032BGM						
29/08/2019	1NF033BGM						
29/08/2019	1NF034BGM						
29/08/2019	1NF036GM	0	0.1	20.4	0.12	1022	0
29/08/2019	BH4GM						
29/08/2019	BH6GM	0	0.1	20.6	0.21	1022	0
29/08/2019	BH8GM	0	3.8	8	0.24	1022	0
29/08/2019	BH10GM						
30/08/2019	1NF001AGM						
30/08/2019	1NF001BGM						
30/08/2019	1NF002AGM	0	3	19.3	-0.12	1019	0
30/08/2019	1NF002BGM	0	0.2	19.9	0.14	1020	0
30/08/2019	1NF003AGM	0	0.9	20.4	3.39	1022	0
30/08/2019	1NF003BGM	0	1.9	20.1	0.27	1022	0
30/08/2019	1NF004AGM	0	0.3	20.6	0.05	1021	0
30/08/2019	1NF004BGM	0	9.2	9.7	0.02	1020	0
30/08/2019	1NF005AGM	0	0.6	20.3	0	1020	0
30/08/2019	1NF005BGM	0	0.5	20.4	0.17	1020	0
30/08/2019	1NF005CGM	0	0.6	20.4	0.12	1021	0
30/08/2019	1NF005DGM	0	0.9	20.3	0.53	1021	0
30/08/2019	1NF005EGM	0	0.6	20.3	0.45	1020	0
30/08/2019	1NF006AGM						
30/08/2019	1NF006BGM						
30/08/2019	1NF007AAGM						
30/08/2019	1NF007ABGM						
30/08/2019	1NF007ACGM						
30/08/2019	1NF007ADGM						
30/08/2019	1NF007AEGM						
30/08/2019	1NF007AFGM						
30/08/2019	1NF008AGM	0	0.1	20.8	-1.88	1022	0
30/08/2019	1NF008BGM	0	0.4	20.5	-0.78	1020	0
30/08/2019	1NF008CGM	0	0.1	20.7	0.05	1021	0
30/08/2019	1NF008DGM	0	0.5	20.6	0.22	1021	0
30/08/2019	1NF008EGM	0	0.1	20.8	-0.07	1020	0
30/08/2019	1NF009AAGM	0	0.7	20.5	0.19	1022	0
30/08/2019	1NF009ABGM	0	8.2	9.5	0.09	1022	0
30/08/2019	1NF009ACGM	0	0.1	20.6	0.22	1021	0
30/08/2019	1NF009ADGM	0	0.1	20.5	0.15	1022	0
30/08/2019	1NF009AEGM	0	0.1	20.6	0.21	1021	0
30/08/2019	1NF009AFGM	0	0.4	20.4	0.15	1022	0
30/08/2019	1NF010AAGM	0	9	13.7	-0.05	1022	0
30/08/2019	1NF010ABGM	0.1	2.2	17.7	0.21	1021	0
30/08/2019	1NF010ACGM	0	0.2	20.6	0.07	1021	0
30/08/2019	1NF010ADGM	0	4.9	17	0.02	1021	0
30/08/2019	1NF010AEGM	0	2.1	19.5	-0.05	1020	0
30/08/2019	1NF010AFGM	0	3.8	17.9	-5.77	1021	0
30/08/2019	1NF011AAGM	0	1.1	19.9	0.19	1022	0
30/08/2019	1NF011ABGM	0	0.1	20.6	0.27	1022	0
30/08/2019	1NF011ACGM	0	1.1	19.3	0.15	1022	0
30/08/2019	1NF011ADGM	0	0.1	20.6	0.19	1021	0
30/08/2019	1NF011AEGM	0	2.5	18.8	0.07	1022	0
30/08/2019	1NF011AFGM	0	1.3	19.9	0.19	1021	0
30/08/2019	1NF012AGM						
30/08/2019	1NF012BGM						
30/08/2019	1NF013AGM	0	0.2	20.9	0.05	1020	0
30/08/2019	1NF013BGM	0	1.6	19.9	1.22	1021	0
30/08/2019	1NF014AGM	0	0.7	20.2	0.14	1020	0
30/08/2019	1NF014BGM	0	0.7	20.5	0.1	1021	0
30/08/2019	1NF014CGM	0	0.7	20.5	0.88	1021	0
30/08/2019	1NF014DG						
30/08/2019	1NF014EGM	0	1.5	19.9	0.19	1021	0
30/08/2019	1NF014FGM	0	1.8	19.8	0.17	1021	0
30/08/2019	1NF015AGM						
30/08/2019	1NF015BGM						
30/08/2019	1NF016AAGM	0	0.3	20.5	0.21	1022	0
30/08/2019	1NF016ABGM						
30/08/2019	1NF016ACGM	0	0.1	20.7	0.14	1021	0
30/08/2019	1NF016ADGM						
30/08/2019	1NF016AEGM	0	0.1	20.7	0.19	1021	0
30/08/2019	1NF016AFGM						
30/08/2019	1NF017AGM	0	0.1	21	0.21	1022	0
30/08/2019	1NF017BGM	0	0.1	21.1	-0.38	1021	0
30/08/2019	1NF018AGM	0	0.6	20.9	0.03	1022	0
30/08/2019	1NF018BGM	0	0.2	21	0.1	1021	0
30/08/2019	1NF018CGM	0	0.7	20.7	-0.03	1021	0
30/08/2019	1NF018DGM	0	0.2	21.1	0.1	1021	0
30/08/2019	1NF018EGM	0	0.5	20.9	0.07	1021	0
30/08/2019	1NF018FGM	0	0.3	21	0.38	1021	0
30/08/2019	1NF019AGM	0	0.2	21.1	0.19	1022	0
30/08/2019	1NF019BGM	0	0.3	21	0.12	1021	0
30/08/2019	1NF020AGM						
30/08/2019	1NF020BGM						
30/08/2019	1NF020CGM						
30/08/2019	1NF020DGM						
30/08/2019	1NF020EGM						
30/08/2019	1NF020FGM						
30/08/2019	1NF021AGM	0	0.3	21	0.16	1021	0
30/08/2019	1NF021BGM	0	1	20.6	-0.31	1021	0
30/08/2019	1NF022ABGM	0	0.1	20.9	0.03	1022	0
30/08/2019	1NF022ADGM	0	0.1	20.9	0.07	1020	0
30/08/2019	1NF022AFGM	0	0.2	20.8	0.31	1021	0
30/08/2019	1NF022AGM	0	0.5	20.5	0.22	1022	0
30/08/2019	1NF022CGM	0	0.2	20.7	0.05	1021	0
30/08/2019	1NF022EGM	0	0.2	20.8	0.03	1021	0
30/08/2019	1NF023AGM						
30/08/2019	1NF023BGM						
30/08/2019	1NF024AGM	0	0.2	21	0.17	1021	0
30/08/2019	1NF024BGM	0	0.1	21.1	0.16	1020	0
30/08/2019	1NF025AGM	0	0.1	21.1	-0.12	1021	0
30/08/2019	1NF025BGM	0	0.1	21.1	0.1	1020	0
30/08/2019	1NF026GM	0	0.3	20.9	0.28	1021	0
30/08/2019	1NF027GM	0	0.1	20.9	0.27	1022	0
30/08/2019	1NF028GM	0	0.1	20.9	0.03	1022	0
30/08/2019	1NF029GM	0	1.2	20.4	0.33	1023	0
30/08/2019	1NF030GM						
30/08/2019	1NF031AGM	0	0.2	20.7	0.26	1022	0
30/08/2019	1NF032BGM	0	0.1	20.9	-0.16	1022	0
30/08/2019	1NF033BGM	0	0.1	21	0.22	1023	0
30/08/2019	1NF034BGM	0	0.1	21	0.26	1024	0
30/08/2019	1NF036GM						
30/08/2019	BH4GM	0	2.2	14.5	0.29	1024	0
30/08/2019	BH6GM						
30/08/2019	BH8GM						
30/08/2019	BH10GM	0	0.4	20.9	0.31	1023	0
05/09/2019	1NF001AGM	0	3.8	17.2	-1.88	1026	0
05/09/2019	1NF001BGM	0	0.1	20.7	0.46	1025	0
05/09/2019	1NF002AGM	0	3	19	0.07	1026	0
05/09/2019	1NF002BGM	0	0.1	20.8	0.27	1026	1
05/09/2019	1NF003AGM	0	0.4	20.5	-8.05	1026	0
05/09/2019	1NF003BGM	0	1.5	19.9	-7.64	1025	0
05/09/2019	1NF004AGM	0	0.3	19.9	0.26	1026	0
05/09/2019	1NF004BGM	0	6.6	14.1	0.24	1025	0
05/09/2019	1NF005AGM	0	0.1	20.6	0.15	1026	0
05/09/2019	1NF005BGM	0	0.2	20.5	0.27	1025	0
05/09/2019	1NF005CGM	0	0.7	20.3	0.29	1025	0
05/09/2019	1NF005DGM	0	1	20.1	0.38	2016	1
05/09/2019	1NF005EGM	0	0.4	20.6	0.17	1025	1
05/09/2019	1NF006AGM	0	2.5	19.1	0.19	1025	1
05/09/2019	1NF006BGM	0	6.4	20.9	0.19	1025	1
05/09/2019	1NF007AAGM	0	2.5	19	0.22	1026	0
05/09/2019	1NF007ABGM	0	0.1	21.2	0.1	1025	0
05/09/2019	1NF007ACGM	0	0.7	20.7	0.1	1025	0
05/09/2019	1NF007ADGM	0	0.1	21.2	0.19	1025	0
05/09/2019	1NF007AEGM	0	0.2	21.2	0.12	1025	1
05/09/2019	1NF007AFGM	0	0.7	21.1	0.15	1024	0
05/09/2019	1NF008AGM	No Flow, no sample					
05/09/2019	1NF008BGM	0	0.1	21.4	-2.48	1025	0
05/09/2019	1NF008CGM	0	0.1	21.5	0.24	1025	1
05/09/2019	1NF008DGM	0	0.4	21.3	0.21	1026	1
05/09/2019	1NF008EGM	0	0.1	21.6	2.86	1026	0
05/09/2019	1NF009AAGM	0	0.5	21.2	0.21	1025	0
05/09/2019	1NF009ABGM	0	0.2	21.4	0.03	1025	0
05/09/2019	1NF009ACGM	0	0.1	21.6	0.22	1027	0
05/09/2019	1NF009ADGM	0	0.1	21.8	0.12	1026	0
05/09/2019	1NF009AEGM	0	0.1	21.7	0.12	1025	1
05/09/2019	1NF009AFGM	0	0.4	21.4	0.24	1028	0
05/09/2019	1NF010AAGM	0	9	12.6	0.82	1026	0
05/09/2019	1NF010ABGM	0.1	1.5	18.7	0.15	1026	0
05/09/2019	1NF010ACGM	0	0.1	20.8	0.21	1026	0
05/09/2019	1NF010ADGM	0	5.3	15.7	0.1	1026	0
05/09/2019	1NF010AEGM	0	1.2	19.3	-0.15	1025	0
05/09/2019	1NF010AFGM	0	3.7	17.7	-0.15	1026	0
05/09/2019	1NF011AAGM	0	1.3	19.5	0.24	1026	0
05/09/2019	1NF011ABGM	0	0.1	20.8	0.19	1024	0
05/09/2019	1NF011ACGM	0	1.1	19.4	0.24	1026	0
05/09/2019	1NF011ADGM	0	0.1	20.8	0.29	1026	0
05/09/2019	1NF011AEGM	0	2.7	18.7	0.27	1026	0
05/09/2019	1NF011AFGM	0	1.4	19.4	0.05	1026	0
05/09/2019	1NF012AGM	0	2.2	19.2	0.26	1026	0
05/09/2019	1NF012BGM	0	1	20.2	0.7	1026	0
05/09/2019	1NF013AGM	0	2.5	18.8	0.21	1026	0
05/09/2019	1NF013BGM	0	0.9	20	0.22	1026	0
05/09/2019	1NF014AGM	0	0.4	20.7	0.19	1026	0
05/09/2019	1NF014BGM	0	0.4	20.6	0.26	1026	0
05/09/2019	1NF014CGM	0	0.1	20.9	0.26	1026	0
05/09/2019	1NF014DG						
05/09/2019	1NF014EGM	0	1.2	20.1	0.15	1025	0
05/09/2019	1NF014FGM	0	1.7	19.8	0.15	1026	0
05/09/2019	1NF015AGM	0	0.2	20.5	0.17	1026	0
05/09/2019	1NF015BGM	0	0.4	20.7	1.99	1026	0
05/09/2019	1NF016AAGM	0	0.9	20.4	0.14	1026	0
05/09/2019	1NF016ABGM	0	1.6	19.8	0.17	1024	0
05/09/2019	1NF016ACGM	0	0.1	21	0.24	1025	0
05/09/2019	1NF016ADGM	0	0.2	20.8	0.21	1026	0
05/09/2019	1NF016AEGM	0	0.1	20.9	0.14	1026	0
05/09/2019	1NF016AFGM	0	0.1	20.9	0.22	1026	0
05/09/2019	1NF017AGM	0	0.2	20.7	0.19	1026	0
05/09/2019	1NF017BGM	0	0.2	20.8	0.17	1026	0
05/09/2019	1NF018AGM	0	0.4	20.7	0.22	1026	0
05/09/2019	1NF018BGM	0	0.1	20.8	0.17	1026	0
05/09/2019	1NF018CGM	0	0.6	20.5	0.12	1025	0
05/09/2019	1NF018DGM	0	0.1	20.9	0.14	1026	0
05/09/2019	1NF018EGM	0	0.3	20.7	0.17	1026	0
05/09/2019	1NF018FGM	0	0.1	20.8	0.26	1026	0
05/09/2019	1NF019AGM	0	0.2	20.6	0.22	1026	0
05/09/2019	1NF019BGM	0	0.1	20.7	0.21	1026	0
05/09/2019	1NF020AGM	0	2	19.2	0.12	1026	0
05/09/2019	1NF020BGM	0	1.8	20.1	0.27	1025	0
05/09/2019	1NF020CGM	0	0.9	20.8	0.2	1026	0
05/09/2019	1NF020DGM	0	0.1	20.8	0.19	1025	0
05/09/2019	1NF020EGM	0	0.1	20.8	0.19	1026	0
05/09/2019	1NF020FGM	0	0.1	20.8	0.14	1026	0
05/09/2019	1NF021AGM	0	0.3	20.3	0.1	1026	0
05/09/2019	1NF021BGM	0	1.1	20	0.19	1026	0
05/09/2019	1NF022ABGM	0	0.1	20.8	0.27	1026	0
05/09/2019	1NF022ADGM	0	0.1	20.7	0.21	1025	0
05/09/2019	1NF022AFGM	0	0.1	20.7	0.39	1025	0
05/09/2019	1NF022AGM	0	0.2	20.6	0.19	1025	0
05/09/2019	1NF022CGM	0	0.2	20.7	0.1	1026	0
05/09/2019	1NF022EGM	0	0.2	20.6	0.19	1026	0
05/09/2019	1NF023AGM	0	0.4	20.4	0.27	1026	0
05/09/2019	1NF023BGM	0	0.2	20.5	0.19	1026	0
05/09/2019	1NF024AGM	0	0.2	20.4	0.26	1026	0
05/09/2019	1NF024BGM	0	0.1	20.5	0.26	1026	0
05/09/2019	1NF025AGM	0	0.1	20.4	0.27	1025	0
05/09/2019	1NF025BGM	0	0.1	20.4	0.15	1026	0
05/09/2019	1NF026GM	0	0.4	20	0.24	1026	0
05/09/2019	1NF027GM	0	0.6	19.7	0.22	1026	0
05/09/2019	1NF028GM	0	0.2	20.4	0.24	1027	0
05/09/2019	1NF029GM	0	0.9	19.9	0.22	1028	0
05/09/2019	1NF030GM	0	0.1	20.5	0.19	1025	0
05/09/2019	1NF031AGM	0	0.3	20.1	0.21	1027	0
05/09/2019	1NF032BGM	0	0.1	21	0.21	1027	0
05/09/2019	1NF033BGM	0	0.1	20.9	0.24	1027	0
05/09/2019	1NF034BGM	0	0.7	20.2	0.21	1027	0
05/09/2019	1NF036GM	0	0.2	21	-0.1	1027	0
05/09/2019	BH4GM	0	5.8	6.1	0.22	1027	0
05/09/2019	BH6GM	0	0.1	21	0.14	1026	0
05/09/2019	BH8GM	0	4.3	7.5	0.26	10.27	0

27/09/2019	1NF001AGM	0	5.8	12.3	-2.41	1005	0
27/09/2019	1NF001BGM	0	4	17.2	0.26	1005	0
27/09/2019	1NF002AGM	0	2.5	18.2	0.27	1005	0
27/09/2019	1NF002BGM	0	7	12.7	0.92	1004	0
27/09/2019	1NF003AGM	0	0.8	19.6	-7.19	1005	0
27/09/2019	1NF003BGM	0	2.2	17.6	-2.76	1004	0
27/09/2019	1NF004AGM	0	5	14.9	0.14	1004	0
27/09/2019	1NF004BGM	0	7.5	9.7	0.29	1004	0
27/09/2019	1NF005AGM	0	1.1	19.3	0.29	1005	0
27/09/2019	1NF005BGM	0	0.8	19.8	0.55	1004	0
27/09/2019	1NF005CGM	0	1.1	19.9	0.17	1004	0
27/09/2019	1NF005DGM	0	1	19.4	0.22	1004	0
27/09/2019	1NF005EGM	0	1.2	19.8	0.22	1004	0
27/09/2019	1NF006AGM	0	2.4	18.9	0.24	1004	0
27/09/2019	1NF006BGM	0	0.6	19.9	0.74	1004	0
27/09/2019	1NF007AAGM	0	2.9	18.4	0.24	1005	0
27/09/2019	1NF007ABGM	0	0.2	20.1	0.24	1004	0
27/09/2019	1NF007ACGM	0	0.8	20.1	0.24	1004	0
27/09/2019	1NF007ADGM	0	0.1	20.3	0.1	1004	0
27/09/2019	1NF007AEGM	0	0.4	20.4	0.19	1004	0
27/09/2019	1NF007AFGM	0	0.8	19.8	0.82	1003	0
27/09/2019	1NF008AGM	0	0.1	20.5	-0.46	1004	0
27/09/2019	1NF008BGM	0	0.7	20.2	-0.07	1004	0
27/09/2019	1NF008CGM	0	0.6	20.1	0.98	1004	0
27/09/2019	1NF008DGM	0	0.7	20	-2.26	1004	0
27/09/2019	1NF008EGM	0	0.6	19.8	1.99	1004	0
27/09/2019	1NF009AAGM	0	0.8	20	-0.09	1003	0
27/09/2019	1NF009ABGM	0	7.6	11.2	0.33	1004	0
27/09/2019	1NF009ACGM	0	0.2	20.5	1.37	1004	0
27/09/2019	1NF009ADGM	0	0.1	20.5	0.17	1004	0
27/09/2019	1NF009AEGM	0	0.1	20.6	0.24	1004	0
27/09/2019	1NF009AFGM	0	0.6	20.2	0.19	1004	0
27/09/2019	1NF010AAGM	0	9.3	11.1	0.22	1004	0
27/09/2019	1NF010ABGM	0.2	2.9	16.3	0.31	1004	0
27/09/2019	1NF010ACGM	0	0.2	20.6	0.24	1004	0
27/09/2019	1NF010ADGM	0	4	17.1	0.55	1004	0
27/09/2019	1NF010AEGM	0	2.1	18.8	0.36	1003	0
27/09/2019	1NF010AFGM	0	4	18.1	0.41	1004	0
27/09/2019	1NF011AAGM	0	1.2	19.5	0.21	1004	0
27/09/2019	1NF011ABGM	0	0.1	20.7	0.22	1004	0
27/09/2019	1NF011ACGM	0	1.1	19.8	0.1	1004	0
27/09/2019	1NF011ADGM	0	0.1	20.7	0.31	1004	0
27/09/2019	1NF011AEGM	0	3.1	18.6	0.19	1004	0
27/09/2019	1NF011AFGM	0	0.1	20.7	0.22	1003	0
27/09/2019	1NF012AGM	0	2.4	18.8	0.33	1004	0
27/09/2019	1NF012BGM	0	1	19.9	0.19	1004	0
27/09/2019	1NF013AGM	0	2.3	18.7	-0.24	1004	0
27/09/2019	1NF013BGM	0	2.7	19.6	0.26	1004	0
27/09/2019	1NF014AGM	0	0.6	20.2	0.48	1004	0
27/09/2019	1NF014BGM	0	0.6	20.2	0.6	1004	0
27/09/2019	1NF014CGM	0	0.9	20	0.07	1004	0
	1NF014DG						
27/09/2019	1NF014EGM	0	1.4	19.6	0.7	1004	0
27/09/2019	1NF014FGM	0	1.6	20.2	0.24	1004	0
27/09/2019	1NF015AGM	0	0.5	20.4	0.22	1004	0
27/09/2019	1NF015BGM	0	0.4	20.5	-1.28	1004	0
27/09/2019	1NF016AAGM	0	0.9	20.2	0.27	1004	0
27/09/2019	1NF016ABGM	0	0.2	20.7	0.19	1003	0
27/09/2019	1NF016ACGM	0	0.1	20.8	0.22	1004	0
27/09/2019	1NF016ADGM	0	1.4	19.9	0.15	1003	0
27/09/2019	1NF016AEGM	0	0.1	20.8	0.12	1003	0
27/09/2019	1NF016AFGM	0	0.8	20.5	0.36	1003	0
27/09/2019	1NF017AGM	0	0.1	20.8	0.33	1004	0
27/09/2019	1NF017BGM	0	0.4	20.7	0.26	1003	0
27/09/2019	1NF018AGM	0	0.6	20.5	0.26	1004	1
27/09/2019	1NF018BGM	0	0.3	20.7	0.34	1003	0
27/09/2019	1NF018CGM	0	0.7	20.4	0.82	1003	0
27/09/2019	1NF018DGM	0	0.2	20.9	0.62	1003	0
27/09/2019	1NF018EGM	0	0.3	20.8	0.21	1003	0
27/09/2019	1NF018FGM	0	0.2	20.9	0.09	1003	0
27/09/2019	1NF019AGM	0	0.3	20.9	0.22	1004	0
27/09/2019	1NF019BGM	0	0.2	21	0.26	1003	0
27/09/2019	1NF020AGM	0	0.1	21	0.21	998	0
27/09/2019	1NF020BGM	0	1.7	20.9	1.2	1003	0
27/09/2019	1NF020CGM	0	0.1	21	0.26	1003	0
27/09/2019	1NF020DGM	0	0.1	20.5	0.24	1003	0
27/09/2019	1NF020EGM	0	0.1	21	1.44	1002	0
27/09/2019	1NF020FGM	0	0.1	21.1	0.96	1003	0
27/09/2019	1NF021AGM	0	0.1	21.2	0.1	1004	0
27/09/2019	1NF021BGM	0	3.5	18.6	0.15	1003	0
27/09/2019	1NF022ABGM	0	1.4	20.7	0.24	1003	0
27/09/2019	1NF022ADGM	0	0.3	20.2	0.05	1003	0
27/09/2019	1NF022AFGM	0	1.6	19.6	0.36	1003	0
27/09/2019	1NF022AGM	0	1.2	20.3	0.24	1004	0
27/09/2019	1NF022CGM	0	1	20.7	0.22	1003	0
27/09/2019	1NF022EGM	0	1.7	20.5	0.82	1003	0
27/09/2019	1NF023AGM	0	3.6	20.8	0.12	1004	0
27/09/2019	1NF023BGM	0	1.3	20.4	0.26	1003	0
27/09/2019	1NF024AGM	0	0.3	20.9	0.26	1003	0
27/09/2019	1NF024BGM	0	1.1	20.8	0.19	1003	0
27/09/2019	1NF025AGM	0	0.1	21.1	0.29	1004	0
27/09/2019	1NF025BGM	0	0.1	21.1	1.2	1003	0
27/09/2019	1NF026GM	0	0.1	21.1	0.21	1003	0
27/09/2019	1NF027GM	0	0.1	21.1	0.17	1003	0
27/09/2019	1NF028GM	0	0.1	21.1	0.05	1005	0
27/09/2019	1NF029GM	0	0.1	21.1	0.15	1005	0
27/09/2019	1NF030GM	0	0.1	21.1	0.19	1003	0
27/09/2019	1NF031AGM	0	0.6	18.6	0.26	1006	0
27/09/2019	1NF032BGM	0	4.8	12	0.24	1006	0
27/09/2019	1NF033BGM	0	0.1	19.7	0.21	1007	0
27/09/2019	1NF034BGM	0	0.7	18.8	0.22	1006	0
27/09/2019	1NF036GM	0	0.1	19.8	0.12	1006	0
27/09/2019	BH4GM	0	8.7	1.7	-0.24	1006	0
27/09/2019	BH6GM	0	0.1	19.7	-0.1	1006	0
27/09/2019	BH8GM	0	4.5	7.6	0.14	1006	0
27/09/2019	BH10GM	0	1.9	17.8	0.12	1006	0
03/10/2019	1NF001AGM	0	1.8	18.2	-2.91	1019	0
03/10/2019	1NF001BGM	0	0.7	20.7	-0.14	1019	0
03/10/2019	1NF002AGM	0	2	19.5	0.6	1019	0
03/10/2019	1NF002BGM	0	6.2	14.3	-0.16	1019	0
03/10/2019	1NF003AGM	0	0.4	20.6	-10.25	1019	0
03/10/2019	1NF003BGM	0	1.4	20.3	-8.65	1018	1
03/10/2019	1NF004AGM	0	5.9	12.9	-0.12	1018	1
03/10/2019	1NF004BGM	0	8.3	10.5	-0.12	1019	1
03/10/2019	1NF005AGM	0	4.5	13.8	-0.03	1019	1
03/10/2019	1NF005BGM	0	1	19.8	-0.02	1019	0
03/10/2019	1NF005CGM	0	2	19.2	-0.02	1018	0
03/10/2019	1NF005DGM	0	3.4	17.5	-0.02	1012	0
03/10/2019	1NF005EGM	0	1.9	18.9	0	1019	0
03/10/2019	1NF006AGM	0	2	19.6	-0.03	1018	0
03/10/2019	1NF006BGM	0	0.5	20.9	0.02	1018	0
03/10/2019	1NF007AAGM	0	0.1	20.9	-0.21	1017	0
03/10/2019	1NF007ABGM	0	0.1	21.4	0	1018	0
03/10/2019	1NF007ACGM	0	0.6	20.5	-0.24	1016	0
03/10/2019	1NF007ADGM	0	0.1	21.4	-0.05	1018	0
03/10/2019	1NF007AEGM	0	0.2	20.7	-0.15	1016	0
03/10/2019	1NF007AFGM	0	0.8	20.8	-0.07	1018	0
03/10/2019	1NF008AGM	0	0.1	21.5	-1.71	1018	0
03/10/2019	1NF008BGM	0	1.3	20	-0.41	1018	0
03/10/2019	1NF008CGM	0	1.2	20.5	-0.52	1018	0
03/10/2019	1NF008DGM	0	1.1	20.3	-1.28	1018	0
03/10/2019	1NF008EGM	0	1	20.6	0.78	1018	0
03/10/2019	1NF009AAGM	0	0.5	20.5	-0.34	1017	1
03/10/2019	1NF009ABGM	0	7.2	11.3	-0.09	1017	0
03/10/2019	1NF009ACGM	0	0.1	20.8	-0.19	1017	0
03/10/2019	1NF009ADGM	0	0.1	20.7	-0.1	1017	0
03/10/2019	1NF009AEGM	0	0.1	20.9	-0.19	1016	1
03/10/2019	1NF009AFGM	0	0.6	20.5	-0.09	1016	0
03/10/2019	1NF010AAGM	0	9.2	12	-0.02	1018	0
03/10/2019	1NF010ABGM	0	1.5	19.4	-0.1	1018	0
03/10/2019	1NF010ACGM	0	0.3	21.4	0.02	1018	0
03/10/2019	1NF010ADGM	0	4.7	17.1	-0.1	1018	0
03/10/2019	1NF010AEGM	0	2.3	19.3	-0.17	1018	0
03/10/2019	1NF010AFGM	0	3.7	18.3	0.1	1018	0
03/10/2019	1NF011AAGM	0	1.2	19.9	-0.03	1016	0
03/10/2019	1NF011ABGM	0	0.2	20.9	-0.09	1017	1
03/10/2019	1NF011ACGM	0	0.8	20.1	0.05	1017	0
03/10/2019	1NF011ADGM	0	0.1	20.9	-0.14	1015	1
03/10/2019	1NF011AEGM	0	3	18.8	0	1017	1
03/10/2019	1NF011AFGM	0	1.2	20.1	-0.15	1016	1
03/10/2019	1NF012AGM	0	0.9	20.7	0.07	1018	0
03/10/2019	1NF012BGM	0	2.2	19.6	-0.05	1018	0
03/10/2019	1NF013AGM	0	1	20.8	-0.03	1018	0
03/10/2019	1NF013BGM	0	0.2	21.5	-0.12	1018	0
03/10/2019	1NF014AGM	0	0.5	21.2	-0.21	1018	0
03/10/2019	1NF014BGM	0	0.5	21.2	-0.02	1018	0
03/10/2019	1NF014CGM	0	0.7	20.6	-0.07	1018	0
03/10/2019	1NF014DGM						
03/10/2019	1NF014EGM	0	1	20.9	-0.12	1018	0
03/10/2019	1NF014FGM	0	1.3	20.7	-0.09	1009	0
03/10/2019	1NF015AGM	0	0.3	21.2	0.05	1017	2
03/10/2019	1NF015BGM	0	0.4	21.1	-7.2	1017	1
03/10/2019	1NF016AAGM	0	1	20.8	-0.1	1018	0
03/10/2019	1NF016ABGM	0	0.1	21.6	-0.07	1017	0
03/10/2019	1NF016ACGM	0	0.1	21.6	-0.1	1017	0
03/10/2019	1NF016ADGM	0	0.2	21.5	0.03	1017	0
03/10/2019	1NF016AEGM	0	0.2	21.6	0.12	1017	0
03/10/2019	1NF016AFGM	0	0.7	20.8	0.02	1017	0
03/10/2019	1NF017AGM	0	0.7	20	0.1		0
03/10/2019	1NF017BGM	0	0.7	20	0.15	1016	0
03/10/2019	1NF018AGM	0	1.9	19.3	0	1017	0
03/10/2019	1NF018BGM	0	0.9	20	-0.09	1016	0
03/10/2019	1NF018CGM	0	1	20.1	-0.1	1016	0
03/10/2019	1NF018DGM	0	0.4	20.6	-0.07	1016	0
03/10/2019	1NF018EGM	0	1.1	19.9	0.07	1016	0
03/10/2019	1NF018FGM	0	0.8	20.2	-0.1	1016	0
03/10/2019	1NF019AGM	0	0.3	20.6	-0.02	1016	0
03/10/2019	1NF019BGM	0	0.2	20.7	-0.29	1016	0
03/10/2019	1NF020AGM	0	1.1	20	0.1	1016	0
03/10/2019	1NF020BGM	0	0.9	20.6	0.09	1015	0
03/10/2019	1NF020CGM	0	0.6	20.6	-0.21	1015	0
03/10/2019	1NF020DGM	0	0.1	20.7	0.43	1015	0
03/10/2019	1NF020EGM	0	0.2	20.7	0.1	1014	0
03/10/2019	1NF020FGM	0	0.9	20.1	0.36	1015	0
03/10/2019	1NF021AGM	0	0.2	20.6	0.02	1015	0
03/10/2019	1NF021BGM	0	1.2	19.7	0.12	1015	1
03/10/2019	1NF022ABGM	0	0.1	20.7	0.03	1015	0
03/10/2019	1NF022ADGM	0	0.2	20.6	-0.02	1015	0
03/10/2019	1NF022AFGM	0	0.6	20.1	0.17	1015	0
03/10/2019	1NF022AGM	0	0.8	20.6	0.09	1016	0
03/10/2019	1NF022CGM	0	1.5	19.2	0.1	1015	0
03/10/2019	1NF022EGM	0	1.5	19.1	0.07	1014	0
03/10/2019	1NF023AGM	0	0.9	20	0.26	1015	0
03/10/2019	1NF023BGM	0	2.4	18.2	0.41	1014	0
03/10/2019	1NF024AGM	0	0.8	20.2	-0.09	1016	0
03/10/2019	1NF024BGM	0	1	19.7	-0.1	1015	0
03/10/2019	1NF025AGM	0	0.5	20.5	0.05	1015	0
03/10/2019	1NF025BGM	0	0.5	20.2	2.58	1015	0
03/10/2019	1NF026GM	0	1.4	18	0.31	1016	0
03/10/2019	1NF027GM	0	0.5	20.9	0.4	1013	0
03/10/2019	1NF028GM	0	2.2	20	0.05	1015	0
03/10/2019	1NF029GM	0	4.2	18.1	0.38	1017	0
03/10/2019	1NF030GM	0	0.1	21.1	0.5	1016	0
03/10/2019	1NF031AGM	0	1.1	18.8	0.07	1016	0
03/10/2019	1NF032BGM	0	5.1	7.2	0.96	1017	0
03/10/2019	1NF033BGM	0	0.3	20.9	0.15	1017	0
03/10/2019	1NF034BGM	0	0.9	19.4	-0.16	1018	0
03/10/2019	1NF036GM	0	0.1	20.4	-0.64	1019	1
03/10/2019	BH4GM	0	3.6	9.4	-0.26	1017	0
03/10/2019	BH6GM	0	3.3	12.9	0	1017	0
03/10/2019	BH8GM	0	5.5	5.1	-0.22	1017	0
03/10/2019	BH10GM	0	1.3	19.9	0	1017	0
11/10/2019	1NF001AGM	0	8.9	7.6	-1.45	1008	0
11/10/2019	1NF001BGM	0	5.5	12.5	-0.1	1007	0
11/10/2019	1NF002AGM	0	2.6	18.2	0.29	1007	0
11/10/2019	1NF002BGM	0	6.7	13.7	0.1	1006	0
11/10/2019	1NF003AGM	0	0.8	19.9	1.29	1005	0
11/10/2019	1NF003BGM	0	3.7	15.4	-3.43	1006	0
11/10/2019	1NF004AGM	0	10	8.2	0.05	1007	0
11/10/2019	1NF004BGM	0	10.8	7.3	0.21	1007	0
11/10/2019	1NF005AGM	0	2	17.3	0.12	1005	0
11/10/2019	1NF005BGM	0	1.7	18.2	-0.95	1006	0
11/10/2019	1NF005CGM	0	2.7	18	0.19	1006	0
11/10/2019	1NF005DGM	0	3.5	16.7	0.03	1006	0
11/10/2019	1NF005EGM	0	2.8	14.5	0.15	1006	0
11/10/2019	1NF006AGM	0	2.3	18.5	0.02	1006	0
11/10/2019	1NF006BGM	0	0.7	19.9	0.09	1006	0
11/10/2019	1NF007AAGM	0	3.1	18	0.22	1006	0
11/10/2019	1NF007ABGM	0	0.3	20.2	0.07	1006	0
11/10/2019	1NF007ACGM	0	0.8	19.7	0.05	1006	0
11/10/2019	1NF007ADGM	0	0.2	20.5	0.28	1006	0
11/10/2019	1NF007AEGM	0	0.4	20.2	0.17	1006	0
11/10/2019	1NF007AFGM	0	0.9	19.9	0.55	1006	0
11/10/2019	1NF008AGM	0	0.1	20.6	3.32	1005	0
11/10/2019	1NF008BGM	0	1.1	19.9	0.09	1005	0
11/10/2019	1NF008CGM	0	0.8	20.1	-0.59	1006	0
11/10/2019	1NF008DGM	0	1.1	19.8	0.34	1006	0
11/10/2019	1NF008EGM	0	1	19.3	1.88	1005	0
11/10/2019	1NF009AAGM	0	2.3	18.5	0.09	1006	0
11/10/2019	1NF009ABGM	0	8.1	9.7	0.09	1006	0
11/10/2019	1NF009ACGM	0	0.2	20.6	0.15	1006	0
11/10/2019	1NF009ADGM	0	0.1	20.6	0.14	1006	0
11/10/2019	1NF009AEGM	0	0.2	20.6	0.24	1005	0
11/10/2019	1NF009AFGM	0	0.8	20.2	-0.07	1006	0
11/10/2019	1NF010AAGM	0	9.2	11.9	0.17	1006	0
11/10/2019	1NF010ABGM	0.2	4.3	14.8	0.15	1006	0
11/10/2019	1NF010ACGM	0	0.4	20.5	0.4	1006	0
11/10/2019	1NF010ADGM	0	5	16	0.07	1006	0
11/10/2019	1NF010AEGM	0	2.4	18.4	-0.02	1005	0
11/10/2019	1NF010AFGM	0	4	17.5	0.22	1006	0
11/10/2019	1NF011AAGM	0	1.5	19.1	0.1	1006	1
11/10/2019	1NF011ABGM	0	0.3	20.7	0.22	1005	1
11/10/2019	1NF011ACGM	0	1.3	19.1	0.05	1004	0
11/10/2019	1NF011ADGM	0	0.1	20.9	0.14	998	0
11/10/2019	1NF011AEGM	0	3.5	17.8	-0.24	1005	1
11/10/2019	1NF011AFGM	0	1.4	19.3	0.15	1005	0
11/10/2019	1NF012AGM	0	1	20	0.05	1006	1
11/10/2019	1NF012BGM	0	2.3	18.9	-0.34	1005	0
11/10/2019	1NF013AGM	0	2.4	19	0.26	1006	1
11/10/2019	1NF013BGM	0	1.9	19.6	0.1	1006	1
11/10/2019	1NF014AGM	0	0.6	20.4	-1.03	1006	0
11/10/2019	1NF014BGM	0	0.6	20.4	-1.57	1005	1
11/10/2019	1NF014CGM	0	1	20.2	0.12	1005	0
11/10/2019	1NF014DGM						
11/10/2019	1NF014EGM	0	1.4	19.8	0.05	1006	0
11/10/2019	1NF014FGM	0	1.7	19.6	0.14	1006	0
11/10/2019	1NF015AGM	0	0.4	20.5	0.17	1006	0
11/10/2019	1NF015BGM	0	0.5	20.5	-0.24	1005	0
11/10/2019	1NF016AAGM	0	0.9	20.2	0.09	1006	1
11/10/2019	1NF016ABGM	0	0.9	20.2	0.17	1006	0
11/10/2019	1NF016ACGM	0	0.1	21	0.09	1005	1
11/10/2019	1NF016ADGM	0	0.2	20.9	0.09	1005	0
11/10/2019	1NF016AEGM	0	0.2	20.9	0.15	1005	0
11/10/2019	1NF016AFGM	0	0.8	20.2	0.41	1005	0
11/10/2019	1NF017AGM	0	0.5	20.4	-0.21	1005	0
11/10/2019	1NF017BGM	0	0.8	19.7	0.07	1005	0
11/10/2019	1NF018AGM	0	1.8	19.5	0.17	1005	0
11/10/2019	1NF018BGM	0	0.9	20.1	0.17	1005	0
11/10/2019	1NF018CGM	0	0.9	20.3	-0.07	1005	0
11/10/2019	1NF018DGM	0	0.7	20.3	0.05	1005	0
11/10/2019	1NF018EGM	0	0.7	20.5	0.05	1005	0
11/10/2019	1NF018FGM	0	0.5	20.6	0.12	1005	0
11/10/2019	1NF019AGM	0	1.4	19.3	-0.62	1005	0
11/10/2019	1NF019BGM	0	1	19.7	0.21	1005	0
11/10/2019	1NF020AGM	0	1.9	19.3	0.15	1005	0
11/10/2019	1NF020BGM	0	1.5	19.6	0.24	1004	0
11/10/2019	1NF020CGM	0	1	20.1	0.1	1005	0
11/10/2019	1NF020DGM	0	0.2	20.8	0.14	1004	0
11/10/2019	1NF020EGM	0	0.9	20.2	0.53	1004	0
11/10/2019	1NF020FGM	0	0.3	20.8	0.07	1005	0
11/10/2019	1NF021AGM	0	1.7	18.1	0.03	1005	0
11/10/2019	1NF021BGM	0	2.3	18.6	0.12	1004	0
11/10/2019	1NF022ABGM	0	0.2	20.9	0.26	1005	0
11/10/2019	1NF022ADGM	0	0.5	20.6	-0.02	1004	0
11/10/2019	1NF022AFGM	0	1.1	19.9	-0.02	1004	0
11/10/2019	1NF022AGM	0	1.7	19.2	0.07	1005	0

24/10/2019	1NF010ACGM	0	0.8	21.4	-0.31	1003	0
24/10/2019	1NF010ADGM	0	0.1	22	-0.26	1003	0
24/10/2019	1NF010AEGM	0	0.1	22	-0.33	1003	0
24/10/2019	1NF010AFGM	0	3.8	18.8	-0.19	1003	0
24/10/2019	1NF011AAGM	0	1.1	20.2	0.26	1004	0
24/10/2019	1NF011ABGM	0	0.9	20.4	0.74	1003	0
24/10/2019	1NF011ACGM	0	1.3	19.9	-0.1	1003	0
24/10/2019	1NF011ADGM	0	0.1	21.3	0.09	1003	0
24/10/2019	1NF011AEGM	0	3.7	18.4	-0.02	1004	0
24/10/2019	1NF011AFGM	0	1.3	20.1	-0.03	1003	0
24/10/2019	1NF012AGM	0	1.4	20.5	-0.29	1003	0
24/10/2019	1NF012BGM	0	2.4	19.6	-1.07	1003	0
24/10/2019	1NF013AGM	0	1.1	21.2	-0.26	1004	0
24/10/2019	1NF013BGM	0	1	21.1	-0.17	1003	0
24/10/2019	1NF014AGM	0	1	20.5	0.07	1004	0
24/10/2019	1NF014BGM	0	1	20.6	0	1004	0
24/10/2019	1NF014CGM	0	0.9	20.9	0.27	1004	0
	1NF014DGM						
24/10/2019	1NF014EGM	0	1.5	20.3	0.15	1003	0
24/10/2019	1NF014FGM	0	1.7	20.2	0.26	1003	0
24/10/2019	1NF015AGM	0	0.5	21.6	-0.03	1003	0
24/10/2019	1NF015BGM	0	0.5	21.5	-2.31	1003	0
24/10/2019	1NF016AAGM	0	0.8	21.3	-0.26	1003	0
24/10/2019	1NF016ABGM	0	1.2	20.9	0.14	1003	0
24/10/2019	1NF016ACGM	0	0.2	22	-0.16	1003	0
24/10/2019	1NF016ADGM	0	0.3	21.9	0.02	1002	0
24/10/2019	1NF016AEGM	0	0.2	22	-0.19	1002	0
24/10/2019	1NF016AFGM	0	0.6	21.5	-0.26	1002	0
24/10/2019	1NF017AGM	0	0.4	21.2	-2.62	1003	0
24/10/2019	1NF017BGM	0	0.6	21	0.96	1003	0
24/10/2019	1NF018AGM	0	2.2	19.8	0.38	1002	0
24/10/2019	1NF018BGM	0	1.2	20.5	0.39	1002	0
24/10/2019	1NF018CGM	0	1.5	20.3	0.26	1002	0
24/10/2019	1NF018DGM	0	1.2	20.6	0.21	1002	0
24/10/2019	1NF018EGM	0	1.5	20.4	0.31	1002	0
24/10/2019	1NF018FGM	0	1.2	20.6	0.26	1002	0
24/10/2019	1NF019AGM	0	1.1	20.7	1.1	1002	0
24/10/2019	1NF019BGM	0	1	20.7	-0.31	1002	0
24/10/2019	1NF020AGM	0	1.9	20.3	0.17	1002	0
24/10/2019	1NF020BGM	0	1.7	20.6	0.21	1001	0
24/10/2019	1NF020CGM	0	1.2	20.9	-1	1001	0
24/10/2019	1NF020DGM	0	0.6	21.6	1.03	1001	0
24/10/2019	1NF020EGM	0	0.7	21.6	-0.09	1001	0
24/10/2019	1NF020FGM	0	0.7	21.7	0.57	1001	0
24/10/2019	1NF021AGM	0	3.2	17	-0.4	1002	0
24/10/2019	1NF021BGM	0	1.8	20.2	-0.41	1002	0
24/10/2019	1NF022ABGM	0	0.2	21.4	1.03	1002	0
24/10/2019	1NF022ADGM	0	0.7	21.2	0.17	1002	0
24/10/2019	1NF022AFGM	0	1	21	0.69	1002	0
24/10/2019	1NF022AGM	0	1.8	19.7	0.26	1002	0
24/10/2019	1NF022CGM	0	2.1	19.4	0.22	1001	0
24/10/2019	1NF022EGM	0	1.8	19.9	0.19	1002	0
24/10/2019	1NF023AGM	0	12.3	9.7	0.29	1002	0
24/10/2019	1NF023BGM	0	0.3	21.4	0.24	1003	0
24/10/2019	1NF024AGM	0	1.3	21.1	1.85	1003	0
24/10/2019	1NF024BGM	0	0.1	21.6	0.05	1003	0
24/10/2019	1NF025AGM	0	0.5	21.8	-0.38	1003	0
24/10/2019	1NF025BGM	0	0.4	21.8	2.89	1003	0
24/10/2019	1NF026GM	0	1.8	18.1	0.17	1003	0
24/10/2019	1NF027GM	0	0.5	21.3	0.22	1005	0
24/10/2019	1NF028GM	0	0.4	21.3	0.21	1005	0
24/10/2019	1NF029GM	0	3.2	21	-0.38	1004	0
24/10/2019	1NF030GM	0	0.8	20.5	4.97	1005	0
24/10/2019	1NF031AGM	0	3.9	8.3	-0.1	1003	0
24/10/2019	1NF032BGM	0	0.6	20.3	-0.45	1004	0
24/10/2019	1NF033BGM	0	0.2	20	0.22	1004	0
24/10/2019	1NF034BGM	0	1.1	18		1005	0
24/10/2019	1NF036GM	0	1	20	-0.14	1004	0
24/10/2019	BH4GM	0	8.8	2.8	-0.96	1003	0
24/10/2019	BH6GM	0	0.3	19.8	0.15	1005	0
24/10/2019	BH8GM	0	5.6	5.1	-0.19	1003	0
24/10/2019	BH10GM	0	8.5	13.7	-0.33	1004	0
31/10/2019	1NF001AGM	0	6.1	11.9	-0.22	1019	0
31/10/2019	1NF001BGM	0	2.8	17.1	-0.22	1020	0
31/10/2019	1NF002AGM	0	2.2	18.3	-0.17	1019	0
31/10/2019	1NF002BGM	0	6.2	14.4	-0.15	1019	0
31/10/2019	1NF003AGM	0	0.9	20.1	-2.39		0
31/10/2019	1NF003BGM	0	2.5	16.8	-2.79	1019	0
31/10/2019	1NF004AGM	0	1.7	18.9	0.05	1019	0
31/10/2019	1NF004BGM	0	11.3	6.7	-0.14	1019	0
31/10/2019	1NF005AGM	0	0.5	20.5	-0.07	1019	1
31/10/2019	1NF005BGM	0	0.5	20.6	0.46	1018	0
31/10/2019	1NF005CGM	0	0.5	20.6	0.05	1019	0
31/10/2019	1NF005DGM	0	0.8	20.4	-0.14	1019	0
31/10/2019	1NF005EGM	0	0.5	20.7	0.02	1018	0
31/10/2019	1NF006AGM	0	2.2	18.8	-0.12	1019	0
31/10/2019	1NF006BGM	0	0.8	20.2	-0.1	1019	1
31/10/2019	1NF007AAGM	0	2.5	19.3	1.07	1019	0
31/10/2019	1NF007ABGM	0	0.2	20.9	0.02	1019	0
31/10/2019	1NF007ACGM	0	0.7	20.5	-0.24	1018	0
31/10/2019	1NF007ADGM	0	0.1	21	-0.19	1019	0
31/10/2019	1NF007AEGM	0	0.3	20.9	-0.09	1018	0
31/10/2019	1NF007AFGM	0	0.7	20.6	-0.05	1018	0
31/10/2019	1NF008AGM	0	0.1	21.1	-6.2	1019	1
31/10/2019	1NF008BGM	0	0.7	20.7	0	1018	1
31/10/2019	1NF008CGM	0	0.7	20.7	-0.29	1018	1
31/10/2019	1NF008DGM	0	0.7	20.6	-0.09	1018	1
31/10/2019	1NF008EGM	0	0.8	20.5	2.79	1018	1
31/10/2019	1NF009AAGM	0	0.3	20.7	-0.02	1019	0
31/10/2019	1NF009ABGM	0	7	11.9	-0.14	1019	0
31/10/2019	1NF009ACGM	0	0.2	20.9	-0.15	1018	0
31/10/2019	1NF009ADGM	0	0.1	20.9	-0.19	1018	0
31/10/2019	1NF009AEGM	0	0.1	20.9	-0.26	1018	0
31/10/2019	1NF009AFGM	0	0.7	20.6	-0.15	1018	0
31/10/2019	1NF010AAGM	0	8.3	12.9	-0.12	1019	0
31/10/2019	1NF010ABGM	0.2	3.1	17	-0.05	1018	0
31/10/2019	1NF010ACGM	0	0.4	20.7	-0.19	1019	0
31/10/2019	1NF010ADGM	0	0.1	20.9	-0.24	1018	0
31/10/2019	1NF010AEGM	0	1.5	19.7	-0.17	1018	0
31/10/2019	1NF010AFGM	0	3.9	18.4	-0.17	1017	0
31/10/2019	1NF011AAGM	0	0.9	20.2	-0.09	1018	0
31/10/2019	1NF011ABGM	0	0.1	21	-0.1	1018	0
31/10/2019	1NF011ACGM	0	1	19.9	-0.09	1018	0
31/10/2019	1NF011ADGM	0	0.1	21	-0.02	1017	0
31/10/2019	1NF011AEGM	0	3.6	18.2	-0.02	1018	0
31/10/2019	1NF011AFGM	0	1.2	19.8	-0.1	1018	0
31/10/2019	1NF012AGM	0	1.3	19.8	-0.26	1011	0
31/10/2019	1NF012BGM	0	2.5	18.9	-2.6	1019	0
31/10/2019	1NF013AGM	0	0.1	20.9	-0.12	1019	0
31/10/2019	1NF013BGM	0	0.1	21	-0.09	1018	0
31/10/2019	1NF014AGM	0	0.3	20.8	-1.38	1019	0
31/10/2019	1NF014BGM	0	0.3	20.8	0.12	1018	0
31/10/2019	1NF014CGM	0	0.5	20.7	-0.19	1018	0
	1NF014DGM						
31/10/2019	1NF014EGM	0	1	20.4	-0.07	1018	0
31/10/2019	1NF014FGM	0	1.2	20.8	-0.19	1018	0
31/10/2019	1NF015AGM	0	0.5	20.7	-0.15	1019	0
31/10/2019	1NF015BGM	0	0.5	20.5	-2.43	1018	0
31/10/2019	1NF016AAGM	0	0.9	20.3	-0.19	1018	0
31/10/2019	1NF016ABGM	0	1.4	19.6	0	1018	0
31/10/2019	1NF016ACGM	0	0.1	21	-0.17	1017	0
31/10/2019	1NF016ADGM	0	0.2	20.9	0	1018	0
31/10/2019	1NF016AEGM	0	0.2	20.9	-0.15	1017	0
31/10/2019	1NF016AFGM	0	0.7	20.4	-0.24	1018	0
31/10/2019	1NF017AGM	0	0.1	20.9	-3.12	1018	1
31/10/2019	1NF017BGM	0	0.3	20.6	0.12	1017	0
31/10/2019	1NF018AGM	0	0.9	20.3	-0.19	1018	0
31/10/2019	1NF018BGM	0	0.7	20.4	-0.05	1017	0
31/10/2019	1NF018CGM	0	1	20.3	0.05	1017	0
31/10/2019	1NF018DGM	0	0.5	20.7	0.02	1017	0
31/10/2019	1NF018EGM	0	0.8	20.5	-0.02	1017	0
31/10/2019	1NF018FGM	0	0.8	20.1	-0.03	1017	0
31/10/2019	1NF019AGM	0	0.2	20.3	1.83	1018	0
31/10/2019	1NF019BGM	0	0.1	20.8	0.45	1017	0
31/10/2019	1NF020AGM	0	2	19.2	2.36	1018	0
31/10/2019	1NF020BGM	0	1.7	20.2	0.05	1018	0
31/10/2019	1NF020CGM	0	1.3	19.9	0	1018	0
31/10/2019	1NF020DGM	0	0.2	20.8	-0.14	1017	0
31/10/2019	1NF020EGM	0	0.2	20.7	-0.03	1018	0
31/10/2019	1NF020FGM	0	1	19.9	-0.03	1017	0
31/10/2019	1NF021AGM	0	0.4	20.5	-0.05	1018	0
31/10/2019	1NF021BGM	0	1.1	19.8	-0.02	1017	0
31/10/2019	1NF022ABGM	0	0.2	20.6	-0.07	1018	0
31/10/2019	1NF022ADGM	0	0.3	20.5	-0.09	1017	0
31/10/2019	1NF022AFGM	0	0.6	20.4	0.15	1017	0
31/10/2019	1NF022AGM	0	0.6	20.1	0.03	1018	0
31/10/2019	1NF022CGM	0	0.6	20.2	-0.1	1017	0
31/10/2019	1NF022EGM	0	0.6	20.1	-0.17	1017	0
31/10/2019	1NF023AGM	0	5.4	15	0.03	1018	0
31/10/2019	1NF023BGM	0	0.1	20.9	-0.03	1018	0
31/10/2019	1NF024AGM	0	0.2	20.8	0.41	1018	1
31/10/2019	1NF024BGM	0	0.2	20.8	-0.1	1017	0
31/10/2019	1NF025AGM	0	0.3	20.7	-0.02	1017	0
31/10/2019	1NF025BGM	0	0.4	20.7	1.33	1017	0
31/10/2019	1NF026GM	0	2.3	10.7	-0.12	1017	0
31/10/2019	1NF027GM	0	0.5	20.4	-0.33	1018	0
31/10/2019	1NF028GM	0	0.3	20.6	-0.19	1019	0
31/10/2019	1NF029GM	0	2.8	18.8	-0.12	1019	0
31/10/2019	1NF030GM	0	0.6	20.1	-0.12	1020	0
31/10/2019	1NF031AGM	0	3.4	12	-0.29	1021	0
31/10/2019	1NF032BGM	0	2	16.9	-0.4	1021	0
31/10/2019	1NF033BGM	0	0.2	20	-0.38	1021	0
31/10/2019	1NF034BGM	0	1	18.7	-0.28	1021	0
31/10/2019	1NF036GM	0	0.1	20.4	-0.21	1021	0
31/10/2019	BH4GM	0	9.2	1.7	-0.03	1020	0
31/10/2019	BH6GM	0	1.2	17.6	-0.41	1021	0
31/10/2019	BH8GM	0	6.4	4	-0.31	1021	0
31/10/2019	BH10GM	0	1	19.6	-0.29	1020	0
07/11/2019	1NF001AGM	0	5.8	16.9	-0.43		0
07/11/2019	1NF001BGM	0	2.3	18.7	-0.57	992	0
07/11/2019	1NF002AGM	0	2.9	19.4	-0.53	991	0
07/11/2019	1NF002BGM	0	6.7	16.7	-0.05	991	0
07/11/2019	1NF003AGM	0	1.5	17.7	0.79	992	0
07/11/2019	1NF003BGM	0	4.2	10.5	0.96	991	0
07/11/2019	1NF004AGM	0	1.8	19.1	-0.53	991	0
07/11/2019	1NF004BGM	0	8.6	15.9	-0.41	991	0
07/11/2019	1NF005AGM	0	1.5	19.7	-0.52	991	0
07/11/2019	1NF005BGM	0	1.4	20	-0.48	991	0
07/11/2019	1NF005CGM	0	1.4	20	-0.24	991	0
07/11/2019	1NF005DGM	0	1.4	19.9	-0.47	991	0
07/11/2019	1NF005EGM	0	1.4	19.9	-0.31	991	0
07/11/2019	1NF006AGM	0	2.1	18.9	0.81	991	0
07/11/2019	1NF006BGM	0	0.9	20	-0.52	991	0
07/11/2019	1NF007AAGM	0	0.1	21	-0.34	991	0
07/11/2019	1NF007ABGM	0	0.4	20.7	-0.24	991	0
07/11/2019	1NF007ACGM	0	0.7	20.6	-0.24	991	0
07/11/2019	1NF007ADGM	0	0.2	20.9	-0.36	990	0
07/11/2019	1NF007AEGM	0	0.4	20.8	-0.21	991	0
07/11/2019	1NF007AFGM	0	0.8	20.5	-0.55	991	0
07/11/2019	1NF008AGM	0	0.1	21	-1.76	991	0
07/11/2019	1NF008BGM	0	1.4	20.1	-0.55	991	0
07/11/2019	1NF008CGM	0	1.2	20.4	-0.43	991	0
07/11/2019	1NF008DGM	0	1.5	19.8	-0.29	991	0
07/11/2019	1NF008EGM	0	0.1	20.9	-1.05	991	0
07/11/2019	1NF009AAGM	0	1	20.5	-0.31	991	0
07/11/2019	1NF009ABGM	0	7.3	16.7	-0.34	991	0
07/11/2019	1NF009ACGM	0	0.4	20.7	-0.45	991	0
07/11/2019	1NF009ADGM	0	0.2	20.9	-0.43	991	0
07/11/2019	1NF009AEGM	0	0.2	20.9	-0.19	991	0
07/11/2019	1NF009AFGM	0	0.9	20.4	-0.34	991	0
07/11/2019	1NF010AAGM	0	9	15.6	-0.31	992	0
07/11/2019	1NF010ABGM	0.2	2.2	18	-0.55	991	0
07/11/2019	1NF010ACGM	0	0.6	20.4	-0.57	992	0
07/11/2019	1NF010ADGM	0	2.4	19.8	-0.45	990	0
07/11/2019	1NF010AEGM	0	1.8	19.4	-0.52	991	0
07/11/2019	1NF010AFGM	0	3.8	19.3	-0.57	991	0
07/11/2019	1NF011AAGM	0	1	20	-0.28	992	0
07/11/2019	1NF011ABGM	0	0.1	21	-0.31	992	0
07/11/2019	1NF011ACGM	0	1	19.8	-0.45	991	0
07/11/2019	1NF011ADGM	0	0.1	21	-0.31	991	0
07/11/2019	1NF011AEGM	0	3.6	18.9	1.69	991	0
07/11/2019	1NF011AFGM	0	1.1	20.2	-0.5	991	0
07/11/2019	1NF012AGM	0	1.4	20.1	-0.33	992	0
07/11/2019	1NF012BGM	0	2.4	18.8	-2.21	991	0
07/11/2019	1NF013AGM	0	0.2	20.9	-0.38	992	0
07/11/2019	1NF013BGM	0	0.1	21	-0.28	991	0
07/11/2019	1NF014AGM	0	0.9	20.2	-0.74	992	0
07/11/2019	1NF014BGM	0	0.9	20.3	-1.05	992	0
07/11/2019	1NF014CGM	0	0.6	20.6	-0.47	992	0
07/11/2019	1NF014DGM						
07/11/2019	1NF014EGM	0	1.3	20.1	-0.52	991	0
07/11/2019	1NF014FGM	0	1.4	20	-0.38	992	0
07/11/2019	1NF015AGM	0	0.4	20.7	-0.36	992	0
07/11/2019	1NF015BGM	0	0.5	20.7	-0.02	991	0
07/11/2019	1NF016AAGM	0	0.8	20.5	-0.43	992	0
07/11/2019	1NF016ABGM	0	1.4	19.9	-0.4	991	0
07/11/2019	1NF016ACGM	0	0.1	21	-0.41	991	0
07/11/2019	1NF016ADGM	0	0.2	20.9	-0.34	991	0
07/11/2019	1NF016AEGM	0	0.2	21	0.93	991	0
07/11/2019	1NF016AFGM	0	0.7	20.4	-0.41	991	0
07/11/2019	1NF017AGM	0	0.1	21	-4.5	992	0
07/11/2019	1NF017BGM	0	0.1	21	-0.36	992	0
07/11/2019	1NF018AGM	0	1.1	20.3	0.17	990	0
07/11/2019	1NF018BGM	0	0.5	20.8	-0.36	992	0
07/11/2019	1NF018CGM	0	1.1	20.3	-0.31	991	0
07/11/2019	1NF018DGM	0	0.4	20.9	-0.48	991	0
07/11/2019	1NF018EGM	0	1	20.5	-0.31	991	0
07/11/2019	1NF018FGM	0	0.5	20.8	-0.36	991	0

13/11/2019	1NF017BGM	0	0.2	21.4	-0.1	997	1
13/11/2019	1NF018AGM	0	2	20.9	0.31	997	1
13/11/2019	1NF018BGM	0	1.2	21.2	-0.21	997	1
13/11/2019	1NF018CGM	0	1	21.3	0.05	997	1
13/11/2019	1NF018DGM	0	0.2	21.4	-0.05	997	1
13/11/2019	1NF018EGM	0	0.9	21.2	-0.03	997	1
13/11/2019	1NF018FGM	0	0.8	21.2	-0.07	997	1
13/11/2019	1NF019AGM	0	0.7	21	1.57	997	1
13/11/2019	1NF019BGM	0	0.2	21.2	-0.05	996	1
13/11/2019	1NF020AGM	0	2	21.4	0.53	997	0
13/11/2019	1NF020BGM	0	1.6	21.4	0.1	997	0
13/11/2019	1NF020CGM	0	0.7	21.2	-0.07	996	1
13/11/2019	1NF020DGM	0	0.1	21.4	0.15	997	0
13/11/2019	1NF020EGM	0	0.1	21.4	0.31	996	1
13/11/2019	1NF020FGM	0	1.2	21.2	0.03	997	1
13/11/2019	1NF021AGM	0	0.8	20.5	-0.05	997	1
13/11/2019	1NF021BGM	0	2.5	21	-0.07	997	1
13/11/2019	1NF022ABGM	0	0.1	21.4	0.65	997	1
13/11/2019	1NF022ADGM	0	0.2	21.4	-0.15	996	1
13/11/2019	1NF022AFGM	0	0.6	21.1	0.53	997	0
13/11/2019	1NF022AGM	0	1.1	20.8	-0.07	997	1
13/11/2019	1NF022CGM	0	2	20.9	-0.15	996	0
13/11/2019	1NF022EGM	0	1.8	20.4	-0.15	996	0
13/11/2019	1NF023AGM	0	4.7	17.8	-0.15	997	0
13/11/2019	1NF023BGM	0	2.2	20.2	-0.09	996	1
13/11/2019	1NF024AGM	0	1.3	20.2	0.22	997	1
13/11/2019	1NF024BGM	0	1.3	20.8	-0.15	996	1
13/11/2019	1NF025AGM	0	1	20.6	-0.05	997	2
13/11/2019	1NF025BGM	0	1	20.1	-0.03	996	1
13/11/2019	1NF026GM	0.1	2.6	16.2	-0.15	997	1
13/11/2019	1NF027GM	0	0.7	21.2	-0.1	997	1
13/11/2019	1NF028GM	0	1.7	20.7	-0.22	997	0
13/11/2019	1NF029GM	0	3.4	21	-0.14	998	1
13/11/2019	1NF030GM	0	0.3	21.2	-0.1	999	0
13/11/2019	1NF031AGM	0	1.3	16.7	-0.12	1001	0
13/11/2019	1NF032BGM	0	0.2	19.9	-0.17	1001	0
13/11/2019	1NF033BGM	0	0.3	20	-0.29	1002	0
13/11/2019	1NF034BGM	0	1	18.8	-0.31	1002	0
13/11/2019	1NF036GM	0	0.1	20.1	0.09	1001	0
13/11/2019	BH4GM	0	9.4	2.9	0.29	1000	0
13/11/2019	BH6GM	0	1.3	17.8	-0.38	1001	0
13/11/2019	BH8GM	0	6.8	8.7	-0.19	1001	0
13/11/2019	BH10GM	0	8.5	12.9	-0.05	1001	0
20/11/2019	1NF001AGM	0.1	6.9	9.5	-0.03	1010	0
20/11/2019	1NF001BGM	0.1	2.7	15.2	-0.26	1011	0
20/11/2019	1NF002AGM	0	2.1	19.9	-0.43	1010	0
20/11/2019	1NF002BGM	0	5.8	16.5	-0.16	1011	0
20/11/2019	1NF003AGM	0	0.7	20.4	-2.93	1011	0
20/11/2019	1NF003BGM	0	1.7	18.7	-3.74	1011	0
20/11/2019	1NF004AGM	0	10.1	11.6	2.19	1011	0
20/11/2019	1NF004BGM	0	7.6	17.5	-0.43	1010	0
20/11/2019	1NF005AGM	0	1.9	19	-0.34	1010	0
20/11/2019	1NF005BGM	0	1	19.9	-0.48	1011	0
20/11/2019	1NF005CGM	0	1.8	20.4	-0.5	1008	0
20/11/2019	1NF005DGM	0	1.5	20.5	-0.31	1011	0
20/11/2019	1NF005EGM	0	2	18.9	-0.24	1010	0
20/11/2019	1NF006AGM	0	1.8	19.7	-0.43	1011	0
20/11/2019	1NF006BGM	0	0.4	20.8	-0.48	1010	0
20/11/2019	1NF007AAGM	0	2.2	19.7	-0.45	1010	0
20/11/2019	1NF007ABGM	0	0.1	21.1	-0.47	1010	0
20/11/2019	1NF007ACGM	0	0.6	20.6	-0.41	1010	0
20/11/2019	1NF007ADGM	0	0.1	21	-0.48	1009	0
20/11/2019	1NF007AEGM	0	0.3	21	-0.53	1010	0
20/11/2019	1NF007AFGM	0	0.6	20.7	-0.28	1010	0
20/11/2019	1NF008AGM	0	0.1	21.2	0.4	1011	0
20/11/2019	1NF008BGM	0	2.2	19.9	-0.29	1010	0
20/11/2019	1NF008CGM	0	2.6	19.2	-0.31	1010	0
20/11/2019	1NF008DGM	0.1	1.3	20.1	-0.26	1010	0
20/11/2019	1NF008EGM	0	0.1	21.1	1.43	1010	0
20/11/2019	1NF009AAGM	0	0.4	20.8	-0.47	1010	0
20/11/2019	1NF009ABGM	0	6.9	13.4	-0.34	1010	0
20/11/2019	1NF009ACGM	0	0.2	21.1	-0.38	1009	0
20/11/2019	1NF009ADGM	0	0.1	21	-0.43	1010	0
20/11/2019	1NF009AEGM	0	0.1	21.2	-0.47	1009	0
20/11/2019	1NF009AFGM	0	0.8	20.8	-0.43	1008	0
20/11/2019	1NF010AAGM	0.1	8.8	12.9	-0.28	1010	0
20/11/2019	1NF010ABGM	0.1	1.3	20.2	-0.1	1010	0
20/11/2019	1NF010ACGM	0	0.6	20.8	-0.19	1010	0
20/11/2019	1NF010ADGM	0	2.6	20.2	-0.28	1010	0
20/11/2019	1NF010AEGM	0	1.8	19.7	-0.1	1010	0
20/11/2019	1NF010AFGM	0.1	3.9	18.6	-0.4	1010	0
20/11/2019	1NF011AAGM	0	0.8	20.7	-0.41	1010	0
20/11/2019	1NF011ABGM	0	0.2	21.2	-0.34	1010	0
20/11/2019	1NF011ACGM	0	0.7	20.5	-0.36	1010	0
20/11/2019	1NF011ADGM	0	0.1	21.3	-0.36	1010	0
20/11/2019	1NF011AEGM	0	3.2	21.1	-0.36	1010	0
20/11/2019	1NF011AFGM	0	0.8	20.7	-0.43	1008	0
20/11/2019	1NF012AGM	0	1.2	20.7	-0.29	1010	0
20/11/2019	1NF012BGM	0	2.2	20.3	-2.58	1010	0
20/11/2019	1NF013AGM	0	0.6	21	-0.4	1010	0
20/11/2019	1NF013BGM	0	0.1	21.3	-0.24	1010	0
20/11/2019	1NF014AGM	0	0.4	21.3	-0.45	1010	0
20/11/2019	1NF014BGM	0	0.4	21.2	-1	1010	0
20/11/2019	1NF021BGM	0	0.6	21.4	-0.4	1009	0
20/11/2019	1NF022ABGM	0	0.1	21.4	-0.52	1009	0
20/11/2019	1NF022ADGM	0	0.1	21.4	-0.4	1010	0
20/11/2019	1NF022AFGM	0	0.1	21.4	-0.4	1009	0
20/11/2019	1NF022AGM	0	0.8	21.2	-0.43	1010	0
20/11/2019	1NF022CGM	0	1	21.1	-0.43	1009	0
20/11/2019	1NF022EGM	0	1	21.2	-0.45	1009	0
20/11/2019	1NF023AGM	0	3.9	19.1	-0.15	1009	0
20/11/2019	1NF023BGM	0	0.4	20.5	-0.34	1010	0
20/11/2019	1NF024AGM	0	0.5	21.4	-0.41	1010	0
20/11/2019	1NF024BGM	0	0.1	21.5	-0.5	1010	0
20/11/2019	1NF025AGM	0	0.7	20.5	-0.41	1009	0
20/11/2019	1NF025BGM	0	0.7	20.4	3.29	1009	0
20/11/2019	1NF026GM	0	1.2	21.1	-0.36	1010	0
20/11/2019	1NF027GM	0	0.8	21.2	-0.48	1011	0
20/11/2019	1NF028GM	0	1	20.5	-0.53	1011	0
20/11/2019	1NF029GM	0	4	18.7	-0.36	1011	0
20/11/2019	1NF030GM	0	0.4	20.6	-0.31	1010	0
20/11/2019	1NF031AGM	0	3	13.6	-0.15	1013	0
20/11/2019	1NF032BGM	0	2.7	16.6	-1.45	1013	0
20/11/2019	1NF033BGM	0	0.5	20	-0.24	1014	0
20/11/2019	1NF034BGM	0	1	19	0.41	1014	0
20/11/2019	1NF036GM	0	0.1	20.3	-0.41	1013	0
20/11/2019	BH4GM	0	9.6	1.6	-1.31	1013	1
20/11/2019	BH6GM	0	3.8	11.2	-0.21	1013	0
20/11/2019	BH8GM	0	7.3	1.8	-0.26	1013	0
20/11/2019	BH10GM	0	8.6	11.6	-0.41	1012	0
29/11/2019	1NF001AGM	0	0.8	20.2	-0.67	1014	0
29/11/2019	1NF001BGM	0	0.2	20.8	-0.28	1015	0
29/11/2019	1NF002AGM	0	2.2	18.3	-0.33	1016	0
29/11/2019	1NF002BGM	0	6.1	15	-0.92	1015	0
29/11/2019	1NF003AGM	0	0.2	20.8	-2.26	1015	0
29/11/2019	1NF003BGM	0	0.5	20.7	-1.22	1015	0
29/11/2019	1NF004AGM	0	0.2	20.6	-0.17	1015	0
29/11/2019	1NF004BGM	0	2.7	11.6	0.12	1014	0
29/11/2019	1NF005AGM	0	0.3	20.8	-0.03	1016	0
29/11/2019	1NF005BGM	0	0.2	20.8	-0.92	1015	0
29/11/2019	1NF005CGM	0	0.2	20.8	0.12	1015	0
29/11/2019	1NF005DGM	0	0.5	20.7	0.09	1015	0
29/11/2019	1NF005EGM	0	0.2	20.9	0.12	1015	0
29/11/2019	1NF006AGM	0	2.2	19.1	-0.48	1015	0
29/11/2019	1NF006BGM	0	1.1	19.9	-0.45	1015	0
29/11/2019	1NF007AAGM	0	2.9	18.5	-0.48	1015	0
29/11/2019	1NF007ABGM	0	0.1	21	-0.38	1015	0
29/11/2019	1NF007ACGM	0	0.7	20.5	-0.46	1018	0
29/11/2019	1NF007ADGM	0	0.1	20.9	-0.45	1015	0
29/11/2019	1NF007AEGM	0	0.2	20.9	-0.45	1015	0
29/11/2019	1NF007AFGM	0	0.4	20.7	-0.52	1015	0
29/11/2019	1NF008AGM	0	0.1	21	0.31	1015	0
29/11/2019	1NF008BGM	0	0.3	20.8	0.21	1014	0
29/11/2019	1NF008CGM	0	0.4	20.7	0.14	1015	0
29/11/2019	1NF008DGM	0	0.4	20.7	0.07	1015	0
29/11/2019	1NF008EGM	0	0.1	20.9	4.52	1015	0
29/11/2019	1NF009AAGM	0	0.1	20.8	0.1	1015	0
29/11/2019	1NF009ABGM	0	6.2	12.5	0	1016	0
29/11/2019	1NF009ACGM	0	0.1	20.8	0	1015	0
29/11/2019	1NF009ADGM	0	0.1	20.9	0.03	1015	0
29/11/2019	1NF009AEGM	0	0.1	20.8	0.07	1015	0
29/11/2019	1NF009AFGM	0	0.5	20.6	0.19	1014	0
29/11/2019	1NF010AAGM	0	9.3	10.8	0.12	1016	0
29/11/2019	1NF010ABGM	0	0.3	20.5	0.02	1015	0
29/11/2019	1NF010ACGM	0	0.3	20.7	0	1016	0
29/11/2019	1NF010ADGM	0	3.2	18.4	0	1015	0
29/11/2019	1NF010AEGM	0	1.3	19.7	-0.05	1015	0
29/11/2019	1NF010AFGM	0	3.1	18.5	0.33	1016	0
29/11/2019	1NF011AAGM	0	1	20	-0.43	1016	0
29/11/2019	1NF011ABGM	0	0.1	20.9	-0.41	1015	0
29/11/2019	1NF011ACGM	0	0.6	20.2	-0.55	1016	0
29/11/2019	1NF011ADGM	0	0.1	20.9	-0.46	1016	0
29/11/2019	1NF011AEGM	0	3	18.5	-0.45	1016	0
29/11/2019	1NF011AFGM	0	0.9	20.2	-0.62	1015	0
29/11/2019	1NF012AGM	0	1.3	20.1	0.21	1016	0
29/11/2019	1NF012BGM	0	1.9	19.5	-2.65	1016	0
29/11/2019	1NF013AGM	0	0.6	20.7	0.05	1016	0
29/11/2019	1NF013BGM	0	0.1	21	0.21	1015	0
29/11/2019	1NF014AGM	0	0.8	20.4	-1.25	1016	0
29/11/2019	1NF014BGM	0	0.8	20.3	-3.48	1016	0
29/11/2019	1NF014CGM	0	0.4	20.8	0.21	1015	0
29/11/2019	1NF014DGM						
29/11/2019	1NF014EGM	0	1	20.2	0.02	1015	0
29/11/2019	1NF014FGM	0	1.2	20.2	0.19	1015	0
29/11/2019	1NF015AGM	0	0.2	20.7	-0.36	1015	0
29/11/2019	1NF015BGM	0	0.3	20.6	-0.77	1015	1
29/11/2019	1NF016AAGM	0	0.7	20.6	0.22	1016	0
29/11/2019	1NF016ABGM	0	1.5	19.9	0.22	1016	0
29/11/2019	1NF016ACGM	0	0.1	21.1	0.19	1015	0
29/11/2019	1NF016ADGM	0	0.1	21.1	0.12	1015	0
29/11/2019	1NF016AEGM	0	0.1	21.1	0.36	1015	0
29/11/2019	1NF016AFGM	0	0.7	20.5	0	1015	0
29/11/2019	1NF017AGM	0	0.3	20.7	-0.72	1016	0
29/11/2019	1NF017BGM	0	0.4	20.5	-2.44	1015	0
29/11/2019	1NF018AGM	0	0.6	20.5	-0.46	1015	0
29/11/2019	1NF018BGM	0	0.2	20.8	-0.55	1015	0
29/11/2019	1NF018CGM	0	0.8	20.4	-0.4	1015	0
29/11/2019	1NF018DGM	0	0.2	20.9	-0.33	1016	0
29/11/2019	1NF018EGM	0	0.6	20.6	-0.33	1016	0
29/11/2019	1NF018FGM	0	0.2	20.8	-0.29	1015	0
29/11/2019	1NF019AGM	0	0.1	20.2	-1.78	1015	0
29/11/2019	1NF019BGM	0	0.1	20.7	-0.09	1015	1
29/11/2019	1NF020AGM	0	1.3	19.9	0.21	1016	0
29/11/2019	1NF020BGM	0	1.8	20.3	0.07	1015	0
29/11/2019	1NF020CGM	0	1.2	20.1	0.1	1015	1
29/11/2019	1NF020DGM	0	0.2	20.9	0.1	1015	0
29/11/2019	1NF020EGM	0	0.1	20.9	0.15	1015	0
29/11/2019	1NF020FGM	0	1.4	19.4	0.02	1015	0
29/11/2019	1NF021AGM	0	0.3	20.9	-0.29	1015	0
29/11/2019	1NF021BGM	0	1.2	19.8	-0.34	1015	0
29/11/2019	1NF022ABGM	0	0.1	20.7	0.99	1015	0
29/11/2019	1NF022ADGM	0	0.1	20.7	0.09	1014	0
29/11/2019	1NF022AFGM	0	0.1	20.7	0.22	1014	0
29/11/2019	1NF022AGM	0	0.2	20.9	-0.4	1015	0
29/11/2019	1NF022CGM	0	0.2	20.9	-0.36	1015	0
29/11/2019	1NF022EGM	0	0.2	20.9	-0.33	1015	0
29/11/2019	1NF023AGM	0	0.2	20.8	0.38	1015	0
29/11/2019	1NF023BGM	0	0.1	20.8	0.14	1015	0
29/11/2019	1NF024AGM	0	0.1	20.8	-0.75	1015	0
29/11/2019	1NF024BGM	0	0.1	20.9	0.14	1015	1
29/11/2019	1NF025AGM	0	0.2	20.9	-0.45	1015	0
29/11/2019	1NF025BGM	0	0.2	20.9	3.32	1014	0
29/11/2019	1NF026GM	0	0.2	20.8	0.14	1015	0
29/11/2019	1NF027GM	0	0.5	20.4	-0.07	1016	0
29/11/2019	1NF028GM	0	0.1	20.7	-0.33	1017	0
29/11/2019	1NF029GM	0	1.8	19.7	0.17	1016	0
29/11/2019	1NF030GM	0	1.4	19.2	0.03	1018	0
29/11/2019	1NF031AGM	0	6.1	6.3	0.29	1017	0
29/11/2019	1NF032BGM	0	1.1	16.8	0.05	1016	0
29/11/2019	1NF033BGM	0	0.1	20.3	0.15	1016	0
29/11/2019	1NF034BGM	0	0.5	19.9	-0.4	1016	0
29/11/2019	1NF036GM	0	0.1	20.4	-1.03	1016	0
29/11/2019	BH4GM	0	9.9	0.5	-0.28	1016	0
29/11/2019	BH6GM	0	0.1	20.4	0.12	1016	0
29/11/2019	BH8GM	0	7.4	0.4	0.07	1016	0
29/11/2019	BH10GM	0	0.1	20.4	-0.4	1016	0
04/12/2019	1NF001AGM	0	5.9	18.7	-0.12	1020	0
04/12/2019	1NF001BGM	0	2.3	16.9	-0.41	1021	0
04/12/2019	1NF002AGM	0	3.1	15.3	-0.09	1021	0
04/12/2019	1NF002BGM	0	5.3	17.3	-0.14	1021	0
04/12/2019	1NF003AGM	0	1	20.1	-0.15	1019	1
04/12/2019	1NF003BGM	0	1.1	16.9	-2.86	1020	1
04/12/2019	1NF004AGM	0	2.5	18.5	-0.53	1020	1
04/12/2019	1NF004BGM	0	11	9.6	-0.31	1020	0
04/12/2019	1NF005AGM	0	0.8	20.2	-0.26	1020	1
04/12/2019	1NF005BGM	0	0.7	20.3	-0.33	1020	1
04/12/2019	1NF005CGM	0	0.7	20.2	-0.17	1020	0
04/12/2019	1NF005DGM	0	0.8	20.1	-0.24	1020	0
04/12/2019	1NF005EGM	0	0.7	20.1	-0.14	1020	0
04/12/2019	1NF006AGM	0	1.7	19.8	-0.22	1019	1
04/12/2019	1NF006BGM	0	1.1	20.3	-0.1	1019	1
04/12/2019	1NF007AAGM	0	2.2	19.8	-0.31	1020	1
04/12/2019	1NF007ABGM	0	0.1	20.7	1.17	1020	0
04/12/2019	1NF007ACGM	0	0.8	20.2	-0.15	1020	0
04/12/2019	1NF007ADGM	0	0.2	20.7	-0.05	1019	0
04/12/2019	1NF007AEGM	0	0.4	20.6	-0.5	1020	1
04/12/2019	1NF007AFGM	0	0.6	20.6	1.15	1019	1
04/12/2019	1NF008AGM	0	0.1	20.9	3.29	1019	1
04/12/2019	1NF008BGM	0	0.8	20.6	-0.28	1020	0
04/12/2019	1NF008CGM	0	0.5	20.5	-0.22	1019	0
04/12/2019	1NF008DGM	0	0.8	20.3	2.94	1019	0
04/12/2019	1NF008EGM	0	0.1	20.3	3.51	1019	0
04/12/2019	1NF009AAGM	0	0.5	20.3	-0.19	1020	0
04/12/2019	1NF009ABGM	0	6.9	15.5	-0.26	1020	0
04/12/2019	1NF009ACGM	0	0.2	20.6	0	1019	0
04/12/2019	1NF009ADGM	0	0.2	20.6	-0.28	1020	0
04/12/2019	1NF009AEGM	0	0.2	20.6	-0.33	1019	0
04/12/2019	1NF009AFGM	0	0.7	20.5	-0.22	1019	0
04/12/2019	1NF010AAGM	0	7	16.9	-0.22	1020	0
04/12/2019	1NF010ABGM	0.1	1.3	19.9	-0.05	1019	0
04/12/2019	1NF010ACGM	0	0.5	20.5	-0.1	1020	0
04/12/2019	1NF010ADGM	0	3.5	19.8	-0.1	1019	0
04/12/2019	1NF010AEGM	0	1.7	19.2	-0.1	1019	1
04/12/2019	1NF010AFGM	0	3.6	18.1	-0.02	1019	0
04/12/2019	1NF011AAGM	0	0.7	20.3	-0.19	1019	0
04/12/2019	1NF011ABGM	0	0.2	20.7	-0.12	1020	0
04/12/2019	1NF011ACGM	0	0.7	20.1	-0.26	1019	0
04/12/2019	1NF011ADGM	0	0.1	20.8	-0.12	1019	0
04/12/2019	1NF011AEGM	0	1.1	20.3	-0.15	1019	0
04/12/2019	1NF011AFGM	0	0.7	20.6	-0.15	1018	0
04/12/2019	1NF012AGM	0	1.2	20.3	-0.22	1019	0
04/12/2019	1NF012BGM	0	2.4	19.3	-3.91	1019	0
04/12/2019	1NF013AGM	0	0.5	20.8	-0.07	1020	0
04/12/2019	1NF013BGM	0	0.1	21	-0.26	1019	0
04/12/2019	1NF014AGM	0	0.8	20.3	-0.26	1020	0
04/12/2019	1NF014BGM	0	0.8	20.3	-0.43	1019	0
04/12/2019	1NF014CGM	0	0.5	20.9	-0.17	1019	0
04/12/2019	1NF014DGM						
04/12/2019	1NF014EGM	0	1.1	20.5	-0.36	1019	0
04/12/2019	1NF014FGM	0	1.2	20.2	-0.22	1019	0
04/12/2019	1NF015AGM	0	0.4	20.7	-0.19	1019	0
04/12/2019	1NF015BGM	0	0.3	20.9	-4.27	1019	0
04/12/2019	1NF016AAGM	0	0.7	20.8	-0.21	1019	0
04/12/2019	1NF016ABGM	0	1.4	20.3	-0.28	1019	0
04/12/2019	1NF016ACGM	0	0.1	21	-0.24	1019	0
04/12/2019	1NF016ADGM	0	0.2	21	-0.1	1019	0
04/12/2019	1NF016AEGM	0	0.2	21	-0.14	1019	0
04/12/2019	1NF016AFGM	0	0.9	20.3	-0.19	1019	0
04/12/2019	1NF017AGM	0	0.3	20.9	-0.31	1019	0
04/12/2019	1NF017BGM	0	0.3	20.9	-0.21	1019	0
04/12/2019	1NF018AGM	0	1.3	20	-0.34	1019	0
04/12/2019	1NF018BGM	0	1.1	20.1	-0.19	1019	0
04/12/2019	1NF018CGM	0	1.1	20.3	-0.15	1018	0
04/12/2019	1NF018DGM	0	0.6	20.9	-0.07	1019	0
04/12/2019	1NF018EGM	0	0.9	20.5	-0.38	1018	0
04/12/2019	1NF018FGM	0	0.5	20.9	-0.19	1018	0
04/12/2019	1NF019AGM	0	0.3	20.6	2.43	1019	0
04/12/2019	1NF019BGM	0	0.5	20.3	3.93	1019	0
04/12/2019	1NF020AGM	0	1.8	19.8	-0.03	1019	1
04/12/2019	1NF020BGM	0	1.9	19.7	-0.03	1018	0
04/12/2019	1NF020CGM	0	1.5	19.4	-0.1	1018	0
04/12/2019	1NF020DGM	0	0.2	20.8	-0.21	1018	0
04/12/2019	1NF020EGM	0	0.3	20.6	-0.52	1018	1
04/12/2019	1NF020FGM	0	1.4	20.2	-0.05	1018	0
04/12/2019	1NF021AGM	0	0.6	20	-0.28	1019	0
04/12/2019	1NF021BGM	0	0.8	20.5	-0.19	1019	0
04/12/2019	1NF022ABGM	0	0.1	20.7	0.24	1019	0
04/12/2019	1NF022ADGM	0	0.3	20.6	-0.52	1018	0
04/12/2019	1NF022AFGM	0	0.7	20.3	-0.09	1018	0
04/12/2019	1NF022AGM	0	1.4	19	-0.1	1018	0
04/12/2019	1NF022CGM	0	1.4	19	-0.14	1019	0
04/12/2019	1NF022EGM	0	1.3	19.2	-0.14	1018	0
04/12/2019	1NF023AGM	0	5.5	15.9	-0.12	1019	0
04/12/2019	1NF023BGM	0	0.4	20.4	-0.19	1019	0
04/12/2019	1NF024AGM	0	1.6	20.5	0.19	1019	0
04/12/2019	1NF024BGM	0	0.7	20.1	-0.22	1018	0
04/12/2019	1NF025AGM	0	1.2	19.5	-0.22	1019	0
04/12/2019	1NF025BGM	0	1.2	19.5	2.24	1019	0
04/12/2019	1NF026GM	0	2.4	14.8	-0.14	1018	0
04/12/2019	1NF027GM	0	1.1	19.3	-0.05	1020	0
04/12/2019	1NF028GM	0	2.1	19.2	-0.24	1020	0
04/12/2019	1NF029GM	0	4.3	17.9	-0.02	1019	0
04/12/2019	1NF030GM	0	2.7	17.5	-0.21	1019	0
04/12/2019	1NF031AGM	0	4	11.7	-0.4	1022	0
04/12/2019	1NF032BGM	0	1.2	19.2	-0.46	1022	0
04/12/2019	1NF033BGM	0	0.1	20.2	-0.33	1022	0
04/12/2019	1NF034BGM	0	0.9	19.1	-0.5	1022	0
04/12/2019	1NF036GM	0	0.1	20.9	-0.41	1022	1
04/12/2019	BH4GM	0	10.2	2.3	0.03	1022	0
04/12/2019	BH6GM	0	0.5	18.7	-0.31	1022	0

19/12/2019	1NF011AEGM	0	2	19.5	0.24	997	0
19/12/2019	1NF011AFGM	0	0.6	20.7	0.21	997	1
19/12/2019	1NF012AGM	0	1	20.3	0.26	997	0
19/12/2019	1NF012BGM	0	1.6	19.9	0.19	997	0
19/12/2019	1NF013AGM	0	0.4	21	0.19	997	0
19/12/2019	1NF013BGM	0	0.2	21	0.24	997	0
19/12/2019	1NF014AGM	0	1	20.1	0.21	996	1
19/12/2019	1NF014BGM	0	0.9	20.2	0.14	996	0
19/12/2019	1NF014CGM	0	0.4	21.1	0.19	997	1
19/12/2019	1NF014DGM						
19/12/2019	1NF014EGM	0	0.7	20.7	0.17	996	1
19/12/2019	1NF014FGM	0	0.9	20.7	0.24	996	0
19/12/2019	1NF015AGM	0	0.2	21.1	0.15	996	1
19/12/2019	1NF015BGM	0	0.2	21	0.12	996	0
19/12/2019	1NF016AAGM	0	0.6	21.1	0.17	996	1
19/12/2019	1NF016ABGM	0	1.1	20.3	0.21	995	0
19/12/2019	1NF016ACGM	0	0.3	21.1	0.21	996	0
19/12/2019	1NF016ADGM	0	0.1	21.2	0.17	996	0
19/12/2019	1NF016AEGM	0	0.1	21.2	0.19	996	0
19/12/2019	1NF016AFGM	0	0.6	20.7	0.22	996	0
19/12/2019	1NF017AGM	0	0.7	20.4	0.07	995	0
19/12/2019	1NF017BGM	0	0.2	21.1	0.07	995	0
19/12/2019	1NF018AGM	0	1.6	19.9	0.14	995	0
19/12/2019	1NF018BGM	0	1	20.3	0.17	995	1
19/12/2019	1NF018CGM	0	1	20.5	0.22	995	0
19/12/2019	1NF018DGM	0	0.8	20.9	0.17	995	1
19/12/2019	1NF018EGM	0	0.7	20.4	0.15	995	0
19/12/2019	1NF018FGM	0	0.7	20.5	0.19	995	0
19/12/2019	1NF019AGM	0	0.3	21.1	0.05	994	1
19/12/2019	1NF019BGM	0	0.8	20.1	0.05	994	1
19/12/2019	1NF020AGM	0	1.4	20	0.17	995	0
19/12/2019	1NF020BGM	0	0.8	20.6	0.26	994	0
19/12/2019	1NF020CGM	0	0.8	20.3	0.19	995	0
19/12/2019	1NF020DGM	0	0.2	20.8	0.17	994	1
19/12/2019	1NF020EGM	0	0.2	20.9	0.17	995	1
19/12/2019	1NF020FGM	0	1	20.1	0.19	994	0
19/12/2019	1NF021AGM	0	0.8	19.8	0.21	994	0
19/12/2019	1NF021BGM	0	1.9	19	0.21	994	1
19/12/2019	1NF022ABGM	0	0.1	21.1	0.17	994	0
19/12/2019	1NF022ADGM	0	0.3	20.9	0.21	993	0
19/12/2019	1NF022AFGM	0	0.1	21.1	0.27	994	1
19/12/2019	1NF022AGM	0	1.2	19.5	0.22	995	0
19/12/2019	1NF022CGM	0	2	18.8	0.26	994	1
19/12/2019	1NF022EGM	0	1.7	19.3	0.15	994	1
19/12/2019	1NF023AGM	0	6.3	13.1	0.22	994	1
19/12/2019	1NF023BGM	0	2.6	18.3	0.15	994	1
19/12/2019	1NF024AGM	0	0.5	21.2	0.14	994	1
19/12/2019	1NF024BGM	0	1.4	19.7	0.17	994	0
19/12/2019	1NF025AGM	0	0.6	20.7	0.17	994	0
19/12/2019	1NF025BGM	0	0.6	20.8	0.46	994	1
19/12/2019	1NF026GM	0	1.6	14	0.24	994	1
19/12/2019	1NF027GM	0	0.7	21	0.24	994	0
19/12/2019	1NF028GM	0	4.3	16.2	0.14	995	0
19/12/2019	1NF029GM	0	4.2	17.8	0.27	996	0
19/12/2019	1NF030GM	0	2.8	17.8	4.52	994	0
19/12/2019	1NF031AGM	0	0.2	19.3	0.17	1001	0
19/12/2019	1NF032BGM	0	3.7	8.6	0.14	1001	0
19/12/2019	1NF033BGM	0	0.1	20.9	0.19	1002	0
19/12/2019	1NF034BGM	0	0.6	20.3	0.19		0
19/12/2019	1NF036GM	0	0.1	21.4	0.12	1001	0
19/12/2019	BH4GM	0	7.9	4	0	1001	0
19/12/2019	BH6GM	0	1.7	13.1	0.17	1002	0
19/12/2019	BH8GM	0	6.2	3.9	0.17	1001	0
19/12/2019	BH10GM	0	0.2	20.9	0.09		1
23/12/2019	1NF001AGM	0	0.1	20.9	-0.36	1007	0
23/12/2019	1NF001BGM	0	1.7	11.4	-0.38	1007	0
23/12/2019	1NF002AGM	0	2.4	15.7	-9.31	1007	0
23/12/2019	1NF002BGM	0	0.1	20.8	-0.38	1008	0
23/12/2019	1NF003AGM	0	0.1	20.8	-0.31	1008	0
23/12/2019	1NF003BGM	0	0.6	20.5	-0.21	1007	0
23/12/2019	1NF004AGM	0	0.1	20.7	-0.26	1008	0
23/12/2019	1NF004BGM	0	2.5	18.5	-0.4	1007	0
23/12/2019	1NF005AGM	0	0.7	20.5	-0.29	1008	0
23/12/2019	1NF005BGM	0	0.3	20.7	-1.69	1007	0
23/12/2019	1NF005CGM	0	0.4	20.8	-0.29	1007	0
23/12/2019	1NF005DGM	0	1.3	20.1	-0.34	1007	0
23/12/2019	1NF005EGM	0	0.3	20.7	-0.38	1007	0
23/12/2019	1NF006AGM	0	2	19.3	-0.12	1008	0
23/12/2019	1NF006BGM	0	1.4	19.8	-0.34	1007	0
23/12/2019	1NF007AAGM	0	3.1	18	-0.14	1008	0
23/12/2019	1NF007ABGM	0	0.1	20.9	-0.17	1007	0
23/12/2019	1NF007ACGM	0	0.7	20.4	-0.22	1008	0
23/12/2019	1NF007ADGM	0	0.1	20.9	-0.17	1006	0
23/12/2019	1NF007AEGM	0	0.3	20.8	-0.38	1007	0
23/12/2019	1NF007AFGM	0	0.5	20.8	-0.15	1007	0
23/12/2019	1NF008AGM	0	0.1	20.9	0.12	1006	0
23/12/2019	1NF008BGM	0	0.4	20.7	-0.17	1007	0
23/12/2019	1NF008CGM	0	0.4	20.6	-0.29	1007	0
23/12/2019	1NF008DGM	0	0.4	20.5	-0.03	1007	0
23/12/2019	1NF008EGM	0	0.2	19.6	0.79	1006	1
23/12/2019	1NF009AAGM	0	0.1	20.9	-0.17	1008	1
23/12/2019	1NF009ABGM	0	4.7	15	-0.52	1008	0
23/12/2019	1NF009ACGM	0	0.1	20.9	-0.21	1007	0
23/12/2019	1NF009ADGM	0	0.1	20.8	-0.28	1006	0
23/12/2019	1NF009AEGM	0	0.1	20.9	-0.15	1007	0
23/12/2019	1NF009AFGM	0	0.5	20.6	-0.15	1007	0
23/12/2019	1NF010AAGM	0	8.5	10.9	-0.15	1008	0
23/12/2019	1NF010ABGM	0	0.3	20.5	-0.14	1008	0
23/12/2019	1NF010ACGM	0	0.1	20.8	-0.45	1008	0
23/12/2019	1NF010ADGM	0	3.4	18.1	-0.4	1007	0
23/12/2019	1NF010AEGM	0	1.4	19.6	-0.21	1007	0
23/12/2019	1NF010AFGM	0	2.9	18.6	-0.15	1008	0
23/12/2019	1NF011AAGM	0	1.2	19.2	-0.26	1008	0
23/12/2019	1NF011ABGM	0	0.1	21	-0.34	1008	0
23/12/2019	1NF011ACGM	0	0.6	20.4	-0.4	1008	0
23/12/2019	1NF011ADGM	0	0.1	21	-0.4	1007	0
23/12/2019	1NF011AEGM	0	2.3	19.2	-0.17	1008	0
23/12/2019	1NF011AFGM	0	0.9	20.1	-0.31	1008	0
23/12/2019	1NF012AGM	0	1.5	19.5	-0.26	1008	0
23/12/2019	1NF012BGM	0	1.9	19.3	-0.22	1008	1
23/12/2019	1NF013AGM	0	0.5	20.7	-0.15	1008	0
23/12/2019	1NF013BGM	0	0.1	21.1	-0.17	1008	0
23/12/2019	1NF014AGM	0	0.6	20.6	-0.24	1008	0
23/12/2019	1NF014BGM	0	0.6	20.6	-0.45	1008	0
23/12/2019	1NF014CGM	0	0.6	20.7	-0.12	1008	0
23/12/2019	1NF014DGM						
23/12/2019	1NF014EGM	0	0.8	20.6	-0.45	1007	0
23/12/2019	1NF014FGM	0	1.1	20.3	-0.21	1008	0
23/12/2019	1NF015AGM	0	0.2	21	-0.14	1008	0
23/12/2019	1NF015BGM	0	0.3	20.9	-2.29	1007	0
23/12/2019	1NF016AAGM	0	0.7	20.6	-1.65	1008	0
23/12/2019	1NF016ABGM	0	1.5	19.9	-0.17	1008	1
23/12/2019	1NF016ACGM	0	0.1	21.1	-0.38	1008	0
23/12/2019	1NF016ADGM	0	0.1	21.1	-0.12	1008	0
23/12/2019	1NF016AEGM	0	0.1	21.1	-0.1	1007	0
23/12/2019	1NF016AFGM	0	0.8	20.4	-0.21	1007	0
23/12/2019	1NF017AGM	0	0.1	21.1	-2.03	1008	0
23/12/2019	1NF017BGM	0	0.5	20.3	-2.38	1007	0
23/12/2019	1NF018AGM	0	0.6	20.7	-0.17	1008	0
23/12/2019	1NF018BGM	0	0.2	21	-0.14	1008	1
23/12/2019	1NF018CGM	0	0.8	20.6	-0.12	1008	0
23/12/2019	1NF018DGM	0	0.2	21	-0.15	1008	0
23/12/2019	1NF018EGM	0	0.5	20.8	-0.28	1008	0
23/12/2019	1NF018FGM	0	0.2	21	-0.12	1008	0
23/12/2019	1NF019AGM	0	0.2	21	-4.7	1009	0
23/12/2019	1NF019BGM	0	0.1	21.1	-0.34	1008	0
23/12/2019	1NF020AGM	0	2	19.4	-0.19	1008	0
23/12/2019	1NF020BGM	0	1.6	19.6	-0.12	1008	1
23/12/2019	1NF020CGM	0	1.6	19.4	-0.14	1006	1
23/12/2019	1NF020DGM	0	0.2	20.9	-0.07	1008	1
23/12/2019	1NF020EGM	0	0.4	20.7	-0.14	1008	0
23/12/2019	1NF020FGM	0	1.5	19.4	-0.15	1008	1
23/12/2019	1NF021AGM	0	0.3	20.9	-0.1	1009	1
23/12/2019	1NF021BGM	0	1.7	19.5	-0.14	1008	0
23/12/2019	1NF022ABGM	0	0.2	20.9	-0.28	1008	1
23/12/2019	1NF022ADGM	0	0.1	21	-0.12	1008	1
23/12/2019	1NF022AFGM	0	0.1	21.1	-0.14	1008	0
23/12/2019	1NF022AGM	0	0.2	20.9	-0.1	1006	0
23/12/2019	1NF022CGM	0	0.2	20.9	-0.15	1008	1
23/12/2019	1NF022EGM	0	0.2	20.9	-0.1	1008	0
23/12/2019	1NF023AGM	0	0.2	21.1	-0.22	1009	0
23/12/2019	1NF023BGM	0	0.1	21.1	-0.1	1008	0
23/12/2019	1NF024AGM	0	0.1	20.7	-3.05	1009	1
23/12/2019	1NF024BGM	0	0.1	21.1	-0.6	1008	0
23/12/2019	1NF025AGM	0	0.2	21	-0.34	1009	0
23/12/2019	1NF025BGM	0	0.2	21	-0.29	1009	0
23/12/2019	1NF026GM	0	0.3	20.8	-0.07	1010	0
23/12/2019	1NF027GM	0	0.2	20.8	0.12	1009	0
23/12/2019	1NF028GM	0	0.2	20.8	-0.02	1011	0
23/12/2019	1NF029GM	0	1.9	19.9	-0.17	1011	0
23/12/2019	1NF030GM	0	0.9	19.7	-0.33	1011	0
23/12/2019	1NF031AGM	0	0.1	20.6	-0.24	1011	0
23/12/2019	1NF032BGM	0	2.4	7	-1.39	1011	0
23/12/2019	1NF033BGM	0	0.1	21.1	-0.22	1012	0
23/12/2019	1NF034BGM	0	0.8	20.6	-0.14	1012	0
23/12/2019	1NF036GM	0	0.1	20.5	-0.65	1008	0
23/12/2019	BH4GM	0	9.4	0.9	-1.99	1012	0
23/12/2019	BH6GM	0	0.1	21.2	-0.22	1012	0
23/12/2019	BH8GM	0	7.5	3.1	0.07	1012	0
23/12/2019	BH10GM	0.1	7.2	11.9	-0.38	1012	0
03/01/2020	1NF001AGM	0	2.2	11	-1.7	1016	0
03/01/2020	1NF001BGM	0	1.9	10.6	-0.14	1017	0
03/01/2020	1NF002AGM	0	3.2	13	-1.87	1018	0
03/01/2020	1NF002BGM	0	1.7	20.3	-4.49	1017	0
03/01/2020	1NF003AGM	0	1.7	18.3	0.79	1015	0
03/01/2020	1NF003BGM	0	7	12.3	-0.5	1017	0
03/01/2020	1NF004AGM	0	0.3	20.8	0.03	1017	0
03/01/2020	1NF004BGM	0	11.6	6.7	-0.02	1016	0
03/01/2020	1NF005AGM	0	1	20.5	1.75	1017	0
03/01/2020	1NF005BGM	0	0.7	20.8	-1.46	1016	0
03/01/2020	1NF005CGM	0	0.8	20.6	0.14	1017	1
03/01/2020	1NF005DGM	0	1.2	20	-0.1	1017	0
03/01/2020	1NF005EGM	0	0.7	20.5	0	1017	0
03/01/2020	1NF006AGM	0	1.9	19	-0.07	1017	0
03/01/2020	1NF006BGM	0	0.9	20.2	-0.03	1017	0
03/01/2020	1NF007AAGM	0	3	18	-0.03	1016	0
03/01/2020	1NF007ABGM	0	0.2	20.8	-0.21	1017	0
03/01/2020	1NF007ACGM	0	0.9	20.1	0	1017	0
03/01/2020	1NF007ADGM	0	0.3	20.8	-0.41	1017	0
03/01/2020	1NF007AEGM	0	0.6	20.5	0.03	1016	0
03/01/2020	1NF007AFGM	0	0.7	20.5	-0.1	1017	0
03/01/2020	1NF008AGM	0	0.1	21	0.19	1018	0
03/01/2020	1NF008BGM	0	0.6	20.2	0.07	1016	0

23/01/2020	1NF008AGM	0	0.1	20.9	0.17	1030	0
23/01/2020	1NF008BGM	0	2.6	20.1	-0.45	1028	0
23/01/2020	1NF008CGM	0	2.5	19.4	-0.07	1030	0
23/01/2020	1NF008DGM	0	1.5	19.3	0.17	1029	0
23/01/2020	1NF008EGM	0	0.1	20.9	2.62	1029	0
23/01/2020	1NF009AAGM	0	0.7	19.8	0.27	1029	0
23/01/2020	1NF009ABGM	0	6.8	11.8	-1.16	1029	0
23/01/2020	1NF009ACGM	0	0.2	20.8	0.34	1029	0
23/01/2020	1NF009ADGM	0	0.1	20.8	0.29	1029	0
23/01/2020	1NF009AEGM	0	0.2	20.7	0.17	1029	0
23/01/2020	1NF009AFGM	0	0.6	20.5	0.1	1028	0
23/01/2020	1NF010AAGM	0	8.2	11.5	0.27	1029	0
23/01/2020	1NF010ABGM	0.1	1.4	19	0.38	1029	0
23/01/2020	1NF010ACGM	0	0.6	20.4	0.33	1029	0
23/01/2020	1NF010ADGM	0	4.3	16.9	0.1	1029	0
23/01/2020	1NF010AEGM	0	1.8	19	0.29	1029	0
23/01/2020	1NF010AFGM	0	3.5	18	0.26	1029	0
23/01/2020	1NF011AAGM	0	0.9	19.7	0.15	1029	0
23/01/2020	1NF011ABGM	0	0.6	20.2	0.34	1028	0
23/01/2020	1NF011ACGM	0	0.5	20.6	0.24	1029	0
23/01/2020	1NF011ADGM	0	0.1	20.8	0.19	1029	0
23/01/2020	1NF011AEGM	0	2.4	18.8	0.34	1029	0
23/01/2020	1NF011AFGM	0	1.2	20.1	0.34	1028	0
23/01/2020	1NF012AGM	0	1.6	19.6	0.17	1029	0
23/01/2020	1NF012BGM	0	2	19.1	0.1	1029	0
23/01/2020	1NF013AGM	0	0.4	20.7	0.27	1029	0
23/01/2020	1NF013BGM	0	0.2	20.5	0.14	1029	0
23/01/2020	1NF014AGM	0	0.7	20.2	0.07	1029	0
23/01/2020	1NF014BGM	0	0.7	20.5	0.07	1029	0
23/01/2020	1NF014CGM	0	0.5	20.5	0.26	1029	0
23/01/2020	1NF014DGM						
23/01/2020	1NF014EGM	0	0.9	20.6	0.19	1027	0
23/01/2020	1NF014FGM	0	1.2	20.2	0.15	1029	0
23/01/2020	1NF015AGM	0	0.2	20.8	0.15	1029	0
23/01/2020	1NF015BGM	0	0.2	20.8	-1.35	1029	0
23/01/2020	1NF016AAGM	0	0.8	20.4	0.14	1028	0
23/01/2020	1NF016ABGM	0	1.3	19.9	0.36	1028	0
23/01/2020	1NF016ACGM	0	0.1	20.9	-0.12	1028	0
23/01/2020	1NF016ADGM	0	0.2	20.9	0.29	1028	0
23/01/2020	1NF016AEGM	0	0.1	20.9	0.33	1028	0
23/01/2020	1NF016AFGM	0	0.8	20.7	0.38	1028	0
23/01/2020	1NF017AGM	0	0.7	20.5	0.31	1028	0
23/01/2020	1NF017BGM	0	0.5	20.7	0.41	1029	0
23/01/2020	1NF018AGM	0	1.9	19.1	0.19	1028	0
23/01/2020	1NF018BGM	0	1.3	20	0.17	1028	0
23/01/2020	1NF018CGM	0	1.2	19.8	0.21	1028	0
23/01/2020	1NF018DGM	0	0.6	20.7	0.22	1028	0
23/01/2020	1NF018EGM	0	1.2	19.6	0.24	1028	0
23/01/2020	1NF018FGM	0	1.1	19.8	0.15	1028	0
23/01/2020	1NF019AGM	0	0.5	20.8	0.19	1028	0
23/01/2020	1NF019BGM	0	0.5	20.6	0.27	1028	0
23/01/2020	1NF020AGM	0	1.8	19.1	1.51	1028	0
23/01/2020	1NF020BGM	0	1.6	20.4	0.34	1028	0
23/01/2020	1NF020CGM	0	1.5	20.4	0.41	1028	0
23/01/2020	1NF020DGM	0	0.2	20.5	0.15	1028	0
23/01/2020	1NF020EGM	0	0.1	20.9	0.12	1028	0
23/01/2020	1NF020FGM	0	1.5	19.8	0.21	1027	0
23/01/2020	1NF021AGM	0	0.5	19.8	0.12	1028	0
23/01/2020	1NF021BGM	0	0.8	19.9	0.41	1028	0
23/01/2020	1NF022ABGM	0	0.2	20.8	2.02	1028	1
23/01/2020	1NF022ADGM	0	0.5	20.8	0.17	1027	0
23/01/2020	1NF022AFGM	0	0.8	20.5	0.15	1027	0
23/01/2020	1NF022AGM	0	1.6	18.7	0.21	1028	0
23/01/2020	1NF022CGM	0	2	18.3	0.15	1028	0
23/01/2020	1NF022EGM	0	2	19.5	0.21	1028	0
23/01/2020	1NF023AGM	0	4.9	12.8	0.33	1028	0
23/01/2020	1NF023BGM	0	2.8	19.3	0.21	1028	0
23/01/2020	1NF024AGM	0	0.7	20.8	2.71	1028	0
23/01/2020	1NF024BGM	0	1.5	19.4	0	1027	0
23/01/2020	1NF025AGM	0	1.2	19.6	0.31	1028	0
23/01/2020	1NF025BGM	0	1.2	19.6	2.83	1027	0
23/01/2020	1NF026GM	0	2.9	10.9	0.22		0
23/01/2020	1NF027GM	0	1.8	18.5	0.19	1028	0
23/01/2020	1NF028GM	0	5.3	13	0.14	1028	0
23/01/2020	1NF029GM	0	4.5	15.6	0.21	1029	0
23/01/2020	1NF030GM	0	1	19.7	0.1	1029	0
23/01/2020	1NF031AGM	0	2.8	10.5	1.32	1033	0
23/01/2020	1NF032BGM	0	5.9	7.7	-0.46	1033	0
23/01/2020	1NF033BGM	0	0.4	20.4	0.09		0
23/01/2020	1NF034BGM	0	0.6	20.2	0.21	1033	0
23/01/2020	1NF036GM	0	1.1	19	0.41		0
23/01/2020	BH4GM	0	10	1	-0.09	1033	0
23/01/2020	BH6GM	0	3.4	7.9	0.21	1033	0
23/01/2020	BH8GM	0	7.3	1.1	0.05	1033	0
23/01/2020	BH10GM	0	7.7	11.4	-0.15	1033	0
28/01/2020	1NF001AGM	0	1.6	11.6	-0.26	996	0
28/01/2020	1NF001BGM	0	1.5	12.5	-0.19	995	0
28/01/2020	1NF002AGM	0	4	4.5	-3.15	994	0
28/01/2020	1NF002BGM	0	0.1	20.7	0.12	996	0
28/01/2020	1NF003AGM	0	3.7	14.1	-0.12	996	0
28/01/2020	1NF003BGM	0	6.3	8	-0.53	996	0
28/01/2020	1NF004AGM	0	0.3	20.8	0.29	995	0
28/01/2020	1NF004BGM	0	11.7	7.7	0.39	995	0
28/01/2020	1NF005AGM	0	1	20.5	0.19	996	1
28/01/2020	1NF005BGM	0	0.6	20.7	0	995	0
28/01/2020	1NF005CGM	0	0.8	20.6	0.27	995	0
28/01/2020	1NF005DGM	0	1.4	19.7	-0.17	995	0
28/01/2020	1NF005EGM	0	0.8	20.7	0.27	995	1
28/01/2020	1NF006AGM	0	2.1	19.1	-0.31	996	0
28/01/2020	1NF006BGM	0	1.2	20	-0.31	996	0
28/01/2020	1NF007AAGM	0	3.6	17.4	-0.43	996	0
28/01/2020	1NF007ABGM	0	0.4	21	-0.29	996	0
28/01/2020	1NF007ACGM	0	1.2	20.4	-0.48	995	0
28/01/2020	1NF007ADGM	0	0.4	21	-0.52	995	0
28/01/2020	1NF007AEGM	0	0.7	20.8	-0.31	996	0
28/01/2020	1NF007AFGM	0	0.8	20.9	-0.26	996	0
28/01/2020	1NF008AGM	0	0.1	21	0.03	996	0
28/01/2020	1NF008BGM	0	0.7	20.6	0.24	995	0
28/01/2020	1NF008CGM	0	0.8	20.4	0.1	996	0
28/01/2020	1NF008DGM	0	1	20.1	0.29	995	0
28/01/2020	1NF008EGM	0	0.1	21.1	0.55	995	0
28/01/2020	1NF009AAGM	0	0.5	21	-0.45	996	0
28/01/2020	1NF009ABGM	0	8.7	9.4	-0.36	996	0
28/01/2020	1NF009ACGM	0	0.5	21.1	-0.64	995	0
28/01/2020	1NF009ADGM	0	0.2	21.5	-0.5	996	0
28/01/2020	1NF009AEGM	0	0.2	21.4	-0.43	995	0
28/01/2020	1NF009AFGM	0	1.2	20.2	-0.38	995	0
28/01/2020	1NF010AAGM	0	9.7	8.2	0.33	995	1
06/02/2020	1NF010ABGM	0	0.7	19.9	0.26	1029	0
06/02/2020	1NF010ACGM	0	0.2	20.7	0.38	1029	0
06/02/2020	1NF010ADGM	0	4.8	15.8	0.14	1029	1
06/02/2020	1NF010AEGM	0	1.7	18.9	0.09	1029	0
06/02/2020	1NF010AFGM	0	1	20.2	0.12	1029	0
06/02/2020	1NF011AAGM	0	0.4	20.4	0.14	1029	0
06/02/2020	1NF011ABGM	0	0.1	20.9	0.31	1028	1
06/02/2020	1NF011ACGM	0	0.4	20.5	0.17	1029	0
06/02/2020	1NF011ADGM	0	0.1	21	0.15	1026	0
06/02/2020	1NF011AEGM	0	2.2	19.2	0.09	1029	0
06/02/2020	1NF011AFGM	0	1.6	18.6	0.02	1028	1
06/02/2020	1NF012AGM	0	1.6	19.6	0.19	1029	0
06/02/2020	1NF012BGM	0	2	19.1	0.15	1029	0
06/02/2020	1NF013AGM	0	0.2	21	0.15	1028	0
06/02/2020	1NF013BGM	0	0.1	21.1	0.1	1029	0
06/02/2020	1NF014AGM	0	0.9	20.2	1.86	1029	0
06/02/2020	1NF014BGM	0	0.9	20.2	0.14	1029	1
06/02/2020	1NF014CGM	0	0.4	20.8	0.17	1029	1
06/02/2020	1NF014DGM	0	0.3	20.8	2.55	1028	1
06/02/2020	1NF014EGM	0	0.9	20.2	0.21	1028	0
06/02/2020	1NF014FGM	0	1.2	20	0.05	1029	1
06/02/2020	1NF015AGM	0	0.2	21	0.02	1029	1
06/02/2020	1NF015BGM	0	0.2	20.9	-2.96	1028	0
06/02/2020	1NF016AAGM	0	0.7	20.9	0.19	1029	0
06/02/2020	1NF016ABGM	0	1.3	20.1	0.12	1028	0
06/02/2020	1NF016ACGM	0	0.1	21.2	0.12	1028	0
06/02/2020	1NF016ADGM	0	0.1	21.1	0.31	1028	1
06/02/2020	1NF016AEGM	0	0.1	21.2	0.24	1028	1
06/02/2020	1NF016AFGM	0	0.8	20.4	0.22	1028	0
06/02/2020	1NF017AGM	0	0.2	20.8	-0.03	1029	0
06/02/2020	1NF017BGM	0	0.3	21.1	0.21	1028	1
06/02/2020	1NF018AGM	0	1	20.2	0.05	1029	1
06/02/2020	1NF018BGM	0	0.9	20.1	0.31	1028	0
06/02/2020	1NF018CGM	0	0.9	20.1	0.21	1028	1
06/02/2020	1NF018DGM	0	0.8	20.7	0.09	1028	1
06/02/2020	1NF018EGM	0	0.8	20.4	0.21	1028	0
06/02/2020	1NF018FGM	0	0.9	20.3	0.22	1028	1
06/02/2020	1NF019AGM	0	0.4	20.7	0.98	1029	0
06/02/2020	1NF019BGM	0	0.2	20.8	0.1	1028	0
06/02/2020	1NF020AGM	0	1.4	19.6	0.14	1029	1
06/02/2020	1NF020BGM	0	1.7	19.7	0.28	1028	1
06/02/2020	1NF020CGM	0	1.5	20	0.19	1028	1
06/02/2020	1NF020DGM	0	0.2	20.8	-0.4	1028	0
06/02/2020	1NF020EGM	0	0.1	21	0.24	1028	1
06/02/2020	1NF020FGM	0	1	19.9	0.26	1027	1
06/02/2020	1NF021AGM	0	0.2	20.9	0.09	1028	1
06/02/2020	1NF021BGM	0	0.7	20.5	0.12	1027	1
06/02/2020	1NF022ABGM	0	0.1	20.8	2.17	1028	1
06/02/2020	1NF022ADGM	0	0.2	20.7	0.17	1029	1
06/02/2020	1NF022AFGM	0	0.4	20.4	0.36	1028	0
06/02/2020	1NF022AGM	0	1.1	19.1	0.22	1028	1
06/02/2020	1NF022CGM	0	1.1	19.1	0.21	1028	1
06/02/2020	1NF022EGM	0	1.1	19.2	0.19	1028	1
06/02/2020	1NF023AGM	0	1.2	20.1	0.19	1028	0
06/02/2020	1NF023BGM	0	1	19.8	0.12	1028	0
06/02/2020	1NF024AGM	0	0.9	20.7	0.09	1028	0
06/02/2020	1NF024BGM	0	1.1	19.6	0.03	1028	0
06/02/2020	1NF025AGM	0	0.9	20.2	0.14	1028	0
06/02/2020	1NF025BGM	0	0.9	20.2	0.05	1028	1
06/02/2020	1NF026GM	0	1.9	16.6	-0.02		0
06/02/2020	1NF027GM	0	1.2	19.1	0.36	1029	0
06/02/2020	1NF028GM	0	3.3	15.3	-0.03	1029	0
06/02/2020	1NF029GM	0	3.9	18.1	-0.03	1029	0
06/02/2020	1NF030GM	0	1.2	19	0.05	1030	0
06/02/2020	1NF031AGM	0	0.9	16.9	-0.05	1032	1
06/02/2020	1NF032BGM	0	5.8	9.1	-0.19	1032	1
06/02/2020	1NF033BGM	0	0.1	20.7	-0.34	1032	0
06/02/2020	1NF034BGM	0	0.6	20.4	-0.46		0
06/02/2020	1NF036GM	0	0.1	20.9	0.12		0
06/02/2020	BH4GM	0	9.8	6.9	-0.36	1032	2
06/02/2020	BH6GM	0	0.2	20	-0.34	1032	0
06/02/2020	BH8GM	0	7.5	2.1	0.02	1032	1
06/02/2020	BH10GM	0	8.1	10.3	0.02	1032	1
13/02/2020	1NF001AGM	0	1.6	9.2	-0.17	991	0
13/02/2020	1NF001BGM	0	1.2	13.1	-0.12	991	0
13/02/2020	1NF002AGM	0	3.9	4.1	3.61	990	0
13/02/2020	1NF002BGM	0	0.1	20.4	3.22	991	0
13/02/2020	1NF003AGM	0	3.2	12.7	3.12	991	0
13/02/2020	1NF003BGM	0	6.5	5.8	4.99	991	0
13/02/2020	1NF004AGM	0	11.5	6.5	-0.29	991	1
13/02/2020	1NF004BGM	0	11.6	6.6	-0.14	991	0
13/02/2020	1NF005AGM	0	8.8	7.2	0	990	0
13/02/2020	1NF005BGM	0	2.4	17.7	-0.1	991	0
13/02/2020	1NF005CGM	0	2.6	18.3	-0.1	990	0
13/02/2020	1NF005DGM	0	4.7	16.3	-0.26	990	0
13/02/2020	1NF005EGM	0	6.4	7	-0.05	989	0
13/02/2020	1NF006AGM	0	1.8	18.8	0.15	991	0
13/02/2020	1NF006BGM	0	0.8	19.8	0.03	990	0
13/02/2020	1NF007AAGM	0	3.2	17.3	0.31	991	0
13/02/2020	1NF007ABGM	0	0.5	20	0.31	991	0
13/02/2020	1NF007ACGM	0	1	19.8	0.36	990	0
13/02/2020	1NF007ADGM	0	0.5	20.1	0.21	991	0
13/02/2020	1NF007AEGM	0	0.7	20.2	0.36	990	0
13/02/2020	1NF007AFGM	0	0.8	20	0.36	991	0
13/02/2020	1NF008AGM	0	0.1	20.9	-0.43	990	0
13/02/2020	1NF008BGM	0	4.1	16.1	-0.69	989	0
13/02/2020	1NF008CGM	0	2.7	16.9	-0.24	990	0
13/02/2020	1NF008DGM	0	2.3	18.8	-0.17	990	0
13/02/2020	1NF008EGM	0	0.1	21	3.06	990	0
13/02/2020	1NF009AAGM	0	5.2	13.6	0.17	990	0
13/02/2020	1NF009ABGM	0	7.8	10.2	0.38	990	0
13/02/2020	1NF009ACGM	0	0.7	20.5	0.38	991	1
13/02/2020	1NF009ADGM	0	0.6	20.5	0.24	990	0
13/02/2020	1NF009AEGM	0	0.5	20.5	0.38	990	0
13/02/2020	1NF009AFGM	0	1.3	19.6	0.21	990	0
13/02/2020	1NF010AAGM	0	9.5	9.2	-0.26	990	0
13/02/2020	1NF010ABGM	0.3	3	16.6	-0.09	990	0
13/02/2020	1NF010ACGM	0	1	20.3	0	990	0
13/02/2020	1NF010ADGM	0	5.5	15.3	-0.21	990	0
13/02/2020	1NF010AEGM	0	2.2	19.6	-0.1	990	0
13/02/2020	1NF010AFGM	0	3.2	18.5	-0.34	990	0
13/02/2020	1NF011AAGM	0	1.7	18.5	0.21	990	0
13/02/2020	1NF011ABGM	0	12.9	3.9	0.09	990	1
13/02/2020	1NF011ACGM	0	0.8	20.1	0.1	990	0
13/02/2020	1NF011ADGM	0	6.4	13.1	0.17	991	0
13/02/2020	1NF011AEGM	0	2.6	18.8	0.34	990	0
13/02/2020	1NF011AFGM	0	1.9	18.4	0.5	991	0
13/02/2020	1NF012AGM	0	2.3	19	-0.22	990	0
13/02/2020	1NF012BGM	0	1.9	19.8	-0.15	990	0
13/02/2020	1NF013AGM	0	0.5	20.8	0.19	990	0
13/02/2020	1NF013BGM	0	0.4	20.6	0.09	990	0
13/02/2020	1NF014AGM	0	0.5	20.7	0.17	990	0
13/02/2020	1NF014BGM	0	0.5	20.7	0.1	990	0
13/02/2020	1NF014CGM	0	1.6	20	0.07	990	0
13/02/2020	1NF014DGM						
13/02/2020	1NF014EGM	0	1.2	19.9	0.09	990	0
13/02/2020	1NF014FGM	0	1.3	20.3	0.26	990	0
13/02/2020	1NF015AGM	0	0.3	21.1	-0.31	990	0
13/02/2020	1NF015BGM	0	0.3	21.1	-1.21	990	0
13/02/2020	1NF016AAGM	0	1	20.7	-0.15	990	0
13/02/2020	1NF016ABGM	0.1	1.4	20.2	-0.17	990	0
13/02/2020	1NF016ACGM	0	1.2	20.8	-0.22	990	0
13/02/2020	1NF016ADGM	0	0.3	21.3	-0.15	990	0
13/02/2020	1NF016AEGM	0	0.2	21.3	-0.14	990	0
13/02/2020	1NF016AFGM	0	0.9	20.6	-0.05	990	0
13/02/2020	1NF017AGM	0	0.8	20.6	0.1	990	0
13/02/2020	1NF017BGM	0	0.7	20.7	0.07	990	0
13/02/2020	1NF018AGM	0	2	19.6	0.29	990	0
13/02/2020	1NF018BGM	0	1.4	20.2	0.21	990	0
13/02/2020	1NF018CGM	0	1.6	19.9	0.19	989	0
13/02/2020	1NF018DGM	0	1.4	20.2	0.19	990	0
13/02/2020	1NF018EGM	0	1.4	20	0.17	990	0
13/02/2020	1NF018FGM	0	1.3	20.2	0.15	990	0
13/02/2020	1NF019AGM	0	1.3	20.3	0.12	990	0
13/02/2020	1NF019BGM	0	1.4	20	0.19	989	0
13/02/2020	1NF020AGM	0	2	19.4	-0.21	989	0
13/02/2020	1NF020BGM	0	1.8	20.6	0.46	989	0
13/02/2020	1NF020CGM	0	1.8	20.7	-0.28		0
13/02/2020	1NF020DGM	0	0.2	20.8	-0.36	989	0
13/02/2020	1NF020EGM	0	1	20.6	2.38	989	0
13/02/2020	1NF020FGM	0	1.3	20.4	-0.31	989	0
13/02/2020	1NF021AGM	0	4.5	15.1	-0.26	989	1
13/02/2020	1NF021BGM	0	4.6	16.3	-0.1	989	0
13/02/2020	1NF022ABGM	0	0.3	21.1	0.43	989	1
13/02/2020	1NF022ADGM	0	0.3	21.4	0.19	989	0
13/02/2020	1NF022AFGM	0	1.3	20.2	0.21	989	0
13/02/2020	1NF022AGM	0	1.8	19.3	0.19	990	0
13/02/2020	1NF022CGM	0	2.1	19	0.15	989	1
13/02/2020	1NF022EGM	0	2	19.2	0.14	989	0
13/02/2020	1NF023AGM	0	1.9	19.6	0.14	990	0
13/02/2020	1NF023BGM	0	2.1	19.2	0.17	989	1
13/02/2020	1NF024AGM	0	2.4	19.1	-0.26	989	0
13/02/2020	1NF024BGM	0	1.9	18.9	-0.31	989	1

19/03/2020	1NF014AGM	0	0.3	20.9	-0.07	1026	0
19/03/2020	1NF014BGM	0	0.3	20.9	0.19	1026	0
19/03/2020	1NF014CGM	0	0.7	20.7	0.02	1026	0
19/03/2020	1NF014DGM						
19/03/2020	1NF014EGM	0	1.4	20.2	-0.05	1026	0
19/03/2020	1NF014FGM	0	1.7	19.8	-0.05	1026	0
19/03/2020	1NF015AGM	0	0.3	20.9	-0.03	1018	1
19/03/2020	1NF015BGM	0	0.4	20.9	-0.21	1026	0
19/03/2020	1NF016AAGM	0	0.9	20.5	0.15	1026	0
19/03/2020	1NF016ABGM	0	1.5	20	0	1025	0
19/03/2020	1NF016ACGM	0	0.1	21	-0.03	1025	0
19/03/2020	1NF016ADGM	0	0.2	20.9	0.12	1026	0
19/03/2020	1NF016AEGM	0	0.2	21	0	1025	0
19/03/2020	1NF016AFGM	0	1	20.1	0.03	1025	0
19/03/2020	1NF017AGM	0	0.1	20.9	0	1026	0
19/03/2020	1NF017BGM	0	0.2	20.9	0	1025	0
19/03/2020	1NF018AGM	0	0.9	20.4	-0.21	1026	0
19/03/2020	1NF018BGM	0	0.3	20.8	0.05	1025	0
19/03/2020	1NF018CGM	0	1.1	20.1	-0.09	1025	0
19/03/2020	1NF018DGM	0	0.3	20.7	0.05	1025	0
19/03/2020	1NF018EGM	0	0.8	20.6	0.02	1025	0
19/03/2020	1NF018FGM	0	0.4	20.7	-0.07	1025	0
19/03/2020	1NF019AGM	0	0.7	20.4	-0.22	1025	0
19/03/2020	1NF019BGM	0	0.2	20.8	-0.1	1025	0
19/03/2020	1NF020AGM	0	2.1	19	0.03	1025	0
19/03/2020	1NF020BGM	0	1.8	19.2	0.12	1025	0
19/03/2020	1NF020CGM	0	1.8	20.1	-0.12	1025	0
19/03/2020	1NF020DGM	0	0.3	20.7	0.03	1025	0
19/03/2020	1NF020EGM	0	0.2	20.8	0.1	1025	0
19/03/2020	1NF020FGM	0	1.8	19	0.19	1025	0
19/03/2020	1NF021AGM	0	0.3	20.7	0.02	1025	1
19/03/2020	1NF021BGM	0	0.8	20.3	0.02	1025	0
19/03/2020	1NF022ABGM	0	0.2	20.8	0.03	1025	0
19/03/2020	1NF022ADGM	0	0.2	20.7	0.02	1025	1
19/03/2020	1NF022AFGM	0	0.3	20.7	0	1025	0
19/03/2020	1NF022AGM	0	0.4	20.6	0.03	1025	0
19/03/2020	1NF022CGM	0	0.5	20.7	0.12	1025	0
19/03/2020	1NF022EGM	0	0.4	20.6	0.14	1025	0
19/03/2020	1NF023AGM	0	1.2	20.4	0.29	1025	0
19/03/2020	1NF023BGM	0	0.2	20.8	-0.05	1025	0
19/03/2020	1NF024AGM	0	0.4	20.7	0.05	1025	0
19/03/2020	1NF024BGM	0	0.3	20.8	-0.02	1025	0
19/03/2020	1NF025AGM	0	0.3	20.7	0	1025	0
19/03/2020	1NF025BGM	0	0.3	20.7	0.26	1025	0
19/03/2020	1NF026GM	0	0.6	20.5	0.02	1025	1
19/03/2020	1NF027GM	0	0.9	20.5	0.22	1025	0
19/03/2020	1NF028GM	0	0.5	20.8	-0.09	1027	0
19/03/2020	1NF029GM	0	3.4	18.2	0.12	1027	1
19/03/2020	1NF030GM	0	0.7	20.1	-0.03	1027	0
19/03/2020	1NF031AGM	0	0.4	19.1	0.02	1027	0
19/03/2020	1NF032BGM	0	0.2	21.1	-0.05	1028	0
19/03/2020	1NF033BGM	0	0.2	20.9	0.12	1028	0
19/03/2020	1NF034BGM	0	0.7	20.2	0.21		0
19/03/2020	1NF036GM	0	0.2	20.9	-0.1	1028	0
19/03/2020	BH4GM	0	11.5	1.1	0.51	1027	0
19/03/2020	BH6GM	0	0.2	21	0.02	1028	0
19/03/2020	BH8GM	0	8.1	0.6	0.1	1028	0
19/03/2020	BH10GM	0	8.7	12.9	0.02	1028	0
26/03/2020	1NF001AGM	0	1.7	14.8	-0.71	1022	0
26/03/2020	1NF001BGM	0	0.1	22	0.1	1022	0
26/03/2020	1NF002AGM	0	4.5	3.7	-1.02	1023	0
26/03/2020	1NF002BGM	0	2.4	14.1	0.24	1023	0
26/03/2020	1NF003AGM	0	1.7	18.5	-1.43		0
26/03/2020	1NF003BGM	0	3.5	15.2	-1.84	1023	0
26/03/2020	1NF004AGM	0	0.4	20.4	0.33	1023	0
26/03/2020	1NF004BGM	0	13.7	3.5	0.36	1023	0
26/03/2020	1NF005AGM	0	0.4	20.8	0.33	1023	0
26/03/2020	1NF005BGM	0	0.3	21	0.67	1023	0
26/03/2020	1NF005CGM	0	0.4	20.8	0.38	1023	0
26/03/2020	1NF005DGM	0	1	20.6	0.34	1022	0
26/03/2020	1NF005EGM	0	0.3	21.2	0.31	1023	0
26/03/2020	1NF006AGM	0	1.7	20.5	0.22	1023	0
26/03/2020	1NF006BGM	0	0.4	21.2	0.34	1022	0
26/03/2020	1NF007AAGM	0	2.1	19.6	0.38	1023	0
26/03/2020	1NF007ABGM	0	0.1	21.7	0.17	1023	0
26/03/2020	1NF007ACGM	0	0.5	21.5	0.12	1023	0
26/03/2020	1NF007ADGM	0	0.1	21.8	0.47	1022	0
26/03/2020	1NF007AEGM	0	0.2	21.8	0.21	1023	0
26/03/2020	1NF007AFGM	0	0.4	21.5	0.36	1022	0
26/03/2020	1NF008AGM	0	0.1	22	0.28	1022	0
26/03/2020	1NF008BGM	0	0.2	21.9	0.09	1021	0
26/03/2020	1NF008CGM	0	0.4	21.8	0.34	1023	0
26/03/2020	1NF008DGM	0	0.4	21.9	0.19	1023	0
26/03/2020	1NF008EGM	0	0.1	20.7	0.45	1022	0
26/03/2020	1NF009AAGM	0	0.1	20.7	0.16	1023	0
26/03/2020	1NF009ABGM	0	7.2	11.5	0.22	1023	0
26/03/2020	1NF009ACGM	0	0.1	20.8	0.1	1022	0
26/03/2020	1NF009ADGM	0	0.1	22.1	0.21	1023	0
26/03/2020	1NF009AEGM	0	0.1	20.8	0.22	1022	0
26/03/2020	1NF009AFGM	0	0.4	22	0.31	1022	0
26/03/2020	1NF010AAGM	0	8.7	9	0.17	1023	0
26/03/2020	1NF010ABGM	0	0.8	19.8	0.1	1023	0
26/03/2020	1NF010ACGM	0	0.2	20.6	0.19	1023	0
26/03/2020	1NF010ADGM	0	5	15.4	0.14	1022	0
26/03/2020	1NF010AEGM	0	1.6	18.8	0.28	1023	0
26/03/2020	1NF010AFGM	0	3.1	17.9	0.28	1022	0
26/03/2020	1NF011AAGM	0	2.4	16.3	0.16	1023	0
26/03/2020	1NF011ABGM	0	0.1	20.8	0.26	1023	0
26/03/2020	1NF011ACGM	0	0.5	20.3	0.22	1023	0
26/03/2020	1NF011ADGM	0	0.1	20.8	0.34	1022	0
26/03/2020	1NF011AEGM	0	2.4	18.6	0.36	1022	0
26/03/2020	1NF011AFGM	0	2.9	15.7	0.17	1022	0
26/03/2020	1NF012AGM	0	1.9	18.4	0.24	1023	0
26/03/2020	1NF012BGM	0	1.9	18.5	0.38	1023	0
26/03/2020	1NF013AGM	0	0.1	20.6	0.34	1023	0
26/03/2020	1NF013BGM	0	0.1	20.7	0.24	1022	0
26/03/2020	1NF014AGM	0	0.1	20.6	0.98	1023	0
26/03/2020	1NF014BGM	0	0.1	20.6	1.29	1022	0
26/03/2020	1NF014CGM	0	0.4	20.5	0.26	1022	0
26/03/2020	1NF014DGM						
26/03/2020	1NF014EGM	0	0.8	20.4	0.31	1022	0
26/03/2020	1NF014FGM	0	1.2	19.8	0.41	1022	0
26/03/2020	1NF015AGM	0	0.2	20.5	0.33	1023	0
26/03/2020	1NF015BGM	0	0.2	20.6	0.17	1022	0
26/03/2020	1NF016AAGM	0	0.7	20.3	0.5	1023	0
26/03/2020	1NF016ABGM	0	1.2	19.6	0.16	1022	0
26/03/2020	1NF016ACGM	0	0.1	20.7	0.26	1022	0
26/03/2020	1NF016ADGM	0	0.1	20.6	0.31	1022	0
26/03/2020	1NF016AEGM	0	0.1	20.6	0.4	1022	0
26/03/2020	1NF016AFGM	0	0.8	19.8	0.4	1022	0
26/03/2020	1NF017AGM	0	0.1	20.7	0.34	1022	0
26/03/2020	1NF017BGM	0	0.1	20.7	0.28	1022	0
26/03/2020	1NF018AGM	0	0.5	20.4	0.36	1022	0
26/03/2020	1NF018BGM	0	0.2	20.6	0.33	1022	0
26/03/2020	1NF018CGM	0	0.7	20.1	0.28	1022	0
26/03/2020	1NF018DGM	0	0.2	20.6	0.4	1022	0
26/03/2020	1NF018EGM	0	0.4	20.5	0.34	1022	0
26/03/2020	1NF018FGM	0	0.2	20.5	0.41	1022	0
26/03/2020	1NF019AGM	0	0.2	20.3	0.4	1023	0
26/03/2020	1NF019BGM	0	0.1	20.6	0.31	1023	0
26/03/2020	1NF020AGM	0	1.7	18.2	0.28	1022	0
26/03/2020	1NF020BGM	0	1.5	18.9	0.64	1022	0
26/03/2020	1NF020CGM	0	1.6	18.6	0.69	1022	0
26/03/2020	1NF020DGM	0	0.2	20.4	0.45	1022	0
26/03/2020	1NF020EGM	0	0.1	20.1	0.4	1022	0
26/03/2020	1NF020FGM	0	1.4	19	0.48	1021	0
26/03/2020	1NF021AGM	0	0.1	20.6	0.48	1023	0
26/03/2020	1NF021BGM	0	0.5	20.2	0.41	1022	0
26/03/2020	1NF022ABGM	0	0.1	20.5	0.74	1022	0
26/03/2020	1NF022ADGM	0	0.1	20.4	0.47	1022	0
26/03/2020	1NF022AFGM	0	0.2	20.4	0.6	1022	0

26/03/2020	1NF022AGM	0	0.2	20.2	0.5	1022	0
26/03/2020	1NF022CGM	0	0.2	20.3	0.41	1022	0
26/03/2020	1NF022EGM	0	0.2	20.3	0.45	1022	0
26/03/2020	1NF023AGM	0	0.6	20.4	0.43	1023	0
26/03/2020	1NF023BGM	0	0.1	20.6	0.53	1022	0
26/03/2020	1NF024AGM	0	0.1	20.6	0.6	1023	0
26/03/2020	1NF024BGM	0	0.1	20.7	0.41	1022	0
26/03/2020	1NF025AGM	0	0.5	20.1	0.59	1022	0
26/03/2020	1NF025BGM	0	0.5	20.2	3.19	1022	0
26/03/2020	1NF026GM	0	2	17.5	0.79		0
26/03/2020	1NF027GM	0	1.1	19.7	0.98	1023	0
26/03/2020	1NF028GM	0	0.5	20.6	0.57	1024	0
26/03/2020	1NF029GM	0	3.5	16.9	0.59	1024	0
26/03/2020	1NF030GM	0	0.8	19.4	0.57	1024	0
	1NF031AGM						
	1NF032BGM						
	1NF033BGM						
	1NF034BGM						
26/03/2020	1NF036GM	0	0.1	20.9	-0.28		0
	BH4GM						
	BH6GM						
	BH8GM						
	BH10GM						

Date	Monitoring Point	Methane (CH4) %	Carbon Dioxide (CO2) %	Oxygen (O2) %	Rel Pressure (mb)	Atmospheric Pressure (mb)	CO (ppm)
25/04/2019	CTRLGW4	2.7	13	5.8	-1.1	998	0
25/04/2019	CTRLGW5	0	13.6	5.8	-0.96	999	0
25/04/2019	GV1	27.6	22.6	2.3	-14.68		11
25/04/2019	GV2	17.5	15.8	7.1	-21.13	999	4
25/04/2019	GV3	33.9	26.6	1	-19.25	999	5
25/04/2019	SVGV2	30.6	19.8	4.8	-2.76	997	63
24/04/2019	SVGV3	42.2	25.7	1.2	-15.53	991	62
25/04/2019	GW 1.1	26.9	24.2	0.4	-9.17	998	0
25/04/2019	GW 2.1	1	4.9	15	-3.33	998	0
25/04/2019	GW 2.2	21.9	19.2	0.9	-1.57	996	0
25/04/2019	GW 2.3	0.1	5.1	12.7	-1.29	996	0
25/04/2019	GW 2.4	21.9	19.1	1.1	-1.57	998	0
25/04/2019	GW 3.1	30.1	25.5	0.9	-14.78	998	0
25/04/2019	GW 3.2	0	0.1	21.3	-5	998	0
25/04/2019	GW 4.1	0	4.2	16.2	-4.98	998	0
25/04/2019	GW 4.2	37	28	1.6	-17.4	997	2
25/04/2019	GW 5.1	0	0.1	21.3	-6	997	0
25/04/2019	GW 5.2	0	6.3	4.8	-6.13	997	0
25/04/2019	GW 6.1	43.3	28.8	1.7	-13.84	998	1
25/04/2019	GW 6.2	15.1	18.1	6.9	-16.99	998	2
25/04/2019	GW 6.3	37.9	25.3	2.7	-3.79	998	26
25/04/2019	GW 7.1	22.5	24.5	0.8	-16.02	998	1
25/04/2019	GW 7.2	49.2	33.2	1.9	-16.32	998	11
25/04/2019	GW 8.1R	0	12.9	8.3	-10.55	998	0
25/04/2019	GW 8.2	39.1	26.1	2.2	-3.34	998	16
25/04/2019	GW 8.2A	24.7	27.7	0.7	-8.58	996	6
25/04/2019	GW 9.1	3.9	18.5	6.9	-2.77	997	0
25/04/2019	GW 9.2	40.8	27.1	3.1	-4.57	997	12
25/04/2019	GW 10.1R	0	1.9	18.7	-2.58	998	0
25/04/2019	GW 10.2	42.4	29.9	1.1	-16.11	998	16
25/04/2019	GW 11.1	4.9	8.7	18.1	-2.48	997	0
25/04/2019	GW 11.2	15.4	11.1	6.9	-1.34	997	0
25/04/2019	GW 12.1	38.2	24.8	0.9	-1.71	998	42
25/04/2019	GW 12.2	9	20.8	1	-1.76	997	1
25/04/2019	GW 13.1	34.8	23.2	4.8	-0.6	999	7
25/04/2019	GW 14.1	44.4	30.3	1.1	-2.71	999	20
25/04/2019	GW 14.2	50.7	31.3	2.9	-2.14	998	10
25/04/2019	GW 14.3	55.8	31.5	1.4	-2.15	998	0
25/04/2019	GW 15.1	50.8	31.2	3.4	-0.17	1000	19
25/04/2019	GW 15.2	56.2	32.1	1.2	-2.48	999	4
25/04/2019	GW 15.3	1.2	6.4	4.1	-2.48	998	0
25/04/2019	GW 16.1	61.9	37.1	0.3	-2.64	1000	24
25/04/2019	GW 17.1	29.2	19.5	6.5	-2.74	999	12
25/04/2019	GW 18.1	14.5	19.9	2.1	-1.02	1000	4
25/04/2019	GW 19.1	0.2	1	19.8	-0.31	998	0
25/04/2019	GW 20.1	26.7	22.8	2.1	-14.96	999	2
25/04/2019	GW 21.1	27.1	23.3	0.7	-17.06	999	11
25/04/2019	CTRLDT1	0.2	0.3	20.8	-21.16	999	0
25/04/2019	CTRLDT2	11.3	9.1	14.1	-20.87	999	2
25/04/2019	DT3R	28	21.2	6.2	-18.78	998	2
25/04/2019	DT4	33.2	27.5	1.3	-18.39	998	7
25/04/2019	DT5	35	26.7	2.4	-17.45	998	11
25/04/2019	DT10	37.3	24.8	3.2	-2.84	1000	13
25/04/2019	DT11	35.1	23.2	3.9	-2.77	1000	30
25/04/2019	OLDFLARE	31.2	24.7	1.7	-22.97	998	10
25/04/2019	Flare 2 (New)	0.1	0.2	21	-21.83	1000	0
25/04/2019	Flare Both	30.9	24.4	1.8	-21.64	1000	8
02/05/2019	Flare 1 (Old)	31.2	24.3	1.5	-21.51	1013	7
02/05/2019	Flare 2 (New)	31.1	24.7	1.5	-21.65	1015	4
02/05/2019	Flare Both	31.3	24.5	1.7	-19.51	1013	5
02/05/2019	GV1	26.4	21.7	2.9	-12.72	1015	7
02/05/2019	GV2	16.9	15.9	8.2	-18.46	1015	0
02/05/2019	GV3	33	28.1	2.2	-16.22	1013	2
02/05/2019	SVGV2	36.8	23	2.8	-0.27	1012	33
02/05/2019	SVGV3	38.9	24.7	0.7	-15.86	1011	47
08/05/2019	Flare 1 (Old)	34.7	26.7	1.2	-18.67	993	0
08/05/2019	Flare 2 (New)	34.7	26.9	1	-17.43	992	0
08/05/2019	Flare Both	35.1	27.8	1.3	-18.29	991	0
08/05/2019	GV1	31.4	24.1	2.7	-10.46	994	0
08/05/2019	GV2	23.4	18.6	10.2	-16.05	993	0
08/05/2019	GV3	35.2	29	2	-15.34	992	0
08/05/2019	SVGV2	59.4	34.1	1.2	0.65	991	1
08/05/2019	SVGV3	59.2	34.3	0.4	-11.46	990	0
14/05/2019	Flare 1 (Old)	28.9	24.3	1.4	-22.43	1034	2
14/05/2019	Flare 2 (New)	27.6	23.8	1.9	-22.95	1034	2
14/05/2019	Flare Both	28.7	24.2	1.5	-20.78	1034	2
14/05/2019	GV1	24.3	21.7	2.3	-10.86	1036	0
14/05/2019	GV2	15.3	16.1	6.9	-19.56	1036	4
14/05/2019	GV3	30.8	25.9	0.9	-18.45	1034	4
14/05/2019	SVGV2	28.2	20.7	3	-0.53	1033	8
14/05/2019	SVGV3	28.3	21	2.4	-7.56	1032	10
22/05/2019	Flare 1 (Old)	30.1	24.8	1.5	-21.18	1021	6
22/05/2019	Flare 2 (New)	30.6	24.6	1.7	-20.81	1021	1
22/05/2019	Flare Both	30.4	24.5	1.7	-20.62	1022	1
22/05/2019	CTRLGW1	0	3.6	17.8	0.09	1021	0
22/05/2019	CTRLGW2	0	12.8	7.7	-0.12	1021	0
22/05/2019	CTRLGW3	12.2	18.7	1.5	-11.95	1021	4
22/05/2019	CTRLGW4	0.5	9.9	9.9	0.15	1021	0
22/05/2019	CTRLGW5	0	12.9	6.2	1.2	1021	0
22/05/2019	GV1	25.6	22.2	2.6	-12.21	1022	0
22/05/2019	GV2	25.8	20.4	4.8	-18.65	1021	5
22/05/2019	GV3	32.2	26.2	0.6	-18.38	1021	2
22/05/2019	SVGV2	26.7	20.2	3.1	-3.36	1019	8
22/05/2019	SVGV3	28	21.2	2.3	-14.59	1019	9
22/05/2019	GW 1.1	24.5	23.5	0.5	-7.26	1020	0
22/05/2019	GW 2.1	1.1	5.5	13.4	-2	1020	0
22/05/2019	GW 2.2	21.2	21.5	1.6	-3.75	1020	1
22/05/2019	GW 2.3	0	4.2	16.1	0.1	1020	0
22/05/2019	GW 2.4	4.6	12.5	8.4	-0.62	1020	0
22/05/2019	GW 3.1	26.2	23.9	1.9	-12.74	1021	0
22/05/2019	GW 3.2	0.1	0.1	21.2	-5.19	1020	0
22/05/2019	GW 4.1	0	0.1	21.3	-3.89	1020	0
22/05/2019	GW 4.2	35.9	27	0.6	-15.07	1020	2
22/05/2019	GW 5.1	0.1	0.1	21.3	-4.95	1020	0
22/05/2019	GW 5.2	0	6.4	7.6	-5.29	1020	0
22/05/2019	GW 6.1	17	19.9	5.2	-14.06	1020	2
22/05/2019	GW 6.2	41.2	28.4	0.4	-11.75	1020	1
22/05/2019	GW 6.3	40	27	3.1	-3.65	1019	20
22/05/2019	GW 7.1	18.6	23	1.3	-13.75	1020	1
22/05/2019	GW 7.2	36	28.4	2	-13.89	1019	1
22/05/2019	GW 8.1R	0	10.6	9.6	-8.56	1020	1
22/05/2019	GW 8.2	60.1	36	0.4	-3.22	1019	4
22/05/2019	GW 8.2A	20.8	26	0.7	-7.02	1020	3
22/05/2019	GW 9.1	3	16.8	3.3	-1.76	1020	1
22/05/2019	GW 9.2	37	25	4	-3.77	1019	8
22/05/2019	GW 10.1R	0.2	1.1	19.7	-1.75	1020	1
22/05/2019	GW 10.2	39.9	28.5	1	-13.68	1019	11
22/05/2019	GW 11.1	2.6	4.5	15.6	-1.44	1019	1
22/05/2019	GW 11.2	11	9.2	8.1	-0.1	1019	2
22/05/2019	GW 12.1	30.6	23.2	0.6	-2.69	1020	18
22/05/2019	GW 12.2	0.5	18.8	3.3	-0.98	1019	1
22/05/2019	GW 13.1	19.3	16.2	7.3	-0.39	1020	5
22/05/2019	GW 14.1	37.9	28.1	1.4	-3.13	1021	12
22/05/2019	GW 14.2	45.6	29.8	2.3	-2.65	1020	13
22/05/2019	GW 14.3	55.5	29.2	1.2	-3	1020	3
22/05/2019	GW 15.1	69.5	70.5	19.2	-3.15	1019	5
22/05/2019	GW 15.2	49	30.4	3.7	0.38	1020	3
22/05/2019	GW 15.3	0	3.5	9	-1.32	1020	1
22/05/2019	GW 16.1	57.7	33.5	1.8	-3.6	1021	8
22/05/2019	GW 17.1	46.9	26.6	3.5	-3.34	1020	7
22/05/2019	GW 18.1	16.8	20.1	2	-1.06	1021	4
22/05/2019	GW 19.1	0	0.3	20.2	-0.29	1020	0
22/05/2019	GW 20.1	23.3	22.2	2.6	-13.1	1021	1
22/05/2019	GW 21.1	26.8	22.9	0.4	-14.23	1021	6
22/05/2019	CTRLDT1	0.4	0.5	20.2	-17.88	1021	0
22/05/2019	CTRLDT2	21.7	15.6	9.5	-17.88	1022	3
22/05/2019	DT3R	26.8	20.7	5.5	-15.67	1020	0
22/05/2019	DT4	31.5	26.8	1	-15.22	1020	3
22/05/2019	DT5	33.9	26.3	2.2	-15.19	1014	6
22/05/2019	DT10	35	24.2	3.6	-3.8	1021	14
22/05/2019	DT11	23.2	18.3	5.2	-3.22	1021	13
22/05/2019	OLDFLARE	30.3	24.5	1.8	-20.12	1021	8
22/05/2019	Flare 2 (New)	0.7	0.6	20.8	-18.34	1020	4
22/05/2019	Flare Both	29.9	24.1	2	-18.38	1020	6
28/05/2019	Flare 1 (Old)	31.9	25.1	1.8	-19.2	1010	6
28/05/2019	Flare 2 (New)	31.9	25.4	1.7	-21.49	1011	3
28/05/2019	Flare Both	31.9	25	1.9	-20.24	1011	6
28/05/2019	GV1	25.7	21.9	2.7	-12.38	1013	4
28/05/2019	GV2	26.5	20.6	5.8	-17.74	1012	6
28/05/2019	GV3	32.5	27.1	1	-16.34	1010	4
28/05/2019	SVGV2	30.2	21.6	3.3	-3.87	1010	27
28/05/2019	SVGV3	31.4	22.5	2.3	-15.7	1009	14
06/06/2019	Flare 1 (Old)	30	24.9	2	-21.75	1012	7
06/06/2019	Flare 2 (New)	30.5	24.2	2.5	-21.8	1011	3
06/06/2019	Flare Both	29.4	23.4	2.8	-21.21	1011	5
06/06/2019	GV1	26.2	22.2	2.3	-12.1	1013	9
06/06/2019	GV2	24.9	19.8	5.7	-19.21	1012	8
06/06/2019	GV3	32.4	25.7	1.2	-18.57	1011	4
06/06/2019	SVGV2	27.7	21.1	3.4	-4	1010	6
06/06/2019	SVGV3	26.5	20.1	4.4	-16.02	1010	6
13/06/2019	Flare 1 (Old)	32.3	25.3	1.6	-20.36	1005	2
13/06/2019	Flare 2 (New)	31.8	25.3	1.7	-20.14	1007	1
13/06/2019	Flare Both	32.1	25.1	1.8	-19.44	1006	4
13/06/2019	GV1	27.8	22.9	1.4	-12.1	1007	3
13/06/2019	GV2	25.1	19.8	4	-18.09	1005	7
13/06/2019	GV3	33.2	25.7	2	-16.08	1005	3
13/06/2019	SVGV2	32.3	22.9	3.3	-1.88	1005	8
13/06/2019	SVGV3	35.1	22.5	2.9	-1.88	1005	8
20/06/2019	Flare 1 (Old)	29.5	24.4	2	-22.61	1011	1
20/06/2019	Flare 2 (New)	30.1	24.9	2.1	-21.92	1012	0
20/06/2019	Flare Both	29.6	24.1	2.3	-23.43	1013	0
20/06/2019	CTRLGW1	0.3	1.1	18.3	0.12	1014	0
20/06/2019	CTRLGW2	0.4	14	4.6	-0.39	1013	1
20/06/2019	CTRLGW3	14.4	19.6	0.9	-13.44	1013	4
20/06/2019	CTRLGW4	2.5	11.8	6.9	-0.02	1013	0
20/06/2019	CTRLGW5	0.3	14.7	2.9	0.05	1014	0
20/06/2019	GV1	28.5	23.9	1.6	-13.14	1014	8
20/06/2019	GV2	21.4	18.2	6.3	-20.18	1014	0
20/06/2019	GV3	32	25.8	1.2	-19.4	1012	0
20/06/2019	SVGV2	30.1	22.6	2.4	-3.46	1012	8
20/06/2019	SVGV3	31.1	23.5	1.7	-15.82	1012	9
20/06/2019	GW 1.1	25.6	23.9	2.1	-7.84	1013	1
20/06/2019	GW 2.1	1.2	4.8	13.6	-2.31	1012	1
20/06/2019	GW 2.2	23	22.1	2	-4.49	1012	4
20/06/2019	GW 2.3	0.3	4.7	13.7	0.02	1013	1
20/06/2019	GW 2.4	0.3	7.8	11.9	-0.46	1013	1
20/06/2019	GW 3.1	28.9	25.7	1	-13.99	1013	1
20/06/2019	GW 3.2	0.3	0.1	20.5	-5.91	1013	1
20/06/2019	GW 4.1	0.3	0.1	20.6	-4.2	1012	1
20/06/2019	GW 4.2	38.1	28.3	0.6	-16.44	1012	4
20/06/2019	GW 5.1	0.3	0.1	20.7	-5.58	1012	1
20/06/2019	GW 5.2	0.3	5.4	10.7	-6.17	1012	1
20/06/2019	GW 6.1	19.3	20.9	5	-15.72	1012	7
20/06/2019	GW 6.2	43.5	30.1	0.3	-12.72	1012	2
20/06/2019	GW 6.3	36.8	25.1	4	-3.94	1012	15
20/06/2019	GW 7.1	21.2	24.8	0.7	-14.37	1012	3
20/06/2019	GW 7.2	41.6	32.4	0.6	-14.92	1012	11
20/06/2019	GW 8.1R	0.3	11.8	7.7	-9.69	1012	1
20/06/2019	GW 8.2	61.1	37.8	0.6	-3.65	1012	8
20/06/2019	GW 8.2A	11.2	13.1	11	-6.11	1012	4
20/06/2019	GW 9.1	3.3	16.3	4.3	-1.97	1012	1
20/06/2019	GW 9.2	43.9	30.2	1.6	-4.5	1012	11
20/06/2019	GW 10.1R	0.3	0.6	20.7	-2.29	1012	1
20/06/2019	GW 10.2	42.8	30.8	0.8	-14.16	1010	16
20/06/2019	GW 11.1	2.3	3.2	17.2	-2.09	1012	1
20/06/2019	GW 11.2	10	10	8	-0.07	1012	2
20/06/2019	GW 12.1	32.2	25	0.2	-3.34	1010	25
20/06/2019	GW 12.2	0.3	2.1	19.7	-0.57	1012	1
20/06/2019	GW 13.1	22.2	16.7	8	-0.19	1012	7
20/06/2019	GW 14.1	40.1	30.5	1.5	-2.88	1014	18
20/06/2019	GW 14.2	46	30.6	2.6	-2.5	1013	11
20/06/2019	GW 14.3	53.2	28.9	2.1	-2.65	1013	2
20/06/2019	GW 15.1	50.3	31.5	3.5	0.1	1014	15
20/06/2019	GW 15.2	55	32.3	1.7	-2.81	1013	4
20/06/2019	GW 15.3	21.8	9	0.7	0.29	1012	1
20/06/2019	GW 16.1	65.3	38	0.3	-2.98	1013	22
20/06/2019	GW 17.1	10.7	5	17.8	3.08	1014	4
20/06/2019	GW 18.1	14.9	20.6	2.5	-0.33	1014	9
20/06/2019	GW 19.1	4.9	3.6	16.2	0.45	1013	1
20/06/2019	GW 20.1	25.2	23.1	2.2	-13.56	1013	3
20/06/2019	GW 21.1	28.9	23.8	0.5	-15.5	1013	9
20/06/2019	CTRLDT1	0.4	0.2	19.8	-19.51	1014	0
20/06/2019	CTRLDT2	18.4	12.8	11.3	-20.21	1014	4
20/06/2019	DT3R	31.6	24.6	3.3	-17.01	1013	3
20/06/2019	DT4	30.6	25.6	2.7	-16.71	1012	9
20/06/2019	DT5	32.6	24.1	4.9	-16	1013	5
20/06/2019	DT10	38.3	25	6	-3.13	1014	3
20/06/2019	DT11	25.5	19.5	5.3	-3.53	1014	20
20/06/2019	OLDFLARE	31	24.8	2.1	-19.66	1013	7
20/06/2019	Flare 2 (New)	1.4	0.9	20	-20.35	1013	2
20/06/2019	Flare Both	29.9	24.7	2.1	-19.54	1013	7
28/06/2019	Flare 1 (Old)	29.9	25.2	2	-18.43	1027	3
28/06/2019	Flare 2 (New)	30.7	25.9	1.7	-19.25	1026	1
28/06/2019	Flare Both	30	25.6	1.7	-20.33	1026	0
28/06/2019	GV1	26.9	23.5	2	-10.48	1027	2
28/06/2019	GV2	19.7	18.2	6.1	-17.09	1028	1
28/06/2019	GV3	32.1	26.6	1.3	-15.4	1026	0
28/06/2019	SVGV2	28.3	23.4	2.4	-0.03	1024	6
28/06/2019	SVGV3	28.4	23.5	2	-13.75	1024	8
03/07/2019	Flare 1 (Old)	28.5	24.1	1.8	-21.49	1028	6
03/07/2019	Flare 2 (New)	28.8	23.9	2	-19.7	1027	3
03/07/2019	Flare Both	28.7	23.6	2.3	-18.77	1028	4
03/07/2019	GV1	26.1	22.1	2	-10.37	1028	0
03/07/2019	GV2	18.4	16.8	6.6	-19.06	1028	2
03/07/2019	GV3	30.7	25	1.9	-16.49	1027	2
03/07/2019	SVGV2	24.9	21.6	1.5	0.59	1020	0
03/07/2019	SVGV3	25.2	21.6	1.6	-13.31	1024	0
03/07/2019	GW 3.2	0	0	20.8	-3.12	1027	0
03/07/2019	GW 4.2	36	26.9	0.5	-14.27	1027	2

12/09/2019	GW 9.1	5.7	14.6	5.7	-2.23	1027	0
12/09/2019	GW 9.2	34.1	28.9	1.4	-7.11	1027	8
12/09/2019	GW 10.1R	0	0.3	19.9	-2.02	1027	0
12/09/2019	GW 10.2	35.4	28.8	1.9	-10.96	1027	11
12/09/2019	GW 11.1	8.5	17.6	4.1	-7.69	1027	0
12/09/2019	GW 11.2	6.6	10.5	8.8	-1.28	1027	0
12/09/2019	GW 12.1	19.2	23.4	1.2	-4.73	1027	1
12/09/2019	GW 12.2	0	0.7	19.7	-1.68	1027	0
12/09/2019	GW 13.1	12	13	9.2	-0.21	1027	4
12/09/2019	GW 14.1	24.7	26.2	2.7	-6.17	1029	15
12/09/2019	GW 14.2	31.1	26.5	3.9	-4.83	1028	7
12/09/2019	GW 14.3	47.8	27.4	2.8	-6.11	1027	1
12/09/2019	GW 15.1	21.1	15.8	10.5	-0.17	1029	2
12/09/2019	GW 15.2	21.1	17.1	9.5	-6.46	1028	4
12/09/2019	GW 15.3	8.1	5.5	6.5	-0.17	1027	0
12/09/2019	GW 16.1	50.3	32.8	0.6	-6.37	1029	14
12/09/2019	GW 17.1	47.9	30	2.2	-6.51	1028	8
12/09/2019	GW 18.1	0	0.3	20.2	-0.98	1029	1
12/09/2019	GW 19.1	4.6	3.9	15.6	-0.22	1028	0
12/09/2019	GW 20.1	29.3	24.1	1.6	-9.21	1028	1
12/09/2019	GW 21.1	31.2	23.8	1.3	-13.24	1028	10
12/09/2019	CTRLDT1	0.1	0.2	19	-13.32	1029	0
12/09/2019	CTRLDT2	21.6	18	7.7	-14.35	1028	6
12/09/2019	DT3R	26	22.4	4.3	-13.96	1028	1
12/09/2019	DT4	24.1	22.9	4.1	-12.93	1028	4
12/09/2019	DT5	23.9	20.7	6.1	-11.41	1028	4
12/09/2019	DT10	27.1	22.2	5.5	-5.14	1029	12
12/09/2019	DT11	14.6	16.9	6.2	-6.61	1028	3
12/09/2019	Flare 1 (Old)	27.3	23	3	-16.83	1029	9
12/09/2019	Flare 2 (New)						
12/09/2019	Flare Both	27.6	23.1	3.1	-16.08	1028	9
20/09/2019	Flare 1 (Old)	30.6	24.5	2.3	-15.39	1027	10
20/09/2019	Flare 2 (New)						
20/09/2019	Flare Both	30.5	24.4	2.5	-14.89	1028	10
20/09/2019	GV1	30.4	23.8	1.5	-6.46	1027	3
20/09/2019	GV2	30.5	22.9	4.4	-12.57	1028	12
20/09/2019	GV3	30.6	25.3	1.4	-12.16	1027	5
20/09/2019	SVGV2	17.6	18.7	4.9	-3.08	1025	2
20/09/2019	SVGV3	17.8	18.9	4.8	-8.23	1024	2
27/09/2019	Flare 1 (Old)	32.4	26.1	2.3	-16.36	1006	6
27/09/2019	Flare 2 (New)	32.1	25.8	2.5	-15.48	1005	4
27/09/2019	Flare Both	32.6	26.7	1.9	-16.51	1005	1
27/09/2019	GV1	33.1	25.1	2.3	-7.6	1004	9
27/09/2019	GV2	31.9	23.9	4.3	-12.14	1006	11
27/09/2019	GV3	32	26.4	1.7	-12.62	1005	3
27/09/2019	SVGV2	17.1	16.8	7.4	-4.11	1003	0
27/09/2019	SVGV3	16.4	16.2	7.9	-10.89	1003	0
03/10/2019	Flare 1 (Old)	31.5	25.5	1.8	-17.02	1019	6
03/10/2019	Flare 2 (New)	30.3	24.6	2.3	-17.04	1020	4
03/10/2019	Flare Both	30.1	24.3	2.4	-15.59	1020	8
03/10/2019	GV1	32.7	24.4	1.7	-7.55	1017	0
03/10/2019	GV2	30.6	23.5	4.1	-14.32	1020	14
03/10/2019	GV3	30.4	25	1.5	-13.44	1020	5
03/10/2019	SVGV2	16.9	18.2	5	-3.5	1015	0
03/10/2019	SVGV3	17.8	19.2	4.4	-9.75	1015	0
11/10/2019	Flare 1 (Old)	Flare remained off from 03/10/2019 due to internal visit					
06/10/2019	Flare 2 (New)	33.5	25.5	2.1	-16.63	1008	2
11/10/2019	Flare Both	33.7	25.5	2.1	-15.97	1007	5
11/10/2019	CTRLGW1	1.2	10.3	9.1	0.07	1007	0
11/10/2019	CTRLGW2	1.2	10.3	11.3	0.09	1007	0
11/10/2019	CTRLGW3	42.3	20.4	0.6	0.16	1007	17
11/10/2019	CTRLGW4	34.1	19.5	0.9	-0.1	1007	9
11/10/2019	CTRLGW5	25.3	18.6	0.7	-0.16	1007	1
11/10/2019	GV1	34.5	24.8	1.8	-8.43	1008	5
11/10/2019	GV2	34.6	24.7	3.7	-13.85	1007	10
11/10/2019	GV3	33	25.8	1.3	-13.27	1007	2
11/10/2019	SVGV2	18	16.3	7.6	-5.43	1005	0
11/10/2019	SVGV3	21.5	19.6	4.7	-9.27	1005	0
11/10/2019	GW 1.1	30.6	25	1.4	-4.53	1006	0
11/10/2019	GW 2.1	1.5	2.3	17.9	-0.78	1006	0
11/10/2019	GW 2.2	30.4	23.3	1.5	-2.14	1006	3
11/10/2019	GW 2.3	0.2	14.3	3.8	-0.07	1006	0
11/10/2019	GW 2.4	8.1	21	0.5	0.28	1006	0
11/10/2019	GW 3.1	32	26.5	0.7	-9.74	1006	1
11/10/2019	GW 3.2	0	0.7	21	-2.76	1005	0
11/10/2019	GW 4.1	0	0.1	21.7	-0.29	1006	0
11/10/2019	GW 4.2	39.1	27.2	0.5	-9.58	1006	1
11/10/2019	GW 5.1	0.1	0.2	21.7	-2.83	1006	0
11/10/2019	GW 5.2	18.7	19.5	3.8	-3.19	1006	0
11/10/2019	GW 6.1	21	20.1	5.9	-11.99	1006	2
11/10/2019	GW 6.2	39.2	28.5	0.4	-7.98	1006	0
11/10/2019	GW 6.3	53.2	34.2	0.8	-4.03	1006	6
11/10/2019	GW 7.1	19.6	24	0.6	-7.48	1006	1
11/10/2019	GW 7.2	29.8	28.4	1.2	-9.12	1006	2
11/10/2019	GW 8.1R	0	14.1	5.9	-8.06	1006	0
11/10/2019	GW 8.2	55.3	32.3	0.3	-3.77	1005	2
11/10/2019	GW 8.2A	7.8	8.7	15.2	-1.79	1006	0
11/10/2019	GW 9.1	9.7	19.5	1.9	-0.12	1006	0
11/10/2019	GW 9.2	36.7	28.8	1.2	-4.24	1006	0
11/10/2019	GW 10.1R	0	0.4	21.3	-0.19	1006	0
11/10/2019	GW 10.2	40.3	29.7	0.8	-7	1006	2
11/10/2019	GW 11.1	11.7	18.3	3.6	-5.43	1005	0
11/10/2019	GW 11.2	12.5	16.4	4.1	0.1	1005	0
11/10/2019	GW 12.1	27.6	24.9	0.6	-3.53	1005	4
11/10/2019	GW 12.2	0	0.7	20.8	0.78	1005	0
11/10/2019	GW 13.1	16.8	15.6	8.2	-0.78	1006	4
11/10/2019	GW 14.1	25	23.7	4.6	-4.72	1007	6
11/10/2019	GW 14.2	25.5	24.2	3.9	-4.81	1005	5
11/10/2019	GW 14.3	45.3	25.8	3.5	-5.12	1004	0
11/10/2019	GW 15.1	51.1	34.8	0.9	0.55	1007	10
11/10/2019	GW 15.2	32.1	23.1	6.3	-5.1	1006	3
11/10/2019	GW 15.3	0	4.6	7.5	-0.14	1005	0
11/10/2019	GW 16.1	50.6	32.2	0.3	-6.77	1006	14
11/10/2019	GW 17.1	55.7	31.6	1.8	-4.84	1006	3
11/10/2019	GW 18.1	17	11.5	13.8	-0.26	1007	0
11/10/2019	GW 19.1	23.5	18.1	3	1.15	1007	1
11/10/2019	GW 20.1	33.2	24	1.3	-9.56	1007	2
11/10/2019	GW 21.1	34.1	23.8	0.8	-12.3	1006	12
11/10/2019	CTRLDT1	0.2	0.2	20.7	-11.6	1008	0
11/10/2019	CTRLDT2	30.5	21.7	6.2	-10.73	1007	6
11/10/2019	DT3R	28.8	22.8	4.5	-11.91	1006	1
11/10/2019	DT4	28	24.4	3.2	-12.42	1006	1
11/10/2019	DT5	28.2	22.8	4.9	-10.46	1006	0
11/10/2019	DT10	35.4	25.5	4.4	-5.44	1007	7
11/10/2019	DT11	21	19.1	5.2	-5.57	1007	4
11/10/2019	Flare 1 (Old)	Flare remained off from 03/09/2019 due to internal visit					
11/10/2019	Flare 2 (New)	33.5	25.6	2.1	-17.21	1006	3
11/10/2019	Flare Both	33.6	25.7	2.1	-14.08	1006	5
17/10/2019	Flare 1 (Old)	31.7	26.8	2.2	-16.41	1008	4
17/10/2019	Flare 2 (New)	32	26.4	2.4	-17.76	1008	1
17/10/2019	Flare Both	31.8	26.2	2.5	-16.59	1007	5
18/10/2019	Flare 1 (Old)	32.9	26.7	2.5	-16.03	1001	3
18/10/2019	Flare 2 (New)	Flare turned off 17/10/2019, not required					
18/10/2019	Flare Both	32.9	26.6	2.6	-14.61	1001	5
18/10/2019	GV1	32.6	25.4	2.1	-8.05	1002	1
18/10/2019	GV2	32.4	24.7	4.1	-10.55	1001	4
18/10/2019	GV3	31.7	26.7	3.2	-11.37	1002	0
18/10/2019	SVGV2	No Sample - Monthly Requirment					
18/10/2019	SVGV3	No Sample - Monthly Requirment					
24/10/2019	Flare 1 (Old)	33.7	27.5	2	-15.88	1004	6
24/10/2019	Flare 2 (New)	0	0.1	21.7	-14.56	1003	0
24/10/2019	Flare Both	34	27.6	1.9	-13.55	1004	8
24/10/2019	GV1	34.3	26.9	1.4	-7.3		5
24/10/2019	GV2	34	24.2	4	-11.63	1004	4
24/10/2019	GV3	33.1	26.3	2.4	-10.8	1003	1
24/10/2019	SVGV2	16.5	14.6	10.1	-7.46	1003	0
24/10/2019	SVGV3	19.3	17.3	7.8	-10.42	1002	0
29/10/2019	Flare 1 (Old)	44.4	29.8	0.6	-12.16	1024	17
29/10/2019	Flare Both	37.1	27.2	0.5	-14.74	1023	6
31/10/2019	Flare 1 (Old)	32.7	25.1	2.4	-16.13	1020	4
31/10/2019	Flare 2 (New)	33	25.6	2.3	-16.56	1019	1
31/10/2019	Flare Both	32.7	25.1	2.4	-14.7	1020	3
31/10/2019	GV1	32.7	24.3	2.1	-8.76	1020	3
31/10/2019	GV2	32.7	23.8	4	-11.38	1019	4
31/10/2019	GV3	32.4	25.3	1.6	-12.62	1020	1
31/10/2019	SVGV2	20.6	18.6	5.6	-6.03	1018	0
31/10/2019	SVGV3	18.6	16.8	7.1	-10.98	1017	0
07/11/2019	Flare 1 (Old)	Flare left off so no reading taken					
07/11/2019	Flare 2 (New)	34.6	25.9	2.1	-17.4	992	6
07/11/2019	Flare Both	32.9	24.4	3.2	-17.32	992	1
07/11/2019	CTRLGW1	1.8	10.8	9.6	-0.29	992	0
07/11/2019	CTRLGW2	23.7	19.6	1.5	-0.17	992	1
07/11/2019	CTRLGW3	47.3	20.9	1	-0.1	992	1
07/11/2019	CTRLGW4	37.5	20.3	0.9	-0.24	992	13
07/11/2019	CTRLGW5	27.8	19.4	4.5	-0.21	992	0
07/11/2019	GV1	36.5	25.6	1.9	-7.6	991	7
07/11/2019	GV2	35.5	24.7	4.1	-13.44	992	9
07/11/2019	GV3	33.6	26	1.3	-13.34	992	0
07/11/2019	SVGV2	13.4	11	12.7	-7.27	992	0
07/11/2019	SVGV3	17.2	14.2	10.2	-10.77	991	1
07/11/2019	GW 1.1	33.1	26	0.7	-6.15	991	1
07/11/2019	GW 2.1	5	5.4	17.3	-0.1	990	1
07/11/2019	GW 2.2	32.9	24.2	1.6	-3.34	991	5
07/11/2019	GW 2.3	3.9	15.3	1	-0.22	991	0
07/11/2019	GW 2.4	19	24.1	0.2	-0.22	991	1
07/11/2019	GW 3.1	33.6	27.6	0.2	-9.69	992	9
07/11/2019	GW 3.2	1.5	4.9	15.1	-3.89	991	1
07/11/2019	GW 4.1	2	2.5	17.6	-0.34	991	0
07/11/2019	GW 4.2	39.9	28	0.3	-11.07	991	2
07/11/2019	GW 5.1	0.8	0.6	20.3	-3.65	991	1
07/11/2019	GW 5.2	0.1	9.4	3.9	-3.77	990	0
07/11/2019	GW 6.1	16.8	15.7	9.4	-11.29	991	2
07/11/2019	GW 6.2	39.3	29.2	0.2	-10.3	990	2
07/11/2019	GW 6.3	52.7	34.2	0.9	-5.96	991	9
07/11/2019	GW 7.1	19.6	24.5	0.5	-9.93	991	3
07/11/2019	GW 7.2	28.7	27.6	2.6	-10.02	990	9
07/11/2019	GW 8.1R	0.1	14.9	5	-8.63	991	1
07/11/2019	GW 8.2	55.3	32.9	0.2	-6.04	990	5
07/11/2019	GW 8.2A	6.8	7.7	14.9	-2.57	990	1
07/11/2019	GW 9.1	13.1	21.7	1.9	-0.74	990	2
07/11/2019	GW 9.2	36.9	29.3	0.9	-5.89	990	3
07/11/2019	GW 10.1R	0.1	1	19	-0.28	991	1
07/11/2019	GW 10.2	40.7	30.4	0.9	-8.8	990	4
07/11/2019	GW 11.1	12	18.3	4.1	-6.25	990	2
07/11/2019	GW 11.2	16	18.7	2.1	-0.4	990	1
07/11/2019	GW 12.1	30.7	25.5	0.2	-4.7	990	19
07/11/2019	GW 12.2	1.3	8.4	12.1	-2.43	990	1
07/11/2019	GW 13.1	15.3	13.6	10.1	-0.33	991	7
07/11/2019	GW 14.1	24.4	23.2	4.3	-5.96	992	12
07/11/2019	GW 14.2	37.5	28.4	3	-5.18	991	10
07/11/2019	GW 14.3	48.2	27.3	2.9	-6.42	991	3
07/11/2019	GW 15.1	51.7	35.6	0.4	-0.22	992	47
07/11/2019	GW 15.2	31.3	22.8	6.3	-6.18	992	5
07/11/2019	GW 15.3	8	9.3	1.6	-1.29	990	2
07/11/2019	GW 16.1	51.1	32.7	0.6	-8.01	992	7
07/11/2019	GW 17.1	57.7	32.7	0.7	-6.28	991	6
07/11/2019	GW 18.1	20.3	15.9	8.8	-0.26	993	2
07/11/2019	GW 19.1	21.6	19.2	1.5	-0.4	992	0
07/11/2019	GW 20.1	35.5	24.9	1.3	-8.26	992	2
07/11/2019	GW 21.1	35.8	24.6	0.6	-11.5	992	12
07/11/2019	CTRLDT1	0	0.2	19.9	-12.28	992	0
07/11/2019	CTRLDT2	30.2	21.7	7.1	-11.24	993	5
07/11/2019	DT3R	26.5	21.1	6.1	-13.58	991	3
07/11/2019	DT4	27.6	24	3.7	-11.71	991	3
07/11/2019	DT5	28.9	23.6	4.5	-8.69	991	3
07/11/2019	DT10	33.7	24.5	4.7	-7.18	992	14
07/11/2019	DT11	21.7	18.4	6.2	-6.42	993	13
07/11/2019	Flare 1 (Old)	Flare let off so no reading taken					
07/11/2019	Flare 2 (New)	33.9	25.6	2.3	-17.36	993	7
07/11/2019	Flare Both	33.6	25.5	2.5	-17.34	991	10
13/11/2019	Flare 1 (Old)	32.2	26.1	1.6	-15.53	999	7
13/11/2019	Flare 2 (New)	32.5	25.7	2	-17.94	1000	3
13/11/2019	Flare Both	32.3	25.6	2	-14.89	1000	8
13/11/2019	GV1	32.5	24.7	1.8	-8.4	1000	9
13/11/2019	GV2	33	25	3.4	-10.81	999	17
13/11/2019	GV3	31.5	25.6	1.5	-12.4	999	3
13/11/2019	SVGV2	16.4	15.4	8	-5.54	997	1
13/11/2019	SVGV3	18.5	17.6	6.2	-9.37	995	1
20/11/2019	Flare 1 (Old)	31.9	25.6	1.9	-15.17	1012	7
20/11/2019	Flare 2 (New)	32	26.1	1.7	-17.15	1012	4
20/11/2019	Flare Both	31.6	25.2	3.3	-13.93	1012	7
20/11/2019	GV1	31.4	24.5	4.1	-8.44	1013	1
20/11/2019	GV2	32.4	24.7	3.6	-9.18	1013	14
20/11/2019	GV3	31.5	25.8	2.7	-11.17	1012	3
20/11/2019	SVGV2	4.5	4.5	16.8	-0.98	1009	0
20/11/2019	SVGV3	7.7	7.5	20.1	-3.67	1008	0
29/11/2019	Flare 1 (Old)	27.8	23.7	2.2	-25.93	1016	4
29/11/2019	Flare 2 (New)	27.4	22.8	2.8	-24.78	1016	4
29/11/2019	Flare Both	27.2	22.7	3	-24.92	1015	6
29/11/2019	GV1	25.3	21.3	3	-17.3	1016	1
29/11/2019	GV2	19.5	15.2	8.3	-24.37	1016	1
29/11/2019	GV3	28.3	24.7	2	-21.76	1015	3
29/11/2019	SVGV2	11.4	15	4.9	-6.25	1014	0
29/11/2019	SVGV3	11	14.5	5.5	-19.73	1015	1
04/12/2019	Flare 1 (Old)	27.7	24.5	2	-22.19	1013	6
04/12/2019	Flare 2 (New)	28	24.2	2.3	-21.88	1021	4
04/12/2019	Flare Both	27.7	24	2.5	-21.69	1021	5
04/12/2019	CTRLGW1	0.4	11	10.9	0.24	1021	0
04/12/2019	CTRLGW2	19.1	18.8	1.1	0.24	1020	0
04/12/2019	CTRLGW3	49.5	19.9	2	0.55	1021	5
04/12/2019	CTRLGW4	26.9	15.4	5.6	0.22	1021	0
04/12/2019	CTRLGW5	19.2	18.9	0.4	0.57	1021	0
04/12/2019	GV1	26.2	23	2.6	-15.01	1022	4
04/12/2019	GV2	16.9	15.6	8.2	-21.07	1021	2
04/12/2019	GV3	29.3	25.2	1.6	-18.18	1021	5
04/12/2019	SVGV2	19	20.6	2.3	-0.26	1018	7
04/12/2019	SVGV3	19.8	21.4	1.4	-13.81	1018	9
04/12/2019	GW 1.1	24.7	24	1.4	-6.18	1020	1
04/12/2019	GW 2.1	0.1	0.3	19.7	-1.08	1020	0
04/12/2019	GW 2.2	27.5	23.1	1.2	-2.53	1020	4
04/12/2019	GW 2.3	0.1	4.8	14.7	-0.14	1020	1
04/12/2019	GW 2.4	0	14.9	3.2	0.21	1020	1
04/12/2019	GW 3.1	29.2	25.3	1.5	-11.7	1020	1
04/12/2019	GW 3.2	20.2	15.4	4.5	-2.28	1020	1
04/12/2019	GW 4.1	0.1	0.3	20	-0.03	1019	1
04/12/2019	GW 4.2	47.1	28.6	0.6	-3.24	1019	2
04/12/2019	GW 5.1	0.4	0.4	20.1	-2.28	1019	1
04/12/2019	GW 5.2	0.1	7.7	3.1	-2.79	1019	2
04/12/2019	GW 6.1	5.8	6.5	15.6	-11.37	1019	2
04/12/2019	GW 6.2	36.9	27.7	0.3	-10.04	1019	2
04/12/2019	GW 6.3	34.5	25	3.2	-0.45	1018	7
04/12/2019	GW 7.1	18.8	23.3	1.2	-12.91	1019	3
04/12/2019	GW 7.2	34.9	30.3	0.4	-13.43	1018	8
04/12/2019	GW 8.1R	0.1	9.8	9.9	-13.67	1019	1
04/12/2019	GW 8.2	34.5	25	3.2	-0.34	1019	5
04/12/2019	GW 8.2A	6.5	8.7	13.5	-2.76	1019	2
04/12/2019	GW 9.1	11.6	21	2.3	-0.19	1019	1
04/12/2019	GW 9.2	35.5	27.1	1.5	-10.69	1019	4
04/12/2019	GW 10.1R	0.1	0.3	20.3	-0.12	1019	2
04/12/2019	GW 10.2	37.8	28.4	1.8	-11.75	1018	7
04/12/2019	GW 11.1	7.7	14	7.5	-12.19	1018	2
04/12/2019	GW 11.2	16.4	19.7	3.2	0.19	1018	2
04/12/2019	GW 12.1	22.5	22.2	0.4	-3.27	1018	23
04/12/2019	GW 12.2	0.1	4.5	16.6	-2.98	1018	2
04/12/2019	GW 13.1	18.1	15.7	7.6	0.21	1019	4
04/12/2019	GW 14.1	37.1	30.4	0.6	0.24	1020	5
04/12/2019	GW 14.2	39.7	29.8	0.9	-0.05	1019	12
04/12/2019	GW 14.3	60.6	32.1	0.5	-0.14	1019	10
04/12/2019	GW 15.1	42.6	32.5	1	0.45	1020	20
04/12/2019	GW 15.2	33.9	27	2.3	-0.12	1019	6
04/12/2019	GW 15.3	0.2	7.3	5.4	0.27	1018	2
04/12/2019	GW 16.1	62.2	35	1.4	-0.27	1019	6
04/12/2019	GW 17.1	63.7	31.5	1.5	-0.96	1019	6
04/12/2019	GW 18.1	4.3	4.1	17.8	-0.02	1019	2
04/12/2019	GW 19.1	16	15.5	9.4	0.24	1020	1
04/12/2019	GW 20.1	23.9	22.2	1.9	-13.89	1020	2
04/12/2019	GW 21.1	32.7	23.5	0.5	-13.99	1020	7
04/12/2019	CTRLDT1	0	0.1	20	-17.79	1022	0
04/12/2019	CTRLDT2	9.3	7.8	15	-18.05	1022	0
04/12/2019	DT3R	24.7	20.5	6.4	-15.07	1020	2
04/12/2019	DT4	26.4	23.6	2.8	-14.45	1020	4
04/12/2019	DT5	25.8	21.4	5	-13.72	1019	4
04/12/2019	DT10	41	23.6	3.6	-0.03	1020	2
04/12/2019	DT11	17.9	16.3	7	-0.26	1020	3
04/12/2019	Flare 1 (Old)	29.2	23.8	2.1	-18.86	1020	7
04/12/2019	Flare Both	29	23.6	2.2	-17.91	1019	7
13/12/2019	Flare 1 (Old)	31	25.1	2.4	-23.74	980	8
13/12/2019	Flare 2 (New)	31.1	25.7	1.9	-25.69	981	7
13/12/2019	Flare Both	30.8	25	2.5	-23.24	980	10
13/12/2019	GV1	28.6	24	2.6	-15.58	980	17
13/12/2019	GV2	20.5	16.5	7.5	-21.63	980	3
13/12/2019	GV3	32.5	26.5	1.7	-11.6	980	5
13/12/2019	SVGV2	25.8	19.3	7.1	-4.36	981	12
13/12/2019	SVGV3	31.6	23.8	3.9	-18.04	980	16
19/12/2019	GV1	24.7	20.2	5.4	-11.54	996	8
19/12/2019	GV2	13.6	11.2	11.5	-14.3	1000	3
19/12/2019	GV3	25.1	20.1	5.5	-13.46	1000	1
19/12/2019	SVGV2	26.8	22	2.9	1.59	994	21
19/12/2019	SVGV3	25.4	20.8	3.9	-9.74	993	16
23/12/2019	GV1	27.2	24.1	1.6	-9.45	1011	1
23/12/2019	GV2	1.7	1.5	18.9	-2.4	1007	0
23/12/2019	GV3	21.8	20.2	1.9	-9.74	1009	1
23/12/2019	SVGV2	23.4	19.3	3.5	-4.37	1009	5
23/12/2019	SVGV3	24.2	19.8	2.9	-14.74	1008	5
	Flare 1 (Old)						
24/12/2019	Flare 2 (New)	25.6	19.3	5.6	-7.5	1006	1
24/12/2019	Flare Both	26.9	20.3	4.8	-7.54	1006	2
24/12/2019	GV1	35	25.8	0.9	-3.78	1008	4
24/12/2019	GV2	5.6	4.3	17.1	-5.19	1007	0
24/12/2019	GV3	34.1	25.9	0.7	-6.49	1007	0
	SVGV2						
	SVGV3						
03/01/2020	Flare Both	30	21.3	4.8	-10.82	1018	4
03/01/2020	CTRLGW1	3.9	15.4	3.5	-0.24	1021	0
03/01/2020	CTRLGW2	12.1	18.8	1.5	-0.29	1017	0
03/01/2020	CTRLGW3	27.6	21	0.2	-3.32	1020	14
03/01/2020	CTRLGW4	28.3	19.1	0.5	-0.21	1022	20
03/01/2020	CTRLGW5	9.9	12.2	7	-0.45	1021	0
03/01/2020	GV1	36.6	26.8	1.5	-5.72	1021	5
03/01/2020	GV2	5.5	3.8	17.8	-4.86	1018	0
03/01/2020	GV3	37.2	27.6	0.7	-8.78	1016	0
03/01/2020	SVGV2	37	24.3	4	-3.36	1019	43
03/01/2020	SVGV3	38.1	25	3.5	-9.69	1019	29
03/01/2020	GW 1.1	28.5	25.4	0.5	-6.66	1019	0
03/01/2020	GW 2.1	9.3	12.2	7.8	-3.15	1019	0
03/01/2020	GW 2.2	31.2	23.2	2.1	-3.68	1020	0
03/01/2020	GW 2.3	0	3.8	17.4	0.21	1021	0
03/01/2020	GW 2.4	49.8	26.8	0.8	-0.72	1021	4
03/01/2020	GW 3.1	36	27.3	0.4	-6.28	1020	7
03/01/2020	GW 3.2	1.9	2.9	18	-3.84	1021	0
03/01/2020	GW 4.1	1.3	1.5	20.6	-3.08	1019	0
03/01/2020	GW 4.2	48.4	28.3	0.7	-7.24	1020	0
03/01/2020	GW 5.1	0.2	0.3	21.4	-10.64	1019	0
03/01/2020	GW 5.2	19.2	10.4	3.5	0.17	1020	0
03/01/2020	GW 6.1	8	7.7	15.8	-8.63	1020	0
03/01/2020	GW 6.2	41.5	28.5	0.4	-8.94	1020	0
03/01/2020	GW 6.3	36.4	24.7	4.5	-4.14	1020	11
03/01/2020	GW 7.1	22.5	24.8	0.6	-9.38	1020	3
03/01/2020	GW 7.2	34.5	22.9	7.3	-9.01	1021	0
03/01/2020	GW 8.1R	0.1	15.4	2.2	-10.38	1020	0
03/01/2020	GW 8.2	37.5	25.3	4.1	-4.18	1020	4
03/01/2020	GW 8.2A	26.5	28.2	1.1	-7.43	1020	26
03/01/2020	GW 9.1	7.2	16.3	6	-4.36	1020	0
03/01/2020	GW 9.2	43.6	28.6	1.9	-9.32	1020	1
03/01/2020	GW 10.1R	0.8	4.7	6.5	-6.25	1020	0
03/01/2020	GW 10.2	40.9	29.5	1.6	-8.65	1020	1
03/01/2020	GW 11.1	11.7	15.4	7	-10.07	1020	0
03/01/2020	GW 11.2	14.1	16.9	1.5	-3.29	1020	0
03/01/2020	GW 12.1	35	25.4	0.5	-4.63	1020	25
03/01/2020	GW 12.2	10.3	20	3	-3.27	1020	0
03/01/2020	GW 13.1	36	23.4	4.7	-0.21	1020	2
03/01/2020	GW 14.1	34.8	24.7	5.6	-3.58	1021	8
03/01/2020	GW 14.2	19.3	15.6	12	-2.86	1022	0
03/01/2020	GW 14.3	18.9	16	12.5	-4.51	1020	1
03/01/2020	GW 15.1	47.2	28.3	4.8	-2.43	1022	0
03/01/2020	GW 15.2	44	29.9	2.3	-4.25	1021	3
03/01/2020	GW 15.3	24.4	10.7	0.9	-0.45	1021	0
03/01/2020	GW 16.1	35.5	24.4	4.8	-4.49	1021	8
03/01/2020	GW 17.1	46.3	24.7	4.7	-3.27	1022	2
03/01/2020	GW 18.1	0	0.1	21.4	-2.77	1021	0
03/01/2020	GW 19.1	12.3	11.6	9.5	-0.75	1020	0
03/01/2020	GW 20.1	33.8	25.1	0.6	-4.01	1021	0
03/01/2020	GW 21.1	34	23.9	0.4	-9.08	1020	2
03/01/2020	CTRLDT1	0.3	0.9	19.8	-6.28	1021	0
03/01/2020	CTRLDT2	1.6	1.2	20.1	-5.6	1022	0
03/01/2020	DT3R	33.2	25.6	2.9	-10.49	1019	2
03/01/2020	DT4	33.2	27.5	1.7	-10.81	1020	5
03/01/2020	DT5	33.5	26.6	2.5	-10.52	1020	4
03/01/2020	DT10	56.7	26.3	3.6	-4.68	1022	0
03/01/2020	DT11	35.2	24.1	4.6	-4.51	1022	7
03/01/2020	Flare Both	27.1	20.9	5.8	-13.5	1023	4
09/01/2020	Flare Both	33.5	23.6	4.1	-9.57	1007	5
09/01/2020	GV1	42.3	28.1	1	-3.36	1005	8
09/01/2020	GV2	7.5	5	17.4	-4.68	1006	1
09/01/2020	GV3	40.2	28.4	0.4	-8.45	1007	3
09/01/2020	SVGV2	56.9	34.5	0.4	1.72	1004	2
09/01/2020	SVGV3	56.9	34.5	0.4	-2.26	1003	3
13/01/2020	Flare Both	33.2	22.7	3.8	-10.41	1014	4
13/01/2020	GV2	8.4	5.4	16.6	-4.21	1014	0
13/01/2020	GV3	39.9	27.2	0.5	-8.55	1014	3
16/01/2020	Flare Both	30.8	22.2	4.1	-17.59	1018	2
16/01/2020	GV1	36.4	25.8	1.2	-4.73	1014	9
16/01/2020	GV2	8	5.3	16.9	-7.96	1017	0
16/01/2020	GV3	36.9	26.7	0.8	-15.17	1018	1
16/01/2020	SVGV2	32.8	23.7	0.6	0.02	1013	36
16/01/2020	SVGV3	32.8	23.6	0.7	-10.64	1012	34
23/01/2020	Flare Both	30.3	22.2	4.4	-17.74	1032	2
23/01/2020	GV1	33	24.9	1.5	-5.36	1032	8
23/01/2020	GV2	7.5	5.5	16.4	-7.19	1032	0
23/01/2020	GV3	35.8	26.5	0.8	-16.05	1032	0
23/01/2020	SVGV2	35.4	25.3	0.3	0.43	1027	69
23/01/2020	SVGV3	35.3	25.2	0.4	-9.64	1026	51
28/01/2020	Flare Both	30.3	22	5	-16.98	997	5
28/01/2020	GV1	35.6	25.4	1.7	-5.75	997	14
28/01/2020	GV2	6.9	4.8	17.2	3.15	995	0
28/01/2020	GV3	37.5	26.2	2.2	-16.03	996	1
28/01/2020	SVGV2	35	22.7	3.2	-3.03	995	52
28/01/2020	SVGV3	35.6	23	3.1	-14.71	995	40
31/01/2020	CTRLGW1	0.1	12.9	9	-0.29	1007	0
31/01/2020	CTRLGW2	8.3	14.6	5.6	-0.1	1007	0
31/01/2020	CTRLGW3	26	21	0.7	-3.91	1007	28
31/01/2020	CTRLGW4	22.2	19.7	0.8	0.03	1007	0
31/01/2020	CTRLGW5	10.2	15.8	4.6	-0.24	1007	0
31/01/2020	GV1	32.7	25.5	1	-6.75	1009	18
31/01/2020	GV2	6.1	4	17.9	-8.42	1007	0
31/01/2020	GV3	36.4	27.6	0.6	-16.34	1007	2
31/01/2020	SVGV2	29.4	22	1.6	-0.38	1005	49
31/01/2020	SVGV3	29.7	22.3	1.4	-10.69	1004	41
31/01/2020	GW 1.1	30.9	25.4	0.7	-6.63	1006	1
31/01/2020	GW 2.1	1.2	3.2	16.1	-1.83	1006	1
31/01/2020	GW 2.2	30.1	24.3	1.6	-2.41	1006	3
31/01/2020	GW 2.3	0	2.2	18.4	-0.15	1006	1
31/01/2020	GW 2.4	7.2	16.3	8.1	-9.49	1006	0
31/01/2020	GW 3.1	31.7	26.6	0.6	-11.93	1006	1
31/01/2020	GW 3.2	16.9	18.9	2.5	-3.58	1006	2
31/01/2020	GW 4.1	0	0.1	20	-2.41	1006	1
31/01/2020	GW 4.2	49.8	29.8	0.8	-7.68	1005	3
31/01/2020	GW 5.1	24.9	24.8	1.9	-15.03	1006	10
31/01/2020	GW 5.2	0	7.4	0.8	-0.17	1005	1
31/01/2020	GW 6.1	14.6	15	9.5	-12.41	1006	3
31/01/2020	GW 6.2	44.4	30.1	0.3	-11.24	1006	3
31/01/2020	GW 6.3	40	27	3.3	-2.24	1005	15
31/01/2020	GW 7.1	23.7	25.3	0.6	-12.33	1006	2
31/01/2020	GW 7.2	32.4	27.2	3.1	-12.09	1005	2
31/01/2020	GW 8.1R	0	12	8	-12.79	1006	2
31/01/2020	GW 8.2	40.9	27.6	3.2	-1.91	1005	7
31/01/2020	GW 8.2A	19.5	26.7	1.4	-7.87	1005	3
31/01/2020	GW 9.1	7.7	20.3	1.8	-2.62	1005	2
31/01/2020	GW 9.2	35.2	23.9	4.8	-11.31	1005	3
31/01/2020	GW 10.1R	6	6.4	5.6	-3.19	1005	1
31/01/2020	GW 10.2	41.7	29.8	1.2	-11.73	1005	7
31/01/2020	GW 11.1	13.1	15.5	5.6	-11.11	1005	2
31/01/2020	GW 11.2	19.4	18.7	2.3	-0.69	1004	2
31/01/2020	GW 12.1	31.8	23.6	1.1	-1.77	1005	30
31/01/2020	GW 12.2	1.5	18.5	0.6	-0.74	1004	3
31/01/2020	GW 13.1	36.9	26.1	2.7	-0.12	1005	10
31/01/2020	GW 14.1	40.9	28.5	3.4	-0.67	1006	10
31/01/2020	GW 14.2	27.8	18.9	9.5	-1.21	1006	6
31/01/2020	GW 14.3	60.6	33.8	0.6	-0.9	1005	2
31/01/2020	GW 15.1	53.3	33.8	1.7	0.5	1006	11
31/01/2020	GW 15.2	52.3	32.1	1	-0.57	1005	7
31/01/2020	GW 15.3	0.3	6.4	2.1	0	1005	1
31/01/2020	GW 16.1	63.2	37.3	0.9	-1.43	1006	8
31/01/2020	GW 17.1	15.2	10	14.6	-0.48	1006	1
31/01/2020	GW 18.1	0.1	1.9	17.6	-0.21	1007	1
31/01/2020	GW 19.1	0.3	1.2	18.9	0.05	1007	1
31/01/2020	GW 20.1	37.8	25.8	0.7	-5.99	1008	2
31/01/2020	GW 21.1	35.1	24.9	0.2	-14.38	1007	11
31/01/2020	CTRLDT1	0	0.1	19.7	-8.33	1008	0
31/01/2020	CTRLDT2	2.4	2	18.7	-8.52	1008	0
31/01/2020	DT3R	31.3	23.8	3.8	-16.06	1006	3
31/01/2020	DT4	33.8	27.4	1.1	-14.67	1006	4
31/01/2020	DT5	33.7	25.9	2.6	-12.66	1006	3
31/01/2020	DT10	38.9	21.1	4.9	-0.38	1006	2
31/01/2020	DT11	34.9	25.1	2.5	-0.52	1006	18
06/02/2020	Flare Both	26.3	20.4	5.7	-18.23	1031	3
06/02/2020	GV1	32.2	25.4	1.4	-5.99	1032	16
06/02/2020	GV2	7.3	5.4	16.6	-7.59	1030	0
06/02/2020	GV3	34.2	26.6	1	-14.98	1031	2
06/02/2020	SVGV2	26.5	23.2	0.5	0.09	1026	45
06/02/2020	SVGV3	26.6	23.2	0.5	-10.98	1028	35
13/02/2020	Flare Both	34.4	24.6	3	-11.76	992	6
13/02/2020	GW 14.1	43.2	29.1	0.1	-0.07	991	17
13/02/2020	GW 14.2	62.9	33.9	0.1	-0.34	991	46
13/02/2020	GW 14.3	62.7	33.8	0.1	-0.03	990	41
13/02/2020	GW 15.1	59.1	34.4	0.2	0.4	992	1
13/02/2020	GW 15.2	55.9	34.6	0.1	-0.34	992	5
13/02/2020	GW 15.3	11.6	8.5	0.3	-0.19	990	0
13/02/2020	DT11	60.1	35.6	0.2	-0.22	992	11
13/02/2020	GV1	42.9	29.1	1	-3.17	992	11
13/02/2020	GV2	9.5	6.3	15.8	-5.04	993	0
13/02/2020	GV3	39.8	28	0.5	-9.78	992	3
13/02/2020	SVGV2	55	34.7	0.3	2.44	989	4
13/02/2020	SVGV3	55	34.6	0.4	-8.37	988	4
14/02/2020	Flare Both	27.9	21.1	4.6	-17.37		5
14/02/2020	GV1	26.6	22.9	1.1	-5.81	1019	18
14/02/2020	GV2	6.8	4.9	16.9	-7.52	1019	0
14/02/2020	GV3	34.6	26.2	0.8	-14.73	1018	3
14/02/2020	GW 14.1	44.8	31.2	0.4	-1.68	1017	27
14/02/2020	GW 14.2	25	16.9	10.4	0.36	1016	4
14/02/2020	GW 14.3	22.6	18	3.6	-2.12	1015	0
14/02/2020	GW 15.1	50.1	31.4	1.8	0.1	1018	42
14/02/2020	GW 15.2	51.2	30.5	1.2	-2.11	1018	3
14/02/2020	GW 15.3	4.1	5.5	1.2	0.29	1017	0
14/02/2020	DT11	31.9	23.5	2.5	-2.69	1017	24
20/02/2020	Flare Both	31.3	23.2	3.9	-12.67	1008	7
20/02/2020	Flare Both	31.4	23.5	3.6	-13.07	1007	7
20/02/2020	GV1	39	27.8	0.7	-3.43	1008	17
20/02/2020	GV2	6.1	4.4	17.4	-4.92	1007	0
20/02/2020	GV3	37.7	28.1	0.5	-11.71	1007	3
20/02/2020	SVGV2	48.8	31	1.7	-1.81	1007	17
20/02/2020	SVGV3	49.8	31.3	2	-13.88	1006	16
20/02/2020	GW 14.2	55.4	34.3	0.2	2.62	1006	15
20/02/2020	GW 15.1	58.8	34.9	0.2	1.72	1007	4
20/02/2020	GW 15.2	57.8	33.9	0.2	-0.15	1008	6
27/02/2020	Flare Both	31.2	21.8	5	-16.68	996	4
27/02/2020	CTRLGW1	2.4	16.9	3.9	-0.93	1000	0
27/02/2020	CTRLGW2	8.2	17.7	3.4	-1.07	999	0
27/02/2020	CTRLGW3	24.9	21.2	0.6	-3.37	998	31

27/02/2020	CTRLGW4	18.5	17.9	1.5	-0.36	999	0
27/02/2020	CTRLGW5	21	17.4	1.4	-0.64	998	0
27/02/2020	GV1	41.6	28.6	1.3	-3.98	996	13
27/02/2020	GV2	5.3	3.9	18.1	-5.29		0
27/02/2020	GV3	38.3	28	1.1	-12.86	996	3
27/02/2020	SVGV2	49.3	31.7	1.9	-1.36	997	9
27/02/2020	SVGV3	50.4	32.2	1.8	-12.07	996	10
27/02/2020	GW 1.1	28.7	23.8	1.4	-7	998	0
27/02/2020	GW 2.1	1.1	3.6	19.5	-3.05	997	0
27/02/2020	GW 2.2	31	24.6	1.9	-4.56	998	3
27/02/2020	GW 2.3	0	0.7	20.6	-0.05	998	0
27/02/2020	GW 2.4	47	27.1	1.2	-10.53	998	0
27/02/2020	GW 3.1	33.7	25.3	1.4	-10.75	998	0
27/02/2020	GW 3.2	20.6	13.5	9.4	-4.51	999	0
27/02/2020	GW 4.1	0.3	0.3	20.7	-0.14	998	0
27/02/2020	GW 4.2	49.1	30.4	1.9	-8.44	998	2
27/02/2020	GW 5.1	9.3	9.1	13.7	-14.11	998	0
27/02/2020	GW 5.2	0.4	7.9	1.2	3.51	998	0
27/02/2020	GW 6.1	4.3	4	17.9	-11.65	998	0
27/02/2020	GW 6.2	45.6	30.6	0.9	-11.35	998	0
27/02/2020	GW 6.3	48.3	30.8	3	-3.03	998	8
27/02/2020	GW 7.1	23.7	23.7	2.6	-11.72	998	0
27/02/2020	GW 7.2	45.5	31.1	3.4	-12.1	998	0
27/02/2020	GW 8.1R	0	11.5	9.5	-11.53	998	0
27/02/2020	GW 8.2	49.1	31.3	2.1	-2.82	998	5
27/02/2020	GW 8.2A	21.6	25.6	1.4	-7.98	998	7
27/02/2020	GW 9.1	6.4	19.5	2.8	-2.79	998	0
27/02/2020	GW 9.2	32.5	21.9	6.8	-10.69	998	0
27/02/2020	GW 10.1R	20.5	16	3.2	-3.67	998	0
27/02/2020	GW 10.2	43	30.5	1.8	-10.33	998	7
27/02/2020	GW 11.1	12.9	13.7	7.5	-10.82	998	0
27/02/2020	GW 11.2	15.3	16.9	1.6	-2.15	998	0
27/02/2020	GW 12.1	38.2	24.9	0.9	-1.59	998	97
27/02/2020	GW 12.2	3.5	18	1.1	-1.71	997	0
27/02/2020	GW 13.1	45.3	29.4	2.6	-0.86	999	0
27/02/2020	GW 14.1	48.5	31.1	1.5	-1.91	998	19
27/02/2020	GW 14.2	33.1	24.3	7	-1.88	999	3
27/02/2020	GW 14.3	56.1	30.9	2.4	-2.21	998	1
27/02/2020	GW 15.1	58.4	34.2	1.4	-0.53	1000	0
27/02/2020	GW 15.2	54.3	32.3	2	-2.27	999	3
27/02/2020	GW 15.3	4.4	6.2	6.4	-0.17	998	0
27/02/2020	GW 16.1	62	35.4	1.7	0.72	999	9
27/02/2020	GW 17.1	25.2	14.1	12.2	-0.29	999	6
27/02/2020	GW 18.1	5.9	5.8	15.2	0.07	1000	0
27/02/2020	GW 19.1	15.5	15.9	8.7	-0.53	998	0
27/02/2020	GW 20.1	36.7	24.8	1.2	-4.51	999	0
27/02/2020	GW 21.1	34.5	25.1	0.5	-13.36	997	11
27/02/2020	CTRLDT1	0	0.1	20.9	-5.81	999	0
27/02/2020	CTRLDT2	1.4	1.2	20.2	-6.13	1000	0
27/02/2020	DT3R	30.9	21.9	5.6	-14.85	998	1
27/02/2020	DT4	33.6	25.4	3.3	-14.58	998	3
27/02/2020	DT5	33.3	24.1	3.4	-12.41	998	3
27/02/2020	DT10	40.1	17.7	5.3	-2.63	1000	0
27/02/2020	DT11	47.9	30.7	1.9	-2.58	1000	1
27/02/2020	Flare Both	28	20.4	5	-18.47	1000	4
05/03/2020	Flare Both	31.5	22.4	3.9	-14.06	991	5
05/03/2020	GV1	41.2	27.1	1	-3.14	992	12
05/03/2020	GV2	6.9	4.5	17.4	-3.86	992	0
05/03/2020	GV3	37	26.4	0.9	-11.15	991	2
05/03/2020	SVGV2	59.7	34	0.8	2.41	987	13
05/03/2020	SVGV3	59.4	33.9	0.8	-6.91	987	11
05/03/2020	GW 14.1	48.6	29.1	0.3	1.66	988	23
05/03/2020	GW 14.2	65	33.4	0.2	0.14	987	71
05/03/2020	GW 14.3	65	33.3	0.2	1.32	987	84
05/03/2020	GW 15.1	61.3	33.9	0.2	2.11	988	5
05/03/2020	GW 15.2	61	33.6	0.2	0.6	989	8
05/03/2020	GW 15.3	4.7	6.7	0.3	1.9	988	0
05/03/2020	DT11	62.2	34.4	0.3	1.32	989	28
06/03/2020	GV2	0.1	0.2	20.8	-0.6	1007	0
06/03/2020	GV3	0.1	0.1	20.9	-1.57	1007	0
06/03/2020	Flare Both	5.3	4	17.7	-1.83	1006	0
06/03/2020	Flare Both	1.3	1.1	17.9	-1.72	1007	0
06/03/2020	Flare Both	1.1	1	18.2	-1.59	1007	0
09/03/2020	Flare Both	9.9	6.3	15.9	-1.09	1015	0
09/03/2020	Flare Both	13.7	9.7	13.2	-1	1015	2
09/03/2020	Flare Both	0.5	0.7	20.4	-0.53	1015	0
09/03/2020	Flare Both	0.5	0.8	20.2	-0.57	1014	0
09/03/2020	Flare Both	2	2.2	19.5	0.31	1014	0
09/03/2020	Flare Both	25	19.2	5.5	-11.28	1014	3
09/03/2020	GV1	10.4	7.1	15.8	0.16	1013	0
09/03/2020	GV2	0.4	0.6	20.4	0.07	1016	0
09/03/2020	GV3	0.4	0.6	20.4	-0.31	1015	0
09/03/2020	GV2	0.1	0.5	20.8	-0.48	1014	0
09/03/2020	GV3	1.1	1.1	20.4	-1.17	1014	1
09/03/2020	SVGV2	31.4	23.6	5.8	0.34	1012	0
09/03/2020	SVGV3	32	24	5.4	0.29	1012	1
19/03/2020	Flare Both	29	24.1	5	-17.19	1027	1
19/03/2020	GV1	33.2	28.1	1.2	-3.9	1028	9
19/03/2020	GV2	4.7	3.7	18.3	-5.34	1028	0
19/03/2020	GV3	36.3	30.3	0.9	-13	1027	1
19/03/2020	SVGV2	23.9	23	2.3	-1.59	1025	86
19/03/2020	SVGV3	24.1	23.2	2.2	-11.65	1025	65
26/03/2020	Flare Both	26.2	18.5	6.5	-14.51	1023	1
26/03/2020	CTRLGW1	0.5	18.6	1.2	-0.07	1023	0
26/03/2020	CTRLGW2	6.5	20.8	1.1	-0.03	1023	0
26/03/2020	CTRLGW3	25	23.1	0.3	-2.29	1023	2
26/03/2020	CTRLGW4	12.4	20.4	0.3	-0.02	1024	0
26/03/2020	CTRLGW5	15.9	20.1	0.6	-0.17	1024	0
26/03/2020	GV1	35.3	24.8	1.3	-4.26	1022	13
26/03/2020	GV2	4.9	3.4	18.4	-4.91	1021	0
26/03/2020	GV3	35.6	25.4	1.4	-12.87	1023	1
26/03/2020	SVGV2	24.2	20.3	1.6	-0.36	1022	123
26/03/2020	SVGV3	24.5	20.5	1.5	-8.44	1022	92
26/03/2020	GW 1.1	29.2	28.5	0.6	-4.97	1021	0
26/03/2020	GW 2.1	0.3	1.2	19.6	-0.92	1022	0
26/03/2020	GW 2.2	29	26.8	1.6	-2.11	1023	0
26/03/2020	GW 2.3	0	0.9	20.2	-8.61	1022	0
26/03/2020	GW 2.4	42.4	30.2	0.9	-9.08	1023	0
26/03/2020	GW 3.1	33	29.8	0.7	-7.84	1023	0
26/03/2020	GW 3.2	9.3	7.7	14	-2.19	1023	0
26/03/2020	GW 4.1	28.9	27.8	2.2	-5.22	1022	8
26/03/2020	GW 4.2	50.9	34.3	0.2	-5.62	1022	0
26/03/2020	GW 5.1	16.3	23	4.9	-11.2	1021	0
26/03/2020	GW 5.2	0.1	7.4	3.4	0.92	1021	0
26/03/2020	GW 6.1	19.4	19.4	8.6	-9.62	1022	0
26/03/2020	GW 6.2	46.1	34.2	0.5	-8.56	1022	0
26/03/2020	GW 6.3	47	34.5	1.6	-0.39	1021	21
26/03/2020	GW 7.1	24.6	28.3	0.7	-8.63	1021	0
26/03/2020	GW 7.2	35.8	32.3	2.6	-8.46	1021	0
26/03/2020	GW 8.1R	0	12.6	8.8	-9.2	1021	0
26/03/2020	GW 8.2	47.5	34.7	1.4	-0.72	1021	8
26/03/2020	GW 8.2A	19.6	30.1	0.6	-5.7	1021	1
26/03/2020	GW 9.1	4.5	16.9	5.8	-0.33	1021	0
26/03/2020	GW 9.2	43.6	29.3	4.3	-7.24	1021	0
26/03/2020	GW 10.1R	22.9	23.6	0.9	-6.85	1021	0
26/03/2020	GW 10.2	43.9	34.2	0.8	-7	1021	2
26/03/2020	GW 11.1	13.6	19.4	3.8	-8.77	1020	0
26/03/2020	GW 11.2	19.5	24.7	2	-0.27	1021	0
26/03/2020	GW 12.1	30.4	27.1	0.3	0.27	1020	144
26/03/2020	GW 12.2	0.6	20.2	0.7	-0.87	1021	0
26/03/2020	GW 13.1	38.5	31.9	0.7	-0.24	1021	10
26/03/2020	GW 14.1	47.7	36.6	0.4	-0.45	1023	29
26/03/2020	GW 14.2	44	31.8	3.9	-0.29	1022	6
26/03/2020	GW 14.3	64.6	38.6	0.6	-0.1	1022	6
26/03/2020	GW 15.1	60.4	41.4	0.3	0.41	1022	39
26/03/2020	GW 15.2	57.5	36.9	0.7	0.05	1021	4
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

Appendix 2 – CO_2 Risk Ranking

Appendix 3 Northfleet Landfill Surface Emissions Monitoring, Settlement and Site Condition Survey and Maintenance Report 2019/20