

East Anglia THREE

Environmental Statement Reference List Document Reference – 6.1.32

Author – Royal HaskoningDHV
East Anglia Offshore Wind Limited
Date – November 2015
Revision History – Revision A



This page is intentionally blank

Table of Contents

Chapter 1: Introduction	1
Chapter 2: Need for the Project	2
Chapter 3: Policy and Legislative Context	3
Chapter 4: Site Selection and Alternatives.....	6
Chapter 5: Description of the Development	7
Chapter 6: EIA Methodology	8
Chapter 7: Marine Geology, Oceanography and Physical Processes	9
Chapter 8: Marine Water and Sediment Quality.....	14
Chapter 9: Underwater Noise and Vibration and Electromagnetic Fields	16
Chapter 10: Benthic Ecology	21
Chapter 11: Fish and Shellfish Ecology	27
Chapter 12: Marine Mammal Ecology	41
Chapter 13: Offshore Ornithology	54
Chapter 14: Commercial Fisheries.....	62
Chapter 15: Shipping and Navigation	64
Chapter 16: Aviation and MOD	66
Chapter 17: Offshore Archaeology and Cultural Heritage	68
Chapter 18: Infrastructure and Other Users	71
Chapter 19: Soils, Geology and Ground Condition	73
Chapter 20: Air Quality	75
Chapter 21: Water Resource and Flood Risk.....	78
Chapter 22: Land Use.....	79
Chapter 23: Ecology	83
Chapter 24: Onshore Ornithology	85
Chapter 25: Onshore Archaeology and Cultural Heritage.....	86
Chapter 26: Noise and Vibration	89
Chapter 27: Traffic and Transport	90

Chapter 28: Socio-Economics	91
Chapter 29: Seascape, Landscape and Visual Amenity	94
Chapter 30: Summary and conclusion	97

CHAPTER 1: INTRODUCTION

1. Intergovernmental Panel on Climate Change (IPCC) (2011) *IPCC Special Report on Renewable Energy Sources and Climate Change Mitigation. Prepared by Working Group III of the Intergovernmental Panel on Climate Change* Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.

CHAPTER 2: NEED FOR THE PROJECT

2. BVG associates (2015) Approaches to cost-reduction in offshore wind. A report for the Committee on Climate Change
3. Catapult (2015) Cost Reduction Monitoring Framework. Summary Report to the Offshore Wind Programme Board
4. Department of Energy and Climate Change (DECC) (2011a). *Overarching National Policy Statement for Energy (EN-1) July 2011*, DECC Publications.
5. Department of Energy and Climate Change (DECC) (2011b). *National Policy Statement for Renewable Energy Infrastructure (EN-3) July 2011*, DECC Publications.
6. Department of Energy and Climate Change (DECC) (2012). *UK Renewable Energy Roadmap update 2013*, DECC Publications.
7. Department of Energy and Climate Change (DECC) (2014a). *Annual Energy Statement 2014*, DECC Publications.
8. Department of Energy and Climate Change (DECC) (2014b) Climate change explained. Available at: <https://www.gov.uk/guidance/climate-change-explained>
9. European Commission (2007) *An Energy Policy for Europe*. Available at: <http://eur-lex.europa.eu/legal-content/EN/ALL/?uri=CELEX:52007DC0001>. Accessed 06/05/2015
10. European Commission (2015) 2030 Framework for climate and energy policies. Available at: http://ec.europa.eu/clima/policies/2030/index_en.htm. Accessed: 14/04/2015
11. RenewableUK (2015). *Development Rounds*. Available at <http://www.renewableuk.com/en/renewable-energy/wind-energy/offshore-wind/development-rounds.cfm>. Accessed 14/04/2015
12. Stern (2006) *Stern Review on the Economics of Climate Change*. Available at http://mudancasclimaticas.cptec.inpe.br/~rmclima/pdfs/destaques/sternreview_report_complete.pdf. Accessed 06/05/2015

CHAPTER 3: POLICY AND LEGISLATIVE CONTEXT

13. Department for Energy and Climate Change (DECC) (2009a). The UK Renewable Energy Strategy. Available at: <http://www.official-documents.gov.uk/document/cm76/7686/7686.pdf>. Accessed: 13/02/2013.
14. Department for Energy and Climate Change (DECC) (2009b). The UK Low Carbon Transition Plan: National Strategy for Climate and Energy. The Stationery Office
15. Department for Energy and Climate Change (DECC) (2010). National Renewable Energy Action Plan for the United Kingdom: Article 4 of the Renewable Energy Directive 2009/28/EC. Available at: https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/47871/25-nat-ren-energy-action-plan.pdf. Accessed: 13/2/2014
16. Department for Energy and Climate Change (DECC) (2011a) UK Renewable Energy Roadmap Available at: <http://infrastructure.planningportal.gov.uk/wp-content/ipc/uploads/projects/EN010033/2.%20Post-Submission/Application%20Documents/Environmental%20Statement/7.1.2%20Policy%20and%20Legislative%20Context.pdf> Accessed: 13/02/2014
17. Department for Energy and Climate Change (DECC) (2011b). Planning our electric future: a White Paper for secure, affordable and low-carbon electricity. The Stationery Office.
18. Department for Energy and Climate Change (DECC) (2011c). Electricity Networks Infrastructure (EN-5). Presented to Parliament pursuant to Section 5(9) of The Planning Act 2008. July 2011. London: The Stationery Office.
19. Department for Energy and Climate Change (DECC) (2011c). National Policy Statement for Renewable Energy Infrastructure (EN-3). Presented to Parliament pursuant to Section 5(9) of The Planning Act 2008. July 2011. London: The Stationery Office.
20. Department for Energy and Climate Change (DECC) (2011c). Overarching National Policy Statement for Energy (EN-1). Presented to Parliament pursuant to Section 5(9) of The Planning Act 2008. July 2011. London: The Stationery Office.
21. Department for Energy and Climate Change (DECC) (2012). UK Renewable Energy Roadmap Update 2012. Available at: https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/80246/11-02-13_UK_Renewable_Energy_Roadmap_Update_FINAL_DRAFT.pdf. Accessed: 13/02/2014

22. Department for Energy and Climate Change (DECC) (2013). Guidelines on the assessment of transboundary impacts of energy developments on Natura 2000 sites outside the UK. Available at: https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/408465/transboundary_guidelines.pdf. Accessed: 06/05/2015
23. Department for Energy and Climate Change (DECC) (2013). UK Renewable Energy Roadmap Update 2012. Available at: <https://www.gov.uk/government/publications/uk-renewable-energy-roadmap-second-update>. Accessed: 13/02/2014
24. Department for Environment, Food and Rural Affairs (Defra) (2010). *UK Marine Policy Statement: Habitats Regulations Assessment*. Defra Publications
25. Department for Environment, Food and Rural Affairs (Defra) (2012) Marine Strategy Part One: UK Initial Assessment and Good Environmental Status. Available at: https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/69632/pb13860-marine-strategy-part1-20121220.pdf. Accessed 16/4/2015
26. Department for Environment, Food and Rural Affairs (Defra) (2014) Marine Strategy Part Two: Marine Strategy Part Two: UK Marine Monitoring Programmes. Available at: https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/341146/msfd-part-2-final.pdf. Accessed: 06/05/2015
27. European Commission (2015) 2030 Framework for climate and energy policies. Available at: http://ec.europa.eu/clima/policies/2030/index_en.htm. Accessed: 14/04/2015
28. European Commission (2015) 2030 Framework for climate and energy – Outcome of the October 2014 European Council. Available at: http://ec.europa.eu/clima/policies/2030/docs/2030_euco_conclusions_en.pdf. Accessed: 06/05/2015
29. Joint Nature Conservation Committee (JNCC) (2014) *Conventions and legislation*. Available from URL: <http://www.jncc.gov.uk/page-1359>. Accessed on 21/03/2014
30. Joint Nature Conservation Committee (JNCC) (2014) *EU Marine Strategy Framework Directive*. Available from URL: <http://www.jncc.gov.uk/page-5193>. Accessed on 06/05/2015
31. Mid Suffolk District Council (no date) Core Strategy Focused Review. Available at: <http://www.midsuffolk.gov.uk/planning-and-building/planning-policy/local-development-framework/core-strategy-dpd/core-strategy-focused-review/>.

Accessed: 14/04/2015

32. Suffolk Coastal District Council (2013) Core Strategy & Development Management Policies. Available at: <http://www.suffolkcoastal.gov.uk/yourdistrict/planning/policy/local-plan/core-strategy/>. Accessed 14/04/2015.
33. The Planning Inspectorate (2012a) *Planning Inspectorate published Advice note twelve: Development with significant transboundary impacts consultation*
34. The Planning Inspectorate (2012b). *Legislation and advice*. Available from URL: <http://infrastructure.planningportal.gov.uk/legislation-and-advice/legislation>. Accessed 09/04/2015
35. The Planning Inspectorate (2012c) Planning Inspectorate published *Advice note nine: Rochdale Envelope*

CHAPTER 4: SITE SELECTION AND ALTERNATIVES

36. Department of Energy and Climate Change (DECC) (2009) Offshore Energy Strategic Environmental Assessment Post Public Consultation Report June 2009
37. East Anglia ONE (2012a) East Anglia Zonal Environmental Appraisal. Available on request by e-mail eastangliaone@eastangliawind.com or write to FREEPOST RSTC-EJEY-RKRX, EAOW, 1 Atlantic Quay, 45 Robertson Street, 4th Floor, Glasgow, G2 8JB.
38. East Anglia ONE (2012b) East Anglia ONE Consultation Report Available at: <http://infrastructure.planningportal.gov.uk/projects/eastern/east-anglia-one-offshore-windfarm/?ipcsection=docs>
39. East Anglia ONE (2012c) East Anglia ONE Preliminary Environmental Information Report. Available on request by e-mail eastangliaone@eastangliawind.com or write to FREEPOST RSTC-EJEY-RKRX, EAOW, 1 Atlantic Quay, 45 Robertson Street, 4th Floor, Glasgow, G2 8JB.
40. East Anglia ONE (2012d) East Anglia ONE Environmental Statement
41. HM Government (2014) East Inshore and East Offshore Marine Plans
42. National Grid (2015) The Connection and Infrastructure Options Note (CION) Process, Guidance Note V02 March 2015: <file:///C:/Users/304473/Downloads/CION%20Process%20Guidance%20Note%20-%20Issue%20002.pdf> – Accessed 29/05/15
43. The Crown Estate (2012) Round 3 Offshore Wind Site Selection at National and Project Levels
44. The Planning Inspectorate (2014) The East Anglia ONE Offshore Wind Farm Order 2014

CHAPTER 5: DESCRIPTION OF THE DEVELOPMENT

45. Civil Aviation Authority (2012) Lighting of Wind Turbine Generators in United Kingdom Territorial Waters
46. DNV (2014) Subsea cable risk in windfarms. Joint industry Project. Available at: <http://www.dnvkema.com/innovations/wind-energy/cablerisk.aspx>
47. East Anglia ONE Limited (EAOL) (2012) Environmental Statement available at: <http://infrastructure.planningportal.gov.uk/projects/eastern/east-anglia-one-offshore-windfarm/?ipcsection=docs&stage=app&filter=Environmental+Statement>. Accessed: 20/7/2014
48. International Association of Marine Aids to Navigation and Lighthouse Authorities (IALA) 201308. Recommendation 0-139. The Marking of Man-Made Offshore Structures. Edition 21.

CHAPTER 6: EIA METHODOLOGY

49. British Standards Institute (2015) PD 6900:2015 Environmental impact assessment for offshore renewable energy projects – Guide, March 2015 Link: <http://shop.bsigroup.com/upload/271276/PD%206900.pdf> – Accessed 29/05/15
50. Department of Energy and Climate Change (DECC) (2015) Guidelines on the assessment of transboundary impacts of energy developments on Natura 2000 sites outside the UK, March 2015
51. IEEM (2006) Guidelines for Ecological Impact Assessment in the United Kingdom (version 7).
52. King, S., Maclean, I., Norman, T. & Prior, A. (2009) Developing guidance on ornithological cumulative impact assessment for offshore wind farm developers. COWRIE CIBIRD Stage 2.
53. Marine Management Organisation (2014) A Strategic Framework for Scoping Cumulative Effects, December 2014
54. RenewableUK (2013) Cumulative Impact Assessment Guidelines Guiding Principles For Cumulative Impacts Assessment In Offshore Wind Farms
55. The Planning Inspectorate (2012a) Scoping Opinion Proposed East Anglia THREE Offshore Windfarm
56. The Planning Inspectorate (2012b) Advice note nine: Rochdale Envelope
57. The Planning Inspectorate (2012c) Advice note twelve: Development with significant transboundary impacts consultation

CHAPTER 7: MARINE GEOLOGY, OCEANOGRAPHY AND PHYSICAL PROCESSES

58. ABP Marine Environmental Research Ltd. (ABPmer) (2012a). *East Anglia Offshore Wind Zonal Environmental Appraisal Report. Appendix G – Physical Processes Baseline and References.*
59. ABP Marine Environmental Research Ltd. (ABPmer) (2012b). *East Anglia Offshore Wind Project ONE Windfarm: Marine geology, oceanography and physical processes environmental baseline.* Report R3945. May 2012.
60. ABP Marine Environmental Research Ltd. (ABPmer) (2012c). *Coastal characteristics at the East Anglia ONE offshore cable landfall,* Southampton: Report R1961 to East Anglia Offshore Wind Ltd.
61. ABP Marine Environmental Research Ltd. (ABPmer) (2013). *Assessment of coastal changes at the East Anglia ONE cable landfall,* Southampton: Report R2133 to East Anglia Offshore Wind Ltd.
62. Annandale, G. (1995). Erodibility. *Journal of Hydraulic Research*, 33,471-494.
63. Annandale, G. (2006). *Scour Technology: Mechanics and Engineering Practice.* McGraw-Hill Civil Engineering.
64. Annandale, G. and Smith, S. (2001). *Calculation of bridge pier scour using the Erodibility Index Method.* Report No. CDOT-DTD-R-2000-9, U.S. Department of Transportation.
65. BERR (2008). *Review of Cabling Techniques and Environmental Effects applicable to the Offshore Windfarm Industry.*
66. Bolle A., Mercelis P., Goossens W. and Haerens P. (2010). Scour monitoring and scour protection solution for offshore gravity based foundations. *Proceedings of the Fifth International Conference on Scour and Erosion,* San Francisco, 7-10 November 2010. Geotechnical Special Publication No. 120, ASCE (ISBN 978-0-7844-1147-6)
67. Bolle, A., Haerens, P., Trouw, K., Smits, J. and Dewaele, G. (2009). *Scour around gravity-based wind turbine foundations – prototype measurements.* In: *Coasts, Marine Structures and Breakwaters. Adapting to Change.* Ed Allsop, W. 103-118. Thomas Telford Books, London.
68. Bos, K.J., Chen, A., Verheij, H.J., Onderwater, M. and Visser, M. (2002a). Local Scour and Protection of F3 Offshore GBS Platform. *Proc 21st Intl Conf of Offshore Mechanics and Arctic Engrg,* June 23-28, Oslo. Paper No OMAE2002-28127
69. Bos, K.J., Veheij, H.J., Kant, G. and Kruisbrink, A.C.H. (2002b). Scour Protection around Gravity Based Structures Using Small Size Rock. *Proceedings of First*

International Conference on Scour of Foundations, Texas, Nov 17-20, 2002

70. Burningham, H. and French, J. (2006). 'Morphodynamic behaviour of a mixed sand-gravel ebb-tidal delta: Deben estuary, Suffolk, UK'. *Marine Geology*, 225, 23-44.
71. Cefas (2004). *Offshore wind farms: guidance note for Environmental Impact Assessment in respect of FEPA and Coast Protection Act requirements*.
72. Cefas (2005). Assessment of the significance of changes to the inshore wave regime as a consequence of an offshore wind array. Defra R&D report.
73. Cefas (2011). Guidelines for data acquisition to support marine environmental assessments of offshore renewable energy projects.
74. Cooper N. J. and Brew, D.S. (2013). Impacts on the physical environment. In: R.C. Newell and T.A. Woodcock (Eds.): *Aggregate dredging and the marine environment: an overview of recent research and current industry practice*. The Crown Estate.
75. COWRIE (2009). *Understanding the environmental impacts of offshore wind farms*. ISBN- 978-0-9565843-8-0.
76. DECC (2011). Decommissioning of Offshore Oil and Gas Installations and Pipelines under the Petroleum Act 1998. Guidance Notes.
77. Deltares (2012). *East Anglia Offshore Wind Farm: Metocean Study*. Report to East Anglia Offshore Wind Ltd., October 2012.
78. East Anglia Offshore Wind Ltd. (EAOL) (2012b). Disposal Site for the East Anglia ONE Windfarm Site Characterisation Document
79. East Anglia Offshore Wind Ltd.(EAOL) (2012a). *East Anglia THREE Offshore Windfarm Scoping Report*.
80. ETSU (2000). *An assessment of the environmental effects of offshore wind farms*. Report No. ETSU W/35/00543/REP.
81. ETSU (2002). *Potential effects of offshore wind farms on coastal processes*. Report No. ETSU W/35/00596/REP.
82. GL Noble Denton (2011). *Metocean Conditions Study*. Report No. L24718.
83. Hallermeier, R.J., 1978. Uses for a calculated limit depth to beach erosion. *Proceedings, 16th Coastal Engineering Conference, American Society of Civil Engineers*, 1493- 15 12.
84. Harris, J.M., Whitehouse, R.J.S. and Benson, T. (2010). The time evolution of scour around offshore structures. *Proc. Inst. Civ. Engrs., Maritime Engineering*, Vol 163, pp 3-17

85. Hitchcock, D.R. and Bell, S. (2004). Physical impacts of aggregate dredging on sea bed resources in coastal deposits. *Journal of Coastal Research*, 20 (10), 101-114.
86. HM Government (2011) UK Marine Policy Statement
87. HM Government (2014) East Inshore and East Offshore Marine Plans
88. HR Wallingford, Posford Haskoning and D'Olier, B. (2002). *Southern North Sea Sediment Transport Study*. HR Wallingford Report EX4526.
89. Infrastructure Planning Commission (IPC) (2011). Using the Rochdale Envelope. Advice Note 9: Rochdale Envelope
90. John, S.A., Challinor, S.L. Simpson, M. Burt, T.N. and Spearman, J. (2000). *Scoping the assessment of sediment plumes from dredging*. CIRIA Publication.
91. Joint Nature Conservancy Committee (JNCC) & Natural England (2011). General advice on assessing potential impacts of and mitigation for human activities on Marine Conservation Zone (MCZ) features, using existing regulation and legislation.
92. Khalfin, I. Sh. (2007a). Modelling and calculation of bed score around large-diameter vertical cylinder under wave action. *Water Resources*, Vol 34, No 1, 49-59
93. Khalfin, I. Sh. (2007b). Modelling and calculation of bed score around large-diameter vertical cylinder under wave action. *Water Resources*, Vol 34, No 1, 49-59 (Note – the word 'score' is not a typographical error, but is the word used by the author)
94. Khalfin, I.S.H. (1983). Local scour around ice-resistant structures caused by waves and current effect. *P.O.A.C. Symposium 28*, Helsinki, Vol. 2, pp. 992-1002.
95. Larsen, B.J. and Frigaard, P. (2005). *Scour and scour protection for wind turbine foundations for the London Array*. University of Aalborg Coastal Engineering report No. 17, ISSN 1603-9874
96. Lowe, J. A., Howard, T. P., Pardaens, A., Tinker, J., Holt, J., Wakelin, S., Milne, G., Leake, J., Wolf, J., Horsburgh, K., Reeder, T., Jenkins, G., Ridley, J., Dye, S., Bradley, S. (2009). *UK Climate Projections science report: Marine and coastal projections*. Met Office Hadley Centre, Exeter, UK.
97. Margheritini, L.(2012). Scour around offshore wind turbine foundations (comparison between monopiles and bucket foundations). Presentation at DTU May 15th, 2012.
98. Marine Management Organisation (MMO) (2012). *East Inshore and East Offshore Marine Plan Areas: Evidence and Issues*.
99. Newell, R.C., Seiderer, L.J., Robinson, J.E., Simpson, N.M., Pearce, B and Reeds, K.A., (2004). *Impacts of overboard screening on sea bed and associated benthic biology community structure in relation to marine aggregate extraction*. Technical Report to

- the Office of the Deputy Prime Minister and Minerals Industry Research Organisation. Project No. SAMP 1.022, Marine Ecological Surveys Ltd, St. Ives, Cornwall.
100. Office of the Deputy Prime Minister (2001). Guidance on Environmental Impact Assessment in Relation to Dredging Applications
 101. Ohl, C.O.G., Taylor, P.H., Eatock Taylor, R. and Borthwick, A.G.L. (2001). Water wave diffraction by a cylinder array part II: irregular waves. *Journal of Fluid Mechanics*, 442, 33 – 66.
 102. Raaijmakers, T. and Rudolph, D. (2008). Time-dependent scour development under combined current and waves conditions – laboratory experiments with online monitoring technique. *Proc Fourth Intl. Conf. on Scour and Erosion* (2008)
 103. Royal Haskoning (2010). *First review of shoreline management plan sub-cell 3c: Lowestoft Ness to Landguard Point*, Peterborough: Report to Suffolk Coastal District Council.
 104. Royal Haskoning (2013) Dogger Bank Creyke Beck Environmental Statement Chapter 9 Marine Physical Processes. In Dogger Bank Creyke Beck ES. Report to Forewind Ltd, August 2013, 129pp + 1 Appendix.
 105. Seagreen (2012). *The Seagreen Project Environmental Statement*. September 2012.
 106. Soulsby, R.L. and Clarke, S. (2005). *Bed Shear-stresses Under Combined Waves and Currents on Smooth and Rough Beds*. HR Wallingford Report TR 137, release 1.0, August 2005.
 107. Stahlmann, A. and Schlurmann, T. (2010). Physical Modelling of Scour Around Tripod Foundation Structures for Offshore Wind Energy Converters. *Proc Conf Coastal Engrg*
 108. Sumer, M. B. and Fredsoe, J. (2002). *The Mechanics of Scour in the Marine Environment*. Published by World Scientific. ISBN 981 02 4930 6
 109. Sumer, M. B. and Fredsoe, J. (2002). *The Mechanics of Scour in the Marine Environment*. Published by World Scientific. ISBN 981 02 4930 6
 110. Tillin, H.M., Houghton, A.J., Saunders, J.E. Drabble, R. and Hull S. C. (2011). Direct and indirect impacts of aggregate dredging. *Science Monograph Series No. 1*. MEPF 10/P144
 111. Tillin, H.M., Houghton, A.J., Saunders, J.E. Drabble, R. and Hull S. C. (2011). Direct and indirect impacts of aggregate dredging. *Science Monograph Series No. 1*. MEPF 10/P144
 112. Whitehouse, R.J.S., Harris, J. and Sutherland, J. (2010). *Evaluating scour at marine*

- gravity structures*. First European IAHR Congress, Edinburgh, 4th – 6th May 2010
113. Whitehouse, R.J.S., Harris, J. and Sutherland, J. (2010). *Evaluating scour at marine gravity structures*. First European IAHR Congress, Edinburgh, 4th – 6th May 2010
114. Whitehouse, R.J.S., Harris, J. and Sutherland, J. (2011a). Evaluating scour at marine gravity structures. *Proc. ICE – Maritime Engineering*, 164, 143-157
115. Whitehouse, R.J.S., Harris, J. and Sutherland, J. (2011a). Evaluating scour at marine gravity structures. *Proc. ICE – Maritime Engineering*, 164, 143-157
116. Whitehouse, R.J.S., Harris, J.M., Sutherland, J., and Rees, J. (2011b). The nature of scour development and scour protection at offshore windfarm foundations. *Marine Pollution Bulletin* 62, (2011), pp 73-88
117. Whitehouse, R.J.S., Harris, J.M., Sutherland, J., and Rees, J. (2011b). The nature of scour development and scour protection at offshore windfarm foundations. *Marine Pollution Bulletin* 62, (2011), pp 73-88
118. Whiteside. P.G.D., Ooms, K. and Postma, G.M. (1995). Generation and decay of sediment plumes from sand dredging overflow. *Proceedings of the 14th World Dredging Congress*. Amsterdam, The Netherlands. World Dredging Association, 877 – 892.
119. Whiteside. P.G.D., Ooms, K. and Postma, G.M. (1995). Generation and decay of sediment plumes from sand dredging overflow. *Proceedings of the 14th World Dredging Congress*. Amsterdam, The Netherlands. World Dredging Association, 877 – 892.
120. Yang, R-Y., Chen, H-H., Hwung, H-H., Jiang, W-P., Wu, N-T. (2010). Experimental study on the loading and scour of the jacket-type offshore wind turbine foundation. *Proc Intl Conf Coastal Engrg*, 32
121. Yang, R-Y., Chen, H-H., Hwung, H-H., Jiang, W-P., Wu, N-T. (2010). Experimental study on the loading and scour of the jacket-type offshore wind turbine foundation. *Proc Intl Conf Coastal Engrg*, 32
122. Yeow, K. and Cheng, L. (2003). Local scour around a vertical pile with a caisson foundation. *Proc. Cong Asian and Pacific Coasts 2003*.
123. Yeow, K. and Cheng, L. (2003). Local scour around a vertical pile with a caisson foundation. *Proc. Cong Asian and Pacific Coasts 2003*.

CHAPTER 8: MARINE WATER AND SEDIMENT QUALITY

124. ABP Marine Environmental Research Ltd. (ABPmer) (2012a). *East Anglia Offshore Wind Zonal Environmental Appraisal Report. Appendix G – Physical Processes Baseline and References.*
125. ABP Marine Environmental Research Ltd. (ABPmer) (2012b). *East Anglia Offshore Wind Project ONE Windfarm: Marine geology, oceanography and physical processes environmental baseline.* Report R3945. May 2012.
126. BERR (2008). *Review of Cabling Techniques and Environmental Effects applicable to the Offshore Windfarm Industry.*
127. Canadian Council of Ministers of the Environment (CCME) (2002). *Canadian sediment quality guidelines for the protection of aquatic life: Summary tables.* Update In: Canadian environmental quality guidelines, 1999, Canadian Council of Ministers of the Environment, Winnipeg.
128. Centre for Environment, Fisheries and Aquaculture Science (Cefas) (2004). *Offshore Shore Windfarms: Guidance note for Environmental Impact Assessment in Respect of FEPA and CPA Requirements: Version 2,* June 2004.
129. Centre for Environmental, Fisheries and Aquaculture Science (Cefas) (1997). *Monitoring surveillance of non-radioactive contaminants in the aquatic environment and activities regulating the disposal of wastes at sea, 1994.* Lowestoft: Cefas. Science Series Aquatic Environment Monitoring Reports, No.47.
130. Centre for Environmental, Fisheries and Aquaculture Science (Cefas) (1998). *Monitoring surveillance of non-radioactive contaminants in the aquatic environment and activities regulating the disposal of wastes at sea, 1995 and 1996.* Lowestoft: Cefas. Science Series Aquatic Environment Monitoring Reports, No.51.
131. Centre for Environmental, Fisheries and Aquaculture Science (Cefas) (2000). *Monitoring surveillance of non-radioactive contaminants in the aquatic environment and activities regulating the disposal of wastes at sea, 1997.* Lowestoft: Cefas. Science Series Aquatic Environment Monitoring Reports, No.52.
132. Centre for Environmental, Fisheries and Aquaculture Science (Cefas) (2001). *Monitoring surveillance of non-radioactive contaminants in the aquatic environment and activities regulating the disposal of wastes at sea, 1998.* Lowestoft: Cefas. Science Series Aquatic Environment Monitoring Reports, No.53.
133. Department of Energy and Climate Change (DECC) (2011a). *Overarching National Policy Statement for Energy (EN-1),* London: The Stationary Office.

134. Department of Energy and Climate Change (DECC) (2011b). *National Policy Statement for Renewable Energy Infrastructure (EN-3)*, London: The Stationary Office.
135. East Anglia ONE (2012). *East Anglia ONE, Environmental Statement Volume 2 Chapter 7: Marine Water and Sediment Quality*. A report to East Anglia Offshore Wind Farm Limited.
136. Fugro EMU (2013). *EAOW Area Three and Four Cable Route Benthic Characterisation Report*. A report to East Anglia Offshore Wind Limited.
137. HM Government (2011) UK Marine Policy Statement
138. HM Government (2014) East Inshore and East Offshore Marine Plans
139. Infrastructure Planning Commission (IPC) (2010). *Scoping Opinion Proposed East Anglia ONE Offshore Windfarm*, November 2010.
140. Marine Ecological Surveys Limited (MESL) (2011). *East Anglia Offshore Windfarm preliminary Environmental Investigation: Benthic Biological Characterisation Report*.
141. OSPAR (2010). *Quality Status Report 2010*. OSPAR Commission. London.
142. Royal Haskoning (2011). *Galloper Wind Farm Project, Environmental Statement Chapter 10: Marine Water and Sediment Quality*. A report to Galloper Wind Farm Limited. Date 20/09/11.
143. Stanev, E.V., Dobrynin, M., Pleskachevsky, A., Grayek, S. and Gunther, H. (2008). Bed shear stress in the southern North Sea as an important driver for suspended sediment dynamics. *Ocean Dynamics*, 59, pp.183-194
144. The Planning Inspectorate (2012). *Scoping Opinion Proposed East Anglia THREE Offshore Windfarm*, December 2012.

CHAPTER 9: UNDERWATER NOISE AND VIBRATION AND ELECTROMAGNETIC FIELDS

145. Ainslie, M. A., de Jong, C. A. F., Dol, H. S., Blacquièrre, G. and Marasini, C. (2009) *Assessment of natural and anthropogenic sound sources and acoustic propagation in the North Sea*. TNO Report TNO-DV 2009 C084.
146. Ainslie, M. A., Harrison, C. H. and Burns, P. W. (1994). Reverberation modelling with INSIGHT. *Proc Institute of Acoustics*, 16, (6), 105-112.
147. Amorim, M. C. P. (2006) *Diversity of sound production in fish*. In *Communication in Fishes*. Vol. 1 (ed. F. Ladich, S. P. Collin, P. Moller and B. G. Kapoor), pp. 71-104. Enfield, NH: Science Publishers).
148. Andrew, R. K., Howe B. M. Mercer, J. A. (2011) Long-time trends in ship traffic noise for four sites off the North American West Coast. *J. Acoust. Soc. Am.*, 129 (2), pp. 642-651.
149. Armstrong, J. D., Hunter, D.C., Fryer, R. J., Rycroft P. & J. E. Orpwood (2015) Behavioural Responses of Atlantic Salmon to Mains Frequency Magnetic Fields, *Scottish Marine and Freshwater Science* Vol 6 No 9
150. Arveson, P. T. and Vendittis, D. J. (2000). Radiated noise characteristics of a modern cargo ship. *J. Acoust. Soc. Am.*, 107, 118 – 129.
151. Bochert, R. & Zettler, M.L. (2004). Long-term exposure of several marine benthic animals to static magnetic fields. *Bioelectromagnetics* 25: 498-502.
152. Cefas (2009). Strategic Review of Offshore Wind Farm Monitoring Data Associated with FEPA Licence Conditions, Fish. Available at: <<http://www.cefas.defra.gov.uk/media/393525/annex-2-fish.pdf>>. Accessed 05/05/14.
153. CMACS (2003). A baseline assessment of electromagnetic fields generated by offshore windfarm cables. COWRIE Report1.0 EMF - 01-2002 66.
154. Coates, R. (1988). An Empirical Formula for Computing the Beckmann-Spizzichino Surface Reflection Loss Coefficient. *IEEE Trans Ultrason. Ferroelectr. Freq. Control*, 35(4), 522-523.
155. De Jong C. A. F., Ainslie M. A., Blacquièrre G. (2011). *Standard for measurement and monitoring of underwater noise, Part II: procedures for measuring underwater noise in connection with offshore windfarm licensing*, TNO Report TNO-DV 2011 C251.
156. East Anglia Offshore Wind Limited (2012) Environmental Impact Assessment Scoping Report

157. East Anglia THREE Limited (EATL) (2014) Preliminary Environmental Information Report. Available at : <https://eastangliathree.eastangliawind.com/downloads.aspx>. Accessed 3/07/2015
158. Everitt, N. (2008). Behavioural responses of the shore crab, *Carcinus maenas*, to magnetic fields. MSc Thesis, University of Newcastle-upon-Tyne: 94pp.
159. Gill, A.B. & Taylor, H. (2001). The potential effects of electromagnetic fields generated by cabling between offshore wind turbines upon elasmobranch fishes, Countryside Council for Wales, Contract Science Report 488.
160. Gill, A.B., Gloyne-Phillips, I., Neal, K.J. & Kimber, J.A. (2005). The potential effects of electromagnetic fields generated by sub-sea power cables associated with offshore wind farm developments on electrically and magnetically sensitive marine organisms – a review. COWRIE Report 1.5
161. Gill, A.B., Huang, Y., Gloyne-Phillips, I., Metcalfe, J., Quayle, V., Spencer, J. & Wearmouth, V. (2009). COWRIE 2.0 Electromagnetic Fields (EMF) Phase 2: EMF sensitive fish response to EM emissions from sub-sea electricity cables of the type used by the offshore renewable energy industry. Commissioned by COWRIE Ltd (project reference COWRIE-EMF-1-06).
162. Hamilton, E. L. (1980). Geoacoustic modelling of the sea floor. *J. Acoust. Soc. Am.*, vol. 68(5), pp. 1313-1340.
163. Harland, E. J., Jones, S. A. S. and Clarke, T. (2005) *SEA 6 Technical report: Underwater ambient noise*. Qinetiq Report QINETIQ/S&E/MAC/CR050574.
164. JNCC (2010). *Statutory nature conservation agency protocol for minimizing the risk of injury to marine mammals from piling noise*. JNCC, August 2010.
165. Kalmijn, A.J. (1982). Electric and magnetic field detection in elasmobranch fishes. *Science* 218:916-918.
166. Kimber, J.A., Sims, D.W., Bellamy, P.H. & Gill, A.B., (2011). The ability of a benthic elasmobranch to discriminate between biological and artificial electric fields. *Marine Biology* 158 (1): 1-8.
167. Kirschvink, J.L. (1997). Magnetoreception: homing in on vertebrates. *Nature*, 390: 339-340
168. Lucke, K., Siebert, U., Lepper, P. A. and Blanchet, M. A. (2009). Temporary shift in masked hearing thresholds in a harbor porpoise (*Phocoena phocoena*) after exposure to seismic airgun stimuli. *J. Acoust. Soc. Am.*, 125 (6), pp. 4060-4070.
169. Lurton, X. (2003). *An introduction to underwater acoustics*, Elsevier.

170. Madsen, P. T., Wahlberg, M., Tougaard, J, Lucke, K. and Tyack P. (2006) Wind turbine underwater noise and marine mammals: implications of current knowledge and data needs. *Mar. Ecol. Prog. Ser.*, 309, pp. 279 – 294.
171. Malme, C. I., Miles, P. R., Miller, G. W., Richardson, W. J., Reseneau, D. G., Thomson, D. H., Greene, C. R. (1989) *Analysis and ranking of the acoustic disturbance potential of petroleum industry activities and other sources of noise in the environment of marine mammals in Alaska*, BBN Report No. 6945 OCS Study MMS 89-0005. Reb. From BBN Labs Inc., Cambridge, MA, for U.S. Minerals Managements Service, Anchorage, AK. NTIS PB90-188673.
172. Marine Management Organisation (2014) Review of environmental data associated with post-consent monitoring of licence conditions of offshore wind farms
173. McDonald, M. A., Hildebrand, J. A., Wiggins, S. M. And Ross, D. (2008) A 50 year comparison of ambient ocean noise near San Clement Island: A bathymetrically complex coastal region off Southern California. *J. Acoust. Soc. Am.*, 124, 1985-1992.
174. Medwin, H. and Clay, C. (1998). *Fundamentals of Acoustical Oceanography*. Academic Press, Boston.
175. Medwin, H. and Daniel, A. C. (1990) Acoustical measurements of bubble production by spilling breakers. *J. Acoust. Soc. Am.*, 88, pp. 408-412.
176. MSFD (2008) *Marine Strategy Framework Directive*. Directive 2008/56/EC of the European Parliament and of the Council. 17 June 2008, Commission Decision of 1st September 2010, Official Journal of the European Union, L232/14.
177. Mueller, A. and Zerbs C. (2011). *Offshore windfarms - Measuring instruction for underwater sound monitoring*, Report/protocol for Bundesamt für Seeschifffahrt und Hydrographie, Germany.
178. National Oceanic and Atmospheric Administration (NOAA) (2015) Magnetic Field Calculators. *National Geophysical Data Centre*. Available at: <http://www.ngdc.noaa.gov/geomag-web/#igrfwmm> . Accessed 08/09/2015
179. *National Policy Statement (NPS) EN-1 (2011). Overarching National Policy Statement for Energy (EN-1)*, DECC, July 2011.
180. *National Policy Statement (NPS) EN-3 (2011). National Policy Statement for Renewable Energy Infrastructure (EN-3)*, DECC, July 2011.
181. Nedwell, J. R., Parvin, S. J., Edwards, B., Workman, R., Brooker, A. G. and Kynoch, J. E. (2007). *Measurement and Interpretation of Underwater Noise During Construction and Operation of Wind Farms in UK Waters*. Subacoustech Report No. 544R0738 to

- COWRIE Ltd. ISBN: 978-0-9554279-5-4.
182. Ohman, M.C., P. Sigray & H. Westerberg (2007). Offshore windmills and the effects of Electromagnetic Fields on fish. *Ambio* 36(8), 630-633.
 183. Orpwood, J. E., Fryer, R. J., Rycroft P. & J D Armstrong (2015) Effects of AC Magnetic Fields (MFs) on Swimming Activity in European Eels *Anguilla Anguilla*, *Scottish Marine and Freshwater Science* Vol 6 No 8
 184. Pals, N., Peters, R.C. & Schoenhage, A.A.C. (1982). Local geo-electric fields at the bottom of the sea and their relevance for electrosensitive fish. *Netherlands Journal of Zoology* 32 (4): 479-494.
 185. Richardson, W. J., Greene, C. R. J., Malme, C. I. and Thomson D. D. (1995) *Marine mammals and noise*. San Diego: Academic Press, 1994.
 186. Robinson S. P., Lepper, P. A. and Hazelwood, R.A. (2014). *Good Practice Guide for Underwater Noise Measurement*, NPL Good Practice Guide No. 133, ISSN: 1368-6550.
 187. Robinson, S. P., Theobald, P. D., Hayman, G., Wang, L-S., Lepper, P. A., Humphrey, V. and Mumford, S. (2011) *Measurement of noise arising from marine aggregate dredging operations*. MALSF (MEPF Ref no. 09/P108).
 188. Scottish Natural Heritage (SNH) (2010) Literature review on the potential effects of electromagnetic fields and subsea noise from marine renewable energy developments on Atlantic salmon, sea trout and European eel. Commissioned Report 401
 189. Southall, B. L., Bowles, A. E., Ellison, W. T., Finneran, J. J., Gentry, R. L., Greene Jr., C. R., Kastak, David, Ketten, D. R., Miller, J. H., Nachtigall, P. E., Richardson, W. J., Thomas, J. A., and Tyack, P. L. (2007). Marine Mammal Noise Exposure Criteria: Initial Scientific Recommendations, *Aquatic Mammals*, 33 (4), pp. 411-509.
 190. Swedpower (2003). Electrotechnical studies and effects on the marine ecosystem for BritNed Interconnector.
 191. The Crown Estate, (2014) February [Online]. Available at: <http://www.thecrownestate.co.uk/energy-infrastructure/aggregates/our-portfolio>. Accessed 25/03/2014.
 192. The Planning Inspectorate (2012) Scoping Opinion Proposed East Anglia THREE Offshore Windfarm
 193. Theobald, P. D., Robinson, S. P., Lepper, P. A., Pangerc, T., Lloyd, N. (2010) *Underwater noise monitoring during marine piling*. Gardline Environmental Report

- 8503 to Fluor Ltd September 2010. Gardline Environmental Report 8503 to Fluor Ltd September 2010.
194. Thorpe, W. H. (1967). Analytic description of the low frequency attenuation coefficient. *J. Acoust. Soc. Am.*, 42, pp. 270-270.
 195. Tougaard, J. and Henriksen, O. D. (2009) Underwater noise from three types of offshore wind turbines: Estimation of impact zones for harbour porpoises and harbour seals. *J. Acoust. Soc. Am.*, 125, pp. 3766-3773.
 196. Tricas, T.C. & New, J.G. (1998). Sensitivity and response dynamics of elasmobranch electrosensory primary afferent neurons to near threshold fields. *Journal of Comparative Physiology A* 182:89-101.
 197. Tricas, T.C. & Sisneros, J.A. (2004). Ecological functions and adaptations of the elasmobranch electrosense. In: von der Emde, G, Mogdans, J, and BG Kapoor (eds), *The Senses of Fishes: Adaptations for the Reception of Natural Stimuli*, Narosa Publishing House Pvt Ltd, New Delhi, India.
 198. Van der Graaf A. J., Ainslie M., A., André M., Brensing K., Dalen J., Dekeling R. P. A, Robinson S., Tasker M., L., Thomsen F., Werner S. (2012). *European Marine Strategy Framework Directive -Good Environmental Status (MSFD GES): Report of the Technical Subgroup on Underwater noise and other forms of energy.*
 199. Wahlberg, M. and Westerberg, H. (2005) Hearing in fish and their reactions to sounds from offshore wind farms. *Mar.Ecol. Prog. Ser.*, 288, pp. 295-309.
 200. Walker, T.I. (2001). Basslink Project Review of Impacts of High Voltage Direct Current Sea Cables and Electrodes on Chondrichthyan Fauna and Other Marine Life. Report to NSR Environmental Consultants Pty Ltd, No. 20: 77 p
 201. Wenz, G. M. (1962) Acoustic ambient noise in the ocean: spectra and sources. *J. Acoust. Soc. Am.*, 34, pp. 1936-1954.
 202. Westerberg, H. (2000). Effect of HVDC cables on eel orientation, in *Technische Eingriffe in Marine Lebensraume* (ed. T. Merck & H. von Nordheim); 70-76, Bundesamt fur Naturschutz.
 203. Westerberg, H. and Lagenfelt, I., (2008) Sub-Sea Power Cables and the Migration Behaviour of the European Eel. *Fisheries Management and Ecology* 15 (1-5): 369-375.
 204. Weston, D. (1976). Propagation in water with uniform sound velocity but variable-depth lossy bottom. *Journal of Sound and Vibration*, 47, pp. 473-483.

CHAPTER 10: BENTHIC ECOLOGY

205. ABP Marine Environmental Research Ltd. (ABPmer), 2012a. East Anglia Offshore Wind Project ONE Windfarm: Marine geology, oceanography and physical processes environmental baseline. Report R3945. May 2012.
206. ABP Marine Environmental Research Ltd. (ABPmer), 2012b. East Anglia Offshore Wind Zonal Environmental Appraisal Report. Appendix G – Physical Processes Baseline and References.
207. BRIG (ed. Ant Maddock) 2008. (Updated 2011) UK Biodiversity Action Plan Priority Habitat Descriptions UK Biodiversity Action Plan; Priority Habitat Descriptions.
208. Cefas (2004) Offshore Windfarms: Guidance Note for Environmental Impact Assessment in Respect of FEPA and CPA requirements: Version 2.
209. Cefas (2010). Strategic Review of Offshore Wind Farm Monitoring Data Associated with FEPA licence conditions, with input from the Food and Environment Research Agency (FERA) and the Sea Mammal Research Unit (SMRU).
210. Cefas (2012) Guidelines for data acquisition to support marine environmental assessments of offshore renewable energy projects (Centre for Environment Fisheries and Aquaculture Science.
211. Cefas. (2009) Strategic Review of Offshore Wind Farm Monitoring Data Associated with FEPA Licence Conditions – Benthic Ecology.
212. Connor, D.W., Allen, J.H., Golding, N., Howell, K.I., Lieberknecht, L.M., Northern, N. and Reker, J.B. (2004). The Marine Habitat Classification for Britain and Ireland Version 04.05. Available at: <http://jncc.defra.gov.uk/marinehabitatclassification> [Accessed 12 October/1/2014].
213. DECC (2011). Decommissioning of Offshore Oil and Gas Installations and Pipelines under the Petroleum Act 1998. Guidance Notes.
214. Defra (2005). Nature Conservation Guidance on Offshore Windfarm Development. A guidance note on the implications of the EC Wild Birds and Habitats Directives for developers undertaking offshore windfarm developments. Version R1.9.
215. East Anglia Offshore Wind Limited (2012) East Anglia THREE Offshore Windfarm Scoping Report. Available at http://infrastructure.planningportal.gov.uk/wp-content/ipc/uploads/projects/EN010056/1.%20Pre-Submission/EIA/Scoping/Scoping%20Request/121113_EN010056_Scoping%20Report.pdf
216. East Anglia ONE Offshore Windfarm (2012) Environmental statement available at

<http://infrastructure.planningportal.gov.uk/projects/eastern/east-anglia-one-offshore-windfarm/?ipcsection=docs>

217. East Anglia ONE Offshore Windfarm (2013) Draft Report on the Implications for European Sites.
218. Emu Ltd & University of Southampton (2009). Outer Thames Estuary regional environmental characterisation. Report to the Marine Aggregate Levy Sustainability Fund (MALSF), Southampton, 129pp.
219. Gill, A. B. and Bartlett, M. (2010). Literature review on the potential effects of electromagnetic fields and subsea noise from marine renewable energy developments on Atlantic salmon, sea trout and European eel. Scottish Natural Heritage, Commissioned Report No. 401.
220. Glasby, T.M., Connell, S.D., Holloway, M.G., Hewitt, C.L. (2007) Nonindigenous biota on artificial structures: could habitat creation facilitate biological invasions? *Marine Biology*, 151,887–895
221. Gubbay, S. (2007). Defining and managing *Sabellaria spinulosa* reefs. Report of an interagency workshop 1-2 May 2007. JNCC Report No. 405.
222. Hall, S.J., Basford, D.J., Robertson, M.R., Raffaelli, D.G. & Tuck, I., (1991). Patterns of recolonisation and the importance of pit-digging by the crab *Cancer pagurus* in a subtidal sand habitat. *Marine Ecology Progress Series*, 72, 93-102.
223. Heinisch P., and Wiese. K. (1987) Sensitivity to Movement and Vibration of Water in the North Sea Shrimp *Crangon Crangon*: *Journal of Crustacean Biology* Vol. 7, No. 3 pp. 401-413 Published by: The Crustacean Society
224. HM Government (2011) UK Marine Policy Statement
225. HM Government (2014) East Inshore and East Offshore Marine Plans
226. Hornsea Offshore Wind Farm Project One (2013): Environmental Statement
227. Horridge, G.A (1966) Some recently discovered underwater vibration receptors in invertebrates. In H.Barnes (ed.) *Some contemporary studies in marine science*, George Allen and Unwin Ltd. London.
228. ICES (2012) Report of the Workshop on Effects of Offshore Windfarms on Marine Benthos - Facilitating a closer international collaboration throughout the North Atlantic Region (WKEOMB)
229. IEEM (2010) Guidelines for ecological impact assessment in Britain and Ireland (Institute of Ecology and Environmental Management .
230. Infrastructure Planning Commission (IPC). Advice note nine: Using the ‘Rochdale

Envelope

231. Jackson, A. and K. Hiscock 2008. *Sabellaria spinulosa*. Ross worm. Marine Life Information Network: Biology and Sensitivity Key Information Sub-programme [on-line]. Plymouth: Marine Biological Association of the United Kingdom. Available from: www.marlin.ac.uk/speciessensitivity.php?speciesID=4278 [Accessed 11/12/2013].
232. Last KS, Hendrick VJ, Beveridge CM & Davies AJ (2011). Measuring the effects of suspended particulate matter and smothering on the behaviour, growth and survival of key species found in areas associated with aggregate dredging. Report for the Marine Aggregate Levy Sustainability Fund, Project MEPF 08/P76. 69 pp.
233. Limpenny, D.L., Long, D., Walmsley, S., Kirby, S., Baker, K., Meadows, W.J., Rees, J., Hill, J., Wilson, C., Leivers, M., Churchley, S., Russell, J., Birchenough, A.C., Green, S.L., and Law, R.J. (2011). The East Coast Regional Environmental Characterisation. Cefas Open report 08/04. 287pp.
234. Lindeboom, H.J., Kouwenhoven, H.J., Bergman, M.J.N, Bouma, S., Brasseur, S., Daan, R., Fijn, R.C., de Haan, D., Dirksen, S., van Hal, R., Hille Ris Lambers, R., ter Hofstede, R., Krijgsveld, K.L., Leopold, M., and Scheidat, M. (2011) Short-term Ecological Effects of an Offshore windfarm in the Dutch Coastal Zone; a compilation, Environmental Research Letters, 6 035101.
235. Linley, E.A.S., Wilding, T.A., Black, K., Hawkins, A.J.S., and Mangi, S. (2007) Review of the reef effects of offshore windfarm structures and their potential for enhancement and mitigation. Report from PML Applications Ltd to the Department of Trade and Industry, Contract No. RFCA/005/0029P
236. Lovell J.M, Findlaya M.M, Moateb R M and Yanc H.Y (2005). The hearing abilities of the prawn *Palaemon serratus*. Comparative Biochemistry and Physiology, Part A 140 89 – 100
237. Marine Management Organisation (MMO) (2010) Guidance on the Assessment of Effects on the Environmental and Cultural Heritage from Marine Renewable Developments.
238. Marine Management Organisation (MMO) (2014) East Inshore and East Offshore Marine Plans. Available from: <https://www.gov.uk/government/publications/east-inshore-and-east-offshore-marine-plans>. Accessed 24/6/2015
239. Natural England (2012) Red-throated diver: species information for marine Special Protection Area consultations: Natural England Technical Information Note TIN141
240. Neal, K (2008). *Crangon crangon*. Brown shrimp. Marine Life Information Network: Biology and Sensitivity Key Information Sub-programme [on-line]. Plymouth: Marine

- Biological Association of the United Kingdom. Available from:
<<http://www.marlin.ac.uk/speciessensitivity.php?speciesID=3078>>. [Accessed 09/01/2014].
241. Neal, K and Wilson, E (2008). *Cancer pagurus*. Edible crab. Marine Life Information Network: Biology and Sensitivity Key Information Sub-programme [on-line]. Plymouth: Marine Biological Association of the United Kingdom. Available from: <<http://www.marlin.ac.uk/speciessensitivity.php?speciesID=2872>>. Accessed: 09/01/2014
242. Net Gain (2011) Final Recommendations Submission to Natural England & JNCC
243. Normandeau (Normandeau Associates, Inc.), Exponent Inc., T. Tricas, T. and Gill, A. (2011). *Effects of EMFs from Undersea Power Cables on Elasmobranchs and Other Marine Species*. U.S. Dept. of the Interior, Bureau of Ocean Energy Management, Regulation, and Enforcement, Pacific OCS Region, Camarillo, CA. OCS Study BOEMRE 2011-09. [online] Available at: <<http://www.gomr.boemre.gov/PI/PDFImages/ESPIS/4/5115.pdf>> [Accessed 22/1/2014]
244. ODPM (2001) Guidance on Environmental Impact Assessment in Relation to Dredging Applications.
245. OSPAR (2008) List of Threatened and/or Declining Species and Habitats. Available at: https://ospar-archive.s3-eu-west-1.amazonaws.com/DECRECS/AGREEMENTS/08-06e_agreement_ospar_list_species_and_habitats.doc?response-content-disposition=attachment%3B%20filename%3D%2208-06e_agreement_ospar_list_species_and_habitats.doc%22&AWSAccessKeyId=AKIAJIACMW2T5USCSU5A&Expires=1441375445&Signature=OcnxaFvfnVFQV9%2B83%2FflCU4G5WU%3D . Accessed: 04/09/2015
246. OSPAR (2010) *Sabellaria spinulosa* reefs, Case Reports for the OSPAR List of Threatened and/or Declining species and habitats, Quality Status Report 2010. Available at: http://qsr2010.ospar.org/media/assessments/Species/p0010_supplements/CH10_04_Sabellaria_spinulosa.pdf
247. OSPAR Commission (2013) *Background* document on *Sabellaria spinulosa* reefs
248. Pearce, B., Hill, J.M., Grubb, L. and Harper, G. (2011b). Impacts of marine aggregate dredging on adjacent *Sabellaria spinulosa* aggregations and other benthic fauna. Marine Aggregates Levy Sustainability Fund MEPF 08/P39 and The Crown Estate. Marine Ecological Surveys Limited, 3 Palace Yard Mews, BATH, BA1 2NH. 35pp ISBN 978-0-9506920-5-0

249. Pearce, B., Hill, J.M., Wilson, C., Griffin, R., Earnshaw, S. and Pitts, J. (2011a). *Sabellaria spinulosa* Reef Ecology and Ecosystem Services. The Crown Estate 120 pages ISBN 978-1-906410-27-8. First Published 2013. This report is available on The Crown
250. Sanderson, W. G. (1996a) Rare benthic marine flora and fauna in Great Britain: the development of criteria for assessment. Peterborough, Joint Nature Conservation Committee.
251. Sanderson, W. G. (1996b). Rarity of marine benthic species in Great Britain: development and application of assessment criteria. *Aquatic Conservation*, 6, 245-256.
252. Steenbergen, J. Kraan, M. Tulp, I, Quirijns, F., van Kooten, T., and Poos, J.J. (2011) To manage or not to manage? Discussion paper on brown shrimp (*Crangon crangon*) fisheries. IMARES
253. The Planning Inspectorate (2012) SCOPING OPINION Proposed East Anglia THREE Offshore Windfarm
254. Tyler-Walters (2008). *Mytilus edulis*. Common mussel. Marine Life Information Network: Biology and Sensitivity Key Information Sub-programme [on-line]. Plymouth: Marine Biological Association of the United Kingdom. Available from: <<http://www.marlin.ac.uk/speciessensitivity.php?speciesID=3848>> [Accessed 09/01/2014]
255. Tyler-Walters, H., Durkin, O. and Marshall, C. (2011). Sensitivity of benthic communities in the Humber and Outer Wash Region. Report from the Marine Biological Association of the UK to Environmental Resource Management (ERM) Ltd.
256. Tyler-Walters, H., Lear, D. & Allen J.H., (2004). Identifying offshore biotope complexes and their sensitivities. Report to Centre for Environmental, Fisheries, and Aquaculture Sciences from the Marine Life Information Network (MarLIN). Plymouth: Marine Biological Association of the UK. [Sub contract reference A1148]
257. W. John Richardson, W. J., Greene, C. R., and Malme, C.I (1995) *Marine Mammals and Noise*, Academic Press.
258. Ware, S.J. and Kenny, A.J. (2011). *Guidelines for the Conduct of Benthic Studies at Marine Aggregate Extraction Sites (2nd Edition)*. Marine Aggregate Levy Sustainability Fund, 80 pp.
259. Wilhelmsson, D. and Malm, T. (2008) Fouling assemblages on offshore wind power plants and adjacent substrata. *Estuarine, Coastal and Shelf Science*, vol. 79:3, pp.459-466

260. Wyn and Brazier (2001); Joint Nature Conservation Committee (JNCC) Marine Monitoring Handbook.

CHAPTER 11: FISH AND SHELLFISH ECOLOGY

261. ABPmer (2012) Appendix 6.1. East Anglia Offshore Wind Project ONE Windfarm: Model calibration and validation report. Report R. vol. 1961(2), pp. 1-188.
262. Andersson, M. (2011) Offshore Wind Farms. Ecological Effects of Noise and Habitat Alteration on Fish. PhD Thesis, Department of Zoology, Stockholm University. [cited 10/04/14]. Available from: <http://su.diva-portal.org/smash/record.jsf?pid=diva2:391860>. Accessed 10/04/14.
263. Andersson, M. and Öhman, M. (2010) Fish and Sessile Assemblages Associated with Wind-Turbine Constructions in the Baltic Sea. *Marine Freshwater Research*, vol. 61, pp. 642-650.
264. Auld, A. and Schubel, J. (1978) Effects of suspended sediment on fish eggs and larvae: A laboratory assessment. *Estuarine and Coastal Marine Science*, vol. 6(2), pp. 153-164.
265. Behrens, J., Stahl, Steffensen, J., Glud, R. (2007) Oxygen dynamics around buried lesser sandeels *Ammodytes tobianus* (Linnaeus 1785): mode of ventilation and oxygen requirements. *Journal of Experimental Biology*, vol. 210(6), pp. 1006-14.
266. Betke, K., Glahn, M. and Matuschek, R. (2004) Underwater noise emissions from offshore wind turbines. *Proceedings of CFA/DAGA '04*.
267. Blaxter, J. and Hoss, D. (1981) Startle response in herring: the effect of sound stimulus frequency, size of fish and selective interference with the acoustico-lateralis system. *Journal of the Marine Biological Association of the United Kingdom*, vol. 61(04), pp. 871-879.
268. Blyth-Skyrme, R. (2010) Options and opportunities for marine fisheries mitigation associated with wind farms. Final report for Collaborative Offshore Wind Research into the Environment contract FISHMITIG09. COWRIE Ltd, London.
269. Bochert, R. (2004) Long term exposure of several marine benthic animals to static magnetic fields. *Bioelectromagnetics*, vol. 25(7), pp. 498-502.
270. Bodznick, D. and Northcutt, R. (1981) Electroreception in lampreys: evidence that the earliest vertebrates were electroreceptive. *Science*, vol. 212(4493), pp. 465-467.
271. Bodznick, D. and Preston D. (1983) Physiological characterization of electroreceptors in the lampreys *Ichthyomyzon unicuspis* and *Petromyzon marinus*. *Journal of Comparative Physiology*, vol. 152(2), pp. 209-217.
272. Boehlert, G. and Morgan, J. (1985) Turbidity enhances feeding abilities of larval Pacific herring, *Clupea harengus pallasii*, *Hydrobiologia*, vol. 123(2), pp. 161-170.

273. Bohnsack, J. (1989) Are high densities of fishes at artificial reefs the result of habitat limitation or behavioural preference? *Bulletin of Marine Science*, vol. 44(2), pp. 631-645.
274. Bohnsack, J. and Sutherland, D. (1985) Artificial reef research: a review with recommendations for future priorities. *Bulletin of Marine Science*, vol. 37, pp. 11-39.
275. Boles, L., and Lohmann, K. (2003) True navigation and magnetic maps in spiny lobsters. *Nature*, vol. 421(6918), pp. 60-63.
276. Bolle, L. J., C. A. F. de Jong, et al. (2012) Common sole larvae survive high levels of pile-driving sound in controlled exposure experiments. *Public Library of Sciences ONE*, vol. 7(3), pp. e33052.
277. Bolle, L., de Jong, C., Bierman, S., van Beek, P., van Keeken, O., Wessels, P., van Damme, C., Winter, H., de Haan, D., Dekeling, R. (2012) Common sole larvae survive high levels of pile-driving sound in controlled exposure experiments. *Public Library of Science ONE*, vol. 7(3), pp. 33052.
278. Bone, Q. and Moore, R. (2008) *Biology of fishes*. Taylor & Francis.
279. Bonfil, R. (1994) Overview of world elasmobranch fisheries. *FAO Fisheries Technical Paper No. 341* Rome, FAO.
280. Cain, S., Boles, L., Wang, J., Lohmann, K. (2005) Magnetic orientation and navigation in marine turtles, lobsters, and molluscs: concepts and conundrums. *Integrative and Comparative Biology*, vol. 45(3), pp. 539-546.
281. Camhi, M., Fowler, S., Musick, J., Bräutigam, A., Fordham, S. (1998) *Sharks and their Relatives: Ecology and Conservation*. Occasional Paper of the IUCN Species Survival Commission, vol. 20, pp. 39.
282. Carlson, T. (2012) Barotrauma in fish and barotrauma metrics. *Advances in Experimental Medical Biology*, vol. 730, pp. 229-33.
283. Carlson, T., Hastings, M. and Popper A. (2007) Update on recommendations for revised interim sound exposure criteria for fish during pile driving activities. *California Department of Transportation, San Diego* 8.
284. Casper, B. and Mann, D. (2006) Evoked potential audiograms of the nurse shark (*Ginglymostoma cirratum*) and the yellow stingray (*Urobatis jamaicensis*). *Environmental Biology of Fishes*, vol. 76(1), pp. 101-108.
285. Casper, B. and Mann, D. (2009) Field hearing measurements of the Atlantic sharpnose shark *Rhizoprionodon terraenovae*. *Journal of Fish Biology*, vol. 75, pp. 2768-2776.

286. Centre for Environment, Fisheries and Aquaculture Science (2010) Strategic review of offshore wind farm monitoring data associated with FEPA Licence Conditions. Fish. Contract: ME1117, Version 1.5., [Online], Available from: <http://www.cefas.defra.gov.uk/publications-and-data/miscellaneous-publications/strategic-review-of-offshore-wind-farm-monitoring-data-associated-with-fepa-licence-conditions.aspx>, [18/03/2014].
287. Centre for Environment, Fisheries and Aquaculture Science (2012) Guidelines for data acquisition to support marine environmental assessments of offshore renewable energy projects. Contract report: ME5403, May 2012.
288. Centre for Environment, Fisheries and Aquaculture Science, Department of Environment and Regulatory Affairs, Department of Trade and Industry, and Marine Consents and Environment Unit (2004) Offshore wind farms: Guidance note for environmental impact assessment in respect of FEPA and CPA requirements Version 2, Marine Consents Environment Unit, pp. 48, [Online], Available from: <http://www.cefas.co.uk/publications/files/windfarm-guidance.pdf>, [18/03/2014].
289. Centre for Marine and Coastal Studies (2003) A baseline assessment of electromagnetic fields generated by offshore Windfarm cables COWRIE Report EMF –01-2002 66.
290. Charrier, G., Coombs, S., McQuinn, I. and Laroche, J. (2007) Genetic structure of whiting *Merlangius merlangus* in the northeast Atlantic and adjacent waters. Marine Ecology Progress Series, vol. 330, pp. 201-211.
291. CMACS, 2004. Kentish Flats Offshore Wind Farm. EMF Modelling and Interpretation for
292. Colcough, S. and Coates, S. (2013) A review of the status of Smelt (*Osmerus eperlanus*) (L.) in England and Wales - 2013. Environment Agency Report: SC2 Reference: EA/001.
293. Collaborative Offshore Wind Research into the Environment (2009) COWRIE 2.0 Electromagnetic Fields (EMF) Phase 2. EMF-sensitive fish response to EM emissions from sub-sea cables of the type used by the offshore renewable energy industry. Ref: EP-2054-ABG.
294. Compagno, L. (2002) Sharks of the World. An annotated and illustrated catalogue of shark species known to date. Volume 2. Bullhead, mackerel and carpet sharks (Heterodontiformes, Lamniformes and Orectolobiformes). Rome, Food and Agriculture Organisation of the United Nations.
295. Coull, K., Johnstone, R. and Rogers, S. (1998) Fisheries sensitivity maps in British

- Waters. UKOOA Ltd, Aberdeen, pp. 63.
296. de Castro, C., Wright, P., Millar, C., Holmes, S. (2013) Evidence for substock dynamics within whiting (*Merlangius merlangus*) management regions. *ICES Journal of Marine Science: Journal du Conseil*, vol. 70(6), pp. 1118-1127.
 297. De Groot, S. (1980) The consequences of marine gravel extraction on the spawning of herring, *Clupea harengus* Linné. *Journal of Fisheries Biology*, 16, pp. 605-611.
 298. Dekeling, R., Tasker, M., Ainslie, M., Andersson, M., André, M., Castellote, M., Borsani, J., Dalen, J., Folegot, T., Leaper, R., Liebschner, A., Pajala, J., Robinson, S., Sigray, P., Sutton, G., Thomsen, F., Van der Graaf, A., Werner, S., Wittekind, D., Young, J. Monitoring Guidance for Underwater Noise in European Seas - 2nd Report of the Technical Subgroup on Underwater noise (TSG Noise). Part II Monitoring Guidance Specifications. Interim Guidance Report.
 299. Department of Energy and Climate Change (2010) 2010 NPS for Renewable Energy Infrastructure.
 300. Department of Energy and Climate Change (2011) Overarching NPS for Energy (EN-1)
 301. Edwards, B., Brooker, A., Workman, R., Parvin, S. and Nedwell, J. (2007) Subsea operational noise assessment at the Barrow Offshore Wind Farm site. Subacoustech Report.
 302. Edwards, E. (1979) The edible crab and its fishery in British Waters, Buckland Foundation. Books.
 303. Electrosensitive Fish Species. CMACS Report J3025/v1.2/10-04.
 304. Ellis, J., Milligan, S., Readdy, L., South, A., Taylor, N. and Brown, M. (2010) MB5301 Mapping spawning and nursery areas of species to be considered in Marine Protected Areas (Marine Conservation Zones). Report No. 1: Final Report on development of derived data layers for 40 mobile species considered to be of conservation importance. Final version. August 2010.
 305. Ellis, J., Milligan, S.P., Readdy, L., Taylor, N. and Brown, M.J. (2012) Spawning and nursery grounds of selected fish species in UK waters. Science Series Technical Report, Cefas Lowestoft, pp. 147:56.
 306. Eltra, (2000) Beregning og måling af magnetfelter omkring kabler og vindmøller. Notat elt. vol. 2000, pp. 240.
 307. Ferno, A., Pitcher, T., Melle, W., Nøttestad, L., Mackinson, S., Hollingworth, C., and Misund, O. (1998) The challenge of the herring in the Norwegian Sea: making optimal collective spatial decisions. *Sarsia*, vol. 83, pp. 149–167.

308. Fewtrell, J. L., and R. D. McCauley. Impact of air gun noise on the behaviour of marine fish and squid. *Marine pollution bulletin*, vol. 64(5), pp. 984-993.
309. Fugro EMU (2013) Results of the site specific benthic characterisation survey.
310. Furness, R. (1990) A preliminary assessment of the quantities of Shetland sandeels taken by seabirds, seals, predatory fish and the industrial fishery in 1981-83, *Ibis*, vol. 132, pp.205-217.
311. Gamble, R. (1959) Investigations of the sub-division of North Sea whiting populations, Part I. Further observations on the vertebral counts of whiting in the North Sea area. ICES Committee Meeting [Near Northern Sea Committee]/36.
312. Gill A. (2005) Offshore renewable energy: ecological implications of generating electricity in the coastal zone. *Journal of Applied Ecology*, vol. 42, pp. 605-615.
313. Gill A. and Taylor H. (2002) The potential effects of electromagnetic fields generated by cabling between offshore wind turbines upon elasmobranch fishes. Report to the Countryside Council for Wales. CCW Contract Science Report No 488.
314. Gill A., Gloyne-Phillips, I., Neal, K. and Kimber, J. (2005) The potential effects of electromagnetic fields generated by sub-sea power cables associated with offshore wind farm developments on electrically and magnetically sensitive marine organisms – a review. Report to Collaborative Offshore Wind Research into the Environment (COWRIE) group, Crown Estates.
315. Gill, A. and Bartlett, M. (2010) Literature review on the potential effects of electromagnetic fields and subsea noise from marine renewable energy developments on Atlantic salmon, sea trout and European eel. Scottish Natural Heritage Commissioned Report No. 401.
316. Gill, A., Huang, Y. Gloyne-Phillips, I., Metcalfe, J., Quayle, V., Spencer, J., Wearmouth, V. (2009) COWRIE 2.0 Electromagnetic Fields (EMF) Phase 2: EMF-sensitive fish response to EM emissions from sub-sea electricity cables of the type used by the offshore renewable energy industry. Commissioned by COWRIE Ltd. Project reference COWRIE-EMF-1-06.
317. Griffin, F., Sith, E., Vines, C. and Cherr, G. (2009) Impacts of suspended sediments on fertilization embryonic development, and early larval life stages of the Pacific herring, *Clupea pallasii*. *Biological Bulletin*, vol. 216, pp. 175-187.
318. Halvorsen, M., Zeddies, D., Ellison, W., Chicoine, D., Popper, A. (2012) Effects of mid-frequency active sonar on hearing in fish. *The Journal of the Acoustical Society of America*, vol. 131, pp 599.
319. Hassel, A., Knutsen, T., Dalen, J., Skaar, K., Løkkeborg, S., Misund, O. A., Øivind, Ø.,

- Fonn, M. and Haugland, E. K. (2004) Influence of Seismic Shooting on the Lesser Sandeel (*Ammodytes marinus*), *ICES Journal of Marine Science*, vol. 61, pp. 1165-1173.
320. Hastings, M. and Popper A. (2005) Effects of Sound on Fish. Subconsultants to Jones & Stokes Under California Department of Transportation Contract No. 43A0139, Task Order 1.
321. Hislop, J., and MacKenzie, K. (1976) Population studies of the whiting *Merlangius merlangus* (L.) of the northern North Sea. *Journal du Conseil*, vol. 37(1), pp. 98-110.
322. HM Government (2011) UK Marine Policy Statement
323. Hoffman, E., Astrup, J., Larsen, F. and Munch-Petersen, S. (2000) Effects of Marine Windfarms on the distribution of fish, shellfish and marine mammals in the Horns Rev area. *Baggrundsrapport nr 24 to ELSAMPROJEKT A/S*. pp. 42.
324. Holden, M. (1974) Problems in the rational exploitation of elasmobranch populations and some suggested solutions. *Sea Fisheries Research*, pp. 117-137.
325. Hufnagl, M., Peck, M., Nash, R., Pohlmann, T., Rijnsdorp, A. (2013) Changes in potential North Sea spawning grounds of plaice (*Pleuronectes platessa* L.) based on early life stage connectivity to nursery habitats. *Journal of Sea Research*, vol. 84, pp. 26-39.
326. ICES (2005a) ICES FishMap, [cited 8/08/2014]. Available from: <http://www.ices.dk/marineworld/fishmap/ices/>. Accessed 8/08/2014.
327. ICES (2005b) Report of the Study Group of Multispecies Assessment in the North Sea (SGMSNS), 5 -8 April 2005, ICES Headquarters. ICES CM 2005/D. vol. 06. pp. 163.
328. ICES (2006) Report of the Planning Group on Herring Surveys (PGHERS). ICES CM 2006/LRC:04.
329. ICES (2008) Report of the Working Group on Multispecies Assessment Methods (WGSAM), 6–10 October 2008, ICES Headquarters, Copenhagen. ICES CM 2008/RMC:06. pp. 113.
330. ICES (2009) Report of the Working Group of Multispecies Assessment Methods (WGSAM), 5- 9 October 2009. ICES Headquarters, Copenhagen. ICES CM 2008/RMC. vol. 06. pp. 113.
331. Inger, R., Attril, M.J., Bearhop, S., Broderick, A.C., Grecian, W.J., Hodgson, D.J., Mills, C., Sheehan, E., Votier, S.C., Witt, M.J., and Godley, B.J. (2009) Marine Renewable Energy: Potential Benefits to Biodiversity? An Urgent Call for Research. *Journal of Applied Ecology*, vol. 46, pp. 1145-1153.

332. Innogy (2002) North Hoyle Offshore Windfarm Environmental Statement. National Wind Power Offshore Ltd.
333. Institute of Ecology and Environmental Management (2010) Guidelines for Ecological Impact Assessment in Britain and Ireland - Marine and Coastal, Institute for Ecology and Environmental Management, Winchester, UK, pp. 72.
334. Jensen, H., Rindorf, A., Wright, P. and Mosegaard, H. (2011) Inferring the location and scale of mixing between habitat areas of lesser sandeel through information from the fishery. ICES Journal of Marine Science, vol. 68(1), pp. 43–51.
335. Johnston, D. and Wildish, D. (1981) Avoidance of dredge spoil by herring (*Clupea harengus harengus*). Bulletin of environmental contamination and toxicology, vol. 26(1), pp. 307-314.
336. Jørgensen, H., Hansen, M., Bekkevold, D., Ruzzante, D., Loeschcke, V. et al. (2005) Marine landscapes and population genetic structure of herring (*Clupea harengus* L.) in the Baltic Sea. Molecular Ecology, vol. 14(10), pp. 3219-3234.
337. Jørgensen, T., Løkkeborg, S. and Soldal, A. (2002) Residence of fish in the vicinity of a decommissioned oil platform in the North Sea. ICES Journal of Marine Science: Journal du Conseil, vol. 59, suppl. pp. S288-S293.
338. Jørgensen, T., Løkkeborg, S., and Soldal, A. (2002) Residence of fish in the vicinity of a decommissioned oil platform in the North Sea. ICES Journal of Marine Science, vol. 59, pp. S288–S293.
339. Kastelein, R., Heul, S. Verboom, W., Jennings, N., Veen, J., de Haan, D. (2008) Startle response of captive North Sea fish species to underwater tones between 0.1 and 64 kHz. Marine Environmental Research, vol. 65(5), pp. 369-77.
340. Kiorbe, T., Munk, P., Richardson, K., Christensen, V., Paulsen, H. (1988) Plankton dynamics and larval herring growth, drift and survival in a frontal area. Marine Ecology Progress Series vol. 44, pp. 205-219.
341. Kosheleva, V. (1992) The impact of air guns used in marine seismic explorations on organisms living in the Barents Sea. Fisheries and Offshore Petroleum Exploitation 2nd International Conference, Bergen, Norway.
342. Leonhard, S. and Pedersen, J. (2005) Hydroacoustic Monitoring of Fish Communities at Offshore Wind Farms Horns Rev Offshore Wind Farm Annual Report.
343. Leonhard, S. and Pedersen, J. (2006) Benthic Communities at Horns Rev Before, During and After Construction of Horns Rev Offshore Wind Farm.
344. Leonhard, S., Stenberg, C., Stottrup, J. Eds: (2011) Effect of the Horns Rev 1 Offshore

- Wind Farm on Fish Communities. Follow-up Seven Years after Construction. DTU Aqua, Orbicon, DHI, NaturFocus. Report commissioned by The Environmental Group through contract with
345. Limpenny, S., Barrio Froján, C., Cotterill, C., Foster-Smith, R., Pearce, B., Tizzard, L., Limpenny, D., Long, D., Walmsley, S., Kirby, S., Baker, K., Meadows, W., Rees, J., Hill, J., Wilson, C., Leivers, M., Churchley, S., Russell, J., Birchenough, A., Green, S., and Law, R., (2011) The East Coast Regional Environmental Characterisation. Cefas Open report 08/04. pp. 287.
 346. Lindeboom, H., Kouwenhoven, H., Bergman, M., Bouma, S., Brasseur, S., Daan, R., Fijn, R.C. de Haan, D., Dirksen, S., van Hal, R., Hille Ris Lambers, R., ter Hofstede, R., Krijgsveld, K., Leopold, M. and Scheidat, M. (2011) Short-term ecological effects of an offshore wind farm in the Dutch coastal zone; a compilation. Environmental Research Letters, vol. 6(035101), pp. 13.
 347. Linley, E.A.S., Wilding, T.A., Black, K., Hawkins, A.J.S. and Mangi S. (2007) Review of the Reef Effects of Offshore Wind Farm Structures and their Potential for Enhancement and Mitigation. Report from PML Applications Ltd and the Scottish Association for Marine Science to the Department for Business, Enterprise and Regulatory Reform (BERR), Contract No: RFCA/005/0029P.
 348. Lohmann, K., Lohmann, C., Putman, N. (2007) Magnetic maps in animals: nature's GPS., Journal of Experimental Biology, vol. 210, pp. 3697.
 349. Loots, C., Vaz, S., Planque, B., and Koubbi, P. (2010) What controls the spatial distribution of the North Sea plaice spawning population? Confronting ecological hypotheses through a model selection framework. ICES Journal of Marine Science: Journal du Conseil, vol. 67(2), pp. 244-257.
 350. Lurton, X. (2002) An introduction to underwater acoustics. Principles and applications. Springer. 347pp
 351. Macer, C. (1965) The distribution of larval sandeel (Ammodytidae) in the Southern North Sea. Journal of the Marine Biological Association of the United Kingdom, vol. 72, pp. 301 -311.
 352. Marine Life Information Network (MarLIN) sensitivity assessments, May 2014, Available from: <http://www.marlin.ac.uk/sensitivityrationale.php>
 353. Marine Management Organisation (2013) Draft East Inshore and East Offshore marine plans: For consultation, July 2013. [cited 14/04/2014], Available from: http://www.marinemangement.org.uk/marineplanning/areas/east_plans.htm. Accessed 23/12/2013].

354. Marine Management Organisation (2014) Review of environmental data associated with post-consent monitoring of licence conditions of offshore wind farms. A report produced for the Marine Management Organisation. MMO Project No: 1031. pp. 194.
355. McCauley, R., Fewtrell, J., Duncan, A.J., Jenner, C., Jenner, M., Penrose, J., Prince, T., Adhitya, A., Murdoch, McCabe, K. (2000) Marine seismic surveys - a study of environmental implications. APPEA Journal, pp 692 - 708.
356. McQuaid, N., Briggs, R., Roberts, D. (2009) Fecundity of *Nephrops norvegicus* from the Irish Sea, Journal of the Marine Biological Association of the United Kingdom. vol. 89, pp. 1181.
357. Measurement and Interpretation of Underwater Noise During Construction and Operation of Wind farms in UK waters, Subacoustech Report No. 544R0738 to COWRIE Ltd.
358. Messieh, S., Wildish, D., and Peterson, R. (1981) Possible Impact from Dredging and Soil Disposal on the Miramichi Bay Herring Fishery. Can. Tech. Rep. Fish. Aquat. Sci., vol. 1008, pp. 33 Cited in: Engel-Sørensen, K., and Skyt, P. (2001) Evaluation of the Effect of Sediment Spill from Offshore Wind Farm Construction on Marine Fish. Report to SEAS, Denmark, pp. 18.
359. Misund, O. (1994). "Swimming behaviour of fish schools in connection with capture by purse seine and pelagic trawl." Marine Fish Behaviour in Capture and, Abundance Estimation. Pp. 84-106.
360. Misund, O. (1997) Underwater acoustics in marine fisheries and fisheries research. Reviews in Fish Biology and Fisheries, vol. 7, pp. 1-34.
361. Mohr, H. (1971) Behaviour patterns of different herring stocks in relation to ship and midwater trawl. Modern fishing gear of the world 3. pp. 368-371.
362. Mueller-Blenkle, C., McGregor, P., Gill, A., Anderson, M., Metcalfe, J., Bendall, V., Sigray, P., Wood, D., Thomsen, F. (2010) Effects of Pile-driving Noise on the Behaviour of Marine Fish. COWRIE Ref: Fish 06-08, Technical Report 31st March 2010.
363. Musick, J. and Bonfil, R. Eds. (2005) Management techniques for elasmobranch fisheries. FAO Fisheries Technical Paper. No. 474. Rome, FAO.
364. Myrberg, A. (2001) The Acoustical Biology of Elasmobranchs. Environmental Biology of Fishes, 60(1-3), pp. 31-46.
365. Neal, K and Wilson, E (2008). Cancer pagurus. Edible crab. Marine Life Information Network: Biology and Sensitivity Key Information Sub-programme. Plymouth:

- Marine Biological Association of the United Kingdom.]. Available at:
<<http://www.marlin.ac.uk/speciesimportance.php?speciesID=2872>>. Accessed
10/10/10. Visited: 24/02/2014
366. Nedwell, J., Langworthy, J. and Howell, D. (2003). Assessment of sub-sea acoustic noise and vibration from offshore wind turbines and its impact on marine wildlife; initial measurements of underwater noise during construction of offshore windfarms, and comparison with background noise. Report No. 544 R 0424, Subacoustech Ltd.
 367. Nedwell, J., Parvin, S., Edwards, B., Workman, R., Brooker, A. and Kynoch, J. (2007a)
 368. Normandeau Associates, I. (2012) Effects of Noise on Fish, Fisheries, and Invertebrates in the U.S. Atlantic and Arctic from Energy Industry Sound-Generating Activities. A Workshop Report for the U.S. Dept. of the Interior, Bureau of Ocean Energy Management. Contract # M11PC00031. pp. 72 plus Appendices.
 369. Nottestad, L., Aksland, M., Beltestad, A., Ferno, A., Johannessen, A., and Misund, O. (1996) Schooling dynamics of Norwegian Spring spawning Herring (*Clupea harengus* L.) in a coastal spawning area. *Sarsia*, vol. 80, pp. 277-284.
 370. Pawson, M. (1995) Biogeographical identification of English Channel fish and shellfish stocks. Fisheries Research Technical Report. MAFF Direct. Fisheries Research, Lowestoft, vol. 99, pp. 72.
 371. Payne, J., Andrews, C., Fancey, L., Cook, A., Christian, J. (2007) Pilot study on the effects of seismic air gun noise on lobster (*Homarus americanus*), Environmental Studies Research Funds. Canadian Technical Reports Fisheries and Aquatic Sciences. Vol. 2712, pp. 46.
 372. Pearson, W., Skalski, J., Skalski, J., Malme, C. (1992) Effects of Sounds from a Geophysical Survey Device on Behavior of Captive Rockfish (*Sebastes* spp.), Canadian Journal of Fisheries and Aquatic Sciences. vol. 49(7), pp. 1343.
 373. Peña, H., Handegard, N. and Ona, E. (2013) Feeding herring schools do not react to seismic air gun surveys. *ICES Journal of Marine Science: Journal du Conseil*, vol. 70(6), pp. 1174-1180.
 374. Pérez-Domínguez, R. and Vogel, M. (2010) Baseline larval fish assemblages along the Dutch coast, Southern North Sea. Report to Port of Rotterdam. Project Organization Maasvlakte 2 (PMV2). Institute of Estuarine and Coastal Studies University of Hull, UK Report: ZBB727-F-201.
 375. Popper, A. (2006) What do we know about pile driving and fish? In Proceedings of the 2005 International Conference on Ecology and Transportation. Irwin, C. L.,

- Garrett, P. & McDermott, K. P., eds. pp. 26–28. Raleigh, NC: Centre for Transportation and the Environment, North Carolina State University.
376. Potter, E. and Dare, P. (2003) Research on migratory salmonids, eel and freshwater fish stocks and fisheries. Science Series Technical Report, CEFAS Lowestoft, vol. 119, pp. 64.
377. Reay, P. (1970) Synopsis of biological data on North Atlantic sandeels of the genus *Ammodytes* (*A. tobianus*, *A. dubius*, *A. americanus* and *A. marinus*). Food and Agriculture Organization of the United Nations Fisheries Synopsis vol. 82, pp. 50.
378. Renewable UK (2013) Cumulative impact assessment guidelines, guiding principles for cumulative impacts assessments in offshore wind farms. [cited 24/02/2014]. Available from:
<http://www.renewableuk.com/en/publications/index.cfm/cumulative-impact-assessment-guidelines>. Accessed 14/04/2014.
379. Richardson, D., Hare, J., Fogarty, M., Link, J. (2011) Role of egg predation by haddock in the decline of an Atlantic herring population, *Proceedings of the National Academy of Sciences*, vol. 108, pp. 13606
380. Rönbäck, P. and Westerberg, H. (1996) Sedimenteffekter på pelagiska fiskägg och gulesäckslarver. Fiskeriverket, Kustlaboratoriet, Frölunda, Sweden. Cited in: Engelsørensén, K. and Skyt, P. (2001) Evaluation of the Effect of Sediment Spill from Offshore Wind Farm Construction on Marine Fish. Report to SEAS, Denmark, pp. 18.
381. Santos, M. and Pierce, G. (2003) The diet of harbour porpoise (*Phocoena phocoena*) in the Northeast Atlantic. *Oceanography and Marine Biology: an Annual Review*, vol. 41, pp. 355–390.
382. Santos, M., and Pierce, G. (2004) Variability in the diet of harbor porpoises (*Phocoena phocoena*) in Scottish waters 1992–2003. *Marine Mammal Science*, vol. 20(1), pp. 1-27.
383. Sayer, M., Magill, S., Pitcher, T., Morissette, L. and Ainsworth, C. (2005) Simulation-based investigations of fishery changes as affected by the scale and design of artificial habitats. *Journal of Fish Biology*, vol. 67 (Supplement B), pp. 218–243.
384. Schmidt, J., van Damme, C., Rockmann, C. and Dickey-Collas, M. (2009) Recolonisation of spawning grounds in a recovering fish stock: recent changes in North Sea herring. *Science Marine*, vol. 73 (S1), pp. 153-157.
385. Serena, F. (2005) Field identification guide to the sharks and rays of the Mediterranean and Black Sea. Rome, FAO.
386. Skaret, G., Axelsen, B.E., Nottestad, L., Ferno, A., and Johannessen, A. (2005) The

- behaviour of spawning herring in relation to a survey vessel. ICES Journal of Marine Science, vol. 62, pp. 1061-1064.
387. Skaret, G., Nottestad, L., Ferno, A., Johannessen, A., and Axelsen B.J. (2003) Spawning of herring: day or night, today or tomorrow? Aquatic Living Resources, vol. 16, pp. 299- 306.
388. Smith, S., Au, D. and Show, C. (1998) Intrinsic rebound potentials of 26 species of Pacific sharks. Marine and Freshwater Research, vol. 49, pp. 663-678.
389. Southall, B., Bowles, A., Ellison, W., Finneran, J., Gentry, R., Greene, C., Kastak, D., Ketten, D., Miller, J., Nachtigall, P., Richardson, W., Thomas, J. and Tyack, P. (2007) Marine mammal noise exposure criteria: initial scientific recommendations. Aquatic Mammals33, vol. 4, pp. 411-522.
390. Stenberg, C., van Deurs, M., Stottrup, J., Mosegaard, H, Grome, T., Dinesen, G., Christensen, A., Jensen, H, Kaspersen, M., Berg, C.W., Leonhard, S.B., Skov, H., Pedersen, J., Hvidt, C.B. and Kaustrup, M. (2011) Effect of the Hors Rev 1 Offshore Wind Farm on Fish Communities. Follow-up Seven Years after Construction. DTU Aqua Report NO 246-2011.
391. Swedpower (2003) Electrotechnical Studies and Effects on the Marine Ecosystem for BritNed Interconnector.
392. Teal, L., van Hal, R., van Damme, C. ter Hofstede R, L. (2009) Review of the spatial and temporal distribution by life stage for 19 North Sea fish species. Report No. C126/09, IMARES, Ijmuiden.
393. The Scottish Government (2015) Key Fish Stock on the rise. Available at: <http://news.scotland.gov.uk/News/Key-fish-stock-on-the-rise-1aca.aspx> accessed: 24.08.2015
394. Ueno, S., Lövsund, P. and Åke Öberg, P. (1986) Effect of time-varying magnetic fields on the action potential in lobster giant axon. Medical and Biological Engineering and Computing vol. 24(5), pp. 521-526.
395. Vandendriessche, S., Derweduwen, J. & Hostens, K., (2012). Monitoring the effects of offshore wind farms on the epifauna and demersal fish fauna of soft-bottom sediments. pp. 55-71. In ; Degraer, S., Brabant, R. & Rumes, B., (Eds.) (2012). Offshore wind farms in the Belgian part of the North Sea: Heading for an understanding of environmental impacts. Royal Belgian Institute of Natural Sciences, Management Unit of the North Sea Mathematical Models, Marine ecosystem management unit. 155 pp. + annexes.
396. Vattenfall Vindkraft A/S.

397. Wahlberg, M. and Westerberg, H. (2005) Hearing in fish and their reaction to sounds from offshore wind farms. Marine Ecological Progress Series, vol. 288, pp. 295-309.
398. Walker, T. (2001) Review of Impacts of High Voltage Direct Current Sea Cables and Electrodes on Chondrichthyan Fauna and Other Marine Life. Basslink Supporting Study No. 29. Marine and Freshwater Resources Institute No. 20. Marine and Freshwater Resources Institute, Queenscliff, Australia.
399. Walls et al 2013: Walls, R. Canning, S., Lye G., Givens L., Garrett C. and Lancaster J (2013). Analysis of marine environmental monitoring plan data from the Robin Rigg offshore wind farm, Scotland (operational year 3) technical report. Report produced by Natural Power on behalf of E.ON Climate & Renewables, [Online], <http://www.gov.scot/Resource/0046/00463654.pdf> [18/03/2014]
400. Wanless, S., Harris, M., Greenstreet, S. (1998) Summer sandeel consumption by seabirds breeding in the Firth of Forth, south-east Scotland. ICES Journal of Marine Science, vol. 55, pp. 1141-1151.
401. Wanless, S., Wright, P.J., Harris, M.P. and Elston, D. A. (2005) Evidence for decrease in size of lesser sandeels *Ammodytes marinus* in a North Sea aggregation over a 30-yr period. Marine Ecology Progress Series, vol. 279, pp. 237–246.
402. Webb, J., Fay, R. and Popper, A. (2008) Fish bioacoustics. New York, Springer Science + Business Media.
403. Westerberg, 1994. Fiskeriundersøgninger vid havbaseret vindkraftverk 1990-1993. Fiskeriverkets Utredningskontoret Jønknøbing. Rapport 5-1994. Gøteborgfilialen.
404. Whitehead, P., Bauchot, M., Hureau, J., Nielsen, J. and Tortonese, E. (1986) Clupeidae. In: Fishes of the North-eastern Atlantic and the Mediterranean Volume I. UNESCO, Paris, pp. 268-281.
405. Wilhelmsson, D., Malm, T., Ohman, M., (2006) The influence of offshore windpower on demersal fish. ICES Journal of Marine Science, vol. 63, pp. 775-784
406. Williams, T. and Prime, J. (1966) English whiting tagging experiments in the North Sea. International Council for the Exploration of the Sea. Gadoid Fish Committee.
407. Winslade, P. (1971) Behavioural and embryological studies on the lesser sandeel *Ammodytes marinus* (Raitt). PhD thesis, Univ. East Anglia. pp. 174.
408. Wright, P. and Bailey, M. (1996) Timing of hatching in *Ammodytes marinus* from Shetland waters and its significance to early growth and survivorship. Marine Biology, vol. 126, pp. 143-152. Cited in: Jensen et al. (2003).
409. Wright, P., Jensen, H., and Tuck, I. (2000) The influence of sediment type on the

distribution of the lesser sandeel *Ammodytes marinus*. *Journal of Sea Research*, vol. 44, pp. 243-256.

CHAPTER 12: MARINE MAMMAL ECOLOGY

410. Ainslie, M. A., Harrison, C. H. and Burns, P. W. (1994). Reverberation modelling with INSIGHT. *Proc Institute of Acoustics*, 16, (6), 105-112.
411. Anderwald, P. and Evans, G.H. (2010). *Cetaceans of East Grampian Region*. SeaWatch Foundation.
412. Arveson and Vedittis. (2000). Radiated noise characteristics of a modern cargo ship. *Acoust. Soc. Am.*, 107, 118 – 129.
413. ASCOBANS (2012). *Convention on Migratory Species*. Available at: <http://www.cms.int/species/ascobans/asc_bkrd.htm>
414. Bäcklin, B-M., Moraes, C., Roos, A., Eklof, E., and Lind, Y. (2011). Health and age and sex distributions of Baltic grey seals (*Halichoerus grypus*) collected from by-catch and hunt in the Gulf of Bothnia. *ICES Journal of Marine Science*, 68(1); 183–188.
415. Banhuera-Hinestroza, E., Galatius Jørgensen, G., Kinze, C., Rasmussen M., and Evan, P. (2009). White-beaked dolphin. In Report of ASCOBANS/HELCOM Small Cetacean population structure workshop Held 8-10 October 2007. ASCOBANS, Bonn, Germany.
416. Barne, J.H., Robson, C.F., Kaznowska, S.S., Doody, J.P., Davidson, N.C., and Buck, A.L., eds. (1998). *Coasts and Seas of the United Kingdom*.
417. Beatrice Offshore Wind Limited (BOWL) (2012). *Beatrice Offshore Wind Farm Environmental Statement*.
418. Bexton, S., Thompson, D., Brownlow, A., Barley, J., Milne, R. and Bidewell, C. (2012). Unusual mortality of pinnipeds in the United Kingdom associated with helical (corkscrew) injuries of anthropogenic origin. *Aquatic Mammals* 38:229-240.
419. Bolt, H.E., Harvey, P. V., Mandleber, L. and Foote, A. D. (2009). Occurrence of killer whales in Scottish inshore waters: temporal and spatial patterns relative to the distribution of declining harbour seal populations. *Aquatic Conserv: Mar. Freshw. Ecosyst.* 19: 671–675.
420. Brandt, M. J., Diederichs, A., and Nehls, G. (2009). Investigations into the effects of pile driving at the offshore wind farm Horns Rev II and the FINO III research platform. Report to DONG Energy.
421. Brandt, M., Diederichs, A., Betke, K., and Nehls, G. (2011). Responses of harbour porpoises to pile driving at the Horns Rev II offshore windfarm in the Danish North Sea. *Marine Ecology Progress Series*, 421; 205-215.
422. Brasseur, S., van Polanen Petel, T., Aarts, G., Meesters, E., Dijkman, E., and Reijnders, P., (2010). Grey seals (*Halichoerus grypus*) in the Dutch North Sea: population

- ecology and effects of windfarms. In: we@sea (Ed.), IMARES Report number C137/10. Available at: <http://www.we-at-sea.org/leden/docs/reports/RL2-2_2005-006_Effect_of_windfarms_on_grey_seals_in_the_Dutch_North_Sea.pdf>
423. Brasseur, S.M.J.M., van Polanen Petel, T.D., Gerrodette, T., Meesters, E.H.W.G., Reijnders, P.J.H. and Aarts, G. (2014). Rapid recovery of Dutch grey seal colonies fuelled by immigration. *Marine Mammal Science*. doi: 10.1111/mms.12160.
424. BSI (2015). Environmental Impact Assessment for offshore renewable energy project – guide. PD 6900:2015.
425. Canning, S.J., Santos, M.B., Reid, R.J., Evans, P.G.H., Sabin, R.C., Bailey, N. and Pierce, G.J. (2008). Seasonal distribution of white-beaked dolphins (*Lagenorhynchus albirostris*) in UK waters with new information on diet and habitat use. *Journal of the Marine Biological Association of the UK* 88(6): 1159-1166.
426. Cefas (2012). Guidelines for Data Acquisition to Support Marine Environmental Assessments of Offshore Renewable Energy Projects.
427. Cheney, B., Thompson, P.M., Ingram, S.N., Hammond, P.S., Stevick, P.T., Durban, J.W., Culloch, R.M., Elwen, S.H., Mandleberg, L., Janik, V.M., Quick, N.J., Islas-Villanueva, V., Robinson, K.P., Costa, M., Eisfel, S.M., Walters, A., Phillips, C., Weir, C.R., Evans, P.G.H., Anderwald, P., Reid, R.J., Reid, J.B. and Wilson, B. (2012). Integrating multiple data sources to assess the distribution and abundance of bottlenose dolphins (*Tursiops truncatus*) in Scottish waters. *Mammal Review*.
428. Clark, J., Dolman, S.J. and Hoyt, E. (2010). Towards Marine Protected Areas for Cetaceans in Scotland, England and Wales: A scientific review identifying critical habitat with key recommendations. Whale and Dolphin Conservation Society, Chippenham, UK, 178pp.
429. CODA (2009). Cetacean Offshore Distribution and Abundance in the European Atlantic. Report available from <http://biology.st-andrews.ac.uk/coda>
- Culik, B. (2010). Odontocetes: The toothed whales: *Lagenorhynchus albirostris*. UNEP/CMS Secretariat, Bonn, Germany. Available at: <http://www.cms.int/reports/small_cetaceans/index.htm>
430. Committee on Climate Change (2015). Reducing emissions and preparing for climate change: 2015 Progress Report to Parliament: Summary and recommendations (Technical Annex). Available at: <https://www.theccc.org.uk/wp-content/uploads/2015/06/Annex-2-Power.pdf>
431. Deaville, R. and Jepson, P.D. (2011). UK Cetacean Strandings Investigation Programme. Final Report for the period 1st January 2005 – 31st December 2010.

- Available at: <http://ukstrandings.org/csip-reports/>
432. DECC (2002). Strategic Environmental Assessment (SEA) 3. Available at: <http://www.offshore-sea.org.uk/site/index.php>
 433. DECC (2009). UK Offshore Energy Strategic Environmental Assessment. Future Leasing for Offshore Wind Farms and Licensing for Offshore Oil and Gas Storage
 434. DECC (2011a). Overarching National Policy Statements for Energy EN-1 [Online]. Available at: http://www.decc.gov.uk/en/content/cms/meeting_energy/consents_planning/nps_en_infra/nps_en_infra.aspx. Accessed 04/05/2012].
 435. DECC (2011b). Renewable Energy Infrastructure EN-3 [Online]. Available at: http://www.decc.gov.uk/en/content/cms/meeting_energy/consents_planning/nps_en_infra/nps_en_infra.aspx. Accessed 04/05/2012.
 436. Diederichs et al. (2008). Methodologies for measuring and assessing potential changes in marine mammals behaviour, abundance or distribution arising from the construction, operation and decommissioning of offshore wind farms. Report commissioned by COWRIE Ltd.
 437. Diederichs, A., Brandt, M. and Nehls, G. (2010). Does sand extraction near Sylt affect harbour porpoises? *Wadden Sea Ecosystem*, 26: 199–203.
 438. Diederichs, A., Pehlke, H., Nehls, G., Bellmann, M., Gerke, P., Oldeland, J., Grunau, C., Witte, S. and Rose, A. (2014). Entwicklung und Erprobung des Großen Blasenschleiers zur Minderung der Hydroschallemissionen bei Offshore-Rammarbeiten. Projektkurztitel: HYDROSCALL-OFF BW II. Förderkennzeichen 0325309A/B/C. http://www.bioconsult-sh.de/pdf/BWII_ENDVERSION_20130624_final_2-1.pdf. Accessed 15/10/15.
 439. Dietz, R., Teilmann, J., Henriksen, O.D. and Laidre, K. (2003). Movements of seals from Rødsand sanctuary monitored by satellite telemetry. Relative importance of the Nysted Offshore Wind Farm to seals. NERI, Denmark. Report No. 429: Page 44.
 440. East Anglia Offshore Wind (2012a). East Anglia THREE Offshore Windfarm, Environmental Impact Assessment Scoping Report. November 2012.
 441. East Anglia Offshore Wind Limited (2012b). EA 1 Environmental Statement. Chapter 11 Marine Mammals.
 442. East Anglia Offshore Wind Limited. (2012c). Zonal Environmental Appraisal Report (ZEA).
 443. EC (2007). Guidance document on the strict protection of animal species of

- community interest under the Habitats Directive 92/43/EEC.
444. EOWDC (2011). European Offshore Wind Deployment Centre Environmental Statement
 445. Evans, P. G. H., Carson, Q., Fisher, P., Jordan, W., Limer, R and Rees, I. (1993). A study of the reactions of harbour porpoises to various boats in the coastal waters of Shetland. In European research on cetaceans, pp 60. Eds Evans. European Cetacean Society, Cambridge.
 446. Evans, P. G., Mick E. Baines, and Pia Anderwald. (2011). Risk Assessment of Potential Conflicts between Shipping and Cetaceans in the ASCOBANS Region. 18th ASCOBANS Advisory Committee Meeting AC18/Doc.6-04 (S) rev.1 UN Campus, Bonn, Germany, 4-6 May 2011 Dist. 2 May 2011.
 447. Foote, A. D., Vilstrup, J. T., De Stephanis, R., Verborgh, P., Abel Nielsen, S. C., Deaville, R., Kleivane, L., Martin, V., Miller, P. J. O., Øien, N., Perez-Gil, M., Rasmussen, M., Reid, R. J., Robertsen, K. M., Rogan, E., Simila, T., Tejedor, M. L., Vester, H., Vikingsson, G. A., Willerslev, E., Gilbert, M. T. P. and Piertney, S. B. (2011). Genetic differentiation among North Atlantic killer whale populations. *Molecular Ecology*, 20: 629–641.
 448. Forewind (2013a). Dogger Bank Creyke Beck A and B Environmental Statement. Chapter 14: Marine Mammals. August 2013.
 449. Forewind (2013b). Dogger Bank Teeside A and B Draft Environmental Statement. Chapter 14: Marine Mammals. October 2013.
 450. Galloper Wind Farm Limited (2011). Galloper Wind Farm Project Environmental Statement Chapter 14 Marine Mammals. RWE Npower Renewables, SSE Renewables and Royal Haskoning.
 451. Hall, A.J. (2002). Grey seal In: *The Encyclopedia of Marine Mammals*. Eds CA.Perrin, W. F., B. G. Wursig, and J. G. M. Thewissen Academic Press: San Diego.
 452. Hammond P.S., Macleod K., Berggren P., Borchers D.L., Burt L., Cañadas A., Desportes G., Donovan G.P., Gilles A., Gillespie D., Gordon J., Hiby L., Kuklik I., Leaper R., Lehnert K, Leopold M., Lovell P., Øien N., Paxton C.G.M., Ridoux V., Rogano E., Samarraa F., Scheidatg M., Sequeirap M., Siebertg U., Skovq H., Swifta R., Tasker M.L., Teilmann J., Canneyt O.V. and Vázquez J.A. (2013). Cetacean abundance and distribution in European Atlantic shelf waters to inform conservation and management. *Biological Conservation* 164, 107-122.
 453. Hammond, P. S., Benke, H., Borchers, D.L., Buckand, S.T., Collet, A., Heide-Jørgensen, M-P., Heimlich-Boran, S., Hiby, A.R., Leopold, M. F., and Øien, N. (2002). Distribution

- and abundance of the harbour porpoise and other small cetaceans in the North Sea and Adjacent Waters. *Journal of Applied Ecology*, 39(2); 361-376.
454. Hammond, P.S. and Grellier, K. (2006). Grey seal diet composition and prey consumption in the North Sea. Final report to Department for Environment Food and Rural Affairs on project MF0319.
 455. Harding, K.C., M. Fujiwara, T. Härkönen and Y. Axberg. (2005). Mass dependent energetics and survival in harbour seal pups. *Functional Ecology*, 19; 129-135.
 456. HM Government (2011) UK Marine Policy Statement
 457. HM Government (2014) East Inshore and East Offshore Marine Plans
 458. IAMMWG (2013). Management Units for marine mammals in UK waters (June 2013).
 459. IAMMWG (2015). Management Units for cetaceans in UK waters (January 2015). JNCC Report No. 547, JNCC Peterborough.
 460. ICOL (2013). Inch Cape Offshore Wind Farm Environmental Statement. Chapter 14 – Marine Mammals. Inch Cape Offshore Ltd.
 461. IEEM (2010). Guidelines for Ecological Impact Assessment in Britain and Ireland, marine and coastal IEEM.
 462. Jansen O.E., Leopold M.F., Meesters E.H.W.G. and Smeenk C. (2010). Are white-beaked dolphins *Lagenorhynchus albirostris* food specialists? Their diet in the southern North Sea. *Journal of the Marine Biological Association of the United Kingdom* 90, 1501–1508.
 463. JASCO (JASCO Applied Sciences) (2009). Naikun offshore wind energy project. Volume 4 –noise and vibration. JASCO Applied Sciences March 2009. Available at: <http://a100.gov.bc.ca/appsdata/epic/documents/p230/d29852/1242851925970_65f01eb6ca8c72dd6b6b913184fc3f67b13510f066a1689fbf7098ea323ed76c.pdf>
 464. Jepson, P. (Ed.) (2005). Trends in cetacean strandings around the UK coastline and cetacean and marine turtle post-mortem investigations, 2000 to 2004 inclusive (Contract CRO 238). Published by Department for Environment, Food and Rural Affairs. United Kingdom.
 465. JNCC (2013). Individual Species Reports – 3rd UK Habitats Directive Reporting 2013. Available at: <<http://jncc.defra.gov.uk/page-6391>>
 466. JNCC and Natural England (2013). ‘Suggested Tiers for Cumulative Impact Assessment’.
 467. JNCC et al. (2010a). Draft EPS Guidance - the Protection of marine European

- Protected Species from injury and disturbance. JNCC, CCW and NE.
468. JNCC et al. (2010b). Statutory nature conservation agency protocol for minimising the risk of injury to marine mammals from piling noise, JNCC, Aberdeen.
469. JNCC et al. (2010c). JNCC guidelines for minimising the risk of injury and disturbance to marine mammals from seismic surveys. Available at:
<http://jncc.defra.gov.uk/pdf/JNCC_Guidelines_Seismic%20Guidelines_August%2010.pdf>
470. JNCC et al. (2010d). JNCC guidelines for minimising the risk of injury to marine mammals from using explosives. Available at:
<http://jncc.defra.gov.uk/pdf/JNCC_Guidelines_Explosives%20Guidelines_August%202010.pdf>
471. Jones, E., McConnell, B., Sparling, C and Matthiopolous, J. (2013). Grey and harbour seal density maps. Marine Mammal Scientific Support Research Programme MMSS/001/11. Available at:
<http://www.scotland.gov.uk/Resource/0041/00416981.pdf>
472. Kastelein R.A, Hardemann J, Boer H. (1997). Food consumption and body weight of harbour porpoises (*Phocoena phocoena*). In *The biology of the harbour porpoise* Read, A.J, Wiepkema P.R, Nachtigall P.E 1997pp. 217–234. Eds. Woerden, The Netherlands:De Spil Publishers.
473. Kastelein, R.A., Steen, N., Gransier, R., Wensveen, P.J. and de Jong, C.A.F. (2012). Threshold received sound pressure levels of a single 1-2kHz and 6-7 kHz up-sweeps and down-sweeps causing startle responses in a harbour porpoise (*Phocoena phocoena*). *J Acoust. Soc. Am.* 131(3):2325-2333.
474. Lidell, H. (2003). Utgrunden off-shore wind farm: Measurements of underwater noise. Technical report prepared for Airicole, GE Wind Energy and SEAS/Energi/E2 by Ingemansson Technology AB, Goteborg, Sweden.
475. Lindeboom, H. J., Kouwenhoven, H. J., Bergman, M. J. N., Bouma, S., Brasseur, S., Daan, R., Fijn, R. C., de Haan, Dirksen S.D., van Hal, R., Hille Ris Lambers, R., ter Hofstede, R., Krijgsveld, K.L., Leopold, M., and Scheidat. (2011). M Short-term ecological effects of an offshore wind farm in the Dutch coastal zone; a compilation. *Environ. Res. Lett.* 6 035101.
476. Lonergan, M., Duck, C., Moss, S., Morris, C and Thompson, D. (2012). Rescaling of aerial survey data with information from small numbers of telemetry tags to estimate the size of a declining harbour seal population. *Aquatic Conservation*. DOI: 10.1002/aqc.2277.

477. Lowry LF, Frost KJ, Ver Hoef JM, DeLong RL (2001). Movements of satellite-tagged subadult and adult harbor seals in Prince William Sound, Alaska. *Mar Mamm Sci* 17: 835–861.
478. Lucke, K., Siebert, U., Lepper, P. A. and Blanchet, M. A. (2009). Temporary shift in masked hearing thresholds in a harbor porpoise (*Phocoena phocoena*) after exposure to seismic airgun stimuli, *J. Acoust. Soc. Am.*, 125 (6), pp. 4060-4070.
479. Macleod, K., Burt, M.L., Cañadas, A., Rogan, E., Santos, B., Uriarte, A., Van Canneyt, O., Vázquez, J. A. and Hammond, P. S. (2009). Design-based estimates of cetacean abundance in offshore European Atlantic waters. Appendix I in the Final Report of the Cetacean Offshore Distribution and Abundance in the European Atlantic. 16pp.
480. Madsen, P. T., Wahlberg, M., Tougaard, J., Lucke, K. and Tyack, P. (2006). Wind turbine underwater noise and marine mammals: implications of current knowledge and data needs. *Mar Ecol Prog Ser*, 309; 279-295.
481. Malme, C.I., Miles, P.R., Miller, G.W., Richardson, W.J., Roseneau, D.G., Thomson, D.H. and Greene, C.R. (1989). Analysis and ranking of the acoustic disturbance potential of petroleum industry activities and other sources of noise in the environment of marine mammals in Alaska. Final Report No. 6945 to the US Minerals Management Service, Anchorage, AK. BBN Systems and Technologies Corp. Available at: <<http://www.mms.gov>>.
482. Marine Management Organisation (MMO), the Joint Nature Conservation Committee (JNCC), Natural England, Countryside Council for Wales (CCW) and the Centre for Environment Fisheries and Aquaculture Science (Cefas). (2010). Guidance on the Assessment of Effects on the Environment and Cultural Heritage from Marine Renewable Developments. December 2010.
483. Marine Scotland (MS) (2012). MS Offshore Renewables Research: Work Package A3: Request for advice about the displacement of marine mammals around operational offshore windfarms. Available at: <http://www.gov.scot/Resource/0040/00404921.pdf>
484. Marmo, B., Roberts, I., Buckingham, M.P., King, S. and Booth, C. (2013). Modelling of Noise Effects of Operational Offshore Wind Turbines including noise transmission through various foundation types. Edinburgh: Scottish Government.
485. Matthiopoulos J, McConnell B.J, Duck C and Fedak M.A. (2004). Using satellite telemetry and aerial counts to estimate space use by grey seals around the British Isles. *Journal of Applied Ecology*. 41(3):476-491.
486. McConnell, B., Lonergan, M., Dietz, R. (2012). Interactions between seals and

- offshore wind farms. The Crown Estate. ISBN: 978-1-906410-34-5.
487. MMO (2014) A Strategic Framework for Scoping Cumulative Effects. A report produced for the Marine Management Organisation, pp 224. MMO Project No: 1055. ISBN: 978-1-909452-34-3.
488. MMO (2014). Review of post-consent offshore wind farm monitoring data associated with licence conditions. A report produced for the Marine Management Organisation, pp 194. MMO Project No: 1031. ISBN: 978-1-909452-24-4.
489. MORL (2012). Moray Offshore Renewables Limited – Environmental Statement. Telford, Stevenson and MacColl Offshore Wind Farms and Transmission Infrastructure.
490. Nabe-Nielsen, J., Sibly, R.M., Tougaard, J., Teilmann, J. and Sveegaard, S. (2014). Effects of noise and by-catch on a Danish harbour porpoise population. *Ecological Modelling* 272:242-251.
491. NaREC (2013). Blyth Offshore Demonstration Environmental Statement.
492. NaREC (2013). Blyth Offshore Demonstration Project Supplementary Environmental Information, Non-technical summary.
493. Natural England (2013) Development of a Generic Framework for Informing Cumulative Impact Assessment (CIA) Related to Marine Protected Areas Through Evaluation of Best Practice. Report R.2112. July 2013.
494. NnGOWL (2012). Neart na Gaiithe Offshore Wind Farm Environmental Statement Chapter 13 Marine Mammals. Mainstream Renewable Power.
495. Northridge, S. (2012). MS Offshore Renewables Research: Work Package C2: Request for advice on the populations of cetaceans that might be involved in significant interactions with marine renewable energy developments in Scottish marine waters.
496. Northridge, S., Tasker, M.L., Webb, A., Camphuysen, K. and Leopold, M. (1997). White-beaked Lagenorhynchus albirostris and Atlantic white-sided dolphin L. acutus distributions in North west European and US North Atlantic waters. *Reports of the International Whaling Commission*, 47: 707-805.
497. Onoufriou, J. and Thompson, D. (2014). Testing the hypothetical link between shipping and unexplained seal deaths: Final report. Marine Scotland Marine Mammal Scientific Support Research Programme MMSS/001/11, Task USD2.
498. OSPAR (2009). Overview of the impacts of anthropogenic underwater sound in the marine environment. London: OSPAR Commission Biodiversity Series. Publication no.

- 441/2009. 133 pp.
499. Paxton C. G.M, Mackenzie M., Burt M. L., Rexstad E. and Thomas L. (2011). Phase II Data Analysis of Joint Cetacean Protocol Data Resource Report to Joint Nature Conservation Committee Contract number C11-0207-0421.
500. Polacheck, T and Thorpe, L. (1990). The swimming direction of harbour porpoise in relation to a survey vessel. Report of the International Whaling Commission, 40: 463-470.
501. Reid, J.B, Evans, P.G.H. and Northridge, S.P. (2003). Atlas of cetacean Distribution in North west European waters. JNCC, Peterborough.
502. Reijnders P.J.H., Kai F. A., Brasseur, S., Camphuysen, K., Reineking, B., Scheidat, M., Siebert, U., Stede, M., Tougaard, J. and Tougaard, S. (2005). Harbour Seal In Chapter 13 Marine Mammals of Wadden Sea Ecosystem No. 19.
503. Reijnders, P.J.H., Brasseur, S.M.J.M. and Meesters, E.H.W.G. (2010). Earlier pupping in harbour seals, *Phoca vitulina*. Biology Letters, doi: 10.1098/rsbl.2010.0468.
504. RenewableUK (2013). Cumulative Impact Assessment Guidelines Guiding Principles For Cumulative Impacts Assessment In Offshore Wind Farms. Report for RenewableUK. June 2013.
505. Richardson, W. J., Greene, C. R., Jr., Malme, C. I. and Thomson, D. H. (1995). Marine mammals and noise. New York: Academic Press. 576 pp.
506. Rosen, D.A. and Renouf, D. (1997). Seasonal changes in the blubber distribution in Atlantic harbor seals: indications of thermodynamic considerations. Marine Mammal Science 13, 229–240.
507. Ross, H. M. and Wilson, B. (1996). Violent interactions between bottlenose dolphins and harbour porpoises. Proc. R. Soc. B 263, 283–286. (doi:10.1098/rspb.1996.0043).
508. ROWF (2012). Rampion Offshore Wind Farm Environmental Statement. Section 10 – Marine Mammals.
509. Russell, D.J.F. and McConnell, B. (2014). Seal at-sea distribution, movemnets and behaviour. Report to DECC. Available at:
https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/346304/OESEA2_SMRU_Seal_distribution_and_behaviour.pdf
510. Russell, D.J.F., Brasseur, S.M.J.M., Thompson, D., Janik, V.J., Aarts, G., McClintock, B.T., Matthiopoloulos, J., Moss, S.E.M. and McConnell, B. (2014). Marine mammals trace anthropogenic structures at sea. Current Biology, 24, R638–R639.
511. Santos M. B. and Pierce, G. J. (2003). The diet of harbour porpoise (*Phocoena*

- phocoena*) in the North east Atlantic. *Oceanography and Marine Biology: an Annual Review* 2003, 41, 355–390.
512. Santos, M.B., Pierce, G.J., Ross, H.M., Reid, R.J., and Wilson, B. (1994). Diets of small cetaceans from the Scottish coast. *Journal of the Fisheries Research Board of Canada*, 20: 83-115.
513. SCANS-II (2008). Small cetaceans in the European Atlantic and North Sea. Final Report submitted to the European Commission under project LIFE04NAT/GB/000245, SMRU, St Andrews.
514. Scheidat, M., Tougaard, J., Brasseur, S., Carstensen, J., van Polanen Petel, T., Teilmann, J., and Reijnders, P. (2011). Harbour porpoise (*Phocoena phocoena*) and wind farms: a case study in the Dutch North Sea. *Environ. Res. Lett.* 6 (April-June 2011) 025102.
515. SCOS (2010). Scientific Advice on Matters Related to the Management of Seal Populations: 2010. Available at: <<http://www.smru.st-and.ac.uk>>
516. SCOS (2012). SCOS Report. Scientific Advice on Matters Related to the Management of Seal Populations: 2012. Available at <<http://www.smru.st-and.ac.uk>>
517. SCOS (2013). SCOS Report. Scientific Advice on Matters Related to the Management of Seal Populations: 2013. Available at <<http://www.smru.st-and.ac.uk>>
518. SCOS (2014). SCOS Report. Scientific Advice on Matters Related to the Management of Seal Populations: 2014. <http://www.smru.st-and.ac.uk/documents/2589.pdf>
519. Seagreen Wind Energy (2012). Environmental Statement Volume 1 Chapter 13 Marine Mammals.
520. Seawatch Foundation (2008). Cetaceans of eastern and south-east England. Regional fact sheets. Available at: <<http://www.seawatchfoundation.org.uk/fact-sheets.php>>
521. Sharples R.J., Matthiopoulos, J. and Hammond, P.S. (2008). Distribution and movements of harbour seals around the coast of Britain: Outer Hebrides, Shetland, Orkney, the Moray Firth, St Andrews Bay, The Wash and the Thames Report to DTI July 2008.
522. Sharples, R.J., Moss, S.E., Patterson, T.A. and Hammond, P.S. (2012). Spatial Variation in Foraging Behaviour of a Marine Top Predator (*Phoca vitulina*) Determined by a Large-Scale Satellite Tagging Program. *PLoS ONE* 7(5): e37216.
523. SMart Wind (2013). Hornsea Project One Environmental Statement.
524. SMart Wind (2015). Hornsea Project Two Environmental Statement.

525. SMRU (2012). Workshop report on decline in abundance of harbour seals around the coast of Scotland and discussion of mitigation and management measures. Sea Mammal Research Unit Report to Scottish Government, Marine Mammal Scientific Support Research Programme MMSS/001/11.
526. SMRU Ltd. (2010). Approaches to Marine Mammal Monitoring at Marine Renewable Energy Developments Final Report. Report by SMRU Ltd on behalf of The Crown Estate. August 2010.
527. SNCAs (2012). Guidance on staff advising on the potential risk of seal corkscrew injuries, April 2012.
528. SNCBs (2015). Interim advice on risk of seal corkscrew injuries, February 2015.
529. Southall, B.L., Bowles, A.E., Ellison, W.T., Finneran, J.J., Gentry, R.L., Greene Jr., C.R., Kastak, D., Ketten, D.R., Miller, J.H., Nachtigall, P.E., Richardson, W.J., Thomas, J.A., and Tyack, P.L. (2007). Marine Mammal Noise Exposure Criteria: Initial Scientific Recommendations. *Aquatic Mammals*, 33 (4), pp. 411-509.
530. Teilmann, J., Carstensen, J., Dietz, R., Edrén, S. and Andersen, S. (2006). Final report on aerial monitoring of seals near Nysted Offshore Wind Farm Technical report to Energi E2 A/S. Ministry of the Environment Denmark.
531. The Planning Inspectorate (2012). Advice Note Nine: Using the 'Rochdale Envelope'. Version 2, April 2012.
532. Thompson, D., Bexton, S., Brownlow, A., Wood, S., Patterson, T. Pye, K., Lonergan, M. and Milne, R. (2010b). Report on recent seal mortalities in UK waters caused by extensive lacerations October 2010. Sea Mammal Research Unit. Available online - <http://www.smru.st-and.ac.uk/documents/366.pdf>
533. Thompson, D., Culloch, R. and Milne, R. (2013). Current state of knowledge of extent, causes and population effects of unusual seal mortality events in Scottish seals. Sea Mammal Research Unit Report to Scottish Government. MMSS/001/11.
534. Thompson, D., Onoufriou, J., Brownlow, A. and Bishop, A. (2015). Preliminary report on predation by adult grey seals on grey seal pups as a possible explanation for corkscrew injury patterns seen in the unexplained seal deaths. Sea mammal research unit report to the Scottish Government 12/01/15 0.1. Marine mammal scientific support research programme MMS/001/11. Project report USD 1&6 supplement.
535. Thompson, P.M., Hastie G. D., Nedwell, J., Barham, R., Brookes, K., Cordes, L., Bailey, H., and McLean, N. (2012). Framework for assessing the impacts of pile-driving noise from offshore windfarm construction on the Moray Firth harbour seal population. Seal assessment Framework Technical Summary, 6th June 2012.

536. Thompson, P.M., Lusseau, D., Barton, T., Simmons, D., Rusin, J. and Bailey, H. (2010a). Assessing the responses of coastal cetaceans to the construction of offshore wind turbines. *Marine Pollution Bulletin* 60: 1200-1208.
537. Thompson, P.M., McConnell, B.J., Tollit, D.J., Mackay, A., Hunter, C. and Racey, P.A. (1996). Comparative distribution, movements and diet of harbour and grey seals from the Moray Firth, N.E. Scotland. *Journal of Applied Ecology*. 33: 1572-1584.
538. Thomsen, F., Lüdemann, K., Kafemann, R. and Piper, W. (2006). Effects of offshore windfarm noise on marine mammals and fish, on behalf of COWRIE Ltd.
539. Tougaard, J., Carstensen, J. and Teilmann, J. (2009a). Pile driving zone of responsiveness extends beyond 20km for harbour porpoises (*Phocoena phocoena* (L.)) (L.). *J. Acoust. Soc. Am.*, 126, pp. 11-14.
540. Tougaard, J., Carstensen, J., Wisch, M.S., Teilmann, J., Bech, N., Skov, H. and Henriksen, O.D. (2005). Harbour porpoises on Horns reef—effects of the Horns Reef Wind farm. Annual Status Report 2004 to Elsam. NERI, Roskilde (Also available at: www.hornsrev.dk).
541. Tougaard, J., Henriksen, O.D. and Miller, L.A. (2009b). Underwater noise from three types of offshore wind turbines: estimation of impact zones for harbour porpoise and harbour seals. *Journal of the Acoustic Society of America* 125(6): 3766.
542. Triton Knoll Offshore Wind Farm Limited (TKOWFL) (2012). Triton Knoll Offshore Wind Farm Environmental Statement, Volume 2: Chapter 5 – Marine Mammals. Prepared on behalf of Triton Knoll Offshore Wind Farm Limited. January 2012. 37pp.
543. TSEG (2014a). Grey seals in the Wadden Sea and Helgoland in 2013-2014. Available at: http://www.waddensea-secretariat.org/sites/default/files/CWSS_Internal/TMAP/Marine_Mammals/grey_seal_report_2014.pdf
544. TSEG (2014b). Aerial surveys of harbour seals in the Wadden Sea in 2014. Available at: http://www.waddensea-secretariat.org/sites/default/files/downloads/TMAP_downloads/Seals/harbour_seal_report_2014_b.pdf
545. Weir, C.R., Pollock, C., Cronin, C. and Taylor, S. (2001). Cetaceans of the Atlantic Frontier, north and west of Scotland. *Continental Shelf Research*, 21, 1047-1071.
546. Wildfowl and Wetland Trust (WWT). (2009). Distributions of Cetaceans, Seals, Turtles, Sharks and Ocean Sunfish recorded from Aerial Surveys 2001-2008. WWT Consulting. Report to Department of Energy and Climate Change.
547. Wilson, B. Batty, R. S., Daunt, F. and Carter, C. (2007). Collision risks between marine

renewable energy devices and mammals, fish and diving birds. Report to the Scottish Executive. Scottish Association for Marine Science, Oban, Scotland, PA37 1QA.

548. Winship, A. J. (2009). Estimating the impact of bycatch and calculating bycatch limits to achieve conservation objectives as applied to harbour porpoise in the North Sea. PhD Thesis, University of St Andrews.

CHAPTER 13: OFFSHORE ORNITHOLOGY

549. APEM. 2014. *Assessing Northern gannet avoidance of offshore windfarms*. Report for East Anglia Offshore Wind Ltd.
550. Band, W. 2012. *Using a collision risk model to assess bird collision risks for offshore windfarms*. The Crown Estate Strategic Ornithological Support Services (SOSS) report SOSS-02. SOSS Website. Original published Sept 2011, extended to deal with flight height distribution data March 2012.
551. BirdLife International. 2004. *Birds in Europe: population estimates, trends and conservation status*. (Birdlife Conservation Series No. 12). Cambridge, UK.
552. Braasch, A., Michalik, A., Todeskino, E. 2015. *Assessing impacts of offshore windfarms on two highly pelagic seabird species*. Poster presented at Conference on Windfarms and Wildlife in Berlin.
553. Bradbury G, Trinder M, Furness B, Banks AN, Caldow RWG, et al. 2014 Mapping Seabird Sensitivity to Offshore Windfarms. *PLoS ONE* 9(9): e106366. doi:10.1371/journal.pone.0106366
554. Brown, A. and Grice, P. 2005. *Birds in England*. T & AD Poyser, London.
555. Camphuysen, C. J. 1995. Herring Gull (*Larus argentatus*) and Lesser Black-backed Gull (*L. fuscus*) feeding at fishing vessels in the breeding season: competitive scavenging versus efficient flying. *Ardea* 83: 365-380.
556. Camphuysen, C.J. (2013) *A historical ecology of two closely related gull species (Laridae): multiple adaptations to a man-made environment*. PhD thesis, University of Groningen.
557. Cleasby, I.R., Wakefield, E.D., Bearhop, S., Bodey, T.W., Votier, S.C. and Hamer, K.C. 2015. Three dimensional tracking of a wide-ranging marine predator: flight heights and vulnerability to offshore wind farms. *Journal of Applied Ecology*, DOI: 10.1111/1365-2664.12529.
558. Cook, A.S.C.P., Humphries, E.M., Masden, E.A., and Burton, N.H.K. 2014. *The avoidance rates of collision between birds and offshore turbines*. BTO research Report No 656 to Marine Scotland Science
559. Cook, A.S.C.P., Wright, L.J., and Burton, N.H.K. 2012. *A review of flight heights and avoidance rates of birds in relation to offshore windfarms*. The Crown Estate Strategic Ornithological Support Services (SOSS). SOSS Website.
560. Cramp S. and Simmons K.E.L. (Eds.) (1977 - 1994). *The Birds of the Western Palearctic*. Oxford University Press, Oxford.

561. Daunt, F., Benvenuti, S., Harris, M.P., Dall'Antonia, L., Elston, D.A. and Wanless, S. 2002. Foraging strategies of the black-legged kittiwake *Rissa tridactyla* at a North Sea colony: evidence for a maximum foraging range. *Marine Ecology Progress Series* 245: 239-247.
562. DECC (2014) Environmental Assessment Report Comprising: Habitats Regulations Assessment, Transboundary Considerations and Consideration of Greater Black-headed Gulls [<http://infrastructure.planningportal.gov.uk/wp-content/ipc/uploads/projects/EN010032/3.%20Post%20Decision%20Information/Decision/Rampion%20Environmental%20Assessment%20Report.pdf>]
563. Del Hoyo, J., Elliott, A. and Sargatal, J. (Eds.) 1992 - 2011. *Handbook of the Birds of the World*. Lynx Editions, Madrid.
564. Drewitt, A.L. and Langston, R.H.W. 2006. Assessing the impacts of windfarms on birds. *Ibis* 148 (Suppl. 1): 4-7.
565. DTI (2006) *Aerial Surveys of Waterbirds in Strategic Windfarm Areas: 2004/05 Final Report*. DTI, London.
566. East Anglia Offshore Wind Ltd. 2015. *East Anglia THREE Information for Habitats Regulations Assessment*. East Anglia Offshore Wind Ltd, London.
567. Exo, K. M., Huppopp, O., & Garthe, S. 2003. Birds and offshore windfarms: a hot topic in marine ecology. *Bulletin of the Wader Study Group* 100: 50-53.
568. Frederiksen, M., Wanless, S., Harris, M.P., Rothery, P. and Wilson, L.J. (2004) The role of industrial fisheries and oceanographic change in the decline of North Sea black-legged kittiwakes, *J. Appl. Ecol*, 41: 1129-1139.
569. Furness, B. and Wade, H. 2012. *Vulnerability of Scottish Seabirds to Offshore Wind Turbines*. Report for Marine Scotland, The Scottish Government.
570. Furness, R.W. 2015. *Non-breeding season populations of seabirds in UK waters: Population sizes for Biologically Defined Minimum Population Scales (BDMPS)*. Natural England Commissioned Report Number 164. 389 pp.
571. Garthe, S and Hüppopp, O. 2004. Scaling possible adverse effects of marine windfarms on seabirds: developing and applying a vulnerability index. *Journal of Applied Ecology* 41: 724-734.
572. Garthe, S., Guse, N., Montevecchi, W.A., Rail, J.F. and Grégoire, F. 2014. The daily catch: Flight altitude and diving behavior of northern gannets feeding on Atlantic mackerel. *Journal of Sea Research*, 85: 456-462.
573. Garthe, S., Ludynia, K., Hüppopp, O., Kubetzki, U., Meraz, J.F. and Furness, R.W. 2012.

- Energy budgets reveal equal benefits of varied migration strategies in northern gannets. *Marine Biology* 159: 1907-1915.
574. GGOWL. 2011. *Quarterly Ornithological Monitoring Report (Q3): December 2010-February 2011 for the Greater Gabbard Offshore Windfarm*. Produced by ESS and Royal Haskoning on behalf of Greater Gabbard Offshore Wind Limited (GGOWL). April 2011.
575. Hamer, K.C., Monaghan, P., Uttley, J.D., Walton, P. and Burns, M.D. 1993. The influence of food supply on the breeding ecology of kittiwakes *Rissa tridactyla* in Shetland. *Ibis* 135: 255-263.
576. Holling, M. and the Rare Breeding Birds Panel. 2011. Rare breeding birds in the United Kingdom in 2009. *British Birds* 104: 476–537.
577. Holt, C.A., Austin, G.E., Calbrade, N.A., Mellan, H.J., Hearn, R.D., Stroud, D.A., Wotton, S.R. and Musgrove, A.J. 2012. *Waterbirds in the UK 2010/11: The Wetland Bird Survey*. BTO/RSPB/JNCC, Thetford.
578. Horswill, C. & Robinson R. A. 2015. *Review of seabird demographic rates and density dependence*. JNCC Report No. 552. Joint Nature Conservation Committee, Peterborough
579. Hüppop, O. & Wurm, S. 2000. Effect of winter fishery activities on resting numbers, food and body condition of large gulls *Larus argentatus* and *L. marinus* in the south-eastern North Sea. *Marine Ecology Progress Series* 194: 241-247.
580. ICES 2013. *Report of the Benchmark Workshop on Sandeel, 6-10 September 2010, Copenhagen, Denmark*. ICES CM2010/ACOM:57. 185pp.
581. Institute of Ecology and Environmental Management. 2010. *Guidelines for Ecological Impact Assessment in Britain and Ireland: Marine and Coastal*. IEEM, Winchester.
582. JNCC, NE, NIEA, NRW, SNH 2014. *Joint Response from the Statutory Nature Conservation Bodies to the Marine Scotland Science Avoidance Rate Review*
583. JNCC. 2013. The mean surface density map data was from NE's aerial visual surveys undertaken during winter (October – March) between 2001/01 and 2009/10 (GIS data files supplied by JNCC attached to e-mail dated 7th May 2013)
584. Johnston, A., Cook, A.S.C.P., Wright, L.J., Humphreys, E.M. and Burton, E.H.K. 2014a. Modelling flight heights of marine birds to more accurately assess collision risk with offshore wind turbines. *Journal of Applied Ecology* 51: 31-41.
585. Johnston, A., Cook, A.S.C.P., Wright, L.J., Humphreys, E.M. and Burton, N.H.K. 2014b. corrigendum. *Journal of Applied Ecology*, 51, doi: 10.1111/1365-2664.12260.

586. Kober, K., Webb, A., Win, I., Lewis, M., O'Brien, S., Wilson, L.J. and Reid, J.B. (2010). *An analysis of the numbers and distribution of seabirds within the British Fishery Limit aimed at identifying areas that qualify as possible marine SPAs*. JNCC Report, No. 431.
587. Kotzerka, J., Garthe, S. and Hatch, S.A. 2010. GPS tracking devices reveal foraging strategies of black-legged kittiwakes. *Journal of Ornithology* 151: 495-467.
588. Krijgsveld, K. L., Fijn, R. C., Japink, M., van Horssen, P. W., Heunks, C., Collier, M. P., Poot, M. J. M., Beuker, D., Dirksen, S. 2011. *Effect Studies Offshore Windfarm Egmond aan Zee. Final report on fluxes, flight altitudes and behaviour of flying birds*. Bureau Waardenburg report 10-219, NZW-ReportR_231_T1_flu&flight. Bureau Waardenburg, Culmeborg, Netherlands.
589. Kubetzki, U., Garthe, S., Fifield, D., Mendel, B. and Furness, R.W. 2009. Individual migratory schedules and wintering areas of northern gannets. *Marine Ecology Progress Series*, 391: 257-265.
590. Langston, R.H.W. 2010. *Offshore windfarms and birds: Round 3 zones, extensions to Round 1 & Round 2 sites & Scottish Territorial Waters*. RSPB Research Report No. 39. RSPB, Sandy.
591. Leopold, M. F., van Bemmelen, R. S. A., Zuur, A. 2013. *Responses of local birds to the offshore windfarms PAWP and OWEZ off the Dutch mainland coast*. Report C151/12, Imares, Texel.
592. Leopold, M.F. & Camphuysen, C.J. 2007. *Did the pile driving during the construction of the Offshore Windfarm Egmond aan Zee, the Netherlands, impact local seabirds?* Report CO62/07. Wageningen IMARES Institute for Marine Resources & Ecosystem Studies.
593. Leopold, M.F., Dijkman, E.M. & Teal, L. 2011. *Local birds in and around the Offshore Windfarm Egmond aan Zee (OWEZ) (T-0 & T-1, 2002-2010)*. NoordzeeWind report OWEZ_R_221_T1_20110915_localbirds_final. Imares / NoordzeeWind, Wageningen /IJmuiden.
594. Maclean, I.M.D., Wright, L.J., Showler, D.A. & Rehfisch, M.M. 2009. *A Review of Assessment Methodologies for Offshore Windfarms*. BTO report commissioned by COWRIE Ltd.
595. Masden E.A., Reeve, R., Desholm, M., Fox, A.D., Furness, R.W. and Haydon, D.T. 2012. Assessing the impact of marine windfarms on birds through movement modelling. *Journal of the Royal Society Interface* 9, 2120-2130.
596. Masden, E.A., Haydon, D.T., Fox, A.D. and Furness, R.W. 2010. Barriers to

- movement: Modelling energetic costs of avoiding marine windfarms amongst breeding seabirds. *Marine Pollution Bulletin* 60, 1085-1091.
597. Mendel, B., Kotzerka, J., Sommerfeld, J., Schwemmer, H., Sonntag, N., & Garthe, S. 2014. *Effects of the alpha ventus offshore test site on distribution patterns, behaviour and flight heights of seabirds*. In *Ecological Research at the Offshore Windfarm alpha ventus* pp. 95-110. Springer Fachmedien Wiesbaden.
598. Mitchell, P.I., Newton, S.F., Ratcliffe, N. and Dunn, T.E. 2004. *Seabird Populations of Britain and Ireland*. T & AD Poyser, London.
599. Mitschke, A., S. Garthe & O. Hüppop. 2001. *Erfassung der Verbreitung, Häufigkeiten und Wanderungen von See- und Wasservögeln in der deutschen Nordsee und Entwicklung eines Konzeptes zur Umsetzung internationaler Naturschutzziele*. BfN-Skripten 34, Bonn–Bad Godesberg.
600. Murray, S., Harris, M.P. & Wanless, S. 2015. The status of the gannet in Scotland in 2013-14. *Scottish Birds*, 35, 3-18.
601. Musgrove, A.J., Aebischer, N.J., Eaton, M.A., Hearn, R.D., Newson, S.E., Noble, D.G., Parsons, M., Risely, K. and Stroud, D.A. 2013. Population estimates on birds in Great Britain and the United Kingdom. *British Birds* 106: 64–100.
602. Natural England 2013a. *East Anglia One Windfarm Order Application, Annex D: Expert Report on coastal and offshore ornithology by Richard Caldow, 30 July 2013*
603. Natural England 2013b. *Annex A - In-combination Assessment relating to Gannet*. [<http://infrastructure.planningportal.gov.uk/wp-content/ipc/uploads/projects/EN010032/2.%20Post-Submission/Hearings/Issue%20Specific%20Hearing%20-%2004-12-2013%20-%200930%20-%20The%20Brighton%20Centre%20Kings%20Road%20Brighton/Rampion%20In-combination%20Assessment%20-%20gannet.pdf>]
604. Natural England 2013c. *Annex B - In-combination Assessment relating to Kittiwake*. [<http://infrastructure.planningportal.gov.uk/wp-content/ipc/uploads/projects/EN010032/2.%20Post-Submission/Hearings/Issue%20Specific%20Hearing%20-%2004-12-2013%20-%200930%20-%20The%20Brighton%20Centre%20Kings%20Road%20Brighton/Rampion%20In-combination%20Assessment%20-%20kittiwake.pdf>]
605. Natural England 2013d. *Summary of Natural England’s Oral Representations Issue Specific hearing 30 and 31 October 2013 for the Rampion Offshore Windfarm* [<http://infrastructure.planningportal.gov.uk/wp->

- content/ipc/uploads/projects/EN010032/2.%20Post-Submission/Hearings/Deadline%20VIII%20-%20Post%20Hearings%20documents/131112_EN010032_Natural%20England.pdf] accessed 25/06/2015
606. Natural England 2014. *Deadline VI: Dogger Bank Creyke Beck Offshore Wind Farm Order Application. Natural England's Supplementary Ornithological Expert Report (updated)*. 7th July 2014. [infrastructure.planningportal.gov.uk/wp-content/ipc/uploads/projects/EN010021/2.%20Post-Submission/Hearings/Issue%20Specific%20Hearing%20-%2001-07-2014%20-%200900%20-%20KC%20Stadium%20-%20%20Hull/Natural%20England%20response%20to%20deadline%20of%207%20July%202014.pdf] accessed 25/06/2015
607. Natural England 2014b. *Hornsea Offshore Wind Farm – Project One Application, Written Representation of Natural England (20th January 2014)* [infrastructure.planningportal.gov.uk/wp-content/ipc/uploads/projects/EN010033/2.%20Post-Submission/Representations/Written%20Representations/Natural%20England.pdf] – accessed 26/06/2015
608. Natural England and Joint Nature Conservation Committee. 2012. *Interim Advice Note on assessing displacement of birds from offshore windfarms*. Natural England, Sheffield.
609. Nelson, J.B. 1978. *The Sulidae: Gannets and Boobies*. Oxford University Press, Oxford.
610. Percival, S. 2010. *Kentish Flats Offshore Windfarm: Diver Surveys 2009-10*. Report to Vattenfall. Ecology Consulting, Durham.
611. Percival, S.M. 2014. *Kentish Flats Offshore Windfarm: Diver Surveys 2011-12 and 2012-13*. Ecology Consulting report to Vattenfall.
612. Petersen, I.K. & Fox, A.D. (2007). *Changes in bird habitat utilisation around the Horns Rev 1 offshore windfarm, with particular emphasis on Common Scoter* Report Commissioned by Vattenfall
613. Petersen, I.K., Christensen, T.K., Kahlert, J., Desholm, M. and Fox, A.D. 2006. *Final results of bird studies at the offshore windfarms at Nysted and Horns Rev, Denmark*. NERI report commissioned by DONG energy and Vattenfall A/S 2006.
614. Pizzolla, P. (2011) *Kentish Flats Offshore Wind Farm Extension: Habitats Regulations Assessment Report*. Draft report to Vattenfall Wind Power Limited, London.
615. Planning Inspectorate (2012). *Advice note nine: Rochdale Envelope*. Planning

Inspectorate, Bristol.

616. Planning Inspectorate (2014a). Rampion Offshore Wind Farm and connection works Examining Authority's Report of Findings and Conclusions and Recommendation to the Secretary of State for Energy and Climate Change. [<http://infrastructure.planningportal.gov.uk/wp-content/ipc/uploads/projects/EN010032/3.%20Post%20Decision%20Information/Decision/Rampion%20Recommendation%20Report.pdf>] – accessed 26/06/2015
617. Planning Inspectorate (2014b). Hornsea Project One. Examining Authority's Report of Findings and Conclusions and Recommendation to the Secretary of State for Energy and Climate Change. [<http://infrastructure.planningportal.gov.uk/wp-content/ipc/uploads/projects/EN010033/3.%20Post%20Decision%20Information/Other/Hornsea%20Project%20One%20Recommendation%20Report.pdf>] – accessed 26/06/2015
618. RenewableUK (2013). *Cumulative Impact Assessment Guidelines – Guiding Principles for Cumulative Impacts Assessment in Offshore Windfarms*. RenewableUK, London.
619. Robinson, R.A. 2005. *BirdFacts: profiles of birds occurring in Britain & Ireland*. BTO Research Report 407, BTO, Thetford.
620. Schwemmer, P. Mendal, B., Sonntag, N., Dierschke, V. & Garthe, S. 2011. Effects of ship traffic on seabirds in offshore waters: implications for marine conservation and spatial planning. *Ecological Applications* 21: 1851-1860.
621. Searle, K., Mobbs, D., Butler, A., Bogdanova, M., Freeman, S., Wanless, S., Daunt, F. 2014. *Population Consequences of Displacement from proposed Offshore Wind Energy Developments for Seabirds Breeding at Scottish SPAs*. Final report to Marine Scotland Science (CR/2012/03).
622. Smart Wind 2015a. *Hornsea Offshore Windfarm Project Two ES Vol 2 – Offshore Chapter 5 Ornithology* PINS Doc Ref 7.2.5
623. Smart Wind 2015b. *Hornsea Offshore Wind Farm Project Two – Habitats Regulations Assessment* PINS Doc Ref 12.6
624. Speakman, J., Gray, H. & Furness, L. 2009. *University of Aberdeen report on effects of offshore windfarms on the energy demands of seabirds*. Report to the Department of Energy and Climate Change.
625. Stienen, E.W., Waeyenberge, V., Kuijken, E. & Seys, J. 2007. *Trapped within the corridor of the southern North Sea: the potential impact of offshore windfarms on seabirds*. In *Birds and Windfarms*. de Lucas, M., Janss, G.F.E. & Ferrer, M. (Eds). Quercus, Madrid.

626. Stone, C.J. Webb, A., Barton, C., Ratcliffe, N., Reed, T.C. Tasker, M.L. Camphuysen, C.J. & Pienkowski, M.W. 1995. *An atlas of seabird distribution in north-west European waters*. JNCC, Peterborough.
627. Thaxter, C.B., Lascelles, B., Sugar, K., Cook, A.S.C.P., Roos, S., Bolton, M., Langston, R.H.W. and Burton, N.H.K. 2012. Seabird foraging ranges as a preliminary tool for identifying Marine Protected Areas. *Biological Conservation* 156: 53-61.
628. Vanermen, N., Stienen, E. W. M., Onkelinx, T. and Courtens, W. 2011. Seabirds & offshore windfarms: power and impact analyses 2010. In: Degraer, S. et al. (Ed.) 2011. *Offshore windfarms in the Belgian part of the North Sea: Selected findings from the baseline and targeted monitoring*. pp. 93-129. Royal Belgian Institute of Natural Sciences, Brussels.
629. Vanermen, N., Stienen, E.W.M., Courtens, W., Onkelinx, T., Van de walle, M. & Verstraete, H. 2013. *Bird monitoring at offshore windfarms in the Belgian part of the North Sea - Assessing seabird displacement effects*. Rapporten van het Instituut voor Natuur- en Bosonderzoek 2013 (INBO.R.2013.755887). Instituut voor Natuur- en Bosonderzoek, Brussel.
630. Walls, R., Canning, S., Lye, G., Givens, L., Garrett, C. & Lancaster, J. 2013. *Analysis of Marine Environmental Monitoring Plan Data from the Robin Rigg Offshore Windfarm, Scotland (Operational Year 1)*. Natural Power report for E.ON Climate & Renewables UK.
631. Warwick-Evans, V., Atkinson, P.W., Gouvain, R.D., Robinson, L.A., Arnould, J.P.Y. and Green, J.A. 2015. Time-in-area represents foraging activity in a wide-ranging pelagic forager. *Marine Ecology Progress Series* 527: 233-246.
632. Wernham, C.V., Toms, M.P., Marchant, J.H., Clark, J.A., Siriwardena, G.M. and Baillie, S.R. (eds). 2002. *The Migration Atlas: Movements of the birds of Britain and Ireland*. T. & A.D. Poyser, London
633. Wright, L.J., Ross-Smith, V.H., Massimino, D., Dadam, D., Cook, A.S.C.P. & Burton, N.H.K. 2012. *Assessing the risk of offshore windfarm development to migratory birds designated as features of UK Special Protection Areas (and other Annex I species)*. Strategic Ornithological Support Services. Project SOSS-05. BTO Research Report No. 592.
634. WWT & MacArthur Green (2013) *Strategic Assessment of collision risk of Scottish offshore wind farms to migrating birds*. Report for Marine Scotland.
635. WWT (2012). SOSS-04 *Gannet population viability analysis: demographic data, population model and outputs*.

CHAPTER 14: COMMERCIAL FISHERIES

636. Blyth-Skyrme, R.E, (2010). Options and opportunities for marine fisheries mitigation associated with wind farms. Final report for Collaborative Offshore Wind Research into the Environment contract FISHMITIG09. COWRIE Ltd, London;
637. British Wind Energy Association (BWEA), (2004). Recommendations for fisheries liaison
638. Cefas, Marine Consents and Environment Unit (MCEU), Department for Environment, Food and Rural Affairs (DEFRA) and Department of Trade and Industry (DTI) (2004) Offshore Wind Farms - Guidance note for Environmental Impact Assessment In respect of FEPA and CPA requirements, Version 2.
639. Centre for Environment, Fisheries and Aquaculture Science (Cefas), (2012). Guidelines for data acquisition to support marine environmental assessments of offshore renewable energy projects. Contract report: ME5403, May 2012.
640. Department for Business Enterprise & Regulatory Reform (BERR) (2008) Recommendations for Fisheries Liaison: FLOWW (Fishing Liaison with Offshore Wind and Wet Renewables Group).
641. East Anglia ONE limited (2013) VisNed (Dutch Demersal Fisheries Organisation) and the National Federation of Fishermen's Organisation (NFFO) Statement of Common Ground
642. International Cable Protection Committee, (IPPC) (2006). Fishing and Submarine Cables - Working Together.
643. Lee, J., South, A. B., and Jennings, S. (2010). Developing reliable, repeatable, and accessible methods to provide high-resolution estimates of fishing-effort distributions from vessel monitoring system (VMS) data. - ICES Journal of Marine Science, 67: 1260-1271.
644. Marine Licensing requirements (replacing Section 5 Part II of the Food and Environment Protection Act (FEPA) 1985 and Section 34 of the Coast Protection Act (CPA) 1949).
645. Renewable UK, 2013. Cumulative impact assessment guidelines, guiding principles for cumulative impacts assessments in offshore wind farms.
646. Sea Fish Industry Authority and UK Fisheries Economic Network (UKFEN), (2012). Best practise guidance for fishing industry financial and economic impact assessments.
647. The Planning Inspectorate, (2012). SCOPING OPINION Proposed East Anglia THREE

Offshore Windfarm.

648. UK Oil and Gas, (2008). Fisheries Liaison Guidelines - Issue 5.
649. Ulrich, C and Andersen, B.S. (2004). Dynamics of fisheries, and the flexibility of vessel activity in Denmark between 1989 and 2001. ICES Journal of Marine Science, 61: 308 -322.

CHAPTER 15: SHIPPING AND NAVIGATION

650. BWEA (2007). Investigation of the Technical and Operational Effects on Marine Radar Close to Kentish Flats Offshore Wind Farm.
651. BWEA (2007). Investigation of the Technical and Operational Effects on Marine Radar Close to Kentish Flats Offshore Wind Farm.
652. DECC (2013). Methodology for Assessing the Marine Navigational Safety Risks of Offshore Wind Farms. London: DECC.
653. DECC (2013). Methodology for Assessing the Marine Navigational Safety Risks of Offshore Wind Farms. London: DECC.
654. IALA (2008). 0-139 the Marking of Man-Made Offshore Structures. Edition 1. Saint Germain en Laye, France: International Association of Marine Aids to Navigation and Light House Authorities.
655. IALA (2008). 0-139 the Marking of Man-Made Offshore Structures. Edition 1. Saint Germain en Laye, France: International Association of Marine Aids to Navigation and Light House Authorities.
656. IMO (2002). Guidelines for Formal Safety Assessment (FSA) for use in the IMO rule Making Process. London: International Maritime Organisation (IMO).
657. IMO (2002). Guidelines for Formal Safety Assessment (FSA) for use in the IMO rule Making Process. London: International Maritime Organisation (IMO).
658. MCA (2005). Offshore Wind Farm Helicopter Search and Rescue – Trials Undertaken at the North Hoyle Wind Farm Report of helicopter SAR trials undertaken with Royal Air Force Valley ‘C’ Flight 22 Squadron on March 22nd 2005. Southampton: MCA.
659. MCA (2005). Offshore Wind Farm Helicopter Search and Rescue – Trials Undertaken at the North Hoyle Wind Farm Report of helicopter SAR trials undertaken with Royal Air Force Valley ‘C’ Flight 22 Squadron on March 22nd 2005. Southampton: MCA.
660. MCA (2008a). Marine Guidance Notice 371, Offshore Renewable Energy Installations (OREIs) – Guidance on UK Navigational Practice, Safety and Emergency Response Issues. Includes subsequent amendments made in 2014. London: MCA.
661. MCA (2008a). Marine Guidance Notice 371, Offshore Renewable Energy Installations (OREIs) – Guidance on UK Navigational Practice, Safety and Emergency Response Issues. Includes subsequent amendments made in 2014. London: MCA.
662. MCA (2008b). Marine Guidance Notice 372, Guidance to Mariners Operating in the Vicinity of UK OREIs. London: MCA.

663. MCA (2008b). Marine Guidance Notice 372, Guidance to Mariners Operating in the Vicinity of UK OREIs. London: MCA.
664. MCA and QinetiQ (2004). Results of the Electromagnetic Investigations and Assessments of Marine Radar, Communications and Positioning Systems Undertaken at the North Hoyle Wind Farm by QintenQ and the Maritime and Coastguard Agency.
665. MCA and QinetiQ (2004). Results of the Electromagnetic Investigations and Assessments of Marine Radar, Communications and Positioning Systems Undertaken at the North Hoyle Wind Farm by QintenQ and the Maritime and Coastguard Agency.
666. RYA (2010).UK Coastal Atlas of Recreational Boating. Updated 2008. Southampton: RYA. GIS Shapes files dated 2010.
667. RYA (2010).UK Coastal Atlas of Recreational Boating. Updated 2008. Southampton: RYA. GIS Shapes files dated 2010.
668. RYA (2014).The RYA's Position on Offshore Wind Energy Developments. Southampton: RYA.
669. RYA (2014).The RYA's Position on Offshore Wind Energy Developments. Southampton: RYA.

CHAPTER 16: AVIATION AND MOD

670. Civil Aviation Authority (CAA), (2007) *CAP 725 - Guidance on the Application of the Airspace Change Process, 3rd Edition; March 2007*, London: CAA Publications.
671. Civil Aviation Authority (CAA), (2012) *CAP 724 – Airspace Charter 4th Issue August 2012*, London: CAA Publications.
672. Civil Aviation Authority (CAA), (2012) *Directorate of Airspace Policy - Policy Statement –The Lighting and Marking of Wind Turbine Generators and Meteorological Masts in United Kingdom Territorial Waters, 22 November 2012*, London: CAA Publications.
673. Civil Aviation Authority (CAA), (2013) *CAP 437 - Offshore Helicopter Landing Areas – Guidance on Standards – 7th Edition – amendment 1/2013*, London: CAA Publications.
674. Civil Aviation Authority (CAA), (2013) *CAP 670 - Air Traffic Services Safety Requirements, 3rd Edition, June 2013*, London: CAA Publications.
675. Civil Aviation Authority (CAA), (2013) *CAP 764 - Policy and Guidelines on Wind Turbines, Issue 5, June 2013*, London: CAA Publications.
676. Civil Aviation Authority (CAA), (2014) *CAP 168 – Licensing of Aerodromes, 10th Edition, March 2014*, London: CAA Publications.
677. Civil Aviation Authority (CAA), (2015) *CAP 032 - UK Aeronautical Information Publication* [Online], Available: <http://www.caa.co.uk/application.aspx?catid=33&pagetype=65&appid=11&mode=detail&id=223> . Accessed 1/7/2015 .
678. Civil Aviation Authority (CAA), (2015) *CAP 393 - Air Navigation: The Order and The Regulations 4th Edition April 2015 Version 4.1*, London: CAA Publications.
679. Civil Aviation Authority (CAA), (2015) *ENR 1.4 - ATS Airspace Classification* [Online], Available at: http://www.ead.eurocontrol.int/eadbasic/pamslight-DD24FA042ECD51AC9A98C2F611AAF1B6/7FE5QZZF3FXUS/EN/AIP/ENR/EG_ENR_1_4_en_2015-05-28.pdf Accessed: 1/7/2015.
680. Department of Energy and Climate Change (DECC), (2011) *Decommissioning of offshore renewable energy installations under the Energy Act 2004*, [Online], Available at: https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/80786/orei_guide.pdf Accessed: 1/7/2015.
681. Department of Energy and Climate Change (DECC), (2011) *National Policy Statement*

- for Renewable Energy Infrastructure (EN-3), London. [Online], Available at: https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/47856/1940-nps-renewable-energy-en3.pdf Accessed: 1/7/2015.
682. Department of Energy and Climate Change (DECC), (2011) *Overarching National Policy Statement for Energy EN-1 (NPS EN-1)*, London. [Online], Available at: https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/47854/1938-overarching-nps-for-energy-en1.pdf Accessed: 1/7/2015.
683. East Anglia ONE Limited (2012) *Environmental Statement for East Anglia ONE Offshore Windfarm*, East Anglia ONE Limited.
684. International Civil Aeronautical Organisation (ICAO), (2009) *Annex 14 Aerodromes Volume 1 - Aerodrome Design and Operations Sixth Edition, July 2013*, [Online], Available at: <http://store1.icao.int/index.php/publications/annexes/14-aerodromes/annex-14-aerodromes-volume-i-aerodrome-design-and-operations-english-printed-12381.html> Accessed: 1/7/2015.
685. Maritime and Coastguard Agency (MCA) Marine Guidance Notice (MGN) 371 - *Offshore Renewable Energy Installations (OREIs) – Guidance on UK Navigational Practice, Safety and Emergency Response Issues*, 2008, [Online], Available at: https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/441130/371.pdf Accessed: 1/7/2015.
686. Ministry of Defence (MOD) *MOD Obstruction Lighting Guidance*, issued by Low Flying Operations Squadron, 21 November 2014, [Online], Available at: <http://www.renewableuk.com/download.cfm/docid/243606FF-735D-4C1B-A037572619727ACB> Accessed: 1/7/2015.
687. Ministry of Defence (MOD), (2015) *UK Military AIP*, [Online], Available at: https://www.aidu.mod.uk/Milflip/products/Current_AIRAC/UkMilaip/launch_aip.htm Accessed: 1/7/2015.
688. Ministry of Defence (MOD), (2015) *UK Military Low Flying – An Essential Skill*, [Online], Available at: https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/27442/UK_Military_Low_Flying.pdf Accessed: 1/7/2015.
689. Netherlands (NL) Luchtverkeersleiding Nederland (LVNL), (2015) *Integrated Aeronautical Information Package, the Netherlands (NL AIP)*, [Online], Available at: <http://www.ais-netherlands.nl/aim/2015-05-14-AIRAC/eAIP/html/index-en-GB.html> Accessed: 1/7/2015.

CHAPTER 17: OFFSHORE ARCHAEOLOGY AND CULTURAL HERITAGE

690. Ashton N., Lewis S.G., De Groot I., Duffy S.M., Bates M., et al. (2014). Hominin Footprints from Early Pleistocene Deposits at Happisburgh, UK. *PLoS ONE* 9(2): e88329. doi: 10.1371/journal.pone.0088329
691. Bicket, A.R., Firth, A., Tizzard, L., Benjamin, J. (2014). “Heritage Management and Submerged Prehistory in the United Kingdom” in Flatman, J., Evans, A., Flemming, N, Prehistoric Archaeology on the Continental Shelf: A Global Review, Springer.
692. Bournemouth University (2007). *Enhancing our Understanding: Mapping Navigational Hazards as areas of Maritime Archaeological Potential* (ALSF 3917, Bournemouth University 2007)
693. British Marine Aggregate Producers Association and English Heritage, (2003). *Marine Aggregate Dredging and the Historic Environment: Guidance Note*
694. Chartered Institute for Archaeologists (2014). *Standard and Guidance for Historic Environment Desk-Based Assessment*.
695. Cohen, K.M., MacDonald, K., Joordens, J.C.A., Roebroeks, W., and Gibbard, P.L. (2012). ‘The earliest occupation of north-west Europe: a coastal perspective’, *Quaternary International*, vol. 271, pp. 70–83.
696. Coles, B. (1998). ‘Doggerland: a speculative survey’, *Proceedings of the Prehistoric Society*, vol. 64, pp. 45–81.
697. Department for Communities and Local Government, (2013). *National Planning Policy Framework*.
698. Department for Environment, Food and Rural Affairs, (2014) *East Inshore and East Offshore Marine Plans*
699. Department of Energy and Climate Change (DECC), (2011a). *National Policy Statement for Renewable Energy Infrastructure (EN-3)*
700. Department of Energy and Climate Change (DECC), (2011b). *Overarching National Policy Statement for Energy (EN-1)*
701. East Anglia ONE (2012). *Environmental Statement*, East Anglia Offshore Wind.
702. English Heritage, (1998). *Identifying and Protecting Palaeolithic Remains: Archaeological guidance for planning authorities and developers*, English Heritage.
703. English Heritage, (2002). *Military Aircraft Crash Sites: Archaeological guidance on their significance and future management*, English Heritage
704. English Heritage, (2005). *Wind Energy and the Historic Environment*, [Online],

- Available: <https://www.english-heritage.org.uk/publications/wind-energy-and-the-historic-environment/windenergyfinal.pdf>
705. English Heritage, (2012). *Designation Selection Guide: Ships and Boat: Prehistory to Present*, [Online], Available: <https://www.english-heritage.org.uk/publications/dsg-ships-boats/>
706. Gribble, J. and Leather, S. for EMU Ltd. (2011). *Offshore Geotechnical Investigations and Historic Environment Analysis: Guidance for the Renewable Energy Sector*. Commissioned by COWRIE Ltd (project reference GEOARCH-09).
707. Hosfield, R.T., Chambers, J.C. (2004). *The Archaeological Potential of Secondary Contexts*, English Heritage Project Report (Project No. 3361). English Heritage Archive Report: London.
708. Joint Nautical Archaeology Policy Committee (JNAPCC), (2008). Code of Practice for Sea bed Developers.
709. Marine Management Organisation (2014). [Online], Available: http://www.marinemanagement.org.uk/licensing/public_register/marine/minerals/507.htm
710. Oxford Archaeology (2008) *Guidance for Assessment of Cumulative Impact on the Historic Environment from Offshore Renewable Energy*, Commissioned by COWRIE Ltd. (Project Reference CIARCH-11-2008).
711. Oxford Archaeology (2011). *Historic Seascape Characterisation: Newport to Clacton and Adjacent Waters*, doi: 10.5284/1011887
712. Parfitt, S.A., Ashton, N.M., Lewis, S.G., Abel, R.L., Russell Coope, G., Field, M.H., Gale, P., Hoare, P.G., Larkin, N.P., Lewis, M.D., Karloukovski, V., Maher, B.A., Peglar, S.M., Preece, R.C., Whittaker, J.E. Stringer, C.B. (2010). 'Early Pleistocene human occupation at the edge of the boreal zone in northwest Europe', *Nature* vol. 466: pp. 229 - 233.
713. Renewable UK (2013). *Cumulative Impact Assessment Guidelines: Guiding Principles for Cumulative Impacts Assessment In Offshore Wind Farms*.
714. Tapper, B. and Johns, C. (2008). *England's Historic Seascapes. National HSC Method Statement*. Report Number 2008R024.
715. Tizzard, L., Bicket, A.R., De Loecker, D. (2014). *Sea bed Prehistory: Investigating the palaeogeography and Early Middle Palaeolithic archaeology in the southern North Sea*. Wessex Archaeology & English Heritage Monograph.
716. Wessex Archaeology (2007a). *Historical Environment Guidance for the Offshore*

Renewable Energy Sector. Commissioned by COWRIE Ltd (project reference ARCH-11-05)

717. Wessex Archaeology (2007b). *England's Shipping* (ALSF 3323/3878)
718. Wessex Archaeology (2008a). *Marine Class Descriptions and Principles of Selection* doi:10.5284/1000046
719. Wessex Archaeology (2008b). *Aircraft Crash Sites at Sea: A Scoping Study. Archaeological Desk-based Assessment*, unpublished report 66641.02
720. Wessex Archaeology (2011a-d). *Assessing Boats and Ships 1860-1950* (ALSF 5693)
721. Wessex Archaeology (2011e). *Early Ships and Boats* (EH 6440)
722. Wessex Archaeology (2012). *Zonal Environmental Assessment. Zone 5: East Anglia*, Unpublished report ref: 74540.
723. Wessex Archaeology and The Crown Estate (2010). *Model Clauses for Archaeological Written Schemes of Investigation: Offshore Renewables Projects*.

CHAPTER 18: INFRASTRUCTURE AND OTHER USERS

724. 4C Offshore Wind Project Information Page
<http://www.4coffshore.com/windfarms/voorde-hollandse-kust-zoekgebieden-netherlands-nl92.html>. Accessed 6/6/2015
725. BACTEC (Battle Area Clearance, Training, Equipment and Consultancy) 2015 UXO Desk Top Threat and Risk Assessment. Available at: <http://www.bactec.com/risk-assessment-unexploded.htm>. Accessed: 15/10/2015
726. East Anglia ONE (2012). East Anglia ONE Environmental Statement. Available at: <<http://infrastructure.planningportal.gov.uk/projects/eastern/east-anglia-one-offshore-windfarm/?ipcsection=app>>
727. Health and Safety Executive (HSE) (2001). Offshore Technology Report: Noise and Vibration OTO 2001/068. Ed. BOMEL Ltd., Maidenhead, UK. ISBN: 0717625222.
728. Health and Safety Executive (HSE) (2007). Establishment of safety zones for sub-sea installations. Operations Notice 54.
729. International Council for the Exploration of the Sea (ICES) (2003). Guidance for the Management of Marine Sediment Extraction. Report of the Working Group on the Effects of Extraction of Marine Sediments on the Marine Ecosystem. Ostend, Belgium, 01–05 April 2003.
730. Maritime Coastguard Agency (MCA) (2008). Marine Guidance Note 280: Small Vessels in Commercial Use for Sport or Pleasure, Workboats and Pilot Boats – Alternative Construction Standards. Available at: <http://www.dft.gov.uk/mca/mgn_280-2.pdf> Accessed 12/03/2014
731. Oil and Gas UK (2008). OP024 - Pipeline Crossing Agreement - Edition 2 and Proximity Agreement - Edition 1. Available at: <<http://www.oilandgasuk.co.uk/publications/index.cfm?display=http://www.oilandgasuk.co.uk/cmsfiles/modules/publications/viewpub.cfm%3Fremote=0%26frmPubID=248>> Accessed 12/03/2014.
732. OSPAR (2010). Overview of Past Dumping at Sea of Chemical Weapons and Munitions in the OSPAR Maritime Area 2010 update.
733. Royal Yachting Association (RYA) (2012). The RYAs Position on Offshore Renewable Energy Developments: Part 1 (of 3) - Wind Energy November 2013. Available at: <http://www.rya.org.uk/SiteCollectionDocuments/legal/Web%20Documents/Environment/RYA_Position_OREI_Wind_November2013.pdf> Accessed 12/03/2014.
734. Subsea Cables UK (2012). Subsea Cables UK Guideline No 6 The Proximity of

Offshore Renewable Energy Installations & Submarine Cable Infrastructure in UK Waters

735. The Crown Estate (2012). Submarine cables and offshore renewable energy installations. Available at: <
<http://www.thecrownestate.co.uk/media/313713/submarine-cables-and-offshore-renewable-energy-installations-proximity-study.pdf>> Accessed 05/05/2014.
736. The Crown Estate (TCE) (2010). Oil & Gas – A Critical Interface. Offshore wind strategic workstreams. November and December monthly update.
737. The Planning Inspectorate (2012). Scoping Opinion Proposed East Anglia THREE Offshore Windfarm

CHAPTER 19: SOILS, GEOLOGY AND GROUND CONDITION

738. ABPmer (2012). East Anglia Offshore Wind Project ONE Windfarm: Marine geology, oceanography and physical processes environmental baseline. Report R3945. May 2012
739. British Geological Survey (BGS) Quaternary map, Sheet 52N00 (1:250,000);
740. British Geological Survey (BGS) Solid and Drift Geology, Sheet 208 & 225 Woodbridge & Felixstowe (1:50,000);
741. British Geological Survey (BGS) Solid and Drift Geology, Sheet 207 Ipswich (1:50,000);
742. British Geological Survey (BGS) Solid Geology map, Sheet 52N00 (1:250,000);
743. British Geological Survey website 'Lexicon of rocks' and 'igeology'. Available at: <<http://www.bgs.ac.uk>>.
744. British Regional Geology, East Anglia and Adjoining areas, 4th Edition.
745. British Standard BS10175 Investigation of potentially contaminated sites (2013)
746. British Standard BS5930:1999+A2:2010 Code of practice for site investigations
747. CIRIA good practice Guidance (various dates). Available at: <<http://www.ciria.org.uk>>
- CIRIA publication C532 Control of water pollution from construction sites (2001);
 - CIRIA publication C650 Environmental good practice on site (2005);
 - CIRIA publication C503 Environmental good practices – working on site (2000);
 - CIRIA publication C502 Environmental good practices on site (2000); and
 - CIRIA publication C665 Assessing risks posed by hazardous ground gases to buildings
748. CL:AIRE (2011). Contaminated Land: Applications in Real Environments. Definition of Waste: Development Industry Code of Practice (March 2011).
749. DEFRA (2000). Construction Code of Practice for the Sustainable Use of Soils on Construction Sites
750. Environment Agency (2004). Model Procedures for the Management of Land Contamination (Contaminated Land Report 11)
751. Environment Agency (2013). Groundwater Protection: Principles and practice (GP3)(August 2013)
752. Environment Agency Pollution Prevention Guidelines (PPGs) (various dates). Available at: <<http://www.environment-agency.gov.uk/netregs/links/63893.aspx>>

- PPG 1 General guide to the prevention of water pollution;
 - PPG2: Above Around Oil Storage Tanks;
 - PPG5: Works in, near or liable to effect watercourses;
 - PPG6: Working at Construction and Demolition Sites;
 - PPG7: Refuelling Facilities;
 - PPG 21: Pollution Incident Response Planning; and
 - PPG22: Dealing with spills
753. Environment Agency Website (2014). 'What's in your backyard'. Available at: <http://maps.environment-agency.gov.uk/wiyby>. Accessed 24/04/14
754. HSE Construction design and management (CDM) Regulations (2015)
755. Ordnance Survey Map Data for pipeline route
756. RSK (2011). East Anglia ONE Offshore Windfarm Scoping Report. Procured Landmark, Envirocheck data survey
757. RSK (2012a). East Anglia ONE PEIR
758. RSK (2012b). Phase 2 Consultation
759. RSK (2013). East Anglia ONE Environmental Statement. Volume 3, Chapter 20 Ground Conditions and Contamination Appendices (Preliminary Risk Assessment East Anglia ONE Onshore Cable Route and Converter Station)

CHAPTER 20: AIR QUALITY

760. AEAT (2008), Analysis of the relationship between annual mean nitrogen dioxide concentration and exceedances of the 1-hour mean AQS Objective, http://laqm.defra.gov.uk/documents/NO2relationship_report.pdf
761. Babergh District Council (2014). *Core Strategy and Policies*
762. Babergh District Council and Mid-Suffolk District Council (2011) *2011 Air Quality Progress Report for Babergh District Council and Mid-Suffolk District Council*
763. Centre for Ecology and Hydrology (2015) *Air Pollution Information System Website*, accessible via URL www.APIS.ac.uk.
764. Department for the Environment Food and Rural Affairs (Defra) (2007). *The Air Quality Strategy for England, Scotland, Wales and Northern Ireland*. London: HMSO
765. Department for the Environment Food and Rural Affairs (Defra) (2009). *Local Air Quality Management Technical Guidance Document Local Air Quality Management. TG (09)* London: Defra
766. Department for the Environment Food and Rural Affairs (Defra) (2014). NO_x to NO₂ Calculator. Available at: <<http://laqm.defra.gov.uk/tools-monitoring-data/no-calculator.html> >
767. Department for the Environment Food and Rural Affairs (Defra) (2014). Emission Factor Toolkit v6.0.1. Available at: <<http://laqm.defra.gov.uk/review-and-assessment/tools/emissions.html#eft> >
768. Department for the Environment Food and Rural Affairs (Defra) (2015a). Background Mapping Data. Available at: < <http://uk-air.defra.gov.uk/data/laqm-background-maps?year=2011> >
769. Department for the Environment Food and Rural Affairs (Defra) (2015b). UK Deposition Data. Available at: < <http://pollutantdeposition.defra.gov.uk/data>>
770. Department of Energy and Climate Change (DECC) (2011a). *Draft Overarching National Policy Statement for Energy (EN-1)* London: The Stationery Office
771. Department of Energy and Climate Change (DECC) (2011b). *National Policy Statement for Renewable Energy Infrastructure (EN-3)* London: The Stationery Office
772. Department of Energy and Climate Change (DECC) (2011c). *National Policy Statement for Electricity Networks Infrastructure (EN-1)* London: The Stationery Office
773. Department of the Environment (DoE) (1997). *The UK National Air Quality Strategy*

- London: HMSO
774. Department of the Environment, Transport & the Regions (DETR) (2000). *Air Quality Strategy for England, Scotland, Wales and Northern Ireland*. London: HMSO
 775. Department of the Environment, Transport & the Regions (DETR) (2003). *Air Quality Strategy for England, Scotland, Wales and Northern Ireland – Addendum*. London: HMSO
 776. European Parliament (1996). *Council Directive 96/62/EC on Ambient Air Quality Assessment and Management*
 777. European Parliament (2008). *Council Directive 2008/50/EC on Ambient Air Quality and Cleaner Air for Europe*
 778. Greater London Authority and London Councils (2006) *The Control of Dust and Emissions from Construction and Demolition Best Practice Guidance*
 779. Her Majesty's Stationary Office (HMSO) (1995). *The Environment Act 1995 (c.25)* London: TSO
 780. Her Majesty's Stationary Office (HMSO) (2000). *Statutory Instrument 2000 No. 928 The Air Quality (England) Regulations 2000* London: HMSO
 781. Her Majesty's Stationary Office (HMSO) (2002). *Statutory Instrument 2002 No. 3043 The Air Quality (England) (Amendment) Regulations 2002* London: HMSO
 782. Highways Agency (2007). *Design Manual for Roads and Bridges Volume 11 Environmental Assessment Section 3 Environmental Assessment Techniques Part 1 HA207/07 Air Quality*
 783. Institute of Air Quality Management (IAQM) and Environmental Protection UK (EPUK) (2015). *Land-Use Planning & Development Control: Planning for Air Quality*
 784. Institute of Air Quality Management (IAQM) (2014). *Guidance on the Assessment Dust from Demolition and Construction*
 785. Ipswich Borough Council (2011). *Core Strategy and Policies Development Plan Document*
 786. Ipswich Borough Council (2013) *Air Quality Progress Report for Ipswich Borough Council*
 787. Laxen and Marner (2003) *Analysis of the Relationship Between 1-Hour and Annual Mean Nitrogen Dioxide at UK Roadside and Kerbside Monitoring Sites*
 788. Mid-Suffolk District Council (2008). *Core Strategy Development Plan Document*
 789. Planning Inspectorate (2012). *SCOPING OPINION Proposed East Anglia THREE*

Offshore Windfarm

790. Suffolk Coastal District Council (2013) *Air Quality Progress Report for Suffolk Coastal District Council (Draft)*
791. Suffolk Coastal District Council (2013). *Suffolk Coastal District Local Plan*

CHAPTER 21: WATER RESOURCE AND FLOOD RISK

792. Department of Energy and Climate Change (DECC) (2011a). Overarching NPS for Energy (EN-1) [Online]. Available at: <<http://infrastructure.planningportal.gov.uk/legislation-and-advice/national-policy-statements/>>. Accessed 11/04/14.
793. Department of Energy and Climate Change (DECC) (2011b). National Policy Statement for Renewable Energy Infrastructure (EN-3). Available at: <https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/37048/1940-nps-renewable-energy-en3.pdf>. Accessed 11/04/14.
794. Environment Agency (2015) Interactive Flood Map for Planning (Rivers and Sea). Available at: <http://maps.environment-agency.gov.uk/>. Accessed 25/04/14
795. Environment Agency Pollution Prevention Guidelines (PPGs) (various dates). Available at: <<http://www.environment-agency.gov.uk/netregs/links/63893.aspx>>
- PPG 1 General guide to the prevention of water pollution;
 - PPG2: Above Ground Oil Storage Tanks;
 - PPG5: Works in, near or liable to effect watercourses;
 - PPG6: Working at Construction and Demolition Sites;
 - PPG7: Refuelling Facilities;
 - PPG 21: Pollution Incident Response Planning; and
 - PPG22: Dealing with spills
796. Environment Agency Website (2014). 'What's in your backyard'. Available at: <<http://maps.environment-agency.gov.uk/wiyby>>. Accessed 24/04/14
797. Jones, H.K., Morris, B.L., Cheney, C.S., Brewerton, L.J., Merrin, P.D., Lewis, M.A., McDonald, A.M., Coleby, L.M., Talbot, J.C., McKenzie, A.A., Bird, M.J., Cunningham, J. and Robinson, V.K. (2000). The physical properties of minor aquifers in England and Wales. British Geological Survey Technical Report, WD/00/4. Environment Agency R&D Publication 68
798. Ordnance Survey Map Data for pipeline route
799. RSK (2011). East Anglia ONE Offshore Windfarm Scoping Report. Procured Landmark, Envirocheck data survey
800. RSK (2012a). East Anglia ONE PEIR
801. RSK (2012b). Phase 2 Consultation
802. RSK (2013). East Anglia ONE Offshore Windfarm Environmental Statement, Volume 3, Chapter 20 Ground Conditions and Contamination Appendices (Preliminary Risk Assessment East Anglia ONE Onshore Cable Route and substation)

CHAPTER 22: LAND USE

803. Department for Environment, Food and Rural Affairs (1996). Waste Management Duty of Care – A Code of Practice [online]. Available at: <<https://www.gov.uk/managing-your-waste-an-overview/overview>>. Accessed 11/04/14.
804. Department for Environment, Food and Rural Affairs (2003). Biosecurity Guidance to Prevent the Spread of Animal Diseases. Available at: <http://archive.defra.gov.uk/foodfarm/farmanimal/diseases/documents/biosecurity_guidance.pdf>. Accessed 11/04/14.
805. Department for Environment, Food and Rural Affairs (2011). The June Survey of Agricultural and Horticultural Activity [Online]. Available at: <<http://archive.defra.gov.uk/evidence/statistics/foodfarm/landuselivestock/junesurvey/documents/JuneMethod.pdf>>. Accessed 11/04/14.
806. Department for Environment, Food and Rural Affairs (2012). *Power Lines: Demonstrating compliance with EMF public exposure guidelines – A voluntary Code of Practice* [Online]. Available at: <https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/48308/1256-code-practice-emf-public-exp-guidelines.pdf>. Accessed 04/12/2013.
807. Department for Environment, Food and Rural Affairs (2013a). Detailed annual statistics on the structure of the agricultural industry at 1 June in England and the UK [Online]. Available at: <<https://www.gov.uk/government/statistical-data-sets/structure-of-the-agricultural-industry-in-england-and-the-uk-at-june>>. Accessed 18/11/2013.
808. Department for Environment, Food and Rural Affairs (2013b). Statistical data set, Structure of the agricultural industry in England and the UK at June [online]. Available at: <<https://www.gov.uk/government/statistical-data-sets/structure-of-the-agricultural-industry-in-england-and-the-uk-at-june>>. Accessed 18/11/2013.
809. Department for Environment, Food and Rural Affairs (2014). Natural Environment White Paper: implemental update [Online]. Available at: <<https://www.gov.uk/government/publications/natural-environment-white-paper-implementation-updates>>. Accessed 11/04/14.
810. Department of Energy and Climate Change (2011). Overarching NPS for Energy (EN-1) [Online]. Available at: <<http://infrastructure.planningportal.gov.uk/legislation-and-advice/national-policy-statements/>>. Accessed 11/04/14.
811. Department of Energy and Climate Change (2012). 'Power Lines: Demonstrating

- compliance with EMF public exposure guidelines – A voluntary Code of Practice’: [Online]. Available at:
<https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/37447/1256-code-practice-emf-public-exp-guidelines.pdf>. Accessed 11/04/14.
812. Environment Agency (2010). Managing Invasive Non-native Plants [Online]. Available at: <<http://www.environment-agency.gov.uk/homeandleisure/wildlife/31350.aspx>>. Accessed 04/12/2013.
813. European Union (2009) Electro-magnetic fields update. http://ec.europa.eu/health/scientific_committees/opinions_layman/en/electromagnetic-fields/l-2/7-power-lines-elf.htm (Accessed Oct, 2015)
814. Food and Environment Research Agency (undated). Number of best practice measures to minimise the risk of spreading disease [Online]. Available at: <<http://www.fera.defra.gov.uk>>. Accessed 11/04/14.
815. Forewind (2014) Dogger Bank Teesside A&B. Environmental Statement Chapter 5 Appendix C. Health Impact Review. Application Reference 6.5.3
816. Highways Agency (2009). Design Manual for Roads and Bridges (DMRB) Volume 11, Section 3, Part 6 (Land Use).
817. ICNIRP Guidelines for static magnetic fields (1994) (which includes occupational exposure and DC fields) [Online]. Available at: <<http://www.icnirp.de/documents/statgdl.pdf>>. Accessed 11/04/14.
818. ICNIRP. 2010. Guidelines for Limiting Exposure to time-varying electric and magnetic fields (1Hz-100Hz). Health Physics 99 (6): 818-836
819. International Commission on Non-Ionizing Radiation Protection (ICNIRP) 1998. ICNIRP Guidelines (which considers public exposure in relation to AC fields) [online]. Available at: <<http://www.icnirp.de/>>. Accessed 11/04/14.
820. Mid Suffolk Adopted Core Strategy (2008) [Online]. Available at: <<http://www.midsuffolk.gov.uk/planning-and-building/planning-policy/local-development-framework/core-strategy-dpd/adopted-core-strategy-2008/>>. Accessed 11/04/12.
821. Mid Suffolk District Council (MSDC) (undated). *Town and Parish Councils* [Online]. Available: <http://www.midsuffolk.gov.uk/council-business/council-and-democracy/town-and-parish-councils/> [04/04/2014]
822. Ministry of Agriculture, Fisheries and Food (MAFF) (1988). Agricultural Land Classification of England and Wales: Guidelines and Criteria for Grading the Quality of Agricultural Land (Revised Guidelines) [Online]. Available at:

- <<http://archive.defra.gov.uk/foodfarm/landmanage/land-use/documents/alc-guidelines-1988.pdf>>. Accessed 11/04/14.
823. Ministry of Agriculture, Fisheries and Food (MAFF) (1991). Practical Guide to Preventing the Spread of Plant and Animal Diseases; PB0486
824. Natural England (2012a). Agricultural Land Classification: Protecting the Best and Most Versatile Agricultural Land [Online]. Available at: <<http://publications.naturalengland.org.uk/publication/35012>>. Accessed 01/10/13.
825. Natural England (2012b). Environmental Stewardship Schemes [Online]. Available at: <<http://www.naturalengland.gov.uk/ourwork/farming/funding/es/default.aspx>>. Accessed 01/10/13.
826. Natural England (2012c). Agricultural Land Classification: Protecting the Best and Most Versatile Agricultural Land. Available at: <<http://publications.naturalengland.org.uk/publication/35012>>. Accessed 30/04/14
827. RSK (2011) East Anglia ONE Offshore Windfarm Scoping Report
828. RSK (2012a) East Anglia ONE PEIR
829. RSK (2012b) Phase 2 Consultation
830. RSK (2013) East Anglia ONE Environmental Statement
831. Suffolk Coastal District Council (SCDC) (2014). *Towns and Parish Councils* [Online]. Available at: <<http://www.suffolkcoastal.gov.uk/yourcouncil/townparish/>>. Accessed 04/04/2012.
832. Suffolk Coastal District Council Local Plan (SCDC) (2013). Core Strategy & Development Management Policies, Development Plan Document July 2013 (pdf) [Online]. Available at: <<http://www.suffolkcoastal.gov.uk/assets/Documents/LDF/SuffolkCoastalDistrictLocalPlanJuly2013.pdf>>. Accessed 20/09/2013.
833. Suffolk Country Council (2006). Rights of Way Improvement Plan [online]. Available at < <http://publicrightsofway.onesuffolk.net/home/rights-of-way-improvement-plan/>>. Accessed 28/07/2015.
834. Suffolk County Council (2011). Suffolk's Local Economic Assessment 2011 [online]. Available at <www.suffolk.gov.uk/.../suffolk.../Economic%20development/Final%20A >. Accessed 04/04/2014.
835. Suffolk Strategic Partnership (undated) Transforming Suffolk Strategy 2008 – 2028 [online] Available at:<

http://www.waveney.gov.uk/site/scripts/download_info.php?fileID=872>. Accessed 11/04/14.

836. The National Archives, (undated). Explanatory Memorandum to the Environmental Stewardship (England) Regulations 2005 [Online]. Available at: <<http://www.legislation.gov.uk/uksi/2005/621/memorandum/contents>>. Accessed 21/3/2014.

CHAPTER 23: ECOLOGY

837. BCT and ILE (2009). *Bats and Lighting in the UK; Bats and the Built Environment Series* [Online]. Available at: <http://www.bats.org.uk/data/files/bats_and_lighting_in_the_uk__final_version_version_3_may_09.pdf>. Accessed 07/01/2014.
838. Biodiversity Reporting and Information Group (BRIGS) (2007). Report on the Species and Habitats Review. Report by the Biodiversity Reporting and Information Group (BRIG) to the UK Standing Committee. Available at: <http://jncc.defra.gov.uk/pdf/UKBAP_Species-HabitatsReview-2007.pdf>. Accessed 01/05/2014.
839. Cheffing, C and Farrell, L (2005). The Vascular Plant Red Data List for Great Britain. Available at: <<http://jncc.defra.gov.uk/page-3354>>. Accessed 30/04/14.
840. Department for Environment, Food and Rural Affairs (Defra) (2009). Construction Code of Practice for the Sustainable Use of Soils on Construction Sites. Available at: https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/69308/pb13298-code-of-practice-090910.pdf
841. Department of Energy and Climate Change (DECC) (2011a). Overarching NPS for Energy (EN-1) [Online]. Available at: <<http://infrastructure.planningportal.gov.uk/legislation-and-advice/national-policy-statements/>>. Accessed 11/04/14.
842. Department of Energy and Climate Change (DECC) (2011b). National Policy Statement for Renewable Energy Infrastructure (EN-3). Available at: <https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/37048/1940-nps-renewable-energy-en3.pdf>. Accessed 11/04/14.
843. English Nature (2001). Great crested newt mitigation guidelines. Available at: <<http://publications.naturalengland.org.uk/publication/810429>>. Accessed 30/04/2014
844. English Nature (2006). The Dormouse Conservation Handbook (second edition) Bright, P., Morris, P and Mitchell-Jones, T. (Eds). Available at: <<http://publications.naturalengland.org.uk/file/115029>>. Accessed 01/05/2014.
845. Entwistle, A.C, Racey, P.A. & Speakman, J.R. (1997). Roost selection by the brown long-eared bat (*Plecotus auritus*). *J. Appl. Ecol.* 34: 399-408.
846. Environment Agency (2007). Pollution Prevention Guidelines PP5: Works and maintenance in or near water. Available at: <https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/2>

- 90145/pmho1107bnkg-e-e.pdf>. Accessed 01/05/14.
847. Hundt, L. (2012). Bat Surveys: Good Practice Guidelines, 2nd Edition, Bat Conservation Trust.
848. IEEM (2006). Guidelines for Ecological Impact Assessment In The United Kingdom [Online]. Available at:
<http://www.cieem.net/data/files/Resource_Library/Technical_Guidance_Series/EcIA_Guidelines/TGSEcIA-EcIA_Guidelines-Terrestrial_Freshwater_Coastal.pdf>. Accessed 07/02/2014.
849. Royal HaskoningDHV (2012). East Anglia THREE Offshore Windfarm Environmental Impact Assessment Scoping Report, November 2012.
850. Royal HaskoningDHV (2014). East Anglia THREE Offshore Windfarm Preliminary Environmental Information, May 2014.
851. RSK (2011). East Anglia ONE Offshore Windfarm Scoping Report
852. RSK (2012a). East Anglia ONE PEIR
853. RSK (2012b). Phase 2 Consultation
854. Simpson, F.W. (1982). Simpson's Flora of Suffolk. Suffolk Naturalists Society
855. Stewart, A., Pearman, D.A. and Preston, C.D. (1994). Scarce Plants in Britain. Joint Nature Conservation Committee.
856. Strachan, R. & Moorhouse, T. (2006). *Water Vole Conservation Handbook*. 2nd ed. Wildlife Conservation Research Unit, Oxon.
857. Suffolk Biodiversity Partnership (2015). Suffolk Biodiversity Action Plan priority (BAP) Species and Habitats. January 2015

CHAPTER 24: ONSHORE ORNITHOLOGY

858. East Anglia Offshore Wind Ltd. 2015. *East Anglia THREE Information for Habitats Regulations Assessment*. East Anglia Offshore Wind Ltd, London.
859. Eaton, M.A., Brown, A.F., Noble, D.G., Musgrove, A.J., Hearn, R., Aebischer, N.J., Gibbons, D.W., Evans, A. and Gregory, R.D. 2009. Birds of Conservation Concern 3: The population status of birds in the United Kingdom, Channel Islands and the Isle of Man. *British Birds* 102: 296-341.
860. Holling, M. and the Rare Breeding Birds Panel. 2011. Rare breeding birds in the United Kingdom in 2009. *British Birds* 104: 476–537.
861. Institute of Ecology and Environmental Management. 2006. *Guidelines for Ecological Impact Assessment in the United Kingdom* (version 7 July 2006). IEEM, Winchester.
862. Institute of Ecology and Environmental Management. 2010. *Guidelines for Ecological Impact Assessment in Britain and Ireland: Marine and Coastal*. IEEM, Winchester.
863. Planning Inspectorate. 2012. *Advice note nine: Rochdale Envelope*. Planning Inspectorate, Bristol.
864. RenewableUK. 2013. *Cumulative Impact Assessment Guidelines – Guiding Principles for Cumulative Impacts Assessment in Offshore Wind Farms*. RenewableUK, London.

CHAPTER 25: ONSHORE ARCHAEOLOGY AND CULTURAL HERITAGE

865. ASE (2013). *Bullen Lane, Bramford, Suffolk: Archaeological Evaluation Report*, unpublished report, ref. 2013108.
866. Austin, L. (1997). 'Palaeolithic and Mesolithic' in J. Glazebrook (ed.) *Research and Archaeology: a Framework for the Eastern Counties, 1-resource assessment, East Anglian Archaeology Occasional Paper No. 3*, Norwich: The Scole Archaeological Committee for East Anglia.
867. Babergh District Council (2006). *Babergh Local Plan Alteration No. 2*, [Online], Available at: <http://www.babergh.gov.uk/planning-and-building/planning-policy/babergh-local-plan-2006/babergh-local-plan-alteration-no-2/>. Accessed 15/07/15.
868. Babergh District Council (2014). *Local Plan 2011-2031: Core Strategy & Policies (Part 1 of the New Babergh Local Plan)*, [Online], Available at: <http://www.babergh.gov.uk/assets/Uploads-BDC/Economy/Strategic-Planning-Policy/LDF/CoreStrategy/CS-Final/Core-Strategy.pdf>. Accessed 15/07/15.
869. Department of Communities and Local Government (2012). *National Planning Policy Framework*, [Online], Available at: https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/6077/2116950.pdf. Accessed 15/07/15.
870. Department of Communities and Local Government (2013). *Planning Practice Guidance for Renewable and Low Carbon Energy*, [Online], Available at: <http://aawt.org.uk/planningpracticeguidanceforrenewableandlowcarbonenergy.pdf>. Accessed 15/07/15.
871. Department of Energy & Climate (2011a). *Overarching National Policy Statement for Energy (EN-1)*, [Online], Available at: https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/47854/1938-overarching-nps-for-energy-en1.pdf. Accessed 15/07/15.
872. Department of Energy & Climate (2011b). *National Policy Statement for Renewable Energy Infrastructure (EN-3)*, [Online], Available at: <http://www.official-documents.gov.uk/document/other/9780108510793/9780108510793.pdf>. Accessed 15/07/15.
873. English Heritage (2005). *Wind Energy and the Historic Environment*, [Online], Available at: <https://www.historicengland.org.uk/images-books/publications/wind-energy-and-the-historic-environment/>. Accessed 15/07/15.
874. English Heritage (2008a). *Climate Change and the Historic Environment*, [Online],

- Available at: <https://www.historicengland.org.uk/images-books/publications/climate-change-and-the-historic-environment/>. Accessed 15/07/15.
875. English Heritage (2008b). *Conservation Principles, Policies and Guidance for the Sustainable Management of the Historic Environment*, [Online], Available at: <https://www.historicengland.org.uk/images-books/publications/conservation-principles-sustainable-management-historic-environment/>. Accessed 15/07/15.
 876. English Heritage (2011). *Seeing History In The View, A Method for Assessing Heritage Significance Within Views*, [Online], Available at: <https://www.historicengland.org.uk/images-books/publications/seeing-history-view/>. Accessed 15/07/15.
 877. English Heritage (2015). Historic Environment Good Practice Advice in Planning. Note 3: The Setting of Heritage Assets, [Online], Available at: <http://historicengland.org.uk/images-books/publications/gpa3-setting-of-heritage-assets/>. Accessed 15/07/15.
 878. Highways Agency (2007). *Design Manual for Roads and Bridges, vol. 11, section 3, part 2: HA 208/07 Cultural Heritage*, [Online], Available at: <http://www.standardsforhighways.co.uk/ha/standards/dmrb/vol11/section3/ha20807.pdf>. Accessed 15/07/15.
 879. Mid Suffolk District Council (2008). *Core Strategy Development Plan Document*, [Online], Available at: <http://www.midsuffolk.gov.uk/assets/UploadsMSDC/Economy/Strategic-Planning-Policy/LDF/Adopted-Core-Strategy/Core-Strategy-with-CSFR-label-and-insert-sheet-07-01-13.pdf>. Accessed 15/07/15.
 880. Mid Suffolk District Council (2012). *Core Strategy Focused Review*, [Online], Available at: <http://www.midsuffolk.gov.uk/assets/UploadsMSDC/Economy/Strategic-Planning-Policy/LDF/Core-Strategy-FR/CSFR-adopted-December-2012.pdf>. Accessed 15/07/15.
 881. Plunkett, S. (2005). *Suffolk in Anglo-Saxon Times*, Stroud: Tempus.
 882. RSK (2013). *EAOW Converter Stations: Geophysical Report*, unpublished report, ref. 293287.
 883. RSK,(2012). 'Appendix 25.1 Onshore Historic Environment Desk Based Assessment: East Anglia One Onshore Cable Route and Converter Station' in *East Anglia ONE Offshore Windfarm Environmental Statement*.
 884. Suffolk Coastal District Council (2013a). *Suffolk Coastal District Local Plan - Core*

Strategy and Development Management Policies, [Online], Available at:

<http://www.suffolkcoastal.gov.uk/assets/Documents/LDF/SuffolkCoastalDistrictLocalPlanJuly2013.pdf>. Accessed 15/07/15.

885. Suffolk Coastal District Council (2013b). *Suffolk Coastal Local Plan remaining 'Saved Policies'*, [Online], Available at:
<http://www.suffolkcoastal.gov.uk/assets/Documents/District/Planning-policy/Local-Plan/LocalPlanSavedPoliciesText.pdf>. Accessed 15/07/15.
886. The Planning Inspectorate (2012). *Scoping Opinion for East Anglia THREE Offshore Windfarm*, [Online], Available at:
<http://infrastructure.planningportal.gov.uk/projects/eastern/east-anglia-three-offshore-wind-farm/?ipcsection=docs>. Accessed 15/07/15.
887. Wade, K. (1997). 'Anglo-Saxon and Medieval Rural' in J. Glazebrook (ed.) *Research and Archaeology: a Framework for the Eastern Counties, 1-resource assessment, East Anglian Archaeology Occasional Paper No. 3*, Norwich: The Scole Archaeological Committee for East Anglia, pp. 47-58.
888. Wessex Archaeology (2014a). *East Anglia THREE (EA3) Convertor Station, Suffolk: Archaeological Evaluation*, unpublished report.
889. Wessex Archaeology (2014b). *East Anglia FOUR (EA4) Convertor Station, Suffolk: Archaeological Evaluation*, unpublished report.
890. Wymer, J. (1999). *The Lower Palaeolithic Occupation of Britain*, Wessex Archaeology and English Heritage.

CHAPTER 26: NOISE AND VIBRATION

891. British Standards Institution (1991) BS 7445-2:1991 – Description and measurement of environmental noise – Part 2: Guide to the acquisition of data pertinent to land use.
892. British Standards Institution (1997) BS 4142:1997 – Method for rating industrial noise affecting mixed residential and industrial areas.
893. British Standards Institution (2014) BS 4142:2014 - “Method for rating and assessing industrial and commercial sound”;
894. British Standards Institution (2014) BS 5228-1:2009+A1:2014 – Code of practice for noise and vibration control on construction and open sites – Part 1: Noise.
895. British Standards Institution (2014) BS 8233:2014 – Guidance on sound insulation and noise reduction for buildings. Code of practice.
896. Department for Environment and Climate Change (2011b) National Policy Statement for Renewable Energy Infrastructure (EN-3)
897. Department for Environment, Food and Rural Affairs, 2010: Noise Policy Statement for England.
898. Department of Energy and Climate Change (2011a) Overarching National Policy Statement for Energy (EN-1).
899. Department of Energy and Climate Change (2011c) National Policy Statement for Electricity Network Infrastructure (EN-5).
900. Department of Transport (1988) Calculation of Road Traffic Noise. Galloper Wind Farm Ltd (2011) Galloper Wind Farm Environmental Statement.
901. The Highways Agency (2011) Design Manual for Roads and Bridges, Volume 11, Section 3, Part 7: Noise and Vibration.
902. Vattenfall and Scottish Power Renewables (2012) East Anglia ONE Offshore Wind Farm Environmental Statement.
903. Vattenfall and Scottish Power Renewables (2013) East Anglia ONE Offshore Wind Farm Post-Submission Report 1 and Supplementary Environmental Information.

CHAPTER 27: TRAFFIC AND TRANSPORT

904. Department for Communities and the Local Government (DfCLG) (2012). National Planning Policy Framework, London: DfLG.
905. Department for Transport (DfT) (2013). DfT Circular 02/2013, the Strategic Road Network and the Delivery of Sustainable Development, London: (DfT).
906. Department for Transport (DfT), (2007). Design Manual for Roads and Bridges, Volume 6 Geometric Design of Roundabouts, London: DfT.
907. Department for Transport (DfT), (2009). Creating Growth, Cutting Carbon: Making Sustainable Local Transport Happen, London: (DfT).
908. Department of Energy and Climate Change (DECC) (2011a). Overarching National Policy Statement for Energy (EN-1), London: (DECC).
909. Department of Energy and Climate Change (DECC) (2011b). National Policy Statement for Renewable Energy Infrastructure (EN-3), London: (DECC).
910. Department of Energy and Climate Change (DECC) (2011c). National Policy Statement for Electricity Network Infrastructure (EN-5), London: (DECC).
911. Institute of Environmental Assessment (IEA) (1993). Guidelines for the Environmental Assessment of Road Traffic, Horncastle: (IEA).

CHAPTER 28: SOCIO-ECONOMICS

912. Department for Business, Enterprise and Regulatory Reform, Department for Energy and Climate Change (DECC) 2009. The UK Low Carbon Industrial Strategy. The Stationary Office.
913. Department for Energy and Climate Change (DECC) 2009. The UK Low Carbon Transition Plan: National Strategy for Climate and Energy. The Stationery Office.
914. Department for Energy and Climate Change (DECC) 2011. National Policy Statement for Renewable Energy Infrastructure (EN-3). Presented to Parliament pursuant to Section 5(9) of The Planning Act 2008. July 2011. London: The Stationery Office.
915. Essex County Council 2010. The Greater Essex Integrated County Strategy. Available: <http://www.essex.gov.uk/Your-Council/Strategies-Policies/Documents/Economic-Growth-Strategy.pdf> [14 May 2015].
916. Essex County Council 2012. Essex Economic Growth Strategy. Available: <http://www.essex.gov.uk/Your-Council/Strategies-Policies/Documents/Economic-Growth-Strategy.pdf> [14 May 2015].
917. Explore Norfolk UK 2015. Great Yarmouth Beach. Available: <http://www.explorenorfolkuk.co.uk/great-yarmouth-beach.html> [16 Jun 2015].
918. Great Yarmouth Borough Council 2010. Great Yarmouth Economic Strategy 2011 – 2016. Available: <https://www.great-yarmouth.gov.uk/view/GYBC118447> [15 May 2015].
919. Great Yarmouth Borough Council 2013. Local Plan: Core Strategy. Available: <http://www.great-yarmouth.gov.uk/view/GYBC126102> [15 May 2015].
920. Great Yarmouth Borough Council 2014. Borough Profile. Available: <https://www.great-yarmouth.gov.uk/view/GYBC121137> [15 May 2015].
921. HM Government 2012. Offshore Wind Industrial Strategy – Business and Government Action. Available from: https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/243987/bis-13-1092-offshore-wind-industrial-strategy.pdf
922. HM Treasury 2003. The Green Book: Appraisal and Evaluation in Central Government. Available: https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/220541/green_book_complete.pdf [14 May 2015].
923. Homes & Communities Agency 2014. Additionality Guide. Fourth Addition. Available: <http://www.homesandcommunities.co.uk/sites/default/files/aboutus/addi>

- tionality_guide_2014_full.pdf [14 May 2015].
924. Javelin Group 2014. VENUESCORE 2014-15. Available:http://www.javelingroup.com/white_paper/white_paper_registration_venuescore_2014-15/ [14 May 2015].
925. New Anglia 2014. New Anglia Strategic Economic Plan. Available: <http://www.newanglia.co.uk/wp-content/uploads/2014/03/New-Anglia-Strategic-Economic-Plan-V2.pdf>[15 May 2015].
926. Norfolk County Council 2012. Norfolk Growth Strategy. Available: <http://www.norfolk.gov.uk/view/NCC117605>[15 May 2015].
927. OnePoll 2011. Windfarm Consumer Research. Commissioned by VisitScotland. Available: http://www.visitscotland.org/pdf/Windfarm%20Consumer%20Research%20final_docUpdatedx.pdf[14 May 2015].
928. PBA 2013. Inch Cape Environmental Statement Chapter 22 Socio-economics and Tourism. Available from: http://77.68.107.10/Renewables%20Licensing/SE_Inch_Cape_Offshore_Windfarm/Environmental%20Statement/Volume%201D%20-%20Human%20Environment/Chapter%2022%20-Socio-economics%20and%20Tourism.pdf
929. South East Local Enterprise Partnership 2014. Draft South East LEP Strategic Economic Plan and Growth Deal. Available: <http://www.sctp.org.uk/documents/StrategicEconomicPlanfortheSouthEast-DRAFT20032014430pm.pdf>
930. Suffolk County Council 2013. Suffolk Growth Strategy. Available: <http://www.suffolk.gov.uk/assets/suffolk.gov.uk/Business/Business%20Services/Economic%20development/2013-05-08%20updated%20growth%20strategy.pdf> [14 May 2015].
931. Tendring District Council 2012. Tendring District Local Plan Proposed Submission Draft. Available:<http://tendring.addresscafe.com/App/DiscussIt/NewLocalPlan2012.aspx?docId=3087> [15 May 2015].
932. Tendring District Council 2012. Tendring District Local Plan Proposed Submission Draft. Available from: <http://tendring.addresscafe.com/App/DiscussIt/NewLocalPlan2012.aspx?docId=3087>

933. Tendring District Council 2013. Tendring Economic Strategy. Available:<http://www.tendringdc.gov.uk/sites/default/files/documents/business/regeneration/economic%20developmnet%20strategy/Tendring%20Economic%20Strategy.pdf> [15 May 2015].
934. Tendring District Council 2013. Tendring Economic Strategy. Available from: <http://www.tendringdc.gov.uk/sites/default/files/documents/business/regeneration/economic%20developmnet%20strategy/Tendring%20Economic%20Strategy.pdf>
935. UK Trade & Investment 2014. UK Offshore Wind: Opportunities for trade and investment. The Stationery Office.
936. UK Trade & Investment 2015. Building offshore wind in England: CORE: Centres for offshore renewable engineering. The Stationery Office.
937. Waveney District Council 2008. Economic Regeneration Strategy 2008 -2017. [14 May 2015].
938. Waveney District Council 2008. Economic Regeneration Strategy 2008 -2017.
939. Waveney District Council 2009. Waveney Core Strategy. Available: https://www.waveney.gov.uk/site/scripts/documents_info.php?documentID=100&categoryID=200138 [14 May 2015].
940. Waveney District Council 2012. Lowestoft Lake Lothing & Outer Harbour Area Action Plan. Available: http://www.waveney.gov.uk/site/scripts/download_info.php?fileID=2475 [15 May 2015].
941. YouGov 2013. YouGov/Scottish Renewables Survey Results. Commissioned by Scottish Renewables. Available: http://d25d2506sfb94s.cloudfront.net/cumulus_uploads/document/vj66wakgzm/YG-Scottish-Renewables-Archive-results-260213-renewable-energy.pdf [14 May 2015].

CHAPTER 29: SEASCAPE, LANDSCAPE AND VISUAL AMENITY

942. Archaeology Data Services (2007) *England's Historic Seascapes Pilot Study: Seascape Character* [Online], Available
http://archaeologydataservice.ac.uk/archives/view/ehsclacton_eh_2007/web_map.cfm?CFID=52&CFTOKEN=B5466FBE-B6D9-44CC-9A3A4C7E05AFD7F4
943. Council for Europe, (2004) *European Landscape Convention (Treaty Series no. 176)*, [Online],
Available:<https://rm.coe.int/CoERMPublicCommonSearchServices/DisplayDCTMContent?documentId=09000016802f80c6>
944. Countryside Commission, (1999) *Designation History Series – Suffolk Coast and Heaths AONB*
945. Department of Communities and Local Government, (2012) *National Planning Policy Framework*, [Online], Available:
https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/6077/2116950.pdf
946. Department of Communities and Local Government, (2013) *Planning Practice Guidance for Renewable and Low Carbon Energy*, [Online], Available:
<http://aawt.org.uk/planningpracticeguidanceforrenewableandlowcarbonenergy.pdf>
947. Department of Energy & Climate, (2011a) *Overarching National Policy Statement for Energy (EN-1)*, [Online], Available:
https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/47854/1938-overarching-nps-for-energy-en1.pdf
948. Department of Energy & Climate, (2011b) *National Policy Statement for Renewable Energy Infrastructure (EN-3)*, [Online], Available: <http://www.official-documents.gov.uk/document/other/9780108510793/9780108510793.pdf>
949. Department of Trade and Industry, (2005) *Guidance on the Assessment of the Impact of Offshore Wind Farms*
950. Historic England Website [Online], Available:
<https://historicengland.org.uk/listing/what-is-designation/registered-parks-and-gardens/how-do-parks-and-gardens-become-registered/>English Heritage (2007) *England's Historic Seascapes Pilot Study: Southwold-to-Clacton Final Project Report*
951. HM Government, (2014) *East Inshore and East Offshore Marine Plans* [Online], Available: <https://www.gov.uk/government/publications/east-inshore-and-east-offshore-marine-plans>

952. Horner and MacLennan and Envision for Scottish Natural Heritage, The Scottish Renewables Forum and the Scottish Society of Directors of Planning. (2006) *Visual Representation of Windfarms: Good Practice Guidance*.
953. Land Use Consultants on behalf of SNH and the Countryside Agency. (2002). *Landscape Character Assessment: Guidance for England and Scotland*.
954. Landscape Institute and Institute of Environmental Management and Assessment. (2013) *Guidelines for Landscape and Visual Impact Assessment*, London: Routledge.
955. Landscape Institute. (2011) *Landscape Institute Advice Note 01/11, Photography and photomontage in landscape and visual impact assessment*.
956. Mid Suffolk District Council, (2008) *Core Strategy Development Plan Document*, [Online], Available: <http://www.midsuffolk.gov.uk/assets/UploadsMSDC/Economy/Strategic-Planning-Policy/LDF/Adopted-Core-Strategy/Core-Strategy-with-CSFR-label-and-insert-sheet-07-01-13.pdf>
957. Mid Suffolk District Council, (2012) *Core Strategy Focused Review*, [Online], Available: <http://www.midsuffolk.gov.uk/assets/UploadsMSDC/Economy/Strategic-Planning-Policy/LDF/Core-Strategy-FR/CSFR-adopted-December-2012.pdf>
958. Natural England, (2011) *Seascape Characterisation around the English Coast (Marine Plan Areas 3 and 4 and Part of Area 6 Pilot Study)*[Online], Available: <http://publications.naturalengland.org.uk/publication/2736726>
959. Natural England, (2012) *An approach to seascape character assessment – Commissioned Report NECR105* [Online], Available: <https://www.gov.uk/guidance/landscape-and-seascape-character-assessments>
960. RSK, (2013) *EAOW Converter Stations: Geophysical Report*, unpublished report, ref. 293287.
961. Scottish Natural Heritage. (2012) *Assessing the Cumulative Impact of Onshore Wind Energy Developments*.
962. Suffolk Coast and Heaths, (2013) *Suffolk Coast and Heaths Area of Outstanding Natural Beauty (2013-2018)* [Online], Available: <http://www.suffolkcoastandheaths.org/assets/AONB-Management-Plan-20132018.pdf>
963. Suffolk Coastal District Council, (2013a) *Suffolk Coastal District Local Plan - Core Strategy and Development Management Policies*, [Online], Available: <http://www.suffolkcoastal.gov.uk/assets/Documents/LDF/SuffolkCoastalDistrictLoca>

IPlanJuly2013.pdf

964. Suffolk Coastal District Council, (2013b) *Suffolk Coastal Local Plan remaining 'Saved Policies'*, [Online], Available:
<http://www.suffolkcoastal.gov.uk/assets/Documents/District/Planning-policy/Local-Plan/LocalPlanSavedPoliciesText.pdf>
965. The Planning Inspectorate, (2012) *Scoping Opinion for East Anglia THREE Offshore Windfarm*, [Online], Available:
<http://infrastructure.planningportal.gov.uk/projects/eastern/east-anglia-three-offshore-wind-farm/?ipcsection=docs>

CHAPTER 30: SUMMARY AND CONCLUSION

No references

Chapter 32 Ends here