

Planning Act 2008

The Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009

The Port Talbot Steelworks (Power Generation Enhancement) Order

6.02.2 – 6.02.5 Environmental Statement
Vol. 2b – 2e: Figures

PINS Reference	EN010062	
Document No.	6.02.2 – 6.02.5	
Regulation	5(2)(a), 5(2)(l), 5(2)(m) and Infrastructure Planning (Environmental Impact Assessment) Regulations 2009	
Author	AECOM	
Revision	Date	Description
0	July 2014	Submission Version

6.02.2 – 6.02.5 Environmental
Statement Vol. 2b –
2e: Figures

Index to Figures

Tab	Figure	Title	ES Vol.
1.	Figure 1.1	Site Location Plan	2b
	Figure 1.2	Blue and Red Line Boundaries	2b
2.	Figure 2.1	Alternative Locations	2b
3.	Figure 3.1	Landscape Designations	2b
	Figure 3.2	Ecology Designations	2b
	Figure 3.3	Archaeology	2b
	Figure 3.4	Unitary Boundary	2b
	Figure 3.5	Development Layout	2b
	Figure 3.6	Development Layout on Aerial Photograph	2b
	Figure 3.7	Current Operations	2b
	Figure 3.8	Future Operations with Proposed Development	2b
	Figure 3.9	Process Schematic	2b
	Figure 3.10	Utilities	2b
	Figure 3.11	Proposed Plant Configuration	2b
	Figure 3.12	Decommissioned Plant	2b
	Figure 3.13	Temporary Layout Areas	2b
4.	NO FIGURES IN ES CHAPTER 4		
5.	Figure 5.1	Air Monitoring Locations	2b
	Figure 5.2	Terrain Height Data	2b
	Figure 5.3	Environmental And Human Health Receptors	2b
	Figure 5.4	Proposed And Existing Stacks	2b
	Figure 5.5	Wind Rose Data For Local Meteorological Station	2b
	Figure 5.6	Stack Height Determination Graph	2b

Tab	Figure	Title	ES Vol.
	Figure 5.7	Contour Plot Of Annual Mean No2 Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Emission Limit Values For The Existing Boilers	2b
	Figure 5.8	Contour Plot Of Annual Mean No2 Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Emission Limit Values For The Proposed Boilers	2b
	Figure 5.9	Contour Plot Of Annual Mean No2 Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Emission Limit Values For One Additional Boiler	2b
	Figure 5.10	Contour Plot Of Annual Mean Nox Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Emission Limit Values For The Existing Boilers	2b
	Figure 5.11	Contour Plot Of Annual Mean Nox Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Emission Limit Values For The Proposed Boilers	2b
	Figure 5.12	Contour Plot Of Annual Mean Nox Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Emission Limit Values For One Additional Boiler	2b
	Figure 5.13	Contour Plot Of Annual Mean Pm10 Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Emission Limit Values For The Existing Boiler	2b
	Figure 5.14	Contour Plot Of Annual Mean Pm10 Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Emission Limit Values For The Proposed Boiler	2b
	Figure 5.15	Contour Plot Of Annual Mean Pm10 Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Emission Limit Values For One Additional Boiler	2b
	Figure 5.16	Contour Plot Of Daily Maximum Nox Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Emission Limit Values For The Existing Boilers	2b
	Figure 5.17	Contour Plot Of Daily Maximum Nox Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Emission Limit Values For The Proposed Boilers	2b
	Figure 5.18	Contour Plot Of Daily Maximum Nox Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Emission Limit Values For One Additional Boiler	2b

Tab	Figure	Title	ES Vol.
	Figure 5.19	Contour Plot Of Daily 99.4th Percentile Pm10 Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Emission Limit Values For The Existing Boilers	2c
	Figure 5.20	Contour Plot Of Daily 99.4th Percentile Pm10 Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Emission Limit Values For The Proposed Boilers	2c
	Figure 5.21	Contour Plot Of Daily 99.4th Percentile Pm10 Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Emission Limit Values For One Additional Boiler	2c
	Figure 5.22	Contour Plot Of Daily 99.18th Percentile So2 Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Emission Limit Values For The Existing Boilers	2c
	Figure 5.23	Contour Plot Of Daily 99.18th Percentile So2 Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Emission Limit Values For The Proposed Boilers	2c
	Figure 5.24	Contour Plot Of Daily 99.18th Percentile So2 Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Emission Limit Values For One Additional Boiler	2c
	Figure 5.25	Contour Plot Of 8 Hour Running Mean Co Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Monitored Emission Rates For The Existing Boilers	2c
	Figure 5.26	Contour Plot Of 8 Hour Running Mean Co Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Monitored Emission Rates For The Proposed Boilers	2c
	Figure 5.27	Contour Plot Of 8 Hour Running Mean Co Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Monitored Emission Rates For One Additional Boiler	2c
	Figure 5.28	Contour Plot Of Daily 99.79th Percentile No2 Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Emission Limit Values For The Existing Boilers	2c
	Figure 5.29	Contour Plot Of Daily 99.79th Percentile No2 Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Emission Limit Values For The Proposed Boilers	2c
	Figure 5.30	Contour Plot Of Daily 99.79th Percentile No2 Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Emission Limit Values For One Additional Boiler	2c

Tab	Figure	Title	ES Vol.
	Figure 5.31	Contour Plot Of Daily 99.73th Percentile So2 Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Emission Limit Values For The Existing Boilers	2c
	Figure 5.32	Contour Plot Of Daily 99.73th Percentile So2 Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Emission Limit Values For The Proposed Boilers	2c
	Figure 5.33	Contour Plot Of Daily 99.73th Percentile So2 Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Emission Limit Values For One Additional Boiler	2c
	Figure 5.34	Contour Plot Of 15 Minute 99.9th Percentile So2 Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Emission Limit Values For The Existing Boilers	2c
	Figure 5.35	Contour Plot Of 15 Minute 99.9th Percentile So2 Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Emission Limit Values For The Proposed Boilers	2c
	Figure 5.36	Contour Plot Of 15 Minute 99.9th Percentile So2 Process Contributions ($\mu\text{g}/\text{M}^3$) Based On Emission Limit Values For One Additional Boiler	2c
6.	NO FIGURES IN ES CHAPTER 6		
7.	Figures 7.1 – 7.54 included in ES Vols. 4a – 4g: LVIA Figures & Photomontages		
	Figure 8.1	Noise Monitoring Locations	2c
	Figure 8.2	Noise Location 1	2c
	Figure 8.3	Noise Location 2	2c
8.	Figure 8.4	Noise Location 3	2c
	Figure 8.5	Noise Location 4	2c
	Figure 8.6	Noise Location 5	2c
9.	NO FIGURES IN ES CHAPTER 9		
	Figure 10.1	Traffic Study Area	2d
10.	Figure 10.2	2013 Baseline Flows (Vehicles)	2d

Tab	Figure	Title	ES Vol.	
	Figure 10.3	2013 Baseline Flows (HGVs)	2d	
	Figure 10.4	2018 Baseline Flows (Vehicles)	2d	
	Figure 10.5	2018 Baseline Flows (HGVs)	2d	
	Figure 10.6	2028 Baseline Flows (Vehicles)	2d	
	Figure 10.7	2028 Baseline Flows (HGVs)	2d	
	Figure 10.8	Included within ES Chapter 10	2d	
	Figure 10.9	Construction Staff Hourly Flows (Vehicles)	2d	
	Figure 10.10	2018 Peak Construction Impacts (Vehicles)	2d	
	Figure 10.11	2018 Peak Construction Impact (HGVs)	2d	
	Figure 10.12	18-24 Hour Construction Impact	2d	
	Figure 10.13	2028 Peak Construction Impact (PCUs)	2d	
	Figure 10.14	2028 Peak Construction Impact (HGVs)	2d	
	Figure 10.15	18-24 Hour 2028 Construction Impact	2d	
	11.	Figure 11.1	Known Archaeology	2d
	12.	Figure 12.1	Activities and Attractions	2d
Figure 12.2		SUSTRANS Cycle Route	2d	
Figure 12.3		Public Rights of Way	2d	
13.	Figure 13.1	Location of Watercourses	2d	
	Figure 13.2	Topography	2d	
	Figure 13.3	Ffrwdwyllt Flood Outline	2d	
	Figure 13.4	Utilities	2d	
	Figure 13.5	Flood Risk from Rivers And Sea	2d	
	Figure 13.6	Development Advice Map	2d	
	Figure 13.7	Flood Risk from Reservoirs	2d	

Tab	Figure	Title	ES Vol.
	Figure 13.8	Detailed River Network	2d
	Figure 13.9	1 In 20 Chance Flood Event + MHWS	2d
	Figure 13.10	Ffrwdwyllt and Afan 1 in 100 Fluvial Event + MHWS	2d
	Figure 13.11	Ffrwdwyllt and Afan 1 in 100 Fluvial Event + MHWS + Climate Change	2d
	Figure 13.12	Ffrwdwyllt and Afan 1 in 1000 Fluvial Event + MHWS	2d
	Figure 13.13	FFRWDWYLLT and Afan 1 in 2 Chance Fluvial Event and 1 in 200 Chance Tidal Event	2d
	Figure 13.14	Ffrwdwyllt and Afan 1 in 2 Chance Fluvial Event And 1 In 1000 Chance Tidal Event	2d
	Figure 13.15	Ffrwdwyllt and Afan 1 in 2 Chance Fluvial Event And 1 In 200 Chance Tidal Event + Climate Change	2d
	Figure 13.16	Arnalt Brook Culvert 1 in 1000 Fluvial Event	2d
	Figure 13.17	Eglws Nundydd Reservoir Breach	2d
	Figure 13.18	Ffrwdwyllt and Afan Flood Hazard 1 in 20 Fluvial Event + MHWS	2d
	Figure 13.19	Ffrwdwyllt and Afan Flood Hazard 1 in 100 Chance Fluvial Event + MHWS	2d
	Figure 13.20	Ffrwdwyllt and Afan Flood Hazard 1 in 100 Chance Fluvial Event + MHWS + Climate Change	2d
	Figure 13.21	Ffrwdwyllt and Afan Flood Hazard 1 in 1000 Chance Fluvial Event + MHWS	2d
	Figure 13.22	Ffrwdwyllt and Afan Flood Hazard 1 in 2 Chance Fluvial Event and 1 in 200 Chance Tidal Event	2d
	Figure 13.23	Ffrwdwyllt and Afan Flood Hazard 1 in 2 Chance Fluvial Event and 1 in 1000 Chance Tidal Event	2d
	Figure 13.24	Ffrwdwyllt and Afan 1 in 2 Chance Fluvial Event and 1 in 200 Chance Tidal Event + Climate Change	2d
	Figure 13.25	Existing Model Extents	2d

Tab	Figure	Title	ES Vol.
	Figure 13.26	Wider Catchment	2e
	Figure 13.27	LIDAR Comparison	2e
	Figure 13.28	LIDAR Comparison For The River Afan	2e
	Figure 13.29	Tidal Simulation	2e
	Figure 13.30	Hydrographs	2e
	Figure 13.31	Flood Depths	2e
	Figure 13.32	Ordinary Watercourse And Culverts	2e
	Figure 13.33	Flow Estimates	2e
	Figure 13.34	Eglws Nundydd Reservoir Model Extents	2e
	Figure 13.35	Eglws Nundydd Reservoir Breach Extents	2e
	14.	Figure 14.1	Abstraction, Sump And Discharge Points
Figure 14.2		Option 1 Abstraction Requirements	2e
Figure 14.3		Option 2 Phase 1 Abstraction Requirements	2e
15.	NO FIGURES IN ES CHAPTER 15		
16.	Figures 16.1 – 16.9 - Contained Within Volume 4 Photomontages included in ES Vols. 4a – 4g: LVIA Figures & Photomontages		