

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

49722347_1_1

Customer Reference:

60275968

National Grid Reference:

277320, 188380

Slice:

A

Site Area (Ha):

8.5

Search Buffer (m):

1000

Site Details:

Tata Steel, Abbey Works

Margam

PORT TALBOT

West Glamorgan

SA13 2NG

Client Details:

Ms E Gould

AECOM Environment

Portwall Place

Portwall Lane

Bristol

BS1 6NB

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	56
Hazardous Substances	57
Geological	58
Industrial Land Use	73
Sensitive Land Use	-
Data Currency	78
Data Suppliers	82
Useful Contacts	83

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client.

In the attached datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2013. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Ove Arup Copyright Notice

The Data provided in this report was obtained on Licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The information and data supplied in the product are derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Peter Brett Associates Copyright Notice

The cavity data presented has been extracted from the PBA enhanced version of the original DEFRA national cavity databases. PBA/DEFRA retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by PBA. In no event shall PBA/DEFRA or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Report Version v47.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 1	1	1	14	36
Enforcement and Prohibition Notices					
Integrated Pollution Controls	pg 14				1
Integrated Pollution Prevention And Control	pg 14				1
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls	pg 14		1	1	
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 14		Yes		
Pollution Incidents to Controlled Waters	pg 14	1	1	2	6
Prosecutions Relating to Authorised Processes	pg 16				1
Prosecutions Relating to Controlled Waters					
Registered Radioactive Substances					
River Quality	pg 16		1	1	
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points	pg 17			3	
Substantiated Pollution Incident Register					
Water Abstractions	pg 19			9	1 (*13)
Water Industry Act Referrals					
Groundwater Vulnerability	pg 25	Yes	n/a	n/a	n/a
Bedrock Aquifer Designations	pg 25	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 25	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences	pg 25	Yes	Yes	n/a	n/a
Flooding from Rivers or Sea without Defences	pg 47	Yes	Yes	n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites					
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)	pg 56		1	1	2
Local Authority Recorded Landfill Sites	pg 56				1
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents	pg 57				4
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 58	Yes	n/a	n/a	n/a
BGS Estimated Soil Chemistry	pg 58	Yes	Yes	Yes	Yes
BGS Recorded Mineral Sites	pg 70				6
BGS Urban Soil Chemistry					
BGS Urban Soil Chemistry Averages					
Brine Compensation Area			n/a	n/a	n/a
Coal Mining Affected Areas	pg 71	Yes	n/a	n/a	n/a
Mining Instability	pg 71	Yes	n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 71		Yes	n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 71	Yes		n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 71	Yes		n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 71	Yes	Yes	n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 71	Yes	Yes	n/a	n/a
Radon Potential - Radon Affected Areas			n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a
Industrial Land Use					
Contemporary Trade Directory Entries	pg 73		3	2	43
Fuel Station Entries	pg 77			1	

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Sensitive Land Use					
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones					
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	<p>Discharge Consents</p> <p>Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Cso 123 Margam Ps Nr Brombill St, Magam Pumping Station, Nr Brombill Street, Margam Authority: Environment Agency, Welsh Region Catchment Area: Arnallt Brook Reference: Bp0046202 Permit Version: 2 Effective Date: 1st April 2004 Issued Date: 31st March 2004 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Arnallt Brook Status: Varied by Application - (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A13SW (SW)	0	1	277186 188236
2	<p>Discharge Consents</p> <p>Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Station - Water Company Location: Margam Ps Nr. Brombil St Authority: Environment Agency, Welsh Region Catchment Area: Arnallt Brook Reference: BP0046202 Permit Version: 1 Effective Date: 20th August 1987 Issued Date: 20th August 1987 Revocation Date: 31st March 2004 Discharge Type: Unspecified Discharge: Freshwater Stream/River Environment: Receiving Water: Groeswen Brook / Arnallt Brook Status: New Consent, by Application (Water Resources Act 1991, Section 88) Positional Accuracy: Located by supplier to within 100m</p>	A13SE (E)	140	1	277630 188340
3	<p>Discharge Consents</p> <p>Operator: British Steel Plc (Tinplate) Property Type: Iron & Steel Industries Location: No12ax Power Plt To D'K Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0059207 Permit Version: 1 Effective Date: 16th September 1987 Issued Date: 16th September 1987 Revocation Date: 28th March 1994 Discharge Type: Trade Effluent Discharge: Tidal Waters Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m</p>	A13NW (NW)	285	1	277000 188600
4	<p>Discharge Consents</p> <p>Operator: British Steel Plc (Tinplate) Property Type: Iron & Steel Industries Location: No 3 Blast Furnace Port Talbot Work, Port Talbot Works Port Talbot Authority: Environment Agency, Welsh Region Catchment Area: Not Given Reference: Ba2020002 Permit Version: 1 Effective Date: 1st January 1950 Issued Date: 16th June 1994 Revocation Date: 20th September 1995 Discharge Type: Trade Effluent Discharge: Freshwater Stream/River Environment: Receiving Water: The Culverted River Ffrwdwyllt Status: Consent expired Positional Accuracy: Located by supplier to within 100m</p>	A18SW (N)	297	1	277130 188850

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
4	<p>Discharge Consents</p> <p>Operator: British Steel Plc (Tinplate) Property Type: Iron & Steel Industries Location: No 3 Blast Furnace Port Talbot Work, Port Talbot Works Port Talbot Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Ba2020001 Permit Version: 1 Effective Date: 28th August 1963 Issued Date: 28th August 1963 Revocation Date: 9th June 1994 Discharge Type: Trade Effluent Discharge: Not Specified Environment: Receiving Water: Ffrwdwyllt Status: Consent expired Positional Accuracy: Located by supplier to within 10m</p>	A18SW (N)	297	1	277130 188850
5	<p>Discharge Consents</p> <p>Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Swo. Brombil& Prince St M Authority: Environment Agency, Welsh Region Catchment Area: Arnallt Brook Reference: BW0202201 Permit Version: 1 Effective Date: 20th October 1989 Issued Date: 20th October 1989 Revocation Date: 31st March 2004 Discharge Type: Unspecified Discharge: Freshwater Stream/River Environment: Receiving Water: River Afan Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m</p>	A14SW (E)	324	1	277800 188200
6	<p>Discharge Consents</p> <p>Operator: British Steel Plc (Tinplate) Property Type: Iron & Steel Industries Location: Pt Talbot Wks Blast F'Ces Gas Wash, Blast F'Ces Gas Wash Water-Aba Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Ba2020101 Permit Version: 1 Effective Date: 28th August 1965 Issued Date: 28th August 1965 Revocation Date: 22nd January 1992 Discharge Type: Unspecified Discharge: Not Specified Environment: Receiving Water: Ffrwdwyllt Status: Consent expired Positional Accuracy: Located by supplier to within 10m</p>	A18SW (NW)	363	1	277100 188910
7	<p>Discharge Consents</p> <p>Operator: British Steel Plc (Tinplate) Property Type: Iron & Steel Industries Location: Power Plants 12 & 12a (Cooling Wate, (Cooling Water) Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0059206 Permit Version: 2 Effective Date: 5th March 1993 Issued Date: 5th December 1992 Revocation Date: 9th February 1999 Discharge Type: Unspecified Discharge: Tidal Waters Environment: Receiving Water: Port Talbot Dock Status: Revoked and replaced by IPC Authorisation Positional Accuracy: Located by supplier to within 100m</p>	A12NE (NW)	377	1	276900 188600

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
7	<p>Discharge Consents</p> <p>Operator: British Steel Plc Property Type: Iron & Steel Industries Location: Power Plants 12 & 12a (Cooling Wate, (Cooling Water) Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0059206 Permit Version: 2 Effective Date: 5th March 1993 Issued Date: 5th December 1992 Revocation Date: 9th February 1999 Discharge Type: Unspecified Discharge: Tidal Waters Environment: Receiving Water: Port Talbot Dock Status: Revoked and replaced by IPC Authorisation Positional Accuracy: Located by supplier to within 100m</p>	A12NE (NW)	377	1	276900 188600
7	<p>Discharge Consents</p> <p>Operator: British Steel Plc (Tinplate) Property Type: Iron & Steel Industries Location: Power Plants 12 & 12a (Cooling Wate, (Cooling Water) Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0059204 Permit Version: 2 Effective Date: 5th March 1993 Issued Date: 5th December 1992 Revocation Date: 20th September 1995 Discharge Type: Unspecified Discharge: Tidal Waters Environment: Receiving Water: Port Talbot Dock Status: Consent expired Positional Accuracy: Located by supplier to within 100m</p>	A12NE (NW)	377	1	276900 188600
7	<p>Discharge Consents</p> <p>Operator: Associated British Ports Property Type: Iron & Steel Industries Location: Power Plants 12 & 12a (Cooling Wate, (Cooling Water) Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0055708 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Tidal Waters Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m</p>	A12NE (NW)	377	1	276900 188600
7	<p>Discharge Consents</p> <p>Operator: British Steel Plc (Tinplate) Property Type: Iron & Steel Industries Location: Power Plants 12 & 12a (Cooling Wate, (Cooling Water) Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0059204 Permit Version: 1 Effective Date: 16th September 1987 Issued Date: 16th September 1987 Revocation Date: 4th March 1993 Discharge Type: Unspecified Discharge: Tidal Waters Environment: Receiving Water: Port Talbot Dock Status: Authorisation revokedRevoked Positional Accuracy: Located by supplier to within 100m</p>	A12NE (NW)	377	1	276900 188600

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
8	<p>Discharge Consents</p> <p>Operator: Associated British Ports Property Type: Undefined Or Other Location: Port Talbot Docks Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0055709 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Tidal Waters Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m</p>	A12NE (NW)	469	1	276800 188600
8	<p>Discharge Consents</p> <p>Operator: Associated British Ports Property Type: Undefined Or Other Location: Port Talbot Docks Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0055710 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Tidal Waters Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m</p>	A12NE (NW)	469	1	276800 188600
8	<p>Discharge Consents</p> <p>Operator: Associated British Ports Property Type: Undefined Or Other Location: Port Talbot Docks Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0055711 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Tidal Waters Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m</p>	A12NE (NW)	469	1	276800 188600
8	<p>Discharge Consents</p> <p>Operator: Associated British Ports Property Type: Undefined Or Other Location: Port Talbot Docks Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0055724 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Tidal Waters Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m</p>	A12NE (NW)	469	1	276800 188600

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
9	<p>Discharge Consents</p> <p>Operator: Associated British Ports Property Type: Undefined Or Other Location: Lock Levelling Water Taken From R F, Water Taken From R Ffrwdwyllt Fo, For Port Talbot Docks Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0055733 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 10th May 1995 Discharge Type: Unspecified Discharge: Freshwater Stream/River Environment: Receiving Water: River Ffrwdwyllt Status: Consent expired Positional Accuracy: Located by supplier to within 100m</p>	A17SE (NW)	504	1	276900 188900
10	<p>Discharge Consents</p> <p>Operator: Associated British Ports Property Type: Support Services - Sea Transport Location: Tarmac Topmix Site Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: BP0055730 Permit Version: 2 Effective Date: 21st January 1993 Issued Date: 21st October 1992 Revocation Date: 14th July 2008 Discharge Type: Unspecified Discharge: Freshwater Stream/River Environment: Receiving Water: River Ffrwdwyllt (Tidal) Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m</p>	A17SE (NW)	566	1	276900 189000
10	<p>Discharge Consents</p> <p>Operator: Associated British Ports Property Type: Support Services - Sea Transport Location: Tarmac Topmix Site Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0055730 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 20th January 1993 Discharge Type: Unspecified Discharge: Tidal Waters Environment: Receiving Water: River Ffrwdwyllt (Tidal) Status: Authorisation revokedRevoked Positional Accuracy: Located by supplier to within 100m</p>	A17SE (NW)	566	1	276900 189000
11	<p>Discharge Consents</p> <p>Operator: British Steel Plc (Tinplate) Property Type: Iron & Steel Industries Location: Oil Tank Farm Bsc Por Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0059205 Permit Version: 1 Effective Date: 16th September 1987 Issued Date: 16th September 1987 Revocation Date: 30th June 1992 Discharge Type: Unspecified Discharge: Tidal Waters Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m</p>	A12NE (NW)	600	1	276700 188700

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
11	<p>Discharge Consents</p> <p>Operator: Dwr Cymru Cyfyngedig Property Type: Sewage Disposal Works - Water Company Location: Afan Wwtw Phoenix Wharf Harbour Rd, Port Talbot Authority: Environment Agency, Welsh Region Catchment Area: Not Supplied Reference: Bp028760101 Permit Version: 1 Effective Date: 1st December 2000 Issued Date: 1st December 2000 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Unspecified - Water Company Discharge: Controlled Sea Environment: Receiving Water: Swansea Bay Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Manually positioned within the geographical locality</p>	A12NE (NW)	613	1	276690 188709
12	<p>Discharge Consents</p> <p>Operator: Tata Steel Uk Limited Property Type: Education Location: Stp @ Tata Steel Strip Products, Limited, Tata Steel, Port Talbot Steelworks, Port Talbot, Sa13 3ng Authority: Environment Agency, Welsh Region Catchment Area: Not Supplied Reference: Eprxp3522xr Permit Version: 1 Effective Date: 19th December 2012 Issued Date: 19th December 2012 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Arnallt Brook Status: New issued under EPR 2010 Positional Accuracy: Located by supplier to within 10m</p>	A9SW (SE)	659	1	277776 187670
13	<p>Discharge Consents</p> <p>Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Swo.North St.Footbridge Pt.Tal Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bw0203101 Permit Version: 1 Effective Date: 27th October 1952 Issued Date: 27th October 1952 Revocation Date: 14th March 1994 Discharge Type: Unspecified Discharge: Freshwater Stream/River Environment: Receiving Water: River Ffrwdwyllt Status: Consent expired Positional Accuracy: Located by supplier to within 10m</p>	A18NE (N)	676	1	277510 189270
14	<p>Discharge Consents</p> <p>Operator: Associated British Ports Property Type: Undefined Or Other Location: Phoenix Wharf Surface Water Port, Port Talbot Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0043001 Permit Version: 2 Effective Date: 7th July 1987 Issued Date: 7th July 1987 Revocation Date: 31st October 1995 Discharge Type: Unspecified Discharge: Tidal Waters Environment: Receiving Water: Phoenix Wharf Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m</p>	A12NW (NW)	692	1	276600 188700

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
14	<p>Discharge Consents</p> <p>Operator: Associated British Ports Property Type: Undefined Or Other Location: Phoenix Wharf Surface Water Port, Port Talbot Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0043001 Permit Version: 1 Effective Date: 1st January 1901 Issued Date: 1st January 1901 Revocation Date: 6th July 1987 Discharge Type: Unspecified Discharge: Tidal Waters Environment: Receiving Water: Phoenix Wharf Docks Status: Authorisation revokedRevoked Positional Accuracy: Located by supplier to within 100m</p>	A12NW (NW)	692	1	276600 188700
15	<p>Discharge Consents</p> <p>Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Swo. Knights Road Soccer Pitch Marg, Soccer Pitch Margam Authority: Environment Agency, Welsh Region Catchment Area: Arnallt Brook Reference: Bw0202101 Permit Version: 1 Effective Date: 20th October 1989 Issued Date: 20th October 1989 Revocation Date: 14th March 1994 Discharge Type: Unspecified Discharge: Freshwater Stream/River Environment: Receiving Water: River Afan Status: Consent expired Positional Accuracy: Located by supplier to within 100m</p>	A9SW (SE)	705	1	277900 187700
15	<p>Discharge Consents</p> <p>Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Margam Toronto Ave. Emergency Ov, Toronto Ave. Emergency Over Authority: Environment Agency, Welsh Region Catchment Area: Afon Kenfig Reference: BP0046201 Permit Version: 1 Effective Date: 20th August 1987 Issued Date: 20th August 1987 Revocation Date: 7th February 2003 Discharge Type: Unspecified Discharge: Freshwater Stream/River Environment: Receiving Water: Arnallt Brook Status: New Consent, by Application (Water Resources Act 1991, Section 88) Positional Accuracy: Located by supplier to within 100m</p>	A9SW (SE)	716	1	277930 187710
16	<p>Discharge Consents</p> <p>Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Station - Water Company Location: Aberdulais Sps, Neath, Neath Port Talbot Authority: Environment Agency, Welsh Region Catchment Area: Arnallt Brook Reference: Bw0202801 Permit Version: 1 Effective Date: 1st January 1901 Issued Date: 1st January 1901 Revocation Date: 9th May 1993 Discharge Type: Unspecified Discharge: Into And/Or Watercourse Environment: Receiving Water: Swansea Bay Via Betsi Lagoon Status: Authorisation revokedRevoked Positional Accuracy: Located by supplier to within 100m</p>	A8SW (S)	721	1	277000 187500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
17	<p>Discharge Consents</p> <p>Operator: Dwr Cymru Cyfyngedig Property Type: Sewage Disposal Works - Water Company Location: Glandyrrryn Close Cso Port Talbot, Glandyffryn Close Cso, Neath Port Talbot Wales, Sa13 2ub Authority: Environment Agency, Welsh Region Catchment Area: Not Supplied Reference: Bp0359301 Permit Version: 1 Effective Date: 28th February 2007 Issued Date: 28th February 2007 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Ffrwd Wylt Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A18NE (N)	760	1	277533 189351
18	<p>Discharge Consents</p> <p>Operator: Short Bros (Plant) Ltd, Property Type: General Construction Work Location: Llewellyn Quay P Talbot Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0028901 Permit Version: 1 Effective Date: 2nd October 1986 Issued Date: 2nd October 1986 Revocation Date: 21st April 1994 Discharge Type: Unspecified Discharge: Land/Soakaway Environment: Receiving Water: Soakaway Status: Consent expired Positional Accuracy: Located by supplier to within 10m</p>	A17NE (NW)	766	1	276830 189210
19	<p>Discharge Consents</p> <p>Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Cso 122 18 Duke Street Afan, 18 Duke Street, Neath Port Talbot Authority: Environment Agency, Welsh Region Catchment Area: Not Supplied Reference: Bp0320201 Permit Version: 2 Effective Date: 31st March 2010 Issued Date: 31st March 2009 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Undesignated Water Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A8SE (S)	778	1	277519 187440
19	<p>Discharge Consents</p> <p>Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Cso 122 18 Duke Street Afan, 18 Duke Street, Neath Port Talbot Authority: Environment Agency, Welsh Region Catchment Area: Not Supplied Reference: Bp0320201 Permit Version: 1 Effective Date: 31st March 2009 Issued Date: 7th March 2005 Revocation Date: 30th March 2010 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Undesignated Water Status: Consent without application (Water Resources Act 1991, Schedule 10) Positional Accuracy: Located by supplier to within 10m</p>	A8SE (S)	778	1	277519 187440

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
19	<p>Discharge Consents</p> <p>Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Cso 122 18 Duke Street Afan, 18 Duke Street, Neath Port Talbot Authority: Environment Agency, Welsh Region Catchment Area: Afon Kenfig Reference: Bp0046201 Permit Version: 2 Effective Date: 8th February 2003 Issued Date: 7th February 2003 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Croeserw Brook Status: Varied by Application - (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A8SE (S)	778	1	277519 187440
20	<p>Discharge Consents</p> <p>Operator: Mechema Chemicals Ltd Property Type: Basic Industry, Chemicals Inorganic Location: Port Talbot Talbot Wharf Chemical W, Talbot Wharf Chemical Works W.GI, W.Glam Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0096301 Permit Version: 1 Effective Date: 17th August 1988 Issued Date: 17th August 1988 Revocation Date: 27th June 1994 Discharge Type: Unspecified Discharge: Onto Land Environment: Receiving Water: To Land Status: Consent expired Positional Accuracy: Located by supplier to within 100m</p>	A17NE (NW)	783	1	276700 189100
21	<p>Discharge Consents</p> <p>Operator: Associated British Ports Property Type: Metal Treatment, Bolts, Nuts Etc. Location: Metal Mend Ltd Port Talbot Docks, Porta Talbot Docks, Neath Port Talbot, Wales Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: BP0055712 Permit Version: 2 Effective Date: 21st January 1993 Issued Date: 21st October 1992 Revocation Date: Not Supplied Discharge Type: Unspecified Discharge: Controlled Sea Environment: Receiving Water: Port Talbot Docks Status: New Consent, by Application (Water Resources Act 1991, Section 88) Positional Accuracy: Located by supplier to within 100m</p>	A17SW (NW)	823	1	276500 188800
21	<p>Discharge Consents</p> <p>Operator: Associated British Ports Property Type: Metal Treatment, Bolts, Nuts Etc. Location: Metal Mend Ltd Port Talbot Docks, Porta Talbot Docks, Neath Port Talbot, Wales Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0055712 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 20th January 1993 Discharge Type: Unspecified Discharge: Tidal Waters Environment: Receiving Water: Port Talbot Docks Status: Authorisation revokedRevoked Positional Accuracy: Located by supplier to within 100m</p>	A17SW (NW)	823	1	276500 188800

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
21	<p>Discharge Consents</p> <p>Operator: Associated British Ports Property Type: Metal Treatment, Bolts, Nuts Etc. Location: Metal Mend Ltd Port Talbot Docks, Porta Talbot Docks, Neath Port Talbot, Wales</p> <p>Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0055714 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Tidal Waters Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m</p>	A17SW (NW)	823	1	276500 188800
21	<p>Discharge Consents</p> <p>Operator: Associated British Ports Property Type: Metal Treatment, Bolts, Nuts Etc. Location: Metal Mend Ltd Port Talbot Docks, Porta Talbot Docks, Neath Port Talbot, Wales</p> <p>Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0055725 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Tidal Waters Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m</p>	A17SW (NW)	823	1	276500 188800
21	<p>Discharge Consents</p> <p>Operator: Associated British Ports Property Type: Metal Treatment, Bolts, Nuts Etc. Location: Metal Mend Ltd Port Talbot Docks, Porta Talbot Docks, Neath Port Talbot, Wales</p> <p>Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0055726 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Tidal Waters Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m</p>	A17SW (NW)	823	1	276500 188800
21	<p>Discharge Consents</p> <p>Operator: Associated British Ports Property Type: Metal Treatment, Bolts, Nuts Etc. Location: Metal Mend Ltd Port Talbot Docks, Porta Talbot Docks, Neath Port Talbot, Wales</p> <p>Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0055731 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Tidal Waters Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m</p>	A17SW (NW)	823	1	276500 188800

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
21	<p>Discharge Consents</p> <p>Operator: Associated British Ports Property Type: Metal Treatment, Bolts, Nuts Etc. Location: Metal Mend Ltd Port Talbot Docks, Porta Talbot Docks, Neath Port Talbot, Wales</p> <p>Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0055732 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Tidal Waters Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m</p>	A17SW (NW)	823	1	276500 188800
22	<p>Discharge Consents</p> <p>Operator: British Steel Plc Property Type: Iron & Steel Industries Location: Power Plants 12 & 12a (Cooling Water, (Cooling Water) Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0059206 Permit Version: 1 Effective Date: 16th September 1987 Issued Date: 16th September 1987 Revocation Date: 4th March 1993 Discharge Type: Unspecified Discharge: Tidal Waters Environment: Receiving Water: Port Talbot Dock Status: Authorisation revokedRevoked Positional Accuracy: Located by supplier to within 100m</p>	A18NE (N)	828	1	277600 189400
23	<p>Discharge Consents</p> <p>Operator: Associated British Ports Property Type: Undefined Or Other Location: Port Talbot Docks Authority: Environment Agency, Welsh Region Catchment Area: Unknown Reference: Bp0055701 Permit Version: 1 Effective Date: 1st January 1901 Issued Date: 1st January 1901 Revocation Date: 17th September 1987 Discharge Type: Unspecified Discharge: Tidal Waters Environment: Receiving Water: Port Talbot Docks Status: Authorisation revokedRevoked Positional Accuracy: Located by supplier to within 100m</p>	A17SW (NW)	903	1	276500 189000
24	<p>Discharge Consents</p> <p>Operator: Associated British Ports Property Type: Support Services - Sea Transport Location: John Nicholas Timber Site Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: BP0055713 Permit Version: 2 Effective Date: 21st January 1993 Issued Date: 21st October 1992 Revocation Date: Not Supplied Discharge Type: Unspecified Discharge: Freshwater Stream/River Environment: Receiving Water: Port Talbot Docks Status: New Consent, by Application (Water Resources Act 1991, Section 88) Positional Accuracy: Located by supplier to within 100m</p>	A17SW (NW)	915	1	276400 188800

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
24	<p>Discharge Consents</p> <p>Operator: Associated British Ports Property Type: Support Services - Sea Transport Location: John Nicholas Timber Site Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0055713 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 20th January 1993 Discharge Type: Unspecified Discharge: Tidal Waters Environment: Receiving Water: Port Talbot Docks Status: Authorisation revoked Positional Accuracy: Located by supplier to within 100m</p>	A17SW (NW)	915	1	276400 188800
25	<p>Discharge Consents</p> <p>Operator: Associated British Ports Property Type: Undefined Or Other Location: Port Talbot Docks Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0055707 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 16th December 1992 Discharge Type: Unspecified Discharge: Tidal Waters Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m</p>	A17NW (NW)	924	1	276600 189200
25	<p>Discharge Consents</p> <p>Operator: Associated British Ports Property Type: Undefined Or Other Location: Port Talbot Docks Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0055722 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 10th September 1992 Discharge Type: Unspecified Discharge: Tidal Waters Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m</p>	A17NW (NW)	924	1	276600 189200
25	<p>Discharge Consents</p> <p>Operator: Associated British Ports Property Type: Undefined Or Other Location: Port Talbot Docks Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0055723 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 29th September 1992 Discharge Type: Unspecified Discharge: Tidal Waters Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m</p>	A17NW (NW)	924	1	276600 189200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
26	<p>Discharge Consents</p> <p>Operator: Associated British Ports Property Type: Undefined Or Other Location: Port Talbot Docks Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0055715 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Tidal Waters Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m</p>	A17SW (NW)	955	1	276400 188900
27	<p>Discharge Consents</p> <p>Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Taibach Tan Y Groes Road Bridgend Authority: Environment Agency, Welsh Region Catchment Area: Not Given Reference: BP0240101 Permit Version: 1 Effective Date: 21st July 1994 Issued Date: 21st July 1994 Revocation Date: 31st March 2003 Discharge Type: Unspecified Discharge: Not Specified Environment: Receiving Water: Ffwdwyllt Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m</p>	A23SE (N)	970	1	277630 189540
28	<p>Discharge Consents</p> <p>Operator: Associated British Ports Property Type: Undefined Or Other Location: Port Talbot Docks Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0055706 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Tidal Waters Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m</p>	A17NW (NW)	990	1	276600 189300
28	<p>Discharge Consents</p> <p>Operator: Associated British Ports Property Type: Undefined Or Other Location: Port Talbot Docks Authority: Environment Agency, Welsh Region Catchment Area: River Afan Reference: Bp0055721 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 5th October 1992 Discharge Type: Unspecified Discharge: Tidal Waters Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m</p>	A17NW (NW)	990	1	276600 189300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
29	<p>Integrated Pollution Controls</p> <p>Name: Bitmac Ltd Location: Phoenix Wharf, Port Talbot Dock, South Side, PORT TALBOT, West Glamorgan, SA13 1RA Authority: Environment Agency, Welsh Region Permit Reference: BH2952 Dated: 29th October 1999 Process Type: IPC new application Description: 1.2 A (B) Carbonisation and associated processes within the Fuel & Power Industry Status: Application has met the requirements for authorisation (but not yet authorised)Not Yet Authorised Positional Accuracy: Manually positioned within the geographical locality</p>	A12NE (NW)	622	1	276675 188697
30	<p>Integrated Pollution Prevention And Control</p> <p>Name: Port Talbot Power Limited Location: Port Talbot Ccgt Power Station, Phoenix Wharf, The Docks, Port Talbot, West Glamorgan, SA13 1RA Authority: Environment Agency, Welsh Region Permit Reference: AP3435UJ Original Permit Ref: Ap3435uj Effective Date: Not Supplied Status: Valid Application Type: Application App. Sub Type: New Positional Accuracy: Located by supplier to within 10m Activity Code: 1.1 A(1) (A) Activity Description: Combustion; Any Fuel Greater Or Equal To 50Mw Primary Activity: Y Activity Code: 0.0 Associated Process Activity Description: Associated Process Primary Activity: N</p>	A12NE (W)	596	1	276670 188620
31	<p>Local Authority Pollution Prevention and Controls</p> <p>Name: Margam Motors Location: Prince Street, Margam, PORT TALBOT, West Glamorgan, SA13 1NB Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: E3/1/15 Dated: 16th February 1995 Process Type: Local Authority Air Pollution Control Description: PG1/1Waste oil burners, less than 0.4MW net rated thermal input Status: Authorised Positional Accuracy: Automatically positioned to the address</p>	A14SW (E)	215	2	277707 188324
32	<p>Local Authority Pollution Prevention and Controls</p> <p>Name: Cambrian Stone Limited Location: Margam Slagworks, Po Box 12, PORT TALBOT, West Glamorgan, SA13 Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: E3/1/11 Dated: 13th May 1994 Process Type: Local Authority Air Pollution Control Description: PG3/8 Quarry processes including roadstone plants and the size reduction of bricks, tiles and concrete Status: Authorisation has varied Positional Accuracy: Approximate location provided by supplier</p>	A8NW (SW)	252	2	277025 188010
	<p>Nearest Surface Water Feature</p>	A13SE (E)	142	-	277632 188338
33	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Not Given Location: British Steel, PORT TALBOT Authority: Environment Agency, Welsh Region Pollutant: Oils - Diesel (Including Agricultural) Note: No Watercourse Affected - Contaminated Land; Spillage Incident Date: 11th April 1998 Incident Reference: 35507 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Accidental Spillage/Leakage Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A13SW (NW)	0	1	277300 188400

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
34	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Margam British Rail Yards, Porthcawl Road Authority: Environment Agency, Welsh Region Pollutant: Crude Sewage Note: Not Supplied Incident Date: 15th December 1991 Incident Reference: 1666 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A8NE (SE)	237	1	277500 188000
35	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Side Of Railway Line, PORT TALBOT Authority: Environment Agency, Welsh Region Pollutant: Oils - Diesel (Including Agricultural) Note: Deliberate Act Incident Date: 9th May 1996 Incident Reference: 28283 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Direct Discharge Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A18SW (N)	274	1	277300 188895
35	Pollution Incidents to Controlled Waters Property Type: Waste Handling Facilities Location: Railway Line, PORT TALBOT Authority: Environment Agency, Welsh Region Pollutant: Oils - Diesel (Including Agricultural) Note: Deliberate Act Incident Date: 9th May 1996 Incident Reference: 28283 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Direct Discharge Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A18SW (N)	279	1	277300 188900
36	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Freshwater Docks, PORT TALBOT Authority: Environment Agency, Welsh Region Pollutant: Crude Sewage Note: Natural Causes Incident Date: 23rd September 1995 Incident Reference: 25959 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A17SE (NW)	548	1	276800 188800
37	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Llewellyns Quay Authority: Environment Agency, Welsh Region Pollutant: Oils - Diesel (Including Agricultural) Note: Port Talbot Dock; Spillage Incident Date: 28th March 1998 Incident Reference: 35231 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Inadequate Design/Capacity Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A17NW (NW)	982	1	276605 189295
37	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Llewellyns Dock Authority: Environment Agency, Welsh Region Pollutant: Oils - Diesel (Including Agricultural) Note: Port Talbot Dock; Spillage Incident Date: 28th March 1998 Incident Reference: 35231 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Inadequate Design/Capacity Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A17NW (NW)	986	1	276600 189295

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
37	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Llewelyns Quay, 400M Slick Of Oil, Along Bank Of Dock Authority: Environment Agency, Welsh Region Pollutant: Oils - Diesel (Including Agricultural) Note: Port Talbot Dock; Spillage Incident Date: 28th March 1998 Incident Reference: 35231 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Inadequate Design/Capacity Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A17NW (NW)	986	1	276605 189300
37	Pollution Incidents to Controlled Waters Property Type: Warehouses Location: Location Description Not Available Authority: Environment Agency, Welsh Region Pollutant: Mud/Clay/Soil Note: Neglect Incident Date: 22nd September 1994 Incident Reference: 21170 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Leakage Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A17NW (NW)	990	1	276600 189300
38	Pollution Incidents to Controlled Waters Property Type: Industrial Premises Location: Llewelyn Quay, PORT TALBOT Authority: Environment Agency, Welsh Region Pollutant: Sewage - Septic Tank Effluent Note: Inadequate Design/Capacity Incident Date: 7th May 1991 Incident Reference: 4265 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Runoff Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A17NE (NW)	995	1	276700 189400
39	Prosecutions Relating to Authorised Processes Location: Kenwoth Buildings, Llewellyns Quay, Port Talbot, West Glamorgan, Sa13 1rf Prosecution Text: Special Waste (Including Bonded Asbestos)Stored At A Site Without A Waste Management Licence Prosecution Act: Epa90 S33(1)(A) & S33(1)(B) Hearing Date: 31st March 2003 Verdict: Guilty Fine: 1500 Costs: 1572 Positional Accuracy: Manually positioned within the geographical locality	A17SE (NW)	731	1	276704 189014
	River Quality Name: Ffrwdwylt GQA Grade: River Quality A Reach: Docks Entr.P.Talbot-Conf.Nant Cwm Y Garn Estimated Distance (km): 2.4 Flow Rate: Flow less than 1.25 cumecs Flow Type: River Year: 2000	A13NW (N)	112	1	277289 188731
	River Quality Name: Not Supplied GQA Grade: Unclassified Tidal River Reach: Not Supplied Estimated Distance (km): Not Supplied Flow Rate: Not Supplied Flow Type: Not Supplied Year: 1995	A13NW (NW)	318	1	277007 188699

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
40	<p>River Quality Chemistry Sampling Points</p> <p>Name: Ffrwdwyllt Reach: Docks Enterance Port Talbot To Confluence Nant Cwm Y Garn Estimated Distance: 2.40 Objective: Not Supplied Positional Accuracy: Located by supplier to within 10m Year: 1990 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 1993 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1994 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1995 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1996 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1997 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1998 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1999 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2000 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2001 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2002 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2003 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2004 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2005 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2006 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2007 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2008 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2009 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied</p>	A18SW (N)	317	1	277244 188929

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
40	<p>River Quality Chemistry Sampling Points</p> <p>Name: Ffrwdwyllt Reach: Confluence Cwm Y Garn To Confluence Cwm Wernderi Estimated Distance: 1.40 Objective: Not Supplied Positional Accuracy: Located by supplier to within 10m Year: 1990 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 1993 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1994 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1995 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1996 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1997 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1998 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1999 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2000 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2001 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2002 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2003 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2004 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2005 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2006 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2007 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2008 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2009 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied</p>	A18SW (N)	317	1	277244 188929

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
40	<p>River Quality Chemistry Sampling Points</p> <p>Name: Ffrwdwyllt Reach: Confluence Cwm Wernderi To Varteg Road Bridge Estimated Distance: 3.20 Objective: Not Supplied Positional Accuracy: Located by supplier to within 10m Year: 1990 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 1993 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1994 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1995 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1996 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1997 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1998 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1999 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2000 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2001 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2002 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2003 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2004 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2005 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2006 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2007 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2008 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2009 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied</p>	A18SW (N)	317	1	277244 188929
41	<p>Water Abstractions</p> <p>Operator: Corus Uk Strip Products Licence Number: 21/58/61/0024 Permit Version: 100 Location: River Ffrwdwyllt Authority: Environment Agency, Welsh Region Abstraction: Metal: Evaporative Cooling Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Licenced from 01-Jan to 31-Dec Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st April 2000 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	A18SW (N)	297	1	277150 188865

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
41	<p>Water Abstractions</p> <p>Operator: Tata Steel Uk Limited Licence Number: 21/58/61/0024 Permit Version: 101 Location: River Ffrwdwyllt Authority: Environment Agency, Welsh Region Abstraction: Metal: Evaporative Cooling Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 12th November 2010 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	A18SW (N)	301	1	277150 188870
41	<p>Water Abstractions</p> <p>Operator: Tata Steel Uk Limited Licence Number: 21/58/61/0024 Permit Version: 101 Location: River Ffrwdwyllt Authority: Environment Agency, Welsh Region Abstraction: Metal: Process Water Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 12th November 2010 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	A18SW (N)	301	1	277150 188870
41	<p>Water Abstractions</p> <p>Operator: Corus Uk Strip Products Licence Number: 21/58/61/0024 Permit Version: 100 Location: River Ffrwdwyllt Authority: Environment Agency, Welsh Region Abstraction: Metal: Process Water Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: River Ffrwdwyllt Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st April 2000 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m</p>	A18SW (N)	301	1	277150 188870
42	<p>Water Abstractions</p> <p>Operator: Corus Uk Strip Products Licence Number: 21/58/61/0012 Permit Version: 100 Location: Port Talbot Docks Authority: Environment Agency, Welsh Region Abstraction: Metal: Process Water Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Licenced from 01-Jan to 31-Dec Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st April 2000 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	A12NE (NW)	380	1	276890 188585

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
42	<p>Water Abstractions</p> <p>Operator: Tata Steel Uk Limited Licence Number: 21/58/61/0012 Permit Version: 101 Location: Port Talbot Docks Authority: Environment Agency, Welsh Region Abstraction: Metal: Non-Evaporative Cooling Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 12th November 2010 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	A12NE (NW)	382	1	276890 188590
42	<p>Water Abstractions</p> <p>Operator: Tata Steel Uk Limited Licence Number: 21/58/61/0012 Permit Version: 101 Location: Port Talbot Docks Authority: Environment Agency, Welsh Region Abstraction: Metal: Process Water Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 12th November 2010 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	A12NE (NW)	382	1	276890 188590
42	<p>Water Abstractions</p> <p>Operator: Corus Uk Strip Products Licence Number: 21/58/61/0012 Permit Version: 100 Location: Port Talbot Docks Authority: Environment Agency, Welsh Region Abstraction: Metal: Non-Evaporative Cooling Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Port Talbot Docks Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st April 2000 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m</p>	A12NE (NW)	382	1	276890 188590
43	<p>Water Abstractions</p> <p>Operator: Costain Limited Licence Number: Wa/058/0061/004 Permit Version: 1 Location: Port Talbot Dock At Margam Moors Authority: Environment Agency, Welsh Region Abstraction: Construction: Dust Suppression Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Margam Moors - Port Talbot Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 5th August 2011 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	A17SE (NW)	471	1	276967 188933

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
44	<p>Water Abstractions</p> <p>Operator: Costain Limited Licence Number: Wa/058/0034/001 Permit Version: 1 Location: Arnallt Culvert-Brook Port Talbot Authority: Environment Agency, Welsh Region Abstraction: Construction: Dust Suppression Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Margam Moors, Port Talbot, West Glamorgan Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 5th August 2011 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	A9SW (SE)	680	1	277820 187673
	<p>Water Abstractions</p> <p>Operator: Civil And Marine Ltd Licence Number: 21/58/61/0042 Permit Version: 3 Location: Civil & Marine Slag Cement Ltd Quay At Port Talbot Docks Authority: Environment Agency, Welsh Region Abstraction: Other Industrial/Commercial/Public Services: Dust Suppression Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land At Civil & Marine Slag Cement Ltd Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 12th September 2008 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	A16SE (NW)	1086	1	276240 188860
	<p>Water Abstractions</p> <p>Operator: Civil And Marine Ltd Licence Number: 21/58/61/0042 Permit Version: 2 Location: Civil & Marine Slag Cement Ltd Quay At Port Talbot Docks Authority: Environment Agency, Welsh Region Abstraction: Other Industrial/Commercial/Public Services: Dust Suppression Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land At Civil & Marine Slag Cement Ltd Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 10th October 2007 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	A16SE (NW)	1086	1	276240 188860
	<p>Water Abstractions</p> <p>Operator: Civil & Marine Slag Cement Ltd Licence Number: 21/58/61/0042 Permit Version: 1 Location: Civil & Marine Slag Cement Ltd Quay At Port Talbot Docks Authority: Environment Agency, Welsh Region Abstraction: Other Industrial/Commercial/Public Services: Dust Suppression Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land At Civil & Marine Slag Cement Ltd Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st April 2003 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	A16SE (NW)	1086	1	276240 188860

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Civil And Marine Ltd Licence Number: 21/58/61/0042 Permit Version: 4 Location: Port Talbot Docks Port Talbot Authority: Environment Agency, Welsh Region Abstraction: Other Industrial/Commercial/Public Services: Dust Suppression Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Port Talbot Docks, Port Talbot Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 21st May 2010 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A16SE (NW)	1103	1	276230 188880
	Water Abstractions Operator: Civil And Marine Ltd Licence Number: 21/58/61/0042 Permit Version: 4 Location: Port Talbot Docks Port Talbot Authority: Environment Agency, Welsh Region Abstraction: Other Industrial/Commercial/Public Services: Process Water Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Port Talbot Docks, Port Talbot Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 21st May 2010 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A16SE (NW)	1103	1	276230 188880
	Water Abstractions Operator: Corus Uk Strip Products Licence Number: 21/58/61/0009 Permit Version: 100 Location: River Afan To Port Talbot Docks Authority: Environment Agency, Welsh Region Abstraction: Metal: Process Water Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Licenced from 01-Jan to 31-Dec Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st April 2000 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A21SE (NW)	1711	1	275980 189685
	Water Abstractions Operator: Tata Steel UK Limited Licence Number: 21/58/61/0009 Permit Version: 101 Location: River Afan To Port Talbot Docks Authority: Environment Agency, Welsh Region Abstraction: Metal: Evaporative Cooling Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 12th November 2010 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A21SE (NW)	1714	1	275980 189690

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	<p>Water Abstractions</p> <p>Operator: Tata Steel Uk Limited Licence Number: 21/58/61/0009 Permit Version: 101 Location: River Afan To Port Talbot Docks Authority: Environment Agency, Welsh Region Abstraction: Metal: Process Water Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 12th November 2010 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	A21SE (NW)	1714	1	275980 189690
	<p>Water Abstractions</p> <p>Operator: Corus Uk Strip Products Licence Number: 21/58/61/0009 Permit Version: 100 Location: River Afan To Port Talbot Docks Authority: Environment Agency, Welsh Region Abstraction: Metal: Evaporative Cooling Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: River Afan To Port Talbot Docks Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st April 2000 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m</p>	A21SE (NW)	1714	1	275980 189690
	<p>Water Abstractions</p> <p>Operator: Tata Steel Uk Limited Licence Number: 21/58/34/0002 Permit Version: 101 Location: Ditch Passing Through Abbey Works (Mother Ditch Point B) Authority: Environment Agency, Welsh Region Abstraction: Metal: Evaporative Cooling Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 12th November 2010 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	(S)	1780	1	277730 186460
	<p>Water Abstractions</p> <p>Operator: Tata Steel Uk Limited Licence Number: 21/58/34/0002 Permit Version: 101 Location: Ditch Passing Through Abbey Works (Mother Ditch Point B) Authority: Environment Agency, Welsh Region Abstraction: Metal: Process Water Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 12th November 2010 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	(S)	1780	1	277730 186460

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Corus Uk Strip Products Licence Number: 21/58/34/0002 Permit Version: 100 Location: Ditch Passing Through Abbey Works (Mother Ditch Point B) Authority: Environment Agency, Welsh Region Abstraction: Metal: Evaporative Cooling Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Ditch Passing Through Abbey Wks Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st April 2000 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	(S)	1780	1	277730 186460
	Water Abstractions Operator: Corus Uk Strip Products Licence Number: 21/58/34/0002 Permit Version: 100 Location: Ditch Passing Through Abbey Works (Mother Ditch Point B) Authority: Environment Agency, Welsh Region Abstraction: Metal: Process Water Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Licenced from 01-Jan to 31-Dec Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st April 2000 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(S)	1785	1	277730 186455
	Groundwater Vulnerability Soil Classification: Soils of High Leaching Potential (U) - Soil information for restored mineral workings and urban areas is based on fewer observations than elsewhere. A worst case vulnerability classification (H) assumed, until proved otherwise Map Sheet: Sheet 35 West Glamorgan Scale: 1:100,000	A13SW (W)	0	1	277322 188376
	Drift Deposits Drift Deposit: Low permeability drift deposits occurring at the surface and overlying Major and Minor Aquifers are head, clay-with-flints, brickearth, peat, river terrace deposits and marine and estuarine alluvium Map Sheet: Sheet 35 West Glamorgan Scale: 1:100,000	A13SW (W)	0	1	277322 188376
	Bedrock Aquifer Designations Aquifer Desination: Secondary Aquifer - A	A13SW (W)	0	3	277322 188376
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	A13SW (W)	0	3	277322 188376
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (W)	0	1	277322 188376
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	0	1	277200 188199
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	0	1	277242 188211
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	0	1	277218 188193
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	0	1	277370 188340

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	0	1	277248 188208
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	0	1	277240 188212
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	0	1	277230 188216
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (S)	0	1	277386 188213
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	0	1	277224 188219
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	0	1	277238 188213
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	0	1	277174 188213
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	0	1	277206 188196
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	1	1	277184 188206
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	2	1	277172 188212
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	5	1	277404 188212
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	6	1	277404 188211
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	9	1	277407 188208
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	15	1	277423 188209
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	15	1	277407 188202
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	16	1	277423 188208

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	21	1	277423 188203
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	24	1	277425 188200
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (S)	29	1	277366 188173
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	32	1	277431 188194
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (S)	32	1	277376 188172
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	46	1	277423 188175
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	47	1	277423 188174
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	63	1	277421 188155
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	64	1	277536 188244
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	64	1	277544 188257
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	64	1	277421 188154
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	65	1	277545 188256
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	67	1	277536 188240
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	70	1	277538 188236
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (S)	70	1	277379 188134
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (S)	71	1	277381 188133

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	71	1	277422 188617
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	72	1	277548 188248
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	73	1	277539 188234
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	73	1	277549 188246
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	75	1	277447 188589
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	78	1	277550 188241
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	78	1	277551 188240
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (S)	86	1	277394 188120
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	90	1	277528 188193
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	90	1	277554 188226
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	91	1	277555 188224
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (S)	91	1	277417 188123
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	93	1	277490 188555
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	95	1	277486 188564
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	97	1	277487 188569
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	98	1	277546 188202

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (S)	98	1	277415 188114
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	100	1	277558 188215
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	100	1	277559 188214
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	104	1	277489 188579
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	108	1	277490 188584
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	109	1	277552 188192
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	110	1	277501 188569
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	110	1	277490 188589
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	111	1	277490 188589
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	111	1	277552 188189
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	111	1	277490 188594
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	111	1	277490 188591
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	112	1	277562 188201
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	113	1	277550 188182
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	114	1	277471 188624
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	114	1	277549 188180

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	114	1	277548 188178
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	116	1	277565 188196
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	116	1	277514 188558
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	116	1	277510 188564
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	117	1	277566 188462
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	117	1	277560 188474
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	117	1	277513 188560
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	118	1	277174 188079
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	118	1	277571 188451
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	119	1	277574 188448
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	119	1	277570 188458
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	119	1	277566 188468
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	119	1	277543 188507
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	120	1	277519 188555
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	120	1	277578 188440
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	120	1	277552 188494

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	120	1	277566 188192
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	120	1	277575 188446
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	121	1	277552 188496
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	121	1	277567 188190
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	121	1	277551 188498
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	122	1	277544 188514
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	122	1	277521 188555
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	122	1	277558 188488
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	123	1	277454 188663
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	123	1	277589 188417
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	123	1	277540 188522
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	123	1	277543 188516
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	123	1	277541 188520
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	125	1	277532 188542
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	125	1	277594 188412
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	126	1	277536 188538

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	126	1	277597 188403
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	126	1	277036 188221
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	126	1	277599 188395
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	126	1	277568 188185
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	126	1	277595 188410
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	127	1	277529 188551
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	127	1	277599 188400
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	127	1	277600 188398
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	128	1	277532 188548
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	128	1	277592 188425
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	128	1	277605 188383
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	128	1	277457 188666
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	129	1	277606 188386
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	130	1	277555 188162
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	130	1	277608 188380
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	131	1	277590 188438

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	131	1	277571 188180
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	131	1	277609 188378
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	132	1	277148 188077
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	132	1	277150 188076
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (W)	132	1	277030 188277
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	133	1	277033 188203
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	133	1	277614 188371
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	134	1	277142 188078
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	134	1	277597 188426
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	134	1	277616 188368
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	134	1	277556 188156
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	134	1	277556 188158
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	135	1	277622 188351
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	135	1	277619 188362
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	135	1	277617 188366
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (S)	136	1	277405 188071

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	136	1	277595 188439
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	137	1	277556 188153
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (S)	138	1	277404 188069
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	138	1	277601 188427
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	138	1	277597 188439
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	138	1	277628 188339
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	139	1	277628 188344
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (W)	139	1	277024 188285
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	140	1	277603 188428
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	141	1	277570 188163
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	142	1	277605 188428
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	144	1	277486 188655
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	144	1	277636 188330
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	144	1	277492 188648
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	145	1	277573 188160
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	145	1	277609 188428

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	145	1	277484 188661
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	145	1	277637 188328
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	147	1	277639 188321
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	147	1	277605 188442
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (S)	149	1	277408 188058
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	149	1	277607 188443
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	151	1	277483 188670
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	151	1	277609 188443
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	152	1	277615 188430
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	152	1	277611 188443
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (W)	152	1	277023 188321
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	153	1	277558 188132
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	153	1	277646 188310
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	154	1	277617 188430
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	154	1	277647 188309
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NE (S)	154	1	277409 188054

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (W)	155	1	277021 188321
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	155	1	277615 188441
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	156	1	277559 188130
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NE (S)	156	1	277410 188052
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	157	1	277620 188431
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	157	1	277502 188655
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	157	1	277078 188089
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (W)	158	1	277008 188295
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (W)	159	1	277016 188322
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (W)	160	1	277016 188322
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NW (SW)	160	1	277116 188063
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	160	1	277504 188656
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	161	1	277530 188105
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	162	1	277508 188655
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	163	1	277561 188123
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	164	1	277562 188122

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (S)	166	1	277417 188043
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NE (S)	169	1	277417 188040
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	170	1	277525 188090
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	171	1	277001 188181
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	171	1	277565 188116
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	172	1	277588 188136
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	173	1	277566 188113
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	174	1	277589 188134
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (S)	176	1	277422 188034
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	177	1	277568 188110
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A14SW (E)	177	1	277666 188266
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A14SW (E)	178	1	277666 188263
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	178	1	277521 188663
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	181	1	276997 188167
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	182	1	277519 188675
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (W)	182	1	276990 188320

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	183	1	277559 188096
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	183	1	277570 188104
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	184	1	276997 188161
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	184	1	277570 188102
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NE (S)	184	1	277425 188026
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A14SW (E)	185	1	277671 188257
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A14SW (E)	185	1	277672 188256
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NW (SW)	185	1	277138 188023
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A14SW (E)	186	1	277672 188252
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NW (SW)	186	1	277144 188018
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	186	1	277561 188094
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	186	1	277518 188681
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NW (SW)	186	1	277125 188029
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	187	1	277571 188100
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (S)	187	1	277426 188024
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NW (SW)	187	1	277111 188035

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	188	1	277526 188678
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A14SW (E)	189	1	277674 188248
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	190	1	277040 188079
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A14SW (E)	191	1	277675 188246
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	191	1	277534 188668
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	192	1	277534 188070
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	194	1	277533 188676
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	194	1	277535 188068
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A14SW (E)	194	1	277677 188242
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	194	1	277575 188094
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	195	1	277566 188086
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NW (SW)	195	1	277104 188029
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	196	1	277541 188667
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	196	1	276989 188147
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A14SW (E)	197	1	277678 188232
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12SE (W)	197	1	276983 188339

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A14SW (E)	197	1	277679 188238
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NW (SW)	197	1	277096 188031
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	197	1	277546 188662
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A14SW (E)	198	1	277679 188237
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A14SW (E)	198	1	277680 188238
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	199	1	277554 188655
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (SE)	199	1	277537 188064
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12SE (W)	199	1	276970 188315
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	199	1	277567 188082
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NE (S)	200	1	277433 188012
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	200	1	277578 188089
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A14SW (E)	202	1	277681 188228
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12SE (W)	202	1	276968 188317
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	202	1	277562 188648
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	202	1	277555 188656
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NW (SW)	202	1	277092 188028

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (SE)	203	1	277539 188060
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12SE (SW)	203	1	276984 188143
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	205	1	277559 188657
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12SE (W)	205	1	276964 188315
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	206	1	277566 188647
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (S)	207	1	277436 188006
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12SE (W)	209	1	276960 188315
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	209	1	277583 188082
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12SE (SW)	209	1	276978 188141
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	210	1	277020 188071
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NE (S)	211	1	277437 188002
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (SE)	211	1	277541 188052
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NW (SW)	211	1	277100 188014
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12SE (W)	212	1	276969 188345
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A14SW (SE)	212	1	277687 188214
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	214	1	277587 188078

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	215	1	277657 188500
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	215	1	277608 188094
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	216	1	277577 188069
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A14SW (SE)	216	1	277690 188209
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	217	1	277640 188535
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12SE (SW)	217	1	276975 188127
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (S)	217	1	277439 187997
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (SE)	218	1	277545 188046
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	219	1	277589 188074
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	219	1	277574 188660
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A14SW (SE)	219	1	277692 188206
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12SE (SW)	219	1	276975 188121
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A14NW (E)	221	1	277666 188491
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	221	1	277611 188088
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NE (SE)	221	1	277579 188064
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A14SW (SE)	222	1	277693 188202

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	223	1	277592 188070
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (SE)	224	1	277547 188040
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	225	1	277658 188519
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A14NW (E)	225	1	277676 188475
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	225	1	277590 188646
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	226	1	277591 188646
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A14SW (SE)	226	1	277695 188198
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	226	1	277000 188069
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NE (SE)	227	1	277548 188037
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	227	1	277603 188626
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	227	1	277600 188631
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	227	1	277659 188522
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	227	1	277597 188638
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A14NW (E)	227	1	277671 188495
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A14SW (SE)	228	1	277696 188193
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12SE (SW)	228	1	276972 188107

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (SE)	228	1	277584 188058
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A14NW (E)	230	1	277674 188494
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12SE (W)	230	1	276954 188356
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A14NW (E)	230	1	277681 188479
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A14SW (SE)	231	1	277698 188190
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A14NW (E)	231	1	277680 188483
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NE (S)	233	1	277447 187982
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (SE)	233	1	277597 188062
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	234	1	277635 188582
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A14SW (SE)	234	1	277699 188188
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A14NW (E)	234	1	277683 188485
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	235	1	277632 188587
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	235	1	277626 188599
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	235	1	277629 188594
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12SE (SW)	235	1	276969 188099
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A14NW (E)	235	1	277697 188450

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	236	1	277627 188600
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NE (SE)	236	1	277599 188060
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A14NW (E)	236	1	277681 188494
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A14NW (E)	237	1	277683 188495
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	237	1	277655 188550
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A14SW (SE)	237	1	277701 188184
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NE (SE)	237	1	277587 188050
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (SE)	237	1	277550 188026
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	238	1	277647 188566
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12SE (SW)	238	1	276971 188089
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	239	1	277643 188576
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	239	1	277654 188555
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	239	1	277646 188569
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (SE)	239	1	277600 188056
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	239	1	277647 188569
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	241	1	277662 188546

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A14NW (NE)	241	1	277667 188538
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	241	1	277655 188558
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (SE)	242	1	277601 188054
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A14SW (SE)	243	1	277705 188178
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12SE (SW)	243	1	276974 188076
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	244	1	277631 188609
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A14SW (SE)	244	1	277706 188178
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12SE (SW)	244	1	276969 188081
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12SE (SW)	244	1	276967 188084
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A14SW (SE)	244	1	277706 188176
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (SE)	245	1	277591 188043
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A14NW (E)	246	1	277710 188442
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NE (S)	246	1	277453 187970
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NE (SE)	246	1	277591 188042
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (S)	246	1	277453 187971
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (SE)	247	1	277603 188050

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (SE)	248	1	277557 188018
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NE (SE)	249	1	277604 188048
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A14SW (SE)	250	1	277709 188172
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (SE)	250	1	277604 188046
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (W)	0	1	277322 188376
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	93	1	277553 188220
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	93	1	277554 188220
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	100	1	277558 188215
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	104	1	277558 188209
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	106	1	277560 188207
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	108	1	277491 188583
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	108	1	277565 188470
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	109	1	277555 188197
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	110	1	277491 188587
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	111	1	277502 188569
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	111	1	277490 188591

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	111	1	277552 188189
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	112	1	277489 188595
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	112	1	277562 188200
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	113	1	277487 188603
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	114	1	277479 188614
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	114	1	277550 188181
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	114	1	277549 188180
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	115	1	277550 188181
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	116	1	277510 188564
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	116	1	277564 188197
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	117	1	277513 188560
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	118	1	277568 188460
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	119	1	277574 188448
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	119	1	277564 188470
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	120	1	277575 188446
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	120	1	277560 188480

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	121	1	277566 188191
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	121	1	277547 188504
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	123	1	277458 188658
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	123	1	277546 188510
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	123	1	277540 188522
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	123	1	277545 188512
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	124	1	277551 188167
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	124	1	277581 188441
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	124	1	277555 188495
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	124	1	277454 188663
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	124	1	277557 188492
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	125	1	277538 188530
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	125	1	277591 188417
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	125	1	277591 188418
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	126	1	277595 188410
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	126	1	277598 188404

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	127	1	277536 188538
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	127	1	277585 188440
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	127	1	277535 188540
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	127	1	277535 188541
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	127	1	277599 188400
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	128	1	277532 188548
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	128	1	277568 188183
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	128	1	277602 188392
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	129	1	277606 188384
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	130	1	277589 188439
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	130	1	277555 188163
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	131	1	277609 188378
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	132	1	277591 188439
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	134	1	277570 188175
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	134	1	277556 188157
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	137	1	277556 188154

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	137	1	277625 188349
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	139	1	277629 188343
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	141	1	277488 188647
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	141	1	277632 188335
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	142	1	277482 188658
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	143	1	277487 188651
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	144	1	277492 188646
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	145	1	277637 188329
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	146	1	277609 188428
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	149	1	277642 188319
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	153	1	277646 188311
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	153	1	277645 188315
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	156	1	277503 188651
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	162	1	277654 188291
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	163	1	277561 188123
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	167	1	277548 188603

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	167	1	277539 188103
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	168	1	277659 188281
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A8NE (S)	170	1	277390 188034
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	173	1	277567 188114
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	173	1	277536 188639
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	174	1	277549 188100
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	175	1	277541 188095
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	176	1	277551 188099
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	176	1	277527 188085
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	178	1	277528 188654
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A14SW (E)	179	1	277667 188265
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	179	1	277534 188084
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A14SW (E)	180	1	277668 188261
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (S)	180	1	277422 188030
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	182	1	277571 188107
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NE (S)	182	1	277422 188029

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	183	1	277583 188116
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A14SW (E)	185	1	277671 188257
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	186	1	277556 188625
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	187	1	277571 188101
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (S)	189	1	277424 188022
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	192	1	277595 188115
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NE (S)	192	1	277426 188019
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	193	1	277594 188113
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	194	1	277535 188069
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	196	1	277565 188085
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (S)	198	1	277430 188014
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	198	1	277578 188091
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	199	1	277566 188083
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	200	1	277598 188107
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	204	1	277598 188101
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	206	1	277654 188481

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	208	1	277583 188083
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NE (S)	210	1	277436 188003
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	210	1	277585 188081
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	212	1	277655 188495
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	213	1	277604 188095
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	213	1	277575 188071
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	214	1	277587 188079
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NE (S)	216	1	277375 187986
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NE (SE)	220	1	277578 188065
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	223	1	277592 188071
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	224	1	277610 188085
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (S)	226	1	277379 187977
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NE (SE)	227	1	277549 188038
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (SE)	229	1	277584 188058
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (SE)	231	1	277597 188065
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (SE)	232	1	277550 188032

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (SE)	235	1	277549 188029
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NE (SE)	236	1	277586 188051
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NE (SE)	236	1	277550 188027
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NE (SE)	239	1	277600 188057
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (SE)	242	1	277556 188024
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (SE)	242	1	277588 188046
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (SE)	242	1	277601 188055
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NE (S)	243	1	277450 187973
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NE (SE)	245	1	277590 188043
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8NE (SE)	249	1	277604 188047
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A8NE (SE)	250	1	277592 188038
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
45	<p>Licensed Waste Management Facilities (Locations)</p> <p>Licence Number: 34273 Location: The Arches, Penrhyn Street, Port Talbot, N P T, SA13 1LU Operator Name: South Wales Jap Spares Ltd Operator Location: Not Supplied Authority: Environment Agency Wales, South West Area Site Category: End of Life Vehicles Licence Status: Issued Issued: 21st November 2005 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	A13NE (NE)	38	1	277470 188473
46	<p>Licensed Waste Management Facilities (Locations)</p> <p>Licence Number: 104540 Location: Costain Main Site Offices, Northbank Road, Port Talbot, West Glamorgan, SA13 1RE Operator Name: Costain Ltd Operator Location: Not Supplied Authority: Environment Agency Wales, South West Area Site Category: Use of waste in construction <50,000 tps Licence Status: Issued Issued: 7th August 2012 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	A8NE (SE)	325	1	277640 187980
47	<p>Licensed Waste Management Facilities (Locations)</p> <p>Licence Number: 34281 Location: Kenworth Building, Llewellyn's Quay, Port Talbot, N P T, SA13 1RF Operator Name: Avalon Insulation Services Operator Location: Not Supplied Authority: Environment Agency Wales, South West Area Site Category: Special Waste Transfer Stations Licence Status: Issued Issued: 25th July 2006 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	A17SE (NW)	679	1	276746 188983
48	<p>Licensed Waste Management Facilities (Locations)</p> <p>Licence Number: 102486 Location: Llewellyn's Road, Llewellyn's Quay, Port Talbot, Glamorgan, SA13 1RA Operator Name: Construction Recyclate Management Ltd Operator Location: Not Supplied Authority: Environment Agency Wales, South West Area Site Category: HCl Waste TS + treatment + asbestos Licence Status: Issued Issued: 7th June 2011 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	A17SE (NW)	744	1	276680 189000
	<p>Local Authority Landfill Coverage</p> <p>Name: Neath Port Talbot County Borough Council - Has supplied landfill data</p>		0	2	277322 188376
49	<p>Local Authority Recorded Landfill Sites</p> <p>Location: Morfa Newydd Refuse Tips Reference: Not Supplied Authority: Neath Port Talbot County Borough Council, Environmental Health Department Last Reported Status: Not Supplied Types of Waste: Not Supplied Date of Closure: Not Supplied Positional Accuracy: Located by supplier to within 100m Boundary Quality: Not Applicable</p>	A7NW (SW)	878	2	276400 187800

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
50	<p>Planning Hazardous Substance Consents</p> <p>Name: British Oxygen Location: Bos Recovery Plant, Corus, Port Talbot Authority: Neath Port Talbot County Borough Council, Planning Department Application Ref: 08/786 Hazardous Substance: Liquefied extremely flammable gas (including LPG) and natural gas (whether liquefied or not) Maximum Quantity: 0 Application date: Not Supplied Decision: Unknown at time of report Positional Accuracy: Manually positioned within the geographical locality</p>	A7SE (SW)	723	4	276785 187604
51	<p>Planning Hazardous Substance Consents</p> <p>Name: British Steel Plc Location: P O Box 42, PORT TALBOT, West Glamorgan, SA13 2YS Authority: Neath Port Talbot County Borough Council, Planning Department Application Ref: 92/8975 Hazardous Substance: Part C, Flammable Substance (Not in Parts A&B), Liquefied petroleum gas held refrigerated at 1.4 bar or less, where amount held >= 50 tonnes Maximum Quantity: 0 Application date: 30th November 1992 Decision: Deemed consent granted between June 1992 and November 1992 Positional Accuracy: Located by supplier to within 10m</p>	A8SW (S)	764	4	277255 187420
51	<p>Planning Hazardous Substance Consents</p> <p>Name: British Steel Plc Location: P O Box 42, PORT TALBOT, West Glamorgan, SA13 2YS Authority: Neath Port Talbot County Borough Council, Planning Department Application Ref: 92/8975 Hazardous Substance: Part C, Flammable Substance (Not in Parts A&B), Gas or gases flammable in air, when held as a gas, where amount held is >= 15tonnes Maximum Quantity: 0 Application date: 30th November 1992 Decision: Deemed consent granted between June 1992 and November 1992 Positional Accuracy: Located by supplier to within 10m</p>	A8SW (S)	769	4	277250 187415
51	<p>Planning Hazardous Substance Consents</p> <p>Name: British Steel Plc Location: P O Box 42, PORT TALBOT, West Glamorgan, SA13 2YS Authority: Neath Port Talbot County Borough Council, Planning Department Application Ref: 92/8975 Hazardous Substance: Part C, Flammable Substance (Not in Parts A&B), Liquefied petroleum gas held refrigerated at 1.4 bar or less, where amount held >= 50 tonnes Maximum Quantity: 0 Application date: 30th November 1992 Decision: Deemed consent granted between June 1992 and November 1992 Positional Accuracy: Located by supplier to within 10m</p>	A8SW (S)	769	4	277255 187415

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Upper Westphalian (including Pennant Measures)	A13SW (W)	0	3	277322 188376
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13SW (W)	0	5	277322 188376
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 30 - 45 mg/kg	A13SW (SW)	66	5	277110 188198
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 30 - 45 mg/kg	A13NE (N)	115	5	277432 188676
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13SW (W)	158	5	277000 188376
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 30 - 45 mg/kg	A13SW (SW)	159	5	277000 188235
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <150 mg/kg Nickel Concentration: 15 - 30 mg/kg	A8NW (S)	184	5	277322 188000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 15 - 25 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A8NW (S)	190	5	277183 188000
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 25 - 35 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A13NE (E)	202	5	277649 188483
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 15 - 25 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A8NW (S)	216	5	277194 187971
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 15 - 25 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A8NW (SW)	275	5	277000 188000
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 15 - 25 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A14NW (NE)	357	5	277774 188585
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 35 - 45 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A18SW (N)	379	5	277322 189000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 25 - 35 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A18SW (N)	392	5	277221 189000
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 25 - 35 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A14NW (NE)	411	5	277821 188609
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 25 - 35 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A14NW (NE)	466	5	277847 188676
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 15 - 25 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A12SE (W)	469	5	276694 188170
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 25 - 35 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A12SE (W)	473	5	276685 188243
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 15 - 25 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A8SW (S)	476	5	277300 187713

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 35 - 45 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A18SE (NE)	483	5	277620 189000
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 25 - 35 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A18SW (NW)	496	5	277000 189000
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 15 - 25 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A7NE (SW)	506	5	276749 187939
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 35 - 45 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A14SW (E)	507	5	278000 188304
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 15 - 25 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A14SW (E)	507	5	278000 188376
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 35 - 45 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A14SW (E)	513	5	278000 188385

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 25 - 35 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A14NW (NE)	516	5	277904 188676
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 15 - 25 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A19SW (NE)	520	5	277676 189000
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 25 - 35 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A14NW (E)	528	5	278000 188457
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 35 - 45 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A9NW (SE)	542	5	277947 188000
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 35 - 45 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A14NW (E)	549	5	278000 188531
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 25 - 35 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A19SW (NE)	567	5	277744 189000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 25 - 35 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A14NW (NE)	575	5	277962 188696
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 35 - 45 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A14SE (E)	585	5	278076 188354
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 25 - 35 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A14NW (E)	586	5	278000 188638
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 35 - 45 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A9NW (SE)	587	5	278000 188000
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 25 - 35 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A19SW (NE)	595	5	277785 189000
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 15 - 25 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A9NW (SE)	607	5	278000 187963

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 25 - 35 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A19SW (NE)	621	5	277820 189000
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 35 - 45 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A8SW (S)	632	5	277203 187552
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 15 - 25 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A14SE (E)	648	5	278139 188355
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 35 - 45 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A7NW (SW)	655	5	276552 188000
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 25 - 35 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A19SW (NE)	675	5	277891 189000
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 35 - 45 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A14NE (NE)	684	5	278068 188725

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 15 - 25 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A9NE (SE)	706	5	278133 188000
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 35 - 45 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A8SW (S)	714	5	277000 187507
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 25 - 35 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A19SW (NE)	722	5	278000 188926
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 35 - 45 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A9NE (SE)	740	5	278170 188000
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 25 - 35 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A19SW (NE)	744	5	277977 189000
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 35 - 45 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A18NW (N)	749	5	277000 189298

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 15 - 25 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A14SE (E)	753	5	278226 188132
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 25 - 35 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A19SW (NE)	763	5	278000 189000
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 35 - 45 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A14SE (E)	765	5	278248 188183
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 15 - 25 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A9SW (SE)	809	5	278000 187648
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 15 - 25 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A9SW (SE)	834	5	278000 187614
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 25 - 35 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A19NW (NE)	859	5	278000 189156

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 25 - 35 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A9NE (E)	874	5	278323 188029
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 35 - 45 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A23SE (N)	874	5	277535 189468
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 35 - 45 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A23SW (N)	874	5	277109 189469
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 35 - 45 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A15SW (E)	877	5	278372 188376
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 25 - 35 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A15SW (E)	896	5	278358 188072
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 25 - 35 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A10NW (E)	906	5	278348 188000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 25 - 35 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A15NW (E)	909	5	278369 188554
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 25 - 35 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A23SE (N)	912	5	277343 189533
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 25 - 35 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A15SW (E)	933	5	278418 188183
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 35 - 45 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A9SW (SE)	933	5	277941 187450
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 35 - 45 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A24SW (N)	939	5	277688 189485
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 25 - 35 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A24SW (N)	957	5	277689 189504

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 15 - 25 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A7NW (SW)	958	5	276334 187750
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 35 - 45 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A7NW (SW)	960	5	276331 187755
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 15 - 25 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A7SW (SW)	962	5	276413 187625
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 25 - 35 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 30 - 45 mg/kg</p> <p>Concentration:</p>	A19NW (NE)	965	5	278000 189305
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 35 - 45 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A9SW (SE)	967	5	278000 187448
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 35 - 45 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A10NW (E)	973	5	278417 188000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 35 - 45 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A23SW (N)	988	5	277000 189556
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 15 - 25 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <150 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A24SW (NE)	998	5	277835 189476
52	<p>BGS Recorded Mineral Sites</p> <p>Site Name: Taibach</p> <p>Location: , Taibach, Port Talbot, West Glamorgan</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Reference: 16826</p> <p>Type: Opencast</p> <p>Status: Ceased</p> <p>Operator: Unknown Operator</p> <p>Operator Location: Unknown Operator</p> <p>Periodic Type: Carboniferous</p> <p>Geology: Rhondda Member</p> <p>Commodity: Sandstone</p> <p>Positional Accuracy: Located by supplier to within 10m</p>	A19SW (NE)	593	3	277930 188790
53	<p>BGS Recorded Mineral Sites</p> <p>Site Name: Glanafon</p> <p>Location: , Taibach, Port Talbot, West Glamorgan</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Reference: 160093</p> <p>Type: Underground</p> <p>Status: Ceased</p> <p>Operator: Unknown Operator</p> <p>Operator Location: Unknown Operator</p> <p>Periodic Type: Carboniferous</p> <p>Geology: Rhondda Member</p> <p>Commodity: Coal - Deep</p> <p>Positional Accuracy: Located by supplier to within 10m</p>	A14NE (E)	659	3	278109 188552
54	<p>BGS Recorded Mineral Sites</p> <p>Site Name: Glanafon</p> <p>Location: , Taibach, Port Talbot, West Glamorgan</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Reference: 160094</p> <p>Type: Opencast</p> <p>Status: Ceased</p> <p>Operator: Unknown Operator</p> <p>Operator Location: Unknown Operator</p> <p>Periodic Type: Carboniferous</p> <p>Geology: Llynfi Member</p> <p>Commodity: Sandstone</p> <p>Positional Accuracy: Located by supplier to within 10m</p>	A14NE (E)	720	3	278203 188432
55	<p>BGS Recorded Mineral Sites</p> <p>Site Name: Glanafon</p> <p>Location: , Taibach, Port Talbot, West Glamorgan</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Reference: 160095</p> <p>Type: Opencast</p> <p>Status: Ceased</p> <p>Operator: Unknown Operator</p> <p>Operator Location: Unknown Operator</p> <p>Periodic Type: Carboniferous</p> <p>Geology: Llynfi Member</p> <p>Commodity: Sandstone</p> <p>Positional Accuracy: Located by supplier to within 10m</p>	A14SE (E)	765	3	278257 188339

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
56	BGS Recorded Mineral Sites Site Name: Tir Caradoc Location: , Port Talbot, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 156679 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Unknown Operator Periodic Type: Carboniferous Geology: Llynfi Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A19NW (NE)	870	3	277842 189317
57	BGS Recorded Mineral Sites Site Name: Gwar-Y-Caeau Location: , Port Talbot, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 156667 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Unknown Operator Periodic Type: Carboniferous Geology: Llynfi Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A23SW (N)	993	3	277281 189613
	BGS Measured Urban Soil Chemistry No data available				
	BGS Urban Soil Chemistry Averages No data available				
	Coal Mining Affected Areas Description: In an area which may be affected by coal mining activity. It is recommended that a coal mining report is obtained from the Coal Authority. Contact details are included in the Useful Contacts section of this report.	A13SW (W)	0	6	277322 188376
	Mining Instability Mining Evidence: Inconclusive Coal Mining Source: Ove Arup & Partners Boundary Quality: As Supplied	A13SW (W)	0	-	277322 188376
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13SW (W)	0	3	277322 188376
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NE (E)	201	3	277647 188484
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A13SW (W)	0	3	277322 188376
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NE (N)	115	3	277430 188677
	Potential for Ground Dissolution Stability Hazards No Hazard				
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13SW (W)	0	3	277322 188376
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A13SW (W)	0	3	277322 188376
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NE (N)	115	3	277430 188677
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13SW (W)	0	3	277322 188376

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NE (N)	115	3	277430 188677
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A14NW (E)	243	3	277680 188514
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A13SW (W)	0	3	277322 188376
	Radon Potential - Radon Affected Areas Affected Area: The property is in a lower probability radon area, as less than 1% of homes are above the action level Source: British Geological Survey, National Geoscience Information Service	A13SW (W)	0	3	277322 188376

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
58	Contemporary Trade Directory Entries Name: T B Grace Location: 11, Woodfield Street, Port Talbot, West Glamorgan, SA13 1LT Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NE (NE)	134	-	277474 188653
59	Contemporary Trade Directory Entries Name: Abbey Auto Dismantlers Location: 2, Penrhyn Street, Port Talbot, West Glamorgan, SA13 1LU Classification: Car Breakers & Dismantlers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NE (NE)	170	-	277545 188614
60	Contemporary Trade Directory Entries Name: Margam Motors Location: Prince Street, Port Talbot, West Glamorgan, SA13 1NB Classification: Garage Services Status: Active Positional Accuracy: Automatically positioned to the address	A14SW (E)	215	-	277707 188324
61	Contemporary Trade Directory Entries Name: J D Autos Location: Somerset La, Port Talbot, West Glamorgan, SA13 1TY Classification: Garage Services Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A13NE (NE)	269	-	277595 188717
62	Contemporary Trade Directory Entries Name: Abc Tyres Location: Commercial Rd, Port Talbot, West Glamorgan, SA13 1LN Classification: Tyre Dealers Status: Active Positional Accuracy: Manually positioned within the geographical locality	A18SE (N)	304	-	277422 188908
63	Contemporary Trade Directory Entries Name: Sparks Fire Protection Location: Cornubia, Groeswen Lane, Port Talbot, West Glamorgan, SA13 2LA Classification: Firefighting Equipment Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NE (E)	523	-	278004 188420
64	Contemporary Trade Directory Entries Name: Groeswen Hospital Location: Margam Road, Port Talbot, West Glamorgan, SA13 2LB Classification: Hospitals Status: Inactive Positional Accuracy: Automatically positioned to the address	A14SE (E)	546	-	278031 188215
64	Contemporary Trade Directory Entries Name: Groeswen Hospital Location: Margam Road, Port Talbot, West Glamorgan, SA13 2LB Classification: Hospitals Status: Inactive Positional Accuracy: Automatically positioned to the address	A14SE (E)	546	-	278031 188215
65	Contemporary Trade Directory Entries Name: Motor Mender Location: 9, Cwrt-Ucha Terrace, Port Talbot, West Glamorgan, SA13 1LD Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NW (N)	583	-	277109 189165
65	Contemporary Trade Directory Entries Name: L & J Car Repairs Location: Cwrt-Ucha Ter, Port Talbot, West Glamorgan, SA13 1LD Classification: Car Body Repairs Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A18NW (N)	596	-	277106 189178
65	Contemporary Trade Directory Entries Name: A T Auto Location: Cwrt-Ucha Terr, Port Talbot, West Glamorgan, SA13 1LD Classification: Garage Services Status: Inactive Positional Accuracy: Manually positioned to the address or location	A18NW (N)	609	-	277090 189185
65	Contemporary Trade Directory Entries Name: M R M Location: Cwrt-Ucha Ter, Port Talbot, West Glamorgan, SA13 1LD Classification: Garage Services Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A18NW (N)	610	-	277090 189186

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
65	Contemporary Trade Directory Entries Name: M R M Location: Cwrt-Ucha Terrace, Port Talbot, West Glamorgan, SA13 1LD Classification: Garage Services Status: Active Positional Accuracy: Automatically positioned to the address	A18NW (N)	614	-	277053 189175
66	Contemporary Trade Directory Entries Name: Margam Windows & Doors Ltd Location: Cwrt-Ucha Terr, Port Talbot, West Glamorgan, SA13 1LD Classification: PVC-U Products - Manufacturers & Suppliers Status: Inactive Positional Accuracy: Manually positioned to the address or location	A18NW (N)	615	-	277086 189190
66	Contemporary Trade Directory Entries Name: Whirlpool Location: 96, Talbot Road, Port Talbot, West Glamorgan, SA13 1LB Classification: Laundries & Launderettes Status: Active Positional Accuracy: Automatically positioned to the address	A18NW (N)	662	-	277085 189240
66	Contemporary Trade Directory Entries Name: Whirlpool Launderette Ltd Location: 96, Talbot Road, Port Talbot, West Glamorgan, SA13 1LB Classification: Laundries & Launderettes Status: Active Positional Accuracy: Automatically positioned to the address	A18NW (N)	662	-	277085 189240
67	Contemporary Trade Directory Entries Name: Celtic Engineering Services Ltd Location: Phoenix Wharf, The Docks, Port Talbot, West Glamorgan, SA13 1RA Classification: Engineers - General Status: Active Positional Accuracy: Automatically positioned to the address	A12NW (W)	617	-	276629 188578
68	Contemporary Trade Directory Entries Name: Spraytech Location: Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Paint Spraying Equipment & Accessories Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A17SE (NW)	681	-	276762 189011
68	Contemporary Trade Directory Entries Name: Bartlett Engineering (South Wales) Ltd Location: Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Engineers - General Status: Active Positional Accuracy: Automatically positioned to the address	A17SE (NW)	692	-	276755 189020
68	Contemporary Trade Directory Entries Name: Mitsui Babcock Energy Ltd Location: Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Mechanical Engineers Status: Inactive Positional Accuracy: Automatically positioned to the address	A17SE (NW)	692	-	276755 189020
68	Contemporary Trade Directory Entries Name: J M Fabweld Ltd Location: Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Engineers - General Status: Active Positional Accuracy: Automatically positioned to the address	A17SE (NW)	692	-	276755 189020
68	Contemporary Trade Directory Entries Name: Pump Supplies Ltd Location: Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Pumps - Sales, Servicing & Repairs Status: Active Positional Accuracy: Automatically positioned to the address	A17SE (NW)	692	-	276755 189020
68	Contemporary Trade Directory Entries Name: Pamarch (1997) Ltd Location: Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Coating Specialists Status: Inactive Positional Accuracy: Automatically positioned to the address	A17SE (NW)	692	-	276755 189020
68	Contemporary Trade Directory Entries Name: Pump Supplies Location: Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Pumps - Sales, Servicing & Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A17SE (NW)	692	-	276755 189020

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
68	<p>Contemporary Trade Directory Entries</p> <p>Name: Fairwood Engineering Ltd Location: Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Precision Engineers Status: Active Positional Accuracy: Automatically positioned to the address</p>	A17SE (NW)	701	-	276749 189028
68	<p>Contemporary Trade Directory Entries</p> <p>Name: Planguard Location: Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Garage Services Status: Active Positional Accuracy: Manually positioned within the geographical locality</p>	A17SE (NW)	715	-	276741 189041
68	<p>Contemporary Trade Directory Entries</p> <p>Name: R & R (Wales) Ltd Location: Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Engineers - General Status: Inactive Positional Accuracy: Manually positioned within the geographical locality</p>	A17SE (NW)	721	-	276738 189046
68	<p>Contemporary Trade Directory Entries</p> <p>Name: Speedy Lifting Location: Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Lifting Equipment Status: Active Positional Accuracy: Manually positioned within the geographical locality</p>	A17SE (NW)	723	-	276739 189052
69	<p>Contemporary Trade Directory Entries</p> <p>Name: Phil Reeds Location: 14, Gower Street, Port Talbot, West Glamorgan, SA13 1SL Classification: Carpet, Curtain & Upholstery Cleaners Status: Active Positional Accuracy: Automatically positioned to the address</p>	A18NW (N)	727	-	277124 189322
70	<p>Contemporary Trade Directory Entries</p> <p>Name: Cockburn South West Ltd Location: Kenworth Buildings, Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Electrical Engineers Status: Inactive Positional Accuracy: Manually positioned within the geographical locality</p>	A17NE (NW)	768	-	276824 189208
71	<p>Contemporary Trade Directory Entries</p> <p>Name: W Doyle Location: Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Road Haulage Services Status: Active Positional Accuracy: Manually positioned within the geographical locality</p>	A17NE (NW)	769	-	276731 189116
71	<p>Contemporary Trade Directory Entries</p> <p>Name: Quay Corporate Ltd Location: Unit 3, Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Clothing & Fabrics - Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A17NE (NW)	770	-	276731 189116
71	<p>Contemporary Trade Directory Entries</p> <p>Name: Turner Fluidpower Location: Unit 3, Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Hydraulic Equipment & Accessories - Sales & Service Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A17NE (NW)	770	-	276731 189116
71	<p>Contemporary Trade Directory Entries</p> <p>Name: Corporate Manufacturing Wales Ltd Location: Unit 3, Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Clothing & Fabrics - Manufacturers Status: Active Positional Accuracy: Automatically positioned to the address</p>	A17NE (NW)	770	-	276731 189116
72	<p>Contemporary Trade Directory Entries</p> <p>Name: Jetting Services Location: 188, Margam Road, Port Talbot, West Glamorgan, SA13 2BU Classification: Steam Cleaning Services Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A9NE (SE)	815	-	278187 187870

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
73	Contemporary Trade Directory Entries Name: Independent Cleaning Services (South Wales) Ltd Location: Llewellyns Quay, The Docks, Port Talbot, West Glamorgan, SA13 1SD Classification: Commercial Cleaning Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A17NE (NW)	822	-	276668 189122
73	Contemporary Trade Directory Entries Name: Independent Cleaning Services (South Wales) Ltd Location: Llewellyns Quay, The Docks, Port Talbot, West Glamorgan, SA13 1SD Classification: Cleaning Services - Commercial Status: Inactive Positional Accuracy: Automatically positioned to the address	A17NE (NW)	822	-	276668 189122
74	Contemporary Trade Directory Entries Name: B H L Rolls Manufacturing Ltd Location: Llewellyns Quay, The Docks, Port Talbot, West Glamorgan, SA13 1RE Classification: Metal Products - Fabricated Status: Inactive Positional Accuracy: Automatically positioned to the address	A17NE (NW)	844	-	276784 189273
75	Contemporary Trade Directory Entries Name: Drake Services Location: 13, Devonshire Place, Port Talbot, West Glamorgan, SA13 1SG Classification: Rubbish Clearance Status: Inactive Positional Accuracy: Automatically positioned to the address	A23SW (N)	845	-	277033 189416
76	Contemporary Trade Directory Entries Name: Stallcourt Garage Location: Stallcourt Garage, Margam Road, Port Talbot, West Glamorgan, SA13 2BU Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A9NE (SE)	858	-	278206 187819
77	Contemporary Trade Directory Entries Name: Talbot Hydraulics Location: Unit 7, Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Hydraulic Equipment & Accessories - Sales & Service Status: Active Positional Accuracy: Manually positioned within the geographical locality	A17NW (NW)	876	-	276581 189092
77	Contemporary Trade Directory Entries Name: Runtech Ltd Location: Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Road Haulage Services Status: Active Positional Accuracy: Manually positioned within the geographical locality	A17NW (NW)	896	-	276556 189090
78	Contemporary Trade Directory Entries Name: Folland Joinery Location: 49, Talbot Road, Port Talbot, West Glamorgan, SA13 1HN Classification: Builders' Merchants Status: Inactive Positional Accuracy: Automatically positioned to the address	A22SE (N)	914	-	276923 189444
78	Contemporary Trade Directory Entries Name: West Wales Home Care Location: 49, Talbot Road, Port Talbot, West Glamorgan, SA13 1HN Classification: Vacuum Cleaners - Sales & Service Status: Inactive Positional Accuracy: Automatically positioned to the address	A22SE (N)	914	-	276923 189444
78	Contemporary Trade Directory Entries Name: Oakwood Energy Ltd Location: 49, Talbot Road, Port Talbot, West Glamorgan, SA13 1HN Classification: Fuel Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address	A22SE (N)	914	-	276923 189444
78	Contemporary Trade Directory Entries Name: Pirson Montage Location: 49, Talbot Road, Port Talbot, West Glamorgan, SA13 1HN Classification: Refractory Materials & Supplies Status: Inactive Positional Accuracy: Automatically positioned to the address	A22SE (N)	914	-	276923 189444
79	Contemporary Trade Directory Entries Name: M W Air Conditioning & Refrigeration Location: 34, Pant Celydd, Margam, Port Talbot, West Glamorgan, SA13 2DJ Classification: Air Conditioning & Refrigeration Contractors Status: Active Positional Accuracy: Automatically positioned to the address	A9SE (SE)	924	-	278193 187688

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
80	<p>Contemporary Trade Directory Entries</p> <p>Name: Mgm Gates Location: Commercial Buildings, Talbot Rd, Port Talbot, West Glamorgan, SA13 1DR Classification: Wrought Ironwork Status: Inactive Positional Accuracy: Manually positioned to the address or location</p>	A22SE (N)	974	-	276908 189504
81	<p>Fuel Station Entries</p> <p>Name: Performance Centre Location: Talbot Road, PORT TALBOT, West Glamorgan, SA13 1HN Brand: OBSOLETE Premises Type: Not Applicable Status: Obsolete Positional Accuracy: Approximate location provided by supplier</p>	A18SW (N)	387	-	277320 189008

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Neath Port Talbot County Borough Council - Environmental Health Department Bridgend County Borough Council - Environmental Health Department	April 2013 March 2013	Annual Rolling Update Annual Rolling Update
Discharge Consents Environment Agency - Welsh Region	July 2013	Quarterly
Enforcement and Prohibition Notices Environment Agency - Welsh Region	March 2013	Quarterly
Integrated Pollution Controls Environment Agency - Welsh Region	October 2008	Not Applicable
Integrated Pollution Prevention And Control Environment Agency - Welsh Region	July 2013	Quarterly
Local Authority Integrated Pollution Prevention And Control Neath Port Talbot County Borough Council - Environmental Health Department Bridgend County Borough Council - Environmental Health Department	August 2012 September 2012	Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Controls Neath Port Talbot County Borough Council - Environmental Health Department Bridgend County Borough Council - Environmental Health Department	August 2012 September 2012	Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements Neath Port Talbot County Borough Council - Environmental Health Department Bridgend County Borough Council - Environmental Health Department	August 2012 September 2012	Annual Rolling Update Annual Rolling Update
Nearest Surface Water Feature Ordnance Survey	July 2012	Quarterly
Pollution Incidents to Controlled Waters Environment Agency - Welsh Region	December 1998	Not Applicable
Prosecutions Relating to Authorised Processes Environment Agency - Welsh Region	March 2013	Quarterly
Prosecutions Relating to Controlled Waters Environment Agency - Welsh Region	March 2013	Quarterly
Registered Radioactive Substances Environment Agency - Welsh Region	July 2013	Quarterly
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	July 2012	Annually
River Quality Chemistry Sampling Points Environment Agency - Head Office	July 2012	Annually
Substantiated Pollution Incident Register Environment Agency Wales - South West Area	July 2013	Quarterly
Water Abstractions Environment Agency - Welsh Region	July 2013	Quarterly
Water Industry Act Referrals Environment Agency - Welsh Region	July 2013	Quarterly
Groundwater Vulnerability Environment Agency - Head Office	January 2011	Not Applicable
Drift Deposits Environment Agency - Head Office	January 1999	Not Applicable
Bedrock Aquifer Designations British Geological Survey - National Geoscience Information Service	October 2012	Annually
Superficial Aquifer Designations British Geological Survey - National Geoscience Information Service	October 2012	Annually

Agency & Hydrological	Version	Update Cycle
Source Protection Zones Environment Agency - Head Office	July 2013	Quarterly
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	August 2013	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	August 2013	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	August 2013	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	August 2013	Quarterly
Flood Defences Environment Agency - Head Office	August 2013	Quarterly
Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	June 1996	Not Applicable
Historical Landfill Sites Environment Agency Wales - South West Area	July 2013	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Welsh Region	October 2008	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency Wales - South West Area	July 2013	Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency Wales - South West Area	April 2013	Quarterly
Local Authority Landfill Coverage Bridgend County Borough Council Neath Port Talbot County Borough Council - Environmental Health Department	May 2000 May 2000	Not Applicable Not Applicable
Local Authority Recorded Landfill Sites Bridgend County Borough Council Neath Port Talbot County Borough Council - Environmental Health Department	May 2000 September 2003	Not Applicable Not Applicable
Registered Landfill Sites Environment Agency Wales - South West Area	March 2003	Not Applicable
Registered Waste Transfer Sites Environment Agency Wales - South West Area	March 2003	Not Applicable
Registered Waste Treatment or Disposal Sites Environment Agency Wales - South West Area	March 2003	Not Applicable
Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	August 2013	Bi-Annually
Explosive Sites Health and Safety Executive	March 2013	Bi-Annually
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	November 2000	Not Applicable
Planning Hazardous Substance Enforcements Neath Port Talbot County Borough Council - Planning Department Bridgend County Borough Council - Planning Department	August 2013 September 2013	Annual Rolling Update Annual Rolling Update
Planning Hazardous Substance Consents Neath Port Talbot County Borough Council - Planning Department Bridgend County Borough Council - Planning Department	August 2013 September 2013	Annual Rolling Update Annual Rolling Update

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	August 1996	Not Applicable
BGS Estimated Soil Chemistry British Geological Survey - National Geoscience Information Service	January 2010	Variable
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	April 2013	Bi-Annually
Coal Mining Affected Areas The Coal Authority - Mining Report Service	January 2012	As notified
Mining Instability Ove Arup & Partners	October 2000	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	February 2011	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	February 2011	Annually
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	February 2011	Annually
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	February 2011	Annually
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	February 2011	Annually
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	February 2011	Annually
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	February 2011	Annually
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	July 2011	As notified
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	July 2011	As notified
Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	August 2013	Quarterly
Fuel Station Entries Catalist Ltd - Experian	August 2013	Quarterly

Sensitive Land Use	Version	Update Cycle
Areas of Outstanding Natural Beauty Countryside Council for Wales	May 2013	Bi-Annually
Environmentally Sensitive Areas The National Assembly for Wales - GI Services (Department of Planning & Countryside)	August 2008	Annually
Forest Parks Forestry Commission	April 1997	Not Applicable
Local Nature Reserves Bridgend County Borough Council Neath Port Talbot County Borough Council	May 2013 May 2013	Bi-Annually Bi-Annually
Marine Nature Reserves Countryside Council for Wales	May 2013	Bi-Annually
National Nature Reserves Countryside Council for Wales	May 2013	Bi-Annually
Nitrate Sensitive Areas Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA)	February 2012	Not Applicable
Nitrate Vulnerable Zones The National Assembly for Wales - GI Services (Department of Planning & Countryside)	October 2005	Annually
Ramsar Sites Countryside Council for Wales	May 2013	Bi-Annually
Sites of Special Scientific Interest Countryside Council for Wales	May 2013	Bi-Annually
Special Areas of Conservation Countryside Council for Wales	May 2013	Bi-Annually
Special Protection Areas Countryside Council for Wales	May 2013	Bi-Annually

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 <p>British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL</p>
Centre for Ecology and Hydrology	 <p>Centre for Ecology & Hydrology NATURAL ENVIRONMENT RESEARCH COUNCIL</p>
Countryside Council for Wales	 <p>CYNGOR CEFN GWLAD CYMRU COUNTRYSIDE COUNCIL FOR WALES</p>
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Peter Brett Associates	

Contact	Name and Address	Contact Details
1	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 08708 506 506 Email: enquiries@environment-agency.gov.uk
2	Neath Port Talbot County Borough Council - Environmental Health Department Room 322, Neath Civic Centre, Neath, West Glamorgan, SA11 3QZ	Telephone: 01639 763333 Fax: 01693 763444 Website: www.neath-porttalbot.gov.uk
3	British Geological Survey - Enquiry Service British Geological Survey, Kingsley Dunham Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
4	Neath Port Talbot County Borough Council - Planning Department Port Talbot Civic Centre, Port Talbot, SA13 1PJ	Telephone: 01639 763333 Fax: 01639 763444 Website: www.neath-porttalbot.gov.uk
5	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmark.co.uk Website: www.landmarkinfo.co.uk
6	The Coal Authority - Mining Report Service 200 Lichfield Lane, Mansfield, Nottinghamshire, NG18 4RG	Telephone: 0845 7626848 Email: thecoalauthority@coal.gov.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / SEPA have a charging policy in place for enquiries.