

THE ABERGELLI POWER PROJECT

EXPLANATION OF CHANGES MADE TO THE DRAFT DEVELOPMENT CONSENT ORDER ('DCO') SUBMITTED AT DEADLINE 2

Minor typographical amendments for clarity and consistency are not set out below. The numbering referred to below is to that in the updated draft DCO.

Article / Requirement number	Explanation of Change
Article 2 (Interpretation)	<p>The definition of "maintain" has been amended to clarify that the undertaker will not be entitled to remove or reconstruct the whole of Work No. 1.</p> <p>This change is in response to paragraph 20.10 of City & County of Swansea's ("CCS") Local Impact Report.</p>
Article 2(3) (Interpretation)	<p>This has been amended to clarify that the reference to distances (etc) being approximate does not apply to the parameters in Table 2 (in Schedule 2, Requirements).</p> <p>This change was requested by CCS in paragraph 20.10 of the Local Impact Report and is agreed by the Applicant.</p>
Article 7(9) (Consent to transfer benefit of the Order)	<p>A new sub-paragraph has been inserted requiring that CCS are notified of any change in the undertaker.</p> <p>This change was requested by CCS in paragraph 20.11 of the Local Impact Report and is agreed by the Applicant.</p>
Article 40 (Certification of plans)	<p>Revision numbers of the documents referred to in Article 40, being the outline landscape and ecological mitigation strategy, outline construction environment management plan and the outline drainage strategy, have been amended in Article 2.</p>
Schedule 2, Requirement 3 (Provision and maintenance of landscaping)	<p>This has been amended to include Work Number 4.</p> <p>This change is in response to paragraph 20.19 of CCS Local Impact Report and is agreed by the Applicant.</p>

Article / Requirement number	Explanation of Change
Schedule 2, Requirement 6 (Surface and foul water drainage)	<p>This has been amended to include provision for management and maintenance.</p> <p>This change was requested by CCS in paragraph 20.22-20.23 of the Local Impact Report and is agreed by the Applicant.</p>
Schedule 2, Requirement 13(1) (Archaeology)	<p>This was amended to set out that the written scheme must be in accordance with the Standard and Guidance of the Chartered Institute of Archaeologists.</p> <p>This change was requested by CCS in paragraph 16.27 of the Local Impact Report and is agreed by the Applicant.</p>
Schedule 2, Requirement 13(3) (Archaeology)	<p>This was amended to require the archaeological works or watching brief to be carried out by a registered organisation or an accredited MCIfA level Member accredited by the Chartered Institute for Archaeologists.</p> <p>This change was requested by CCS in paragraph 20.33 of the Local Impact Report and is agreed by the Applicant.</p>
Schedule 2, Requirement 15 (Mineral Resources Survey)	<p>This has been amended to remove reference to Work Number 3.</p> <p>This change was requested by CCS in paragraph 20.36 of the Local Impact Report and is agreed by the Applicant.</p>
Schedule 2, Requirement 17 (Construction environment management plan)	<p>This has been amended to cross-reference Requirement 10 in terms of the protocols to be agreed.</p> <p>This change was requested by CCS in paragraph 20.40 of the Local Impact Report and is agreed by the Applicant.</p>
Schedule 2, Requirements 18 to 20 (Dust management plan; Pollution prevention management plan; and Waste and material management plan)	<p>Each of these requirements has been amended to ensure that a complaints procedure is incorporated.</p> <p>This change was requested by CCS in paragraph 20.45 of the Local Impact Report and is agreed by the Applicant.</p>
Schedule 2, Requirement 19 (Pollution prevention management plan)	<p>This has been amended to set out that the pollution prevention management plan must include details of any artificial lighting proposed during construction of Work Number 5.</p>

Article / Requirement number	Explanation of Change
	This change was requested by Natural Resources Wales in paragraph 1.2 of Annex A of the Written Representation and is agreed by the Applicant.
Schedule 2, Requirement 21 (Construction traffic management plan)	<p>This has been amended to include proposals for management of any affected public rights of way during construction.</p> <p>This change was requested by CCS in paragraph 20.46 of the Local Impact report and is agreed by the Applicant.</p>
Schedule 2, Requirement 26 (Control of artificial light emissions during operation)	<p>This has been amended to provide for Natural Resources Wales to be consulted.</p> <p>This change was requested by Natural Resources Wales in paragraph 1.2 of Annex A of the Written Representation and is agreed by the Applicant.</p>
Schedule 2, Requirement 27 (Decommissioning Strategy)	<p>This has been amended to remove the tailpiece ("unless otherwise agreed with the relevant planning authority").</p> <p>This change was requested by CCS in paragraph 20.50 of the Local Impact Report and is agreed by the Applicant.</p>
Schedule 2, Requirement 27 (Decommissioning Strategy)	<p>This has been amended to remove the requirement for the scheme and implementation timetable to have been approved within set timescales, as the approval is outside the Applicant's control.</p> <p>This change was in response to paragraph 20.52 of CCS Local Impact Report.</p>
Schedule 6 (Temporary prohibition or restriction of the use of streets)	<p>This has been amended to include Work Number 5 where relevant.</p> <p>This change was requested by CCS in paragraph 20.55 of the Local Impact Report and is agreed by the Applicant.</p>
Schedule 12 (Procedure for discharge of requirements)	<p>This has been amended to expressly provide that the relevant planning authority can grant consent either unconditionally or subject to conditions.</p> <p>This change was requested by CCS in paragraph 20.66 of the Local Impact Report and is agreed by the Applicant.</p>