



**SCOTTISHPOWER
RENEWABLES**

East Anglia TWO Offshore Windfarm

Appendix 26.11 In-migrant Labour Distribution

Environmental Statement Volume 3

Applicant: East Anglia TWO Limited
Document Reference: 6.3.26.11
SPR Reference: EA2-DWF-ENV-REP-IBR-000918_011 Rev 01
Pursuant to APFP Regulation: 5(2)(a)

Author: Royal HaskoningDHV
Date: October 2019
Revision: Version 1

In-migrant Labour Distribution

| Postcode | No. of rooms per post code | Journey time (mins) * | No. of rooms factored by journey time ** | Percentage distribution | Point of entry to study area | Percentage distribution of rooms by point of entry | Employees travel via the A12 / A14 junction 58 | Employees travel via the A12 / A14 junction 55 | | |
|--------------|----------------------------|-----------------------|--|-------------------------|------------------------------|--|--|--|----|----|
| IP19 | 6 | 24 | 0.3 | 0.3% | Link 1 | 31.9% | no | no | | |
| NR35 | 7 | 45 | 0.2 | 0.2% | | | no | no | | |
| IP18 | 83 | 24 | 3.5 | 4.4% | | | no | no | | |
| NR33 | 661 | 35 | 18.9 | 24.0% | | | no | no | | |
| NR34 | 83 | 35 | 2.4 | 3.0% | | | no | no | | |
| IP17 | 123 | 12 | 10.3 | 13.0% | Link 2 | 13.0% | no | no | | |
| IP21 | 4 | 40 | 0.1 | 0.1% | Link 4 | 0.1% | no | no | | |
| IP1 | 30 | 40 | 0.8 | 1.0% | Link 3 | 28.7% | no | no | | |
| IP11 | 157 | 40 | 3.9 | 5.0% | | | yes | no | | |
| IP13 | 117 | 30 | 3.9 | 5.0% | | | no | no | | |
| IP3 | 86 | 40 | 2.2 | 2.7% | | | no | no | | |
| IP4 | 20 | 35 | 0.6 | 0.7% | | | no | no | | |
| IP5 | 23 | 30 | 0.8 | 1.0% | | | no | no | | |
| IP6 | 157 | 45 | 3.5 | 4.4% | | | no | no | | |
| IP12 | 183 | 26 | 7.0 | 8.9% | | | no | no | | |
| IP15 | 163 | 12 | 13.6 | 17.2% | | | Links 8 or 10 | 17.2% | no | no |
| IP16 | 71 | 10 | 7.1 | 9.0% | | | Links 14 or 15 | 9.0% | no | no |
| Total | 1974 | | 79 | 100% | | 100% | Yes 5.0% | Yes 0% | | |

Notes:

* journey time from centre of post code to Leiston

** number of rooms divided by the journey time