

**SCOTTISHPOWER  
RENEWABLES**


# **East Anglia ONE North and East Anglia TWO Offshore Windfarms**

## **Applicants' Comments on Friston Parochial Church Council's Deadline 10 Submission**

Applicant: East Anglia TWO and East Anglia ONE North Limited  
Document Reference: ExA.AS-16.D11.V1  
SPR Reference: EA1N\_EA2-DWF-ENV-REP-IBR-001084

Date: 7<sup>th</sup> June 2021  
Revision: Version 1  
Author: Royal HaskoningDHV

**Applicable to East Anglia ONE North and East Anglia TWO**




#### Revision Summary

Rev	Date	Prepared by	Checked by	Approved by
01	07/06/2021	Paolo Pizzolla	Ian Mackay	Rich Morris

#### Description of Revisions

Rev	Page	Section	Description
01	n/a	n/a	Final for Submission



# Table of Contents

1	<b>Introduction</b>	1
2	<b>Comments on Friston Parochial Church Council's Deadline 10 Submission</b>	2
2.1	Applicants' Comments on Friston Parochial Church Council's Deadline 10 Submission [REP10-047]	2

## Glossary of Acronyms

DCO	Development Consent Order
ES	Environmental Statement
ESC	East Suffolk County
FPCC	Friston Parochial Church Council
GI	Ground Investigation
PD	Procedural Decision
SCC	Suffolk County Council
SCCAS	Suffolk County Council Archaeological Service
SoCG	Statement of Common Ground



## Glossary of Terminology

Applicant	East Anglia TWO Limited / East Anglia ONE North Limited
East Anglia ONE North project	The proposed project consisting of up to 67 wind turbines, up to four offshore electrical platforms, up to one construction, operation and maintenance platform, inter-array cables, platform link cables, up to one operational meteorological mast, up to two offshore export cables, fibre optic cables, landfall infrastructure, onshore cables and ducts, onshore substation, and National Grid infrastructure.
East Anglia TWO project	The proposed project consisting of up to 75 wind turbines, up to four offshore electrical platforms, up to one construction, operation and maintenance platform, inter-array cables, platform link cables, up to one operational meteorological mast, up to two offshore export cables, fibre optic cables, landfall infrastructure, onshore cables and ducts, onshore substation, and National Grid infrastructure.

## 1 Introduction

1. This document presents the Applicants' comments on Friston Parochial Church Council's (FPCC's) Deadline 10 submission (REP10-047).
2. This document is applicable to both the East Anglia TWO and East Anglia ONE North Development Consent Order (DCO) applications, and therefore is endorsed with the yellow and blue icon used to identify materially identical documentation in accordance with the Examining Authority's procedural decisions on document management of 23<sup>rd</sup> December 2019 (PD-004). Whilst this document has been submitted to both Examinations, if it is read for one project submission there is no need to read it for the other project submission.




## 2 Comments on Friston Parochial Church Council's Deadline 10 Submission

### 2.1 Applicants' Comments on Friston Parochial Church Council's Deadline 10 Submission [REP10-047]

ID	FPCC's Comment	Applicants' Comments
1	<p>Attached are the 2020 Annual Report and Financial Statements for The Church of St Mary the Virgin, Friston which is threatened by the development proposals and cumulative effects locally.</p> <p>It demonstrates a living church, even in these most difficult times, striving to meet the needs of the community.</p> <p>As we approach the easing of lockdown restrictions and anticipate the joys of our landscape and the Spring and Summer, our landscape has been destroyed by the advent of investigation groundworks which will extend throughout the summer.</p> <p>In the cause of climate change and renewable energy:</p> <ul style="list-style-type: none"> <li>- the land has been poisoned</li> <li>- we have lost spring wildlife and birdsong</li> <li>- we have lost walking routes.</li> </ul>	<p>Noted. The Applicants have provided an updated on the progress and status of the ground investigation (GI) works within the <b>Applicants' Statement Regarding Ground Investigation Works Update</b> submitted at Deadline 10 (REP10-029). The Applicants note that the photographs provided within FPCC's submission at Deadline 10 (REP10-047) show the additional archaeological trial trenching surveys, as were agreed with Suffolk County Council's Archaeology Service (SCCAS), as supported by statement LA-06.03 of the Statement of Common Ground (SoCG) with East Suffolk Council (ESC) and Suffolk County Council (SCC) (REP8-114). The objective of the trial trenching surveys is to identify unknown buried archaeological features not captured within existing records and to complement the data gathered during the archaeological geophysical surveys (detailed magnetometry), the results of which are presented within <b>Appendix 24.4</b> of the Environmental Statement (ES) (APP-515 to APP-516).</p> <p>The Applicants note the aim of the GI works is to further characterise the geotechnical, geo-environmental, thermal and electrical properties of soils within the onshore development area. This would assist with early delivery of the Projects and the scope of such works, has also included preliminary infiltration testing.</p> <p>The Applicants note that these works are temporary, and the land will be reinstated to its original condition on completion of the investigatory works.</p>



ID	FPCC's Comment	Applicants' Comments
		





ID	FPCC's Comment	Applicants' Comments
2	Refer to Appendix.	Noted. The Applicants do not consider it appropriate, neither do they intend, to comment on the financial statements for St Mary's Church, Friston.