

Norfolk Vanguard Limited and
Norfolk Vanguard East Limited
5th Floor,
70 St Mary Axe,
London, EC3A 8BE,
United Kingdom

James Dawkins
Department for Energy Security and Net Zero
Energy Infrastructure Planning 1 Victoria Street
London
SW1H 0ET

Copy to the Planning Inspectorate

The Norfolk Vanguard Offshore Wind Farm Order 2022

Proposed Application for a Non-material Change

Regulation 7(3): Request for Consent to Consultation Proposals

The Norfolk Vanguard Offshore Wind Farm Order 2022 (the **Order**) granted consent on 11 February 2022 for the development of an offshore wind farm comprising two distinct areas, NV East and NV West, which are located in the southern North Sea, approximately, 70km and 47km from the coast of Norfolk respectively (at the nearest points) (the **Project**). The Project, located in the southern North Sea, covers an area of approximately 828km². Offshore cables transmitting power from the Project make landfall south of Happisburgh. From there underground cables will continue approximately 60km to an onshore project substation, and connect into the National Grid substation near Necton, Norfolk.

A non-material change to the Order was approved by the Secretary of State on 28 September 2022, which removed the capacity cap for the Project.

On 3 March 2023, Norfolk Vanguard Limited transferred part of the benefit of the Order to Norfolk Vanguard East Limited. Therefore, for the purposes of paragraph 2(4) of Schedule 6 to the Planning Act 2008, Norfolk Vanguard Limited and Norfolk Vanguard East Limited are persons for whose benefit the development consent order has effect. For the avoidance of doubt this non-material change application does not relate to the separate Norfolk Boreas Offshore Windfarm Order 2021.

Norfolk Vanguard Limited and Norfolk Vanguard East Limited (the **Applicant**) intends jointly to apply for a non-material change to the Order in accordance with the Infrastructure Planning (Changes to, and Revocation of, Development Consent Orders) Regulations 2011 (as amended) (**2011 Regulations**) (the **Application**).

The Application will seek to amend the Order to increase the number of cable ducts at the landfall site from two to four. The non-material change will also seek to increase the number of reserve drills from one to two in case of drill failure.

It should be noted that no offshore changes to the Project are proposed, nor will any offshore changes be required, as a result of the Application. Therefore, no changes will be required to the associated Deemed Marine Licences.

Pursuant to Regulation 7(3) of the 2011 Regulations, the Applicant is seeking the Secretary of State's consent to a more focused consultation given the narrow scope of the proposed Application from that carried out in respect of the acceptance of the original application to grant the Order.

Schedule 1 to this letter contains a table listing those consultees that the Applicant proposes to consult on the Application pursuant to Regulation 7 of the 2011 Regulations. Also detailed are consultees that the Applicant does not consider it necessary to consult and a rationale for this is provided. For ease, and where appropriate, consultees have been grouped together where the rationale for not consulting them applies equally. The changes relate solely to the number of ducts and drills at the landfall location. As such, they will have limited application or interest to many stakeholders and consultees and as such, it is not considered necessary to consult all those persons, bodies or organisations notified of the acceptance of the original application to grant the Order under Section 56 of the Planning Act 2008. This is particularly the case for offshore stakeholders given that no changes to the Deemed Marine Licences will be required, as a result of the Application. Accordingly, very limited and targeted consultation is proposed with offshore stakeholders.

It is intended to submit the Application on 11 July 2023. In order for us to meet that timeframe we would be grateful if the Secretary of State could please confirm approval of the reduced consultee list within Schedule 1 at their earliest convenience.

The Applicant proposes to publish Notice of the Application in accordance with the 2011 Regulations and The Infrastructure Planning (Publication and Notification of Applications etc.) (Amendment) Regulations 2020. This will include publicising the Application for at least two successive weeks in one or more local newspapers and liaising with the Planning Inspectorate to make the Application available on the Planning Inspectorate's website. Schedule 2 sets out the anticipated form of the notice, which is proposed to be published in the following newspapers:

- Fishing News; and
- Eastern Daily Press.

We have copied this correspondence to the Planning Inspectorate.

Please do not hesitate to contact us with any queries or if further information is required.

Yours sincerely,

A black rectangular redaction box covering the signature of Ruari Lean.

Ruari Lean

List of consultees to be consulted on the proposed non-material change application (the Application) pursuant to regulation 7(3) of the Infrastructure Planning (Changes to, and Revocation of, Development Consent Orders) Regulations 2011 (as amended) (2011 Regulations). Rationale is provided where it is proposed not to consult with consultees.

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
Section 56 consultees invited to be consulted on the Application		
Natural England (NE)	Yes	NE was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 13 April 2023, NE confirmed it wished to be consulted.
The Crown Estate	Yes	The Crown Estate was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 25 April 2023, The Crown Estate confirmed it wished to be consulted.
Eastern Inshore Fisheries & Conservation Authority (EIFCA)	Yes	The EIFCA was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 13 April 2023, the EIFCA confirmed it wished to be consulted.
The Wildlife Trust	Yes	The Wildlife Trust was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 25 April 2023, The Wildlife Trust confirmed it wished to be consulted.
Historic England	Yes	Historic England was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 14 April 2023, Historic England confirmed it wished to be consulted.
Ministry of Defence (MoD)	Yes	The MoD was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 13 April 2023, the MoD confirmed it wished to be consulted.
Defence Infrastructure Organisation	Yes	The Defence Infrastructure Organisation was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 13 April 2023, the Defence Infrastructure Organisation confirmed it wished to be consulted.
VisNED	Yes	VisNed was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 26 April 2023, VisNed confirmed it wished to be consulted.
National Air Traffic Services (NATS) En-Route Safeguarding	Yes	NATS was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 13 April 2023, NATS confirmed it wished to be consulted.
Marine Management Organisation (MMO)	Yes	The MMO was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 26 April 2023, the MMO confirmed it wished to be consulted.
National Federation of Fishermen's Organisations (NFFO)	Yes	NFFO was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 2 May 2023, NFFO confirmed it wished to be consulted.
Royal National Lifeboat Institute (RNLI)	Yes	The RNLI was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. They did not respond to the invitation and therefore by default will be consulted.
Civil Aviation Authority (CAA)	No	The CAA was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 18 April 2023, the CAA confirmed it did not wish to be consulted.

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
Joint Nature Conservation Committee (JNCC)	No	JNCC was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 18 April 2023, JNCC confirmed it did not wish to be consulted.
Trinity House (TH)	No	TH was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 13 April 2023, TH confirmed it did not wish to be consulted.
HM Maritime & Coastguard Agency (MCA)	No	The MCA was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 14 April 2023, the MCA confirmed it did not wish to be consulted.
Royal Society for Protection of Birds (RSPB)	No	RSPB was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 27 April 2023, RSPB confirmed it did not wish to be consulted.
Centre for Environment, Fisheries and Aquaculture Science (Cefas)	No	Cefas was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 3 May 2023, Cefas confirmed it did not wish to be consulted.
Whale and Dolphin Conservation	No	The Whale and Dolphin Conservation has an offshore interest. The non-material change relates to the landfall site and does not affect the offshore array or export cable and so will not result in any change to the impacts described in the ES offshore. Furthermore, there are no proposed changes to the deemed marine licences.
Section 56 consultees not invited to be consulted on the Application and the rationale		
BBL Technical Ltd	No	BBL Technical Ltd has an offshore interest. The non-material change relates to the landfall site and does not affect the offshore array or export cable. There will be no additional impacts, or impacts of greater significance , on its assets than those described in the ES. Furthermore, there are no proposed changes to the deemed marine licences.
Blue Transmission Sheringham Shoal Limited	No	Blue Transmission Sheringham Shoal Limited has an offshore interest. The non-material change relates to the landfall site and does not affect the offshore array or export cable. There will be no additional impacts, or impacts of greater significance , on its assets than those described in the ES. Furthermore, there are no proposed changes to the deemed marine licences.
Boston Putford	No	Boston Putford has an offshore interest. The non-material change relates to the landfall site and does not affect the offshore array or export cable. There will be no additional impacts, or impacts of greater significance , on its assets than those described in the ES. Furthermore, there are no proposed changes to the deemed marine licences.
British Marine Aggregate Producers Association	No	The British Marine Aggregate Producers Association has an offshore interest. The non-material change relates to the landfall site and does not affect the offshore array or export cable. There will be no additional impacts, or impacts of greater significance , on its assets than those described in the ES. Furthermore, there are no proposed changes to the deemed marine licences.

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
Chamber of Shipping	No	The Chamber of Shipping has an offshore interest. The non-material change relates to the landfall site and does not affect the offshore array or export cable. There will be no additional impacts, or impacts of greater significance , on shipping and navigational matters than those described in the ES. Furthermore, there are no proposed changes to the deemed marine licences.
Cruising Association	No	The Cruising Association has an offshore interest. The non-material change relates to the landfall site and does not affect the offshore array or export cable. There will be no additional impacts, or impacts of greater significance , than those described in the ES. Furthermore, there are no proposed changes to the deemed marine licences.
Dudgeon Offshore Wind Limited	No	Dudgeon Offshore Wind Limited has an offshore interest. The non-material change relates to the landfall site and does not affect the offshore array or export cable. There will be no additional impacts, or impacts of greater significance , on its assets than those described in the ES. Furthermore, there are no proposed changes to the deemed marine licences.
GTT Communications Holdings UK (acquired KPN International)	No	GTT Communications Holdings UK has an offshore interest. The non-material change relates to the landfall site and does not affect the offshore array or export cable. There will be no additional impacts, or impacts of greater significance , on its assets than those described in the ES. Furthermore, there are no proposed changes to the deemed marine licences.
The Secretary of State for Defence	No	The Secretary of State for Defence has an offshore interest. The non-material change relates to the landfall site and is located a sufficient distance from their operations, and there will be no additional impacts, or impacts of greater significance , on its operations than those described in the ES. Furthermore, there are no proposed changes to the deemed marine licences.
Oil and Gas Authority	No	The Oil and Gas Authority has an offshore interest. The non-material change relates to the landfall site and does not affect the offshore array or export cable. There will be no additional impacts, or impacts of greater significance , than those described in the ES. Furthermore, there are no proposed changes to the deemed marine licences.
Ørsted Hornsea Project Three (UK) Limited	No	Ørsted Hornsea Project Three (UK) Limited has an offshore interest. The non-material change relates to the landfall site and does not affect the offshore array or export cable. There will be no additional impacts, or impacts of greater significance , on its assets than those described in the ES. Furthermore, there are no proposed changes to the deemed marine licences.
P&O Ferries	No	P&O Ferries has an offshore interest. The non-material change relates to the landfall site and is located a sufficient distance from their operations, and there will be no additional impacts, or impacts of greater significance , on its operations than those described in the ES. Furthermore, there are no proposed changes to the deemed marine licences.

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
Royal Yachting Association	No	The Royal Yachting Association has an offshore interest. The non-material change relates to the landfall site and does not affect the offshore array or export cable. There will be no additional impacts, or impacts of greater significance , on yachting activities than those described in the ES. Furthermore, there are no proposed changes to the deemed marine licences.
ScottishPower Renewables	No	ScottishPower Renewables has an offshore interest. The non-material change relates to the landfall site and does not affect the offshore array or export cable. There will be no additional impacts, or impacts of greater significance , on its assets than those described in the ES. Furthermore, there are no proposed changes to the deemed marine licences.
Caister inshore Fishermen’s Association	No	The Caister inshore Fishermen’s Association has an offshore interest. The non-material change relates to the landfall site and does not affect the offshore array or export cable. There will be no additional impacts, or impacts of greater significance , regarding fisherman’s operations than those described in the ES. Furthermore, there are no proposed changes to the deemed marine licenses. In addition, the EIFCA and NFFO, which both have fishing interests, will be consulted as identified above, and the Application will also be advertised in Fishing News.
North Norfolk Fishermen's Society	No	Whilst the North Norfolk Fishermen's Society has an offshore interest. The non-material change relates to the landfall site and does not affect the offshore array or export cable. There will be no additional impacts, or impacts of greater significance , regarding fisherman’s operations than those described in the ES. Furthermore, there are no proposed changes to the deemed marine licences. In addition, the EIFCA and NFFO, which both have fishing interests, will be consulted as identified above, and the Application will also be advertised in Fishing News.
Aviation Consultees, including: <ul style="list-style-type: none"> • Anglia Radar • Babcock International • British International Helicopters • Bristow Group Inc • CHC Scotia Helicopters • Heli Holland Air Service and Technics • NHV Helicopters • Shell Helicopters • Unify Helicopters • Air Traffic Control The Netherlands (LVNL) 	No	Aviation Consultees have an interest in the offshore array. The non-material change relates to the landfall site, and there will be no additional impacts, or impacts of greater significance , on its operations than those described in the ES. Furthermore, there are no proposed changes to the deemed marine licences. In addition, the MOD, Defence Infrastructure Organisation and NATS, which have aviation interests, will be consulted as identified above and the MCA and CAA have both confirmed that they do not wish to be consulted.

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
<ul style="list-style-type: none"> Ministerie van Defensie 		
Fishermen	No	Fishermen have an offshore interest. The non-material change relates to the landfall site and does not affect the offshore array or export cable. There will be no additional impacts, or impacts of greater significance , regarding fisherman's operations than those described in the ES. Furthermore, there are no proposed changes to the deemed marine licences. In addition, the EIFCA and NFFO, which both have fishing interests, will be consulted as identified above, and the Application will also be advertised in Fishing News.
Transboundary Consultees	No	Transboundary Consultees have an offshore interest. The non-material change relates to the landfall site and does not affect the offshore array or export cable. There will be no additional impacts, or impacts of greater significance , than those described in the ES. Furthermore, there are no proposed changes to the deemed marine licences.
Cable and Pipeline Operators	No	Cable and Pipeline Operators have an offshore interest. The non-material change relates to the landfall site and does not affect the offshore array or export cable. There will be no additional impacts, or impacts of greater significance , on its assets than those described in the ES. Furthermore, there are no proposed changes to the deemed marine licences.
Onshore Consultees		
Section 56 consultees invited to be consulted on the Application		
North Norfolk District Council	Yes	North Norfolk District Council was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 14 April 2023, North Norfolk District Council confirmed it wished to be consulted.
Broadland District Council	Yes	Broadland District Council was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 19 April 2023, Broadland District Council confirmed it wished to be consulted.
Norfolk County Council	Yes	Norfolk County Council was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 13 April 2023, Norfolk County Council confirmed it wished to be consulted.
Anglian Water and Anglian Water Services Limited	Yes	Whilst Anglian Water and Anglian Water Services Limited have an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , on its assets than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. However, as a statutory undertaker with an asset located within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change), Anglian Water and Anglian Water Services Limited

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
		was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 27 April 2023, Anglian Water and Anglian Water Services Limited confirmed it wished to be consulted.
Eastern Power Networks plc	Yes	Whilst Eastern Power Networks plc has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , on its assets than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. However, as a statutory undertaker with an asset located within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change), Eastern Power Networks plc was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 26 April 2023, Eastern Power Networks plc confirmed it wished to be consulted.
UK Power Networks Limited	Yes	Whilst UK Power Networks Limited has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , on its assets than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. However, as a statutory undertaker with an asset located within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change), UK Power Networks Limited was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 26 April 2023, UK Power Networks Limited confirmed it wished to be consulted.
Happisburgh Parish Council	Yes	Whilst Happisburgh Parish Council has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , within its jurisdiction than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. However, as the parish council hosting onshore infrastructure where the non-material change is located, Happisburgh Parish Council was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 10 May 2023, Happisburgh Parish Council confirmed it wishes to be consulted.
Walcott Parish Council	Yes	Whilst Walcott Parish Council has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , within its jurisdiction than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. However, as a parish

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
		council which neighbours the parish council hosting the onshore infrastructure where the non-material change is located, Walcott Parish Council was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 18 April 2023, Walcott Parish Council confirmed it wished to be consulted.
East Ruston Parish Council	Yes	Whilst East Ruston Parish Council has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , within its jurisdiction than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. However, as a parish council which neighbours the parish council hosting the onshore infrastructure where the non-material change is located, East Ruston Parish Council was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 27 April 2023, East Ruston Parish Council confirmed it wished to be consulted.
Lessingham and Hempstead with Eccles Parish Council	Yes	Whilst Lessingham and Hempstead with Eccles Parish Council has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , within its jurisdiction than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. However, as a parish council which neighbours the parish council hosting the onshore infrastructure where the non-material change is located, Lessingham and Hempstead with Eccles Parish Council was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 2 May 2023, Lessingham and Hempstead with Eccles Parish Council confirmed it wished to be consulted.
Brumstead Parish Council	Yes	Whilst Brumstead Parish Council has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , within its jurisdiction than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. However, as a parish council which neighbours the parish council hosting the onshore infrastructure where the non-material change is located, Brumstead Parish Council was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 3 May 2023, Brumstead Parish Council confirmed it wishes to be consulted.
Bacton and Edingthorpe Parish Council	Yes	Whilst Bacton and Edingthorpe Parish Council has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , within its jurisdiction than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. However, as a

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
		parish council within 5km of the landfall where the non-material change is concerned, Bacton and Edingthorpe Parish Council was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 3 May 2023, Bacton and Edingthorpe Parish Council confirmed it wished to be consulted.
Honing Parish Council	Yes	Whilst Honing Parish Council has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , within its jurisdiction than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. However, as a parish council within 5km of where the non-material change is located, Honing Parish Council was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 3 May 2023, Honing Parish Council confirmed it wished to be consulted.
Ingham Parish Council	Yes	Whilst Ingham Parish Council has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , within its jurisdiction than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. However, as a parish council within 5km of the landfall where the non-material change is concerned, Ingham Parish Council was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 28 April 2023, Ingham Parish Council confirmed it wished to be consulted.
Sea Palling and Waxham Parish Council	Yes	Whilst Sea Palling and Waxham Parish Council has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , within its jurisdiction than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. However, as a parish council within 5km of the landfall where the non-material change is concerned, Sea Palling and Waxham Parish Council was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 2 May 2023, Sea Palling and Waxham Parish Council confirmed it wished to be consulted.
Stalham Town Council	Yes	Whilst Stalham Town Council has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , within its jurisdiction than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. However, as a town council within 5km of the landfall where the non-material change is concerned, Stalham Town Council was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 2 May 2023, Stalham Town Council confirmed it wished to be consulted.

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
Witton and Ridlington Parish Council	Yes	Whilst Witton and Ridlington Parish Council has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , within its jurisdiction than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. However, as a parish council within 5km of the landfall where the non-material change is concerned, Witton and Ridlington Parish Council was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 18 April 2023, Witton and Ridlington Parish Council confirmed it wished to be consulted.
Landowners or persons with an interest in the onshore Order Land (section42(1d)) <ul style="list-style-type: none"> • The King's Most Excellent Majesty in Right of His Crown • Caister Castle Trust • Norfolk County Council • Cossette Blanche Hart • North Norfolk District Council • Thomas William Love • Cubitt Siely • Cubitt Siely Harvesting • Allen Edward Meale • Simon David Meale • Stephen Scott Meale • Allen G Meale & Sons Limited • Patricia Vera Riches • Geoffrey Herbert Hales • UK Power Networks (Operations) Limited • BT Group plc • Anglian Water Services Limited 	Yes	Whilst these landowners or persons with an interest in the onshore Order Land have an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , on their land interests than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. However, as a landowner or persons with an interest in land located within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change), these landowners or persons with an interest in land were contacted on 12 April 2023 and asked if it wished to be consulted on the Application. They did not respond to the invitation and therefore by default will be consulted.
Breckland Council	No	Whilst Breckland Council has an onshore interest, the non-material change at the landfall site is located a sufficient distance from its jurisdiction, and there will be no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
		aspects including the onshore substation, National Grid extension and all other onshore infrastructure. However, as a district council hosting onshore infrastructure, Breckland Council was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 13 April 2023, Breckland Council confirmed it did not wish to be consulted.
The Environment Agency	No	The Environment Agency was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 27 April 2023, the Environment Agency confirmed it did not wish to be consulted.
Norfolk Fire and Rescue Service	No	Norfolk Fire and Rescue Service was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 5 May 2023, Norfolk Fire and Rescue Service confirmed it did not wish to be consulted.
Openreach Limited	No	Whilst Openreach Limited has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , on its assets than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. However, as a statutory undertaker with an asset located within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change), Openreach Limited was contacted on 12 April 2023 and asked if it wished to be consulted on the Application. On 28 April 2023, Openreach Limited confirmed it did not wish to be consulted.
Section 56 consultees not invited to be consulted on the Application and the rationale		
<p>Adjoining Local Authorities, including:</p> <p>Unitary/District Councils neighbouring District Councils in which the project is located</p> <ul style="list-style-type: none"> • South Norfolk Council • West Suffolk Council (formerly two separate district councils: St Edmundsbury District Council and Forest Heath District Council) • Great Yarmouth Borough Council • Borough Council of King's Lynn & West Norfolk • Mid Suffolk District Council 	No	The non-material change at the landfall site is located a significant distance from their jurisdiction, and there will be no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
<ul style="list-style-type: none"> • Norwich City Council • The Broads Authority <p>Unitary/County Councils neighbouring County Councils in which the project is situated</p> <ul style="list-style-type: none"> • Cambridgeshire County Council • Suffolk County Council • Lincolnshire County Council 		
Other Parish Councils along the onshore cable route	No	Whilst other Parish Council's along the onshore cable route have an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , within their jurisdiction than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. These Parish Council's are also over 5km away from the landfall, where the non-material change is concerned. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Health and Safety Executive	No	Whilst it has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
NHS East of England	No	Whilst it has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
The Historic Buildings and Monuments Commission for England	No	Whilst it has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
		inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Norfolk Constabulary	No	Whilst it has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
The Equality and Human Rights Commission	No	Whilst it has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
AONB Partnership	No	Whilst it has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Homes and Communities Agency	No	Whilst it has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Homes England	No	Whilst it has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
National Highways (formerly Highways England)	No	Whilst it has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Department for Transport	No	Whilst it has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
The Coal Authority	No	Whilst it has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
The Gas and Electricity Markets Authority (OFGEM)	No	Whilst it has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Internal Drainage Boards, including: <ul style="list-style-type: none"> • Norfolk Rivers Internal Drainage Board • East of Ouse Plover and Nar Internal Drainage Board • The Broads Internal Drainage Board 	No	Whilst it has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
The Canal & River Trust	No	The S.56 consultee has no infrastructure within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
		<p>impacts, or impacts of greater significance, than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.</p>
Public Health England	No	<p>Whilst it has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance, than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.</p>
Norfolk Resilience Forum	No	<p>Whilst it has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance, than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.</p>
Forestry Commission - East & East Midlands Area	No	<p>Whilst it has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance, than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.</p>
The Commission for Architecture and the Built Environment	No	<p>Whilst it has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance, than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.</p>
Department of Energy Security and Net Zero (DESNZ) (formerly the Department for Business Energy and Industrial Strategy)	No	<p>The Secretary of State for DESNZ is the decision maker on the Application and as such it is not proposed to separately consult DESNZ.</p>

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
Norfolk Wildlife Trust	No	Whilst it has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
NHS England	No	Whilst it has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
East of England Ambulance Service NHS Trust	No	Whilst it has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
National Highways Historical Railways Estate (formerly Highways England Historical Railways Estate)	No	Whilst it has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Network Rail Infrastructure Ltd	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
North Norfolk Clinical Commissioning Group	No	Whilst it has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
South Norfolk Clinical Commissioning Group	No	Whilst it has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
West Norfolk Clinical Commissioning Group	No	Whilst it has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Office of the Police and Crime Commissioner for Norfolk	No	Whilst it has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Royal Mail Group	No	Whilst it has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
The Broads National Park	No	Whilst it has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
		other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Blue Transmission Sheringham Shoal Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
BP plc	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
BPA (UK) Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
British Gas Services Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
		local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
British Pipeline Agency Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
BT Group plc	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Cadent Gas Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Dudgeon Offshore Wind Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
		local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Last Mile Electricity Limited (formerly Energetics Electricity Limited)	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Last Mile Gas Limited (formerly Energetics Gas Limited)	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Energy Assets Networks Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Leep Utilities (formerly Energy Assets Pipelines Limited)	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
		local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Energy Assets Power Networks Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
BUUK Infrastructure (formerly trading under ENI Group)	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
ES Pipelines Ltd	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
ESP Electricity Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
		local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
ESP Connections Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
ESP Network Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
ESP Pipelines Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Everything Everywhere Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
		local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Fulcrum Pipelines Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Fulcrum Electricity Assets Ltd	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Eclipse Power Networks (formerly G2 Energy IDNO Limited)	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
GTC Pipelines Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
		local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Harlaxton Energy Networks Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Harlaxton Gas Networks Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Hutchinson 3G UK Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Independent Pipelines Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
		local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Independent Power Networks Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Indigo Pipelines Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Interconnector (UK) Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Leep Electricity Networks Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
		local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
LNG Portable Pipeline Services Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Mobile Broadband Network Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Mua Electricity Limited (formerly Murphy Power Distribution Limited)	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Mua Gas Limited (formerly Murphy Gas Networks Limited)	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
		local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
National Grid Electricity Transmission Plc	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
National Gas Transmission Plc (formerly National Grid Gas Plc)	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
National Grid plc	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Norfolk Boreas Limited	No	Norfolk Boreas Limited is being developed strategically by Vattenfall, which is the parent company for both Norfolk Boreas Limited and Norfolk Vanguard Limited. Whilst it has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
		communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Npower Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Oranje Nassau Energie	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Ørsted Hornsea Project Three (UK) Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Peel Electricity Networks Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
		local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Perenco UK Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Quadrant Pipelines Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Scotland Gas Networks Plc	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Scira Offshore Energy Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
		local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Shell International Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Southern Gas Networks Plc	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Tampnet AS	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Telefonica UK Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
		local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
The Electricity Network Company Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
The Mid-Norfolk Railway Preservation Trust	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
The National Trust For Places of Historic Interest or Natural Beauty	No	Whilst it has an onshore interest, the non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Transmission Capital Partners GP Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
Tullow Oil plc	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
UK Power Distribution Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Utility Assets Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Utility Distribution Networks Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
Virgin Media Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Vattenfall Networks Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Vodafone Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Wales and West Utilities Ltd	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
Water Management Alliance	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Saltfleetby Energy Limited (formerly Wingas Storage UK Limited)	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
WLMA Group Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.
Zayo Group UK Limited	No	The S.56 consultee has no apparatus within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.

Section 56 Consultee	Proposed inclusion in Regulation 7 consultation	Rationale
Landowners or people with an interest in the onshore Order Land (section42(1d)) outside the vicinity of the non-material change	No	These landowners or persons with an interest in land are not located within the vicinity of the non-material change (an area extending 100 metres outside the project's onshore red line boundary around the location of the non-material change). The non-material change at the landfall site will have no additional impacts, or impacts of greater significance , on their land interests than those described in the ES. This is true for all onshore aspects including the onshore substation, National Grid extension and all other onshore infrastructure. In addition, notices will be published in the Eastern Daily Press to inform local communities of the Application and host Local Authorities will be consulted where requested as indicated above.

SECTION 153 OF THE PLANNING ACT 2008
REGULATION 6 OF THE INFRASTRUCTURE PLANNING (CHANGES TO, AND REVOCATION OF,
DEVELOPMENT CONSENT ORDERS) REGULATIONS 2011
NOTICE OF APPLICATION TO MAKE A NON-MATERIAL CHANGE TO THE FOLLOWING
DEVELOPMENT CONSENT ORDER:
THE NORFOLK VANGUARD OFFSHORE WIND FARM ORDER 2022 (SI 2022/138)

1. An application has been made by Norfolk Vanguard Limited and Norfolk Vanguard East Limited (the **Applicant**) to the Secretary of State for Energy Security and Net Zero to make a non-material change to the Norfolk Vanguard Offshore Wind Farm Order 2022 (the **Order**) (**Application**). The contact details of the Applicant are: Norfolk Vanguard Limited and Norfolk Vanguard East Limited, both of, 5th Floor 70, St Mary Axe, London, United Kingdom, EC3A 8BE and info@norfolkvanguard.co.uk.
2. The Order granted consent on 11 February 2022 for the development of an offshore wind farm comprising two distinct areas, NV East and NV West, which are located in the southern North Sea, approximately, 70km and 47km from the coast of Norfolk respectively (at the nearest points) (the **Project**). The Project, located in the southern North Sea, covers an area of approximately 828km². Offshore cables transmitting power from the Project make landfall south of Happisburgh. From there underground cables continue approximately 60km to an onshore project substation, and connect into the National Grid substation near Necton, Norfolk. A non-material change to the Order was approved by the Secretary of State on 28th September 2022, which removed the capacity limit for the Project.
3. As part of the detailed design process, it has been determined that the bundled marine cables will need to be split at an offshore location within the Order limits, between one and two kilometres from the coast, and pulled through separate ducts. This will ensure the cables do not overheat. To facilitate this, the Application seeks to make a non-material change to amend the Order to increase the number of cable ducts at the landfall site from two to four. The non-material change will also seek to increase the number of reserve drills from one to two in case of drill failure. The Application does not seek to make any other changes offshore and therefore no changes to the Projects Deemed Marine Licences are required.
4. The Application documents can be accessed free of charge electronically at the National Infrastructure Planning Portal (under Norfolk Vanguard, Documents, Documents Published By Stage "Decided", Non-Material Change):
<https://infrastructure.planninginspectorate.gov.uk/projects/eastern/norfolk-vanguard/?ipcsection=docs&stage=7&filter1=Non-Material+Change>.
5. The latest date that these documents will be available for inspection is 23:59 on 29 August 2023.
6. Any enquiries on the documents can be sent to the Applicant by emailing the Stakeholder Engagement Team on info@norfolkvanguard.co.uk or by calling 0800 019 3517. Paper copies can be requested from the Applicant by emailing info@norfolkvanguard.co.uk but will be subject to a maximum charge of £150 for each copy.
7. To benefit the environment, it is preferable for any representation about the application to be sent by email to the Planning Inspectorate at NorfolkVanguard@planninginspectorate.gov.uk. Alternatively, in writing to: **National Infrastructure Planning, The Planning Inspectorate, Temple Quay House, 2 The Square Temple Quay Bristol BS1 6PN**. The Planning Inspectorate reference for the Application (EN010079) should be quoted in any correspondence. If you have difficulty in submitting a representation, please contact NorfolkVanguard@planninginspectorate.gov.uk or 0303 444 5000 and a member of the Planning Inspectorate's case team will be able to assist.
8. Please note that any representations received by the Planning Inspectorate in response to the consultation will be handled in compliance with the United Kingdom's General Data Protection Regulation and published on the relevant page of the Planning Inspectorate's Infrastructure Planning Portal (<https://infrastructure.planninginspectorate.gov.uk/projects/eastern/norfolk%20-%20Vanguard/>) with all personal information removed.
9. The deadline for the receipt of representations in relation to the Application is 23:59 on 29 August 2023.

DRAFT