

Note:

This appendix provides copies of Figures 14.20b to 14.22d produced by SKM Enviros in support of the Kentish Flats Offshore Wind Farm Extension project.

This information has been used to inform Section 14 Landscape, Seascape and Visual Character of the Environmental Statement.

Appendix 14.6


Figures and Photo Montages – Figures 14.20b to 14.22d
IPC Document Ref: 4.3.6i

Ref: C:\EIA\Projects\JE30160\Deliverables\Drawings\Envir\Drawg



Viewpoint 12: Thanet, Existing View (75° Angle of View)

File name: JE30160_020_Viewpoint 12 Location Plan.dwg



Viewpoint 12: Thanet, Proposed Wireframe (75° Angle of View)

Copyright SKM Enviros



VIEWING INSTRUCTIONS

The above visualisation is made up of three 50mm photographs joined together horizontally to form an overall field of view of 75°. The visualisation gives an impression of the appearance of the proposed development as it would be seen in the existing view. For correct perspective viewing, this image should be viewed at a distance of 30cm with one eye whilst curving the image in an arc of 75°. This image should only be assessed in the field from the same viewpoint location. It should be noted that in reality neither photographs or visualisations can convey a view exactly as it would be seen by the human eye.

OS Grid Reference: TR 35800 67732
Bearing to Site: 294°
Approx Distance to Site: 20.01km
Camera Model: Canon 5D
Focal Length: 50mm
Camera Height: Approx 1.5m
Date: 04/11/2010
Time: 16:43

KENTISH FLATS EXTENSION			
Figure 14.20c Viewpoint 12 - Thanet			
SCALE	N/A	PROJECT NO. JE30160	CONTENT PD
DRAWN	CW	CHECKED	DATE NO JUNE 2011



Viewpoint 12: Thanet, Existing View (39.6° Angle of View)



VIEWING INSTRUCTIONS

The above image illustrates a single frame taken using a 50mm lens and comprises a field of view of 39.6°. For correct perspective viewing, this image should be viewed at a distance of 50cm with both eyes. The image should only be assessed in the field from the same viewpoint location. It should be noted that in reality neither photographs or visualisations can convey a view exactly as it would be seen by the human eye.


To ensure the image is viewed correctly this sheet must be viewed/printed at a size of 42cm x 29.7cm.

OS Grid Reference:	TR 35800 67732
Bearing to Site:	294°
Approx Distance to Site:	20.01km
Camera Model:	Canon 5D
Focal Length:	50mm
Camera Height:	Approx 1.5m
Date:	04/11/2010
Time:	16:43

KENTISH FLATS EXTENSION

**Figure 14.20d
Viewpoint 12 - Thanet**

SCALE	PROJECT NO.	CONTENT
N/A	JE30160	PD
DRAWN	CHECKED	DATE
CW	NO	JUNE 2011



Viewpoint 12: Thanet, Proposed Wireframe (39.6° Angle of View)



VIEWING INSTRUCTIONS

The above image illustrates a single frame taken using a 50mm lens and comprises a field of view of 39.6°. For correct perspective viewing, this image should be viewed at a distance of 50cm with both eyes. The image should only be assessed in the field from the same viewpoint location. It should be noted that in reality neither photographs or visualisations can convey a view exactly as it would be seen by the human eye.

To ensure the image is viewed correctly this sheet must be viewed/printed at a size of 42cm x 29.7cm.

OS Grid Reference:
Bearing to Site:
Approx Distance to Site:
Camera Model:
Focal Length:
Camera Height:
Date:
Time:

TR 35800 67732
294°
20.01km
Canon 5D
50mm
Approx 1.5m
04/11/2010
16:43

KENTISH FLATS EXTENSION


Figure 14.20e
Viewpoint 12 - Thanet

SCALE	N/A	PROJECT NO.	JE30160	CONTENT	PD
DRAWN	CW	CHECKED	NO	DATE	JUNE 2011




Ref: I:\EIA\Projects\JE30160\Deliverables\Drawings\Envir\DWG

File name: JE30160_021_Viewpoint 13 Location Plan.dwg

Copyright SKM Enviros.



KEY:

-  Viewpoint Location
-  Viewcone: 75° Angle of View
-  Viewcone: 39.6° Angle of View (single frame)

REV.	DESCRIPTION	DATE



KENTISH FLATS OFFSHORE WIND FARM EXTENSION

Figure 14.21a

VIEWPOINT 13 - FAVERSHAM VIEWPOINT LOCATION PLAN


SCALE	PROJECT NO.
1:50,000 @ A3	JE30160
CONTENT	DRAWN
PD	CW
CHECKED	DATE
NO	JUNE 2011



OS Grid Reference: 601802, 162896
 Bearing to Site: 41°
 Approx Distance to Site: 17.24km
 Camera Model: Canon 5D
 Focal Length: 50mm
 Camera Height: Approx 1.5m
 Date: 06/11/2010
 Time: 16:18



Viewpoint 13: Faversham, Existing View (75° Angle of View)



Viewpoint 13: Faversham, Existing Wireframe (75° Angle of View)



VIEWING INSTRUCTIONS

The above visualisation is made up of three 50mm photographs joined together horizontally to form an overall field of view of 75°. The visualisation gives an impression of the appearance of the proposed development as it would be seen in the existing view. For correct perspective viewing, this image should be viewed at a distance of 30cm with one eye whilst curving the image in an arc of 75°. This image should only be assessed in the field from the same viewpoint location. It should be noted that in reality neither photographs or visualisations can convey a view exactly as it would be seen by the human eye.

OS Grid Reference:	TR 01802 62896
Bearing to Site:	41°
Approx Distance to Site:	17.24km
Camera Model:	Canon 5D
Focal Length:	50mm
Camera Height:	Approx 1.5m
Date:	06/11/2010
Time:	16:18


KENTISH FLATS EXTENSION

**Figure 14.21b
Viewpoint 13 - Faversham**

SCALE	N/A	PROJECT NO.	JE30160	CONTENT	PD
DRAWN	CW	CHECKED	NO	DATE	JUNE 2011



Viewpoint 13: Faversham, Existing View (75° Angle of View)



Viewpoint 13: Faversham, Proposed Wireframe (75° Angle of View)



VIEWING INSTRUCTIONS

The above visualisation is made up of three 50mm photographs joined together horizontally to form an overall field of view of 75°. The visualisation gives an impression of the appearance of the proposed development as it would be seen in the existing view. For correct perspective viewing, this image should be viewed at a distance of 30cm with one eye whilst curving the image in an arc of 75°. This image should only be assessed in the field from the same viewpoint location. It should be noted that in reality neither photographs or visualisations can convey a view exactly as it would be seen by the human eye.

OS Grid Reference:	TR 01802 62896
Bearing to Site:	41°
Approx Distance to Site:	17.24km
Camera Model:	Canon 5D
Focal Length:	50mm
Camera Height:	Approx 1.5m
Date:	06/11/2010
Time:	16:18

KENTISH FLATS EXTENSION

**Figure 14.21c
Viewpoint 13 - Faversham**

SCALE	N/A	PROJECT NO.	JE30160	CONTENT	PD
DRAWN	CW	CHECKED	NO	DATE	JUNE 2011



Viewpoint 13: Faversham, Existing View (39.6° Angle of View)



VIEWING INSTRUCTIONS

The above image illustrates a single frame taken using a 50mm lens and comprises a field of view of 39.6°. For correct perspective viewing, this image should be viewed at a distance of 50cm with both eyes. The image should only be assessed in the field from the same viewpoint location. It should be noted that in reality neither photographs or visualisations can convey a view exactly as it would be seen by the human eye.

To ensure the image is viewed correctly this sheet must be viewed/printed at a size of 42cm x 29.7cm.


OS Grid Reference:
 Bearing to Site:
 Approx Distance to Site:
 Camera Model:
 Focal Length:
 Camera Height:
 Date:
 Time:

TR 01802 62896
 41°
 17.24km
 Canon 5D
 50mm
 Approx 1.5m
 06/11/2010
 16:18

KENTISH FLATS EXTENSION

**Figure 14.21d
 Viewpoint 13 - Faversham**

SCALE	N/A	PROJECT NO.	JE30160	CONTENT	PD
DRAWN	CW	CHECKED	NO	DATE	JUNE 2011



Viewpoint 13: Faversham, Proposed View (39.6° Angle of View)



VIEWING INSTRUCTIONS

The above image illustrates a single frame taken using a 50mm lens and comprises a field of view of 39.6°. For correct perspective viewing, this image should be viewed at a distance of 50cm with both eyes. The image should only be assessed in the field from the same viewpoint location. It should be noted that in reality neither photographs or visualisations can convey a view exactly as it would be seen by the human eye.

To ensure the image is viewed correctly this sheet must be viewed/printed at a size of 42cm x 29.7cm.

OS Grid Reference:	TR 01802 62896
Bearing to Site:	41°
Approx Distance to Site:	17.24km
Camera Model:	Canon 5D
Focal Length:	50mm
Camera Height:	Approx 1.5m
Date:	06/11/2010
Time:	16:18

KENTISH FLATS EXTENSION


Figure 14.21e
Viewpoint 13 - Faversham

SCALE	N/A	PROJECT NO.	JE30160	CONTENT	PD
DRAWN	CW	CHECKED	NO	DATE	JUNE 2011




Ref: C:\EIA\Projects\JE30160\Deliverables\Drawings\Envir\Drawg

File name: JE30160_022_Viewpoint 14_Location Plan.dwg

Copyright SKM Enviros.



KEY:

-  Viewpoint Location
-  Viewcone: 75° Angle of View
-  Viewcone: 39.6° Angle of View (single frame)

REV.	DESCRIPTION	DATE



KENTISH FLATS OFFSHORE WIND FARM EXTENSION

Figure 14.22a

VIEWPOINT 14 - SHEERNESS VIEWPOINT LOCATION PLAN

SCALE	PROJECT NO.
1:50,000 @ A3	JE30160
CONTENT	DRAWN
PD	CW
CHECKED	DATE
NO	JUNE 2011




OS Grid Reference: 592102, 175072
 Bearing to Site: 84°
 Approx Distance to Site: 19.84km
 Camera Model: Canon 5D
 Focal Length: 50mm
 Camera Height: Approx 1.5m
 Date: 06/11/2010
 Time: 14:29

Ref: C:\EIA\Projects\JE30160\Deliverables\Drawings\Envir\Drawg



Viewpoint 14: Sheerness, Existing View (75° Angle of View)

File name: JE30160_022_Viewpoint 14 Location Plan.dwg



Viewpoint 14: Sheerness, Existing Wireframe (75° Angle of View)



VIEWING INSTRUCTIONS

The above visualisation is made up of three 50mm photographs joined together horizontally to form an overall field of view of 75°. The visualisation gives an impression of the appearance of the proposed development as it would be seen in the existing view. For correct perspective viewing, this image should be viewed at a distance of 30cm with one eye whilst curving the image in an arc of 75°. This image should only be assessed in the field from the same viewpoint location. It should be noted that in reality neither photographs or visualisations can convey a view exactly as it would be seen by the human eye.

OS Grid Reference: TQ 92102 75072
 Bearing to Site: 84°
 Approx Distance to Site: 19.84km
 Camera Model: Canon 5D
 Focal Length: 50mm
 Camera Height: Approx 1.5m
 Date: 06/11/2010
 Time: 14:29

KENTISH FLATS EXTENSION

**Figure 14.22b
Viewpoint 14 - Sheerness**

SCALE	N/A	PROJECT NO.	JE30160	CONTENT	PD
DRAWN	CW	CHECKED	NO	DATE	JUNE 2011


Copyright SKM Enviros.

Ref: C:\EIA\Projects\JE30160\Deliverables\Drawings\Envir\Drawings



Viewpoint 14: Sheerness, Existing View (75° Angle of View)

File name: JE30160_022_Viewpoint 14_Location Plan.dwg



Viewpoint 14: Sheerness, Proposed Wireframe (75° Angle of View)

Copyright SKM Enviros



VIEWING INSTRUCTIONS

The above visualisation is made up of three 50mm photographs joined together horizontally to form an overall field of view of 75°. The visualisation gives an impression of the appearance of the proposed development as it would be seen in the existing view. For correct perspective viewing, this image should be viewed at a distance of 30cm with one eye whilst curving the image in an arc of 75°. This image should only be assessed in the field from the same viewpoint location. It should be noted that in reality neither photographs or visualisations can convey a view exactly as it would be seen by the human eye.

OS Grid Reference: TQ 92102 75072
 Bearing to Site: 84°
 Approx Distance to Site: 19.84km
 Camera Model: Canon 5D
 Focal Length: 50mm
 Camera Height: Approx 1.5m
 Date: 06/11/2010
 Time: 14:29

KENTISH FLATS EXTENSION

Figure 14.22c
 Viewpoint 14 - Sheerness

SCALE	N/A	PROJECT NO.	JE30160	CONTENT	PD
DRAWN	CW	CHECKED	NO	DATE	JUNE 2011



Viewpoint 14: Sheerness, Existing View (39.6° Angle of View)



VIEWING INSTRUCTIONS

The above image illustrates a single frame taken using a 50mm lens and comprises a field of view of 39.6°. For correct perspective viewing, this image should be viewed at a distance of 50cm with both eyes. The image should only be assessed in the field from the same viewpoint location. It should be noted that in reality neither photographs or visualisations can convey a view exactly as it would be seen by the human eye.

To ensure the image is viewed correctly this sheet must be viewed/printed at a size of 42cm x 29.7cm.

OS Grid Reference:
Bearing to Site:
Approx Distance to Site:
Camera Model:
Focal Length:
Camera Height:
Date:
Time:

TQ 92102 75072
84°
19.84km
Canon 5D
50mm
Approx 1.5m
06/11/2010
14:29

KENTISH FLATS EXTENSION

**Figure 14.22d
Viewpoint 14 - Sheerness**

SCALE	PROJECT NO.	CONTENT
N/A	JE30160	PD
DRAWN	CHECKED	DATE
CW	NO	JUNE 2011