

Note:

This appendix provides copies of Figures 14.15b to 14.17e produced by SKM Enviros in support of the Kentish Flats Offshore Wind Farm Extension project.

This information has been used to inform Section 14 Landscape, Seascape and Visual Character of the Environmental Statement.

## **Appendix 14.6**

Figures and Photo Montages – Figures 14.15b to 14.17e  
IPC Document Ref: 4.3.6g

---






Ref: C:\EIA\Projects\JE30160\Deliverables\Drawings\Envir\Drawings



Viewpoint 7: Pier At Southend, Existing View (75° Angle of View)

File name: JE30160\_015\_Viewpoint 7 Location Plan.dwg



Viewpoint 7: Pier At Southend, Proposed Wireframe (75° Angle of View)

Copyright SKM Enviros.



**VIEWING INSTRUCTIONS**


The above visualisation is made up of three 50mm photographs joined together horizontally to form an overall field of view of 75°. The visualisation gives an impression of the appearance of the proposed development as it would be seen in the existing view. For correct perspective viewing, this image should be viewed at a distance of 30cm with one eye whilst curving the image in an arc of 75°. This image should only be assessed in the field from the same viewpoint location. It should be noted that in reality neither photographs or visualisations can convey a view exactly as it would be seen by the human eye.

OS Grid Reference:	TQ 88975 83090
Bearing to Site:	103°
Approx Distance to Site:	21.92km
Camera Model:	Canon 5D
Focal Length:	50mm
Camera Height:	Approx 1.5m
Date:	06/11/2010
Time:	11:33

**KENTISH FLATS EXTENSION**

**Figure 14.15c  
Viewpoint 7 - Pier At Southend**

SCALE	PROJECT NO.	CONTENT
N/A	JE30160	PD
DRAWN	CHECKED	DATE
CW	NO	JUNE 2011



Viewpoint 7: Pier At Southend, Existing Wireframe (39.6° Angle of View)



**VIEWING INSTRUCTIONS**

The above image illustrates a single frame taken using a 50mm lens and comprises a field of view of 39.6°. For correct perspective viewing, this image should be viewed at a distance of 50cm with both eyes. The image should only be assessed in the field from the same viewpoint location. It should be noted that in reality neither photographs or visualisations can convey a view exactly as it would be seen by the human eye.

To ensure the image is viewed correctly this sheet must be viewed/printed at a size of 42cm x 29.7cm.


OS Grid Reference:  
 Bearing to Site:  
 Approx Distance to Site:  
 Camera Model:  
 Focal Length:  
 Camera Height:  
 Date:  
 Time:

TQ 88975 83090  
 103°  
 21.92km  
 Canon 5D  
 50mm  
 Approx 1.5m  
 06/11/2010  
 11:33

**KENTISH FLATS EXTENSION**

**Figure 14.15d  
 Viewpoint 7 - Pier At Southend**

SCALE	PROJECT NO.	CONTENT
N/A	JE30160	PD
DRAWN	CHECKED	DATE
CW	NO	JUNE 2011



Viewpoint 7: Pier At Southend, Proposed Wireframe (39.6° Angle of View)



VIEWING INSTRUCTIONS

The above image illustrates a single frame taken using a 50mm lens and comprises a field of view of 39.6°. For correct perspective viewing, this image should be viewed at a distance of 50cm with both eyes. The image should only be assessed in the field from the same viewpoint location. It should be noted that in reality neither photographs or visualisations can convey a view exactly as it would be seen by the human eye.

To ensure the image is viewed correctly this sheet must be viewed/printed at a size of 42cm x 29.7cm.

OS Grid Reference:	TQ 88975 83090
Bearing to Site:	103°
Approx Distance to Site:	21.92km
Camera Model:	Canon 5D
Focal Length:	50mm
Camera Height:	Approx 1.5m
Date:	06/11/2010
Time:	11:33

KENTISH FLATS EXTENSION


Figure 14.15e  
Viewpoint 7 - Pier At Southend

SCALE	N/A	PROJECT NO.	JE30160	CONTENT	PD
DRAWN	CW	CHECKED	NO	DATE	JUNE 2011

Ref: I:\EIA\Projects\JE30160\Deliverables\Drawings\Envr\DWG

File name: JE30160\_016\_Viewpoint 8 Location Plan.dwg

Copyright SKM Enviros.



OS Grid Reference: 602382, 171806  
 Bearing to Site: 65°  
 Approx Distance to Site: 11.13km  
 Camera Model: Canon 5D  
 Focal Length: 50mm  
 Camera Height: Approx 1.5m  
 Date: 06/11/2010  
 Time: 15:09

**KEY:**

-  Viewpoint Location
-  Viewcone: 75° Angle of View
-  Viewcone: 39.6° Angle of View (single frame)

REV.	DESCRIPTION	DATE



**KENTISH FLATS OFFSHORE WIND FARM EXTENSION**

**Figure 14.16a**

**VIEWPOINT 8 - WARDEN VIEWPOINT LOCATION PLAN**

SCALE	PROJECT NO.
1:50,000 @ A3	JE30160
CONTENT	DRAWN
PD	CW
CHECKED	DATE
NO	JUNE 2011











Viewpoint 8: Warden, Existing View (39.6° Angle of View)



**VIEWING INSTRUCTIONS**

The above image illustrates a single frame taken using a 50mm lens and comprises a field of view of 39.6°. For correct perspective viewing, this image should be viewed at a distance of 50cm with both eyes. The image should only be assessed in the field from the same viewpoint location. It should be noted that in reality neither photographs or visualisations can convey a view exactly as it would be seen by the human eye.

To ensure the image is viewed correctly this sheet must be viewed/printed at a size of 42cm x 29.7cm.

OS Grid Reference:  
Bearing to Site:  
Approx Distance to Site:  
Camera Model:  
Focal Length:  
Camera Height:  
Date:  
Time:

TR 02382 71806  
65°  
11.13km  
Canon 5D  
50mm  
Approx 1.5m  
06/11/2010  
15:09

**KENTISH FLATS EXTENSION**

**Figure 14.16d  
Viewpoint 8 - Warden**

SCALE	N/A	PROJECT NO.	JE30160	CONTENT	PD
DRAWN	CW	CHECKED	NO	DATE	JUNE 2011



Viewpoint 8: Warden, Proposed View (39.6° Angle of View)



**VIEWING INSTRUCTIONS**

The above image illustrates a single frame taken using a 50mm lens and comprises a field of view of 39.6°. For correct perspective viewing, this image should be viewed at a distance of 50cm with both eyes. The image should only be assessed in the field from the same viewpoint location. It should be noted that in reality neither photographs or visualisations can convey a view exactly as it would be seen by the human eye.

To ensure the image is viewed correctly this sheet must be viewed/printed at a size of 42cm x 29.7cm.

OS Grid Reference:	TR 02382 71806
Bearing to Site:	65°
Approx Distance to Site:	11.13km
Camera Model:	Canon 5D
Focal Length:	50mm
Camera Height:	Approx 1.5m
Date:	06/11/2010
Time:	15:09

**KENTISH FLATS EXTENSION**

**Figure 14.16e  
Viewpoint 8 - Warden**

SCALE	PROJECT NO.	CONTENT
N/A	JE30160	PD
DRAWN	CHECKED	DATE
CW	NO	JUNE 2011

Ref: I:\EIA\Projects\JE30160\Deliverables\Drawings\Envir\Drawg

File name: JE30160\_017\_Viewpoint 9 Location Plan.dwg

Copyright SKM Enviros.



KEY:

-  Viewpoint Location
-  Viewcone: 75° Angle of View
-  Viewcone: 39.6° Angle of View (single frame)

REV.	DESCRIPTION	DATE



**KENTISH FLATS OFFSHORE WIND FARM EXTENSION**

**Figure 14.17a**

**VIEWPOINT 9 - MARGATE VIEWPOINT LOCATION PLAN**

SCALE	PROJECT NO.
1:50,000 @ A3	JE30160
CONTENT	DRAWN
PD	CW
CHECKED	DATE
NO	JUNE 2011




OS Grid Reference: 635123, 171186  
 Bearing to Site: 287°  
 Approx Distance to Site: 18.05km  
 Camera Model: Canon 5D  
 Focal Length: 50mm  
 Camera Height: Approx 1.5m  
 Date: 04/11/2010  
 Time: 16:05

Ref: I:\EIA\Projects\JE30160\Deliverables\Drawings\Envir\Drawg



Viewpoint 9: Margate, Existing View (75° Angle of View)

File name: JE30160\_017\_Viewpoint 9 Location Plan.dwg



Viewpoint 9: Margate, Existing Wireframe (75° Angle of View)

Copyright SKM Enviros.



**VIEWING INSTRUCTIONS**

The above visualisation is made up of three 50mm photographs joined together horizontally to form an overall field of view of 75°. The visualisation gives an impression of the appearance of the proposed development as it would be seen in the existing view. For correct perspective viewing, this image should be viewed at a distance of 30cm with one eye whilst curving the image in an arc of 75°. This image should only be assessed in the field from the same viewpoint location. It should be noted that in reality neither photographs or visualisations can convey a view exactly as it would be seen by the human eye.

OS Grid Reference: TR 35123 71186  
 Bearing to Site: 287°  
 Approx Distance to Site: 18.05km  
 Camera Model: Canon 5D  
 Focal Length: 50mm  
 Camera Height: Approx 1.5m  
 Date: 04/11/2010  
 Time: 16:05

**KENTISH FLATS EXTENSION**

**Figure 14.17b  
Viewpoint 9 - Margate**

SCALE	N/A	PROJECT NO.	JE30160	CONTENT	PD
DRAWN	CW	CHECKED	NO	DATE	JUNE 2011

Ref: C:\EIA\Projects\JE30160\Deliverables\Drawings\Envir\Drawg



Viewpoint 9: Margate, Existing View (75° Angle of View)

File name: JE30160\_017\_Viewpoint 9 Location Plan.dwg



Viewpoint 9: Margate, Proposed View (75° Angle of View)

Copyright SKM Enviros.



**VIEWING INSTRUCTIONS**

The above visualisation is made up of three 50mm photographs joined together horizontally to form an overall field of view of 75°. The visualisation gives an impression of the appearance of the proposed development as it would be seen in the existing view. For correct perspective viewing, this image should be viewed at a distance of 30cm with one eye whilst curving the image in an arc of 75°. This image should only be assessed in the field from the same viewpoint location. It should be noted that in reality neither photographs or visualisations can convey a view exactly as it would be seen by the human eye.

OS Grid Reference: TR 35123 71186  
 Bearing to Site: 287°  
 Approx Distance to Site: 18.05km  
 Camera Model: Canon 5D  
 Focal Length: 50mm  
 Camera Height: Approx 1.5m  
 Date: 04/11/2010  
 Time: 16:05

**KENTISH FLATS EXTENSION**

**Figure 14.17c  
 Viewpoint 9 - Margate**

SCALE	PROJECT NO.	CONTENT
N/A	JE30160	PD
DRAWN	CHECKED	DATE
CW	NO	JUNE 2011

Ref: E:\EIA\Projects\JE30160\Deliverables\Drawings\Envir\Drawg



Viewpoint 9: Margate, Existing View (75° Angle of View)

File name: JE30160\_017\_Viewpoint 9 Location Plan.dwg



Viewpoint 9: Margate, Proposed View (75° Angle of View)

Copyright SKM Enviros.



**VIEWING INSTRUCTIONS**

The above visualisation is made up of three 50mm photographs joined together horizontally to form an overall field of view of 75°. The visualisation gives an impression of the appearance of the proposed development as it would be seen in the existing view. For correct perspective viewing, this image should be viewed at a distance of 30cm with one eye whilst curving the image in an arc of 75°. This image should only be assessed in the field from the same viewpoint location. It should be noted that in reality neither photographs or visualisations can convey a view exactly as it would be seen by the human eye.

OS Grid Reference: TR 35123 71186  
 Bearing to Site: 287°  
 Approx Distance to Site: 18.05km  
 Camera Model: Canon 5D  
 Focal Length: 50mm  
 Camera Height: Approx 1.5m  
 Date: 04/11/2010  
 Time: 16:05

**KENTISH FLATS EXTENSION**

**Figure 14.17d  
 Viewpoint 9 - Margate**

SCALE	PROJECT NO.	CONTENT
N/A	JE30160	PD
DRAWN	CHECKED	DATE
CW	NO	JUNE 2011



Viewpoint 9: Margate, Existing View (39.6° Angle of View)



**VIEWING INSTRUCTIONS**

The above image illustrates a single frame taken using a 50mm lens and comprises a field of view of 39.6°. For correct perspective viewing, this image should be viewed at a distance of 50cm with both eyes. The image should only be assessed in the field from the same viewpoint location. It should be noted that in reality neither photographs or visualisations can convey a view exactly as it would be seen by the human eye.

To ensure the image is viewed correctly this sheet must be viewed/printed at a size of 42cm x 29.7cm.

OS Grid Reference:	TR 35123 71186
Bearing to Site:	287°
Approx Distance to Site:	18.05km
Camera Model:	Canon 5D
Focal Length:	50mm
Camera Height:	Approx 1.5m
Date:	04/11/2010
Time:	16:05

**KENTISH FLATS EXTENSION**

**Figure 14.17e  
Viewpoint 9 - Margate**

SCALE	PROJECT NO.	CONTENT
N/A	JE30160	PD
DRAWN	CHECKED	DATE
CW	NO	JUNE 2011