

# **Vattenfall Wind Power Ltd**

## **Thanet Extension Offshore Wind Farm**

### Appendix 17 to Deadline 6 Submission: Statement of Common Ground – Port of London Authority

Relevant Examination Deadline: 6

Submitted by Vattenfall Wind Power Ltd

Date: May 2019

Revision C

Date	Issue No.	Remarks / Reason for Issue	Author	Checked	Approved
08/11/2018	01	Draft for comment	GoBe	GoBe	Vattenfall
15/01/19	A	Original document submitted to the ExA	GoBe	GoBe	Vattenfall
05/02/2019	B	Addressing Deadline 1 issues – submitted by PLA without comment from the Applicant	PLA	PLA	PLA
03/05/2019	03	Revised draft for comment provided to PLA	GoBe	GoBe	Vattenfall
20/05/19	04	Revised draft returned from PLA	PLA	PLA	PLA
28/05/19	C	Revised document submitted to the ExA	GoBe	GoBe	Vattenfall

## Table of Contents

1	Introduction .....	4
1.1	Overview .....	4
1.2	Approach to SoCG .....	4
1.3	The Development.....	5
2	Port of London Authority’s Remit.....	7
3	Consultation.....	9
3.1	Application elements under the PLA’s remit .....	9
3.2	Consultation Summary.....	9
3.3	Post-application Consultation.....	10
4	Agreements Log .....	12
4.1	Shipping and Navigation .....	12
5	Matters under disagreement.....	26
	Table 1: Consultation undertaken with the PLA pre-application .....	10
	Table 2: Consultation undertaken with the PLA post-application.....	11
	Table 3: Status of discussions relating to Shipping and Navigation. ....	13

## 1 Introduction

### 1.1 Overview

- 1 This Statement of Common Ground (SoCG) relates to the proposed development of the Thanet Extension Offshore Wind Farm (Thanet Extension). It has been prepared with respect to the application made by Vattenfall Wind Power Ltd (VWPL) (the Applicant) for a development consent order (DCO) to the Planning Inspectorate (PINS) under the Planning Act 2008 (the Application).
- 2 This SoCG with the Port of London Authority (PLA) is a means of clearly stating any areas of agreement and disagreement between the two parties in relation to the Application. The SoCG has been structured to reflect the topics of interest to the PLA on the Application.
- 3 It is the intention that this document will help facilitate post application discussions between both parties and also give the Examining Authority (Ex. A) an early sight of the level of common ground between both parties from the outset of the examination process.

### 1.2 Approach to SoCG

- 4 This SoCG has been developed during the pre-examination phase of the Thanet Extension. In accordance with discussions between the Applicant and the PLA, the SoCG is focused on those issues raised by the PLA within its response to Section 42 consultation that has underpinned the pre-application consultation between the parties.
- 5 The structure of the SoCG is as follows:
  - Section 1: Introduction;
  - Section 2: PLA's Remit;
  - Section 3: Consultation;
  - Section 4: Agreements Log; and
  - Section 5: Matters under discussion.

## 1.3 The Development

6 The Application is for development consent for VWPL to construct and operate the Thanet Extension Offshore Wind Farm (Thanet Extension) under the Planning Act 2008.

7 Thanet Extension will, if consent is granted, comprise of wind turbine generators (WTGs) and all the infrastructure required to transmit the power generated to the national grid. A maximum of 34 WTGs will be installed with a power output of 340 MW. The project will install up to four offshore export cables and may require the installation of one Offshore Substation (OSS) and up to one Meteorological Mast.

8 The key offshore components of Thanet Extension are likely to include:

- Offshore WTGs;
- OSS (if required);
- Meteorological Mast (if required);
- Foundations;
- Subsea inter-array cables linking individual WTGs;
- Subsea export cables from the OWF to shore; and
- Scour protection around foundations and on inter-array and export cables (if required).

9 The offshore elements of the project comprise an offshore export cable corridor (Work Area 3), and Work Areas 1 and 2. Work Areas 1 and 2 have an area of 68.8 km<sup>2</sup> and comprise the Array Area (59.5 km<sup>2</sup>) and the Structures Exclusions Zone (9.3 km<sup>2</sup>). The Structures Exclusion Zone is an area subject to some restrictions on what can be placed within it, as described in Annex A of Appendix 7 of the Applicant's Deadline 5 Submission and Schedule 1, Part 3, Requirement 6 of the draft DCO. The Order Limits surround the existing Thanet Offshore Wind Farm (TOWF). It is located approximately 8 km Northeast of the Isle of Thanet, situated in the County of Kent. Each WTG will have a maximum blade tip height of 250 m above Mean High Water Springs (MHWS), a maximum diameter of 220 m and a minimum 22 m clearance between the MHWS and the lowest point of the rotor.

- 10 Electricity generated will be carried via a maximum of four high voltage subsea cables to the landfall site, situated at Pegwell Bay. Offshore cables will be connected to the onshore cables and ultimately the national grid network at Richborough Energy Park. The onshore cable corridor is 2.6 km in length at its fullest extent.
- 11 More details on the proposed development are described in the Environmental Statement (ES) Volume 2, Chapter 1: Project Description (Offshore) (Application Ref 6.2.1) and Volume 3, Chapter 1: Project Description (Onshore) (Application Ref 6.3.1) of the Environmental Statement.

## 2 Port of London Authority's Remit

- 12 The PLA is the statutory harbour authority for the tidal River Thames (“the River”) between Teddington and the outer Thames Estuary. It is governed by the Port of London Act 1968 (“the 1968 Act”). Its statutory functions include responsibility for conservancy, hydrographic surveying, dredging, managing the public navigation and controlling vessel movements.
- 13 Under section 66 of the 1968 Act, the PLA’s licence is required for the construction by other people of any works in, on, under or over the River and, under section 73, for the carrying out of dredging or other comparable operations. The PLA provides moorings in the River and licenses their provision by others. As the body responsible for licensing river works and moorings, the PLA must have special regard for the unimpeded use of and access to licensed works by the PLA’s existing licensees.
- 14 The proposed extension of the wind farm under the dDCO lies outside the PLA’s statutory limits under the 1968 Act. However, the PLA’s functions include the promotion of the use of the River for freight and passengers as an important and sustainable transport corridor for London and access to the River is therefore a key concern for the PLA.
- 15 The proposals under the draft DCO are in close proximity to the PLA’s pilot boarding locations, with that at the North East Spit most affected by the proposed westwards extension of the wind farm. Moreover, the proposals have the potential to impact on the operation of the Port. The proposals would encroach into the existing shipping lanes, lengthening journey times into the Port for commercial services that would have to re-route around an extended wind farm.

- 16 The PLA is a competent harbour authority for the purposes of the Pilotage Act 1987 (“the Pilotage Act”), as it has powers and duties under the 1968 Act to improve, maintain and manage the Port of London. As a competent harbour authority, the PLA – under s.2 of the Pilotage Act – is under a duty to keep under consideration whether it needs to provide pilotage services to secure the safety of ships navigating in or in the approaches to its harbour. The PLA is therefore under an obligation to provide such services as need to be provided, which clearly can extend to providing pilotage services to ensure that when vessels enter into the PLA’s statutory limits, those vessels have the benefit of a pilot.
  
- 17 The PLA is a trust port. Accordingly, it manages the River for the benefit of all river users and is obliged to turn its assets to account for the benefit of its statutory undertaking. As part of this obligation it must also minimise the conservancy and other charges payable under the 1968 Act by river users. The PLA is wholly funded by such charges and the other funds it generates: it does not receive any central or other Government subsidy.



### 3 Consultation

#### 3.1 Application elements under the PLA's remit

18 Work Nos. 1 - 3A, detailed in Part 1 of Schedule 1 of the draft DCO describe the elements of Thanet Extension which may affect the interests of the PLA.

19 The PLA oversees 95 miles of the River Thames. They work to keep commercial and leisure users safe, protect and enhance the environment and promote the use of the river for trade and travel.

20 The technical components of the DCO application of relevance to the PLA (and therefore considered within this SoCG) comprise:

- Volume 2, Chapter 1: Project Description (Offshore) (Application Ref 6.2.1);
- Volume 2, Chapter 10: Shipping and Navigation (Application Ref 6.2.10);
- Volume 4, Annex 10-1: Navigational Risk Assessment (Application Ref 6.4.10.1);
- • Navigational Risk Assessment Addendum (Revision B) (REP5-XXX); and

Volume 4, Annex 10-2: Pilot Transfer Bridge Simulation Report.

#### 3.2 Consultation Summary

21 This section briefly summarises the consultation that VWPL has undertaken with the PLA. Engagement during the pre-application phase, both statutory and non-statutory, is summarised in Table 1.

**Table 1: Consultation undertaken with the PLA pre-application**

Date & Type:	Detail:
26 <sup>th</sup> January 2016 Meeting	Introduction to the project and initial summary of PLA concerns
November 2016 Meeting	Pre-scoping meeting
January 2017 Email correspondence	Pre-scoping
February 2017	Scoping Response
May 2017 Meeting	Pilotage study meeting
July 2017 Meeting	Pilotage study meeting
September 2017 Meeting	Pilotage study workshop
December 2017 Meeting	NRA Meeting
January 2018, S42 Consultation	Comments relating to the Preliminary Environmental Information Report

### 3.3 Post-application Consultation

22 VWPL has engaged with the PLA since the Thanet Extension development was accepted for examination by the Planning Inspectorate on 23<sup>rd</sup> July 2018. A summary of the post-application consultation with the PLA is detailed in Table 2.

**Table 2: Consultation undertaken with the PLA post-application**

Date/ Type:	Detail:
August 2018	VWPL presentation to PLA and other parties regarding submitted application, confirmation of jurisdiction, findings of the bridge simulation. Comment from PLA: The PLA were not asked for opinions or given an opportunity to comment on the application. Comment from VWPL: the response from other attendees at this meeting was that they were not in a position to make specific comments due to continuing review of the application ahead of Relevant Representations.
February 2019	Meeting held with ESL and PLA to provide an opportunity to discuss the Applicant’s Deadline 2 submissions on sea room and pilotage, to go through this SoCG and to discuss possible mitigation.
February 2019	Navigation workshop
March 2019	SEZ call with PLA and ESL
March 2019	Hazard workshop managed by Marico acting for the Applicant. Only 4 out of 28 hazards were assessed due to a lack of time and differences between Interested Parties and Marico about the running of the workshop.
April 2019	Meeting with LPC. PLA in attendance as an observer.
April 2019	Call to relate to the PLA outputs from the Hazard workshop

## 4 Log of matters agreed and not agreed

- 23 The following section of this SoCG identifies the level of agreement between the parties for each relevant component of the application material (as identified in Section 3.1). In order to easily identify whether a matter is “agreed” or indeed “not agreed” a colour coding system of green and orange is used in the “final position” column to represent the respective status of discussions.

### 4.1 Shipping and Navigation

- 24 The Project will have an impact upon Shipping and Navigation and these interactions are duly considered within Volume 2, Chapter 10: Shipping and Navigation (Application Ref 6.2.10) of the ES. In addition, the NRA is presented within Volume 4, Annex 10-1: Navigational Risk Assessment (Application Ref 6.4.10.1). Table 3 identifies the status of discussions relating to this topic.

**Table 3: Status of discussions relating to Shipping and Navigation.**

Discussion Point	Thanet Extension Position	PLA Position	Final Position
Study area	<p>The study area used to inform the assessment of the project on shipping and navigation receptors was appropriate.</p> <p>The study area provides coverage of the DW boarding, but not all of the anchorage. The study area has been agreed as compliant with MGN543 for the NRA with MCA.</p>	<p>The study area was not agreed with the PLA. In particular, it does not encompass the Tongue DW anchorage or the relocated Tongue DW boarding position.</p>	Not agreed.
Red Line Boundary revision	<p>The extent of the red line boundary in the scheme as applied for following Section 42 consultation reduces interaction with the Port of London Authority area of concern.</p>	<p>It is not agreed that the red line boundary (RLB) as applied for addresses the PLA's concerns about the geographical extent of the scheme.</p> <p>The RLB plan (shared with the PLA in May 2018) showed a marginal decrease in the proposed area for the western extent of the site, which the accompanying statement suggested was a reduction by approximately 50% in comparison to an earlier pre-submission plan showing the extent of the scheme RLB. In fact, the area by</p>	<p>This statement has been superseded by the introduction of the SEZ.</p>

Discussion Point	Thanet Extension Position	PLA Position	Final Position
		<p>which the RLB had been reduced was minimal.</p> <p>The PLA acknowledged that its concerns had been considered, and that an attempt had been made to address them. However, the PLA still has a number of concerns regarding the proposal. The extent reduction of 50% was a 50% reduction of the north west tip, which is a very small part of the overall proposed extension area; in practice, the reduction was therefore much smaller than the figure of 50% suggests. The reduction does not address PLA concerns regarding the reduction in sea room to the west of the windfarm, which affects the shipping corridor running north west/south east between the windfarm and the shore.</p> <p>The existing windfarm already presents challenges to Pilots, especially during busy times within the Port of London</p>	

Discussion Point	Thanet Extension Position	PLA Position	Final Position
		<p>Authority’s area, and particularly during periods of strong winds. The existing windfarm has already pushed vessels navigating this channel west. The extension, even with the proposed modification, would continue to push vessels further west towards shallower waters, and reduce the width of sea room by 50%. The PLA made it clear to the Applicant that despite some changes to the proposed Application, its concerns – raised at both Scoping stage of the DCO process, and via its response to the PEIR – remain.</p> <p>The PLA invited further engagement from the Applicant in email correspondence in May 2018. Although a further meeting was held in August, this was by way of update by the Applicant, not a consultation.</p>	

Discussion Point	Thanet Extension Position	PLA Position	Final Position
SEZ	The SEZ accurately reflects and exceeds the searoom requirements for passing vessels as detailed within the IALA spatial planning guidance for calculating sea room.	The searoom recommendations within the IALA SP document recommend safety buffers outside of a lane/route. Safety buffers should be in addition to a route area calculation not within it.	Not agreed
SEZ	The IALA guidance is based on case studies for ports and port approaches busier than those present within the study area of concern and is therefore suitably precautionary.	<p>The IALA guidance provides a suitably precautionary approach where its recommendations are taken into account.</p> <p>The PLA does not agree that the Applicant has sufficiently followed the IALA guidance. The IALA SP document recommends multiple factors for consideration when assessing the study area and how ‘busy’ they are. As well as traffic volume, IALA recommends that reduced visibility, presence of leisure craft and additional WFSV traffic, ship characteristics (e.g. squat), room for larger vessels to make a round turn, poor met ocean conditions, visual</p>	Not agreed



Discussion Point	Thanet Extension Position	PLA Position	Final Position
		<p>impact on navigation and radar, vessels RIAM and vessels engaged in boarding/landing a pilot and access to shelter (anchorages) all be assessed. The Applicant has not assessed these.</p>	
SEZ	<p>The introduction of the SEZ provides 2nm clear sea room with a 1nm buffer in relation to the NE Spit pilot diamond. It is agreed than in the area of greatest pilotage density this searoom will be 3.4nm.</p> <p>These distances are adequate for both transit and pilotage boarding.</p>	<p>The SEZ provides 2nm + 1nm buffer from the Margate roads anchorage, not the NE Spit diamond. The inner diamond is 2nm + 0.5nm buffer from the SEZ.</p> <p>The distance of 3.4nm is a thin 'band' running East/West. The PLA believes it is too narrow and will reduce flexibility due to the western extent of the 3.4nm areas proximity to the Margate Roads anchorage and the NE Spit bank itself.</p>	Not agreed
SEZ	<p>The SEZ provides 2.5nm sea room between the NE Spit Racon buoy and the turbines, and that this is adequate due to it being an area of lower pilot activity. These distances are agreed to be adequate for both transit and pilotage boarding.</p>	<p>The 2.5nm does not include a buffer/safety zone so does not provide enough sea room. This is a high traffic area for passage, a key access/exit point from the boarding ground and the Margate Roads anchorage. It also provides deeper water for vessels that</p>	<p>It is agreed that the SEZ provides 2.5nm between NE Spit</p>

Discussion Point	Thanet Extension Position	PLA Position	Final Position
		<p>can't cross the NE Spit bank. The PLA also considers its use as an area for boarding/landing to be important and therefore its overall 'lower pilot activity' should not be used to validate a reduction in sea room.</p>	<p>Buoy and the SEZ. And that there is 2.1nm between the Elbow Buoy and the SEZ.</p> <p>It is not agreed that this is adequate sea room for the</p>
SEZ	<p>The SEZ provides 2.1nm between the Elbow buoy and the turbines, and that this is adequate due to it being an area of lower pilot activity and complexity. These distances are adequate for both transit and pilotage boarding.</p>	<p>There is 2.1nm between Elbow Buoy and SEZ. However, the reduction in searoom is greater at the Elbow/SEZ and therefore for the same reasons as stated above we don't believe there is adequate sea room between Elbow buoy and SEZ. The Elbow area can be</p>	<p>It not agreed tha the 2.1nm between Elbow Buoy and the SEZ</p>

Discussion Point	Thanet Extension Position	PLA Position	Final Position
		an important working area for ESL in poor metocean conditions.	provides adequate searoom.
SEZ	The distance between Elbow buoy and the turbines represents the narrowest distance for the inshore route, and that sea room widens out either side of this transect and therefore the available searoom increases at all other locations.	<p>It is agreed that the Elbow is the narrowest point between SEZ and the inshore route.</p> <p>However, it is not agreed that is acceptable to reduce access to two of the main entry/exit points to the inshore route (i.e. Elbow to SEZ and NE Spit to SEZ). It should be noted that any 'increase' in sea room is relative to the RLB extension proposal, and any development to the SW/W/NW is a reduction in sea room at the inshore route.</p>	
SEZ	Introduction of the SEZ provides the necessary sea room to minimise the effect on ESL's activities, subject to other controls.	The the SEZ does not provide the necessary sea room to minimise the effect on the PLA's activities. The controls to which the SEZ is subject are not sufficient to ensure that no activities, other than the placement and maintenance of the necessary cable connections, will take place	Not agreed

Discussion Point	Thanet Extension Position	PLA Position	Final Position
		within the SEZ.	
SEZ	The introduction of the SEZ provides the necessary sea room to minimise the effect on vessel activities, subject to other controls.	The SEZ does not provide the necessary sea room to minimise the effect on other vessel activities.	Not agreed
Consultation	<p>Throughout the pre-application process the level of consultation and the provision of information has been sufficient in informing PLA of the development of the project and the predicted impacts on shipping and navigation.</p> <p>The PLA's position is clear but not entirely shared by Applicant. PLA were given multiple opportunities to comment on the approach and outcomes during the bridge simulation study, and on the project through Section 42 consultation in December 2017.</p>	<p>The PLA is disappointed at the lack of engagement it has received from the Applicant on all aspects affecting its interests. It is agreed that a number of meetings have been held, at which the PLA openly expressed its concerns, particularly with regard to the reduction in sea room and very real adverse impact this would have on shipping and navigation. The PLA has not been appropriately consulted on the detail of the NRA during drafting, nor given appropriate opportunity to consider the findings of the Bridge Simulation and Pilotage Study. The Applicant reduced a small proportion of the proposed extension on the western most tip. the PLA advised the Applicant by email that this did little to address</p>	

Discussion Point	Thanet Extension Position	PLA Position	Final Position
		concerns, with further invites for onward engagement. The Applicant was not forthcoming in arranging for further engagement.	
Consultation – post-application	It is agreed that consultation has been undertaken in order to progress relevant matters with the PLA during the examination process including provision of data where requested. The parties continue to seek compromise and agreement on outstanding matters.	There has been consultation post-application and information has been shared by all parties where possible.	Agreed
Approach to NRA	<p>The Navigational Risk Assessment has been undertaken in line with the requirements set out in the Marine Guidance Note (MGN) 543 – Guidance on UK Navigation Practice, Safety and Emergency Response Issues.</p> <p>Issues relating to baseline data are dealt with below. The MCA have confirmed that the NRA was carried in out in accordance with MGN543.</p>	<p>The PLA does not agree that the NRA was fully compliant with MGN543. Most of the data used for the NRA was from all or part of a three month period over the winter, which tends to be the quietest period of the year, for both shipping and recreational activity. Where there was seasonal variation it was still based on a month that was below the monthly average for vessels using the NE Spit pilot stations and outside of the busiest months for recreational activity.</p>	<p>Agreed that some of the MGN543 guidance has been complied with, but not agreed as to the complete extent of compliance</p>

Discussion Point	Thanet Extension Position	PLA Position	Final Position
Assessment methodology	It is agreed that the hazman software and assessment methodologies used by the Applicant are currently used by the PLA. Furthermore it is agreed that the PLA and Marico Marine developed the methodology. As noted in (above reference) the methodology was developed by the Port of London Authority and Marico Marine, with intellectual property rights retained by Marico Marine.	The PLA is phasing out use of the hazman software and assessment methodologies in favour of a more qualitative approach that accurately reflects real-life scenarios	
Environmental Statement Baseline and Methodology	<p>The shipping and navigation baseline environment has been adequately and appropriately described in the ES. Based on that information it is further agreed that the marine traffic survey data and wider data sources used are appropriate for the assessment and details a good representation of commercial traffic in the area of the project</p> <p>The Applicant has undertaken a baseline data review and concludes that the data presented in the NRA and that gathered from boat based surveys is appropriate and representative of the amount of traffic and the spatial extent of traffic in the area.</p>	<p>Not agreed</p> <p>In order to assess the collision risk as part of the NRA, Marico undertook collision risk modelling using one month's worth of AIS data from December 2016.</p> <p>In December 2016 ESL served 474 vessels, whereas in August 2017 they served 578. August is also a much busier month in terms of windfarm support vessels and recreational vessels. See table below.</p> <p>The AIS data tracks that were used for the NRA were from December 2016 to February 2017. For the period Jan 2016-December 2017 these are the</p>	

Discussion Point	Thanet Extension Position	PLA Position	Final Position
		<p>three quietest three months in terms of vessels served by ESL from Ramsgate. They also undertook monitoring in the area for 2 weeks in February and June 2017, to allow for seasonal variation. However, even in June 2017 the number of vessels served at the NE Spit was below the average monthly total for the year. Also, the summer monitoring was conducted well before the peak of recreational activity, which occurs during the school summer holidays.</p> <p>Therefore the PLA cannot agree that the marine traffic survey data used were appropriate for the assessment and detail a good representation of commercial traffic in the area of the project.</p>	

Discussion Point	Thanet Extension Position	PLA Position	Final Position
Environmental Statement Baseline and Methodology	The approach adopted in the Environmental Statement is appropriate to assess the magnitude and range of navigational safety impacts from the proposed Project on the users of commercial vessels	Not agreed - See above	
Environmental Statement Baseline and Methodology	The approach adopted in the Environmental Statement in describing collision risks is appropriate and reflects similar processes undertaken within the Port of London jurisdiction in order to inform management of marine safety.	<p>Not agreed. The PLA does not accept the Applicant’s position that this inshore channel will be used by the same number of vessels after the scheme is implemented as before. These points are set out in more detail in the PLA’s Written Representations as submitted at Deadline 1.</p> <p>The Applicant has pointed out that the PLA has accepted a number of Marico NRA’s on the Thames for various projects in the past. However, the PLA has always been a consultee to any third party NRAs in the past so have had input into them and been able to comment on a draft of the document prior to application. The PLA did not see a draft NRA prior to the Applicant’s submission of the Application, so the</p>	



Discussion Point	Thanet Extension Position	PLA Position	Final Position
		PLA was unable to comment. It does not follow that because the PLA has accepted NRAs prepared by Marico for other projects that it should do so for this one.	
Environmental Statement Baseline and Methodology	The design parameters of the project would result in the worst case collision and allision scenario for commercial vessels.	The PLA does not agree that the worst case scenario for collision and allusion has been addressed. The collision risk modelling was undertaken based on AIS data from December, where the traffic is considerably quieter than in the height of summer. The wider data sets used in the NRA do not represent full seasonal variation.	Not agreed
Environmental Statement Baseline and Methodology	The uplift of 10% vessel traffic set out in the NRA and NRAA is appropriate for the study area given the historic baseline and expected growth as identified by PLA in their Thames vision, and employed by Tilbury2 in the PLA approved NRA that underpinned that project, and reflected in the regional planning undertaken by the MMO.	Not agreed.	

Discussion Point	Thanet Extension Position	PLA Position	Final Position
Tolerability definition and assessment	In the absence of industry specific guidance it is agreed that the tolerability of risk is appropriately defined and assessed through application of the HSE standards.	Not agreed	
Environmental Statement assessment	It is agreed that the Applicant has adequately assessed navigational safety impacts on users of commercial vessels from the Project.	<p>Not agreed</p> <p>Due to the limitations of the pilotage study, and the chosen data sets which did not represent the range of traffic that may be encountered, we do not believe that the navigational safety impacts have been adequately assessed.</p>	
Accompanying documentation	The bridge simulation exercise (Application Ref 6.4.10.2) accurately reflects the study undertaken with Port of London Authority and pilotage providers and therefore accurately presents the effects on pilotage associated with the proposed project.	The bridge simulation study report does reflect the runs that were undertaken in the PLA simulator, but does not accurately present the effects on pilotage associated with the proposed project. The simulation exercise that was undertaken only demonstrated that it would be possible, in certain conditions, to board and land a pilot within the area of reduced sea-room,	Not agreed

Discussion Point	Thanet Extension Position	PLA Position	Final Position
		but did not represent the full range of environmental and traffic conditions, vessels, lack of local knowledge and other situations that may be encountered.	
Wider application	<p>It is agreed that the physical processes chapter (Application Ref 6.2.2) adequately considers the risk of potential migration of sandwaves and accurately concludes that there is a negligible risk of effect on sandwaves within the region.</p> <p>The Applicant can confirm that following discussion with Natural England and MMO that there are no mitigation measures necessary for the predicted scale of effect on sandwaves. The assessment has found there to be no effect.</p>	The PLA assumes that the appropriate mitigation has been put in place to ensure any impact from sandwaves is appropriately dealt with and would like confirmation of such from the Applicant.	Potential for agreement once the Applicant provides the PLA with confirmation that appropriate mitigation will be put in place

Discussion Point	Thanet Extension Position	PLA Position	Final Position
The DCO and risks of navigation channel sedimentation	It is agreed that the physical processes chapter (Application Ref 6.2.2) adequately considers the risk of potential sedimentation at a study area scale and accurately concludes that there is a negligible risk of effect of sedimentation study area.	As above.	
The DCO and risks of navigation channel sedimentation	It is agreed that the Condition within the DCO and deemed Marine Licences (Application Ref 3.1) regarding bathymetric monitoring is appropriate to monitor changes in seabed morphology associated with the project.	This is a matter yet to be discussed between the Applicant and the PLA.	
NRA addendum - approach	The approach to the NRA addendum and the hazard workshop was presented to PLA in advance for comment. The approach taken by the Applicant is appropriate and matches NRA standard practice.	The PLA was presented with a guide to the workshop in advance  Disagree: As reflected in the MCA's responses to ISH8 action point 10, we do not agree that it is standard practice to attempt such a significant NRA amendment under restricted time pressure. Given the level of agreement and understanding that is required for a	

Discussion Point	Thanet Extension Position	PLA Position	Final Position
		risk assessment such as this, we do not feel the approach has been appropriate.	
NRA addendum - approach	A project should not be regarded as unacceptable by reason only that it would increase navigational risk; and that the judgment on whether a project is acceptable in terms of navigational safety should be determined on the basis of whether ALARP can be achieved.	For further discussion. Agree that it shouldn't only be based on whether there is an increased risk. Disagree that the judgement should be determined solely on whether ALARP can be achieved.	
NRA addendum – baseline data	The consideration of the baseline data presented in Appendix 27 to Deadline 4 presents an adequate characterisation of the receiving environment.	Disagree: Whilst an increase in data is a helpful addition to existing NRA we still have concerns about the overall interpretation. When assessing the inshore area we are still concerned that a holistic approach isn't being fully utilised and instead a more sectional assessment has emerged.	
NRA addendum – approach to hazard workshop	The approach to the hazard workshop was presented to PLA in advance for comment. The approach to the hazard workshop was agreed.	The PLA aws presented with the information pack 48 hours before the workshop.  The approach to the hazard workshop	

Discussion Point	Thanet Extension Position	PLA Position	Final Position
		was not agreed, and the workshop was chaired by Marico acting for the Applicant and not an independent chair.	
NRA addendum – hazard log	It is agreed that the hazard categories were agreed in the hazard workshop with clear confirmation of hazards to include/preclude from discussion.		
NRA addendum – hazard log	It is agreed that the baseline scoring of hazards 1-4 was discussed and agreed in the hazard workshop		
NRA addendum – hazard log	It is agreed that the baseline and inherent scoring of the remaining hazards in the hazard log, completed by Marico with mariner input, and sent around for comment by IPs, is appropriate.		
NRA addendum – conclusions	It is agreed that the conclusion of the NRA addendum that the risks in the inshore route are ALARP and that the SEZ provides sufficient sea room for marine activities is correct and reflects the same definition of ALARP utilised by PLA in the NE Spit NRA.		

Discussion Point	Thanet Extension Position	PLA Position	Final Position
NRA addendum – conclusions	It is agreed that the NRA addendum appropriately concludes that there is adequate sea room for the passage of vessels through the inshore route.		

This page is left intentionally blank.