

The Drax Power (Generating Stations) Order

Land at, and in the vicinity of, Drax Power Station, near Selby, North Yorkshire

8.4.1 Revised Viewpoints and Additional Photomontage (Submitted for Deadline 6)



The Planning Act 2008
The Infrastructure Planning (Applications: Prescribed Forms and Procedure)
Regulations 2009 – Regulation 5(2)(a)

Drax Power Limited

Drax Repower Project

Applicant: DRAX POWER LIMITED
Date: January 2019
Document Ref: 8.4.1
PINS Ref: EN010091

Document History

Document Ref	8.4.1
Revision	004
Author	Maritta Boden
Signed	Date 30/01/2019
Approved By	Andy Follis
Signed	Date 30/01/2019
Document Owner	WSP UK Limited

Table of Contents

1	INTRODUCTION	1
1.1	Purpose of this Document	1
2	REVISED VIEWPOINTS AND ADDITIONAL PHOTOMONTAGE	3
2.1	Overview	3
2.2	Methodology	3
2.3	Conclusion	3
3	PROPOSED NON-MATERIAL AMENDMENTS TO PROJECT DESCRIPTION AND PARAMETERS OF THE PROPOSED SCHEME	5
3.1	Overview	5
4	ASSESSMENT	8
4.1	Introduction	8
4.2	Assessment of Landscape Effects	10
4.3	Assessment of Visual Effects	11
4.4	Conclusion	13
APPENDIX 1: VIEWPOINT LOCATION PLAN, VIEWPOINTS AND PHOTOMONTAGE		
APPENDIX 2: VIEWPOINT LOCATION PLAN, VIEWPOINTS, PHOTOMONTAGES AND REVISED PHOTOMONTAGES		

Table of Tables

Table 3.1 - Summary of Proposed Non-Material Amendments to the Project Description and Parameters of the Proposed Scheme	5
Table 4.1 - Summary of Landscape Effects within a 3 km radius	11
Table 4.2 - Summary of Visual Effects within a 3 km radius	12

1 INTRODUCTION

1.1 Purpose of this Document

- 1.1.1. Drax Power Limited (“Drax” or “the Applicant”) submitted an Application for a Development Consent Order (DCO) on 29 May 2018, which was accepted for Examination on 26 June 2018. Subsequently, Drax submitted a first iteration (Rev 001) of this document for Deadline 1 of the Examination (Examination Library Reference REP1-009), comprising some retaken photographs (replacing those shown in Chapter 10 of the Environmental Statement submitted with the Application, Examination Library Reference APP-078) and an additional photomontage in response to a request from North Yorkshire County Council (“NYCC”).
- 1.1.2. At Deadline 3 Drax submitted a second iteration of this document (Rev 002) (Examination Library Reference REP3-021), which included revisions to the additional photomontage to reflect the correct lighting level based on the field verified existing view (refer to the field verified existing view and field verified revised photomontage in Appendix 1). In addition, Rev 002 contained updated photomontages to reflect the application for a non-material amendment that was submitted at Deadline 3. The overall implications of the non-material changes in terms of the Environmental Statement submitted with the Application are set out in the Assessment of non-material amendments to Proposed Scheme (Examination Library Reference REP3-022) and the changes to the maximum parameters are detailed in Schedule 13 of the Draft Development Consent Order (Examination Library Reference REP3-011); both documents were submitted for Deadline 3 alongside the non-material amendment application.
- 1.1.3. The document was subsequently revised for Deadline 5 (Rev 003, Examination Library Reference REP5-017) to incorporate not only the information contained in Rev 001 and Rev 002, but also include the assessment that was undertaken and which informed the conclusions reported in the Assessment of non-material amendments to the Proposed Scheme submitted at Deadline 3. It outlined the nature of landscape and visual effects as a consequence of the proposed non-material amendments, key changes and explained why these are not material changes. It focused on those changes that have the potential to alter the landscape and visual effects relating to:
 - The battery storage facility;
 - The battery storage construction;
 - The above ground installations (AGI); and
 - The power station site parameters.
- 1.1.4. In addition, Rev 003 included revised photomontages illustrating the latest model and layout plans (and which are also submitted at Deadline 5). This is so that the ExA had before it the layout plans and corresponding photomontages that are consistent with each other and which represent the worst case visually in line with the parameters presented in the draft DCO, Schedule 13.
- 1.1.5. Rev 004 of this document now includes revisions to paragraphs 4.2.3 and 4.3.2 following queries over the clarity of text in the Examining Authority’s Second Written Questions (reference LV 2.4 iii), published 15 January 2019. Revisions have also been made to Figure

1.1 and 1.4 for clarity (Examining Authority's Written Question LV 2.4 i). Figures illustrating the location of the photomontage viewpoints now refer to the accompanying existing field verified views, field verified photomontages of the submitted Proposed Scheme and field verified revised photomontages of the Proposed Scheme as revised by the non-material amendment application submitted into the Examination on 22 November 2018 (Examination Library Reference REP3-001). Clarification has also been added at paragraph 4.1.10, confirming that the photomontages have been based on accurate topography information, as requested in the Examining Authority's question LV 2.4 ii.

- 1.1.6. This Rev 004 supersedes Rev 003 of this document and is submitted as part of the Applicant's Examination Deadline 6 submission.

2 REVISED VIEWPOINTS AND ADDITIONAL PHOTOMONTAGE

2.1 Overview

2.1.1. As set out above, following the submission of the Application in May 2018, NYCC requested that some of the photographs (as shown in chapter 10 of the Environmental Statement submitted with the application, Examination Library Reference APP-078) were retaken due to a lack of clarity because of poor weather conditions. A further photomontage was also requested on the basis that most of the photomontages were taken at an oblique angle and this additional photomontage would provide a close-up elevation. The revised viewpoints were taken from the following locations on 1 September 2018:

- Viewpoint 6: From PRow along Landing Lane.
- Viewpoint 7: From public footpath adjacent to Howden Dyke Road, South East of Howden.
- Viewpoint 8: From PRow on embankment, west of Hill Street, Airmyn.

2.1.2. The new photomontage was taken from:

- Viewpoint 9: From PRow close to Drax Village and Read School.

2.1.3. This information supplements the Landscape and Visual Impact Assessment (LVIA) in the Environmental Statement.

2.1.4. The additional photomontage has now been revised to reflect the correct lighting level based on the field verified existing view (refer to the field verified existing view and field verified revised photomontage in Appendix 1).

2.2 Methodology

2.2.1. The revised photographs were taken on 1 September 2018 with good weather conditions and visibility. The photographs were taken in accordance with good practice guidelines. Refer to Appendix 10.3 (LVIA Methodology) of the Environmental Statement (Examination Library Reference APP- 119) for further details.

2.2.2. A Nikon D3200 SLR Camera with a Nikon DX AF-S NIKKOR 35mm 1:1.8G lens, a Manfrotto 190go tripod and MHXPRO-3W X-PRO 3-way head with a Trimble Juno Series GPS Reader was used to take the photographs and geo-locate the camera position, and these were field verified. Images were photo-stitched to provide contextual views.

2.2.3. The location of the revised viewpoints is shown in Appendix 1, Figure 1.1 of this document (Viewpoint Location Plan for Revised Viewpoints and New Photomontage); and the three revised viewpoints presented in Appendix 1, Figure 1.2a to c (Revised Field Verified View).

2.2.4. The additional “revised” photomontage is presented in Appendix 1, Figure 1.3a and b (Field Verified Existing View and Photomontage).

2.3 Conclusion

2.3.1. Whilst the revised viewpoints and new photomontage provide, respectively, further information on the available views and on the form of the Proposed Scheme, they do not

alter the findings of the Landscape and Visual Impact Assessment (LVIA), or the significance of visual effects as set out in Chapter 10 of the Environmental Statement, Rev. 001 and Rev. 002 of this document. Consideration of the revised additional photomontage with amended lighting levels likewise does not alter the findings of significance or the conclusions of the LVIA.

3 PROPOSED NON-MATERIAL AMENDMENTS TO PROJECT DESCRIPTION AND PARAMETERS OF THE PROPOSED SCHEME

3.1 Overview

- 3.1.1. As set out above, a number of non-material design amendments are proposed to some of the Proposed Scheme's structures in terms of length, width and height, and a non-material amendment is proposed with respect to how the battery storage facility is constructed, as summarised in Table 3-1 below and reflected in the updated draft DCO submitted for Deadline 3 of the Examination (Examination Library Reference REP3-007).

Table 3.1 - Summary of Proposed Non-Material Amendments to the Project Description and Parameters of the Proposed Scheme

Element	Original Design	Proposed Project Description or Parameter Changes
Turbine Hall (for Unit X and Unit Y)	Maximum length 92 m Maximum width 22 m Maximum height 28 m (34 m AOD)	Maximum length 87 m (-5 m) Maximum width 23 m (+1 m) Maximum height 28 m (34 m AOD) (unchanged)
Heat Recovery Steam Generator (HRSG) (for Unit X and Unit Y)	Maximum length 48 m Maximum width 23 m Maximum height 38 m (44 m AOD)	Maximum length 55 m (+7 m) Maximum width 29 m (+6 m) Maximum height 49 m (55 m AOD) (+11 m)
HRSG Exhaust Stack / Bypass Stack (for Unit X and Unit Y)	Maximum height 120 m (126 m AOD)	Minimum height 122.5 m (128.5 m AOD) (+2.5 m) Maximum height 123.0 m (129 m AOD)
Gas Turbine Transformers (for Unit X and Unit Y)	Maximum length 36 m Maximum width 17 m Maximum height 11 m (17 m AOD)	Maximum length 36 m (unchanged) Maximum width 20 m (+3 m) Maximum height 11 m (17 m AOD) unchanged
Gas Turbine Air Inlet (for Unit X and Unit Y)	Maximum length 16 m Maximum width 19 m Maximum height 36 m (42 m AOD)	Maximum length 26 m (+10 m) Maximum width 27 m (+8 m) Maximum height 35 m (41 m AOD) (-1 m)

Element	Original Design	Proposed Project Description or Parameter Changes
Power control centre (for Unit X and Unit Y)	Maximum length 30 m Maximum width 17 m Maximum height 6 m (12 m AOD)	Maximum length 17 m (-13 m) Maximum width 17 m (unchanged) Maximum height 6 m (12 m AOD) (unchanged)
Fuel Gas Station (for Unit X and Unit Y)	Maximum length 36 m Maximum width 25 m Maximum height 3 m (9 m AOD)	Maximum length 26 m (-10 m) Maximum width 19 m (-9 m) Maximum height 7 m (13 m AOD) (+4 m)
Main Pipe Rack (for Unit X and Unit Y)	Maximum length 11 m Maximum width 11 m Maximum height 19 m (25 m AOD)	Maximum length 600 m for Unit X and 1,100 m for Unit Y Maximum width 12 m Maximum height 25 m (31 m AOD)(+6 m)
Gas Insulated Switchgear Banking Building (for Unit X and Unit Y)	Maximum length 36 m Maximum width 16 m Maximum height 10 m (16 m AOD)	Maximum length 18 m (-18 m) Maximum width 12 m (-4 m) Maximum height 11 m (17 m AOD) (+1 m)
Control Room Building for Gas Insulated Switchgear (for Unit X)	<i>No parameters given in Schedule 13 of the DCO, but parameters assumed in the original Environmental Statement</i>	Maximum length 26 m Maximum width 12 m Maximum height 11 m (17 m AOD)

Note: The figures above are “rounded up” to the maximum figure for the draft DCO

- 3.1.2. As outlined in Section 1, the original photomontages were revised to reflect these non-material amendments to the Proposed Scheme design and submitted as part Deadline 3 (refer to Rev 002 Revised Viewpoints and Additional Photomontage (Examination Library Reference REP3-021)). The photomontages have been revised again following receipt of the latest layout model reflecting the latest indicative layouts and elevations and are presented in Appendix 2. No further changes to parameters are proposed. Figures followed by the suffix “A” represent the existing field verified view, “B” the field verified photomontage of the submitted Proposed Scheme and “C” the field verified photomontages of the revised Proposed Scheme. Figure 1.4 viewpoint location plan shows the location of the field verified views taken for the photomontages whilst Figures 1.5 A, B and C to Figure 1.10 A, B and C illustrate the existing view and photomontages outlined above.

- 3.1.3. The non-material design amendments have resulted in a slight change to the indicative site layouts and consequently the revised photomontages (Figures 1.5 to 1.10C). The Two Unit Option Indicative Plant Layout (Applicant's document reference 2.5A), an updated version of which has been submitted at Deadline 5, has been used as the basis for the revised photomontages.

4 ASSESSMENT

4.1 Introduction

- 4.1.1. An assessment was undertaken of the proposed changes outlined in Section 3. The assessment considered the potential changes to effects within a 3 km radius of the Proposed Scheme. This radius was agreed with the Local Planning Authorities (NYCC and SDC) to be the limit of the area within which potential effects would be more pronounced on the understanding that effects diminish with distance, as set out in both the first iteration of the Statement of Common Ground between Drax Power Limited and North Yorkshire County Council and Selby District Council (Examination Library Reference REP1-006 Rev 001 (Draft)) submitted for Deadline 1 and the updated draft (Examination Library Reference REP4-008 (Rev 002) updated draft) submitted for Deadline 4).
- 4.1.2. The assessment considered Stage 3 Operation of Unit X and Unit Y on the basis that all Units are complete and therefore the worst case scenario. The proposed changes to parameters would not change the effects of Stage 2: Operation of Unit X and Construction of Unit Y, which would be directly comparable to the assessment in the ES. If there were to be any differences in effects, it would be in the built form of Unit X and Unit Y, with Stage 3 being the worst case.
- 4.1.3. It is considered that the effects associated with construction and decommissioning would remain the same as the original application and that there would be no change in residual effects from the original Application.
- 4.1.4. The battery storage construction would allow for the construction of the battery storage facility and the structure built to enclose or protect it in two stages. It is considered that given the other construction activities which would take place during Stage 1 and Stage 2, the presence of continued construction activities associated with the battery storage facility (which would form part of Stage 2) would result in an imperceptible change in effect and would thus not alter its significance as set out in the Environmental Statement. Previously a single building would have been constructed in Stage 1, meaning the land use would have changed from a mix of planting, ditches and areas of hard standing to built development in the first Stage of construction. Under the proposed amendment, the land for the Stage 2 battery facility would be a mix of semi improved grassland and scrub between Stage 1 and Stage 2. However, this land area is within the confines of the Existing Drax Power Station Complex and as such given the fact the site is a working power station, and together with on-going construction work, the change in the construction of the battery storage facility would not change the landscape and visual conclusions of the Environmental Statement.
- 4.1.5. The methodology used to assess the effects was consistent with the method summarised in Environmental Statement Chapter 10 Landscape and Visual Amenity and Appendix 10.3 LVIA Methodology (Examination Library Reference APP-078 and APP-119 respectively).
- 4.1.6. The following paragraphs summarise the proposed changes to the submitted Proposed Scheme with the potential to alter the effect on the landscape and visual resource.
- 4.1.7. **Battery Storage Facility:** The battery storage facility would be constructed using battery storage shipping containers. The containers would be positioned adjacent to one another

minimising any gaps in between and surrounded by a structure erected as screening to create the appearance of a single structure. This would maintain uniformity and avoid visual clutter. The indicative colour of the facility would remain unchanged, grey (BS4800 02-A-03) and would be subject to the approval of SDC in accordance with a requirement of the Draft DCO. It is considered that whilst a "building" would no longer be constructed, the screen/shield would not materially alter the external appearance of the facility in terms of size (the parameters have not changed), colour and cladding. As such, there would be no change in landscape and visual effects from the original application.

- 4.1.8. **Above Ground Installations (AGI):** The parameters of the AGI would remain unchanged however due to the iterative design process, the design now includes a 7 m buffer to the edge of Dickon Field Drain, a culvert and a proposed extension to the access track to enable the landowner to access land to the south. This design has enabled further planting to be introduced in the form of scrub, hedgerows and species rich grassland in addition to the coppice woodland on the periphery of the AGI as indicated in Figure 6.7.10 Compensation Area Development Parcel J and K within the Outline Landscape and Biodiversity Strategy (the latest iteration of which, Rev 003, is being submitted into the Examination at Deadline 6). It is considered that there would be no change in effect because of the changes to the design. Whilst additional planting would be introduced, gaps in planting would be generated elsewhere to accommodate the culvert and easements associated with the gas pipelines for Drax and National Grid. Therefore, it is considered that the revisions to the AGI layout are neutral.
- 4.1.9. **Power Station Site Parameters:** The parameters for the power station structures have changed due to the iterative design process. The key structures which have the potential to alter the visual composition of the Proposed Scheme include:
- HRSG Exhaust / Bypass Stacks – The stacks associated with Units X and Y would increase in height by up to 3 m. The stacks however would be seen in context with the existing cooling towers and the differential between the height of the existing cooling towers and the revised stack heights would remain at 6 m. This has resulted from the provision of new information on the existing site topography which has allowed for a more refined height of the existing cooling towers above ordnance datum (AOD) and above ground level (AGL) to be determined.
 - Heat Recovery Steam Generators (HRSGs) – The HRSGs which wrap around the main stacks for both Unit X and Y would increase in height by 11 m.
- 4.1.10. It is noted that the correct topographical information has been used in the construction of all of the submitted photomontages and that these photomontages are accurate representations.
- 4.1.11. The above structures are considered in further detail as part of the assessment.
- 4.1.12. Other structures which would be at a lower elevation include:
- Gas Turbine Air Inlet - The Gas Turbine Air Inlet would extend by 10m in length and 8 m in width
 - Main Pipe Rack - Changes to the main pipe rack would result in an increase in height by 6 m. (The measurement of the length of the pipe was incorrect in original application and has subsequently been revised).

- Fuel Gas Station - The fuel gas station has resulted in an increase of 4 m in height with remaining parameters (width and length) reduced.
- Gas Insulated Switchgear Banking Building - Changes to this structure would result in an increase of 1 m in height whilst the width and length of the structure would reduce.
- Power Control Centre – Amendments to the Power Control Centre would result in a reduction in length of 13 m.

4.1.13. The structures in 4.1.11, where even visible, would be seen at a low elevation, against a backdrop of the Existing Drax Power Station Complex and partially screened by existing vegetation. Accordingly, the proposed changes are not considered to have any effect on the conclusions in the Environmental Statement and, as such, were not considered in the more detailed assessment as set out below.

4.1.14. The Assessment should be read in conjunction with the revised photomontages in Appendix 2, covering viewpoints 3, 5, 6, 9, 13 and 15 (Figure 1.5C to 1.10C).

4.2 Assessment of Landscape Effects

4.2.1. Key significant landscape effects associated with the original application related to LCT 23 Levels Farmland, LCT 24 River Floodplains, LCT 4 River Corridors and in particularly LCA 4A Derwent Valley, 4B River Ouse Corridor and 4D River Aire Corridor. Equally there would be significant adverse effects on the Lower Derwent Important Landscape Area (ILA) and local landscape character. The nature of effects associated with the original Application is summarised in Table 4.1 below as well as the conclusions arising from this assessment of proposed changes.

4.2.2. **Power Station Site Parameters:** The assessment of effects on the landscape resource considers that whilst the sensitivity of the resource would remain unchanged (categorised as medium for LCTs / LCAs / local landscape character and high for the Lower Derwent ILA) the proposed parameter changes have the potential to result in a very slight change in the magnitude of change. This change, however, would not alter from medium, meaning that the significance of effect reported in the Environmental Statement remains unchanged.

4.2.3. Given the height difference between the existing cooling towers and the proposed stacks would remain at 6 m, and in views close to Drax Power Station (i.e. within a 500 m radius such as viewpoint 3 and 9) the eye would continue to be drawn up to the proposed stacks, which would be foreshortened by the viewing angle (as previously assessed), it is considered that the increase in the height of the stacks would be barely perceptible. In terms of the HRSGs it is considered that there is the potential for a change; an increase in the mass of structures at a higher elevation has the potential to result in visual coalescence and clutter.

4.2.4. The consequence of these changes is insufficient to “tip” the balance of effects on specific landscape resources from either moderate or moderate - major significance (as per the effects reported in the Proposed Scheme) to moderate - major and major effects.

Table 4.1 - Summary of Landscape Effects within a 3 km radius

Landscape Character, Designations and Local Landscape Character		Stage 3 as the original application	Stage 3 with proposed non-material amendments	Residual Effects (all remain unchanged)
LCT 23 Levels Farmland		Moderate adverse	Moderate adverse	Moderate adverse (year 0 and year 15)
LCT 24 River Floodplain		Moderate adverse	Moderate adverse	Moderate adverse (year 0 and year 15)
LCT 4 River Corridors	LCA Derwent Valley	Moderate adverse	Moderate adverse	Moderate adverse (year 0 and year 15)
	LCA 4B Rover Ouse Corridor	Moderate adverse	Moderate adverse	Moderate adverse (year 0 and year 15)
	LCA 4D River Aire	Moderate adverse	Moderate adverse	Moderate adverse (year 0 and year 15)
Lower Derwent ILA		Moderate to major adverse	Moderate to major adverse	Moderate to major adverse (year 0 and 15)
Local landscape character		Moderate adverse	Moderate adverse	Moderate adverse (year 0) Minor beneficial (year 15)

4.3 Assessment of Visual Effects

- 4.3.1. **Power Station Parameters:** As set out above, this assessment focusses on the changes to the key structures which would alter the visual composition of the Proposed Scheme, as described at paragraph 4.1.9, the overall stack height and the changes to the HRSGs.
- 4.3.2. Given the height difference between the existing cooling towers and the proposed stacks would remain at 6 m, and in views close to Drax Power Station (i.e. within a 500 m radius such as viewpoint 3 and 9) the eye would continue to be drawn up to the proposed stacks,

which would be foreshortened by the viewing angle (as previously assessed), it is considered that the increase in the height of the stacks would be barely perceptible. In terms of the HRSGs it is considered that there is the potential for a perceptible change; an increase in the mass of structures at a higher elevation has the potential to result in slightly greater visual coalescence and clutter. Appendix 2, Viewpoint 3 (Photomontage 1.5C) demonstrates that from the north east the HRSGs would sit in context with the Existing Drax Power Station Complex, whilst from the south east, Viewpoint 9 (Photomontage 1.8C) the HRSGs associated with Unit Y would “appear” to extend the visual footprint of the Proposed Scheme due to an increase in their height and views of the sky foreshortened.

- 4.3.3. Whilst these changes have the potential to slightly increase the magnitude of change, this slight increase is not sufficient to change the category of magnitude and thus the findings of significance any receptor as set out in the Environmental Statement.
- 4.3.4. This assessment therefore concludes that the effects on specific visual receptors arising from the proposed amendments to the parameters remain the same as those found in the Environmental Statement submitted with the Application.

Table 4.2 - Summary of Visual Effects within a 3 km radius

Visual Receptors		Stage 3 as submitted	Stage 3 with proposed non-material amendments	Residual Effects (all remain unchanged)
Residents	Within 1 km radius	Major and Moderate – Major adverse	Major and Moderate – major adverse	Year 0: Major and Moderate – major adverse Year 15: Major, Moderate – major and minor - moderate adverse
	Between 1 to 3km radius	Moderate – major adverse	Moderate – major adverse	Year 0: Moderate-major adverse Year 15: Moderate-major adverse
Recreational Users (TPT and NCN)	Within 1 km radius	Moderate – major adverse	Moderate – major adverse	Year 0: Moderate-major adverse Year 15: Moderate-major adverse
	Between 1 to 3 km	Moderate –	Moderate – major	Year 0: Moderate-

	radius	major adverse	adverse	major adverse Year 15: Moderate-major adverse
Recreational users (PRoW and other facilities)	Within 1 km radius	Moderate - major and moderate adverse	Moderate - major and moderate adverse	Year 0: Moderate – major adverse and moderate adverse Y15: Moderate-major, moderate and minor adverse
	Between 1 to 3 km radius	Moderate-major adverse	Moderate -major adverse	Year 0: Moderate - major adverse Year 15: Moderate and minor adverse
Users of local road network	Within 1 km radius	Moderate – major and moderate adverse	Moderate – major and moderate adverse	Year 0: Moderate – major and moderate adverse Year 15 Moderate – major, moderate and minor adverse
	Between 1 to 3 km radius	Moderate adverse	Moderate adverse	Year 0: Moderate adverse Year 15: Moderate and minor adverse
Users of places of worship and educational facilities	Within 1 km radius	Moderate adverse	Moderate adverse	Moderate adverse (year 0 and year 15)


4.4 Conclusion

- 4.4.1. In terms of landscape and visual impacts, the key areas of change relate to the height of the HRSGs and HRSG Exhaust Stacks / Bypass Stacks which would be visually prominent and noticeable above surrounding vegetation and structures forming part of the Existing Drax Power Station Complex. Other design changes, as discussed previously are not considered to be important to the Landscape and Visual Amenity assessment since structures are at a low level, partially screened by surrounding vegetation and would be “read” as part of the

industrial development, as illustrated by the field verified revised photomontages for Viewpoint 3 and 9 (Figure 1.5C and 1.8C respectively).

- 4.4.2. The degree of significance of effects is a continuum, from negligible to major significance. For the purposes of the environmental assessment this is divided into distinct steps or levels. It is considered that whilst the effects of the proposed non-material amendments have the potential to slightly increase the magnitude of change, this is not sufficient to reach a “tipping” point, changing the category of significance of effects. Therefore, in terms of both landscape and visual effects there would be no change in the significance of effects as originally reported in the Environmental Statement.
- 4.4.3. The non-material amendments are not sufficient to change the level of effect that is judged to arise. As stated in Chapter 10 Landscape and Visual Amenity of the Environmental Statement submitted with the Application (Examination Library Reference APP-078) at paragraph 10.4.55: *“The gradation of magnitude of change and level of effect used in the assessment represents a continuum, the assessor uses professional judgment when gauging the level of effect and determining whether or not an effect should be considered significant”*.
- 4.4.4. Landscape and visual effects relate to the aesthetic and perceptual qualities of the Proposed Scheme against the Existing Drax Power Station Complex.
- 4.4.5. The stacks, which would increase in height by up to 3 m, would continue to protrude above the existing cooling towers and a difference in height of 6 m maintained between the existing cooling towers and the proposed stacks. The HRSG (which wraps around the main stacks for both Unit X and Y) would increase in height by 11 m, but this still only results in a very slight increase in the overall mass of structures at a higher elevation as can be seen in the photomontages in Appendix 2. The slight increase in massing of structures at a greater height has the potential to increase visual coalescence and clutter at a higher elevation, but this change, illustrated in the photomontages in Appendix 2, is not considered to be significant.
- 4.4.6. It is considered that whilst the footprint relating to the revised Proposed Scheme would slightly alter compared to the submitted Proposed Scheme (albeit the revised buildings and structures remain within the limits of deviation shown on the Works Plans as submitted with the Application), there would be no further loss of local landscape features.
- 4.4.7. The proposed non-material amendments to the Proposed Scheme do not alter the findings of level of significance of effect in landscape and visual terms.

APPENDIX 1: VIEWPOINT AND LOCATION PLAN, VIEWPOINTS AND PHOTOMONTAGE



- Key**
- Site Boundary
 - 10km Study Area
 - 1km Buffer Zone
 - 3km Buffer Zone
 - ▲ Revised Representative view and direction of view
 - ▲ Photomontage from representative view

Note:
 Development Parcel H has been removed as planning permission has been granted under a separate condition.

Photomontage from representative viewpoint 9 is supported by the following:

Figure 1.3A Field Verified Existing View
 Figure 1.3B Field Verified Photomontage of the submitted Proposed Scheme

Contains Ordnance Survey data © Crown copyright 2018. All rights reserved. License number 0100031673
 Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 - Regulation 5(2)(a)

REV	DATE	BY	DESCRIPTION	CHK	APP
c	23/01/2019	JL	ADDED NOTES	MB	MB
B	17/09/2018	JL	REVISE REPRESENTATIVE VIEWS	MB	CT
A	23/04/2018	RMcC	FIRST ISSUE	MB	CT

DRAWING STATUS: **FINAL**

Three White Rose Office Park, Millshaw Park Lane, Leeds, LS11 0DL, UK
 Tel: +44 113 395 6200 Fax: +44 113 395 6201
 wsp.com

CLIENT:

PROJECT: **The Drax Power (Generating Stations) Order**

TITLE: **Figure 1.1
 Viewpoint Location Plan for Revised Viewpoints and New Photomontage**


SCALE @ A3: 110,000 @ A3	CHECKED: MB	APPROVED: CT
PROJECT No: 70048144	DESIGNED: MB	DRAWN: RMcC
DRAWING No: 70048144-8.4.1		DATE: 23/04/2018
		REV: C

© WSP UK Ltd




▲ Representative View and Direction of View
 — Site boundary

Viewpoint Location



Detailed Viewpoint Location



OS Grid Ref :	471920, 427637
Direction of view :	South West
Ground elevation :	5m AOD
Time taken :	14:47pm
Date taken :	01/09/2018
Site distance :	2500m
Camera :	
Sensor Size :	Digital SLR with 1.5 cropfactor
35mm equivalent focal length :	52.5mm
	45.22 degrees
Camera height :	1.6m

When printed at A3 and viewed at a comfortable arm's length (Approx 500mm), this printed image is representative of our detailed central vision

Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 – Regulation 5 (2)(a)

THE DRAX POWER (GENERATING STATIONS) ORDER
 LANDSCAPE AND VISUAL IMPACT ASSESSMENT


VIEW 6: VIEW FROM PRoW ALONG LANDING LANE

FIGURE 1.2A REVISED FIELD VERIFIED VIEW





▲ Representative View and Direction of View
 — Site boundary



OS Grid Ref :	475854, 427395
Direction of view :	West
Ground elevation :	5m AOD
Time taken :	5:22pm
Date taken :	01/09/2018
Site distance :	7500m
Camera :	
Sensor Size :	Digital SLR with 1.5 cropfactor
35mm equivalent focal length :	52.5mm
	45.22 degrees
Camera height :	1.6m

When printed at A3 and viewed at a comfortable arm's length (Approx 500mm), this printed image is representative of our detailed central vision

Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 – Regulation 5 (2)(a)


THE DRAX POWER (GENERATING STATIONS) ORDER
 LANDSCAPE AND VISUAL IMPACT ASSESSMENT
 VIEW 7: VIEW FROM PUBLIC FOOTPATH ADJACENT TO
 HOWDEN DYKE ROAD, SOUTH EAST OF HOWDEN
 FIGURE 1.2B REVISED FIELD VERIFIED VIEW






- ▲ Representative View and Direction of View
- Site boundary

Viewpoint Location



Detailed Viewpoint Location



OS Grid Ref :	472451, 425162
Direction of view :	West / North West
Ground elevation :	5m AOD
Time taken :	15:48pm
Date taken :	01/09/2018
Site distance :	2500m
Camera :	
Sensor Size :	Digital SLR with 1.5 cropfactor
35mm equivalent focal length :	52.5mm
	45.22 degrees
Camera height :	1.6m

When printed at A3 and viewed at a comfortable arm's length (Approx 500mm), this printed image is representative of our detailed central vision

Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 – Regulation 5 (2)(a)

THE DRAX POWER (GENERATING STATIONS) ORDER
LANDSCAPE AND VISUAL IMPACT ASSESSMENT

VIEW 8: VIEW FROM PROW ON EMBANKMENT, WEST OF HILL STREET, AIRMYN

FIGURE 1.2C REVISED FIELD VERIFIED VIEW




File name V:\UK.WSPGROUP.COM\CENTRAL DATA\PROJECTS\700370XX\70037047 - DRAX RE-POWERING DCO-YORKSHIRE\DRAX DCO\02 EIA\06 LANDSCAPE AND VISUAL PHOTOMONTAGES\DRAX VIEWPOINT FIGURES FOLDER\




Approximate extent of Unit X and Y

— Site boundary

Viewpoint Location



Detailed Viewpoint Location



OS Grid Ref : 467483, 426620
 Direction of view : South Easterly
 Ground elevation : 17.63m AOD
 Time taken : 16:28pm
 Date taken : 01/09/2018
 Site distance : 1119m
 Camera :
 Sensor Size : Digital SLR with 1.5 cropfactor
 35mm equivalent focal length : 52.5mm
 45.22 degrees
 Camera height : 1.6m

When printed at A3 and viewed at a comfortable arm's length (Approx 500mm), this printed image is representative of our detailed central vision

Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 – Regulation 5 (2)(a)

THE DRAX POWER (GENERATING STATIONS) ORDER
 LANDSCAPE AND VISUAL IMPACT ASSESSMENT

VIEW 9: VIEW FROM PRoW CLOSE TO DRAX VILLAGE AND
 READ SCHOOL


FIGURE 1.3A FIELD VERIFIED EXISTING VIEW





— Site boundary

Viewpoint Location



Detailed Viewpoint Location



OS Grid Ref :	467483, 426620
Direction of view :	South Easterly
Ground elevation :	17.63m AOD
Time taken :	16:28pm
Date taken :	01/09/2018
Site distance :	1119m
Camera :	
Sensor Size :	Digital SLR with 1.5 cropfactor
35mm equivalent focal length :	52.5mm
	45.22 degrees
Camera height :	1.6m


When printed at A3 and viewed at a comfortable arm's length (Approx 500mm), this printed image is representative of our detailed central vision

Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 – Regulation 5 (2)(a)

THE DRAX POWER (GENERATING STATIONS) ORDER
 LANDSCAPE AND VISUAL IMPACT ASSESSMENT
 VIEW 9: VIEW FROM PRoW CLOSE TO DRAX VILLAGE AND
 READ SCHOOL
 FIGURE 1.3B FIELD VERIFIED PHOTOMONTAGE



APPENDIX 2: VIEWPOINT LOCATION PLAN, VIEWPOINTS, PHOTOMONTAGES AND REVISED PHOTOMONTAGES



Key

- Site Boundary
- 10km Study Area
- 1km Buffer Zone
- 3km Buffer Zone
- ▲ Photomontage from representative view

Note:
 Development Parcel H has been removed as planning permission has been granted under a separate condition.

Photomontages from representative viewpoints 3, 5, 6, 9, 13 and 15 are supported by Figures 1.5 to 1.10 followed by suffix A, B and C which represent:

- A – Field Verified Existing View
- B – Field Verified Photomontages of the submitted Proposed Scheme
- C – Field Verified Revised Photomontages of the revised Proposed Scheme

Contains Ordnance Survey data © Crown copyright 2018. All rights reserved. License number 0100031673
 Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 - Regulation 5(2)(a)

REV	DATE	BY	DESCRIPTION	CHK	APP
D	23/01/2019	JL	ADDED NOTES	MB	MB
C	13/11/2018	JL	REVISE VIEWPOINT LOCATION PLAN FOR PHOTOMONTAGES	MB	MB
B	17/09/2018	JL	REVISE REPRESENTATIVE VIEWS	MB	MB
A	23/04/2018	RMcC	FIRST ISSUE	MB	CT

DRAWING STATUS: FINAL

Three White Rose Office Park, Millshaw Park Lane, Leeds, LS11 0DL, UK
 Tel: +44 113 395 6200 Fax: +44 113 395 6201
 wsp.com

CLIENT:

PROJECT:
 The Drax Power (Generating Stations) Order

TITLE:
 Figure 1.4
 Viewpoint Location Plan for Revised
 Photomontages

SCALE @ A3: 110,000 @ A3	CHECKED: MB	APPROVED: CT
PROJECT No: 70048144	DESIGNED: MB	DRAWN: RMcC
DRAWING No: 70048144 - 8.4.1		DATE: 13/11/2018
		REV: D

© WSP UK Ltd



Viewpoint 3

OS Grid Ref : 467436, 428143
Direction of view : South Westerly
Ground elevation : 3.12m AOD
Time taken : 14:18pm
Date taken : 13/12/2017
Site distance : 1050m
Camera : Nikon D3200 with a fixed 35mm lens
Sensor Size : Digital SLR with 1.5 cropfactor
35mm equivalent focal length : 52.5mm
Horizontal field of view : 36.66 degrees
Camera height : 1.6m

When printed at A3 and viewed at a comfortable arm's length (Approx 500mm), this printed image is representative of our detailed central vision.
Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 – Regulation 5 (2)(a)

THE DRAX POWER (GENERATING STATIONS) ORDER
LANDSCAPE AND VISUAL IMPACT ASSESSMENT
VIEW 3 : VIEW FROM PEAR TREE AVENUE CLOSE TO PROW
FIGURE : 1.5A FIELD VERIFIED EXISTING VIEW






Viewpoint 3

OS Grid Ref : 467436, 428143
 Direction of view : South Westerly
 Ground elevation : 3.12m AOD
 Time taken : 14:18pm
 Date taken : 13/12/2017
 Site distance : 1050m
 Camera : Nikon D3200 with a fixed 35mm lens
 Sensor Size : Digital SLR with 1.5 cropfactor
 35mm equivalent focal length : 52.5mm
 Horizontal field of view : 36.66 degrees
 Camera height : 1.6m

When printed at A3 and viewed at a comfortable arm's length (Approx 500mm), this printed image is representative of our detailed central vision.
 Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 – Regulation 5 (2)(a)

THE DRAX POWER (GENERATING STATIONS) ORDER
 LANDSCAPE AND VISUAL IMPACT ASSESSMENT
 VIEW 3 : VIEW FROM PEAR TREE AVENUE CLOSE TO PROW
 FIGURE : 1.5B FIELD VERIFIED PHOTOMONTAGE





Viewpoint 3

OS Grid Ref : 467436, 428143
 Direction of view : South Westerly
 Ground elevation : 3.12m AOD
 Time taken : 14:18pm
 Date taken : 13/12/2017
 Site distance : 1050m
 Camera : Nikon D3200 with a fixed 35mm lens
 Sensor Size : Digital SLR with 1.5 cropfactor
 35mm equivalent focal length : 52.5mm
 Horizontal field of view : 36.66 degrees
 Camera height : 1.6m

When printed at A3 and viewed at a comfortable arm's length (Approx 500mm), this printed image is representative of our detailed central vision.
 Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 – Regulation 5 (2)(a)

THE DRAX POWER (GENERATING STATIONS) ORDER
 LANDSCAPE AND VISUAL IMPACT ASSESSMENT
 VIEW 3 : VIEW FROM PEAR TREE AVENUE CLOSE TO PROW
 FIGURE : 1.5C FIELD VERIFIED REVISED PHOTOMONTAGE





Viewpoint 5

OS Grid Ref : 468648, 428731
 Direction of view : South Westerly
 Ground elevation : 5.155m AOD
 Time taken : 14:29pm
 Date taken : 14/12/2017
 Site distance : 2375m
 Camera : Nikon D3200 with a fixed 35mm lens
 Sensor Size : Digital SLR with 1.5 cropfactor
 35mm equivalent focal length : 52.5mm
 Horizontal field of view : 36.66 degrees
 Camera height : 1.6m

When printed at A3 and viewed at a comfortable arm's length (Approx 500mm), this printed image is representative of our detailed central vision.

Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 – Regulation 5 (2)(a)

THE DRAX POWER (GENERATING STATIONS) ORDER
 LANDSCAPE AND VISUAL IMPACT ASSESSMENT
 VIEW 5 : VIEW FROM BARMBY ON THE MARSH
 FIGURE : 1.6A FIELD VERIFIED EXISTING VIEW





Viewpoint 5

OS Grid Ref : 468648, 428731
 Direction of view : South Westerly
 Ground elevation : 5.155m AOD
 Time taken : 14:29pm
 Date taken : 14/12/2017
 Site distance : 2375m
 Camera : Nikon D3200 with a fixed 35mm lens
 Sensor Size : Digital SLR with 1.5 cropfactor
 35mm equivalent focal length : 52.5mm
 Horizontal field of view : 36.66 degrees
 Camera height : 1.6m

When printed at A3 and viewed at a comfortable arm's length (Approx 500mm), this printed image is representative of our detailed central vision.

Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 – Regulation 5 (2)(a)

THE DRAX POWER (GENERATING STATIONS) ORDER
 LANDSCAPE AND VISUAL IMPACT ASSESSMENT
 VIEW 5 : VIEW FROM BARMBY ON THE MARSH
 FIGURE : 1.6B FIELD VERIFIED PHOTOMONTAGE





Viewpoint 5

OS Grid Ref : 468648, 428731
 Direction of view : South Westerly
 Ground elevation : 5.155m AOD
 Time taken : 14:29pm
 Date taken : 14/12/2017
 Site distance : 2375m
 Camera : Nikon D3200 with a fixed 35mm lens
 Sensor Size : Digital SLR with 1.5 cropfactor
 35mm equivalent focal length : 52.5mm
 Horizontal field of view : 36.66 degrees
 Camera height : 1.6m

When printed at A3 and viewed at a comfortable arm's length (Approx 500mm), this printed image is representative of our detailed central vision.

Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 – Regulation 5 (2)(a)

THE DRAX POWER (GENERATING STATIONS) ORDER

LANDSCAPE AND VISUAL IMPACT ASSESSMENT

VIEW 5 : VIEW FROM BARMBY ON THE MARSH

FIGURE : 1.6C FIELD VERIFIED REVISED PHOTOMONTAGE





Viewpoint 6

OS Grid Ref : 471920, 427637
 Direction of view : Westerly
 Ground elevation : 4.675m AOD
 Time taken : 14:15pm
 Date taken : 14/12/2017
 Site distance : 5280m
 Camera : Nikon D3200 with a fixed 35mm lens
 Sensor Size : Digital SLR with 1.5 cropfactor
 35mm equivalent focal length : 52.5mm
 Horizontal field of view : 36.66 degrees
 Camera height : 1.6m

When printed at A3 and viewed at a comfortable arm's length (Approx 500mm), this printed image is representative of our detailed central vision.

Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 – Regulation 5 (2)(a)

THE DRAX POWER (GENERATING STATIONS) ORDER
 LANDSCAPE AND VISUAL IMPACT ASSESSMENT
 VIEW 6 : VIEW FROM PROW ALONG LANDING LANE
 FIGURE : 1.7A FIELD VERIFIED EXISTING VIEW





Viewpoint 6

OS Grid Ref :	471920, 427637
Direction of view :	Westerly
Ground elevation :	4.675m AOD
Time taken :	14:15pm
Date taken :	14/12/2017
Site distance :	5280m
Camera :	Nikon D3200 with a fixed 35mm lens
Sensor Size :	Digital SLR with 1.5 cropfactor
35mm equivalent focal length :	52.5mm
Horizontal field of view :	36.66 degrees
Camera height :	1.6m

When printed at A3 and viewed at a comfortable arm's length (Approx 500mm), this printed image is representative of our detailed central vision.

Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 – Regulation 5 (2)(a)

THE DRAX POWER (GENERATING STATIONS) ORDER
 LANDSCAPE AND VISUAL IMPACT ASSESSMENT
 VIEW 6 : VIEW FROM PRoW ALONG LANDING LANE
 FIGURE : 1.7B FIELD VERIFIED PHOTOMONTAGE





Viewpoint 6

OS Grid Ref :	471920, 427637
Direction of view :	Westerly
Ground elevation :	4.675m AOD
Time taken :	14:15pm
Date taken :	14/12/2017
Site distance :	5280m
Camera :	Nikon D3200 with a fixed 35mm lens
Sensor Size :	Digital SLR with 1.5 cropfactor
35mm equivalent focal length :	52.5mm
Horizontal field of view :	36.66 degrees
Camera height :	1.6m

When printed at A3 and viewed at a comfortable arm's length (Approx 500mm), this printed image is representative of our detailed central vision.

Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 – Regulation 5 (2)(a)

THE DRAX POWER (GENERATING STATIONS) ORDER

LANDSCAPE AND VISUAL IMPACT ASSESSMENT

VIEW 6 : VIEW FROM PRoW ALONG LANDING LANE

FIGURE : 1.7C FIELD VERIFIED REVISED PHOTOMONTAGE





Viewpoint 9

OS Grid Ref : 467483, 426620
 Direction of view : South Easterly
 Ground elevation : 17.63m AOD
 Time taken : 16:28pm
 Date taken : 01/09/2018
 Site distance : 1119m
 Camera : Nikon D3200 with a fixed 35mm lens
 Sensor Size : Digital SLR with 1.5 cropfactor
 35mm equivalent focal length : 52.5mm
 Horizontal field of view : 36.66 degrees
 Camera height : 1.6m

When printed at A3 and viewed at a comfortable arm's length (Approx 500mm), this printed image is representative of our detailed central vision.

Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 – Regulation 5 (2)(a)

THE DRAX POWER (GENERATING STATIONS) ORDER

LANDSCAPE AND VISUAL IMPACT ASSESSMENT

VIEW 9 : VIEW FROM PROW CLOSE TO DRAX VILLAGE AND
 READ SCHOOL

FIGURE : 1.8A FIELD VERIFIED EXISTING VIEW





Viewpoint 9

OS Grid Ref : 467483, 426620
 Direction of view : South Easterly
 Ground elevation : 17.63m AOD
 Time taken : 16:28pm
 Date taken : 01/09/2018
 Site distance : 1119m
 Camera : Nikon D3200 with a fixed 35mm lens
 Sensor Size : Digital SLR with 1.5 cropfactor
 35mm equivalent focal length : 52.5mm
 Horizontal field of view : 36.66 degrees
 Camera height : 1.6m

When printed at A3 and viewed at a comfortable arm's length (Approx 500mm), this printed image is representative of our detailed central vision.

Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 – Regulation 5 (2)(a)

THE DRAX POWER (GENERATING STATIONS) ORDER

LANDSCAPE AND VISUAL IMPACT ASSESSMENT

VIEW 9 : VIEW FROM PROW CLOSE TO DRAX VILLAGE AND READ SCHOOL

FIGURE : 1.8B FIELD VERIFIED PHOTOMONTAGE





Viewpoint 9

OS Grid Ref : 467483, 426620
 Direction of view : South Easterly
 Ground elevation : 17.63m AOD
 Time taken : 16:28pm
 Date taken : 01/09/2018
 Site distance : 1119m
 Camera : Nikon D3200 with a fixed 35mm lens
 Sensor Size : Digital SLR with 1.5 cropfactor
 35mm equivalent focal length : 52.5mm
 Horizontal field of view : 36.66 degrees
 Camera height : 1.6m

When printed at A3 and viewed at a comfortable arm's length (Approx 500mm), this printed image is representative of our detailed central vision.

Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 – Regulation 5 (2)(a)

THE DRAX POWER (GENERATING STATIONS) ORDER

LANDSCAPE AND VISUAL IMPACT ASSESSMENT

VIEW 9 : VIEW FROM PROW CLOSE TO DRAX VILLAGE AND READ SCHOOL

FIGURE : 1.8C FIELD VERIFIED REVISED PHOTOMONTAGE





Viewpoint 13

OS Grid Ref : 465286, 421712
 Direction of view : North Easterly
 Ground elevation : 8.922m AOD
 Time taken : 11:55am
 Date taken : 13/12/2017
 Site distance : 5935m
 Camera : Nikon D3200 with a fixed 35mm lens
 Sensor Size : Digital SLR with 1.5 cropfactor
 35mm equivalent focal length : 52.5mm
 Horizontal field of view : 36.66 degrees
 Camera height : 1.6m

When printed at A3 and viewed at a comfortable arm's length (Approx 500mm), this printed image is representative of our detailed central vision.

Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 – Regulation 5 (2)(a)

THE DRAX POWER (GENERATING STATIONS) ORDER
 LANDSCAPE AND VISUAL IMPACT ASSESSMENT
 VIEW 13 : VIEW FROM PROW ALONG FISH BALK LANE
 FIGURE : 1.9A FIELD VERIFIED EXISTING VIEW





Viewpoint 13

OS Grid Ref : 465286, 421712
 Direction of view : North Easterly
 Ground elevation : 8.922m AOD
 Time taken : 11:55am
 Date taken : 13/12/2017
 Site distance : 5935m
 Camera : Nikon D3200 with a fixed 35mm lens
 Sensor Size : Digital SLR with 1.5 cropfactor
 35mm equivalent focal length : 52.5mm
 Horizontal field of view : 36.66 degrees
 Camera height : 1.6m

When printed at A3 and viewed at a comfortable arm's length (Approx 500mm), this printed image is representative of our detailed central vision.

Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 – Regulation 5 (2)(a)

THE DRAX POWER (GENERATING STATIONS) ORDER
 LANDSCAPE AND VISUAL IMPACT ASSESSMENT
 VIEW 13 : VIEW FROM PROW ALONG FISH BALK LANE
 FIGURE : 1.9B FIELD VERIFIED PHOTOMONTAGE





Viewpoint 13

OS Grid Ref : 465286, 421712
 Direction of view : North Easterly
 Ground elevation : 8.922m AOD
 Time taken : 11:55am
 Date taken : 13/12/2017
 Site distance : 5935m
 Camera : Nikon D3200 with a fixed 35mm lens
 Sensor Size : Digital SLR with 1.5 cropfactor
 35mm equivalent focal length : 52.5mm
 Horizontal field of view : 36.66 degrees
 Camera height : 1.6m

When printed at A3 and viewed at a comfortable arm's length (Approx 500mm), this printed image is representative of our detailed central vision.

Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 – Regulation 5 (2)(a)

THE DRAX POWER (GENERATING STATIONS) ORDER

LANDSCAPE AND VISUAL IMPACT ASSESSMENT

VIEW 13 : VIEW FROM PROW ALONG FISH BALK LANE

FIGURE : 1.9C FIELD VERIFIED REVISED PHOTOMONTAGE





Viewpoint 15

OS Grid Ref : 458801, 430586
 Direction of view : South Easterly
 Ground elevation : 15.582m AOD
 Time taken : 10:45am
 Date taken : 14/12/2017
 Site distance : 8475m
 Camera : Nikon D3200 with a fixed 35mm lens
 Sensor Size : Digital SLR with 1.5 cropfactor
 35mm equivalent focal length : 52.5mm
 Horizontal field of view : 36.66 degrees
 Camera height : 1.6m

When printed at A3 and viewed at a comfortable arm's length (Approx 500mm), this printed image is representative of our detailed central vision.

Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 – Regulation 5 (2)(a)

THE DRAX POWER (GENERATING STATIONS) ORDER
 LANDSCAPE AND VISUAL IMPACT ASSESSMENT
 VIEW 15 : VIEW FROM BRAYTON BARFF COUNTRY PARK
 FIGURE : 1.10A FIELD VERIFIED EXISTING VIEW





Viewpoint 15

OS Grid Ref :	458801, 430586
Direction of view :	South Easterly
Ground elevation :	15.582m AOD
Time taken :	10:45am
Date taken :	14/12/2017
Site distance :	8475m
Camera :	Nikon D3200 with a fixed 35mm lens
Sensor Size :	Digital SLR with 1.5 cropfactor
35mm equivalent focal length :	52.5mm
Horizontal field of view :	36.66 degrees
Camera height :	1.6m

When printed at A3 and viewed at a comfortable arm's length (Approx 500mm), this printed image is representative of our detailed central vision.

Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 – Regulation 5 (2)(a)

THE DRAX POWER (GENERATING STATIONS) ORDER
 LANDSCAPE AND VISUAL IMPACT ASSESSMENT
 VIEW 15 : VIEW FROM BRAYTON BARFF COUNTRY PARK
 FIGURE : 1.10B FIELD VERIFIED PHOTOMONTAGE





Viewpoint 15

OS Grid Ref :	458801, 430586
Direction of view :	South Easterly
Ground elevation :	15.582m AOD
Time taken :	10:45am
Date taken :	14/12/2017
Site distance :	8475m
Camera :	Nikon D3200 with a fixed 35mm lens
Sensor Size :	Digital SLR with 1.5 cropfactor
35mm equivalent focal length :	52.5mm
Horizontal field of view :	36.66 degrees
Camera height :	1.6m

When printed at A3 and viewed at a comfortable arm's length (Approx 500mm), this printed image is representative of our detailed central vision.

Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 – Regulation 5 (2)(a)

THE DRAX POWER (GENERATING STATIONS) ORDER

LANDSCAPE AND VISUAL IMPACT ASSESSMENT

VIEW 15 : VIEW FROM BRAYTON BARFF COUNTRY PARK

FIGURE : 1.10C FIELD VERIFIED REVISED PHOTOMONTAGE



