

**From:** [Simon Thelwell](#)  
**To:** [Riverside Energy Park](#)  
**Subject:** EN010093-000004 - Scoping Consultation  
**Date:** 28 December 2017 13:32:16

---

Dear Sir/Madam

I refer to your letter of 28 November 2017 regarding the above. London Borough of Havering would wish to make the following comments:

1. We agree in principle with the proposed scope of works relating to the approach to assessing the impacts of the proposed development both during the construction and operational phases.
2. We would strongly recommend early involvement and consultation with London Borough of Havering prior to the commencement of the air quality and noise assessments to agree on the methodology which will be followed (e.g. location of receptors, baseline conditions, operating scenarios etc.)
3. Havering's HV1 Rainham Automating Monitoring Station (553127, 182506) is located less than 4 km from the site. We would therefore recommend that this monitoring station is included in Table 7.3.1.
4. The proposed residential developments along A1306 New Road (between Dover's Corner and Beam Park Development) should also be taken into account at the stage of identification of specific sensitive receptor locations.

Thank you.

**Simon Thelwell | Planning Manager, Projects and Regulation**

London Borough of Havering | Regulatory Services  
Mercury House, Mercury Gardens, Romford, RM1 3SL

**t** 01708 432685

**e** [simon.thelwell@haverling.gov.uk](mailto:simon.thelwell@haverling.gov.uk)

**text relay** 18001 01708 432685

[www.haverling.gov.uk](http://www.haverling.gov.uk)

Clean | Safe | Proud

Sign up for [email updates](#) for local news and information

This document is strictly confidential and is intended only for use by the addressee. If you are not the intended recipient, any disclosure, copying, distribution or other action taken in reliance of the information contained in this e-mail is strictly prohibited. Any views expressed by the sender of this message are not necessarily those of the London Borough of Havering. If you have received this transmission in error, please use the reply function to tell us and then permanently delete what you have received. This email was scanned for viruses by the London Borough of Havering anti-virus services and on leaving the Authority was found to be virus free. Please note: Incoming and outgoing e-mail messages are routinely monitored for compliance with our policy on the use of electronic communications.

---

This email has been scanned by the Symantec Email Security.cloud service.