

Telephone: [REDACTED] (open 9am - 1pm)
Email: planningcontrol@peterborough.gov.uk
Case Officer: [REDACTED]
Our Ref: 21/00755/CONSUL
Your Ref:

PETERBOROUGH



Planning Services

Sand Martin House
Bittern Way
Fletton Quays
Peterborough
PE2 8TY

Planning Inspectorate
Boston Alternative Energy Facility Case Team

Peterborough Direct: [REDACTED]

8 April 2021

Dear Sir/Madam

Planning enquiry

Proposal: Boston AEF - Adequacy of Consultation

Site address: Boston Alternative Energy Facility

Further to your enquiry received on 24 March 2021, in respect of the above, the Local Planning Authority makes the following comments:

Thank you for seeking our views with regards the adequacy of the consultation on the above proposals.

I can confirm that sufficient information had been provided to Peterborough City Council, as an adjacent authority, with regards PINS reference EN0 10095 as presented at 1 December 2020.

No further consultation has been undertaken with this authority between our response dated 14 December, and receipt of a further adequacy of consultation letter relating to the project by letter dated 24 March 2021.

I trust that the above advice is of use however should you have any further queries, please do not hesitate to contact me on the details shown at the top of this letter.

Yours faithfully

[REDACTED]

[REDACTED]
Principal Minerals and Waste Officer