



**AECOM**

PROJECT  
NET ZERO TEESIDE PROJECT

Net Zero Teesside

APPLICANTS  
NZT POWER LTD. AND NZNS STORAGE LTD.

KEY

- Site Boundary
- Power, Capture and Compressor Site
- CO<sub>2</sub> Export Pipeline - HDD Area
- Ramsar Site
- Special Protection Area

CO<sub>2</sub> Export Pipeline - HDD Area - Noise Distance Bands

Distance (m) - Level  $L_{Aeq, T}$  (dB) - Significance

- 65 - 69 - IECS Receptor Value
- 190 - 58 - 10 dB above Bran Sands measured daytime  $L_{Aeq, T}$
- 270 - 55 - 10 dB above Coatham measured daytime  $L_{Aeq, T}$
- 525 - 48 - Equal to Bran Sands measured daytime  $L_{Aeq, T}$
- 675 - 45 - Equal to Coatham measured daytime  $L_{Aeq, T}$

NOTE:  
The noise levels predicted are based upon the methodologies outlined in:  
- Chapter 11: Noise and Vibration  
- Appendix 11A: Construction Noise Assessment Methodology

Details of assessment methodologies for assessing noise impacts on ecological receptors contained in Chapter 15: Ornithology and the Habitats Regulations Assessment

TITLE  
FIGURE 11-4 A V2  
NOISE DISTANCE BANDS  
CO<sub>2</sub> EXPORT PIPELINE - CONSTRUCTION

REFERENCE  
NZT\_210906\_ES\_11-4A\_v6

SHEET NUMBER  
1 of 1

DATE  
12/10/21

This drawing has been produced for the use of AECOM's client. It may not be used, modified or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies upon this drawing without AECOM's express written consent. All dimensions are indicative and in metres unless otherwise noted. Do not scale this document.