



# Sheringham Shoal and Dudgeon Offshore Wind Farm Extension Projects

Environmental Statement

## **Volume 2**

## Chapter 25 - Seascape and Visual Impact Assessment

August 2022

Document Reference: 6.2.25

APFP Regulation: 5(2)(a)

Title: <b>Sheringham Shoal and Dudgeon Offshore Wind Farm Extension Projects                  Environmental Statement (Volume 2)                  Chapter 25: Seascape and Visual Impact Assessment Figures (Part 9 of 18)</b>	
PINS Document No.: 6.2.25	
Document No.: C282-RH-Z-GA-00003	
Date: <b>August 2022</b>	
Classification: <b>Final</b>	
Prepared by: <b>Royal HaskoningDHV</b>	
Approved by: <b>Sarah Chandler, Equinor</b>	Date: August 2022

### List of Figures

Figure 25.26 Viewpoint 6 – Trimingham

Figure 25.27 Viewpoint 7 – Horsey Gap Beach





Z:\V273\_UK\_EXTENSION\_PROJECTS\6DOCS\VISUAL\SES\PB164\_LDA\_ZZ\_OF\_DR\_Z\_0073\_VIEWPOINT6TRIMINGHAM.INDD

© LDA Design Consulting Ltd. Quality Assured to BS EN ISO 9001:2008



Baseline photograph

This image provides landscape and visual context only



Wireline drawing - Race Bank (49.0km), Sheringham Shoal (25.0km), Triton Knoll (63.5km), Sheringham Shoal Extension Project (22.6km), Dudgeon Extension Project (29.0km), Dudgeon (34.9km)



Camera Location (OS Grid Reference): 627893 E 338945 N  
 Ground Level (mAOD): 56.1m  
 Direction of View: bearing from North (0°): 349°  
 Nearest Turbine: See above

Horizontal Field of View: 90° (Cylindrical projection)  
 Paper Size: 841mm x 297mm (Half A1)  
 Enlargement Factor: 96%  
 Visualisation Type: Type 2

Photo Date / Time: 21/07/2020 11:05  
 Camera Model and Sensor Format: Canon EOS 6D Mark II, FFS  
 Lens Make, Model and Focal Length: Sigma 50mm f1.4  
 Height of Camera Lens above Ground (mAOD): 1.5m

This wireframe is based upon OSTerrain50 data with spot heights at 50m intervals and does not precisely model small scale changes in landform or sharp breaks in slope. The wireframe model does not allow for the screening effects of vegetation or buildings. The model of turbine shown is similar to that proposed for the development. LAT has been approximated at -2.7m MSL across the development site.




COPYRIGHT  
 Ordnance Survey material by permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office © Crown Copyright. All rights reserved. 2020 Reference number 0100031673.



**Sheringham Shoal and Dudgeon Extension Projects**  
 DOCUMENT: Environmental Statement (ES)  
 Chapter 25 Seascape and Visual Impact Assessment  
 APPLICATION DOC. NO.: 6.2.25

Figure 25.26  
**Viewpoint 6 - Trimmingham**  
 EQUINOR DOC. NO.: G282-LD-Z-GA-00003  
 RHDHV DOC. NO.: PB8164\_LDA\_ZZ\_OF\_DR\_Z\_0073  
 REV: A DATE: 05/07/2022 STATUS: First Issue DRW: VW CHK: NA APR: CG





Wireline drawing - Sheringham Shoal (25.0km), Triton Knoll (63.5km), Sheringham Shoal Extension Project (22.6km), Dudgeon Extension Project (29.0km), Dudgeon (34.9km)

	Camera Location (OS Grid Reference): 627893 E 338945 N Ground Level (mAOD): 56.1m Direction of View: bearing from North (0°): 349° Nearest Turbine: See above	Horizontal Field of View: 53.5° (Planar projection) Paper Size: 841mm x 297mm (Half A1) Enlargement Factor: TBC Visualisation Type: Type 2	Photo Date / Time: 21/07/2020 11:05 Camera Model and Sensor Format: Canon EOS 6D Mark II, FFS Lens Make, Model and Focal Length: Sigma 50mm f1.4 Height of Camera Lens above Ground (mAOD): 1.5m	Hub / Blade tip height: 180m / 330m	This wireframe is based upon OSTerrain50 data with spot heights at 50m intervals and does not precisely model small scale changes in landform or sharp breaks in slope. The wireframe model does not allow for the screening effects of vegetation or buildings. The model of turbine shown is similar to that proposed for the development. LAT has been approximated at -2.7m MSL across the development site.		COPYRIGHT Ordnance Survey material by permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office © Crown Copyright. All rights reserved. 2020 Reference number 0100031673.		<b>Sheringham Shoal and Dudgeon Extension Projects</b> DOCUMENT: Environmental Statement (ES) Chapter 25 Seascape and Visual Impact Assessment APPLICATION DOC. NO.: 6.2.25	Figure 25.26 <b>Viewpoint 6 - Trimmingham</b> EQUINOR DOC. NO.: G282-LD-Z-GA-00003 RHDHV DOC. NO.: PB8164_LDA_ZZ_OF_DR_Z_0073 REV: A DATE: 05/07/2022 STATUS: First Issue DRW: VW CHK: NA APR: CG	Sheet 1 of 1
	© LDA Design Consulting Ltd. Quality Assured to BS EN ISO 9001:2008										





**Photomontage - Sheringham Shoal Extension Project (22.6km), Dudgeon Extension Project (29.0km)**

To be viewed at comfortable arm's length

	Camera Location (OS Grid Reference): 627893 E 338945 N Ground Level (mAOD): 56.1m Direction of View: bearing from North (0°): 349° Nearest Turbine: See above	Horizontal Field of View: 53.5° (Planar projection) Paper Size: 841mm x 297mm (Half A1) Enlargement Factor: TBC Visualisation Type: Type 3	Photo Date / Time: 21/07/2020 11:05 Camera Model and Sensor Format: Canon EOS 6D Mark II, FFS Lens Make, Model and Focal Length: Sigma 50mm f1.4 Height of Camera Lens above Ground (mAOD): 1.5m	Hub / Blade tip height: 180m / 330m	This photomontage is based upon OSTerrain50 data with spot heights at 50m intervals and does not precisely model small scale changes in landform or sharp breaks in slope. The model of turbine shown is similar to that proposed for the development. LAT has been approximated at -2.7m MSL across the development site.		COPYRIGHT Ordnance Survey material by permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office © Crown Copyright. All rights reserved. 2020 Reference number 0100031673.		<b>Sheringham Shoal and Dudgeon Extension Projects</b> DOCUMENT: Environmental Statement (ES) Chapter 25 Seascape and Visual Impact Assessment APPLICATION DOC. NO.: 6.2.25	Figure 25.26 <b>Viewpoint 6 - Trimmingham</b> EQUINOR DOC. NO.: G282-LD-Z-GA-00003 RHDHV DOC. NO.: PB8164_LDA_ZZ_OF_DR_Z_0073 REV: A DATE: 05/07/2022 STATUS: First Issue DRW: VW CHK: NA APR: CG	Sheet 1 of 1
	© LDA Design Consulting Ltd. Quality Assured to BS EN ISO 9001:2008										



Z:\V273\_UK\_EXTENSION\_PROJECTS\6DOCS\VISUAL\SES\PB164\_LDA\_ZZ\_OF\_DR\_Z\_0073\_VIEWPOINT6TRIMINGHAM.INDO



© LDA Design Consulting Ltd. Quality Assured to BS EN ISO 9001:2008

Baseline Photograph Night

To be viewed at comfortable arm's length



Camera Location (OS Grid Reference):	627893 E 338945 N
Ground Level (mAOD):	56.1m
Direction of View: bearing from North (0°):	349°
Nearest Turbine:	See above

Horizontal Field of View:	53.5° (Planar projection)
Paper Size:	841mm x 297mm (Half A1)
Enlargement Factor:	TBC
Visualisation Type:	Type 1

Photo Date / Time:	21/07/2020 22:42
Camera Model and Sensor Format:	Canon EOS 6D Mark II, FFS
Lens Make, Model and Focal Length:	Sigma 50mm f1.4
Height of Camera Lens above Ground (mAOD):	1.5m

Hub / Blade tip height:	180m / 330m
-------------------------	-------------



**COPYRIGHT**  
Ordnance Survey material by permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office © Crown Copyright. All rights reserved. 2020 Reference number 0100031673.



**Sheringham Shoal and Dudgeon Extension Projects**  
DOCUMENT: Environmental Statement (ES)  
Chapter 25 Seascape and Visual Impact Assessment  
APPLICATION DOC. NO.: 6.2.25

Figure 25.26  
**Viewpoint 6 - Trimmingham** Sheet 1 of 1  
EQUINOR DOC. NO.: C282-LD-Z-GA-00003  
RHDHV DOC. NO.: PB164\_LDA\_ZZ\_OF\_DR\_Z\_0073  
REV: A    DATE: 05/07/2022    STATUS: First Issue    DRW: VW    CHK: NA    APR: CG



Z:\V273\_UK\_EXTENSION\_PROJECTS\6DOCS\VISUAL\SES\PB164\_LDA\_ZZ\_OF\_DR\_Z\_0073\_VIEWPOINT6TRIMINGHAM.INDD



© LDA Design Consulting Ltd. Quality Assured to BS EN ISO 9001:2008

**Photomontage Night - Sheringham Shoal Extension Project (22.6km), Dudgeon Extension Project (29.0km)**



To be viewed at comfortable arm's length

	Camera Location (OS Grid Reference): 627893 E 338945 N Ground Level (mAOD): 56.1m Direction of View: bearing from North (0°): 349° Nearest Turbine: See above	Horizontal Field of View: 53.5° (Planar projection) Paper Size: 841mm x 297mm (Half A1) Enlargement Factor: TBC Visualisation Type: Type 3	Photo Date / Time: 21/07/2020 22:42 Camera Model and Sensor Format: Canon EOS 6D Mark II, FFS Lens Make, Model and Focal Length: Sigma 50mm f1.4 Height of Camera Lens above Ground (mAOD): 1.5m	Hub / Blade tip height: 180m / 330m	This photomontage is based upon OSTerrain50 data with spot heights at 50m intervals and does not precisely model small scale changes in landform or sharp breaks in slope. The model of turbine shown is similar to that proposed for the development. LAT has been approximated at -2.7m MSL across the development site.		COPYRIGHT Ordnance Survey material by permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office © Crown Copyright. All rights reserved. 2020 Reference number 0100031673.		<b>Sheringham Shoal and Dudgeon Extension Projects</b> DOCUMENT: Environmental Statement (ES) Chapter 25 Seascape and Visual Impact Assessment APPLICATION DOC. NO.: 6.2.25	Figure 25.26 <b>Viewpoint 6 - Trimmingham</b> EQUINOR DOC. NO.: C282-LD-Z-GA-00003 RHDHV DOC. NO.: PB8164_LDA_ZZ_OF_DR_Z_0073 REV: A    DATE: 05/07/2022    STATUS: First Issue    DRW: VW    CHK: NA    APR: CG	Sheet 1 of 1
	© LDA Design Consulting Ltd. Quality Assured to BS EN ISO 9001:2008										



Z:\2723\_UK\_EXTENSION\_PROJECTS\600CS\VISUAL\SES\PB8164\_LDA\_ZZ\_OF\_DR\_Z\_0074\_VIEWPOINTHORSEY GAP BEACH.NDD


© LDA Design Consulting Ltd. Quality Assured to BS EN ISO 9001:2008



Wireline drawing - Sheringham Shoal (48.8km), Sheringham Shoal Extension Project (45.9km), Dudgeon Extension Project (46.9km), Dudgeon (53.5km)

	Camera Location (OS Grid Reference): 647058 E 323628 N Ground Level (mAOD): 4.1m Direction of View: bearing from North (0°): 329° Nearest Turbine: See above	Horizontal Field of View: 90° (Cylindrical projection) Paper Size: 841mm x 297mm (Half A1) Enlargement Factor: 96% Visualisation Type: Type 2	Photo Date / Time: 21/07/2020 08:55 Camera Model and Sensor Format: Canon EOS 6D Mark II, FFS Lens Make, Model and Focal Length: Sigma 50mm f1.4 Height of Camera Lens above Ground (mAOD): 1.5m	This wireframe is based upon OSTerrain50 data with spot heights at 50m intervals and does not precisely model small scale changes in landform or sharp breaks in slope. The wireframe model does not allow for the screening effects of vegetation or buildings. The model of turbine shown is similar to that proposed for the development site. LAT has been approximated at -2.7m MSL across the development site.		COPYRIGHT Ordnance Survey material by permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office © Crown Copyright. All rights reserved. 2020 Reference number 0100031673.		<b>Sheringham Shoal and Dudgeon Extension Projects</b> DOCUMENT: Environmental Statement (ES) Chapter 25 Seascape and Visual Impact Assessment APPLICATION DOC. NO.: 6.2.25	Figure 25.27 <b>Viewpoint 7 - Horsey Gap beach</b> EQUINOR DOC. NO.: G282-LD-Z-GA-00003 RHDHV DOC. NO.: PB8164_LDA_ZZ_OF_DR_Z_0074 REV: A DATE: 05/07/2022 STATUS: First Issue DRW: VW CHK: NA APR: CG	Sheet 1 of 1
--	---	--	---	---	--	---	--	--	--	--------------





Wireline drawing - Sheringham Shoal (48.8km), Sheringham Shoal Extension Project (45.9km), Dudgeon Extension Project (46.9km), Dudgeon (53.5km)

	Camera Location (OS Grid Reference): 647058 E 323628 N Ground Level (mAOD): 4.1m Direction of View: bearing from North (0°): 332° Nearest Turbine: See above	Horizontal Field of View: 53.5° (Planar projection) Paper Size: 841mm x 297mm (Half A1) Enlargement Factor: TBC Visualisation Type: Type 2	Photo Date / Time: 21/07/2020 08:55 Camera Model and Sensor Format: Canon EOS 6D Mark II, FFS Lens Make, Model and Focal Length: Sigma 50mm f1.4 Height of Camera Lens above Ground (mAOD): 1.5m	Hub / Blade tip height: 180m / 330m	This wireframe is based upon OSTerrain50 data with spot heights at 50m intervals and does not precisely model small scale changes in landform or sharp breaks in slope. The wireframe model does not allow for the screening effects of vegetation or buildings. The model of turbine shown is similar to that proposed for the development. LAT has been approximated at -2.7m MSL across the development site.		COPYRIGHT Ordnance Survey material by permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office © Crown Copyright. All rights reserved. 2020 Reference number 0100031673.		<b>Sheringham Shoal and Dudgeon Extension Projects</b> DOCUMENT: Environmental Statement (ES) Chapter 25 Seascape and Visual Impact Assessment APPLICATION DOC. NO.: 6.2.25	Figure 25.27 <b>Viewpoint 7 - Horsey Gap beach</b> EQUINOR DOC. NO.: G282-LD-Z-GA-00003 RHDHV DOC. NO.: PB8164_LDA_ZZ_OF_DR_Z_0074 REV: A DATE: 05/07/2022 STATUS: First Issue DRW: VW CHK: NA APR: CG	Sheet 1 of 1
	© LDA Design Consulting Ltd. Quality Assured to BS EN ISO 9001:2008										





Photomontage - Sheringham Shoal Extension Project (45.9km), Dudgeon Extension Project (46.9km)

To be viewed at comfortable arm's length

	Camera Location (OS Grid Reference): 647058 E 323628 N Ground Level (mAOD): 4.1m Direction of View: bearing from North (0°): 332° Nearest Turbine: See above	Horizontal Field of View: 53.5° (Planar projection) Paper Size: 841mm x 297mm (Half A1) Enlargement Factor: TBC Visualisation Type: Type 3	Photo Date / Time: 21/07/2020 08:55 Camera Model and Sensor Format: Canon EOS 6D Mark II, FFS Lens Make, Model and Focal Length: Sigma 50mm f1.4 Height of Camera Lens above Ground (mAOD): 1.5m	Hub / Blade tip height: 180m / 330m	This photomontage is based upon OSTerrain50 data with spot heights at 50m intervals and does not precisely model small scale changes in landform or sharp breaks in slope. The model of turbine shown is similar to that proposed for the development. LAT has been approximated at -2.7m MSL across the development site.		COPYRIGHT Ordnance Survey material by permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office © Crown Copyright. All rights reserved. 2020 Reference number 0100031673.		<b>Sheringham Shoal and Dudgeon Extension Projects</b> DOCUMENT: Environmental Statement (ES) Chapter 25 Seascape and Visual Impact Assessment APPLICATION DOC. NO.: 6.2.25	Figure 25.27 <b>Viewpoint 7 - Horsey Gap beach</b> EQUINOR DOC. NO.: G282-LD-Z-GA-00003 RHDHV DOC. NO.: PB164_LDA_ZZ_OF_DR_Z_0074 REV: A DATE: 05/07/2022 STATUS: First Issue DRW: VW CHK: NA APR: CG	Sheet 1 of 1
	To be viewed at comfortable arm's length										