



Sheringham Shoal and Dudgeon Offshore Wind Farm Extension Projects

Environmental Statement

Volume 2

Chapter 25 - Seascape and Visual Impact Assessment

August 2022

Document Reference: 6.2.25

APFP Regulation: 5(2)(a)

Title: Sheringham Shoal and Dudgeon Offshore Wind Farm Extension Projects Environmental Statement (Volume 2) Chapter 25: Seascape and Visual Impact Assessment Figures (Part 18 of 18)	
PINS Document No.: 6.2.25	
Document No.: C282-RH-Z-GA-00003	
Date: August 2022	
Classification: Final	
Prepared by: Royal HaskoningDHV	
Approved by: Sarah Chandler, Equinor	Date: August 2022

List of Figures

Figure 25.38 Viewpoint 18 - Coastal Path (Cromer-Overstead)



Z:\2023_LUK_EXTENSION_PROJECTS\DOCS\VISUALS\PB164_LDA_ZZ_OF_DR_Z_005_VIEWPOINT_COASTAL_PATH_CROMER-OVERSTEAD.NDD

© LDA Design Consulting Ltd. Quality Assured to BS EN ISO 9001:2018



Baseline photograph

This image provides landscape and visual context only




Wireline drawing - Lincs (60.0km), Race Bank (44.3km), Triton Knoll (59.4km), Sheringham Shoal Extension Project (18.8m), Sheringham Shoal (20.9km), Dudgeon Extension Project (27.5km), Dudgeon (32.9km)



Camera Location (OS Grid Reference):	623611 E 341390 N	Horizontal Field of View:	90° (Cylindrical projection)
Ground Level (mAOD):	60.2m	Paper Size:	841mm x 297mm (Half A1)
Direction of View: bearing from North (0°):	341°	Enlargement Factor:	96%
Nearest Turbine:	See above	Visualisation Type:	Type 2

Photo Date / Time:	25/10/2020 15:20
Camera Model and Sensor Format:	Canon EOS 6D Mark II, FFS
Lens Make, Model and Focal Length:	Sigma 50mm f1.4
Height of Camera Lens above Ground (mAOD):	1.5m

This wireframe is based upon OSTerrain50 data with spot heights at 50m intervals and does not precisely model small scale changes in landform or sharp breaks in slope. The wireframe model does not allow for the screening effects of vegetation or buildings. The model of turbine shown is similar to that proposed for the development. LAT has been approximated at -2.7m MSL across the development site.



COPYRIGHT
Ordnance Survey material by permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office © Crown Copyright. All rights reserved. 2020 Reference number 0100031673.




Sheringham Shoal and Dudgeon Extension Projects
DOCUMENT: Environmental Statement (ES)
Chapter 25 Seascape and Visual Impact Assessment
APPLICATION DOC. NO.: 6.2.25

Figure 25.38
Viewpoint 18 - Coastal Path (Cromer-Overstead)
EQUINOR DOC. NO.: G282-LD-Z-GA-00003
RHDHV DOC. NO.: PB164_LDA_ZZ_OF_DR_Z_0085
REV: A DATE: 05/07/2022 STATUS: First Issue DRW: VW CHK: NA APR: CG

Z:\2023_LUK_EXTENSION_PROJECTS\BDOCS\VISUALS\PB164_LDA_ZZ_OF_DR_Z_005_VEM\POINT\BOCOASTAL\PATH\CROMER\OVERSTEAD\INDO

© LDA Design Consulting Ltd. Quality Assured to BS EN ISO 9001:2008




Wireline drawing - Lincs (60.0km), Race Bank (44.3km), Triton Knoll (59.4km), Sheringham Shoal Extension Project (18.8m), Sheringham Shoal (20.9km), Dudgeon Extension Project (27.5km)

	Camera Location (OS Grid Reference): 623611 E 341390 N Ground Level (mAOD): 60.2m Direction of View: bearing from North (0°): 324.25° Nearest Turbine: See above	Horizontal Field of View: 53.5° (Planar projection) Paper Size: 841mm x 297mm (Half A1) Enlargement Factor: TBC Visualisation Type: Type 2	Photo Date / Time: 25/10/2020 15:20 Camera Model and Sensor Format: Canon EOS 6D Mark II, FFS Lens Make, Model and Focal Length: Sigma 50mm f1.4 Height of Camera Lens above Ground (mAOD): 1.5m	Hub / Blade tip height: 180m / 330m	This wireframe is based upon OSTerrain50 data with spot heights at 50m intervals and does not precisely model small scale changes in landform or sharp breaks in slope. The wireframe model does not allow for the screening effects of vegetation or buildings. The model of turbine shown is similar to that proposed for the development. LAT has been approximated at -2.7m MSL across the development site.		COPYRIGHT Ordnance Survey material by permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office © Crown Copyright. All rights reserved. 2020 Reference number 0100031673.		Sheringham Shoal and Dudgeon Extension Projects DOCUMENT: Environmental Statement (ES) Chapter 25 Seascape and Visual Impact Assessment APPLICATION DOC. NO.: 6.2.25	Figure 25.38 Viewpoint 18 (Left) - Coastal Path (Cromer-Overstead) EQUINOR DOC. NO.: G282-LD-Z-GA-00003 RHDHV DOC. NO.: PB8164_LDA_ZZ_OF_DR_Z_0085 REV: A DATE: 05/07/2022 STATUS: First Issue DRW: VW CHK: NA APR: CG	Sheet 1 of 2
--	---	---	---	-------------------------------------	---	--	---	--	--	---	--------------

Z:\2023_LUK_EXTENSION\PROJECTS\BDOCS\VISUALS\SPR164_LDA_ZZ_OF_DR_Z_005_VEM\POINT\BOCOASTAL\PATH\CROMER\OVERSTEAD\INDO

© LDA Design Consulting Ltd. Quality Assured to BS EN ISO 9001:2008



Wireline drawing - Dudgeon Extension Project (27.5km), Dudgeon (32.9km)

	Camera Location (OS Grid Reference): 623611 E 341390 N Ground Level (mAOD): 60.2m Direction of View: bearing from North (0°): 17.75° Nearest Turbine: See above	Horizontal Field of View: 53.5° (Planar projection) Paper Size: 841mm x 297mm (Half A1) Enlargement Factor: TBC Visualisation Type: Type 2	Photo Date / Time: 25/10/2020 15:20 Camera Model and Sensor Format: Canon EOS 6D Mark II, FFS Lens Make, Model and Focal Length: Sigma 50mm f1.4 Height of Camera Lens above Ground (mAOD): 1.5m	Hub / Blade tip height: 180m / 330m	This wireframe is based upon OSTerrain50 data with spot heights at 50m intervals and does not precisely model small scale changes in landform or sharp breaks in slope. The wireframe model does not allow for the screening effects of vegetation or buildings. The model of turbine shown is similar to that proposed for the development. LAT has been approximated at -2.7m MSL across the development site.		COPYRIGHT Ordnance Survey material by permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office © Crown Copyright. All rights reserved. 2020 Reference number 0100031673.		Sheringham Shoal and Dudgeon Extension Projects DOCUMENT: Environmental Statement (ES) Chapter 25 Seascape and Visual Impact Assessment APPLICATION DOC. NO.: 6.2.25	Figure 25.38 Viewpoint 18 (Right) - Coastal Path (Cromer-Overstead) EQUINOR DOC. NO.: G282-LD-Z-GA-00003 RHDHV DOC. NO.: PB8164_LDA_ZZ_OF_DR_Z_0085 REV: A DATE: 05/07/2022 STATUS: First Issue DRW: VW CHK: NA APR: CG	Sheet 2 of 2
	© LDA Design Consulting Ltd. Quality Assured to BS EN ISO 9001:2008										

Z:\2723_LUK_EXTENSION_PROJECTS\BDOCS\VISUALS\ES\PB164_LDA_ZZ_OF_DR_Z_005_VIEWPOINT18COASTALPATHCROMEROVERSTEAD.NDD



Photomontage - Sheringham Shoal Extension Project (18.8m), Dudgeon Extension Project (27.5km)

To be viewed at comfortable arm's length




Camera Location (OS Grid Reference): 623611 E 341390 N
 Ground Level (mAOD): 60.2m
 Direction of View: bearing from North (0°): 324.3°
 Nearest Turbine: See above

Horizontal Field of View: 53.5° (Planar projection)
 Paper Size: 841mm x 297mm (Half A1)
 Enlargement Factor: TBC
 Visualisation Type: Type 3

Photo Date / Time: 25/10/2020 15:20
 Camera Model and Sensor Format: Canon EOS 6D Mark II, FFS
 Lens Make, Model and Focal Length: Sigma 50mm f1.4
 Height of Camera Lens above Ground (mAOD): 1.5m

Hub / Blade tip height: 180m / 330m

This photomontage is based upon OSTerrain50 data with spot heights at 50m intervals and does not precisely model small scale changes in landform or sharp breaks in slope. The model of turbine shown is similar to that proposed for the development. LAT has been approximated at -2.7m MSL across the development site.



COPYRIGHT
 Ordnance Survey material by permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office © Crown Copyright. All rights reserved. 2020 Reference number 0100031673.



Sheringham Shoal and Dudgeon Extension Projects
 DOCUMENT: Environmental Statement (ES)
 Chapter 25 Seascape and Visual Impact Assessment
 APPLICATION DOC. NO.: 6.2.25

Figure 25.38
Viewpoint 18 (Left) - Coastal Path (Cromer-Overstead)
 EQUINOR DOC. NO.: G282-LD-Z-GA-00003
 RHDHV DOC. NO.: PB164_LDA_ZZ_OF_DR_Z_0085
 REV: A DATE: 05/07/2022 STATUS: First Issue DRW: VW CHK: NA APR: CG

© LDA Design Consulting Ltd. Quality Assured to BS EN ISO 9001:2018

Z:\2723_UK_EXTENSION\PROJECTS\BDOCS\VISUALS\PB164_LDA_ZZ_OF_DR_Z_005_VEMPOINT\BCOASTALPATH\CROMEROVERSTEAD.NDD



Photomontage - Dudgeon Extension Project (27.5km)

To be viewed at comfortable arm's length




Camera Location (OS Grid Reference): 623611 E 341390 N
 Ground Level (mAOD): 60.2m
 Direction of View: bearing from North (0°): 17.75°
 Nearest Turbine: See above

Horizontal Field of View: 53.5° (Planar projection)
 Paper Size: 841mm x 297mm (Half A1)
 Enlargement Factor: TBC
 Visualisation Type: Type 3

Photo Date / Time: 25/10/2020 15:20
 Camera Model and Sensor Format: Canon EOS 6D Mark II, FFS
 Lens Make, Model and Focal Length: Sigma 50mm f1.4
 Height of Camera Lens above Ground (mAOD): 1.5m

Hub / Blade tip height: 180m / 330m

This photomontage is based upon OSTerrain50 data with spot heights at 50m intervals and does not precisely model small scale changes in landform or sharp breaks in slope. The model of turbine shown is similar to that proposed for the development. LAT has been approximated at -2.7m MSL across the development site.



COPYRIGHT
 Ordnance Survey material by permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office © Crown Copyright. All rights reserved. 2020 Reference number 0100031673.



Sheringham Shoal and Dudgeon Extension Projects
 DOCUMENT: Environmental Statement (ES)
 Chapter 25 Seascape and Visual Impact Assessment
 APPLICATION DOC. NO.: 6.2.25

Figure 25.38
Viewpoint 18 (Right) - Coastal Path (Cromer-Overstead)
 EQUINOR DOC. NO.: G282-LD-Z-GA-00003
 RHDHV DOC. NO.: PB164_LDA_ZZ_OF_DR_Z_0085
 REV: A DATE: 05/07/2022 STATUS: First Issue DRW: VW CHK: NA APR: CG

© LDA Design Consulting Ltd. Quality Assured to BS EN ISO 9001:2008

Z:\7273_UK_EXTENSION_PROJECTS\6000CS\VISUALS\ES\PB8164_LDA_ZZ_OF_DR_Z_0085_VIEWPOINT\800A\STALPATH\CROMER-OVERSTEAD\INDD



LDĀ DESIGN

This image is intended only for use at the viewpoint.
Further information in the ES should also be referred to.



Photomontage - Sheringham Shoal Extension Project (18.8m), Dudgeon Extension Project (27.5km)

This photomontage is based upon OSTerrain50 data with spot heights at 50m intervals and does not precisely model small scale changes in landform or sharp breaks in slope. The model of turbine shown is similar to that proposed for the development. LAT has been approximated at -2.7m MSL across the development site.

Camera Location (OS Grid Reference): 623611 E 341390 N
 Ground Level (mAOD): 60.2m
 Direction of View: bearing from North (0°): 331.2°
 Nearest Turbine: See above
 Hub / Blade tip height: 180m / 330m

Horizontal Field of View: 39.6° (Planar projection)
 Paper Size: 420mm x 297mm (A3)
 Enlargement Factor: TBC
 Visualisation Type: Type 3

Photo Date / Time: 25/10/2020 15:20
 Camera Model and Sensor Format: Canon EOS 6D Mark II, FFS
 Lens Make, Model and Focal Length: Sigma 50mm f1.4
 Height of Camera Lens above Ground (mAOD): 1.5m

Sheringham Shoal and Dudgeon Extension Projects
 DOCUMENT: Environmental Statement (ES)
 Chapter 25 Seascape and Visual Impact Assessment
 APPLICATION DOC. NO.: 6.2.25

Figure 25.38 Sheet 1 of 2
Viewpoint 18 (Left) - Coastal Path (Cromer-Overstead)
 EQUINOR DOC. NO.: C282-LD-Z-GA-00003
 RHDHV DOC. NO.: PB8164_LDA_ZZ_OF_DR_Z_0085
 REV: A DATE: 05/07/2022 STATUS: First Issue DRW: VW CHK: NA APR: CG

© LDA Design Consulting Ltd. Quality Assured to BS EN ISO 9001: 2008

Z:\7272_UK_EXTENSION_PROJECTS\600CS\VISUALS\ES\PB8164_LDA_ZZ_OF_DR_Z_0085_VIEWPOINT\800ASTALPATH\CROMER-OVERSTEAD.INDD



LDĀ DESIGN

This image is intended only for use at the viewpoint. Further information in the ES should also be referred to.



Photomontage - Sheringham Shoal Extension Project (18.8m), Dudgeon Extension Project (27.5km)

This photomontage is based upon OSTerrain50 data with spot heights at 50m intervals and does not precisely model small scale changes in landform or sharp breaks in slope. The model of turbine shown is similar to that proposed for the development. LAT has been approximated at -2.7m MSL across the development site.

<p>Camera Location (OS Grid Reference): 623611 E 341390 N Ground Level (mAOD): 60.2m Direction of View: bearing from North (0°): 10.8° Nearest Turbine: See above Hub / Blade tip height: 180m / 330m</p>	<p>Horizontal Field of View: 39.6° (Planar projection) Paper Size: 420mm x 297mm (A3) Enlargement Factor: TBC Visualisation Type: Type 3</p>	<p>Photo Date / Time: 25/10/2020 15:20 Camera Model and Sensor Format: Canon EOS 6D Mark II, FFS Lens Make, Model and Focal Length: Sigma 50mm f1.4 Height of Camera Lens above Ground (mAOD): 1.5m</p>	<p>Sheringham Shoal and Dudgeon Extension Projects DOCUMENT: Environmental Statement (ES) Chapter 25 Seascape and Visual Impact Assessment APPLICATION DOC. NO.: 6.2.25</p>	<p>Figure 25.38 Viewpoint 18 (Right) - Coastal Path (Cromer-Overstead) EQUINOR DOC. NO.: C282-LD-Z-GA-00003 RHDHV DOC. NO.: PB8164_LDA_ZZ_OF_DR_Z_0085 REV: A DATE: 05/07/2022 STATUS: First Issue DRW: VW CHK: NA APR: CG</p>	<p>Sheet 1 of 2</p>
---	---	--	---	---	---------------------

© LDA Design Consulting Ltd. Quality Assured to BS EN ISO 9001: 2008