

Medworth Energy from Waste Combined Heat and Power Facility

PINS ref. EN010110
Document Reference: Vol 7.3
Revision 1.0
June 2022



Waste Fuel Availability Assessment

Regulation reference: The Infrastructure
Planning (Applications: Prescribed
Forms and Procedure) Regulations
2009 Regulation 5(2)(q)

**We inspire
with energy.**

Executive summary

Purpose of this report

The approach to assessing the need for the Proposed Development is governed by the Overarching National Policy Statement for Energy (EN-1) and the National Policy Statement for Renewable Energy Infrastructure (EN-3).

Specifically, EN-3 sets out policies relating to waste management and need, which states that the Project will need to satisfy the following:

‘The [Secretary of State] should be satisfied, with reference to the relevant waste strategies and plans, that the proposed waste combustion generating station is in accordance with the waste hierarchy and of an appropriate type and scale so as not to prejudice the achievement of local or national waste management targets in England.’ (paragraph 2.5.70).

This report has been produced for the purpose of fulfilling the provisions of paragraph 2.5.70 of NPS EN-3 and an important feature is that it is presented in a transparent, auditable way. To ensure robustness it has been based on the most up-to-date, publicly available data and has followed three key steps:

- The scope of the assessment – both the spatial scope (Study Area) and the scope of the ‘fuel sources’ – has been clearly defined.
- Baseline data on the arisings, disposals and available capacity of the defined ‘fuel sources’ within the Study Area has been gathered and presented.
- Existing and predicted future capacity requirements of the defined ‘fuel sources’ within the Study Area have been analysed.

Overview of the assessment approach

Spatial scope of the assessment

In terms of national policy, the extant NPS EN-3 (paragraph 2.5.66) requires that applicants prepare “an assessment that examines the conformity of the scheme with the waste hierarchy and the effect of the scheme on the relevant waste plan or plans where a proposal is likely to involve more than one local authority”. However, the draft emerging replacement NPS EN-3 states that a new EfW must not result in over capacity of EfW waste at a **national or local level** (paragraph 2.10.5). This subtle change in policy direction indicates that assessments such as this Waste Fuel Availability Assessment (WFAA) should address both the local and national position.

With both the extant and emerging national policy in mind, the WFAA has been based upon the following hierarchy of Study Areas:

- Full analysis of the **local** need for additional residual waste management capacity, based on the East of England position plus Lincolnshire, Leicestershire, Northamptonshire and Rutland (which are within a 2-hour drive time of the Proposed Development).

2 Waste Fuel Availability Assessment

- Full analysis of the **national** need for additional residual waste management capacity, based upon the UK position.

Fuel scope

Having identified the local and national Study Areas, it was important to understand and identify the type of fuel that the Proposed Development will be able to accept. This ensured that the assessment focused only on waste streams (and types of waste) relevant to the project.

The Proposed Development will be designed to accept residual Household, Industrial and Commercial (HIC) waste streams. Such waste will comprise loose residual waste and, in some cases, Refuse Derived Fuel (RDF), for example material which is presently exported from the UK for final treatment in energy from waste (EfW) facilities in continental Europe. Moreover, to ensure that the facility will not divert waste from management methods further up the waste hierarchy, it has been important to consider only those parts of the HIC waste stream that are presently managed at domestic landfill sites.

The Proposed Development will require an Environmental Permit to operate. Under the provisions of this permit the Proposed Development will seek permission to accept HIC waste from the following EWC chapters: 02 (waste from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing); 03 (waste from wood processing and the production of panels and furniture, pulp, paper and cardboard); 04 (wastes from the leather, fur and textile industries); 09 (wastes from the photographic industry); 15 (waste packaging, absorbents, wiping cloths, filter materials and protective clothing not otherwise specified); 17 (construction and demolition wastes (including excavation soil from contaminated sites)); 19 (waste from waste management facilities, off-site wastewater treatment plants and the preparation of water intended for human consumption and water for industrial use) and 20 (municipal waste (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions).

However, as the focus will be on EWC chapters 19 and 20 – with an anticipated 90-95% of the Proposed Development's fuel coming from waste streams within these chapters – these waste types have formed the main focus of the WFAA. Specifically, these comprise:

- 19 - waste from waste management facilities, off-site wastewater treatment plants and the preparation of water intended for human consumption and water for industrial use:
 - ▶ 19 12 wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified:
 - 19 12 10 combustible waste (refuse derived fuel); and
 - 19 12 12 other wastes (including mixtures of materials) from mechanical treatment of wastes.
- 20 - municipal waste (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions:
 - ▶ 20 03 other municipal wastes:
 - 20 03 01 mixed municipal waste; and

3 Waste Fuel Availability Assessment

- 20 03 07 bulky waste.

Approach to gathering baseline data

For both the local and national Study Areas, the following have been considered:

- Data on current HIC arisings suitable for management at the Proposed Development – most notably, how much is sent to landfill.
- Data on how current HIC arisings suitable for management at the Proposed Development are managed.
- Data on existing HIC disposal capacity – both existing and anticipated future capacities.

Furthermore, in analysing data on capacity for the defined Study Areas of this WFAA, this assessment has sought to identify and discuss future waste management needs in terms of the following scenarios:

- Operational disposal capacity only.
- Operational and permitted disposal capacity.
- Operational, permitted and disposal capacity in the planning system (i.e., applications and where appropriate, allocations).

For the **local analysis** waste arisings, management, and capacity has been identified through baseline data gathering from published sources of information. Sources of information that have been used to provide this information comprise:

- Defra's Local Authority Collected Waste Statistics.
- The Environment Agency's Waste Data Interrogator.
- WasteDataFlow tool.
- Other Environment Agency data sources including data relating to remaining landfill capacity.
- Adopted and emerging Waste Local Plans, and their relevant supporting evidence bases, to identify whether there is likely to be a shortfall of suitable waste management capacity within the Study Area.
- Data used to support conclusions on capacity requirements set out in the following 'regional' reports:
 - ▶ 'Residual Waste in London and the South-East – *Where is it going to go.....?*' Tolvik Consulting Ltd (October 2018).
 - ▶ *Landfill and Residual Treatment Capacity in the Wider South-East of England*, Report for the East of England Waste Technical Advisory Body; the Southeast Waste Planning Advisory Group; and the London Waste Planning Forum, Sacks Consulting (May 2021).

For the **national analysis** information on waste arisings, management and capacity at the national level has also been identified through baseline data gathering from published sources of information. Principal sources of information that have been used are as follows:

4 Waste Fuel Availability Assessment

- *UK Statistics on Waste*, Defra (published July 2021).
- *UK Energy from Waste Statistics - 2020*, Tolvik Consulting Ltd (May 2021).
- *UK Residual Waste: 2030 Market Review*, produced by Tolvik Consulting Ltd on behalf of the Environmental Services Association (November 2017).
- *Overview of Statistics for RDF Export from England*, Footprint Services (November 2021).

Summary of findings

The **local analysis** has concluded as follows in terms of how residual household, industrial and commercial (HIC) waste is currently managed across the spatial scope of this assessment:

- In 2019, there was a total of approximately (~)17.9 million tonnes of such waste arising in the Study Area.
- Of the potentially suitable waste generated in the Study Area, almost 2.5 million tonnes were managed at the bottom of the waste hierarchy and sent to non-hazardous landfill in 2019.
- In addition to this, exports of RDF from the UK stood at 1.7 million tonnes at the beginning of 2022 - ~100,000 tonnes of which was likely exported directly from within the Study Area of this WFAA.

It has therefore been concluded that based upon the current pattern of waste arising and management across the spatial scope of this assessment, there is potential for around 2.5 million tonnes of material to be managed further up the waste hierarchy and/or at a location that is more proximate to the point of arising.

Looking ahead to the position over the next approximately 15 years, the evidence bases which underpin the development planning framework for waste across the spatial scope of this assessment, concludes an indicative shortfall of non-landfill HIC residual waste management capacity as follows:

- Up to 2030 – ~1.9 million tonnes per annum.
- Up to 2035 – ~1.8 million tonnes per annum.

These future gaps in capacity are validated/further supported by the findings of very recent regional studies by Tolvik and the East of England Waste Technical Advisory Body. These studies have concluded that due to the decline in non-hazardous landfill, the residual waste management capacity gap in the East of England alone will be between 1.4 and 2.7 million tonnes per annum. For the wider London and South-east area, which traditionally relies upon capacity in the surrounding area to manage its residual waste, there is a predicted future gap in capacity which equates to a need for between 2.8 and 5.4 million tonnes of additional EfW capacity (over and above that currently operational in London and the South-east).

The **national analysis** has concluded:

- In 2019, ~12 million tonnes of residual HIC waste was disposed of to landfill, and 2.8 million tonnes was exported as refuse derived fuel (RDF) to Europe and beyond.

5 Waste Fuel Availability Assessment

- This position had only improved marginally in 2020, when ~11 million tonnes of residual HIC waste was disposed of to landfill, and 1.63 million tonnes was exported as RDF to Europe and beyond.
- By 2030, it is predicted that even if the Government's ambitious combined recycling target of 65% for municipal and 'municipal like' commercial and industrial waste is realised, there would remain a **minimum shortfall of ~2.8 million tonnes of residual HIC capacity in the UK** (rising to over 6 million tonnes if the Government's recycling target is undershot by 5%).

In this context of these conclusions, the Proposed Development could offer up to 625,600 tonnes per annum of much needed capacity that would:

- Deliver implementation of the waste hierarchy – a cornerstone of England's waste management policy and legislative framework - and divert waste from continued management at the bottom of the waste hierarchy (i.e., landfill) up to having value (in the form of electricity recovered from it); and
- Facilitate management within the UK of significant quantities of residual HIC waste exported for management abroad. This would allow waste to be managed in accordance with the proximity principle – a further fundamental pillar of England's waste management policy and legislative framework.

Contents

1.	Introduction	8
1.1	Background	8
1.2	The Applicant and the project team	8
1.3	The Proposed Development	9
1.4	Purpose of this report	10
1.5	Structure of this report	11
2.	Policy context	12
2.1	Overview	12
2.2	The waste hierarchy – what is it and why is it important?	12
	The European context	12
	The national context	13
	<i>Net Zero Strategy: Build Back Greener</i>	17
	The local context	17
2.3	Summary	18
3.	Waste Fuel Availability Assessment: Methodology	20
3.1	Overview	20
3.2	Task 1 – Define the scope of the Fuel Availability Assessment	20
	Spatial scope	20
	Fuel scope	26
3.3	Task 2 – Gather baseline data	28
	Overview	28
	Data sources	29
3.4	Task 3 – Analysis of existing and future capacity requirements	31
3.5	Task 4 – Reporting	32
4.	Waste Fuel Availability Assessment: Local Analysis	33
4.1	Baseline position	33
	Current HIC arisings (in defined LoW categories)	33
	Current disposal of HIC to landfill	35
	Exportation of RDF	38
	Summary of baseline position	39
4.2	WLP forecast of future HIC residual waste requirements	40
	Introduction	40
	Waste Local Plan evidence bases	40
	Summary of WLP forecasted future HIC residual waste requirements	52
	Summary of the local analysis	57
4.3	Regional forecasts of future HIC residual waste requirements	58
	<i>Residual Waste in London and the South-East – Where is it going to go....? Tolvik Consulting Ltd (October 2018)</i>	58
	<i>Landfill and Residual Treatment Capacity in the Wider South-East of England, Report for the East of England Waste Technical Advisory Body; the Southeast Waste Planning Advisory Group; and the London Waste Planning Forum, Sacks Consulting (May 2021)</i>	60

7	Waste Fuel Availability Assessment	
4.4	Overall conclusions of the local analysis	62
5.	Waste Fuel Availability Assessment: National Analysis	63
5.1	Current baseline position	63
	Waste arisings	63
	Waste disposals	64
	Residual HIC waste management capacity (non-landfill)	67
5.2	Future baseline	69
	Future residual waste arisings	69
	Waste disposals	73
	Forecast residual HIC waste management capacity (non-landfill)	73
5.3	Conclusions of the national analysis	74
6.	Overall conclusions	75
6.1	Overview	75
6.2	Summary of the results	75

Table 3.1	Definition of Study Areas applied in the WFAA	24
Table 3.2	Data sources	29
Table 4.1	Total Local Authority Collected Waste 2019/2020 (tonnes)	33
Table 4.2	HIC arisings for the defined LoW codes 2019 (tonnes)	34
Table 4.3	Total local authority waste disposed to non-hazardous landfill (tonnes) (2019/20)	36
Table 4.4	HIC waste disposed to non-hazardous landfill (tonnes)	37
Table 4.5	Local authority RDF exports 2019/20 (tonnes)	39
Table 4.6	Review of Waste Planning Authority waste requirements	41
Table 4.7	Summary of WPA forecasted future residual waste requirements	53
Table 4.8	Total Forecast Non-Hazardous Residual Waste Capacity Gap in the East of England (2020)	61
Table 5.1	UK Residual Waste Disposals 2019 and 2020	67
Table 5.2	Comparison of Operational and Headline Capacities	68
Table 5.3	2030 Residual Waste Scenarios	69
Table 5.4:	Municipal Recycling Rates in the East of England and East Midlands 2019-21	72

Graphic 1:	The Waste Hierarchy	13
Graphic 2:	Medworth Location Plan for 2 Hour Travel Time of Heavy Goods Vehicles (HGV)	22
Graphic 3:	Waste Fuel Availability Assessment Study Area	25
Graphic 4:	RDF market growth trend (year-on-year)	66
Graphic 5:	Municipal Waste Recycling in England 2010/11 to 2020/21	71
Appendix A	Terms and Abbreviations	
Appendix B	Summary of Stakeholder Comments on the WFAA	
Appendix C	Energy from Waste Capacity Data	
Appendix D	Waste Collection Authority Arrangements	

1. Introduction

1.1 Background

1.1.1 Medworth CHP Limited (the Applicant) is applying to the Secretary of State for a Development Consent Order (DCO) to construct operate and maintain an Energy from Waste (EfW) Combined Heat and Power (CHP) Facility on the industrial estate, Algores Way, Wisbech, Cambridgeshire. Together with associated Grid Connection, CHP Connection, Water Connections, and Temporary Construction Compound (TCC), these works are the Proposed Development.

1.1.2 The Proposed Development would recover useful energy in the form of electricity and steam from over half a million tonnes of non-recyclable (residual), non-hazardous municipal, commercial and industrial waste each year. The Proposed Development has a generating capacity of over 50 megawatts and the electricity would be exported to the grid. The Proposed Development would also have the capability to export steam and electricity to users on the surrounding industrial estate.

1.1.3 The Proposed Development is a Nationally Significant Infrastructure Project (NSIP) under Part 3 Section 14 of the Planning Act 2008 (2008 Act) by virtue of the fact that the generating station is located in England and has a generating capacity of over 50 megawatts (section 15(2) of the 2008 Act). It, therefore, requires an application for a DCO to be submitted to the Planning Inspectorate (PINS) under the 2008 Act. PINS will examine the application for the Proposed Development and make a recommendation to the Secretary of State (SoS) for Business, Energy and Industrial Strategy (BEIS) to grant or refuse consent. On receipt of the report and recommendation from PINS, the SoS will then make the final decision on whether to grant the Medworth EfW CHP Facility DCO.

1.2 The Applicant and the project team

1.2.1 The Applicant is a wholly owned subsidiary of MVV Environment Limited (MVV). MVV is part of the MVV Energie AG group of companies. MVV Energie AG is one of Germany's leading energy companies, employing approx. 6,500 people with assets of around €5 billion and annual sales of around €4.1 billion. The Proposed Development represents an investment of approximately £350m.

1.2.2 The company has over 50-years' experience in constructing, operating, and maintaining EfW CHP facilities in Germany and the UK. MVV Energie's portfolio includes a 700,000 tonnes per annum residual EfW CHP facility in Mannheim, Germany.

1.2.3 MVV Energie has a growth strategy to be carbon neutral by 2040 and thereafter carbon negative, i.e., climate positive. Specifically, MVV Energie intends to:

- reduce its direct carbon dioxide (CO₂) emissions by over 80% by 2030 compared to 2018;
- reduce its indirect CO₂ emissions by 82% compared to 2018;

9 Waste Fuel Availability Assessment

- be climate neutral by 2040; and
- be climate positive from 2040.

1.2.4 MVV's UK business retains the overall group ethos of 'belonging' to the communities it serves whilst benefitting from over 50 years' experience gained by its German sister companies.

1.2.5 MVV's largest project in the UK is the Devonport EfW CHP Facility in Plymouth. Since 2015, this modern and efficient facility has been using around 265,000 tonnes of municipal, commercial and industrial residual waste per year to generate electricity and heat, notably for Her Majesty's Naval Base Devonport in Plymouth, and exporting electricity to the grid.

1.2.6 In Dundee, MVV has taken over the existing Baldovie EfW Facility and has developed a new, modern facility alongside the existing facility. Operating from 2021, it uses up to 220,000 tonnes of municipal, commercial and industrial waste each year as fuel for the generation of usable energy.

1.2.7 Biomass is another key focus of MVV's activities in the UK market. The biomass power plant at Ridham Dock, Kent, uses up to 195,000 tonnes of waste and non-recyclable wood per year to generate green electricity and is capable of exporting heat.

1.2.8 To prepare the ES for the Proposed Development, the Applicant has engaged Wood Group UK Limited (Wood). Wood is registered with the Institute of Environmental Management and Assessment (IEMA)'s Environmental Impact Assessment (EIA) Quality Mark scheme. The scheme allows organisations that lead the co-ordination of EIAs in the UK to make a commitment to excellence in their EIA activities and have this commitment independently reviewed.

1.3 The Proposed Development

1.3.1 The Proposed Development comprises the following key elements:

- The EfW CHP Facility;
- CHP Connection;
- Temporary Construction Compound (TCC);
- Access Improvements;
- Water Connections; and
- Grid Connection.

1.3.2 A summary description of each Proposed Development element is provided below. A more detailed description is provided in **ES Chapter 3: Description of the Proposed Development (Volume 6.2)** of the ES. A list of terms and abbreviations can be found in **Appendix A** to this document.

- **EfW CHP Facility Site:** A site of approximately 5.3ha located south-west of Wisbech, located within the administrative areas of Fenland District Council and Cambridgeshire County Council. The main buildings of the EfW CHP Facility

would be located in the area to the north of the Hundred of Wisbech Internal Drainage Board (HWIDB) drain bisecting the site and would house many development elements including the tipping hall, waste bunkers, boiler house, turbine hall, air cooled condenser, air pollution control building, chimneys and administration building. The gatehouse, weighbridges, 132kV switching compound and laydown maintenance area would be located in the southern section of the EfW CHP Facility site.

- **CHP Connection:** The EfW CHP Facility would be designed to allow the export of steam and electricity from the facility to surrounding business users via dedicated pipelines and private wire cables located along the disused March to Wisbech railway. The pipeline and cables would be located on a raised, steel structure.
- **TCC:** Located adjacent to the EfW CHP Facility Site, the compound would be used to support the construction of the Proposed Development. The compound would be in place for the duration of construction.
- **Access Improvements:** includes access improvements on New Bridge Lane (road widening and site access) and Algores Way (relocation of site access 20m to the south).
- **Water Connections:** A new water main connecting the EfW CHP Facility into the local network will run underground from the EfW CHP Facility Site along New Bridge Lane before crossing underneath the A47 (open cut trenching or horizontal directional drilling (HDD)) to join an existing Anglian Water main. An additional foul sewer connection is required to an existing pumping station operated by Anglian Water located to the northeast of the Algores Way site entrance and into the EfW CHP Facility Site.
- **Grid Connection:** This comprises a 132kV electrical connection using underground cables. The Grid Connection route begins at the 132kV switching compound in the EfW CHP Facility Site and runs underneath New Bridge Lane, before heading north within the verge of the A47 to the Walsoken Substation on Broadend Road. From this point the cable would be connected underground to the Walsoken DNO Substation.

1.4 Purpose of this report

- 1.4.1 Overarching National Policy Statement for Energy ('NPS EN-1') together with National Policy Statement for Renewable Energy Infrastructure ('NPS EN-3') provide the primary basis for decisions on nationally significant renewable energy infrastructure. At section 2.5, NPS-EN-3 sets out the policy principles in relation to waste combustion.
- 1.4.2 At paragraph 2.5.64, NPS EN-3 makes clear that waste combustion generating stations *'need not disadvantage reuse or recycling initiatives where the proposed development accords with the waste hierarchy.'*
- 1.4.3 Having established that principle, NPS EN-3 sets out what is expected in an applicant's assessment (paragraphs 2.5.66 to 2.5.69):

11 Waste Fuel Availability Assessment

“An assessment of the proposed waste combustion generating station should be undertaken that examines the conformity of the scheme with the waste hierarchy and the effect of the scheme on the relevant waste plan or plans where a proposal is likely to involve more than one local authority.

The application should set out the extent to which the generating station and capacity proposed contributes to the recovery targets set out in relevant strategies and plans, taking into account existing capacity.

It may be appropriate for assessments to refer to the Annual Monitoring Reports published by relevant waste authorities which provide an updated figure of existing waste management capacity and future waste management capacity requirements.

The results of the assessment of the conformity with the waste hierarchy and the effect on relevant waste plans should be presented in a separate document to accompany the application ...”

1.4.4 This Waste Fuel Availability Assessment (WFAA) is that ‘separate document’, prepared to demonstrate how the Proposed Development conforms both to the waste hierarchy and relevant waste plans and strategies as at the date of submission of the DCO application.

1.5 Structure of this report

1.5.1 The structure of the remainder of this report is as follows:

- **Section 2:** Policy Context: Introduces the waste management hierarchy and other important policy frameworks that guide the need for the Proposed Development;
- **Section 3:** WFAA Methodology: This section sets out the way in which the availability of fuel to power the Proposed Development will be assessed;
- **Section 4:** WFAA Results: Provides the evidence that the Proposed Development will play an important role in the management of existing and future waste arisings in accordance with the waste hierarchy and that there is enough waste fuel available to power the Proposed Development; and
- **Section 5:** Conclusions.

1.5.2 To complement this report a terms and abbreviations document has been prepared, which covers all documentation submitted with the DCO application. These terms and abbreviations are reproduced at **Appendix A** to this document.

2. Policy context

2.1 Overview

2.1.1 The approach to assessing the need for the Proposed Development is governed by the Overarching National Policy Statement for Energy (EN-1) and the National Policy Statement for Renewable Energy Infrastructure (EN-3).

2.1.2 Specifically, EN-3 sets out policies relating to waste management and need, which states that the Project will need to satisfy the following:

‘The [Secretary of State] should be satisfied, with reference to the relevant waste strategies and plans, that the proposed waste combustion generating station is in accordance with the waste hierarchy and of an appropriate type and scale so as not to prejudice the achievement of local or national waste management targets in England...’ (paragraph 2.5.70).

2.1.3 This WFAA is intended to fulfil the provisions of paragraph 2.5.70 of NPS EN-3.

2.2 The waste hierarchy – what is it and why is it important?

The European context

2.2.1 The revised Waste Framework Directive (rWFD), which came into force on 12 December 2008 (Directive 2008/98/EC), established the overarching framework for the management of waste across the EU. It required Member States to introduce “*measures to protect the environment and human health by preventing or reducing the adverse impacts of the generation and management of waste and by reducing overall impacts of resource use and improving the efficiency of such use*”.


2.2.2 The rWFD brought together existing elements of waste legislation and introduced a new approach to waste management that focused more strongly on the prevention of waste.

2.2.3 The key element relevant to this WFAA is Article 4(1) of the rWFD, which introduced a new five-point waste hierarchy, based on the priority order of:

- Prevention (preferred option);
- Preparing for re-use;
- Recycling;
- Other recovery (e.g., energy recovery); and
- Disposal (i.e., landfilling or incineration without energy recovery).

2.2.4 This waste hierarchy is also illustrated in **Graphic 1: The Waste Hierarchy** on the following page.

Graphic 1: The Waste Hierarchy



2.2.5 The emphasis of the hierarchy in the rWFD was a preference for waste prevention; and the confirmation that waste treatment involving energy generation is a recovery operation (subject to it achieving energy recovery efficiency expressed as R1 of 0.65 or more¹).

2.2.6 On 31 December 2020 the UK exited the “implementation period” provided for by the European Union (Withdrawal) Act 2018² (Withdrawal Act 2018). Sections 2-3 of the Withdrawal Act 2018, as amended, provide that direct EU legislation, and EU-derived domestic legislation, continue to have effect in domestic law after that date. In summary, the interpretation of any retained EU law is to be the same as it was before that date, subject to the necessary amendments set out in the Waste (Miscellaneous Amendments) (EU Exit) (No. 2) Regulations 2019.

The national context

2.2.7 The rWFD was incorporated into national legislation, in England and Wales, by the Waste (England and Wales) Regulations 2011 (as amended) (the ‘Waste Regulations 2011’).

2.2.8 The Waste Regulations 2011 require, in Schedule 1, at paragraph 2(1), that the waste hierarchy, as set out in the rWFD, is applied by the appropriate authority as a “priority order” in waste prevention and management policy.

2.2.9 Schedule 1, at paragraph 2(2) requires that when applying the waste hierarchy, the appropriate authority must ensure that it:

“(a) encourages the options that deliver the best overall environmental outcome, which may require specific waste streams to depart from the hierarchy where this is justified by life-cycle thinking on the overall impacts of the generation and management of such waste;

(b) takes into account:

¹ The way in which the R1 criterion is calculated is set out in the rWFD. The Proposed Development is designed to achieve an R1 of >0.65 such that it would be regarded as a waste recovery activity.

² European Union Withdrawal Act 2018. C 16.

14 Waste Fuel Availability Assessment

- i. *the general environmental protection principles of precaution and sustainability,*
- ii. *technical feasibility and economic viability,*
- iii. *protection of resources, and*
- iv. *the overall environmental, human health, economic and social impacts.”*

2.2.10 The “appropriate authority” in England is defined in Regulation 3, as the Secretary of State for the Environment, Food and Rural Affairs.

2.2.11 This regulation has subsequently been enshrined in national waste management and planning policy as follows:

Overarching National Policy Statement for Energy (‘NPS EN-1’) and the National Policy Statement for Renewable Energy Infrastructure (‘NPS EN-3’)

2.2.12 As noted at the outset of this WFAA, NPS EN-1 and EN-3 provide the primary basis for decisions on nationally significant renewable energy infrastructure. At section 2.5, NPS-EN-3 sets out the policy principles in relation to waste combustion.

2.2.13 NPS EN-1 sets out the Government’s policy for the delivery of major energy infrastructure in England and Wales. To minimise risks to energy security and resilience, it set out (based on scenarios at time of publication) a requirement to provide new energy infrastructure to meet the need for 59GW of new electricity capacity across the UK by 2025.

2.2.14 Paragraph 4.1.2 states that given the level and urgency of need for infrastructure covered by Part 3 of NPS EN-1, the decision maker should start with a presumption in favour of granting consent to applications for energy NSIPs. The presumption applies unless any more specific and relevant policies set out in relevant NPSs clearly indicate that consent should be refused, subject to the provisions of Section 104 of the Planning Act 2008.

2.2.15 NPS EN-3 is relevant to the Proposed Development since it applies to nationally significant EfW infrastructure in England and Wales more than 50 MW electrical generating capacity.

2.2.16 At paragraph 2.5.64, NPS EN-3 makes clear that waste combustion generating stations ‘*need not disadvantage reuse or recycling initiatives where the proposed development accords with the waste hierarchy.*’

2.2.17 NPS EN-1 and EN-3 are presently undergoing review, with drafts published for consultation in September 2021. The consultation ended on 29 November 2021, but the Government has not yet published its response. The emerging draft NPS EN-3 includes some subtle changes to policies for EfWs – most notably that:

- A new EfW must not result in over capacity of EfW waste treatment at a national or local level (paragraph 2.10.5).
- An application for a new EfW must set out the extent to which it would be compatible with and support long-term recycling targets, taking into account

15 Waste Fuel Availability Assessment

existing treatment capacity and capacity already in development (paragraph 2.17.4).

- 2.2.18 The adopted NPSs are the overarching policy document which the decision on the Proposed Development must be made in accordance with. The emerging draft NPS and other national and local policies (which are outlined in the remainder of this section) will be relevant and important considerations that the Secretary of State will consider in reaching his decision (s.104 (2) of the Planning Act 2008).

The National Planning Policy Framework (published July 2021) and associated Planning Practice Guidance³

- 2.2.19 The National Planning Policy Framework (NPPF) sets out the Government's planning policies for England and how these should be applied. It provides a framework within which locally prepared plans for development can be produced.
- 2.2.20 In respect of waste, the NPPF states that natural resources should be used prudently, and waste minimised (paragraph 8(c)). The document cross references the detailed guidance provided in the National Planning Policy for Waste (2014) (paragraph 4).
- 2.2.21 The associated Planning Practice Guidance (PPG) provides further information in support of the implementation of England's national planning policy. Most notably, the PPG sets out the importance of driving waste up the waste management hierarchy i.e., reduce; reuse; recycle; recover; and then dispose (paragraph 009 Reference ID: 28-009-20141016).

National Planning Policy for Waste (NPPW), published in October 2014

- 2.2.22 The National Planning Policy for Waste (NPPW) sets out government planning policy for waste – and specifically, the ambition to work towards a more sustainable and efficient approach to resource use and management through (amongst other things):

“delivery of sustainable development and resource efficiency, including provision of modern infrastructure, local employment opportunities and wider climate change benefits, by driving waste management up the waste hierarchy”.....

Providing a framework in which communities and businesses are engaged with and take more responsibility for their own waste, including by enabling waste to be disposed of or, in the case of mixed municipal waste collected from households, recovered, in line with the proximity principle⁴” (paragraph 1).

³ Online resource first published in November 2016 and last updated in October 2019.

⁴ As defined in Schedule 1, Part 1, paragraph 4 of The Waste (England and Wales) Regulations 2011 (S.I 2011/988) which, as amended, states that: *“The network must be designed to enable the [United Kingdom] as a whole to [move towards becoming self-sufficient in waste disposal and in the recovery of mixed municipal waste collected from private households, taking into account geographical circumstances or the need for specialised installations for certain types of waste.”*

The Waste Management Plan for England, published in January 2021

2.2.23 The Waste Management Plan for England sets out a range of policy drivers, of which the most relevant to this WFAA are:

- Implementation of the waste hierarchy is both a guide to sustainable waste management and a legal requirement (page 14).
- In respect of the need to manage residual waste, the document states that: *“The government supports efficient energy recovery from residual waste – energy from waste is generally the best management option for waste that cannot be reused or recycled in terms of environmental impact and getting value from the waste as a resource. It plays an important role in diverting waste from landfill.”* (Page 17).
- The need to reflect the ‘proximity principle’ – this is within the context of the requirement to establish an integrated and adequate network of waste disposal installations for recovery of mixed municipal waste collected from private households. The requirement includes where such collection also covers waste from other producers. The network must enable waste to be disposed of, or be recovered, in one of the nearest appropriate installations, by means of the most appropriate methods and technologies, in order to ensure a high level of protection for the environment and public health. The network shall be designed in such a way as to enable a movement towards the aim of self-sufficiency in waste disposal and the recovery of waste. However, consideration must be given to the geographical circumstances or the need for specialised installations for certain types of waste. This principle must be applied when decisions are taken on the location of appropriate waste facilities. (Page 40).
- Efficient energy recovery from residual waste, which can deliver environmental benefits, reduce carbon impacts and provide economic opportunities, and innovative technologies which improve the environmental outcome for the treatment of residual waste are welcomed (page 45).

England’s National Waste Strategy, published in December 2018

2.2.24 This strategy, which focuses on municipal waste only, sets out the national commitment to preserve the stock of material resources by minimising waste, promoting resource efficiency, and moving towards a circular economy. It sets out the need to use resources efficiently and reduce the amount of waste society creates.

2.2.25 Specifically, in terms of this WFAA, this strategy highlights the significance of the implementation of the waste hierarchy to achieve sustainable waste management practices. Furthermore, it sets out the need to increase municipal recycling rates to 65% by 2035 (*‘Key Milestones’* page 13) and to reduce landfill to a maximum of 10% of total municipal waste by 2035 (*‘Key Milestones’* page 13).

Recent amendments to the national context

2.2.26 More recently, national legislation and policy has been refined further through the introduction of:

17 Waste Fuel Availability Assessment

- The Environment Act 2021, which received Royal Assent in November 2021; and
- The Government's *Net Zero Strategy: Build Back Greener*, which was published in October 2021.

2.2.27 Together, these documents have introduced new provisions which have a direct bearing upon national waste policy.

Environment Act 2021

2.2.28 In terms of the management of waste, section 57 of the Environment Act 2021 will replace section 45A Environmental Protection Act 1990 on waste collection and inserts new sections 45AZA-AZG. Notable changes are:

- Recyclable household waste must be collected separately from other household waste, for recycling or composting.
- Recyclable household waste must be collected as individual streams unless certain exceptions apply.
- Food waste collection must take place at least once a week.

2.2.29 These changes are to be made with the aim of driving the management of household waste up the waste hierarchy and boosting recycling rates. It is noted that these provisions are not yet in force as at the date of the DCO application.

Net Zero Strategy: Build Back Greener

2.2.30 To complement the provisions of the Environment Act 2021, the government's *Net Zero Strategy: Build Back Better*, establishes a clear set of actions which seek to achieve net zero carbon emissions whilst promoting opportunities for jobs and prosperity. In respect of resource management and specifically waste, the strategy lays out the following Government commitment (last bullet point, page 27):

"To support our commitment to explore options for the near elimination of biodegradable municipal waste to landfill from 2028, we are bringing forward £295 million of capital funding which will allow local authorities in England to prepare to implement free separate food waste collections for all households from 2025."

2.2.31 There is therefore a clear policy commitment to seek to minimise the quantities of biodegradable household waste being sent to landfill and instead, boost current rates of recycling and composting.

The local context

2.2.32 The Proposed Development is located predominantly within Cambridgeshire County Council's administrative area (the EFW CHP Facility Site is in Cambridgeshire however part of the Grid Connection is in Norfolk). The current adopted development plans relevant to the Proposed Development include:

- The Cambridgeshire and Peterborough Minerals and Waste Local Plan 2036 (adopted July 2021).

18 Waste Fuel Availability Assessment

- The current adopted Norfolk Minerals and Waste Development Framework, which comprises:
 - ▶ Core Strategy and Minerals and Waste Development Management Policies Development Plan Document 2010 – 2026 (adopted 2011);
 - ▶ Waste Site Specific Allocations Development Plan Document (DPD) (adopted 2013); and
 - ▶ Revised PDF policies map and the revised interactive policies map which includes the Site-Specific Allocations.

2.2.33 The principles of the waste hierarchy are reflected in the extant Cambridgeshire plan through headline objective 2, which seeks to “*move treatment of waste up the waste hierarchy*”. Policy 1 (sustainable development and climate change), part (d) further embodies the need for waste management proposals, to show how the principles of the waste hierarchy have been considered and addressed. Furthermore, Policy 4 (providing for waste management) states that:

“In line with Objective 2 of this Plan, the Councils aim to actively encourage, and will in principle support the sustainable management of waste, which includes encouraging waste to move as far up the waste hierarchy as possible.....In order to ensure this aim can be met, waste management proposals must demonstrably contribute towards sustainable waste management, by moving waste up the waste hierarchy; and proposals for disposal must demonstrate that the waste has been pre-treated and cannot practicably be recycled.”

2.2.34 Likewise, in respect of the extant Norfolk planning policy, the principles of adherence to the waste hierarchy are embedded throughout the plan’s policy provisions e.g., Core Strategy Policy CS10, which commits to not prejudicing the movement of waste up the waste hierarchy. Furthermore, the need to treat waste in accordance with the proximity principle is reflected in paragraphs 6.20 of the Core Strategy.

2.3 Summary

2.3.1 The waste hierarchy is a fundamental principle of waste management policy in England. In terms of the way in which we manage the waste that society produces, it is based on the priority order of:

- **Preventing** waste arising (preferred option);
- **Re-using** the waste material that are produced;
- **Recycling** our waste;
- Other **recovery of value** from our waste (e.g., energy recovery); and
- **Disposal** of our waste (i.e., landfilling or incineration without energy recovery) (least preferred option).

2.3.2 The waste hierarchy and the need to comply with its principles is a cornerstone of England’s current waste management policy. A commitment to ensuring that all decisions associated with the future management of waste have cognisance and

19 Waste Fuel Availability Assessment

reflect the values of the waste hierarchy is embodied in relevant national legislation and policy, as well as more local policy statements.

2.3.3 To secure the Applicant's commitment to compliance with the waste hierarchy, the following requirement has been included in Schedule 2 of the **draft DCO (Volume 3.1)**:

(1) Prior to commissioning, the undertaker will submit to the relevant planning authority a scheme, which sets out arrangements for maintenance of the waste hierarchy and which aims to minimise recyclable and reusable waste received at the authorised development during the commissioning and operational period of the authorised development (the "waste hierarchy scheme").

(2) (2a) The waste hierarchy scheme will include details of:

- how Waste Transfer notes and weighbridge data detailing the sources of the residual waste will be collected and retained.*
- the types of waste and permitted EWC codes to be accepted at the authorised development as specified by the Environmental Permit.*
- how waste delivered to the authorised development will be checked to ensure compliance with the permitted EWC codes.*
- arrangements for ensuring that commercial suppliers deliver only those EWC codes which are permitted.*
- records to be kept for the purpose of demonstrating compliance with the waste hierarchy scheme and for allowing inspection of such records by the relevant planning authority.*

(3) The waste hierarchy scheme must be implemented as approved under subparagraph (1).

2.3.4 Allied to this, is the need to manage waste in accordance with the proximity principle. Essentially this requires waste to be managed at facilities located as close as reasonably possible to where waste is generated - to reduce the need to travel but also to encourage communities to take responsibility for the waste they produce.

2.3.5 A key feature of this WFAA is to analyse the extent to which the Proposed Development would support the Government's policy principle of driving the management of waste up the established hierarchy and the extent to which the Proposed Development contributes to managing waste in a 'proximate' manner.

2.3.6 Importantly, this WFAA will also demonstrate whether enough fuel is available to the Proposed Development, and that waste material would not be diverted from treatment/management higher up the waste management hierarchy.

3. Waste Fuel Availability Assessment: Methodology

3.1 Overview

3.1.1 An important feature of this WFAA is that it is presented in a transparent, auditable way. To ensure robustness it has been based on the most up to date publicly available data.

3.1.2 Key steps in the assessment will be:

- Task 1: Define the scope of the assessment – both the spatial scope (Study Area) and the scope of the ‘fuel sources’;
- Task 2: Gather baseline data on the arisings, disposals and available capacity of the defined ‘fuel sources’ within the Study Area;
- Task 3: Analyse existing and predicted future capacity requirements of the defined ‘fuel sources’ within the Study Area; and
- Task 4: Reporting.

3.1.3 The remainder of this section outlines further detail in respect of these 4 key tasks.

3.2 Task 1 – Define the scope of the Fuel Availability Assessment

3.2.1 At the outset of this assessment, it was crucial to identify both the **spatial scope** (Study Area) of the assessment and the **fuel scope** of the study.

Spatial scope

3.2.2 Waste markets in the UK are directly influenced by a range of factors including waste type, availability of management capacity and government fiscal, waste management and planning policies. Whilst prevailing planning policy (as outlined in **Section 2**) is that waste should be managed as close as possible to its point of origin, the complex range of influencing factors inevitably means there is a flow of material across the country (and beyond). In this context, it is important to recognise that the Proposed Development is likely to draw in waste from a wider area and that over the life of the Proposed Development, the area from which the Proposed Development will receive waste material is likely to change.

3.2.3 This DCO application must demonstrate that there is a need for the proposed waste management capacity and to do this requires defining a Study Area for the WFAA. Importantly though, the WFAA is a tool to illustrate that even within a restricted geographic catchment, the need for the waste management capacity offered by the Proposed Development is evident. This assessment is not a means of identifying that the Proposed Development should be tied to a specific catchment area.


3.2.4 The starting point for defining a Study Area was to look at the broad geographic area that the facility is likely to draw waste from.

21 Waste Fuel Availability Assessment

3.2.5 Professional judgement is that it is generally commercially viable to transport non-hazardous household, industrial and commercial waste from up to approximately (~) 2 hours away from the Proposed Development. Distances over 2 hours travel time from the Proposed Development become increasingly expensive for those seeking to dispose of waste. As such, a 2-hour travel time from the centre of the Proposed Development site was applied in a GIS (geographical information systems) model, which resulted in the identification of a likely 'catchment area'– see **Graphic 2 Medworth Location Plan for 2 Hour Travel Time of Heavy Goods Vehicles (HGV)**, November 2020 on the following page.



Graphic 2: Medworth Location Plan for 2 Hour Travel Time of Heavy Goods Vehicles (HGV)



23 Waste Fuel Availability Assessment

3.2.6 Based on this figure, the following Waste Planning Authorities (WPA) were identified as forming part of a potential catchment for the Proposed Development:

- Bedford (Unitary Authority);
- Cambridgeshire County Council;
- Central Bedfordshire (Unitary Authority);
- City of Peterborough (Unitary Authority);
- Essex County Council;
- Hertfordshire County Council;
- Leicestershire County Council (including Leicester City);
- Lincolnshire County Council;
- Luton (Unitary Authority);
- Norfolk County Council;
- Northamptonshire County Council (as of 1 April 2021, North Northamptonshire and West Northamptonshire Unitary Authorities);
- Rutland (Unitary Authority); and
- Suffolk County Council.

3.2.7 It is noted that the application of a two-hour travel time pulls in all Waste Planning Authorities (except Milton Keynes, Thurrock and Southend) which make up the former East of England planning region. As waste data is generally presented on a 'regional' basis (see later sections of this WFAA), it has been considered appropriate to use the East of England as the basis for this WFAA.

3.2.8 However, as is illustrated in **Graphic 2 'Medworth Location Plan for 2 Hour Travel Time of Heavy Goods Vehicles (HGV)'** (see previous page), the 2-hour travel time also includes Leicestershire (and Leicester City); Northamptonshire; Lincolnshire and Rutland – the latter of which are in the former East Midlands planning region. It is therefore considered appropriate to include these additional areas within the spatial scope of the WFAA.

3.2.9 Whilst it is accepted that the application of GIS algorithms to arrive at a 2-hour travel time includes a level of professional judgement as to what constitutes a reasonable Study Area for a local assessment, it is nonetheless considered a useful start point. However, this must be put into the context of what national policy requires of this WFAA, as well as feedback from Stakeholders at the PEIR stage of this DCO application where further justification of the Study Area was requested.

3.2.10 In terms of the latter, **Appendix B** of this document summarises comments received from Stakeholders at PEIR stage on (amongst other things) the proposed Study Area for the WFAA and includes commentary on how this submission version of the WFAA has sought to address the comments made.

3.2.11 In terms of national policy, the extant NPS EN-3 (paragraph 2.5.66) requires that applicants prepare "*an assessment that examines the conformity of the scheme with*

the waste hierarchy and the effect of the scheme on the relevant waste plan or plans where a proposal is likely to involve more than one local authority". However, the draft emerging replacement NPS EN-3 states that a new EfW must not result in over capacity of EfW waste at a **national or local level** (paragraph 2.10.5). This subtle change in policy direction indicates that assessments such as this WFAA should address both the local and national position.

3.2.12 Whilst the WFAA has thus far sought to apply a proportionate catchment area by looking at where, commercially, the Proposed Development is likely to source waste from, it is apparent that consideration of such a Study Area alone does not comply with government’s emerging policy to assess both the local and national contexts.

3.2.13 With this in mind, it is considered that this WFAA should be based upon the following hierarchy of Study Areas:

- Full analysis of the **local** need for additional residual waste management capacity, based on the East of England position plus Lincolnshire, Leicestershire, Northamptonshire and Rutland.
- Full analysis of the **national** need for additional residual waste management capacity, based upon the UK position.

3.2.14 **Table 3.1 Definition of Study Areas applied in the WFAA** below and **Graphic 3 Waste Fuel Availability Assessment Study Area** (on the following page) defines the local Study Area identified above.


Table 3.1 Definition of Study Areas applied in the WFAA

Study Area type	Geographical extent
Local	East of England region comprising: <ul style="list-style-type: none"> • Bedford (unitary) • Cambridgeshire • Central Bedfordshire (unitary) • Essex • Hertfordshire • Luton (unitary) • Milton Keynes (unitary) • Norfolk • Peterborough (unitary) • Southend on Sea (unitary) • Suffolk • Thurrock (unitary) With the addition of the following East Midlands Waste Planning Authorities: <ul style="list-style-type: none"> • Leicester City (unitary) • Leicestershire • Lincolnshire • Northamptonshire • Rutland
National	UK wide

25 Waste Fuel Availability Assessment



Graphic 3: Waste Fuel Availability Assessment Study Area



Fuel scope

- 3.2.15 Having identified the 'local' and national Study Areas, it was important to understand and identify the type of fuel that the Proposed Development will be able to accept. This will ensure that when studying the availability of fuel supplies, the assessment focuses only on waste streams (and types of waste) relevant to the project.
- 3.2.16 The Proposed Development will be designed to accept residual Household, Industrial and Commercial (HIC) waste streams. Such waste will comprise loose residual waste and, in some cases, Refuse Derived Fuel (RDF), for example material which is presently exported from the UK for final treatment in EfW facilities in continental Europe. Moreover, to ensure that the facility would not divert waste from management methods further up the waste hierarchy, it has been important to consider only those parts of the HIC waste stream that are presently managed at domestic landfill sites.
- 3.2.17 All waste is classified by the Waste Framework Directive into specific 'types' of material using a set of established classification codes. These codes are referred to as the LoW (List of Wastes) or EWC (European Waste Catalogue) code and have been important to consider in this fuel availability assessment because of the need to ensure that only those HIC wastes which could be managed at the Proposed Development are considered in the WFAA. For example, because it does not combust, rubble could not be managed at the Proposed Development and so needs to be discounted in this assessment.
- 3.2.18 Appropriate EWC waste categories from within the wider HIC stream, which would be potentially suitable for use in the Proposed Development have been identified.
- 3.2.19 The assessment has focussed on the HIC waste streams that are sent to non-hazardous landfill facilities i.e., waste that is managed lower down the waste hierarchy and in EWC terms, the HIC waste stream equates to wastes listed under the following chapters of the LoW:
- 01 – waste resulting from exploration, mining, quarrying and physical and chemical treatment of minerals;
 - 02 – waste from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing;
 - 03 – waste from wood processing and the production of panels and furniture, pulp, paper and cardboard;
 - 04 – wastes from the leather, fur and textile industries;
 - 08 – waste from the manufacture, formulation, supply and use of coatings (paints, varnishes and vitreous enamels), adhesives, sealants and printing inks;
 - 09 – wastes from the photographic industry;
 - 10 – waste from thermal processes;
 - 11 – waste from chemical surface treatment and coating of metals and other materials; non-ferrous hydrometallurgy;

- 12 – waste from shipping and physical and mechanical surface treatment of metals and plastics;
- 15 – waste packaging, absorbents, wiping cloths, filter materials and protective clothing not otherwise specified;
- 16 – wastes not otherwise specified in the list;
- 17 – construction and demolition wastes (including excavation soil from contaminated sites);
- 18 – waste from human or animal healthcare and/or related research (except kitchen and restaurant waste not arising from immediate health care);
- 19 – waste from waste management facilities, off-site wastewater treatment plants and the preparation of water intended for human consumption and water for industrial use; and
- 20 – municipal waste (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions.

3.2.20 However, because HIC waste covers a wide cross section of waste types (as illustrated in the list above), this WFAA has taken into account the fact that parts of this stream will not be suitable for use as a fuel source at the Proposed Development e.g., rubble and soils. In recognition of this, and to avoid an over-estimation of available fuel, this assessment has excluded those waste types that are not suitable for combustion at the Proposed Development.

3.2.21 Following on from this, the next step has been to consider which of those combustible wastes within the wider HIC waste stream would form the primary feed for the Proposed Development.

3.2.22 The Proposed Development will require an Environmental Permit to operate. Under the provisions of this permit the Proposed Development will seek permission to accept HIC waste from the following EWC chapters: 02 (waste from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing); 03 (waste from wood processing and the production of panels and furniture, pulp, paper and cardboard); 04 (wastes from the leather, fur and textile industries); 09 (wastes from the photographic industry); 15 (waste packaging, absorbents, wiping cloths, filter materials and protective clothing not otherwise specified); 17 (construction and demolition wastes (including excavation soil from contaminated sites)); 19 (waste from waste management facilities, off-site wastewater treatment plants and the preparation of water intended for human consumption and water for industrial use) and 20 (municipal waste (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions). Furthermore, the focus will be on EWC chapters 19 and 20 – with an anticipated 90-95% of the Proposed Development's fuel coming from waste streams within these chapters.

3.2.23 Chapters 19 and 20 of the LoW are subdivided further into specific types of waste. This WFAA focuses on the following specific waste types in each of the two shortlisted LoW categories:

28 Waste Fuel Availability Assessment

- 19 - waste from waste management facilities, off-site wastewater treatment plants and the preparation of water intended for human consumption and water for industrial use:
 - ▶ 19 12 wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified:
 - 19 12 10 combustible waste (refuse derived fuel); and
 - 19 12 12 other wastes (including mixtures of materials) from mechanical treatment of wastes.
- 20 - municipal waste (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions:
 - ▶ 20 03 other municipal wastes:
 - 20 03 01 mixed municipal waste; and
 - 20 03 07 bulky waste.

3.2.24 These specific waste types have been selected because they predominantly comprise wastes suitable for combustion at the Proposed Development and as such, have formed the basis of the statistical analysis in the WFAA.

3.3 Task 2 – Gather baseline data

Overview

3.3.1 For each defined Study Area, the following have been considered:

- Data on current ‘in scope’ HIC arisings – most notably, how much is sent to landfill;
- Data on how current ‘in scope’ HIC arisings are managed; and
- Data on existing HIC disposal capacity – both existing and anticipated future capacities.

3.3.2 Importantly, when gathering data on available capacity, it has been key to define what constitutes ‘capacity’ – for example, is capacity only that which is operational or should it include that which has consent, but is not yet built/commissioned?

3.3.3 Indeed, when analysing available capacity assessments – both at the national and local level, differing approaches have been adopted by Waste Planning Authorities, Government, and research consultancies to defining capacity.

3.3.4 Given the uncertainties around the deliverability of schemes at the initial planning stage, some of the assessments that this WFAA relies upon conclude that sites in the planning process are not included as consented capacity. However, other assessments choose to include sites in the planning system and consented but non-operational capacity, as well as capacity that is fully operational. In considering and discussing the conclusions of these capacity studies (both at the local and national level), full commentary is provided in this WFAA on the differing approaches to the definition of existing disposal capacity.

29 Waste Fuel Availability Assessment

3.3.5 In analysing data on capacity for the defined Study Areas of this WFAA, this assessment has sought to identify and discuss future waste management needs in terms of the following scenarios:

- Operational disposal capacity only;
- Operational and permitted disposal capacity; and
- Operational, permitted and disposal capacity in the planning system (i.e., applications and where appropriate, allocations).

Data sources

WFAA – Local analysis

3.3.6 Information on waste arisings, management, and capacity at the local/regional level has been identified through baseline data gathering from published sources of information and in consultation with the relevant WPA. Sources of information that have been used to provide this information are set out in **Table 3.2 Data sources** below.

Table 3.2 Data sources

Waste source	Source(s)	Limitations (if any)	Confidence
Current HIC arisings:			
Household waste aka Local Authority collected waste (LACW)	Defra Local Authority Collected Waste Statistics, 2019/20	2019/20 data published in November 2020. The data does not define the EWC codes of the waste arisings.	High
Commercial & Industrial waste (C&I) – in defined LoW categories	Waste Interrogator (WDI) EWC chapters 19 and 20; Waste Received 2019	C&I waste arisings can only be estimated from WDI data on the origins of waste. WDI 'waste received' data only records details of waste received at permitted sites in England. Codes 19 12 10, 19 12 11* & 19 12 12 removed from included Treatment sites, with fate "Landfill", "Incineration" or "Recovery" to avoid double counting. 20 03 01 will include residual household waste as recorded above.	Medium
Identification of arisings sent to landfill:			
LACW	WasteDataFlow (WDF), 2019/20 (Q100 data)	2019/20 data published in November 2020. The data does not define the EWC codes of the waste sent to landfill.	High
C&I	Waste Interrogator (WDI); Waste Received 2019	The WDI only records information on 'controlled' waste received at permitted waste sites regulated by the Environment Agency in the specified calendar year.	Medium

Waste source	Source(s)	Limitations (if any)	Confidence
Current HIC arisings:			
Existing landfill capacity:			
C&I	EA data 'Remaining landfill capacity: England as at end 2019'	Capacity data is provided in cubic metres. Conversion factors used to convert volume into weight estimates.	Medium

3.3.7 It should also be noted that the data sets which have been used to calculate existing HIC waste arisings are not all comparable with each other because they cover slightly different 12-month periods. For example, the Defra LA Waste Statistics cover a monitoring year from April to March, however, Waste Data Interrogator (WDI) information covers calendar years (January – December)⁵. The WFAA has used the most up to date available data sets across a common year.

3.3.8 In terms of gathering baseline data on local HIC waste management capacity requirements, this WFAA has adopted a two-pronged approach:

- Reviewed adopted and emerging Waste Local Plans, and their relevant supporting evidence bases, to identify whether there is likely to be a shortfall of suitable waste management capacity within the Study Area; and
- Reviewed the conclusions on capacity requirements set out in the following ‘regional’ reports:
 - ▶ *‘Residual Waste in London and the South-East – Where is it going to go……?’* Tolvik Consulting Ltd (October 2018). Whilst this report excludes Norfolk, Suffolk and Peterborough, it includes Essex, Southend, Thurrock, Hertfordshire, Bedfordshire, Milton Keynes and Cambridgeshire.
 - ▶ Landfill and Residual Treatment Capacity in the Wider South-East of England, Report for the East of England Waste Technical Advisory Body; the Southeast Waste Planning Advisory Group; and the London Waste Planning Forum, Sacks Consulting (May 2021).

3.3.9 This two-pronged approach is important as it not only seeks to take account of the detailed capacity work carried out at the WPA level, but it also addresses the fact that Waste Local Plans in the defined Study Area are all at various stages of their development.

3.3.10 Some WPAs have up to date plans which forecast up to 2035, but others contain forecasts that are either out of date or which only look ahead by a few years. This limitation is of concern to this WFAA as the Proposed Development is anticipated to provide capacity from 2026 onwards and as such, a clear understanding of the likely capacity requirements from this year is required. As such, the evaluation of data carried out at the regional level (as set out in the reports referenced above), will allow local forecasts to be calibrated and where appropriate, updated to reflect the latest knowledge on future HIC capacity requirements.

⁵ The 2019 Waste Data Interrogator was published in December 2020.

WFAA – National analysis

- 3.3.11 Information on waste arisings, management and capacity at the national level has been identified through baseline data gathering from published sources of information. Principal sources of information that have been used to provide this information are as follows:
- *UK Statistics on Waste*, Defra (published July 2021).
 - *UK Energy from Waste Statistics - 2020*, Tolvik Consulting Ltd (May 2021).
 - *UK Residual Waste: 2030 Market Review*, produced by Tolvik Consulting Ltd on behalf of the Environmental Services Association (November 2017).
 - *Overview of Statistics for RDF Export from England*, Footprint Services (November 2021).

3.4 Task 3 – Analysis of existing and future capacity requirements

WFAA – National analysis

- 3.4.1 Using the data sources/reference reports identified under Task 2, this WFAA has sought to identify the extent to which there is a nationally recognised need for additional non-landfill, residual waste management treatment capacity.
- 3.4.2 The temporal scope of this part of the WFAA is entirely influenced by the timeframes reflected in those source reports identified under Task 2. Following review of these reports, the baseline year for this part of the WFAA is 2019, with projections of future requirements extending to 2030.

WFAA – Local analysis

- 3.4.3 Using the data gathered under Task 2, this part of the WFAA has sought to analyse the extent to which there is scope to divert 'in scope' HIC waste generated in the Study Area from landfill to the Proposed Development. This analysis represents:
- A current 'snapshot' of the present-day position within the local Study Area; and
 - A forecast of future requirements, for facilities like the Proposed Development, to manage anticipated future HIC wastes.
- 3.4.4 The importance of focussing on the extent to which the Proposed Development would divert suitable material from landfill is a key feature of this study as it reflects the need to implement the waste hierarchy and drive the management of material up the hierarchy from simple disposal (i.e., landfill).
- 3.4.5 It is also important for this part of the WFAA to establish both a baseline year and a reasonable period for looking forwards.
- 3.4.6 The temporal scope of the WFAA has been determined by the availability of local/regional data (see Task 2 above) and uses the most recent year where publicly available data relating to **all** existing waste arisings and disposals is available i.e., 2019.

32 Waste Fuel Availability Assessment

3.4.7 In terms of forecasts of future HIC waste disposal needs, this WFAA relies on those generated as part of the respective Waste Local Plan evidence bases within the Study Area. These evidence bases contain forecasts of likely future disposal needs based on comparing existing disposal capacity against anticipated future HIC waste arisings. Each assessment contains assumptions around future waste growth and recycling to arrive at conclusions around the amount of residual waste that will need managing over a specified period of time. This WFAA takes the conclusions of these studies into account and uses them as a basis for determining any identified gaps in local capacity.

3.4.8 Finally, and as noted in **Section 3.3.5** of this WFAA, in analysing local and regional forecasts of future disposal capacity requirements, this assessment has sought to identify and discuss future capacity needs in terms of three scenarios:

- Operational capacity only;
- Operational and permitted capacity; and
- Operational, permitted and capacity in the planning system (i.e., applications and where appropriate, allocations).

3.5 Task 4 – Reporting

3.5.1 Work carried out under Tasks 1-3 has been documented in **Sections 4 and 5** of this report. All data sources used in the assessment have been referenced.

4. Waste Fuel Availability Assessment: Local Analysis

4.1 Baseline position

Current HIC arisings (in defined LoW categories)

- 4.1.1 In 2019/20, the total local authority collected waste by each WPA within the spatial scope is shown in **Table 4.1 Total Local Authority Collected Waste 2019/2020 (tonnes)**. This is also broken down to show household and non-household waste collected by the authorities. This includes all LoW categories, with residual waste typically assigned to EWC code 20 03 01 and recyclable waste mapped to an EWC code based on the WDF material description.
- 4.1.2 The majority of LACW will be tied into existing contracts with varying durations for collection, treatment, and disposal.

Table 4.1 Total Local Authority Collected Waste 2019/2020 (tonnes)

Origin WPA	Household - total waste (tonnes)	Non-household - total waste (tonnes)	Total local authority collected waste (tonnes)
<i>East of England WPAs:</i>			
Bedford	73,040	10,040	83,079
Cambridgeshire County Council	292,885	25,711	318,595
Central Bedfordshire	120,635	6,886	127,522
Essex County Council (including Southend on Sea and Thurrock)	655,447	37,729	693,176
Hertfordshire County Council	479,480	30,282	509,762
Luton Borough Council	75,193	12,695	87,889
Milton Keynes Council	119,557	9,504	129,060
Norfolk County Council	391,205	16,877	408,083
Peterborough City Council	83,884	4,594	88,477
Suffolk County Council	346,312	37,289	383,601

Origin WPA	Household - total waste (tonnes)	Non-household - total waste (tonnes)	Total local authority waste collected (tonnes)
East of England Total	2,637,638	191,607	2,829,244
'In-scope' East Midlands WPAs:			
Leicester City Council	127,429	12,817	140,246
Leicestershire County Council	308,738	21,981	330,719
Lincolnshire County Council	349,410	13,507	362,917
Northamptonshire County Council	334,140	25,103	359,243
Rutland County Council	20,207	1,273	21,480
'In scope' East Midlands Total	1,139,924	74,681	1,214,605
TOTAL	3,777,562	266,288	4,043,849

Source: Defra - ENV18 - Local authority collected waste: annual results tables Table 1: Local Authority Collected and Household Waste Statistics 2019-20, England (published November 2020)

4.1.3 The HIC arisings for the defined LoW codes in 2019 are shown in **Table 4.2 HIC arisings for the defined LoW codes 2019 (tonnes)**. This is based on waste generated by origin WPAs, within the spatial scope, that have been received at permitted final disposal waste management facilities in England. It includes LACW waste which has been assigned to the respective 'in scope' codes. In some instances, the WPA is not listed but the region is ('WPA not codeable') – the waste arisings recorded as such have been included for the respective spatial regions, shown separately in the table.

Table 4.2 HIC arisings for the defined LoW codes 2019 (tonnes)

Origin WPA	In scope HIC waste (tonnes)
East of England WPAs:	
Bedford	214,578
Cambridgeshire	1,691,969
Central Bedfordshire	75,790
Essex (including Southend on Sea and Thurrock)	3,782,754
Hertfordshire	2,842,057
Luton	1,987,083

Origin WPA	In scope HIC waste (tonnes)
Milton Keynes	1,252,837
Norfolk	230,370
Peterborough	451,701
Suffolk	731,892
WPA not codeable (Bedfordshire)	484,331
WPA not codeable (East of England)	432,931
East of England Total	14,178,293
'In scope' East Midlands WPAs:	
Leicester	1,540,472
Leicestershire	241,173
Lincolnshire	1,599,432
Northamptonshire	206,737
Rutland	167,748
'In scope' East Midlands Total	3,755,562
TOTAL	17,933,855

Source: WDI 2019

Notes: 19 12 10, 19 12 11* & 19 12 12 removed from included Treatment sites, with fate "Landfill", "Incineration" or "Recovery" to avoid double counting.

Permitted facility types 'mobile plant' and 'On/In Land' were excluded from the data.

Total may not sum due to rounding.

- 4.1.4 This data shows that within the spatial scope of this WFAA, a total of approximately (~) 17.9 million tonnes of waste, which is suitable for processing at the Proposed Development was generated in 2019.

Current disposal of HIC to landfill

- 4.1.5 Having established how much potentially suitable waste is produced in the Study Area, this next section looks at how much of this material is presently managed at the bottom end of the waste hierarchy i.e., disposal to landfill.

- 4.1.6 In terms of LACW only, in 2019/20 the amount of this material disposed to non-hazardous landfill by WPAs within the spatial scope is shown in **Table 4.3 Total local authority waste disposed to non-hazardous landfill (tonnes) (2019/20)**. In total almost 365,000 tonnes were disposed to landfill, with Essex sending the largest amount of waste to landfill, accounting for approximately 28% of the total in the East of England.

Table 4.3 Total local authority waste disposed to non-hazardous landfill (tonnes) (2019/20)

Origin WPA	Landfilled (tonnes)*
East of England WPAs:	
Bedford	2,755
Cambridgeshire County Council	88,528
Central Bedfordshire	25,755
Essex County Council (including Southend on Sea and Thurrock)	102,601
Hertfordshire County Council	80,054
Luton Borough Council	13,769
Milton Keynes Council	5,581
Norfolk County Council	34,119
Peterborough City Council	444
Suffolk County Council	11,251
East of England Total	364,857
'In scope' East Midlands WPAs:	
Leicester	39,918
Leicestershire	106,255
Lincolnshire	11,142
Northamptonshire	52,527
Rutland	0
'In scope' East Midlands Total	209,842
TOTAL	574,699

Source: WDF 2019/20 data (Q100 data)

* Does not include Incinerator Bottom Ash/Fly Ash landfilled

4.1.7 LACW is however, only part of the wider waste stream that the Proposed Development could accept. Waste from commercial sources would also be suitable. In 2019, HIC waste originating from within the WPAs within the spatial scope which was disposed to non-hazardous landfill are shown in **Table 4.4 HIC waste disposed to non-hazardous landfill (tonnes)**. The table shows the tonnages from

all EWC codes in chapters 19 and 20 as well as those defined as part of the fuel scope. These figures include LACW waste categorised to the respective codes sent to landfill.

Table 4.4 HIC waste disposed to non-hazardous landfill (tonnes)

Origin WPA	All EWC codes 19 and 20	In scope EWC codes 19 and 20
<i>East of England WPAs:</i>		
Bedford	17,461	17,209
Cambridgeshire	292,108	236,031
Central Bedfordshire	4,673	4,615
Essex County Council (including Southend on Sea and Thurrock)	1,062,660	1,034,694
Hertfordshire	273,709	229,526
Luton	62,386	62,376
Milton Keynes	45,186	43,519
Norfolk	94,846	84,182
Peterborough	37,814	37,277
Suffolk	69,576	38,421
WPA not codeable (Bedfordshire)	1,563	1,507
WPA not codeable (East of England)	118,358	100,539
<i>East of England Total</i>	2,080,340	1,889,896
<i>'In scope' East Midlands WPAs:</i>		
Leicester	2,838	1,230
Leicestershire	229,967	220,429
Lincolnshire	112,398	94,588
Northamptonshire	214,987	188,041
Rutland	72	35
<i>'In scope' East Midlands Total</i>	560,262	504,323
TOTAL	2,640,602	2,394,219

Source: WDI 2019, based on 'waste received' at permitted landfill sites within England, with the origin of the defined WPA.

- 4.1.8 The data in **Table 4.4 HIC waste disposed to non-hazardous landfill (tonnes)** demonstrates that of the almost 17.9 million tonnes of HIC arisings (as set out in **Table 4.2 HIC arisings for the defined LoW codes 2019 (tonnes)**), almost 2.4 million tonnes of suitable HIC waste generated within the WPAs within the spatial scope were sent to non-hazardous landfill in 2019. Most notably, Essex sent over 1 million tonnes of waste to landfill.
- 4.1.9 From the ‘waste received’ data it is not clear over what duration waste returns are completed by landfill operators and if the waste received is linked to several producers or single producers/managers of waste. The WDI ‘waste removed’ data can however identify the operators of permitted facilities who manage large amounts of waste and the subsequent destination of their waste. The ‘waste removed’ tonnages could be sent via an additional facility before a final destination of landfill, which is why a complete picture cannot be directly mapped from WDI.
- 4.1.10 The data provides clear evidence that substantial quantities of potentially suitable material within the spatial scope of this WFAA are currently being disposed of to landfill – almost 2.4 million tonnes.

Exportation of RDF

- 4.1.11 **Section 4** of this report (paragraphs 5.1.8-5.1.18) details the extent to which the UK exported residual HIC as RDF. It was noted that in 2019, 2.7 million tonnes of RDF were exported outside the UK⁶ and that by January 2022, this figure had reduced to approximately 1.7 million tonnes (which had been exported over the period January 2021-22) – a fall of ~37%.
- 4.1.12 **Table 4.5 Local authority RDF exports 2019/20 (tonnes)** below, provides a breakdown of local authorities in the spatial scope of this local analysis which exported RDF to European Union (EU) countries in 2019/20. The table also shows any contamination rejects that have been exported to the EU; these are either treatment process rejects or contaminated loads which have been rejected at the treatment facility gate, which would typically be within the fuel scope of the Proposed Development. The RDF generated by local authorities includes residual waste and comingled recyclate streams. The contamination rejects are from the comingled recyclate stream. In total, in 2019/20 almost 162,000 tonnes of RDF were exported to the EU from the Study Area of this WFAA. Norfolk County Council exported the largest amount of RDF during 2019/20. However, as mentioned above, it is also known that nationally, RDF exports have fallen by ~37% since 2019. This ~162,000 tonnes is therefore now likely to be in the order of ~102,000 tonnes.

⁶ *RDF Export Dashboard*, Footprint Services (January 2022) – utilising Environment Agency source data.

Table 4.5 Local authority RDF exports 2019/20 (tonnes)

WPA	RDF	Contamination (process rejects)	Contamination (gate rejects)
<i>East of England WPAs:</i>			
Bedford	6,622	-	-
Central Bedfordshire	336	-	-
Essex County Council (including Southend on Sea and Thurrock)	45,288	-	-
Hertfordshire County Council	212	-	-
Norfolk County Council	96,980	-	-
East of England Total	149,438	-	-
<i>'In-scope East Midlands WPAs:</i>			
Leicestershire County Council	-	4,105	353
Lincolnshire County Council	10,482	705	-
'In-scope East Midlands Total	10,482	2,110	353
TOTAL	159,920	2,110	353

Source: WDF 2019/20 data (Q100 data)

Summary of baseline position

4.1.13 This section of the WFAA has thus far demonstrated that in respect of those parts of the HIC waste stream that are potentially suitable for management at the Proposed Development:

- In 2019, there was a total of approximately 17.9 million tonnes of such waste arising in the Study Area;
- Of the potentially suitable waste generated in the Study Area, almost 2.4 million tonnes were managed at the bottom of the waste hierarchy and sent to non-hazardous landfill in 2019; and
- In addition to this, exports of RDF from the UK stood at 1.7 million tonnes at the beginning of 2022 - in the order of 102,000 tonnes of which was likely exported directly from within the Study Area of this WFAA.

- 4.1.14 It can therefore be concluded that based upon the current pattern of waste arising and management across the spatial scope of this assessment, **there is potential for almost 2.5 million tonnes of suitable HIC waste that is currently sent to landfill (2.4 million tonnes) and/or exported as RDF (0.1million tonnes) which could be managed further up the waste hierarchy and/or at a location that is more proximate to the point of arising.**

4.2 WLP forecast of future HIC residual waste requirements

Introduction

- 4.2.1 The information presented in this assessment has so far evaluated the current situation in relation to the arisings of material that would be suitable for management at the Proposed Development, and the extent to which such material would be diverted from landfill or exported for onward treatment and disposal.
- 4.2.2 In addition, the WFAA must also consider the extent to which the current/baseline position is predicted to continue or change.
- 4.2.3 Changes in population, household formation and commercial activity will all determine the amount of regional waste arisings that will be produced in the future. Similarly, the continued implementation of Government policies which seek a reduction in waste arisings, as well as greater emphasis on the need to recycle and reuse discarded material, will also impact on future waste needs.
- 4.2.4 To establish the likely future position, this WFAA has sought to evaluate publicly available information – and most notably, the evidence bases which underpin the Waste Local Plans within this assessment’s spatial scope.
- 4.2.5 Waste Local Plans may also predict changes in the management capacity within the Study Area, which can arise through the construction of permitted waste management facilities or the closure of others. It is assumed that where closures or the imminent opening of new facilities is known, this has been integrated into the Waste Planning Authorities’ own capacity gap assessments.

Waste Local Plan evidence bases

- 4.2.6 Specifically, 25 Waste Local Plans (adopted and emerging) and their supporting evidence bases have been reviewed, which cover the 18 WPAs within the Study Area. Particular attention has been paid to any anticipated forecasted shortfalls in future requirements, and the size of any such expected capacity shortfall.
- 4.2.7 **Table 4.6 Review of Waste Planning Authority waste requirements** below sets out the status of the each of the Study Area WPA Waste Local Plans and provides commentary on the assessment of future HIC waste management capacity needs, and anticipated shortfalls in capacity, underpinning each development plan.



Table 4.6 Review of Waste Planning Authority waste requirements

Waste Authority	Planning	Waste Local Plan	Commentary
East of England WPAs:			
Bedford City Council		Bedfordshire and Luton Minerals and Waste Local Plan (adopted 2005)	<p>Both plans cover Bedford City, Central Bedfordshire, and Luton. Furthermore, the 2014 Plan is supported by Waste Technical Evidence Paper 2 <i>Assessment of Need for Additional Waste Management Capacity</i> (March 2012).</p> <p>Taking the latest available data i.e., that set out in the 2014 Plan, it is noted that waste arisings to be managed at 2013/14 and 2028/29 (tonnes) are as follows:</p> <p>Municipal Solid Waste (MSW) in 2013/14 – 306,000 MSW in 2028/29 – 371,000</p> <p>Commercial and Industrial (C&I) waste in 2013/14 – 510,000 C&I waste in 2028/29 – 544,000</p> <p>The Plan also predicts future additional recovery capacity (i.e., the amount by which capacity should increase each year) for MSW and C&I wastes required (in tonnes) as follows:</p> <ul style="list-style-type: none"> • 2013/14 – 63,000 • 2018/19 – 161,000 • 2023/24 – 201,000 • 2028/29 – 229,000 <p>It should be noted that only operational waste management capacity was used to calculate predicted future requirements. No account was taken in the above figures of facilities that have planning consent, but which remained unconstructed. In this context, the development of Rookery South Energy Recovery</p>
Central Bedfordshire Council	Bedfordshire		
Luton Borough Council			



Waste Authority	Planning	Waste Local Plan	Commentary
Cambridgeshire County Council	City	<p>Extant Plan:</p> <p>Cambridgeshire and Peterborough Minerals and Waste Local Plan (adopted July 2021)</p> <p>This emerging plan is supported by a Waste Needs Assessment: Cambridgeshire and Peterborough Minerals and Waste Local Plan</p>	<p>Facility (which was consented in 2011 but had not been constructed at the time of the adoption of the Strategic Sites and Policies document) has since been constructed and now provides ~545,000 tonnes of capacity.</p> <p><i>(Source of data: pages 19 & 20 of the Minerals and Waste Local Plan: Strategic Sites and Policies (adopted 2014)).</i></p> <p>Taking the latest available data i.e., that set out in the adopted 2021 plan, it is noted (in Policy 3: Waste Management Needs) that future capacity gaps for Treatment and Energy Recovery Processes of non-hazardous municipal and C&I waste (in tonnes per annum) are as follows:</p> <p>2016 = +139,000 tonnes per annum 2017 = +166,000 tonnes per annum 2021 = +124,000 tonnes per annum (+159,000 tonnes per annum) 2026 = +23,000 tonnes per annum (+590,000 tonnes per annum) 2031 = -57,000 tonnes per annum (+518,000 tonnes per annum) 2036 = -80,000 tonnes per annum (+495,000 tonnes per annum)</p> <p>The figures in brackets include permitted but not operational developments. Specifically, this includes implementation of a historic planning consent for a 650,000 tonnes per annum EfW in Peterborough. This facility received planning consent from the Secretary of State in November 2009, but has thus far, yet to be built. In July 2018 an application to discharge/vary planning conditions was submitted. Condition 5 and 8 of the planning consent allows for a change in layout/design.</p>



Waste Authority	Planning	Waste Local Plan	Commentary
			<p>The Proposed Development, incorporating technology approved under the Section 36 consent, would generate 42.7MW electricity with an expected feedstock of 595,000 tonnes per annum. The original approved scheme had a maximum output of 80MW and feedstock of 650,000 tonnes per annum.</p> <p>Considered at Planning Committee in October 2018, the revised scheme was approved in May 2019.</p> <p><i>Source: Waste Needs Assessment -Cambridgeshire and Peterborough Minerals and Waste Local Plan (2016 to 2036) (page 51).</i></p>
Essex County Council		<p>Essex and Southend on Sea Waste Local Plan 2017 (adopted 2017)</p> <p>Non-Hazardous Waste Capacity Update Report (May 2018)</p>	<p>The 2018 Non-Hazardous Waste Capacity Update Report sets out capacity gaps for LACW and C&I waste over the plan period up to 2035.</p> <p>For LACW, Table 3 of this report identifies a capacity requirement of 20,000m³ of additional landfill OR 209,000 tonnes per annum thermal treatment OR a combination of both.</p> <p>For C&I waste, the 2018 update report notes that there is no recovery capacity shortfall for non-hazardous waste management throughout the Plan period (paragraph 2.10, page 26).</p>
Hertfordshire Council	County	<p>Extant Plan: Waste Core Strategy and Development Management Policies Development Plan Document (adopted 2012)</p> <p>Waste Site Allocations Development Plan Document (adopted 2014)</p>	<p>Latest data is set out in the draft Waste Local Plan Review – consultation, January 2021 (page 21), which states:</p> <p>Hertfordshire gaps in waste capacity (in tonnes):</p> <p>Non-hazardous residual:</p> <ul style="list-style-type: none"> • 2019 = 577,092 • 2024 = 542,046



Waste Authority	Planning	Waste Local Plan	Commentary
		<p>Emerging Plan: Draft Waste Local Plan Review (consultation January 2021)</p>	<ul style="list-style-type: none"> • 2029 = 507,363 • 2034 = 480,145 <p>The draft Waste Local Plan Review (page 22) goes on to conclude:</p> <p><i>“The CGR concludes that there are significant capacity gaps for the management of the two largest waste streams: Non-Hazardous and C, D & E waste. There will be a significant shortfall in capacity for the recycling and composting of non-hazardous waste from the start of the Plan period and this is set to increase as arisings increase. There is also a significant shortfall in capacity to treat or dispose of the residual element of the non-hazardous waste stream.”</i></p>
Milton Keynes Council		<p>Extant Plan: Milton Keynes Waste Development Plan Document 2007-2026 (adopted February 2008)</p> <p>Plan:MK 2016 – 2031 (adopted March 2019)</p>	<p>The latest Plan (Plan: MK) contains little information in respect of planning for the future waste needs of Milton Keynes. As such, reliance has to be placed upon the Milton Keynes Waste Development Plan Document 2007-2026 (adopted February 2008)</p> <p>Table WCS4 (on page 19 of the 2008 plan) sets out additional capacity required at 2015 in Milton Keynes. For MSW/C&I waste, it is noted that there is no shortfall. In fact, a surplus of 193,000 tonnes per annum is noted.</p>
Norfolk County Council		<p>Extant Plan: Norfolk Minerals and Waste Development Framework Core Strategy and Minerals and Waste Development Management Policies Development Plan Document 2010-2026 (adopted 2011)</p> <p>Waste Site Specific Allocations Development Plan Document (adopted 2013)</p>	<p>The 2011 Norfolk Minerals and Waste Development Framework Core Strategy and Minerals and Waste Development Management Policies Development Plan Document 2010-2026 states (at paragraph 4.14-17, on pages 31-32):</p> <p><i>“In order to help drive the management of waste up the waste hierarchy, additional plants to recover value from waste will also be needed.....there is likely to be a need for a minimum of about 866,000 tonnes annual</i></p>



Waste Authority	Planning	Waste Local Plan	Commentary
		<p>Emerging Plan: Norfolk Minerals and Waste Local Plan Review: Preferred Options Consultation (30 October 2019) And the supporting Norfolk Minerals and Waste Local Plan Review Waste Management Capacity Assessment 2016 (March 2018)</p>	<p><i>capacity of new recycling/composting/anaerobic digestion/other recovery (i.e. thermal treatment or similar) waste management infrastructure.</i></p> <p><i>Given that the County Council intends to procure a waste plant to deal with about 170,000 tonnes of waste per year, the shortfall reduces to about 696,000 tonnes per year.</i></p> <p><i>..... Norfolk does not have any facilities providing treatment capacity for the recovery of waste. Forecasts in Table A.2 show the treatment capacity forecast to be required for each year. 370,000 tonnes of treatment capacity will be required between 2010-2015 and a further 330,000 tonnes of treatment capacity will be required between 2015-2020.”</i></p> <p>The later Waste Site Specific Allocations Development Plan Document (adopted 2013), updated the information set out in the 2011 documents and states on page 7:</p> <p><i>“By the end of 2026, there is a need to provide an additional ... 703,000 tonnes of recovery infrastructure.”</i></p> <p>This position has been updated even further in the Norfolk Minerals and Waste Local Plan Review: Preferred Options Consultation (30 October 2019) and the supporting 2018 Waste Management Capacity Assessment. The latter document concludes (on page 36):</p> <p><i>“Norfolk does not have any final treatment or recovery facilities for residual LACW or C&I waste. Norfolk does have a significant amount of landfill void space in two permitted sites; however, the economics dictate that these are not the most viable option for such</i></p>



Waste Authority	Planning	Waste Local Plan	Commentary															
			<p>waste at the present time as they are not currently operational. Significant amounts of residual LACW and C&I waste are therefore either taken directly to Energy from Waste facilities (incinerators) or are processed into Refuse derived Fuel (RDF), which is subsequently transported to more distant EfW facilities”</p> <p>To reflect this position, draft Policy WP1 sets out the waste management capacity required as follows:</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th></th> <th>LACW</th> <th>C&I</th> </tr> </thead> <tbody> <tr> <td>2016-2021</td> <td>427,000</td> <td>1,142,000</td> </tr> <tr> <td>2022-2026</td> <td>446,000</td> <td>1,232,000</td> </tr> <tr> <td>2027-2031</td> <td>465,000</td> <td>1,329,000</td> </tr> <tr> <td>2032-2036</td> <td>484,000</td> <td>1,456,000</td> </tr> </tbody> </table> <p>However, there is no analysis on this documentation around the gap in any capacity requirements – apart from the commentary in the above that Norfolk continue to have no recovery facilities for LACW and C&I waste.</p>		LACW	C&I	2016-2021	427,000	1,142,000	2022-2026	446,000	1,232,000	2027-2031	465,000	1,329,000	2032-2036	484,000	1,456,000
	LACW	C&I																
2016-2021	427,000	1,142,000																
2022-2026	446,000	1,232,000																
2027-2031	465,000	1,329,000																
2032-2036	484,000	1,456,000																
Suffolk County Council		<p>Suffolk Minerals and Waste Local Plan (adopted 2020)</p> <p>Suffolk Minerals and Waste Local Plan Suffolk Waste Study (April 2018)</p>	<p>Suffolk Minerals and Waste Local Plan (Page 32) states:</p> <p>Predicated waste arisings (in tonnes per annum)</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>LACW</th> <th>C&I</th> </tr> </thead> <tbody> <tr> <td>2015/16 = 397,000</td> <td>2015/16 = 795,000 to 769,000</td> </tr> <tr> <td>2020/21 = 415,000</td> <td>2020/21 = 857,000 to 697,000</td> </tr> <tr> <td>2025/26 = 433,000</td> <td>2025/26 = 960,000 to 632,000</td> </tr> <tr> <td>2030/31 = 452,000</td> <td>2030/31 = 1,039,000 to 574,000</td> </tr> <tr> <td>2035/36 = 470,000</td> <td>2035/36 = 1,039,000 to 531,000</td> </tr> </tbody> </table>	LACW	C&I	2015/16 = 397,000	2015/16 = 795,000 to 769,000	2020/21 = 415,000	2020/21 = 857,000 to 697,000	2025/26 = 433,000	2025/26 = 960,000 to 632,000	2030/31 = 452,000	2030/31 = 1,039,000 to 574,000	2035/36 = 470,000	2035/36 = 1,039,000 to 531,000			
LACW	C&I																	
2015/16 = 397,000	2015/16 = 795,000 to 769,000																	
2020/21 = 415,000	2020/21 = 857,000 to 697,000																	
2025/26 = 433,000	2025/26 = 960,000 to 632,000																	
2030/31 = 452,000	2030/31 = 1,039,000 to 574,000																	
2035/36 = 470,000	2035/36 = 1,039,000 to 531,000																	



Waste Authority	Planning	Waste Local Plan	Commentary
			<p>Suffolk Minerals and Waste Local Plan Suffolk Waste Study 2018 (page 55) also states:</p> <p><i>“The available treatment capacity for non-hazardous waste in Suffolk is approximately 373,000 tonnes per annum. In addition to this there is incineration capacity of 269,000 tonnes per annum. This gives a total of 643,000 tonnes per annum for residual waste. There is therefore sufficient non-hazardous waste treatment capacity for the forecast arisings.”</i></p>
Thurrock		<p>Thurrock Local Development Framework: Core Strategy and Policies for the Management of Development (adopted January 2015) Thurrock Council - Core Strategy and Policies for Management of Development (as amended), adopted January 2015</p>	<p>Chapter 5 of the Core Strategy cross refers to the <i>Thurrock Waste Arising and Capacity Studies (2009 and 2010)</i>. In respect of recovery capacity, this concluded that there was the following waste capacity gap up to 2025:</p> <p><i>“There is, at 2010 no operational treatment recovery other than tyre recovery facility and niche Waste Electrical and Electronic Equipment (WEEE) facilities. Thurrock therefore requires additional recovery capacity. The 2010 study identifies the need for between 71,200 to 133,000 tonnes per annum by the end of the Plan period. There is consent for 300,000 tonnes recovery facility but this is currently non-operational at this stageThis consented provision, could meet all Thurrock’s needs.”</i></p> <p>The additional capacity referred to in this evidence base is the Tilbury Green Power plant, which was originally granted planning consent in 2009. The original consent was varied by the Secretary of State on 19 July 2011, 20 August 2014, and on 26 March 2020, the latter to increase the generating capacity of the combined generating station (Phase 1 and 2) to 80MW. The consented development consists of two generation units (Phase 1 and 2) processing up to 650,000 tonnes of waste per annum.</p>



Waste Authority	Planning	Waste Local Plan	Commentary
			Phase 1 (300,000 tonnes per annum of wood biomass capacity has been built). Phase 2 (350,000 tonnes per annum of EfW capacity) has yet to be built.
'In scope' East Midlands WPAs:			
City of Leicester	<i>Extant Plan:</i>	Leicestershire and Leicester Waste Development Framework: Waste Core Strategy and Development Control Policies up to 2021 (adopted October 2009)	The extant waste planning policy framework covers both the City of Leicester and Leicestershire County Council. The emerging policy framework, however, is Leicester City only.
	<i>Emerging Plan:</i>	City of Leicester Local Plan 2020-2036 (draft for consultation March 2020)	Leicestershire and Leicester Waste Development Framework: Waste Core Strategy and Development Control Policies (2009) sets out an indicative scale and number of facilities required for the recovery of municipal waste. The plan states that the amount of residual municipal and C&I waste requiring treatment or disposal after recycling at the end of the plan Period is estimated at around 900,000 tonnes per annum (938,095 tonnes per annum). To prevent this amount all having to go to landfill between four at 250,000 tonnes per annum or nineteen at 50,000 tonnes per annum energy/value recovery facilities would be required. <i>(Source: page 20 of the Leicestershire and Leicester Waste Development Framework: Waste Core Strategy and Development Control Policies up to 2021, adopted October 2009):</i> In the emerging City of Leicester Local Plan 2020-2036 (Page 196), it is noted that there is no up to date analysis of future waste management requirements set out in this Plan. Instead, the Plan notes that the City Council will continue to meet the existing requirements as defined by the adopted Waste Development Framework (WDF) until a replacement Waste Plan can be adopted. This will mean that Leicester City Council will provide a level of waste management capacity that is enough to accommodate the quantity of the region's waste.



Waste Authority	Planning	Waste Local Plan	Commentary															
Leicestershire Council	County	<p>Extant Plan: Leicestershire and Leicester Waste Development Framework: Waste Core Strategy and Development Control Policies up to 2021 (adopted October 2009)</p> <p>Emerging Plan: Leicestershire Minerals and Waste Local Plan Up to 2031 (adopted 2019)</p> <p>Plan is supported by the Waste Needs Assessment (December 2015)</p>	<p>The extant plan covers both the City of Leicester and Leicestershire. However, the emerging plan is Leicestershire only.</p> <p>Leicestershire Minerals and Waste Local Plan Up to 2031 (Page 45) states:</p> <p>Indicative scale (tonnes per annum [tpa]) and number of facilities required for the recovery of local authority collected waste and commercial & industrial waste, based on operational capacity.</p> <table border="1"> <thead> <tr> <th>Gross Requirement (tpa)</th> <th>Capacity (tpa)</th> <th>Shortfall(tpa)</th> </tr> </thead> <tbody> <tr> <td>2020/21 = 160,295</td> <td>2020/21 = 109,000</td> <td>2020/21 = 51,295</td> </tr> <tr> <td>2025/26 = 183,449</td> <td>2025/26 = 164,000</td> <td>2025/26 = 19,449</td> </tr> <tr> <td>2030/31 = 207,488</td> <td>2030/31 = 184,00</td> <td>2030/31 = 23,448</td> </tr> <tr> <td>Plan Period = 207,488</td> <td>Plan Period = 109,000</td> <td>Plan Period = 98,448</td> </tr> </tbody> </table>	Gross Requirement (tpa)	Capacity (tpa)	Shortfall(tpa)	2020/21 = 160,295	2020/21 = 109,000	2020/21 = 51,295	2025/26 = 183,449	2025/26 = 164,000	2025/26 = 19,449	2030/31 = 207,488	2030/31 = 184,00	2030/31 = 23,448	Plan Period = 207,488	Plan Period = 109,000	Plan Period = 98,448
Gross Requirement (tpa)	Capacity (tpa)	Shortfall(tpa)																
2020/21 = 160,295	2020/21 = 109,000	2020/21 = 51,295																
2025/26 = 183,449	2025/26 = 164,000	2025/26 = 19,449																
2030/31 = 207,488	2030/31 = 184,00	2030/31 = 23,448																
Plan Period = 207,488	Plan Period = 109,000	Plan Period = 98,448																
Lincolnshire Council	County	<p>Extant Plan: Lincolnshire Minerals and Waste Local Plan: Core Strategy and Development Management Polices (adopted June 2016)</p> <p>Lincolnshire Minerals and Waste Local Plan: Site Locations (adopted December 2017)</p> <p>Emerging Plan: Review of the Lincolnshire Minerals and Waste Local Plan (February 2021)</p>	<p>The review of the Lincolnshire Minerals and Waste Local Plan (February 2021), on page 49, sets out the net changes in waste management capacity and the effect on waste management capacity gap projections.</p> <p>For energy recovery, the plan notes that additional capacity is still required to address a growing capacity gap going forward. Although suitable sites are allocated in the Site Locations Plan, it is noted that it will be for market forces and the economics of developing additional EfW that will influence the delivery of additional capacity.</p> <p>The following gap in capacity is noted (tonnes per annum): Gap 2015 = 5226 Net Capacity Change 2016 = 0 Net Capacity Change 2017 = 0</p>															



Waste Authority	Planning	Waste Local Plan	Commentary												
			<p>Net Capacity Change 2018 = 0 Gap 2020 = 93,564 Gap 2025 = 101,604 Gap 2031 = 110,811</p> <p>The plan also notes that there is a predicted capacity gap for non-hazardous landfill (~70,290 tonnes per annum in 2020; ~100,346 tonnes per annum in 2025; and ~132,100 tonnes per annum in 2031).</p>												
Northamptonshire County Council		Northamptonshire Minerals and Waste Local Plan (update adopted in July 2017)	<p>The Northamptonshire Minerals and Waste Local Plan (update adopted in July 2017) sets out the predicted gap in waste management capacity at Table 7, page 42, which states:</p> <p>Capacity Gap (in million tonnes per annum)</p> <table border="1"> <thead> <tr> <th>Advance treatment</th> <th>Non-Inert Landfill</th> </tr> </thead> <tbody> <tr> <td>Current capacity (2012) +0.64 +0.45</td> <td>Current capacity (2012)</td> </tr> <tr> <td>2016 = -0.21</td> <td>2016 = 0.33 to 0.49</td> </tr> <tr> <td>2021 = -0.22</td> <td>2021 = 0.45 to 0.62</td> </tr> <tr> <td>2026 = -0.25</td> <td>2026 = 0.46 to 0.64</td> </tr> <tr> <td>2031 = -0.28</td> <td>2031 = -0.67 to 0.85</td> </tr> </tbody> </table> <p><i>(Note: the ranges given above are without and with residues)</i></p>	Advance treatment	Non-Inert Landfill	Current capacity (2012) +0.64 +0.45	Current capacity (2012)	2016 = -0.21	2016 = 0.33 to 0.49	2021 = -0.22	2021 = 0.45 to 0.62	2026 = -0.25	2026 = 0.46 to 0.64	2031 = -0.28	2031 = -0.67 to 0.85
Advance treatment	Non-Inert Landfill														
Current capacity (2012) +0.64 +0.45	Current capacity (2012)														
2016 = -0.21	2016 = 0.33 to 0.49														
2021 = -0.22	2021 = 0.45 to 0.62														
2026 = -0.25	2026 = 0.46 to 0.64														
2031 = -0.28	2031 = -0.67 to 0.85														
Rutland County Council		<p>Extant Plan: Rutland Core Strategy Development Plan Document (adopted July 2011) Site Allocations and Policies Development Plan Document (adopted October 2014)</p>	<p>The most up to date position on waste capacity requirements is set out in the Rutland County Council Local Plan 2018-2036 (page 142), which states:</p> <p>The indicative waste management capacity requirements up to 2036 include:</p>												



Waste Authority	Planning	Waste Local Plan	Commentary																		
		<p>Emerging Plan: Rutland County Council Local Plan 2018-2036 – Pre-Submission draft (February 2020)</p> <p>This emerging policy is supported by a Local Waste Needs Assessment (September 2018)</p>	<ul style="list-style-type: none"> • Biological processing capacity of 11,000 tonnes per annum, • Advanced treatment of 29,000 tonnes per annum. • The estimated inert disposal/recovery capacity requirement up to 2036 is 31,000 tonnes per annum. <p>This headline position is underpinned by the Local Waste Needs Assessment (September 2018), which states (in Table 5 on page 17), the following:</p> <p>Comparison of current and future waste management and disposal requirements (tonnes per annum) (for advanced treatment))</p> <table border="1" data-bbox="1294 804 1859 1050"> <thead> <tr> <th></th> <th>Capacity Requirement</th> <th>Capacity Gap</th> </tr> </thead> <tbody> <tr> <td>2016</td> <td>22,000</td> <td>22,000</td> </tr> <tr> <td>2021</td> <td>24,000</td> <td>24,000</td> </tr> <tr> <td>2025</td> <td>25,000</td> <td>25,000</td> </tr> <tr> <td>2031</td> <td>27,000</td> <td>27,000</td> </tr> <tr> <td>2036</td> <td>29,000</td> <td>29,000</td> </tr> </tbody> </table>		Capacity Requirement	Capacity Gap	2016	22,000	22,000	2021	24,000	24,000	2025	25,000	25,000	2031	27,000	27,000	2036	29,000	29,000
	Capacity Requirement	Capacity Gap																			
2016	22,000	22,000																			
2021	24,000	24,000																			
2025	25,000	25,000																			
2031	27,000	27,000																			
2036	29,000	29,000																			

Summary of WLP forecasted future HIC residual waste requirements

- 4.2.8 The information set out in the suite of adopted and emerging Waste Local Plans and other Development Plan document, as presented in **Table 4.6 Review of Waste Planning Authority waste requirements**, is clearly extensive. There is considerable, publicly available data which underpins the waste management capacity provision made in the Waste Planning Authorities' respective land use planning documents.
- 4.2.9 However, this data is not always consistent in approach and timescales of forecasts differ. Baseline assumptions can vary, as too can the detail of the forecasts and identified capacity gaps (or surpluses) identified.
- 4.2.10 Notwithstanding this, this WFAA has sought to collate (on an indicative basis), the extent to which the planning authorities across the spatial scope of this assessment have predicted future needs for residual HIC waste management capacity. The results of this collation exercise are based on the details presented in **Table 4.6 Review of Waste Planning Authority waste requirements** above and are set in **Table 4.7 Summary of WPA forecasted future residual waste requirements** below.



Table 4.7 Summary of WPA forecasted future residual waste requirements

Waste Authority	Planning Year of document publication that data taken from	Shortfall in HIC treatment capacity identified	Indicative size of identified shortfall in HIC waste management capacity (tonnes per annum)		Comments/limitations of the data
			Period up to 2030	Period up to 2035 (and beyond)	
East of England WPAs:					
Cambridgeshire County Council Peterborough City Council	2020	Yes	<i>No shortfall identified</i>	80,000	This figure excludes permitted, but non-operational capacity. If this is included, there is an estimated surplus of 495,000 tonnes per annum capacity. However, it should be noted that permitted capacity includes implementation of a historic planning consent for a 595,000 tonnes per annum EfW in Peterborough. This facility received planning consent from the Secretary of State in November 2009, but has thus far, not been built. The EfW would utilise gasification technology, which in recent years have proved problematic in terms of financing. This WFAA has therefore considered that the likelihood of this additional capacity coming forwards in Peterborough is low.
Essex County Council (including Southend on Sea)	2017	Yes	209,000	209,000	Shortfall is for LACW over a 20-year period up to 2035 and the numbers quoted are on a tonnes per annum basis. No shortfall anticipated for C&I waste.
Hertfordshire County Council	2021	Yes	507,363	480,145	Significant potential shortfall identified in a very recent/up to date analysis.

54 Waste Fuel Availability Assessment



Waste Authority	Planning	Year of document publication that data taken from	Shortfall in HIC treatment capacity identified	Indicative size of identified shortfall in HIC waste management capacity (tonnes per annum)		Comments/limitations of the data
				Period up to 2030	Period up to 2035 (and beyond)	
Milton Council	Keynes	2008	No	<i>No shortfall identified</i>		The available data indicates a surplus of 193,000 tonnes per annum for MSW and C&I combined in 2015. This is however based upon analysis set out in a 2008 document, so potentially significantly dated.
Norfolk Council	County	2019 (although 2013 data used)	Yes	703,000	703,000	<p>No capacity gap is identified - just forecasts for LACW and C&I capacity requirements of 2022-26 – 1,678,000pa 2027-31 – 1,794,000pa 2032-36 – 1,940,000pa</p> <p>However, the latest data clearly indicates that there remains no final treatment/recovery capacity in Norfolk. Therefore, capacity gap data presented in this table relies on the figure set out in 2013 of 703,000 tonnes per annum of recovery infrastructure needed.</p>
Suffolk Council	County	2020	No	<i>No shortfall identified</i>		Up to date assessment which considers that the available treatment capacity for non-hazardous waste in Suffolk is approximately 373,000 tonnes per annum, plus incineration capacity of 269,000 tonnes per annum – more than enough to manage forecast arisings.
Thurrock		2015	Yes	71,200 133,000	- 71,200 133,000	- Shortfall range identified in assessment based on data that is now ~10 years old. Plan also noted that if consented EfW facility were to be constructed, then the identified capacity requirements would be met. However, consented EfW capacity of ~350,000 tonnes per annum (associated with Phase 2 of the Tilbury Green Power facility) has been consented since 2009 and remains



Waste Authority	Planning Authority	Year of document publication that data taken from	Shortfall in HIC treatment capacity identified	Indicative size of identified shortfall in HIC waste management capacity (tonnes per annum)	Comments/limitations of the data
				Period up to 2030	Period up to 2035 (and beyond)
					unbuilt (despite the biomass phase of the project having been constructed). This WFAA has therefore considered that the likelihood of this additional capacity coming forwards in Thurrock is low.
TOTAL FOR EAST OF ENGLAND	-	-	-	1,490,563 to 1,552,363	1,314,345 to 1,376,145
In Scope East Midlands WPAs:					
City of Leicester		2009	Yes	<i>Unquantified (but potentially significant) shortfall</i>	The data available for Leicester is significantly out of date and relates to Leicestershire and Leicester. It stated that by 2021, 938,095 tonnes per annum of additional residual municipal and C&I waste treatment capacity was required. Leicestershire's 2019 analysis of additional needs indicates a shortfall of up to ~23,000 tonnes per annum. This therefore implies that a significant (but uncalculated) shortfall remains for Leicester City.
Leicestershire County Council		2019	Yes	23,448	23,448 ^a Data relates to Leicestershire only



Waste Authority	Planning Authority	Year of document publication that data taken from	Shortfall in HIC treatment capacity identified	Indicative size of shortfall in HIC waste management capacity (tonnes per annum)	Comments/limitations of the data	
				Period up to 2030	Period up to 2035 (and beyond)	
Lincolnshire County Council		2021	Yes	101,604 ^a	110,811	Significant gap also predicted for non-hazardous landfill (~70,290 tonnes per annum in 2020; ~100,346 tonnes per annum in 2025; and ~132,100 tonnes per annum in 2031).
Northamptonshire County Council		2017	Yes	250,000	280,000	Identified capacity gap is for advanced treatment i.e., thermal treatment including EfW, as well as mechanical and biological treatment technologies.
Rutland County Council	County Council	2020	Yes	27,000	29,000	Figures relate to the potential shortfall in advanced treatment capacity.
TOTAL FOR 'IN SCOPE' EAST MIDLANDS WPAs		-	-	402,052	443,259	-
GRAND TOTAL				1,892,615 to 1,954,415	1,757,604 to 1,819,404	-

a – No figure predicted for this period, so previously stated shortfall simply assumed to carry forwards.

- 4.2.11 In summary therefore, the evidence bases which underpin the development planning framework for waste across the spatial scope of this assessment, conclude an indicative minimum shortfall of non-landfill HIC residual waste management capacity as follows:
- Up to 2030 – ~1.9 million tonnes per annum; and
 - Up to 2035 – ~1.8 million tonnes per annum.
- 4.2.12 However, the accuracy of these anticipated capacity requirements is compromised by the fact that the Waste Local Plans in the defined Study Area are all at various stages of their development.
- 4.2.13 Some WPAs have up to date plans which forecast up to 2035, but others contain forecasts that are either out of date, or which only look ahead by a few years.
- 4.2.14 This WFAA has sought to set out a narrative in the commentary column of **Tables 4.6 Review of Waste Planning Authority waste requirements** and **4.7 Summary of WPA forecasted future residual waste requirements**, which has brought the local forecasts up to date. Importantly, this additional narrative has highlighted that:
- There is some potentially significant EfW capacity that has been included in WPA’s assessments of need for additional infrastructure, which remains unbuilt despite having planning consent (and has been at this status for some considerable time) i.e., Peterborough EfW; Phase 2 of the Tilbury Green Power Plant (Thurrock); and
 - There is some EfW capacity that has been included in WPA’s assessments of need for additional infrastructure, which has since closed down i.e., Hoddesdon EfW plant (Hertfordshire).
- 4.2.15 The consequence of these changes is that the stated shortfalls//surpluses in capacity as identified in **Tables 4.6 Review of Waste Planning Authority waste requirements** and **4.7 Summary of WPA forecasted future residual waste requirements** are, for some WPAs, likely to be under-estimates of the true position.

Summary of the local analysis

- 4.2.16 The analysis of the local (East of England) baseline position in respect of the availability of suitable residual HIC waste material has concluded that:
- In 2019, there was a total of approximately 17.9 million tonnes of such waste arising in the Study Area;
 - Of the potentially suitable waste generated in the Study Area, almost 2.4 million tonnes were managed at the bottom of the waste hierarchy and sent to non-hazardous landfill in 2019; and
 - In addition to this, exports of RDF from the UK stood at 1.7 million tonnes at the beginning of 2022 - approximately 100,000 tonnes of which was likely exported directly from within the Study Area of this WFAA.
- 4.2.17 It can therefore be concluded that based upon the current pattern of waste arising and management across the spatial scope of this assessment, there is potential for

almost 2.5 million tonnes of material to be managed further up the waste hierarchy and/or at a location that is more proximate to the point of arising.

4.2.18 Work to establish the future requirement for additional residual waste management capacity at the local level via review of the WLP evidence bases in the Study Area of this WFAA supports the above finding that there is potential for up to 2.5 million tonnes of waste to be managed further up the waste hierarchy.

4.2.19 Using data which underpins the development planning framework for waste across the spatial scope of this assessment, over the next ~15 years, the WLP evidence bases conclude an indicative shortfall of non-landfill HIC residual waste management capacity as follows:

- Up to 2030 – ~2.1 million tonnes per annum.
- Up to 2035 – ~2.0 million tonnes per annum.

4.2.20 It has however, been recognised that the WLP evidence bases are not without their limitations (and in some cases are likely to represent an under-estimation of the true need for additional capacity as a consequence of capacity being lost or remaining unbuilt for some time as highlighted above). To address this, the next section of this WFAA evaluates data and analysis carried out at the regional level, which will allow local forecasts to be calibrated and where appropriate, updated to reflect the latest thinking on future HIC capacity requirements. The regional reports of note are as follows:

- *'Residual Waste in London and the South-East – Where is it going to go.....?'* Tolvik Consulting Ltd (October 2018). Whilst this report excludes Norfolk, Suffolk and Peterborough, it includes Essex, Southend, Thurrock, Hertfordshire, Bedfordshire, Milton Keynes and Cambridgeshire.
- Landfill and Residual Treatment Capacity in the Wider South-East of England, Report for the East of England Waste Technical Advisory Body; the Southeast Waste Planning Advisory Group; and the London Waste Planning Forum, Sacks Consulting (May 2021).

4.3 Regional forecasts of future HIC residual waste requirements

Residual Waste in London and the South-East – Where is it going to go....? Tolvik Consulting Ltd (October 2018)

4.3.1 Whilst this report looks at the position across London and the South-East, the Study Area extends into the East of England and includes:

- Bedford;
- Buckinghamshire;
- Central Bedfordshire;
- Cambridgeshire;
- Essex;

- Luton;
- Milton Keynes;
- Southend on Sea; and
- Thurrock.

4.3.2 Indeed, the only WPA areas not covered by this regional study but within the East of England scope of this WFAA are Norfolk, Peterborough, and Suffolk. No WPAs within the East Midlands region are covered by this study.

4.3.3 The study considered future capacity of EfW in London and the South-east up to 2025, potential scenarios for flow of RDF exports to Europe after Brexit and, critically, the available non-hazardous landfill capacity within London and the South-east to receive this waste.

4.3.4 The key findings were:

- Based on a ‘median’ scenario of increased rates in household waste recycling rates of 49% by 2025 and 55% by 2035, by 2025, there could be a cumulative shortfall of 4.7 million tonnes of non-hazardous landfill capacity across London and the South-east.
- Even assuming ambitious progressive recycling of 51.4% by 2025 and 60% by 2035, and that most planned large scale EfW capacity is developed in London and the South-east, there remained a ‘high risk’ that there would be a shortfall in non-hazardous landfill capacity of 9.75 million tonnes after 2025.
- Given the very real prospect of a shortfall in non-hazardous landfill capacity in London and the Southeast beyond 2025, it was concluded that a potential solution would be to develop additional EfW capacity. Should a “zero landfill” policy be adopted across London and the Southeast, in which no residual waste would be landfilled by 2025 (like the current Greater London Authority’s policy of working towards not sending any biodegradable waste to landfill by 2026), the report notes that between 2.1 and 4.7 million tonnes of additional EfW capacity (over and above that currently operational in London and the South-east) would need to be available. Most notably, these conclusions were based upon the inclusion of capacity offered by nine EfWs which, at the time of writing the report, were unconsented, but in the planning system and were considered likely to come forward by 2025. However, of these nine facilities, two have subsequently been refused planning consent – Kemsley North, Kent (390,000 tonnes per annum capacity) and Rye House in Hertfordshire (320,000 tonnes per annum). This ‘loss’ of ~710,000 tonnes per annum of residual waste management capacity means that the conclusions of the report require consequential adjustment, meaning that **between 2.8 and 5.4 million tonnes of additional EfW capacity is needed.**

4.3.5 Whilst it is acknowledged that this study does not cover 3 of the 12 WPAs which make up the East of England part of the spatial scope of the WFAA local analysis, its broad conclusions are relevant to this assessment – that after 2025, there is unlikely to be sufficient non-hazardous landfill capacity in the London and wider Southeast area to manage anticipated non-hazardous residual waste.

- 4.3.6 The report concludes that this position must be addressed by a combination of a range of measures as follows: increasing recycling rates, increasing exports of RDF to Europe, transporting residual waste to elsewhere in the UK; carefully managing existing consented landfill capacity; delivering additional non-hazardous landfill capacity; and developing additional EfW capacity.
- 4.3.7 However, it is considered by this WFAA that the application of some of these suggested measures is somewhat limited.
- 4.3.8 In terms of increasing recycling rates, this is discussed in more detail in **Sections 5.2.10 to 5.2.12** of this WFAA, where it is concluded that under the provisions of national policy and legislation, an increase in current HIC recycling rates in England from 45.5% to 65% will present a significant challenge.
- 4.3.9 Furthermore, regarding the increased exportation of RDF to mainland Europe, it is considered that this would not comply with the Government's adopted proximity principle (managing waste as close as possible to its point of arising) when seeking acceptable waste management solutions nor be in keeping with current trends of decreasing RDF exportation (as a direct consequence of European taxation and increasing haulage costs).
- 4.3.10 Finally, in terms of the development of new landfill capacity, given national policy commitments to driving waste up the waste management hierarchy and diverting waste from landfill, it is unlikely that this would be an acceptable solution.
- 4.3.11 As such, it is concluded by this WFAA that the most policy compliant solution for managing future residual HIC waste from London and the South-east would be via the development of additional recovery capacity.

Landfill and Residual Treatment Capacity in the Wider South-East of England, Report for the East of England Waste Technical Advisory Body; the Southeast Waste Planning Advisory Group; and the London Waste Planning Forum, Sacks Consulting (May 2021)

- 4.3.12 This study, which was completed in May 2021, sought to obtain an understanding of the current requirement for residual waste management capacity in an area known as the 'Wider South-East', which covers the planning regions previously known as the East of England, the South-east of England and London.
- 4.3.13 The findings of this study are particularly relevant to this WFFA as unlike the October 2018 Tolvik study referred to above, the conclusions comprehensively cover the East of England part of the local Study Area.
- 4.3.14 Specifically, for the year 2020, the study considers:
- Available non-hazardous landfill capacity in the East of England.
 - Capacity of residual waste treatment facilities in the East of England. In this regard, the study has included not just operational facilities, but facilities that are under construction, or have consent and are considered certain to be delivered within the next three years.

- Future likely residual non-hazardous waste arisings within the Study Area (based upon 4 separate recycling scenarios).
- Total forecast non-hazardous residual waste capacity gap.

4.3.15 Conclusions of the study are set out in **Table 4.8 Total Forecast Non-Hazardous Residual Waste Capacity Gap in the East of England (2020)** below. This is a summary version of Table 4 from the May 2021 final report, which has been amended to only reflect the East of England position:

Table 4.8 Total Forecast Non-Hazardous Residual Waste Capacity Gap in the East of England (2020)

	Recycling Rate			
	50%	55%	60%	65%
Total residual waste	4,216,000	3,794,400	3,372,800	2,951,200
Residual waste treatment capacity	2,225,000	2,225,000	2,225,000	2,225,000
Residual waste treatment capacity gap (tonnes)	1,991,000	1,569,400	1,147,800	726,200

4.3.16 **Table 4.8 Total Forecast Non-Hazardous Residual Waste Capacity Gap in the East of England (2020)** illustrates that the capacity gap in the East of England in 2020 was predicted to range from approximately 0.7 million tonnes per annum up to almost 2 million tonnes per annum.

4.3.17 Specifically, the report concludes that *‘until existing planning permissions start construction, or new facilities come forward, and recycling rates increase, the Wider Southeast of England is therefore likely to remain at least partially dependent on facilities outside its area as well as facilities abroad.’*

4.3.18 It should be noted that the May 2021 study does not include any forecasts for population or economic growth, both of which could cause an increase in the quantity of waste arising. It should also be noted that the report recognises that there are significant challenges in achieving the target of 65% recycling and composting of non-hazardous waste.

4.3.19 Such challenges are discussed in more detail in **Sections 5.2.10 to 5.2.12** of this WFAA, where it is concluded that under the provisions of national policy and legislation, an increase in current HIC recycling rates in England from 45.5% to 65% will be a significant challenge.

4.3.20 This WFAA has also sought to ‘validate’ the findings of the May 2021 study by setting out an up-to-date review of operational EfW capacity; capacity under construction; consented capacity (but not built); and capacity in the planning system – see **Appendix C** of this document. This review has demonstrated that at the end of 2021, there was the following EfW capacity within the East of England:

- Consented and operational – 925,000 tonnes per annum.
- Consented and under construction – 595,000 tonnes per annum.
- Consented and not built – 595,000 tonnes per annum.
- In planning – 150,000 tonnes per annum.

4.3.21 Consented EfW capacity which is either operational or under construction (as set out in **Appendix C** of this document), equates to ~1,520,000 tonnes per annum – ~705,000 tonnes per annum below the findings of the May 2021 study (which, as set out in Table 4.8 above, assumed a residual waste treatment capacity of 2,225,000 tonnes). On this basis, it is considered that the May 2021 report’s capacity gap in the East of England in 2020 of ~ 0.7 million tonnes per annum up to almost 2 million tonnes per annum is under-reported by ~705,000 tonnes and is therefore more likely to be in the order of almost 1.4 million to over 2.7 million tonnes per annum.

4.4 Overall conclusions of the local analysis

4.4.1 The analysis of the local (East of England plus parts of the East Midlands) baseline position in respect of the availability of suitable residual HIC waste material has concluded that there is potential for around 2.5 million tonnes of material to be managed further up the waste hierarchy and/or at a location that is more proximate to the point of arising.

4.4.2 In addition to this, WLP evidence bases conclude an indicative shortfall of non-landfill HIC residual waste management capacity in the local Study Area as follows:

- Up to 2030 – ~1.9 million tonnes per annum.
- Up to 2035 – ~1.8 million tonnes per annum.

4.4.3 These identified gaps in future residual waste capacity is supported further/validated by work carried out at the East of England regional level, which concludes:

- The current residual waste management capacity gap in the East of England alone is considered to range from approximately 1.4 million tonnes per annum up to over 2.7 million tonnes per annum.
- Furthermore, given the prospect of a shortfall in non-hazardous landfill capacity in London and the Southeast beyond 2025, between 2.8 and 5.4 million tonnes of additional EfW capacity needs to become available.

4.4.4 The local position is therefore clear. For the East of England part of the overall local Study Area (i.e., most of the Study Area), there is an existing residual waste capacity gap of between 1.4 to 2.7 million tonnes per annum – a gap that is predicted to increase substantially beyond 2025 as non-hazardous landfill sites throughout the wider area fill up. For the wider London and South-East area (which includes large swathes of the southern part of this WFAA’s local Study Area), this gap in residual waste management capacity is predicted to be in the order of 2.8-5.4 million tonnes per annum.

5. Waste Fuel Availability Assessment: National Analysis

5.1 Current baseline position

Waste arisings

5.1.1 Latest Government data states that in 2019, the UK generated a total of 222.2 million tonnes of waste and that 85% of this material was generated in England⁷. Of this waste:

- 26.4 million tonnes were wastes generated by households – 84% of which was generated in England (22.1 million tonnes).
- 43.9 million tonnes were commercial and industrial wastes – 85% of which was generated in England (37.2 million tonnes).

5.1.2 Available government data does not however, set out how much of the total arisings in 2019 constituted ‘residual waste’ i.e., that which was not recycled or reused, but instead was sent to energy recovery, landfill or exported as refuse derived fuel.

5.1.3 In their 2017 report⁸, the Environmental Services Association (ESA) - the trade association representing the UK’s resource and waste management industry – set out an analysis of how much of total waste arisings in the UK were considered residual waste. This concluded that in 2016, there was approximately **27.1 million tonnes of residual waste** (+/- 2 million tonnes), of which 12.2 million tonnes was going to landfill.

5.1.4 This position was updated in May 2021 with the publication of ‘UK Energy from Waste (EfW) Statistics – 2020’, Tolvik Consultancy Ltd (hereinafter referred to as the 2021 Tolvik report), which stated that:

“Whilst COVID-19 means that, until more data is available, there is greater uncertainty than usual with respect to Residual Waste tonnages in the UK, early data suggests that Residual Waste inputs to EfWs in the UK represented 52% (2019: 46%) of the overall UK Residual Waste market.” (Section 3, page 5).

5.1.5 On this basis, total residual waste arisings in the UK were estimated in the 2021 Tolvik report to be:

- 2019 (total EfW inputs of 12.63 million tonnes (derived from Figure 7 of the May 2021 Tolvik report)/46 * 100) = **27.5 million tonnes.**
- 2020 (total EfW inputs 13.96 million tonnes (derived from Figure 7 of the May 2021 Tolvik report)/52 * 100) = **26.8 million tonnes.**

⁷ UK Statistics on Waste, DEFRA (July 2021).

⁸ UK Residual Waste: 2030 Market Review, produced by Tolvik Consulting Ltd on behalf of the Environmental Services Association (November 2017).

Waste disposals

Domestic management

5.1.6 In terms of the way in which the UK presently disposes of its waste, national data⁷ states the following:

- For waste generated by households:
 - ▶ In 2019, the UK recycled 46.2% (12.2 million tonnes) of its household waste – for England only, the recycling rate was slightly lower at 45.5% (10.1 million tonnes).
 - ▶ Recycling rates for household waste have increased marginally from 2015. For the UK, recycling in 2015 was 44.5% (11.9 million tonnes), and for England, it was slightly lower at 44.3% (9.9 million tonnes).
 - ▶ In 2019, 13.8 million tonnes of the UK's municipal wastes were sent to landfill, of which 6.6 million tonnes was biodegradable. For England only, in the same year, 11.5 million tonnes of municipal wastes were landfilled, of which 5.4 million tonnes was biodegradable.
- For commercial and industrial waste, there is little accurate data available on current recycling rates for this waste stream (or indeed, landfilling rates). However, national studies, when seeking to establish assumed rates of recycling for this sector, have adopted recycling rates for 'municipal like C/I waste' of between 47% and 65% in 2016⁸.

5.1.7 As noted above, in May 2021, the report entitled '*UK Energy from Waste Statistics – 2020*', Tolvik Consultancy Ltd, updated this position and noted that in respect of residual waste, in 2019, 12.63 million tonnes (46%) were managed via EfW, rising to 13.96 million tonnes in 2020 (52%). It is assumed that the remainder was either (a) exported as RDF (see below); or (b) disposed of to landfill.

Exportation

5.1.8 Refuse derived fuel (RDF) is produced from various types of residual waste such as municipal solid waste, industrial waste or commercial waste and includes biodegradable material as well as plastics. Non-combustible materials such as glass and metals are removed, and the residual material is then shredded to produce an RDF. RDF is used to generate energy at recovery facilities.

5.1.9 Shipments of RDF into or out of the UK are subject to prior written notification and consent in accordance with the Waste Shipment Regulations. The Environment Agency records international shipments permitted under the Trans-frontier Shipment of Waste Regulations 2007.

5.1.10 In 2019, 2.7 million tonnes of RDF were exported outside the UK⁹. By January 2022, this figure had reduced to approximately **1.68 million tonnes** (which had been exported over the period January 2021-22. Most of this material was sent to northern


⁹ *RDF Export Dashboard*, Footprint Services (January 2022) – utilising Environment Agency source data.

continental Europe (Netherlands and Germany) and Scandinavia (Sweden, Norway, and Denmark) for energy recovery by incineration.

- 5.1.11 RDF market growth trends show that the exportation of RDF outside the UK is decreasing. Between the end of 2019 and the beginning of 2022, the market growth reduced by approximately 37% as shown in **Figure 4 RDF market growth trend (year-on-year)**.
- 5.1.12 Whilst 2020/21 could be regarded as an anomaly period given the COVID-19 global pandemic and its effects in relation to the shrinking of the economy and associated drop in production of waste, this is not the primary reason why exports of RDF have fallen significantly since 2019.
- 5.1.13 This shrinking of exports can be attributed to a consequence of the Netherlands announcement of a ~£28 per tonne tax on the import of all foreign waste for incineration¹⁰ at the end of 2019 and on increasing haulage costs, which is making exportation of RDF a less financially viable option.
- 5.1.14 For this reason, when considering the reliance that the UK places upon the exportation of residual waste in the form of RDF, whilst this WFAA acknowledges that the global pandemic may have artificially exacerbated this reducing reliance, a general reduction in the rate of exportation is accepted due to external fiscal measures and costs associated with haulage. As such, this assessment assumes that the lower rates of RDF export for 2020/21 and 2021/22 of ~1.7 million tonnes (as illustrated in **Graphic 4 RDF market growth trend (year-on-year)** on the following page) are likely to continue – at least in the short to medium term until further domestic disposal capacity is secured (which will then allow export rates to reduce further).

¹⁰ Letsrecycle news: 'dutch-senate-backs-rdf-tax-but-court-case-looms'.

Graphic 4: RDF market growth trend (year-on-year)



Source: Footprint Services.

Landfill

5.1.15 As noted above, in 2019, 12.63 million tonnes of residual wastes (46%) were managed via EfW, rising to 13.96 million tonnes in 2020 (52%). It has also been shown that in 2019, 2.8 million tonnes of RDF were exported outside the UK: falling to 1.9 million tonnes in 2020.

5.1.16 As it is assumed that the remaining waste was disposed to landfill, landfill rates of residual waste are estimated to be as follows:

- 2019 - 27.5 million tonnes total residual waste arisings – (12.63 + 2.8) = **12.07 million tonnes of residual waste were sent to landfill.**
- 2020 – 26.8 million tonnes total residual waste arisings – (13.96 + 1.9) = **10.94 million tonnes of residual waste were sent to landfill.**

Summary of waste disposals

5.1.17 Based upon the findings of this section of this WFAA, **Table 5.1 UK Residual Waste Disposals 2019 and 2020** below sets out a summary of the way in which residual waste was managed/disposed of in 2019 and 2020.

Table 5.1 UK Residual Waste Disposals 2019 and 2020

	Disposal method			Total residual waste (million tonnes)
	Energy from waste (million tonnes)	Exported as RDF (million tonnes)	Landfilled (million tonnes)	
2019	12.63	2.8	12.07	27.5
(as a %)	(46%)	(10%)	(44%)	
2020	13.96	1.9	10.94	26.8
(as a %)	(52%)	(7%)	(41%)	

5.1.18 This table illustrates that for the baseline year of 2019, there was approximately 27.5 million tonnes of residual HIC waste in the UK, but only 12.6 million tonnes of operational EfW capacity. Even accounting for the fact that 2.8 million tonnes of material was exported as RDF, this means that in 2019 just over 12 million tonnes of residual HIC waste was disposed of via landfill – material that should be managed further up the national waste management hierarchy if the UK is to achieve more sustainable patterns of waste management.

5.1.19 This position improves slightly for 2020, where there are approximately 26.8 million tonnes of residual HIC waste in the UK, and 14.0 million tonnes of operational EfW capacity. Accounting for the fact that 1.63 million tonnes of material was exported as RDF, this means that in 2020 around 11 million tonnes of residual HIC waste was managed at the bottom of the national waste management hierarchy i.e., it was disposed of via landfill.

Residual HIC waste management capacity (non-landfill)

5.1.20 Latest data in respect of waste management capacity for residual HIC waste is set out in the Tolvik report entitled ‘UK Energy from Waste Statistics – 2020’, (May 2021). Specifically, Figure 7 of this report states that EfW throughputs at the end of 2019 were 12.6 million tonnes, which increased to 14.0 million tonnes by the end of 2020, and as at December 2020, operational capacity was predicted to increase further to 18.2 million tonnes per annum by the end of 2025 (Section 7 of the 2021 Tolvik report).

5.1.21 It should be noted however, that the Tolvik 2021 report draws a distinction between ‘operational’ capacity and ‘headline’ capacity – the latter including projects seeking planning consent, projects which have planning consent or for which planning consent has been refused but some form of appeal/new submission is expected. The report identifies a further 4.1 million tonnes of ‘headline’ capacity (taking the total operational + headline capacity to 22.3 million tonnes beyond 2025). Importantly though, the report highlights that for projecting future EfW capacity in any analysis of the UK residual waste market, this is more appropriately measured by the operational capacity only. As such, this WFAA places reliance operational rather than headline capacity.

5.1.22 As part of this WFAA, validation of the Tolvik 2021 data has been sought by setting out an up-to-date review of operational EfW capacity; capacity under construction; consented capacity (but not built); and capacity in the planning system – see **Appendix C** of this document. This review has demonstrated that at the end of 2021, there was the following EfW capacity within England:

- Consented and operational – 15,588,000 tonnes per annum.
- Consented and under construction – 3,796,000 tonnes per annum.
- Consented and not built – 11,743,000 tonnes per annum.
- In planning – 3,160,000 tonnes per annum.

5.1.23 How these findings compare with the Tolvik 2021 data is set out in **Table 5.2 Comparison of Operational and Headline Capacities** below:

Table 5.2 Comparison of Operational and Headline Capacities

	Tolvik 2021 data	WFAA Data	WFAA difference (from Tolvik data)	Commentary
Operational capacity (including in construction)	18.2	19.4	+7%	Broadly comparable data
'Headline' capacity (consented and not built and in planning)	4.1	15.0	+266%	Estimated that ~2.1 million tonnes of the WFAA 'headline capacity' is tied up gasification and/or older projects (pre-2016)
Total	22.3	34.4	+54%	-

5.1.24 **Table 5.2** illustrates that operational capacity set out in **Appendix C** of this WFAA is comparable to that assumed in the Tolvik 2021 report. The same cannot be said for 'headline capacity' though, with the WFAA data suggesting over 200% more capacity in the system than the Tolvik 2021 report has assumed. However, it is considered that significant care must be taken with the 'consented and not built' capacity data set out in **Appendix C** for the following reasons:

- The consented capacity data includes consents issued some 5+ years ago, for which it is unclear whether the relevant permission has been implemented (or lapsed).
- The consented capacity data includes significant amounts of gasification lead EfW projects – for which financial backing is no longer forthcoming.
- It is unclear from the data available the extent to which consented capacity relates specifically to the waste streams being targeted by the Proposed Development.

5.1.25 For these reasons, and given that the Tolvik 2021 report is based upon a ‘live’ database of capacity which has the benefit of in-depth, commercial analysis, specific to the HIC residual waste treatment capacity, this assessment of national need on the operational and headline capacity assumptions of the Tolvik 2021 report.

Summary of EfW capacity

5.1.26 EfW throughputs at the end of 2019 were 12.6 million tonnes, which increased to 14.0 million tonnes by the end of 2020. As at December 2020, operational capacity was predicted to increase further to 18.2 million tonnes per annum by the end of 2025 (with an additional 4.1 million tonnes of consented and unbuilt, and unconsented capacity in the planning system).

5.2 Future baseline

5.2.1 Having set out the baseline position in terms of the UK’s residual HIC waste arisings, disposals and capacities, this section of this WFAA seeks to draw upon available evidence to set out forecasts of:

- Future HIC residual waste arisings;
- Future patterns of HIC residual waste disposals; and
- Future HIC residual waste capacity requirements.

Future residual waste arisings

5.2.2 In section 4.6 of their 2017 report (Figure 22), ESA and Tolvik set out x5 scenarios which analysed anticipated future total residual HIC waste arisings. These scenarios are replicated in **Table 5.3 2030 Residual Waste Scenarios** below and seek to identify how much residual waste is likely to require management **after** recycling has taken place. Recycling in this regard includes the separation of all ‘dry’ materials such as glass, paper, cardboard, plastics and metals as well as green waste and food waste composting.

Table 5.3 2030 Residual Waste Scenarios

Scenario	2030 UK Recycling Rate			Average Annual Growth		2030 Residual Waste (million tonnes)
	Household waste	Municipal C/I Waste	Combined	Household waste	Municipal C/I Waste	
No change	44%	61%	52%	0.5%	0.7%	29.5
50% household	50%	63%	57%	0.5%	0.7%	26.8
55% household	55%	65%	60%	0.5%	0.7%	24.5
Circular Economy target	60%	70%	65%	0.4%	0.5%	21.0

Scenario	2030 UK Recycling Rate			Average Annual Growth		2030 Residual Waste (million tonnes)
	Household waste	Municipal C/I Waste	Combined	Household waste	Municipal C/I Waste	
High recycling	65%	78%	71%	0.4%	0.5%	17.3

Source: Figure 22, UK Residual Waste: 2030 Market Review, produced by Tolvik Consulting Ltd on behalf of the Environmental Services Association (November 2017).

5.2.3 As is shown above, the central/median scenario, which assumed a combined 2030 household recycling rate of 55% stated that total residual HIC waste arisings were anticipated to be **24.5 million tonnes by 2030**.

5.2.4 However, consideration needs to be given as to whether the median scenario is the most appropriate scenario to adopt for the purposes of this WFAA.


5.2.5 Extant Government policy, as set out in *'Our Waste, Our Resources: A Strategy for England'* (December 2018) requires that 65% of municipal waste is recycled by 2035 and that by the same time, the amount sent to landfill is reduced to 10% of total municipal waste arisings. However, at present, there are no nationally published targets for the recycling of waste from commercial and industrial sources.

5.2.6 It could be considered that the 'high recycling' scenario is the one that best fits with Government policy given that this reflects a 65% recycling level for household waste. However, the realisation of this scenario is regarded as highly unlikely.

5.2.7 As previous sections of this report have demonstrated, the baseline UK recycling rate for household waste in 2019 was 46.2%, and for England, this baseline rate was even lower at 45.5%. This rate dropped further for England in 2020 and stood at 43.8%¹¹. **Graphic 5 Municipal Waste Recycling in England 2010/11 to 2020/21** on the following page illustrates the historical trend in recycling in England since 2010/11. This shows that since 2013/14, the national rate has remained at between ~44.5 to ~45.5%.

¹¹ Statistics on waste managed by local authorities in England in 2020/21 (15 December 2021).

Graphic 5: Municipal Waste Recycling in England 2010/11 to 2020/21



5.2.8 When the 2017 ESA/Tolvik report containing the above referenced recycling scenarios was drafted, the established recycling target for municipal waste as set out in the Waste Management Plan for England, was to achieve at least 50% by 2020 (which reflects the provisions of Waste Framework Directive). Indeed, not only is this former municipal waste recycling target substantially lower than the current target of 65% by 2035, but it is also one that the UK continued to fall considerably short of achieving in 2019.

5.2.9 To achieve the Government's new, more stringent target of 65% by 2035, there needs to be an increase of 21% in recycling in England over the next 15 years. There would also need to be a likely substantial increase in municipal type C&I waste recycling – a waste stream for which there is little reliable data – which under the 'high recycling' scenario would be to a level which exceeds the Government's current municipal waste recycling target by 13%.

5.2.10 However, the ability to achieve these substantially higher recycling targets over the short to medium term is questioned. As noted in **Section 2** of this report, extant national legislation and policy aimed at achieving improved levels of sustainable waste management has been refined further through the introduction of:

- The Environment Act 2021, which received Royal Assent in November 2021; and
- The Government's Net Zero Strategy: Build Back Greener, which was published in October 2021.

- 5.2.11 Together, these documents seek to drive the management of household waste up the waste hierarchy and boost recycling rates by re-enforcing the requirement for recyclable household waste to be collected as individual streams (unless certain exceptions apply) – which most Waste Collection Authorities (WCAs) already do - but also to separately collect food waste once a week to achieve the near elimination of biodegradable municipal waste from landfill by 2028. To achieve this, £295 million of capital funding, which will allow local authorities in England to prepare to implement free separate food waste collections for all households from 2025, has been committed.
- 5.2.12 However, the extent to which this commitment to improve the separate collection of food waste will have on the achievement of overall municipal waste recycling targets of 65% is considered to be limited.
- 5.2.13 Future enhancements to recycling levels will depend upon a complex range of factors, including changes to waste policy, availability of funding, markets for secondary and recycled materials, public attitudes to recycling and available treatment capacity. The ability to achieve enhanced rates will also depend upon the amount of ‘headroom’ that a Waste Collection Authority has, to enhance its capture rates of recyclable material.
- 5.2.14 Government statistics on local authority collected waste – the annual results tables from January 2010 to March 2021 (Department for Environment, Food and Rural Affairs, December 2021) illustrate that East of England is already a strong performer in municipal waste recycling with the annual rate in the last two years being ~2% above the national average – see **Table 5.4 Municipal Recycling Rates in the East of England and East Midlands 2019-21** below. The East Midlands however, (part of which forms part of the local Study Area for this WFAA) performs slightly below the national average.

Table 5.4: Municipal Recycling Rates in the East of England and East Midlands 2019-21

Area	2019/20 (%)	2020/21
East of England	48.6	46.2
East Midlands	44.2	41.4
England average	45.5	44.0

- 5.2.15 Analysis of how the WCAs in the Study Area achieve their respective recycling rates (which feed into the regional averages set out in Table 5.3 above) is set out at **Appendix D** of this WFAA. Specifically, this summarises the municipal waste streams that are separately collected by the WCAs within the local Study Area of this WFAA. Of the 43 WCAs within the East of England area, 33 – or 78% - already separately collect food waste. Of the 18 ‘in-scope’ East Midlands WCAs, 11% already separately collect food waste. Notwithstanding this, across the whole of the

local Study Area for this WFAA, 57% already collect food waste. On this basis, it is considered that whilst the provisions of the Environment Act 2021 and the Government's Net Zero Strategy, will undoubtedly have a positive effect on increasing municipal recycling rates, given that a large percentage of WCAs within the local Study Area of this WFAA already engage in the separate collection of food waste, it is questionable that this measure will readily facilitate the national achievement of a further 21% points in municipal waste recycling, to achieve an overall target of 65%.

5.2.16 Allied to this, there is little in the way of existing or emerging Government waste management policy or committed funding (over and above the £295m ring-fenced to facilitate the separate collection of food waste), which indicates that there is likely to be a significant shift in the way municipal wastes are managed in the short to medium term.

5.2.17 With these points in mind, it is considered unrealistic for this WFAA to adopt the 'high recycling' scenario when seeking to establish future likely quantities of residual HIC waste.

5.2.18 Instead, for this WFAA it is considered that it would be more appropriate to assume a residual waste management level in 2030 of between the median scenario (55% municipal waste recycling) and that of the Circular Economy (60% municipal waste recycling) scenario identified in the 2017 Tolvik report. Indeed, the Circular Economy Scenario results in a 'combined' municipal recycling rate of 65%, which is considered to provide some alignment with the existing Government target of achieving 65% municipal waste recycling by 2030 – although it is noted that given the narrative in **Sections 5.2.12 to 5.2.17** above, even the achievement of this is considered to be optimistic.

5.2.19 By adopting these scenarios as the basis for this WFAA, future baseline levels of HIC residual waste are estimated to be **between 21.0 and 24.5 million tonnes by 2030.**

Waste disposals

5.2.20 In terms of future patterns of disposal for residual HIC waste, in line with the policy framework outlined in **Section 2** of this WFAA, it is assumed that there will continue to be an underlying need to drive the management of waste as far up the waste hierarchy as possible and minimise the amount of material disposed of to landfill.

5.2.21 In addition to this, as the UK strives to comply with the proximity principle and the achievement of sustainable patterns of waste management, it is also assumed that there will be a need to reduce reliance on the exportation of residual waste.

Forecast residual HIC waste management capacity (non-landfill)

5.2.22 As noted in **Section 5.1.19**, in terms of operational capacity, the May 2021 Tolvik report concluded that **operational EfW capacity by the end of 2025 was predicted to be 18.2 million tonnes.**

5.2.23 As has already been illustrated in this section, by 2030, there is anticipated to be between 21.0 and 24.5 million tonnes of residual HIC waste in the UK requiring

management. However, up to 2025 (and beyond) there is only anticipated to be around 18.2 million tonnes of operational EW capacity – which gives a **shortfall of between 2.8 million tonnes and 6.3 million tonnes**.

5.3 Conclusions of the national analysis

5.3.1 The analysis of the national (UK) position in respect of the availability of residual HIC waste material has concluded that:

- In 2019, 12 million tonnes of residual HIC waste was disposed of to landfill and 2.8 million tonnes was exported as RDF to Europe and beyond.
- This position had only improved marginally in 2020, when 11 million tonnes of residual HIC waste was disposed of to landfill, and 1.63 million tonnes was exported as RDF to Europe and beyond.
- Operational EfW capacity by the end of 2025 was predicted to be 18.2 million tonnes.
- By 2030, even if the Government’s ambitious recycling target of 65% combined for municipal and ‘municipal like’ commercial and industrial waste is realised, there is anticipated to be between 21.0 and 24.5 million tonnes of residual HIC waste in the UK requiring management. Based on the above, by 2030, it is predicted that, there would remain a **minimum shortfall of 2.8 million tonnes of residual HIC capacity in the UK** (rising to over 6 million tonnes if the Government’s recycling target is undershot by 5%).

6. Overall conclusions

6.1 Overview

6.1.1 The approach to assessing the need for the Proposed Development is governed by the Overarching National Policy Statement for Energy (EN-1) and the National Policy Statement for Renewable Energy Infrastructure (EN-3).

6.1.2 Specifically, EN-3 sets out policies relating to waste management and need, which states that the Project will need to satisfy the following:

‘The [Secretary of State] should be satisfied, with reference to the relevant waste strategies and plans, that the proposed waste combustion generating station is in accordance with the waste hierarchy and of an appropriate type and scale so as not to prejudice the achievement of local or national waste management targets in England.’ (paragraph 2.5.70).

6.1.3 This WFAA is intended to fulfil the provisions of paragraph 2.5.70 of NPS EN-3 and an important feature is that it is presented in a transparent, auditable way. To ensure robustness it has been based on the most up to date publicly available data and has followed three key steps:

- The scope of the assessment – both the spatial scope (Study Area) and the scope of the ‘fuel sources’ – has been clearly defined;
- Baseline data on the arisings, disposals and available capacity of the defined ‘fuel sources’ within the Study Area has been gathered and presented; and
- Existing and predicted future capacity requirements of the defined ‘fuel sources’ within the Study Area have been analysed.

6.2 Summary of the results

6.2.1 The local analysis has concluded that in terms of the way in which residual HIC waste is currently managed across the spatial scope of this assessment:

- In 2019, there was a total of approximately 17.9 million tonnes of such waste arising in the Study Area.
- Of the potentially suitable waste generated in the Study Area, almost 2.5 million tonnes were managed at the bottom of the waste hierarchy and sent to non-hazardous landfill in 2019.
- In addition to this, exports of RDF from the UK stood at 1.7 million tonnes at the beginning of 2022 - approximately 100,000 tonnes of which was likely exported directly from within the Study Area of this WFAA.

6.2.2 It can therefore be concluded that based upon the current pattern of waste arising and management across the spatial scope of this assessment, there is potential for around 2.5 million tonnes of material to be managed further up the waste hierarchy and/or at a location that is more proximate to the point of arising.

- 6.2.3 Looking ahead to the position over the next approximately 15 years, the evidence bases which underpin the development planning framework for waste across the spatial scope of this assessment, concludes an indicative shortfall of non-landfill HIC residual waste management capacity as follows:
- Up to 2030 – ~1.9 million tonnes per annum.
 - Up to 2035 – ~1.8 million tonnes per annum.
- 6.2.4 These future gaps in capacity are validated/further supported by the findings of very recent regional studies which have concluded that due to the decline in non-hazardous landfill, the residual waste management capacity gap in the East of England alone will be between 1.4 and 2.7 million tonnes per annum. For the wider London and South-east area, which traditionally relies upon capacity in the surrounding area to manage its residual waste, there is a predicted future gap in capacity which equates to a need for between 2.8 and 5.4 million tonnes of additional EfW capacity (over and above that currently operational in London and the South-east)
- 6.2.5 The national analysis has concluded:
- In 2019, 12 million tonnes of residual HIC waste was disposed of to landfill and 2.8 million tonnes was exported as RDF to Europe and beyond.
 - This position had only improved marginally in 2020, when 11 million tonnes of residual HIC waste was disposed of to landfill, and 1.63 million tonnes was exported as RDF to Europe and beyond.
 - By 2030, it is predicted that even if the Government's ambitious combined recycling target of 65% for municipal and 'municipal like' commercial and industrial waste is realised, there would remain a **minimum shortfall of 2.8 million tonnes of residual HIC capacity in the UK** (rising to over 6 million tonnes if the Government's recycling target is undershot by 5%).
- 6.2.6 In this context of the above conclusions, the Proposed Development could offer up to 625,600 tonnes per annum of much needed capacity that would:
- Deliver implementation of the waste hierarchy – a cornerstone of England's waste management policy and legislative framework - and divert waste from continued management at the bottom of the waste hierarchy (i.e., landfill) up to having value (in the form of electricity recovered from it).
 - Facilitate management within the UK of significant quantities of residual HIC waste exported for management abroad. This would allow waste to be managed in accordance with the proximity principle – a further fundamental pillar of England's waste management policy and legislative framework.

Medworth Energy from Waste Combined Heat and Power Facility

PINS ref. EN010110
Document Reference: Vol 7.3
Revision 1.0
June 2022



Waste Fuel Availability Assessment Appendix A Terms and Abbreviations

Regulation reference: The Infrastructure
Planning (Applications: Prescribed
Forms and Procedure) Regulations
2009 Regulation 5(2)(q)

**We inspire
with energy.**



Appendix A

Terms and Abbreviations

The following terms (**Table A1**) and abbreviations (**Table A2**) have been adopted within the Waste Fuel Availability Assessment (WFAA).

Table A1 Terms

Term	Definition
[the] Applicant	The party applying for the Medworth Energy from Waste Combined Heat and Power Facility Development Consent Order, in this case Medworth CHP Ltd, a wholly owned subsidiary of MVV Environment Ltd
Application Site	The land upon which the Proposed Development would be placed.
Development Consent Order (DCO)	The form of development consent granted by the Secretary of State pursuant to the 2008 Act to authorise a Nationally Significant Infrastructure Project. A DCO can incorporate or remove the need for a range of consents which would otherwise be required for such a development. A DCO can also include rights of compulsory acquisition.
MVV	Refers to MVV Environment Limited, the parent company of the Applicant, and/or any other MVV companies within the MVV Energie AG group.
National Planning Policy Framework (NPPF)	The document which sets out the government’s planning policies for England.
National Planning Policy for Waste (NPPW)	The document which sets out detailed waste planning policies and which should be read in conjunction with the National Planning Policy Framework.
National Policy Statements (NPS)	Documents which set out the primary policy considerations for Nationally Significant Infrastructure Projects.
National Policy Statement EN-1	National Policy Statement - Overarching NPS for Energy.
National Policy Statement EN-3	National Policy Statement - Renewable Energy Infrastructure.
National Policy Statement EN-5	National Policy Statement - Electricity Networks Infrastructure.
Nationally Significant Infrastructure Project (NSIP)	Large energy and infrastructure projects, including railways, large wind farms, power stations, reservoirs, harbours, airports and sewage treatment works, as defined in the 2008 Act.



Term	Definition
[the] Proposed Development	The whole of the development comprising the EfW CHP Facility, CHP Connection, Grid Connection, Water Connections, Access Improvements and Temporary Construction Compound.
Stakeholder	An organisation or individual with a particular interest in, or potential to be affected by, the Proposed Development.
Statutory Consultee	Organisations that the Applicant and/or the competent authority (the Secretary of State) is required to consult, by virtue of the EIA Regulations and the Infrastructure Planning (Applications: Prescribed Forms and Procedure)) Regulations 2009 (as amended).
Study Area	The geographical area under consideration. The Study Area can be specific to an individual environmental discipline.
Waste Transfer Station	A site where waste is taken once it has been collected. While at the station, waste may be stored, sorted and/or separated before being transported on to another area or facility.

Table A2 Abbreviations

Abbreviation	Definition
CCC	Cambridgeshire County Council
DCO	Development Consent Order
Defra	Department for Environment, Food and Rural Affairs
EA	Environment Agency
EfW	Energy from Waste
EN-1	Overarching National Policy Statement for Energy
EN-3	National Policy Statement for Renewable Energy Infrastructure
EN-5	National Policy Statement for Electricity Networks Infrastructure
EU	European Union
HIC	Household, industrial and commercial waste
km	Kilometre (a thousand metres)
m	Metre
MSW	Municipal Solid Waste
MW	Megawatts



Abbreviation	Definition
NPPF	National Planning Policy Framework
NPPW	National Planning Policy for Waste
NPS	National Policy Statements
NSIP	Nationally Significant Infrastructure Project
ONS	Office for National Statistics
PEIR	Preliminary Environmental Information Report
PINS	Planning Inspectorate
RDF	Refused Derived Fuel
Tpa	Tonnes per annum
TRN	Trunk Road Network
UGC	Underground Cable
UKCP	UK Climate Projections
WFD	Water Framework Directive
WPA	Waste Planning Authority
WTS	Waste Transfer Station

Medworth Energy from Waste Combined Heat and Power Facility

PINS ref. EN010110
Document Reference: Vol 7.3
Revision 1.0
June 2022



Waste Fuel Availability Assessment Appendix B Summary of Stakeholder Comments on the WFAA

Regulation reference: The Infrastructure
Planning (Applications: Prescribed
Forms and Procedure) Regulations
2009 Regulation 5(2)(q)

**We inspire
with energy.**



Appendix B

Summary of Stakeholder comments on the WFAA

Summary of comment	How issue has been considered/ addressed
Spatial Scope / Study Area:	
Draft WFAA cites no evidence to support the application of a 2-hour journey for the study area.	Professional judgement is that it is commercially viable to transport non-hazardous household, industrial and commercial waste from up to approximately 2 hours away from any treatment facility. Distances over 2 hours travel time become increasingly more expensive for individuals and organisations requiring disposal of waste. This application of professional judgement has been explained in paragraph 3.2.5 of this WFAA.
The study area chosen for the WFAA is too large.	At PEIR stage, the study area was drawn to represent an approximate 2-hour drive time from the Proposed Development. However, for the submission WFAA, the study area for the local assessment has been reduced to reflect the East of England region (the basis upon which a lot of publicly available waste arisings, disposals and capacities data is presented), and the 2-hour drive time has only been applied to validate this reduced study area.
Concern about the assumptions that source Local Authorities do not align with the proximity principle.	As noted above, the study area for the WFAA has been reduced from that presented at PEIR stage. This WFAA assessment has sought to reflect a local study area which aligns with the former East of England planning region. This area is validated by the application of an approximate 2-hour drive time area from the Proposed Development and also aligns with the way in which numerous waste data sets/ capacity assessments have been presented.
Suggestion to exclude the following WPA from the study area within the final Waste Fuel Availability Assessment: Central Bed, Coventry, Essex, Hertfordshire, Luton, Milton Keynes, NE Lincolnshire, N Lincolnshire, Nottingham City, Nottinghamshire, Suffolk, Warwickshire.	As part of the drafting of the submission version of the Waste Fuel Availability Assessment (WFAA), further consideration has been given to the scope of the study area for assessment. In line with the existing National Policy Statement for Renewable Energy Infrastructure (EN-3) and the emerging updated version of this, the WFAA now considers the availability of waste in the context of local and national need. In terms of 'local' need, the extent of the study area has been informed by the 2-hour travel time and is defined as being the former East of England planning region and selected close Waste Planning Authorities in the East Midlands (i.e., Leicester and Leicestershire; Northamptonshire, Lincolnshire and Rutland). The WFAA now excludes Coventry, NE Lincolnshire, N Lincolnshire, Nottingham City, Nottinghamshire, and Warwickshire.
Complaint that the study area in the Draft Waste Fuel Availability Assessment (dWFAA) and the policy considerations in Chapter 5 of the PEIR do not match, as the dWFAA considers policy from a much wider area.	The WFAA identification of policy is undertaken in order to inform the study area for the potential importation of waste and it therefore differs from ES Chapter 5 Legislation and Policy (Volume 6.2) which considers policy relevant to the consideration of the Proposed Development i.e., national policy and the planning policy of the host local planning authorities.



Summary of comment	How issue has been considered/ addressed
Request for the policy considerations in Chapter 5 of the PEIR to consider policy for a much wider area, in order to match the study area of the Draft Waste Fuel Availability Assessment.	
<p>Complaint that the Draft Waste Fuel Availability Assessment only addressed proximity in relation to the export of Refuse Derived Fuel.</p> <p>Suggestion that the final Waste Fuel Availability Assessment set out how the Proposed Development contributes to the Waste Planning Authority's proximity considerations regarding HIC residual waste given this source will form the majority of fuel supply.</p>	<p>The WFAA has assessed both the local/ regional requirement for the Proposed Development as well as the national need. This has concluded that there is insufficient residual waste management capacity available to ensure that non-recyclable waste can be managed as far up the waste hierarchy as possible (i.e., diverted from landfill) and in a manner which complies with the proximity principle (i.e., treating waste as close as possible to its point of arising). Whilst this latter point is especially relevant for the significant quantities of residual waste that are presently exported from England for management via EfW in mainland Europe, it is also relevant in terms of the waste that is presently exported from the East of England region for final disposal.</p>
Data Used / Evidence:	
Concern that there is no evidence that the local authorities listed in the Draft Waste Fuel Availability Assessment have committed to using the Proposed Development if consented	<p>Waste management contracts are commercially sensitive and the subject of ongoing change. As such, until such time as there is some certainty around the Proposed Development, it is unlikely that there would be any commercial commitments expressed to use the Proposed Development. Notwithstanding this, the WFAA has concluded that there is sufficient residual waste generated both 'locally' and nationally and insufficient, corresponding waste management capacity to manage this waste i.e., there is a clear need for the Proposed Development.</p>
Suggestion that it is unlikely that the Bedfordshire Minerals and Waste Local Plan area will have the shortfall of waste treatment options anticipated in the Draft Waste Fuel Availability Report due to the Rookery South ERF serving the Bedford Borough and Central Bedfordshire Councils.	<p>It has been acknowledged in Tables 4.6 and 4.7 of the WFAA that the Rookery South Energy Recovery Facility now provides capacity to meet the shortfall identified in the <i>Bedfordshire Minerals and Waste Local Plan: Strategic Sites and Policies document</i> (adopted 2014).</p>



Summary of comment	How issue has been considered/ addressed
<p>Suggestion for the Draft Waste Fuel Availability Assessment to either make it clear that the double-counting of transfer movements within the WDI has been included and provide an indication of the level of error this introduces or make an allowance for it.</p>	<p>It is not considered that there is potential for significant levels of double counting in the WDI data presented in the WFAA. The WDI data presented relates to 'in scope' HIC waste that has been received at specific final disposal permitted waste management facilities within the spatial scope of the WFAA. This point has been clarified in Tables 3.2 and 4.2 of the WFAA, where it is noted that quantities of 'in scope' waste managed at 'treatment facilities' and ultimately disposed of via landfill, incineration or recovery have been removed from totals.</p>
<p>Suggestion that the final Waste Fuel Availability Assessment sets out how existing targets and reductions relating to waste reduction, reuse and recycling have been considered.</p>	<p>The focus of the Waste Fuel Availability Assessment (WFAA) is on the availability of residual waste i.e., that part of the waste stream that is left over after reuse, recycling and other forms of recovery have taken place. It is therefore implicit in the WFAA that the fraction of the household and commercial waste stream that is 'residual' is not able to be managed in any other way apart from incineration (with or without energy recovery) or landfill. A requirement has been included in Schedule 2 of the draft DCO to ensure that the Proposed Development complies with the waste hierarchy.</p>
<p>Concern that the draft Waste Fuel Availability Assessment does not consider existing targets and reductions relating to waste reduction, reuse and recycling as it assumes the maintaining of current levels of residual waste landfilling in the 'without Proposed Development' scenario.</p>	
<p>Concern that the draft Waste Fuel Availability Assessment does not provide details of sorting methods and destinations, as requested by King's Lynn and West Norfolk Council during engagement.</p>	
<p>Suggestion that the final Waste Fuel Availability Assessment addresses the comments of King's Lynn and West Norfolk Council during engagement regarding information on waste sorting and destination.</p>	
<p>Complaint that data relied upon in the Draft Waste Fuel Availability Assessment is dated, such as the capacity gap identified for Norfolk County Council from 2013.</p>	<p>The WFAA is based upon the latest published evidence bases which underpinned the Waste Local Plans of those Waste Planning Authorities in the assessment's study area. However, it is acknowledged that some of this data was out of date. As such, in the submission version of the WFAA, an updated position in terms of newly consented capacity (as well as capacity which may have been lost) has been presented.</p>



Summary of comment	How issue has been considered/ addressed
	<p>In addition to this, the WFAA has analysed some up-to-date regional studies, which are based upon the spatial study area for the WFAA. Analysis of these regional studies has assisted with both updating and calibrating the reported findings of the Waste Local Plan evidence bases / statements of future capacity needs.</p>
<p>Waste Hierarchy:</p>	
<p>Suggestion that the assumptions in the draft Waste Fuel Availability Assessment are flawed as much of the waste to supply the Proposed Development could be managed further up the waste hierarchy.</p>	<p>The focus of the WFAA is on the availability of residual waste i.e., that part of the waste stream that is left over after reuse, recycling and other forms of recovery have taken place. It is therefore implicit in the WFAA that the fraction of the household and commercial waste stream that is 'residual' is not able to be managed in any other way apart from incineration (with or without energy recovery) or landfill. A requirement has been included in Schedule 2 of the draft DCO to ensure that the Proposed Development complies with the waste hierarchy.</p>
<p>Concern that the draft Waste Fuel Availability Assessment is incomplete and flawed due to it not addressing the waste hierarchy.</p>	<p>The WFAA has considered future residual waste management needs both locally and nationally and has concluded that there is a need for additional residual waste management capacity - and especially capacity that offers an alternative to landfill (which is at the very bottom of the waste management hierarchy).</p> <p>Additionally, (and importantly), the WFAA only considers the need for the Proposed Development in the context of how much residual waste will require management in the future. In other words, the achievement of national targets for the recycling and reuse of waste have already been taken into account when considering how much residual waste is likely to require management in the future. The point about addressing the waste hierarchy more explicitly in the WFAA is noted and the assessment has been amended to include a 'waste hierarchy statement of compliance'.</p>
<p>Recovery Capacity / Availability:</p>	
<p>Complaint that the Draft Waste Fuel Availability Assessment assumes that all HIC waste currently landfilled will be suitable for incineration.</p>	<p>Assumptions around the achievement of waste reduction and recycling targets form an implicit part of the WFAA. As such, the WFAA has considered only those fractions of the waste stream that would be suitable for incineration and are presently being landfilled.</p>
<p>Concern that 1 million tonnes of the 3.5 million tonnes of HIC waste identified in the Draft Waste Fuel Availability Assessment will be recycled rather than incinerated as the 2035 target for recycling is 65%, a 20% increase in current municipal solid waste recycling.</p>	<p>Considerations around the achievement of a range of national recycling targets and current levels of municipal waste recycling is set out in the WFAA (see Section 5). This is complemented by a detailed analysis of current and future planned collection regimes across the WFAA study area. This analysis considers, in detail, the extent to which the achievement of recycling targets will affect the availability of 'in scope' residual waste.</p>
<p>Complaint that the Draft Waste Fuel Availability Assessment does not identify</p>	<p>Noted. The PEIR version of the Waste Fuel Availability Assessment (WFAA) was based upon the latest published evidence bases which underpinned the Waste Local Plans of those Waste Planning Authorities in the assessment's study area. However, it is acknowledged that some of this</p>



Summary of comment	How issue has been considered/ addressed
<p>other existing or proposed recovery facilities.</p> <p>Request that information on the location of existing and proposed recovery facilities is included with the Draft Waste Fuel Availability Assessment, and for the information to be extended to show if there is any surplus or deficit of capacity beyond the study area.</p> <p>Complaint that the Draft Waste Fuel Availability Assessment does not consider the utilisation of existing incineration capacity with the study area, as there is already 287,000 tonnes of unutilized incinerator capacity available.</p>	<p>data was out of date. As such, in the submission version of the WFAA, an updated position in terms of newly consented capacity (as well as capacity which may have been lost) has been presented.</p> <p>In addition to this, the WFAA has analysed some up-to-date regional studies, which are based upon the spatial study area for the WFAA. Analysis of these regional studies has assisted with both updating and calibrating the reported findings of the Waste Local Plan evidence bases / statements of future capacity needs.</p>
Waste Composition:	
<p>Complaint that the Draft Waste Fuel Availability Assessment does not provide an analysis of the composition of the potential feedstock and if being used as feedstock is the most sustainable use for this form of material.</p> <p>Request that consideration is given to likely future alterations in waste composition Draft Waste Fuel Availability Assessment.</p> <p>Complaint that the Draft Waste Fuel Availability Assessment does not account for changes in the quantity and composition of HIC arising from policy drivers that are likely to occur during the development's operational phase.</p>	<p>Noted. Whilst the focus of the WFAA is on the availability of residual waste only i.e., that after recycling has taken place, it is acknowledged that specific recycling / recovery initiatives may change the composition of the residual waste stream. An obvious example of this is the removal of food waste for recycling. In this regard, the issue of changing composition has been considered in the updated WFAA. Specifically, existing and future plans of Waste Collection Authorities within the spatial scope of the WFAA in respect of food waste collection has been analysed in detail (see new Appendix D).</p>



Summary of comment	How issue has been considered/ addressed
Consultation:	
Suggestion that a further round of consultation take place once issues with the draft Waste Fuel Availability Assessment have been addressed.	The draft document was consulted upon at Statutory Consultation. Feedback received from consultees has been considered and informed the preparation of the final document. No further rounds of pre-application consultation were considered necessary. However, there is still the opportunity for Stakeholders to comment on the WFAA. Once the application has been accepted by the Planning Inspectorate, Stakeholders and members of the public can submit representations and register to be involved in the Examination as an Interested Party.

Medworth Energy from Waste Combined Heat and Power Facility

PINS ref. EN010110
Document Reference: Vol 7.3
Revision 1.0
June 2022



Waste Fuel Availability Assessment Appendix C Energy from Waste Capacity Data

Regulation reference: The Infrastructure
Planning (Applications: Prescribed
Forms and Procedure) Regulations
2009 Regulation 5(2)(q)

**We inspire
with energy.**

Region	Name of Facility	Waste Planning Authority	Operator	Capacity ('000 tonnes per annum)	Commentary/ Notes
Consented and operational capacity in the WFAA local study area and East Midlands, South-Esat and London (as neighbouring regions):					
East of England	SUEZ Suffolk - EFW Facility / Great Blakenham	Suffolk County Council	Suez	295	As reported in the UK EFW Statistics 2020 (May 2021) and the RTAB report (May 2021).
	Rookery South ERF (Central Bedfordshire)	Central Bedfordshire Council	Covanta/GIG	545	As reported in the UK EFW Statistics 2020 (May 2021) and the RTAB report (May 2021). 2018 Tolvik report notes headline capacity as 585ktpa.
	Peterborough EFW Facility	Peterborough City Council	Viridor	85	As reported in the UK EFW Statistics 2020 (May 2021) and the RTAB report (May 2021).
Sub-total				925	
East Midlands	Lincolnshire EFW Facility / North Hykeham	Lincolnshire County Council	FCC	190	As reported in the UK EFW Statistics 2020 (May 2021).
	Eastcroft Energy from Waste Facility / "Nottingham Waste Incinerator	Nottingham City Council	FCC	310	Reported capacity in the UK EFW Statistics 2020 (May 2021) of 200ktpa. This figure includes recently constructed third line.
	NewLincs ERF	Lincolnshire County Council	Tiru	56	As reported in the UK EFW Statistics 2020 (May 2021).
Sub-total				556	
London	Riverside Resource Recovery Facility	London Borough of Bexley	Cory	850	Capacity as reported in the RTAB (May 2021) report. UK EFW Statistics 2020 (May 2021) reports capacity as 785ktpa. A variation to the Section 36 Consent and deemed planning permission granted on 17 December 2021 has increased this to 850,000 tonnes https://www.gov.uk/government/publications/riverside-resource-recovery-facility-variation-to-section-36-consent-electricity-act-1989
	SELCHP ERF	Lewisham London Borough Council	Veolia	439	Capacity as reported in RTAB (may 2021) report. 2018 Tolvik report cites capacity as 447ktpa. UK EFW Statistics 2020 (May 2021) reports capacity as 550ktpa.
	Beddington Energy Recovery Facility	Sutton London Borough Council (Joint plan with Croydon, Merton and Kingston)	Viridor	278	Capacity as reported in the RTAB report. UK EFW Statistics 2020 (May 2021) lists capacity as 347ktpa.
	Edmonton EFW Facility	London Borough of Enfield	LondonEnergy (formerly London Waste Ltd)	495	As reported in the RTAB (May 2021) report. UK EFW Statistics 2020 (May 2021) reports capacity as 620ktpa. Tolvik 2018 report sets capacity at 535ktpa.
Sub-total				2062	
South East	Allington Waste Management Facility (Kent Enviropower)	Kent County Council	FCC	500	As reported in the RTAB (May 2021) report. UK EFW Statistics 2020 (May 2021) report capacity as 550ktpa. 2018 Tolvik report sets capacity at 486ktpa.
	Kemsley K3	Kent County Council	E.On, enfinium and D S Smith	657	As reported in the UK EFW Statistics 2020 (May 2021)and the RTAB (May 2021) report. Capacity increased by 107ktpa in 2021 from 550ktpa to 657ktpa.
	Lakeside EFW	Slough Borough Council	Lakeside	460	As reported in the RTAB (May 2021) report. UK EFW Statistics 2020 (May 2021) report capacity as 450ktpa. Tolvik 2018 report sets out capacity as 442ktpa.
	Greatmoor EFW	Buckinghamshire Council	FCC	345	As reported in the UK EFW Statistics 2020 (May 2021)and the RTAB (May 2021) report. Tolvik 2018 report serts capacity at 279ktpa.
	Ardley EFW Facility	Oxfordshire County Council	Viridor	326	As reported in the UK EFW Statistics 2020 (May 2021)and and the RTAB (May 2021) report. Tolvik 2018 report serts capacity at 292ktpa.
	Newhaven ERF	East Sussex County Council	Veolia	242	As reported in the UK EFW Statistics 2020 (May 2021) and the RTAB (May 2021) report. Tolvik 2018 report serts capacity at 234ktpa.
	Integra South West ERF (Marchwood)	Hampshire County Council	Veolia	220	As reported in the UK EFW Statistics 2020 (May 2021)and the RTAB (May 2021) report. Tolvik 2018 report serts capacity at 203ktpa.
	Integra South East ERF (Portsmouth)	Portsmouth	Veolia	210	As reported in the UK EFW Statistics 2020 (May 2021)and the RTAB (May 2021) report. Tolvik 2018 report serts capacity at 210ktpa.
	Integra North ERF (Chineham)	Hampshire County Council	Veolia	110	As reported in the UK EFW Statistics 2020 (May 2021)and the RTAB (May 2021) report.
	Milton Keynes Waste Recovery Park	Buckinghamshire County Council	Amey	94	As reported in the UK EFW Statistics 2020 (May 2021)and and the RTAB (May 2021) report. Tolvik 2018 report serts capacity at 86ktpa.
	Enviropower Ltd, Lancing	West Sussex County Council	Enviropower	75	As reported in the UK EFW Statistics 2020 (May 2021). Primarily used for C&D/ skip waste. Not included in the 2021 RTAB report, but capacity of 33ktpa included in the 2018 Tolvik report.
	Isle of Wight Resource Recovery Facility	Isle of Wight Council	Amey	60	As reported in the RTAB (May 2021) report. Capacity not reported in the UK EFW Statistcs 2020 (May 2021).
	Slough Heat & Power / Slough Multifuel	Slough Borough Council	SSE/CIP	438	As reported in the RTAB (May 2021) report. 2018 Tolvik report notes headline capacity as 400ktpa. UK EFW Statistics 2020 ha(May 2021) reports capacity at 480ktpa.
Sub-total				3737	

Region	Name of Facility	Waste Planning Authority	Operator	Capacity ('000 tonnes per annum)	Commentary/ Notes
Consented and under construction capacity in tthe WFAA local study area and East Midlands, South-Esat and London (as neighbouring regions):					
East of England	Rivenhall	Essex County Council	Indaver	595	As reported in the RTAB (May 2021) report. The planning portal shows that planning permission was successfully implemented prior to 2 March 2016. In February 2022 the Council voted to extend the permission for the site but not to allow for the incinerator to be built without the associated infrastructure which formed part of the original application.
Sub-total				595	
East Midlands	Newhurst ERF	Leicestershire County Council	Biffa/Covanta/GIG	350	As reported in the UK Efw Statistics 2020 (May 2021).
	Drakelow Energy Generation Facility	Derbyshire County Council	Vital	180	As reported in the UK Efw Statistics 2020 (May 2021).
Sub-total				530	
London	EcoPark Energy Centre/ North London Heat and Power	London Borough of Enfield	North London Waste Authroity	700	Incinerator proposed to replace existing Edmonton incinerator by around 2025, to be located next to the current incinerator site. A Development Consent Order was issue by BEIS in February 2017. The existing plant would be decommissioned and demolished 2028, once the new facility up and running. Environmental Permit issue in June 2017
Sub-total				700	
South East	Charlton Lane Eco Park (Eco Park ACT)	Surrey County Council	Suez	55.5	As reported in the RTAB (May 2021) report. UK Efw Statistics 2020 (May 2021) record capacity as 60ktpa
	Forest Road ERF (Isle of Wight)	Isle of Wight Council	Amey	44	As reported in the RTAB (May 2021) report. UK Efw Statistics 2020 (May 2021) record capacity as 30ktpa
Sub-total				99.5	
GRAND TOTAL FOR WFAA STUDY AREA				1924.5	

Region	Name of Facility	Waste Planning Authority	Operator	Capacity ('000 tonnes per annum)	Commentary/ Notes
Consented and under constructon capacity in the remaining English regions:					
Southwest	Bridgwater Resource Recovery	Somerset County Council	Equitix/Iona	100	As reported in the UK Efw Statistics 2020 (May 2021).
Sub-total				100	
West Midlands	Baddersley Efw	Warwickshire County Council	Equitix	100	As reported in the UK Efw Statistics 2020 (May 2021).
	Kelvin Energy ERF, Land at Giffords Recycling, Kelvin Way, West Bromwich	Sandwell Council	efinium / Verus Energy Oak Limited	395	Planning application for a 395ktpa scheme submitted in October 2017 (ref DC/17/61177) and allowed on appeal in September 2019 (details of the appeal on the Sandwell Council entry for application DC/17/61177; appeal ref: 3216591). Permit application for the 400ktpa scheme was submitted in July 2018 and re-advertised in October 2018 (EPR/DP3038JC/A001). The Environment Agency issued a permit in July 2019 [EPR/DP3038JC]. Construction began in November 2021.
Sub-total				495	
Yorkshire and Humberside	None recorded	~	~	~	~
Sub-total				0	
Northeast	None recorded	~	~	~	~
Sub-total				0	
Northwest	Hooton Park Sustainable Energy (Hooton Park ACT)	Merseyside County Council	BWSC/CoGen	266	As reported in the UK Efw Statistics 2020 (May 2021).
	Lostock Sustainable Energy Plant	Cheshire West and Chester Council	FCC	600	As reported in the UK Efw Statistics 2020 (May 2021).
	Protos Refuse Derived Fuel Plant/ Ince Marshes	Cheshire West and Chester Council	Biffa/Covanta/GIG	410	As reported in the UK Efw Statistics 2020 (May 2021).
Sub-total				1276	
GRAND TOTAL FOR REST OF ENGLAND				1871	

Sources:

UK Energy from Waste Statistics - 2020 (May 2021), Tolvik Consulting Ltd

Residual Waste in London and the South East: Where is it going to go.....? (October 2018), Tolvik Consulting Ltd

Landfill and Residual Treatment Capacity in the Wider South East of England Report for the Regional Technical Advisory Body (RTAB) (May 2021), Sacks Consulting

Residual Waste Efw Wiki Waste - website accessed 05/04/22

GRAND TOTAL FOR WFAA STUDY AREA

7,280

Region	Name of Facility	Waste Planning Authority	Operator	Capacity ('000 tonnes per annum)	Commentary/ Notes
Consented and operational capacity in the remaining English regions:					
Northeast	Tees Valley EfW Facility	Stockton on Tees Borough Council	Suez	756	As reported in the UK EfW Statistics 2020 (May 2021).
	Wilton 11 EfW	Middlesborough Borough Council	Suez	500	As reported in the UK EfW Statistics 2020 (May 2021).
Sub-total				1256	
Northwest	Runcorn EfW	Joint Merseyside and Halton Waste Local Plan	Viridor	1,100	As reported in the UK EfW Statistics 2020 (May 2021).
	Bolton ERF	Greater Manchester City Council	Suez	120	As reported in the UK EfW Statistics 2020 (May 2021).
Sub-total				1,220	
Southwest	Sevenside Energy Recovery Centre	South Gloucestershire Council	Suez	425	As reported in the UK EfW Statistics 2020 (May 2021).
	Severn Road RRC	Bristol City Council	Viridor	350	As reported in the UK EfW Statistics 2020 (May 2021).
	Devonport EfW CHP Facility	Plymouth City Council	MVV	265	As reported in the UK EfW Statistics 2020 (May 2021).
	Cornwall Energy Recovery Centre	Cornwall Council	Suez	240	As reported in the UK EfW Statistics 2020 (May 2021).
	Javelin Park ERF	Gloucestershire County Council	UBB	190	As reported in the UK EfW Statistics 2020 (May 2021).
	Exeter ERF	Devon County Council	Viridor	60	As reported in the UK EfW Statistics 2020 (May 2021).
Sub-total				1530	
West Midlands	Tyseley ERF	Birmingham City Council	Veolia	400	As reported in the UK EfW Statistics 2020 (May 2021).
	Staffordshire ERF/Four Ashes ERF/w2R	South Staffordshire Council	Veolia	340	As reported in the UK EfW Statistics 2020 (May 2021).
	CSWDC Waste to Energy Plant	Coventry City Council	Coventry City Council	315	As reported in the UK EfW Statistics 2020 (May 2021).
	EnviRecover EfW Facility	Worcestershire County Council	Severn	230	As reported in the UK EfW Statistics 2020 (May 2021).
	Stoke EfW Facility	Staffordshire County Council	MESE	210	As reported in the UK EfW Statistics 2020 (May 2021).
	Wolverhampton EfW Facility	Wolverhampton / Black Country	MESE	118	As reported in the UK EfW Statistics 2020 (May 2021).
	Dudley EfW Facility	Dudley / Black Country	MESE	105	As reported in the UK EfW Statistics 2020 (May 2021).
	Battlefield EfW Facility	Shropshire Council	Veolia	102	As reported in the UK EfW Statistics 2020 (May 2021).
Sub-total				1820	
Yorkshire and Humberside	Ferrybridge Multifuel 1 (FM1)	Wakefield Metropolitan District Council	WTI	675	As reported in the UK EfW Statistics 2020 (May 2021).
	Ferrybridge Multifuel 2 (FM2)	Wakefield Metropolitan District Council	WTI	675	As reported in the UK EfW Statistics 2020 (May 2021).
	Allerton Waste Recovery Park	North Yorkshire County Council	Amey	320	As reported in the UK EfW Statistics 2020 (May 2021).
	Sheffield ERF	Sheffield City Council?	Veolia	245	As reported in the UK EfW Statistics 2020 (May 2021).
	Leeds Recycling and ERF	Leeds City Council	Veolia	190	As reported in the UK EfW Statistics 2020 (May 2021).
	Kirklees EfW Facility	West Yorkshire Council	Suez	150	As reported in the UK EfW Statistics 2020 (May 2021).
	Hull Energy Works (in commissioning)	East Riding Council	Engie	227	As reported in the UK EfW Statistics 2020 (May 2021).
Sub-total				2482	
GRAND TOTAL FOR REST OF ENGLAND				8,308	

Sources:

UK Energy from Waste Statistics - 2020 (May 2021), Tolvik Consulting Ltd

Residual Waste in London and the South East: Where is it going to go.....? - (October 2018), Tolvik Consulting Ltd

Landfill and Residual Treatment Capacity in the Wider South East of England, Report for the Regional Technical Advisory Body (RTAB) (May 2021), Sacks Consulting

Residual Waste EfW Wiki Waste - website accessed 05/04/22

Region	Name of Facility	Waste Planning Authority	Operator	Capacity ('000 tonnes per annum)	Commentary/ Notes
Consented and not built capacity in the WFAA local study area and East Midlands, South-Esat and London (as neighbouring regions):					
East of England	Storeys Bar Road, Fengate, Peterborough	Peterborough City Council	Peterborough Renewable Energy Ltd	650	Principal planning consent is 08/01081/ELE issued by the Secretary of State in November 2009. The permission was subject to an subsequent amendment (ref. 18/01259/DISCHG), which was permitted on 10 May 2019. Three planning conditions associated with this permission were discharged in July 2019 (Ref: 19/00467/DISCHG). If this facility was to be built, there is a condition attached to the consent (condition 28) which states that a minimum of 80% of the feedstock must originate from (a) an area within a 32km radius of the site; or (b) an area within the administrative boundary of Peterborough; or (c) an area within the administrative boundary of Cambridgeshire.
Sub-total				595	
East Midlands	Energy Recovery Centre, Willowbrook East Industrial Estate, Shelton Road, Corby	Northamptonshire County Council	Corby Ltd	260	Planning application submitted in January 2019 (reference: 19/00027/WASFUL) proposal announced in January 2019 for an EfW capable of receiving RDF derived from HIC waste streams. Full permission granted on 4 October 2019. In May 2020 Corby Ltd put in an application to discharge a number of the planning conditions (20/00025/WASDOC).
	Gretton Brook Road	Northamptonshire County Council		154	In April 2020 the applicant put in a planning application to vary the consent to allow a change of technology to bubbling fluid bed (BFB) combustion and to increase the total maximum throughput to 154,000 tonnes per annum and this was approved in August 2020 (20/00022/WASVOC and 20/00023/WASVOC).
	Bulwell Energy Recovery Facility, Nottingham Energy Park	Nottingham City Council	Bullwell Energy Ltd	160	Planning permission for 30ktpa granted 25 June 2013 (reference: 13/00757/PMFUL3), and request for an extension to 160ktpa granted in 14 June 2014 (reference: 13/03051/PMFUL3). Pyrolysis/gasification-type incinerator described as a "demonstrator plant" using RODECS® system to process MSW and C&I. Permit issued in April 2015 and late 2018.
	East Midlands Energy Re-generation (EMERGE) Centre.	Nottinghamshire County Council	Unipier UK Ltd	525	Application received approval from Nottinghamshire County Council in 2021 subject to completion of the Section 106 Agreement. Permit issued in March 2022.
Sub-total				1099	
London	Cory Riverside Energy	London Borough of Bexley	Cory	800	2018 Tolvik report notes headline capacity as 650ktpa. Original planning consent granted 11 January 2008 (reference: 7/11615/FUL). Application to SoS for Energy for increase to 785 ktpa (reference: 99/02388/CIRC24). Approved in 2021.
	Thames Gateway Energy Facility, London Sustainable Industries Park, Dagenham Dock	Dagenham, Essex	Thames Gateway Waste to Energy Ltd	200	Gasification-type incinerator intended to treat C&I waste. Granted planning permission 31 March 2011 (Ref: 10/00287/FUL). Construction reportedly began in late 2012. It was announced in October 2015 that almost 75% of the piling has been completed on site. Applicant were discharging planning conditions in June 2016. Permit JP3237KY issued and subsequently varied in 2015 to change the gasification technology from Cyclamax to Chinook and to increase the capacity (permit EPR/CP3737CV/V003). In December 2018 the planning permission was varied to increase the capacity from 180ktpa to 200ktpa, but the technology remained as gasification
	Brent Cross	London Borough of Barnet	Hammerson and Standard Life Investments	130	Planning permission granted 23 July 2014 (reference: F/04687/13). The capacity of the gasification-type incinerator includes a portion for business waste with the rest being for municipal waste. According to the Brent Cross London website: "In July 2018 the decision was taken to defer the start on site for the development works due to increased market risks in the UK with the intention to start once conditions are more settled".
Sub-total				1130	
South East	Former Wealden Brickworks off Langhurst Wood Road, Horsham	West Sussex	Brtainiacrest Recycling	180	Planning permission WSCC/062/16/NH allowed on appeal in February 2020 with 28 planning conditions, including an R1 condition (PINS Ref APP/P3800/W/18/3218965).
	Tilbury Green Power	Essex County Council	AET/BWSC	350	Total permitted capacity is 650,000tpa but only the first phase for 300,000tpa of waste wood has been implemented.
Sub-total				530	
GRAND TOTAL FOR WFAA STUDY				3354	

Region	Name of Facility	Waste Planning Authority	Operator	Capacity ('000 tonnes per annum)	Commentary/ Notes
Consented and not built capacity in the remaining English regions:					
Southwest	Canford Efw	Dorset County Council	Canford Renewable Energy Ltd	100	An Efw facility based upon Gasification technology. Originally owned and developed by New Earth Solutions as part of a wider development at the Canford site in Dorset, it was granted planning consent in 2013 and was intended to be operational by 2015, generating 10MW. The adjacent MBT plant is operational but no construction is understood to have progressed on the Efw facility.
	Swindon Energy Plant	Swindon, Wiltshire	Crapper and Sons	70	An Efw facility originally based upon Gasification technology. Consented on Crapper and Sons Landfill site in Wootton Bassett, as part of a number of other facilities including a Biomass project from Waste Wood and a Mechanical Treatment process. The initial works were reported as commenced, but no construction is understood to have progressed on the site of the Efw facility to date.
	Land At Keypoint, Thornhill Road, South Marston	Swindon, Wiltshire	Rolton Kilbride / Legal & General Properties	150	Planning permission granted on appeal in June 2019 with both R1 and climate change planning conditions. Originally proposed to use ENERGOS gasification technology, but at appeal the prospect of using Japanese gasification technology was raised. Planning application submitted in June 2016 [S/16/1055] and refused in September 2017 and subsequently appealed in February 2018 (Appeal Ref. 3197964).
	Northacre Renewable Energy Centre, Stephenson Road, Northacre Trading Estate, Westbury	Wiltshire County Council	Northacre Renewable Energy Ltd (Hills Group)	160	In August 2020 a planning application was made to change the technology to conventional incineration and the Council voted to approve this in June 2021 subject to a potential call-in by the Secretary of State (20/06775/WCM).
	Hill Barton Energy Generation Facility, Hill Barton Business Park, Stuart Way, Clyst St. Mary, Exeter	Devon County Council	Exeter Waste to Energy Limited	87	RDF facility. Planning permission granted by Devon County Council in March 2010 (DCC/2909/2009) and varied in November 2019 (DCC/4150/2019). Permit application consultation announced in December 2020, which states that the plant would process commercial and industrial waste in the form of RDF through gasification (EPR/EP3105BJ/A001). The permit was issued in July 2021.
	Eco Park, Chapel Lane, Parley (near Bournemouth Airport)	Devon County Council	Eco Sustainable Solutions	50	A planning application was submitted in March 2021 (ref 8/21/0207/FUL). The Planning Committee voted to approve the application in March 2022.
	Cornwall BioPark	Cornwall County Council	Green Efw Investments Ltd	80	Planning consent issued on the 6th of November 2012, with application submitted in July 2012 [See planning application (ref. PA12/06846)]. Intended to derive 40,000 tonnes of RDF for on-site gasification from 70,000 tonnes of Cornwall's commercial waste. Last known activity was an application for a Non Material Amendment in October 2014 (PA14/09431), and on the 1st of November 2016 a notice was made for compulsory strike-off of GreenEfw Investments Limited and GreenEfw Cornwall Limited
West Midlands	The Wand, Land off Fryers Road	Walsall	BH EnergyGap	300	The project started as a proposal for a gasification-type incinerator intended to burn mixed municipal commercial, industrial and municipal waste. Initial planning application approved in January 2009 and revised planning application approved in September 2013 (re 13/0725/WA). Planning permission was varied in November 2015 and this included an increase in stack height (15/1157). Planning application 19/1172 was registered by Walsall Council in September 2019 and on the 28th of May 2020 the Planning Committee voted in favour of planning consent. In June 2020 an application was made to vary the permit to change the technology to conventional incineration and to increase the maximum capacity to around 478,300 tonnes per annum [EPR/AP3832WS/V002].
	Faraday Avenue, Hams Hall, North Warwickshire	Warwickshire County Council	Rolton Kilbride	150	Gasification planning application submitted June 2016 and granted in February 2017 with a Design Stage R1 Condition (ref. NWB/16CM011).
	Bloomfield Recycling Depot	Sandwell Council	High Energy Fuels Ltd	180	In August 2015 planning permission was granted for a gasification plant to treat up to 100,000tpa of C&I and demolition wood waste, including compressed paper pellets (Dudley Ref P15/0685). Permit for a pyrolysis scheme on this site granted in March 2020 (ref EPR/CP3836QX/A001). Planning application approved in November 2019 to allow for 180,000tpa of "torrefied solid fuels" waste biomass / RDF to be treated through pyrolysis (Dudley planning ref P19/0720).
Yorkshire and Humberside	New Beck Energy Centre	(Immingham) North-East Lincolnshire	North Beck Energy	560	North Beck Immingham Energy From Waste Plant is a 49.5MW biopower project. It is planned in England, the UK. The project is currently in permitting stage. It will be developed in single phase. Post completion of the construction, the project is expected to be commissioned in 2022.

	Belmont Industrial Estate, Rochdale Road, Triangle, Sowerby Bridge	Calderdale	Calder Valley Skip Hire	10	Application was submitted in January 2017 (ref 17/00113/WAM) and this was unanimously refused by the Planning Committee on the 19th of December 2017. This was subsequently appealed in July 2018 with the inquiry beginning in April 2019 (PINS ref 3205776). Inquiry hearings closed in November 2019 and planning permission was granted subject to conditions in February 2020.
	Land Off Sandall Stones Road, Kirk Sandall (3Rs)	Doncaster	BH EnergyGap (Doncaster) Ltd	350	Planning application 20/01774/TIPA was approved at a planning committee in March 2022.
	Land South West Of Melton Waste Park, Melton, North Ferriby	East Riding of Yorkshire	Solar 21 Renewable Energy Limited	250	A planning application received in March 2018 (18/00703/CM) for an increase in the capacity associated with 11/05606/STPLF which was granted permission in November 2011. A decision was made in July 2018 to approve the planning application subject to finalising s106 agreement. The decision notice granting consent was issued in February 2019
	Alpha Grimsby Renewable Energy Centre, Vireol Plc, Energy Park Way, Grimsby	North East Lincolnshire	Great Coates Energy Ltd / Synpower	226	Planning permission granted in January 2019 by North East Lincolnshire Council (DM/0329/18/FUL) for 170-200ktpa and then varied in July 2021 to increase the throughput to 226ktpa tpa of RDF
	South Humber Bank Energy Centre, South Humber Bank Power Station, South Marsh Road, Stallingborough, Grimsby	North East Lincolnshire	EP UK Investments (EPUKI)	753	A Development Consent Order for the larger version of the scheme was issued in November 2021. The proposal intends to use conventional incineration to treat Refuse Derived Fuels. An environmental permit variation was granted in May 2020 (ref EPR/MP3235LY/V009).
	Grimsby Renewable Power Facility, Moody Lane	North East Lincolnshire	Royal Dahlman	54	Gasification-type incinerator that would be a demonstrator plant for experimental MILENA technology received planning permission in May 2014 (DM/0099/14/FUL) and an environmental permit in December 2014 (DM/0099/14/FUL) . It is stated in the Environmental Statement that: "The vast majority of feedstock will be pre-processed refuse derived fuel (RDF) which is derived from processing of commercial and industrial (skip) wastes at Melton"
	Knapton Green Energy Facility, Landfill Site Knapton Quarry, East Knapton, Malton	North Yorkshire County Council	Knapton Green Energy, Tetragen and NCG Estates.	130	Planning permission was granted in 2018 for a 65ktpa gasification plant (NY/2016/0194/ENV). The description of the technology was changed in April 2019 to remove the reference to gasification (NY/2019/0038/NMT), and it seems possible that the plant will therefore ultimately use conventional incineration (although this has not been confirmed). In March 2021 planning permission was granted for an increase in capacity to 130ktpa (NY/2019/0078/73) for a non-gasification incinerator.
	Southmoor Energy Centre, Kellingley Colliery, Weeland Road (near Knottingley)	North Yorkshire County Council	Peel Environmental / Harworth Estates (HEPGL) / Southmoor Energy Centre Limited	350	Planning application for an incinerator submitted in May 2013 (planning application NY/2013/0128/ENV), and planning consent was issued February 2016. Peel stated in 2013: "It will use up to 280,000 tonnes per year of non-hazardous residual waste including industrial, commercial and possibly household from across the region". Peel announced in March 2019 that "Plans...are progressing, with the company expecting to be on site in Autumn 2019" and stated that: "Peel Environmental is proposing to make some changes to the existing planning permission, one of which is to increase the fuel for the facility from 280,000 tonnes to 350,000 tonnes per year". Environmental Permit issued in October 2019 (EPR/FP3437QL/A001). A proposal to vary the planning consent (NY/2019/0005/73) was registered in January 2019 and granted in February 2020.
	Kingspan Insulation Ltd, Enterprise Way, Sherburn In Elmet, Selby	North Yorkshire County Council	Kingspan	132	Application made in December 2016 for RDF gasification plant (ref 2016/1456/EIA) using a feedstock "sourced from recycling centres from outside of the Sherburn Industrial Estate". Planning Permission granted in October 2016 .
	Land at former Templeborough Steel Works, Sheffield Road, Templeborough	Rotherham	Rolton Kilbride / Cracknore Investment	215	ACT facility for RDF. Planning permission granted by Rotherham Metropolitan Borough Council in October 2016 (RB2016/0891). The applicant has stated that the facility would have the capacity to process feedstock including commercial and industrial waste, with an element of construction and demolition and potentially municipal solid waste. It was anticipated that the feedstock would comprise waste from across the Rotherham and Sheffield area. It was reported that a Scoping Request was submitted in April 2016
	Land East Of Former Gas Works, Airedale Road, Keighley	West Yorkshire	Halton Group / JO Steel / Endless Energy	148	August 2016 - application was submitted for the plants and these this was approved in February 2017 (Ref 16/06857/FUL). Environmental permit issued by the Environment Agency in December 2020 (EPR/ZP3537AT).

	Skelton Grange, Leeds	West Yorkshire	enfinium (formerly Multifuel Energy Ltd) (owned by First Sentier Investors)	300	Planning permission granted to Biffa in February 2013 for a 300,000tpa conventional incinerator for C&I and possibly MSW. In May 2019 it was reported that Wheelabrator had secured the right to buy the site from the Harworth Group and that the intention was to increase capacity to 410,000tpa. Planning reference for Biffa's 300ktpa plant is 11/03705. A permit was granted in December 2020 [EPR/UP3904PA/A001]. In December 2020 Wheelabrator announced the sale of their UK EfW division to the European Diversified Infrastructure Fund III, an infrastructure fund managed by First Sentier Investors (FSI). It was reported in July 2021 that full commissioning of the plant is planned for 2025 and that it will be built by HZI.
	Newfields Industrial Estate near Hull docks	Hull	NRG Hull	320	In October 2020 NRG Hull had applied to East Riding of Yorkshire Council to build an incinerator to treat "low-grade refuse-derived fuel" [Planning reference 20/03081/CM]. Approved in April 2021.
Northeast	Graythorp Energy Centre, Land to the South of Tofts Road, West Graythorp	Hartlepool Borough Council	Graythorpe Energy Ltd	560	RDF facility to treat "dry household and industrial waste". Hartlepool Borough Council voted to approve planning permission H/2019/0275 in July 2020.
	Site of Redcar Bulk Terminal, Redcar	Redcar and Cleveland	PMAC Energy	450	RDF facility. Project announced in July 2018. Planning permission was granted in January 2021 and is set for completion in 2025 [R/2020/0411/FFM].
	Billingham Reach EfW, Billingham Reach Industrial Estate, Stockton	Tees Valley	Tees Eco Energy Ltd (TeesEco)	375	RDF facility. Original planning application for fluidised bed biomass-only plant approved in October 2009 (09/1562/EIS). Application to vary to being a moving grate (conventional incineration). RDF plant approved in November 2016 (16/2165/VARY). Permit application for RDF plant made in November 2017 and granted in September 2018 [EPR/NP3537YY/A001].
Northwest	Darwen Energy Recovery Centre	Blackburn with Darwen	Suez	500	In August 2019 planning permission had been granted (ref 10/19/0495) but that "construction of the plant is now dependent on the waste management company securing a contract to continue managing Lancashire's residual waste".The plant is proposed to use conventional incineration technology
	Kingmoor Energy Recovery Facility, Kingmoor Park East, Carlisle (CA31)	Cumbria	Fortum Carlisle Limited, Kingmoor Park Properties and Verus Energy Ltd	274	RDF facility. Planning application submitted for RDF gasification plant in June 2016 (ref PL\1572\05 and 1/16/9005). Cumbria County Council granted planning permission in October 2016. In November 2017 it was made known that the operator wished to increase the capacity to 250ktpa and change the technology from gasification to moving grate combustion and intended to submit a Section 73 application in Early 2018. Section 73 application to vary the technology etc went live in September 2018 and was approved in January 2019 (ref 1/18/9012). Consultation on the permit application opened in July 2020 and closed 30 November 2020 (EPR/SP3609BX/A001).
	Longridge Road Energy Centre, Red Scar Industrial Estate, Ribblesdale, Preston	Lancashire	Miller Turner Group	395	Planning application granted with an R1 condition for a conventional moving grate incinerator in November 2019 (LCC/2019/0029). Intended to treat both mixed waste and RDF.
	Heysham Energy Recovery Facility, Heysham Gateway, Imperial Road, Lancaster West Business Park	Lancashire	Veolia	330	Planning application submitted in March 2019 and approved in October 2019 (LCC/2019/0021). In September 2019 Veolia applied for an Environmental permit and this was issued in May 2020 (EPR/VP3437QR/A001).
	Greengate Energy Recovery Facility, Greengate Works, Sherdley Road, St Helens, Merseyside	St Helens	ESB Asset Development and Pilkington	300	Proposed gasification plant intended to use RDF from municipal and C&I waste. Planning application submitted November 2016 and granted March 2017 (P/2016/0804/FUL). Modified scheme to increase the capacity to 300,000 tpa of municipal, commercial and industrial waste was approved in December 2018 (P/2018/0675/WEIA). Environmental permit application submitted in November 2019 (EPR/TP3909PL/A001).
	Fleetwood Energy Centre, Jameson Road, Fleetwood	Lancashire	Reform Energy NW Limited	80	Planning permission granted in December 2016 for a variation of the scheme (ref LCC/2016/0021). No sign of progress as of February 2020, e.g. planning conditions have not been discharged and an Environmental Permit application has not been made.
GRAND TOTAL FOR REST OF ENGLAND				8389	

Sources:

United Kingdom without Incineration Network (UKWIN), website - accessed 06/03/22

Residual Waste in London and the South East: Where is it going to go.....? - (October 2018), Tolvik Consulting Ltd

Residual Waste EfW Wiki Waste - website accessed 05/04/22

Region	Name of Facility	Waste Planning Authority	Operator	Capacity ('000 tonnes per annum)	Commentary/ Notes
In planning' capacity in the WFAA local study area and East Midlands, South-Esat and London (as neighbouring regions):					
East of England	Archers Fields Energy Recovery Facility	Essex County Council	Clearaway Recycling Ltd	150	Planning application submitted in October 2020 (ESS/120/20/BAS). Application validated on 29 January 2021. Proposal is for gasification technology to manage RDF entirely from Clearaway Recycling Ltd operations. Portal states that the committee report is being drafted but no indication of when this application may go to committee.
Sub-total				150	
East Midlands	Boston Alternative Energy Facility (BAEF)	Lincolnshire County Council	Alternative Use Boston Projects Ltd	1,200	Re-submitted National Infrastructure application accepted for examination on 20 April 2021 for a conventional incinerator accepting RDF (reference: EN010095). Examination closed on 7 April 2022 within a decision due on 7 July 2022.
Sub-total				1,200	
London	None recorded	~	~	0	
Sub-total				0	
South East	Circular Technology Park, Former Ford Blockworks, Ford Airfield Industrial Estate, Ford, Arundel	West Sussex County Council	Grudon and Viridor	275	The site has planning permission for a gasification-type incinerator approved in July 2014 (ref WSCC/096/13/F), with decision notice issued in January 2015. In September 2019 it was announced that Viridor had joined Grudon for this project and in March 2020 it was announced that Grudon would be moving to a conventional incinerator technology for the plant and to increase the capacity from 200,000 to 275,000 and intended to submit a planning application to allow for this. A planning application for the revised scheme was submitted in July 2020 [WSCC/036/20]. In November 2020 West Sussex issued a Regulation 25 request for further information and in January 2021 the deadline for the applicant to provide this information was extended to 5th April 2021. In April 2021 application WSCC/036/20 was withdrawn and a revised planning application was submitted which had a reduced building height but the same stack height (ref WSCC/011/21).
	Reading Quarry	West Berkshire Council	J Miuld (Reading) Ltd	150	On 16 September 2020 J Mould put in a planning application for an incinerator (reference: 20/02029/COMIND). According to the planning application's planning statement, it is intended to treat RDF from household, industrial and commercial sources "from the on-site Reading Quarry Waste Recycling and Transfer Facility (WRTF) and other sites in the locality". The form of incineration technology is gasification base (moving grate, gassified then combusted). Revised ES chapters were submitted in December 2021. No indication of when this application may go to committee.
	Allington EfW	Kent County Council	Kent Enviropower Ltd/ FCC	350	Extension to add a fourth line to increase capacity by c350ktpa proposed in October 2019 - Development Consent Order to be decided as Nationally Significant Infrastructure Project (NSIP).
Sub-total				775	

GRAND TOTAL FOR WFAA STUDY AREA

2,125

Region	Name of Facility	Waste Planning Authority	Operator	Capacity ('000 tonnes per annum)	Commentary/ Notes
In planning' capacity in the remaining English regions:					
Southwest	Portland Port, Castletown	Devon County Council	Powerfuel Portland	200	RDF facility. A consultation on the permit application began in June 2021 (ref EPR/AP3304SZ/A001). Planning application was submitted in September 2020 [application ref WP/20/00692/DCC]. A regulation 25 request was made in May 2021.
West Midlands	Kidderminster Energy Park, Next to Liberty Aluminium, Stourport Road, Kidderminster	Warwickshire County Council	Power Generation East Midlands / Bio Global Industries	75	Incinerator announced in May 2020 to treat commercial and industrial waste. Planning application submitted to Worcestershire County Council in August 2020 (20/000034/CM). Due to Covid, the consultation was suspended. The planning consultation was re-opened in July 2021 as a result of a document having been unintentionally omitted from the County Council's website.
Yorkshire and Humberside	North Lincolnshire Green Energy Park, Flixborough Wharf, Flixborough Industrial Estate	North Lincolnshire Council	North Lincolnshire Green Energy Park Limited / Solar 21	760	Plans for the NSIPs project were announced in May 2020. A pre-application consultation was launched in June 2021. An application for the above project was received by the Planning Inspectorate from North Lincolnshire Green Energy Park Limited on 21 March 2022.
Northwest	None recorded	~	~	0	
GRAND TOTAL FOR REST OF ENGLAND				1,035	

Sources:


United Kingdom without Incineration Network (UKWIN), website - accessed 06/03/22

Residual Waste in London and the South East: *Where is it going to go.....?* - (October 2018), Tolvik Consulting Ltd

Residual Waste EFW Wiki Waste - website accessed 05/04/22

Medworth Energy from Waste Combined Heat and Power Facility

PINS ref. EN010110
Document Reference: Vol 7.3
Revision 1.0
June 2022



Waste Fuel Availability Assessment Appendix D Waste Collection Authority Arrangements

Regulation reference: The Infrastructure
Planning (Applications: Prescribed
Forms and Procedure) Regulations
2009 Regulation 5(2)(q)

**We inspire
with energy.**

Waste Planning Authority	Waste Collection Authority	Food Waste Collected Separately (Y/N)	Plans to Separately Collect Food Waste in the Future (Y/N)	Materials Collected Separately	Future Waste Management Plan (Y/N)	Future Waste Management Plan Overview	Source
Bedford Borough (Unitary)	Bedford Borough Council	N	N	•Dry mixed recycling •Household •Garden	Y Minerals and Waste Local Plan: Strategic Sites and Policies 2014	The Vision for Waste by 2028 •Promote reduction of waste •To move away from dependence upon landfilling •To provide greater capacity for the recovery of materials and energy •Other recovery operations, such as those involving energy recovery, have an order of priority above Disposal and below Recycling.	•Minerals and Waste Local Plan: Strategic Sites and Policies, (January 2014), Bedford Borough, Central Bedfordshire and Luton Borough Councils. • https://www.bedford.gov.uk/rubbish-recycling-and-waste/
Cambridgeshire County Council	Cambridgeshire City Council	N	Y Food waste collection trial in selected areas from Nov 21-ongoing The food waste is taken to the composting plant at the Waste Management Plan at Waterbeach.	•Dry mixed recycling •Household •Garden •Food waste trial in selected areas	Y Cambridgeshire and Peterborough Minerals and Waste Local Plan 2021-2036	•Councils are keen to support opportunities to contribute positively to the sustainable management of waste •The council express a vision to improve sus but do not have many plans for specific waste management solutions. •Where the need for additional capacity for the disposal of non-hazardous waste is demonstrated such capacity must be provided through extension to existing Non-Hazardous Waste and Stable Non-Reactive Hazardous Waste (SNRHW) disposal sites	• https://eccandpcc.sharepoint.com/sites/PCCPlanningPolicyPublicData/Shared%20Documents/Fo%20rms/AllItems.aspx?id=%2Fsites%2FPCPlanningPolicyPublicData%2FShared%20Documents%2FPlanning%20Policy%2FAdopted%20Local%20Plan%2FMinerals%20and%20Waste%20Local%20Plan%2F1%29%20Minerals%20and%20Waste%20Local%20Plan%20Adopted%20July%202021%2Epdf&parent=%2Fsites%2FPCPlanningPolicyPublicData%2FShared%20Documents%2FPlanning%20Policy%2FAdopted%20Local%20Plan%2FMinerals%20and%20Waste%20Local%20Plan • https://www.cambridgeshire.gov.uk/residents/waste-and-recycling
	East Cambridgeshire Distrit Council	Y	n/a	•Dry mixed recycling •Household •Garden and food			
	Fenland District Council	N	N	•Dry mixed recycling •Household •Garden			
	Huntingdonshire District Council	Y	n/a	•Dry mixed recycling •Household •Garden and food			
	South Cambridgeshire District Council	Y	Y Food waste collection trial in selected areas from Nov 21-ongoing The food waste is taken to the composting plant at the Waste Management Plan at Waterbeach.	•Dry mixed recycling •Household •Garden and food •Food waste trial in selected areas			
Central Bedfordshire (Unitary)	Central Bedfordshire Council	Y	n/a	•Dry mixed recycling •Household •Garden •Food •Glass collection in selected areas	Y Minerals and Waste Local Plan: Strategic Sites and Policies 2014	The Vision for Waste by 2028 •Promote reduction of waste •To move away from dependence upon landfilling •To provide greater capacity for the recovery of materials and energy •Other recovery operations, such as those involving energy recovery, have an order of priority above Disposal and below Recycling.	• https://www.centralbedfordshire.gov.uk/migrated_images/minerals-waste_tcm3-2120.pdf • https://www.centralbedfordshire.gov.uk/info/2/waste_and_recycling
Peterborough City Council (Unitary)	Peterborough City Council	Y	n/a	•Dry mixed recycling •Household •Garden •Food	Y Cambridgeshire and Peterborough Minerals and Waste Local Plan 2021-2036	•Councils are keen to support opportunities to contribute positively to the sustainable management of waste •The council express a vision to improve sus but do not have many plans for specific waste management solutions. •Where the need for additional capacity for the disposal of non-hazardous waste is demonstrated such capacity must be provided through extension to existing Non-Hazardous Waste andStable Non-Reactive Hazardous Waste(SNRHW)disposal sites	• https://eccandpcc.sharepoint.com/sites/PCCPlanningPolicyPublicData/Shared%20Documents/Fo%20rms/AllItems.aspx?id=%2Fsites%2FPCPlanningPolicyPublicData%2FShared%20Documents%2FPlanning%20Policy%2FAdopted%20Local%20Plan%2FMinerals%20and%20Waste%20Local%20Plan%2F1%29%20Minerals%20and%20Waste%20Local%20Plan%20Adopted%20July%202021%2Epdf&parent=%2Fsites%2FPCPlanningPolicyPublicData%2FShared%20Documents%2FPlanning%20Policy%2FAdopted%20Local%20Plan%2FMinerals%20and%20Waste%20Local%20Plan • https://www.peterborough.gov.uk/residents/rubbish-and-recycling/bin-waste-advice
Essex County Council	Basildon Borough Council	Y	n/a	•Dry mixed recycling excluding glass •Household •Garden and Food •Glass	Y Joint Municple Waste Management Strategy for Essex 2007-2032	Vision of the Essex Waste Partnership •To create, promote or support campaigns that avoid or reduces waste, improve or maximises recycling and composting and minimise the environmental impacts of managing, treating and disposing of waste in Essex	https://www.basildon.gov.uk/Rubbish
	Braintree District Council	Y	n/a	•Dry mixed recycling excluding Glass •Household •Garden •Food		•we propose to introduce new treatment plants using Mechanical Biological Treatment (MBT). MBT processes any 'black bag' waste and recovers further material for recycling. Part of the remaining material can either be manufactured into a fuel for energy production or can be sent to landfill. •This means regarding waste as a sustainable resource:- Recover - extract every bit of value from material destined for disposal. •An energy plant recovers power from solid recovered fuel. Any energy plant built in Essex will be technologically advanced, environmentally sound and will meet the highest standards of emission control.	https://www.loveessex.org/recycling-at-home/braintree/
	Brentwood Borough Council	Y	n/a	•Paper and Cardboard •Household •Garden •Food •Glass			https://www.brentwood.gov.uk/waste-and-recycling
	Castle Point Borough Council	Y	n/a	•Dry mixed recycling excluding Glass •Household •Garden •Food •Glass •Mixed textiles and clothes			https://www.castlepoint.gov.uk/refuse-collection/

	Chelmsford City Council	Y	n/a	<ul style="list-style-type: none"> •Tins,Glass and small electrical items •Household •Garden •Food •Cardboard •Mixed textiles and clothes •Paper •Plastics •Clothes and Shoes 		https://www.chelmsford.gov.uk/bins-and-recycling/
	Colchester Borough Council	Y	n/a	<ul style="list-style-type: none"> •Food •Paper and Card •Glass and Cans •Plastics •Clothes and Shoes •Household •Garden 		https://www.colchester.gov.uk/recycling-and-rubbish/
	Epping Forest District Council	Y	n/a	<ul style="list-style-type: none"> •Dry mixed recycling excluding Glass •Household •Garden and Food •Glass •Electrical items, batteries and textiles 		https://www.eppingforestdc.gov.uk/recycling-and-rubbish/
	Harlow Council	Y	n/a	<ul style="list-style-type: none"> •Dry mixed recycling •Household •Garden •Food 		https://www.harlow.gov.uk/bins-and-recycling
	Maldon District Council	Y	n/a	<ul style="list-style-type: none"> •Dry mixed recycling excluding Glass •Household •Glass •Food •Garden (Charged) •Textiles and Clothes 		https://www.maldon.gov.uk/info/20000/waste_and_recycling
	Rochford District Council	Y	n/a	<ul style="list-style-type: none"> •Dry mixed recycling •Household •Garden and Food •Textiles and Clothes 		https://www.rochford.gov.uk/environment/recycling/what-goes-where
	Tendring District Council	Y	n/a	<ul style="list-style-type: none"> •Plastic, Cans and Tins •Household •Paper and Card •Food •Garden (Charged) 		https://www.tendringdc.gov.uk/rubbish-and-recycling/new-waste-service
	Uttlesford District Council	Y	n/a	<ul style="list-style-type: none"> •Dry mixed recycling •Household •Food •Garden (Charged) 		https://www.uttlesford.gov.uk/article/5188/Household-waste-and-recycling

Hertfordshire County Council	Broxbourne Borough Council	Y	n/a	<ul style="list-style-type: none"> •Plastic, Cans and Tins •Household •Paper and Card •Food •Garden •Glass 	Y	<p><u>Hertfordshire Waste Development Framework</u> <u>Waste Core Strategy & Development Management 2012-2026</u></p> <p>https://www.hertfordshire.gov.uk/media-library/documents/environment-and-planning/planning/planning-in-hertfordshire/waste-local-plan/waste-core-strategy-and-development-management-policies-document.pdf</p>	<p>There is a need to promote residual waste facilities that complement the waste hierarchy and help secure self-sufficiency in landfill allowance.</p> <p>There is a range of existing and emerging technologies to treat residual waste by biological, mechanical and thermal means and the Waste Core Strategy and Development Management Policies document does not restrict any of these coming forward.</p> <p>The Hertfordshire Renewable and Low Carbon Energy Technical Study⁴⁶ also identifies energy recovery from waste as a means of contributing to reduced carbon emissions from Hertfordshire's built environment</p> <p>The 'Waste Strategy for England 2007' strongly supports energy from waste as being a key part of the waste management approach</p>	<p>https://www.broxbourne.gov.uk/downloads/download/6/a-z-of-recycling</p>
	Dacorum Borough Council	Y	n/a	<ul style="list-style-type: none"> •Dry mixed recycling •Household •Food •Garden 			<p>https://www.dacorum.gov.uk/home/environment-street-care/recycling-refuse-waste</p>	
	East Herts Council	Y	n/a	<ul style="list-style-type: none"> •Dry mixed recycling •Household •Food •Garden •Paper 			<p>https://www.eastherts.gov.uk/bins-waste-and-recycling/blue-recycling-bins</p>	
	Hertsmere Borough Council	Y	n/a	<ul style="list-style-type: none"> •Dry mixed recycling •Household •Garden and Food 			<p>https://www.hertsmere.gov.uk/Environment-Refuse-and-Recycling/Recycling--Waste/Bin-collections/What-goes-in/What-goes-in-my-bin.aspx</p>	
	North Hertfordshire District Council	Y	n/a	<ul style="list-style-type: none"> •Dry mixed recycling •Household •Food •Garden •Paper 			<p>https://www.north-herts.gov.uk/houses-what-goes-my-bins-0</p>	
	St Albans City and District Council	Y	n/a	<ul style="list-style-type: none"> •Dry mixed recycling •Household •Food •Garden (Charged) •Paper •Small electrical items, textiles and household batteries 			<p>https://www.stalbans.gov.uk/about-my-bins</p>	
	Stevenage Borough Council	Y	n/a	<ul style="list-style-type: none"> •Food and Garden •Glass •Paper and Cardboard •Plastic and Metal •Household 			<p>https://www.stevenage.gov.uk/waste-and-recycling/your-waste-bins-and-recycling-containers</p>	
	Three Rivers District Council	Y	n/a	<ul style="list-style-type: none"> •Food •Garden •Dry mixed recycling •Household 			<p>https://www.threerivers.gov.uk/service/waste-collection</p>	
	Watford Borough Council	Y	n/a	<ul style="list-style-type: none"> •Food •Garden •Dry mixed recycling •Household 			<p>https://www.watford.gov.uk/bins/using-bins</p>	
	Welwyn Hatfield Borough Council	Y	n/a	<ul style="list-style-type: none"> •Food •Garden •Dry mixed recycling •Household 			<p>https://www.welhat.gov.uk/rubbish-recycling/bin-use/4</p>	
Leicestershire County Council	Leicester City Council	Y/N	N	<ul style="list-style-type: none"> •Household •Dry mixed recycling •Garden (Charged) <p>There is no kerb-side collection of food waste however the waste contractor separates 20,000 tonnes of waste per year which is taken to an anaerobic digester.</p>	Y	<p><u>Draft Resources and Waste for Leicestershire 2022-2050</u></p> <p>https://www.leicestershire.gov.uk/sites/default/files/field/pdf/2022/1/27/summary-of-draft-resources-and-waste-strategy-2022-2050.pdf</p>	<p>Using waste as a resource can help to reduce the raw materials needed for producing new goods, which has environmental, social and financial benefits.</p> <p>The County Council, over the period of this draft Strategy (to 2050), are likely to procure further contracts for waste treatment capacity. The technologies and options available to utilise for residual waste treatment change over time, but they should be assessed in the light of the vision and objectives.</p> <p>The Partnership will implement and promote separate food waste collections to all households, subject to confirmation of Government policy, legislation and the provision of funding.</p>	<p>https://www.local.gov.uk/case-studies/anaerobic-digestion-reducing-landfill-waste</p> <p>https://www.local.gov.uk/case-studies/anaerobic-digestion-reducing-landfill-waste</p>
	Blaby District Council	N	N	<ul style="list-style-type: none"> •Household •Garden (Charged) •Dry mixed recycling 			<p>https://www.blaby.gov.uk/waste-and-recycling/household-waste/recycling-collections/</p>	
	Charnwood Borough Council	N	N	<ul style="list-style-type: none"> •Household •Garden (Charged) •Dry mixed recycling 			<p>https://www.charnwood.gov.uk/pages/what_can_and_cannot_be_recycled</p>	
	Harborough District Council	N	N	<ul style="list-style-type: none"> •Household •Garden (Charged) •Dry mixed recycling 			<p>https://www.harborough.gov.uk/info/20058/domestic_waste/418/bins_and_collections_informatio n/3</p>	
	Hinckley and Bosworth Borough Council	N	N	<ul style="list-style-type: none"> •Household •Garden •Dry mixed recycling •Textiles and Shoes 			<p>https://www.hinckley-bosworth.gov.uk/whatgoesinbins</p>	
	Melton Borough Council	N	N	<ul style="list-style-type: none"> •Household •Garden (Charged) •Dry mixed recycling 			<p>https://www.melton.gov.uk/waste-and-recycling/</p>	
	North West Leicestershire District Council	N	Y	<ul style="list-style-type: none"> •Household •Batteries and Mobile phones •Textiles •Paper •Garden •Cardboard •Plastics, Aluminium, Steel and Glass <p>Trial in place for 4,000 households</p>			<p>https://www.nwleics.gov.uk/pages/recycling_containers</p>	
	Oadby and Wigston Borough Council	N	N	<ul style="list-style-type: none"> •Household •Garden (Charged) •Dry mixed recycling 			<p>https://www.oadby-wigston.gov.uk/pages/recycling_collection</p>	

Lincolnshire County Council	Boston Borough Council	N	N	•Household •Dry mixed recycling •Paper and Cardboard •Garden (Charged)	Y Waste Strategy for Lincolnshire Lincolnshire Waste Partnership Adopted January 2019	To consider the introduction of separate food waste collections where technically, environmentally and economically practicable. reducing reliance on landfill, maximising opportunities for the re-use and recycling of waste, facilitating new technologies to maximise the renewable energy potential of waste as a resource, and promoting the use of carbon capture technology. All councils offer separate food waste collections. Promote the development of infrastructure for new and existing waste stream	https://www.mybostonuk.com/operations/
	East Lindsey District Council	N	N	•Dry mixed recycling excluding Glass •Household •Garden (Charged)	https://www.lincolnshire.gov.uk/downloads/file/1898/joint-municipal-waste-management-strategy-2019-pdf		https://www.e-lindsey.gov.uk/Waste
	City of Lincoln Council	N	N	•Dry mixed recycling excluding Glass •Household •Garden (Charged)			https://www.lincoln.gov.uk/downloads/file/442/domestic-refuse-recycling-and-composting-policy
	North Kesteven District Council	N	N	•Household •Dry mixed recycling •Paper and Cardboard •Garden (Charged)			https://www.n-kesteven.gov.uk/residents/waste-and-recycling/find-information-about-the-waste-service/what-goes-in-my-green-lidded-bin/
	South Holland District Council	N	N	•Household •Dry mixed recycling •Paper and Cardboard •Garden (Charged)			https://www.sholland.gov.uk/RecyclingGuide
	South Kesteven District Council	N	Y 1 year long trial is currently undergoing to be diverted to AD	•Household •Dry mixed recycling •Garden (Charged)			http://www.southkesteven.gov.uk/index.aspx?articleid=9021
	West Lindsey District Council	N	N	•Household •Dry mixed recycling •Garden (Charged) •NEW: paper and cardboard collection starting in March 2022			https://www.west-lindsey.gov.uk/my-services/refuse-and-recycling/waste-services-information/bi-guides/blue-bin-guide-and-information/
Luton Borough Council (Unitary)		N	Y/N A trial began in 2019 for the collection of food waste caddies however ended due to Covid-19. No plans are in place to restart the trial	•Household •Dry mixed recycling excluding Glass •Glass •Garden (Charged)	Y Minerals and Waste Local Plan: Strategic Sites and Policies 2014 https://www.centralbedfordshire.gov.uk/migrated_images/minerals-waste_tcm3-2120.pdf https://www.bedford.gov.uk/rubbish-recycling-and-waste/	The Vision for Waste by 2028 •Promote reduction of waste •To move away from dependence upon landfilling •To provide greater capacity for the recovery of materials and energy •Other recovery operations, such as those involving energy recovery, have an order of priority above Disposal and below Recycling.	https://m.luton.gov.uk/Page/Show/Environment/Rubbish_waste_and_recycling/Pages/Bin-collection.aspx
Norfolk County Council	Breckland District Council	N	N	•Household •Dry mixed recycling •Garden (Charged)	Y Norfolk Minerals and Waste Development Framework 2010-2026	In order to help drive the management of waste up the waste hierarchy, additional plants to recover value from waste will also be needed. Norfolk will be a leader in waste prevention and increasing the recycling of resources and recovery of energy from waste. Large and medium-sized facilities for minerals extraction and waste management will be preferentially located close to the Norwich Policy Area, Great Yarmouth urban area, King's Lynn or Thetford.	https://www.breckland.gov.uk/rubbish
	Broadland District Council	Y	n/a	•Household •Dry mixed recycling •Garden (Charged) •Food			https://www.southnorfolkandbroadland.gov.uk/rubbish-recycling
	Great Yarmouth Borough Council	N	N	•Household •Dry mixed recycling •Garden (Charged)	https://www.norfolk.gov.uk/what-we-do-and-how-we-work/policy-performance-and-partnerships/policies-and-strategies/minerals-and-waste-planning-policies/adopted-policy-documents		https://www.great-yarmouth.gov.uk/rubbish-and-recycling
	King's Lynn & West Norfolk Borough Council	Y	n/a	•Household •Dry mixed recycling •Garden (Charged) •Pre-organised clinical waste •Food			https://www.west-norfolk.gov.uk/info/20140/what_goes_in_each_bin
	North Norfolk District Council	N	N	•Household •Dry mixed recycling •Garden (Charged)			https://www.north-norfolk.gov.uk/tasks/environmental-services/renew-a-brown-garden-bin/
	Norwich City Council	Y	n/a	•Household •Dry mixed recycling •Garden (Charged) •Food			https://www.norwich.gov.uk/info/20001/bins_and_recycling
	South Norfolk District Council	N	N	•Household •Dry mixed recycling •Garden (Charged)			https://www.southnorfolkandbroadland.gov.uk/rubbish-recycling

West Northamptonshire Council		Y	n/a	•Household •Dry mixed recycling •Garden (Charged) •Food	Y Minerals and Waste Local Plan July 2017 https://www.northamptonshire.gov.uk/councilservices/environment-and-planning/planning-policy/minerals-and-waste-planning-policy/Pages/update-of-the-adopted-minerals-and-waste-local-plan.aspx	A sustainable waste management network requires both primary and advanced waste management facilities. This in turn should reflect both the catchment area and functional role. These should also go to locations where investment can be optimised and sustainable development can occur. More significant facilities for waste management should also seek to create higher value waste management related jobs at the respective facility	https://www.westnorthants.gov.uk/bins-recycling-and-street-cleaning
North Northamptonshire Council		Y	n/a	•Household •Dry mixed recycling •Garden •Food			https://www.northnorthants.gov.uk/bins-recycling-and-street-cleaning
Rutland County Council		N	N	•Household •Dry mixed recycling including batteries •Garden (Charged)	Y Waste Management and Streetscene Strategy 2020-2036 https://www.rutland.gov.uk/_resources/assets/attachment/full/0/97492.pdf	Our aims: where prevention, reuse or recycling are not possible, to maximise the recovery of energy and value from waste This strategy reflects the 'waste hierarchy', which defines how we should think about waste, by preventing items from becoming waste in the first place, where this is possible, and then viewing all waste that is created, as a resource.	https://www.rutland.gov.uk/my-services/waste-and-recycling/
Suffolk County Council	Babergh and Mid Suffolk District Council	N	Y/N Babergh District Council's Labour group launched a 'Keep Babergh Tidy' campaign which included a call on the council to introduce a food collection service.	•Household •Dry mixed recycling excluding Glass •Garden (Charged)	Y Suffolk Minerals & Waste Local Plan (SMWLP) - Adopted 9 July 2020	waste management sites will only be permitted in appropriate locations and will be required to be operated to high standards, so that they do not cause a significantly adverse impact upon the environment, landscape character, historic environment or local amenity or endanger human health. It will work proactively with applicants to find solutions which mean that proposals can be approved wherever possible, and to secure minerals and waste development that improves the economic, social and environmental conditions in the area.	https://www.midsuffolk.gov.uk/waste-services/
	East Suffolk Council	N	N	•Household •Dry mixed recycling excluding Glass •Garden (Charged)	https://www.suffolk.gov.uk/planning-waste-and-environment/minerals-and-waste-policy/suffolk-minerals-and-waste-development-scheme/		http://www.eastsuffolk.gov.uk/waste/waste-collection-and-disposal/bin-collection/
	Ipswich Borough Council	N	N	•Household •Dry mixed recycling excluding Glass •Garden			https://www.ipswich.gov.uk/yourbins
	West Suffolk Council	N	N	•Household •Dry mixed recycling •Garden (Charged)			https://www.westsuffolk.gov.uk/bins/index.cfm?aud=resident
Milton Keynes		Y	n/a	•Household •Dry mixed recycling excluding Glass •Glass •Garden and Food •Batteries	N The current plan is in place until 2026, there has been no development of the future plan as of yet.		https://www.milton-keynes.gov.uk/waste-recycling
Thurrock		Y	n/a	•Household •Dry mixed recycling •Garden and Food			
Southend on Sea		Y	n/a	•Household •Dry mixed recycling (plastics, glass, cans) •Food			
				•Paper •Textiles •Small electrical •Garden (charged separately)			

	Total WCAs	Total collecting food	% collecting food	
East of England	43	33	76.74418605	
East Midlands (in scope)	18	2	11.11111111	
	61	35	57.37704918	

This page is intentionally blank

