

From: [REDACTED]
To: [Medworth](#)
Subject: RE: Medworth Energy from Waste Combined Heat and Power Facility - Adequacy of Consultation Request Letter
Date: 18 July 2022 18:04:32
Attachments: [~WRD000.jpg](#)
[image007.png](#)
[image008.jpg](#)
[image009.png](#)
[image010.png](#)
[image011.png](#)
[image012.png](#)
[image013.png](#)

Alberto,

Thank you for your emails of 8 and 18 July 2022. As you can appreciate, there is a large amount of documentation to review. However, I can now confirm that I consider that adequate consultation was carried out by Medworth CHP Limited for their Medworth Energy from Waste Combined Heat and Power Facility project.

Roy

Roy Romans
Head of Client and Development Services
Place and Communities Directorate

Central Bedfordshire Council Priory House, Monks Walk, Chicksands, Shefford, Bedfordshire, SG17 5TQ

[REDACTED]

Find us online at www.centralbedfordshire.gov.uk, [REDACTED]

Central Bedfordshire - A great place to live and work

From: [REDACTED]
To: [Medworth](#)
Cc: [REDACTED]
Subject: Application by Medworth CHP Ltd - adequacy of consultation request
Date: 19 July 2022 12:18:44

Dear Tracey,

The Council does not have any comments in relation to Duty to Consult, beyond acknowledging that the Council's previous comments regarding the pre-app have been referred to within the documentation.

Kind Regards

Anita Taylor

Senior Minerals & Waste Planning Officer

Minerals & Waste – A shared service for Bedford Borough, Central Bedfordshire and Luton Borough Councils

Place and Communities Directorate

***Please Note I work Wednesday, Thursday, Friday**

I will be leaving the Authority on 5th August 2022. Please direct any emails thereafter to

[REDACTED]

Central Bedfordshire Council Priory House, Monks Walk, Chicksands, Shefford, Bedfordshire, SG17 5TG

[REDACTED]