


Medworth Energy from Waste Combined Heat and Power Facility



PINS ref. EN010110
Document Reference: Vol 6.4
Revision 2
August 2022



Environmental Statement Chapter 11 Biodiversity Appendix 11M Biodiversity Net Gain Assessment

Regulation reference: The Infrastructure
Planning (Applications: Prescribed Forms
and Procedure) Regulations 2009
Regulation 5(2)(a)

**We inspire
with energy.**



Executive Summary

Wood Group UK Limited has been commissioned by Medworth CHP Limited (the Applicant) to provide a biodiversity net gain (BNG) assessment for the development of an Energy from Waste Combined Heat and Power Facility at Wisbech, Cambridgeshire.

This report sets out the BNG assessment methods (using the Biodiversity Metric 3.0), the estimated BNG results calculated based on design information for the Proposed Development, and options to achieve BNG.

The calculated results are an early estimate of BNG for the Proposed Development as-designed, at the Development Consent Order submission stage. The BNG assessment would be refined and updated through detailed design and at the end of construction using as-built data of habitat clearance and landscaping.

The BNG assessment has included all land within the Order limits, and included no off-site habitat interventions. The post-intervention habitat creation and enhancement was based on the Outline Landscape and Ecology Strategy (OLES) for the Proposed Development. The OLES was designed to maximise the biodiversity benefit of the EfW CHP Facility Site while contributing to local strategic biodiversity objectives, while enhancement of third-party land within the Order limits is not expected to be feasible.

The results indicate that the Proposed Development as-designed would result in:

- An overall net loss of -9.98% in area-based habitat units, which equates to a loss of -3.63 units;
- A loss of -21.56% linear units, which equates to a loss of -1.02 linear units; and
- A loss of -11.85% in river units, which equates to a loss of -0.21 units.

In addition, the results fail 'trading rules' for the Medium distinctiveness habitats especially for scrub.

Additional off-site habitat intervention is therefore expected to be required to deliver BNG for the Proposed Development, but the mechanism for delivering this is yet to be defined. BNG modelling was therefore undertaken to identify potential habitat changes that could be undertaken off-site (in addition to those included on-site within the Order limits for the Proposed Development as-designed), to achieve an increase in area-based, linear and river biodiversity units while satisfying the trading rules.



Contents

Executive Summary	1
1. Introduction	4
1.1 Background	4
1.3 Description of the Proposed Development	6
1.4 Ecological context	7
1.5 Policy context of Biodiversity Net Gain	7
1.6 Purpose of this report	8
2. Methodology	10
2.1 Biodiversity Metric 3.0	10
2.2 Baseline	12
Data collection and mapping	12
Translation of habitat types for use in Biodiversity Metric 3.0	13
Measures of habitat quality	13
Unit modifiers	16
Data entry and calculation of baseline biodiversity units	17
Constraints and assumptions	17
2.3 Impacts and post-intervention	18
Impacts	18
Post-intervention	19
Constraints and assumptions	25
3. Results	26
3.1 Baseline	26
Area-based unit baseline	26
Linear unit baseline	31
River unit baseline	33
3.2 Impacts and post-intervention	35
Impacts	35
Post-intervention	47
3.3 BNG modelling	56
Area-based unit modelling	56
Linear unit modelling	56
River unit modelling	57
4. Options for delivering BNG	58
4.1 Post-intervention on-site habitats	58
4.2 Next steps and recommendations	58
Annex A – Habitat condition assessments	1



Annex B – Biodiversity Metric 3.0 Calculation Tool

1

Table 2.1	Site habitat baseline for Proposed Development	18
Table 2.2	Metric 3.0: habitat distinctiveness trading rules ¹	20
Table 2.3	Risk multipliers in Biodiversity Metric 3.0 ¹	23
Table 3.1	Area-based unit baseline	27
Table 3.2	Linear unit baseline	32
Table 3.3	River unit baseline	34



1. Introduction

1.1 Background

- 1.1.1 Medworth CHP Limited (the Applicant) is applying to the Secretary of State for a Development Consent Order (DCO) to construct, operate and maintain an Energy from Waste (EfW) Combined Heat and Power (CHP) Facility on the industrial estate, Algores Way, Wisbech, Cambridgeshire. Together with associated Grid Connection, CHP Connection, Water Connections, and Temporary Construction Compound (TCC), these works are the Proposed Development.
- 1.1.2 The Proposed Development would recover useful energy in the form of electricity and steam from over half a million tonnes of non-recyclable (residual), non-hazardous municipal, commercial and industrial waste each year. The Proposed Development would have a generating capacity of over 50 megawatts and the electricity would be exported to the grid. The Proposed Development would also have the capability to export steam and electricity to users on the surrounding industrial estate.
- 1.1.3 The Proposed Development is a Nationally Significant Infrastructure Project (NSIP) under Part 3 Section 14 of the Planning Act 2008 (2008 Act) by virtue of the fact that the generating station is located in England and has a generating capacity of over 50 megawatts (section 15(2) of the 2008 Act). It requires an application for a DCO to be submitted to the Planning Inspectorate (PINS) under the 2008 Act. PINS will examine the application for the Proposed Development and make a recommendation to the Secretary of State (SoS) for Business, Energy and Industrial Strategy (BEIS) to grant or refuse consent. On receipt of the report and recommendation from PINS, the SoS will then make the final decision on whether to grant the Medworth EfW CHP Facility DCO.
- 1.1.4 The Applicant has provided a Biodiversity Net Gain assessment for the Proposed Development as part of the DCO submission, which is set out in this report. Biodiversity Net Gain is an approach for a development to achieve measurable net gains in biodiversity. It follows the 'mitigation hierarchy' process of first avoiding and minimising biodiversity loss and providing positive habitat intervention. This results in a net improvement to biodiversity. Biodiversity Net Gain is measured using a biodiversity metric, which in England is the Biodiversity Metric published by Natural England. This measures the net gains in 'biodiversity units' which are the 'currency' of the metric¹.

1.2 The Applicant and the project team

- 1.2.1 The Applicant is a wholly owned subsidiary of MVV Environment Limited (MVV). MVV is part of the MVV Energie AG group of companies. MVV Energie AG is one of Germany's leading energy companies, employing approx. 6,500 people with

¹ Natural England (2021). Biodiversity Metric 3.0, Auditing and accounting for biodiversity: user guide. Natural England Joint Publication JP039.



assets of around €5 billion and annual sales of around €4.1 billion. The Proposed Development represents an investment of approximately £450m.

- 1.2.2 The company has over 50 years' experience in constructing, operating, and maintaining EfW CHP facilities in Germany and the UK. MVV Energie's portfolio includes a 700,000 tonnes per annum residual EfW CHP facility in Mannheim, Germany.
- 1.2.3 MVV Energie has a growth strategy to be carbon neutral by 2040 and thereafter carbon negative, i.e., climate positive. Specifically, MVV Energie intends to:
- reduce its direct carbon dioxide (CO₂) emissions by over 80% by 2030 compared to 2018;
 - reduce its indirect CO₂ emissions by 82% compared to 2018;
 - be climate neutral by 2040; and
 - be climate positive from 2040.
- 1.2.4 MVV's UK business retains the overall group ethos of 'belonging' to the communities it serves whilst benefitting from over 50 years' experience gained by its German sister companies.
- 1.2.5 MVV's largest project in the UK is the Devonport EfW CHP Facility in Plymouth. Since 2015, this modern and efficient facility has been using around 265,000 tonnes of municipal, commercial and industrial residual waste per year to generate electricity and heat, notably for Her Majesty's Naval Base Devonport in Plymouth, and exporting electricity to the grid.
- 1.2.6 In Dundee, MVV has taken over the existing Baldovie EfW Facility and has developed a new, modern facility alongside the existing facility. Operating from 2021, it uses up to 220,000 tonnes of municipal, commercial and industrial waste each year as fuel for the generation of usable energy.
- 1.2.7 Biomass is another key focus of MVV's activities in the UK market. The biomass power plant at Ridham Dock, Kent, uses up to 195,000 tonnes of waste and non-recyclable wood per year to generate green electricity and is capable of exporting heat.
- 1.2.8 To prepare the Environmental Statement (ES) for the Proposed Development, the Applicant has engaged Wood Group UK Limited (Wood). Wood is registered with the Institute of Environmental Management and Assessment (IEMA)'s Environmental Impact Assessment (EIA) Quality Mark scheme. The scheme allows organisations that lead the co-ordination of EIAs in the UK to make a commitment to excellence in their EIA activities and have this commitment independently reviewed.
- 1.2.9 The Biodiversity Net Gain assessment of the Proposed Development has been led by Dr Julia Baker MCIEEM (Biodiversity Net Gain Technical Director) and Mark Wilkinson MCIEEM (Ecology Associate Director) with baseline data collection and technical work by Will Horlock (Consultant Ecologist). The team has extensive experience of delivering Biodiversity Net Gain assessments.



1.3 Description of the Proposed Development

1.3.1 The Order limits² (see **Environmental Statement Figure 1.1 (Volume 6.3)**) are the boundary of the Proposed Development used within this BNG assessment.

1.3.2 A summary description of each Proposed Development element is provided below. A more detailed description is provided in **ES Chapter 3: Description of the Proposed Development (Volume 6.2)** of the ES. A list of terms and abbreviations can be found in **Chapter 1 Introduction, Appendix 1F Terms and Abbreviations:**

- **EfW CHP Facility Site:** A site of approximately 5.3ha located south-west of Wisbech, located within the administrative areas of Fenland District Council and Cambridgeshire County Council. The main buildings of the EfW CHP Facility would be located in the area to the north of the Hundred of Wisbech Internal Drainage Board (HWIDB) drain bisecting the site and would house many development elements including the tipping hall, waste bunkers, boiler house, turbine hall, air cooled condenser, air pollution control building, chimneys and administration building. The gatehouse, weighbridges, 132kV switching compound and laydown maintenance area would be located in the southern section of the EfW CHP Facility Site.
- **CHP Connection:** The EfW CHP Facility would be designed to allow the export of steam and electricity from the facility to surrounding business users via dedicated pipelines and private wire cables located along the disused March to Wisbech railway. The pipeline and cables would be located on a raised, steel structure.
- **TCC:** Located adjacent to east of the EfW CHP Facility Site, the compound would be used to support the construction of the Proposed Development. The compound would be in place for the duration of construction.
- **Access Improvements:** Includes access improvements on New Bridge Lane (road widening and site access) and Algores Way (relocation of site access 20m to the south).
- **Water Connections:** A new water main connecting the EfW CHP Facility into the local network will run underground from the EfW CHP Facility Site along New Bridge Lane before crossing underneath the A47 (open cut trenching or horizontal directional drilling (HDD)) to join an existing Anglian Water main. An additional foul sewer connection is required to an existing pumping station operated by Anglian Water located to the northeast of the Algores Way site entrance and into the EfW CHP Facility Site.
- **Grid Connection:** This comprises a 132kV electrical connection using underground cables. The Grid Connection route begins at the 132kV switching compound in the EfW CHP Facility Site and runs underneath New Bridge Lane, before heading north within the verge of the A47 to the Walsoken Substation on Broadend Road. From this point the cable would be connected underground to the Walsoken DNO Substation.

² The 'Order limits' encompasses the proposed limits of deviation within which the Proposed Development would be carried out.



1.4 Ecological context

- 1.4.1 An ecological desk study, baseline habitat and species surveys, and an Ecological Impact Assessment (EclA) have been undertaken to inform the Proposed Development. The methodology and results of the EclA are presented **Chapter 11: Biodiversity (Volume 6.2)** and baseline surveys in the accompanying **Appendices 11D-L (Volume 6.4)**. The results of the baseline surveys have been used to inform this BNG assessment of the Proposed Development and should be read in conjunction with this report.
- 1.4.2 The Proposed Development is located at the southern edge of Wisbech, with the surrounding land use consisting predominantly of industrial, urban/residential, and mixed agriculture. There are no statutory or non-statutory designated biodiversity sites within the Order limits. Habitat within the EfW CHP Facility Site consists largely of existing commercial development and bare ground, and is bisected by a wet ditch, and bounded in part by ditches, hedgerow, treelines and scrub. Habitat on the TCC is dominated by grassland and occasional stands of scrub. The CHP Connection is dominated by scrub habitat, with smaller areas of habitat including grassland and plantation woodland. The Access Improvements, Water Connections and Grid Connection are largely restricted to existing hardstanding roads and immediately adjoining verges, with small areas of adjacent habitat including ditches, grassland and commercial orchard.

1.5 Policy context of Biodiversity Net Gain

- 1.5.1 The Overarching National Policy Statement (NPS) for Energy EN-1 was adopted in 2011 and it does not make explicit reference to BNG. Similarly, NPS EN-3 Renewable Energy and EN-5 Electricity Networks, which were also adopted at the same time, do not make reference to biodiversity net gain.
- 1.5.2 In September 2021 government published the Draft NPS EN-1 for consultation. Section 4.5 Environmental and Biodiversity Net Gain sets out the government's draft policy as it applies to NSIPs. It notes that delivery is not an obligation but that projects should seek opportunities to contribute to and enhance the natural environment by providing net gains for biodiversity where possible.
- 1.5.3 Government also issued a Draft NPS EN-3 and EN-5 in September 2021. The no explicit reference is made to BNG in the context of waste combustion. Advice on the specific opportunities provided by linear electricity networks infrastructure is provided in section 2.8 of Draft NPS EN-5.
- 1.5.4 The National Planning Policy Framework for England can be a material consideration to the assessment of the DCO application. It makes clear that development should achieve Biodiversity Net Gain ("BNG"). The Framework states in section 15, paragraph 174 (d) that development should contribute to enhancing the natural environment by 'minimising impacts on and providing net gains for biodiversity, including by establishing coherent ecological networks that are more resilient to current and future pressures'.
- 1.5.5 The Environment Act 2021 will mandate development projects under the Town and Country Planning Act 1990 to achieve BNG. This is expected to come into force in



2023. The Act also introduces mandatory BNG for NSIPs, and this is expected to come into force in 2025.

- 1.5.6 Mandatory BNG will be measured by the biodiversity metric published by the Secretary of State, which is expected to be a revision of the current Biodiversity Metric V3.1 published by Natural England³. Mandatory BNG is defined in numerical terms as a minimum 10% increase in each of the three types of habitat within the biodiversity metric: area-based habitat units; linear units; and, river units.
- 1.5.7 Biodiversity Metric V3.1 was published in April 2022 as an update to previous metrics. The first was introduced by Defra as a “Biodiversity Offsetting Metric” in 2012 as part of its pilot on biodiversity offsetting⁴. This metric has since been expanded and improved by Natural England and is now published as the Biodiversity Metric V3.1³.
- 1.5.8 With regards to the differences between V3.1 and V3.0, the accompanying Summary of Changes document⁵ states that “*Metric 3.1 represents a relatively small-scale change from version 3.0, primarily focusing on clarifications to guidance and revisions to the condition assessments. Except for a very small number of select habitats, the metric 3.1 update is unlikely to have a significant impact on the range of overall outputs generated*”. For consistency, Natural England advises that “*Users of the previous Biodiversity Metric 3.0 should continue to use that metric ... for the duration of the project it is being used for*”⁶, and the BNG assessment presented within this report was based on V3.0 on this basis (see **Section 2.1**).
- 1.5.9 In 2016, leading professional environmental institutes within the UK published Good Practice Principles for the assessment and delivery of BNG⁷. These ten principles are to be applied as a whole set of principles, and were published with the aim to provide a framework for developers to design and deliver BNG based on good practice.

1.6 Purpose of this report

- 1.6.1 This report presents the BNG assessment undertaken of the Proposed Development using Biodiversity Metric 3.0 and the accompanying Biodiversity Metric 3.0 Calculation Tool⁸. It provides an overview of the Proposed Development’s ecological context (**Section 1**); the approach and methodology used for the BNG assessment (**Section 2**); presents the results of the BNG assessment for the Proposed Development ‘as designed’ and the modelling of scenarios for providing the intended level of BNG (**Section 3**); it provides recommendations on the next steps and mechanisms for delivering BNG (**Section 4**).

³ Natural England (2022). The Biodiversity Metric 3.1: Auditing and accounting for biodiversity; Calculation Tool.

⁴ Defra (2012). Biodiversity Offsetting Pilots; Technical Paper: the metric for the biodiversity offsetting pilot in England. (online).

⁵ Natural England (2022). The Biodiversity Metric 3.1: Auditing and accounting for biodiversity; Summary of Changes from Biodiversity Metric 3.0 to Version 3.1. Natural England Joint Publication JP039.

⁶ Natural England Biodiversity Metric 3.1 homepage. (online).

⁷ Baker, J. (2016). Biodiversity net gain good practice principles for development. CIEEM, IEMA, CIRIA, UK.

⁸ Natural England (2021). The Biodiversity Metric 3.0: Auditing and accounting for biodiversity; Calculation Tool.



The report is set out in terms of:

- **Baseline:** Describing the baseline of habitat within the Order limits prior to the Proposed Development (including the types, quality and quantities of habitats present, and how many biodiversity units they generate).
- **Impacts:** The impact against the baseline due to construction of the Proposed Development and other associated activities (including the types, quality and quantities of habitats lost, retained or enhanced, and the associated deficit in biodiversity units); and
- **Post-intervention:** Describing the proposed habitat enhancement/restoration and creation that would contribute to providing BNG following completion of the Proposed Development (including the types, quality and quantities of habitat gained through enhancement/restoration and creation, and the net change in biodiversity units compared to the baseline).



2. Methodology

2.1 Biodiversity Metric 3.0

- 2.1.1 The Biodiversity Metric 3.0 was developed by Natural England and published in July 2021. It is a tool to measure and account for habitat loss and gain resulting from development, and to demonstrate the achievement of BNG. As outlined in **Section 1.5**, V3.0 was superseded by V3.1 in April 2022, however since BNG data collection commenced in 2021 based on the habitat condition assessments from V3.0, this BNG assessment continued to use V3.0. Application of Biodiversity Metric 3.0 for this assessment followed guidance within the Natural England user guide¹ technical supplement⁹.
- 2.1.2 The biodiversity metric is based on habitat data: the extent of habitat (measured in hectares (ha) or kilometres (km) depending on whether the habitat is linear or not), and key measures of habitat quality including how distinctive it is (i.e., its complexity, rarity, diversity etc.), its condition (with regards to nature conservation) and its strategic location with respect to conservation priorities (its 'strategic significance'). These elements are scored within the biodiversity metric to generate "biodiversity units" at the baseline stage (before development commences) and post-intervention stage (after a development is complete) and apply to on-site and off-site habitats.
- 2.1.3 Measures of habitat quality including distinctiveness, habitat condition and strategic significance (see subsequent sections) are each positively correlated to the number of biodiversity units yielded for a given habitat parcel. Additional unit modifiers apply to river habitats including the level of encroachment within the riparian zone for rivers, and within the watercourse for all river habitats, at the baseline and post-intervention stages.
- 2.1.4 The biodiversity metric compares the biodiversity units from the baseline and post-intervention stages to determine the percentage net change, which accounts for direct losses of habitat for a development, and the gains from proposed habitat enhancement/restoration and/or creation.
- 2.1.5 The biodiversity value of the gains is refined based on risk multipliers that account for the difficulty of habitat creation (e.g., creating a semi-improved grassland can be of a lower risk than creating an active raised bog), the time it takes for a habitat to reach target condition from the date of habitat clearance, and the location of delivery when off-site within an ecological network.
- 2.1.6 The calculation of biodiversity units (including losses/gains) for the Proposed Development was undertaken using the Biodiversity Metric 3.0 Calculation Tool⁸ and associated guidance¹⁰, which deals with three types of biodiversity units separately:

⁹ Natural England (2021). The Biodiversity Metric 3.0: auditing and accounting for biodiversity; Technical Supplement. Natural England Joint Publication JP039.

¹⁰ Natural England (2021). The Biodiversity Metric 3.0: auditing and accounting for biodiversity; Calculation Tool: Short Guide. Natural England Joint Publication JP039.



- **Area-based units** (Section A of Biodiversity Metric 3.0): the subsection of area-based terrestrial and aquatic habitat types above the mean-water mark (measured in ha) within the Biodiversity Metric 3.0, including, for example, grassland, woodland, lakes and ponds, cropland and urban habitats amongst others;
- **Linear units** (Section B of Biodiversity Metric 3.0): the subsection of linear terrestrial habitats (measured in km) within the Biodiversity Metric 3.0, that comprise lines of tree and hedgerow habitats; and
- **River units** (Section C of Biodiversity Metric 3.0): the subsection of linear aquatic habitats (measured in km) within the Biodiversity Metric 3.0, including main rivers, other rivers and streams, canals, ditches and culverts.

2.1.7 An important rule of the Biodiversity Metric 3.0 is that the three types of biodiversity units described above (area-based/linear/river) are unique and cannot be summed, traded or converted. When reporting biodiversity gains or losses, the three different biodiversity unit types must be reported separately and not summed to give an overall biodiversity unit value. Each habitat type must independently attain the percentage biodiversity gain required.

2.1.8 The Biodiversity Metric 3.0 is applied according to a set of principles that include:

- Adherence to the mitigation hierarchy (i.e., avoid, mitigate, compensate, and, as a last resort, offset residual biodiversity loss).
- The exclusion of statutory designated sites and irreplaceable habitats (such as ancient woodland) from BNG calculations (highlighting the critical importance of avoiding negative impacts). It also accounts for the conservation works of designated sites (usually being secured through a management agreement).
- Achieving net gains through the “like for like or better” principal such as removal of woodland requires replacement of woodland habitat, as opposed to replacement with grassland or other habitats).

2.1.9 When the Government introduces mandatory BNG, the expectation is that a market will emerge for developers to purchase off-site biodiversity units. For example, when BNG measures within a development boundary are insufficient to achieve the minimum increase, developers could purchase units provided by others in a financial transaction so long as these units adhere to the mandatory requirements of the biodiversity metric. In England, it is understood that these units would be registered by Natural England and require monitoring and suitable methods of securing their management for an agreed timescale for the future.

2.1.10 Where BNG is provided as part of a development, there is an expectation that this would be maintained for a minimum of 30-years (i.e., managed to maintain the type, extent and quality/condition of habitats included within the BNG provision).



2.2 Baseline

Data collection and mapping

- 2.2.1 BNG baseline data collection was based on an ecological desk study and extended Phase 1 habitat survey of land within the Order limits of the Proposed Development, undertaken during 2020/21. The survey methodology followed the standard Phase 1 habitat survey guidelines¹¹ to record and map, and the detailed methodology and timing is provided in **Appendix 11.D Ecological Desk Study and Extended Phase 1 Habitat Survey (Volume 6.4)**.
- 2.2.2 It is noted that the BNG baseline comprised all land within Order limits.
- 2.2.3 During the Phase 1 habitat survey, all distinct habitats within the Order limits were identified and mapped digitally during fieldwork using the ArcGIS Collector app on a tablet computer. The tablet computer's GPS function and aerial imagery in the Collector app were used to spatially identify and record the boundaries of each habitat parcel. Additional information on the habitats was recorded as target notes where relevant. An individual habitat parcel was recorded for each discrete block of a given habitat type in a given condition. Where habitat composition or condition varied appreciably, the variation was mapped as different habitat parcels.
- 2.2.4 Field data was transferred from the ArcGIS Collector app to ArcGIS ArcMap version 10.8.1 on a desk top computer, to undergo a process of data quality assurance and refinement of geospatial accuracy against the inbuilt Ordnance Survey base map and aerial imagery.
- 2.2.5 The measurements of area and length attained for the baseline data were measured automatically by ArcMap, from the associated polygon and linear features mapped within the GIS system. Biodiversity Metric 3.0 does not specify a Minimum Mappable Unit (MMU) but recommends that a proportionate approach should be taken to avoid recording large areas that are likely to vary in terms of habitat condition as one habitat parcel, and avoid recording insignificant areas of habitat which cover less than 1m² (0.0001ha)¹. Therefore, an MMU was set at 25m² for area-based habitats and 1m for linear habitats¹², and baseline data was measured and entered into the Biodiversity Metric 3.0 Calculation Tool at an accuracy of three decimal places to capture the chosen MMU.
- 2.2.6 As individual trees are classed as area-based habitats within Biodiversity Metric 3.0, the 'urban tree helper' within the calculation tool was used to determine the habitat area of each tree to enable entry into the metric.
- 2.2.7 All baseline habitat data included within the BNG assessment is for on-site habitats (i.e., within the Order limits); no off-site habitat baseline was included in the BNG assessment.

¹¹ Joint Nature Conservation Committee (JNCC) (2010). Handbook for Phase 1 Habitat Survey: a Technique for Environmental Audit. JNCC; Peterborough, UK.

¹² This reflects that the Access Improvements associated with the Proposed Development would affect short sections of linear watercourse habitat in places due to extending existing culverts.



Translation of habitat types for use in Biodiversity Metric 3.0

2.2.8 Biodiversity Metric 3.0 and the associated calculation tool operate using a specific list of habitat types, which is most closely aligned with Level 4 in the UK Habitat Classification system (UKHab). The baseline habitat survey data was collected and classified using the Phase 1 habitat survey methodology, therefore it was necessary to translate the Phase 1 habitat types into UKHab habitat types for use in Biodiversity Metric 3.0. This translation was carried out using professional judgement, using as references the Phase1/UKHab translation tool provided under the Technical Data tab within the Biodiversity Metric 3.0 Calculation Tool, as well as the Habitat Definitions tab within the Biodiversity Metric 3.0 Condition Assessment Sheets¹³.

Measures of habitat quality

2.2.9 Biodiversity Metric 3.0 uses key measures of habitat quality to adjust the baseline biodiversity units proportionate with the quality of each habitat parcel. Some of these measures are user-defined (based on data, assessment and professional judgement), while others are preassigned by the biodiversity metric (with rationale defined in the guidance^{1,9}). The methodology used in applying these measures to the baseline habitat data is described in the following sections.

Habitat distinctiveness

2.2.10 Each Biodiversity Metric 3.0 habitat type is pre-assigned a distinctiveness band which is a measure of habitat quality, relating to the distinguishing features of a habitat type such as rarity, conservation status and species assemblage. Habitat distinctiveness was preassigned by Biodiversity Metric 3.0 based on habitat type.

2.2.11 Very high distinctiveness habitat types require bespoke assessment and compensation required as no losses are permitted within Biodiversity Metric 3.0.

Habitat condition

2.2.12 The condition assessment of the habitat parcels was undertaken using the Biodiversity Metric 3.0 Condition Assessment Sheets¹³, following the guidance in the introductory section of the condition assessment sheets and the supporting technical supplement⁹.

2.2.13 The Biodiversity Metric 3.0 Condition Assessment Sheets provide a structured condition assessment process for each broad habitat type within the biodiversity metric. For a given habitat type, the condition assessment sheets include a range of criteria relating to the overall “*biological working order of a habitat type, judged against the perceived ecological optimum state*”⁹. This habitat condition assessment applies to variation in quality within each habitat type, rather than between habitat types.

¹³ Natural England (2021). The Biodiversity Metric 3.0: auditing and accounting for biodiversity; Condition assessment sheets (Excel format).



- 2.2.14 For a given habitat parcel/type, each criterion assessed as part of the condition assessment was scored on a 'pass' or 'fail' basis¹⁴, with the overall level of habitat condition determined as poor, moderate or good based on the number of criteria which are passed (or as fairly poor or fairly good in exceptional circumstances where the assessed level of condition does not fit poor/moderate/good)¹³. Habitat condition assessments for certain habitat types include non-negotiable criteria, which must be passed to achieve good condition.
- 2.2.15 Biodiversity Metric 3.0 does not require a condition assessment for certain broad habitat types, for which a condition score is pre-assigned in the biodiversity metric. These tend to be habitats that are intensively managed (e.g., croplands) or artificial (e.g., green roof).
- 2.2.16 Following this process, the condition assessment sheets were used to determine the habitat condition of each habitat parcel of relevant habitat types recorded in the baseline, within the Order limits. Information relevant to each criterion was recorded during baseline data collection field surveys supported by additional field surveys during the period September to October 2021 to collect further detailed information where necessary. A justification of the outcome was recorded for each criterion assessed. The overall habitat condition was calculated post-survey, along with a process of quality assurance.

Strategic significance

- 2.2.17 In broad terms, strategic significance recognises 'the right habitat type in the right place'. The highest score relates to the spatial location of each habitat parcel (in landscape terms) with respect to formally identified local and regional priorities for targeting biodiversity conservation and enhancement. Local and regional priorities usually relate to strategically protecting, enhancing, expanding and connecting existing habitats, green infrastructure and other biodiversity resources, and are published in various documents including local Biodiversity Action Plans, local plans, biodiversity opportunity areas, conservation target areas and so on.
- 2.2.18 The medium score of strategic significance is when the location of a habitat is not identified within a local or regional conservation plan, although has significant ecological value such as providing a critical ecological function e.g., buffering habitat, connecting habitat, stepping stones etc.
- 2.2.19 For habitats within a development site, the level of strategic significance may vary within the site depending on the formally mapped location of conservation priorities and the ecological functions of the habitats.
- 2.2.20 The Environment Act will require Local Nature Recovery Strategies to be provided for all areas of England, which will help identify the strategic significance of each area. However, as these are not yet available, justification is based on available published local strategies and objectives.

¹⁴ The condition assessments for woodland and intertidal habitats are an exception to this approach, where individual criterion are scored points 1=poor, 2=moderate or 3=good, with the scores summed and compared against score thresholds to determine the overall habitat condition.



Environmental Statement Chapter 11 Biodiversity Appendix 11M Biodiversity Net Gain Assessment

- 2.2.22 Within Biodiversity Metric 3.0 one of the following significance levels¹ are attributed to each habitat parcel for area-base and linear habitats:
- High significance – high potential; location/action formally identified in local strategy, plan or policy.
 - Medium significance – good potential; location is ecologically desirable but not in local strategy, plan or policy.
 - Low significance – low potential; not identified in a local strategy, plan or policy.
- 2.2.23 River habitats are assigned either high or low strategic significance in Biodiversity Metric 3.0 based the following:
- High significance – Delivery of river restoration actions within a Local Plan, River Basin Management Plan, Catchment Plans, Catchment Planning System, or Priority Habitats for Restoration.
 - Low significance – Low potential; action not identified in any plan.
- 2.2.24 A desk study exercise was undertaken in July 2022 to determine the level of strategic significance of each habitat parcel within the Order limits, for the baseline and post-intervention stages. The following sources were reviewed:
- **Cambridgeshire Green Infrastructure Strategy¹⁵ and accompanying appendices¹⁶:** The Proposed Development is located with the broad green infrastructure area of Strategic Area 1: River Nene, within the Target Area for Wisbech. However, biodiversity is not listed as a green infrastructure theme for this target area, and the accompanying mapping shows no strategic green infrastructure assets or opportunity areas relevant to biodiversity in the vicinity of the Proposed Development.
 - **Fenland Local Plan adopted 2014¹⁷/ Fenland Local Plan Policies Map 2014¹⁸:** Fenland Local Plan includes policy relating to biodiversity conservation and enhancement, but the Proposed Development does not fall within any relevant areas included on the associated policies maps.
 - **West Norfolk Ecological Network Mapping Project report¹⁹ and map²⁰:** Identifies that parts of the Grid Connection fall within Orchard Core Area and Wetland Habitat Enhancement Zone. However, the habitat types present within the Order limits in these areas do not relate to these categories.

¹⁵ Cambridgeshire County Council (2011). Cambridgeshire Green Infrastructure Strategy. (online) Available at: <https://www.cambridge.gov.uk/media/2557/green-infrastructure-strategy.pdf> (Accessed 01/07/2022).

¹⁶ Cambridgeshire County Council (2011). Cambridgeshire Green Infrastructure Strategy - Appendices. (online) Available at: <https://www.cambridge.gov.uk/media/2558/green-infrastructure-strategy-appendices.pdf> (Accessed 01/07/2022)

¹⁷ Fenland District Council (2014). Fenland Local Plan. (online) Available at: https://www.fenland.gov.uk/media/10010/Fenland-Local-Plan-May-2014/pdf/Fenland_Local_Plan1.pdf?m=637261883246530000 (Accessed 01/07/2022).

¹⁸ Fenland District Council (2014). Fenland Local Plan Policies Map. (online) Available at: https://www.fenland.gov.uk/media/12294/Fenland-Local-Plan-2014-Policies-Map/pdf/PoliciesMap_A0_Adopted_New.pdf?m=637261874268430000 (Accessed 01/07/2022).

¹⁹ Ecological Network Topic Group (2007). West Norfolk District Ecological Network Mapping. (online) Available at: [\[REDACTED\]](#) Accessed 01/07/2022).

²⁰ West Norfolk Ecological Network Map. (online) Available at: https://www.west-norfolk.gov.uk/download/downloads/id/58/west_norfolk_ecological_network_map.pdf (Accessed 01/07/2022).



- **Norfolk Green Infrastructure Mapping Project report²¹ and ecological network maps²²**: A series of ecological network maps (including separate network maps for grassland and heathland, woodland and wetland habitat, and broad ecological corridors) to inform the Local Plans of the Local Planning Authorities in the county. The mapping resolution is coarse and of limited value in identifying detailed locations of green infrastructure assets in the vicinity of the Proposed Development and does not identify any obvious features of relevance.

2.2.25 The desk study sources reviewed did not identify baseline habitat parcels in any strategically significant locations identified within a local plan, strategy or policy, therefore all parcels were assigned low significance.

Unit modifiers

2.2.26 Biodiversity Metric 3.0 applies additional unit modifiers to river habitats (before and after works) to account for levels of riparian zone and watercourse encroachment existing before and then by a development, reducing biodiversity units based on the level of encroachment.

2.2.27 In Metric 3.0, the riparian zone is defined as a 10m zone from the top of a riverbank. In accordance with the Natural England approach for Biodiversity Metric 3.0, a riparian zone is the interface between land and rivers/streams and so is only associated with rivers or streams in the metric (and not ditches from man-made drainage systems or canals). The riparian zone encroachment unit modifier accounts for the level of reduction in quality or quantity of riparian habitat, and the use of available habitat that forms a specific ecological function for riparian or aquatic species. The level of encroachment is identified on a scale of 'no encroachment/minor/moderate/major' based on criteria set out in the Biodiversity Metric 3.0 user guide¹.

2.2.28 The watercourse encroachment unit modifier accounts for interventions that adversely affect a watercourse in terms of hydrological or geomorphological processes, which result in localised changes in habitat, species and the use of migratory pathways. The level of encroachment is identified on a scale of 'no encroachment/minor/major' based on criteria set out in the Biodiversity Metric 3.0 user guide¹. This unit modifier does not apply to existing culverts within the baseline and, for this assessment, would be considered applicable to the post-intervention stage where proposed culverts would influence the watercourse upon creation in order to represent worst-case impacts.

2.2.29 The riparian zone and watercourse unit modifiers were applied to each baseline river habitat parcel, with the level of encroachment identified from habitat data collected during surveys of watercourse habitat (namely the Phase 1 habitat survey, water vole surveys, **Appendices 11D and 11-I (Volume 6.4)** respectively) and identified in line with the criteria set out in the user guide¹.

²¹ Norfolk County Council (2018). Norfolk Green Infrastructure Mapping Project Report. Report No: R/100/002.

²² Norfolk County Council (2018). Norfolk Green Infrastructure Mapping Project Report; Ecological Network and Opportunity Maps. (online) Available at: [REDACTED] (Accessed 01/07/2022).



Data entry and calculation of baseline biodiversity units

- 2.2.30 To prepare the baseline data for entry into the Biodiversity Metric 3.0 Calculation Tool, a master dataset was compiled in ArcGIS ArcMap. For each individual habitat parcel identified, this included the broad habitat/habitat type and its area, the outcome of the habitat quality measures and unit modifiers that are user-defined, and relevant assessor comments such as which part of the Proposed Development the habitat parcel related to and brief notes on how the parcel would be impacted (i.e., lost or retained)²³.
- 2.2.31 Following a final quality assurance check, data was added into the calculation tool for area-based, linear and river habitats, with each habitat parcel added as a separate row in a logical order based on components of the Proposed Development.
- 2.2.32 At this stage, the calculation tool produced a baseline biodiversity unit value for each separate habitat parcel.

Constraints and assumptions

Proposed Development design options

- 2.2.33 Two design options are being considered for the Water Connection to cross the A47, using either open cut trenching along existing roads, or horizontal directional drilling (HDD) beneath the carriageway of the A47 which would require an HDD compound within an area of adjacent commercial orchard. For the purposes of this BNG assessment, the latter design option was assumed as a reasonable worst-case scenario resulting in the largest impact in terms of biodiversity loss, predominantly because of the temporary land take associated with the HDD compound. The baseline and BNG assessment should then be refined based on the detailed design.

Access

- 2.2.34 Approximately 0.11ha of the habitat within the Order limits could not be surveyed because of access constraints such as impenetrably dense vegetation or unsafe access along roadsides. In these areas, habitats and their conditions were assumed as a realistic worse-case scenario (i.e., of the highest value in the biodiversity metric), so the on-site baseline may slightly over represent the actual baseline habitats and/or conditions. These decisions were informed by assessment of similar adjoining or nearby habitat, satellite imagery, and general knowledge of the local area.

Mapping tolerances

- 2.2.35 ArcGIS ArcMap version 10.8.1 uses an 'x,y tolerance' default precision level of 0.001 metres; the minimum distance between coordinates before they are considered equal. The habitat polygons and linear features were clipped to the Order limits boundary so that only habitats within the limits were included in this

²³ Note that components of the Proposed Development, such as 'Access Improvements', include the proposed limits of deviation within which the Proposed Development would be carried out. Therefore, whilst the relevant component of the Proposed Development is listed in the assessor comments, not all habitat would be impacted and some parcels are thus also listed as 'retained' despite falling within a development component.



BNG assessment. This tolerance difference can create very small differences between the area of the Order limits and the total area of the baseline habitat polygons.

2.3 Impacts and post-intervention

Impacts

- 2.3.1 The Biodiversity Metric 3.0 Calculation Tool identifies the impact of the Proposed Development in terms of the area of habitat lost or retained (which are linked to the duration of the impact) or enhanced. This can apply to the whole of a habitat parcel, or part of it.
- 2.3.2 The calculation tool uses area data entered for each habitat parcel to calculate what proportion of the baseline biodiversity units would be retained, lost, or enhanced. This is calculated before the post-intervention stage (i.e., prior to proposed habitat enhancement/restoration and creation measures being factored into the calculation).
- 2.3.3 The impact of the Proposed Development on each habitat parcel was determined based on information from **Chapter 3: Description of the Proposed Development (Volume 6.2)** about activities associated with land take/land use change, and their timing/duration. Additional information was taken from the EclA in **Chapter 11: Biodiversity (Volume 6.2)** to consider the sensitivity of habitat types and the effect of potential environmental changes above those associated with typical land management practices.
- 2.3.4 The extent of habitat parcels impacted was identified using ArcGIS ArcMap software by overlaying the baseline habitat data within the Order limits with GIS data²⁴ showing the footprint of components of the Proposed Development. The measurements of area and length attained for impacted habitat parcels were measured automatically by ArcMap, from the associated polygon and linear features mapped within the GIS system.
- 2.3.5 The impact on each habitat parcel was identified in terms of either (entirely or partially) being lost, retained or enhanced using the approach in **Table 2.1 Site habitat baseline for Proposed Development** in accordance with guidance¹.

Table 2.1 Site habitat baseline for Proposed Development

Activity/duration	Lost	Retained	Enhanced
No loss/damaging activity; habitat unchanged		Habitat retained	
No loss/damaging activity; habitat to be enhanced			Habitat retained to be enhanced

²⁴ These datasets were derived from a combination of ArcGIS ArcMap and Autodesk AutoCAD files relating to the design of the Proposed Development provided by the Applicant and project design team, with the latter being imported into ArcMap.



Activity/duration	Lost	Retained	Enhanced
Temporary loss/damaging activity; habitat fully reinstated to target condition within 2 years		Habitat treated as retained	
Temporary loss/damaging activity; habitat reinstated to target condition in over 2 years	Habitat treated as lost (reinstatement treated as 'creation' at the post-intervention stage)		
Permanent loss	Habitat lost		

Post-intervention

Habitat creation and enhancement: as-designed

- 2.3.6 Certain components of the Proposed Development (the Access Improvements, Water Connections, Grid Connection, CHP Connection and TCC) are located on third-party land. In these areas, where habitat reinstatement will take place following temporary construction activities, it is understood that this would be undertaken on a like-for-like basis only; to reinstate habitat back to its original type and condition²⁵. These areas are noted in the assessor's comments in the Biodiversity Metric 3.0 Calculation Tool.
- 2.3.7 Information on habitat creation was taken from the **Outline Landscape and Ecology Strategy (Figure 3.14 Volume 6.3)** (OLES) for land within the EfW CHP Facility Site that will be under the control of the Applicant. The OLES was designed around the good practice principles for BNG⁷, including compensating habitat losses on a like-for-like basis or providing habitat of greater biodiversity benefit, enhancing ecological connectivity, contributing to local conservation priorities, and designing habitats to be resilient to factors such as climate change.
- 2.3.8 All post-intervention habitat change included in the BNG assessment for the Proposed Development, as-designed, is for on-site habitat within the Order limits. It consists of proposed habitat creation, with no proposed habitat enhancement. This is because all areas of retained habitat are either within third-party landownership or management where the Applicant cannot practicably deliver habitat enhancements, or retained habitats were in such condition that significant enhancements are not viable.
- 2.3.9 Habitat creation was designed with regard for the measures of habitat quality and the habitat distinctiveness trading rules outlined in the following sections. Selection

²⁵ Good practice BNG is to achieve net gains that are commensurate to the Proposed Development's residual biodiversity impacts. Achieving BNG on third party land is often not feasible due to the management requirements required to attain BNG over the 30-year period. In this circumstance, the restoration of habitats on third party land will be replaced like-for-like and assigned the same habitat and condition as the baseline. If suitable third-party land was to become available for helping to achieve BNG, new habitat creation or enhancing of existing habitat would contribute towards the Proposed Development's net gain.



of the proposed habitat types and planting regimes were based on appropriate target habitat conditions and designed to be strategically significant where possible.

2.3.10

The OLES was designed using Autodesk AutoCAD software to accurately design the habitat enhancement and creation measures around the Proposed Development infrastructure at the EfW CHP Facility Site. The measurements of area and length attained for the post-intervention data for the EfW CHP Facility Site were measured automatically by AutoCAD, from the associated polygon and linear features drawn within the AutoCAD system. Post-intervention data for the remainder of habitat parcels within the Order limits (where habitat parcels would predominantly be reinstated like-for-like, and are consistent with measurements from the impact stage) were measured using ArcGIS ArcMap following the previously described methods.

Trading rules

2.3.11

To achieve BNG using Biodiversity Metric 3.0, the design of habitat enhancement/restoration and creation must satisfy a set of 'trading rules'. Even if a development provides the required net change in biodiversity units, it will not meet the BNG requirements unless the proposed habitat enhancement/creation is compliant with these trading rules. The trading rules are designed around the good practice principles for BNG⁷ and require that any loss of habitat is replaced on a 'like for like' or 'like for better' distinctiveness basis as outlined in **Table 2.2 Metric 3.0: habitat distinctiveness trading rules**. Proposed habitat enhancement/creation was therefore aligned with the requirements of these trading rules within Metric 3.0.

Table 2.2 Metric 3.0: habitat distinctiveness trading rules¹

Baseline habitat distinctiveness	Distinctiveness of replacement habitat required by trading rules
Very high	Losses are not permitted
High	Must be replaced with biodiversity units of the same habitat type
Medium	Must be replaced with either: <ul style="list-style-type: none"> • Medium distinctiveness habitat from the same broad habitat type; or • Any habitat from a higher distinctiveness band
Low	Must be replaced with either: <ul style="list-style-type: none"> • Same distinctiveness habitat; or • Any habitat from a higher distinctiveness band
Very low	Replacement not required

Translation of habitat types for use in Biodiversity Metric 3.0

2.3.12

The habitat types described in the Outline Landscape and Ecology Strategy were translated for use in Biodiversity Metric 3.0 following the translation method described in **Section 2.2**.



Measures of habitat quality

- 2.3.13 In Biodiversity Metric 3.0 measures of habitat quality apply at the post-intervention stage as they did at the baseline stage; to adjust the post-intervention biodiversity units proportionate with the quality of each habitat parcel which is created or enhanced/restored. The methodology used in applying these measures to the post-intervention habitat data is described in the following sections.

Habitat distinctiveness

- 2.3.14 Habitat distinctiveness was again preassigned by Biodiversity Metric 3.0 based on habitat type at the post-intervention stage.

Habitat condition

- 2.3.15 The Biodiversity Metric 3.0 Condition Assessment Sheets¹³ were also used in determining the habitat condition at the post-intervention stage. In this instance, the condition assessment criteria were used to define what each condition state might look like for a given proposed habitat type. It was assessed whether each criterion would likely pass or fail based on information about the Proposed Development and its operation known at this stage (see **Chapter 3: Description of the Proposed Development (Volume 6.2)**), and consideration of whether the associated level habitat management and maintenance would be practicable, and the associated assumptions and justification was recorded. Each habitat parcel post-development was then assigned a proposed habitat condition, noting that the assumptions made here should be verified during detail design.

Strategic significance

- 2.3.16 From a desk study, the following sources relevant to determining strategic significance for the post-intervention stage, which relate to habitat creation opportunities, were reviewed:
- **Fens For the Future; a Strategic Plan for Fenland: A Proposal for an Enhanced Ecological Network report²⁶ and map²⁷:** A strategic plan to identify priorities for biodiversity action across the Fens National Character Area. The Proposed Development falls within a Sustainable Use Area, which sits outside the Proposed Ecological Network and where the focus is on sustainable use of natural resources, appropriate economic activities, and maintenance of ecosystem services; to make the matrix of land use more permeable to wildlife. The report identifies that the Sustainable Use Areas have been identified based on assemblages of target farmland birds, but that more work is required to refine their process of identification and establishment. In its present form, the Enhanced Ecological Network map provides very limited information relevant to defining strategic significance with respect to habitat creation and enhancement.
 - **Norfolk Green Infrastructure Mapping Project report²¹ and ecological opportunity maps²²:** A series of ecological network maps (including separate

²⁶ Fens for the Future Partnership (2012). Fens For the Future – A Proposal for an Enhanced Ecological Network report. (online) (Accessed 01/07/2022).

²⁷Fens for the Future Partnership (2012). Fens For the Future – A Proposal for an Enhanced Ecological Network map. (online) (Accessed 01/07/2022).



opportunity maps for grassland and heathland, woodland and wetland habitat, and broad ecological corridors) to inform the Local Plans of the Local Planning Authorities in the county. The mapping resolution is coarse and of limited value in identifying detailed locations of green infrastructure assets in the vicinity of the Proposed Development and does not identify any obvious features of relevance.

- **National Habitat Network²⁸**: A spatial dataset showing areas of primary or degraded habitats where restoration would be valuable. The dataset also includes land within close proximity to existing habitat where enhancement or restoration would benefit the local area through increasing the area of targeted habitat types and connecting existing habitats. However, the mapping is coarse and provides limited information on targeting specific habitat types.
- **Cambridgeshire and Peterborough Habitat Opportunity Mapping report²⁹ and mapping data³⁰**: A spatial dataset showing areas which would benefit from specific habitat creation or enhancement. The suggested proposed habitat is realistic for the area and aims to connect specific habitat types with existing areas whilst maintaining the historical type of land management. The opportunity mapping includes the following layers for wetland, woodland and grassland habitats which provide strategic guidance on targeting habitat creation and enhancement:
 - ▶ **Buffer Opportunity Map**: Identifies habitat opportunity areas that are immediately adjacent to and buffer existing areas of habitat within the ecological network.
 - ▶ **Stepping-stone Opportunity Map**: Identifies habitat opportunity areas that fall outside of the ecological network, but which are immediately adjacent to it. These areas could potentially be used to create stepping-stone habitats that could link up more distant areas of habitat.
 - ▶ **Habitat Network Map**: Indicates where habitat created within the existing network would be ecologically connected to existing areas of habitat.

2.3.17 Of the data sources reviewed, the Cambridgeshire and Peterborough Habitat Opportunity Mapping was the most up to date, relevant and detailed data source against which the strategic significance of the proposed habitat creation and enhancement could be determined. The opportunity mapping data was provided as a GIS dataset and compared against the habitat proposals for the Proposed Development using ArcGIS ArcMap.

2.3.18 The habitat opportunity mapping identified grassland and woodland opportunity areas within the Order limits, but no wetland opportunity areas. All habitat parcels located within a habitat opportunity area were assigned high significance. Where a habitat parcel was located partially within a habitat opportunity area, the entire habitat parcel was assigned high significance. All habitat parcels located outside habitat opportunity area were assigned low significance, as none of those parcels

²⁸ Natural England (2018). Habitat Networks (England) spatial dataset. (online) (Accessed 01/07/2022).

²⁹ Natural Capital Solutions (2019). Mapping natural capital and opportunities for habitat creation in Cambridgeshire. Report for Cambridgeshire Biodiversity Partnership.

³⁰ Habitat Opportunity Mapping GIS data supplied by the Cambridgeshire and Peterborough Environmental Records Centre.



were in locations which were sufficiently ecologically desirable to be of medium significance.

Unit modifiers

2.3.19 Unit modifiers were applied to post-intervention habitat parcels for river habitats following the same methodology described for the baseline in **Section 2.2**.

2.3.20 Where there was a change from a river/stream/ditch to a culvert, this was recorded as a major watercourse encroachment to document the worst-case scenario. The level of encroachment will be reviewed at the detailed design stage.

Risk factors

2.3.21 Biodiversity Metric 3.0 applies several risk factors to post-intervention habitat change, which can have either a neutral (no) impact or negative impact (reduction) in terms of the number of biodiversity units yielded for a given habitat parcel. In broad terms, the risk multipliers apply to the level of difficulty and time taken to achieve target condition for a given habitat change, and for off-site habitat changes, the proximity to the loss site. The risk multipliers and their effects are summarised in **Table 2.3 Risk multipliers in Biodiversity Metric 3.0**.

Table 2.3 Risk multipliers in Biodiversity Metric 3.0¹

Risk multiplier	Summary	On-site and/or off-site
Difficulty – of creation and enhancement/restoration	<ul style="list-style-type: none"> Applied based on the level of uncertainty of achieving the target outcome for a given habitat type³¹. Varies between habitat type. A separate multiplier applied for creation and enhancement/restoration. Preassigned in Biodiversity Metric 3.0 based on habitat type and the target condition. 	On-site and off-site
Temporal risks	<ul style="list-style-type: none"> Applied based on the time to achieve target condition for a habitat change. Two components applied separately: <ul style="list-style-type: none"> Standard time to target condition: preassigned in Biodiversity Metric 3.0 based on habitat type and the target condition; and Advance or delay in starting creation/enhancement following the date of habitat clearance: user-defined in terms of number of years, with 0 years added when undertaken in advance, otherwise the number of years of delay is added cumulatively to the standard time to target condition. 	On-site and off-site

³¹ For example, a modified grassland is comparatively easy to create and manage and is assigned a 'low' difficulty multiplier, compared to an upland calcareous grassland which is assigned a 'high' difficulty multiplier.



Risk multiplier	Summary	On-site and/or off-site
Spatial risk	<ul style="list-style-type: none"> • Applied based on location of biodiversity loss compared off-site habitat compensation. User-defined based on: <ul style="list-style-type: none"> ○ Compensation inside Local Planning authority (LPA) or Natural Character Area (NCA), or Marine Plan Area (MPA) for intertidal habitat, or waterbody (for river habitat), of impact site; ○ Compensation outside of LPA/NCA/MPA/catchment of impact site but in neighbouring LPA/NCA/MPA/catchment; or ○ Compensation outside of LPA/NCA/MPA/catchment of impact site and beyond neighbouring LPA/NCA/MPA/catchment. 	Off-site only

2.3.22 The construction programme is described in **ES Chapter 3: Description of the Proposed Development (Volume 6.2)**, with construction planned to adhere to the set timescales over a three-year construction programme. It is assumed that habitat loss would occur at the outset of construction activities for a given component of the Proposed Development, and that habitat creation would commence at the end of the construction period for that component, resulting in a delay in starting habitat creation of up to three years. Different construction activities and components of the Proposed Development have shorter construction times and thus shorter delays in starting habitat creation.

2.3.23 The delay in starting habitat creation assigned to each habitat parcel was therefore based on the timescales in the construction programme for the relevant component of the Proposed Development. Where no timescale was identified, an assumed worst-case scenario of a three-year delay was applied.

Data entry and calculation of biodiversity units at the post-intervention stage: as-designed

2.3.24 To prepare the post-intervention data for entry into the Biodiversity Metric 3.0 Calculation Tool, a master spreadsheet was compiled. For each individual habitat parcel of proposed habitat enhancement/creation, this included the broad habitat/habitat type and its area, the outcome of the habitat quality measures, unit modifiers and risk factors that are user-defined, and relevant assessor comments such as which part of the Proposed Development the habitat parcel related to and brief notes on the enhancement/creation.

2.3.25 Following a final quality assurance check, data was added into the calculation tool for area-based, linear and river habitats, with each habitat parcel added as a separate row in a logical order based on components of the Proposed Development.

2.3.26 At this stage, the calculation tool produced a post-intervention biodiversity unit value for each separate habitat parcel, detailed results of the change in biodiversity units between the baseline and post-intervention stages across area-base/linear/river habitats, and analysis of whether the trading rules were satisfied.



BNG modelling

- 2.3.27 The OLES was designed to maximise the biodiversity benefit of the EfW CHP Facility Site, while enhancement of third-party land within the Order limits is not expected to be feasible. The BNG assessment of the Proposed Development, as-designed, included on-site habitats only (i.e., within the Order limits). The resultant net change in biodiversity units for area-based, linear and river habitats is insufficient to provide BNG (see **Section 3.2**).
- 2.3.28 Additional off-site habitat intervention is therefore expected to be required to deliver BNG for the Proposed Development, but the mechanism for delivering this is yet to be defined. BNG modelling was therefore undertaken to identify potential habitat changes that could be undertaken off-site (in addition to those included on-site within the Order limits for the Proposed Development as-designed), to achieve BNG in area-based, linear and river biodiversity units while satisfying the trading rules.
- 2.3.29 The modelling was based on the assumption that off-site BNG provision (i.e., outside of the Order limits) would be in the same Local Planning Authority area (no negative impact of the spatial risk multiplier) and would start the same year as habitat clearance on site (minimising time to target condition and associated negative impact of the temporal risk multiplier). The modelling was based on providing pragmatic scenarios that would be reasonably practicable to deliver.

Constraints and assumptions

- 2.3.30 The impacts and post-intervention habitat changes and outcome of the BNG calculations are based on the Proposed Development as-designed at the DCO submission stage. The BNG assessment would be refined based on the detailed design, with assumptions made here to be verified and the metric calculation updated accordingly.
- 2.3.31 This initial BNG assessment focused on the metric calculation. A full BNG assessment would be required at the detailed design stage that should include assessment of progress to meeting all of the BNG Good Practice Principles⁷ including additionality.
- 2.3.32 BNG metric calculations throughout DCO and design stages are predictions of the Proposed Development's biodiversity outcomes based on the information available at the time. An "as-built" BNG metric calculation should be undertaken at the end of construction using as-built data of habitat clearance and landscaping, in order to capture any changes from the design.
- 2.3.33 The BNG modelling did not account for any environmental assessment that would be required for off-site BNG delivery. For example, archaeology, landscape, contaminated land etc.



3. Results

3.1 Baseline

- 3.1.1 A summary of the baseline habitat parcels, and associated baseline units calculated within the Biodiversity Metric 3.0 Calculation Tool, are presented in the following sections for area-based, linear and river units respectively. Detailed assessment of habitat condition for each habitat parcel included in the baseline is presented in **Annex A**. The full calculation tool is presented in **Annex B**.
- 3.1.2 The baseline includes on-site habitats only (i.e., within the Order limits) at this stage.
- 3.1.3 There are no irreplaceable habitats within the Order limits, or habitats classed within Biodiversity Metric 3.0 as having very high distinctiveness, where any loss would be unacceptable. The Proposed Development is located outside of any statutory or non-statutory designated nature conservation sites.

Area-based unit baseline

- 3.1.4 The baseline of area-based units is presented in **Table 3.1 Area-based unit baseline**. Before the Proposed Development, land within the Order limits consists of 16.83ha of area-based habitats that generate 36.42 units. Most of these units are generated by scrub (17.84 units) and grassland (13.58 units). In comparison, much fewer units are generated by urban habitats (3.24 units), sparsely vegetated land (0.74 units), cropland: intensive orchards (0.55 units) and woodland (0.48 units).
- 3.1.5 In terms of area, there is actually more hectares of grassland than scrub (~3.7ha of grassland and 2.4ha of scrub). All other habitats occurred in small patches including 0.2ha of woodland.
- 3.1.6 There were no habitats of a high distinctiveness. Considering the dominant habitats of grassland and scrub: one grassland type was of medium distinctiveness (other neutral grassland) with the remaining grasslands being of low distinctiveness. Similarly, mixed scrub was of medium distinctiveness while the bramble scrub was of low distinctiveness. In addition, all woodland on site was of medium distinctiveness.



Table 3.1 Area-based unit baseline

Ref	Broad habitat	Habitat type	Area (ha)	Distinctiveness	Habitat condition	Strategic significance	Component of Proposed Development	Total baseline area-based units
1	Grassland	Modified grassland	0.037	Low	Moderate	Low	Grid Connection	0.148
2	Urban	Developed land; sealed surface	4.617	V.Low	N/A - Other	Low	A47 Traffic Management.	0
3	Heathland and shrub	Mixed scrub	0.001	Medium	Poor	Low	Access Improvements.	0.004
4	Urban	Developed land; sealed surface	0.477	V.Low	N/A - Other	Low	Access Improvements.	0
5	Urban	Developed land; sealed surface	0.049	V.Low	N/A - Other	Low	Access Improvements.	0
6	Grassland	Modified grassland	0.046	Low	Moderate	Low	Access Improvements.	0.184
7	Grassland	Modified grassland	0.089	Low	Moderate	Low	Access Improvements.	0.356
8	Grassland	Modified grassland	0.003	Low	Moderate	Low	Access Improvements.	0.012
9	Grassland	Modified grassland	0.002	Low	Moderate	Low	Access Improvements.	0.008
10	Heathland and shrub	Bramble scrub	0.027	Medium	Poor	Low	Access Improvements.	0.108
11	Grassland	Modified grassland	0.009	Low	Moderate	Low	Access Improvements.	0.036
12	Urban	Developed land; sealed surface	0.028	V.Low	N/A - Other	Low	Access Improvements.	0
13	Heathland and shrub	Mixed scrub	0.008	Medium	Poor	Low	Access Improvements.	0.032
14	Grassland	Modified grassland	0.013	Low	Moderate	Low	Access Improvements.	0.052
15	Grassland	Modified grassland	0.022	Low	Moderate	Low	Access Improvements.	0.088
16	Urban	Developed land; sealed surface	0.007	V.Low	N/A - Other	Low	Access Improvements.	0
17	Urban	Vegetated garden	0.02	Low	Poor	Low	Acoustic screening.	0.04
18	Urban	Vegetated garden	0.009	Low	Poor	Low	Acoustic screening.	0.018
19	Urban	Developed land; sealed surface	0.505	V.Low	N/A - Other	Low	Access Improvements – Algores Way.	0
20	Grassland	Other neutral grassland	0.055	Medium	Moderate	Low	CHP Connection.	0.44
21	Urban	Developed land; sealed surface	0.001	V.Low	N/A - Other	Low	CHP Connection.	0
22	Heathland and shrub	Mixed scrub	0.145	Medium	Moderate	Low	CHP Connection.	1.16
23	Heathland and shrub	Mixed scrub	0.025	Medium	Moderate	Low	CHP Connection.	0.2
24	Heathland and shrub	Mixed scrub	0.024	Medium	Moderate	Low	CHP Connection.	0.192
25	Heathland and shrub	Bramble scrub	0.027	Medium	Poor	Low	CHP Connection.	0.108



Ref	Broad habitat	Habitat type	Area (ha)	Distinctiveness	Habitat condition	Strategic significance	Component of Proposed Development	Total baseline area-based units
26	Heathland and shrub	Mixed scrub	0.082	Medium	Moderate	Low	CHP Connection.	0.656
27	Heathland and shrub	Mixed scrub	0.218	Medium	Moderate	Low	CHP Connection.	1.744
28	Woodland and forest	Other woodland; broadleaved	0.014	Medium	Poor	Low	CHP Connection.	0.056
29	Urban	Developed land; sealed surface	0.01	V.Low	N/A - Other	Low	CHP Connection.	0
30	Heathland and shrub	Mixed scrub	0.072	Medium	Moderate	Low	CHP Connection.	0.576
31	Heathland and shrub	Mixed scrub	0.295	Medium	Moderate	Low	CHP Connection.	2.36
32	Heathland and shrub	Mixed scrub	0.366	Medium	Moderate	Low	CHP Connection.	2.928
33	Heathland and shrub	Bramble scrub	0.051	Medium	Poor	Low	CHP Connection.	0.204
34	Heathland and shrub	Mixed scrub	0.034	Medium	Moderate	Low	CHP Connection.	0.272
35	Urban	Developed land; sealed surface	0.011	V.Low	N/A - Other	Low	CHP Connection.	0
36	Heathland and shrub	Mixed scrub	0.098	Medium	Moderate	Low	CHP Connection.	0.784
37	Heathland and shrub	Mixed scrub	0.099	Medium	Moderate	Low	CHP Connection.	0.792
38	Heathland and shrub	Mixed scrub	0.2	Medium	Moderate	Low	CHP Connection.	1.6
39	Urban	Developed land; sealed surface	0.213	V.Low	N/A - Other	Low	CHP Connection.	0
40	Woodland and forest	Other woodland; broadleaved	0.068	Medium	Poor	Low	CHP Connection.	0.272
41	Woodland and forest	Other woodland; broadleaved	0.007	Medium	Poor	Low	CHP Connection.	0.028
42	Woodland and forest	Other woodland; broadleaved	0.016	Medium	Poor	Low	CHP Connection.	0.064
43	Woodland and forest	Other woodland; broadleaved	0.015	Medium	Poor	Low	CHP Connection.	0.06
44	Grassland	Other neutral grassland	0.045	Medium	Moderate	Low	CHP Connection.	0.36
45	Grassland	Modified grassland	0.002	Low	Moderate	Low	EfW CHP Facility Site.	0.008
46	Urban	Developed land; sealed surface	0.139	V.Low	N/A - Other	Low	EfW CHP Facility Site.	0
47	Grassland	Modified grassland	0.069	Low	Moderate	Low	EfW CHP Facility Site.	0.276
48	Heathland and shrub	Bramble scrub	0.074	Medium	Poor	Low	EfW CHP Facility Site.	0.296
49	Urban	Vacant/derelict land/ bareground	0.036	Low	Poor	Low	EfW CHP Facility Site.	0.072
50	Urban	Vacant/derelict land/ bareground	0.327	Low	Moderate	Low	EfW CHP Facility Site.	1.308
51	Urban	Artificial unvegetated, unsealed surface	2.668	V.Low	N/A - Other	Low	EfW CHP Facility Site.	0



Ref	Broad habitat	Habitat type	Area (ha)	Distinctiveness	Habitat condition	Strategic significance	Component of Proposed Development	Total baseline area-based units
52	Heathland and shrub	Mixed scrub	0.287	Medium	Moderate	Low	EfW CHP Facility Site.	2.296
53	Urban	Vacant/derelict land/ bareground	0.419	Low	Moderate	Low	EfW CHP Facility Site.	1.676
54	Grassland	Modified grassland	0.327	Low	Moderate	Low	EfW CHP Facility Site.	1.308
55	Urban	Developed land; sealed surface	0.002	V.Low	N/A - Other	Low	EfW CHP Facility Site.	0
56	Heathland and shrub	Mixed scrub	0.137	Medium	Moderate	Low	EfW CHP Facility Site.	1.096
57	Grassland	Modified grassland	0.575	Low	Poor	Low	Grid Connection.	1.15
58	Grassland	Modified grassland	0.166	Low	Poor	Low	Grid Connection.	0.332
59	Grassland	Modified grassland	0.029	Low	Moderate	Low	Grid Connection.	0.116
60	Urban	Developed land; sealed surface	0.188	V.Low	N/A - Other	Low	Grid Connection.	0
61	Urban	Developed land; sealed surface	0.157	V.Low	N/A - Other	Low	Grid Connection.	0
62	Sparsely vegetated land	Ruderal/Ephemeral	0.061	Low	Moderate	Low	Grid Connection.	0.244
63	Urban	Vegetated garden	0.035	Low	Poor	Low	Grid Connection.	0.07
64	Urban	Vegetated garden	0.016	Low	Poor	Low	Grid Connection.	0.032
65	Sparsely vegetated land	Ruderal/Ephemeral	0.114	Low	Moderate	Low	Grid Connection.	0.456
66	Grassland	Modified grassland	0.115	Low	Moderate	Low	Grid Connection.	0.46
67	Grassland	Modified grassland	0.284	Low	Moderate	Low	Temporary Construction Compound.	1.136
68	Grassland	Modified grassland	0.37	Low	Moderate	Low	Temporary Construction Compound.	1.48
69	Grassland	Modified grassland	1.212	Low	Moderate	Low	Temporary Construction Compound.	4.848
70	Heathland and shrub	Bramble scrub	0.032	Medium	Poor	Low	Temporary Construction Compound.	0.128
71	Heathland and shrub	Bramble scrub	0.04	Medium	Poor	Low	Temporary Construction Compound.	0.16
72	Heathland and shrub	Bramble scrub	0.035	Medium	Poor	Low	Temporary Construction Compound.	0.14
73	Cropland	Intensive orchards	0.273	Low	N/A -Agricultural	Low	Water Connection.	0.546
74	Grassland	Modified grassland	0.015	Low	Moderate	Low	Water Connection.	0.06
75	Grassland	Modified grassland	0.06	Low	Moderate	Low	Water Connection.	0.24



Ref	Broad habitat	Habitat type	Area (ha)	Distinctiveness	Habitat condition	Strategic significance	Component of Proposed Development	Total baseline area-based units
76	Urban	Vegetated garden ³²	0.011	Low	Poor	Low	Water Connection.	0.022
77	Grassland	Modified grassland	0.011	Low	Moderate	Low	Water Connection.	0.044
78	Grassland	Modified grassland	0.042	Low	Moderate	Low	Water Connection.	0.168
79	Sparsely vegetated land	Ruderal/Ephemeral	0.018	Low	Poor	Low	Water Connection.	0.036
80	Grassland	Modified grassland	0.008	Low	Moderate	Low	Water Connection.	0.032
81	Grassland	Modified grassland	0.031	Low	Moderate	Low	Water Connection.	0.124
82	Urban	Developed land; sealed surface	0.228	V.Low	N/A - Other	Low	Water Connection.	0
83	Grassland	Modified grassland	0.057	Low	Poor	Low	Water Connection.	0.114

³² This is the area of land between the ditch and the footpath at the end of New Bridge Lane.



Linear unit baseline

- 3.1.7 The baseline of linear units is presented in **Table 3.2 Linear unit baseline**. Before the Proposed Development, land within the Order limits consists of 1.1km of linear habitats that generate 4.71 units. Most of these units are generated by lines of trees (3.44 units; 0.99km) with the remainder by hedgerow (1.27 units; 0.12km).
- 3.1.8 There were no very high or high distinctiveness linear habitats. Only the hedgerow was of a medium distinctiveness and the line of tree habitats were all of a low distinctiveness.



Table 3.2 Linear unit baseline

Ref	Hedgerow type	Length (km)	Distinctiveness	Habitat condition	Strategic significance	Component Proposed Development	of Total units	baseline linear
1	Line of Trees	0.054	Low	Moderate	Low	CHP Connection.	0.216	
2	Line of Trees	0.173	Low	Poor	Low	CHP Connection.	0.346	
3	Line of Trees	0.046	Low	Poor	Low	CHP Connection.	0.092	
4	Line of Trees	0.012	Low	Moderate	Low	CHP Connection.	0.048	
5	Line of Trees	0.096	Low	Moderate	Low	CHP Connection.	0.384	
6	Line of Trees - Associated with bank or ditch	0.104	Low	Moderate	Low	EfW CHP Facility Site.	0.416	
7	Line of Trees - Associated with bank or ditch	0.032	Low	Moderate	Low	EfW CHP Facility Site.	0.128	
8	Line of Trees - Associated with bank or ditch	0.04	Low	Moderate	Low	EfW CHP Facility Site.	0.16	
9	Line of Trees	0.031	Low	Poor	Low	Grid Connection.	0.062	
10	Line of Trees - Associated with bank or ditch	0.111	Low	Moderate	Low	Grid Connection.	0.444	
11	Line of Trees - Associated with bank or ditch	0.279	Low	Moderate	Low	Grid Connection.	1.116	
12	Line of Trees	0.013	Low	Poor	Low	Grid Connection.	0.026	
13	Native Hedgerow - Associated with bank or ditch	0.106	Medium	Good	Low	EfW CHP Facility Site.	1.272	



River unit baseline

- 3.1.9 The baseline of river units is presented in **Table 3.3 River unit baseline**. Before the Proposed Development, land within the Order limits consists of 0.44km of river habitats that generate 1.77 units. The river units are generated entirely by ditches (noting that ditches do not have riparian zones in accordance with the Biodiversity Metric 3.0 user guide¹). On this basis, there were no very high or high distinctiveness river habitats.



Table 3.3 River unit baseline

Ref	River type	Length (km)	Distinctiveness	Condition	Strategic significance	Extent of watercourse encroachment	Extent of riparian zone encroachment	Component of Development	Proposed	Total river units
1	Ditches	0.015	Medium	Poor	Low	No Encroachment	No Encroachment	Access Improvements.		0.06
2	Ditches	0.001	Medium	Poor	Low	No Encroachment	No Encroachment	Access Improvements.		0.004
3	Ditches	0.039	Medium	Poor	Low	No Encroachment	No Encroachment	EfW CHP Facility Site.		0.156
4	Ditches	0.027	Medium	Poor	Low	No Encroachment	No Encroachment	EfW CHP Facility Site.		0.108
5	Ditches	0.027	Medium	Poor	Low	No Encroachment	No Encroachment	EfW CHP Facility Site.		0.108
6	Ditches	0.199	Medium	Poor	Low	No Encroachment	No Encroachment	Temporary Construction Compound.		0.796
7	Ditches	0.083	Medium	Poor	Low	No Encroachment	No Encroachment	Temporary Construction Compound.		0.332
8	Ditches	0.052	Medium	Poor	Low	No Encroachment	No Encroachment	Water Connection.		0.208



3.2 Impacts and post-intervention

- 3.2.1 A summary of the impact to the baseline habitat parcels and the subsequent post-intervention habitat enhancement/restoration and creation, and associated units lost calculated within the Biodiversity Metric 3.0 Calculation Tool, are presented in the following sections for area-based, linear and river units respectively. Detailed assessment of proposed habitat condition for each habitat parcel included at the post-intervention stage is presented in **Annex A**. The full calculation tool is presented in **Annex B**.
- 3.2.2 Impacts and post-intervention include on-site habitats only (i.e., within the Order limits) at this stage.

Impacts

Area-based unit impacts

- 3.2.3 The impacts on area-based habitats and the associated change to baseline units is presented in **Table 3.4 Area-based unit impacts**. Habitat clearance for the Proposed Development (as currently known) would result in the loss of 20.30 area-based units; this is a 56% loss of the total number of area-based baseline units and a 43% loss of habitat cover (i.e., a loss of 7.24ha).
- 3.2.4 The greatest loss is grassland: 78% of grassland units are lost (i.e., 10.62 units are lost from the baseline of 13.58 units). Whereas only 36% of scrub units are lost (i.e., 6.46 units are lost from the baseline of 17.84 units). While 0.12 ha of woodland will be retained, there will be a smaller area of woodland to be cleared (0.01 ha resulting in the loss of 0.06 units from woodland) as well as clearance of urban habitats and sparsely vegetated land.



Table 3.4 Area-based unit impacts

Ref	Habitat	Distinctiveness	Habitat condition	Trading rule	Total area (ha)	Area retained (ha)	Baseline units retained	Area to be enhanced (ha)	Baseline units to be enhanced	Area lost (ha)	Units lost	Component of Proposed Development	Assessor comments
1	Grassland - Modified grassland	Low	Moderate	Same distinctiveness or better habitat required	0.037	0	0	0	0	0.037	0.148	Grid Connection.	Temporary loss and reinstated (over 2 years).
2	Urban - Developed land; sealed surface	V.Low	N/A - Other	Compensation Not Required	4.617	4.617	0	0	0	0	0	A47 Traffic Management.	Temporary loss and fully reinstated within 2 years.
3	Heathland and shrub - Mixed scrub	Medium	Poor	Same broad habitat or a higher distinctiveness habitat required	0.001	0.001	0.004	0	0	0	0	Access Improvements.	Retained (no impact).
4	Urban - Developed land; sealed surface	V.Low	N/A - Other	Compensation Not Required	0.477	0.477	0	0	0	0	0	Access Improvements.	Temporary loss and fully reinstated within 2 years.
5	Urban - Developed land; sealed surface	V.Low	N/A - Other	Compensation Not Required	0.049	0.049	0	0	0	0	0	Access Improvements.	Retained (no impact).
6	Grassland - Modified grassland	Low	Moderate	Same distinctiveness or better habitat required	0.046	0	0	0	0	0.046	0.184	Access Improvements.	Permanent loss.
7	Grassland - Modified grassland	Low	Moderate	Same distinctiveness or better habitat required	0.089	0	0	0	0	0.089	0.356	Access Improvements.	Permanent loss.
8	Grassland - Modified grassland	Low	Moderate	Same distinctiveness or better habitat required	0.003	0.003	0.012	0	0	0	0	Access Improvements.	Retained (no impact).
9	Grassland - Modified grassland	Low	Moderate	Same distinctiveness or better habitat required	0.002	0.002	0.008	0	0	0	0	Access Improvements.	Retained (no impact).
10	Heathland and shrub - Bramble scrub	Medium	Poor	Same broad habitat or a higher distinctiveness habitat required	0.027	0.027	0.108	0	0	0	0	Access Improvements.	Retained (no impact).
11	Grassland - Modified grassland	Low	Moderate	Same distinctiveness or better habitat required	0.009	0	0	0	0	0.009	0.036	Access Improvements.	Permanent loss.
12	Urban - Developed land; sealed surface	V.Low	N/A - Other	Compensation Not Required	0.028	0	0	0	0	0.028	0	Access Improvements.	Permanent loss.
13	Heathland and shrub - Mixed scrub	Medium	Poor	Same broad habitat or a higher distinctiveness habitat required	0.008	0.008	0.032	0	0	0	0	Access Improvements.	Retained (no impact).
14	Grassland - Modified grassland	Low	Moderate	Same distinctiveness or better habitat required	0.013	0.013	0.052	0	0	0	0	Access Improvements.	Retained (no impact).
15	Grassland - Modified grassland	Low	Moderate	Same distinctiveness or better habitat required	0.022	0.022	0.088	0	0	0	0	Access Improvements.	Retained (no impact).



Ref	Habitat	Distinctiveness	Habitat condition	Trading rule	Total area (ha)	Area retained (ha)	Baseline units retained	Area to be enhanced (ha)	Baseline units to be enhanced	Area lost (ha)	Units lost	Component of Proposed Development	Assessor comments
16	Urban - Developed land; sealed surface	V.Low	N/A - Other	Compensation Not Required	0.007	0.007	0	0	0	0	0	Access Improvements.	Temporary loss and fully reinstated within 2 years.
17	Urban - Vegetated garden	Low	Poor	Same distinctiveness or better habitat required	0.02	0	0	0	0	0.02	0.04	Acoustic screening.	Permanent loss.
18	Urban - Vegetated garden	Low	Poor	Same distinctiveness or better habitat required	0.009	0	0	0	0	0.009	0.018	Acoustic screening.	Permanent loss.
19	Urban - Developed land; sealed surface	V.Low	N/A - Other	Compensation Not Required	0.505	0.505	0	0	0	0	0	Access Improvements - Algores Way.	Temporary loss and fully reinstated within 2 years.
20	Grassland - Other neutral grassland	Medium	Moderate	Same broad habitat or a higher distinctiveness habitat required	0.055	0	0	0	0	0.055	0.44	CHP Connection.	Approximately 75% permanent loss and 25% temporary loss and reinstated (over 2 years).
21	Urban - Developed land; sealed surface	V.Low	N/A - Other	Compensation Not Required	0.001	0	0	0	0	0.001	0	CHP Connection.	Approximately 75% permanent loss and 25% temporary loss and reinstated (over 2 years).
22	Heathland and shrub - Mixed scrub	Medium	Moderate	Same broad habitat or a higher distinctiveness habitat required	0.145	0	0	0	0	0.145	1.16	CHP Connection.	Approximately 75% permanent loss and 25% temporary loss and reinstated (over 2 years).
23	Heathland and shrub - Mixed scrub	Medium	Moderate	Same broad habitat or a higher distinctiveness habitat required	0.025	0	0	0	0	0.025	0.2	CHP Connection.	Approximately 75% permanent loss and 25% temporary loss and reinstated (over 2 years).
24	Heathland and shrub - Mixed scrub	Medium	Moderate	Same broad habitat or a higher distinctiveness habitat required	0.024	0	0	0	0	0.024	0.192	CHP Connection.	Approximately 75% permanent loss and 25% temporary loss and reinstated (over 2 years).
25	Heathland and shrub - Bramble scrub	Medium	Poor	Same broad habitat or a higher distinctiveness habitat required	0.027	0	0	0	0	0.027	0.108	CHP Connection.	Approximately 75% permanent loss and 25% temporary loss and reinstated (over 2 years).
26	Heathland and shrub - Mixed scrub	Medium	Moderate	Same broad habitat or a higher distinctiveness habitat required	0.082	0	0	0	0	0.082	0.656	CHP Connection.	Approximately 75% permanent loss and 25% temporary loss and



Ref	Habitat	Distinctiveness	Habitat condition	Trading rule	Total area (ha)	Area retained (ha)	Baseline units retained	Area to be enhanced (ha)	Baseline units to be enhanced	Area lost (ha)	Units lost	Component of Proposed Development	Assessor comments
													reinstated (over 2 years).
27	Heathland and shrub - Mixed scrub	Medium	Moderate	Same broad habitat or a higher distinctiveness habitat required	0.218	0	0	0	0	0.218	1.744	CHP Connection.	Approximately 75% permanent loss and 25% temporary loss and reinstated (over 2 years).
28	Woodland and forest - Other woodland; broadleaved	Medium	Poor	Same broad habitat or a higher distinctiveness habitat required	0.014	0	0	0	0	0.014	0.056	CHP Connection.	Approximately 75% permanent loss and 25% temporary loss and reinstated (over 2 years).
29	Urban - Developed land; sealed surface	V.Low	N/A - Other	Compensation Not Required	0.01	0	0	0	0	0.01	0	CHP Connection.	Approximately 75% permanent loss and 25% temporary loss and reinstated (over 2 years).
30	Heathland and shrub - Mixed scrub	Medium	Moderate	Same broad habitat or a higher distinctiveness habitat required	0.072	0	0	0	0	0.072	0.576	CHP Connection.	Approximately 75% permanent loss and 25% temporary loss and reinstated (over 2 years).
31	Heathland and shrub - Mixed scrub	Medium	Moderate	Same broad habitat or a higher distinctiveness habitat required	0.295	0.295	2.36	0	0	0	0	CHP Connection.	Retained (no impact).
32	Heathland and shrub - Mixed scrub	Medium	Moderate	Same broad habitat or a higher distinctiveness habitat required	0.366	0.366	2.928	0	0	0	0	CHP Connection.	Retained (no impact).
33	Heathland and shrub - Bramble scrub	Medium	Poor	Same broad habitat or a higher distinctiveness habitat required	0.051	0.051	0.204	0	0	0	0	CHP Connection.	Retained (no impact).
34	Heathland and shrub - Mixed scrub	Medium	Moderate	Same broad habitat or a higher distinctiveness habitat required	0.034	0.034	0.272	0	0	0	0	CHP Connection.	Retained (no impact).
35	Urban - Developed land; sealed surface	V.Low	N/A - Other	Compensation Not Required	0.011	0.011	0	0	0	0	0	CHP Connection.	Retained (no impact).
36	Heathland and shrub - Mixed scrub	Medium	Moderate	Same broad habitat or a higher distinctiveness habitat required	0.098	0.098	0.784	0	0	0	0	CHP Connection.	Retained (no impact).
37	Heathland and shrub - Mixed scrub	Medium	Moderate	Same broad habitat or a higher distinctiveness habitat required	0.099	0.099	0.792	0	0	0	0	CHP Connection.	Retained (no impact).



Ref	Habitat	Distinctiveness	Habitat condition	Trading rule	Total area (ha)	Area retained (ha)	Baseline units retained	Area to be enhanced (ha)	Baseline units to be enhanced	Area lost (ha)	Units lost	Component of Proposed Development	Assessor comments
38	Heathland and shrub - Mixed scrub	Medium	Moderate	Same broad habitat or a higher distinctiveness habitat required	0.2	0.2	1.6	0	0	0	0	CHP Connection.	Retained (no impact).
39	Urban - Developed land; sealed surface	V.Low	N/A - Other	Compensation Not Required	0.213	0.213	0	0	0	0	0	CHP Connection.	Retained (no impact).
40	Woodland and forest - Other woodland; broadleaved	Medium	Poor	Same broad habitat or a higher distinctiveness habitat required	0.068	0.068	0.272	0	0	0	0	CHP Connection.	Retained (no impact).
41	Woodland and forest - Other woodland; broadleaved	Medium	Poor	Same broad habitat or a higher distinctiveness habitat required	0.007	0.007	0.028	0	0	0	0	CHP Connection.	Retained (no impact).
42	Woodland and forest - Other woodland; broadleaved	Medium	Poor	Same broad habitat or a higher distinctiveness habitat required	0.016	0.016	0.064	0	0	0	0	CHP Connection.	Retained (no impact).
43	Woodland and forest - Other woodland; broadleaved	Medium	Poor	Same broad habitat or a higher distinctiveness habitat required	0.015	0.015	0.06	0	0	0	0	CHP Connection.	Retained (no impact).
44	Grassland - Other neutral grassland	Medium	Moderate	Same broad habitat or a higher distinctiveness habitat required	0.045	0.045	0.36	0	0	0	0	CHP Connection.	Retained (no impact).
45	Grassland - Modified grassland	Low	Moderate	Same distinctiveness or better habitat required	0.002	0	0	0	0	0.002	0.008	EfW CHP Facility Site.	Permanent loss.
46	Urban - Developed land; sealed surface	V.Low	N/A - Other	Compensation Not Required	0.139	0	0	0	0	0.139	0	EfW CHP Facility Site.	Permanent loss.
47	Grassland - Modified grassland	Low	Moderate	Same distinctiveness or better habitat required	0.069	0	0	0	0	0.069	0.276	EfW CHP Facility Site.	Permanent loss.
48	Heathland and shrub - Bramble scrub	Medium	Poor	Same broad habitat or a higher distinctiveness habitat required	0.074	0	0	0	0	0.074	0.296	EfW CHP Facility Site.	Permanent loss.
49	Urban - Vacant/derelict land/ bareground	Low	Poor	Same distinctiveness or better habitat required	0.036	0	0	0	0	0.036	0.072	EfW CHP Facility Site.	Permanent loss.
50	Urban - Vacant/derelict land/ bareground	Low	Moderate	Same distinctiveness or better habitat required	0.327	0	0	0	0	0.327	1.308	EfW CHP Facility Site.	Permanent loss.
51	Urban - Artificial unvegetated, unsealed surface	V.Low	N/A - Other	Compensation Not Required	2.668	0	0	0	0	2.668	0	EfW CHP Facility Site.	Permanent loss.



Ref	Habitat	Distinctiveness	Habitat condition	Trading rule	Total area (ha)	Area retained (ha)	Baseline units retained	Area to be enhanced (ha)	Baseline units to be enhanced	Area lost (ha)	Units lost	Component of Proposed Development	Assessor comments
52	Heathland and shrub - Mixed scrub	Medium	Moderate	Same broad habitat or a higher distinctiveness habitat required	0.287	0.287	2.296	0	0	0	0	EfW CHP Facility Site.	Retained (no impact).
53	Urban - Vacant/derelict land/ bareground	Low	Moderate	Same distinctiveness or better habitat required	0.419	0	0	0	0	0.419	1.676	EfW CHP Facility Site.	Permanent loss.
54	Grassland - Modified grassland	Low	Moderate	Same distinctiveness or better habitat required	0.327	0	0	0	0	0.327	1.308	EfW CHP Facility Site.	Permanent loss.
55	Urban - Developed land; sealed surface	V.Low	N/A - Other	Compensation Not Required	0.002	0.002	0	0	0	0	0	EfW CHP Facility Site.	Retained (no impact).
56	Heathland and shrub - Mixed scrub	Medium	Moderate	Same broad habitat or a higher distinctiveness habitat required	0.137	0	0	0	0	0.137	1.096	EfW CHP Facility Site.	Permanent loss.
57	Grassland - Modified grassland	Low	Poor	Same distinctiveness or better habitat required	0.575	0.575	1.15	0	0	0	0	Grid Connection.	Temporary loss and fully reinstated within 2 years.
58	Grassland - Modified grassland	Low	Poor	Same distinctiveness or better habitat required	0.166	0.166	0.332	0	0	0	0	Grid Connection.	Temporary loss and fully reinstated within 2 years.
59	Grassland - Modified grassland	Low	Moderate	Same distinctiveness or better habitat required	0.029	0	0	0	0	0.029	0.116	Grid Connection.	Permanent loss.
60	Urban - Developed land; sealed surface	V.Low	N/A - Other	Compensation Not Required	0.188	0.188	0	0	0	0	0	Grid Connection.	Retained (no impact).
61	Urban - Developed land; sealed surface	V.Low	N/A - Other	Compensation Not Required	0.157	0.157	0	0	0	0	0	Grid Connection.	Temporary loss and fully reinstated within 2 years.
62	Sparsely vegetated land - Ruderal/Ephemeral	Low	Moderate	Same distinctiveness or better habitat required	0.061	0.061	0.244	0	0	0	0	Grid Connection.	Retained (no impact).
63	Urban - Vegetated garden	Low	Poor	Same distinctiveness or better habitat required	0.035	0.035	0.07	0	0	0	0	Grid Connection.	Retained (no impact).
64	Urban - Vegetated garden	Low	Poor	Same distinctiveness or better habitat required	0.016	0.016	0.032	0	0	0	0	Grid Connection.	Retained (no impact).
65	Sparsely vegetated land - Ruderal/Ephemeral	Low	Moderate	Same distinctiveness or better habitat required	0.114	0.114	0.456	0	0	0	0	Grid Connection.	Retained (no impact).
66	Grassland - Modified grassland	Low	Moderate	Same distinctiveness or better habitat required	0.115	0.115	0.46	0	0	0	0	Grid Connection.	Retained (no impact).



Ref	Habitat	Distinctiveness	Habitat condition	Trading rule	Total area (ha)	Area retained (ha)	Baseline units retained	Area to be enhanced (ha)	Baseline units to be enhanced	Area lost (ha)	Units lost	Component of Proposed Development	Assessor comments
67	Grassland - Modified grassland	Low	Moderate	Same distinctiveness or better habitat required	0.284	0	0	0	0	0.284	1.136	Temporary Construction Compound.	Temporary loss and reinstated (over 2 years).
68	Grassland - Modified grassland	Low	Moderate	Same distinctiveness or better habitat required	0.37	0	0	0	0	0.37	1.48	Temporary Construction Compound.	Temporary loss and reinstated (over 2 years).
69	Grassland - Modified grassland	Low	Moderate	Same distinctiveness or better habitat required	1.212	0	0	0	0	1.212	4.848	Temporary Construction Compound.	Temporary loss and reinstated (over 2 years).
70	Heathland and shrub - Bramble scrub	Medium	Poor	Same broad habitat or a higher distinctiveness habitat required	0.032	0	0	0	0	0.032	0.128	Temporary Construction Compound.	Temporary loss and reinstated (over 2 years).
71	Heathland and shrub - Bramble scrub	Medium	Poor	Same broad habitat or a higher distinctiveness habitat required	0.04	0	0	0	0	0.04	0.16	Temporary Construction Compound.	Temporary loss and reinstated (over 2 years).
72	Heathland and shrub - Bramble scrub	Medium	Poor	Same broad habitat or a higher distinctiveness habitat required	0.035	0	0	0	0	0.035	0.14	Temporary Construction Compound.	Temporary loss and reinstated (over 2 years).
73	Cropland - Intensive orchards	Low	N/A - Agricultural	Same distinctiveness or better habitat required	0.273	0.273	0.546	0	0	0	0	Water Connection.	Temporary loss and fully reinstated within 2 years.
74	Grassland - Modified grassland	Low	Moderate	Same distinctiveness or better habitat required	0.015	0.015	0.06	0	0	0	0	Water Connection.	Retained (no impact).
75	Grassland - Modified grassland	Low	Moderate	Same distinctiveness or better habitat required	0.06	0.06	0.24	0	0	0	0	Water Connection.	Retained (no impact).
76	Urban - Vegetated garden ³²	Low	Poor	Same distinctiveness or better habitat required	0.011	0	0	0	0	0.011	0.022	Water Connection.	Temporary loss and reinstated (over 2 years).
77	Grassland - Modified grassland	Low	Moderate	Same distinctiveness or better habitat required	0.011	0.011	0.044	0	0	0	0	Water Connection.	Retained (no impact).
78	Grassland - Modified grassland	Low	Moderate	Same distinctiveness or better habitat required	0.042	0	0	0	0	0.042	0.168	Water Connection.	Temporary loss and reinstated (over 2 years).
79	Sparsely vegetated land - Ruderal/Ephemeral	Low	Poor	Same distinctiveness or better habitat required	0.018	0	0	0	0	0.018	0.036	Water Connection.	Temporary loss and reinstated (over 2 years).
80	Grassland - Modified grassland	Low	Moderate	Same distinctiveness or better habitat required	0.008	0.008	0.032	0	0	0	0	Water Connection.	Retained (no impact).
81	Grassland - Modified grassland	Low	Moderate	Same distinctiveness or better habitat required	0.031	0.031	0.124	0	0	0	0	Water Connection.	Retained (no impact).



Ref	Habitat	Distinctiveness	Habitat condition	Trading rule	Total area (ha)	Area retained (ha)	Baseline units retained	Area to be enhanced (ha)	Baseline units to be enhanced	Area lost (ha)	Units lost	Component of Proposed Development	Assessor comments
82	Urban - Developed land; sealed surface	V.Low	N/A - Other	Compensation not required	0.228	0.228	0	0	0	0	0	Water Connection.	Temporary loss and fully reinstated within 2 years.
83	Grassland - Modified grassland	Low	Poor	Same distinctiveness or better habitat required	0.057	0	0	0	0	0.057	0.114	Water Connection.	Temporary loss and reinstated (over 2 years).



Linear unit impacts

- 3.2.5 The impacts on linear habitats and the associated change to baseline units is presented in **Table 3.5 Linear unit impacts**. Habitat clearance for the Proposed Development (as currently known) would result in the loss of 1.93 linear units; this is a 41% loss of the total number of linear baseline units and a 25% loss of habitat cover (i.e., a loss of 0.28km).
- 3.2.6 The greatest loss is hedgerow: 100% of hedgerow units are lost (i.e., all 1.27 baseline units are lost). Whereas only 19% of line of trees units are lost (i.e., 0.66 units are lost from the baseline of 3.43 units).



Table 3.5 Linear unit impacts

Ref	Hedgerow type	Distinctiveness	Condition	Trading rule	Total length (km)	Length retained (km)	Units retained	Length to be enhanced (km)	Units to be enhanced (km)	Length lost	Units lost	Component of Development	Proposed	Assessor comments
1	Line of Trees	Low	Moderate	Same distinctiveness band or better	0.054	0	0	0	0	0.054	0.216	CHP Connection.		Permanent loss.
2	Line of Trees	Low	Poor	Same distinctiveness band or better	0.173	0.173	0.346	0	0	0	0	CHP Connection.		Retained (no impact).
3	Line of Trees	Low	Poor	Same distinctiveness band or better	0.046	0.046	0.092	0	0	0	0	CHP Connection.		Retained (no impact).
4	Line of Trees	Low	Moderate	Same distinctiveness band or better	0.012	0.012	0.048	0	0	0	0	CHP Connection.		Retained (no impact).
5	Line of Trees	Low	Moderate	Same distinctiveness band or better	0.096	0.096	0.384	0	0	0	0	CHP Connection.		Retained (no impact).
6	Line of Trees - Associated with bank or ditch	Low	Moderate	Same distinctiveness band or better	0.104	0	0	0	0	0.104	0.416	EfW CHP Facility Site.		Permanent loss.
7	Line of Trees - Associated with bank or ditch	Low	Moderate	Same distinctiveness band or better	0.032	0.032	0.128	0	0	0	0	EfW CHP Facility Site.		Retained (no impact).
8	Line of Trees - Associated with bank or ditch	Low	Moderate	Same distinctiveness band or better	0.04	0.04	0.16	0	0	0	0	EfW CHP Facility Site.		Retained (no impact).
9	Line of Trees	Low	Poor	Same distinctiveness band or better	0.031	0.031	0.062	0	0	0	0	Grid Connection.		Retained (no impact).
10	Line of Trees - Associated with bank or ditch	Low	Moderate	Same distinctiveness band or better	0.111	0.111	0.444	0	0	0	0	Grid Connection.		Retained (no impact).
11	Line of Trees - Associated with bank or ditch	Low	Moderate	Same distinctiveness band or better	0.279	0.279	1.116	0	0	0	0	Grid Connection.		Retained (no impact).
12	Line of Trees	Low	Poor	Same distinctiveness band or better	0.013	0	0	0	0	0.013	0.026	Grid Connection.		Permanent loss.
13	Native Hedgerow - Associated with bank or ditch	Medium	Good	Like for like or better	0.106	0	0	0	0	0.106	1.272	EfW CHP Facility Site.		Permanent loss.



River unit impacts

- 3.2.7 The impacts on river habitats and the associated change to baseline units is presented in **Table 3.6 River unit impacts**. Habitat clearance for the Proposed Development (as currently known) would result in the loss of 0.27 river units; this is a 15% loss of the total number of river baseline units and a 16% loss of habitat cover (i.e., a loss of 0.07km). All unit/habitat loss is of ditches.



Table 3.6 River unit impacts

Ref	River type	Distinctiveness	Habitat condition	Trading rule	Total length (km)	Length retained (km)	Units retained	Length to be enhanced (km)	Units to be enhanced	Length lost (km)	Units lost	Component Development	of Proposed	Assessor Comments
1	Ditches	Medium	Poor	Restore	0.015	0.015	0.06	0	0	0	0	Access Improvements.		Retained (no impact).
2	Ditches	Medium	Poor	Restore	0.001	0	0	0	0	0.001	0.004	Access Improvements.		Permanent loss.
3	Ditches	Medium	Poor	Restore	0.039	0	0	0	0	0.039	0.156	EfW CHP Facility Site.		Permanent loss.
4	Ditches	Medium	Poor	Restore	0.027	0.027	0.108	0	0	0	0	EfW CHP Facility Site.		Retained (no impact).
5	Ditches	Medium	Poor	Restore	0.027	0	0	0	0	0.027	0.108	EfW CHP Facility Site.		Permanent loss.
6	Ditches	Medium	Poor	Restore	0.199	0.199	0.796	0	0	0	0	Temporary Construction Compound.		Retained (no impact).
7	Ditches	Medium	Poor	Restore	0.083	0.083	0.332	0	0	0	0	Temporary Construction Compound.		Retained (no impact).
8	Ditches	Medium	Poor	Restore	0.052	0.052	0.208	0	0	0	0	Water Connection.		Retained (no impact).



Post-intervention

Area-based units post-intervention

- 3.2.8 The area-based units generated at the post-intervention stage are presented in **Table 3.7 Area-based units post-intervention**.
- 3.2.9 Area-based habitat creation post-works comprises the reinstatement of baseline habitats (assumed to be to their original type and condition), and creation of new areas/types of habitats following construction works. For example, there is tree planting planned in the area of woodland clearance, and the reinstatement of grassland in areas used for the TCC. There is also the inclusion of new habitats, for example brown roofs on buildings on the EfW CHP Facility Site, additional grassland, and an area of wet woodland creation.
- 3.2.10 However, the Proposed Development results in an overall net loss of **-9.98%** in area-based habitat units. **This equates to a loss of -3.63 units**.
- 3.2.11 Reviewing losses and gains in each broad type of habitat shows that, while there are gains in units generated by grassland, there are larger losses in units generated especially by scrub and some from urban habitats, and these result in the overall unit loss:

Area-based habitat change in area (hectares) and in value (units) – extract from metric calculation for the Proposed Development

On site change by broad habitat type						
Habitat group	Baseline		Post development on site		Onsite Change	
	Existing area	Existing value	Proposed area	Proposed value	Area change	Onsite Unit change
Cropland	0.27	0.55	0.27	0.55	0.00	0.00
Grassland	3.69	13.58	4.23	17.46	0.54	3.88
Heathland and shrub	2.38	17.84	1.74	12.83	-0.63	-5.00
Lakes	0.00	0.00	0.01	0.06	0.01	0.06
Sparsely vegetated land	0.19	0.74	0.19	0.73	0.00	0.00
Urban	10.17	3.24	10.19	-2.88	0.02	-6.12
Wetland	0.00	0.00	0.00	0.00	0.00	0.00
Woodland and forest	0.12	0.48	0.19	0.80	0.07	0.32
Intertidal sediment	0.00	0.00	0.00	0.00	0.00	0.00
Coastal saltmarsh	0.00	0.00	0.00	0.00	0.00	0.00
Rocky shore	0.00	0.00	0.00	0.00	0.00	0.00
Coastal lagoons	0.00	0.00	0.00	0.00	0.00	0.00
Intertidal Hard Structures	0.00	0.00	0.00	0.00	0.00	0.00



- 3.2.12 In addition, the Proposed Development fails 'trading rules' for the Medium distinctiveness habitats especially for scrub:

Trading rules for Medium distinctiveness – extract from metric calculation for the Proposed Development

Medium Distinctiveness					
Habitat Group	Group	On site unit change	Off Site Unit Change	Project wide unit change	Cumulative Broad Habitat Change
Cropland - Arable field margins cultivated annually	Cropland	0.00	0.00	0.00	0.00
Cropland - Arable field margins game bird mix	Cropland	0.00	0.00	0.00	
Cropland - Arable field margins pollen & nectar	Cropland	0.00	0.00	0.00	
Cropland - Arable field margins tussocky	Cropland	0.00	0.00	0.00	
Cropland - Cereal crops winter stubble	Cropland	0.00	0.00	0.00	
Grassland - Other lowland acid grassland	Grassland	0.00	0.00	0.00	
Grassland - Other neutral grassland	Grassland	6.41	0.00	6.41	6.41
Grassland - Upland acid grassland	Grassland	0.00	0.00	0.00	-5.00
Heathland and shrub - Blackthorn scrub	Heathland and shrub	0.00	0.00	0.00	
Heathland and shrub - Bramble scrub	Heathland and shrub	-0.43	0.00	-0.43	
Heathland and shrub - Gorse scrub	Heathland and shrub	0.00	0.00	0.00	
Heathland and shrub - Hawthorn scrub	Heathland and shrub	0.00	0.00	0.00	
Heathland and shrub - Hazel scrub	Heathland and shrub	0.00	0.00	0.00	
Heathland and shrub - Mixed scrub	Heathland and shrub	-4.57	0.00	-4.57	0.06
Lakes - Ponds (Non- Priority Habitat)	Lakes	0.06	0.00	0.06	
Lakes - Reservoirs	Lakes	0.00	0.00	0.00	0.00
Sparsely vegetated land - Other inland rock and scree	Sparsely vegetated land	0.00	0.00	0.00	
Urban - Brown roof	Urban	0.19	0.00	0.19	0.19
Urban - Cemeteries and churchyards	Urban	0.00	0.00	0.00	
Urban - Intensive green roof	Urban	0.00	0.00	0.00	
Woodland and forest - Other Scot's Pine woodland	Woodland and forest	0.00	0.00	0.00	-0.04
Woodland and forest - Other woodland, broadleaved	Woodland and forest	-0.04	0.00	-0.04	
Woodland and forest - Other woodland, mixed	Woodland and forest	0.00	0.00	0.00	0.00
Intertidal sediment - Littoral coarse sediment	Intertidal sediment	0.00	0.00	0.00	
Intertidal sediment - Littoral sand	Intertidal sediment	0.00	0.00	0.00	
Intertidal Hard Structures - Artificial hard structures with Integrated Greening of Grey Infrastructure (IGGI)	Intertidal	0.00	0.00	0.00	
		1.61	0.00	1.61	

- 3.2.13 Both the unit loss and failed trading rules show that scrub enhancement or creation is the priority BNG measure.

- 3.2.14 It is understood that no further BNG measures on the EfW CHP Facility Site or third-party land holdings within the Order limits over and above those already proposed are likely to be possible. On that basis, off-site BNG provision would be required for the Proposed Development in area-based habitats units in ways that meet the trading rules.



Table 3.7 Area-based units post-intervention

Broad habitat	Proposed habitat condition	Area (ha)	Distinctiveness	Proposed habitat condition	Strategic significance	Standard time to target condition (years)	Habitat created in advance (years)	Delay in starting habitat creation (years)	Final time to target condition (years)	Final difficulty of creation	Area-based units delivered	Component Proposed Development	of	Assessor comments
Urban	Brown roof	0.003	Medium	Good	High	10	0	3	13	Medium	0.017	EfW CHP Facility Site.		Building 1 on Outline Landscape and Ecology Strategy.
Urban	Brown roof	0.029	Medium	Good	High	10	0	3	13	Medium	0.169	EfW CHP Facility Site.		Building 25 on Outline Landscape and Ecology Strategy.
Woodland and forest	Wet woodland	0.075	High	Moderate	High	15	0	3	18	Medium	0.365	EfW CHP Facility Site.		Wet woodland creation.
Grassland	Other neutral grassland	0.967	Medium	Moderate	High	5	0	3	8	Low	6.690	EfW CHP Facility Site.		Cellular construction temporary laydown area (0.281ha) plus surrounding grassland (0.686ha).
Lakes	Ponds (Non-Priority Habitat)	0.009	Medium	Moderate	Low	3	0	3	6	Low	0.058	EfW CHP Facility Site.		Pond creation.
Grassland	Other neutral grassland	0.009	Medium	Moderate	High	5	0	3	8	Low	0.062	EfW CHP Facility Site.		Swale.
Heathland and shrub	Mixed scrub	0.009	Medium	Moderate	Low	5	0	3	8	Low	0.054	EfW CHP Facility Site.		Native/ornamental shrub mix.
Urban	Developed land; sealed surface	3.097	V.Low	N/A - Other	Low	0	0	3	3	Medium	0.000	EfW CHP Facility Site.		Buildings and hard standing roads.
Grassland	Modified grassland	0.037	Low	Moderate	Low	4	0	3	7	Low	0.115	Grid Connection		Third-party land. Reinstated like-for-like.
Grassland	Modified grassland	0.046	Low	Moderate	High	4	0	3	7	Low	0.165	Access Improvements.		Third-party land. Reinstated like-for-like.
Grassland	Modified grassland	0.089	Low	Moderate	High	4	0	3	7	Low	0.319	Access Improvements.		Third-party land. Reinstated like-for-like.
Grassland	Modified grassland	0.009	Low	Moderate	High	4	0	3	7	Low	0.032	Access Improvements.		Third-party land. Reinstated like-for-like.
Urban	Developed land; sealed surface	0.028	V.Low	N/A - Other	Low	0	0	3	3	Medium	0.000	Access Improvements.		Third-party land. Reinstated like-for-like.
Urban	Vegetated garden	0.02	Low	Poor	Low	1	0	3	4	Low	0.035	Acoustic screening.		Third-party land. Reinstated like-for-like.
Urban	Vegetated garden	0.009	Low	Poor	Low	1	0	3	4	Low	0.016	Acoustic screening.		Third-party land. Reinstated like-for-like.
Urban	Developed land; sealed surface	0.489	V.Low	N/A - Other	Low	0	0	1	1	Medium	0.000	CHP Connection.		Land beneath pipeline/maintenance access road.
Grassland	Other neutral grassland	0.015	Medium	Moderate	Low	5	0	1	6	Low	0.097	CHP Connection.		Third-party land. Reinstated like-for-like.
Heathland and shrub	Mixed scrub	0.04	Medium	Moderate	Low	5	0	1	6	Low	0.258	CHP Connection.		Third-party land. Reinstated like-for-like.



Broad habitat	Proposed habitat condition	Area (ha)	Distinctiveness	Proposed habitat condition	Strategic significance	Standard time to target condition (years)	Habitat created in advance (years)	Delay in starting habitat creation (years)	Final time to target condition (years)	Final difficulty of creation	Area-based units delivered	Component Proposed Development	of	Assessor comments
Heathland and shrub	Mixed scrub	0.007	Medium	Moderate	Low	5	0	1	6	Low	0.045	CHP Connection.		Third-party land. Reinstated like-for-like.
Heathland and shrub	Mixed scrub	0.007	Medium	Moderate	Low	5	0	1	6	Low	0.045	CHP Connection.		Third-party land. Reinstated like-for-like.
Heathland and shrub	Bramble scrub	0.007	Medium	Poor	Low	1	0	1	2	Low	0.026	CHP Connection.		Third-party land. Reinstated like-for-like.
Heathland and shrub	Mixed scrub	0.022	Medium	Moderate	Low	5	0	1	6	Low	0.142	CHP Connection.		Third-party land. Reinstated like-for-like.
Heathland and shrub	Mixed scrub	0.059	Medium	Moderate	Low	5	0	1	6	Low	0.381	CHP Connection.		Third-party land. Reinstated like-for-like.
Woodland and forest	Other woodland; broadleaved	0.004	Medium	Poor	Low	5	0	1	6	Low	0.013	CHP Connection.		Third-party land. Reinstated like-for-like.
Urban	Developed land; sealed surface	0.003	V.Low	N/A - Other	Low	0	0	1	1	Medium	0.000	CHP Connection.		Third-party land. Reinstated like-for-like.
Heathland and shrub	Mixed scrub	0.02	Medium	Moderate	Low	5	0	1	6	Low	0.129	CHP Connection.		Third-party land. Reinstated like-for-like.
Grassland	Modified grassland	0.029	Low	Moderate	Low	4	0	2	6	Low	0.094	Grid Connection.		Third-party land. Reinstated like-for-like.
Grassland	Modified grassland	0.284	Low	Moderate	High	4	0	3	7	Low	1.018	Temporary Construction Compound.		Third-party land. Reinstated like-for-like.
Grassland	Modified grassland	0.37	Low	Moderate	High	4	0	3	7	Low	1.326	Temporary Construction Compound.		Third-party land. Reinstated like-for-like.
Grassland	Modified grassland	1.212	Low	Moderate	High	4	0	3	7	Low	4.345	Temporary Construction Compound.		Third-party land. Reinstated like-for-like.
Heathland and shrub	Bramble scrub	0.032	Medium	Poor	Low	1	0	3	4	Low	0.111	Temporary Construction Compound.		Third-party land. Reinstated like-for-like.
Heathland and shrub	Bramble scrub	0.04	Medium	Poor	Low	1	0	3	4	Low	0.139	Temporary Construction Compound.		Third-party land. Reinstated like-for-like.
Heathland and shrub	Bramble scrub	0.035	Medium	Poor	Low	1	0	3	4	Low	0.121	Temporary Construction Compound.		Third-party land. Reinstated like-for-like.
Urban	Vegetated garden ³²	0.011	Low	Poor	Low	1	0	3	4	Low	0.019	Water Connection.		Third-party land. Reinstated like-for-like.
Grassland	Modified grassland	0.057	Low	Poor	Low	1	0	3	4	Low	0.099	Water Connection.		Third-party land. Reinstated like-for-like.
Grassland	Modified grassland	0.042	Low	Moderate	Low	4	0	3	7	Low	0.131	Water Connection.		Third-party land. Reinstated like-for-like.

11M51

Environmental Statement Chapter 11 Biodiversity Appendix 11M Biodiversity Net Gain Assessment



Broad habitat	Proposed habitat condition	Area (ha)	Distinctiveness	Proposed habitat condition	Strategic significance	Standard time to target condition (years)	Habitat created in advance (years)	Delay in starting habitat creation (years)	Final time to target condition (years)	Final difficulty of creation	Area-based units delivered	Component Proposed Development	of	Assessor comments
Sparsely vegetated land	Ruderal/Ephemeral	0.018	Low	Poor	Low	1	0	3	4	Low	0.031	Water Connection.		Third-party land. Reinstated like-for-like.



Linear units post-intervention

- 3.2.15 The linear units generated at the post-intervention stage are presented in **Table 3.8 Linear units post-intervention**.
- 3.2.16 Linear habitat creation post-works comprises the reinstatement of baseline habitats and creation of new areas/types of habitats following construction works. For example, there is tree planting where a section of line of trees would be cleared along the CHP Connection. There is also the inclusion of a new hedgerow with trees on the EfW CHP Facility Site.
- 3.2.17 The Proposed Development results in a loss of **-21.56% linear units**, which equates to a loss of **-1.02 linear units**. This loss represents lines of trees and hedgerows. A mix of native, species-rich hedgerows and lines of trees (in order to achieve higher distinctiveness linear habitats than the baseline) are the targets for achieving net gains in linear units:

Linear habitat change in length (km) and value (units) – extract from the metric calculation for the Proposed Development

On site change by hedgerow type						
Hedgerow type	Baseline		Post development on site		Onsite Change	
	Existing length on-site	Existing value	Proposed length on-site	Proposed value on-site	On-site length change	On-site Unit change
Native Species Rich Hedgerow with trees - Associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Native Species Rich Hedgerow with trees	0.00	0.00	0.00	0.00	0.00	0.00
Native Species Rich Hedgerow - Associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Native Hedgerow with trees - Associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Native Species Rich Hedgerow	0.00	0.00	0.00	0.00	0.00	0.00
Native Hedgerow - Associated with bank or ditch	0.11	1.27	0.00	0.00	-0.11	-1.27
Native Hedgerow with trees	0.00	0.00	0.16	0.91	0.16	0.91
Line of Trees (Ecologically Valuable)	0.00	0.00	0.00	0.00	0.00	0.00
Line of Trees (Ecologically Valuable) - with Bank or Ditch	0.00	0.00	0.00	0.00	0.00	0.00
Native Hedgerow	0.00	0.00	0.00	0.00	0.00	0.00
Line of Trees	0.43	1.17	0.36	0.94	-0.06	-0.24
Line of Trees - Associated with bank or ditch	0.57	2.26	0.46	1.85	-0.10	-0.42
Hedge Ornamental <u>Non-Native</u>	0.00	0.00	0.00	0.00	0.00	0.00

- 3.2.18 As for area-based habitats, it is understood that no further BNG measures on the EfW CHP Facility Site or third-party land holdings within the Order limits over and above those already proposed are possible. On that basis, off-site BNG provision would be required for the Proposed Development to achieve an increase in linear units.



Table 3.8 Linear units post-intervention

Habitat type	Length (km)	Distinctiveness	Proposed habitat condition	Strategic significance	Standard time to target condition (years)	Habitat created in advance (years)	Delay in starting habitat creation (years)	Final time to target condition (years)	Final difficulty of creation	Linear units delivered	Component Proposed Development	of	Assessor comments
Native Hedgerow with trees	0.157	Medium	Moderate	High	10	0	3	13	Low	0.909	EfW CHP Facility Site.		New hedgerow creation.
Line of Trees	0.003	Low	Moderate	Low	20	0	1	21	Low	0.006	CHP Connection.		Third-party land. Like-for-like reinstatement of only a minor length of habitat due to only part of the impacted line of trees being reinstated due to permanent habitat loss within the footprint of the Proposed Development.

*River units post-intervention*

- 3.2.19 The river units generated at the post-intervention stage are presented in **Table 3.9 River units post-intervention**.
- 3.2.20 The Proposed Development results in a loss of **-11.85% in river units**. This equates to a loss of **-0.21 units** and are from the culverting of on-site ditches.
- 3.2.21 Assuming no BNG measures are possible on the EfW CHP Facility Site or third-party land holdings within the Order limits, such as enhancing the ditches³³, then off-site BNG provision would be required to generate net gains in river habitats.

³³ It is assumed that it would not be feasible to achieve enhancement of ditches within the EfW CHP Facility Site or wider Order limits, or the required 30-year management period, due to the ditch management and maintenance responsibilities of the Internal Drainage Board.



Table 3.9 River units post-intervention

River type	Length (km)	Distinctiveness	Proposed habitat condition	Strategic significance	Standard time to target condition (years)	Habitat created in advance (years)	Delay in starting habitat creation (years)	Final time to target condition (years)	Final difficulty of creation	Extent of watercourse encroachment	Extent of riparian zone encroachment	River units delivered	Component of the Proposed Development	Assessor comments
Culvert	0.001	Low	Poor	Low	1	0	3	4	Low	Major	No Encroachment	0.001	Access Improvements.	Culvert with road crossing.
Culvert	0.039	Low	Poor	Low	1	0	3	4	Low	Major	No Encroachment	0.034	EfW CHP Facility Site.	Culvert with road crossing.
Culvert	0.027	Low	Poor	Low	1	0	3	4	Low	Major	No Encroachment	0.023	EfW CHP Facility Site.	Culvert with road crossing.



3.3 BNG modelling

- 3.3.1 Based on the assumption that no further on-site BNG measures on the EfW CHP Facility Site or third-party land holdings within the Order limits are possible, modelling was undertaken to identify possible off-site habitat creation and enhancement scenarios to achieve an increase in area-based, linear and river units while satisfying the trading rules.
- 3.3.2 It is noted that this represents a high-level estimation of possible off-site BNG measures. The feasibility of such habitat creation and enhancement should be fully assessed as part of detailed design.

Area-based unit modelling

- 3.3.3 Assuming that off-site BNG provision would be in the same Local Planning Authority area, of low strategic significance, and would start the same year as habitat clearance on site, then the following off-site measures could achieve net gains in area-based units for the Proposed Development:
- **Enhancing** 1.5ha of mixed scrub from poor to good condition would generate approximately 14.40 area-based units resulting in 13.1% net gain; or
 - **Creating** 1.2ha of mixed scrub (in good condition) from modified grassland (in poor condition) would generate approximately 10.08 area-based units resulting in 11.13% net gain.
- 3.3.4 If there is a delay between on-site habitat clearance and commencement of the off-site BNG measure, this would affect the amount of scrub enhancement or creation required. For example, a four-year delay would mean that approximately 0.2ha of further scrub enhancement or creation would be required (in addition to the numbers presented above) to achieve BNG.

Linear unit modelling

- 3.3.5 Assuming that off-site BNG provision would be in the same Local Planning Authority (Host Authority) area and would start the same year as habitat clearance on site, then the following off-site measures could achieve net gains in linear units for the Proposed Development:
- **Enhancing** 0.3km of native hedgerow in poor condition, into native hedgerow with trees in good condition would generate approximately 2.70 linear units resulting in 23.05% net gain; or
 - **Enhancing** 0.5km of native hedgerow in poor condition, into native hedgerow in good condition would generate approximately 2.67 linear units resulting in 13.98% net gain; or
 - **Creating** 0.3km of native hedgerows with trees in good condition would generate approximately 1.77 linear units resulting in 15.92% net gain.



River unit modelling

- 3.3.6 Assuming no on-site BNG measures are possible such as enhancing the ditches, then off-site BNG provision would be required. If off-site BNG measures are in the same Local Planning Authority (Host Authority) area and would start the same year as habitat clearance on site, then enhancing 0.15km of rivers or streams from poor to good condition would generate approximately 1.35 river units resulting in 13.36% net gain. However, it would be critical to assess the feasibility of such enhancements.



4. Options for delivering BNG

4.1 Post-intervention on-site habitats

4.1.1 Post-intervention habitats would be managed in order to achieve the target type and condition set out in the project's Biodiversity Metric 3.0 calculation. This would be under a BNG Management and Monitoring Plan for a minimum of 30 years (for accordance with the proposed draft DCO BNG requirement (**Volume 3.1**)). This would be in line with the **Outline Landscape and Ecological Management Plan (Volume 7.7)** and would be based on adaptive management principles especially with regards to measures to adapt to climate change.

4.1.2 Management interventions should be guided by appropriate expert ecological advice throughout the 30-year management period. Ecological principles need to be applied so that the long-term habitat creation and enhancement included within the BNG assessment remain realistic and deliverable based on local conditions such as geology, hydrology, nutrient levels, etc. and the complexity of future management requirements. Good management practice does not, by itself, constitute restoration or enhancement, though reinstating certain management practices may contribute to achieving it, for example by improving condition.

4.2 Next steps and recommendations

4.2.1 In addition to habitat creation associated with the delivery of the **Outline Landscape and Ecology Strategy (Figure 3.14, Volume 6.3)** on the EfW CHP Facility Site, the Applicant has several options through which its commitment to delivering BNG could be achieved on-site (i.e., within the Order limits) and/or off-site, using any, or a combination of, the following:

- Agreements with third-party landowners/managers to manage land for a period of 30-years after completion of the works to achieve net gain across one or more habitats, by improving the habitat (or linear feature) distinctiveness and/or condition, preferably on land local to the EfW CHP Facility Site.
- Manage existing non-operational land that may be available within the Applicant's land holdings for a period of 30 years after completion of the works as described above.
- Purchase of land dedicated to be managed for BNG for a period of 30-years after completion of the works as described above.
- Agreements with local stakeholders such as the host authorities, the Natural Cambridgeshire nature partnership, or the local Wildlife Trust, to contribute to strategic local nature conservation initiatives.
- Input to a generic biodiversity offset scheme through the purchase of biodiversity units to deliver off-site BNG.



Environmental Statement Chapter 11 Biodiversity Appendix 11M Biodiversity Net Gain Assessment

- 4.2.2 A choice will therefore need to be made prior to the commencement of the Proposed Development as to the most appropriate delivery mechanism. This will include, but is not limited to, the need or not (as it is not yet a mandatory provision) to register the units claimed with Natural England.
- 4.2.3 The Applicant will make this choice once the BNG deficit is finalised at the detailed design stage post-consent, and pursuant to a DCO Requirement. It will confirm to the relevant host authority (local planning authority), in consultation with Natural England, how BNG is to be delivered.



Annex A – Habitat condition assessments

Table A.1 Baseline area-based habitat: detailed habitat condition assessments



Table A.2 Baseline area-based habitat: detailed habitat condition assessments

Ref	Area-based habitat type	Area (ha)	Assessed condition	Condition sheet	Condition criterion number												
					1	2	3	4	5	6	7	8	9	10	11	12	13
1	Grassland - Modified grassland	0.037	Moderate	Grassland Low	Fail. 2 species per m2	Fail. Sward height is uniform due to regular mowing	Pass. No scrub present	Pass. No physical damage	Pass. Bare ground <5%	Pass. No bracken	Fail. Undesirable species >5%						
2	Urban - Developed land; sealed surface	4.617	N/A - Other	n/a - Condition fixed at 'N/A'													
3	Heathland and shrub - Mixed scrub	0.001	Poor	Scrub	Pass. 3+ woody species, none >75% cover	Fail. Only young shrubs	Pass. No invasive or non-native species	Fail. Poor edge constricted by adjacent habitats	Fail. No clearings, glades or rises								
4	Urban - Developed land; sealed surface	0.477	N/A - Other	n/a - Condition fixed at 'N/A'													
5	Urban - Developed land; sealed surface	0.049	N/A - Other	n/a - Condition fixed at 'N/A'													
6	Grassland - Modified grassland	0.046	Moderate	Grassland Low	Pass. 6-8 species per m2	Fail. Sward height is uniform due to regular mowing	Pass. No scrub present	Fail. Physical damage evident from machinery	Pass. Bare ground <5%	Pass. No bracken	Fail. Undesirable species >5%						
7	Grassland - Modified grassland	0.089	Moderate	Grassland Low	Pass. 6-8 species per m2	Pass. Sward height is varied	Pass. No scrub present	Fail. Physical damage from manholes and concrete surfaces	Fail. Bare ground >5%	Pass. No bracken	Fail. Undesirable species >5%						
8	Grassland - Modified grassland	0.003	Moderate	Grassland Low	Fail. 2 species per m2	Fail. Sward height is uniform due to regular mowing	Pass. No scrub present	Pass. No physical damage	Pass. Bare ground <5%	Pass. No bracken	Fail. Undesirable species >5%						
9	Grassland - Modified grassland	0.002	Moderate	Grassland Low	Fail. 2 species per m2	Fail. Sward height is uniform due to regular mowing	Pass. No scrub present	Pass. No physical damage	Pass. Bare ground <5%	Pass. No bracken	Fail. Undesirable species >5%						
10	Heathland and shrub - Bramble scrub	0.027	Poor	Scrub	Fail. Single woody species	Fail. Only young shrubs	Pass. No invasive or non-native species	Fail. Edge is not well developed	Fail. No clearings, glades or rises								



Ref	Area-based habitat type	Area (ha)	Assessed condition	Condition sheet	Condition criterion number												
					1	2	3	4	5	6	7	8	9	10	11	12	13
11	Grassland - Modified grassland	0.009	Moderate	Grassland Low	Pass. 6-8 species per m2	Pass. Sward height is varied	Pass. No scrub present	Fail. Physical damage from manholes and concrete surfaces	Fail. Bare ground >5%	Pass. No bracken	Fail. Undesirable species >5%						
12	Urban - Developed land; sealed surface	0.028	N/A - Other	n/a - Condition fixed at 'N/A'													
13	Heathland and shrub - Mixed scrub	0.008	Poor	Scrub	Pass. 3+ woody species, none >75% cover	Fail. Only young shrubs	Pass. No invasive or non-native species	Fail. Poor edge constricted by adjacent habitats	Fail. No clearings, glades or rises								
14	Grassland - Modified grassland	0.013	Moderate	Grassland Low	Pass. 6-8 species per m2	Fail. Sward height is uniform due to regular mowing	Pass. No scrub present	Fail. Physical damage evident from machinery	Pass. Bare ground <5%	Pass. No bracken	Fail. Undesirable species >5%						
15	Grassland - Modified grassland	0.022	Moderate	Grassland Low	Pass. 6-8 species per m2	Fail. Sward height is uniform due to regular mowing	Pass. No scrub present	Pass. No physical damage	Pass. Bare ground <5%	Pass. No bracken	Fail. Undesirable species >5%						
16	Urban - Developed land; sealed surface	0.007	N/A - Other	n/a - Condition fixed at 'N/A'													
17	Urban - Vegetated garden	0.02	Poor	n/a - Condition fixed at 'Poor'													
18	Urban - Vegetated garden	0.009	Poor	n/a - Condition fixed at 'Poor'													
19	Urban - Developed land; sealed surface	0.505	N/A - Other	n/a - Condition fixed at 'N/A'													
20	Grassland - Other neutral grassland	0.055	Moderate	Grassland Med. High and V.High	Pass. 9+ species per m2	Pass. Grassland growing tall by end of the summer and more dominant over underlying herbs	Pass. No bare ground.	Fail. No bracken but >5% of scrub encroaching onto grassland	Fail. Japanese knotweed present								



Ref	Area-based habitat type	Area (ha)	Assessed condition	Condition sheet	Condition criterion number												
					1	2	3	4	5	6	7	8	9	10	11	12	13
21	Urban - Developed land; sealed surface	0.001	N/A - Other	n/a - Condition fixed at 'N/A'													
22	Heathland and shrub - Mixed scrub	0.145	Moderate	Scrub	Pass. Unable to access. 3+ species assumed	Pass. Unable to access	Fail. Buddleia present	Pass. Unable to access. Scrub edge assumed	Pass. Unable to access. Clearings assumed.								
23	Heathland and shrub - Mixed scrub	0.025	Moderate	Scrub	Pass. Unable to access. 3+ species assumed	Pass. Unable to access	Fail. Buddleia present	Pass. Unable to access. Scrub edge assumed	Pass. Unable to access. Clearings assumed.								
24	Heathland and shrub - Mixed scrub	0.024	Moderate	Scrub	Fail. Two woody species only	Pass. Unable to access	Fail. Buddleia present	Pass. Well-developed edge with adjacent ephemeral strip	Pass. Clearings of scrub present through the middle.								
25	Heathland and shrub - Bramble scrub	0.027	Poor	Scrub	Fail. Single woody species	Fail. Only young shrubs	Fail. Buddleia present	Fail. No edge present	Fail. No clearings, glades or rises								
26	Heathland and shrub - Mixed scrub	0.082	Moderate	Scrub	Fail. Single woody species	Pass. Good age range	Fail. Buddleia present	Pass. Well-developed edge present	Pass. Clearings present								
27	Heathland and shrub - Mixed scrub	0.218	Moderate	Scrub	Pass. Unable to access. 3+ species assumed	Pass. Good age range	Fail. Buddleia present	Pass. Clearings of scrub present through the middle.	Pass. Clearings of scrub present through the middle.								
28	Woodland and forest - Other woodland; broadleaved	0.014	Poor	Woodland	1 Point. Single age class - immature birch dominant	3 Points. No significant browsing.	1 Point. Scattered buddleia	2 Points. 3-4 native tree shrub species	3 Points. >80% native	3 Points. Plantation with uniform rows and little temporary open space	1 Point. No re-growth	2 Points. Moderate mortality	1 Point. No recognisable NVC community	1 Point. Single story due to plantation	1 Point. No veteran trees	1 Point. <25% deadwood.	2 Points. <20% damaged ground. Nutrient enrichment evident
29	Urban - Developed land; sealed surface	0.01	N/A - Other	n/a - Condition fixed at 'N/A'													



Ref	Area-based habitat type	Area (ha)	Assessed condition	Condition sheet	Condition criterion number													
					1	2	3	4	5	6	7	8	9	10	11	12	13	
30	Heathland and shrub - Mixed scrub	0.072	Moderate	Scrub	Fail, Two woody species only	Pass. Good age range	Fail. Buddleia present	Pass. Clearings of scrub present through the middle.	Pass. Clearings of scrub present through the middle.									
31	Heathland and shrub - Mixed scrub	0.295	Moderate	Scrub	Fail, Two woody species only	Pass. Good age range	Fail. Buddleia present	Pass. Clearings of scrub present through the middle.	Pass. Clearings of scrub present through the middle.									
32	Heathland and shrub - Mixed scrub	0.366	Moderate	Scrub	Pass. Unable to access. 3+ species assumed	Pass. Unable to access	Fail. Buddleia present	Pass. Clearings of scrub present through the middle.	Pass. Clearings of scrub present through the middle.									
33	Heathland and shrub - Bramble scrub	0.051	Poor	Scrub	Fail. Single woody species	Fail. Only young shrubs	Fail. Buddleia present	Fail. No edge present	Fail. No clearings, glades or rises									
34	Heathland and shrub - Mixed scrub	0.034	Moderate	Scrub	Fail, Two woody species only	Pass. Unable to access	Fail. Buddleia present	Pass. Clearings of scrub present through the middle.	Pass. Clearings of scrub present through the middle.									
35	Urban - Developed land; sealed surface	0.011	N/A - Other	n/a - Condition fixed at 'N/A'														
36	Heathland and shrub - Mixed scrub	0.098	Moderate	Scrub	Pass. Unable to access. 3+ species assumed	Pass. Unable to access.	Fail. Buddleia present	Pass. Well-developed edge present	Pass. Clearings present									
37	Heathland and shrub - Mixed scrub	0.099	Moderate	Scrub	Pass. Unable to access. 3+ species assumed	Pass. Unable to access.	Fail. Buddleia present	Pass. Well-developed edge present	Pass. Clearings present									
38	Heathland and shrub - Mixed scrub	0.2	Moderate	Scrub	Pass. Unable to access. 3+ species assumed	Pass. Unable to access.	Fail. Buddleia present	Pass. Well-developed edge present	Pass. Clearings present									
39	Urban - Developed land; sealed surface	0.213	N/A - Other	n/a - Condition fixed at 'N/A'														



Ref	Area-based habitat type	Area (ha)	Assessed condition	Condition sheet	Condition criterion number												
					1	2	3	4	5	6	7	8	9	10	11	12	13
40	Woodland and forest - Other woodland; broadleaved	0.068	Poor	Woodland	1 Point. Single age class - immature birch dominant	3 Points. No significant browsing.	1 Point. Scattered buddleia	2 Points. 3-4 native tree shrub species	3 Points. >80% native	3 Points. Plantation with uniform rows and little temporary open space	1 Point. No re-growth	2 Points. Moderate mortality	1 Point. No recognisable NVC community	1 Point. Single story due to plantation	1 Point. No veteran trees	1 Point. <25% deadwood.	2 Points. <20% damaged ground. Nutrient enrichment evident
41	Woodland and forest - Other woodland; broadleaved	0.007	Poor	Woodland	1 Point. Single age class - immature birch dominant	3 Points. No significant browsing.	1 Point. Scattered buddleia	2 Points. 3-4 native tree shrub species	3 Points. >80% native	3 Points. Plantation with uniform rows and little temporary open space	1 Point. No re-growth	2 Points. Moderate mortality	1 Point. No recognisable NVC community	1 Point. Single story due to plantation	1 Point. No veteran trees	1 Point. <25% deadwood.	2 Points. <20% damaged ground. Nutrient enrichment evident
42	Woodland and forest - Other woodland; broadleaved	0.016	Poor	Woodland	1 Point. Single age class - immature birch dominant	3 Points. No significant browsing.	1 Point. Scattered buddleia	2 Points. 3-4 native tree shrub species	3 Points. >80% native	3 Points. Plantation with uniform rows and little temporary open space	1 Point. No re-growth	2 Points. Moderate mortality	1 Point. No recognisable NVC community	1 Point. Single story due to plantation	1 Point. No veteran trees	1 Point. <25% deadwood.	2 Points. <20% damaged ground. Nutrient enrichment evident
43	Woodland and forest - Other woodland; broadleaved	0.015	Poor	Woodland	1 Point. Single age class - immature birch dominant	3 Points. No significant browsing.	1 Point. Scattered buddleia	2 Points. 3-4 native tree shrub species	3 Points. >80% native	3 Points. Plantation with uniform rows and little temporary open space	1 Point. No re-growth	2 Points. Moderate mortality	1 Point. No recognisable NVC community	1 Point. Single story due to plantation	1 Point. No veteran trees	1 Point. <25% deadwood.	2 Points. <20% damaged ground. Nutrient enrichment evident
44	Grassland - Other neutral grassland	0.045	Moderate	Grassland Med. High and V.High	Pass. 9+ species per m2	Pass. Grassland growing tall by end of the summer and more dominant over underlying herbs	Pass. No bare ground.	Fail. No bracken but >5% of scrub encroaching onto grassland	Fail. Japanese knotweed present								
45	Grassland - Modified grassland	0.002	Moderate	Grassland Low	Pass. 6-8 species per m2	Pass. Sward height is varied	Pass. Scattered scrub encroaching onto grassland but <20% of area	Fail. Damage from frequent ditch management	Pass. Bare ground <5%	Pass. No bracken	Pass. Undesirable species <5%						



Ref	Area-based habitat type	Area (ha)	Assessed condition	Condition sheet	Condition criterion number													
					1	2	3	4	5	6	7	8	9	10	11	12	13	
46	Urban - Developed land; sealed surface	0.139	N/A - Other	Grassland Low	Pass. 6-8 species per m2	Pass. Sward height is varied	Pass. Scattered scrub encroaching onto grassland but <20% of area	Fail. Damage from frequent ditch management	Pass. Bare ground <5%	Pass. No bracken	Pass. Undesirable species <5%							
47	Grassland - Modified grassland	0.069	Moderate	Scrub	Fail. Single woody species	Fail. Only young shrubs	Pass. No invasive or non-native species	Fail. No edge present	Fail. No clearings, glades or rises									
48	Heathland and shrub - Bramble scrub	0.074	Poor	Urban	Fail. Vegetation periodically cut	Fail. Vegetation has not grown up	Pass. No invasive non-native species											
49	Urban - Vacant/derelict land/ bare ground	0.036	Poor	Urban	Fail. Vegetation periodically cut	Pass. Vegetation can grow up in places, providing a diverse range of flowering plant species	Pass. No invasive non-native species											
50	Urban - Vacant/derelict land/ bare ground	0.327	Moderate	Scrub	Pass. Unable to access. 3+ species assumed	Fail. Only mature shrubs	Pass. No invasive or non-native species	Fail. No access but well-developed edge is unlikely considering habitat restriction	Fail. No access but clearings, glades and rises are unlikely considering habitat restriction									
51	Urban - Artificial unvegetated, unsealed surface	2.668	N/A - Other	Urban	Fail. Vegetation periodically cut	Pass. Vegetation can grow up in places, providing a diverse range of flowering plant species	Pass. No invasive non-native species											
52	Heathland and shrub - Mixed scrub	0.287	Moderate	Grassland Low	Pass. 6-8 species per m2	Fail. Sward type is not varied - just tall grasses.	Pass. No scrub present	Pass. No physical damage	Pass. Bare ground <5%	Pass. No bracken	Fail. Undesirable species >5%							
53	Urban - Vacant/derelict land/ bare ground	0.419	Moderate	n/a - Condition fixed at 'N/A'														



Ref	Area-based habitat type	Area (ha)	Assessed condition	Condition sheet	Condition criterion number														
					1	2	3	4	5	6	7	8	9	10	11	12	13		
54	Grassland - Modified grassland	0.327	Moderate	Scrub	Pass. Unable to access. 3+ species assumed	Fail. Only mature shrubs	Pass. No invasive or non-native species	Fail. No access but well-developed edge is unlikely considering habitat restriction	Fail. No access but clearings, glades and rises are unlikely considering habitat restriction										
55	Urban - Developed land; sealed surface	0.002	N/A - Other	n/a - condition fixed at 'poor'															
56	Heathland and shrub - Mixed scrub	0.137	Moderate	n/a - Condition fixed at 'N/A'															
57	Grassland - Modified grassland	0.575	Poor	Grassland Low	Fail. <6 species per m2	Fail. Sward height is uniform due to regular mowing	Pass. No scrub present	Fail. Damage from constant mowing	Pass. Bare ground <5%	Pass. No bracken	Fail. Undesirable species >5%								
58	Grassland - Modified grassland	0.166	Poor	Grassland Low	Fail. <6 species per m2	Fail. Sward height is uniform due to regular mowing	Pass. No scrub present	Fail. Damage from constant mowing	Pass. Bare ground <5%	Pass. No bracken	Fail. Undesirable species >5%								
59	Grassland - Modified grassland	0.029	Moderate	Grassland Low	Pass. 6-8 species per m2	Fail. Sward height is uniform due to regular mowing	Pass. No scrub present	Pass. No physical damage	Pass. Bare ground <5%	Pass. No bracken	Fail. Undesirable species >5%								
60	Urban - Developed land; sealed surface	0.188	N/A - Other	n/a - Condition fixed at 'N/A'															
61	Urban - Developed land; sealed surface	0.157	N/A - Other	n/a - Condition fixed at 'N/A'															
62	Sparsely vegetated land - Ruderal/Ephemeral	0.061	Moderate	Sparsely vegetated land	Fail. Appearance and composition do not closely match the sparsely	Fail. Scrub >25%	Pass. Absence of invasive and non-native species	Pass. Cover of vascular plants between 5-50%											



Ref	Area-based habitat type	Area (ha)	Assessed condition	Condition sheet	Condition criterion number													
					1	2	3	4	5	6	7	8	9	10	11	12	13	
					vegetated habitat type													
63	Urban - Vegetated garden	0.035	Poor	n/a - Condition fixed at 'Poor'														
64	Urban - Vegetated garden	0.016	Poor	n/a - Condition fixed at 'Poor'														
65	Sparsely vegetated land - Ruderal/Ephemeral	0.114	Moderate	Sparsely vegetated land	Fail. Appearance and composition do not closely match the sparsely vegetated habitat type	Fail. Scrub >25%	Pass. Absence of invasive and non-native species	Pass. Cover of vascular plants between 5-50%										
66	Grassland - Modified grassland	0.115	Moderate	Grassland Low	Pass. 6-8 species per m2	Fail. Sward height is uniform due to regular mowing	Pass. No scrub present	Pass. No physical damage	Pass. Bare ground <5%	Pass. No bracken	Fail. Undesirable species >5%							
67	Grassland - Modified grassland	0.284	Moderate	Grassland Low	Pass. 6-8 species per m2	Fail. Sward height is varied	Pass. Little scrub <20% of area	Pass. No physical damage	Pass. Bare ground <5%	Pass. No bracken	Fail. Undesirable species >5%							
68	Grassland - Modified grassland	0.37	Moderate	Grassland Low	Pass. 6-8 species per m2	Fail. Sward type is not varied - just tall grasses.	Pass. Little scrub <20% of area	Pass. No physical damage	Pass. Bare ground <5%	Pass. No bracken	Fail. Undesirable species >5%							
69	Grassland - Modified grassland	1.212	Moderate	Grassland Low	Pass. 6-8 species per m2	Fail. Sward type is not varied - just tall grasses.	Fail. Frequent hawthorn and rose scrub	Pass. No physical damage	Pass. Bare ground <5%	Pass. No bracken	Fail. Undesirable species >5%							
70	Heathland and shrub - Bramble scrub	0.032	Poor	Scrub	Fail. Single woody species	Fail. Only young shrubs	Pass. No invasive or non-native species	Fail. No edge present	Fail. No clearings, glades or rises									
71	Heathland and shrub - Bramble scrub	0.04	Poor	Scrub	Fail. Single woody species	Fail. Only young shrubs	Pass. No invasive or non-native species	Fail. No edge present	Fail. No clearings, glades or rises									



Ref	Area-based habitat type	Area (ha)	Assessed condition	Condition sheet	Condition criterion number														
					1	2	3	4	5	6	7	8	9	10	11	12	13		
72	Heathland and shrub - Bramble scrub	0.035	Poor	Scrub	Fail. Single woody species	Fail. Only young shrubs	Pass. No invasive or non-native species	Fail. No edge present	Fail. No clearings, glades or rises										
73	Cropland - Intensive orchards	0.273	N/A - Agricultural	n/a - Condition fixed at 'Poor'															
74	Grassland - Modified grassland	0.015	Moderate	Grassland Low	Fail. 2 species per m2	Pass. Sward height is varied - mix of tall grasses and bare ground	Pass. No scrub present	Fail. Ground is excessively damaged by machinery	Pass. Bare ground <5%	Pass. No bracken	Fail. Undesirable species >5%								
75	Grassland - Modified grassland	0.06	Moderate	Grassland Low	Pass. 6-8 species per m2	Fail. Sward height is uniform due to regular mowing	Pass. No scrub present	Fail. >5% ground is damaged	Pass. Bare ground <5%	Pass. No bracken	Fail. Undesirable species >5%								
76	Urban - Vegetated garden	0.011	Poor	n/a - Condition fixed at 'Poor'															
77	Grassland - Modified grassland	0.011	Moderate	Grassland Low	Pass. 6-8 species per m2	Fail. Sward type is not varied - just tall grasses.	Pass. No scrub present	Pass. No physical damage	Pass. Bare ground <5%	Pass. No bracken	Fail. Undesirable species >5%								
78	Grassland - Modified grassland	0.042	Moderate	Grassland Low	Pass. 6-8 species per m2	Fail. Sward height is uniform due to regular mowing	Pass. No scrub present	Fail. >5% ground is damaged	Pass. Bare ground <5%	Pass. No bracken	Fail. Undesirable species >5%								
79	Sparsely vegetated land - Ruderal/Ephemeral	0.018	Poor	Sparsely vegetated land	Fail. Appearance and composition do not closely match the sparsely vegetated habitat type	Fail. Scrub >25%	Pass. Absence of invasive and non-native species	Pass. Cover of vascular plants between 5-50%											
80	Grassland - Modified grassland	0.008	Moderate	Grassland Low	Pass. 6-8 species per m2	Fail. Sward height is uniform due to regular mowing	Pass. No scrub present	Fail. Ground is excessively damaged by machinery	Pass. Bare ground <5%	Pass. No bracken	Fail. Undesirable species >5%								
81	Grassland - Modified grassland	0.031	Moderate	Grassland Low	Pass. 6-8 species per m2	Fail. Sward height is uniform due	Pass. No scrub present	Fail. Ground is excessively damaged by machinery	Pass. Bare ground <5%	Pass. No bracken	Fail. Undesirable species >5%								



Ref	Area-based habitat type	Area (ha)	Assessed condition	Condition sheet	Condition criterion number														
					1	2	3	4	5	6	7	8	9	10	11	12	13		
						to regular mowing													
82	Urban - Developed land; sealed surface	0.228	N/A - Other	n/a - Condition fixed at 'N/A'															
83	Grassland - Modified grassland	0.057	Poor	Grassland Low	Fail. <6 species per m2	Fail. Sward height is uniform due to regular mowing	Pass. No scrub present	Fail. Damage from constant mowing	Pass. Bare ground <5%	Pass. No bracken	Fail. Undesirable species >5%								



Table A.3 Baseline linear habitat: detailed habitat condition assessments

Ref	Linear habitat type	Length (km)	Assessed condition	Condition sheet	Condition criterion number									
					1	2	3	4	5	6	7	8		
1	Line of Trees	0.054	Moderate	Line of Trees	Pass. All trees are native, mostly birch	Pass. Tree canopy is predominantly continuous	Fail. No mature or veteran trees	Fail. Housing immediately adjacent	Pass. >95% in healthy condition					
2	Line of Trees	0.173	Poor	Line of Trees	Fail. All trees are Leylandii - non-native	Pass. Tree canopy is predominantly continuous	Fail. No mature or veteran trees	Fail. Industrial estate immediately adjacent	Fail. Sided on north-western side					
3	Line of Trees	0.046	Poor	Line of Trees	Pass. All trees are native, mostly birch	Fail. Tree canopy is gappy	Fail. No mature or veteran trees	Fail. Industrial estate immediately adjacent	Pass. >95% in healthy condition					
4	Line of Trees	0.012	Moderate	Line of Trees	Pass. >70% trees are native	Pass. Tree canopy is predominantly continuous	Fail. No mature or veteran trees	Fail. Hardstanding immediately adjacent	Pass. >95% in healthy condition					
5	Line of Trees	0.096	Moderate	Line of Trees	Pass. >70% trees are native	Pass. Tree canopy is predominantly continuous	Fail. No mature or veteran trees	Fail. Hardstanding immediately adjacent	Pass. >95% in healthy condition					
6	Line of Trees - Associated with bank or ditch	0.104	Moderate	Line of Trees	Fail. All trees are hybridised black poplar - non native	Pass. Tree canopy is predominantly continuous	Fail. No mature or veteran trees	Fail. Hardstanding, managed ditches and earth bunds adjacent	Pass. >95% in healthy condition					
7	Line of Trees - Associated with bank or ditch	0.032	Moderate	Line of Trees	Fail. All trees are hybridised black poplar - non native	Pass. Tree canopy is predominantly continuous	Pass. >1 mature trees, no veterans	Fail. Hardstanding, managed ditches and earth bunds adjacent	Pass. >95% in healthy condition					
8	Line of Trees - Associated with bank or ditch	0.04	Moderate	Line of Trees	Fail. All trees are hybridised black poplar - non native	Pass. Tree canopy is predominantly continuous	Pass. >1 mature trees, no veterans	Fail. Hardstanding, managed ditches and earth bunds adjacent	Pass. >95% in healthy condition					
9	Line of Trees	0.031	Poor	Line of Trees	Fail. <70% trees are native	Pass. Tree canopy is predominantly continuous	Pass. >1 mature trees, no veterans	Fail. Walsoken substation and roadside adjacent	Fail. Management for roadside access					
10	Line of Trees - Associated with bank or ditch	0.111	Moderate	Line of Trees	Pass. >70% trees are native	Pass. Tree canopy is predominantly continuous	Pass. >1 mature trees, no veterans	Fail. Adjacent to road and managed grassland	Pass. >95% in healthy condition					
11	Line of Trees - Associated with bank or ditch	0.279	Moderate	Line of Trees	Pass. >70% trees are native	Pass. Tree canopy is predominantly continuous	Pass. >1 mature trees, no veterans	Fail. Adjacent to road and managed grassland	Pass. >95% in healthy condition					



Ref	Linear habitat type	Length (km)	Assessed condition	Condition sheet	Condition criterion number								
					1	2	3	4	5	6	7	8	
12	Line of Trees	0.013	Poor	Line of Trees	Fail. <70% trees are native	Pass. Tree canopy is predominantly continuous	Pass. >1 mature trees, no veterans			Fail. Management for roadside access			
13	Native Hedgerow - Associated with bank or ditch	0.106	Good	Hedgerow	A1 Pass. >1.5m average height	A2 Pass. >1.5m width	B1 Pass. No gaps to base	B2 Pass. No gaps		C1 Fail. Adjacent ground is disturbed - ditch sides regularly maintained	C2 Pass. <20% undesirable perennial vegetation	D1 Pass. No invasive species	D2 Pass. >90% of the hedgerow is undisturbed - left to grow without management



Table A.4 Baseline river habitat: detailed habitat condition assessments

Ref	Habitat type	Length (km)	Condition	Condition Sheet	Condition criterion number							
					1	2	3	4	5	6	7	8
1	Rivers and streams - Ditches	0.015	Poor	Ditch	Fail. Poor water quality	Fail. No emergent, submerged or floating plants	Pass. <10% algae	Pass. >75% marginal vegetation	Fail. Damage from machinery evident	Fail. Depth <50cm	Fail. >50% heavily shaded	Pass. No invasive or non-native species
2	Rivers and streams - Ditches	0.001	Poor	Ditch	Fail. Poor water quality	Fail. No emergent, submerged or floating plants	Pass. <10% algae	Pass. >75% marginal vegetation	Pass. No physical damage evident	Fail. Depth 30cm	Fail. >10% heavily shaded	Pass. No invasive or non-native species
3	Rivers and streams - Ditches	0.039	Poor	Ditch	Fail. Poor water quality	Fail. No emergent, submerged or floating plants	Pass. <10% algae	Pass. >75% marginal vegetation	Fail. Damage from machinery evident	Pass. >1m water depth	Pass. <10% of the ditch heavily shaded	Pass. No invasive or non-native species
4	Rivers and streams - Ditches	0.027	Poor	Ditch	Fail. Poor water quality	Fail. No emergent, submerged or floating plants	Pass. <10% algae	Pass. >75% marginal vegetation	Fail. Damage from machinery evident	Pass. >1m water depth	Pass. <10% of the ditch heavily shaded	Pass. No invasive or non-native species
5	Rivers and streams - Ditches	0.027	Poor	Ditch	Fail. Poor water quality	Fail. No emergent, submerged or floating plants	Pass. <10% algae	Pass. >75% marginal vegetation	Fail. Damage from machinery evident	Pass. >1m water depth	Pass. <10% of the ditch heavily shaded	Pass. No invasive or non-native species
6	Rivers and streams - Ditches	0.199	Poor	Ditch	Fail. Poor water quality	Fail. No emergent, submerged or floating plants	Pass. <10% algae	Pass. >75% marginal vegetation	Fail. Damage from machinery evident	Pass. >1m water depth	Pass. <10% of the ditch heavily shaded	Pass. No invasive or non-native species
7	Rivers and streams - Ditches	0.083	Poor	Ditch	Fail. Poor water quality	Fail. No emergent, submerged or floating plants	Pass. <10% algae	Pass. >75% marginal vegetation	Fail. Damage from machinery evident	Pass. >1m water depth	Pass. <10% of the ditch heavily shaded	Pass. No invasive or non-native species
8	Rivers and streams - Ditches	0.052	Poor	Ditch	Fail. Poor water quality	Fail. No emergent, submerged or floating plants	Fail. >10% algae	Fail. No marginal vegetation	Fail. Damage from machinery evident	Pass. >1m water depth	Pass. <10% of the ditch heavily shaded	Pass. No invasive or non-native species



Table A.5 Post-intervention area-based habitat: detailed proposed habitat condition assessments

Ref	Proposed area-based habitat type	Area (ha)	Proposed condition	Condition sheet	Condition criterion number													
					1	2	3	4	5	6	7	8	9	10	11	12	13	
1	Urban - Brown roof	0.003	Good	Urban	Pass. A seed mix of early-colonising species grasses, flowers and herbs and taller wildflowers aim to provide a varied vegetation structure	Pass. The native seed mix aims to provide nectar sources for insects	Pass. Invasive non-native species will not be introduced											
2	Urban - Brown roof	0.029	Good	Urban	Pass. A seed mix of early-colonising species grasses, flowers and herbs and taller wildflowers aim to provide a varied vegetation structure	Pass. The native seed mix aims to provide nectar sources for insects	Pass. Invasive non-native species will not be introduced											
3	Woodland and forest - Wet woodland	0.075	Moderate	Woodland	1 Point. All trees proposed to be planted will be 60-80cm in height.	3 points. No significant browsing expected. The EfW CHP Facility Site will be inaccessible to large herbivores.	3 Points. No invasive species will be planted. Spot treatment of invasive species spread by natural means can be adopted if/when applicable	3 points. 8 native tree species proposed across woodland parcel. Only Viburnum opulus from the proposed planting plan is non-native	3 Points. Only Viburnum opulus is non-native (10% cover)	3 points. Trees planted at 2 metre centres.	1 Point. Woodland re-generation unlikely given that saplings only will be planted	3 Points. Trees proposed to be planted are uncommon to generate dieback. Pests and other disease can be managed accordingly	1 Point. Proposed woodland has no recognisable NVC community	1 Point. One storey likely to develop	1 Point. No veteran trees proposed	1 Point. <25% standing deadwood likely due to sapling plantation	3 Points. No nutrient enrichment proposed	
4	Grassland - Other neutral grassland	0.967	Moderate	Grassland Med. High and V.High	Pass. A seed mix containing 32 species is proposed including flowers, herbs and grasses. A range of	Pass. An annual mowing regime will be modified to produce a variation in sward length. Some areas can be left	Fail. Localised patches of bare ground is expected to form in higher-usage areas, especially at Laydown	Pass. Management regimes can aim to remove any scrub and bracken if present	Pass. No invasive or non-native species are proposed in the planting plan. Damaging levels of									



Ref	Proposed area-based habitat type	Area (ha)	Proposed condition	Condition sheet	Condition criterion number													
					1	2	3	4	5	6	7	8	9	10	11	12	13	
					species is chosen to maximise the chance of a species rich sward given that conditions may var around the proposed grassland.	un-mown to encourage regions of taller grasses.	Area 36 where vehicles can track into the sward.		access to be <5% across the sward									
5	Lakes - Ponds (Priority Habitat)	0.009	Moderate	Pond	Pass. Good water quality proposed. No pollutants to leach into the waterbody	Fail. Urban habitat within 10m of pond edge	Pass. Duckweed and algae to be managed	Fail. Pond connected to swale	Fail. Pond connected to swale via pipework	Pass. No non-native plant species proposed in planting. Management can be implemented to remove any non-native plants or animals that can be introduced naturally	Pass. Pond not to be artificially stocked with fish.	Pass. Plants can be introduced that cover shallower parts of the pond	Pass. Bankside can be managed so that the pond is <50% shaded					
6	Grassland - Other neutral grassland	0.009	Moderate		Pass. A wet seed mix containing 32 species is proposed including reeds, rushes, flowers, herbs and grasses. A range of species is chosen to maximise the chance of a species rich sward given that conditions may var around the proposed grassland.	Pass. An annual mowing regime will be modified to produce a variation in sward length. Some areas can be left un-mown to encourage regions of taller grasses.	Fail. Localised patches of bare ground is expected to form in higher-usage areas, where vehicles can track into the sward.	Pass. Management regimes can aim to remove any scrub and bracken if present	Pass. No invasive or non-native species are proposed in the planting plan. Damaging levels of access to be <5% across the sward									
7	Heathland and shrub - Mixed scrub	0.009	Moderate		Pass. 6 shrub species	Fail. Shrubs planted will be between	Pass. Scrub will be managed to	Pass. The scrub is proposed to	Fail. No clearings, glades or									



Ref	Proposed area-based habitat type	Area (ha)	Proposed condition	Condition sheet	Condition criterion number													
					1	2	3	4	5	6	7	8	9	10	11	12	13	
					are proposed in the planting plan	30-60cm in height.	removed invasive species and undesirable vegetation, if/when applicable	have a well developed edge to grade into the grassland.	rises are proposed.									
8	Urban - Developed land; sealed surface	3.097	N/A - Other	n/a - Condition fixed at 'N/A'														
9	Grassland - Modified grassland	0.037	Moderate	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.														
10	Grassland - Modified grassland	0.046	Moderate	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.														
11	Grassland - Modified grassland	0.089	Moderate	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.														
12	Grassland - Modified grassland	0.009	Moderate	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.														
13	Urban - Developed land; sealed surface	0.028	N/A - Other	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.														
14	Urban - Vegetated garden	0.02	Poor	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.														
15	Urban - Vegetated garden	0.009	Poor	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.														
16	Urban - Developed land; sealed surface	0.489	N/A - Other	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.														
17	Grassland - Other neutral grassland	0.015	Moderate	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.														
18	Heathland and shrub - Mixed scrub	0.04	Moderate	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.														
19	Heathland and shrub - Mixed scrub	0.007	Moderate	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.														
20	Heathland and shrub - Mixed scrub	0.007	Moderate	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.														
21	Heathland and shrub - Bramble scrub	0.007	Poor	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.														
22	Heathland and shrub - Mixed scrub	0.022	Moderate	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.														
23	Heathland and shrub - Mixed scrub	0.059	Moderate	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.														



Ref	Proposed area-based habitat type	Area (ha)	Proposed condition	Condition sheet	Condition criterion number														
					1	2	3	4	5	6	7	8	9	10	11	12	13		
24	Woodland and forest - Other woodland; broadleaved	0.004	Poor	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.															
25	Urban - Developed land; sealed surface	0.003	N/A - Other	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.															
26	Heathland and shrub - Mixed scrub	0.02	Moderate	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.															
27	Grassland - Modified grassland	0.029	Moderate	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.															
28	Grassland - Modified grassland	0.284	Moderate	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.															
29	Grassland - Modified grassland	0.37	Moderate	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.															
30	Grassland - Modified grassland	1.212	Moderate	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.															
31	Heathland and shrub - Bramble scrub	0.032	Poor	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.															
32	Heathland and shrub - Bramble scrub	0.04	Poor	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.															
33	Heathland and shrub - Bramble scrub	0.035	Poor	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.															
34	Urban - Vegetated garden	0.011	Poor	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.															
35	Grassland - Modified grassland	0.057	Poor	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.															
36	Grassland - Modified grassland	0.042	Moderate	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.															
37	Sparsely vegetated land - Ruderal/Ephemeral	0.018	Poor	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.															



Table A.6 Post-intervention linear habitat: detailed proposed habitat condition assessments

Ref	Proposed linear habitat type	Length (km)	Proposed condition	Condition sheet	Condition criterion number									
					1	2	3	4	5	6	7	8	9	10
1	Native Hedgerow with trees	0.157	Moderate	Hedgerow	Pass. Hedgerow species will be planted at a height of 60-80cm. Species are expected to grow to >1.5m height within time to target condition	Pass. 6 hedgerow plants will be planted per m2. Plants are cumulatively expected to grow to >1.5m width within time to target condition	Pass. No gaps between the hedgerow and ground will be purposely created. The hedgerow will be planted and managed to minimise gaps to the hedge base	Pass. 6 hedgerow plants will be planted per m2 so chance of gaps forming along the length are minimised	Fail. Disturbed ground adjacent to the hedgerow for >10% of width	Fail. Undesirable species such as nettles, cleavers and docks are expected to be present on >20% of the undisturbed ground	Pass. >90% of the undisturbed ground and hedgerow is free of invasive and non-native species	>90% of the hedgerow or undisturbed ground is free of damage caused by human activities	Fail. No proposed mature trees within the hedgerow	Pass. >95% of hedgerow trees are expected to be in healthy condition
2	Line of Trees	0.003	Moderate	N/A – habitat reinstated like-for-like, so condition assessment followed baseline.										

Table A.7 Post-intervention river habitat: detailed proposed habitat condition assessments

Ref	Proposed river habitat type	Length (km)	Proposed condition	Condition Sheet
1	Culvert	0.001	Poor	N/A - condition fixed at 'Poor' for habitat type
2	Culvert	0.039	Poor	N/A - condition fixed at 'Poor' for habitat type
3	Culvert	0.027	Poor	N/A - condition fixed at 'Poor' for habitat type



Annex B – Biodiversity Metric 3.0 Calculation Tool

- 4.2.4 The Biodiversity Metric 3.0 Calculation Tool presented within this annex includes the post-intervention habitat creation/enhancement for the Proposed Development as-designed in line with the **Outline Landscape and Ecology Strategy (Figure 3.14 Volume 6.3)**. It does not include the BNG modelling options outlined in **Section 3.3**.

The Biodiversity Metric 3.0 - Calculation Tool

Start page

Project details	
Planning authority:	Various host authorities
Project name:	Medworth Energy from Waste Combined Heat and Power Facility
Applicant:	Medworth CHP Ltd.
Application type:	Development Consent Order
Planning application reference:	Planning Inspectorate reference: EN010110
Assessor:	Will Horlock
Reviewer:	Julia Baker, Mark Wilkinson
Metric version:	3
Assessment date:	19/08/2022
Planning authority reviewer:	

Instructions

Main menu

Results

Cell style conventions

	Enter data
	Automatic lookup
	Result

View all

Reset view

On-site baseline map

Insert

On-site post intervention map

Insert

Off-site baseline map

Insert

Off-site post intervention map

Insert



Source: Esri, DeLorme, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

300 150 0 300 Meters



Legend

 Order Limits

The Biodiversity Metric 3.0 - Calculation Tool Instructions

[Start page](#)

[Main menu](#)

Double click the front page below to open the file

Natural England Joint Publication JP029

The Biodiversity Metric 3.0

Auditing and accounting for biodiversity

Calculation Tool: Short Guide

First published July 2021

www.gov.uk/natural-england



The Biodiversity Metric 3.0 - Calculation Tool

Main menu

Urban tree helper		
Tree size	Tree number	Area
Small		0.0000
Medium		0.0000
Large		0.0000
Total	0.00	0.0000

Start page

Instructions

Technical data

Results

Start here

1

2

3

4

On-site
baseline

A-1 On-site
habitat
baseline

B-1
On-site hedge
baseline

C-1
On-site river
baseline

On-site post development

A-2 Habitat
creation

A-3 Habitat
enhancement

B-2 Hedgerow
creation

B-3 Hedgerow
enhancement

C-2 River
creation

C-3 River
enhancement

Off-site
baseline

D-1
Off-site
habitat baseline

E-1
Off-site hedge
baseline

F-1
Off-site river
baseline

Off-site post development

D-2 Off-site habitat
creation

D-3 Off-site habitat
enhancement

E-2 Off-site hedge
creation

E-3 Off-site hedge
enhancement

F-2 Off-site river
creation

F-3 Off-site river
enhancement

The Biodiversity Metric 3.0 - Calculation Tool

Start page

Return to start
page

Headline results

Detailed results

Habitat trading
summary

Return to results menu

On-site baseline	<i>Habitat units</i>	36.42
	<i>Hedgerow units</i>	4.71
	<i>River units</i>	1.77
On-site post-intervention <small>(Including habitat retention, creation & enhancement)</small>	<i>Habitat units</i>	32.78
	<i>Hedgerow units</i>	3.69
	<i>River units</i>	1.86
On-site net % change <small>(Including habitat retention, creation & enhancement)</small>	<i>Habitat units</i>	-9.98%
	<i>Hedgerow units</i>	-21.86%
	<i>River units</i>	-11.85%
Off-site baseline	<i>Habitat units</i>	0.00
	<i>Hedgerow units</i>	0.00
	<i>River units</i>	0.00
Off-site post-intervention <small>(Including habitat retention, creation & enhancement)</small>	<i>Habitat units</i>	0.00
	<i>Hedgerow units</i>	0.00
	<i>River units</i>	0.00
Total net unit change <small>(including all on-site & off-site habitat retention, creation & enhancement)</small>	<i>Habitat units</i>	-3.63
	<i>Hedgerow units</i>	-1.02
	<i>River units</i>	-0.21
Total on-site net % change plus off-site surplus <small>(including all on-site & off-site habitat retention, creation & enhancement)</small>	<i>Habitat units</i>	-9.98%
	<i>Hedgerow units</i>	-21.86%
	<i>River units</i>	-11.85%
Trading rules Satisfied?	No - Check Trading Summary	

[Return to results menu](#)

Summary Figures

Net project biodiversity units (including all on-site & off-site habitat retention/enhancement)	Habitat units	-3.83
	Hedgerow units	-1.08
	River units	-0.21



Total project biodiversity % change (including all On-site & Off-site Habitat Creation + Retained Habitat)	Habitat units	-9.88%
	Hedgerow units	-21.56%
	River units	-11.85%

Combined habitat retention and enhancement			
	Habitats	Hedgerows	Rivers
Total area / length	16.43	1.33	0.44
Total units	36.43	4.71	1.21
Area / length retained	9.58	0.82	0.38
Units Retained	16.11	3.78	1.50
Area / length proposed for enhancement	0.00	0.00	0.00
Baseline units proposed for enhancement	0.00	0.00	0.00
Area / length lost	7.84	0.52	0.07
Units lost	20.32	1.93	0.21



Area habitats

Habitat group	Baseline		Post development on site		On-site Change	
	Existing area	Existing value	Proposed area	Proposed value	Area change	On-site Unit change
Cropland	0.27	0.55	0.27	0.55	0.00	0.00
Grassland	3.69	13.58	4.23	17.46	0.54	3.88
Heathland and scrub	3.38	17.84	1.74	13.53	-1.63	-4.30
Lalae	0.00	0.00	0.01	0.05	0.01	0.05
Sparsely vegetated land	0.19	0.74	0.19	0.73	0.00	0.00
Urban	10.17	3.24	10.19	-3.98	0.02	-6.12
Wetland	0.00	0.00	0.00	0.00	0.00	0.00
Woodland and forest	0.12	0.48	0.19	0.80	0.07	0.32
Intertidal sediment	0.00	0.00	0.00	0.00	0.00	0.00
Coastal saltmarsh	0.00	0.00	0.00	0.00	0.00	0.00
Rocky shore	0.00	0.00	0.00	0.00	0.00	0.00
Coastal lagoons	0.00	0.00	0.00	0.00	0.00	0.00
Intertidal Hard Structures	0.00	0.00	0.00	0.00	0.00	0.00



Combined area lost by distinctiveness band		
Category	Area lost (hectares)	Area lost (%)
V/High	0	
High	0	
Medium	0.08	14
Low	3.412	47
V/Low	2.948	39



Habitat group	Baseline		Post development Off-site		Off-site Change	
	Existing area	Off-site Existing value	Off-site proposed area	Off-site proposed value	Off-site area change	Off-site unit change
Cropland	0.00	0.00	0.00	0.00	0.00	0.00
Grassland	0.00	0.00	0.00	0.00	0.00	0.00
Heathland and scrub	0.00	0.00	0.00	0.00	0.00	0.00
Lalae	0.00	0.00	0.00	0.00	0.00	0.00
Sparsely vegetated land	0.00	0.00	0.00	0.00	0.00	0.00
Urban	0.00	0.00	0.00	0.00	0.00	0.00
Wetland	0.00	0.00	0.00	0.00	0.00	0.00
Woodland and forest	0.00	0.00	0.00	0.00	0.00	0.00
Intertidal sediment	0.00	0.00	0.00	0.00	0.00	0.00
Coastal saltmarsh	0.00	0.00	0.00	0.00	0.00	0.00
Rocky shore	0.00	0.00	0.00	0.00	0.00	0.00
Coastal lagoons	0.00	0.00	0.00	0.00	0.00	0.00
Intertidal Hard Structures	0.00	0.00	0.00	0.00	0.00	0.00



Habitat group	Baseline		On-site and Off-site post development		Combined change	
	Existing area	Existing value	Combined proposed area	Combined proposed value	Proposed area	Proposed value
Cropland	0.27	0.55	0.27	0.55	0.00	0.00
Grassland	3.69	13.58	4.23	17.46	0.54	3.88
Heathland and scrub	3.38	17.84	1.74	13.53	-1.63	-4.30
Lalae	0.00	0.00	0.01	0.05	0.01	0.05
Sparsely vegetated land	0.19	0.74	0.19	0.73	0.00	0.00
Urban	10.17	3.24	10.19	-3.98	0.02	-6.12
Wetland	0.00	0.00	0.00	0.00	0.00	0.00
Woodland and forest	0.12	0.48	0.19	0.80	0.07	0.32
Intertidal sediment	0.00	0.00	0.00	0.00	0.00	0.00
Coastal saltmarsh	0.00	0.00	0.00	0.00	0.00	0.00
Rocky shore	0.00	0.00	0.00	0.00	0.00	0.00
Coastal lagoons	0.00	0.00	0.00	0.00	0.00	0.00
Intertidal Hard Structures	0.00	0.00	0.00	0.00	0.00	0.00



Area Habitats

Hedgerows and lines of trees

On site change by hedgerow type


Hedgerow type	Baseline		Post development on site		On-site Change	
	Existing length on-site	Existing value	Proposed length on-site	Proposed value on-site	On-site length change	On-site Unit change
Native Species Rich Hedgerow with trees - Associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Native Species Rich Hedgerow with trees	0.00	0.00	0.00	0.00	0.00	0.00
Native Species Rich Hedgerow - Associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Native Hedgerow with trees - Associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Native Hedgerow with trees	0.00	0.00	0.00	0.00	0.00	0.00
Native Hedgerow - Associated with bank or ditch	0.11	1.27	0.00	0.00	-0.11	-1.27
Native Hedgerow with trees	0.00	0.00	0.18	0.81	0.18	0.81
Line of Trees (Ecologically Valuable)	0.00	0.00	0.00	0.00	0.00	0.00
Line of Trees (Ecologically Valuable) - with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Native Hedgerow	0.00	0.00	0.00	0.00	0.00	0.00
Line of Trees	0.43	1.17	0.36	0.84	-0.08	-0.34
Line of Trees - Associated with bank or ditch	0.07	3.28	0.46	1.85	-0.10	-0.42
Hedge Ornamental Non Native	0.00	0.00	0.00	0.00	0.00	0.00

Combined length lost by distinctiveness band


Category	Length lost (KM)	Length lost (%)
V High	0	0
High	0	0
Medium	0.108	30
Low	0.171	62
V Low	0	0



On-site and off-site hedge retention by category length (km)




On-site and off-site hedge retention category biodiversity units




Off site change by hedgerow type

Hedgerow type	Off site baseline		Post development off site		Off site Change	
	Existing length off-site	Existing value off-site	Proposed length off-site	Proposed value off-site	Off-site length change	Off-site Unit change
Native Species Rich Hedgerow with trees - Associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Native Species Rich Hedgerow with trees	0.00	0.00	0.00	0.00	0.00	0.00
Native Species Rich Hedgerow - Associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Native Hedgerow with trees - Associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Native Hedgerow with trees	0.00	0.00	0.00	0.00	0.00	0.00
Native Hedgerow - Associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Native Hedgerow with trees	0.00	0.00	0.00	0.00	0.00	0.00
Line of Trees (Ecologically Valuable)	0.00	0.00	0.00	0.00	0.00	0.00
Line of Trees (Ecologically Valuable) - with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Native Hedgerow	0.00	0.00	0.00	0.00	0.00	0.00
Line of Trees	0.00	0.00	0.00	0.00	0.00	0.00
Line of Trees - Associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Hedge Ornamental Non Native	0.00	0.00	0.00	0.00	0.00	0.00

Change by hedgerow type (Hedgerow units)




On site length change by hedgerow length (km)




Combined on and off site change by hedgerow type

Hedgerow type	Baseline		Post development on site		On-site Change	
	Existing length	Existing value	Proposed length	Proposed value	On-site length change	On-site Unit change
Native Species Rich Hedgerow with trees - Associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Native Species Rich Hedgerow with trees	0.00	0.00	0.00	0.00	0.00	0.00
Native Species Rich Hedgerow - Associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Native Hedgerow with trees - Associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Native Hedgerow with trees	0.00	0.00	0.00	0.00	0.00	0.00
Native Hedgerow - Associated with bank or ditch	0.11	1.27	0.00	0.00	-0.11	-1.27
Native Hedgerow with trees	0.00	0.00	0.18	0.81	0.18	0.81
Line of Trees (Ecologically Valuable)	0.00	0.00	0.00	0.00	0.00	0.00
Line of Trees (Ecologically Valuable) - with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Native Hedgerow	0.00	0.00	0.00	0.00	0.00	0.00
Line of Trees	0.43	1.17	0.36	0.84	-0.08	-0.34
Line of Trees - Associated with bank or ditch	0.07	3.28	0.46	1.85	-0.10	-0.42
Hedge Ornamental Non Native	0.00	0.00	0.00	0.00	0.00	0.00

Combined Biodiversity unit change



Combined hedgerow length change (km)



Rivers and Streams

On site change by river type

River type	Baseline		Post development on site		On-site Change	
	Existing length	Existing value	Proposed length	Proposed value	On-site length change	On-site Unit change
Priority Habitat	0.0	0.0	0.0	0.0	0.0	0.0
Other Rivers and Streams	0.0	0.0	0.0	0.0	0.0	0.0
Ditches	0.4	1.8	0.4	1.5	-0.1	-0.3
Canals	0.0	0.0	0.0	0.0	0.0	0.0
Culvert	0.0	0.0	0.1	0.1	0.1	0.1

Combined length lost by distinctiveness band

Category	Length lost (KM)	Length lost (%)
V High	0	0
High	0	0
Medium	0.007	26
Low	0	0



River length retained, proposed for enhancement or lost (length km)




River retention category (Biodiversity units)




Off site change by river type

River type	Baseline		Post development off-site		Off-site Change	
	Existing length off-site	Existing value off-site	Proposed length off-site	Proposed value off-site	Off-site length change	Off-site Unit change
Priority Habitat	0.0	0.0	0.0	0.0	0.0	0.0
Other Rivers and Streams	0.0	0.0	0.0	0.0	0.0	0.0
Ditches	0.0	0.0	0.0	0.0	0.0	0.0
Canals	0.0	0.0	0.0	0.0	0.0	0.0
Culvert	0.0	0.0	0.0	0.0	0.0	0.0

Unit change by river type




Length change by river type




Combined on and off site change by river type

River type	Baseline		Post development on site		On-site Change	
	Existing length	Existing value	Proposed length	Proposed value	On-site length change	On-site Unit change
Priority Habitat	0.0	0.0	0.0	0.0	0.0	0.0
Other Rivers and Streams	0.0	0.0	0.0	0.0	0.0	0.0
Ditches	0.4	1.8	0.4	1.5	-0.1	-0.3
Canals	0.0	0.0	0.0	0.0	0.0	0.0
Culvert	0.0	0.0	0.1	0.1	0.1	0.1

Combined Biodiversity Unit change



Combined river length change



Return to results menu

Trading Summary

Distinctiveness Group	Trading Rule	Trading Satisfied?
Very High	Bespoke compensation likely to be required	Yes
High	Some habitat required	Yes
Medium	Same broad habitat or a higher distinctiveness habitat required	No
Low	Same distinctiveness or better habitat required	Yes

Very High Distinctiveness

Habitat group	Group	On Site Unit Change	Off Site Unit Change	Project wide Unit Change	Unit Losses
Grassland - Lowland dry acid grassland	Grassland	0.00	0.00	0.00	
Grassland - Lowland meadows	Grassland	0.00	0.00	0.00	
Grassland - Upland hay meadows	Grassland	0.00	0.00	0.00	
Heathland and shrub - Mountain heaths and willow scrub	Heathland and shrub	0.00	0.00	0.00	
Lakes - Aquifer fed naturally fluctuating water bodies	Lakes	0.00	0.00	0.00	
Sparsely vegetated land - Calaminarian grasslands	Sparsely vegetated land	0.00	0.00	0.00	
Sparsely vegetated land - Limestone pavements	Sparsely vegetated land	0.00	0.00	0.00	
Wetland - Blanket bog	Wetland	0.00	0.00	0.00	
Wetland - Depressions on Peat substrates (HT150)	Wetland	0.00	0.00	0.00	
Wetland - Fens (upland and lowland)	Wetland	0.00	0.00	0.00	
Wetland - Lowland raised bog	Wetland	0.00	0.00	0.00	
Wetland - Oceanic Valley Mire(I) (D2.1)	Wetland	0.00	0.00	0.00	
Wetland - Purple moor grass and rush pastures	Wetland	0.00	0.00	0.00	
Wetland - Transition mires and quaking bogs (HT140)	Wetland	0.00	0.00	0.00	
Woodland and forest - Wood-pasture and pastland	Woodland and forest	0.00	0.00	0.00	
Rocky shore - High energy littoral rock - on peat, clay or chalk	Rocky shore	0.00	0.00	0.00	
Rocky shore - Moderate energy littoral rock - on peat, clay or chalk	Rocky shore	0.00	0.00	0.00	
Rocky shore - Low energy littoral rock - on peat, clay or chalk	Rocky shore	0.00	0.00	0.00	
Rocky shore - Features of littoral rock - on peat, clay or chalk	Rocky shore	0.00	0.00	0.00	
Intertidal sediment - Littoral seagrass on peat, clay or chalk	Intertidal sediment	0.00	0.00	0.00	
		0.00	0.00	0.00	0.00

Very High Distinctiveness Summary

Very High Distinctiveness Units available to offset lower distinctiveness deficit	0.00
---	------

High Distinctiveness

Habitat group	Group	On Site Unit Change	Off Site Unit Change	Project wide Unit Change	Losses not yet accounted for
Grassland - Traditional orchards	Grassland	0.00	0.00	0.00	
Grassland - Floodplain Wetland Mosaic (CFGM)	Grassland	0.00	0.00	0.00	
Grassland - Lowland calcareous grassland	Grassland	0.00	0.00	0.00	
Grassland - Tall herb communities	Grassland	0.00	0.00	0.00	
Grassland - Upland calcareous grassland	Grassland	0.00	0.00	0.00	
Heathland and shrub - Lowland Heathland	Grassland	0.00	0.00	0.00	
Heathland and shrub - Sea buckthorn scrub (Annex 1)	Heathland and shrub	0.00	0.00	0.00	
Heathland and shrub - Upland Heathland	Heathland and shrub	0.00	0.00	0.00	
Lakes - High alkalinity lakes	Lakes	0.00	0.00	0.00	
Lakes - Low alkalinity lakes	Lakes	0.00	0.00	0.00	
Lakes - Marl Lakes	Lakes	0.00	0.00	0.00	
Lakes - Moderate alkalinity lakes	Lakes	0.00	0.00	0.00	
Lakes - Peat Lakes	Lakes	0.00	0.00	0.00	
Lakes - Ponds (Priority Habitats)	Lakes	0.00	0.00	0.00	
Lakes - Temporary lakes, ponds and pools	Lakes	0.00	0.00	0.00	
Sparsely vegetated land - Coastal sand dunes	Sparsely vegetated land	0.00	0.00	0.00	
Sparsely vegetated land - Coastal vegetated thingle	Sparsely vegetated land	0.00	0.00	0.00	
Sparsely vegetated land - Inland rock outcrop and scree habitats	Sparsely vegetated land	0.00	0.00	0.00	
Sparsely vegetated land - Maritime cliff and slopes	Sparsely vegetated land	0.00	0.00	0.00	
Urban - Open Mosaic Habitats on Previously Developed Land	Urban	0.00	0.00	0.00	
Wetland - Reedbeds	Wetland	0.00	0.00	0.00	
Woodland and forest - Pelled	Woodland and forest	0.00	0.00	0.00	
Woodland and forest - Lowland beech and yew woodland	Woodland and forest	0.00	0.00	0.00	
Woodland and forest - Lowland mixed deciduous woodland	Woodland and forest	0.00	0.00	0.00	
Woodland and forest - Native pine woodlands	Woodland and forest	0.00	0.00	0.00	
Woodland and forest - Upland birchwoods	Woodland and forest	0.00	0.00	0.00	
Woodland and forest - Upland mixed ashwoods	Woodland and forest	0.00	0.00	0.00	
Woodland and forest - Upland oakwood	Woodland and forest	0.00	0.00	0.00	
Woodland and forest - Wet woodland	Woodland and forest	0.37	0.00	0.37	
Coastal lagoons - Coastal lagoons	Coastal lagoons	0.00	0.00	0.00	
Rocky shore - High energy littoral rock	Rocky shore	0.00	0.00	0.00	
Rocky shore - Moderate energy littoral rock	Rocky shore	0.00	0.00	0.00	
Rocky shore - Low energy littoral rock	Rocky shore	0.00	0.00	0.00	
Rocky shore - Features of littoral rock	Rocky shore	0.00	0.00	0.00	
Intertidal sediment - Littoral mud	Intertidal sediment	0.00	0.00	0.00	
Intertidal sediment - Littoral mixed sediments	Intertidal sediment	0.00	0.00	0.00	
Coastal saltmarsh - Saltmarshes and saline reedbeds	Coastal Saltmarsh	0.00	0.00	0.00	
Intertidal sediment - Littoral biogenic reefs - Mussels	Intertidal sediment	0.00	0.00	0.00	
Intertidal sediment - Littoral biogenic reefs - Sabellaria	Intertidal sediment	0.00	0.00	0.00	
Intertidal sediment - Features of littoral sediment	Intertidal sediment	0.00	0.00	0.00	
Intertidal sediment - Littoral muddy sand	Intertidal sediment	0.00	0.00	0.00	
		0.37	0.00	0.37	0.00

High Distinctiveness Summary

High Distinctiveness Units available to offset lower distinctiveness deficit	0.37
Unit Deficit - Like for like not satisfied	0.00

Medium Distinctiveness

Habitat Group	Group	On site unit change	Off Site Unit Change	Project wide unit change	Cumulative Broad Habitat Change
Cropland - Arable field margins cultivated annually	Cropland	0.00	0.00	0.00	0.00
Cropland - Arable field margins game bird mix	Cropland	0.00	0.00	0.00	
Cropland - Arable field margins pollen & nectar	Cropland	0.00	0.00	0.00	
Cropland - Arable field margins tussocky	Cropland	0.00	0.00	0.00	
Cropland - Cereal crops winter stubble	Cropland	0.00	0.00	0.00	
Grassland - Other lowland acid grassland	Grassland	0.00	0.00	0.00	
Grassland - Other neutral grassland	Grassland	6.41	0.00	6.41	
Grassland - Upland acid grassland	Grassland	0.00	0.00	0.00	
Heathland and shrub - Blackthorn scrub	Heathland and shrub	0.00	0.00	0.00	
Heathland and shrub - Bramble scrub	Heathland and shrub	-0.43	0.00	-0.43	
Heathland and shrub - Gorse scrub	Heathland and shrub	0.00	0.00	0.00	
Heathland and shrub - Hawthorn scrub	Heathland and shrub	0.00	0.00	0.00	
Heathland and shrub - Hazel scrub	Heathland and shrub	0.00	0.00	0.00	
Heathland and shrub - Mixed scrub	Heathland and shrub	-4.57	0.00	-4.57	
Lakes - Ponds (Non-Priority Habitat)	Lakes	0.06	0.00	0.06	0.06
Lakes - Reservoirs	Lakes	0.00	0.00	0.00	0.00
Sparsely vegetated land - Other inland rock and scree	Sparsely vegetated land	0.00	0.00	0.00	0.00
Urban - Brown roof	Urban	0.19	0.00	0.19	0.19
Urban - Cemeteries and churchyards	Urban	0.00	0.00	0.00	0.00
Urban - Intensive green roof	Urban	0.00	0.00	0.00	0.00
Woodland and forest - Other Scots Pine woodland	Woodland and forest	0.00	0.00	0.00	-0.04
Woodland and forest - Other woodland, broadleaved	Woodland and forest	-0.04	0.00	-0.04	
Woodland and forest - Other woodland, mixed	Woodland and forest	0.00	0.00	0.00	0.00
Intertidal sediment - Littoral coarse sediment	Intertidal sediment	0.00	0.00	0.00	0.00
Intertidal sediment - Littoral sand	Intertidal sediment	0.00	0.00	0.00	
Intertidal Hard Structures - Artificial hard structures with Integrated Greening of Grey Infrastructure (IGGI)	Intertidal	0.00	0.00	0.00	0.00
		1.61	0.00	1.61	

Medium Distinctiveness Summary

Medium Distinctiveness Units available to offset lower distinctiveness deficit	6.65
Medium Distinctiveness Broad Habitat Deficit to be offset by trading up	-5.05
Higher distinctiveness surplus units minus Medium Distinctiveness Broad Habitat Deficit	0.00
Cumulative surplus of units	6.65

Low Distinctiveness

Habitat group	Group	On site unit change	Off Site Unit Change	Project wide unit change
Cropland - Cereal crops	Cropland	0.00	0.00	0.00
Cropland - Cereal crops other	Cropland	0.00	0.00	0.00
Cropland - Horticulture	Cropland	0.00	0.00	0.00
Cropland - Intensive orchards	Cropland	0.00	0.00	0.00
Cropland - Non-cereal crops	Cropland	0.00	0.00	0.00
Cropland - Temporary grass and clover leys	Cropland	0.00	0.00	0.00
Grassland - Modified grassland	Grassland	-2.53	0.00	-2.53
Grassland - Bracken	Grassland	0.00	0.00	0.00
Heathland and shrub - Rhododendron scrub	Heathland and shrub	0.00	0.00	0.00
Lakes - Ornamental lake or pond	Lakes	0.00	0.00	0.00
Sparsely vegetated land - Ruderal/Ephemeral	Sparsely vegetated land	0.00	0.00	0.00
Urban - Bioswale	Urban	0.00	0.00	0.00
Urban - Allotments	Urban	0.00	0.00	0.00
Urban - Facade-bound green wall	Urban	0.00	0.00	0.00
Urban - Ground based green wall	Urban	0.00	0.00	0.00
Urban - Ground level planters	Urban	0.00	0.00	0.00
Urban - Extensive green roof	Urban	0.00	0.00	0.00
Urban - Introduced shrub	Urban	0.00	0.00	0.00
Urban - Rain garden	Urban	0.00	0.00	0.00
Urban - Sand pit quarry or open cast mine	Urban	0.00	0.00	0.00
Urban - Urban Tree	Urban	0.00	0.00	0.00
Urban - Sustainable urban drainage feature	Urban	0.00	0.00	0.00
Urban - Vacant/derelict land/ bareground	Urban	-3.06	0.00	-3.06
Urban - Vegetated garden	Urban	-0.01	0.00	-0.01
Woodland and forest - Other coniferous woodland	Woodland and forest	0.00	0.00	0.00
Coastal saltmarsh - Artificial saltmarshes and saline reedbeds	Coastal saltmarsh	0.00	0.00	0.00
Intertidal sediment - Artificial littoral coarse sediment	Intertidal sediment	0.00	0.00	0.00
Intertidal sediment - Artificial littoral mud	Intertidal sediment	0.00	0.00	0.00
Intertidal sediment - Artificial littoral sand	Intertidal sediment	0.00	0.00	0.00
Intertidal sediment - Artificial littoral muddy sand	Intertidal sediment	0.00	0.00	0.00
Intertidal sediment - Artificial littoral mixed sediments	Intertidal sediment	0.00	0.00	0.00
Intertidal sediment - Artificial littoral seagrass	Intertidal sediment	0.00	0.00	0.00
Intertidal sediment - Artificial littoral biogenic reefs	Intertidal sediment	0.00	0.00	0.00
Intertidal Hard Structures - Artificial hard structures	Intertidal	0.00	0.00	0.00
Intertidal Hard Structures - Artificial features of hard structures	Intertidal	0.00	0.00	0.00
Heathland and shrub - Sea buckthorn scrub (other)	Heathland and shrub	0.00	0.00	0.00
		-5.61		-5.61

Low Distinctiveness Summary

Low Distinctiveness Net Change in Units	-5.61
Cumulative surplus of units	1.05

Ref	Habitats and areas		Distinctiveness		Condition		Strategic significance			Suggested action to address habitat losses	Ecological baseline Total habitat units	Retention category biodiversity value						Bespoke compensation agreed for unacceptable losses	Comments	
	Broad habitat	Habitat type	Area (hectares)	Distinctiveness	Score	Condition	Score	Strategic significance	Strategic significance			Strategic significance multiplier	Area retained	Area enhanced	Baseline units retained	Baseline units enhanced	Area lost		Units lost	Assessor comments
1	Grassland	Modified grassland	0.037	Low	2	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required	0.15			0.04	0.15		Component of the Proposed Development: Old Connection. Impact notes: Temporary loss and reinstated (over 2 years)		
2	Urban	Developed land, sealed surface	4.617	V.Low	0	N/A - Other	0	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Compensation Not Required	0.00	4.617	0.00	0.00	0.00	0.00		Component of the Proposed Development: A47 Traffic Management. Impact notes: Temporary loss and fully reinstated within 2 years	
3	Heathland and shrub	Mixed scrub	0.001	Medium	4	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same broad habitat or a higher distinctiveness habitat required	0.00	0.001	0.00	0.00	0.00	0.00		Component of the Proposed Development: Access Improvements. Impact notes: Retained (no impact)	
4	Urban	Developed land, sealed surface	0.477	V.Low	0	N/A - Other	0	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Compensation Not Required	0.00	0.477	0.00	0.00	0.00	0.00		Component of the Proposed Development: Access Improvements. Impact notes: Temporary loss and fully reinstated within 2 years	
5	Urban	Developed land, sealed surface	0.049	V.Low	0	N/A - Other	0	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Compensation Not Required	0.00	0.049	0.00	0.00	0.00	0.00		Component of the Proposed Development: Access Improvements. Impact notes: Retained (no impact)	
6	Grassland	Modified grassland	0.048	Low	2	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required	0.18			0.05	0.18		Component of the Proposed Development: Access Improvements. Impact notes: Permanent loss		
7	Grassland	Modified grassland	0.089	Low	2	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required	0.38			0.09	0.38		Component of the Proposed Development: Access Improvements. Impact notes: Retained (no impact)		
8	Grassland	Modified grassland	0.003	Low	2	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required	0.01			0.00	0.00		Component of the Proposed Development: Access Improvements. Impact notes: Retained (no impact)		
9	Grassland	Modified grassland	0.002	Low	2	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required	0.01			0.00	0.00		Component of the Proposed Development: Access Improvements. Impact notes: Retained (no impact)		
10	Heathland and shrub	Bramble scrub	0.027	Medium	4	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same broad habitat or a higher distinctiveness habitat required	0.11	0.027	0.11	0.00	0.00	0.00		Component of the Proposed Development: Access Improvements. Impact notes: Retained (no impact)	
11	Grassland	Modified grassland	0.009	Low	2	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required	0.04			0.01	0.04		Component of the Proposed Development: Access Improvements. Impact notes: Permanent loss		
12	Urban	Developed land, sealed surface	0.028	V.Low	0	N/A - Other	0	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Compensation Not Required	0.00			0.00	0.00		Component of the Proposed Development: Access Improvements. Impact notes: Permanent loss		
13	Heathland and shrub	Mixed scrub	0.008	Medium	4	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same broad habitat or a higher distinctiveness habitat required	0.03	0.008	0.03	0.00	0.00	0.00		Component of the Proposed Development: Access Improvements. Impact notes: Retained (no impact)	
14	Grassland	Modified grassland	0.013	Low	2	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required	0.05			0.00	0.00		Component of the Proposed Development: Access Improvements. Impact notes: Retained (no impact)		
15	Grassland	Modified grassland	0.022	Low	2	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required	0.09			0.00	0.00		Component of the Proposed Development: Access Improvements. Impact notes: Retained (no impact)		
16	Urban	Developed land, sealed surface	0.007	V.Low	0	N/A - Other	0	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Compensation Not Required	0.00			0.00	0.00		Component of the Proposed Development: Access Improvements. Impact notes: Temporary loss and fully reinstated within 2 years		
17	Urban	Vegetated garden	0.02	Low	2	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required	0.04			0.03	0.04		Component of the Proposed Development: Acoustic screening. Impact notes: Permanent loss		
18	Urban	Vegetated garden	0.009	Low	2	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required	0.02			0.01	0.02		Component of the Proposed Development: Acoustic screening. Impact notes: Permanent loss		
19	Urban	Developed land, sealed surface	0.505	V.Low	0	N/A - Other	0	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Compensation Not Required	0.00	0.505	0.00	0.00	0.00	0.00		Component of the Proposed Development: Access Improvements - Algonie Way. Impact notes: Temporary loss and fully reinstated within 2 years	
20	Grassland	Other neutral grassland	0.055	Medium	4	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same broad habitat or a higher distinctiveness habitat required	0.44			0.06	0.44		Component of the Proposed Development: CHP Connection. Impact notes: Approximately 75% permanent loss and 25% temporary loss and reinstated (over 2 years)		
21	Urban	Developed land, sealed surface	0.001	V.Low	0	N/A - Other	0	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Compensation Not Required	0.00			0.00	0.00		Component of the Proposed Development: CHP Connection. Impact notes: Approximately 75% permanent loss and 25% temporary loss and reinstated (over 2 years)		
22	Heathland and shrub	Mixed scrub	0.145	Medium	4	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same broad habitat or a higher distinctiveness habitat required	1.16			0.15	1.16		Component of the Proposed Development: CHP Connection. Impact notes: Approximately 75% permanent loss and 25% temporary loss and reinstated (over 2 years)		
23	Heathland and shrub	Mixed scrub	0.025	Medium	4	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same broad habitat or a higher distinctiveness habitat required	0.20			0.03	0.20		Component of the Proposed Development: CHP Connection. Impact notes: Approximately 75% permanent loss and 25% temporary loss and reinstated (over 2 years)		
24	Heathland and shrub	Mixed scrub	0.024	Medium	4	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same broad habitat or a higher distinctiveness habitat required	0.19			0.02	0.19		Component of the Proposed Development: CHP Connection. Impact notes: Approximately 75% permanent loss and 25% temporary loss and reinstated (over 2 years)		
25	Heathland and shrub	Bramble scrub	0.027	Medium	4	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same broad habitat or a higher distinctiveness habitat required	0.11			0.03	0.11		Component of the Proposed Development: CHP Connection. Impact notes: Approximately 75% permanent loss and 25% temporary loss and reinstated (over 2 years)		
26	Heathland and shrub	Mixed scrub	0.082	Medium	4	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same broad habitat or a higher distinctiveness habitat required	0.66			0.08	0.66		Component of the Proposed Development: CHP Connection. Impact notes: Approximately 75% permanent loss and 25% temporary loss and reinstated (over 2 years)		
27	Heathland and shrub	Mixed scrub	0.218	Medium	4	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same broad habitat or a higher distinctiveness habitat required	1.74			0.22	1.74		Component of the Proposed Development: CHP Connection. Impact notes: Approximately 75% permanent loss and 25% temporary loss and reinstated (over 2 years)		
28	Woodland and forest	Other woodland, broadleaved	0.014	Medium	4	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same broad habitat or a higher distinctiveness habitat required	0.06			0.01	0.06		Component of the Proposed Development: CHP Connection. Impact notes: Approximately 75% permanent loss and 25% temporary loss and reinstated (over 2 years)		
29	Urban	Developed land, sealed surface	0.01	V.Low	0	N/A - Other	0	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Compensation Not Required	0.00			0.01	0.00		Component of the Proposed Development: CHP Connection. Impact notes: Approximately 75% permanent loss and 25% temporary loss and reinstated (over 2 years)		
30	Heathland and shrub	Mixed scrub	0.072	Medium	4	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same broad habitat or a higher distinctiveness habitat required	0.58			0.07	0.58		Component of the Proposed Development: CHP Connection. Impact notes: Approximately 75% permanent loss and 25% temporary loss and reinstated (over 2 years)		

77	Grassland	Modified grassland	0.011	Low	3	Moderate	3	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required	0.04	0.011	0.04	0.00	0.00	0.00	Component of the Proposed Development: Water Connection. Impact notes: Remained (no impact)
78	Grassland	Modified grassland	0.042	Low	3	Moderate	3	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required	0.17		0.00	0.00	0.04	0.17	Component of the Proposed Development: Water Connection. Impact notes: Temporary loss and reinstated (over 2 years)
79	Sparsely vegetated land	Ruderal/Ephemeral	0.018	Low	2	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required	0.04		0.00	0.00	0.02	0.04	Component of the Proposed Development: Water Connection. Impact notes: Temporary loss and reinstated (over 2 years)
80	Grassland	Modified grassland	0.008	Low	3	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required	0.03	0.008	0.03	0.00	0.00	0.00	Component of the Proposed Development: Water Connection. Impact notes: Remained (no impact)
81	Grassland	Modified grassland	0.031	Low	3	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required	0.13	0.031	0.12	0.00	0.00	0.00	Component of the Proposed Development: Water Connection. Impact notes: Remained (no impact)
82	Urban	Developed land: sealed surface	0.228	Very Low	0	N/A - Other	0	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Compensation Not Required	0.00	0.228	0.00	0.00	0.00	0.00	Component of the Proposed Development: Water Connection. Impact notes: Temporary loss and fully reinstated within 2 years
83	Grassland	Modified grassland	0.057	Low	3	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required	0.11		0.00	0.00	0.06	0.11	Component of the Proposed Development: Water Connection. Impact notes: Temporary loss and reinstated (over 2 years)
84																		
85																		
86																		
87																		
244																		
245																		
246																		
247																		
248																		
			18.83									36.42	8.59	0.00	18.11	0.00	7.34	20.30

Broad Habitat	Proposed habitat	Area (hectare)	Distinctiveness		Condition		Strategic significance		Post development/ post intervention habitat				Temporal multiplier				Difficulty multiplier				Habitat units delivered	Comments	
			Distinctiveness	Score	Condition	Score	Strategic significance	Strategic significance	Strategic position multiplier	Standard time to target condition/years	Habitat created in advance/years	Delay in starting habitat creation/years	Standard or adjusted time to target condition	Final time to target condition/years	Final time to target multiplier	Standard difficulty of creation	Applied difficulty multiplier	Final difficulty of creation	Difficulty multiplier applied	Assessor comments		Reviewer comments	
Urban	Brown roof	0.003	Medium	4	Good	3	Within area formally identified in local strategy	High strategic significance	1.15	10	0	3	Check details- Delay in starting habitat in required condition?	13	0.09	Medium	Standard difficulty applied	Medium	0.67	0.02	Component of the Proposed Development: EW CHP Facility Site. Habitat creation notes Building 1 on Outline Landscape and Ecology Strategy.		
Urban	Brown roof	0.029	Medium	4	Good	3	Within area formally identified in local strategy	High strategic significance	1.15	10	0	3	Check details- Delay in starting habitat in required condition?	13	0.09	Medium	Standard difficulty applied	Medium	0.67	0.17	Component of the Proposed Development: EW CHP Facility Site. Habitat creation notes Building 25 on Outline Landscape and Ecology Strategy.		
Woodland and forest	Wet woodland	0.075	High	6	Moderate	2	Within area formally identified in local strategy	High strategic significance	1.15	15	0	3	Check details- Delay in starting habitat in required condition?	18	0.07	Medium	Standard difficulty applied	Medium	0.67	0.37	Component of the Proposed Development: EW CHP Facility Site. Habitat creation notes Wet woodland creation.		
Grassland	Other neutral grassland	0.967	Medium	4	Moderate	2	Within area formally identified in local strategy	High strategic significance	1.15	5	0	3	Check details- Delay in starting habitat in required condition?	8	0.70	Low	Standard difficulty applied	Low	1	6.69	Component of the Proposed Development: EW CHP Facility Site. Habitat creation notes Cellular construction temporary lawns area (0.28ha) plus surrounding grassland (0.985ha).		
Lakes	Ponds (Non- Priority Habitat)	0.009	Medium	4	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	3	0	3	Check details- Delay in starting habitat in required condition?	6	0.808	Low	Standard difficulty applied	Low	1	0.06	Component of the Proposed Development: EW CHP Facility Site. Habitat creation notes Pond creation.		
Grassland	Other neutral grassland	0.009	Medium	4	Moderate	2	Within area formally identified in local strategy	High strategic significance	1.15	5	0	3	Check details- Delay in starting habitat in required condition?	8	0.70	Low	Standard difficulty applied	Low	1	0.06	Component of the Proposed Development: EW CHP Facility Site. Habitat creation notes Pond creation.		
Heathland and shrub	Mixed scrub	0.009	Medium	4	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	5	0	3	Check details- Delay in starting habitat in required condition?	8	0.70	Low	Standard difficulty applied	Low	1	0.05	Component of the Proposed Development: EW CHP Facility Site. Habitat creation notes Native/semi-natural scrub area.		
Urban	Developed land: sealed surface	3.007	Y.Low	0	NA - Other	0	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	0	0	3	Standard time to target condition applied	3	0.899	Low	Standard difficulty applied	Medium	0.67	0.00	Component of the Proposed Development: EW CHP Facility Site. Habitat creation notes Footpaths and hard standing roads.		
Grassland	Modified grassland	0.037	Low	2	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	4	0	3	Check details- Delay in starting habitat in required condition?	7	0.779	Low	Standard difficulty applied	Low	1	0.12	Component of the Proposed Development: Old Connection Habitat creation notes: Third-party land. Reinstated like-for-like.		
Grassland	Modified grassland	0.046	Low	2	Moderate	2	Within area formally identified in local strategy	High strategic significance	1.15	4	0	3	Check details- Delay in starting habitat in required condition?	7	0.779	Low	Standard difficulty applied	Low	1	0.16	Access Improvements. Habitat creation notes: Third-party land. Reinstated like-for-like.		
Grassland	Modified grassland	0.089	Low	2	Moderate	2	Within area formally identified in local strategy	High strategic significance	1.15	4	0	3	Check details- Delay in starting habitat in required condition?	7	0.779	Low	Standard difficulty applied	Low	1	0.32	Access Improvements. Habitat creation notes: Third-party land. Reinstated like-for-like.		
Grassland	Modified grassland	0.009	Low	2	Moderate	2	Within area formally identified in local strategy	High strategic significance	1.15	4	0	3	Check details- Delay in starting habitat in required condition?	7	0.779	Low	Standard difficulty applied	Low	1	0.03	Access Improvements. Habitat creation notes: Third-party land. Reinstated like-for-like.		
Urban	Developed land: sealed surface	0.028	Y.Low	0	NA - Other	0	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	0	0	3	Standard time to target condition applied	3	0.899	Low	Standard difficulty applied	Medium	0.67	0.00	Access Improvements. Habitat creation notes: Third-party land. Reinstated like-for-like.		
Urban	Vegetated garden	0.02	Low	2	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	1	0	3	Check details- Delay in starting habitat in required condition?	4	0.867	Low	Standard difficulty applied	Low	1	0.03	Component of the Proposed Development: Acoustic screening. Habitat creation notes: Third-party land. Reinstated like-for-like.		
Urban	Vegetated garden	0.009	Low	2	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	1	0	3	Check details- Delay in starting habitat in required condition?	4	0.867	Low	Standard difficulty applied	Low	1	0.02	Component of the Proposed Development: Acoustic screening. Habitat creation notes: Third-party land. Reinstated like-for-like.		
Urban	Developed land: sealed surface	0.489	Y.Low	0	NA - Other	0	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	0	0	1	Standard time to target condition applied	1	0.965	Low	Standard difficulty applied	Medium	0.67	0.00	CHP Connection. Habitat creation notes: Land beneath pipe maintenance access road.		
Grassland	Other neutral grassland	0.016	Medium	4	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	5	0	1	Check details- Delay in starting habitat in required condition?	6	0.808	Low	Standard difficulty applied	Low	1	0.10	Component of the Proposed Development: CHP Connection. Habitat creation notes: Third-party land. Reinstated like-for-like.		
Heathland and shrub	Mixed scrub	0.04	Medium	4	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	5	0	1	Check details- Delay in starting habitat in required condition?	6	0.808	Low	Standard difficulty applied	Low	1	0.28	Component of the Proposed Development: CHP Connection. Habitat creation notes: Third-party land. Reinstated like-for-like.		
Heathland and shrub	Mixed scrub	0.007	Medium	4	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	5	0	1	Check details- Delay in starting habitat in required condition?	6	0.808	Low	Standard difficulty applied	Low	1	0.05	Component of the Proposed Development: CHP Connection. Habitat creation notes: Third-party land. Reinstated like-for-like.		
Heathland and shrub	Mixed scrub	0.007	Medium	4	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	5	0	1	Check details- Delay in starting habitat in required condition?	6	0.808	Low	Standard difficulty applied	Low	1	0.05	Component of the Proposed Development: CHP Connection. Habitat creation notes: Third-party land. Reinstated like-for-like.		
Heathland and shrub	Bramble scrub	0.007	Medium	4	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	1	0	1	Check details- Delay in starting habitat in required condition?	3	0.931	Low	Standard difficulty applied	Low	1	0.03	Component of the Proposed Development: CHP Connection. Habitat creation notes: Third-party land. Reinstated like-for-like.		
Heathland and shrub	Mixed scrub	0.022	Medium	4	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	5	0	1	Check details- Delay in starting habitat in required condition?	6	0.808	Low	Standard difficulty applied	Low	1	0.14	Component of the Proposed Development: CHP Connection. Habitat creation notes: Third-party land. Reinstated like-for-like.		
Heathland and shrub	Mixed scrub	0.059	Medium	4	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	5	0	1	Check details- Delay in starting habitat in required condition?	6	0.808	Low	Standard difficulty applied	Low	1	0.38	Component of the Proposed Development: CHP Connection. Habitat creation notes: Third-party land. Reinstated like-for-like.		
Woodland and forest	Other woodland; broadleaved	0.004	Medium	4	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	5	0	1	Check details- Delay in starting habitat in required condition?	6	0.808	Low	Standard difficulty applied	Low	1	0.01	Component of the Proposed Development: CHP Connection. Habitat creation notes: Third-party land. Reinstated like-for-like.		
Urban	Developed land: sealed surface	0.003	Y.Low	0	NA - Other	0	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	0	0	1	Standard time to target condition applied	1	0.965	Low	Standard difficulty applied	Medium	0.67	0.00	Component of the Proposed Development: CHP Connection. Habitat creation notes: Third-party land. Reinstated like-for-like.		
Heathland and shrub	Mixed scrub	0.02	Medium	4	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	5	0	1	Check details- Delay in starting habitat in required condition?	6	0.808	Low	Standard difficulty applied	Low	1	0.13	Component of the Proposed Development: CHP Connection. Habitat creation notes: Third-party land. Reinstated like-for-like.		
Grassland	Modified grassland	0.029	Low	2	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	4	0	2	Check details- Delay in starting habitat in required condition?	6	0.808	Low	Standard difficulty applied	Low	1	0.09	Component of the Proposed Development: Old Connection. Habitat creation notes: as third-party land. Reinstated like-for-like.		
Grassland	Modified grassland	0.284	Low	2	Moderate	2	Within area formally identified in local strategy	High strategic significance	1.15	4	0	3	Check details- Delay in starting habitat in required condition?	7	0.779	Low	Standard difficulty applied	Low	1	1.02	Component of the Proposed Development: Temporary Construction Compound. Habitat creation notes: Third-party land. Reinstated like-for-like.		
Grassland	Modified grassland	0.37	Low	2	Moderate	2	Within area formally identified in local strategy	High strategic significance	1.15	4	0	3	Check details- Delay in starting habitat in required condition?	7	0.779	Low	Standard difficulty applied	Low	1	1.33	Component of the Proposed Development: Temporary Construction Compound. Habitat creation notes: Third-party land. Reinstated like-for-like.		
Grassland	Modified grassland	1.212	Low	2	Moderate	2	Within area formally identified in local strategy	High strategic significance	1.15	4	0	3	Check details- Delay in starting habitat in required condition?	7	0.779	Low	Standard difficulty applied	Low	1	4.34	Component of the Proposed Development: Temporary Construction Compound. Habitat creation notes: Third-party land. Reinstated like-for-like.		
Heathland and shrub	Bramble scrub	0.032	Medium	4	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	1	0	3	Check details- Delay in starting habitat in required condition?	4	0.867	Low	Standard difficulty applied	Low	1	0.11	Component of the Proposed Development: Temporary Construction Compound. Habitat creation notes: Third-party land. Reinstated like-for-like.		
Heathland and shrub	Bramble scrub	0.04	Medium	4	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	1	0	3	Check details- Delay in starting habitat in required condition?	4	0.867	Low	Standard difficulty applied	Low	1	0.14	Component of the Proposed Development: Temporary Construction Compound. Habitat creation notes: Third-party land. Reinstated like-for-like.		
Heathland and shrub	Bramble scrub	0.035	Medium	4	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	1	0	3	Check details- Delay in starting habitat in required condition?	4	0.867	Low	Standard difficulty applied	Low	1	0.12	Component of the Proposed Development: Temporary Construction Compound. Habitat creation notes: Third-party land. Reinstated like-for-like.		
Urban	Vegetated garden	0.011	Low	2	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	1	0	3	Check details- Delay in starting habitat in required condition?	4	0.867	Low	Standard difficulty applied	Low	1	0.02	Component of the Proposed Development: Water Connection. Habitat creation notes: Third-party land. Reinstated like-for-like.		
Grassland	Modified grassland	0.057	Low	2	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	1	0	3	Check details- Delay in starting habitat in required condition?	4	0.867	Low	Standard difficulty applied	Low	1	0.10	Component of the Proposed Development: Water Connection. Habitat creation notes: Third-party land. Reinstated like-for-like.		
Grassland	Modified grassland	0.042	Low	2	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	4	0	3	Check details- Delay in starting habitat in required condition?	7	0.779	Low	Standard difficulty applied	Low	1	0.13	Component of the Proposed Development: Water Connection. Habitat creation notes: Third-party land. Reinstated like-for-like.		
Sparsely vegetated land	Ruderal/Epibemeral	0.018	Low	2	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	1	0	3	Check details- Delay in starting habitat in required condition?	4	0.867	Low	Standard difficulty applied	Low	1	0.03	Component of the Proposed Development: Water Connection. Habitat creation notes.		
Total area		7.24																		Total Units	18.67		

B-1 Site Hedge Baseline

Condense / Show Columns Condense / Show Rows
 Main Menu Instructions

Baseline ref	UK Habitats - existing habitats			Habitat distinctiveness		Habitat condition		Strategic significance			Suggested action to address habitat losses	Ecological baseline Total hedgerow units	Retention category biodiversity value						Comments	
	Hedge number	Hedgerow type	Length KM	Distinctiveness	Score	Condition	Score	Strategic significance	Strategic significance	Strategic position multiplier			Length retained	Length enhanced	Units retained	Units enhanced	Length lost	Units lost	Assessor comments	Reviewer comments
1		Line of Trees	0.054	Low	2	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness band or better	0.22			0.00	0.00	0.05	0.22	Component of the Proposed Development: CHP Connection. Impact notes: Permanent loss.	
2		Line of Trees	0.173	Low	2	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness band or better	0.35	0.173		0.35	0.00	0.00	0.00	Component of the Proposed Development: CHP Connection. Impact notes: Retained (no impact).	
3		Line of Trees	0.046	Low	2	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness band or better	0.09	0.046		0.09	0.00	0.00	0.00	Component of the Proposed Development: CHP Connection. Impact notes: Retained (no impact).	
4		Line of Trees	0.012	Low	2	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness band or better	0.05	0.012		0.05	0.00	0.00	0.00	Component of the Proposed Development: CHP Connection. Impact notes: Retained (no impact).	
5		Line of Trees	0.096	Low	2	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness band or better	0.38	0.096		0.38	0.00	0.00	0.00	Component of the Proposed Development: CHP Connection. Impact notes: Retained (no impact).	
6		Line of Trees - Associated with bank or ditch	0.104	Low	2	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness band or better	0.42			0.00	0.00	0.10	0.42	Component of the Proposed Development: EW CHP Facility Site. Impact notes: Permanent loss.	
7		Line of Trees - Associated with bank or ditch	0.032	Low	2	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness band or better	0.13	0.032		0.13	0.00	0.00	0.00	Component of the Proposed Development: EW CHP Facility Site. Impact notes: Retained (no impact).	
8		Line of Trees - Associated with bank or ditch	0.04	Low	2	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness band or better	0.16	0.04		0.16	0.00	0.00	0.00	Component of the Proposed Development: EW CHP Facility Site. Impact notes: Retained (no impact).	
9		Line of Trees	0.031	Low	2	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness band or better	0.06	0.031		0.06	0.00	0.00	0.00	Component of the Proposed Development: Grid Connection. Impact notes: Retained (no impact).	
10		Line of Trees - Associated with bank or ditch	0.111	Low	2	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness band or better	0.44	0.111		0.44	0.00	0.00	0.00	Component of the Proposed Development: Grid Connection. Impact notes: Retained (no impact).	
11		Line of Trees - Associated with bank or ditch	0.279	Low	2	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness band or better	1.12	0.279		1.12	0.00	0.00	0.00	Component of the Proposed Development: Grid Connection. Impact notes: Retained (no impact).	
12		Line of Trees	0.013	Low	2	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness band or better	0.03			0.00	0.00	0.01	0.03	Component of the Proposed Development: Grid Connection. Impact notes: Permanent loss.	
13		Native Hedgerow - Associated with bank or ditch	0.106	Medium	4	Good	3	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Like for like or better	1.27			0.00	0.00	0.11	1.27	Component of the Proposed Development: EW CHP Facility Site. Impact notes: Permanent loss.	
14																				
15																				
16																				
17																				
18			1.10									4.71	0.82	0.00	2.78	0.00	0.28	1.93		

Return to start

Phase 1 Habitat	UK Hab habitat	Distinctiveness band
Woodland	Woodland and forest - Other woodland, mixed	Medium
Broadleaved woodland	Woodland and forest - Other woodland broadleaved	Medium
Semi-natural broadleaved woodland	Woodland and forest - Lowland mixed deciduous woodland	High
Plantation broadleaved woodland	Woodland and forest - Other woodland; broadleaved	Medium
Coniferous woodland	Woodland and forest - Other coniferous woodland	Low
Semi-natural coniferous woodland	Woodland and forest - Native pine woodlands	High
Plantation coniferous woodland	Woodland and forest - Other coniferous woodland	Low
Mixed woodland	Woodland and forest - Other woodland, mixed	Medium
Semi-natural mixed woodland	Woodland and forest - Lowland mixed deciduous woodland	High
Plantation mixed woodland	Woodland and forest - Other woodland, mixed	Medium
Scrub	Heathland and shrub - Mixed scrub	Medium
Dense / continuous scrub	Heathland and shrub - Mixed scrub	Medium
Scattered scrub	Heathland and shrub - Mixed scrub	Medium
Parkland / scattered trees	Woodland and forest - Wood-pasture and parkland	High
Broadleaved parkland / scattered trees	Woodland and forest - Wood-pasture and parkland	High
Coniferous parkland / scattered trees	Woodland and forest - Other coniferous woodland	Medium
Mixed parkland / scattered trees	Woodland and forest - Wood-pasture and parkland	High
Recently-felled woodland	Woodland and forest - Felled	Medium
Broadleaved recently felled woodland	Woodland and forest - Felled	Medium
Coniferous recently felled woodland	Woodland and forest - Felled	Medium
Mixed recently felled woodland	Woodland and forest - Felled	Medium
Acid grassland	Grassland - Other lowland acid grassland	Medium
Acid grassland	Grassland - Upland acid grassland	Medium
Unimproved acid grassland	Grassland - Lowland dry acid grassland	V.High
Unimproved acid grassland	Grassland - Upland hay meadows	V.High
Semi-improved acid grassland (Good quality)	Grassland - Upland acid grassland	Medium
Semi-improved acid grassland (Good quality)	Grassland - Other lowland acid grassland	Medium
Semi-improved acid grassland (Poor quality)	Grassland - Modified grassland	Low
Neutral grassland	Grassland - Other neutral grassland	Medium
Unimproved neutral grassland	Grassland - Lowland meadows	V.High
Semi-improved neutral grassland (Good quality)	Grassland - Other neutral grassland	Medium
Semi-improved neutral grassland (Poor quality)	Grassland - Modified grassland	Low
Calcareous grassland	Grassland - Upland calcareous grassland	High
Calcareous grassland	Grassland - Lowland calcareous grassland	High
Unimproved calcareous grassland	Grassland - Lowland calcareous grassland	High
Unimproved calcareous grassland	Grassland - Upland calcareous grassland	High
Semi-improved calcareous grassland (Good quality)	Grassland - Upland calcareous grassland	High
Semi-improved calcareous grassland (Good quality)	Grassland - Lowland calcareous grassland	High
Semi-improved calcareous grassland (Poor quality)	Grassland - Modified grassland	Low
Improved grassland	Grassland - Modified grassland	Low
Marsh/marshy grassland	Wetland - Purple moor grass and rush pastures	V.High
Marsh/marshy grassland	Grassland - Other neutral grassland	Medium
Marsh/marshy grassland	Grassland - Modified grassland	Low
Poor semi-improved grassland	Grassland - Modified grassland	Low
Strandline vegetation coastland	Sparsely vegetated land - Coastal vegetated shingle	High
Sand dune	Sparsely vegetated land - Coastal sand dunes	High
Dune slack sand dune coastland	Sparsely vegetated land - Coastal sand dunes	High
Dune grassland sand dune coastland	Sparsely vegetated land - Coastal sand dunes	High
Dune heath sand dune coastland	Sparsely vegetated land - Coastal sand dunes	High
Dune scrub sand dune coastland	Sparsely vegetated land - Coastal sand dunes	High
Open dune sand dune coastland	Sparsely vegetated land - Coastal sand dunes	High
Maritime cliff coastland	Sparsely vegetated land - Maritime cliff and slopes	High
Hard maritime cliff coastland	Sparsely vegetated land - Maritime cliff and slopes	High
Soft maritime cliff	Sparsely vegetated land - Maritime cliff and slopes	High
Creviceledge vegetation	Sparsely vegetated land - Maritime cliff and slopes	High
Creviceledge vegetation	Grassland - Tall herb communities	High
Coastal grassland	Sparsely vegetated land - Maritime cliff and slopes	High
Coastal grassland	Grassland - Lowland meadows	V.High
Coastal grassland	Grassland - Lowland dry acid grassland	V.High
Coastal grassland	Grassland - Other lowland acid grassland	Medium
Coastal heathland	Sparsely vegetated land - Maritime cliff and slopes	High
Coastal heathland	Heathland and shrub - Lowland Heathland	High
Standing open water	Lakes - Aquifer fed naturally fluctuating water bodies	V.High
Standing open water	Lakes - Ditches	Medium
Standing open water	Lakes - High alkalinity lakes	High
Standing open water	Lakes - Low alkalinity lakes	High
Standing open water	Lakes - Marl Lakes	High
Standing open water	Lakes - Moderate alkalinity lakes	High
Standing open water	Lakes - Peat Lakes	High
Standing open water	Lakes - Ponds (Priority Habitat)	High
Standing open water	Lakes - Ponds (Non-Priority Habitat)	Medium
Standing open water	Lakes - Reservoirs	Medium
Standing open water	Lakes - Temporary lakes, ponds and pools	High
Dry dwarf shrub heath	Heathland and shrub - Lowland Heathland	High
Dry dwarf shrub heath	Heathland and shrub - Upland Heathland	High
Acidic dry dwarf shrub heath	Heathland and shrub - Lowland Heathland	High
Acidic dry dwarf shrub heath	Heathland and shrub - Upland Heathland	High
Basic dry dwarf shrub heath	Heathland and shrub - Lowland Heathland	High
Basic dry dwarf shrub heath	Heathland and shrub - Upland Heathland	High
Wet dwarf shrub heath	Heathland and shrub - Lowland Heathland	High
Wet dwarf shrub heath	Heathland and shrub - Upland Heathland	High
Lichen / bryophyte heath	Heathland and shrub - Lowland Heathland	High
Lichen / bryophyte heath	Heathland and shrub - Upland Heathland	High
Montane heath / dwarf herb	Heathland and shrub - Mountain heaths and willow scrub	V.High
Dry heath / acidic grass mosaic	Heathland and shrub - Lowland Heathland	High
Wet heath / acidic grass mosaic	Heathland and shrub - Lowland Heathland	High
Dry heath / acidic grass mosaic	Heathland and shrub - Upland Heathland	High
Wet heath / acidic grass mosaic	Heathland and shrub - Upland Heathland	High
Bracken	Grassland - Bracken	Medium
Continuous bracken	Grassland - Bracken	Medium
Scattered bracken	Grassland - Bracken	Medium
Other tall herb or fern (Good quality)	Sparsely vegetated land - Inland rock outcrop and scree habitats	High
Other tall herb or fern	Grassland - Bracken	Medium
Tall ruderal	Sparsely vegetated land - Ruderal/Ephemeral	Low
Non-ruderal	Sparsely vegetated land - Ruderal/Ephemeral	Low
Bog	Wetland - Lowland raised bog	V.High
Sphagnum bog	Wetland - Lowland raised bog	V.High
Blanket bog	Wetland - Blanket bog	V.High
Raised bog	Wetland - Lowland raised bog	V.High
Wet modified bog	Wetland - Transition mires and quaking bogs (H7140)	V.High
Dry modified bog	Wetland - blanket bog	V.High
Dry modified bog	Wetland - Lowland raised bog	V.High
Flush and spring	Wetland - Fens (upland and lowland)	V.High
Acid/neutral flush	Wetland - Fens (upland and lowland)	V.High
Basic flush	Wetland - Fens (upland and lowland)	V.High
Bryophyte-dominated spring	Wetland - Fens (upland and lowland)	V.High
Fen	Wetland - Fens (upland and lowland)	V.High
Valley mire	Wetland - Oceanic Valley Mire[1] (D2.1)	V.High
Basin mire	Wetland - Oceanic Valley Mire[1] (D2.1)	V.High
Floodplain mire	Wetland - Oceanic Valley Mire[1] (D2.1)	V.High
Bare peat	Wetland - Depressions on Peat substrates (H7150)	V.High
Swamp	Wetland - Fens (upland and lowland)	V.High
Marginal and inundation	Wetland - Fens (upland and lowland)	V.High
Marginal and inundation	Wetland - Reedbeds	High
Marginal vegetation	Use the feature that it is within, i.e. River, Lake type etc.	
Inundation vegetation	Wetland - Reedbeds	High
Natural rock exposures and caves (Good quality)	Sparsely vegetated land - Inland rock outcrop and scree habitats	High
Natural rock exposures and caves	Sparsely vegetated land - Other inland rock and scree	Medium
Inland cliff (High quality)	Sparsely vegetated land - Inland rock outcrop and scree habitats	High
Inland cliff	Sparsely vegetated land - Other inland rock and scree	Medium
Acidic inland cliff	Sparsely vegetated land - Inland rock outcrop and scree habitats	High
Basic inland cliff	Sparsely vegetated land - Inland rock outcrop and scree habitats	High
Scree	Sparsely vegetated land - Inland rock outcrop and scree habitats	High
Acidic scree	Sparsely vegetated land - Inland rock outcrop and scree habitats	High
Basic scree	Sparsely vegetated land - Inland rock outcrop and scree habitats	High
Limestone pavement	Sparsely vegetated land - Limestone pavement	V.High
Other natural rock exposure	Sparsely vegetated land - Other inland rock and scree	Medium
Other acidic natural rock exposure	Sparsely vegetated land - Other inland rock and scree	Medium
Other basic rock exposure	Sparsely vegetated land - Other inland rock and scree	Medium
Artificial rock exposures	Sparsely vegetated land - Other inland rock and scree	Medium
Artificial rock exposures	Sparsely vegetated land - Other inland rock and scree	Medium
Artificial rock exposures	Sparsely vegetated land - Other inland rock and scree	Medium
Artificial rock exposures	Sparsely vegetated land - Other inland rock and scree	Medium
Artificial rock exposures	Sparsely vegetated land - Other inland rock and scree	Medium
Artificial rock exposures	Sparsely vegetated land - Other inland rock and scree	Medium
Artificial rock exposures	Sparsely vegetated land - Other inland rock and scree	Medium
Quarry	Urban - Sand pit quarry or open cast mine	Low
Spoil heap	Urban - Sand pit quarry or open cast mine	Low
Mine	Urban - Sand pit quarry or open cast mine	Low
Refuse tip	Urban - Artificial unvegetated, unsealed surface	V.Low
Cultivated/disturbed ground	Cropland - Cereal crops other	Low
Arable	Cropland - Cereal crops	Low
Amenity grassland	Grassland - Modified grassland	Low
Ephemeral / short perennial	Sparsely vegetated land - Ruderal/Ephemeral	Low
Introduced shrub	Urban - Introduced shrub	Low
Fence	Urban - Built linear features	V.Low
Wall	Urban - Built linear features	V.Low
Built-up areas	Urban - Developed land; sealed surface	V.Low
Caravans	Urban - Developed land; sealed surface	V.Low
Sea wall (artificial materials)	Urban - Developed land; sealed surface	V.Low
Buildings	Urban - Developed land; sealed surface	V.Low
Bare ground	Urban - Vacant/derelict land/ bareground	Low

The Biodiversity Metric 3.0 - Calculation Tool Technical Data

[Return to start page](#)

[All area habitats](#)

[Area habitat groups](#)

[Multipliers](#)

[Temporal multipliers](#)

[Enhancement temporal multipliers](#)

[Hedgerow data](#)

[River data](#)

[Condition data](#)

[UKHab/Phase 1 translation](#)

