

National Infrastructure Planning
Temple Quay House
2 The Square
Bristol
BS1 6PNNCC general enquiries: 0344 800
8020
Text relay no: 18001 0344 800 8020Your Ref:
Date: 06 August 2024My Ref: CP/2022/0002
Tel No: [REDACTED]
Email [REDACTED] [norfolk.gov.uk](mailto:[REDACTED]@norfolk.gov.uk)

Dear Sir/Madam

Medworth Energy from Waste Combined Heat and Power Facility Order 2024**Schedule of corrections to the Order requested by Medworth CHP Limited**

Thank you for the opportunity to comment on the proposed Schedule of Corrections to the Development Consent Order requested by Medworth CHP Limited. Norfolk County Council as County Planning Authority (CPA) has the following comments:

Preamble, footnote (b) (on page 4)

The CPA has no comments to make on the proposed change.

Article 2(1)

The CPA has no comments to make on the proposed change – Work No.1 relates to development within Cambridgeshire County.

Article 17- 1

The CPA has no comments to make on the proposed changes. New Bridge Lane referred to in the Commentary is within Cambridgeshire County.

Article 20(6) – 43(2)

The CPA has no comments to make on the proposed corrections.

Schedule 1

The CPA notes that the proposed changes to Schedule 1 do not relate to the development proposed in the County of Norfolk but to the Work No.s in Cambridgeshire and therefore we defer this to Cambridgeshire County Council to comment upon.

Schedule 2

The CPA would advise against the proposed changes to add the words "if applicable". This is on the basis the term is considered too vague and would be for the applicant to both interpret and regulate, and is therefore not considered enforceable.

Furthermore, whilst works may be underground, impacts may still arise from the underground Grid Connection cable within Norfolk that the CPA may wish to assess through the Development Consent Order Discharge Requirement process.

Schedule 9

The CPA has no comments to make on the proposed changes.

Schedule 12


The CPA advise against the proposed changes to replace "relevant planning authority" with "relevant authority". This is to ensure the relevant CPA can continue to have oversight of the Development Consent Order Discharge Requirement process.

Schedule 13

The CPA has no comments to make on the proposed changes.

If you have any queries, please do not hesitate to contact the case officer, Ralph Cox, on 01603 223318.

Yours sincerely



Nick Johnson
Head of Planning