

**From:** [REDACTED]  
**To:** [Keadby 3](#)  
**Subject:** EN010114 - Keadby 3 Adequacy of Consultation Response NLC  
**Date:** 14 June 2021 15:09:27

---

Good morning,

Thank you for your consultation dated 2 June 2021 in respect of the application submitted by Keadby Generation Limited for an Order granting Development Consent for the Keadby 3 Low Carbon Gas Power Station Project.

Having reviewed the Consultation Report and appendices submitted by the applicant I can confirm that North Lincolnshire Council consider that the consultation undertaken by the applicant is adequate to comply with the statutory requirements under Section 42, 47 & 48 of the Planning Act 2008 (as amended) and is acceptable.

The Council has no further comments to make in respect of this document.

Please do not hesitate to contact me should you wish to discuss this matter further.

Kind Regards

Andrew Law  
Development Management Specialist

Development Management  
North Lincolnshire Council  
30-40 High Street  
SCUNTHORPE  
DN15 6NL

[REDACTED]

This e-mail expresses the opinion of the author and is not necessarily the view of the Council. Please be aware that anything included in an e-mail may have to be disclosed under the Freedom of Information Act and cannot be regarded as confidential. This communication is intended for the address(es) only. Please notify the sender if received in error. All Email is monitored and recorded. Please think before you print- North Lincolnshire Council greening the workplace.