

# The Keadby 3 Low Carbon Gas Fired Generating Station

**Document Ref: 9.7**

**Planning Inspectorate Ref: EN010114**

**The Keadby 3 (Carbon Capture Equipped Gas Fired Generating  
Station) Order**

**Land at and in the vicinity of the Keadby Power Station site,  
Trentside, Keadby, North Lincolnshire**

## Schedule of Updates to Draft DCO (Deadline 3)

**The Planning Act 2008**

**The Infrastructure Planning (Applications: Prescribed Forms and  
Procedure) Regulations 2009 (as amended)**

**Reg. 5(2)(b)**

**Applicant: Keadby Generation Limited**

**Date: February 2022**

---

**DOCUMENT HISTORY**

<b>Document Ref</b>	9.7
<b>Revision</b>	VP2.0
<b>Document Owner</b>	Dentons

### Keadby 3 – Schedule of Amendments to draft DCO

#### Deadline 3 Submission

Reference in draft DCO	Change Made	Reason for Change
Schedule 2 - Interpretation	New definitions added for "Development Consent", Carbon Dioxide Storage Licence" and "Environmental Permit" – for the purposes of terms referenced in Requirement 33	Definitions added to reflect the position agreed with National Grid Carbon Limited (as set out in the Statement of Common Ground)
Schedule 2 – Requirement 5(4)(d)	Wording added to require Canal and River Trust to be consulted on any details relating to the provision of cofferdams in the Stainforth and Keadby Canal.	Amendment made to respond to the written representations made by CRT at Deadline 2.
Schedule 2 – Requirement 5(11)	Deletion of Works No. 7A and 7B from the condition	Cosmetic only – Works are not referred to in Schedule 11
Schedule 2 – Requirement 17	Requirement amended to add the Environment Agency as consultee to the details required to be submitted and to require the submission of a fish management plan as part of the CEMP.	Amendment made to reflect agreement reached with the Environment Agency.
Schedule 2 – Requirement 25(2)	Requirement amended to add an additional requirement of the Construction Traffic Management Plan to include a wharf management plan to manage deliveries,	Amendment made to reflect agreement reached with the Canal and River Trust.
Schedule 2 – Requirement 33	Amendments made to reflect new defined terms	Cosmetic changes only and to reflect the new definitions incorporated in the Interpretation section (as explained above).
Schedule 10- Part 2 – Protective Provisions for Canal and River Trust	Definition of Code of Practice updated to reflect the most up to date version.	Cosmetic change only.

Schedule 11 – Table 7	Heights above ground level and AOD updated.	Amended to reflect discussions with the Environment Agency.
-----------------------	---	---