



THE PLANNING ACT 2008

THE INFRASTRUCTURE PLANNING (EXAMINATION PROCEDURE) RULES
2010

FIVE ESTUARIES OFFSHORE WIND FARM

**Appendix N4 Natural England's comments on the Offshore in Principle Monitoring
Plan [REP1-046]**

For:

The construction and operation of Five Estuaries Offshore Wind Farm, located
approximately 57 km from the Essex Coast in the Southern North Sea.

Planning Inspectorate Reference EN010115

03 December 2024

Appendix N4 Natural England's Comments on the Offshore In Principle Monitoring Plan [REP1-046]

In formulating these comments, the following documents have been considered:

- [REP1-046] 9.32 Offshore In Principle Monitoring Plan
- [REP1-051] 10.4.1 Applicant's response to Natural England's Relevant Representation
- [REP2-021] 9.13 Margate and Long Sands Special Area of Conservation Benthic Mitigation Plan - Revision B (Tracked)

Introduction

1. Natural England welcomes the submission of the Five Estuaries Offshore In Principle Monitoring Plan (IPMP) as part of the application. Further, we welcome the Applicant's inclusion of the general guiding principles for proposed monitoring (Section 2). We also refer the Applicant to Natural England's Best Practice Advice document which sets out our expectations in terms of monitoring. This document is available at: [Environmental considerations for offshore wind and cable projects - Phase IV Best Practice Advice for Post-Consent Monitoring, Version 1.0, July 2022.pdf](#). Relevant sections are also included in Annex A of this document for reference.
2. This document outlines Natural England's overarching concerns with the Offshore IPMP [REP1-046], particularly in relation to the overall aim of ensuring adaptive monitoring and remediation is secured within the DCO. In addition, this document provides further advice on each of the offshore nature conservation receptors: physical processes, benthic subtidal ecology, fish and shellfish ecology, offshore ornithology, and marine mammals.

Overarching Concerns with the IPMP

3. Natural England advises that this is a live document which is updated throughout examination and post consent to reflect the outcome of discussions and/or monitoring.
4. In recognition of the emphasis being placed by projects currently in the post consent phase on the IPMP when setting the monitoring requirements and parameters; Natural England highlights the importance of this document. Natural England emphasises the requirement to agree the scope of the IPMP and hypotheses which will be tested by

the monitoring as part of the consenting phase.

5. Overall, Natural England feels that much more detail is required than is provided in the IPMP in its current form. For example;

- What are the hypotheses the monitoring will be testing and how do they relate to the assessments undertaken in the ES?
- How will the monitoring be designed to ensure that the desired outcomes can be achieved i.e. is the monitoring fit for purpose?
- What are the indicative timings of the surveys?
- Can lessons be learnt from previous thematic surveys and how will modifications to surveys design be incorporated between survey campaigns?
- What does 'success' look like to demonstrate that no further monitoring is required?
- What happens if the results do not support the null hypothesis? Is further monitoring required (with/without modifications)? If impacts are greater than predicted, do actions need to be undertaken to address these impacts? How will further monitoring and actions be secured, is a change to the wording of the dML required? And if so, how will success of any action/s be monitored and what will be the success criteria before monitoring can cease?

To answer the above, Natural England considers the IPMP should focus on what the uncertainties and evidence gaps of the EIA and/or HRA are, rather than repeating the outcomes of the EIA only (Sections 4.3 - 4.8). We consider that establishing and agreeing the uncertainties and evidence gaps of the EIA and/or the HRA is necessary to inform what monitoring should be undertaken.

6. As per the Applicant's 'General Principles and Guidance' (Section 2) Natural England advises an approach mechanism in which the Applicant presents a clearly defined hypothesis or null hypothesis of no impact would be beneficial. Monitoring thereafter would aim to test this. We advise a review period during which Statutory Nature Conservation Bodies (SNCBs) and regulatory bodies such as the Marine Management Organisation (MMO) are consulted by the Applicant to assess the results of the first period of monitoring. For example, one mechanism that could be introduced for particular receptors would be a live document which is reflective of what the monitoring is observing, including consideration of species/habitat recovery.

7. We advise that monitoring should be effective in providing sufficient evidence pre-construction to inform the deployment of mitigation measures and similarly demonstrate the efficacy of mitigation measures during construction and post-construction. This is important to demonstrate compliance with the measures identified in assessments to mitigate significant impacts. It is also important to provide evidence to assess the significance of adverse effects, evaluate the success of mitigation measures and to help inform whether further remedial measures are required.
8. In relation to remedial measures, Natural England wishes to highlight the importance of ensuring that all relevant monitoring proposals for Five Estuaries (and/or associated DCO/dML conditions) consider the aim of securing a mechanism for **adaptive monitoring** when unforeseen impacts are detected. Thus, ensuring remedial measures (**i.e., adaptive management**) are triggered should the results of monitoring demonstrate impacts that are significantly greater than predicted and/or incorrect assumptions were made following review of the conclusions of the environmental statement and supporting documents. We advise that the potential for certain monitoring to trigger the development of countermeasures (with associated monitoring of those measures) should be clearly stated in relevant tables of the IPMP and incorporated into the DCO conditions where relevant.

Nature conservation thematic advice - Engineering and design related monitoring

9. It is unclear to Natural England if this also encompasses monitoring surveys to inform final project design including those required to inform mitigation measures such as avoidance of certain sensitive receptors particularly environmental ones. If so, it would be useful if the Applicant could specify the purpose of each aspect of the engineering and design related monitoring in full. We highlight that geotechnical investigations will be critical to inform the cable burial risk assessment and in relation to reducing down the direct or indirect impacts to environmental receptors. We request that further details are provided to answer the questions posed in our overarching comments.

Table 1: Natural England's Advice On: Offshore In Principle Monitoring Plan

NE Ref	Section	Key Concern and/or Update	Natural England's Advice to Resolve Issue
1	[APP-071] and [REP1-046]	<p><u>Marine Processes</u> Evidence is needed to validate predictions of impacts to, and recovery of, sandbanks, sandwaves and designated areas of seabed following seabed preparation and sandwave clearance.</p>	<p>Natural England advises that sandwave/sandbank pre- and post- construction monitoring should be carried out to ensure no unexpected changes occur to seabed morphology, as predicted in the EIA. And that hypothesis on sandbank recovery have been met.</p>
2	[REP1-051]	<p><u>Coastal Processes</u> The Applicant has stated [REP1-051] that they intend to use Environment Agency LiDAR data and Anglian Coastal Monitoring Programme data to monitor coastal change.</p>	<p>This should be secured either in the In Principle Monitoring Plan (IPMP) or elsewhere.</p>
3	[REP1-046]	<p><u>Offshore Ornithology</u> The IPMP proposes that ornithological monitoring is focused solely on the compensatory measures that are implemented for the project. No further monitoring is proposed.</p> <p>Natural England highlights that compensation monitoring is undertaken to observe the success of the compensation measures and not to test the predictions of the ES. Therefore, we advise that further monitoring is required of residual concerns and to test agreed hypothesis.</p>	<p>We advise that post-consent monitoring of the offshore wind farm could help clarify the key risks, such as those posed to LBBG from collision, and as such be included within the IPMP.</p>
4	[REP2-021] and [REP1-046]	<p><u>Benthic Ecology</u> Natural England advises that Section 41 habitats (which includes piddocks) have now been appropriately included within the Margate and Long Sands Special Area of Conservation Benthic Mitigation Plan [REP2-021], however, it is unclear if biogenic reef monitoring</p>	<p>Natural England reiterates that all Section 41 Habitats should be included within the In Principal Monitoring Plan so that impacts on these habitats, particularly those that are irreplaceable (i.e. boring Piddock communities), can be avoided and reduced. We also advise that a commitment should be made to carry out specific pre-construction surveys to inform the benthic</p>

		within the Principle Monitoring Plan Revision B (Tracked) (Doc 9.32) [REP1-046] also relates to priority reef habitat	mitigation.
	[REP1-046]	<p><u>Benthic Ecology</u></p> <p><u>It remains unclear if all surface laid infrastructure within MLS SAC will be monitored post construction and for how long. Or will any monitoring only be along a subsection.</u></p> <p><u>Again, as with Ornithology, we highlight that compensation monitoring is undertaken to observe the success of the compensation measures and not to test the predictions of the ES. Therefore, we advise that further monitoring is required of residual concerns and to test agreed hypothesis.</u></p>	Natural England advises that all infrastructure within MLS SAC should be monitored post installation to test particular hypotheses relating to significance and duration of impacts
5	[REP1-046]	<p><u>Marine Mammals</u></p> <p>We note that Section 4.8 of the IPMP now includes 4.8.5 “<i>VE will consider the advice of the SNCBs regarding additional monitoring that may be required for marine mammals.</i>”</p>	We welcome this comment and will engage with the Applicant on the monitoring plan for marine mammals. It would be helpful if some hypothesis could be agreed and secured during the examination within the IPMP
6	[PD-014]	<p><u>Migrating Bats</u></p> <p>Currently there is a lack of evidence regarding potential impacts to migrating bats due to the presence of the Five Estuaries arrays.</p>	Natural England advises that pre, during and post construction acoustic monitoring (possibly radiotracking) within the proposed development zone should be considered to increase the baseline knowledge of bat species migrating across the development area and inform the requirement for mitigation measures (including monitoring the success of any mitigation measures implemented

Annex A: Natural England’s Advice on an In Principle Monitoring Plan (IPMP) extracted and summarised from: [Environmental considerations for offshore wind and cable projects - Phase IV Best Practice Advice for Post-Consent Monitoring, Version 1.0, July 2022.pdf](#) (Parker *et al* 2022).

1. Purpose of the IPMP document

The outcomes of monitoring are necessary to:

- validate the predictions that were made during the consenting phase;
- mitigate against unforeseen impacts;
- evidence the effectiveness/success of mitigation measures;
- inform adaptive management strategies

Therefore, it is important that the IPMP represents a useful document that ensures the monitoring commitments are detailed and can be referred back to throughout the monitoring process.

2. Advice relating to post-consent monitoring (PCM)

The process and structure of the planning system, including post-consent monitoring, is currently under review by Government, Defra, Natural England and other bodies (see Section 3.1). Options for how PCM can be improved to increase our understanding of the marine environment, the effects of offshore wind development and provide information-rich data over relevant spatial and temporal scales are being considered, such as the promotion of strategic or collaborative monitoring (see Section 4.4). The following section provides Natural England’s advice and recommendations for the production and delivery of receptor-specific monitoring plans at the post-consent phase.

3. Natural England’s recommendations

- **Early and continued engagement with SNCBs** – engagement with the relevant SNCB(s) is recommended at the earliest possible opportunity to agree the focus of monitoring plans and to allow for continual engagement as plans evolve.
10. **Clear aims, objectives and hypotheses**– post-consent monitoring plans should be targeted and have clear aims and hypotheses (Chambers et al. 2012; MMO, 2014; Lindeboom et al. 2015). Monitoring should be proportionate to the level of risk to biological receptors and should not be delivered for the sake of monitoring, but instead

focus on sensitive receptors and be driven by a clear understanding of what the monitoring is seeking to address (MMO, 2014). This helps to collect data that is information rich, as well as data rich (Wilding et al. 2017). Early engagement with NE or relevant SNCB is recommended to help agree monitoring plans.

11. **Detection of unforeseen impacts** – post-consent monitoring should be targeted, with clear monitoring aims and objectives. Whilst PCM plans should not be designed to detect unforeseen impacts, the analysis of the results of PCM may identify unforeseen impacts which arise during offshore wind farm development across relevant spatial and temporal scales (MMO, 2014). If detected, unforeseen effects can be investigated through adaptive monitoring (see Section 4.3). Participation in collaborative or strategic-level monitoring projects may be also appropriate for identifying long term and lasting effects to marine receptors as a result of offshore wind development.
- **Statistical power** – the ability of a survey to collect a sufficiently large amount of data to make robust statistical inferences about changes is known as its power (Maclean et al. 2006). Where possible, power analyses should be undertaken before monitoring commences to inform the design of PCM to ensure sufficient statistical power in subsequent analyses to detect meaningful changes (Bennet et al. 2016). Projects should also aim to reduce dependence within or between sampling units and plan the statistical tests and/or modelling approach so that the nature and quantity of data collected is suited to conduct the required tests/modelling (Bennet et al. 2016; Noble-James et al. 2018). Early engagement with Natural England is recommended when considering the statistical power of analyses and how this is used to inform survey design, or if power analyses indicate that the expected statistical power may not be sufficient to draw meaningful conclusions.
- **Uncertainty and significance** – as set out within MMO (2014), uncertainty and significance are two important considerations when designing and implementing PCM plans. Uncertainty reflects the extent of error or assumptions that were made when predicting impacts. There is a greater need to monitor topics if there is higher uncertainty regarding the effects of an impact or resulting recovery of receptors. The significance of an impact is another important consideration for PCM and helps to inform whether further management or remedial measures are required (MMO, 2014).
- **Sufficient duration** – PCM should be of a suitable duration to capture lags in impacts to receptors being detected as some impacts may only be detectable after a duration of time, depending on the receptor and the monitoring objectives. In addition, PCM may be required to monitor the recovery of receptors after an impact has occurred (e.g., impacts from construction) or a compensation measure has been put in place. Monitoring plans should be designed to incorporate long term or lasting impacts to

validate predictions made within the ES and to improve our understanding of long-term effects and recovery of marine receptors. Monitoring plans should also have a clearly defined criteria for when and how decisions will be made on the conclusion of monitoring during the post-consent phase, for example when monitoring will be deemed to have met the objectives of the monitoring programme. Refer to the adaptive management approach principle below (Section 4.3).

12. **Strategy for consequence** – a key role of post-consent monitoring is to validate the predictions of the ES, HRA, EIA or MCZ Assessment (Section 4). Monitoring plans should therefore have a clear strategy for subsequent remedial action if the monitoring shows that the original conclusions are incorrect, such as the significance of an impact upon a receptor or the timeframe for its recovery (MMO, 2014). Thresholds can be used to set acceptable levels of change for some environmental indicators, which if exceeded, can trigger additional monitoring or the implementation of mitigation or management measures to avoid adverse effects (Bennet et al. 2016; Wilding et al. 2017).
 13. **Sharing of data** – in order to maximise the usefulness of post-consent monitoring, data and reports should be made publicly available and provided to the relevant data repositories, such as the Marine Data Exchange (MDE) and the Marine Environmental Data and Information Network (MEDIN). All reports should be supported by the source/raw data and provide a description of the collection methodology and protocols followed (MMO, 2014). Metadata and environmental metadata should also be made publicly available (Chambers et al. 2012). Natural England advise that PCM data should be shared within the relevant data repositories as a matter of best practice. This could be secured as a licence condition for projects.
- **Maximise use of baseline characterisation data and existing data** – where possible, data collected at the pre-application phase should be used to supplement post-consent monitoring data. The results of baseline characterisation surveys may also be useful to inform the design of post-consent monitoring plans (e.g., the key areas or receptors for monitoring to focus upon). There may also be suitable existing datasets which can be used to provide context or supplement site-specific monitoring data. However, the validity and suitability of existing datasets must be carefully considered if used beyond providing a historical context for subsequent monitoring data (Noble-James et al. 2018). Parker et al. (2022a) provides advice and principles for the use of existing data to inform baseline characterisation surveys.
 - **Comparable and standardised data** – data should be collected and presented in a consistent format which, where possible, enables effective comparisons with other

datasets and other monitoring programmes. Consistent data standards may also allow for backwards/forwards compatibility of monitoring methods over time. Data collection should follow the MEDIN data standards and guidelines as a matter of best practice. A consistent naming convention should also be followed. Species should be recorded using the World Register of Marine Species (WoRMS) list of accepted scientific names and biotopes should be recorded using the EUNIS classification system (EEA, 2019). A consistent and comparable approach also enables effective cumulative and in-combination assessments and improves the functionality of data repositories.

14. Follow industry standards, methodologies and protocols – monitoring programmes should follow the current industry standards, methodologies and protocols as a matter of best practice. This may apply to data collection, handling or analysis (Chambers et al. 2012). Receptor-specific advice is provided within the relevant sections below. Whilst this document will be periodically updated to reflect evolving best practice for industry standards and survey methodologies, Natural England would welcome the opportunity to discuss proposals to use the latest industry monitoring methods, standards or protocols.

- **Novel and emerging monitoring methods** – Natural England acknowledges the role of offshore wind farm developers in exploring and testing new monitoring methods. Natural England supports innovation and welcomes the exploration of novel and emerging monitoring methods, such as environmental DNA (eDNA), or passive monitoring methods. Although there can be challenges presented by the relative novelty of some techniques in early stages, collaborative working can unlock many wider benefits if planned carefully. Early engagement with Natural England is recommended if novel approaches are proposed.

15. Strategic / joined up approach – a strategic, collaborative or joined up approach can deliver monitoring programmes of a greater scale and scope, thereby providing a greater understanding of ecological impacts, sensitivity or recovery (see Section 4.4). Natural England strongly supports strategic or collaborative monitoring proposals and can provide bespoke advice on a case-by-case basis.

4. Adaptive monitoring and discharge of conditions

Adaptive monitoring is the process of evaluating data collected to date, to help inform the duration and/or design of further monitoring (Bennet et al. 2016). It can also be used to assess whether monitoring should continue or if the relevant licence conditions can be discharged (MMO, 2014). Adaptive monitoring can also inform on the requirement for further mitigation, compensation or restoration measures. Adaptive monitoring is of particular importance for

where there is scientific uncertainty regarding lasting impacts or recovery of receptors (Bennet et al. 2016) or where monitoring is seeking to validate predictions of the ES, EIA, HRA or MCZ Assessment.

Adaptive monitoring is relevant during the post-construction phase where monitoring is investigating changes to the natural environment and ecological receptors over an undefined timescale, such as until a receptor recovers. Licence conditions should incorporate flexibility over the duration of monitoring plans, to allow the results of monitoring surveys to inform the requirement for future surveys or the implementation of management measures (MMO, 2014). This helps to ensure monitoring programmes are delivering the agreed aims and objectives set out by the monitoring plans and ensure monitoring is proportionate to the level of data required. For example, if the ES predicted a full recovery of an MPA feature within a certain timeframe, monitoring may be required until full recovery has occurred and can be agreed between the applicant, SNCB and MMO as the relevant regulator. Conversely, if a receptor has demonstrated the predicted level of recovery, and if agreed by all parties, the requirement for additional post-construction surveys may be discharged early.

In addition, another aspect of adaptive monitoring is the flexibility of the monitoring plan. Due to the long timeframe between projects obtaining consent and completing PCM surveys after construction, monitoring plans need to capture the scope for changes to the methodology or focus of surveys over time. This may be due to new evidence or understanding of impacts to marine receptors, or due to new technology becoming available which enables more ambitious studies. For example, seabird tagging projects should allow for flexibility in methods as new tracking devices become available. Natural England can provide advice on a case-by-case basis.

5. Collaborative / strategic monitoring

Delivering monitoring projects collaboratively could have many benefits for the collection of post-consent monitoring data and can help to answer key evidence gaps or research priorities. Collaborative monitoring could include joint monitoring programmes across zones or regions where projects pool resources to achieve monitoring aims, or where key research questions are divided between projects within a zone or region to allow sufficient time and resources to be dedicated to each question. Collaborative monitoring could also comprise individual offshore wind projects contributing data, money or resources to a strategic research project led by another organisation, such as by ORJIP or ORSMRF, to address shared research questions or evidence gaps. Working collaboratively allows for the pooling of resources and/or division of labour, which enables monitoring programmes to be of a greater scale and scope

than possible on a project-specific basis. This enables data collection to produce useful and information-rich data over sufficient spatial and temporal scales to enhance our understanding of the marine environment and the effect of offshore wind development upon ecological receptors (Wilding et al. 2017).

In addition, collaborative monitoring could be undertaken over larger spatial and temporal scales than project-specific monitoring plans, which could enable the detection of wider community changes, unforeseen or long-term effects, and allow for greater statistical power in subsequent analyses. Some projects have worked collaboratively to address key shared questions of mutual interest at the post-consent phase (e.g., see Section 6.3.1). If implemented effectively, this allows for the division of labour and allows multiple projects to undertake more insightful monitoring programmes than possible on an individual project-level.

Whilst there is widespread agreement of the benefits of collaborative monitoring across sector groups, a framework is required to facilitate strategic monitoring programmes at the government level. Facilitating strategic monitoring is a key objective of Natural England's Approach to Offshore Wind (Natural England, 2021) and Natural England supports the implementation of strategic monitoring as a mechanism to address key evidence gaps and to deliver monitoring projects at scale. Natural England are also leading the Planning Offshore Wind Strategic Environmental Impact Decisions (POSEIDON) project. This is a multi-year project, funded through the Crown Estate's Offshore Wind Evidence and Change (OWEC) programme, which is seeking to address strategic data collection for offshore wind projects. The outputs of the POSEIDON project will be incorporated into this advice when available. Projects should consider whether data collection for some aspects of post-consent monitoring could be undertaken collaboratively with other regional projects in order to answer specific monitoring aims and priorities. Natural England strongly supports the implementation of collaborative monitoring programmes across projects, zones or regions, and can provide advice on a case-by-case basis.