

# Rampion 2 Wind Farm

## Category 6:

## Environmental Statement

### Volume 2, Chapter 31: Summary


**Date: August 2023**

**Revision A**

Document Reference: 6.2.31

Pursuant to: APFP Regulation 5 (2) (a)

Ecodoc number: 004866054-01



## Document revisions

Revision	Date	Status/reason for issue	Author	Checked by	Approved by
A	04/08/2023	Final for DCO Application	WSP	RED	RED

# Contents

---

<b>31.</b>	<b>Summary</b>	<b>5</b>
31.1	Introduction	5
	Summary of assessment for Climate change	235
	Summary of assessment for inter-related effects	235
31.2	Glossary of terms and abbreviations	237

---

## List of Tables

Table 31-1	Summary of assessment of residual effects for coastal processes	7
Table 31-2	Summary of assessment of residual effects for other marine users	12
Table 31-3	Summary of assessment of residual effects for fish and shellfish ecology	19
Table 31-4	Summary of assessment of residual effects for benthic subtidal and intertidal ecology	25
Table 31-5	Summary of assessment of residual effects for commercial fisheries	31
Table 31-6	Summary of assessment of residual effects for marine mammals	56
Table 31-7	Summary of assessment of residual effects for offshore and intertidal ornithology	60
Table 31-8	Summary of assessment of residual effects for shipping and navigation	63
Table 31-9	Summary of assessment of residual effects for civil and military aviation	67
Table 31-10	Summary of assessment of residual effects for seascape, landscape and visual	69
Table 31-11	Summary of assessment of residual effects for marine archaeology	98
Table 31-12	Summary of assessment of residual effects for socio-economics	104
Table 31-13	Summary of landscape effects: onshore substation at Oakendene	108
Table 31-14	Summary of visual effects: onshore substation at Oakendene	109
Table 31-15	Summary of landscape effects: extension at the existing National Grid Bolney substation	110
Table 31-16	Summary of visual effects: extension at the existing National Grid Bolney substation	111
Table 31-17	Summary of landscape effects: onshore cable corridor	112
Table 31-18	Summary of visual effects: onshore cable corridor	118
Table 31-19	Summary of Public Rights of Way (PRoW) and Open Access Land along the Onshore cable corridor	125
Table 31-20	Summary of assessment of residual effects for air quality	136

Table 31-21	Summary of assessment of residual effects for soils and agriculture	137
Table 31-22	Summary of assessment of residual effects for noise and vibration	139
Table 31-23	Summary of assessment of residual effects for terrestrial ecology and nature conservation	142
Table 31-24	Summary of assessment of residual effects for transport	145
Table 31-25	Summary of assessment of residual effects for ground conditions	147
Table 31-27	Summary of historic environment assessment of residual effects for construction phase	157
Table 31-28	Summary of historic environment assessment of residual effects for operations and maintenance phase	186
Table 31-29	Potential water environment residual effects during the construction of the landfall	194
Table 31-30	Potential residual effects on water environment during construction of the onshore substation	198
Table 31-31	Potential residual effects on water environment during the operation and maintenance of the landfall and cable circuits	201
Table 31-32	Potential residual effects on water environment during the operation and maintenance of the onshore substation	204
Table 31-33	Potential residual effects on water environment during decommissioning of the landfall and cable circuits	206
Table 31-34	Potential residual effects on water environment during decommissioning of the onshore substation	209
Table 31-35	Potential water environment residual effects during the cable laydown	212
Table 31-36	Potential water environment residual effects during construction of the onshore substation	217
Table 31-37	Potential water environment residual effects during the operation and maintenance of the landfall and cable circuits	220
Table 31-38	Potential water environment residual effects during the operation and maintenance of the onshore substation	223
Table 31-39	Potential water environment residual effects during decommissioning of the landfall and cable circuits	225
Table 31-40	Potential water environment residual effects during decommissioning of the onshore substation	228
Table 31-41	Summary of residual effects for major accidents and disasters	231
Table 31-42	Summary of assessment of residual effects for human health	232
Table 31-43	Summary of assessment of inter-related effects	235

# Executive Summary

---

This chapter of the Rampion 2 Environmental Statement (ES) provides a summary of the residual effects on the aspects considered within this ES. The tables present a summary of the assessment, relevant environmental measures and residual effects on the aspect receptors as outlined in **Chapter 6: Coastal processes** to **Chapter 30: Inter-related effects, Volume 2** of the ES (Document References: 6.2.6 to 6.2.30).



Page intentionally blank

# 31. Summary

---

## 31.1 Introduction

31.1.1 This Chapter presents the summary of residual effects tables taken from relevant assessment **Chapters 6: Coastal processes to 30: Inter-related effects, Volume 2** of the Environmental Statement (ES) (Document References: 6.2.6 to 6.2.30) where environmental effects of the Proposed Development have been assessed.

31.1.2 **Chapter 6: Coastal processes to Chapter 30: Inter-related effects, Volume 2** of the Environmental Statement (ES) (Document References: 6.2.6 to 6.2.30) assess the environmental effects of the construction, operation and maintenance and decommissioning phases of the Proposed Development, following the implementation of embedded environmental measures included in the design of the Proposed Development. **Table 31-1 to Table 31-43** identify:

- activity and impact;
- magnitude of change/impact;
- receptor and sensitivity or value;
- embedded environmental measures; and
- assessment of residual effects (significance).

31.1.3 Relevant embedded environmental measures are contained within the **Commitments Register** (Document Reference 7.22).

31.1.4 The summary of residual effects tables are as follows:

- **Chapter 6: Coastal processes, Volume 2** of the ES (Document Reference: 6.2.6) – **Table 31-1**;
- **Chapter 7: Other marine users, Volume 2** of the ES (Document Reference: 6.2.7) - **Table 31-2**;
- **Chapter 8: Fish and shellfish ecology, Volume 2** of the ES (Document Reference: 6.2.8) – **Table 31-3**;
- **Chapter 9: Benthic, subtidal and intertidal ecology, Volume 2** of the ES (Document Reference: 6.2.9) – **Table 31-4**;
- **Chapter 10: Commercial fisheries, Volume 2** of the ES (Document Reference: 6.2.10) – **Table 31-5**;
- **Chapter 11: Marine mammals, Volume 2** of the ES (Document Reference: 6.2.11) – **Table 31-6**;
- **Chapter 12: Offshore and intertidal ornithology, Volume 2** of the ES (Document Reference: 6.2.12) – **Table 31-7**;

- **Chapter 13: Shipping and navigation, Volume 2** of the ES (Document Reference: 6.2.13) – **Table 31-8**;
- **Chapter 14: Civil and military aviation, Volume 2** of the ES (Document Reference: 6.2.14) – **Table 31-9**;
- **Chapter 15: Seascape, landscape and visual, Volume 2** of the ES (Document Reference: 6.2.15) - **Table 31-10**;
- **Chapter 16: Marine archaeology, Volume 2** of the ES (Document Reference: 6.2.16) – **Table 31-11**;
- **Chapter 17: Socio-economics, Volume 2** of the ES (Document Reference: 6.2.17) – **Table 31-12**;
- **Chapter 18: Landscape and visual impact assessment, Volume 2** of the ES (Document Reference: 6.2.18) – **Table 31-13 - Table 31-19**;
- **Chapter 19: Air quality, Volume 2** of the ES (Document Reference: 6.2.19) – **Table 31-20**;
- **Chapter 20: Soils and agriculture, Volume 2** of the ES (Document Reference: 6.2.20) – **Table 31-21**;
- **Chapter 21: Noise and vibration, Volume 2** of the ES (Document Reference: 6.2.21) – **Table 31-22**;
- **Chapter 22: Terrestrial ecology and nature conservation, Volume 2** of the ES (Document Reference: 6.2.22) – **Table 31-23**;
- **Chapter 23: Transport, Volume 2** of the ES (Document Reference: 6.2.23) – **Table 31-24**;
- **Chapter 24: Ground conditions, Volume 2** of the ES (Document Reference: 6.2.24) – **Table 31-25 - Table 31-26**;
- **Chapter 25: Historic environment, Volume 2** of the ES (Document Reference: 6.2.25) – **Table 31-27 - Table 31-28**;
- **Chapter 26: Water environment, Volume 2** of the ES (Document Reference: 6.2.26) – **Table 31-29 - Table 31-40**;
- **Chapter 27: Major accidents and disasters, Volume 2** of the ES (Document Reference: 6.2.27) – **Table 31-41**;
- **Chapter 28: Population and human health, Volume 2** of the ES (Document Reference: 6.2.28) – **Table 31-42**;
- **Chapter 29: Climate change resilience, Volume 2** of the ES (Document Reference: 6.2.29) – **paragraph 31.1.5**; and
- **Chapter 30: Inter-related effect, Volume 2** of the ES (Document Reference: 6.2.30) – **Table 31-43**.



**Table 31-1 Summary of assessment of residual effects for coastal processes**

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
<b>Construction</b>				
Increases in SSC and deposition of disturbed sediments to the seabed due to drilling for foundation installation				Potential pathway of effect for other aspects
Increases in SSC and deposition of disturbed sediments to the seabed due to dredging for seabed preparation prior to installing jacket foundations				Potential pathway of effect for other aspects
Increases in SSC and deposition of disturbed sediments to the seabed due to cable installation				Potential pathway of effect for other aspects
Increases in SSC and deposition of sediment to the				Potential pathway of effect for other aspects

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
seabed due to HDD drilling fluid release				
Changes to landfall morphology due to installation of export cable at the landfall	<b>Low</b>	Local coastline morphology - <b>Medium</b> Designated sites - <b>Medium</b>	C-41, C-42, C-43, C44, C45	Minor adverse <b>(Not Significant)</b>
Changes to the tidal, wave, sediment transport regimes and seabed scour as a result of the presence of less than all windfarm infrastructure	<b>Very low</b>	Designated sites – <b>Medium</b>	C-38, C-39, C-40, C-41, C-42, C-43, C44, C45	Minor adverse <b>(Not Significant)</b>
		Regional coastline morphology - <b>Medium</b>		Minor adverse <b>(Not Significant)</b>
		Recreational surfing venues - <b>Medium</b>		Minor adverse <b>(Not Significant)</b>
		Offshore sandbanks - <b>Low</b>		Negligible <b>(Not Significant)</b>
<b>Operation and maintenance</b>				

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
Changes to the tidal regime due to presence of windfarm infrastructure		Potential pathway of effect for other aspects		
Changes to the wave regime (presence of wind farm infrastructure)	<b>Low</b>	Hooe Bank and southern Outer Owers - <b>Low</b>	C-38, C-39, C-40, C-41, C-42, C-43, C44, C45	Minor adverse <b>(Not Significant)</b>
	<b>Very Low</b>	East Bank and northern Outer Owers Bank - <b>Low</b>		Negligible <b>(Not Significant)</b>
	<b>Very Low</b>	Surfing Venues - <b>Medium</b>		Minor adverse <b>(Not Significant)</b>
Changes to the sediment transport regime due to presence of wind farm infrastructure	<b>Very low</b>	Designated sites - <b>Medium</b>	C-38, C-39, C-40, C-41, C-42, C-43, C44, C45	Minor adverse <b>(Not Significant)</b>
	<b>Very low</b>	Regional coastline morphology - <b>Medium</b>		Minor adverse <b>(Not Significant)</b>
	<b>Very low</b>	Recreational surfing venues - <b>Medium</b>		Minor adverse <b>(Not Significant)</b>

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
	<b>Very low</b>	East Bank and northern Outer Owers Bank - <b>Low</b>		Negligible <b>(Not Significant)</b>
	<b>Low</b>	Hooe Bank and southern Outer Owers - <b>Low</b>		Minor adverse <b>(Not Significant)</b>
Seabed scour due to the presence of windfarm infrastructure		Potential pathway of effect for other aspects		
<b>Decommissioning</b>				
Changes to SSC, bed levels and sediment type due to removal of foundations		Potential pathway of effect for other aspects		
Changes to landfall morphology due to removal of export cable at the landfall	<b>Low</b>	Local coastline morphology - <b>Medium</b>	C-42, C-43, C44, C45	Minor adverse <b>(Not Significant)</b>
	<b>Low</b>	Nationally designated sites - <b>Medium</b>	C-42, C-43, C44, C45	Minor adverse <b>(Not Significant)</b>

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
Changes to the tidal, wave, sediment transport regimes and seabed scour due to removal/presence of less than all windfarm infrastructure	<b>Very low</b>	Designated sites - <b>Medium</b>	C-38, C-39, C-40, C-41, C-42, C-43, C44, C45	Minor adverse <b>(Not Significant)</b>
		Regional coastline morphology - <b>Medium</b>		Minor adverse <b>(Not Significant)</b>
		Recreational surfing venues - <b>Medium</b>		Minor adverse <b>(Not Significant)</b>
		Offshore sandbanks - <b>Low</b>		Negligible <b>(Not Significant)</b>

**Table 31-2 Summary of assessment of residual effects for other marine users**

<b>Activity and impact</b>	<b>Magnitude of impact</b>	<b>Receptor and sensitivity or value</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
<b>Construction</b>				
<b>Increased vessel movements on aggregates</b>	Low	Medium	C-46, C-51, C-56, C-85, C-267	<b>Minor (Not Significant)</b>
<b>Increased vessel movements on disposal sites</b>	Low	Medium	C-46, C-51, C-56, C-85	<b>Minor (Not Significant)</b>
<b>Increased vessel movements on offshore wind</b>	Low	Low	C-46, C-51, C-56, C-85	<b>Minor (Not Significant)</b>
<b>Increased vessel movements on military activity and munitions</b>	Low	Medium	C-46, C-51, C-56, C-85	<b>Minor (Not Significant)</b>
<b>Increased vessel movements on subsea cables and pipelines</b>	Low (AQUIND and IFA2); Negligible all others	Low	C-46, C-51, C-56, C-85	<b>Minor (Not Significant)</b>
<b>Increased vessel movements on recreational boating and sailing</b>	Low	Medium	C-46, C-51, C-56, C-85	<b>Minor (Not Significant)</b>

<b>Activity and impact</b>	<b>Magnitude of impact</b>	<b>Receptor and sensitivity or value</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
<b>Increased vessel movements on diving and water sports (including surfing)</b>	Diving Low; All others Negligible	Diving Low; All others Negligible	C-46, C-51, C-56, C-85	<b>Minor (Not Significant)</b>
<b>Increased vessel movements on recreational fishing</b>	Boat Low; Shore Negligible	Boat Low; Shore Negligible	C-46, C-51, C-56, C-85	<b>Minor (Not Significant)</b>
<b>Displacement from the use of safety zones (500m) on aggregates</b>	Low	Medium	C-46, C-56, C-267	<b>Minor (Not Significant)</b>
<b>Displacement from the use of safety zones (500m) on disposal sites</b>	Low (AQUIND and Rampion 1); Negligible all others	Medium	C-46, C-56	<b>Minor (Not Significant)</b>
<b>Displacement from the use of safety zones on offshore wind</b>	Low	Low	C-46, C-56	<b>Minor (Not Significant)</b>
<b>Displacement from the use of safety zones (500m) on military activity and munitions</b>	Low	Low	C-46, C-56	<b>Minor (Not Significant)</b>

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
<b>Displacement from the use of safety zones (500m) on subsea cables and pipelines</b>	Low (AQUIND and IFA2); Negligible all others	Low	C-46, C-50, C-56	<b>Minor (Not Significant)</b>
<b>Displacement from the use of safety zones (500m) on recreational boating and sailing</b>	Low	Medium	C-46, C-56	<b>Minor (Not Significant)</b>
<b>Displacement from the use of safety zones (500m) on diving and water sports (including surfing)</b>	Diving Low; All others Negligible	Diving Low; All others Negligible	C-46, C-56	<b>Minor (Not Significant)</b>
<b>Displacement from the use of safety zones (500m) on recreational fishing</b>	Boat Low; Shore Negligible	Boat Low; Shore Negligible	C-46, C-51, C-56	<b>Minor (Not Significant)</b>
<b>Temporary increases in SSC and associated deposition on aggregates</b>	Low	Low	None	<b>Minor (Not Significant)</b>
<b>Temporary increases in SSC and associated</b>	Low	Medium	None	<b>Minor (Not Significant)</b>



Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
<b>deposition on disposal sites</b>				
<b>Temporary increases in SSC and associated deposition on recreational boating and sailing</b>	Low	Medium	None	<b>Minor (Not Significant)</b>
<b>Temporary increases in SSC and associated deposition on diving and water sports (including surfing)</b>	Low	low	None	<b>Minor (Not Significant)</b>
<b>Temporary increases in SSC and associated deposition on recreational fishing</b>	Low	Medium-low	None	<b>Minor (Not Significant)</b>
<b>Temporary increases in subsea noise on diving and water sports</b>	Diving Low; All others Negligible	Diving Medium; All others Low	C-46, C-52, C-56, C-99, C-100, C-101, C-265	<b>Minor (Not Significant)</b>

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
Temporary increases in subsea noise on recreational fishing	Low	Low to Medium	C-46, C-56, C-99, C-100, C-101, C-265	Minor (Not Significant)
<b>Operation and maintenance</b>				
Increased vessel movements on aggregates	Low	Medium	C-46, C-51	Minor (Not Significant)
Increased vessel movements on disposal sites	Low	Medium	C-46, C-51	Minor (Not Significant)
Increased vessel movements on offshore wind	Low	Low	C-46, C-51	Minor (Not Significant)
Increased vessel movements on military activity and munitions	Low	Medium	C-46, C-51	Minor (Not Significant)
Increased vessel movements on subsea cables and pipelines	Low (AQUIND and IFA2); Negligible all others	Low	C-46, C-51	Minor (Not Significant)

<b>Activity and impact</b>	<b>Magnitude of impact</b>	<b>Receptor and sensitivity or value</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
<b>Increased vessel movements on recreational boating and sailing</b>	Low	Medium	C-46, C-51	<b>Minor (Not Significant)</b>
<b>Increased vessel movements on diving and water sports (including surfing)</b>	Diving Low; All others Negligible	Diving Low; All others Negligible	C-46, C-51	<b>Minor (Not Significant)</b>
<b>Increased vessel movements on recreational fishing</b>	Boat Low; Shore Negligible	Boat Low; Shore Negligible	C-46, C-51	<b>Minor (Not Significant)</b>
<b>Physical presence of infrastructure on aggregates</b>	Low	Medium	C-46, C-56, C-85, C-267, C-284	<b>Minor (Not Significant)</b>
<b>Physical presence of infrastructure on disposal sites</b>	Negligible	Medium	C-46, C-56, C-85	<b>Minor (Not Significant)</b>
<b>Physical presence of infrastructure on offshore wind</b>	Negligible	Medium	C-46, C-56, C-85	<b>Minor (Not Significant)</b>

<b>Activity and impact</b>	<b>Magnitude of impact</b>	<b>Receptor and sensitivity or value</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
<b>Physical presence of infrastructure on military activity and munitions</b>	Negligible	Negligible	C-46, C-56, C-85	<b>Minor (Not Significant)</b>
<b>Physical presence of infrastructure on subsea cables and pipelines</b>	Negligible	Medium	C-46, C-56, C-85	<b>Minor (Not Significant)</b>
<b>Physical presence of infrastructure on recreational boating and sailing</b>	Negligible	Low	C-46, C-56, C-85	<b>Minor (Not Significant)</b>
<b>Physical presence of infrastructure on diving and water sports</b>	Negligible	Diving Negligible; Surfing/Kite Surfing Medium	C-46, C-56, C-85	<b>Minor (Not Significant)</b>
<b>Physical presence of infrastructure on recreational fishing</b>	Negligible to Medium	Low	C-46, C-56, C-85	<b>Minor (Not Significant)</b>

**Table 31-3 Summary of assessment of residual effects for fish and shellfish ecology**

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
<b>Construction</b>				
<b>Mortality, injury, behavioural changes and auditory masking arising from noise and vibration</b>	Black seabream: <b>Moderate</b> (TTS and behavioural only) Seahorse (breeding): <b>Moderate</b> (behavioural only) All other receptors: <b>Negligible to Minor</b>	Sandeel: <b>medium</b> Herring: <b>high</b> Black seabream: <b>medium</b> Sea bass: <b>medium</b> Seahorse: <b>high</b> Cuttlefish: <b>medium</b> Eggs and larvae: <b>medium</b> All other receptors: <b>medium</b> Shellfish: <b>medium</b>	C-52, C-265, C-274, C-280, C-281. See <a href="#">Draft Piling Marine Mammal Protocol</a> (Document Reference 7.14)	All receptors: <b>Minor adverse</b>
<b>Impacts arising from UXO Clearance</b>	All fish and shellfish species: <b>Minor</b>	All fish and shellfish species: <b>medium</b>	C-275. See <a href="#">Draft UXO Clearance Marine Mammal Protocol</a> (Document Reference 7.15)	All receptors: <b>Minor adverse</b>

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
<b>Impacts of underwater noise from seabed preparation, rock dumping and cable installation</b>	All fish and shellfish species: <b>Negligible</b>	Herring: <b>high</b> Seahorse: <b>high</b> All other fish and shellfish species: <b>medium</b>	N/A	All receptors: <b>Minor adverse</b>
<b>Direct disturbance resulting from the installation of the export cable</b>	Black seabream: <b>Moderate</b> All other receptors: <b>Negligible- Minor</b>	Sandeel: <b>medium</b> Herring: <b>high</b> Black seabream: <b>high</b> Seahorse: <b>medium</b> Cuttlefish: <b>low</b> Shellfish: <b>low to medium</b> Elasmobranchs: <b>low</b>	C-44, C-45, C-65, C-269, C-270, C-271, C-272 C-273	All receptors: <b>Minor adverse</b>
<b>Direct disturbance resulting from construction within the array</b>	All receptors: <b>Negligible- Minor</b>	Sandeel: <b>medium</b> Herring: <b>high</b> Black seabream: <b>high</b> Seahorse: <b>medium</b> Cuttlefish: <b>low</b> Shellfish: <b>low to medium</b> Elasmobranchs: <b>low</b>	C-41, C-44, C-45	All receptors: <b>Minor adverse</b>

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
Temporary localised increases in SSC and smothering	Black seabream: <b>Moderate</b> Sandeel and seahorse: <b>Minor</b> All other receptors: <b>Negligible</b>	Sandeel: <b>low</b> Herring: <b>low</b> Black seabream: <b>high</b> Seahorse: <b>low</b> Shellfish: <b>negligible to medium</b> Migratory species: <b>low</b> Other fish receptors: <b>low</b>	C-272, C-273,	All receptors: <b>Negligible to Minor adverse</b>
Direct and indirect seabed disturbances leading to the release of sediment contaminants	<b>Negligible</b>	<b>Medium</b>	C-53	All receptors: <b>Minor adverse</b>
<b>Operation and maintenance</b>				
Long-term loss of habitat and increased hard substrate and structural complexity due to the presence of turbine foundations, scour protection and cable protection	<i>Long-term habitat loss</i>			
	Black seabream: <b>Moderate</b> All other receptors: <b>Negligible to Minor</b>	Sandeel: <b>medium</b> Herring: <b>high</b> Black seabream: <b>high</b> Seahorse: <b>medium</b> Cuttlefish: <b>low</b> Shellfish: <b>low to medium</b>	C-44, C-95	All receptors: <b>Negligible to Minor adverse</b>

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
		Elasmobranchs: <b>low</b>		
	<i>Increase hard substrate</i>			
	Black seabream: <b>Moderate</b> All other receptors: <b>Negligible to Minor</b>	Sandeel: <b>medium</b> Herring: <b>high</b> Black seabream: <b>high</b> Seahorse: <b>medium</b> Cuttlefish: <b>low</b> Shellfish: <b>low</b> Elasmobranchs: <b>low</b>	C-44, C-45, C-95	All receptors: <b>Minor adverse</b>
<b>EMF impacts arising from cables</b>	<b>Minor</b>	<b>Low</b>	C-41, C-45, C-96	All receptors: <b>Minor adverse</b>
<b>Direct disturbance resulting from maintenance within the array area and export cable</b>	Black seabream: <b>Moderate</b> Herring: <b>Negligible</b> All other receptors: <b>Minor</b>	Sandeel: <b>medium</b> Herring: <b>high</b> Black seabream: <b>high</b> Seahorse: <b>medium</b> Cuttlefish: <b>low</b> Shellfish: <b>low to medium</b> Elasmobranchs: <b>low</b>	N/A	All receptors: <b>Minor adverse</b>

## Decommissioning



Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
<b>Mortality, injury, behavioural changes and auditory masking arising from noise and vibration</b>	<b>Negligible</b>	Sandeel: <b>medium</b> Herring: <b>high</b> Black seabream: <b>medium</b> Sea bass: <b>medium</b> Seahorse: <b>high</b> Eggs and larvae: <b>medium</b> All other receptors: <b>medium</b> Shellfish: <b>medium</b>	C-52	All receptors: <b>Minor adverse</b>
<b>Direct disturbance resulting from the removal of the export cable</b>	<b>Negligible</b>	Sandeel: <b>medium</b> Herring: <b>high</b> Black seabream: <b>high</b> Seahorse: <b>medium</b> Cuttlefish: <b>low</b> Shellfish: <b>low to medium</b> Elasmobranchs: <b>low</b>	C-44	All receptors: <b>Minor adverse</b>
<b>Direct disturbance resulting from decommissioning within the array</b>	<b>Negligible</b>	Sandeel: <b>medium</b> Herring: <b>high</b> Black seabream: <b>high</b>	C-44	All receptors: <b>Minor adverse</b>

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
		Seahorse: <b>medium</b> Cuttlefish: <b>low</b> Shellfish: <b>low to medium</b> Elasmobranchs: <b>low</b>		
<b>Temporary localised increases in SSC and smothering</b>	<b>Negligible</b>	Sandeel: <b>low</b> Herring: <b>low</b> Black seabream: <b>high</b> Seahorse: <b>low</b> Shellfish: <b>negligible to medium</b> Elasmobranchs: <b>low</b>	N/A	All receptors: <b>Negligible to Minor adverse</b>
<b>Direct and indirect seabed disturbances leading to the release of sediment contaminants</b>	<b>Negligible</b>	<b>Medium</b>	C-53	All receptors: <b>Minor adverse</b>

**Table 31-4 Summary of assessment of residual effects for benthic subtidal and intertidal ecology**

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures & mitigation	Overall assessment of residual effect (significance)
<b>Construction</b>				
Habitat disturbance in the Rampion 2 array area and offshore cable corridor from construction activities	Subtidal receptors: <b>Minor</b> Intertidal receptors: <b>Negligible</b>	A5.131: <b>Not sensitive</b> A5.141, A5.142, A5.231, A5.231, A5.431, A5.422, A4.134, A4.214, A4.231: <b>Medium</b>  Piddocks/ Chalk (A4.231): <b>High</b>	C-269, C-270, C-272	<b>Minor adverse</b>
Temporary increase in suspended sediment and sediment deposition in the Rampion 2 array area and offshore cable corridor	All receptors: <b>Minor</b>	A5.131, A5.444, A4.139: <b>Not sensitive*</b>  A5.141, A5.142, A5.231, A5.233, A5.431, A5.422, A4.131, A4.214: <b>Low*</b>  A5.261, A5.611, A4.134, A4.221, A3.215: <b>Medium*</b>	C-279	<b>Minor adverse</b>

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures & mitigation	Overall assessment of residual effect (significance)
Temporary increase in SSC and sediment deposition in the intertidal area	<b>Negligible</b>	Features of Kingmere MCZ: <b>Medium*</b> <i>*Assessment based on heavy smothering</i>  A1.45: <b>Low</b>  A2.111, A2.245: <b>Not sensitive</b>  <b>Medium*</b> <i>*Assessment based on light smothering</i>	C-43	<b>Minor adverse</b>
Direct and indirect seabed disturbances leading to the release of sediment contaminants	<b>Negligible</b>	<b>High</b>	N/A	<b>Minor adverse</b>
Increased risk of introduction or spread of Marine INNS may affect benthic ecology and biodiversity	<b>Negligible</b>	<b>High</b>	C-95	<b>Minor adverse</b>
Indirect disturbance arising from the accidental release of pollutants	<b>Negligible</b>	<b>High</b>	C-53	<b>Minor adverse</b>

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures & mitigation	Overall assessment of residual effect (significance)
Indirect disturbance from increased noise and vibration from construction activities	<b>Negligible</b>	<b>Medium</b>	N/A	<b>Minor adverse</b> (not significant in EIA terms)
<b>Operation and maintenance</b>				
Long-term habitat loss/alteration from the presence of foundations, scour protection and cable protection	<b>Negligible</b>	<b>High</b>	N/A	<b>Minor adverse</b>
Temporary habitat disturbance from jackup vessels and cable maintenance works	<b>Minor</b>	A5.131: <b>Not sensitive</b> A5.141, A5.142, A5.231, A5.231, A5.431, A5.422, A4.134, A4.214: <b>Medium</b> Piddocks/ Chalk (A4.231): <b>High</b>	C-269, C-270	<b>Minor adverse</b>
Changes to seabed habitats arising from effects on physical processes, including scour effects and changes in the sediment transport and wave regimes resulting in potential effects on benthic communities	<b>Negligible</b>	A5.131: <b>Not sensitive</b> A5.141, A5.142, A5.231, A5.231, A5.431, A5.422, A4.134, A4.214: <b>Medium</b>	N/A	<b>Minor adverse</b>

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures & mitigation	Overall assessment of residual effect (significance)
		Piddocks/ Chalk (A4.231): <b>High</b>		
Colonisation of the WTGs and scour/cable protection may affect benthic ecology and biodiversity	<b>Minor</b>	<b>Medium</b>	N/A	<b>Minor adverse</b>
Increased risk of introduction or spread of Marine INNS due to presence of infrastructure and vessel movements (for example the discharge of ballast water) may affect benthic ecology and biodiversity	<b>Minor</b>	<b>High</b>	C-95	<b>Minor adverse</b>
Indirect disturbance arising from the accidental release of pollutants	<b>Negligible</b>	<b>High</b>	C-53	<b>Minor adverse</b>
Indirect disturbance arising from EMF generated by the current flowing through the cables buried to less than 1.5m below the surface	<b>Negligible</b>	<b>Low</b>	C-41, C-43 and C,45	<b>Negligible</b>
<b>Decommissioning</b>				

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures & mitigation	Overall assessment of residual effect (significance)
Temporary habitat disturbance from decommissioning of foundations, cables and rock protection	Subtidal receptors: <b>Minor</b> Intertidal receptors: <b>Negligible</b>	A5.131: <b>Not sensitive</b> A5.141, A5.142, A5.231, A5.231, A5.431, A5.422, A4.134, A4.214, A4.231: <b>Medium</b>  Piddocks/ Chalk (A4.231): <b>High</b>	C-269, C-270, C-272	<b>Minor adverse</b>
Temporary increase in suspended sediment and sediment deposition from decommissioning of foundations, cables and rock protection	All receptors: <b>Minor</b>	A5.131, A5.444, A4.139: <b>Not sensitive*</b>  A5.141, A5.142, A5.231, A5.233, A5.431, A5.422, A4.131, A4.214: <b>Low*</b>  A5.261, A5.611, A4.134, A4.221, A3.215: <b>Medium*</b>  Features of Kingmere MCZ: <b>Medium*</b> <i>*Assessment based on heavy smothering</i>	N/A	<b>Minor adverse</b>

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures & mitigation	Overall assessment of residual effect (significance)
Direct and indirect seabed disturbances leading to the release of sediment contaminants	<b>Negligible</b>	<b>High</b>	N/A	<b>Minor adverse</b>
Increased risk of introduction or spread of Marine INNS may affect benthic ecology and biodiversity	<b>Negligible</b>	<b>High</b>	C-95	<b>Minor adverse</b>
Indirect disturbance arising from the accidental release of pollutants	<b>Negligible</b>	<b>High</b>	C-53	<b>Minor adverse</b>



**Table 31-5 Summary of assessment of residual effects for commercial fisheries**

<b>Activity and impact</b>	<b>Magnitude of impact</b>	<b>Receptor and sensitivity or value</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
<b>Construction</b>				
<b>Rampion 2 array area construction activities and physical presence of constructed wind farm infrastructure leading to reduction in access to, or exclusion from established fishing grounds</b>	<b>Potting fleet: Minor</b>	<b>Potting fleet: Medium</b>	C-45 C-46 C-47 C-90 C-194 C-276	<b>Potting fleet: Minor adverse (Not Significant)</b>
	<b>Dredging fleet: Minor</b>	<b>Dredging fleet: Low</b>		<b>Dredging fleet: Minor adverse (Not Significant)</b>
	<b>Netting fleet: Minor</b>	<b>Netting fleet: Low</b>		<b>Netting fleet: Minor adverse (Not Significant)</b>
	<b>UK beam trawl fleet: Minor</b>	<b>UK beam trawl fleet: Low</b>		<b>UK beam trawl fleet: Minor adverse (Not Significant)</b>
	<b>Belgian beam trawl fleet: Moderate</b>	<b>Belgian beam trawl fleet: Low</b>		<b>Belgian beam trawl fleet: Minor adverse (Not Significant)</b>

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
	Demersal otter trawl fleet: Minor	Demersal otter trawl fleet: Low		Demersal otter trawl fleet: Minor adverse (Not Significant)
	Pelagic trawl fleet: Negligible	Pelagic trawl fleet: Low		Pelagic trawl fleet: Negligible (Not Significant)
Rampion 2 offshore export cable construction activities and physical presence of constructed wind farm infrastructure leading to reduction in access to, or exclusion from established fishing grounds	Potting fleet: Minor	Potting fleet: Medium	C-45 C-46 C-47 C-90 C-194	Potting fleet: Minor adverse (Not Significant)
	Dredging fleet: Minor	Dredging fleet: Low		Dredging fleet: Minor adverse (Not Significant)
	Netting fleet: Minor	Netting fleet: Medium		Netting fleet: Minor adverse (Not Significant)
	UK beam trawl fleet: Minor	UK beam trawl fleet: Low		UK beam trawl fleet: Minor adverse (Not Significant)

<b>Activity and impact</b>	<b>Magnitude of impact</b>	<b>Receptor and sensitivity or value</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
	<b>Belgian beam trawl fleet: Negligible</b>	<b>Belgian beam trawl fleet: Low</b>		<b>Belgian beam trawl fleet: Negligible (Not Significant)</b>
	<b>Demersal otter trawl fleet: Minor</b>	<b>Demersal otter trawl fleet: Low</b>		<b>Demersal otter trawl fleet: Minor adverse (Not Significant)</b>
	<b>Pelagic trawl fleet: Negligible</b>	<b>Pelagic trawl fleet: Low</b>		<b>Pelagic trawl fleet: Negligible (Not Significant)</b>
<b>Displacement from Rampion 2 array area leading to gear conflict and increased fishing pressure on adjacent grounds</b>	<b>Potting fleet: Minor</b>	<b>Potting fleet: Medium</b>	C-45 C-46 C-47 C-90 C-194	<b>Potting fleet: Minor adverse (Not Significant)</b>
	<b>Dredging fleet: Minor</b>	<b>Dredging fleet: Low</b>		<b>Dredging fleet: Minor adverse (Not Significant)</b>
	<b>Netting fleet: Minor</b>	<b>Netting fleet: Low</b>		<b>Netting fleet: Minor adverse (Not Significant)</b>
	<b>UK beam trawl fleet: Minor</b>	<b>UK beam trawl fleet: Low</b>		<b>UK beam trawl fleet: Minor adverse (Not Significant)</b>

<b>Activity and impact</b>	<b>Magnitude of impact</b>	<b>Receptor and sensitivity or value</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
	<b>Belgian beam trawl fleet: Minor</b>	<b>Belgian beam trawl fleet: Low</b>		<b>Belgian beam trawl fleet: Minor adverse (Not Significant)</b>
	<b>Demersal otter trawl fleet: Minor</b>	<b>Demersal otter trawl fleet: Low</b>		<b>Demersal otter trawl fleet: Minor adverse (Not Significant)</b>
	<b>Pelagic trawl fleet: Negligible</b>	<b>Pelagic trawl fleet: Low</b>		<b>Pelagic trawl fleet: Negligible (Not Significant)</b>
<b>Displacement from Rampion 2 offshore cable corridor leading to gear conflict and increased fishing pressure on adjacent grounds</b>	<b>Potting fleet: Minor</b>	<b>Potting fleet: Medium</b>	C-45 C-46 C-47 C-90 C-194	<b>Potting fleet: Minor adverse (Not Significant)</b>
	<b>Dredging fleet: Minor</b>	<b>Dredging fleet: Low</b>		<b>Dredging fleet: Minor adverse (Not Significant)</b>
	<b>Netting fleet: Minor</b>	<b>Netting fleet: Medium</b>		<b>Netting fleet: Minor adverse (Not Significant)</b>
	<b>UK beam trawl fleet: Minor</b>	<b>UK beam trawl fleet: Low</b>		<b>UK beam trawl fleet: Minor adverse (Not Significant)</b>

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
	Belgian beam trawl fleet: Minor	Belgian beam trawl fleet: Low		Belgian beam trawl fleet: Minor adverse (Not Significant)
	Demersal otter trawl fleet: Minor	Demersal otter trawl fleet: Low		Demersal otter trawl fleet: Minor adverse (Not Significant)
	Pelagic trawl fleet: Negligible	Pelagic trawl fleet: Low		Pelagic trawl fleet: Negligible (Not Significant)
Rampion 2 array area and offshore cable corridor construction activities leading to disturbance of commercially important fish and shellfish resources leading to displacement or disruption of fishing activity	Potting fleet: Minor	Potting fleet: Medium	See measures set out in <a href="#">Chapter 8: Fish and shellfish ecology, Volume 2</a> of the ES (Document Reference: 6.2.8)	Potting fleet: Minor adverse (Not Significant)
	Dredging fleet: Minor	Dredging fleet: Medium		Dredging fleet: Minor adverse (Not Significant)
	Netting fleet: Minor	Netting fleet: Low		Netting fleet: Minor adverse (Not Significant)

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
	UK beam trawl fleet: Minor	UK beam trawl fleet: Low		UK beam trawl fleet: Minor adverse (Not Significant)
	Belgian beam trawl fleet: Minor	Belgian beam trawl fleet: Low		Belgian beam trawl fleet: Minor adverse (Not Significant)
	Demersal otter trawl fleet: Minor	Demersal otter trawl fleet: Low		Demersal otter trawl fleet: Minor adverse (Not Significant)
	Pelagic trawl fleet: Minor	Pelagic trawl fleet: Low		Pelagic trawl fleet: Minor adverse (Not Significant)
Increased vessel traffic associated with Rampion 2 within fishing grounds leading to interference with fishing activity	Potting fleet: Minor	Potting fleet: Medium	C-45 C-46 C-47 C-56 C-90 – C-93 C-194	Potting fleet: Minor adverse (Not Significant)
	Dredging fleet: Minor	Dredging fleet: Low		Dredging fleet: Minor adverse (Not Significant)
	Netting fleet: Minor	Netting fleet: Medium		Netting fleet: Minor adverse (Not Significant)

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
	UK beam trawl fleet: Minor	UK beam trawl fleet: Low		UK beam trawl fleet: Minor adverse (Not Significant)
	Belgian beam trawl fleet: Minor	Belgian beam trawl fleet: Low		Belgian beam trawl fleet: Minor adverse (Not Significant)
	Demersal otter trawl fleet: Minor	Demersal otter trawl fleet: Low		Demersal otter trawl fleet: Minor adverse (Not Significant)
	Pelagic trawl fleet: Minor	Pelagic trawl fleet: Low		Pelagic trawl fleet: Minor adverse (Not Significant)
Additional steaming to alternative fishing grounds for vessels that would otherwise fish within the Rampion 2 area	Potting fleet: Minor	Potting fleet: Medium	C-45 C-46 C-47 C-56 C-90 – C-93 C-194	Potting fleet: Minor adverse (Not Significant)
	Dredging fleet: Minor	Dredging fleet: Medium		Dredging fleet: Minor adverse (Not Significant)
	Netting fleet: Minor	Netting fleet: Medium		Netting fleet: Minor adverse (Not Significant)

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
	UK beam trawl fleet: Minor	UK beam trawl fleet: Medium		UK beam trawl fleet: Minor adverse (Not Significant)
	Belgian beam trawl fleet: Minor	Belgian beam trawl fleet: Low		Belgian beam trawl fleet: Minor adverse (Not Significant)
	Demersal otter trawl fleet: Minor	Demersal otter trawl fleet: Medium		Demersal otter trawl fleet: Minor adverse (Not Significant)
	Pelagic trawl fleet: Minor	Pelagic trawl fleet: Low		Pelagic trawl fleet: Minor adverse (Not Significant)
<b>Operation and maintenance</b>				
Physical presence of Rampion 2 array area infrastructure leading to reduction in access to, or exclusion from established fishing grounds	Potting fleet: Minor	Potting fleet: Medium	C-45 C-46 C-47 C-90 C-194 C-276	Potting fleet: Minor adverse (Not Significant)
	Dredging fleet: Minor	Dredging fleet: Low		Dredging fleet: Minor adverse (Not Significant)



Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
	Netting fleet: Minor	Netting fleet: Low		Netting fleet: Minor adverse (Not Significant)
	UK beam trawl fleet: Minor	UK beam trawl fleet: Low		UK beam trawl fleet: Minor adverse (Not Significant)
	Belgian beam trawl fleet: Moderate	Belgian beam trawl fleet: Low		Belgian beam trawl fleet: Minor adverse (Not Significant)
	Demersal otter trawl fleet: Minor	Demersal otter trawl fleet: Low		Demersal otter trawl fleet: Minor adverse (Not Significant)
	Pelagic trawl fleet: Negligible	Pelagic trawl fleet: Low		Pelagic trawl fleet: Negligible (Not Significant)
Physical presence of offshore export cable and infrastructure within the Rampion 2 offshore cable corridor leading to reduction in access to, or exclusion from established fishing grounds	Potting fleet: Minor	Potting fleet: Medium	C-45 C-46 C-47 C-90 C-194	Potting fleet: Minor adverse (Not Significant)

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
	Dredging fleet: Minor	Dredging fleet: Low		Dredging fleet: Minor adverse (Not Significant)
	Netting fleet: Minor	Netting fleet: Medium		Netting fleet: Minor adverse (Not Significant)
	UK beam trawl fleet: Minor	UK beam trawl fleet: Low		UK beam trawl fleet: Minor adverse (Not Significant)
	Belgian beam trawl fleet: Minor	Belgian beam trawl fleet: Low		Belgian beam trawl fleet: Minor adverse (Not Significant)
	Demersal otter trawl fleet: Minor	Demersal otter trawl fleet: Low		Demersal otter trawl fleet: Minor adverse (Not Significant)
	Pelagic trawl fleet: Negligible	Pelagic trawl fleet: Low		Pelagic trawl fleet: Negligible (Not Significant)
Displacement from Rampion 2 array area and offshore cable corridor leading to gear conflict and increased fishing	Potting fleet: Minor	Potting fleet: Medium	C-45 C-46 C-47 C-90 C-194	Potting fleet: Minor adverse (Not Significant)

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
pressure on adjacent grounds	Dredging fleet: Minor	Dredging fleet: Low		Dredging fleet: Minor adverse (Not Significant)
	Netting fleet: Minor	Netting fleet: Medium		Netting fleet: Minor adverse (Not Significant)
	UK beam trawl fleet: Minor	UK beam trawl fleet: Low		UK beam trawl fleet: Minor adverse (Not Significant))
	Belgian beam trawl fleet: Minor	Belgian beam trawl fleet: Low		Belgian beam trawl fleet: Minor adverse (Not Significant)
	Demersal otter trawl fleet: Minor	Demersal otter trawl fleet: Low		Demersal otter trawl fleet: Minor adverse (Not Significant)
	Pelagic trawl fleet: Negligible	Pelagic trawl fleet: Low		Pelagic trawl fleet: Negligible (Not Significant)
	Rampion 2 operation and maintenance activities leading to displacement or	Potting fleet: Minor	Potting fleet: Medium	See measures set out in <a href="#">Chapter 8: Fish and shellfish ecology, Volume 2</a>

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
disruption of commercially important fish and shellfish resources	Dredging fleet: Minor	Dredging fleet: Medium	of the ES (Document Reference: 6.2.8)	Dredging fleet: Minor adverse (Not Significant)
	Netting fleet: Minor	Netting fleet: Low		Netting fleet: Minor adverse (Not Significant)
	UK beam trawl fleet: Minor	UK beam trawl fleet: Low		UK beam trawl fleet: Minor adverse (Not Significant)
	Belgian beam trawl fleet: Minor	Belgian beam trawl fleet: Low		Belgian beam trawl fleet: Minor adverse (Not Significant)
	Demersal otter trawl fleet: Minor	Demersal otter trawl fleet: Low		Demersal otter trawl fleet: Minor adverse (Not Significant)
	Pelagic trawl fleet: Minor	Pelagic trawl fleet: Low		Pelagic trawl fleet: Minor adverse (Not Significant)

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
Increased vessel traffic within fishing grounds as a result of changes to shipping routes and maintenance vessel traffic from Rampion 2 leading to interference with fishing activity	Potting fleet: Minor	Potting fleet: Medium	C-45 C-46 C-47 C-56 C-90 – C-93 C-194	Potting fleet: Minor adverse (Not Significant)
	Dredging fleet: Minor	Dredging fleet: Low		Dredging fleet: Minor adverse (Not Significant)
	Netting fleet: Minor	Netting fleet: Medium		Netting fleet: Minor adverse (Not Significant)
	UK beam trawl fleet: Minor	UK beam trawl fleet: Low		UK beam trawl fleet: Minor adverse (Not Significant)
	Belgian beam trawl fleet: Minor	Belgian beam trawl fleet: Low		Belgian beam trawl fleet: Minor adverse (Not Significant)
	Demersal otter trawl fleet: Minor	Demersal otter trawl fleet: Low		Demersal otter trawl fleet: Minor adverse (Not Significant)

<b>Activity and impact</b>	<b>Magnitude of impact</b>	<b>Receptor and sensitivity or value</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
	<b>Pelagic trawl fleet: Minor</b>	<b>Pelagic trawl fleet: Low</b>		<b>Pelagic trawl fleet: Minor adverse (Not Significant)</b>
<b>Physical presence of Rampion 2 array area infrastructure leading to gear snagging</b>	<b>Potting fleet: Minor</b>	<b>Potting fleet: Low</b>	C-45 C-46 C-47 C-56 C-90 – C-93 C-194	<b>Potting fleet: Minor adverse (Not Significant)</b>
	<b>Dredging fleet: Minor</b>	<b>Dredging fleet: Medium</b>		<b>Dredging fleet: Minor adverse (Not Significant)</b>
	<b>Netting fleet: Minor</b>	<b>Netting fleet: Low</b>		<b>Netting fleet: Minor adverse (Not Significant)</b>
	<b>UK beam trawl fleet: Minor</b>	<b>UK beam trawl fleet: Medium</b>		<b>UK beam trawl fleet: Minor adverse (Not Significant)</b>
	<b>Belgian beam trawl fleet: Minor</b>	<b>Belgian beam trawl fleet: Medium</b>		<b>Belgian beam trawl fleet: Minor adverse (Not Significant)</b>
	<b>Demersal otter trawl fleet: Minor</b>	<b>Demersal otter trawl fleet: Medium</b>		<b>Demersal otter trawl fleet: Minor adverse (Not Significant)</b>

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
	<b>Pelagic trawl fleet: Negligible</b>	<b>Pelagic trawl fleet: Low</b>		<b>Pelagic trawl fleet: Negligible (Not Significant)</b>
<b>Physical presence of the export cable and associated infrastructure leading to gear snagging</b>	<b>Potting fleet: Minor</b>	<b>Potting fleet: Low</b>	C-45 C-46 C-47 C-56 C-90 – C-93 C-194	<b>Potting fleet: Minor adverse (Not Significant)</b>
	<b>Dredging fleet: Minor</b>	<b>Dredging fleet: Medium</b>		<b>Dredging fleet: Minor adverse (Not Significant)</b>
	<b>Netting fleet: Minor</b>	<b>Netting fleet: Low</b>		<b>Netting fleet: Minor adverse (Not Significant)</b>
	<b>UK beam trawl fleet: Minor</b>	<b>UK beam trawl fleet: Medium</b>		<b>UK beam trawl fleet: Minor adverse (Not Significant)</b>
	<b>Belgian beam trawl fleet: Minor</b>	<b>Belgian beam trawl fleet: Medium</b>		<b>Belgian beam trawl fleet: Minor adverse (Not Significant)</b>
	<b>Demersal otter trawl fleet: Minor</b>	<b>Demersal otter trawl fleet: Medium</b>		<b>Demersal otter trawl fleet: Minor adverse (Not Significant)</b>

<b>Activity and impact</b>	<b>Magnitude of impact</b>	<b>Receptor and sensitivity or value</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
	<b>Pelagic trawl fleet: Negligible</b>	<b>Pelagic trawl fleet: Low</b>		<b>Pelagic trawl fleet: Negligible (Not Significant)</b>
<b>Additional steaming to alternative fishing grounds for vessels that would otherwise fish within the Rampion 2 area</b>	<b>Potting fleet: Minor</b>	<b>Potting fleet: Medium</b>	C-45 C-46 C-47 C-56 C-90 – C-93 C-194	<b>Potting fleet: Minor adverse (Not Significant)</b>
	<b>Dredging fleet: Minor</b>	<b>Dredging fleet: Medium</b>		<b>Dredging fleet: Minor adverse (Not Significant)</b>
	<b>Netting fleet: Minor</b>	<b>Netting fleet: Medium</b>		<b>Netting fleet: Minor adverse (Not Significant)</b>
	<b>UK beam trawl fleet: Minor</b>	<b>UK beam trawl fleet: Medium</b>		<b>UK beam trawl fleet: Minor adverse (Not Significant)</b>
	<b>Belgian beam trawl fleet: Minor</b>	<b>Belgian beam trawl fleet: Low</b>		<b>Belgian beam trawl fleet: Minor adverse (Not Significant)</b>
	<b>Demersal otter trawl fleet: Minor</b>	<b>Demersal otter trawl fleet: Medium</b>		<b>Demersal otter trawl fleet: Minor adverse (Not Significant)</b>



<b>Activity and impact</b>	<b>Magnitude of impact</b>	<b>Receptor and sensitivity or value</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
	<b>Pelagic trawl fleet: Minor</b>	<b>Pelagic trawl fleet: Low</b>		<b>Pelagic trawl fleet: Minor adverse (Not Significant)</b>
<b>Decommissioning</b>				
<b>Rampion 2 array area decommissioning activities leading to reduction in access to, or exclusion from, potential and/or established fishing grounds</b>	<b>Potting fleet: Minor</b>	<b>Potting fleet: Medium</b>	C-45 C-46 C-47 C-90 C-194 C-276	<b>Potting fleet: Minor adverse (Not Significant)</b>
	<b>Dredging fleet: Minor</b>	<b>Dredging fleet: Low</b>		<b>Dredging fleet: Minor adverse (Not Significant)</b>
	<b>Netting fleet: Minor</b>	<b>Netting fleet: Low</b>		<b>Netting fleet: Minor adverse (Not Significant)</b>
	<b>UK beam trawl fleet: Minor</b>	<b>UK beam trawl fleet: Low</b>		<b>UK beam trawl fleet: Minor adverse (Not Significant)</b>
	<b>Belgian beam trawl fleet: Moderate</b>	<b>Belgian beam trawl fleet: Low</b>		<b>Belgian beam trawl fleet: Minor adverse (Not Significant)</b>

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
	Demersal otter trawl fleet: Minor	Demersal otter trawl fleet: Low		Demersal otter trawl fleet: Minor adverse (Not Significant)
	Pelagic trawl fleet: Negligible	Pelagic trawl fleet: Low		Pelagic trawl fleet: Negligible (Not Significant)
Rampion 2 offshore cable corridor decommissioning activities leading to reduction in access to, or exclusion from established fishing grounds	Potting fleet: Minor	Potting fleet: Medium	C-45 C-46 C-47 C-90 C-194	Potting fleet: Minor adverse (Not Significant)
	Dredging fleet: Minor	Dredging fleet: Low		Dredging fleet: Minor adverse (Not Significant)
	Netting fleet: Minor	Netting fleet: Medium		Netting fleet: Minor adverse (Not Significant)
	UK beam trawl fleet: Minor	UK beam trawl fleet: Low		UK beam trawl fleet: Minor adverse (Not Significant)

<b>Activity and impact</b>	<b>Magnitude of impact</b>	<b>Receptor and sensitivity or value</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
	<b>Belgian beam trawl fleet: Negligible</b>	<b>Belgian beam trawl fleet: Low</b>		<b>Belgian beam trawl fleet: Negligible (Not Significant)</b>
	<b>Demersal otter trawl fleet: Minor</b>	<b>Demersal otter trawl fleet: Low</b>		<b>Demersal otter trawl fleet: Minor adverse (Not Significant)</b>
	<b>Pelagic trawl fleet: Negligible</b>	<b>Pelagic trawl fleet: Low</b>		<b>Pelagic trawl fleet: Negligible (Not Significant)</b>
<b>Displacement from Rampion 2 array area leading to gear conflict and increased fishing pressure on adjacent grounds</b>	<b>Potting fleet: Minor</b>	<b>Potting fleet: Medium</b>	C-45 C-46 C-47 C-90	<b>Potting fleet: Minor adverse (Not Significant)</b>
	<b>Dredging fleet: Minor</b>	<b>Dredging fleet: Low</b>		<b>Dredging fleet: Minor adverse (Not Significant)</b>
	<b>Netting fleet: Minor</b>	<b>Netting fleet: Low</b>		<b>Netting fleet: Minor adverse (Not Significant)</b>
	<b>UK beam trawl fleet: Minor</b>	<b>UK beam trawl fleet: Low</b>		<b>UK beam trawl fleet: Minor adverse (Not Significant)</b>

<b>Activity and impact</b>	<b>Magnitude of impact</b>	<b>Receptor and sensitivity or value</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
	<b>Belgian beam trawl fleet: Minor</b>	<b>Belgian beam trawl fleet: Low</b>		<b>Belgian beam trawl fleet: Minor adverse (Not Significant)</b>
	<b>Demersal otter trawl fleet: Minor</b>	<b>Demersal otter trawl fleet: Low</b>		<b>Demersal otter trawl fleet: Minor adverse (Not Significant)</b>
	<b>Pelagic trawl fleet: Negligible</b>	<b>Pelagic trawl fleet: Low</b>		<b>Pelagic trawl fleet: Minor adverse (Not Significant)</b>
<b>Displacement from the Rampion 2 offshore cable corridor leading to gear conflict and increased fishing pressure on adjacent grounds</b>	<b>Potting fleet: Minor</b>	<b>Potting fleet: Medium</b>	C-45 C-46 C-47 C-90	<b>Potting fleet: Minor adverse (Not Significant)</b>
	<b>Dredging fleet: Minor</b>	<b>Dredging fleet: Low</b>		<b>Dredging fleet: Minor adverse (Not Significant)</b>
	<b>Netting fleet: Minor</b>	<b>Netting fleet: Medium</b>		<b>Netting fleet: Minor adverse (Not Significant)</b>
	<b>UK beam trawl fleet: Minor</b>	<b>UK beam trawl fleet: Low</b>		<b>UK beam trawl fleet: Minor adverse (Not Significant)</b>

<b>Activity and impact</b>	<b>Magnitude of impact</b>	<b>Receptor and sensitivity or value</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
	<b>Belgian beam trawl fleet: Minor</b>	<b>Belgian beam trawl fleet: Low</b>		<b>Belgian beam trawl fleet: Minor adverse (Not Significant)</b>
	<b>Demersal otter trawl fleet: Minor</b>	<b>Demersal otter trawl fleet: Low</b>		<b>Demersal otter trawl fleet: Minor adverse (Not Significant)</b>
	<b>Pelagic trawl fleet: Negligible</b>	<b>Pelagic trawl fleet: Low</b>		<b>Pelagic trawl fleet: Negligible (Not Significant)</b>
<b>Physical presence of any infrastructure left in situ leading to gear snagging</b>	<b>Potting fleet: Minor</b>	<b>Potting fleet: Low</b>	C-45 C-46 C-47 C-56 C-90 – C-93 C-194	<b>Potting fleet: Minor adverse (Not Significant)</b>
	<b>Dredging fleet: Minor</b>	<b>Dredging fleet: Medium</b>		<b>Dredging fleet: Minor adverse (Not Significant)</b>
	<b>Netting fleet: Minor</b>	<b>Netting fleet: Low</b>		<b>Netting fleet: Minor adverse (Not Significant)</b>
	<b>UK beam trawl fleet: Minor</b>	<b>UK beam trawl fleet: Medium</b>		<b>UK beam trawl fleet: Minor adverse (Not Significant)</b>

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
	Belgian beam trawl fleet: Minor	Belgian beam trawl fleet: Medium		Belgian beam trawl fleet: Minor adverse (Not Significant)
	Demersal otter trawl fleet: Minor	Demersal otter trawl fleet: Medium		Demersal otter trawl fleet: Minor adverse (Not Significant)
	Pelagic trawl fleet: Negligible	Pelagic trawl fleet: Low		Pelagic trawl fleet: Negligible (Not Significant)
Decommissioning activities leading to displacement or disruption of commercially important fish and shellfish resources	Potting fleet: Minor	Potting fleet: Medium	See measures set out in <a href="#">Chapter 8: Fish and shellfish ecology, Volume 2</a> of the ES (Document Reference: 6.2.8)	Potting fleet: Minor adverse (Not Significant)
	Dredging fleet: Minor	Dredging fleet: Medium		Dredging fleet: Minor adverse (Not Significant)
	Netting fleet: Minor	Netting fleet: Low		Netting fleet: Minor adverse (Not Significant)
	UK beam trawl fleet: Minor	UK beam trawl fleet: Low		UK beam trawl fleet: Minor adverse (Not Significant)

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
	Belgian beam trawl fleet: Minor	Belgian beam trawl fleet: Low		Belgian beam trawl fleet: Minor adverse (Not Significant)
	Demersal otter trawl fleet: Minor	Demersal otter trawl fleet: Low		Demersal otter trawl fleet: Minor adverse (Not Significant)
	Pelagic trawl fleet: Minor	Pelagic trawl fleet: Low		Pelagic trawl fleet: Minor adverse (Not Significant)
Increased vessel traffic within fishing grounds as a result of changes to shipping routes and transiting decommissioning vessel traffic from Rampion 2 array area and Rampion 2 offshore cable corridor leading to interference with fishing activity	Potting fleet: Minor	Potting fleet: Medium	C-45 C-46 C-47 C-56 C-90 – C-93 C-194	Potting fleet: Minor adverse (Not Significant)
	Dredging fleet: Minor	Dredging fleet: Low		Dredging fleet: Minor adverse (Not Significant)

<b>Activity and impact</b>	<b>Magnitude of impact</b>	<b>Receptor and sensitivity or value</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
	<b>Netting fleet: Minor</b>	<b>Netting fleet: Medium</b>		<b>Netting fleet: Minor adverse (Not Significant)</b>
	<b>UK beam trawl fleet: Minor</b>	<b>UK beam trawl fleet: Low</b>		<b>UK beam trawl fleet: Minor adverse (Not Significant)</b>
	<b>Belgian beam trawl fleet: Minor</b>	<b>Belgian beam trawl fleet: Low</b>		<b>Belgian beam trawl fleet: Minor adverse (Not Significant)</b>
	<b>Demersal otter trawl fleet: Minor</b>	<b>Demersal otter trawl fleet: Low</b>		<b>Demersal otter trawl fleet: Minor adverse (Not Significant)</b>
	<b>Pelagic trawl fleet: Minor</b>	<b>Pelagic trawl fleet: Low</b>		<b>Pelagic trawl fleet: Minor adverse (Not Significant)</b>
<b>Additional steaming to alternative fishing grounds for vessels that would otherwise fish within the Rampion 2 area</b>	<b>Potting fleet: Minor</b>	<b>Potting fleet: Medium</b>	C-45 C-46 C-47 C-56 C-90 – C-93 C-194	<b>Potting fleet: Minor adverse (Not Significant)</b>
	<b>Dredging fleet: Minor</b>	<b>Dredging fleet: Medium</b>		<b>Dredging fleet: Minor adverse (Not Significant)</b>



Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
	Netting fleet: Minor	Netting fleet: Medium		Netting fleet: Minor adverse (Not Significant)
	UK beam trawl fleet: Minor	UK beam trawl fleet: Medium		UK beam trawl fleet: Minor adverse (Not Significant)
	Belgian beam trawl fleet: Minor	Belgian beam trawl fleet: Low		Belgian beam trawl fleet: Minor adverse (Not Significant)
	Demersal otter trawl fleet: Minor	Demersal otter trawl fleet: Medium		Demersal otter trawl fleet: Minor adverse (Not Significant)
	Pelagic trawl fleet: Minor	Pelagic trawl fleet: Low		Pelagic trawl fleet: Minor adverse (Not Significant)

**Table 31-6 Summary of assessment of residual effects for marine mammals**

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
<b>Construction</b>				
Construction noise impacts (PTS) (piling and UXO clearance)	<b>Piling:</b>  <b>Negligible</b>	<b>Piling:</b>  <b>Low (all species)</b>	C-52, C-54, C-102	<b>Negligible (no significant ecological effect) (piling)</b>
	<b>UXO clearance:</b>  <b>Low</b>	<b>UXO clearance:</b>  <b>Low</b>		<b>Minor adverse (no significant ecological effect) (UXO)</b>
Construction noise impacts (Disturbance)	<b>Piling:</b> <b>Low (cetaceans)</b> <b>Very low (pinnipeds)</b>	<b>Piling:</b> <b>Low (cetacean species and harbour seal) and very low (grey seal)</b>	C-52, C-102	<b>Minor adverse (no significant ecological effect)</b>
	<b>UXO clearance:</b>  <b>Low</b>	<b>UXO clearance:</b>  <b>Low</b>		

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
Non-piling noise – Underwater noise from seabed preparation, rock dumping and cable installation	<b>Very low</b>	<b>Low (cetacean species and harbour seal) and very low (grey seal)</b>	C-52	<b>Negligible (no significant ecological effect)</b>
Vessel collision risk	<b>Very low</b>	<b>High</b>	C-51	<b>Minor adverse (no significant ecological effect)</b>
Vessel disturbance	<b>Low</b>	<b>Low</b>	C-51	<b>Minor adverse (no significant ecological effect)</b>
Change to prey availability	<b>Very low</b>	<b>Low</b>	C-52	<b>Negligible (no significant ecological effect)</b>
Disturbance to seal haul out sites at landfall	<b>Very low</b>	<b>Medium</b>	C-52, C-102	<b>Minor significance (no significant ecological effect)</b>
<b>Operation and maintenance</b>				
Operational noise	<b>Very low</b>	<b>Very low</b>	N/A	<b>Negligible (no significant ecological effect)</b>

<b>Activity and impact</b>	<b>Magnitude of impact</b>	<b>Receptor and sensitivity or value</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
Vessel collision risk	<b>Very low</b>	<b>High</b>	C-51	<b>Minor adverse (no significant ecological effect)</b>
Vessel disturbance	<b>Low</b>	<b>Very low</b>	C-51	<b>Negligible (no significant ecological effect)</b>
Changes to prey availability	<b>Very low</b>	<b>Low</b>	C-52	<b>Negligible (no significant ecological effect)</b>
<b>Decommissioning</b>				
<b>Decommissioning noise impacts (PTS)</b>	<b>The potential impacts during the decommissioning phase are anticipated to be similar or less than during construction. Therefore, the significance of effect from decommissioning noise (PTS) impacts on marine mammals has been assessed as being of minor adverse significance, which is Not Significant in EIA terms.</b>			
<b>Decommissioning noise impacts (disturbance)</b>	<b>The potential impacts during the decommissioning phase are anticipated to be similar or less than during construction. Therefore, the significance of effect from decommissioning noise (disturbance) impacts on marine mammals has been assessed as being of minor adverse significance, which is Not Significant in EIA terms.</b>			
<b>Vessel collision risk</b>	<b>The potential impacts during the decommissioning phase are anticipated to be similar or less than during construction. Therefore, the significance of effect from vessel collision risk has been assessed as being of minor adverse significance, which is Not Significant in EIA terms</b>			
<b>Vessel disturbance</b>	<b>The potential impacts during the decommissioning phase are anticipated to be similar or less than during construction. Therefore, the significance of effect from vessel disturbance on marine</b>			

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
				mammals has been assessed as being of negligible significance, which is Not Significant in EIA terms
<b>Changes in prey availability</b>				The potential impacts during the decommissioning phase are anticipated to be similar or less than during construction. Therefore, the significance of effect from changes in prey availability on marine mammals has been assessed as being of negligible significance, which is Not Significant in EIA terms
<b>Disturbance of seal haul out sites at landfall</b>				The potential impacts during the decommissioning phase are anticipated to be similar or less than during construction. Therefore, the significance of effect from disturbance to seal haul out sites has been assessed as being of negligible significance, which is Not Significant in EIA terms.

**Table 31-7 Summary of assessment of residual effects for offshore and intertidal ornithology**

<b>Activity and impact</b>	<b>Receptor and sensitivity or value</b>	<b>Magnitude of impact</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
<b>Construction</b>				
Disturbance and displacement: intertidal cable corridor	Sanderling	<b>Negligible</b>	C-4 Horizontal Directional Drill (HDD) technique will be used at the landfall location. C-43 The subsea export cable ducts will be drilled underneath the beach using HDD techniques.	<b>Not significant</b>
	Mediterranean gull	<b>Negligible</b>		<b>Not significant</b>
Disturbance and displacement: offshore cable corridor	All receptors	<b>Negligible</b>		<b>Not significant</b>
Disturbance and displacement: array area	Gannet	<b>Negligible</b>		<b>Not significant</b>
	Guillemot	<b>Negligible</b>		<b>Not significant</b>
	Razorbill	<b>Negligible</b>		<b>Not significant</b>
Indirect effects: offshore cable corridor	All receptors	<b>Negligible</b>		<b>Not significant</b>
Indirect effects: array area	All receptors	<b>Negligible</b>		<b>Not significant</b>

Activity and impact	Receptor and sensitivity or value	Magnitude of impact	Embedded environmental measures	Assessment of residual effect (significance)
<b>Operation and maintenance</b>				
Disturbance and displacement: array area	Gannet	<b>Negligible</b>		<b>Not significant</b>
	Guillemot	<b>Negligible</b>		<b>Not significant</b>
	Razorbill	<b>Negligible</b>		<b>Not significant</b>
Collision risk: array area	Gannet	<b>Negligible</b>	C-89 There will be a minimum blade tip clearance of at least 22m above Mean High Water Springs (MHWS).	<b>Not significant</b>
	Kittiwake	<b>Negligible</b>		<b>Not significant</b>
	Common gull	<b>Negligible</b>		<b>Not significant</b>
	Lesser black-backed gull	<b>Negligible</b>		<b>Not significant</b>
	Herring gull	<b>Negligible</b>		<b>Not significant</b>
	Great black-backed gull	<b>Negligible</b>		<b>Not significant</b>
	Migratory species	<b>Negligible</b>		<b>Not significant</b>
Indirect effects: array area	All receptors	<b>Negligible</b>		<b>Not significant</b>
<b>Decommissioning</b>				

Activity and impact	Receptor and sensitivity or value	Magnitude of impact	Embedded environmental measures	Assessment of residual effect (significance)
Disturbance and displacement: offshore cable corridor	All receptors	<b>Negligible</b>		<b>Not significant</b>
Disturbance and displacement: array area	Gannet	<b>Negligible</b>		<b>Not significant</b>
	Guillemot	<b>Negligible</b>		<b>Not significant</b>
	Razorbill	<b>Negligible</b>		<b>Not significant</b>
Indirect effects: offshore cable corridor	All receptors	<b>Negligible</b>		<b>Not significant</b>



**Table 31-8 Summary of assessment of residual effects for shipping and navigation**

<b>Activity and impact</b>	<b>Frequency of impact</b>	<b>Receptor and consequence of impact</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
<b>Construction</b>				
Displacement of vessels (worst-case element is grounding risk).	<b>Remote</b>	All vessels – Moderate	C-46 C-47 C-48 C-53 C-84 C-85	<b>Tolerable</b>
Third-party to project vessel collision risk.	<b>Extremely Unlikely</b>	All vessels – Moderate	C-46 C-47 C-53 C-56 C-84 C-85 C-88	<b>Broadly Acceptable</b>
Reduced access to local ports (worst-case element is Shoreham Port).	<b>Reasonably Probable</b>	All vessels – Minor	C-88	<b>Tolerable</b>
<b>Operation and maintenance</b>				
Displacement of vessels (worst-case element is third-	<b>Reasonably Probable</b>	All vessels – Moderate	C-46 C-47 C-53	<b>Tolerable</b>

Activity and impact	Frequency of impact	Receptor and consequence of impact	Embedded environmental measures	Assessment of residual effect (significance)
party to third-party collision risk/ grounding risk).			C-84 C-85	
Third-party to project vessel collision risk.	<b>Extremely Unlikely</b>	Moderate	C-46 C-47 C-53 C-56 C-85 C-88	<b>Broadly Acceptable</b>
Vessel to structure collision risk (worst-case element is internal collision risk).	<b>Remote</b>	Recreational vessels and commercial fishing vessels – Moderate	C-46 C-47 C-53 C-56 C-84 C-85 C-86 C-87 C-88 C-89 C-284	<b>Tolerable</b>
Reduced access to local ports (worst case element is ports in the Solent – navigational safety risk).	<b>Frequent</b>	All vessels – Negligible	C-84 C-88	<b>Tolerable</b>

Activity and impact	Frequency of impact	Receptor and consequence of impact	Embedded environmental measures	Assessment of residual effect (significance)
Changes in under keel clearance.	<b>Negligible</b>	All vessels – Moderate	C-41 C-45 C-53 C-83 C-96	<b>Broadly Acceptable</b>
Increased anchor interaction with sub-sea cables.	<b>Negligible</b>	Commercial vessels and commercial fishing vessels – Minor	C-41 C-45 C-96	<b>Broadly Acceptable</b>
Reduction of emergency response provision including Search and Rescue (SAR) capability.	<b>Extremely Unlikely</b>	Emergency responders – Minor	C-53 C-88	<b>Broadly Acceptable</b>
<b>Decommissioning</b>				
Displacement of vessels (worst-case element is grounding risk).	<b>Remote</b>	All vessels – Moderate	C-46 C-47 C-53 C-84 C-85	<b>Tolerable</b>
Third-party to project vessel collision risk.	<b>Extremely Unlikely</b>	All vessels – Moderate	C-46 C-47 C-53 C-56	<b>Broadly Acceptable</b>

Activity and impact	Frequency of impact	Receptor and consequence of impact	Embedded environmental measures	Assessment of residual effect (significance)
			C-84 C-85 C-88	
Reduced access to local ports (worst-case element is Shoreham Port).	<b>Reasonably Probable</b>	All vessels – Minor	C-88	<b>Tolerable</b>

**Table 31-9 Summary of assessment of residual effects for civil and military aviation**

<b>Activity and impact</b>	<b>Magnitude of impact</b>	<b>Receptor and sensitivity or value</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
<b>Construction</b>				
<b>Creation of an aviation obstacle environment.</b>	<b>Not Significant</b>	<b>Military low flying Offshore fixed-wing and helicopter operations SAR operations</b>	<b>C-108, C-109, C-110</b>	<b>Not Significant</b>
<b>Increased air traffic in the area related to wind farm activities.</b>	<b>Not Significant</b>	<b>Military low flying Offshore fixed-wing and helicopter operations SAR operations</b>		<b>Not Significant</b>
<b>Operation and maintenance</b>				
<b>Creation of an aviation obstacle environment.</b>	<b>Not Significant</b>	<b>Military low flying Offshore fixed-wing and helicopter operations SAR operations</b>	<b>C-108, C-109, C-110</b>	<b>Not Significant</b>
<b>Increased air traffic in the area related to wind farm activities.</b>	<b>Not Significant</b>	<b>Military low flying Offshore fixed-wing and helicopter operations</b>		<b>Not Significant</b>

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
<b>SAR operations</b>				
<b>Physical presence of WTGs leading to impacts on published IFPs.</b>	<b>Major Significant</b>	<b>Shoreham Airport</b>	Assessment/revision of IFPs.	<b>Not Significant</b>
<b>WTGs causing permanent interference on civil and military radars.</b>	<b>Major Significant</b>	<b>NERL Pease Pottage ATC PSR</b>	Radar technical solution at source.	<b>Not Significant</b>
<b>Decommissioning</b>				
<b>Creation of an aviation obstacle environment.</b>	<b>No Change</b>	<b>Military low flying Offshore fixed-wing and helicopter operations SAR operations</b>	C-108, C-109, C-110	<b>No Change</b>
<b>Increased air traffic in the area related to wind farm activities.</b>	<b>Not Significant</b>	<b>Military low flying Offshore fixed-wing and helicopter operations SAR operations</b>		<b>Not Significant</b>

**Table 31-10 Summary of assessment of residual effects for seascape, landscape and visual**

Activity and impact	Receptor and sensitivity	Magnitude of change	Embedded environmental measures	Assessment of residual effect (significance)
<b>Construction</b>				
<b>Impact of the construction of Rampion 2 on perceived seascape character, landscape character, designated landscapes and views/visual amenity</b>	<p>The effects arising as a result of the construction of Rampion 2 are assessed as being of the same magnitude and significance on all seascape, landscape and visual receptors as those arising due to their O&amp;M, as assessed in <a href="#">Section 15.10</a> of <a href="#">Chapter 15: Seascape, landscape and visual impact assessment, Volume 2</a> of the ES (Document Reference: 6.2.15) and summarised below, differing primarily as the effects will be short-term and temporary, during the length of the construction phase. There may also be some variation in appearance of the construction activities, compared to the operation and maintenance (O&amp;M) phase, mainly due the influence of offshore jack-up installation vessels and WTG (Wind turbine generator) installation, that will not be present during the operational phase. For all seascape, landscape and visual receptors these impacts during construction are assessed to be of no greater magnitude and effects of no greater significance than the effects assessed during O&amp;M.</p>			
<b>Operation and Maintenance (O&amp;M)</b>				
<b><i>Impact (daytime) of the O&amp;M of the Project on seascape character</i></b>				
<b>Direct impact on perceived seascape character</b>	SCA 07B Selsey Bill to Worthing Offshore <b>Medium</b>	<b>High</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Major/moderate in EIA terms, long-term, reversible.
	SCA 07D Worthing to Seaford Head Offshore <b>Medium</b>	<b>Medium-low</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> Moderate in EIA terms, long-term, reversible.

Activity and impact	Receptor and sensitivity	Magnitude of change	Embedded environmental measures	Assessment of residual effect (significance)
<b>Indirect impact on perceived seascape character</b>	MCA05 The Solent <b>Medium-high</b>	<b>Low to Medium-low</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> Moderate to moderate/minor in EIA terms, long-term, reversible.
	MCA06 South Wight <b>High to medium</b>	<b>Low to Medium-low</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> Moderate to moderate/minor in EIA terms, long-term, reversible.
	SCA 07A Selsey Bill to Worthing Inshore <b>Medium</b>	<b>Medium-high</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Moderate in EIA terms, long-term, reversible.
	SCA 07C Worthing to Seaford Head Inshore <b>Medium-high</b>	<b>Medium-low</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> Moderate in EIA terms, long-term, reversible.
	MCA 08 South Downs Maritime <b>High</b>	<b>Medium to medium-low</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Major/moderate to moderate in EIA terms, long-term, reversible.
	MCA 13 English Channel <b>Medium-low</b>	<b>Medium-low</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> Minor in EIA terms, long-term, reversible.
<b><i>Impact (daytime) of the O&amp;M of the Project on perceived landscape character</i></b>				



Activity and impact	Receptor and sensitivity	Magnitude of change	Embedded environmental measures	Assessment of residual effect (significance)
<b>Indirect impact on perceived landscape character of SDNP</b>	A1. Ouse to Eastbourne Open Downs <b>High</b>	<p><b>Medium</b> on views from the closest parts of the Landscape Character Area (LCA) near Seaford Head and Seven Sisters.</p> <p><b>Medium-low</b> with increasing distance eastwards towards Birling Gap and Beachy Head and <b>low</b> from the downs further inland.</p> <p><b>Zero</b> change to fabric of physical landscape and majority of the key characteristics of the LCA.</p>	C-37, C-38, C40, C-43, C-61	<p><b>Significant</b> on views from closest parts of the LCA near Seaford Head and Seven Sisters. Major/moderate in EIA terms, long-term, reversible.</p> <p><b>Not significant</b> on views from the coastal downs between Birling Gap and Beachy Head and downs further inland. Moderate to moderate/minor in EIA terms, long-term, reversible.</p> <p><b>Not significant</b> (no effect) on fabric of physical landscape and majority of key characteristics of the LCA.</p>
	A2. Adur to Ouse Open Downs <b>Medium-high</b>	<p><b>Medium-high</b> on views from two areas of open coastal downs near the coast at Rottingdean and Telscombe Cliffs.</p> <p><b>Medium</b> from the tops of the open rolling</p>		C-37, C-38, C40, C-43, C-61

Activity and impact	Receptor and sensitivity	Magnitude of change	Embedded environmental measures	Assessment of residual effect (significance)
		upland downs inland of Brighton and Hove and Shoreham.		downs inland of Brighton and Hove and Shoreham; and the branching dry valleys. Moderate to minor in EIA terms, long-term, reversible.
		<b>Negligible</b> from the furrowed extensive branching dry valley systems.		<b>Not significant</b> (no effect) on fabric of physical landscape and many key characteristics of the LCA.
		<b>Zero</b> change to fabric of physical landscape and many key characteristics of the LCA.		
	A3. Arun to Adur Open Downs <b>Medium-high</b>	<b>Medium-high</b> on views from the closest areas open downland north of Worthing around Cissbury Ring and Highdown Hill.	C-37, C38, C40, C43, C-61	<b>Significant</b> on the closest areas open downland north of Worthing around Cissbury Ring and Highdown Hill. Major/moderate in EIA terms, long-term, reversible.
		<b>Medium</b> from distant tops of open downland between Arun and Adur river valleys.		<b>Not significant</b> on the distant tops of open downland between Arun and Adur river valleys and branching dry valley systems. Moderate to moderate/minor in EIA terms, long-term, reversible.

Activity and impact	Receptor and sensitivity	Magnitude of change	Embedded environmental measures	Assessment of residual effect (significance)
		<p><b>Low</b> from the furrowed extensive branching dry valley systems.</p>		<p><b>Not significant</b> (no effect) on fabric of physical landscape and many key characteristics of the LCA.</p>
		<p><b>Zero</b> change to fabric of physical landscape and many key characteristics of the LCA.</p>		
	<p>B1. Goodwood to Arundel Wooded Estate Downland <b>Medium</b></p>	<p><b>Medium</b> on views from the high open ridges of the downs between Bignor Hill and the Trundle and lower hills between Goodwood and Slindon.</p>	<p>C-37, C-38, C-40, C-43, C-61</p>	<p><b>Not significant</b> on views from the high open ridges of the downs between Bignor Hill and the Trundle and lower hills between Goodwood and Slindon. Moderate in EIA terms, long-term, reversible.</p>
		<p><b>Low</b> over majority of the LCA of folded downland landform masked by large woodland blocks.</p>		<p><b>Not significant</b> over majority of the LCA of folded downland landform masked by large woodland blocks. Moderate/minor in EIA terms, long-term, reversible.</p>
		<p><b>Zero</b> change to fabric of physical landscape and many key characteristics of the LCA.</p>		<p><b>Not significant</b> (no effect) on fabric of physical landscape and</p>

Activity and impact	Receptor and sensitivity	Magnitude of change	Embedded environmental measures	Assessment of residual effect (significance)
				many key characteristics of the LCA.
	R1. South Downs Upper Coastal Plain <b>Medium</b>	<b>Medium</b> on views from localised area of LCA around Highdown Hill.  <b>Low</b> from areas of LCA at Funtington, East Lavant and Goodwood forming narrow strip on boundary of SDNP.  <b>Zero</b> change to fabric of physical landscape and many key characteristics of the LCA.	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> on localised area of LCA around Highdown Hill. Moderate in EIA terms, long-term, reversible.  <b>Not significant</b> on areas of LCA at Funtington, East Lavant and Goodwood forming narrow strip on boundary of SDNP.  <b>Not significant</b> (no effect) on fabric of physical landscape and many key characteristics of the LCA.
	S1. Seaford to Beachy Head Shoreline <b>High</b>	<b>Medium</b> on views from the closest parts of the LCA near Seaford Head and Seven Sisters.  <b>Medium-low</b> with increasing distance eastwards towards	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> on views from closest parts of the LCA near Seaford Head and Seven Sisters. Major/moderate in EIA terms, long-term, reversible.  <b>Not significant</b> on the coastal downs between Birling Gap and Beachy Head.

Activity and impact	Receptor and sensitivity	Magnitude of change	Embedded environmental measures	Assessment of residual effect (significance)
		<p>Birling Gap and Beachy Head.</p> <p><b>Zero</b> change to fabric of physical landscape and many key characteristics of the LCA.</p>		<p>Moderate in EIA terms, long-term, reversible.</p> <p><b>Not significant</b> (no effect) on fabric of physical landscape and many key characteristics of the LCA.</p>
	<p>S2. Brighton to Rottingdean <b>Medium</b></p>	<p><b>Medium-high</b> on views from the narrow band of intertidal shoreline between Brighton and Rottingdean.</p> <p><b>Zero</b> change to fabric of physical landscape and many key characteristics of the LCA.</p>	<p>C-37, C-38, C-40, C-43, C-61</p>	<p><b>Significant</b> on views from the narrow band of intertidal shoreline between Brighton and Rottingdean.</p> <p>Moderate in EIA terms, long-term, reversible.</p> <p><b>Not significant</b> (no effect) on fabric of physical landscape and many key characteristics of the LCA.</p>
<p><b>Indirect impact on perceived landscape character of West Sussex</b></p>	<p>SC1. South Coast Shoreline <b>Medium</b></p>	<p><b>Medium-high</b> from the long narrow shoreline of shingle banks to the east of Selsey Bill, extending between Selsey Bill and Shoreham-by-Sea.</p>	<p>C-37, C-38, C-40, C-43, C-61</p>	<p><b>Significant</b> from the long narrow shoreline of shingle banks to the east of Selsey Bill, extending between Selsey Bill and Shoreham-by-Sea.</p> <p>Moderate in EIA terms, long-term, reversible.</p>

Activity and impact	Receptor and sensitivity	Magnitude of change	Embedded environmental measures	Assessment of residual effect (significance)
		<p><b>Medium-low</b> to the west of Selsey Bill to West Wittering.</p>		<p><b>Not significant</b> to the west of Selsey Bill to West Wittering. Moderate/minor in EIA terms, long-term, reversible.</p>
		<p><b>Zero</b> change to fabric of physical landscape and many key characteristics of the LCA.</p>		<p><b>Not significant</b> (no effect) on fabric of physical landscape and many key characteristics of the LCA.</p>
	<p>SC3 Chichester Harbour <b>Medium-high</b></p>	<p><b>Low</b> change to perceived character.</p>	<p>C-37, C-38, C-40, C-43, C-61</p>	<p><b>Not significant</b> Moderate/minor in EIA terms, long-term, reversible.</p>
		<p><b>Zero</b> change to fabric of physical landscape and many key characteristics of the LCA.</p>		<p><b>Not significant</b> (no effect) on fabric of physical landscape and many key characteristics of the LCA.</p>
	<p>SC4 Pagham Harbour <b>Medium</b></p>	<p><b>Medium-low</b> change to perceived character.</p>	<p>C-37, C-38, C-40, C-43, C-61</p>	<p><b>Not significant</b> Moderate/minor in EIA terms, long-term, reversible.</p>
		<p><b>Zero</b> change to fabric of physical landscape and many key characteristics of the LCA.</p>		<p><b>Not significant</b> (no effect) on fabric of physical landscape and many key characteristics of the LCA.</p>

Activity and impact	Receptor and sensitivity	Magnitude of change	Embedded environmental measures	Assessment of residual effect (significance)
	SC10. Lower Arun Valley <b>Medium</b>	<p><b>Low</b> from the Climping area of the Arun Valley closest to the coast between Climping, Atherington and the River Arun</p> <p><b>Negligible</b> on the Arun Valley further north between Climping and Arundel.</p> <p><b>Zero</b> change to fabric of physical landscape and many key characteristics of the LCA.</p>	C-37, C-38, C-40, C-43, C-61	<p><b>Not significant</b> Minor to minor/negligible in EIA terms, long-term, reversible.</p> <p><b>Not significant</b> (no effect) on fabric of physical landscape and many key characteristics of the LCA.</p>
<b>Indirect impact on perceived landscape character of Hampshire</b>	11c. Eastern Solent <b>Medium</b>	<b>Low</b> change to perceived character.	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> Minor in EIA terms, long-term, reversible.
<b>Indirect impact on perceived landscape character of the Isle of Wight</b>	1. Chalk Downs <b>High</b>	<b>Medium-low</b> on the chalk downs at Bembridge and Culver Down (near Culver Cliff)	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> on the chalk downs at Bembridge and Culver Down (near Culver Cliff). Moderate in EIA terms, long-term, reversible.

Activity and impact	Receptor and sensitivity	Magnitude of change	Embedded environmental measures	Assessment of residual effect (significance)
		<b>Low</b> on the chalk downs at Ventnor and Shanklin Downs		<b>Not significant</b> on the chalk downs at Ventnor and Shanklin Downs. Moderate/minor in EIA terms, long-term, reversible.
	11. The Undercliff <b>Medium-high</b>	<b>Low</b> on the Undercliff between Luccombe Bay and Dunnose/Ventnor.	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> on the Undercliff between Luccombe Bay and Dunnose/Ventnor. Moderate/minor in EIA terms, long-term, reversible.
		<b>Negligible</b> on the Undercliff along the southern coastline between Ventnor and St Catherine's Point.		<b>Not significant</b> on the Undercliff along the southern coastline between Ventnor and St Catherine's Point.
		<b>Zero</b> on the Undercliff between St Catherine's Point and Chale Bay.		Minor in EIA terms, long-term, reversible.
				<b>Not significant</b> (no effect) on the Undercliff between St Catherine's Point and Chale Bay.
<b>Impact (daytime) of the O&amp;M of the Project on special qualities of designated landscapes</b>				
	1. Diverse, inspirational	'Breathtaking views':	C-37, C-38, C-40, C-43, C-61	'Breathtaking views':



Activity and impact	Receptor and sensitivity	Magnitude of change	Embedded environmental measures	Assessment of residual effect (significance)
<b>Indirect impact on perceived SDNP Special Qualities</b>	<i>landscapes and breathtaking views</i> <b>High</b>	<b>Medium</b> from closest parts of the Sussex Heritage Coast area of the SDNP between Seaford Head, Cuckmere Haven and Seven Sisters; from the wider South Downs where the sea is a key component, defined as the tops of the open downs between the Cuckmere and Ouse valleys (LCA A1); from the two areas of open coastal downs near the coast at Rottingdean and Telscombe Cliffs; the tops of the open downs inland of Brighton and Shoreham, between the Ouse and Adur Valley (LCA A2); and the tops of the open downland between the Arun and Adur river valleys (LCA A3).		<p><b>Significant</b> and major/moderate in EIA terms, long-term, reversible from closest parts of the Sussex Heritage Coast area of the SDNP between Seaford Head, Cuckmere Haven and Seven Sisters; from the wider South Downs where the sea is a key component, defined as the tops of the open downs between the Cuckmere and Ouse valleys (LCA A1); from the two areas of open coastal downs near the coast at Rottingdean and Telscombe Cliffs; the tops of the open downs inland of Brighton and Shoreham, between the Ouse and Adur Valley (LCA A2); and the tops of the open downland between the Arun and Adur river valleys (LCA A3).</p> <p><b>Not significant</b> and moderate in EIA terms, long-term, reversible with increasing distance eastwards between Birling Gap and Beachy Head</p> <p><i>‘Diverse, inspirational landscapes’:</i></p>

Activity and impact	Receptor and sensitivity	Magnitude of change	Embedded environmental measures	Assessment of residual effect (significance)
		<p><b>Medium-low</b> with increasing distance eastwards between Birling Gap and Beachy Head</p> <p><i>‘Diverse, inspirational landscapes’:</i></p> <p><b>Medium-low</b></p>		<p><b>Not significant</b> and moderate in EIA terms, long-term, reversible.</p>
	<p>3. <i>Tranquil and unspoilt places</i> <b>High</b></p>	<p><b>Medium-low</b> from inland ‘core’ areas formed by the tops of the chalk downs of the SDNP and from pockets of the more remote sections of elevated chalk downs and discrete locations at the coastal edge.</p>	<p>C-37, C-38, C-40, C-43, C-61</p>	<p><b>Not significant</b> and moderate in EIA terms, long-term, reversible from inland ‘core’ areas formed by the tops of the chalk downs of the SDNP and from pockets of the more remote sections of elevated chalk downs and discrete locations at the coastal edge.</p>
	<p>5. <i>Great opportunities for recreational activities and learning experiences</i> <b>High</b></p>	<p><b>Negligible</b></p>	<p>C-37, C-38, C-40, C-43, C-61</p>	<p><b>Not significant</b> and minor in EIA terms, long-term, reversible</p>

Activity and impact	Receptor and sensitivity	Magnitude of change	Embedded environmental measures	Assessment of residual effect (significance)
	6. <i>Well-conserved historical features and a rich cultural heritage</i> <b>High</b>	<b>Zero</b> change to fabric of well conserved historical features.	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> (no effect) to the fabric of well conserved historical features.  Effects on their setting as assessed in <b>Chapter 25: Historic environment, Volume 2</b> of the ES (Document Reference 6.2.25).
	7. <i>Distinctive towns and villages, and communities with real pride in their area</i> <b>High</b>	<b>Low</b> to the distinctiveness of Brighton & Hove  <b>Zero</b> change to the distinctiveness of all other towns and villages in the SDNP with no visibility of the Rampion 2 array area.	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> and moderate/minor in EIA terms, long-term, reversible to the distinctiveness of Brighton & Hove.  <b>Not significant</b> (no effect) to the distinctiveness of all other towns and villages in the SDNP with no visibility of the Rampion 2 array area.
<b>Indirect impact on perceived Chichester Harbour Area of Outstanding Natural Beauty (CHAONB) Special Qualities</b>	1. <i>The unique blend of land and sea – especially the combination of expanses of open waters, narrow inlets and intimate creeks</i> <b>High</b>	<b>Medium</b> from the open waters and coastal edges at the mouth to Chichester Harbour.  <b>Negligible</b> from open water of the Chichester	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> and major/moderate in EIA terms, long-term, reversible from the open waters and coastal edges at the mouth to Chichester Harbour.

Activity and impact	Receptor and sensitivity	Magnitude of change	Embedded environmental measures	Assessment of residual effect (significance)
		Harbour Central Basin (B1).		<b>Not significant (minor)</b> from open water of the Chichester Harbour Central Basin (B1).
	<i>2. The frequently wooded shoreline</i> <b>High</b>	<b>Zero</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> (no effect)
	<i>3. The flatness of the landform, unusual among AONBs, accentuates the significance of sea and tide and of distant landmarks across land and water</i> <b>High</b>	<b>Negligible</b> change to the long views towards landmarks such as Chichester Cathedral and the South Downs.	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> and minor in EIA terms, long-term, reversible effect on the long views towards landmarks such as Chichester Cathedral and the South Downs.
		<b>Medium</b> on the perceived 'significance of the sea' and of 'distant landmarks across water', experienced in views from the 'open waters' at Chichester Harbour Mouth and coastal strip edges of F1 South Hayling Island.		<b>Significant</b> and moderate in EIA terms, long-term, reversible effect on the perceived 'significance of the sea' and of 'distant landmarks across water', experienced in views from the 'open waters' at Chichester Harbour Mouth and coastal strip edges of F1 South Hayling Island.

Activity and impact	Receptor and sensitivity	Magnitude of change	Embedded environmental measures	Assessment of residual effect (significance)
	<i>4. The open water of the central area of the Harbour</i> <b>High</b>	<b>Negligible</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> and minor in EIA terms, long-term, reversible
	<i>5. The overall sense of wilderness within the seascape</i> <b>High</b>	<b>Negligible</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> and minor in EIA terms, long-term, reversible
	<i>6. The particularly strong historic environment and heritage assets</i> <b>High</b>	<b>Zero</b> change to 'strong historic environment'.	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> (no effect) to the 'strong historic environment'.
	<i>7. The picturesque harbourside settlements</i> <b>High</b>	<b>Negligible</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> and minor in EIA terms, long-term, reversible
	<i>8. The unspoilt character and unobtrusive beauty</i> <b>High</b>	<b>Negligible</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> and minor in EIA terms, long-term, reversible
	<i>9. The very special sense of peace and tranquillity, largely engendered by the gentle way the AONB is used and</i>	<b>Negligible</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> and minor in EIA terms, long-term, reversible

Activity and impact	Receptor and sensitivity	Magnitude of change	Embedded environmental measures	Assessment of residual effect (significance)
<b>Indirect impact on perceived loW AONB Special Qualities</b>	<i>closeness to nature that is experienced</i> <b>High</b>	<b>Medium-low to low</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> and moderate to minor in EIA terms, long-term, reversible
	<i>1. From majestic sea cliffs and sweeping beaches to the quiet solitude of ancient woodland.</i>	<b>Low</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> and minor in EIA terms, long-term, reversible
	<i>2. The ever-changing patchwork of worked fields to the timeless and enduring presence of the downs.</i>	<b>Medium-low to low</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> and moderate to minor in EIA terms, long-term, reversible
	<i>3. The intricate inlets of tranquil creeks to the long-distance views from coastal heath and downland.</i>	<b>Zero</b>	C-37, C-38, C40, C-43, C-61	<b>Not significant</b> (no effect)

Activity and impact	Receptor and sensitivity	Magnitude of change	Embedded environmental measures	Assessment of residual effect (significance)
	<i>Estates and Victorian villas to the irregular undulating hedged fields of pasture.</i>	<b>Medium-low to low</b>	C-37, C-38, C-40, C-43, C-61, C-266	<b>Not significant</b> and moderate to minor in EIA terms, long-term, reversible
	<i>5. The dark starlit skies to the bustle and colour of festivals and events.</i>	<b>Zero</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> (no effect)
	<i>6. The winding paths, shuts and hollow ways in the countryside to chines and steps down cliffs to the beach.</i>	<b>Zero</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> (no effect)
	<i>7. Place names and dialect to poetry, literature and art.</i>	<b>Zero</b> change to fabric of historical features.	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> (no effect) to the fabric of historical features.
	<i>8. Isolated houses, hamlets and rural villages to harbour towns, castles and tumuli</i>	Effects on their setting as assessed in <b>Chapter 25: Historic</b>		

Activity and impact	Receptor and sensitivity	Magnitude of change	Embedded environmental measures	Assessment of residual effect (significance)
				<b>environment, Volume 2</b> of the ES (Document Reference 6.2.25).
<b>Impact (daytime) of the O&amp;M of the Project on views/visual amenity</b>				
<b>Direct impact on view from SDNP during operation of Rampion 2</b>	Viewpoint 1. Beachy Head <b>High</b>	<b>Medium-low</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Moderate in EIA terms, direct, long-term, reversible.
	Viewpoint 2. Birling Gap <b>High</b>	<b>Medium-low</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Moderate in EIA terms, direct, long-term, reversible.
	Viewpoint 3. Seven Sisters Country Park <b>High</b>	<b>Medium</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Major/moderate in EIA terms, direct, long-term, reversible.
	Viewpoint 4. Seaford Head <b>High</b>	<b>Medium</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Major/moderate in EIA terms, direct, long-term, reversible.
	Viewpoint 7. Beacon Hill, Rottingdean <b>High</b>	<b>Medium-high</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Major in EIA terms, direct, long-term, reversible.
	Viewpoint 15. Willingdon Hill <b>Medium-high</b>	<b>Low</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> Moderate/minor in EIA terms, direct, long-term, reversible.



Activity and impact	Receptor and sensitivity	Magnitude of change	Embedded environmental measures	Assessment of residual effect (significance)
	Viewpoint 16. Firle Beacon <b>Medium-high</b>	<b>Medium</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Moderate in EIA terms, direct, long-term, reversible.
	Viewpoint 17. Devil's Dyke <b>High</b>	<b>Medium</b>	C-37, C-38, C40, C43, C-61	<b>Significant</b> Major/moderate in EIA terms, direct, long-term, reversible.
	Viewpoint 18. Cissbury Ring <b>High</b>	<b>Medium-high</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Major in EIA terms, direct, long-term, reversible.
	Viewpoint 19. Highdown Hill <b>Medium</b>	<b>Medium-high</b>	C-37, C-38, C-40, C43, C-61	<b>Significant</b> Major/moderate in EIA terms, direct, long-term, reversible.
	Viewpoint 20. Springhead Hill <b>Medium-high</b>	<b>Medium</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Moderate in EIA terms, direct, long-term, reversible.
	Viewpoint 21. Bignor Hill <b>Medium-high</b>	<b>Medium</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Moderate in EIA terms, direct, long-term, reversible.
	Viewpoint 27. Hollingbury Hill Fort <b>High</b>	<b>Medium</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Major/moderate in EIA terms, direct, long-term, reversible.

Activity and impact	Receptor and sensitivity	Magnitude of change	Embedded environmental measures	Assessment of residual effect (significance)
	Viewpoint 28. Cuckmere Haven Beach <b>High</b>	<b>Medium</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Major/moderate in EIA terms, direct, long-term, reversible.
	Viewpoint 29. Kingley Vale National Nature Reserve <b>Medium-high</b>	<b>Medium-low</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> Moderate in EIA terms, direct, long-term, reversible.
	Viewpoint 30. Halnaker Windmill <b>Medium-high</b>	<b>Medium</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Moderate in EIA terms, direct, long-term, reversible.
	Viewpoint 31. Butser Hill National Nature Reserve <b>Medium-high</b>	<b>Low</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> Moderate/minor in EIA terms, direct, long-term, reversible.
	Viewpoint 32. Levin Down <b>Medium-high</b>	<b>Zero</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> (no effect).
	Viewpoint 33. Arundel Castle <b>Medium-high</b>	<b>Medium</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Moderate in EIA terms, direct, long-term, reversible.

Activity and impact	Receptor and sensitivity	Magnitude of change	Embedded environmental measures	Assessment of residual effect (significance)
	Viewpoint 41. Slindon Folly <b>Medium-high</b>	<b>Medium</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Moderate in EIA terms, direct, long-term, reversible.
	Viewpoint 50. The Trundle <b>Medium-high</b>	<b>Medium</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Moderate in EIA terms, direct, long-term, reversible.
	Viewpoint 51. Ditchling Beacon <b>Medium-high</b>	<b>Medium</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Moderate in EIA terms, direct, long-term, reversible.
	Viewpoint 52. Chanctonbury Ring <b>Medium-high</b>	<b>Medium-high</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Major/moderate in EIA terms, direct, long-term, reversible.
	Viewpoint 53. Amberley Mount <b>Medium-high</b>	<b>Medium</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Moderate in EIA terms, direct, long-term, reversible.
	Viewpoint 54. Chantry Hill <b>Medium-high</b>	<b>Medium</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Moderate in EIA terms, direct, long-term, reversible.
	Viewpoint 55. Beeding Hill <b>Medium</b>	<b>Medium</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Moderate in EIA terms, direct, long-term, reversible.

Activity and impact	Receptor and sensitivity	Magnitude of change	Embedded environmental measures	Assessment of residual effect (significance)
	Viewpoint 57. Telscomb Tye <b>Medium-high</b>	<b>Medium</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Moderate in EIA terms, direct, long-term, reversible.
	Viewpoint 58. Wolstonbury Hill <b>Medium-high</b>	<b>Low</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> Moderate/minor in EIA terms, direct, long-term, reversible.
<b>Direct impact on view from West Sussex during operation of Rampion 2</b>	9. Shoreham Harbour / A259 <b>Medium-low</b>	<b>Medium</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> Moderate/minor in EIA terms, direct, long-term, reversible.
	10. Worthing seafront promenade <b>Medium-high</b>	<b>High</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Major in EIA terms, direct, long-term, reversible.
	11. Littlehampton seafront promenade <b>Medium-high</b>	<b>High</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Major in EIA terms, direct, long-term, reversible.
	12. Bognor Regis seafront promenade <b>Medium-high</b>	<b>Medium-high</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Major/moderate in EIA terms, direct, long-term, reversible.
	13. Pagham Beach <b>Medium-high</b>	<b>Medium-high</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Major/moderate in EIA terms, direct, long-term, reversible.

Activity and impact	Receptor and sensitivity	Magnitude of change	Embedded environmental measures	Assessment of residual effect (significance)
	14. Selsey seafront promenade <b>Medium-high</b>	<b>Medium-high</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Major/moderate in EIA terms, direct, long-term, reversible.
	22. Eastoke Point (Chichester Harbour AONB) <b>Medium-high</b>	<b>Medium</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Moderate in EIA terms, direct, long-term, reversible.
	26. Low Weald (A24, near Ashington) <b>Medium-low</b>	<b>Zero</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> (no effect)
	40. Climping Beach <b>Medium-high</b>	<b>High</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Major in EIA terms, direct, long-term, reversible.
	47. High Weald (near Bolney) <b>Medium</b>	<b>Negligible</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> Minor/negligible in EIA terms, direct, long-term, reversible.
	A. East Wittering <b>Medium-high</b>	<b>Medium</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Moderate in EIA terms, direct, long-term, reversible.
	B1. Chichester Marina <b>Medium</b>	<b>Zero</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> (no effect)

Activity and impact	Receptor and sensitivity	Magnitude of change	Embedded environmental measures	Assessment of residual effect (significance)
	B2. Dell Quay <b>Medium</b>	<b>Zero</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> (no effect)
	C. Eastergate (proposed A29) <b>Medium</b>	<b>Medium-low</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> Moderate/minor in EIA terms, direct, long-term, reversible.
	D. Footpath between A259 and Colworth <b>Medium</b>	<b>Zero</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> (no effect)
	E. Ferring Gap <b>Medium-high</b>	<b>High</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Major in EIA terms, direct, long-term, reversible.
	F. Lancing Beach <b>Medium-high</b>	<b>High</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Major in EIA terms, direct, long-term, reversible.
<b>Direct impact on view from East Sussex and City of Brighton &amp; Hove during operation of Rampion 2</b>	5. Newhaven <b>Medium</b>	<b>Medium-high</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Moderate in EIA terms, direct, long-term, reversible.
	6. Peacehaven <b>Medium-high</b>	<b>Medium-high</b>	C-37, C-38, C-40, C-43, C-61	<b>Significant</b> Major/moderate in EIA terms, direct, long-term, reversible.

Activity and impact	Receptor and sensitivity	Magnitude of change	Embedded environmental measures	Assessment of residual effect (significance)
	8. Brighton sea front promenade <b>High</b>	<b>Medium-high</b>	C-37, C-38, C40, C-43, C-61	<b>Significant</b> Major/moderate in EIA terms, direct, long-term, reversible.
<b>Direct impact on view from Hampshire during operation of Rampion 2</b>	43. Gilkicker Point <b>Medium</b>	<b>Low</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> Minor in EIA terms, direct, long-term, reversible
<b>Direct impact on view from Isle of Wight during operation of Rampion 2</b>	24. Bembridge, Isle of Wight <b>Medium-high</b>	<b>Medium-low</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> Moderate in EIA terms, direct, long-term, reversible
	34. Bembridge Down <b>High</b>	<b>Medium-low</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> Moderate in EIA terms, direct, long-term, reversible
	35. St. Boniface Down above Ventnor <b>High</b>	<b>Low</b>	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> Moderate/minor in EIA terms, direct, long-term, reversible
<b>Impact (daytime) of the O&amp;M of the Project on visual receptors</b>				
<b>Direct impact on views from recreational route (SDNP)</b>	South Downs Way <b>High to medium</b>	<b>Medium to negligible</b> varying along route  <b>Zero</b> from sections of route outside ZTV (with no visibility)	C-37, C-38, C-40, C-43, C-61	<b>Significant to not significant</b> Major/moderate to negligible in EIA terms, direct, long-term, reversible

Activity and impact	Receptor and sensitivity	Magnitude of change	Embedded environmental measures	Assessment of residual effect (significance)
	Monarch's Way <b>High to medium</b>	<b>Medium-high to low</b> varying along route  <b>Zero</b> from sections of route outside ZTV (with no visibility)	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> (no effect) on sections of route outside ZTV (with no visibility)  <b>Significant to not significant</b> Major/moderate to minor in EIA terms, direct, long-term, reversible  <b>Not significant</b> (no effect) on sections of route outside ZTV (with no visibility)
<b>Direct impact on views from recreational route (West Sussex)</b>	Arun Way <b>Medium-high to low</b>	<b>High to negligible</b> varying along route  <b>Zero</b> from sections of route outside ZTV (with no visibility)	C-37, C-38, C-40, C-43, C-61	<b>Significant to not significant</b> Major/moderate to minor in EIA terms, direct, long-term, reversible  <b>Not significant</b> (no effect) on sections of route outside ZTV (with no visibility)
<b>Direct impact on views from recreational route (East Sussex)</b>	National Cycle Network Route 2 <b>Medium</b>	<b>High to low</b> varying along route  <b>Zero</b> from sections of route outside ZTV (with no visibility)	C-37, C-38, C-40, C-43, C-61	<b>Significant to not significant</b> Major/moderate to minor in EIA terms, direct, long-term, reversible  <b>Not significant</b> (no effect) on sections of route outside ZTV (with no visibility)



Activity and impact	Receptor and sensitivity	Magnitude of change	Embedded environmental measures	Assessment of residual effect (significance)
<b>Direct impact on views from recreational route (Hampshire)</b>	Solent Way <b>Low</b>	<b>Low to negligible</b> varying along route  <b>Zero</b> from sections of route outside ZTV (with no visibility)	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> Minor to negligible in EIA terms, direct, long-term, reversible  <b>Not significant</b> (no effect) on sections of route outside ZTV (with no visibility)
	New Lipchis Way <b>Medium</b>	<b>Medium to low</b>  <b>Zero</b> from sections of route outside ZTV (with no visibility)	C-37, C-38, C-40, C-43, C-61	<b>Significant to not significant</b> Moderate to minor in EIA terms, direct, long-term, reversible  <b>Not significant</b> (no effect) on sections of route outside ZTV (with no visibility)
<b>Direct impact on views from recreational route (Isle of Wight)</b>	Isle of Wight Coastal Path <b>High to low</b>	<b>Medium-low to negligible</b> varying along route  <b>Zero</b> from sections of route outside ZTV (with no visibility)	C-37, C-38, C-40, C-43, C-61	<b>Not significant</b> Moderate to minor in EIA terms, direct, long-term, reversible  <b>Not significant</b> (no effect) on sections of route outside ZTV (with no visibility)
<b>Impact (night-time) of the O&amp;M of the Project on visual receptors / views</b>				
<b>Direct impact on views from South Downs</b>	Viewpoint 21 Bignor Hill <b>Medium-high</b>	<b>Medium-low</b>	C-62, C-94, C-98, C-110, C-266	<b>Not significant</b>

Activity and impact	Receptor and sensitivity	Magnitude of change	Embedded environmental measures	Assessment of residual effect (significance)
<b>International Dark Sky Reserve (IDSR) (Dark Sky Core)</b>	Viewpoint 31 Butser Hill <b>Medium</b>	<b>Negligible</b>	C-62, C-94, C-98, C-110, C-266	Moderate in EIA terms, direct, long-term, reversible. <b>Not significant</b> Minor/negligible in EIA terms, direct, long-term, reversible.
	Viewpoint 2 Birling Gap <b>Medium-high</b>	<b>Medium-low</b>	C-62, C-94, C-98, C-110, C-266	<b>Not significant</b> Moderate in EIA terms, direct, long-term, reversible.
<b>Direct impact on views from South Downs IDSR (Intrinsic Rural Darkness and Buffer Zone)</b>	Viewpoint 17 Devil's Dyke <b>Medium-high</b>	<b>Medium-low</b>	C-62, C-94, C-98, C-110, C-266	<b>Not significant</b> Moderate in EIA terms, direct, long-term, reversible.
	Viewpoint 27 Hollingbury Hillfort <b>Medium</b>	<b>Medium-low</b>	C-62, C-94, C-98, C-110, C-266	<b>Not significant</b> Moderate/minor in EIA terms, direct, long-term, reversible.
<b>Direct impact on views from South Downs IDSR (Transition Zone)</b>	Viewpoint 27 Hollingbury Hillfort <b>Medium</b>	<b>Medium-low</b>	C-62, C-94, C-98, C-110, C-266	<b>Not significant</b> Moderate/minor in EIA terms, direct, long-term, reversible.
<b>Direct impact on views from South Downs IDSR (Urban)</b>	Larger settlements within the SDNP, including Lewes, Ditchling, Petworth, Midhurst, Femhurst, East Liss and Petersfield	<b>Zero</b>	C-62, C-94, C-98, C-110, C-266	<b>Not significant</b> (no effect)

Activity and impact	Receptor and sensitivity	Magnitude of change	Embedded environmental measures	Assessment of residual effect (significance)
<b>Direct impact on views from urban areas outside the South Downs IDSR</b>	Viewpoint 8 Brighton Seafront <b>Low</b>	<b>Low</b>	C-62, C-94, C-98, C-110, C-266	<b>Not significant</b> Negligible in EIA terms, direct, long-term, reversible.

### Decommissioning

#### **Impact of the decommissioning of Rampion 2 on perceived seascape character, landscape character, designated landscapes and views/visual amenity**

The effects arising as a result of the decommissioning of Rampion 2 are assessed as being of the same magnitude and significance on all seascape, landscape and visual receptors as those arising due to their O&M, as assessed in [Section 15.10](#) of [Chapter 15: Seascape, landscape and visual impact assessment, Volume 2](#) of the ES (Document Reference: 6.2.15) and summarised above, differing primarily as the effects will be short-term and temporary, during the length of the decommissioning phase. There may also be some variation in appearance of the decommissioning activities, compared to the operational and maintenance phase, mainly due the influence of decommissioning vessels and partially decommissioned WTGs, that will not be present during the O&M phase. For all seascape, landscape and visual receptors these impacts during decommissioning are assessed to be of no greater magnitude and effects of no greater significance than the effects assessed during O&M.

**Table 31-11 Summary of assessment of residual effects for marine archaeology**

Activity and impact	Magnitude of impact	Receptor and sensitivity (value) or value	Embedded environmental measures	Assessment of residual effect (significance)
<b>Construction</b>				
<b>Direct impact: Removal of sediment containing undisturbed archaeological contexts during seabed preparation ahead of construction activities.</b>	<b>Negligible</b>	Marine heritage receptors <b>negligible to very high</b>	C-57 (Project specific Outline Marine WSI) C-58 (Archaeological assessments of geophysical data) C-59 (Staged geoarchaeological assessments) C-60 (Avoidance of known receptors) C-111 (Decommissioning plan) C-277 (Post-monitoring plan)	<b>Not significant</b>
<b>Direct Impact: Penetration, compression, and disturbance effects of piling foundations.</b>	<b>Negligible</b>	Marine heritage receptors <b>negligible to very high</b>	C-57 (Project specific Outline Marine WSI) C-58 (Archaeological assessments of geophysical data) C-59 (Staged geoarchaeological assessments) C-60 (Avoidance of known receptors) C-111 (Decommissioning plan) C-277 (Post-monitoring plan)	<b>Not significant</b>
<b>Direct Impact: Penetration, compression, and</b>	<b>Negligible</b>	Marine heritage receptors <b>negligible to very high</b>	C-57 (Project specific Outline Marine WSI)	<b>Not significant</b>

Activity and impact	Magnitude of impact	Receptor and sensitivity (value) or value	Embedded environmental measures	Assessment of residual effect (significance)
disturbance of cable laying operations.			C-58 (Archaeological assessments of geophysical data) C-59 (Staged geoarchaeological assessments) C-60 (Avoidance of known receptors) C-111 (Decommissioning plan) C-277 (Post-monitoring plan)	
<b>Direct Impact</b> Penetration, compression and disturbance effects of jack-up barges and anchoring of construction vessels during construction activities.	<b>Negligible</b>	Marine heritage receptors <b>negligible</b> to <b>very high</b>	C-57 (Project specific Outline Marine WSI) C-58 (Archaeological assessments of geophysical data) C-59 (Staged geoarchaeological assessments) C-60 (Avoidance of known receptors) C-111 (Decommissioning plan) C-277 (Post-monitoring plan)	<b>Not significant</b>
<b>Indirect Impact:</b> Disturbance of sediment containing potential marine heritage receptors (material and contexts) during construction activities.	<b>Negligible</b>	Marine heritage receptors <b>negligible</b> to <b>very high</b>	C-57 (Project specific Outline Marine WSI) C-58 (Archaeological assessments of geophysical data) C-59 (Staged geoarchaeological assessments)	<b>Not significant</b>

Activity and impact	Magnitude of impact	Receptor and sensitivity (value) or value	Embedded environmental measures	Assessment of residual effect (significance)
			C-60 (Avoidance of known receptors) C-111 (Decommissioning plan) C-277 (Post-monitoring plan)	
<b>Indirect impact:</b> Changes to the HSC as a result of construction and survey vessel activities and the addition of cables, foundations and turbines.	<b>Negligible</b>	No perceived change or perceived positive change	C-57 (Project specific Outline Marine WSI) C-111 (Decommissioning plan) C-277 (Post-monitoring plan)	<b>Not significant</b>
<b>Operation and maintenance</b>				
<b>Direct Impact: Penetration compression and disturbance effects of maintenance activities at WTG substation foundations and along, inter-array and export cables.</b>	<b>Negligible</b>	Marine heritage receptors <b>negligible to very high</b>	C-57 (Project specific Outline Marine WSI) C-58 (Archaeological assessments of geophysical data) C-59 (Staged geoarchaeological assessments) C-60 (Avoidance of known receptors) C-111 (Decommissioning plan) C-277 (Post-monitoring plan)	<b>Not significant</b>
<b>Indirect Impact: Disturbance of sediment</b>	<b>Negligible</b>	Marine heritage receptors <b>negligible to very high</b>	C-57 (Project specific Outline Marine WSI)	<b>Not significant</b>

Activity and impact	Magnitude of impact	Receptor and sensitivity (value) or value	Embedded environmental measures	Assessment of residual effect (significance)
<p><b>containing potential marine heritage receptors during</b> maintenance activities.</p>			<p>C-58 (Archaeological assessments of geophysical data)            C-59 (Staged geoarchaeological assessments)            C-60 (Avoidance of known receptors)            C-111 (Decommissioning plan)            C-277 (Post-monitoring plan)</p>	
<p><b>Direct impact:</b> Penetration compression and disturbance effects of jack-up barges and anchoring of operation and maintenance vessels during the operation and maintenance phase.</p>	<b>Negligible</b>	Marine heritage receptors <b>negligible to very high</b>	<p>C-57 (Project specific Outline Marine WSI)            C-58 (Archaeological assessments of geophysical data)            C-59 (Staged geoarchaeological assessments)            C-60 (Avoidance of known receptors)            C-111 (Decommissioning plan)            C-277 (Post-monitoring plan)</p>	<b>Not significant</b>
<p><b>Indirect impact:</b> Scour effects caused by the presence of WTG substation foundations and the exposure of inter-array and</p>	No perceived change or positive change	Marine heritage receptors <b>negligible to very high</b>	<p>C-57 (Project specific Outline Marine WSI)            C-58 (Archaeological assessments of geophysical data)            C-59 (Staged geoarchaeological assessments)</p>	<b>Not significant</b>

Activity and impact	Magnitude of impact	Receptor and sensitivity (value) or value	Embedded environmental measures	Assessment of residual effect (significance)
export cables or the use of cable protection measures.			C-60 (Avoidance of known receptors) C-111 (Decommissioning plan) C-277 (Post-monitoring plan)	
<b>Indirect impact:</b> Changes to the HSC as a result of operation and maintenance vessel activities and the presence of the completed wind farm.	<b>Negligible</b>	No perceived change or perceived positive change	C-57 (Project specific Outline Marine WSI) C-111 (Decommissioning plan) C-277 (Post-monitoring plan)	<b>Not significant</b>
<b>Decommissioning</b>				
<b>Direct impact:</b> Penetration, compression and disturbance effects of jack-up barges and anchoring of decommissioning vessels.	<b>Negligible</b>	Marine heritage receptors <b>negligible</b> to <b>very high</b>	C-57 (Project specific Outline Marine WSI) C-58 (Archaeological assessments of geophysical data) C-59 (Staged geoarchaeological assessments) C-60 (Avoidance of known receptors) C-111 (Decommissioning plan) C-277 (Post-monitoring plan)	<b>Not significant</b>
<b>Indirect impact: Draw-down of sediment into</b>	<b>Negligible</b>	Marine heritage receptors <b>negligible</b> to <b>very high</b>	C-57 (Project specific Outline Marine WSI)	<b>Not significant</b>



Activity and impact	Magnitude of impact	Receptor and sensitivity (value) or value	Embedded environmental measures	Assessment of residual effect (significance)
<p><b>voids left by removed WTG foundations leading to loss of sediment or destabilisation of archaeological sites and contexts.</b></p>			<p>C-58 (Archaeological assessments of geophysical data)                      C-59 (Staged geoarchaeological assessments)                      C-60 (Avoidance of known receptors)                      C-111 (Decommissioning plan)                      C-277 (Post-monitoring plan)</p>	
<p><b>Indirect impact:</b>                      Changes to the HSC as a result of decommissioning activities and the removal of wind farm components.</p>	<b>Negligible</b>	<p>No perceived change or perceived positive change</p>	<p>C-57 (Project specific Outline Marine WSI)                      C-111 (Decommissioning plan)                      C-277 (Post-monitoring plan)</p>	<b>Not significant</b>

**Table 31-12 Summary of assessment of residual effects for socio-economics**

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
<b>Construction</b>				
Impact on employment	<b>Negligible</b>	UK and Sussex study areas – <b>Very high</b>	C-34 and C-35	<b>Negligible</b> (not significant)
Impact on GVA	<b>Negligible</b>	UK and Sussex Study areas – <b>Very high</b>	C-34 and C-35	<b>Negligible</b> (not significant)
Impact on tourism receptors related to onshore infrastructure	<b>Negligible</b>	Onshore study area – <b>Very high</b>	C-19, C-22, C-26 and C-32	<b>Negligible</b> (not significant)
Impact on volume and value of tourism economy related to offshore infrastructure	<b>Negligible</b>	Sussex, including SDNP and coastal towns of Sussex – <b>Very high</b>	C-46 and C-66	<b>Negligible</b> (not significant)
Impact on access to and enjoyment of onshore recreation activity	<b>Negligible</b> for construction of substation. <b>Minor to Moderate</b> for trench excavation, cable laying and trenchless crossing. <b>Moderate</b> for laydown areas and haul roads.	<b>Very high</b> – PRoW 2092 and 2693. <b>High</b> – PRoW 829, 2264, 2175, 2211, 2091, 2208, 2093, 3514, 2372_2 and 2666.	C-1, C-2, C-7, C-9, C-18, C-19, C-20, C-22, C-26, C-32, C-33, C-43, C-66, C-128, C-161, C-162, C-163 and C-202.	<b>Moderate/ Major</b> – Public Right of Way (PRoW) 2092 and 2693 <b>Minor/ Moderate</b> – PRoW 2092, 2208, 2211 and 3514

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
		142no. PRoW in the ZOI have been assessed as being of <b>Low</b> and <b>medium</b> sensitivity.		
<b>Operation and maintenance</b>				
Impact on employment	<b>Negligible</b>	UK and Sussex study areas – <b>Very high</b>	C-34 and C-35	<b>Negligible</b> (not significant)
Impact on GVA	<b>Negligible</b>	UK and Sussex study areas – <b>Very high</b>	C-34 and C-35	<b>Negligible</b> (not significant)
Impact on tourism receptors related to onshore infrastructure	<b>Negligible</b>	Onshore study area – <b>Very high</b>	C-1, C-7, C-9, C-26, and C-163	<b>Negligible</b> (not significant)
Impact on volume and value of tourism economy related to offshore infrastructure	<b>Negligible</b>	Sussex and coastal towns of Sussex – <b>Very high</b>	C-46 and C-53	<b>Negligible</b> (not significant)
Impact on access to and enjoyment of onshore recreation activity	<b>Negligible</b>	<b>Very high</b> – PRoW 2092 and 2693. <b>High</b> – PRoW 829, 2264, 2175, 2211, 2091, 2208, 2093,	C-1, C-2, C-7, C-9, C-18, C-19, C-20, C-22, C-26, C-32, C-33, C-43, C-66, C-128, C-161, C-162, C-163 and C-202	<b>Negligible</b> (not significant)

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
		3514, 2372_2 and 2666.  142no. PRow in the ZOI have been assessed as being of <b>Low</b> and <b>medium</b> sensitivity.		
<b>Decommissioning</b>				
Impact on employment	<b>Negligible</b>	UK and Sussex study areas – <b>Very high</b>	C-34 and C-35	<b>Negligible</b> (not significant)
Impact on GVA	<b>Negligible</b>	UK and Sussex Study areas – <b>Very high</b>	C-34 and C-35	<b>Negligible</b> (not significant)
Impact on volume and value of tourism economy	<b>Negligible</b>	Sussex study area – <b>Very high</b>	C-19, C-22, C-26, C-32, C-46, and C-66	<b>Negligible</b> (not significant)
Impact on access to and enjoyment of onshore recreation activity	<b>Negligible</b>	<b>Very high</b> – PRow 2092 and 2693.  <b>High</b> – PRow 829, 2264, 2175, 2211, 2091, 2208, 2093, 3514, 2372_2 and 2666.	C-1, C-2, C-7, C-9, C-18, C-19, C-20, C-22, C-26, C-32, C-33, C-43, C-66, C-128, C-161, C-162, C-163 and C-202	<b>Negligible</b> (not significant)

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
		142no. PRow in the ZOI have been assessed as being of <b>Low</b> and <b>medium</b> sensitivity.		

**Table 31-13 Summary of landscape effects: onshore substation at Oakendene**

Visual Receptor	Sensitivity	Construction (4 Years)		Operation and maintenance			Decommissioning
		Magnitude of change	Level of effect	Level of effect Year 1	Level of effect Year 5	Level of effect Year 10	Level of effect
<b>Local Character Area (LCA)</b>							
<b>J3 Cowfold &amp; Shermanbury Farmlands</b>	Medium-high	Zero to High	<b>Major</b> (<300m)	<b>Major</b> (<300m)	<b>Major to Major / Moderate</b> (<300m)	<b>Major / Moderate</b> (<300m)	<b>Major / Moderate to negligible</b> (<300m)
<b>M1 Crabtree &amp; Nuthurst Ridges &amp; Ghylls</b>	High to Medium	Zero to Medium-low	Moderate / Minor	Minor	Minor	Minor / Negligible	Minor / Negligible
<b>LW1 Hickstead Low Weald</b>	Medium	Zero to Negligible	Minor / Negligible	Minor / Negligible	Minor / Negligible	Minor / Negligible	Minor / Negligible
<b>Landscape Designations</b>							
<b>High Weald AONB</b>	High	Zero	No Effect	No Effect	No Effect	No Effect	No Effect

**Table 31-14 Summary of visual effects: onshore substation at Oakendene**

Visual Receptor	Sensitivity	Construction (4 Years)		Operation and maintenance			Decommissioning
		Magnitude of change	Level of effect	Level of effect Year 1	Level of effect Year 5	Level of effect Year 10	Level of effect
<b>Settlements</b>							
<b>Cowfold</b>	High	Zero	No Effect	No Effect	No Effect	No Effect	No Effect
<b>Transport Routes</b>							
<b>A272</b>	Medium	Zero to High (300m)	<b>Major / Moderate</b>	<b>Moderate / Minor</b>	Minor	Minor / Negligible	Minor / Negligible
<b>A281</b>	Medium	Zero	No Effect	No Effect	No Effect	No Effect	No Effect
<b>Kent Street</b>	Medium	Zero to High (1km)	<b>Major / Moderate to Moderate</b>	<b>Major / Moderate to Moderate</b>	<b>Moderate</b>	Minor	Minor to Minor / Negligible
<b>Recreational Routes and tourist destinations</b>							
<b>PRoW 1786</b>	High	High to Medium	<b>Major to Major / Moderate</b>	<b>Major to Major / Moderate</b>	<b>Major to Major / Moderate</b>	<b>Major / Moderate</b>	Moderate to Minor
<b>PRoW 1788</b>	High	High	<b>Major</b>	Moderate	Moderate	Moderate to Minor	Moderate to Minor
<b>PRoW 1775 - 1777</b>	High	Zero	No Effect	No Effect	No Effect	No Effect	No Effect

Visual Receptor	Sensitivity	Construction (4 Years)		Operation and maintenance			Decommissioning
		Magnitude of change	Level of effect	Level of effect Year 1	Level of effect Year 5	Level of effect Year 10	Level of effect
<b>Wineham Lane Caravan Park</b>	High	Zero	No Effect	No Effect	No Effect	No Effect	No Effect

**Table 31-15 Summary of landscape effects: extension at the existing National Grid Bolney substation**

Visual Receptor	Sensitivity	Construction (4 Years)		Operation and maintenance			Decommissioning
		Magnitude of change	Level of effect	Level of effect Year 1	Level of effect Year 5	Level of effect Year 10	Level of effect
<b>Local Character Area (LCA)</b>							
<b><u>LW1 Hickstead Low Weald</u></b>	Low	Zero to Medium	Minor	Minor	Negligible	Negligible	Minor to Negligible



**Table 31-16 Summary of visual effects: extension at the existing National Grid Bolney substation**

Visual Receptor	Sensitivity	Construction (4 Years)		Operation and maintenance			Decommissioning
		Magnitude of change	Level of effect	Level of effect Year 1	Level of effect Year 5	Level of Effect Year 10	Level of effect
<b>Transport Routes</b>							
<b>Bob Lane</b>	Medium	Low	Minor (200m)	Minor (200m)	Minor to Minor / Negligible	Minor / Negligible	Minor / Negligible
<b>Recreational Routes and tourist destinations</b>							
<b>PRoW 1T / 36Bo</b>	High	High	<b>Major</b> (350m)	Minor	Minor	Minor	<b>Major</b> to Minor
<b>PRoW 8T / 34Bo</b>	High	Negligible	Minor - No View	Minor - No View	Minor - No View	Minor - No View	Minor - No View
<b>Wineham Lane Caravan Park</b>	High	Zero	No Effect	No Effect	No Effect	No Effect	No Effect

**Table 31-17 Summary of landscape effects: onshore cable corridor**

Visual Receptor	Sensitivity	Construction (3.5 Years)		Operation and maintenance		
		Magnitude of change	Level of effect	Level of effect Year 1	Level of effect Year 5	Level of effect Year 10
<b>Landscape character areas: Part 1 – Climping to SDNP</b>						
<b>SC1: South Coast Shoreline</b>	Medium	Zero	No Effect	No Effect	No Effect	No Effect
Landscape elements	N/A - No trees / woodland / hedges directly affected.					
<b>31: Climping Lower Coastal Plain</b>	Medium-low	Medium-high	<b>Moderate</b> (<250m)	Negligible	No Effect	No Effect
Landscape elements:	N/A - No trees / woodland / hedges directly affected.					
<b>34: Middle Arun Valley Floor</b>	Medium-low	Medium-high	<b>Moderate</b> (<350m)	Negligible	No Effect	No Effect
Landscape elements: (Scrub and 1No hedge notched to 14m)	Medium-low	Medium	Moderate / Minor	Negligible	No Effect	No Effect
<b>35: Lower Arun Valley Floor</b>	Medium-low	Medium-high	<b>Moderate</b> (<350m)	Minor	Minor / Negligible	No Effect
Landscape elements: (3No. scrub cleared to 30m and hedge notched to 14m)	Medium-low	Medium-high	Moderate	Minor	Minor / Negligible	No Effect

Visual Receptor	Sensitivity	Construction (3.5 Years)		Operation and maintenance		
		Magnitude of change	Level of effect	Level of effect Year 1	Level of effect Year 5	Level of effect Year 10
<b>38: Littlehampton Arun Valley Sides</b>	Low	Low	Negligible	No Effect	No Effect	No Effect
Landscape elements:	No trees / woodland / hedges directly affected.					
<b>40: Lyminster-Angmering Coastal Plain</b>	Medium	Medium-high	<b>Moderate</b> (<350m)	Moderate / Minor	Minor	No Effect
Landscape elements: (6No. treelines / hedges notched to 14m and 2No woods cleared / notched to 6m)	Medium-high	Medium	<b>Moderate</b>	<b>Moderate</b>	Moderate / Minor	Minor
<b>41: Black Ditch Rife</b>	Medium-low	Medium-high	<b>Moderate</b> (<250m)	Negligible	No Effect	No Effect
Landscape elements:	N/A - No trees / woodland / hedges directly affected.					
<b>Landscape character areas: Part 2 – SDNP</b>						
<b>R1: South Downs Upper Coastal Plain</b>	High	Medium-high	<b>Major</b> (<250m)	Moderate	Minor	No Effect

Visual Receptor	Sensitivity	Construction (3.5 Years)		Operation and maintenance		
		Magnitude of change	Level of effect	Level of effect Year 1	Level of effect Year 5	Level of effect Year 10
Landscape elements: (Double treeline / notched to 6m and hedge notched to 14m)	Medium-high	Medium-high	<b>Major / Moderate</b>	<b>Moderate</b>	Moderate / Minor	Minor
<b>B4: Angmering and Clapham Wooded Estate Downland</b>	High	Medium-high	<b>Major (&lt;250m)</b>	Moderate	Minor	No Effect
Landscape elements: (Double woodland cleared to 30m and 2No.hedges notched to 14m)	High	Medium-high	<b>Major</b>	<b>Major / Moderate</b>	<b>Moderate</b>	Minor
<b>A3: Arun to Adur Open Downs</b>	High	High	<b>Major (&lt;650m)</b>	Minor	No Effect	No Effect
Landscape elements: (7No. treelines / hedges notched to 14m)	Medium-high	Medium-high	<b>Major / Moderate</b>	<b>Moderate</b>	Minor	No Effect
<b>I3: Arun to Adur Downs Scarp</b>	High	Negligible- Zero	Minor	No Effect	No Effect	No Effect
Landscape elements:	N/A - No trees / woodland / hedges directly affected.					

Visual Receptor	Sensitivity	Construction (3.5 Years)		Operation and maintenance		
		Magnitude of change	Level of effect	Level of effect Year 1	Level of effect Year 5	Level of effect Year 10
<b>J3: Arun to Adur Scarp Footslopes</b>	High	Medium-high	<b>Major</b> (<250m)	Moderate	Minor	No Effect
Landscape elements: (1No. woodland cleared to 30m and 11No. treelines / hedges notched to 14m)	High	Medium-high	<b>Major</b>	<b>Major</b>	<b>Moderate</b>	Minor
<b>Landscape character areas: Part 3 – SDNP to Oakendene / Bolney</b>						
<b>D1: Amberley to Steyning Farmlands</b>	Medium-low	High <250m	<b>Major</b> (<300m)	No Effect	No Effect	No Effect
Landscape elements:	N/A - No trees / woodland / hedges directly affected.					
<b>E1: Parham &amp; Storrington Wooded Farmlands &amp; Heaths</b>	Medium-low	Negligible-Zero	Negligible	No Effect	No Effect	No Effect
Landscape elements:	N/A - No trees / woodland / hedges directly affected.					
<b>F1: Pulborough, Chiltington &amp; Thakeham Farmlands</b>	Medium-high	Medium-high	<b>Major / Moderate</b> (<250m)	Minor	Minor / Negligible	No Effect

Visual Receptor	Sensitivity	Construction (3.5 Years)		Operation and maintenance		
		Magnitude of change	Level of effect	Level of effect Year 1	Level of effect Year 5	Level of effect Year 10
Landscape elements: (1No. treeline and 1No. hedges notched to 14m)	Medium-high	Medium-high	<b>Major / Moderate</b>	<b>Moderate</b>	Moderate / Minor	Minor
<b>G1: Ashurst &amp; Wiston Wooded Farmlands</b>	Medium-high	Medium-high	<b>Major / Moderate</b> (<150m)	Minor	Minor / Negligible	No Effect
Landscape elements: (2No. treelines cleared to 20m and 13No. treelines / hedges notched to 14m)	Medium-high	Medium-high	<b>Major / Moderate</b>	<b>Moderate</b>	Moderate	Minor
<b>O3: Steyning &amp; Henfield Brooks</b>	Medium	Medium-high	<b>Moderate</b> (<350m)	Minor	Minor / Negligible	No Effect
Landscape elements: (20No. including 1No. wood cleared to 30m 1No hedge cleared to 20m and 18No treelines / hedges notched to 6-14m)	Medium-high	Medium-high	<b>Major / Moderate</b>	<b>Major / Moderate</b>	<b>Moderate</b>	Minor

Visual Receptor	Sensitivity	Construction (3.5 Years)		Operation and maintenance		
		Magnitude of change	Level of effect	Level of effect Year 1	Level of effect Year 5	Level of effect Year 10
<b>J3: Cowfold &amp; Shermanbury Farmlands</b>	Medium	Medium-high	<b>Moderate</b> (<150m)	Minor	Minor / Negligible	No Effect
Landscape elements: (23No. including 2No. woods cleared to 30m and 20m and 21No treelines / hedges notched to 6-14m)	Medium-high	Medium-high	<b>Major / Moderate</b>	<b>Major / Moderate</b>	<b>Moderate</b>	Minor
<b>LW1: Hickstead Low Weald</b>	Medium-low	Medium-high	<b>Moderate</b> (<150m)	Minor	Minor / Negligible	No Effect
Landscape elements: (1No. wood cleared to 20m and 3No treelines / hedges notched to 14-20m)	Medium-high	Medium	<b>Moderate</b>	<b>Moderate</b>	<b>Moderate</b>	Minor

**Table 31-18 Summary of visual effects: onshore cable corridor**

Visual Receptor	Sensitivity	Construction (3.5 Years)		Operation and maintenance		
		Magnitude of change	Level of effect*	Level of effect Year 1	Level of effect Year 5	Level of effect Year 10
<b>Settlements</b>						
<b>Climping and Atherington</b>	High	Low to Negligible-Zero	Moderate to Minor	No Effect	No Effect	No Effect
<b>Littlehampton</b>	High	Low to Negligible-Zero	Moderate to Minor	No Effect	No Effect	No Effect
<b>Lyminster</b>	High	Low to Negligible-Zero	Moderate to Minor	No Effect	No Effect	No Effect
<b>Poling</b>	High	Low to Negligible-Zero	Moderate to Minor	No Effect	No Effect	No Effect
<b>Washington</b>	High	Negligible-Zero	Minor	No Effect	No Effect	No Effect
<b>Wiston</b>	High	Negligible-Zero	Minor	No Effect	No Effect	No Effect
<b>Ashurst</b>	High	Low to Negligible-Zero	Moderate to Minor	No Effect	No Effect	No Effect
<b>Partridge Green</b>	High	Zero	No effect	No effect	No effect	No effect
<b>Shermanbury</b>	High	Negligible-Zero	Minor	No Effect	No Effect	No Effect
<b>Wineham</b>	High	Zero	No effect	No effect	No effect	No effect



Visual Receptor	Sensitivity	Construction (3.5 Years)		Operation and maintenance		
		Magnitude of change	Level of effect*	Level of effect Year 1	Level of effect Year 5	Level of effect Year 10
<b>Transport routes</b>						
<b>Climping Street</b>	Medium	Negligible-Zero	Minor / Negligible	No Effect	No Effect	No Effect
<b>A259</b>	High	Medium to Negligible-Zero	<b>Major / Moderate</b> (<400m)	Minor / Negligible	No Effect	No Effect
<b>Ferry Road</b> (Sustrans National Cycle Route (NCR) 2 / South Coast Cycle Route)	High	Medium-low	<b>Moderate</b> (<200m)	Minor	No Effect	No Effect
<b>Church Lane</b>	High	High	<b>Major to Moderate</b> (<150m)	No Effect	No Effect	No Effect
<b>Ford Road</b>	Medium	Negligible-Zero	Minor / Negligible	No Effect	No Effect	No Effect
<b>Railway: Littlehampton / Arundel / Ford</b>	Medium	High to Medium-	<b>Major / Moderate to Moderate</b> (<1.5km)	No Effect	No Effect	No Effect
<b>A284 Lyminster Road</b>	Medium	Medium-high	<b>Moderate</b> (<250m)	No Effect	No Effect	No Effect
	Medium	High to Medium		No Effect	No Effect	No Effect

Visual Receptor	Sensitivity	Construction (3.5 Years)		Operation and maintenance		
		Magnitude of change	Level of effect*	Level of effect Year 1	Level of effect Year 5	Level of effect Year 10
(Future baseline: Lyminster Bypass)			<b>Major / Moderate to Moderate (&lt;650m)</b>			
<b>Polling Street</b>	Medium	High	<b>Major / Moderate to Moderate (&lt;200m)</b>	No Effect	No Effect	No Effect
<b>A27</b>	Medium	Medium-low	Moderate / Minor	No Effect	No Effect	No Effect
<b>A24</b>	Medium	Negligible-Zero	Minor / Negligible	No Effect	No Effect	No Effect
<b>A283 (The Pike)</b>	Medium-high	High to Medium	<b>Major to Moderate (&lt;1.5km)</b>	<b>Moderate</b>	Moderate / Minor to Minor	No Effect
<b>Water Lane</b>	Medium	Negligible-Zero	Minor / Negligible	No Effect	No Effect	No Effect
<b>Spithandle Lane</b>	Medium	Low to Negligible-Zero	Minor to Minor / Negligible	Minor / Negligible	No Effect	No Effect
<b>B2135</b>	Medium	Low to Negligible-Zero	Minor to Minor / Negligible	Minor / Negligible	No Effect	No Effect
<b>B2116</b>	Medium	High	<b>Major / Moderate to Moderate (&lt;500m)</b>	Moderate / Minor	Minor / Negligible	No Effect
<b>A281</b>	Medium	Negligible-Zero	Minor / Negligible	No Effect	No Effect	No Effect
<b>A272</b>	Medium	Negligible-Zero	Minor / Negligible	No Effect	No Effect	No Effect

Visual Receptor	Sensitivity	Construction (3.5 Years)		Operation and maintenance		
		Magnitude of change	Level of effect*	Level of effect Year 1	Level of effect Year 5	Level of effect Year 10
<b>Kings Lane</b>	Medium	High	<b>Major / Moderate to Moderate</b> (<100m)	Moderate / Minor	Minor / Negligible	No Effect
<b>Kent Street</b>	Medium	High	<b>Major / Moderate</b> (<250m)	Minor / Negligible	No Effect	No Effect
<b>Wineham Lane</b>	Medium	High	<b>Major / Moderate</b> (<50m)	Minor / Negligible	No Effect	No Effect
<b>Bob Lane</b>	Medium	Zero	No effect	No Effect	No Effect	No Effect
<b>Recreational Routes</b>						
<b>South Downs Way</b>	High	High	<b>Major to Moderate</b> (<600m to 1.5km)	No Effect	No Effect	No Effect
<b>England Coast Path / Arun Way / PRow 829</b>	High	Medium	<b>Major / Moderate</b> (<400m)	No Effect	No Effect	No Effect
<b>Sustrans NCR 2 / South Coast Cycle Route</b> (See Ferry Road and Church Lane)	High	Medium-low	<b>Moderate</b> (<200m)	Minor	No Effect	No Effect

Visual Receptor	Sensitivity	Construction (3.5 Years)		Operation and maintenance		
		Magnitude of change	Level of effect*	Level of effect Year 1	Level of effect Year 5	Level of effect Year 10
<b>Sustrans NCR 2 / South Coast Cycle Route</b> – see assessment for transport route Ferry Road						
<b>Sustrans NCR 223 / Downs Link</b>	High	High	<b>Major to Moderate</b> (<430m)	<b>Moderate</b>	Minor	No Effect
<b>Arun Way</b>	High	High	<b>Major to Moderate</b> (<550m)	No Effect	No Effect	No Effect
<b>Monarch's Way</b>	High	Negligible-Zero	Minor	No effect	No effect	No effect
<b>Open Access Land (OAL)</b>						
<b>Atherington</b>	High	Negligible-Zero	Minor	No Effect	No Effect	No Effect
<b>Barpham Hill</b>	High	Low	<b>Moderate</b>	Minor	Minor	No Effect
<b>Patching Hill</b>	High	Negligible-Zero	Minor	No Effect	No Effect	No Effect
<b>OAL 1</b>	High	Negligible-Zero	Minor	No Effect	No Effect	No Effect
<b>Sullington Hill</b>	High	High	<b>Major</b>	Minor	Minor	No Effect
<b>Chantry Hill</b>	High	Negligible-Zero	Minor	No Effect	No Effect	No Effect
<b>Washington Common</b>	High	Negligible-Zero	Minor	No Effect	No Effect	No Effect

Visual Receptor	Sensitivity	Construction (3.5 Years)		Operation and maintenance		
		Magnitude of change	Level of effect*	Level of effect Year 1	Level of effect Year 5	Level of effect Year 10
<b>Chanctonbury Hill</b>	High	Negligible-Zero	Minor	No Effect	No Effect	No Effect
<b>Horsebridge Common</b>	High	Negligible-Zero	Minor	No Effect	No Effect	No Effect
<b>Bine's Green</b>	High	Negligible-Zero	Minor	No Effect	No Effect	No Effect
<b>Recreational and Tourist Destinations</b>						
<b>Littlehampton Golf Club</b>	High	Negligible-Zero	Minor	No Effect	No Effect	No Effect
<b>Littlehampton West Beach (Climping Beach)</b>	High	Medium	<b>Major / Moderate</b>	No Effect	No Effect	No Effect
<b>Littlehampton East Beach</b>	High	Zero	No effect	No effect	No effect	No effect
<b>Climping Camp Site</b>	High	Medium	<b>Major / Moderate</b>	No Effect	No Effect	No Effect
<b>Climping Caravan Park</b>	High	Medium	<b>Major / Moderate</b>	No Effect	No Effect	No Effect

Visual Receptor	Sensitivity	Construction (3.5 Years)		Operation and maintenance		
		Magnitude of change	Level of effect*	Level of effect Year 1	Level of effect Year 5	Level of effect Year 10
<b>Brookside Caravan Park</b>	High	Low	Moderate	No Effect	No Effect	No Effect
<b>Arundel Castle</b>	High	Negligible-Zero	Minor	No Effect	No Effect	No Effect
<b>Chanctonbury Ring</b>	High	Negligible-Zero	Minor	No Effect	No Effect	No Effect
<b>Washington Caravan Park</b>	High	Medium-high to Medium	<b>Major / Moderate to Moderate</b>	No Effect	No Effect	No Effect

**Table 31-19 Summary of Public Rights of Way (PRoW) and Open Access Land along the Onshore cable corridor**

PRoW No.	Construction Effect	Duration < 3.5 Year Construction Phase	Operational Effect (related to vegetation reinstatement)		
			Year 1	Year 5	Year 10
<b>Part 1: Climbing to SDNP</b>					
<b>Arun Way / England Coastal Path National Trail (part) PRoW 829 and Open Access Land</b>	Major / Moderate (400m)	3.5 Years (Landfall construction compound)	No Effect	N/A	N/A
<b>PRoW 174</b>	Major to Major / Moderate (500m of route)	Progressive reinstatement	Minor to None	N/A	N/A
<b>PRoW 173</b>	Major to Major / Moderate (400m of route)	3.5 Years (Landfall construction compound)	Minor to None	N/A	N/A
<b>PRoW 197</b>	Major / Moderate (1km)	3.5 Years (Landfall construction compound)	No Effect	N/A	N/A
<b>PRoW 172</b>	Major / Moderate to Moderate (500m)	3.5 Years (Landfall construction compound)	No Effect	N/A	N/A
<b>Arun Way (part) PRoW 169</b>	Moderate (400m)	3.5 Years (Landfall construction compound)	No Effect	N/A	N/A

PRoW No.	Construction Effect	Duration < 3.5 Year Construction Phase	Operational Effect (related to vegetation reinstatement)		
			Year 1	Year 5	Year 10
<b>PRoW 168</b>	Major to Major / Moderate (1.2km)	3.5 Years (Climping construction compound)	Minor to None	N/A	N/A
<b>Arun Way (part) PRoW 3110</b>	Moderate to Minor (600m)	3.5 Years (Landfall construction compound)	No Effect	N/A	N/A
<b>PRoW 206</b>	Major to Major / Moderate (1km of route)	Progressive reinstatement	Minor to None	N/A	N/A
<b>PRoW 206 and 200/5</b>	Moderate to Minor	Progressive reinstatement	No Effect	N/A	N/A
<b>PRoW 2165</b>	Major (170m)	Progressive reinstatement	No Effect	N/A	N/A
<b>PRoW 2163/1</b>	Major (400m)	Progressive reinstatement	Minor	Minor to None	Minor
<b>PRoW 2207</b>	Minor	N/A	No Effect	N/A	N/A
<b>PRoW 2163</b>	Major to Major / Moderate (1km)	Progressive reinstatement	Minor to None	Minor to None	N/A
<b>PRoW 2202/1</b>	Major to Major / Moderate (1km)	Progressive reinstatement	Minor to None	Minor to None	Minor



PRoW No.	Construction Effect	Duration < 3.5 Year Construction Phase	Operational Effect (related to vegetation reinstatement)		
			Year 1	Year 5	Year 10
PRoW 3096	Minor	N/A	No Effect	N/A	N/A
PRoW 2200	Major to Major / Moderate (600m)	Progressive reinstatement	Minor to None	Minor to None	N/A
PRoW 2201	Minor	N/A	No Effect	N/A	N/A
PRoW 2199	Major to Major / Moderate (250m)	Progressive reinstatement	Minor	Minor to None	Minor to None
PRoW 2198	Major (25m)	Progressive reinstatement	Major	Moderate	Minor
PRoW 2176	Major to Major / Moderate (230m)	Progressive reinstatement	Moderate	Moderate	Minor
<b>Part 2: SDNP</b>					
PRoW 2190	Major to Major / Moderate (420m)	Progressive reinstatement	Major	Moderate	Minor
PRoW 2188	Major (100m)	Progressive reinstatement	Major	Moderate	Minor
PRoW 2187 and 2787/1	Major to Major / Moderate (450m)	Progressive reinstatement	Moderate	Moderate	Minor

PRoW No.	Construction Effect	Duration < 3.5 Year Construction Phase	Operational Effect (related to vegetation reinstatement)		
			Year 1	Year 5	Year 10
<b>PRoW 2186</b>	Moderate (200m)	Progressive reinstatement	Minor	Minor	No Effect
<b>PRoW 2208</b>	Major (100m)	Progressive reinstatement	Major	Moderate	Minor
<b>PRoW 2174/1</b>	Major (100m) and Major / Moderate (150m)	Progressive reinstatement	Major / Moderate	Minor	Minor
<b>Monarch's Way (part) PRow 2175, 2211, 2180/1, 2185 and 2210</b>	Michelgrove Park: Moderate	Progressive reinstatement	Minor	Minor	No Effect
<b>PRoW 2208/1</b>	Major (100m)	Progressive reinstatement	Major / Moderate	Moderate	Minor
<b>PRoW 2260 and Open Access Land (OAL 1)</b>	Major / Moderate (600m)	Progressive reinstatement	Moderate	Moderate	Minor
<b>Monarch's Way (part) PRow 2208,</b>	Minor	Permanent change adding passing places to access to Michelgrove Park.	No Effect	N/A	N/A

PRoW No.	Construction Effect	Duration < 3.5 Year Construction Phase	Operational Effect (related to vegetation reinstatement)		
			Year 1	Year 5	Year 10
<b>2208/1, 2174 and 2263</b>					
<b>Monarch's Way (part) PRoW 2264 and 2091</b>	Moderate to Minor	Progressive reinstatement	Minor to None	N/A	N/A
<b>PRoW 2262 and 2260/1</b>	Major / Moderate (1.2km)	Progressive reinstatement	Minor to None	N/A	N/A
<b>PRoW 2208/2</b>	Moderate (800m)	Progressive reinstatement	Minor to None	N/A	N/A
<b>PRoW 2209</b>	Major to Major / Moderate (800m)	Progressive reinstatement	Minor to None	N/A	N/A
<b>PRoW 2173</b>	Major to Major / Moderate (1km)	Progressive reinstatement	Minor to None	N/A	N/A
<b>PRoW 2282/1</b>	Major (1.2km)	Progressive reinstatement	Minor to None	N/A	N/A
<b>PRoW 2092</b>	Major to Major / Moderate (800m)	Progressive reinstatement	Minor to None	N/A	N/A
<b>PRoW 2260</b>	Moderate (1.4km)	Progressive reinstatement	Minor to None	N/A	N/A

PRoW No.	Construction Effect	Duration < 3.5 Year Construction Phase	Operational Effect (related to vegetation reinstatement)		
			Year 1	Year 5	Year 10
<b>PRoW 2693 and 2673 (Byway) – see South Downs Way assessment in Section 1-4.</b>					
<b>PRoW 2108/1, 2689 and 2282 and Open Access Land at Sullington Hill (OAL 2)</b>	Major to Major / Moderate (1km)	Progressive reinstatement	Moderate	Moderate to Minor	Minor
<b>PRoW 2671/1, 2684 and 2683</b>	Minor (1.3km)	N/A	No effect	N/A	N/A
<b>PRoW 2686</b>	Minor (500m)	N/A	No effect	N/A	N/A
<b>PRoW 2691</b>	Minor (1.2km)	N/A	No effect	N/A	N/A
<b>PRoW 2665</b>	Major to Major / Moderate (750m)	Progressive reinstatement	Moderate	Moderate to Minor	Minor
<b>PRoW 2697</b>	Major (<150m)	Progressive reinstatement	Major	Moderate	Minor
<b>PRoW 2666</b>	Moderate to Minor (550m)	Progressive reinstatement	Minor	Minor	Minor

PRoW No.	Construction Effect	Duration < 3.5 Year Construction Phase	Operational Effect (related to vegetation reinstatement)		
			Year 1	Year 5	Year 10
<b>PRoW 2698 and 3181</b>	Minor	N/A	No effect	N/A	N/A
<b>PRoW 2623 and Open Access Land</b>	Minor	N/A	No effect	N/A	N/A
<b>PRoW 2699</b>	Minor	N/A	No effect	N/A	N/A
<b>PRoW 2703</b>	Major to Major / Moderate (180m)	Progressive reinstatement	Moderate	Moderate	Minor
<b>PRoW 2089/2</b>	Minor	Progressive reinstatement	No effect	N/A	N/A
<b>Part 3: SDNP to Oakendene / Bolney</b>					
<b>PRoW 2710</b>	Major to Major / Moderate (375m)	Progressive reinstatement	Moderate	Moderate	Minor
<b>PRoW 2709</b>	Major (150m)	N/A	Moderate	Moderate	Minor
<b>PRoW 2617, 2616 and 2614</b>	Minor to No effect	N/A	No effect	N/A	N/A

PRoW No.	Construction Effect	Duration < 3.5 Year Construction Phase	Operational Effect (related to vegetation reinstatement)		
			Year 1	Year 5	Year 10
PRoW 2711	Major (230m)	Progressive reinstatement	Major	Moderate	Minor
PRoW 2514	Major (180m)	Progressive reinstatement	Moderate	Moderate	Minor
PRoW 2594	Major / Moderate (460m)	Progressive reinstatement	Moderate	Moderate	Minor
PRoW 2589/1	Major (400m)	Progressive reinstatement	Moderate	Moderate	Minor
PRoW 2587	Minor	N/A	No effect	N/A	N/A
Horsebridge Common (Open Access Land)	Minor	N/A	No effect	N/A	N/A
PRoW 2588	Minor	Progressive reinstatement	No effect	N/A	N/A
PRoW 2583/2	Minor	N/A	No effect	N/A	N/A
PRoW 2519	Major / Moderate to Moderate (1km)	Progressive reinstatement	Moderate	Moderate	Minor

PRoW No.	Construction Effect	Duration < 3.5 Year Construction Phase	Operational Effect (related to vegetation reinstatement)		
			Year 1	Year 5	Year 10
<b>PRoW 2520</b>	Major / Moderate to Moderate (300m)	Progressive reinstatement	Moderate	Moderate	Minor
<b>PRoW 3200</b>	Minor	N/A	No Effect	N/A	N/A
<b>PRoW 2525, 3517, 2530 and 2531</b>	Minor	N/A	No Effect	N/A	N/A
<b>PRoW 2372</b>	Minor	N/A	No Effect	N/A	N/A
<b>PRoW 2372</b>	Moderate (250m)	Progressive reinstatement	Moderate	Moderate	Minor
<b>PRoW 2372/1, 2372 and 2372/2</b>	Minor	N/A	No Effect	N/A	N/A
<b>PRoW 2374</b>	Major (400m)	Progressive reinstatement	Moderate	Moderate	Minor
<b>PRoW 2808</b>	Major / Moderate (10m)	N/A	No Effect	N/A	N/A
<b>PRoW 1841</b>	Major / Moderate (830m)	Progressive reinstatement	Moderate	Moderate	Minor

PRoW No.	Construction Effect	Duration < 3.5 Year Construction Phase	Operational Effect (related to vegetation reinstatement)		
			Year 1	Year 5	Year 10
<b>PRoW 2800</b>	Major / Moderate (150m)	N/A	No Effect	N/A	N/A
<b>PRoW 1774</b>	Major (150m)	Progressive reinstatement	Minor	Minor	Minor
<b>PRoW 1781</b>	Major / Moderate (830m)	Progressive reinstatement	Moderate	Moderate	Minor
<b>PRoW 1776/1</b>	Major / Moderate (150m)	Progressive reinstatement	Moderate	Moderate	Minor
<b>PRoW 1782</b>	Major / Moderate (150m)	Progressive reinstatement	Moderate	Moderate	Minor
<b>PRoW 1783 and 1784</b>	Major / Moderate (150m)	Progressive reinstatement	Moderate	Moderate	Minor
<b>PRoW 1730</b>	Major / Moderate (80m)	Progressive reinstatement	Moderate	Moderate	Minor
<b>PRoW 1787</b>	Major to Major / Moderate (175m)	Progressive reinstatement	Moderate	Moderate	Minor
<b>PRoW 1789 (East)</b>	Minor	N/A	No Effect	N/A	N/A
<b>PRoW 1789 (West)</b>	Major to Major / Moderate (150m)	Progressive reinstatement	Major / Moderate	Moderate	Minor



PRoW No.	Construction Effect	Duration < 3.5 Year Construction Phase	Operational Effect (related to vegetation reinstatement)		
			Year 1	Year 5	Year 10
<b>PRoW 1775 and 1777</b>	Minor	N/A	No Effect	N/A	N/A
<b>PRoW 1788</b>	Minor	N/A	No Effect	N/A	N/A
<b>PRoW 1786</b>	Moderate (400m)	N/A	No Effect	N/A	N/A
<b>PRoW 36Bo</b>	Minor	N/A	No Effect	N/A	N/A
<b>PRoW 1T</b>	Major / Moderate (125m)	Progressive reinstatement	Moderate	Moderate	Minor
<b>PRoW 8T</b>	Moderate to Minor (100m)	N/A	No Effect	N/A	N/A
<b>PRoW 34Bo</b>	Minor	N/A	No effect	N/A	N/A

**Table 31-20 Summary of assessment of residual effects for air quality**

<b>Activity and impact</b>	<b>Magnitude of impact</b>	<b>Receptor and sensitivity or value</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
<b>Construction</b>				
<b>Emissions of air pollutants from construction traffic on roads</b>	<b>Negligible</b>	In accordance with Air Quality Objectives (AQO)	None	<b>Negligible</b>
<b>Emissions of air pollutants from construction equipment on site</b>	<b>Minor adverse to Negligible</b>	In accordance with AQO	None	<b>Minor adverse to Negligible (Not significant)</b>
<b>Emissions of dust from construction</b>	Not applicable	Human receptors – <b>High</b> . Ecological receptors – <b>Medium</b>	C-20, C-24, C-33, C-106, C-114 and <b>Table 19-36</b> of <b>Chapter 19 Air quality, Volume 2</b> of the ES (Document Reference: 6.2.19).	<b>Negligible</b>
<b>Emissions of odour from construction</b>	<b>Low</b>	<b>High</b>	C-6 and C-72	<b>Minor adverse (Not Significant)</b>
<b>Decommissioning</b>				
<b>Emissions of air pollutants from traffic on roads</b>	<b>Negligible</b>	In accordance with AQO	None	<b>Negligible</b>
<b>Emissions of air pollutants from equipment on site</b>	<b>Minor adverse to Negligible</b>	In accordance with AQO	<b>None</b>	<b>Minor adverse to Negligible (Not significant)</b>

Activity and impact	Magnitude of impact	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
Emissions of dust from decommissioning	Not applicable	Human receptors – <b>High</b> . Ecological receptors – <b>Medium</b>	C-24 and <b>Table 19-39 of Chapter 19 Air quality, Volume 2</b> of the ES (Document Reference: 6.2.19).	Negligible

**Table 31-21 Summary of assessment of residual effects for soils and agriculture**

Activity and impact	Magnitude of change	Receptor and sensitivity or value	Embedded environmental measures	Assessment of residual effect (significance)
<b>Construction phase</b>				
Changes to soil structure due to inappropriate storage and/or handling of soils or due to the use of heavy machinery which causes compaction	Low	High	C-6, C-11, C-12, C-13, C-113, C-132, C-183	Moderate Adverse (Not Significant)
Soil erosion due to inappropriate storage and/or construction activities	Low	High	C-7, C-11, C-12, C-132, C-133, C-183	Moderate Adverse (Not Significant)

<b>Activity and impact</b>	<b>Magnitude of change</b>	<b>Receptor and sensitivity or value</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
<b>Temporary loss of topsoil due to removal associated with construction activities</b>	<b>Low</b>	<b>High</b>	C-7, C-11, C-12, C-13, C-183	<b>Moderate Adverse (Not Significant)</b>
<b>Damage to (agricultural) land drainage systems due to construction activities, including physical damage to clay / other drains and changes to soil structure affecting land drainage</b>	<b>Very low to Low</b>	<b>High</b>	C-28	<b>Minor Adverse (Not Significant)</b>
<b>Temporary loss of, or damage to, agricultural land – potential for ALC grade to be lowered</b>	<b>Very low to Low</b>	<b>High</b>	C-7, C-11, C-19, C-133, C-183	<b>Minor Adverse (Not Significant)</b>
<b>Permanent loss of soil/agricultural land due to permanent development – construction of onshore infrastructure (substation, substation permanent access, and joint bays) due to hard development – soil sealing or permanent removal</b>	<b>Very low</b>	<b>High</b>	C-183	<b>Minor Adverse (Not Significant)</b>
<b>Farming economy</b>	<b>Low</b>	<b>Low</b>	N/A	<b>Not significant</b>

<b>Activity and impact</b>	<b>Magnitude of change</b>	<b>Receptor and sensitivity or value</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
<b>Individual farms</b>	<b>Low</b>	<b>High</b>	<b>N/A</b>	<b>Not significant</b>

**Table 31-22 Summary of assessment of residual effects for noise and vibration**

<b>Activity and impact</b>	<b>Magnitude of change</b>	<b>Receptor and sensitivity or value</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
<b>Construction phase – noise</b>				
<b>Temporary noise effects from the construction, operation and deconstruction of the temporary construction compounds</b>	<b>Medium -Very Low</b>	<b>Medium (residential)/ High (non-residential)</b>	<b>C-22, C-26, C-33, C-263</b>	<b>Negligible to Minor adverse (Not Significant) (residential) Minor adverse (Not Significant) (non-residential)</b>
<b>Temporary noise effects from the landfall works and trenchless crossings</b>	<b>High - Very Low</b>	<b>Medium (residential)/ High (non-residential)</b>	<b>C-26, C-33, C-263</b>	<b>Negligible to Minor adverse (Not Significant) (residential) Minor adverse (Not Significant) (non-residential)</b>

<b>Activity and impact</b>	<b>Magnitude of change</b>	<b>Receptor and sensitivity or value</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
<b>Temporary noise effects from onshore substation construction</b>	<b>Very Low</b>	<b>Medium (residential)</b>	C-22, C-26, C-33, C-263	<b>Minor adverse (Not Significant)</b>
<b>Temporary noise effects from extension works at the existing National Grid Bolney substation</b>	<b>Very Low</b>	<b>Medium (residential)</b>	C-22, C-26, C-33, C-263	<b>Minor adverse (Not Significant)</b>
<b>Temporary noise effects from onshore cable installation (trenched)</b>	<b>Low</b>	<b>Medium (residential)/ High (non-residential)</b>	C-22, C-26, C-33, C-263	<b>Minor adverse (Not Significant) (residential) Minor adverse (Not Significant) (non-residential)</b>
<b>Temporary noise effects from construction and use of temporary and permanent accesses</b>	<b>Very Low – Low</b>	<b>Medium (residential)/ High (non-residential)</b>	C-22, C-26, C-33, C-263	<b>Negligible to Minor adverse (Not Significant) (residential) Minor adverse (Not Significant) (non-residential)</b>
<b>Temporary noise effects from construction road traffic noise</b>	<b>Very Low – Low</b>	<b>Medium (residential)/ High (non-residential)</b>	C-160, C-263	<b>Negligible / Minor adverse (Not Significant) (residential) Minor adverse (Not Significant) (non-residential)</b>

<b>Activity and impact</b>	<b>Magnitude of change</b>	<b>Receptor and sensitivity or value</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
<b>Construction phase – vibration</b>				
<b>Temporary vibration effects from the landworks and trenchless crossings</b>	<b>Low - Medium</b>	<b>Medium (residential)/</b>	<b>C-22, C-33, C-263</b>	<b>Minor adverse significance (Not Significant) (residential)</b>
<b>Temporary vibration effects from construction road traffic</b>	<b>Medium</b>	<b>Medium (residential)</b>	<b>C-160, C-263</b>	<b>Minor (Not Significant)</b>
<b>Operational phase - Noise</b>				
<b>Onshore Substation noise</b>	<b>Low</b>	<b>Medium (residential)</b>	<b>C-231</b>	<b>Minor (Not Significant)</b>
<b>Decommissioning phase – noise</b>				
<b>Onshore substation decommissioning noise</b>	<b>Very Low</b>	<b>Medium (residential)</b>	<b>C-22, C-26, C-33, C-263</b>	<b>Minor significance (not significant)</b>

**Table 31-23 Summary of assessment of residual effects for terrestrial ecology and nature conservation**

<b>Ecological feature</b>	<b>Magnitude of effect</b>	<b>Importance</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
<b>Arun Valley Ramsar site</b>	Negligible	International	C-103, C-117	<b>Not Significant</b>
<b>Arun Valley Special Protected Area (SPA)</b>	Negligible	International	C-103, C-117	<b>Not Significant</b>
<b>The Mens Special Area of Conservation (SAC)</b>	Negligible	International	C-105	<b>Not Significant</b>
<b>Amberley Wild Brooks Site of Special Scientific Interest (SSSI)</b>	Negligible	National	C-103, C-117	<b>Not Significant</b>
<b>Pulborough Brooks SSSI</b>	Negligible	National	C-103, C-117	<b>Not Significant</b>
<b>Climping Beach SSSI</b>	Negligible	National	C-112, C-117	<b>Not Significant</b>
<b>Littlehampton Golf Course and Atherington Local Wildlife Site (LWS)</b>	Negligible	County	C-112	<b>Not Significant</b>
<b>Sullington Hill LWS</b>	Negligible	County	C-24, C-114	<b>Not Significant</b>



<b>Ecological feature</b>	<b>Magnitude of effect</b>	<b>Importance</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
<b>Ancient woodland</b>	Negligible	National	C-103, C-115, C-216, C-220	<b>Not Significant</b>
<b>Veteran trees</b>	Negligible	National	C-174, C-220	<b>Not Significant</b>
<b>Woodland</b>	Low to Negligible	Local to national	C-12, C-104, C-115, C-199, C-204, C-220	<b>Not Significant</b>
<b>Coastal and floodplain grazing marsh</b>	Low to Negligible	National	C-5, C-103, C-117	<b>Not Significant</b>
<b>Native hedgerows (species rich and species poor)</b>	Low to Very Low	National	C-103, C-104, C-115, C-220	<b>Not Significant</b>
<b>Streams and permanently wet ditches</b>	Low	National	C-17, C-103, C-199	<b>Not Significant</b>
<b>Badgers</b>	Very Low to Negligible	Local	C-26, C-105, C-207, C209	<b>Not Significant</b>
<b>Bats</b>	Low to Very Low	National	C-22, C-103, C-105, C-115, C-211, C-220	<b>Not Significant</b>
<b>Hazel dormouse</b>	Low to Very Low	International	C-26, C-103, C-105, C-232	<b>Not Significant</b>

<b>Ecological feature</b>	<b>Magnitude of effect</b>	<b>Importance</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
<b>Great crested newt</b>	Very Low to Negligible	International	C-105	<b>Not Significant</b>
<b>Reptiles</b>	Negligible	National	C-103, C-208	<b>Not Significant</b>
<b>Breeding birds</b>	Low	International to local	C-21, C-103, C-105, C-115, C-203, C-204, C-207, C-220	<b>Not Significant</b>
<b>Wintering birds</b>	Negligible	International to local	C-103, C-117	<b>Not Significant</b>
<b>Water vole</b>	Very Low to Negligible	National	C-105, C-182, C-210, C-255	<b>Not Significant</b>

**Table 31-24 Summary of assessment of residual effects for transport**

<b>Activity and Impact</b>	<b>Magnitude of change</b>	<b>Receptor (highway link) and sensitivity</b>	<b>Embedded environmental Measures</b>	<b>Assessment of residual effect (significance)</b>
<b>Construction phase</b>				
<b>Severance</b>	3 Links where GEART (IEA, 1993) thresholds are triggered	3 – Medium 13 – Medium 26 – Low	C-1, C-2, C-18, C-157, C-158, C-159, C-165, C-166, C-169	<b>Negligible (Not Significant)</b>
<b>Driver delay</b>	3 Links where GEART (IEA, 1993) thresholds are triggered	3 – Medium 13 – Medium 26 – Low	C-1, C-2, C-18, C-157, C-158, C-159, C-165, C-166, C-169	<b>Negligible (Not Significant)</b>
<b>Pedestrian amenity, Pedestrian delay and Fear and intimidation</b>	3 Links where GEART (IEA, 1993) thresholds are triggered	3 – Medium 13 – Medium 26 – Low	C-1, C-2, C-18, C-157, C-158, C-159, C-165, C-166, C-169	<b>Negligible (Not Significant)</b>
<b>Accidents and safety</b>	3 Links where GEART (IEA, 1993) thresholds are triggered	3 – Medium 13 – Medium 26 – Low	C-1, C-2, C-18, C-157, C-158, C-159, C-165, C-166, C-169	<b>Negligible (Not Significant)</b>
<b>Operation and maintenance phase</b>				
<b>Severance</b>	Negligible	Negligible to Low	N/A	<b>Negligible (Not Significant)</b>

<b>Activity and Impact</b>	<b>Magnitude of change</b>	<b>Receptor (highway link) and sensitivity</b>	<b>Embedded environmental Measures</b>	<b>Assessment of residual effect (significance)</b>
<b>Driver delay</b>	Negligible	Negligible to Low	N/A	<b>Negligible (Not Significant)</b>
<b>Pedestrian amenity, Pedestrian delay and Fear and intimidation</b>	Negligible	Negligible to Low	N/A	<b>Negligible (Not Significant)</b>
<b>Accidents and safety</b>	Negligible	Negligible to Low	N/A	<b>Negligible (Not Significant)</b>
<b>Decommissioning phase</b>				
<b>Severance</b>	Negligible	Low	C-18, C-32, C-157, C-158, C-159, C-165, C-169	<b>Negligible (Not Significant)</b>
<b>Driver delay</b>	Negligible	Low	C-18, C-32, C-157, C-158, C-159, C-165, C-169	<b>Negligible (Not Significant)</b>
<b>Pedestrian amenity, Pedestrian delay and Fear and intimidation</b>	Negligible	Low	C-18, C-32, C-157, C-158, C-159, C-165, C-169	<b>Negligible (Not Significant)</b>
<b>Accidents and safety</b>	Negligible	Low	C-18, C-32, C-157, C-158, C-159, C-165, C-169	<b>Negligible (Not Significant)</b>

**Table 31-25 Summary of assessment of residual effects for ground conditions**

	Baseline Assessment			Assessment with Rampion 2			Change in Risk (Significance)
	Likelihood	Consequence	Risk	Likelihood	Consequence	Risk	
<b>Construction<sup>1</sup></b>							
<b>GC-C-1 and GC-C-2 Mobilisation of contamination to human health and controlled waters receptors from construction activities located outside of potential sources of contamination</b>	Unlikely	Minor / Mild	Very low	Unlikely	Minor / Mild	Very low	<b>Negligible (Not Significant)</b>
<b>GC-C-1</b>	Likely	Medium	Moderate	Likely	Medium	Moderate	<b>Negligible</b>

<sup>1</sup> Based on the findings of the assessment presented in [Section 24.9: Assessment of effects: Construction phase](#) of [Chapter 24: Ground conditions, Volume 2](#) of the ES (Document Reference: 6.2.24), the construction linkage references GC-C-1 to GC-C-3 have been split in this table to separately summarise the assessment of effects from where the onshore cable corridor passes through potential sources of contamination to those from outside of potential sources of contamination. Linkage reference GC-C-6 has also been split to separately summarise the assessment of effects from where the onshore cable corridor passes through areas of moderate to high UXO hazard to those in low UXO hazard areas.

	Baseline Assessment			Assessment with Rampion 2			Change in Risk (Significance)
	Likelihood	Consequence	Risk	Likelihood	Consequence	Risk	
<b>Mobilisation of contamination to human health receptors from construction activities located on, or adjacent to landfills and other potentially contaminated sites (where onshore cable corridor passes through potential sources of contamination)</b>							<b>(Not significant)</b>
<b>GC-C-2 Mobilisation of contamination to human health receptors from construction activities located on, or adjacent to landfills and other potentially</b>	Unlikely	Severe	Moderate / Low	Unlikely	Severe	Moderate / Low	<b>Negligible (Not significant)</b>

	Baseline Assessment			Assessment with Rampion 2			Change in Risk (Significance)
	Likelihood	Consequence	Risk	Likelihood	Consequence	Risk	
<b>contaminated sites (where onshore cable corridor passes through potential sources of contamination)</b>							
<b>GC-C-3 Build-up of ground gases from construction activities located outside of potential sources of contamination</b>	Unlikely	Severe	Moderate / Low	Unlikely	Severe	Moderate / Low	<b>Negligible (Not Significant)</b>
<b>GC-C-3 Build-up of ground gases from construction activities located on, or adjacent to landfills and other potentially contaminated sites (where onshore cable</b>	Unlikely	Severe	Moderate / Low	Unlikely	Severe	Moderate / Low	<b>Negligible (Not significant)</b>

	Baseline Assessment			Assessment with Rampion 2			Change in Risk (Significance)
	Likelihood	Consequence	Risk	Likelihood	Consequence	Risk	
<b>corridor passes through potential sources of contamination)</b>							
<b>GC-C-4 Damage to infrastructure from construction activities located on, or adjacent to landfills and other potentially contaminated sites</b>	Unlikely	Medium	Low	Unlikely	Medium	Low	<b>Negligible (Not significant)</b>
<b>GC-C-5 Damage to geological sites from construction activities located near to sites of geological importance</b>	Unlikely	Medium	Low	Unlikely	Medium	Low	<b>Negligible (Not significant)</b>



	Baseline Assessment			Assessment with Rampion 2			Change in Risk (Significance)
	Likelihood	Consequence	Risk	Likelihood	Consequence	Risk	
<b>GC-C-6</b> <b>Damage to property and infrastructure from UXO encounter during construction activities (where onshore cable corridor passes through low UXO hazard areas)</b>	N/A			N/A <sup>2</sup>			N/A
<b>GC-C-6</b> <b>Damage to property and infrastructure from UXO encounter during construction activities (where onshore cable corridor passes)</b>	N/A <sup>2</sup>			N/A			N/A

<sup>2</sup> As outlined in [Section 24.8: Methodology for ES assessment](#) of [Chapter 24: Ground conditions, Volume 2](#) of the ES (Document Reference: 6.2.24), the assessment considers the overall risk from UXO based on the level of hazard presented in the UXO Desk Study [Annex C, Appendix 24.1: Phase 1 geo-environmental desk study, Volume 4](#) of the ES (Document Reference: 6.4.24.1). Therefore, a separate baseline assessment is not applicable to this linkage.

	Baseline Assessment			Assessment with Rampion 2			Change in Risk (Significance)
	Likelihood	Consequence	Risk	Likelihood	Consequence	Risk	
through moderate to high UXO hazard areas)							
<b>GC-C-7</b> Accidental spillages and leaks impacting controlled waters during construction activities	Unlikely	Mild	Very Low	Unlikely	Mild	Very Low	<b>Negligible (Not significant)</b>
<b>Operation and maintenance</b>							
<b>GC-O-1</b> Risks to human health from presence of artificial ground disturbed landfill or other excavated and reused material	Likely	Medium	Moderate	Likely	Medium	Moderate	<b>Negligible (Not significant)</b>
<b>GC-O-2</b> Risks to land and property receptors from presence of artificial ground,	Unlikely	Mild	Very Low	Unlikely	Mild	Very Low	<b>Negligible (Not significant)</b>

	Baseline Assessment			Assessment with Rampion 2			Change in Risk (Significance)
	Likelihood	Consequence	Risk	Likelihood	Consequence	Risk	
<b>disturbed landfill or other excavated and reused material</b>							
<b>GC-O-3</b> Risks to controlled waters from presence of artificial ground, disturbed landfill or other excavated and reused material	Unlikely	Severe	Moderate / Low	Unlikely	Severe	Moderate / Low	<b>Negligible (Not significant)</b>
<b>GC-O-4</b> Accidental spillages and leaks impacting controlled waters during operation and maintenance activities	Unlikely	Mild	Very Low	Unlikely	Mild	Very Low	<b>Negligible (Not significant)</b>
<b>Decommissioning</b>							
<b>GC-D-1</b> Risks to controlled waters from	Likely	Medium	Moderate	Likely	Medium	Moderate	<b>Negligible (Not Significant)</b>

	Baseline Assessment			Assessment with Rampion 2			Change in Risk (Significance)
	Likelihood	Consequence	Risk	Likelihood	Consequence	Risk	
<b>mobilisation of contamination during decommissioning activities</b>							
<b>GC-D-2 Risks to human health from mobilisation of contamination during decommissioning activities</b>	Unlikely	Severe	Moderate / Low	Unlikely	Severe	Moderate / Low	<b>Negligible (Not significant)</b>
<b>GC-D-3 Accidental spillages and leaks impacting controlled waters during decommissioning activities</b>	Unlikely	Mild	Very Low	Unlikely	Mild	Very Low	<b>Negligible (Not significant)</b>

**Table 31-26 Summary of assessment of residual effects for minerals safeguarding**

<b>Receptor</b>	<b>Sensitivity of receptor</b>	<b>Magnitude of effect</b>	<b>Level of effect</b>	<b>Significance of effect</b>
<b>Construction activities located within or near to minerals sites, preferred areas or safeguarding areas (GC-C-8)</b>				
<b>Building stone MSA</b>	Medium	Low	Minor Negative	<b>Not Significant</b>
<b>Brick clay Mineral Safeguarding Area (MSA)</b>	Medium	Negligible	Negligible	<b>Not Significant</b>
<b>Soft sand MSA</b>	Medium	High	Major Negative	<b>Significant</b>
<b>Chalk MSA</b>	Medium	No Effect	No Effect	<b>Not Significant</b>
<b>Minerals Consultation Areas</b> <b>(Washington /Hampers lane Sand Pit, Sandgate Park Quarry, Chanty Sand Pit and</b>	High	No Effect	No Effect	<b>Not Significant</b>

Receptor	Sensitivity of receptor	Magnitude of effect	Level of effect	Significance of effect
<b>Washington Chalk Quarry)</b>				
<b>Minerals Consultation Areas</b>	High	Negligible	Minor Negative	<b>Not Significant</b>
<b>Rock Common Quarry</b>				
<b>Allocated minerals sites</b>	High	No Effect	No Effect	<b>Not Significant</b>
<b>Operation and maintenance of permanent infrastructure located within or near to minerals sites, preferred areas or safeguarding areas (GC-O-5)</b>				
<p>The likely significant effects for minerals safeguarding only occur where land is temporarily or permanently taken for the onshore elements of the Proposed Development. Therefore, for the Building Stone, Brick Clay and Chalk MSAs, and the MCAs, the potential for significant mineral safeguarding effects to occur following completion of the temporary construction activities (i.e. in the operation and maintenance phase) is considered to have been taken into account in the construction phase assessment.</p>				
<b>Soft Sand MSA</b>	Medium	High	Major Negative	<b>Significant</b>
<b>Decommissioning of permanent infrastructure located within or near to minerals sites, preferred areas or safeguarding areas (GC-D-4)</b>				

Receptor	Sensitivity of receptor	Magnitude of effect	Level of effect	Significance of effect
Soft Sand MSA	Medium	Negligible	Minor Negative	Not Significant

**Table 31-27 Summary of historic environment assessment of residual effects for construction phase**

Receptor	Summary of predicted effects	Heritage significance (sensitivity)	Magnitude of change	Significance of effect
<b><u>Landfall and onshore cable corridor</u></b>				
<b>Historic landscape character</b>	Partial loss or disturbance to historic landscape features	Low	Low	<b>Minor adverse (Not Significant)</b>
<b>Direct effects on heritage assets</b>				
<b><i>Zone 1: South Coast Plain</i></b>				
<b>Palaeoenvironmental deposits</b>	Loss of or disturbance to archaeological remains	Medium to High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Buried/submerged prehistoric landscapes</b>	None	Low to Medium	None	<b>No effect (Not Significant)</b>

<b>Receptor</b>	<b>Summary of predicted effects</b>	<b>Heritage significance (sensitivity)</b>	<b>Magnitude of change</b>	<b>Significance of effect</b>
<b>Cudlow DMV (MWS3384)</b>	None	Medium	None	<b>No effect (Not Significant)</b>
<b>Atherington DMV (MWS3385)</b>	None	Medium	None	<b>No effect (Not Significant)</b>
<b>WWII coastal defence features</b>	None	Medium	None	<b>No effect (Not Significant)</b>
<b>Site of former WW2 Anti-Aircraft Artillery (MWS7123)</b>	Loss of or disturbance to archaeological remains	Very Low	Low	<b>Negligible adverse (Not Significant)</b>
<b>Site of Common Barn Historic Outfarm (MWS9869)</b>	None	Very Low	None	<b>No effect (Not Significant)</b>
<b>Undated possible enclosure (4_1)</b>	Loss of or disturbance to archaeological remains	Low to Medium	Low	<b>Minor adverse (Not Significant)</b>
<b>Undated possible archaeology (6_1)</b>	Loss of or disturbance to archaeological remains	Low to Medium	Low	<b>Minor adverse (Not Significant)</b>
<b>Post medieval agriculture and land division features</b>	Loss of or disturbance to archaeological remains	Low	Very Low	<b>Negligible adverse (Not Significant)</b>
<b>Medieval earthworks E and SE of St Mary's Church (National</b>	None	High	None	<b>No effect (Not Significant)</b>



Receptor	Summary of predicted effects	Heritage significance (sensitivity)	Magnitude of change	Significance of effect
<b>Heritage List for England (NHLE) 1005828, MWS3371)</b>				
<b>Early medieval settlement deposits and features west of Courtwick Lane</b>	Loss of or disturbance to archaeological remains	Low to Medium	Low	<b>Minor adverse (Not Significant)</b>
<b>Iron Age and Roman remains at Brook Barn Farm</b>	Loss of or disturbance to archaeological remains	Low to Medium	Low	<b>Minor adverse (Not Significant)</b>
<b>Roman road from Chichester to Brighton</b>	Loss of or disturbance to archaeological remains	Low to Medium	Low	<b>Minor adverse (Not Significant)</b>
<b>Cropmarks south of A27 Arundel Road (MWS3544 and MWS3545)</b>	Loss of or disturbance to archaeological remains	Low to Medium	Low	<b>Minor adverse (Not Significant)</b>
<b>Possible site of post medieval brick kiln (MWS3543)</b>	Loss of or disturbance to archaeological remains	Low	Medium	<b>Minor adverse (Not Significant)</b>
<b>Roman road from Chichester to Brighton</b>	Loss of or disturbance to archaeological remains	Low to Medium	Low	<b>Minor adverse (Not Significant)</b>

Receptor	Summary of predicted effects	Heritage significance (sensitivity)	Magnitude of change	Significance of effect
<b><i>Other previously unrecorded archaeological remains in Zone 1: South Coast Plains</i></b>				
<b>Palaeolithic evidence</b>	Loss of or disturbance to archaeological remains	Low to High	Low	<b>Minor to Moderate adverse (Not Significant)</b>
<b>Mesolithic evidence</b>	Loss of or disturbance to archaeological remains	Low to High	Low	<b>Minor to Moderate adverse (Not Significant)</b>
<b>Neolithic evidence</b>	Loss of or disturbance to archaeological remains	Low to Medium	Low	<b>Minor adverse (Not Significant)</b>
<b>Bronze Age evidence</b>	Loss of or disturbance to archaeological remains	Low to Medium	Low	<b>Minor adverse (Not Significant)</b>
<b>Iron Age and Romano-British evidence</b>	Loss of or disturbance to archaeological remains	Low to Medium	Low	<b>Minor adverse (Not Significant)</b>
<b>Medieval evidence</b>	Loss of or disturbance to archaeological remains	Low to Medium	Low	<b>Minor adverse (Not Significant)</b>
<b>Post medieval evidence</b>	Loss of or disturbance to archaeological remains	Very Low	Low	<b>Negligible adverse (Not Significant)</b>
<b><i>Zone 2: South Downs</i></b>				

<b>Receptor</b>	<b>Summary of predicted effects</b>	<b>Heritage significance (sensitivity)</b>	<b>Magnitude of change</b>	<b>Significance of effect</b>
<b>Palaeoenvironmental deposits</b>	Loss of or disturbance to archaeological remains	Medium	Low	<b>Minor adverse (Not Significant)</b>
<b>Roman road from Chichester to Brighton</b>	Loss of or disturbance to archaeological remains	Low to Medium	Low	<b>Minor adverse (Not Significant)</b>
<b>Site of a former brickyard, Hammer Pot Field (MWS5726)</b>	Loss of or disturbance to archaeological remains	Low	Low	<b>Minor adverse (Not Significant)</b>
<b>Probable post medieval and modern extraction pits in the vicinity of Angmering Park and Michelgrove Park</b>	Loss of or disturbance to archaeological remains	Low	Very Low	<b>Negligible adverse (Not Significant)</b>
<b>Undated possible archaeological features south of Angmering Park Farm (Field 052)</b>	Loss of or disturbance to archaeological remains	Low to medium	Low	<b>Minor adverse (Not Significant)</b>
<b>Undated barrow type feature (62_1)</b>	Loss of or disturbance to archaeological remains	Low to medium	Low	<b>Minor adverse (Not Significant)</b>
<b>Undated probable field boundaries</b>	Loss of or disturbance to archaeological remains	Low to Medium	Low	<b>Minor adverse (Not Significant)</b>

<b>Receptor</b>	<b>Summary of predicted effects</b>	<b>Heritage significance (sensitivity)</b>	<b>Magnitude of change</b>	<b>Significance of effect</b>
<b>between KM13 and KM16</b>				
<b>Early medieval mortuary remains MWS2804</b>	Loss of or disturbance to archaeological remains	Low to Medium	None	<b>No Effect (Not Significant)</b>
<b>Bronze Age barrow MWS6581</b>	Loss of or disturbance to archaeological remains	Low	Low	<b>Minor adverse (Not Significant)</b>
<b>Bronze Age barrow MWS6592</b>	Loss of or disturbance to archaeological remains	Low	Low	<b>Minor adverse (Not Significant)</b>
<b>Circular mound features at Sullington Hill</b>	Loss of or disturbance to archaeological remains	Low to Medium	Low	<b>Minor adverse (Not Significant)</b>
<b>WWII military features</b>	Loss of or disturbance to archaeological remains	Low	Low	<b>Minor adverse (Not Significant)</b>
<b>Undated probable field boundaries or trackways at Sullington Hill</b>	Loss of or disturbance to archaeological remains	Low	Low	<b>Minor adverse (Not Significant)</b>
<b>Hill Barn Historic Outfarm MWS11506</b>	None	Low	None	<b>No Effect (Not Significant)</b>

Receptor	Summary of predicted effects	Heritage significance (sensitivity)	Magnitude of change	Significance of effect
<b>Barns Farm Historic Farmstead, Storrington MWS9337</b>	None	N/A	None	<b>No Effect (Not Significant)</b>
<b>Iron Age and Roman-British remains associated with Muntham Court scheduled site (NHLE 1005850, MWS5598)</b>	Loss of or disturbance to archaeological remains	High	Low	<b>Moderate adverse (Not Significant)</b>
<b><i>Other previously unrecorded archaeological remains in Zone 2: South Downs</i></b>				
<b>Palaeolithic and Mesolithic evidence</b>	Loss of or disturbance to archaeological remains	Low to Medium	Low	<b>Minor adverse (Not Significant)</b>
<b>Neolithic evidence - Flint mining and mortuary remains</b>	Loss of or disturbance to archaeological remains	High	Medium	<b>Major adverse (Significant)</b>
<b>Neolithic evidence - Settlement remains</b>	Loss of or disturbance to archaeological remains	High	Medium	<b>Major adverse (Significant)</b>
<b>Neolithic evidence - Isolated and residual artefacts</b>	Loss of or disturbance to archaeological remains	Low to Medium	Low	<b>Minor adverse (Not Significant)</b>
<b>Bronze Age evidence</b>	Loss of or disturbance to archaeological remains	Medium to high	Low	<b>Minor to Moderate adverse (Significant)</b>

Receptor	Summary of predicted effects	Heritage significance (sensitivity)	Magnitude of change	Significance of effect
<b>Early medieval evidence</b>	Loss of or disturbance to archaeological remains	Medium to High	Low	<b>Minor to Moderate adverse (Significant)</b>
<b>Medieval and post medieval evidence</b>	Loss of or disturbance to archaeological remains	Very Low to Low	Low	<b>Minor adverse (Not Significant)</b>
<b><i>Zone 3: Low Weald</i></b>				
<b>Palaeoenvironmental deposits outwith Adur Valley</b>	Loss of or disturbance to archaeological remains	Low to Medium	Low	<b>Minor adverse (Not Significant)</b>
<b>Hardham to Barcombe Mills Roman Road, the Greensand Way (ANA Horsham 078; Mid Sussex 044)</b>	Loss of or disturbance to archaeological remains	Low to Medium	Low	<b>Minor adverse (Not Significant)</b>
<b>Potential archaeological features near Buncton (Field 136)</b>	Loss of or disturbance to archaeological remains	Low to Medium	Low	<b>Minor adverse (Not Significant)</b>
<b>Undated earthwork remains (MWS7031) near Buncton</b>	Loss of or disturbance to archaeological remains	Low to Medium	Low	<b>Minor adverse (Not Significant)</b>

<b>Receptor</b>	<b>Summary of predicted effects</b>	<b>Heritage significance (sensitivity)</b>	<b>Magnitude of change</b>	<b>Significance of effect</b>
<b>Palaeoenvironmental deposits within Adur Valley</b>	Loss of or disturbance to archaeological remains	Medium to High	Low	<b>Minor to Moderate adverse (Not Significant)</b>
<b>Brightham's Farm Historic Farmstead (MWS9503)</b>	None	Low	None	<b>No Effect (Not Significant)</b>
<b>Blocques Farm Historic Farmstead (MWS9446)</b>	None	Low	None	<b>No Effect (Not Significant)</b>
<b>Undated circular features (184_1 and 185_1)</b>	Loss of or disturbance to archaeological remains	Low to Medium	Low	<b>Minor adverse (Not Significant)</b>
<b>Homelands Historic Farmstead (MWS11752)</b>	None	Low	None	<b>No Effect (Not Significant)</b>
<b>Shoreham to Horsham Railway (MWS5508)</b>	Loss of or disturbance to archaeological remains	Low	Very Low	<b>Negligible adverse (Not Significant)</b>
<b>Crateman's Farm Historic Farmstead (MWS9939, ANA Horsham 144)</b>	None	Low	None	<b>No Effect (Not Significant)</b>

Receptor	Summary of predicted effects	Heritage significance (sensitivity)	Magnitude of change	Significance of effect
<b>Dragons Farm Historic Farmstead (MWS10096)</b>	None	Low	None	<b>No Effect (Not Significant)</b>
<b>Undated possible archaeological features near Oakendene (Field 228)</b>	Loss of or disturbance to archaeological remains	Low to Medium	Low	<b>Minor adverse (Not Significant)</b>
<b>Late Iron Age to Roman rectangular field system, Bolney Substation (MWS15278)</b>	Loss of or disturbance to archaeological remains	Low to Medium	Low	<b>Minor adverse (Not Significant)</b>
<b><i>Other previously unrecorded archaeological remains in Zone 3: Low Weald</i></b>				
<b>Palaeolithic evidence</b>	Loss of or disturbance to archaeological remains	Low to Medium	Low	<b>Minor adverse (Not Significant)</b>
<b>Mesolithic evidence</b>	Loss of or disturbance to archaeological remains	Low to Medium	Low	<b>Minor adverse (Not Significant)</b>
<b>Neolithic evidence</b>	Loss of or disturbance to archaeological remains	Low	Low	<b>Minor adverse (Not Significant)</b>
<b>Bronze Age evidence</b>	Loss of or disturbance to archaeological remains	Low to Medium	Low	<b>Minor adverse (Not Significant)</b>



<b>Receptor</b>	<b>Summary of predicted effects</b>	<b>Heritage significance (sensitivity)</b>	<b>Magnitude of change</b>	<b>Significance of effect</b>
<b>Early to middle Iron Age</b>	Loss of or disturbance to archaeological remains	Low	Low	<b>Minor adverse (Not Significant)</b>
<b>Medieval and post medieval</b>	Loss of or disturbance to archaeological remains	Very Low to Low	Low	<b>Minor adverse (Not Significant)</b>
<b>Effects arising through change to setting of heritage assets</b>				
<b>Poling Conservation Area and Grade I and II Listed Buildings</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Sullington Conservation Area and Grade I and II Listed Buildings</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Lyminster Conservation Area and Grade I and II Listed Buildings</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Washington Conservation Area</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Twineham Court Farmhouse (NHLE 1025579)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>

Receptor	Summary of predicted effects	Heritage significance (sensitivity)	Magnitude of change	Significance of effect
<b>Grade II Listed Dawe's Farmhouse (NHLE 1025759)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Farmgate House (NHLE 1026866)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Bines Farmhouse (NHLE 1026867)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Grade II Listed Old Priors (NHLE 1026871)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Guessgate Farmhouse (NHLE 1207154)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed 1-4, Stocks Hill (NHLE 1027155)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Brook House (NHLE 1027161)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>

<b>Receptor</b>	<b>Summary of predicted effects</b>	<b>Heritage significance (sensitivity)</b>	<b>Magnitude of change</b>	<b>Significance of effect</b>
<b>Grade II Listed the Frankland Arms Public House (NHLE 1027162)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Grade II Listed Tilleys Cottage (NHLE 1027163)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Green Farmhouse (NHLE 1027190)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Old Forge (NHLE 1027195)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Fern Cottage (NHLE 1027196)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II* Listed The Parish Church of St Mary (NHLE 1027198)</b>	Alteration to setting	High	None	<b>No Effect (Not Significant)</b>
<b>Grade II Listed Church House (NHLE 1027200)</b>	Alteration to setting	High	None	<b>No Effect (Not Significant)</b>

<b>Receptor</b>	<b>Summary of predicted effects</b>	<b>Heritage significance (sensitivity)</b>	<b>Magnitude of change</b>	<b>Significance of effect</b>
<b>Grade II Listed Rose Cottage (NHLE 1027201)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Chanctonbury Lodge (NHLE 1027239)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed King's Barn (NHLE 1027089)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Grade II Listed Horsebrook Cottage (NHLE 1027261)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Pooks Farmhouse (NHLE 1027290) and Cottage In the grounds of Pooks Farmhouse to the southwest of the house (NHLE 1027291)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Potts Farmhouse (NHLE 1027292)</b>	Alteration to setting	High	None	<b>No Effect (Not Significant)</b>

<b>Receptor</b>	<b>Summary of predicted effects</b>	<b>Heritage significance (sensitivity)</b>	<b>Magnitude of change</b>	<b>Significance of effect</b>
<b>Grade II Listed Vadgers (NHLE 1027293)</b>	Alteration to setting	High	None	<b>No Effect (Not Significant)</b>
<b>Grade II Listed Morley (NHLE 1027330)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Grade II Listed Eatons Farmhouse (NHLE 1027436) and Granary at Eatons Farm to South East of The House (NHLE 1192196)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Grade II Listed Binesfield (NHLE 1027451)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Grade II Listed Southblows Farmhouse (NHLE 1027452)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Horsebridge House (NHLE 1027454)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>

<b>Receptor</b>	<b>Summary of predicted effects</b>	<b>Heritage significance (sensitivity)</b>	<b>Magnitude of change</b>	<b>Significance of effect</b>
<b>Grade II Listed The Fountain Inn (NHLE 1027457)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Barn at Newhouse Buildings (NHLE 1027589)</b>	Alteration to setting	High	None	<b>No Effect (Not Significant)</b>
<b>Grade II Listed St John's Cottage (NHLE 1027590)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Grade II Listed Calceto (NHLE 1027606)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Buildings at Kent's Farm (NHLE 1027674, NHLE 1233446, NHLE 1233447)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Listed Buildings at North End (NHLE 1027627, NHLE 1233900, NHLE 1353871)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>

Receptor	Summary of predicted effects	Heritage significance (sensitivity)	Magnitude of change	Significance of effect
<b>Grade I Listed The Parish Church Of St Mary (NHLE 1027640) and Grade II listed The Vicarage (NHLE 1027641)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Grade II Listed Barn to the west of nos 1 and 2 Church Farm Cottage (NHLE 1027642) and Church Farmhouse east and Church Farmhouse west (NHLE 1027643)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Decoy Cottage (NHLE 1027713)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Grade II Listed The Old Cottage (NHLE 1027714)</b>	Alteration to setting	High	Very Low to Low	<b>Minor to Moderate adverse (Not Significant)</b>
<b>Grade II Listed The 6 Bells Public House (NHLE 1027819)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>

<b>Receptor</b>	<b>Summary of predicted effects</b>	<b>Heritage significance (sensitivity)</b>	<b>Magnitude of change</b>	<b>Significance of effect</b>
<b>Grade II Listed Old Clayton (NHLE 1039953)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Pinland Farmhouse (NHLE 1181625)</b>	Alteration to setting	High	None	<b>No Effect (Not Significant)</b>
<b>Grade II Listed Clematis Cottage (NHLE 1182071) and Rose Cottage (NHLE 1354093)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed South Cottage (NHLE 1182076)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Corner House How Man the Old Cottage (NHLE 1182115)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed The Old Rectory (NHLE 1182442) and The Roundhouse, In The Grounds Of The Old Rectory (NHLE 1354110)</b>	Alteration to setting	High	None	<b>No Effect (Not Significant)</b>



<b>Receptor</b>	<b>Summary of predicted effects</b>	<b>Heritage significance (sensitivity)</b>	<b>Magnitude of change</b>	<b>Significance of effect</b>
<b>Grade II Listed Michelgrove Cottages (NHLE 1217075) and The Ruins of Michelgrove (NHLE 1353888)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II* Listed Peckhams (NHLE 1217152)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Grade I Listed The Parish Church of St Andrew (NHLE 1233989)</b>	Alteration to setting	High	None	<b>No Effect (Not Significant)</b>
<b>Grade II Listed Brookpits Cottage (NHLE 1276603) and Brookpits Manor (NHLE 1353858)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Lower Chancton (NHLE 1284780) and Granary at Lower Chancton to south east of the house (NHLE 1354089)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>

Receptor	Summary of predicted effects	Heritage significance (sensitivity)	Magnitude of change	Significance of effect
<b>Grade II Listed Deans Cottage (NHLE 1284897)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Church Farmhouse (NHLE 1354096) and Barn at Church Farm to South of The House (NHLE 1182122)</b>	Alteration to setting	High	None	<b>No Effect (Not Significant)</b>
<b>Grade II Listed Brightham's Farmhouse (NHLE 1354245), Grade II Listed Cart Shed and Granary to East of Brightham's Farmhouse (NHLE 1181633)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Upper Bargeham (NHLE 1353838) and Barn to Upper Bargeham to the west of the farmhouse (NHLE 1232897)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>

Receptor	Summary of predicted effects	Heritage significance (sensitivity)	Magnitude of change	Significance of effect
<b>Grade I Listed Bunton Chapel of All Saints (NHLE 1354113)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Bunton Manor Farmhouse (LB1182594)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Post Office Wiston Stores (1182621)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Butchers Farmhouse Water Lane (NHLE 1182603)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed The Old School (NHLE 1284545)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Yew Tree Cottage (NHLE 1354114)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Polecats (NHLE 1284507)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>

Receptor	Summary of predicted effects	Heritage significance (sensitivity)	Magnitude of change	Significance of effect
<b>Grade II Listed College Wood Farmhouse (NHLE 1191847)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed The Shieling (LB1181595)</b>	Alteration to setting	High	None	<b>No Effect (Not Significant)</b>
<b>Grade II Listed Yew Tree Cottage, Partridge Green (NHLE 1181605)</b>	Alteration to setting	High	None	<b>No Effect (Not Significant)</b>
<b>Grade II Listed Muttons (NHLE 1025758)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Court Wick Park (LB1027813) and Court Wick Park Stables (LB1293605)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed buildings on Climping Street: Virginia Cottage, Dove Cottage, The Cottage and The Black Horse Public</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>

Receptor	Summary of predicted effects	Heritage significance (sensitivity)	Magnitude of change	Significance of effect
House (NHLE 1027675, NHLE 1233449, NHLE 1353859, NHLE 1353860)				
Grade II Listed The Lodge of St Hugh's Monastery (NHLE 1193051)	Alteration to setting	High	Very Low	Minor adverse (Not Significant)
Grade II* Listed Newplace Farmhouse (NHLE 1232882)	Alteration to setting	High	Very Low	Minor adverse (Not Significant)
Grade II Listed The Royal Oak Inn (NHLE 1285777)	Alteration to setting	High	Very Low	Minor adverse (Not Significant)
Grade II Listed Park Farmhouse (NHLE 1285831)	Alteration to setting	High	None	No Effect (Not Significant)
Grade II Listed Wineham Cottage (NHLE 1286203)	Alteration to setting	High	Very Low	Minor adverse (Not Significant)
Grade II Listed Gratwicke (NHLE 1286335)	Alteration to setting	High	None	No Effect (Not Significant)

<b>Receptor</b>	<b>Summary of predicted effects</b>	<b>Heritage significance (sensitivity)</b>	<b>Magnitude of change</b>	<b>Significance of effect</b>
<b>Grade II Listed Hill's Farmhouse (NHLE 1353944)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed 1 and 2 Corner House (NHLE 1285826) and Toll Cottage (NHLE 1354042)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Crateman's Farmhouse (NHLE 1354155)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Grade II Listed Doves Cottages (NHLE 1191816)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Grade II Listed Blakes Farmhouse (NHLE 1353943)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Grade II Listed Bergen-Op-Zoom Cottage (NHLE 1393335)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>

<b>Receptor</b>	<b>Summary of predicted effects</b>	<b>Heritage significance (sensitivity)</b>	<b>Magnitude of change</b>	<b>Significance of effect</b>
<b>Grade I Listed St John's Priory (NHLE 1217172)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Grade II Listed Keepers Mead (NHLE 1354279)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Grade II Listed Northblows Farmhouse (NHLE 1191818)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Grade II Listed Hollybush Cottage (NHLE 1191821)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Grade II Listed Granary Cottage (NHLE 1191885)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Grade II Listed Bloques Farmhouse (NHLE 1191892)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Grade II Listed Martinsland (NHLE 1353980)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>

Receptor	Summary of predicted effects	Heritage significance (sensitivity)	Magnitude of change	Significance of effect
<b>Grade II Listed Tilleys Farmhouse (NHLE 1354090)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Grade II Listed Green Common Farmhouse (NHLE 1284745)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Grade II Listed Fair Oak Farmhouse (NHLE 1354112)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Climping Mill (NHLE 1027639)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed The Old Vicarage (NHLE 1284693) and Stables of the Old Vicarage to the west of the House (NHLE 1027199)</b>	Alteration to setting	High	None	<b>No Effect</b>
<b>Scheduled monument Itford Hill style settlement on Cock Hill (NHLE 1015881)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Scheduled monument Itford Hill style</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>



Receptor	Summary of predicted effects	Heritage significance (sensitivity)	Magnitude of change	Significance of effect
settlement and an Anglo-Saxon barrow field at New Barn Down, 850m north west of Myrtle Grove Farm (NHLE 1017446)				
<b>Scheduled monument Muntham Court Romano-British Site (NHLE 1005850)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Scheduled monument Prehistoric flint mine and a Martin Down style enclosure on Harrow hill, 850m south east of Lee Farm (NHLE 1015239)</b>	Alteration to setting	High	Low to Medium	<b>Moderate to Major adverse (Significant)</b>
<b>Scheduled monument settlement site in Chantry Bottom (NHLE 1005823)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Scheduled monument Group of four bowl barrows at the</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>

Receptor	Summary of predicted effects	Heritage significance (sensitivity)	Magnitude of change	Significance of effect
<b>Chantry Post (NHLE 1015713)</b>				
<b>Scheduled monument Medieval earthworks E and SE of St Mary's Church (NHLE 1005828, MSW3371)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Scheduled monument Prehistoric flint mine and part of a round barrow cemetery at Blackpatch, 400m north east of Myrtle Grove Farm (NHLE 1015880)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Scheduled Monument Deserted medieval settlement at Lower Barpham Farm (NHLE 1015883)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b><u>Onshore cable corridor and onshore substation at Oakendene near Cowfold</u></b>				
<b>Oakendene historic parkland (MWS96, HWS2285)</b>	Intrusive construction activities and alteration to setting	Low	Medium	<b>Minor residual (Not Significant)</b>

Receptor	Summary of predicted effects	Heritage significance (sensitivity)	Magnitude of change	Significance of effect
<b>Grade II Listed Oakendene Manor (NHLE 1027074)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Grade II Listed Bankfield Farmhouse (NHLE 1193164)</b>	Alteration to setting	High	None	<b>No Effect (Not Significant)</b>
<b>Grade II Listed Allfreys (NHLE 1354152)</b>	Alteration to setting	High	None	<b>No Effect (Not Significant)</b>
<b>Grade II Listed Eastlands Farm (NHLE 1381153)</b>	Alteration to setting	High	None	<b>No Effect (Not Significant)</b>
<b><u>Onshore cable corridor and Bolney substation extension</u></b>				
<b>Grade II Listed Twineham Court Farmhouse (NHLE 1025579)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>

**Table 31-28 Summary of historic environment assessment of residual effects for operations and maintenance phase**

<b>Receptor</b>	<b>Summary of predicted effects</b>	<b>Heritage significance (sensitivity)</b>	<b>Magnitude of change</b>	<b>Significance of effect</b>
<b>Onshore substation at Oakendene near Cowfold</b>				
<b>Historic Landscape Character</b>	Partial loss or disturbance to historic landscape features	Low	Medium	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Oakendene Manor (NHLE 1027074)</b>	Alteration to setting	High	Medium	<b>Major adverse (Significant)</b>
<b>Grade II Listed Bankfield Farmhouse (NHLE 1193164)</b>	Alteration to setting	High	None	<b>No Effect</b>
<b>Grade II Listed Eastlands Farm (NHLE 1381153)</b>	Alteration to setting	High	None	<b>No Effect</b>
<b>Existing National Grid Bolney substation extension</b>				
<b>Grade II Listed Twineham Court Farmhouse (NHLE 1025579)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b><u>Offshore substation and wind turbine generators</u></b>				
<b>Scheduled monument Napoleonic Barracks 480m south-west of Foxhole Farm Cuckmere Haven (NHLE 1002201)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>

Receptor	Summary of predicted effects	Heritage significance (sensitivity)	Magnitude of change	Significance of effect
<b>Scheduled monument Newhaven military fort and lunette battery (NHLE 1002242)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Scheduled monument Camp near Belle Tout lighthouse Birling Gap (NHLE 1002288)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Scheduled monument A 19th century artillery fort known as Littlehampton Fort 317m southwest of the Windmill Theatre (NHLE 1005809)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Scheduled monument Arundel Castle (NHLE 1012500), Grade II* Listed Arundel Castle Registered Park and Garden (NHLE 1000170) and Grade I, II* and II Listed Buildings at Arundel Castle (List entry nos. 1027926, 1027928, 1248038, 1353747 1414107)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Scheduled monument Long Barrow on Beacon Hill (NHLE 1013067) and Long barrow on</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>

Receptor	Summary of predicted effects	Heritage significance (sensitivity)	Magnitude of change	Significance of effect
<b>Beacon Hill 160m north west of the windmill (NHLE 1015229)</b>				
<b>Scheduled monument Hillfort and a bowl barrow on Seaford Head (NHLE 1014523)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Scheduled monument Hillfort, the possible remains of a Romano-Celtic temple and a group of three bowl barrows at Hollingbury (NHLE 1014526)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Scheduled monument Cissbury Ring hillfort, prehistoric flint mine and associated remains (NHLE 1015817)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Scheduled monument Highdown Hill Camp: A Ram's Hill type enclosure an Anglo-Saxon cemetery and associated remains (NHLE 1015877)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Scheduled monument Martello tower no 74 on Seaford Esplanade (NHLE 1017359)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>

<b>Receptor</b>	<b>Summary of predicted effects</b>	<b>Heritage significance (sensitivity)</b>	<b>Magnitude of change</b>	<b>Significance of effect</b>
<b>Selsey Old Town Conservation Area</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Sidlesham Quay Conservation Area</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Aldwick Bay Conservation Area</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Craigweil House, Aldwick Conservation Area</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Aldwick Road, Bognor Conservation Area</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>The Steyne and Waterloo Square, Bognor Conservation Area</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Littlehampton (River Road) Conservation Area</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Littlehampton (Sea Front) Conservation Area</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Marine Parade and Hinterland Conservation Area</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>

<b>Receptor</b>	<b>Summary of predicted effects</b>	<b>Heritage significance (sensitivity)</b>	<b>Magnitude of change</b>	<b>Significance of effect</b>
<b>Steyne Gardens Conservation Area</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>South Street Conservation Area</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Sackville Gardens Conservation Area</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Pembroke and Princes Conservation Area</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Old Hove Conservation Area</b>	Alteration to setting	High	None	<b>No Effect (Not Significant)</b>
<b>Cliftonville Conservation Area</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>The Avenues Conservation Area</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Brunswick Town Conservation Area</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Regency Square Conservation Area</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Old Town Conservation Area</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>



Receptor	Summary of predicted effects	Heritage significance (sensitivity)	Magnitude of change	Significance of effect
<b>Valley Gardens Conservation Area</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>East Cliff Conservation Area, including Grade II* Listed Madeira Terrace, Madeira Walk (NHLE 1381696)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Kemp Town Conservation Area, including Registered Park and Garden (RPG) Kemp Town Enclosures (RPG 001313)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Rottingdean Conservation Area</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Band Stand (NHLE 1027780), The Esplanade</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Grade II* and II Listed Buildings in Bailiffscourt (NHLE 1027676, NHLE 1027637, NHLE 1027638, NHLE 1027677, NHLE 1233450, NHLE 1274459, NHLE 1276596, NHLE 1353879, NHLE 1353880)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Climping Mill (NHLE 1027639)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>

Receptor	Summary of predicted effects	Heritage significance (sensitivity)	Magnitude of change	Significance of effect
<b>Grade II Listed Rustington Convalescent Home (NHLE 1274038) and Ancillary Building at Rustington Convalescent Home (NHLE 1274012)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Vista Point, including Garages and Attached Walls (NHLE 1396577)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Grade II Listed Runnymede (NHLE 1419211)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Grade II Listed 205-211, Brighton Road (NHLE 1025809)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Grade II Listed Shelters at TQ 273 044 (NHLE 1292365) and TQ 270 045 (NHLE 1210002)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>
<b>Grade II Listed Ian Fraser House, St Dunstons (NHLE 1380546), Chapel to Ian Fraser House, St Dunstons (NHLE 1380547), Walls to Ian Fraser House, St Dunstons (NHLE 1380548)</b>	Alteration to setting	High	Very Low to Low	<b>Moderate adverse (Not Significant)</b>

<b>Receptor</b>	<b>Summary of predicted effects</b>	<b>Heritage significance (sensitivity)</b>	<b>Magnitude of change</b>	<b>Significance of effect</b>
<b>Grade II Listed Roedean School Main Buildings (NHLE 1380831)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Grade II Listed French Convalescent Home (NHLE 1380152)</b>	Alteration to setting	High	Low	<b>Moderate adverse (Not Significant)</b>
<b>Grade II Listed 17th Century House (NHLE 1222778)</b>	Alteration to setting	High	Very Low	<b>Minor adverse (Not Significant)</b>

**Table 31-29 Potential water environment residual effects during the construction of the landfill**

<b>Receptors</b>	<b>Activity and potential effect</b>	<b>Embedded environmental measures-</b>	<b>Value</b>	<b>Magnitude of effect</b>	<b>Significance of effect</b>
<b>Groundwater and Surface WFD Water Bodies (River, Transitional and Coastal)</b>  <b>Littlehampton Anticline West GB40701G504900</b> <b>Ryebank Rife GB10704100662</b> <b>Arun Lower GB540704105000</b> <b>Sussex GB640704540003</b>	Potential for accidental contamination entering watercourses or groundwater, associated with spillage or leakage of fuels, lubricants or other chemicals. This includes the potential for leakage of bentonite during HDD.	C-8, C-76, C-135, C-142, C-148, C-149, C-150, C-151, C-167, C-182, C-227, C-234, C-235, C-236, C-241, C-245, C-247	Medium – High	Negligible	<b>Negligible – Minor adverse (Not Significant)</b>
<b>Surface WFD Water Bodies (River, Transitional and Coastal)</b>  <b>Ryebank Rife GB10704100662</b> <b>Arun Lower GB540704105000</b>	Ground disturbance and mobilisation of sediments / contaminants leading to silt laden or otherwise contaminated runoff entering watercourses and / or intertidal areas.	C-7, C-8, C-10, C-11, C-13, C-19, C-25, C-27, C-28, C-30, C-33, C-73, C-75, C-76, C-77, C-120, C-121 C-122, C-125, C-126, C-127, C-128, C-129, C-130, C-131, C-133, C-135, C-137, C-138, C-139, C-140,	Medium	Negligible – Low	<b>Negligible – Minor adverse (Not Significant)</b>

Receptors	Activity and potential effect	Embedded environmental measures-	Value	Magnitude of effect	Significance of effect
<b>Sussex GB640704540003</b>	Changes to watercourse morphology as a result of works in or near watercourses (for example, installation of landfall cable and associated earthworks).	C-7, C-8, C-10, C-11, C-13, C-19, C-25, C-27, C-28, C-30, C-33, C-73, C-75, C-76, C-77, C-120, C-122, C-125, C-126, C-127, C-128, C-129, C-130, C-131, C-133, C-135, C-137, C-138, C-139, C-140, C-141, C-142, C-143, C-144, C-145, C-148, C-182, C-229	Medium	Negligible	<b>Negligible (Not Significant)</b>
<b>Water Resources  Licensed abstractions (A1, A5 and A6)</b>	Reduction of water availability to support existing surface water and groundwater abstractions as a consequence of water quantity and / or quality effects. This could arise from dewatering of the excavations for cabling, ground disturbance for the development of temporary access	C-7, C-8, C-10, C-11, C-13, C-19, C-25, C-27, C-28, C-30, C-33, C-73, C-74, C-75, C-76, C-77, C-78, C-120, C-121, C-122, C-125, C-126, C-127, C-128, C-129,	Medium	Negligible – Low	<b>Negligible – Minor adverse (Not Significant)</b>

Receptors	Activity and potential effect	Embedded environmental measures-	Value	Magnitude of effect	Significance of effect
<b>PWSs (P1)</b>	track / temporary construction compound establishment, or the leakage / spillage of fuels and chemicals onsite. This includes the potential for breakout and leakage of bentonite during HDD.	C-130, C-131, C-133, C-134, C-135, C-137, C-138, C-140, C-141, C-142, C-143, C-144, C-145, C-146, C-147, C-149, C-150, C-151, C-167, C-179, C-181, C-182,, C-227, C-234, C-235, C-236, C-241, C-245, C-253	Medium	Negligible	<b>Negligible (Not Significant)</b>
<b>Flood Risk Receptors</b>	Volumetric displacement of flood water associated with the construction of temporary stockpiles and raised access tracks within floodplain areas.	C-11, C-19, C-20, C-21, C-75, C-119, C-120, C-121, C-122, C-123, C-124, C-127, C-128, C-130, C-131, C-132, C-133, C-134, C-175, C-179, C-180, C-181, C-230, C-247	Low – Medium	Negligible	<b>Negligible (Not Significant)</b>
<b>Residential properties (Atherington, The Mill, Climping and Climping Park)</b>	Changes in runoff rates and new flow pathways associated with ground disturbance and the development of temporary access tracks and temporary construction compound areas.	C-11, C-13, C-17, C-18, C-19, C-20, C-21, C-27, C-28, C-33, C-73, C-74, C-75, C-77, C-117, C-119, C-120, C-121, C-122, C-123, C-124, C-125, C-126, C-127,	Low – Medium	Negligible	<b>Negligible (Not Significant)</b>

Receptors	Activity and potential effect	Embedded environmental measures-	Value	Magnitude of effect	Significance of effect
		C-128, C-129, C-130, C-131, C-132, C-133, C-134, C-138, C-139, C-140, C-144, C-148, C-175, C-176, C-177, C-178 C-179, C-180, C-181, C-182			
	Increases in flow in watercourses due to dewatering of excavations.	C-29, C-77, C-118, C-134, C-141	Low – Medium	Negligible	<b>Negligible (Not Significant)</b>

**Table 31-30 Potential residual effects on water environment during construction of the onshore substation**

<b>Receptor</b>	<b>Activity and potential effect</b>	<b>Embedded environmental measures</b>	<b>Value</b>	<b>Magnitude of effect</b>	<b>Significance of effect</b>
<b>Groundwater Water Framework Directive (WFD) Water Body  Adur and Ouse Hastings Beds GB40702G502000</b>	A decline in groundwater levels arising from of the trenched excavations for the onshore substation or piling if it is required for the installation of sub-surface foundations.	C-27, C-33, C-73, C-74, C-76, C-77, C-120, C-121, C-129, C-140, C-141, C-144, C-152	High	Negligible	<b>Minor adverse (Not Significant)</b>
<b>Groundwater and Surface Water WFD Water Bodies (River and Transitional)  Adur and Ouse Hastings Beds GB40702G502000 Adur East (Sakeham) GB107041012900 Cowfold Stream GB107041012260 Adur GB540704116000</b>	Potential for accidental contamination entering groundwater or watercourses, associated with spillage or leakage of fuels, lubricants or other chemicals.	C-8, C-33, C-76, C-149, C-150, C-151, C-167, C-182, C-227, C-234, C-235, C-236, C-241	Medium – High	Negligible	<b>Negligible – Minor adverse (Not Significant)</b>



Receptor	Activity and potential effect	Embedded environmental measures	Value	Magnitude of effect	Significance of effect
<b>Surface Water WFD Water Bodies (River and Transitional)</b>  <b>Adur East (Sakeham)</b> <b>GB107041012900</b> <b>Cowfold Stream</b> <b>GB107041012260</b> <b>Adur</b> <b>GB540704116000</b>	<p>Ground disturbance and mobilisation of sediments / contaminants leading to silt laden or otherwise contaminated runoff entering watercourses.</p> <p>Changes to watercourse morphology as a result of works in or near watercourses (for example, associated with earthworks for establishment of temporary construction compounds).</p>	<p>C-7, C-8, C-11, C-13, C-21, C-25, C-27, C-30, C-33, C-73, C-76, C-77, C-120, C-121, C-130, C-133, C-135, C-140, C-142, C-143, C-148, C-151, C-152, C-167, C-182</p> <p>C-7, C-8, C-11, C-13, C-21, C-25, C-27, C-30, C-33, C-73, C-76, C-77, C-120, C-130, C-133, C-135, C-140, C-148, C-151, C-152, C-182.</p>	<p>Medium</p> <p>Medium</p>	<p>Negligible – Low</p> <p>Negligible</p>	<p><b>Negligible – Minor adverse (Not Significant)</b></p> <p><b>Negligible (Not Significant)</b></p>
<b>Water Resources</b>  <b>Unregistered mapped wells (Frylands Lane (2), The Hangers, Ewhurst Cottages, The Rectory,</b>	<p>Reduction of water availability to support existing surface water and groundwater abstractions as a consequence of water quantity and / or quality effects. This could arise from dewatering of the excavations or piling for installation of onshore substation foundations, ground disturbance for the development of temporary</p>	<p>C-7, C-8, C-11, C-13, C-21, C-25, C-27, C-28, C-30, C-33, C-73, C-74, C-76, C-77, C-78, C-120, C-121, C-130, C-133, C-135, C-140, C-141, C-142, C-143, C-144, C-145, C-146, C-147,</p>	<p>Low</p>	<p>Negligible</p>	<p><b>Negligible (Not Significant)</b></p>

Receptor	Activity and potential effect	Embedded environmental measures	Value	Magnitude of effect	Significance of effect
<b>Park Farm, and The Fodges on Kent Street)</b>	construction compound establishment, or the leakage / spillage of fuels and chemicals onsite.	C-148, C-150, C-151, C-152, C-154, C-167, C-182, , C-227, C-234, C-235, C-236, C-241			
<b>Consented discharges (D2, D3, D4)</b>	Physical disruption to existing discharge infrastructure (for example, septic tank soakaways or discharge outfalls) from trenching and temporary access track / temporary construction compound establishment.	C-28, C-33, C-146, C-151	Low	Negligible	<b>Negligible (Not Significant)</b>
<b>Flood Risk Receptors</b>	Volumetric displacement of flood water associated with the construction of temporary stockpiles within floodplain areas.	C-11, C-21, C-27, C-75, C-130, C-131, C-132, C-133, C-179, C-230, C-184	Medium	Negligible	<b>Negligible (Not Significant)</b>
	Changes in runoff rates and new flow pathways associated with ground disturbance and the development of temporary construction compound areas and onshore substation search areas.	C-11, C-21, C-27, C-73, C-74, C-75, C-77, C-118, C-120, C-121, C-129, C-130, C-134, C-140, C-141, C-144, C-152, C-175, C-179, C-182, C-184	Medium	Negligible	<b>Negligible (Not Significant)</b>
	Increases in flow in watercourses due to dewatering of excavations.	C-29, C-77, C-118, C-134, C-141, C-184	Medium	Negligible	<b>Negligible (Not Significant)</b>

**Table 31-31 Potential residual effects on water environment during the operation and maintenance of the landfall and cable circuits**

Receptor groups	Activity and potential effect	Embedded environmental measures	Value	Magnitude of effect	Significance of effect
<b>Groundwater and Surface Water WFD Water Bodies (River, Transitional and Coastal)</b>	Potential for accidental contamination entering groundwater or watercourses. This could arise from isolated cable repairs or the leakage / spillage of fuels and chemicals from vehicles onsite.	C-8, C-149, C-150, C-151, C-153, C-182	Medium – High	Negligible	<b>Negligible – Minor adverse (Not Significant)</b>
<b>Surface Water WFD Water Bodies (River and Transitional)</b>	Changes to watercourse morphology due to the permanent presence of erosion protection around cable crossings. Cable crossings may exacerbate downstream or upstream bank and bed erosion and sediment deposition.	C-7, C-9, C-25, C-122, C-151, C-153	Medium	Negligible	<b>Negligible (Not Significant)</b>
<b>Conservation Sites, Chalk Streams, Ponds and Springs</b>	Reduction of water availability to support existing groundwater or surface water designated or undesignated sites, ecosystems and features as a consequence of quantity / quality effects from isolated repairs, and the leakage / spillage of fuels and chemicals from vehicles onsite or from diversion of sub-surface land drainage flow pathways due to the permanent	C-6, C-8, C-9, C-21, C-25, C-29, C-33, C-74, C-147, C-149, C-150, C-151, C-153, C-167, C-182	Very Low – Medium	Negligible	<b>Negligible (Not Significant)</b>

Receptor groups	Activity and potential effect	Embedded environmental measures	Value	Magnitude of effect	Significance of effect
	presence of limited below ground concrete-lined joint bays and backfilled material around cable circuits.				
<b>Water Resources</b>	Reduction of water availability to support existing surface water and groundwater abstractions as a consequence of water quality and/or quantity effects. This could arise from isolated repairs, and the leakage / spillage of fuels and chemicals from vehicles onsite; or from diversion of sub-surface land drainage flow pathways due to the permanent presence of limited below ground concrete lined joint bays and backfilled material around cable circuits.	C-8, C-21, C-29, C-33, C-74, C-137, C-147, C-149, C-150, C-151, C-153, C-167, C-182	High	Negligible	<b>Minor adverse (Not Significant)</b>
<b>Licensed abstractions – Southern Water public water supplies</b>					
<b>Other (non-public) licensed abstractions</b>			Low – Medium	Negligible	<b>Negligible (Not Significant)</b>
<b>PWSs and unregistered mapped wells</b>			Low – Medium	Negligible	<b>Negligible (Not Significant)</b>
<b>Flood Risk Receptors</b>	Volumetric displacement of flood water associated with maintenance works in floodplains during isolated repairs of the landfall TJB or cable circuits.	C-11, C-19, C-20, C-21, C-75, C-119, C-120, C-121, C-122, C-130, C-132, C-133, C-153, C-154, C-175, C-184	Low – High	Negligible	<b>Negligible - Minor adverse (Not Significant)</b>

Receptor groups	Activity and potential effect	Embedded environmental measures	Value	Magnitude of effect	Significance of effect
	Changes in runoff rates and new flow pathways associated with ground disturbance during isolated repairs of landfall TJB or cable circuits.	C-11, C-13, C-19, C-20, C-21, C-27, C-28, C-30, C-73, C-74, C-75, C-119, C-120, C-121, C-130, C-131, C-133, C-153, C-175, C-182, C-184	Low – High	Negligible	<b>Negligible - Minor adverse (Not Significant)</b>

**Table 31-32 Potential residual effects on water environment during the operation and maintenance of the onshore substation**

<b>Receptor</b>	<b>Activity and potential effect</b>	<b>Embedded environmental measures</b>	<b>Value</b>	<b>Magnitude of effect</b>	<b>Significance of effect</b>
<b>Groundwater WFD Water Body</b>  <b>Adur and Ouse Hastings Beds GB40702G502000</b>	A reduction in groundwater levels arising from the presence of a below ground grid, onshore substation support structures and impermeable surfaces.	C-73, C-74, C-140	High	Negligible	<b>Minor adverse (Not Significant)</b>
<b>Groundwater and Surface Water WFD Water Bodies (River and Transitional)</b>  <b>Adur and Ouse Hastings Beds GB40702G502000</b> <b>Adur East (Sakeham) GB107041012900</b> <b>Cowfold Stream GB107041012260</b>  <b>Adur GB540704116000</b>	Potential for accidental contamination entering groundwater or watercourses, associated with spillage or leakage of fuels, lubricants or other chemicals during occasional maintenance visits.	C-8, C-149, C-151, C-153, C-167	Medium – High	Negligible	<b>Negligible – Minor adverse (Not Significant)</b>

Receptor	Activity and potential effect	Embedded environmental measures	Value	Magnitude of effect	Significance of effect
<b>Water Resources</b>  <b>Unregistered, mapped wells (Frylands Lane (2), The Hangers, Ewhurst Cottages, The Rectory, Park Farm, Fodges on Kent Street)</b>	Reduction of water availability to support existing surface water and groundwater abstractions as a consequence of water quantity and / or quality effects. This could arise from the presence of a below ground grid, onshore substation support structures and impermeable surfaces or spillages from fuels / chemicals during occasional maintenance visits.	C-8, C-73, C-74, C-76, C-140, C-146, C-147, C-151, C-153, C-167	Low	Negligible	<b>Negligible (Not Significant)</b>
<b>Flood Risk Receptors</b>	Changes in runoff rates and new flow pathways associated with the impermeable onshore substation footprint.	C-73, C-74, C-120, C-121, C-124, C-153, C-184, C-230	Medium	Negligible	<b>Negligible (Not Significant)</b>

**Table 31-33 Potential residual effects on water environment during decommissioning of the landfall and cable circuits**

<b>Receptor groups</b>	<b>Activity and potential effect</b>	<b>Embedded environmental measures</b>	<b>Value</b>	<b>Magnitude of effect</b>	<b>Significance of effect</b>
<b>Groundwater and Surface Water WFD Water Bodies (River, Transitional and Coastal)</b>	Potential for accidental contamination entering groundwater or watercourses. This could arise from isolated decommissioning works and the leakage / spillage of fuels and chemicals from vehicles onsite.	C-8, C-149, C-150, C-151, C-167, C-182	Medium – High	Negligible	<b>Negligible – Minor adverse (Not Significant)</b>
<b>Surface Water WFD Water Bodies (River and Transitional)</b>	Changes to watercourse morphology due to the permanent presence of erosion protection around cable crossings. Cable crossings may exacerbate downstream or upstream bank and bed erosion and sediment deposition.	C-7, C-9, C-25, C-122, C-151	Medium	Negligible	<b>Negligible (Not Significant)</b>
<b>Conservation Sites, Ponds and Springs</b>	Reduction of water availability to support existing groundwater or surface water designated or undesignated sites or ecosystems as a consequence of quantity / quality effects from isolated decommissioning works, and the leakage / spillage of fuels and chemicals from vehicles onsite or from diversion of sub-surface land drainage flow pathways due to	C-6, C-8, C-9, C-21, C-25, C-29, C-33, C-74, C-147, C-149, C-150, C-151, C-167, C-182	Very Low – Medium	Negligible	<b>Negligible (Not Significant)</b>



Receptor groups	Activity and potential effect	Embedded environmental measures	Value	Magnitude of effect	Significance of effect
	the permanent presence of limited below ground concrete-lined joint bays and backfilled material around cable circuits.				
<b>Water Resources</b>	Reduction of water availability to support existing surface water and groundwater abstractions as a consequence of water quality and / or quantity effects. This could arise from isolated decommissioning works, and the leakage / spillage of fuels and chemicals from vehicles onsite; or from diversion of sub-surface land drainage flow pathways due to the permanent presence of limited below ground concrete-lined joint bays and backfilled material around cable circuits.	C-8, C-21, C-29, C-33, C-74, C-137, C-147, C-149, C-150, C-151, C-167, C-182, C-253	High	Negligible	<b>Minor adverse (Not Significant)</b>
<b>Licensed abstractions – Southern Water public water supplies</b>					
<b>Other (non-public) licensed abstractions</b>			Low – Medium	Negligible	<b>Negligible (Not Significant)</b>
<b>PWSs and unregistered mapped wells</b>			Low – Medium	Negligible	<b>Negligible (Not Significant)</b>
<b>Consented discharges</b>	Physical disruption to existing discharge infrastructure (for example, septic tank soakaways or discharge outfalls) from temporary access track /	C-28, C-33, C-146, C-151	Low	Negligible	<b>Negligible (Not Significant)</b>

Receptor groups	Activity and potential effect	Embedded environmental measures	Value	Magnitude of effect	Significance of effect
	temporary construction compound establishment.				
<b>Flood Risk Receptors</b>	Volumetric displacement of flood water associated with maintenance works in floodplains during decommissioning of the landfall TJB or cable circuits.	C-11, C-19, C-20, C-21, C-75, C-119, C-120, C-121, C-122, C-130, C-132, C-133, C-154, C-175, C-184	Low – High	Negligible	<b>Negligible – Minor adverse (Not Significant)</b>
	Changes in runoff rates and new flow pathways associated with ground disturbance during decommissioning of the landfall TJB and the cable circuits.	C-11, C-13, C-19, C-20, C-21, C-27, C-28, C-30, C-73, C-74, C-75, C-119, C-120, C-121, C-130, C-131, C-133, C-175, C-182, C-184	Low – High	Negligible	<b>Negligible – Minor adverse (Not Significant)</b>

**Table 31-34 Potential residual effects on water environment during decommissioning of the onshore substation**

<b>Receptor</b>	<b>Activity and potential effect</b>	<b>Embedded environmental measures</b>	<b>Value</b>	<b>Magnitude of effect</b>	<b>Significance of effect</b>
<b>Groundwater and Surface Water WFD Water Bodies (River and Transitional)</b>  <b>Adur and Ouse Hastings Beds GB40702G502000</b> <b>Adur East (Sakeham) GB107041012900</b> <b>Cowfold Stream GB107041012260</b> <b>Adur GB540704116000</b>	Potential for accidental contamination entering groundwater or watercourses, associated with spillage or leakage of fuels, lubricants or other chemicals.	C-8, C-27, C-76, C-129, C-149, C-150, C-151, C-167	Medium – High	Negligible	<b>Negligible – Minor adverse (Not Significant)</b>
<b>Surface Water WFD Water Bodies</b>  <b>Adur and Ouse Hastings Beds GB40702G502000</b> <b>Adur East (Sakeham)</b>	Ground disturbance and mobilisation of sediments / contaminants leading to silt laden or otherwise contaminated runoff entering watercourses.	C-7, C-8, C-11, C-13, C-21, C-25, C-27, C-30, C-33, C-73, C-76, C-77, C-120, C-121, C-130, C-133, C-135, C-140, C-142, C-143, C-148, C-151, C-152, C-167, C-182	Medium	Negligible – Low	<b>Negligible – Minor adverse (Not Significant)</b>

Receptor	Activity and potential effect	Embedded environmental measures	Value	Magnitude of effect	Significance of effect
<b>GB107041012900 Adur (East)</b> <b>GB107041012180 Cowfold Stream</b> <b>GB107041012260 Adur</b> <b>GB540704116000</b>	Changes to watercourse morphology as a result of works in or near watercourses (for example, associated with earthworks for establishment of compounds).	C-7, C-8, C-11,C-13, C-21, C-25, C-27, C-30, C-33, C-73, C-76, C-77,C-120, C-130, C-133, C-135, C-140, C-148, C-151, C-152, C-182	Medium	Negligible	<b>Negligible (Not Significant)</b>
<b>Water Resources</b>  <b>Unregistered, mapped wells (Frylands Lane (2), The Hangers, Ewhurst Cottages, The Rectory, Park Farm, Fodges on Kent Street)</b>	Reduction of water availability to support existing surface water and groundwater abstractions as a consequence of water quantity and / or quality effects. This could arise from disturbance for the development of temporary decommissioning access / temporary construction compound establishment, or the leakage / spillage of fuels and chemicals onsite.	C-7, C-8, C-11, C-13, C-21, C-25, C-27, C-28, C-30, C-33, C-73, C-74, C-76, C-77, C-78, C-120, C-121, C-130, C-133, C-135, C-140, C-141, C-142, C-143, C-144, C-146, C-147, C-148, C-150, C-151, C-152, C-167, C-182	Low	Negligible	<b>Negligible (Not Significant)</b>
<b>Consented discharges (D3)</b>	Physical disruption to existing discharge infrastructure (for example, septic tank soakaways or discharge outfalls) from temporary access track / temporary construction compound establishment.	C-28, C-33, C-146, C-151	Low	Negligible	<b>Negligible (Not Significant)</b>

Receptor	Activity and potential effect	Embedded environmental measures	Value	Magnitude of effect	Significance of effect
<b>Flood Risk Receptors</b>	Volumetric displacement of flood water associated with the placement of temporary stockpiles within floodplain areas.	C-11, C-21, C-27, C-75, C-130, C-131, C-132, C-133, C-179, C-184, C-230	Medium	Negligible	<b>Negligible (Not Significant)</b>
	Changes in runoff rates and new flow pathways associated with ground disturbance and the development of temporary access track / temporary construction compound areas.	C-11, C-21, C-27, C-73, C-74, C-75, C-77, C-120, C-118, C-121, C-129, C-130, C-134, C-140, C-141, C-144, C-152, C-175, C-179, C-182, C-184, C-230	Medium	Negligible	<b>Negligible (Not Significant)</b>

**Table 31-35 Potential water environment residual effects during the cable laydown**

<b>Receptor groups</b>	<b>Activity and potential effect</b>	<b>Embedded environmental measures</b>	<b>Value</b>	<b>Magnitude of effect</b>	<b>Significance of effect</b>
<b>Groundwater WFD Water Bodies</b>	A decline in groundwater levels arising from dewatering of the trenched excavations for cabling or the development of less permeable access track / temporary construction compound establishment reducing infiltration.	C-7, C-19, C-20, C-27, C-29, C-73, C-74, C-77, C-120, C-121, C-129, C-133, C-140, C-141, C-144, C-147	Medium – High	Negligible	<b>Negligible – Minor adverse (Not Significant)</b>
<b>Groundwater and Surface Water WFD Water Bodies (River, Transitional and Coastal)</b>	Potential for accidental contamination entering groundwater or watercourses, associated with spillage or leakage of fuels, lubricants or other chemicals. This includes the potential for leakage of bentonite during trenchless crossing.	C-8, C-76, C-135, C-142, C-148, C-149, C-150, C-151, C-167, C-182, C-227, C-234, C-235, C-236, C-241, C-245, C-246, C-251	Medium – High	Negligible	<b>Negligible – Minor adverse (Not Significant)</b>
<b>Surface Water WFD Water Bodies (River, Transitional and Coastal)</b>	Ground disturbance and mobilisation of sediments / contaminants leading to silt laden or otherwise contaminated runoff entering watercourses.	C-7, C-8, C-10, C-11, C-13, C-19, C-25, C-27, C-28, C-30, C-33, C-73, C-75, C-76, C-77, C-120, C-122, C-125, C-126, C-127, C-128, C-129, C-130, C-131, C-133, C-135, C-137, C-138, C-139, C-140,	Medium	Negligible – Low	<b>Negligible – Minor adverse (Not Significant)</b>

Receptor groups	Activity and potential effect	Embedded environmental measures	Value	Magnitude of effect	Significance of effect
		C-141, C-142, C-143, C-144, C-145, C-148, C-182			
	Changes to watercourse morphology as a result of works in or near watercourses (for example, installation of watercourse crossings and associated earthworks).	C-7, C-8, C-10, C-11, C-13, C-19, C-25, C-27, C-28, C-30, C-33, C-73, C-75, C-76, C-77, C-120, C-122, C-125, C-126, C-127, C-128, C-129, C-130, C-131, C-133, C-135, C-137, C-138, C-139, C-140, C-141, C-142, C-143, C-144, C-145, C-148, C-182, C-229	Medium	Negligible	<b>Negligible (Not Significant)</b>
<b>Conservation Sites, Chalk Streams, Ponds and Springs</b>	Reduction of water availability to support existing groundwater or surface water designated or undesignated sites, ecosystems and features. This could arise from dewatering of the trenched excavations for cabling, ground disturbance for the development of temporary access track establishment, or the leakage / spillage of fuels and	C-6, C-7, C-8, C-10, C-11, C-13, C-17, C-18, C-19, C-20, C-21, C-25, C-27, C-28, C-29, C-30, C-33, C-64, C-73, C-74, C-76, C-77, C-120, C-121, C-122, C-124, C-125, C-126, C-127, C-128,	Very Low – Medium	Negligible – Low	<b>Negligible – Minor adverse (Not Significant)</b>

Receptor groups	Activity and potential effect	Embedded environmental measures	Value	Magnitude of effect	Significance of effect
	chemicals onsite. This includes the potential for breakout and leakage of bentonite during trenchless crossing.	C-129, C-130, C-131, C-133, C-134, C-135, C-137, C-138, C-139, C-140, C-141 C-142, C-143, C-144, C-145, C-146, C-147, C-148, C-149, C-150, C-151, C-167, C-176, C-179, C-181, C-182, C-184, C-229, C-234, C-235, C-236, C-241, C-245, C-246, C-250, C-251, C-252			
<b>Water Resources</b>	Reduction of water availability to support existing surface water and groundwater abstractions as a consequence of water quantity and / or quality effects. This could arise from dewatering of the trenched excavations for cabling, ground disturbance for the development of temporary access track / temporary construction compound establishment, or the leakage / spillage of fuels and chemicals onsite. This includes the	C-7, C-8, C-10, C-11, C-13, C-18, C-19, C-20, C-21, C-25, C-27, C-28, C-29, C-30, C-33, C-73, C-74, C-75, C-76, C-77, C-78, C-120, C-121, C-122, C-125, C-126, C-127, C-128, C-129, C-130, C-131, C-133, C-134, C-135, C-137, C-138, C-140, C-141, C-142,	High	Negligible	<b>Minor adverse (Not Significant)</b>
<b>Licensed abstractions – Southern Water public water supplies</b>					
<b>Other (non-public) licensed abstractions</b>			Low – Medium	Negligible – Low	<b>Negligible – Minor</b>



Receptor groups	Activity and potential effect	Embedded environmental measures	Value	Magnitude of effect	Significance of effect
<b>PWSs and unregistered mapped wells</b>	potential for breakout and leakage of bentonite during trenchless crossing.	C-143, C-144, C-145, C-146, C-147, C-149, C-150, C-151, C-167, C-179, C-181, C-182, C-227, C-234, C-235, C-236, C-241, C-245, C-246, C-250, C-251, C-252, C-253	Low – Medium	Negligible – Low	<b>adverse (Not Significant)</b>
					<b>Negligible – Minor adverse (Not Significant)</b>
<b>Consented discharges</b>	Physical disruption to existing discharge infrastructure (for example, septic tank soakaways or discharge outfalls) from trenching and temporary access track / temporary construction compound establishment.	C-28, C-33, C-146, C-151	Low	Negligible	<b>Negligible (Not Significant)</b>
<b>Flood Risk Receptors</b>	Changes in watercourse conveyance associated with temporary watercourse crossings.	C-5, C-17, C-18, C-20, C-118, C-126, C-127, C-128, C-130, C-131, C-132, C-133, C-134, C-139, C-145, C-148, C-176, C-177, C-178, C-182, C-184	Low – High	Negligible	<b>Negligible – Minor adverse (Not Significant)</b>
	Volumetric displacement of flood water associated with the construction of temporary stockpiles and raised access tracks within floodplain areas.	C-11, C-19, C-20, C-21, C-75, C-119, C-120, C-121, C-122, C-123, C-124, C-127,			Low – High

Receptor groups	Activity and potential effect	Embedded environmental measures	Value	Magnitude of effect	Significance of effect
		C-128, C-130, C-131, C-132, C-133, C-134, C-175, C-179, C-180, C-181, C-184			
	Changes in runoff rates and new flow pathways associated with ground disturbance and the development of temporary access tracks and temporary construction compound areas.	C-11, C-13, C-17, C-18, C-19, C-20, C-21, C-27, C-28, C-33, C-73, C-74, C-75, C-77, C-117, C-119, C-120, C-121, C-122, C-123, C-124, C-125, C-126, C-127, C-128, C-129, C-130, C-131, C-132, C-133, C-134, C-138, C-139, C-140, C-144, C-148, C-175, C-176, C-177, C-178 C-179, C-180, C-181, C-182, C-184	Low – High	Negligible	<b>Negligible – Minor adverse (Not Significant)</b>
	Increases in flow in watercourses due to dewatering of excavations.	C-29, C-77, C-118, C-134, C-141, C-184	Low – High	Negligible	<b>Negligible – Minor adverse (Not Significant)</b>

**Table 31-36 Potential water environment residual effects during construction of the onshore substation**

Receptor	Activity and potential effect	Embedded environmental measures	Value	Magnitude of effect	Significance of effect
<b>Groundwater WFD Water Body</b>  <b>Adur and Ouse Hastings Beds GB40702G502000</b>	A decline in groundwater levels arising from of the trenched excavations for the onshore substation or piling if it is required for the installation of sub-surface foundations.	C-27, C-33, C-73, C-74, C-76, C-77, C-120, C-121, C-129, C-140, C-141, C-144, C-152	High	Negligible	<b>Minor adverse (Not Significant)</b>
<b>Groundwater and Surface Water WFD Water Bodies (River and Transitional)</b>  <b>Adur and Ouse Hastings Beds GB40702G502000</b> <b>Adur East (Sakeham) GB107041012900</b> <b>Cowfold Stream GB107041012260</b> <b>Adur GB540704116000</b>	Potential for accidental contamination entering groundwater or watercourses, associated with spillage or leakage of fuels, lubricants or other chemicals.	C-8, C-33, C-76, C-149, C-150, C-151, C-167, C-182, C-227, C-234, C-235, C-236, C-241	Medium – High	Negligible	<b>Negligible – Minor adverse (Not Significant)</b>

Receptor	Activity and potential effect	Embedded environmental measures	Value	Magnitude of effect	Significance of effect
<b>Surface Water WFD Water Bodies (River and Transitional)</b>  <b>Adur East (Sakeham)</b> <b>GB107041012900</b> <b>Cowfold Stream</b> <b>GB107041012260</b> <b>Adur</b> <b>GB540704116000</b>	<p>Ground disturbance and mobilisation of sediments / contaminants leading to silt laden or otherwise contaminated runoff entering watercourses.</p> <p>Changes to watercourse morphology as a result of works in or near watercourses (for example, associated with earthworks for establishment of temporary construction compounds).</p>	<p>C-7, C-8, C-11, C-13, C-21, C-25, C-27, C-30, C-33, C-73, C-76, C-77, C-120, C-121, C-130, C-133, C-135, C-140, C-142, C-143, C-148, C-151, C-152, C-167, C-182</p> <p>C-7, C-8, C-11, C-13, C-21, C-25, C-27, C-30, C-33, C-73, C-76, C-77, C-120, C-130, C-133, C-135, C-140, C-148, C-151, C-152, C-182.</p>	<p>Medium</p> <p>Medium</p>	<p>Negligible – Low</p> <p>Negligible</p>	<p><b>Negligible – Minor adverse (Not Significant)</b></p> <p><b>Negligible (Not Significant)</b></p>
<b>Water Resources</b>  <b>Unregistered mapped wells (Frylands Lane (2), The Hangers, Ewhurst Cottages, The Rectory,</b>	<p>Reduction of water availability to support existing surface water and groundwater abstractions as a consequence of water quantity and / or quality effects. This could arise from dewatering of the excavations or piling for installation of onshore substation foundations, ground disturbance for the development of temporary</p>	<p>C-7, C-8, C-11, C-13, C-21, C-25, C-27, C-28, C-30, C-33, C-73, C-74, C-76, C-77, C-78, C-120, C-121, C-130, C-133, C-135, C-140, C-141, C-142, C-143, C-144, C-145, C-146, C-147,</p>	<p>Low</p>	<p>Negligible</p>	<p><b>Negligible (Not Significant)</b></p>

Receptor	Activity and potential effect	Embedded environmental measures	Value	Magnitude of effect	Significance of effect
<b>Park Farm, and The Fodges on Kent Street)</b>	construction compound establishment, or the leakage / spillage of fuels and chemicals onsite.	C-148, C-150, C-151, C-152, C-154, C-167, C-182, , C-227, C-234, C-235, C-236, C-241			
<b>Consented discharges (D2, D3, D4)</b>	Physical disruption to existing discharge infrastructure (for example, septic tank soakaways or discharge outfalls) from trenching and temporary access track / temporary construction compound establishment.	C-28, C-33, C-146, C-151	Low	Negligible	<b>Negligible (Not Significant)</b>
<b>Flood Risk Receptors</b>	Volumetric displacement of flood water associated with the construction of temporary stockpiles within floodplain areas.	C-11, C-21, C-27, C-75, C-130, C-131, C-132, C-133, C-179, C-230, C-184	Medium	Negligible	<b>Negligible (Not Significant)</b>
	Changes in runoff rates and new flow pathways associated with ground disturbance and the development of temporary construction compound areas and onshore substation search areas.	C-11, C-21, C-27, C-73, C-74, C-75, C-77, C-118, C-120, C-121, C-129, C-130, C-134, C-140, C-141, C-144, C-152, C-175, C-179, C-182, C-184	Medium	Negligible	<b>Negligible (Not Significant)</b>
	Increases in flow in watercourses due to dewatering of excavations.	C-29, C-77, C-118, C-134, C-141, C-184	Medium	Negligible	<b>Negligible (Not Significant)</b>

**Table 31-37 Potential water environment residual effects during the operation and maintenance of the landfall and cable circuits**

Receptor groups	Activity and potential effect	Embedded environmental measures	Value	Magnitude of effect	Significance of effect
<b>Groundwater and Surface Water WFD Water Bodies (River, Transitional and Coastal)</b>	Potential for accidental contamination entering groundwater or watercourses. This could arise from isolated cable repairs or the leakage / spillage of fuels and chemicals from vehicles onsite.	C-8, C-149, C-150, C-151, C-153, C-182	Medium – High	Negligible	<b>Negligible – Minor adverse (Not Significant)</b>
<b>Surface Water WFD Water Bodies (River and Transitional)</b>	Changes to watercourse morphology due to the permanent presence of erosion protection around cable crossings. Cable crossings may exacerbate downstream or upstream bank and bed erosion and sediment deposition.	C-7, C-9, C-25, C-122, C-151, C-153	Medium	Negligible	<b>Negligible (Not Significant)</b>
<b>Conservation Sites, Chalk Streams, Ponds and Springs</b>	Reduction of water availability to support existing groundwater or surface water designated or undesignated sites, ecosystems and features as a consequence of quantity / quality effects from isolated repairs, and the leakage / spillage of fuels and chemicals from vehicles onsite or from diversion of sub-surface land drainage flow pathways due to the permanent	C-6, C-8, C-9, C-21, C-25, C-29, C-33, C-74, C-147, C-149, C-150, C-151, C-153, C-167, C-182	Very Low – Medium	Negligible	<b>Negligible (Not Significant)</b>

Receptor groups	Activity and potential effect	Embedded environmental measures	Value	Magnitude of effect	Significance of effect
	presence of limited below ground concrete-lined joint bays and backfilled material around cable circuits.				
<b>Water Resources</b>	Reduction of water availability to support existing surface water and groundwater abstractions as a consequence of water quality and / or quantity effects. This could arise from isolated repairs, and the leakage / spillage of fuels and chemicals from vehicles onsite; or from diversion of sub-surface land drainage flow pathways due to the permanent presence of limited below ground concrete lined joint bays and backfilled material around cable circuits.	C-8, C-21, C-29, C-33, C-74, C-137, C-147, C-149, C-150, C-151, C-153, C-167, C-182	High	Negligible	<b>Minor adverse (Not Significant)</b>
<b>Licensed abstractions – Southern Water public water supplies</b>					
<b>Other (non-public) licensed abstractions</b>			Low – Medium	Negligible	<b>Negligible (Not Significant)</b>
<b>PWSs and unregistered mapped wells</b>			Low – Medium	Negligible	<b>Negligible (Not Significant)</b>
<b>Flood Risk Receptors</b>	Volumetric displacement of flood water associated with maintenance works in floodplains during isolated repairs of the landfall TJB or cable circuits.	C-11, C-19, C-20, C-21, C-75, C-119, C-120, C-121, C-122, C-130, C-132, C-133, C-153, C-154, C-175, C-184	Low – High	Negligible	<b>Negligible - Minor adverse (Not Significant)</b>

Receptor groups	Activity and potential effect	Embedded environmental measures	Value	Magnitude of effect	Significance of effect
	Changes in runoff rates and new flow pathways associated with ground disturbance during isolated repairs of landfall TJB or cable circuits.	C-11, C-13, C-19, C-20, C-21, C-27, C-28, C-30, C-73, C-74, C-75, C-119, C-120, C-121, C-130, C-131, C-133, C-153, C-175, C-182, C-184	Low – High	Negligible	<b>Negligible - Minor adverse (Not Significant)</b>



**Table 31-38 Potential water environment residual effects during the operation and maintenance of the onshore substation**

<b>Receptor</b>	<b>Activity and potential effect</b>	<b>Embedded environmental measures</b>	<b>Value</b>	<b>Magnitude of effect</b>	<b>Significance of effect</b>
<b>Groundwater WFD Water Body</b>  <b>Adur and Ouse Hastings Beds GB40702G502000</b>	A reduction in groundwater levels arising from the presence of a below ground grid, onshore substation support structures and impermeable surfaces.	C-73, C-74, C-140	High	Negligible	<b>Minor adverse (Not Significant)</b>
<b>Groundwater and Surface Water WFD Water Bodies (River and Transitional)</b>  <b>Adur and Ouse Hastings Beds GB40702G502000</b> <b>Adur East (Sakeham) GB107041012900</b> <b>Cowfold Stream GB107041012260</b>  <b>Adur GB540704116000</b>	Potential for accidental contamination entering groundwater or watercourses, associated with spillage or leakage of fuels, lubricants or other chemicals during occasional maintenance visits.	C-8, C-149, C-151, C-153, C-167	Medium – High	Negligible	<b>Negligible – Minor adverse (Not Significant)</b>

Receptor	Activity and potential effect	Embedded environmental measures	Value	Magnitude of effect	Significance of effect
<b>Water Resources</b>  <b>Unregistered, mapped wells (Frylands Lane (2), The Hangers, Ewhurst Cottages, The Rectory, Park Farm, Fodges on Kent Street)</b>	Reduction of water availability to support existing surface water and groundwater abstractions as a consequence of water quantity and / or quality effects. This could arise from the presence of a below ground grid, onshore substation support structures and impermeable surfaces or spillages from fuels / chemicals during occasional maintenance visits.	C-8, C-73, C-74, C-76, C-140, C-146, C-147, C-151, C-153, C-167	Low	Negligible	<b>Negligible (Not Significant)</b>
<b>Flood Risk Receptors</b>	Changes in runoff rates and new flow pathways associated with the impermeable onshore substation footprint.	C-73, C-74, C-120, C-121, C-124, C-153, C-184, C-230	Medium	Negligible	<b>Negligible (Not Significant)</b>

**Table 31-39 Potential water environment residual effects during decommissioning of the landfall and cable circuits**

<b>Receptor groups</b>	<b>Activity and potential effect</b>	<b>Embedded environmental measures</b>	<b>Value</b>	<b>Magnitude of effect</b>	<b>Significance of effect</b>
<b>Groundwater and Surface Water WFD Water Bodies (River, Transitional and Coastal)</b>	Potential for accidental contamination entering groundwater or watercourses. This could arise from isolated decommissioning works and the leakage / spillage of fuels and chemicals from vehicles onsite.	C-8, C-149, C-150, C-151, C-167, C-182	Medium – High	Negligible	<b>Negligible – Minor adverse (Not Significant)</b>
<b>Surface Water WFD Water Bodies (River and Transitional)</b>	Changes to watercourse morphology due to the permanent presence of erosion protection around cable crossings. Cable crossings may exacerbate downstream or upstream bank and bed erosion and sediment deposition.	C-7, C-9, C-25, C-122, C-151	Medium	Negligible	<b>Negligible (Not Significant)</b>
<b>Conservation Sites, Ponds and Springs</b>	Reduction of water availability to support existing groundwater or surface water designated or undesignated sites or ecosystems as a consequence of quantity / quality effects from isolated decommissioning works, and the leakage / spillage of fuels and chemicals from vehicles onsite or from diversion of sub-surface land drainage flow pathways due to the permanent presence of limited	C-6, C-8, C-9, C-21, C-25, C-29, C-33, C-74, C-147, C-149, C-150, C-151, C-167, C-182	Very Low – Medium	Negligible	<b>Negligible (Not Significant)</b>

Receptor groups	Activity and potential effect	Embedded environmental measures	Value	Magnitude of effect	Significance of effect
	below ground concrete-lined joint bays and backfilled material around cable circuits.				
<b>Water Resources</b>	Reduction of water availability to support existing surface water and groundwater abstractions as a consequence of water quality and / or quantity effects. This could arise from isolated decommissioning works, and the leakage / spillage of fuels and chemicals from vehicles onsite; or from diversion of sub-surface land drainage flow pathways due to the permanent presence of limited below ground concrete-lined joint bays and backfilled material around cable circuits.	C-8, C-21, C-29, C-33, C-74, C-137, C-147, C-149, C-150, C-151, C-167, C-182, C-253	High	Negligible	<b>Minor adverse (Not Significant)</b>
<b>Licensed abstractions – Southern Water public water supplies</b>					
<b>Other (non-public) licensed abstractions</b>			Low – Medium	Negligible	<b>Negligible (Not Significant)</b>
<b>PWSs and unregistered mapped wells</b>			Low – Medium	Negligible	<b>Negligible (Not Significant)</b>
<b>Consented discharges</b>	Physical disruption to existing discharge infrastructure (for example, septic tank soakaways or discharge outfalls) from temporary access track / temporary construction compound establishment.	C-28, C-33, C-146, C-151	Low	Negligible	<b>Negligible (Not Significant)</b>

Receptor groups	Activity and potential effect	Embedded environmental measures	Value	Magnitude of effect	Significance of effect
<b>Flood Risk Receptors</b>	Volumetric displacement of flood water associated with maintenance works in floodplains during decommissioning of the landfall TJB or cable circuits.	C-11, C-19, C-20, C-21, C-75, C-119, C-120, C-121, C-122, C-130, C-132, C-133, C-154, C-175, C-184	Low – High	Negligible	<b>Negligible – Minor adverse (Not Significant)</b>
	Changes in runoff rates and new flow pathways associated with ground disturbance during decommissioning of the landfall TJB and the cable circuits.	C-11, C-13, C-19, C-20, C-21, C-27, C-28, C-30, C-73, C-74, C-75, C-119, C-120, C-121, C-130, C-131, C-133, C-175, C-182, C-184	Low – High	Negligible	<b>Negligible – Minor adverse (Not Significant)</b>

**Table 31-40 Potential water environment residual effects during decommissioning of the onshore substation**

<b>Receptor</b>	<b>Activity and potential effect</b>	<b>Embedded environmental measures</b>	<b>Value</b>	<b>Magnitude of effect</b>	<b>Significance of effect</b>
<b>Groundwater and Surface Water WFD Water Bodies (River and Transitional)</b>  <b>Adur and Ouse Hastings Beds GB40702G502000 Adur East (Sakeham) GB107041012900 Cowfold Stream GB107041012260 Adur GB540704116000</b>	Potential for accidental contamination entering groundwater or watercourses, associated with spillage or leakage of fuels, lubricants or other chemicals.	C-8, C-27, C-76, C-129, C-149, C-150, C-151, C-167	Medium – High	Negligible	<b>Negligible – Minor adverse (Not Significant)</b>
<b>Surface Water WFD Water Bodies Adur and Ouse Hastings Beds GB40702G502000 Adur East (Sakeham)</b>	Ground disturbance and mobilisation of sediments / contaminants leading to silt laden or otherwise contaminated runoff entering watercourses.	C-7, C-8, C-11, C-13, C-21, C-25, C-27, C-30, C-33, C-73, C-76, C-77, C-120, C-121, C-130, C-133, C-135, C-140, C-142, C-143, C-148, C-151, C-152, C-167, C-182	Medium	Negligible – Low	<b>Negligible – Minor adverse (Not Significant)</b>

Receptor	Activity and potential effect	Embedded environmental measures	Value	Magnitude of effect	Significance of effect
<b>GB107041012900 Adur (East)</b> <b>GB107041012180 Cowfold Stream</b> <b>GB107041012260 Adur</b> <b>GB540704116000</b>	Changes to watercourse morphology as a result of works in or near watercourses (for example, associated with earthworks for establishment of compounds).	C-7, C-8, C-11,C-13, C-21, C-25, C-27, C-30, C-33, C-73, C-76, C-77,C-120, C-130, C-133, C-135, C-140, C-148, C-151, C-152, C-182	Medium	Negligible	<b>Negligible (Not Significant)</b>
<b>Water Resources</b>  <b>Unregistered, mapped wells (Frylands Lane (2), The Hangers, Ewhurst Cottages, The Rectory, Park Farm, Fodges on Kent Street)</b>	Reduction of water availability to support existing surface water and groundwater abstractions as a consequence of water quantity and / or quality effects. This could arise from disturbance for the development of temporary decommissioning access / temporary construction compound establishment, or the leakage / spillage of fuels and chemicals onsite.	C-7, C-8, C-11, C-13, C-21, C-25, C-27, C-28, C-30, C-33, C-73, C-74, C-76, C-77, C-78, C-120, C-121, C-130, C-133, C-135, C-140, C-141, C-142, C-143, C-144, C-146, C-147, C-148, C-150, C-151, C-152, C-167, C-182	Low	Negligible	<b>Negligible (Not Significant)</b>
<b>Consented discharges (D3)</b>	Physical disruption to existing discharge infrastructure (for example, septic tank soakaways or discharge outfalls) from temporary access track / temporary construction compound establishment.	C-28, C-33, C-146, C-151	Low	Negligible	<b>Negligible (Not Significant)</b>

Receptor	Activity and potential effect	Embedded environmental measures	Value	Magnitude of effect	Significance of effect
<b>Flood Risk Receptors</b>	Volumetric displacement of flood water associated with the placement of temporary stockpiles within floodplain areas.	C-11, C-21, C-27, C-75, C-130, C-131, C-132, C-133, C-179, C-184, C-230	Medium	Negligible	<b>Negligible (Not Significant)</b>
	Changes in runoff rates and new flow pathways associated with ground disturbance and the development of temporary access track / temporary construction compound areas.	C-11, C-21, C-27, C-73, C-74, C-75, C-77, C-120, C-118, C-121, C-129, C-130, C-134, C-140, C-141, C-144, C-152, C-175, C-179, C-182, C-184, C-230	Medium	Negligible	<b>Negligible (Not Significant)</b>



**Table 31-41 Summary of residual effects for major accidents and disasters**

Activity and impact	Embedded environmental measures	Assessment of residual effect (significance)
<b>Effects arising from major accidents associated with the Proposed Development (i.e. internal major accidents)</b>	C-6, C-8, C-25, C-53, C-56, C-75, C-76, C-108, C-170, C-171, C-172, and C-173	<b>Not Significant</b>
<b>Effects arising from major accidents which could cause harm to receptors within the Proposed Development (i.e., external major accidents)</b>	C-25, C-84, C-85, C-108, C-170, C-171, C-172, and C-173	<b>Not Significant</b>
<b>Disasters</b>	C-25, C-75, C-108, C-117, C-118, C-170, C-171, C-172, and C-173	<b>Not Significant</b>

**Table 31-42 Summary of assessment of residual effects for human health**

<b>Activity and impact</b>	<b>Magnitude of impact</b>	<b>Receptor and sensitivity or value</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
<b>Construction</b>				
<b>Health effects from changes in air quality</b>	Negligible	Low	C-19, C-24, C-33, C-106, C-158	<b>Negligible (Not Significant)</b>
<b>Health effects from changes in noise exposure</b>	Negligible to Low	Low	C-24, C-33	<b>Negligible to Minor adverse (Not Significant)</b>
<b>Health effects from changes in vibration exposure</b>	Negligible	Low	C-22, C-33	<b>Negligible (Not Significant)</b>
<b>Health effects from changes in transport nature and flow rate</b>	Negligible	Low	C-106, C-157, C-158, C-159, C-166, C-201	<b>Negligible (Not Significant)</b>
<b>Health effects from changes in visual amenity</b>	Negligible	Low	n/a	<b>Negligible (Not Significant)</b>
<b>Health effects from changes in exposure to land contamination</b>	Negligible	Low	C-8, C-14, C-24, C-167	<b>Negligible (Not Significant)</b>

<b>Activity and impact</b>	<b>Magnitude of impact</b>	<b>Receptor and sensitivity or value</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
<b>Health effects from changes in access to opportunities for physical activity</b>	Negligible	Low	C-7, C-19, C-20, C-27	<b>Negligible (Not Significant)</b>
<b>Health effects from changes in socio-economic factors</b>	Negligible	Low	C-34, C-35	<b>Negligible (Not Significant)</b>
<b>Operation and maintenance</b>				
<b>Health effects from changes in noise exposure</b>	Negligible	Low	n/a	<b>Negligible (Not Significant)</b>
<b>Health effects from changes in exposure to EMF</b>	Negligible	Low	C-1, C-29, C-33	<b>Negligible (Not Significant)</b>
<b>Health effects from changes in visual amenity</b>	Negligible	Low	n/a	<b>Negligible (Not Significant)</b>
<b>Decommissioning</b>				
<b>Health effects from changes in air quality</b>	Negligible	Low	C-24	<b>Negligible (Not Significant)</b>

<b>Activity and impact</b>	<b>Magnitude of impact</b>	<b>Receptor and sensitivity or value</b>	<b>Embedded environmental measures</b>	<b>Assessment of residual effect (significance)</b>
<b>Health effects from changes in noise exposure</b>	Negligible	Low	n/a	<b>Negligible (Not Significant)</b>
<b>Health effects from changes in transport nature and flow rate</b>	Negligible	Low	C-106, C-157, C-158, C-159, C-166, C-201	<b>Negligible (Not Significant)</b>
<b>Health effects from changes in visual amenity</b>	Negligible	Low	n/a	<b>Negligible (Not Significant)</b>
<b>Health effects from changes in exposure to land contamination</b>	Negligible	Low	C-239	<b>Negligible (Not Significant)</b>
<b>Health effects from changes in socio-economic factors</b>	Negligible	Low	n/a	<b>Negligible (Not Significant)</b>

## Summary of assessment for Climate change

- 31.1.5 The Climate Change Resilience (CCR) and In-Combination Climate Impacts (ICCI) assessments have concluded that there are likely to be **no significant effects** remaining following the assessment of climate change impacts on the construction, operation and maintenance and decommissioning phases of the Proposed Development (for more information see [Chapter 29: Climate change, Volume 2](#) of the ES (Document Reference: 6.2.29). This is because all relevant and implementable environmental measures have been embedded into the Proposed Development and are likely to be effective and deliverable to address the likely significant effects of the Proposed Development.

## Summary of assessment for inter-related effects

Table 31-43 Summary of assessment of inter-related effects

Aspect	Assessment of inter-related effect	
	Receptor-related	Project-lifetime
Coastal Processes	Not significant <sup>3</sup>	Not significant
Other marine users	Not significant <sup>3</sup>	Not significant
Fish and shellfish	Not significant <sup>3</sup>	Not significant
Benthic, subtidal and intertidal ecology	Not significant <sup>3</sup>	Not significant
Commercial fisheries	Not significant <sup>3</sup>	Not significant <sup>3</sup>
Marine mammals	Not significant	Not significant
Offshore ornithology	Not significant <sup>3</sup>	Not significant
Shipping and navigation	Not significant <sup>3</sup>	Not significant
Civil and military aviation	Not significant <sup>3</sup>	Not significant <sup>3</sup>
Seascape, landscape and visual impact assessment	Not significant	Not significant <sup>3</sup>

<sup>3</sup> The inter-related effects for this have been assessed within the aspect chapter and not within [Chapter 30: Inter-related effects, Volume 2](#) of the ES (Document Reference: 6.2.30).

<b>Aspect</b>	<b>Assessment of inter-related effect</b>	
	<b>Receptor-related</b>	<b>Project-lifetime</b>
<b>Marine arch</b>	Not significant <sup>3</sup>	Not significant <sup>3</sup>
<b>Socio-economics</b>	Not significant <sup>3</sup>	Not significant <sup>3</sup>
<b>Landscape and visual impact assessment</b>	Not significant	Not significant <sup>3</sup>
<b>Air quality</b>	Not significant	Not significant <sup>3</sup>
<b>Soils and agriculture</b>	Not significant	Not significant <sup>3</sup>
<b>Noise and vibration</b>	Not significant	Not significant <sup>3</sup>
<b>Terrestrial ecology</b>	Not significant <sup>3</sup>	Not significant <sup>3</sup>
<b>Transport</b>	Not significant	Not significant
<b>Ground conditions</b>	Not significant	Not significant <sup>3</sup>
<b>Historic environment</b>	Not significant <sup>3</sup>	Not significant <sup>3</sup>
<b>Water environment</b>	Not significant	Not significant <sup>3</sup>
<b>MADS</b>	Not significant <sup>3</sup>	Not significant <sup>3</sup>
<b>Population and human health</b>	Not significant <sup>3</sup>	Not significant <sup>3</sup>
<b>Climate change</b>	Not significant <sup>3</sup>	Not significant <sup>3</sup>

## 31.2 Glossary of terms and abbreviations

Term (acronym)	Definition
<b>ALC</b>	Agricultural Land Classification
<b>ANA</b>	Archaeological Notification Area
<b>AQO</b>	Air Quality Objective
<b>CCR</b>	Climate change resilience
<b>CHAONB</b>	Chichester Harbour Area of Outstanding Natural Beauty
<b>DMV</b>	Deserted Medieval Village
<b>EMF</b>	Electromagnetic Field
<b>ES</b>	Environmental Statement
<b>GEART</b>	Guidelines for the Environmental Assessment of Road Traffic
<b>HDD</b>	Horizontal Directional Drilling
<b>ICCI</b>	In-Combination Climate Impacts
<b>IDSR</b>	International Dark Sky Reserve
<b>INNS</b>	Invasive non-native species
<b>LCA</b>	Landscape character area
<b>LWS</b>	Local Wildlife Site
<b>MCZ</b>	Marine Conservation Zone
<b>MHWS</b>	Mean High Water Springs
<b>MSA</b>	Mineral Safeguarding Assessment
<b>NCR</b>	National cycle route
<b>NHLE</b>	National Heritage List for England
<b>OAL</b>	Open Access Land
<b>PRoW</b>	Public Right of Way
<b>RPG</b>	Registered Park and Garden

**SAC** Special Area of Conservation

**SAR** Search and Rescue

**SDNP** South Downs National Park

**SPA** Special Protected Area

**SSC** Suspended Sediment Concentration

**SSSI** Site of Special Scientific Interest

**TTS** Temporary Threshold Shift

**UXO** Unexploded Ordnance

**WFD** Water Framework Directive

**WSI** Written scheme of investigation

**WTG** Wind Turbine Generator

**WWII** World War 2

**ZoI** Zone of Influence

**ZTV** Zone of Theoretical Visibility

---



Page intentionally blank

