

Rampion 2 Wind Farm
Category 6:
Environmental Statement
Volume 4, Appendix 22.15:
Biodiversity Net Gain information
(tracked)
Date: August 2024
Revision D

Document Reference: 6.4.22.15
Pursuant to: APFP Regulation 5 (2) (a)
Ecodoc number: 004866513-04



Document revisions

Revision	Date	Status/reason for issue	Author	Checked by	Approved by
A	04/08/2023	Final for DCO Application	WSP	RED	RED
B	25/04/2024	Deadline 3	WSP	RED	RED
C	09/07/2024	Deadline 5 – updated to respond to request to breakdown the analysis by relevant planning authority responsibility under Requirement 14 and to provide clarifications raised in Deadline 4 responses and the Examining Authority’s second Written Questions	WSP	RED	RED
D	01/08/2024	Deadline 6 –addition of information regarding stage specific BNG strategies to Section 5.4.	WSP	RED	RED

Contents

1.	Introduction	5
1.1	Background	5
1.2	Purpose of this Appendix	5
	Structure of this Appendix	5
2.	Legislative and policy context	7
2.1	Legislation and national policy	7
2.2	Local planning policy	8
3.	Measuring Biodiversity Net Gain	9
4.	Biodiversity Metric Outputs	13
4.1	Baseline conditions	13
4.2	Habitat creation measures at onshore substation at Oakendene and existing National Grid Bolney substation	37
5.	Delivering Biodiversity Net Gain	44
5.1	Accounting for detailed design of the Proposed Development	44
5.2	Timing of delivery	45
5.3	Sourcing Biodiversity Units	45
5.4	Securing Biodiversity Net Gain	47
6.	Glossary of terms and abbreviations	50
7.	References	52

List of Tables

Table 3-1	Trading rules within the Statutory Biodiversity Metric	10
Table 4-1	Baseline input of area-based habitat units and habitat status following temporary and permanent habitat loss	14
Table 4-2	Baseline input of hedgerow units and hedgerow status following temporary and permanent habitat loss	25
Table 4-3	Baseline input of river units and habitat status following temporary habitat loss	34

Table 4-4	Proposed area-based habitat creation and calculated units delivered at the onshore substation at Oakendene and existing National Grid Bolney substation extension	39
Table 4-5	Baseline input and calculated losses and gains of biodiversity units for the Proposed Development	40
Table 6-1	Glossary of terms and abbreviations	50

List of Annexes

Annex A	Biodiversity Net Gain Metric Calculations
---------	---

1. Introduction

1.1 Background

- 1.1.1 Rampion Extension Development Limited (RED) has made a commitment for the Rampion 2 Offshore Wind Farm ('Rampion 2' and 'the Proposed Development') to deliver a Biodiversity Net Gain (BNG) of at least 10% for all onshore and intertidal (above the low water mark) habitats subject to permanent or temporary losses as a result of the construction and operation of the Proposed Development. This BNG is measured using the Statutory Biodiversity Metric ('the metric') (Defra, 2023) (updated in 2024).
- 1.1.2 A commitment to BNG is a positive benefit of the Proposed Development, however it is not a form of mitigation. Mitigation for individual ecological features is described within [Chapter 22: Terrestrial ecology and nature conservation, Volume 2](#) (Document Reference: 6.2.22) of the ES.
- 1.1.3 BNG is calculated based on a realistic worst-case scenario based on [Chapter 4: The Proposed Development, Volume 2](#) (Document Reference: 6.2.4) of the ES and the 'Maximum design scenario' described in [Section 22.7 of Chapter 22: Terrestrial ecology and nature conservation, Volume 2](#) (Document Reference: 6.2.22) of the ES.
- 1.1.4 This Appendix should be read in conjunction with:
- [Chapter 4: The Proposed Development, Volume 2](#) (Document Reference: 6.2.4) of the ES;
 - [Chapter 22: Terrestrial ecology and nature conservation, Volume 2](#) (Document Reference: 6.2.22) of the ES;
 - [Appendix 22.1: Policy and legislation tables, Volume 4](#) (Document Reference: 6.4.22.1) of the ES; and
 - [Appendix 22.3: Extended Phase 1 habitat survey report, Volume 4](#) (Document Reference: 6.4.22.3) of the ES.

1.2 Purpose of this Appendix

- 1.2.1 This biodiversity net gain information describes the methods and results of the analysis using the metric, the assumptions used to define a realistic worst-case scenario, the approach to refining BNG calculations at the detailed design stage, approach to delivering newly created and enhanced habitats to meet the target and how these will be secured for a period of at least 30 years.

Structure of this Appendix

- 1.2.2 The remainder of the Appendix is structured as follows:
- **Section 2: Legislative and policy context;**

- **Section 3: Measuring Biodiversity Net Gain (BNG);**
- **Section 4: Biodiversity metric outputs;**
- **Section 5: Delivering Biodiversity Net Gain;**
- **Section 6: Glossary of terms and abbreviations; and**
- **Section 7: References.**

2. Legislative and policy context

2.1 Legislation and national policy

- 2.1.1 The UK Government has repeatedly expressed the need to reverse the current trend in biodiversity loss being suffered across the UK, with a move towards a transitional position of no net loss followed by a realisation of BNG within various strategy documents. The “*Natural Environment White Paper - The natural choice: securing the value of nature*” (2011) and related strategy document “*Biodiversity 2020: A system for England’s wildlife and ecosystems services*” (2011) first described a transition towards BNG (to be achieved by 2020) to be implemented via government policy (for example through describing the concept robustly in the National Planning Policy Framework (Ministry of Housing, Communities and Local Government (MHCLG), 2021)). However, there has been a realisation that the current voluntary and arbitrary system has failed to deliver the aims of the strategy. Therefore, a universal system for delivering BNG in England was described in the Department for Environment, Food and Rural Affairs (Defra)’s “*A Green Future: Our 25-year plan to improve the environment*” (2018). This has culminated in a mandatory system for BNG, being written into legislation in the Environment Act 2021. This system will differ dependent on whether the development in question is covered by the Planning Act 2008 (as amended) or the Town & Country Planning Act 1990 (as amended).
- 2.1.2 Nationally Significant Infrastructure Projects (NSIPs) will need to deliver BNG in line with the relevant National Policy Statement (NPS) (or where a BNG policy is absent a Biodiversity Gain Statement published by the Secretary of State) by November 2025. The current Overarching National Policy Statement for Energy (EN-1) was published in 2011 (Department of Energy and Climate Change (DECC)) and therefore does not include a statement regarding BNG. The replacement for this NPS (EN-1, 2024), published in March 2023 and came into force in January 2024 (Department for Energy Security and Net Zero (DESNZ)) contains a statement encouraging applicants to deliver BNG (see paragraph 4.5.5) measured using the most current version of the Defra and Natural England (2023) (updated in 2024) biodiversity metric. It also recommends delivery of BNG in a manner that best contributes to the achievement of wider strategic outcomes for biodiversity (as described in a Local Nature Recovery Strategy where available). It is expected that this will be altered to be in line with the Environment Act 2021 post the mandatory requirement coming in to force in 2025. Regardless, it is clear that Rampion 2 is not currently mandated to provide BNG based on a Development Consent Order Application (DCO) in 2023.
- 2.1.3 RED is seeking to deliver a renewable energy project that provides a positive legacy for the environment, both through delivery of low carbon electricity and by mitigating and compensating for the effects associated with construction and operation. As part of this effort, RED is making a commitment, to be secured through a requirement within the DCO, to deliver a BNG for onshore habitats of at least 10% in order to deliver a positive outcome for biodiversity. RED is also seeking to front load the delivery of BNG to ensure positive environmental

enhancements are being delivered in tandem with losses occurring during the construction phase.

2.2 Local planning policy

2.2.1 **Appendix 22.1: Policy and legislation tables, Volume 4** (Document Reference: 6.4.22.1) of the ES provides local planning policy relevant to the delivery of BNG. This is both by direct references to BNG, or in older documents, references to enhance biodiversity. The relevant policies are listed below:

- Arun District Council (2018), Adopted Arun Local Plan 2011 – 2031 (July 2018) - Policy ENV DM5 Development and biodiversity;
- South Downs National Park Authority (2019), Adopted South Downs Local Plan 2014 – 2033 (July 2019) – Strategic Policy SD9 Biodiversity and geodiversity;
- Horsham District Council (2015), Horsham District Planning Framework (excluding the South Downs National Park) (2015) – Policy 31 Green infrastructure and biodiversity;
- Horsham District Council (2020) Draft Horsham District Local Plan 2019 – 2036 (2018) - Policy 31 Green infrastructure and biodiversity;
- Mid Sussex District Council (2018) Mid-Sussex District Plan 2014 – 2031 (2018) – Policy DP38 Biodiversity.

2.2.2 These policies outline the expectations of local planning authorities that the majority of developments should seek to enhance biodiversity as a matter of course, as opposed to resulting in a net deterioration of the environment.

3. Measuring Biodiversity Net Gain

- 3.1.1 The approach to BNG for the Proposed Development has been developed to be in line with the mandatory system developed by Natural England that is underpinned by the Statutory Biodiversity Metric and this Biodiversity Net Gain Information Annex should be read in conjunction with the associated guidance (Defra 2023, updated 2024). BNG is a concept that in principle is straightforward (i.e. provide more biodiversity than that which is lost to development). The metric works by considering:
- extent of habitat (measured in hectares (ha) or kilometres dependent on whether the habitat is linear or area-based);
 - how distinctive the habitat is (its complexity, rarity, diversity etc.);
 - its condition (its structure and management); and
 - its strategic location.
- 3.1.2 These elements are used both to determine the biodiversity value (measured in ‘habitat units’, ‘hedgerow units’ and/or ‘river units’ – see Table 6.1 for definitions) of the losses due to a particular development, but also the gains made from its proposed habitat enhancement and creation measures.
- 3.1.3 The biodiversity value of the gains is refined based on a number of risk multipliers that account for the difficulty of habitat creation (e.g. it is easier to create ‘medium distinctiveness’ habitats such as other neutral grassland, than a ‘very high distinctiveness’ active raised bog), the time it takes for a habitat to reach target condition (e.g. a grassland reaches target condition quicker than a woodland), the location of delivery (i.e. habitat creation local to the biodiversity loss is worth more than habitat creation unrelated to the impact) and the time of delivery (e.g. before, during or after the losses have occurred).
- 3.1.4 The metric is also framed by a set of principles that seek to ensure:
- adherence to the mitigation hierarchy (i.e., avoid, mitigate, compensate, enhance);
 - the exclusion of designated sites and irreplaceable habitats from the main calculations (encouraging their avoidance and ensuring any losses are compensated for on a case-by-case basis);
 - the “like for like or better” replacement of habitats (e.g., removal of valuable woodland, requires replacement of woodland habitat, as opposed to replacement with grassland or other habitats that may provide more biodiversity unit value per hectare of creation). These elements are known as the “trading rules” (see **Table 3-1**);
 - habitats provided to deliver BNG will be managed for a minimum period of 30 years; and
 - losses and deterioration of irreplaceable or very high distinctiveness habitat cannot be accounted for through this metric.

Table 3-1 Trading rules within the Statutory Biodiversity Metric

Habitat distinctiveness (baseline)	Distinctiveness of replacement habitat required
Very high	<i>“Losses are not permitted within this metric AND bespoke assessment and compensation are required.”</i>
High	<i>“Losses must be replaced with area units of the same habitat type.”</i>
Medium	<p><i>“Losses must be replaced by area units of either:</i></p> <p><i>Medium distinctiveness habitats within the same broad habitat type</i></p> <p><i>OR</i></p> <p><i>Any habitat from a higher distinctiveness band (from any broad habitat type)”</i></p>
Low	<i>“Losses must be replaced with area units of the same or higher distinctiveness band”</i>
Very low	<i>“Not applicable” (i.e., replacement not required)</i>

3.1.5 It is also notable that this system does not remove the legal obligations with regard to protected or notable species, or statutorily designated sites. These are considered where necessary and detailed within **Chapter 22: Terrestrial ecology and nature conservation, Volume 2** (Document Reference: 6.2.22) of the ES.

3.1.6 The adoption of the metric for Rampion 2 results in the provision of a calculation of biodiversity losses due to permanent infrastructure and temporary construction works (based on a realistic worst-case scenario), and gains associated with reinstatement of habitats subject to temporary works and the creation of new habitat at the onshore substation site. Also calculated is the estimated size of the deficit¹ (measured in habitat, hedgerow and river units – referred to collectively as biodiversity units in this Appendix) that will need to be met through the purchase of biodiversity units from third party providers.

3.1.7 The following assumptions form the basis for the realistic worst-case scenario used as the basis for calculations:

- the proposed DCO Order Limits do not represent temporary habitat loss as they are drawn to enable micro-siting, the maximum design scenario (e.g., up

¹ The deficit is the number of biodiversity units required to achieve a state of no net loss (i.e. compensation) and a BNG of at least 10%. Separate deficits are calculated for habitat, hedgerow and river units.

to four cables), provide limits of deviation and different approaches to construction;

- the onshore cable corridor (where open cut trenching is proposed), trenchless crossing compounds, temporary construction compounds, temporary construction accesses and onshore substation footprint represent temporary and permanent habitat loss (operational access points are excluded as light access once or twice per year with a van or 4x4 required only, using existing tracks or driving along field edges as per current practice by land managers). Therefore, the habitats that make up these areas represent the baseline;
- within specified areas of loss, the **Vegetation Retention Plan** within **Appendix B** of the **Outline Code of Construction Practice (CoCP)** (Document Reference: 7.2) specifies those habitats that are to be retained;
- all habitat within trenchless crossing areas will be retained (other than in a small number of occurrences where a haul road is still required);
- habitats temporarily affected by construction will be reinstated within two years of loss other than in specific locations such as the onshore substation (see embedded environmental measure C-103);
- reinstated habitats (other than woodland) will be replaced with the same habitat type and at the same habitat condition as in the baseline (i.e. there is no enhancement proposed²);
- woodland (all types) lost temporarily will be replaced with scrub (due to need to protect transmission cables from root damage caused by large trees);
- areas listed on the Priority Habitat Inventory as floodplain and coastal grazing marsh that support grassland (as opposed to where arable conversion has taken place) are specified as this habitat type (i.e., not as the improved pasture shown on Phase 1 habitat maps – see **Appendix 22.3: Extended Phase 1 habitat survey report, Volume 4** (Document Reference: 6.4.22.3) of the ES;
- management of hedgerows, scrub and trees along existing tracks and highways (as per typical management to reduce overhang), or the reduction in height of hedgerows and scrub (to 0.9m) for visibility splays at access/egress points from the highway is assumed to be retained habitat (see **Outline Code of Construction Practice**) (Document Reference: 7.2);
- strategic significance has been applied to each habitat as described in **Table 4-1; Table 4-2** and **Table 4-3**. However, this has been completed without any Local Nature Recovery Strategy (LNRS) being published. Should an LNRS be published post DCO award this will be further considered during the detailed design phase (see **Section 5**); and

² No enhancement is specified as ensuring specified enhancements of biodiversity are achieved in a narrow corridor across multiple landowners is unrealistic, especially as the transmission assets will need to be sold to an Offshore Transmission Operator once completed (as per Electricity (Competitive Tenders for Offshore Transmission Licences) Regulations 2009).

- habitats that can be temporarily lost and reinstated to baseline condition within 2 years of loss are entered into the metric and shown as retained. For Rampion 2, this status has not been attributed to any habitats as the commitment to reinstate has been stated as 2 years (see **Chapter 22: Terrestrial ecology and nature conservation, Volume 2** (Document Reference: 6.2.22) of the ES) at this juncture as a detailed schedule will not be available until the detailed design phase.

4. Biodiversity Metric Outputs

4.1 Baseline conditions

- 4.1.1 A classification of the habitats on-site and their condition was undertaken between April 2020 and March 2023 (see [Appendix 22.3: Extended Phase 1 habitat survey report, Volume 4](#) (Document Reference: 6.2.22) of the ES). The approach taken to gather the ecological baseline for the sites accords with that outlined in the Chartered Institute of Ecology and Environmental Management's (CIEEM) 'Good Practice Guidelines for Habitats and Species' (2021) and generally following the condition assessment criteria as outlined in the Biodiversity Metric 4.0 Technical Annex 2 – Technical Information (Natural England and Other Parties, 2023³). As the guidelines for habitat condition have evolved over the course of the data collection period (from those published with The Biodiversity Metric 2.0, 3.1, 3.2 and 4.0), professional judgement has been used to determine a final condition status, using survey notes against the latest published criteria. This has also been necessary for areas where habitats were recorded from Public Rights of Way (PRoW) due to land access restrictions, where habitat type could be established however details underpinning habitat condition criteria could not.
- 4.1.2 The baseline conditions across the onshore cable route are expected to remain relatively static between the submission of the DCO Application and the commencement of construction works. However, some changes may occur such as changes in locations of agri-environment prescriptions, the planting of new hedgerows and changes associated with highway works or local planning applications coming forward. Given the scale of the Proposed Development and the uncertainty in what will or will not be present by the expected construction commencement in 2025 all calculations have been undertaken based on existing survey information. During the detailed design phase, a full survey of affected habitats will be undertaken using the UK Habitat Classification version 2 and the condition assessment criteria published alongside the Statutory Biodiversity Metric (Defra, 2023) (updated in 2024).
- 4.1.3 **Table 4-1 to Table 4-3** show a summary of the data input to the Statutory Biodiversity metric to form the baseline with each habitat type and its size noted, the unit value of each habitat type and information on the extent of habitat retained⁴, reinstated or permanently lost⁵. The information is presented by local authority area (Arun District (areas outside of the National Park), the South Downs National Park, Horsham District (areas outside of the National Park) and Mid-Sussex District).

³ This guidance has been used, as it was in place during the period when field survey data was being collated.

⁴ Within the metric areas referred to in this Appendix to be 'reinstated' are entered as 'Site Habitat Creation'.

⁵ Losses of habitats shown on the Outline Vegetation Retention and Removal Plan correspond to those within the analysis below, allowing for rounding error.

Table 4-1 Baseline input of area-based habitat units and habitat status following temporary and permanent habitat loss

Habitat type	Habitat condition	Extent (ha)	Habitat units	Areas retained (ha)	Areas to be reinstated (ha)	Areas permanently lost (ha)	Strategic significance
Arun District (not including area within South Downs National Park)							
Coastal and floodplain grazing marsh (CFGM)⁶	Moderate	1.75	24.15	0.00	1.75	0.00	Formally identified in local strategy. CFGM in the Arun Valley. Areas lie within Biodiversity Opportunity Areas (BOA) (namely Climping to Houghton).
Other neutral grassland	Moderate	0.00	0.00	0.00	0.00	0.00	Location ecologically desirable but not in local strategy. Occurs in several small patches both within and outside BOAs and the South Downs National Park (SDNP).
Modified grassland	Poor	2.46	4.92	0.00	2.46	0.00	Area / compensation not in local strategy / no local strategy. Habitat is widespread and common and not the target of any BOA (although areas do overlap).

⁶ Habitat type in the Statutory Biodiversity Metric is “Floodplain wetland mosaic and CFGM”

Habitat type	Habitat condition	Extent (ha)	Habitat units	Areas retained (ha)	Areas to be reinstated (ha)	Areas permanently lost (ha)	Strategic significance
Modified grassland	Moderate	1.05	4.20	0.00	1.05	0.00	Area / compensation not in local strategy / no local strategy. Habitat is widespread and common and not the target of any BOA (although areas do overlap).
Cereal crops	Condition assessment N/A	19.25	38.50	0.00	19.25	0.00	Area / compensation not in local strategy / no local strategy. Habitat is widespread and common and not the target of any BOA (although areas do overlap).
Arable field margins tussocky⁷	Condition assessment N/A	0.52	2.08	0.00	0.52	0.00	Area / compensation not in local strategy / no local strategy. Habitat is widespread and common and not the target of any BOA (although areas do overlap).
Ruderal / Ephemeral	Poor	0.00	0.00	0.00	0.00	0.00	Area / compensation not in local strategy / no local strategy. Habitat is widespread and common and not the target

⁷ A proxy for habitat strips along arable field edges (a habitat that changes frequently due to typical farm management)

Habitat type	Habitat condition	Extent (ha)	Habitat units	Areas retained (ha)	Areas to be reinstated (ha)	Areas permanently lost (ha)	Strategic significance
							of any BOA (although areas do overlap).
Bare ground	Poor	0.08	0.02	0.00	0.08	0.00	Area / compensation not in local strategy / no local strategy. Habitat is widespread and common and not the target of any BOA (although areas do overlap).
Developed land sealed surface	N/A – Other	0.03	0.00	0.00	0.03	0.00	Area / compensation not in local strategy / no local strategy. overlap)
Lowland mixed deciduous woodland	Moderate	0.00	0.00	0.00	0.00	0.00	N/A
Other woodland; broadleaved	Moderate	0.08	0.70	0.00	0.08*	0.00	Location ecologically desirable but not in local strategy. Several woodland blocks within or close to various BOAs and / or the SDNP. *Reinstatement as mixed scrub.

Habitat type	Habitat condition	Extent (ha)	Habitat units	Areas retained (ha)	Areas to be reinstated (ha)	Areas permanently lost (ha)	Strategic significance
Mixed scrub	Moderate	0.07	0.62	0.00	0.07	0.00	Location ecologically desirable but not in local strategy. Scrub within or close to various BOAs and / or the SDNP.
Rural tree	Good	0.00	0.00	0.00	0.00	0.00	Location ecologically desirable but not in local strategy.
Arun District totals		25.22	75.19	0.00	25.22	0.00	
South Downs National Park (including overlapping areas within Arun and Horsham Districts)							
Coastal and floodplain grazing marsh (CFGM)	Moderate	0.00	0.00	0.00	0.00	0.00	N/A.
Other neutral grassland	Moderate	0.92	8.10	0.00	0.92	0.00	Location ecologically desirable but not in local strategy.
Modified grassland	Poor	51.08	102.16	0.00	51.08	0.00	Area / compensation not in local strategy / no local strategy. Habitat is widespread and common and not the target

Habitat type	Habitat condition	Extent (ha)	Habitat units	Areas retained (ha)	Areas to be reinstated (ha)	Areas permanently lost (ha)	Strategic significance
							of any BOA (although areas do overlap).
Modified grassland	Moderate	12.77	51.08	0.00	12.77	0.00	Area / compensation not in local strategy / no local strategy. Habitat is widespread and common and not the target of any BOA (although areas do overlap).
Cereal crops	Condition assessment N/A	48.18	96.37	0.00	48.18	0.00	Area / compensation not in local strategy / no local strategy. Habitat is widespread and common and not the target of any BOA (although areas do overlap).
Arable field margins tussocky	Condition assessment N/A	1.24	4.96	0.00	1.24	0.00	Area / compensation not in local strategy / no local strategy. Habitat is widespread and common and not the target of any BOA (although areas do overlap).
Ruderal / Ephemeral	Poor	0.00	0.00	0.00	0.00	0.00	Area / compensation not in local strategy / no local strategy. Habitat is widespread and common and not the target

Habitat type	Habitat condition	Extent (ha)	Habitat units	Areas retained (ha)	Areas to be reinstated (ha)	Areas permanently lost (ha)	Strategic significance
							of any BOA (although areas do overlap).
Bare ground	Poor	0.22	0.44	0.00	0.22	0.00	Area / compensation not in local strategy / no local strategy. Habitat is widespread and common and not the target of any BOA (although areas do overlap).
Developed land sealed surface	N/A – Other	0.16	0.00	0.00	0.16	0.00	Area / compensation not in local strategy / no local strategy. overlap)
Lowland mixed deciduous woodland	Moderate	0.06	0.83	0.00	0.06	0.00	Formally identified in local strategy.
Other woodland; broadleaved	Moderate	0.26	2.33	0.00	0.26	0.00	Location ecologically desirable but not in local strategy.
Mixed scrub	Moderate	0.76	6.69	0.00	0.76	0.00	Location ecologically desirable but not in local strategy.
Rural tree	Good	0.08	1.06	0.00	0.08	0.00	Location ecologically desirable but not in local strategy.

Habitat type	Habitat condition	Extent (ha)	Habitat units	Areas retained (ha)	Areas to be reinstated (ha)	Areas permanently lost (ha)	Strategic significance
South Downs Totals		115.74	274.00	0.00	115.74	0.00	
Horsham District (not including area within South Downs National Park)							
Coastal and floodplain grazing marsh (CFGM)	Moderate	0.75	10.35	0.00	0.75	0.00	Formally identified in local strategy. CFGM in the Adur Valleys. Area lies within Biodiversity Opportunity Area (BOA) known as Woodmill Stream to Adur.
Other neutral grassland	Moderate	0.00	0.00	0.00	0.00	0.00	Location ecologically desirable but not in local strategy. Occurs in several small patches both within and outside BOAs and the South Downs National Park (SDNP).
Modified grassland	Poor	13.00	26.00	0.00	9.40	3.6	Area / compensation not in local strategy / no local strategy. Habitat is widespread and common and not the target of any BOA (although areas do overlap).

Habitat type	Habitat condition	Extent (ha)	Habitat units	Areas retained (ha)	Areas to be reinstated (ha)	Areas permanently lost (ha)	Strategic significance
Modified grassland	Moderate	3.14	12.56	0.00	3.14	0.00	Area / compensation not in local strategy / no local strategy. Habitat is widespread and common and not the target of any BOA (although areas do overlap).
Cereal crops	Condition assessment N/A	9.75	19.50	0.00	3.82	5.93	Area / compensation not in local strategy / no local strategy. Habitat is widespread and common and not the target of any BOA (although areas do overlap).
Arable field margins tussocky	Condition assessment N/A	0.26	1.04	0.00	0.26	0.00	Area / compensation not in local strategy / no local strategy. Habitat is widespread and common and not the target of any BOA (although areas do overlap).
Ruderal / Ephemeral	Poor	0.00	0.00	0.00	0.00	0.00	Area / compensation not in local strategy / no local strategy. Habitat is widespread and common and not the target of any BOA (although areas do overlap).

Habitat type	Habitat condition	Extent (ha)	Habitat units	Areas retained (ha)	Areas to be reinstated (ha)	Areas permanently lost (ha)	Strategic significance
Bare ground	Poor	0.03	0.06	0.00	0.03	0.00	Area / compensation not in local strategy / no local strategy. Habitat is widespread and common and not the target of any BOA (although areas do overlap).
Developed land sealed surface	N/A – Other	0.17	0.00	0.00	0.00	0.00	Area / compensation not in local strategy / no local strategy. overlap)
Lowland mixed deciduous woodland	Moderate	0.00	0.00	0.00	0.00	0.00	Formally identified in local strategy within SDNP. Reinstated with mixed scrub.
Other woodland; broadleaved	Moderate	0.08	0.70	0.00	0.08*	0.00	Location ecologically desirable but not in local strategy. Several woodland blocks within or close to various BOAs and / or the SDNP. *Reinstated with mixed scrub.
Mixed scrub	Moderate	0.03	0.26	0.00	0.03	0.00	Location ecologically desirable but not in local strategy. Scrub within or close to various BOAs and / or the SDNP.

Habitat type	Habitat condition	Extent (ha)	Habitat units	Areas retained (ha)	Areas to be reinstated (ha)	Areas permanently lost (ha)	Strategic significance
Rural tree	Good	0.18	2.38	0.00	0.18	0.00	Location ecologically desirable but not in local strategy. Three individual oak trees not related to hedgerows, woodland etc.
Horsham District totals		27.39	72.85	0.00	17.69	9.53	
Mid-Sussex District							
Coastal and floodplain grazing marsh (CFGM)	Moderate	0.00	0.00	0.00	0.00	0.00	N/A – not present.
Other neutral grassland	Moderate	0.00	0.00	0.00	0.00	0.00	N/A – not present.
Modified grassland	Poor	2.91	5.82	0.00	2.91	0.00	Area / compensation not in local strategy / no local strategy. Habitat is widespread and common and not the target of any BOA.
Modified grassland	Moderate	0.73	2.92	0.00	0.73	0.00	Area / compensation not in local strategy / no local

Habitat type	Habitat condition	Extent (ha)	Habitat units	Areas retained (ha)	Areas to be reinstated (ha)	Areas permanently lost (ha)	Strategic significance
							strategy. Habitat is widespread and common and not the target of any BOA.
Cereal crops	Condition assessment N/A	0.00	0.00	0.00	0.00	0.00	N/A – not present.
Arable field margins tussocky	Condition assessment N/A	0.00	0.00	0.00	0.00	0.00	N/A – not present.
Ruderal / Ephemeral	Poor	0.00	0.00	0.00	0.00	0.00	N/A – not present.
Bare ground	Poor	0.91	1.82	0.00	0.91	0.00	Area / compensation not in local strategy / no local strategy. Habitat is widespread and common and not the target of any BOA.
Developed land sealed surface	N/A – Other	0.00	0.00	0.00	0.00	0.00	N/A – not present.
Lowland mixed deciduous woodland	Moderate	0.00	0.00	0.00	0.00	0.00	N/A – not present.

Habitat type	Habitat condition	Extent (ha)	Habitat units	Areas retained (ha)	Areas to be reinstated (ha)	Areas permanently lost (ha)	Strategic significance
Other woodland; broadleaved	Moderate	0.12	1.06	0.00	0.00	0.12	Location ecologically desirable but not in local strategy.
Mixed scrub	Moderate	0.01	0.09	0.00	0.01	0.00	Location ecologically desirable but not in local strategy.
Rural tree	Good	0.00	0.000.	0.00	0.00	0.00	N/A – not present.
Mid-Sussex District totals	-	4.68	11.70	0.00	4.56	0.12	

Table 4-2 Baseline input of hedgerow units and hedgerow status following temporary and permanent habitat loss

Habitat type	Hedgerow condition	Length (km)	Hedgerow units	Length retained (km)	Length reinstated (km)	Length permanently lost (km)	Strategic significance
Arun District (not including area within South Downs National Park)							
Species-rich native hedgerow	Good	0.0136	0.18	0.0105	0.0031	0.00	All hedgerows / tree lines have been assumed to be 'Location ecologically desirable but not
Species-rich native hedgerow	Moderate	0.0272	0.24	0.0211	0.0062	0.00	

Habitat type	Hedgerow condition	Length (km)	Hedgerow units	Length retained (km)	Length reinstated (km)	Length permanently lost (km)	Strategic significance
Species-rich native hedgerow	Poor	0.0136	0.06	0.0105	0.0031	0.00	in local strategy' to represent their importance as habitats in their own right and for connectivity.
Native hedgerow	Moderate	0.0606	0.27	0.0372	0.0235	0.00	
Native hedgerow (intact native hedgerow)	Poor	0.0606	0.13	0.0372	0.0235	0.00	
Native hedgerow (defunct native hedgerow)	Poor	0.0242	0.05	0.0173	0.0068	0.00	
Species-rich native hedgerow with trees	Good	0.0031	0.06	0.0025	0.0006	0.00	
Species-rich native hedgerow with trees	Moderate	0.0062	0.08	0.0037	0.0025	0.00	

Habitat type	Hedgerow condition	Length (km)	Hedgerow units	Length retained (km)	Length reinstated (km)	Length permanently lost (km)	Strategic significance
Species-rich native hedgerow with trees	Poor	0.0031	0.02	0.0025	0.0006	0.00	
Native hedgerow with trees	Moderate	0.0334	0.29	0.0136	0.0198	0.00	
Native hedgerow with trees	Poor	0.0334	0.15	0.0136	0.0198	0.00	
Line of trees (broadleaved)	Moderate	0.2364	1.04	0.1663	0.0701	0.00	
Line of trees (mixed)	Moderate	0.0173	0.08	0.0145	0.0029	0.00	
Arun District totals		0.53	2.65	0.35	0.18	0.00	
South Downs National Park (including overlapping areas of Arun and Horsham districts)							
Species-rich native hedgerow	Good	0.1059	1.4	0.0820	0.0241	0.00	All hedgerows / tree lines have been assumed

Habitat type	Hedgerow condition	Length (km)	Hedgerow units	Length retained (km)	Length reinstated (km)	Length permanently lost (km)	Strategic significance
Species-rich native hedgerow	Moderate	0.2117	1.86	0.1636	0.0481	0.00	to be 'Location ecologically desirable but not in local strategy' to represent their importance as habitats in their own right and for connectivity.
Species-rich native hedgerow	Poor	0.1059	0.47	0.0818	0.0241	0.00	
Native hedgerow	Moderate	0.4715	2.07	0.2887	0.1828	0.00	
Native hedgerow (intact native hedgerow)	Poor	0.4715	1.04	0.2887	0.1828	0.00	
Native hedgerow (defunct native hedgerow)	Poor	0.1876	0.41	0.1347	0.0529	0.00	
Species-rich native hedgerow with trees	Good	0.0241	0.48	0.0192	0.0048	0.00	
Species-rich native	Moderate	0.0481	0.64	0.0289	0.0192	0.00	

Habitat type	Hedgerow condition	Length (km)	Hedgerow units	Length retained (km)	Length reinstated (km)	Length permanently lost (km)	Strategic significance
hedgerow with trees							
Species-rich native hedgerow with trees	Poor	0.0241	0.16	0.0192	0.0048	0.00	
Native hedgerow with trees	Moderate	0.2598	2.29	0.1059	0.1540	0.00	
Native hedgerow with trees	Poor	0.2598	1.14	0.1059	0.1540	0.00	
Line of trees (broadleaved)	Moderate	1.0607	4.67	0.8337	0.2271	0.00	
Line of trees (mixed)	Moderate	0.0779	0.34	0.0649	0.0130	0.00	
South Downs Totals		3.31	16.96	2.22	1.09	0.00	
Horsham District (not including area within South Downs National Park)							

Habitat type	Hedgerow condition	Length (km)	Hedgerow units	Length retained (km)	Length reinstated (km)	Length permanently lost (km)	Strategic significance
Species-rich native hedgerow	Good	0.0772	1.02	0.0597	0.0175	0.00	All hedgerows / tree lines have been assumed to be 'Location ecologically desirable but not in local strategy' to represent their importance as habitats in their own right and for connectivity.
Species-rich native hedgerow	Moderate	0.1544	1.36	0.1193	0.0351	0.00	
Species-rich native hedgerow	Poor	0.0772	0.34	0.0597	0.0175	0.00	
Native hedgerow	Moderate	0.3491	1.51	0.2841	0.00	0.065	
Native hedgerow (intact native hedgerow)	Poor	0.3491	0.76	0.2841	0.00	0.065	
Native hedgerow (defunct native hedgerow)	Poor	0.1369	0.30	0.00	0.00	0.1369	
Species-rich native	Good	0.0175	0.35	0.0140	0.0035	0.00	

Habitat type	Hedgerow condition	Length (km)	Hedgerow units	Length retained (km)	Length reinstated (km)	Length permanently lost (km)	Strategic significance
hedgerow with trees							
Species-rich native hedgerow with trees	Moderate	0.0351	0.46	0.0211	0.0140	0.00	
Species-rich native hedgerow with trees	Poor	0.0175	0.12	0.0140	0.0035	0.00	
Native hedgerow with trees	Moderate	0.1895	1.67	0	0	0.1895	
Native hedgerow with trees	Poor	0.1895	0.83	0	0	0.1895	
Line of trees (broadleaved)	Moderate	1.0769	4.74	0.8464	0.2305	0.00	
Line of trees (mixed)	Moderate	0.0791	0.35	0.0659	0.0132	0.00	
Horsham District totals		2.74	13.80	1.77	0.33	0.64	

Habitat type	Hedgerow condition	Length (km)	Hedgerow units	Length retained (km)	Length reinstated (km)	Length permanently lost (km)	Strategic significance
Mid-Sussex District							
Species-rich native hedgerow	Good	0.0233	0.31	0.0180	0.0053	0.000	All hedgerows / tree lines have been assumed to be 'Location ecologically desirable but not in local strategy' to represent their importance as habitats in their own right and for connectivity
Species-rich native hedgerow	Moderate	0.0467	0.41	0.0360	0.0106	0.000	
Species-rich native hedgerow	Poor	0.0233	0.10	0.0180	0.0053	0.000	
Native hedgerow	Moderate	0.1039	0.46	0.0636	0.0403	0.000	
Native hedgerow (intact native hedgerow)	Poor	0.1039	0.23	0.0636	0.0403	0.000	
Native hedgerow (defunct native hedgerow)	Poor	0.0413	0.09	0.0297	0.0117	0.000	

Habitat type	Hedgerow condition	Length (km)	Hedgerow units	Length retained (km)	Length reinstated (km)	Length permanently lost (km)	Strategic significance
Species-rich native hedgerow with trees	Good	0.0053	0.10	0.0042	0.0011	0.000	
Species-rich native hedgerow with trees	Moderate	0.0106	0.14	0.0064	0.0042	0.000	
Species-rich native hedgerow with trees	Poor	0.0053	0.03	0.0042	0.0011	0.000	
Native hedgerow with trees	Moderate	0.0572	0.50	0.0233	0.0339	0.000	
Native hedgerow with trees	Poor	0.0572	0.25	0.0233	0.0339	0.000	
Line of trees (broadleaved)	Moderate	0.0760	0.33	0.0654	0.0105	0.000	
Line of trees (mixed)	Moderate	0.0056	0.02	0.0047	0.0009	0.000	

Habitat type	Hedgerow condition	Length (km)	Hedgerow units	Length retained (km)	Length reinstated (km)	Length permanently lost (km)	Strategic significance
Mid-Sussex District totals		0.5596	2.99	0.3605	0.1991	0.000	

Table 4-3 Baseline input of river units and habitat status following temporary habitat loss

Habitat type	River condition	Length (km)	River units	Length retained (km)	Length reinstated (km)	Length permanently lost (km)	Notes
Arun District (not including areas within South Downs National Park)							
Other rivers and streams	Moderate	0.03	0.20	0.00	0.03	0.00	All streams and ditches have been assumed to be 'Location ecologically desirable but not in local strategy' to represent their importance as habitats in their own right and for connectivity.
Other rivers and streams	Poor	0.03	0.40	0.00	0.03	0.00	
Ditches	Poor	0.30	1.32	0.00	0.30	0.00	
Arun District totals		0.36	1.92	0.00	0.36	0.00	
South Downs National Park (including overlapping areas of Arun and Horsham Districts)							
Other rivers and streams	Moderate	0.00	0.00	0.00	0.00	0.00	All streams and ditches have been assumed to be 'Location ecologically

Other rivers and streams	Poor	0.04	0.53	0.00	0.04	0.00	desirable but not in local strategy' to represent their importance as habitats in their own right and for connectivity.
Ditches	Poor	0.04	0.18	0.00	0.04	0.00	
South Downs Totals		0.08	0.71	0.00	0.08	0.00	
Horsham District (not including areas within South Downs National Park)							
Other rivers and streams	Moderate	0.12	0.79	0.00	0.12	0.00	
Other rivers and streams	Poor	0.08	1.06	0.00	0.08	0.00	
Ditches	Poor	0.02	0.09	0.00	0.02	0.00	
Horsham District totals		0.22	1.94	0.00	0.20	0.00	

There are no watercourses within the Mid-Sussex District area under consideration.

- 4.1.4 The total number of baseline units calculated for the worst-case realistic scenario are (across Arun District (outside of the National Park), the South Downs National Park, Horsham District (outside of the National Park) and Mid-Sussex District):
- Habitat units: 433.74 (Arun District Council (ADC) = 75.19, South Downs National Park Authority (SDNPA) = 274, Horsham District Council (HDC) = 72.85, Mid Sussex District Council (MSDC) = 11.70);
 - Hedgerow units: 36.40 (ADC = 2.65, SDNPA = 16.96, HDC = 13.80, MSDC = 2.99); and
 - River units: 4.55 (ADC = 1.91, SDNPA = 0.70, HDC = 1.94, MSDC = 0.00).
- 4.1.5 The total number of units lost (net) to the Proposed Development are:
- Habitat units: 72.11 (ADC = 20.94, SDNPA = 17.87, HDC = 5.93, MSDC = 1.73);
 - Hedgerow units: 5.90 (ADC = 0.28, SDNPA = 1.43, HDC = 3.97, MSDC = 0.22); and
 - River units: 2.67 (ADC = 0.89, SDNPA = 0.44, HDC = 1.34, MSDC = 0.00).
- 4.1.6 The net losses in paragraph 4.1.5 account for temporary and permanent loss of habitat and the reinstatement of habitats within the draft Order Limits during construction. They do not include the addition of 'new' habitat creation at the onshore substation site at Oakendene, or within the extension of the existing National Grid Bolney substation.
- 4.1.7 At the point of DCO application – this Annex takes a simplified approach to estimating the net losses – assuming no advanced delivery of units and no time delay. At the point of DCO application, the net losses do not account for the construction schedule as it is yet to be determined (see **Chapter 4: The Proposed Development, Volume 2** (Document Reference: 6.2.4)). In reality, gains in biodiversity units will be delivered pre-commencement of construction both through advanced planting at the Oakendene substation location and through the advanced securing of biodiversity units (see Section 5). It is notable also that in reality the majority of habitats being temporarily lost to development will not be reinstated at the locations they are lost for up to two years. It is also noted that reinstatement will be completed in up to 3.5-4 years on temporary construction compounds, cable joint bays, some haul roads, some construction access roads and the landfall, as stated in Commitment C-103.s. Within the metric advanced creation of habitats and delay in creating habitats following loss can be accounted for. However, without a detailed design of each stage it is not possible to confidently make assumptions. It should be noted that final calculations based on the detailed design will underpin the final delivery of the BNG commitment and account for all advances and delays shown in the detailed delivery timetable (see **Section 5**). For clarity, no temporary loss of low distinctiveness habitat is assumed to be 'retained' on an assumption that it can be restored to its current condition within two years. All habitat within the working area subject to ground works has been assumed to be lost.

4.2 Habitat creation measures at onshore substation at Oakendene and existing National Grid Bolney substation

- 4.2.1 Habitat creation (see **Section 6** Glossary, **Table 6-1** for definition) at the onshore substation site at Oakendene includes elements that will be delivered prior to construction commencing, those that will follow completion of the compound fencing and sustainable drainage infrastructure and finally habitats established following completion of construction.
- 4.2.2 The habitats to be created at the onshore substation site at Oakendene include:
- Other woodland; broadleaved – 0.8ha;
 - Wet woodland – 1.9ha;
 - Mixed scrub 0.9ha; and
 - Individual trees – 9 standards to be planted.
- 4.2.3 The habitats to be created at the existing National Grid Bolney substation extension include:
- Individual trees – 31 standards to be planted.
- 4.2.4 The habitats to be created at the onshore substation site are assumed to be elements of BNG that will be secured in the long term (managed and monitored for at least 30 years) and therefore included in these outline calculations (see **Annex A**). However, this would need to be agreed with the landowner during future land rights negotiations. Any changes to the position described will be reflected in the calculations following detailed design.
- 4.2.5 The habitats to be created are outlined in **Table 4-4**. **Table 4-5** provides an overview of the losses and gains for the Proposed Development within the proposed DCO Order Limits.

Page intentionally blank

Table 4-4 Proposed area-based habitat creation and calculated units delivered at the onshore substation at Oakendene and existing National Grid Bolney substation extension

Habitat type	Extent (ha)	Target condition	Time to target condition	Units delivered	Strategic significance
Other woodland; broadleaved	0.8	Moderate	15	4.13	Location ecologically desirable but not in local strategy.
Wet woodland	1.9	Moderate	15	9.85	Location ecologically desirable but not in local strategy.
Mixed scrub	0.9	Moderate	5	6.63	Location ecologically desirable but not in local strategy.
Individual trees	1.5	Moderate	27	5.04	Location ecologically desirable but not in local strategy.
TOTAL	5.1	-	-	25.65	

Table 4-5 Baseline input and calculated losses and gains of biodiversity units for the Proposed Development

Unit type	Baseline units	Post-construction units	No. of units to reach 'no net loss' ⁸	No. of units to deliver BNG (above no net loss)	Overall shortfall of units (no net loss and BNG combined)
Habitat units					
Arun District	75.19	54.25	20.94	7.52	28.45
South Downs National Park	274.00	256.13	17.87	27.40	45.27
Horsham District	72.85	66.92	5.93	7.29	13.22
Mid-Sussex	11.70	9.98	1.73	1.17	2.90
Habitat Total	433.74	387.28	46.47	43.38	89.84
Hedgerow units					
Arun District	2.65	2.38	0.28	0.27	0.54
South Downs National Park	16.96	15.53	1.43	1.70	3.12
Horsham District	13.80	9.83	3.97	1.38	5.35
Mid-Sussex	2.99	2.77	0.22	0.30	0.52

⁸ No net loss is the point at which the number of units lost is the same as that provided by the proposed gains (noting risks are addressed by the risk multipliers). This is the point at which any residual effects on habitats by development have been compensated for.

Unit type	Baseline units	Post-construction units	No. of units to reach 'no net loss' ⁸⁾	No. of units to deliver BNG (above no net loss)	Overall shortfall of units (no net loss and BNG combined)
Hedgerow Total	36.40	30.51	5.90	3.65	9.53
River units					
Arun District	1.91	1.03	0.89	0.19	1.08
South Downs National Park	0.70	0.26	0.44	0.07	0.51
Horsham District	1.94	0.60	1.34	0.19	1.53
Mid-Sussex	0.00	0.00	0.00	0.00	0.00
River Totals	4.55	1.89	2.67	0.45	3.12

- 4.2.6 **Table 4-5** shows that there will be a net loss to biodiversity as a result of the Proposed Development without the delivery of additional off-site biodiversity units. This loss is driven by permanent habitat loss (at the onshore substation site and the connection at the existing National Grid Bolney substation) and the reduction in biodiversity caused by the risk multipliers assigned to the reinstatement works that are aiming to deliver (for the vast majority of situations) the same habitat type at the same condition as in the current baseline.
- 4.2.7 In order to satisfy trading rules⁹, particular habitat units will be required to meet the BNG commitment. These are:
- Coastal and floodplain grazing marsh;
 - Lowland mixed deciduous woodland;
 - Other woodland; broadleaved;
 - Species-rich native hedgerow with trees; and
 - Other rivers and streams.
- 4.2.8 Given the nature of some of the habitats (CFGM, lowland mixed deciduous woodland and other rivers and streams), it is likely that a large number of the units required to satisfy the trading rules will be delivered through enhancement of current habitats. This is because creation of these habitats is challenging as it is reliant on physical elements including topography (e.g., within a flood zone).
- 4.2.9 Habitat creation to deliver other types of woodland, grassland and scrub are likely to be created, leading to an overall increase in the extent of habitats that are managed for biodiversity.
- 4.2.10 The completed metric workbooks for Arun District Council (denoted by ADC), Horsham District Council (HDC), Mid-Sussex District Council (MS) and South Downs National Park (SNDP) are provided in **Annex A**.

⁹ Including additional rules around replacement of woodland of medium distinctiveness with woodland only as per Natural England and Other Parties, 2023 (User Guide - paragraph 6.8).

Page intentionally blank

5. Delivering Biodiversity Net Gain

5.1 Accounting for detailed design of the Proposed Development

- 5.1.1 The design of the onshore elements of the Proposed Development is described within [Chapter 4: The Proposed Development, Volume 2](#) (Document Reference: 6.2.4) of the ES. The onshore elements of the Proposed Development include the flexibility, within specified limits, to design the Proposed Development to correspond with the rapidly evolving nature of the renewables industry. This flexibility has implications for the extent of habitat loss, for example should the maximum number of circuits (four cables) not be required then the size of the construction working area would be reduced, as would also be apparent if the number of temporary construction compounds were reduced. Therefore, a realistic worst-case scenario has been developed to both inform the assessment within [Chapter 22: Terrestrial ecology and nature conservation, Volume 2](#) (Document Reference: 6.2.22) of the ES and the BNG calculations described within this biodiversity gain information.
- 5.1.2 However, this is likely to be an over-estimation of the losses that are likely to occur. Detailed design is likely to see the maximum design scenario reduced as efficiencies in delivery cost, schedule and electrical transmission are accounted for in detail. The mitigation hierarchy will be implemented throughout detailed design thereby attempting to limit losses through avoidance and minimisation measures. Distinct from this, but closely aligned the process will also implement the biodiversity gain hierarchy¹⁰ both during design of the infrastructure and during the design and delivery of the reinstatement, on-site habitat creation and enhancements and finally in the provision of off-site units to satisfy any shortfall.
- 5.1.3 The detailed design scenario will therefore be used to determine a more accurate estimation of the number of off-site units that will need to be delivered to ensure the commitment of delivering at least 10% BNG is met.
- 5.1.4 It is noted that the detailed design will be delivered in phases (e.g., detailed design of the onshore substation may precede that of the transmission cable). Therefore, the calculation of biodiversity losses and gains will also be delivered on a phase-by-phase basis (noting that it may make more practical sense for it to all be issued in one go for the whole project ahead of construction commencing). The issue of phase specific BNG is secured through Requirement 14 of the [Draft Development Consent Order \[REP4-004\]](#). The limits and scale of each phase is

¹⁰ The Biodiversity Hierarchy states that firstly avoidance of adverse effects on medium, high and very high distinctiveness habitats should be avoided, and if not mitigation should be provided. Secondly, in relation to all on site habitats affected compensation should be provided, where possible, in the following order; enhancement of onsite habitats, creation of new onsite habitats, allocation of registered offsite gains and finally the purchase of biodiversity credits.

not yet known and will be determined by the appointed contractor as part of the detailed design.

5.2 Timing of delivery

- 5.2.1 To avoid a deficit in biodiversity growing as the construction programme progresses, the Proposed Development will follow two courses of action.
- 5.2.2 The first is to enable a progressive reinstatement of habitats, that is secured through commitment C-103.
- 5.2.3 The second is to secure 70%¹¹ of the deficit (as calculated in **Table 4-5**— i.e., as a realistic worst-case scenario) prior to commencement of construction. Any remaining shortfall identified following detailed design will be secured prior to construction works being completed. This ensures that opportunities to deliver BNG within areas of temporary construction are retained should negotiations with the landowner be positive, for example reinstatement of a construction compound to a wildflower meadow, as opposed to an area of pasture. (It would be impossible to deliver such units in advance given that they would be in the way of the construction works).

5.3 Sourcing Biodiversity Units

- 5.3.1 RED will not seek to secure and manage land for the purposes of BNG directly. This is because the onshore transmission assets, as required by law, will need to be passed to an Offshore Transmission Owner (OFTO) once energised, who may not have the capability for ongoing management. Therefore, biodiversity units would be sourced from landowners whose land is within the Proposed DCO Order Limits via a third party (such as strategic BNG scheme or via a habitat bank) and / or habitat banks that are being set up to service the mandatory BNG market that is created through the Environment Act 2021.
- 5.3.2 RED has not secured any off-site units currently. This is because the commencement of construction is not scheduled until 2026, and the detailed design phase is scheduled to take place post-DCO award. However, discussions have been held with affected landowners and a number of stakeholders. These discussions are ongoing.
- 5.3.3 At least three landowners with interest over large land holdings (including in Biodiversity Opportunity Areas identified by the Local Nature Partnership) have expressed detailed interest to RED for the delivery of biodiversity units in support of meeting the BNG commitment.
- 5.3.4 In addition to the landowners, the following organisations have been contacted:
- The Weald to Waves Project (part of the Sussex Regeneration Collective) which is coordinating landowners and identifying opportunities for biodiversity

¹¹ It is expected that 70% of the deficit as calculated at **Table 4-5**, will likely be equivalent to that which will be necessary to provide to secure the commitment once detailed design has been completed.

enhancement and associated funding streams across an area that overlaps with the proposed DCO Order Limits. This project is in the early stage of development and therefore, marketable biodiversity units should be available at the necessary juncture to enable the Proposed Development; and

- Commercial entities involved in habitat banking who have confirmed that they are in the process of developing relationships with various landowners and projects (such as the Weald to Waves Project) to bring biodiversity units to the developing market.

5.3.5 South Downs National Park Authority and West Sussex County Council have also identified that the Sussex Nature Partnership (in collaboration with the Environment Agency) is currently in the process of identifying strategic areas for the delivery of BNG. Horsham District Council have also identified the Wilder Horsham initiative as being a potential provider.

5.3.6 The location of the biodiversity units will be important, both to minimise risk multipliers applying in the metric, but also to ensure that the positive legacy is local to the affected area. The location of the biodiversity units will be focused on areas inside or within close proximity to the proposed DCO Order Limits wherever possible¹² with the intention being to deliver proportionally within the affected Local Planning Authority areas (e.g. BNG proportionate to losses within Arun District will be provided within Arun District if possible). However, dependent on availability of biodiversity units this area could be extended across West Sussex. However, a strict prioritisation exercise will take place with units being favoured (subject to reasonable cost consideration and type of unit needed to satisfy metric trading rules) in the following order:

- within the proposed DCO Order Limits or within 2km of them on land owned / managed by affected parties (this would attract a spatial risk of 'compensation inside LPA or NCA or deemed to be sufficiently local to site of biodiversity loss'). Priority within this category would be given to any areas of land available for habitat enhancement / creation within a future Local Nature Recovery Strategy or through a strategic project;
- within 2km of the proposed DCO Order Limits on land owned / managed by those not directly affected by permanent or temporary land take due to the Proposed Development (this would attract a spatial risk of 'compensation inside LPA or NCA or deemed to be sufficiently local to site of biodiversity loss'). Priority within this category would be given to any areas of land available for habitat enhancement / creation within a future Local Nature Recovery Strategy or through a strategic project ;
- within the River Arun Lower or Adur Upper Operational Catchments (this would attract a spatial risk of 'compensation inside LPA or NCA or deemed to be sufficiently local to site of biodiversity loss'). Priority within this category would be given to any areas of land available for habitat enhancement / creation within a future Local Nature Recovery Strategy or through a strategic project ;

¹² Proximity is based on Local Planning Authority (LPA) areas and National Character Areas (NCA) within the Statutory Biodiversity Metric.

- within the National Character Areas (NCAs) of South Coast Plain, South Downs or Low Weald when in West Sussex (this would attract a spatial risk of ‘compensation inside LPA or NCA or deemed to be sufficiently local to site of biodiversity loss’). Priority within this category would be given to any areas of land available for habitat enhancement / creation within a future Local Nature Recovery Strategy or through a strategic project ; and
- within other NCAs in West Sussex (this would attract a spatial risk of ‘compensation outside LPA or NCA but in neighbouring LPA or NCA’).

5.3.7 Based on current understanding, it is likely that all required biodiversity units could be delivered within the first two bullet points in **paragraph 5.3.6**. Identifying the most appropriate biodiversity units from a long list will take into account their location, extent and linkages to other habitat complexes in the surrounding area. This is to maximise the ecological functions that they would provide within the landscape.

5.4 Securing Biodiversity Net Gain

5.4.1 Biodiversity Net Gain is secured through Requirement 14 of the **draft Development Consent Order [REP5-005]** (updated at Deadline 6). This includes for the provision of stage specific Biodiversity Net Gain Strategies.

5.4.2 The stage specific Biodiversity Net Gain strategies will be informed by a range of information that is to be gathered pre-construction. Firstly, up to date habitat survey information (see commitment C-294 of the **Commitments Register [REP5-086]** (updated at Deadline 6)) will be reported on and used to inform the detailed design for a stage (noting the implementation of the mitigation hierarchy at this point through commitment C-292) and the stage specific Vegetation Retention and Removal Plan (secured via Requirement 40 of the draft DCO) and then the BNG calculations. The baseline survey information and the losses will underpin the stage specific BNG strategies but are also associated with other pre-construction documentation secured through Requirement 14 of the **draft DCO [REP5-009]** (updated at Deadline 6), such as the stage specific Code of Construction Practices. Approaches to reinstatement and habitat creation at the onshore substation location at Oakendene will be covered in the stage specific Landscape Ecology and Management Plan secured by Requirements 8 and 12 of the **draft DCO [REP5-009]** (updated at Deadline 6).

5.4.3 Each of the stage specific BNG strategies will use this pre-construction information to provide a description of the calculations undertaken and identify the unit deficit at each stage. They will then go on to identify sources of biodiversity units within a given stage and describe these with respect to the prioritisation criteria described in Section 5.3. The biodiversity units considered for purchase would then be highlighted for discussion with the relevant local planning authority. Assuming that the highlighted biodiversity units are agreeable, these would be purchased and the resulting certificates generated through the Biodiversity Gain Site Register administered by Natural England would then be appended to the BNG strategy prior to finalisation for that stage.

5.4.4 Seventy percent of the units required would be secured in advance of the commencement of construction. ‘Secured’ in this context means that the Applicant

has purchased units and that the Seller is then under an obligation to deliver and manage them. Any remaining shortfall identified following detailed design will be secured prior to construction works being completed. This ensures that opportunities to deliver BNG within areas of temporary construction are retained should negotiations with the landowner be positive, (for example reinstatement of a construction compound to a wildflower meadow, as opposed to an area of pasture).

- 5.4.5 Habitat management and monitoring plans would either be provided by the Applicant as part of the stage specific Landscape and Ecology Management Plan (secured via Requirement 12 of the draft DCO) or appended from the relevant third-party provider. Precise timescales for delivery of the habitats acquired by the Applicant will depend on whether the units relate to habitat that has been already created or relate to habitats yet to be created in the next available planting season. Third party providers will have a maximum of 12 months from the date of acquisition of the units to deliver habitat creation works as per the mandatory system devised by Defra and Natural England.
- 5.4.25.4.6 The management and monitoring of these habitat units over a thirty year period would be secured through section 106 agreements or conservation covenants between the land owner and the relevant planning authority or other responsible body.
- ~~5.4.3 Biodiversity gain information based on the detailed design would be drafted for discussion and agreement with the relevant local planning authorities in discussion with the statutory nature conservation body (i.e. Natural England or the Environment Agency).~~
- ~~5.4.4 In parallel to the calculations of the need for off-site biodiversity units at the detailed design stage, options for delivering BNG will be determined. A short list of options would be compiled that would ensure that trading rules could be satisfied, that were most local to the losses or connected to strategic projects key to the Local Nature Recovery Network. This would be informed by discussions with biodiversity unit providers (to identify availability) and the local authorities (including West Sussex County Council and SDNPA) to understand local priorities.~~
- ~~5.4.5 Prior to securing the necessary units to meet the commitment, the short list would be discussed with the relevant local authorities to agree the biodiversity units to be provided pre-commencement of construction. This discussion would enable the biodiversity gain information to be finalised for sign-off the relevant local authorities.~~
- ~~5.4.6 Once the biodiversity gain information has been formally agreed, the biodiversity units to fulfil the 70% front loaded portion would then be purchased and proof of transaction provided to the relevant local authorities. These biodiversity units would be entered on to Natural England's biodiversity gain site register, and assigned to the Proposed Development. These biodiversity units would be secured through section 106 agreements or conservation covenants between the land owner and the relevant planning authority or other responsible body. Options for the remaining units needed would be secured and these provided at an appropriate juncture prior to the end of construction (for example any units~~

~~secured within the draft Order Limits that would be subject to construction works would be registered once these areas were released for habitat creation).~~

5.4.7 ~~The commitment to Biodiversity Net Gain is secured through Requirement 14 of the **Draft Development Consent Order [REP2-002]**.~~

6. Glossary of terms and abbreviations

Table 6-1 Glossary of terms and abbreviations

Term (acronym)	Definition
Baseline Conditions	The environment as it appears (or would appear) immediately prior to the implementation of the Proposed Development together with any known or foreseeable future changes that will take place before completion of the Proposed Development.
BNG	Biodiversity Net Gain
Code of Construction Practice (CoCP)	The code sets out the standards and procedures to which developers and contractors must adhere to when undertaking construction of major projects. This will assist with managing the environmental impacts and will identify the main responsibilities and requirements of developers and contractors in constructing their projects.
Development Consent Order (DCO) Application	An application for consent under the Planning Act 2008 to undertake a Nationally Significant Infrastructure Project made to the Planning Inspectorate who will consider the application and make a recommendation to the Secretary of State, who will decide on whether development consent should be granted for the Proposed Development.
Environmental Impact Assessment (EIA)	The process of evaluating the likely significant environmental effects of a proposed project or development over and above the existing circumstances (or 'baseline').
Environmental Statement (ES)	The written output presenting the full findings of the Environmental Impact Assessment.
LPA	Local Planning Authority
Habitat creation	Habitat created within the draft Order Limits that is replacing the current habitat type. Reinstatement is the term used to note habitats that are being replaced like for like following temporary losses.
National Policy Statements (NPS)	Part 2 of the Planning Act 2008 sets out the national policy against which NSIP applications are assessed. NPSs set out guidance to inform the decision-making process for NSIPs. NPSs relevant to energy generation include: Overarching National Policy Statement for Energy (EN-1) (DECC, 2011a);

Term (acronym)	Definition
	National Policy Statement for Renewable Energy (EN-3) (DECC, 2011b); and National Policy Statement for Electricity Networks (EN-5) (DECC, 2011c).
NCA	National Character Area
No net loss	The quantity of biodiversity units that need to be delivered to compensate for predicted losses
NPPF	National Planning Policy Framework
OFTO	Offshore Transmission Owner
Proposed DCO Order Limits	The proposed DCO Order Limits combines the search areas for the offshore and onshore infrastructure associated with the Proposed Development. It is defined as the area within which the Proposed Development and associated infrastructure will be located, including the temporary and permanent construction and operational work areas.
Proposed Development	The development that is subject to the application for development consent, as described in Chapter 4: The Proposed Development, Volume 2 of the ES (Document Reference: 6.2.4).
Reinstatement	Replacement of habitats temporarily lost with the same habitat type and target habitat condition as recorded in the baseline.
SAC	Special Area of Conservation
SDNPA	South Downs National Park Authority
	Habitat units are those measured in hectares and include habitats such as grassland, woodland and scrub.
	Hedgerow units are measured in kilometres and cover hedgerows and tree lines.
Units	River units are measured in kilometres and cover watercourses and wet ditches.

7. References

Arun District Council, (2018). *Adoption Arun Local Plan 2011 – 2031*. [Online] Available at: <https://www.arun.gov.uk/download.cfm?doc=docm93jjm4n12844.pdf&ver=12984> [Accessed 23 June 2023].

Chartered Institute of Ecology and Environmental Management (CIEEM), (2023). *Good practice guidance for habitats and species – version 3*. Chartered Institute of Ecology and Environmental Management, Romsey.

Department for Energy Security and Net Zero), (2011). *Overarching National Policy Statement for Energy (EN-1)*. [Online] Available at: https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/47854/1938-overarching-nps-for-energy-en1.pdf [Accessed 23 June 2023]. TCPA 1990

Department for Environment, Food and Rural Affairs (Defra), (2011). *Natural Environment White Paper - The natural choice: securing the value of nature*. [Online] Available at: https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/228842/8082.pdf [Accessed 23 June 2023].

Department for Environment, Food and Rural Affairs (Defra), (2018). *A Green Future: Our 25-year plan to improve the environment*. [Online] Available at: <https://www.gov.uk/government/publications/25-year-environment-plan> [Accessed 23 June 2023].

Department for Food, Environment and Rural Affairs (Defra), (2011). *Biodiversity 2020: A system for England's wildlife and ecosystems services*. [Online] Available at: https://www.sustainabilityexchange.ac.uk/files/biodiversity_strategy_2020.pdf [Accessed 23 June 2023].

Department of Energy and Climate Change (DECC), (2011). *Overarching National Policy Statement for Energy (EN-1)*. [Online] Available at: https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/47854/1938-overarching-nps-for-energy-en1.pdf [Accessed 23 June 2023].

Electricity (Competitive Tenders for Offshore Transmission Licences) Regulations 2009. [Online] Available at: <https://www.legislation.gov.uk/uksi/2009/1340/contents/made> [Accessed 23 June 2023].

Environment Act 2021. [Online] Available at: <https://www.legislation.gov.uk/ukpga/2021/30/contents/enacted> [Accessed 23 June 2023].

Horsham District Council, (2015). *Horsham District Planning Framework*. [Online] Available at: https://www.horsham.gov.uk/_data/assets/pdf_file/0016/60190/Horsham-District-Planning-Framework-November-2015.pdf [Accessed 23 June 2023].

Horsham District Council, (2020). *Horsham District Local Plan 2019-36*. [Online] Available at: https://www.horsham.gov.uk/_data/assets/pdf_file/0006/80691/Local-Plan-Review-Reg-18-Consultation-Document-Feb-2020.pdf [Accessed 23 June 2023].

Mid Sussex District Council, (2018). *Mid Sussex District Plan 2014 – 2031*. [Online] Available at: <https://www.midsussex.gov.uk/media/3406/mid-sussex-district-plan.pdf> [Accessed 23 June 2023].

Ministry of Housing, Communities and Local Government, (2021). *National Planning Policy Framework*. [Online] Available at: https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/1005759/NPPF_July_2021.pdf [Accessed 23 June 2023].

Department for Environment, Food and Rural Affairs (Defra) (2023, updated 2024). *The Statutory Biodiversity Metric User Guide*. [Online] Available at: https://assets.publishing.service.gov.uk/media/65c60e0514b83c000ca715f3/The_Statutory_Biodiversity_Metric_-_User_Guide_.pdf [Accessed 18 April 2024].

Planning Act 2008. [Online] Available at: <https://www.legislation.gov.uk/ukpga/2008/29/contents> [Accessed 23 June 2023].

South Downs National Park Authority (SDNPA), (2019). *South Downs Local Plan*. [Online] Available at: https://www.southdowns.gov.uk/wp-content/uploads/2019/07/SD_LocalPlan_2019_17Wb.pdf [Accessed 23 June 2023].

Page intentionally blank

Annex A

Biodiversity Net Gain Metric Calculations

The Statutory Biodiversity Metric Start page

Project details			
Planning authority:	Arun District Council		
Project name:	Rampion 2 Offshore Wind Farm		
Applicant:	Rampion Extension Development Ltd		
Application type:	Development Consent Order		
Planning application reference:			
Completed by:	Alan Kirby		
Date of metric completion:	17 April 2024		
Reviewer:	Craig Brookes		
Calculation iteration:	1		
Planning authority reviewer:			
Date of planning authority review:			
Target % net gain:	10%		
Irreplaceable habitat present at baseline:	No ✓		
Total site area - including irreplaceable habitat area (hectares):	25.22	Irreplaceable habitat site area (hectares):	0.00
Total off-site area - including irreplaceable habitat area (hectares):	N/A	Irreplaceable habitat area off-site (hectares):	N/A

Main menu

Results

Cell style conventions	
	Attention required
	Input error/rules and principles not met
	Use of this cell is not appropriate
	Enter data
	Automatic lookup
	Result

View all

Reset view

On-site baseline map Insert

On-site baseline map reference number

On-site post intervention map Insert

On-site post-intervention map reference number

Off-site baseline map Insert

Off-site baseline map reference number

Off-site post intervention map Insert

Off-site post-intervention reference number

Key

- Area habitats
- Hedgerows and lines of trees
- Watercourses

The Statutory Biodiversity Metric Main menu

[Start page](#)
[Technical data](#)
[Results](#)

Tree helper						
Tree size	Number of trees and area (ha) for each condition state					
	Poor	Area	Moderate	Area	Good	Area
Small		0.0000		0.0000		0.0000
Medium		0.0000		0.0000		0.0000
Large		0.0000		0.0000		0.0000
Very large		0.0000		0.0000		0.0000
Total	0	0.0000	0	0.0000	0	0.0000



On-site baseline

- A-1 On-site Area Habitat Baseline
- B-1 On-site Hedge Baseline
- C-1 On-site Watercourse Baseline

On-site post development

- A-2 On-site Area Habitat Creation
- A-3 On-site Area Habitat Enhancement
- B-2 On-site Hedge Creation
- B-3 On-site Hedge Enhancement
- C-2 On-site Watercourse Creation
- C-3 On-site Watercourse Enhancement

Off-site baseline

- D-1 Off-site Area Habitat Baseline
- E-1 Off-site Hedge Baseline
- F-1 Off-site Watercourse Baseline

Off-site post development

- D-2 Off-site Area Habitat Creation
- D-3 Off-site Area Habitat Enhancement
- E-2 Off-site Hedge Creation
- E-3 Off-site Hedge Enhancement
- F-2 Off-site Watercourse Creation
- F-3 Off-site Watercourse Enhancement

The Statutory Biodiversity Metric Results

[Return to start
page](#)

[Headline results](#)

[Detailed results](#)

[Habitat trading
summaries](#)

[Off-site
summary](#)

[Irreplaceable
habitats summary](#)

[Unit shortfall
summary](#)

Return to results menu

Headline Results

Scroll down for final results ▲

On-site baseline	Habitat units	75.19		
	Hedgerow units	2.65		
	Watercourse units	1.91		
On-site post-intervention <small>(Including habitat retention, creation & enhancement)</small>	Habitat units	54.25		
	Hedgerow units	2.38		
	Watercourse units	1.03		
On-site net change <small>(units & percentage)</small>	Habitat units	-20.94	-27.84%	On-site net gain is less than target set ▲
	Hedgerow units	-0.28	-10.47%	On-site net gain is less than target set ▲
	Watercourse units	-0.89	-46.40%	On-site net gain is less than target set ▲

Off-site baseline	Habitat units	0.00		
	Hedgerow units	0.00		
	Watercourse units	0.00		
Off-site post-intervention <small>(Including habitat retention, creation & enhancement)</small>	Habitat units	0.00		
	Hedgerow units	0.00		
	Watercourse units	0.00		
Off-site net change <small>(units & percentage)</small>	Habitat units	0.00	0.00%	
	Hedgerow units	0.00	0.00%	
	Watercourse units	0.00	0.00%	

Combined net unit change <small>(Including all on-site & off-site habitat retention, creation & enhancement)</small>	Habitat units	-20.94		
	Hedgerow units	-0.28		
	Watercourse units	-0.89		
Spatial risk multiplier (SRM) deductions	Habitat units	0.00		
	Hedgerow units	0.00		
	Watercourse units	0.00		

FINAL RESULTS

Total net unit change <small>(Including all on-site & off-site habitat retention, creation & enhancement)</small>	Habitat units	-20.94		
	Hedgerow units	-0.28		
	Watercourse units	-0.89		
Total net % change <small>(Including all on-site & off-site habitat retention, creation & enhancement)</small>	Habitat units	-27.84%		Total net gain achieved is less than target set ▲
	Hedgerow units	-10.47%		Total net gain achieved is less than target set ▲
	Watercourse units	-46.40%		Total net gain achieved is less than target set ▲

Trading rules satisfied? No - Check Trading Summaries ▲

Unit Type	Target	Baseline Units	Units Required	Unit Deficit
Habitat units	10.00%	75.19	82.71	28.45
Hedgerow units	10.00%	2.65	2.92	0.54
Watercourse units	10.00%	1.91	2.11	1.08

Input errors/rule breaks present in metric ▲

Return to results menu

Trading summary hedgerows

Trading summary watercourses

Trading Summary

Distinctiveness Group	Trading Rule	Trading Satisfied?
Very High	Same habitat required – bespoke compensation option Δ	Yes \checkmark
High	Same habitat required =	No \blacktriangle
Medium	Same broad habitat or a higher distinctiveness habitat required (\geq)	No \blacktriangle
Low	Same distinctiveness or better habitat required \geq	No \blacktriangle

Very High Distinctiveness

Habitat group	Group	On-site unit change	Off-site unit change	Project-wide unit change	Unit losses
Grassland - Lowland dry acid grassland	Grassland	0.00	0.00	0.00	
Grassland - Lowland meadows	Grassland	0.00	0.00	0.00	
Grassland - Upland hay meadows	Grassland	0.00	0.00	0.00	
Heathland and shrub - Mountain heaths and willow scrub	Heathland and shrub	0.00	0.00	0.00	
Lakes - Aquifer fed naturally fluctuating water bodies	Lakes	0.00	0.00	0.00	
Sparsely vegetated land - Calaminarian grasslands	Sparsely vegetated land	0.00	0.00	0.00	
Sparsely vegetated land - Limestone pavement	Sparsely vegetated land	0.00	0.00	0.00	
Wetland - Blanket bog	Wetland	0.00	0.00	0.00	
Wetland - Depressions on peat substrates (H7150)	Wetland	0.00	0.00	0.00	
Wetland - Fens (upland and lowland)	Wetland	0.00	0.00	0.00	
Wetland - Lowland raised bog	Wetland	0.00	0.00	0.00	
Wetland - Oceanic valley mire[1] (D2.1)	Wetland	0.00	0.00	0.00	
Wetland - Purple moor grass and rush pastures	Wetland	0.00	0.00	0.00	
Wetland - Transition mires and quaking bogs (H7140)	Wetland	0.00	0.00	0.00	
Woodland and forest - Wood-pasture and parkland	Woodland and forest	0.00	0.00	0.00	
Rocky shore - High energy littoral rock - on peat, clay or chalk	Rocky shore	0.00	0.00	0.00	
Rocky shore - Moderate energy littoral rock - on peat, clay or chalk	Rocky shore	0.00	0.00	0.00	
Rocky shore - Low energy littoral rock - on peat, clay or chalk	Rocky shore	0.00	0.00	0.00	
Rocky shore - Features of littoral rock - on peat, clay or chalk	Rocky shore	0.00	0.00	0.00	
Intertidal sediment - Littoral seagrass on peat, clay or chalk	Intertidal sediment	0.00	0.00	0.00	
		0.00	0.00	0.00	0.00

Very High Distinctiveness Summary

Very High Distinctiveness Units available to offset lower distinctiveness deficit	0.00
Remaining losses; Like for like not satisfied	0.00

High Distinctiveness

Habitat group	Group	On-site unit change	Off-site unit change	Project-wide unit change	Losses not yet accounted for
Grassland - Traditional orchards	Grassland	0.00	0.00	0.00	
Grassland - Floodplain wetland mosaic and CFGM	Grassland	-18.57	0.00	-18.57	-18.57 \blacktriangle
Grassland - Lowland calcareous grassland	Grassland	0.00	0.00	0.00	
Grassland - Tall herb communities (H6430)	Grassland	0.00	0.00	0.00	
Grassland - Upland calcareous grassland	Grassland	0.00	0.00	0.00	
Heathland and shrub - Lowland Heathland	Heathland and shrub	0.00	0.00	0.00	
Heathland and shrub - Dunes with sea buckthorn (H2160)	Heathland and shrub	0.00	0.00	0.00	
Heathland and shrub - Upland heathland	Heathland and shrub	0.00	0.00	0.00	
Lakes - High alkalinity lakes	Lakes	0.00	0.00	0.00	
Lakes - Low alkalinity lakes	Lakes	0.00	0.00	0.00	
Lakes - Marl lakes	Lakes	0.00	0.00	0.00	
Lakes - Moderate alkalinity lakes	Lakes	0.00	0.00	0.00	
Lakes - Peat lakes	Lakes	0.00	0.00	0.00	
Lakes - Ponds (priority habitat)	Lakes	0.00	0.00	0.00	
Lakes - Temporary lakes ponds and pools (H3170)	Lakes	0.00	0.00	0.00	
Sparsely vegetated land - Coastal sand dunes	Sparsely vegetated land	0.00	0.00	0.00	
Sparsely vegetated land - Coastal vegetated shingle	Sparsely vegetated land	0.00	0.00	0.00	
Sparsely vegetated land - Inland rock outcrop and scree habitats	Sparsely vegetated land	0.00	0.00	0.00	
Sparsely vegetated land - Maritime cliff and slopes	Sparsely vegetated land	0.00	0.00	0.00	
Urban - Open mosaic habitats on previously developed land	Urban	0.00	0.00	0.00	
Wetland - Reedbeds	Wetland	0.00	0.00	0.00	
Woodland and forest - Felled/Replacement for felled woodland	Woodland and forest	0.00	0.00	0.00	
Woodland and forest - Lowland beech and yew woodland	Woodland and forest	0.00	0.00	0.00	
Woodland and forest - Lowland mixed deciduous woodland	Woodland and forest	0.00	0.00	0.00	
Woodland and forest - Native pine woodlands	Woodland and forest	0.00	0.00	0.00	

High Distinctiveness Summary

High Distinctiveness Units available to offset lower distinctiveness deficit	0.00
Remaining losses; Like for like not satisfied	-18.57 \blacktriangle

Woodland and forest - Upland birchwoods	Woodland and forest	0.00	0.00	0.00	
Woodland and forest - Upland mixed ashwoods	Woodland and forest	0.00	0.00	0.00	
Woodland and forest - Upland oakwood	Woodland and forest	0.00	0.00	0.00	
Woodland and forest - Wet woodland	Woodland and forest	0.00	0.00	0.00	
Coastal lagoons - Coastal lagoons	Coastal lagoons	0.00	0.00	0.00	
Rocky shore - High energy littoral rock	Rocky shore	0.00	0.00	0.00	
Rocky shore - Moderate energy littoral rock	Rocky shore	0.00	0.00	0.00	
Rocky shore - Low energy littoral rock	Rocky shore	0.00	0.00	0.00	
Rocky shore - Features of littoral rock	Rocky shore	0.00	0.00	0.00	
Intertidal sediment - Littoral mud	Intertidal sediment	0.00	0.00	0.00	
Intertidal sediment - Littoral mixed sediments	Intertidal sediment	0.00	0.00	0.00	
Coastal saltmarsh - Saltmarshes and saline reedbeds	Coastal saltmarsh	0.00	0.00	0.00	
Intertidal sediment - Littoral biogenic reefs - Mussels	Intertidal sediment	0.00	0.00	0.00	
Intertidal sediment - Littoral biogenic reefs - Sabellaria	Intertidal sediment	0.00	0.00	0.00	
Intertidal sediment - Features of littoral sediment	Intertidal sediment	0.00	0.00	0.00	
Intertidal sediment - Littoral muddy sand	Intertidal sediment	0.00	0.00	0.00	
Intertidal sediment - Littoral seagrass	Intertidal sediment	0.00	0.00	0.00	
		-18.87	0.00	-18.87	-18.87

Medium Distinctiveness					
Habitat group	Group	On-site unit change	Off-site unit change	Project wide unit change	Cumulative broad habitat change
Cropland - Arable field margins cultivated annually	Cropland	0.00	0.00	0.00	
Cropland - Arable field margins game bird mix	Cropland	0.00	0.00	0.00	-0.07 ▲
Cropland - Arable field margins pollen and nectar	Cropland	0.00	0.00	0.00	
Cropland - Arable field margins tussocky	Cropland	-0.07	0.00	-0.07	
Grassland - Other lowland acid grassland	Grassland	0.00	0.00	0.00	0.00
Grassland - Other neutral grassland	Grassland	0.00	0.00	0.00	
Grassland - Upland acid grassland	Grassland	0.00	0.00	0.00	
Heathland and shrub - Blackthorn scrub	Heathland and shrub	0.00	0.00	0.00	
Heathland and shrub - Bramble scrub	Heathland and shrub	0.00	0.00	0.00	
Heathland and shrub - Gorse scrub	Heathland and shrub	0.00	0.00	0.00	
Heathland and shrub - Hawthorn scrub	Heathland and shrub	0.00	0.00	0.00	0.49 ✓
Heathland and shrub - Willow scrub	Heathland and shrub	0.00	0.00	0.00	
Heathland and shrub - Hazel scrub	Heathland and shrub	0.00	0.00	0.00	
Heathland and shrub - Mixed scrub	Heathland and shrub	0.49	0.00	0.49	
Lakes - Ponds (non-priority habitat)	Lakes	0.00	0.00	0.00	0.00
Lakes - Reservoirs	Lakes	0.00	0.00	0.00	
Sparsely vegetated land - Other inland rock and scree	Sparsely vegetated land	0.00	0.00	0.00	0.00
Urban - Cemeteries and churchyards	Urban	0.00	0.00	0.00	0.00
Urban - Biodiverse green roof	Urban	0.00	0.00	0.00	
Individual trees - Urban tree	Individual trees	0.00	0.00	0.00	0.00
Individual trees - Rural tree	Individual trees	0.00	0.00	0.00	
Woodland and forest - Other Scot's pine woodland	Woodland and forest	0.00	0.00	0.00	
Woodland and forest - Other woodland; broadleaved	Woodland and forest	-0.70	0.00	-0.70	-0.70 ▲
Woodland and forest - Other woodland; mixed	Woodland and forest	0.00	0.00	0.00	
Intertidal sediment - Littoral coarse sediment	Intertidal sediment	0.00	0.00	0.00	
Intertidal sediment - Littoral sand	Intertidal sediment	0.00	0.00	0.00	0.00
Intertidal hard structures - Artificial hard structures with integrated greening of grey infrastructure (IGGI)	Intertidal hard structures	0.00	0.00	0.00	
		-0.29	0.00	-0.29	

Medium Distinctiveness Summary		
Medium Distinctiveness Units available to offset Lower Distinctiveness Deficit	0.49	✓
Medium Distinctiveness Broad Habitat losses to be offset by trading up	-0.78	▲
Higher Distinctiveness Surplus Units minus Medium Distinctiveness Broad Habitat Deficit	-0.78	▲
Cumulative surplus of units	-0.29	▲

Low Distinctiveness					
Habitat group	Group	On-site unit change	Off-site unit change	Project wide unit change	
Cropland - Cereal crops	Cropland	-1.35	0.00	-1.35	▲
Cropland - Horticulture	Cropland	0.00	0.00	0.00	
Cropland - Intensive orchards	Cropland	0.00	0.00	0.00	
Cropland - Non-cereal crops	Cropland	0.00	0.00	0.00	
Cropland - Temporary grass and clover leys	Cropland	0.00	0.00	0.00	
Cropland - Winter stubble	Cropland	0.00	0.00	0.00	
Grassland - Modified grassland	Grassland	-0.73	0.00	-0.73	▲
Grassland - Bracken	Grassland	0.00	0.00	0.00	
Heathland and shrub - Rhododendron scrub	Heathland and shrub	0.00	0.00	0.00	
Lakes - Ornamental lake or pond	Lakes	0.00	0.00	0.00	
Sparsely vegetated land - Ruderal/ephemeral	Sparsely vegetated land	0.00	0.00	0.00	
Sparsely vegetated land - Tall forbs	Sparsely vegetated land	0.00	0.00	0.00	

Low Distinctiveness Summary		
Low Distinctiveness net change in units	-2.08	▲
Cumulative surplus of units	-2.08	▲

Urban - Bioswale	Urban	0.00	0.00	0.00
Urban - Bare ground	Urban	0.00	0.00	0.00
Urban - Allotments	Urban	0.00	0.00	0.00
Urban - Facade-bound green wall	Urban	0.00	0.00	0.00
Urban - Ground based green wall	Urban	0.00	0.00	0.00
Urban - Ground level planters	Urban	0.00	0.00	0.00
Urban - Other green roof	Urban	0.00	0.00	0.00
Urban - Intensive green roof	Urban	0.00	0.00	0.00
Urban - Introduced shrub	Urban	0.00	0.00	0.00
Urban - Rain garden	Urban	0.00	0.00	0.00
Urban - Actively worked sand pit quarry or open cast mine	Urban	0.00	0.00	0.00
Urban - Sustainable drainage system	Urban	0.00	0.00	0.00
Urban - Vacant or derelict land	Urban	0.00	0.00	0.00
Urban - Vegetated garden	Urban	0.00	0.00	0.00
Woodland and forest - Other coniferous woodland	Woodland and forest	0.00	0.00	0.00
Coastal saltmarsh - Artificial saltmarshes and saline reedbeds	Coastal saltmarsh	0.00	0.00	0.00
Intertidal sediment - Artificial littoral coarse sediment	Intertidal sediment	0.00	0.00	0.00
Intertidal sediment - Artificial littoral mud	Intertidal sediment	0.00	0.00	0.00
Intertidal sediment - Artificial littoral sand	Intertidal sediment	0.00	0.00	0.00
Intertidal sediment - Artificial littoral muddy sand	Intertidal sediment	0.00	0.00	0.00
Intertidal sediment - Artificial littoral mixed sediments	Intertidal sediment	0.00	0.00	0.00
Intertidal sediment - Artificial littoral seagrass	Intertidal sediment	0.00	0.00	0.00
Intertidal sediment - Artificial littoral biogenic reefs	Intertidal sediment	0.00	0.00	0.00
Intertidal hard structures - Artificial hard structures	Intertidal hard structures	0.00	0.00	0.00
Intertidal hard structures - Artificial features of hard structures	Intertidal hard structures	0.00	0.00	0.00
Heathland and shrub - Other sea buckthorn scrub	Heathland and shrub	0.00	0.00	0.00
		-2.08	0.00	-2.08

Return to results menu

Trading summary area habitats

Trading summary watercourses

Trading Summary

Distinctiveness Group	Trading Rule	Trading Satisfied?
Very High	Same habitat required =	Yes ✓
High	Like for like or better	No ▲
Medium	Same distinctiveness or better habitat required	No ▲
Low	Same distinctiveness or better habitat required	No ▲
Very Low	Same distinctiveness or better habitat required	Yes ✓

Very High Distinctiveness

Habitat group	On-site unit change	Off-site unit change	Project wide unit change
Species-rich native hedgerow with trees - associated with bank or ditch	0.00	0.00	0.00
	0.00	0.00	0.00

Very High Distinctiveness Summary

Very High Distinctiveness Units available to offset lower distinctiveness deficit	0.00
Remaining losses: Like for like not satisfied	0.00

High Distinctiveness

Habitat group	On-site unit change	Off-site unit change	Project wide unit change
Species-rich native hedgerow with trees	-0.02	0.00	-0.02 ▲
Species-rich native hedgerow - associated with bank or ditch	0.00	0.00	0.00
Native hedgerow with trees - associated with bank or ditch	0.00	0.00	0.00
	-0.02	0.00	-0.02

High Distinctiveness Summary

High Distinctiveness Units available to offset lower distinctiveness deficit	0.00
High Distinctiveness losses to be offset by trading up	-0.02 ▲
Higher Distinctiveness surplus units minus any high distinctiveness deficit	-0.02 ▲

Medium Distinctiveness

Habitat group	On-site unit change	Off-site unit change	Project wide unit change
Species-rich native hedgerow	-0.02	0.00	-0.02 ▲
Native hedgerow - associated with bank or ditch	0.00	0.00	0.00
Species-rich native hedgerow with trees	0.00	0.00	0.00
Ecologically valuable line of trees	0.00	0.00	0.00
Ecologically valuable line of trees - associated with bank or ditch	0.00	0.00	0.00
	-0.02	0.00	-0.02

Medium Distinctiveness Summary

Units available from highest distinctiveness habitats	0.00
Medium Distinctiveness net change in units	-0.02 ▲
Cumulative availability of units	-0.02 ▲

Low Distinctiveness

Habitat group	On-site unit change	Off-site unit change	Project wide unit change
Native hedgerow	-0.02	0.00	-0.02 ▲
Line of trees	-0.16	0.00	-0.16 ▲
Line of trees - associated with bank or ditch	0.00	0.00	0.00
	-0.18	0.00	-0.18

Low Distinctiveness Summary

Low Distinctiveness net change in units	-0.18 ▲
Cumulative availability of units	-0.18 ▲

Very Low Distinctiveness

Habitat group	On-site unit change	Off-site unit change	Project wide unit change
Non-native and ornamental hedgerow	0.00	0.00	0.00
	0.00	0.00	0.00

Very Low Distinctiveness Summary

Very Low Distinctiveness net change in units	0.00
Cumulative availability of units	0.00

Return to results menu

Trading summary area habitats

Trading summary hedgerows

Trading Summary

Distinctiveness Group	Trading Rule	Trading Satisfied?
Very High	Same habitat required - baseline compensation option A	Yes ✓
High	Same habitat required =	No ▲
Medium	Same habitat required =	No ▲
Low	Better distinctiveness habitat required	Yes ✓

Very High Distinctiveness

Habitat group	On-site unit change	Off-site unit change	Project-wide unit change
Priority habitat	0.00	0.00	0.00
	0.00	0.00	0.00

Very High Distinctiveness Summary

Very High Distinctiveness Units available to offset lower distinctiveness deficit	0.00
Remaining lower. Note for site not standard	0.00

High Distinctiveness

Habitat group	On-site unit change	Off-site unit change	Project-wide unit change
Other rivers and streams	-0.48	0.00	-0.48 ▲
	-0.48	0.00	-0.48

High Distinctiveness Summary

High Distinctiveness Units available to offset lower distinctiveness deficit	0.00
Remaining lower. Note for site not standard	-0.48 ▲

Medium Distinctiveness

Habitat group	On-site unit change	Off-site unit change	Project wide unit change
Ditches	-0.47	0.00	-0.47 ▲
Canals	-0.47	0.00	-0.47
	-0.47	0.00	-0.47

Medium Distinctiveness Summary

Medium Distinctiveness Units available to offset Lower Distinctiveness deficit	0.00
Remaining lower. Note for site not standard	-0.47 ▲

Low Distinctiveness

Habitat group	On-site unit change	Off-site unit change	Project wide unit change
Culvert	0.00	0.00	0.00
	0.00	0.00	0.00

Low Distinctiveness Summary

Low Distinctiveness net change in units	0.00
Cumulative availability of units	0.00

Project Name: Rampion 2 Offshore Wind Farm Map Reference:
A-1 On-Site Habitat Baseline

Area habitat summary	
Total Net Unit Change	-30.94
Total Net % Change	-37.84%
Trading Rules Satisfied	No - check trading summaries ▲

Condense / Show Columns Condense / Show Rows

Main Menu

Ref	Existing area habitats				Distinctiveness		Condition		Strategic significance			Required Action to Meet Trading Rules	Ecological baseline Total habitat units
	Broad Habitat	Habitat Type	Irreplaceable habitat	Area (hectares)	Distinctiveness	Score	Condition	Score	Strategic significance	Strategic significance	Strategic significance multiplier		
1	Grassland	Floodplain wetland mosaic and CFCM	No	1.75	High	6	Moderate	2	Formally identified in local strategy	High strategic significance	1.15	Same habitat required =	24.15
2	Grassland	Other neutral grassland	No	0	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same broad habitat or a higher distinctiveness habitat required ≥	0.00
3	Grassland	Modified grassland	No	2.46	Low	2	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required ≥	4.92
4	Grassland	Modified grassland	No	1.05	Low	2	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required ≥	4.20
5	Cropland	Cereal crops	No	19.25	Low	2	Condition Assessment N/A	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required ≥	38.50
6	Cropland	Arable field margin tussocky	No	0.52	Medium	4	Condition Assessment N/A	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same broad habitat or a higher distinctiveness habitat required ≥	2.08
7	Sparsely vegetated land	Ruderal/Ephemeral	No	0	Low	2	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required ≥	0.00
8	Urban	Bare ground	No	0.01	Low	2	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required ≥	0.02
9	Urban	Developed land, sealed surface	No	0.03	V Low	0	N/A - Other	0	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Compensation Not Required	0.00
10	Woodland and forest	Lowland mixed deciduous woodland	No	0	High	6	Moderate	2	Formally identified in local strategy	High strategic significance	1.15	Same habitat required =	0.00
11	Woodland and forest	Other woodland, broadleaved	No	0.08	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same broad habitat or a higher distinctiveness habitat required ≥	0.70
12	Heathland and shrub	Mixed scrub	No	0.07	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same broad habitat or a higher distinctiveness habitat required ≥	0.62
13	Individual trees	Rural tree	No	0	Medium	4	Good	3	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same broad habitat or a higher distinctiveness habitat required ≥	0.00
14													
15													
16													
17													
18													
				Total habitat area									78.19
				Site Area (Excluding area of individual trees, green walls, intertidal hard structures)									25.22

Area retained	Area enhanced	Baseline units retained	Baseline units enhanced	Area habitat lost	Units lost	Bespoke compensation agreed for losses of VRED or Irreplaceable habitat	Comments		
							User comments	Planning authority comments	Habitat reference number
		0.00	0.00	1.75	24.15		Temporary habitat losses within ADC. No retention assumed within the working area.		
		0.00	0.00	0.00	0.00		Temporary habitat losses within ADC. No retention assumed within the working area.		
		0.00	0.00	2.46	4.92		Temporary habitat losses within ADC. No retention assumed within the working area.		
		0.00	0.00	1.05	4.20		Temporary habitat losses within ADC. No retention assumed within the working area.		
		0.00	0.00	19.25	38.50		Temporary habitat losses within ADC. No retention assumed within the working area.		
		0.00	0.00	0.52	2.08		Temporary habitat losses within ADC. No retention assumed within the working area.		
		0.00	0.00	0.00	0.00		Temporary habitat losses within ADC. No retention assumed within the working area.		
		0.00	0.00	0.01	0.02		Temporary habitat losses within ADC. No retention assumed within the working area.		
		0.00	0.00	0.03	0.00		Temporary habitat losses within ADC. No retention assumed within the working area.		
		0.00	0.00	0.00	0.00		Temporary habitat losses within ADC. No retention assumed within the working area.		
		0.00	0.00	0.08	0.70		Temporary habitat losses within ADC. No retention assumed within the working area.		
		0.00	0.00	0.07	0.62		Temporary habitat losses within ADC. No retention assumed within the working area.		
		0.00	0.00	0.00	0.00		Temporary habitat losses within ADC. No retention assumed within the working area.		
0.00	0.00	0.00	0.00	25.22	78.19				

Total area lost (excluding area of individual trees, green walls and intertidal hard structures) **25.22**

M² to hectares conversion tool:	Select a unit	Hectares	M ²
---	---------------	----------	----------------

Project Name: Rampton 2 Offshore Wind Farm Map Reference:
A-2 On-Site Habitat Creation

Condense / Show Columns

Condense / Show Rows

Main Menu

Area habitat summary	
Total Net Unit Change	-20.94
Total Net % Change	-17.64%
Trading Rules Satisfied	No - check trading summaries ▲
Area Check	Area Acceptable ✓

Post intervention habitats

Ref	Broad Habitat	Proposed habitat	Area (hectares)	Distinctiveness		Condition		Strategic significance			Temporal multiplier			Difficulty multipliers			Habitat units delivered	Comments						
				Distinctiveness	Score	Condition	Score	Strategic significance	Strategic significance multiplier	Standard time to target condition (years)	Habitat created in advance (years)	Delay in starting habitat creation (years)	Standard or adjusted time to target condition	Final time to target condition (years)	Final time to target multiplier	Standard difficulty of creation		Applied difficulty multiplier	Final difficulty of creation	Difficulty multiplier applied	User comments	Planning authority comments	Habitat reference number	
1	Grassland	Floodplain wetland mosaic and CFCM	1.25	High	6	Moderate	2	Formally identified in local strategy	High strategic significance	1.15	10			Standard time to target condition applied	10	0.700	High	Standard difficulty applied	High	0.33	5.98	Reinstated habitat with target of reaching condition as current		
2	Grassland	Other neutral grassland	0	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5			Standard time to target condition applied	5	0.837	Low	Standard difficulty applied	Low	1	0.00	Reinstated habitat with target of reaching condition as current		
3	Grassland	Modified grassland	2.46	Low	2	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	1			Standard time to target condition applied	1	0.965	Low	Standard difficulty applied	Low	1	4.78	Reinstated habitat with target of reaching condition as current		
4	Grassland	Modified grassland	1.05	Low	2	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	4			Standard time to target condition applied	4	0.867	Low	Standard difficulty applied	Low	1	3.64	Reinstated habitat with target of reaching condition as current		
5	Cropland	Cereal crops	19.25	Low	2	Condition Assessment N/A	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	1			Standard time to target condition applied	1	0.965	Low	Standard difficulty applied	Low	1	37.15	Reinstated habitat with target of reaching condition as current		
6	Cropland	Arable field margins tussocky	0.52	Medium	4	Condition Assessment N/A	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	1			Standard time to target condition applied	1	0.965	Low	Standard difficulty applied	Low	1	2.01	Reinstated habitat with target of reaching condition as current		
7	Sparsely vegetated land	Ruderal/Ephemeral	0	Low	2	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	1			Standard time to target condition applied	1	0.965	Low	Standard difficulty applied	Low	1	0.00	Reinstated habitat with target of reaching condition as current		
8	Urban	Bare ground	0.01	Low	2	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	1			Standard time to target condition applied	1	0.965	Low	Standard difficulty applied	Low	1	0.02	Reinstated habitat with target of reaching condition as current		
9	Urban	Developed land sealed surface	0.03	V.Low	0	N/A - Other	0	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	0			Standard time to target condition applied	0	1.000	Low	Standard difficulty applied	Low	1	0.00	Reinstated habitat with target of reaching condition as current		
10	Heathland and shrub	Mixed scrub	0	Medium	4	Moderate	2	Formally identified in local strategy	High strategic significance	1.15	5			Standard time to target condition applied	5	0.837	Low	Standard difficulty applied	Low	1	0.00	Reinstatement of scrub in area previously recorded as woodland		
11	Heathland and shrub	Mixed scrub	0.08	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5			Standard time to target condition applied	5	0.837	Low	Standard difficulty applied	Low	1	0.59	Reinstatement of scrub in area previously recorded as woodland		
12	Heathland and shrub	Mixed scrub	0.07	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5			Standard time to target condition applied	5	0.837	Low	Standard difficulty applied	Low	1	0.52	Reinstated habitat with target of reaching condition as current		
13	Individual trees	Rural tree	0	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	27			Standard time to target condition applied	27	0.382	Low	Standard difficulty applied	Low	1	0.00	Reinstated habitat with target of reaching reduced condition as to reach good condition takes more than 50 years		
14																								
15																								
16																								
17																								
18																								
			Total habitat area	25.22																			Total Units	84.25

Site Area (Excluding area of individual trees, green walls, intertidal hard structures) 25.22

M² to hectares conversion tool: Select a unit Hectares M²

Project Name: Rampion 2 Offshore Wind Farm Map Reference:
B-1 On-Site Hedge Baseline
 Condense / Show Columns Condense / Show Rows
 Main Menu

Hedgerow summary	
Total Net Unit Change	-0.28
Total Net % Change	-10.47%
Trading Rules Satisfied	No - check trading summary ▲

Ref	Existing hedgerow habitats			Distinctiveness		Condition		Strategic significance			Required Action to Meet Trading Rules	Ecological baseline Total hedgerow units	Comments								
	Hedge number	Habitat type	Length (km)	Distinctiveness	Score	Condition	Score	Strategic significance	Strategic significance	Strategic significance multiplier			Length retained	Length enhanced	Units retained	Units enhanced	Length lost	Units lost	User comments	Planning authority comments	Habitat reference number
1		Species-rich native hedgerow	0.0136244	Medium	4	Good	3	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness band or better	0.18	0.01052793		0.14	0.00	0.00	0.04			
2		Species-rich native hedgerow	0.0272488	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness band or better	0.24	0.02105586		0.19	0.00	0.01	0.05			
3		Species-rich native hedgerow	0.0136244	Medium	4	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness band or better	0.06	0.01052793		0.05	0.00	0.00	0.01			
4		Native hedgerow	0.0606904	Low	2	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness band or better	0.27	0.0371574		0.16	0.00	0.02	0.10			
5		Native hedgerow	0.0606904	Low	2	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness band or better	0.13	0.0371574		0.06	0.00	0.02	0.05			
6		Native hedgerow	0.0241523	Low	2	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness band or better	0.05	0.01734012		0.04	0.00	0.01	0.01			
7		Species-rich native hedgerow with trees	0.0030965	High	6	Good	3	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Like for like or better	0.06	0.00247716		0.05	0.00	0.00	0.01			
8		Species-rich native hedgerow with trees	0.0061929	High	6	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Like for like or better	0.08	0.00371574		0.05	0.00	0.00	0.03			
9		Species-rich native hedgerow with trees	0.0030965	High	6	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Like for like or better	0.02	0.00247716		0.02	0.00	0.00	0.00			
10		Native hedgerow with trees	0.0334417	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness band or better	0.29	0.01362438		0.12	0.00	0.02	0.17			
11		Native hedgerow with trees	0.0334417	Medium	4	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness band or better	0.15	0.01362438		0.06	0.00	0.02	0.09			
12		Line of trees	0.2363836	Low	2	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness band or better	1.04	0.16628783		0.73	0.00	0.07	0.31			
13		Line of trees	0.0173677	Low	2	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness band or better	0.06	0.01447308		0.06	0.00	0.00	0.01			
14																					
15																					
16																					
17																					
18			0.63									2.66	0.35	0.00	1.74	0.00	0.18	0.91			

Ref	Hwy hedge number	Proposed habitat		Disturbance		Condition		Strategic significance			Temporal multiplier					Disturbance risk multiplier				Hedge value			Comments		
		Habitat type	Length (m)	Disturbance	Score	Condition	Score	Strategic significance	Strategic significance multiplier	Standard Time to target condition (years)	Habitat created in advance (years)	Delay in starting habitat creation (years)	Standard or adjusted time to target condition	Final time to target condition (years)	Final time to target multiplier	Standard difficulty of creation	Applied difficulty multiplier	Final difficulty of creation	Difficulty multiplier applied	Hedge value delivered	User comments	Planning authority comments	Habitat reference number		
1		Species rich native hedge	0.00096	Medium	4	Good	2	Location ecologically desirable but not in local planning	Medium strategic significance	1.1	14		Standard time to target condition applied	14	0.900	Low	Standard difficulty applied	Low	1	0.01					
2		Species rich native hedge	0.00101	Medium	4	Medium	2	Location ecologically desirable but not in local planning	Medium strategic significance	1.1	6		Standard time to target condition applied	6	0.917	Low	Standard difficulty applied	Low	1	0.01					
3		Species rich native hedge	0.00096	Medium	4	Poor	1	Location ecologically desirable but not in local planning	Medium strategic significance	1.1	1		Standard time to target condition applied	1	0.900	Low	Standard difficulty applied	Low	1	0.01					
4		Native hedge	0.00053	Low	2	Medium	2	Location ecologically desirable but not in local planning	Medium strategic significance	1.1	6		Standard time to target condition applied	6	0.917	Low	Standard difficulty applied	Low	1	0.01					
5		Native hedge	0.00053	Low	2	Poor	1	Location ecologically desirable but not in local planning	Medium strategic significance	1.1	1		Standard time to target condition applied	1	0.900	Low	Standard difficulty applied	Low	1	0.01					
6		Native hedge	0.00051	Low	2	Poor	1	Location ecologically desirable but not in local planning	Medium strategic significance	1.1	1		Standard time to target condition applied	1	0.900	Low	Standard difficulty applied	Low	1	0.01					
7		Species rich native hedge with trees	0.00013	High	6	Good	3	Location ecologically desirable but not in local planning	Medium strategic significance	1.1	20		Standard time to target condition applied	20	0.400	Low	Standard difficulty applied	Low	1	0.01					
8		Species rich native hedge with trees	0.00047	High	6	Medium	2	Location ecologically desirable but not in local planning	Medium strategic significance	1.1	10		Standard time to target condition applied	10	0.500	Low	Standard difficulty applied	Low	1	0.01					
9		Species rich native hedge with trees	0.00010	High	6	Poor	1	Location ecologically desirable but not in local planning	Medium strategic significance	1.1	1		Standard time to target condition applied	1	0.900	Low	Standard difficulty applied	Low	1	0.01					
10		Native hedge with trees	0.00012	Medium	4	Medium	2	Location ecologically desirable but not in local planning	Medium strategic significance	1.1	10		Standard time to target condition applied	10	0.200	Low	Standard difficulty applied	Low	1	0.12					
11		Native hedge with trees	0.00013	Medium	4	Poor	1	Location ecologically desirable but not in local planning	Medium strategic significance	1.1	1		Standard time to target condition applied	1	0.900	Low	Standard difficulty applied	Low	1	0.01					
12		Line of trees	0.00010	Low	2	Medium	2	Location ecologically desirable but not in local planning	Medium strategic significance	1.1	20		Standard time to target condition applied	20	0.400	Low	Standard difficulty applied	Low	1	0.16					
13		Line of trees	0.00001	Low	2	Medium	2	Location ecologically desirable but not in local planning	Medium strategic significance	1.1	20		Standard time to target condition applied	20	0.400	Low	Standard difficulty applied	Low	1	0.01					
14																									
15																									
16																									
17																									
18																									
																				0.28					

Project Name: Rampion 2 Offshore Wind Farm Map
 C-1 On-Site WaterC' Baseline

Watercourse summary	
Total Net Unit Change	-0.88
Total Net % Change	-48.40%
Trading Rules Satisfied	No - check trading summary ▲

Condense / Show Columns Condense / Show Rows
 Main Menu

Existing watercourse type			Distinctiveness		Condition		Strategic significance			Watercourse encroachment		Riparian encroachment		Required Action to Meet Trading Rules	Ecological baseline	Comments									
Ref	Watercourse type	Length (m)	Distinctiveness	Score	Condition	Score	Strategic significance	Strategic significance	Strategic significance multiplier	Extent of encroachment	Multiplier	Extent of encroachment for both banks	Multiplier		Total watercourse units	Length retained	Length enhanced	Units retained	Units enhanced	Length Lost	Units Lost	Bespoke compensation agreed for losses of VHEH	User Comments	Planning authority comments	Habitat reference number
1	Other rivers and streams	0.03	High	6	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	No Encroachment	1	No Encroachment/ No Encroachment	1	Some habitat required =	0.20			0.00	0.00	0.03	0.20				
2	Other rivers and streams	0.03	High	6	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	No Encroachment	1	No Encroachment/ No Encroachment	1	Some habitat required =	0.40			0.00	0.00	0.03	0.40				
3	Ditches	0.3	Medium	4	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	No Encroachment	1	No Encroachment/ No Encroachment	1	Some habitat required =	1.32			0.00	0.00	0.30	1.32				
4																									
5																									
6																									
7																									
8																									
		0.38													1.91	0.00	0.00	0.00	0.00	0.36	1.91				

Watercourse summary	
Total Net Unit Change	-0.38
Total Net % Change	-68.8%
Trading Rules Related	No - check trading summary A

Ref	Proposed habitat		Difficultiness		Condition		Strategic significance				Temporal multiplier				Difficulty multiplier				Watercourse encroachment		Species encroachment		Comments				
	Watercourse type	Length (km)	Difficultiness	Score	Condition	Score	Strategic significance	Strategic significance multiplier	Standard Time to target condition (years)	Habitat created in advance (years)	Delay in starting habitat creation (years)	Standard or adjusted time to target condition	Final time to target condition (years)	Final Time to target multiplier	Standard difficulty of creation	Applied difficulty multiplier	Final difficulty of creation	Difficulty multiplier applied	Extent of encroachment	Multiplier	Extent of encroachment for both banks	Multiplier	Watercourse units delivered	User comments	Planning authority comments	Habitat reference number	
1	Other rivers and streams	0.03	High	6	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	1		Standard time to target condition applied	1	0.988	High	Standard difficulty applied	High	0.33	No Encroachment	1	No Encroachment	No Encroachment	1	0.06			
2	Other rivers and streams	0.03	High	6	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	8		Standard time to target condition applied	9	0.837	High	Standard difficulty applied	High	0.33	No Encroachment	1	No Encroachment	No Encroachment	1	0.11			
3	Drains	0.3	Medium	4	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	1		Standard time to target condition applied	1	0.988	Medium	Standard difficulty applied	Medium	0.47	No Encroachment	1	No Encroachment	No Encroachment	1	0.88			
4																											
5																											
82																											
83																											
																							0.38				

The Statutory Biodiversity Metric Start page

Project details			
Planning authority:	Horsham District Council		
Project name:	Rampion 2 Offshore Wind Farm		
Applicant:	Rampion Extension Development Ltd		
Application type:	Development Consent Order		
Planning application reference:			
Completed by:	Alan Kirby		
Date of metric completion:	17 April 2024		
Reviewer:	Craig Brookes		
Calculation iteration:			
Planning authority reviewer:			
Date of planning authority review:			
Target % net gain:	10%		
Irreplaceable habitat present at baseline:	No ✓		
Total site area - including irreplaceable habitat area (hectares):	27.21	Irreplaceable habitat site area (hectares):	0.00
Total off-site area - including irreplaceable habitat area (hectares):	N/A	Irreplaceable habitat area off-site (hectares):	N/A

Main menu

Results

Cell style conventions	
	Attention required
	Input error/rules and principles not met
	Use of this cell is not appropriate
	Enter data
	Automatic lookup
	Result

View all

Reset view

On-site baseline map Insert

On-site baseline map reference number

On-site post intervention map Insert

On-site post-intervention map reference number

Off-site baseline map Insert

Off-site baseline map reference number

Off-site post intervention map Insert

Off-site post-intervention reference number

Key

- Area habitats
- Hedgerows and lines of trees
- Watercourses

The Statutory Biodiversity Metric Main menu

[Start page](#)
[Technical data](#)
[Results](#)

Tree helper						
Tree size	Number of trees and area (ha) for each condition state					
	Poor	Area	Moderate	Area	Good	Area
Small		0.0000		0.0000		0.0000
Medium		0.0000		0.0000		0.0000
Large		0.0000		0.0000		0.0000
Very large		0.0000		0.0000		0.0000
Total	0	0.0000	0	0.0000	0	0.0000



On-site baseline

- A-1 On-site Area Habitat Baseline
- B-1 On-site Hedge Baseline
- C-1 On-site Watercourse Baseline

On-site post development

- A-2 On-site Area Habitat Creation
- A-3 On-site Area Habitat Enhancement
- B-2 On-site Hedge Creation
- B-3 On-site Hedge Enhancement
- C-2 On-site Watercourse Creation
- C-3 On-site Watercourse Enhancement

Off-site baseline

- D-1 Off-site Area Habitat Baseline
- E-1 Off-site Hedge Baseline
- F-1 Off-site Watercourse Baseline

Off-site post development

- D-2 Off-site Area Habitat Creation
- D-3 Off-site Area Habitat Enhancement
- E-2 Off-site Hedge Creation
- E-3 Off-site Hedge Enhancement
- F-2 Off-site Watercourse Creation
- F-3 Off-site Watercourse Enhancement

The Statutory Biodiversity Metric Results

[Return to start
page](#)

[Headline results](#)

[Detailed results](#)

[Habitat trading
summaries](#)

[Off-site
summary](#)

[Irreplaceable
habitats summary](#)

[Unit shortfall
summary](#)

Rampion 2 Offshore Wind Farm
Headline Results
Scroll down for final results ▲

Return to results menu

On-site baseline	Habitat units	72.85		
	Hedgerow units	13.80		
	Watercourse units	1.94		
On-site post-intervention <small>(Including habitat retention, creation & enhancement)</small>	Habitat units	66.92		
	Hedgerow units	9.83		
	Watercourse units	0.60		
On-site net change <small>(units & percentage)</small>	Habitat units	-5.93	-8.15%	On-site net gain is less than target set ▲
	Hedgerow units	-3.97	-28.75%	On-site net gain is less than target set ▲
	Watercourse units	-1.34	-68.97%	On-site net gain is less than target set ▲

Off-site baseline	Habitat units	0.00		
	Hedgerow units	0.00		
	Watercourse units	0.00		
Off-site post-intervention <small>(Including habitat retention, creation & enhancement)</small>	Habitat units	0.00		
	Hedgerow units	0.00		
	Watercourse units	0.00		
Off-site net change <small>(units & percentage)</small>	Habitat units	0.00	0.00%	
	Hedgerow units	0.00	0.00%	
	Watercourse units	0.00	0.00%	

Combined net unit change <small>(Including all on-site & off-site habitat retention, creation & enhancement)</small>	Habitat units	-5.93		
	Hedgerow units	-3.97		
	Watercourse units	-1.34		
Spatial risk multiplier (SRM) deductions	Habitat units	0.00		
	Hedgerow units	0.00		
	Watercourse units	0.00		

FINAL RESULTS

Total net unit change <small>(Including all on-site & off-site habitat retention, creation & enhancement)</small>	Habitat units	-5.93		
	Hedgerow units	-3.97		
	Watercourse units	-1.34		
Total net % change <small>(Including all on-site & off-site habitat retention, creation & enhancement)</small>	Habitat units	-8.15%		Total net gain achieved is less than target set ▲
	Hedgerow units	-28.75%		Total net gain achieved is less than target set ▲
	Watercourse units	-68.97%		Total net gain achieved is less than target set ▲

Trading rules satisfied?	No - Check Trading Summaries ▲
--------------------------	--------------------------------

Unit Type	Target	Baseline Units	Units Required	Unit Deficit
<i>Habitat units</i>	10.00%	72.85	80.14	13.22
<i>Hedgerow units</i>	10.00%	13.80	15.18	5.35
<i>Watercourse units</i>	10.00%	1.94	2.13	1.53

Input errors/rule breaks present in metric ▲

[Return to results menu](#)

Summary Figures

Net project biodiversity units (Including all on-site & off-site habitat retention / creation)	Habitat units	-5.93
	Hedgerow units	-3.97
	Watercourse units	-1.34

Total project biodiversity % change (Including all on-site & off-site habitat creation + retained habitats)	Habitat units	-8.15%
	Hedgerow units	-28.75%
	Watercourse units	-68.97%

Combined habitat retention and enhancement			
	Habitats	Hedgerows	Watercourses
Total on-site and off-site baseline area / length	27.39	2.74	0.22
Total on-site and off-site baseline units	72.85	13.80	1.94
Total on-site and off-site baseline area / length retained	0.00	1.77	0.00
Total on-site and off-site baseline units retained	0.00	8.64	0.00
Total on-site and off-site area / length proposed for enhancement	0.00	0.00	0.00
Total on-site and off-site baseline units proposed for enhancement	0.00	0.00	0.00
Total on-site and off-site baseline area / length lost	27.39	0.97	0.22
Total on-site and off-site baseline units lost	72.85	5.17	1.94

Area habitats

On-site change by broad habitat type						
Habitat group	Baseline		Post-development on-site		On-site change	
	On-site existing area	On-site existing value	On-site proposed area	On-site proposed value	On-site area change	On-site unit change
Cropland	10.01	20.54	4.08	8.38	-5.93	-12.16
Grassland	16.89	48.91	13.29	31.43	-3.60	-17.48
Heathland and shrub	0.03	0.26	1.01	7.44	0.98	7.17
Lakes	0.00	0.00	0.00	0.00	0.00	0.00
Sparsely vegetated land	0.00	0.00	0.00	0.00	0.00	0.00
Urban	0.20	0.06	6.13	0.06	5.93	0.00
Wetland	0.00	0.00	0.00	0.00	0.00	0.00
Woodland and forest	0.08	0.70	2.70	13.97	2.62	13.27
Intertidal sediment	0.00	0.00	0.00	0.00	0.00	0.00
Coastal saltmarsh	0.00	0.00	0.00	0.00	0.00	0.00
Rocky shore	0.00	0.00	0.00	0.00	0.00	0.00
Coastal lagoons	0.00	0.00	0.00	0.00	0.00	0.00
Intertidal hard structures	0.00	0.00	0.00	0.00	0.00	0.00
Watercourse footprint	0.00	0.00	0.00	0.00	0.00	0.00
Individual trees	0.18	2.38	1.68	5.65	1.50	3.27






Off-site change by broad habitat type						
Habitat group	Baseline		Post-development off-site		Off-site change	
	Off-site existing area	Off-site existing value	Off-site proposed area	Off-site proposed value	Off-site area change	Off-site unit change
Cropland	0.00	0.00	0.00	0.00	0.00	0.00
Grassland	0.00	0.00	0.00	0.00	0.00	0.00
Heathland and shrub	0.00	0.00	0.00	0.00	0.00	0.00
Lakes	0.00	0.00	0.00	0.00	0.00	0.00
Sparsely vegetated land	0.00	0.00	0.00	0.00	0.00	0.00
Urban	0.00	0.00	0.00	0.00	0.00	0.00
Wetland	0.00	0.00	0.00	0.00	0.00	0.00
Woodland and forest	0.00	0.00	0.00	0.00	0.00	0.00
Intertidal sediment	0.00	0.00	0.00	0.00	0.00	0.00
Coastal saltmarsh	0.00	0.00	0.00	0.00	0.00	0.00
Rocky shore	0.00	0.00	0.00	0.00	0.00	0.00
Coastal lagoons	0.00	0.00	0.00	0.00	0.00	0.00
Intertidal hard structures	0.00	0.00	0.00	0.00	0.00	0.00
Watercourse footprint	0.00	0.00	0.00	0.00	0.00	0.00
Individual trees	0.00	0.00	0.00	0.00	0.00	0.00

Combined on-site and off-site change by broad habitat type						
Habitat group	Baseline		On-site and off-site post-development		Combined change	
	Combined existing area	Combined existing value	Combined proposed area	Combined proposed value	Combined area change	Combined unit change
Cropland	10.01	20.54	4.08	8.38	-5.93	-12.16
Grassland	16.89	48.91	13.29	31.43	-3.60	-17.48
Heathland and shrub	0.03	0.26	1.01	7.44	0.98	7.17
Lakes	0.00	0.00	0.00	0.00	0.00	0.00
Sparsely vegetated land	0.00	0.00	0.00	0.00	0.00	0.00
Urban	0.20	0.06	6.13	0.06	5.93	0.00
Wetland	0.00	0.00	0.00	0.00	0.00	0.00
Woodland and forest	0.08	0.70	2.70	13.97	2.62	13.27
Intertidal sediment	0.00	0.00	0.00	0.00	0.00	0.00
Coastal saltmarsh	0.00	0.00	0.00	0.00	0.00	0.00
Rocky shore	0.00	0.00	0.00	0.00	0.00	0.00
Coastal lagoons	0.00	0.00	0.00	0.00	0.00	0.00
Intertidal hard structures	0.00	0.00	0.00	0.00	0.00	0.00
Watercourse footprint	0.00	0.00	0.00	0.00	0.00	0.00
Individual trees	0.18	2.38	1.68	5.65	1.50	3.27



Hedgerows and lines of trees

On-site change by hedgerow type						
Hedgerow type	Baseline		Post-development on-site		On-site change	
	On-site existing length	On-site existing value	On-site proposed length	On-site proposed value	On-site length change	On-site unit change
Species-rich native hedgerow with trees - associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00

Combined area lost from baseline(s) by distinctiveness band		
Category	Area lost (hectares)	Area lost (%)
V.High	0	
High	0.78	3
Medium	0.65	2
Low	25.92	95
V.Low	0.17	1





Combined length lost from baseline(s) by distinctiveness band		
Category	Length lost (km)	Length lost (%)
V.High	0	
High	0.2	2
Medium	0.2	2
Low	1.77	95
V.Low	0.03	1





Species-rich native hedgerow with trees	0.07	0.93	0.07	0.83	0.00	-0.09
Species-rich native hedgerow - associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Native hedgerow with trees - associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Species-rich native hedgerow	0.31	2.72	0.31	2.58	0.00	-0.13
Native hedgerow - associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Native hedgerow with trees	0.38	2.50	0.00	0.00	-0.38	-2.50
Ecologically valuable line of trees	0.00	0.00	0.00	0.00	0.00	0.00
Ecologically valuable line of trees - associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Native hedgerow	0.82	2.57	0.57	1.88	-0.28	-0.70
Line of trees	1.16	5.09	1.16	4.54	0.00	-0.55
Line of trees - associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Non-native and ornamental hedgerow	0.00	0.00	0.00	0.00	0.00	0.00

V.High	0	
High	0.02105586	2
Medium	0.44919188	46
Low	0.800180438	52
V.Low	0	



Off-site change by hedgerow type						
Hedgerow type	Off-site baseline		Post-development off-site		Off-site change	
	Off-site existing length	Off-site existing value	Off-site proposed length	Off-site proposed value	Off-site length change	Off-site unit change
Species-rich native hedgerow with trees - associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Species-rich native hedgerow with trees	0.00	0.00	0.00	0.00	0.00	0.00
Species-rich native hedgerow - associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Native hedgerow with trees - associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Species-rich native hedgerow	0.00	0.00	0.00	0.00	0.00	0.00
Native hedgerow - associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Native hedgerow with trees	0.00	0.00	0.00	0.00	0.00	0.00
Ecologically valuable line of trees	0.00	0.00	0.00	0.00	0.00	0.00
Ecologically valuable line of trees - associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Native hedgerow	0.00	0.00	0.00	0.00	0.00	0.00
Line of trees	0.00	0.00	0.00	0.00	0.00	0.00
Line of trees - associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Non-native and ornamental hedgerow	0.00	0.00	0.00	0.00	0.00	0.00






Combined on-site and off-site change by hedgerow type						
Hedgerow type	Baseline		Post-development		Change	
	Combined existing length	Combined existing value	Combined proposed length	Combined proposed value	Combined length change	Combined unit change
Species-rich native hedgerow with trees - associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Species-rich native hedgerow with trees	0.07	0.93	0.07	0.83	0.00	-0.09
Species-rich native hedgerow - associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Native hedgerow with trees - associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Species-rich native hedgerow	0.31	2.72	0.31	2.58	0.00	-0.13
Native hedgerow - associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Native hedgerow with trees	0.38	2.50	0.00	0.00	-0.38	-2.50
Ecologically valuable line of trees	0.00	0.00	0.00	0.00	0.00	0.00
Ecologically valuable line of trees - associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Native hedgerow	0.82	2.57	0.57	1.88	-0.26	-0.70
Line of trees	1.16	5.09	1.16	4.54	0.00	-0.55
Line of trees - associated with bank or ditch	0.00	0.00	0.00	0.00	0.00	0.00
Non-native and ornamental hedgerow	0.00	0.00	0.00	0.00	0.00	0.00



Watercourses

On-site change by watercourse type						
Watercourse type	Baseline		Post-development on site		On-site Change	
	On-site existing length	On-site existing value	On-site proposed length	On-site proposed value	On-site length change	On-site unit change
Priority habitat	0.0	0.0	0.0	0.0	0.0	0.0
Other rivers and streams	0.2	1.8	0.2	0.5	0.0	-1.3
Ditches	0.0	0.1	0.0	0.1	0.0	0.0
Canals	0.0	0.0	0.0	0.0	0.0	0.0
Culvert	0.0	0.0	0.0	0.0	0.0	0.0

Combined length lost from baseline(s) by distinctiveness band		
Category	Length lost (km)	Length lost (%)
V.High	0	
High	0.2	91
Medium	0.02	9
Low	0	



Off-site change by watercourse type						
Watercourse type	Baseline		Post development off-site		Off-site Change	
	Off-site existing length	Off-site existing value	Off-site proposed length	Off-site proposed value	Off-site length change	Off-site unit change
Priority habitat	0.0	0.0	0.0	0.0	0.0	0.0
Other rivers and streams	0.0	0.0	0.0	0.0	0.0	0.0
Ditches	0.0	0.0	0.0	0.0	0.0	0.0
Canals	0.0	0.0	0.0	0.0	0.0	0.0
Culvert	0.0	0.0	0.0	0.0	0.0	0.0



Combined on-site and off-site change by watercourse type						
Watercourse type	Baseline		Post-development on-site		On-site change	
	Combined existing length	Combined existing value	Combined proposed length	Combined proposed value	Combined length change	Combined unit change
Priority habitat	0.0	0.0	0.0	0.0	0.0	0.0
Other rivers and streams	0.2	1.8	0.2	0.5	0.0	-1.3
Ditches	0.0	0.1	0.0	0.1	0.0	0.0
Canals	0.0	0.0	0.0	0.0	0.0	0.0
Culvert	0.0	0.0	0.0	0.0	0.0	0.0



Project Name: Rampion 2 Offshore Wind Farm Map Reference:
A-1 On-Site Habitat Baseline

Condense / Show Columns Condense / Show Rows

Main Menu

Area habitat summary	
Total Net Unit Change	-5.83
Total Net % Change	-8.19%
Trading Rules Satisfied	No - check trading summaries ▲

Ref	Existing area habitats			Distinctiveness		Condition		Strategic significance			Required Action to Meet Trading Rules	Ecological baseline Total habitat units	
	Broad Habitat	Habitat Type	Irreplaceable habitat	Area (hectares)	Distinctiveness	Score	Condition	Score	Strategic significance	Strategic significance			Strategic significance multiplier
1	Grassland	Floodplain wetland mosaic and CFCM	No	0.75	High	6	Moderate	2	Formally identified in local strategy	High strategic significance	1.15	Same habitat required =	10.35
2	Grassland	Other neutral grassland	No	0	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same broad habitat or a higher distinctiveness habitat required (2)	0.00
3	Grassland	Modified grassland	No	13	Low	2	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required ≥	26.00
4	Grassland	Modified grassland	No	3.14	Low	2	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required ≥	12.56
5	Cropland	Cereal crops	No	9.75	Low	2	Condition Assessment N/A	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required ≥	19.50
6	Cropland	Arable field margins tussocky	No	0.26	Medium	4	Condition Assessment N/A	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same broad habitat or a higher distinctiveness habitat required (2)	1.04
7	Sparsely vegetated land	Ruderal/Ephemeral	No	0	Low	2	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required ≥	0.00
8	Urban	Bare ground	No	0.03	Low	2	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required ≥	0.06
9	Urban	Developed land, sealed surface	No	0.17	V.Low	0	N/A - Other	0	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Compensation Not Required	0.00
10	Woodland and forest	Lowland mixed deciduous woodland	No	0	High	6	Moderate	2	Formally identified in local strategy	High strategic significance	1.15	Same habitat required =	0.00
11	Woodland and forest	Other woodland, broadleaved	No	0.08	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same broad habitat or a higher distinctiveness habitat required (2)	0.70
12	Heathland and shrub	Mixed scrub	No	0.03	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same broad habitat or a higher distinctiveness habitat required (2)	0.26
13	Individual trees	Rural tree	No	0.18	Medium	4	Good	3	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same broad habitat or a higher distinctiveness habitat required (3)	2.38
14													
15													
16													
17													
18													
				Total habitat area									72.88
				Site Area (Excluding area of individual trees, green walls, intertidal hard structures)									27.21

Area retained	Area enhanced	Baseline units retained	Baseline units enhanced	Area habitat lost	Units lost	Baseline compensation agreed for losses of VHDH or irreplaceable habitat	Comments		
							User comments	Planning authority comments	Habitat reference number
		0.00	0.00	0.75	10.35				
		0.00	0.00	0.00	0.00				
		0.00	0.00	13.00	26.00				
		0.00	0.00	3.14	12.56				
		0.00	0.00	9.75	19.50				
		0.00	0.00	0.26	1.04				
		0.00	0.00	0.00	0.00				
		0.00	0.00	0.03	0.06				
		0.00	0.00	0.17	0.00				
		0.00	0.00	0.00	0.00				
		0.00	0.00	0.08	0.70				
		0.00	0.00	0.03	0.26				
		0.00	0.00	0.18	2.38				
0.00	0.00	0.00	0.00	27.39	72.88				

Total area lost (excluding area of individual trees, green walls and intertidal hard structures)	27.21
---	--------------

M² to hectares conversion tool: Select a unit Hectares M²

Project Name: Rampton 2 Offshore Wind Farm Map Reference:
A-2 On-Site Habitat Creation

Condense / Show Columns Condense / Show Rows

Main Menu

Area habitat summary	
Total Net Unit Change	-6.88
Total Net % Change	-3.17%
Tracing Data Satisfied	No - check tracing summaries ▲
Area Check	Area Acceptable ✓

Post intervention habitats

Ref	Broad Habitat	Proposed habitat	Area (hectares)	Distinctiveness		Condition		Strategic significance			Temporal multiplier			Difficulty multipliers			Habitat units delivered	Comments						
				Distinctiveness	Score	Condition	Score	Strategic significance	Strategic significance	Strategic significance multiplier	Standard time to target condition (years)	Habitat created in advance (years)	Delay in starting habitat creation (years)	Standard or adjusted time to target condition	Final time to target condition (years)	Final time to target multiplier		Standard difficulty of creation	Applied difficulty multiplier	Final difficulty of creation	Difficulty multiplier applied	User comments	Planning authority comments	Habitat reference number
1	Grassland	Floodplain wetland mosaic and CFCM	0.75	High	6	Moderate	2	Formally identified in local strategy	High strategic significance	1.15	10			Standard time to target condition applied	10	0.700	High	Standard difficulty applied	High	0.33	2.39	Reinstated habitat with target of reaching condition as current		
2	Grassland	Other neutral grassland	0	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5			Standard time to target condition applied	5	0.837	Low	Standard difficulty applied	Low	1	0.00	Reinstated habitat with target of reaching condition as current		
3	Grassland	Modified grassland	9.4	Low	2	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	1			Standard time to target condition applied	1	0.965	Low	Standard difficulty applied	Low	1	18.14	Reinstated habitat with target of reaching condition as current		
4	Grassland	Modified grassland	3.14	Low	2	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	4			Standard time to target condition applied	4	0.867	Low	Standard difficulty applied	Low	1	10.89	Reinstated habitat with target of reaching condition as current		
5	Cropland	Cereal crops	3.82	Low	2	Condition Assessment N/A	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	1			Standard time to target condition applied	1	0.965	Low	Standard difficulty applied	Low	1	7.37	Reinstated habitat with target of reaching condition as current		
6	Cropland	Arable field margin tussocky	0.26	Medium	4	Condition Assessment N/A	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	1			Standard time to target condition applied	1	0.965	Low	Standard difficulty applied	Low	1	1.00	Reinstated habitat with target of reaching condition as current		
7	Sparsely vegetated land	Ruderal/Ephemeral	0	Low	2	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	1			Standard time to target condition applied	1	0.965	Low	Standard difficulty applied	Low	1	0.00	Reinstated habitat with target of reaching condition as current		
8	Urban	Bare ground	0.03	Low	2	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	1			Standard time to target condition applied	1	0.965	Low	Standard difficulty applied	Low	1	0.06	Reinstated habitat with target of reaching condition as current		
9	Urban	Developed land, sealed surface	6.1	VLow	0	N/A - Other	0	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	0			Standard time to target condition applied	0	1.000	Low	Standard difficulty applied	Low	1	0.00	Reinstated habitat with target of reaching condition as current		
10	Heathland and shrub	Mixed scrub	0	Medium	4	Moderate	2	Formally identified in local strategy	High strategic significance	1.15	5			Standard time to target condition applied	5	0.837	Low	Standard difficulty applied	Low	1	0.00	Reinstated habitat with target of reaching condition as current		
11	Heathland and shrub	Mixed scrub	0.08	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5			Standard time to target condition applied	5	0.837	Low	Standard difficulty applied	Low	1	0.59	Reinstatement of scrub in areas previously recorded as woodland		
12	Heathland and shrub	Mixed scrub	0.03	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5			Standard time to target condition applied	5	0.837	Low	Standard difficulty applied	Low	1	0.22	Reinstated habitat with target of reaching condition as current		
13	Individual trees	Rural tree	0.18	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	27			Standard time to target condition applied	27	0.382	Low	Standard difficulty applied	Low	1	0.61	Reinstated habitat with target of reaching reduced condition as to reach good condition takes more than 30 years		
14	Woodland and forest	Other woodland: broadleaved	0.8	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	15			Standard time to target condition applied	15	0.596	Low	Standard difficulty applied	Low	1	4.13	Habitat creation at Oakenside - location ecologically desirable as adjacent to hedgerows, woodland (including ancient woodland), lakes, Cowfold Stream catchment etc.		
15	Woodland and forest	Wet woodland	1.9	High	6	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	15			Standard time to target condition applied	15	0.596	Medium	Standard difficulty applied	Medium	0.67	9.85	Habitat creation at Oakenside - location ecologically desirable as adjacent to hedgerows, woodland (including ancient woodland), lakes, Cowfold Stream catchment etc.		
16	Heathland and shrub	Mixed scrub	0.9	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5			Standard time to target condition applied	5	0.837	Low	Standard difficulty applied	Low	1	6.63	Habitat creation at Oakenside - location ecologically desirable as adjacent to hedgerows, woodland (including ancient woodland), lakes, Cowfold Stream catchment etc.		
17	Individual trees	Rural tree	1.5	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	27			Standard time to target condition applied	27	0.382	Low	Standard difficulty applied	Low	1	5.04	habitat creation at Oakenside and Rowley		
18																								
19																								
20																								
21																								
22																								
Total habitat area			26.89														Total Units	66.92						

Site Area (Excluding area of individual trees, green walls, intertidal hard structures)	27.21
---	-------

M ² to hectares conversion tool:	Select a unit	Hectares	M ²
---	---------------	----------	----------------

Project Name: **Rampion & Offshore Wind Farm** Map Reference:
B-1 On-Site Hedge Baseline
 Condense / Show Columns Condense / Show Rows
 Main Menu

Hedge row summary	
Total Net Unit Change	-3.17
Total Net % Change	-28.17%
Trading Rules Satisfied	No - check trading summary A

Ref	Hedge number	Existing hedgerow habitats	Length (m)	Distinctiveness		Condition		Strategic significance			Required Action to Meet Trading Rules	Ecological baseline Total hedgerow units	Comments									
				Distinctiveness	Score	Condition	Score	Strategic significance	Strategic significance	Strategic significance multiplier			Length retained	Length enhanced	Units retained	Units enhanced	Length lost	Units lost	User comments	Planning authority comments	Habitat reference number	
1		Species-rich native hedgerow	0.0772049	Medium	4	Good	3	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness based on better	1.08	0.06969227		0.79	0.00	0.02	0.23				
2		Species-rich native hedgerow	0.1544096	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness based on better	1.36	0.11931654		3.05	0.00	0.04	0.31				
3		Species-rich native hedgerow	0.0772049	Medium	4	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness based on better	0.34	0.06969227		0.28	0.00	0.02	0.08				
4		Native hedgerow	0.3439134	Low	2	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness based on better	1.61	0.284124		1.25	0.00	0.08	0.28				
5		Native hedgerow	0.3439134	Low	2	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness based on better	0.75	0.284124		0.63	0.00	0.05	0.13				
6		Native hedgerow	0.1388631	Low	2	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness based on better	0.30	0		0.00	0.00	0.14	0.30				
7		Species-rich native hedgerow with trees	0.0175468	High	6	Good	3	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Live for three or better	0.35	0.01403724		0.28	0.00	0.00	0.01				
8		Species-rich native hedgerow with trees	0.0305931	High	6	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Live for three or better	0.46	0.02105886		0.28	0.00	0.01	0.18				
9		Species-rich native hedgerow with trees	0.0175468	High	6	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Live for three or better	0.12	0.01403724		0.09	0.00	0.00	0.02				
10		Native hedgerow with trees	0.1895027	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness based on better	1.67	0		0.00	0.00	0.19	1.67				
11		Native hedgerow with trees	0.1895027	Medium	4	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness based on better	0.83	0		0.00	0.00	0.19	0.83				
12		Line of trees	1.0769044	Low	2	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness based on better	4.74	0.44638036		3.72	0.00	0.23	1.01				
13		Line of trees	0.0791195	Low	2	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness based on better	0.35	0.06953282		0.28	0.00	0.01	0.06				
14																						
15																						
16																						
17																						
18																						
19																						
20																						
			8.74									13.80		1.77	0.00	6.64	0.00	0.97	6.17			

Project Name: Rampion 2 Offshore Wind Farm [Map](#)
 C-1 On-Site WaterC' Baseline

Condense / Show Columns Condense / Show Rows
 Main Menu

Watercourse summary	
Total Net Unit Change	-1.34
Total Net % Change	-68.97%
Trading Rules Satisfied	No - check trading summary ▲

Existing watercourse type			Distinctiveness		Condition		Strategic significance			Watercourse encroachment		Riparian encroachment		Required Action to Meet Trading Rules	Ecological baseline	Bespoke compensation agreed for losses of VEDH						Comments		
Ref	Watercourse type	Length (km)	Distinctiveness	Score	Condition	Score	Strategic significance	Strategic significance	Strategic significance multiplier	Extent of encroachment	Multiplier	Extent of encroachment for both banks	Multiplier		Total watercourse units	Length retained	Length enhanced	Units retained	Units enhanced	Length Lost	Units Lost	User Comments	Planning authority comments	Habitat reference number
1	Other rivers and streams	0.12	High	6	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	No Encroachment	1	No Encroachment/ No Encroachment	1	Same habitat required =	0.79			0.00	0.00	0.12	0.79			
2	Other rivers and streams	0.08	High	6	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	No Encroachment	1	No Encroachment/ No Encroachment	1	Same habitat required =	1.06			0.00	0.00	0.08	1.06			
3	Ditches	0.02	Medium	4	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	No Encroachment	1	No Encroachment/ No Encroachment	1	Same habitat required =	0.09			0.00	0.00	0.02	0.09			
4																								
5																								
6																								
7																								
8		0.22													1.94	0.00	0.00	0.00	0.00	0.22	1.94			

C-2 On-Site WaterC' Creation

Condense / Show Columns Condense / Show Rows Main Menu

Watercourse summary

Total Net Unit Change -1.34

Total Net % Change -88.97%

Trading Rules Satisfied No - check trading summary ▲

Main data table with columns: Ref, Proposed habitats, Distinctiveness, Condition, Strategic significance, Temporal multiplier, Difficulty multipliers, Watercourse encroachment, Riparian encroachment, Watercourse units delivered, Comments. Includes rows 1-130.

The Statutory Biodiversity Metric Start page

Project details			
Planning authority:	Mid-Sussex District Council		
Project name:	Rampion 2 Offshore Wind Farm		
Applicant:	Rampion Extension Development Ltd		
Application type:	Development Consent Order		
Planning application reference:			
Completed by:	Alan Kirby		
Date of metric completion:	17 April 2024		
Reviewer:	Craig Brookes		
Calculation iteration:			
Planning authority reviewer:			
Date of planning authority review:			
Target % net gain:	10%		
Irreplaceable habitat present at baseline:	No ✓		
Total site area - including irreplaceable habitat area (hectares):	4.88	Irreplaceable habitat site area (hectares):	0.00
Total off-site area - including irreplaceable habitat area (hectares):	N/A	Irreplaceable habitat area off-site (hectares):	N/A

Main menu

Results

Cell style conventions	
	Attention required
	Input error/rules and principles not met
	Use of this cell is not appropriate
	Enter data
	Automatic lookup
	Result

View all

Reset view

On-site baseline map Insert

On-site baseline map reference number

On-site post intervention map Insert

On-site post-intervention map reference number

Off-site baseline map Insert

Off-site baseline map reference number

Off-site post intervention map Insert

Off-site post-intervention reference number

Key

- Area habitats
- Hedgerows and lines of trees
- Watercourses

The Statutory Biodiversity Metric Main menu

Start page Technical data Results

Tree helper						
Tree size	Number of trees and area (ha) for each condition state					
	Poor	Area	Moderate	Area	Good	Area
Small		0.0000		0.0000		0.0000
Medium		0.0000		0.0000		0.0000
Large		0.0000		0.0000		0.0000
Very large		0.0000		0.0000		0.0000
Total	0	0.0000	0	0.0000	0	0.0000

Start here!



On-site baseline

- A-1 On-site Area Habitat Baseline
- B-1 On-site Hedge Baseline
- C-1 On-site Watercourse Baseline

On-site post development

- A-2 On-site Area Habitat Creation
- A-3 On-site Area Habitat Enhancement
- B-2 On-site Hedge Creation
- B-3 On-site Hedge Enhancement
- C-2 On-site Watercourse Creation
- C-3 On-site Watercourse Enhancement

Off-site baseline

- D-1 Off-site Area Habitat Baseline
- E-1 Off-site Hedge Baseline
- F-1 Off-site Watercourse Baseline

Off-site post development

- D-2 Off-site Area Habitat Creation
- D-3 Off-site Area Habitat Enhancement
- E-2 Off-site Hedge Creation
- E-3 Off-site Hedge Enhancement
- F-2 Off-site Watercourse Creation
- F-3 Off-site Watercourse Enhancement

The Statutory Biodiversity Metric Results

[Return to start
page](#)

[Headline results](#)

[Detailed results](#)

[Habitat trading
summaries](#)

[Off-site
summary](#)

[Irreplaceable
habitats summary](#)

[Unit shortfall
summary](#)

Return to results menu

Headline Results

Scroll down for final results ▲

On-site baseline	Habitat units	11.70	
	Hedgerow units	2.99	
	Watercourse units	0.00	
On-site post-intervention <small>(Including habitat retention, creation & enhancement)</small>	Habitat units	9.98	
	Hedgerow units	2.77	
	Watercourse units	0.00	
On-site net change <small>(units & percentage)</small>	Habitat units	-1.73	-14.74%
	Hedgerow units	-0.22	-7.40%
	Watercourse units	0.00	0.00%

On-site net gain is less than target set ▲
On-site net gain is less than target set ▲

Off-site baseline	Habitat units	0.00	
	Hedgerow units	0.00	
	Watercourse units	0.00	
Off-site post-intervention <small>(Including habitat retention, creation & enhancement)</small>	Habitat units	0.00	
	Hedgerow units	0.00	
	Watercourse units	0.00	
Off-site net change <small>(units & percentage)</small>	Habitat units	0.00	0.00%
	Hedgerow units	0.00	0.00%
	Watercourse units	0.00	0.00%

Combined net unit change <small>(Including all on-site & off-site habitat retention, creation & enhancement)</small>	Habitat units	-1.73
	Hedgerow units	-0.22
	Watercourse units	0.00
Spatial risk multiplier (SRM) deductions	Habitat units	0.00
	Hedgerow units	0.00
	Watercourse units	0.00

FINAL RESULTS

Total net unit change <small>(Including all on-site & off-site habitat retention, creation & enhancement)</small>	Habitat units	-1.73
	Hedgerow units	-0.22
	Watercourse units	0.00
Total net % change <small>(Including all on-site & off-site habitat retention, creation & enhancement)</small>	Habitat units	-14.74%
	Hedgerow units	-7.40%
	Watercourse units	0.00%

Total net gain achieved is less than target set ▲
Total net gain achieved is less than target set ▲

Trading rules satisfied? No - Check Trading Summaries ▲

Area created must match area lost for both onsite and offsite ▲				
Unit Type	Target	Baseline Units	Units Required	Unit Deficit
Habitat units	10.00%	11.70	12.87	2.90
Hedgerow units	10.00%	2.99	3.29	0.52
Watercourse units	10.00%	0.00	0.00	0.00

No additional watercourse units required to meet target ✓

Input errors/rule breaks present in metric ▲

Area habitat summary	
Total Net Unit Change	-1.18
Total Net % Change	-14.14%
Typical Value Estimated	No • Check the red 'X' on map

Ref	Existing area habitats				Disturbance		Condition		Strategic significance			Required Action to Meet Trading Rules	Biological habitats	
	Broad Habitat	Habitat Type	Irreversible habitat	Area (hectares)	Disturbance	Score	Condition	Score	Strategic significance	Strategic significance	Strategic significance multiplier		Total habitat units	Area related
1	Grassland	Floratop/mixed meadow and CFDM	No	0	High	6	Moderate	2	Previously identified in local strategy	High strategic significance	1.18	Same habitat required in	0.00	
2	Grassland	Other mixed grassland	No	0	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same habitat required in	0.00	
3	Grassland	Modified grassland	No	0.91	Low	2	Poor	1	Avoid/compenstate not in local strategy/ no local strategy	Low strategic significance	1	Same habitat required or better habitat required in	0.00	0.91
4	Grassland	Modified grassland	No	0.73	Low	2	Moderate	2	Avoid/compenstate not in local strategy/ no local strategy	Low strategic significance	1	Same habitat required or	0.00	0.73
5	Cropland	Cereal crops	No	0	Low	2	Condition Assessment N/A	1	Avoid/compenstate not in local strategy/ no local strategy	Low strategic significance	1	Same habitat required or better habitat required in	0.00	
6	Cropland	Arable field margin forestry	No	0	Medium	4	Condition Assessment N/A	1	Avoid/compenstate not in local strategy/ no local strategy	Low strategic significance	1	Same habitat required or better habitat required in	0.00	
7	Openly vegetated land	Bruce's Ephestrum	No	0	Low	2	Poor	1	Avoid/compenstate not in local strategy/ no local strategy	Low strategic significance	1	Same habitat required or better habitat required in	0.00	
8	Urban	Baro ground	No	0.91	Low	2	Poor	1	Avoid/compenstate not in local strategy/ no local strategy	Low strategic significance	1	Same habitat required or better habitat required in	0.00	0.91
9	Urban	Developed land - sealed surface	No	0	V Low	0	N/A - Other	0	Avoid/compenstate not in local strategy/ no local strategy	Low strategic significance	1	Compensation Not Required	0.00	
10	Woodland and forest	Lowland mixed deciduous woodland	No	0	High	6	Moderate	2	Previously identified in local strategy	High strategic significance	1.18	Same habitat required in	0.00	
11	Woodland and forest	Other woodland, broadleaved	No	0.12	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same habitat required or a higher strategic habitat required in	0.00	0.12
12	Heathland and shrub	Mixed scrub	No	0.01	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same habitat required or a higher strategic habitat required in	0.00	0.01
13	Individual trees	Rural tree	No	0	Medium	4	Good	3	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same habitat required or a higher strategic habitat required in	0.00	
14														
15														
16														
				Total habitat area								4.08	11.70	
				Net Area (Excluding area of individual trees, green walls, hedges/CFM, etc.)								4.08		

										Response compensation agreed for losses of VNRH or Irreplaceable habitat			Comments		
Area related	Area enhanced	Hedges walls retained	Hedges walls enhanced	Area habitat lost	Units lost				User comments	Planning authority comments	Habitat reference number				
		0.00	0.00	0.00	0.00										
		0.00	0.00	0.00	0.00										
		0.00	0.00	0.91	0.91										
		0.00	0.00	0.73	0.92										
		0.00	0.00	0.00	0.00										
		0.00	0.00	0.00	0.00										
		0.00	0.00	0.00	0.00										
		0.00	0.00	0.91	1.92										
		0.00	0.00	0.00	0.00										
		0.00	0.00	0.00	0.00										
		0.00	0.00	0.12	1.06										
		0.00	0.00	0.01	0.09										
		0.00	0.00	0.00	0.00										
		0.00	0.00	0.00	0.00										
		0.00	0.00	0.00	0.00										
		0.00	0.00	0.00	0.00										
		0.00	0.00	0.00	0.00										
				Total area lost (excluding area of individual trees, green walls and hedges/CFM structures)	4.08										

MF to bootstrap conversion tool: Habitat a unit Disturbance MF

Area habitat summary	
Total Net Habit Change	-1.13
Total Net % Change	14.14%
Totals Below Details	
Area Check	OK - Area covered by total input area set

Ref	Broad Habitat	Proposed habitat	Area (hectares)	Habitat score		Condition		Strategic alignment				Final intervention habitat		Temporal multiplier		Delivery multiplier			Habitat units delivered	Comments		Habitat reference number							
				Disturbance	Score	Condition	Score	Strategic alignment	Strategic alignment multiplier	Standard time to target condition (years)	Habitat created to address (years)	Delay in starting habitat creation (years)	Standard or adjusted time to target condition	Final time to target condition (years)	Final time to target multiplier	Standard difficulty of creation	Applied difficulty multiplier	Final difficulty of creation		Difficulty multiplier applied	User comments		Planning authority comments						
1	Coastal	Procliptis wetland mosaic and CFM	0	High	6	Medium	2	Primarily identified in local strategy	High strategic significance	1.15	10			Standard time to target condition applied	10	0.750	High	Standard difficulty applied	High	0.33	0.00								
2	Coastal	Other neutral grassland	0	Medium	4	Medium	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	8			Standard time to target condition applied	8	0.887	Low	Standard difficulty applied	Low	1	0.00								
3	Coastal	Modified grassland	2.91	Low	2	Poor	1	Area/compensation not in local strategy no local strategy	Low strategic significance	1	1			Standard time to target condition applied	1	0.965	Low	Standard difficulty applied	Low	1	0.00								
4	Coastal	Modified grassland	0.73	Low	2	Medium	2	Area/compensation not in local strategy no local strategy	Low strategic significance	1	4			Standard time to target condition applied	4	0.887	Low	Standard difficulty applied	Low	1	0.00								
5	Cropland	Cereal crops	0	Low	2	Medium	1	Area/compensation not in local strategy no local strategy	Low strategic significance	1	1			Standard time to target condition applied	1	0.965	Low	Standard difficulty applied	Low	1	0.00								
6	Cropland	Arable field margin herbicide	0	Medium	4	Medium	1	Area/compensation not in local strategy no local strategy	Low strategic significance	1	1			Standard time to target condition applied	1	0.965	Low	Standard difficulty applied	Low	1	0.00								
7	Specialty vegetated land	Ruderal/Emmental	0	Low	2	Poor	1	Area/compensation not in local strategy no local strategy	Low strategic significance	1	1			Standard time to target condition applied	1	0.965	Low	Standard difficulty applied	Low	1	0.00								
8	Urban	Bare ground	0.91	Low	2	Poor	1	Area/compensation not in local strategy no local strategy	Low strategic significance	1	1			Standard time to target condition applied	1	0.965	Low	Standard difficulty applied	Low	1	0.00								
9	Urban	Developed land, sealed surface	0	Very Low	0	N/A - Other	0	Area/compensation not in local strategy no local strategy	Low strategic significance	1	0			Standard time to target condition applied	0	1.000	Low	Standard difficulty applied	Low	1	0.00								
10	Heathland and scrub	Mixed scrub	0	Medium	4	Medium	2	Primarily identified in local strategy	High strategic significance	1.15	5			Standard time to target condition applied	5	0.827	Low	Standard difficulty applied	Low	1	0.00								
11	Heathland and scrub	Mixed scrub	0	Medium	4	Medium	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5			Standard time to target condition applied	5	0.827	Low	Standard difficulty applied	Low	1	0.00								
12	Heathland and scrub	Mixed scrub	0.01	Medium	4	Medium	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5			Standard time to target condition applied	5	0.827	Low	Standard difficulty applied	Low	1	0.00								
13	Individual trees	Rural tree	0	Medium	4	Medium	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	27			Standard time to target condition applied	27	0.362	Low	Standard difficulty applied	Low	1	0.00								

Total habitat area: 4.98
 Site Area (including area of individual trees, green walls, beneficial lawn structures): 4.98
 NP to baseline conversion tool: Select a unit: Hectares MP

Total Units: 5.08

Hedgerow summary	
Total Net Unit Change	-0.22
Total Net % Change	-7.40%
Trading Rules Satisfied	No - check trading summary ▲

Ref	Existing hedgerow habitats			Distinctiveness		Condition		Strategic significance			Required Action to Meet Trading Rules	Ecological baseline Total hedgerow units	Comments								
	Hedge number	Habitat type	Length (km)	Distinctiveness	Score	Condition	Score	Strategic significance	Strategic significance	Strategic significance multiplier			Length retained	Length enhanced	Units retained	Units enhanced	Length lost	Units lost	User comments	Planning authority comments	Habitat reference number
1		Species-rich native hedgerow	0.02332	Medium	4	Good	3	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness band or better	0.31	0.01802		0.24	0.00	0.01	0.07			
2		Species-rich native hedgerow	0.04664	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness band or better	0.41	0.03604		0.32	0.00	0.01	0.09			
3		Species-rich native hedgerow	0.02332	Medium	4	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness band or better	0.10	0.01802		0.08	0.00	0.01	0.02			
4		Native hedgerow	0.10388	Low	2	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness band or better	0.46	0.0636		0.28	0.00	0.04	0.18			
5		Native hedgerow	0.10388	Low	2	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness band or better	0.23	0.0636		0.14	0.00	0.04	0.09			
6		Native hedgerow	0.04134	Low	2	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness band or better	0.09	0.02968		0.07	0.00	0.01	0.03			
7		Species-rich native hedgerow with trees	0.0053	High	6	Good	3	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Like for like or better	0.10	0.00424		0.08	0.00	0.00	0.02			
8		Species-rich native hedgerow with trees	0.0106	High	6	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Like for like or better	0.14	0.00636		0.08	0.00	0.00	0.06			
9		Species-rich native hedgerow with trees	0.0053	High	6	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Like for like or better	0.03	0.00424		0.03	0.00	0.00	0.01			
10		Native hedgerow with trees	0.05724	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness band or better	0.50	0.02332		0.21	0.00	0.03	0.30			
11		Native hedgerow with trees	0.05724	Medium	4	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness band or better	0.25	0.02332		0.10	0.00	0.03	0.15			
12		Line of trees	0.07595	Low	2	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness band or better	0.33	0.06541		0.29	0.00	0.01	0.05			
13		Line of trees	0.00558	Low	2	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness band or better	0.02	0.00465		0.02	0.00	0.00	0.00			
14																					
15																					
16																					
17																					
18			0.86									2.99	0.36	0.00	1.93	0.00	0.20	1.06			

Ref	Hedge number	Proposed habitat	Disturbance		Condition		Strategic significance			Temporal multiplier				Disturbance risk multiplier				Hedge value achieved	Comments					
			Length (m)	Disturbance Score	Condition Score	Strategic significance	Strategic significance multiplier	Standard Time to target condition (years)	Subnet created in advance (years)	Delay in starting habitat creation (years)	Standard or adjusted time to target condition	Final time to target condition (years)	Final time to target condition	Standard difficulty of creation	Applied difficulty multiplier	Final difficulty of creation	Difficulty multiplier		User comments	Planning authority comments	Habitat reference number			
1		Species-rich native hedgerow	0.0003	Medium	4	Good	5	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	12			Standard or adjusted time to target condition applied	12	0.802	Low	Standard difficulty applied	Low	1	0.05			
2		Species-rich native hedgerow	0.0108	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	6			Standard or adjusted time to target condition applied	6	0.807	Low	Standard difficulty applied	Low	1	0.08			
3		Species-rich native hedgerow	0.0003	Medium	4	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	1			Standard or adjusted time to target condition applied	1	0.903	Low	Standard difficulty applied	Low	1	0.02			
4		Native hedgerow	0.0408	Low	2	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	6			Standard or adjusted time to target condition applied	6	0.807	Low	Standard difficulty applied	Low	1	0.10			
5		Native hedgerow	0.0408	Low	2	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	1			Standard or adjusted time to target condition applied	1	0.903	Low	Standard difficulty applied	Low	1	0.09			
6		Native hedgerow	0.0108	Low	2	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	1			Standard or adjusted time to target condition applied	1	0.903	Low	Standard difficulty applied	Low	1	0.02			
7		Species-rich native hedgerow with trees	0.0108	High	6	Good	3	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	30			Standard or adjusted time to target condition applied	30	0.480	Low	Standard difficulty applied	Low	1	0.01			
8		Species-rich native hedgerow with trees	0.0204	High	6	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	10			Standard or adjusted time to target condition applied	10	0.700	Low	Standard difficulty applied	Low	1	0.04			
9		Species-rich native hedgerow with trees	0.0204	High	6	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	1			Standard or adjusted time to target condition applied	1	0.985	Low	Standard difficulty applied	Low	1	0.01			
10		Native hedgerow with trees	0.0302	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	10			Standard or adjusted time to target condition applied	10	0.700	Low	Standard difficulty applied	Low	1	0.21			
11		Native hedgerow with trees	0.0302	Medium	4	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	1			Standard or adjusted time to target condition applied	1	0.985	Low	Standard difficulty applied	Low	1	0.14			
12		Line of trees	0.0104	Low	2	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	30			Standard or adjusted time to target condition applied	30	0.480	Low	Standard difficulty applied	Low	1	0.02			
13		Line of trees	0.0208	Low	2	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	30			Standard or adjusted time to target condition applied	30	0.480	Low	Standard difficulty applied	Low	1	0.02			

The Statutory Biodiversity Metric Start page

Project details			
Planning authority:	South Downs National Park Authority		
Project name:	Rampion 2 Offshore Wind Farm		
Applicant:	Rampion Extension Development Ltd		
Application type:	Development Consent Order		
Planning application reference:			
Completed by:	Alan Kirby		
Date of metric completion:	17 April 2024		
Reviewer:	Craig Brookes		
Calculation iteration:			
Planning authority reviewer:			
Date of planning authority review:			
Target % net gain:	10%		
Irreplaceable habitat present at baseline:	No ✓		
Total site area - including irreplaceable habitat area (hectares):	118.88	Irreplaceable habitat site area (hectares):	0.00
Total off-site area - including irreplaceable habitat area (hectares):	N/A	Irreplaceable habitat area off-site (hectares):	N/A

Main menu


Results

Cell style conventions	
	Attention required
	Input error/rules and principles not met
	Use of this cell is not appropriate
	Enter data
	Automatic lookup
	Result

View all


Reset view

On-site baseline map Insert



On-site baseline map reference number

On-site post intervention map Insert




On-site post-intervention map reference number

Off-site baseline map Insert



Off-site baseline map reference number

Off-site post intervention map Insert



Off-site post-intervention reference number

Key

- Area habitats
- Hedgerows and lines of trees
- Watercourses

The Statutory Biodiversity Metric Main menu

[Start page](#)
[Technical data](#)
[Results](#)

Tree helper						
Tree size	Number of trees and area (ha) for each condition state					
	Poor	Area	Moderate	Area	Good	Area
Small		0.0000		0.0000		0.0000
Medium		0.0000		0.0000		0.0000
Large		0.0000		0.0000		0.0000
Very large		0.0000		0.0000		0.0000
Total	0	0.0000	0	0.0000	0	0.0000



On-site baseline

- A-1 On-site Area Habitat Baseline
- B-1 On-site Hedge Baseline
- C-1 On-site Watercourse Baseline

On-site post development

- A-2 On-site Area Habitat Creation
- A-3 On-site Area Habitat Enhancement
- B-2 On-site Hedge Creation
- B-3 On-site Hedge Enhancement
- C-2 On-site Watercourse Creation
- C-3 On-site Watercourse Enhancement

Off-site baseline

- D-1 Off-site Area Habitat Baseline
- E-1 Off-site Hedge Baseline
- F-1 Off-site Watercourse Baseline

Off-site post development

- D-2 Off-site Area Habitat Creation
- D-3 Off-site Area Habitat Enhancement
- E-2 Off-site Hedge Creation
- E-3 Off-site Hedge Enhancement
- F-2 Off-site Watercourse Creation
- F-3 Off-site Watercourse Enhancement

The Statutory Biodiversity Metric Results

[Return to start
page](#)

[Headline results](#)

[Detailed results](#)

[Habitat trading
summaries](#)

[Off-site
summary](#)

[Irreplaceable
habitats summary](#)

[Unit shortfall
summary](#)

Return to results menu

Headline Results

Scroll down for final results ▲

On-site baseline	Habitat units	274.00		
	Hedgerow units	16.96		
	Watercourse units	0.70		
On-site post-intervention <small>(Including habitat retention, creation & enhancement)</small>	Habitat units	256.13		
	Hedgerow units	15.53		
	Watercourse units	0.26		
On-site net change <small>(units & percentage)</small>	Habitat units	-17.87	-6.52%	On-site net gain is less than target set ▲
	Hedgerow units	-1.43	-8.41%	On-site net gain is less than target set ▲
	Watercourse units	-0.44	-63.12%	On-site net gain is less than target set ▲

Off-site baseline	Habitat units	0.00		
	Hedgerow units	0.00		
	Watercourse units	0.00		
Off-site post-intervention <small>(Including habitat retention, creation & enhancement)</small>	Habitat units	0.00		
	Hedgerow units	0.00		
	Watercourse units	0.00		
Off-site net change <small>(units & percentage)</small>	Habitat units	0.00	0.00%	
	Hedgerow units	0.00	0.00%	
	Watercourse units	0.00	0.00%	

Combined net unit change <small>(Including all on-site & off-site habitat retention, creation & enhancement)</small>	Habitat units	-17.87		
	Hedgerow units	-1.43		
	Watercourse units	-0.44		
Spatial risk multiplier (SRM) deductions	Habitat units	0.00		
	Hedgerow units	0.00		
	Watercourse units	0.00		

FINAL RESULTS

Total net unit change <small>(Including all on-site & off-site habitat retention, creation & enhancement)</small>	Habitat units	-17.87		
	Hedgerow units	-1.43		
	Watercourse units	-0.44		
Total net % change <small>(Including all on-site & off-site habitat retention, creation & enhancement)</small>	Habitat units	-6.52%		Total net gain achieved is less than target set ▲
	Hedgerow units	-8.41%		Total net gain achieved is less than target set ▲
	Watercourse units	-63.12%		Total net gain achieved is less than target set ▲

Trading rules satisfied? **No - Check Trading Summaries ▲**

Unit Type	Target	Baseline Units	Units Required	Unit Deficit
Habitat units	10.00%	274.00	301.40	45.27
Hedgerow units	10.00%	16.96	18.66	3.12
Watercourse units	10.00%	0.70	0.77	0.51

Input errors/rule breaks present in metric ▲

Project Name: Rampion 2 Offshore Wind Farm Map Reference:
 A-1 On-Site Habitat Baseline

Area habitat summary	
Total Net Unit Change	-17.87
Total Net % Change	-6.85%
Trading Rules Satisfied	No - check trading summaries ▲

Condense / Show Columns Condense / Show Rows
 Main Menu

Ref	Existing area habitats				Distinctiveness		Condition		Strategic significance			Required Action to Meet Trading Rules	Ecological baseline Total habitat units
	Broad Habitat	Habitat Type	Irreplaceable habitat	Area (hectares)	Distinctiveness	Score	Condition	Score	Strategic significance	Strategic significance	Strategic significance multiplier		
1	Grassland	Floodplain wetland mosaic and CPGM	No	0	High	6	Moderate	2	Formally identified in local strategy	High strategic significance	1.15	Same habitat required =	0.00
2	Grassland	Other neutral grassland	No	0.92	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same broad habitat or a higher distinctiveness habitat required (2)	8.10
3	Grassland	Modified grassland	No	61.08	Low	2	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required ≥	102.16
4	Grassland	Modified grassland	No	12.77	Low	2	Moderate	2	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required ≥	51.08
5	Cropland	Cereal crops	No	48.18343903	Low	2	Condition Assessment N/A	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required ≥	96.37
6	Cropland	Arable field margins tussocky	No	1.239290679	Medium	4	Condition Assessment N/A	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same broad habitat or a higher distinctiveness habitat required (2)	4.96
7	Sparsely vegetated land	Ruderal/Ephemeral	No	0	Low	2	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required ≥	0.00
8	Urban	Bare ground	No	0.220087248	Low	2	Poor	1	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Same distinctiveness or better habitat required ≥	0.44
9	Urban	Developed land: sealed surface	No	0.163386823	V.Low	0	N/A - Other	0	Area/compensation not in local strategy/ no local strategy	Low Strategic Significance	1	Compensation Not Required	0.00
10	Woodland and forest	Lowland mixed deciduous woodland	No	0.06	High	6	Moderate	2	Formally identified in local strategy	High strategic significance	1.15	Same habitat required =	0.83
11	Woodland and forest	Other woodland: broadleaved	No	0.26461183	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same broad habitat or a higher distinctiveness habitat required (2)	2.33
12	Heathland and shrub	Mixed scrub	No	0.76	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same broad habitat or a higher distinctiveness habitat required (2)	6.69
13	Individual trees	Rural tree	No	0.08	Medium	4	Good	3	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same broad habitat or a higher distinctiveness habitat required (2)	1.06
14													
15													
16													
17													
18													
				Total habitat area	115.74								274.00
				Site Area (Excluding area of individual trees, green walls, intertidal hard structures)	115.66								

Area retained	Area enhanced	Baseline units retained	Baseline units enhanced	Area habitat lost	Units lost	Bespoke compensation agreed for losses of VHDI or irreplaceable habitat	Comments		
							User comments	Planning authority comments	Habitat reference number
		0.00	0.00	0.00	0.00				
		0.00	0.00	0.92	8.10				
		0.00	0.00	61.08	102.16				
		0.00	0.00	12.77	51.08				
		0.00	0.00	48.18	96.37				
		0.00	0.00	1.24	4.96				
		0.00	0.00	0.00	0.00				
		0.00	0.00	0.22	0.44				
		0.00	0.00	0.16	0.00				
		0.00	0.00	0.06	0.83				
		0.00	0.00	0.26	2.33				
		0.00	0.00	0.76	6.69				
		0.00	0.00	0.08	1.06				
0.00	0.00	0.00	0.00	115.74	274.00				

Total area lost (excluding area of individual trees, green walls and intertidal hard structures) 115.66

M² to hectares conversion tool: Select a unit Hectares M²

Project Name: Rampion 2 Offshore Wind Farm Map Reference:
B-2 On-Site Hedge Creation
 Condense / Show Columns Condense / Show Rows
 Main Menu

Hedgerow summary	
Total Net Unit Change	-1.43
Total Net % Change	-8.41%
Trading Rules Satisfied	No - check trading summary ▲

Ref	New hedge number	Proposed habitats		Distinctiveness		Condition		Strategic significance			Temporal multiplier					Difficulty risk multipliers			Hedge units delivered	Comments				
		Habitat type	Length (km)	Distinctiveness	Score	Condition	Score	Strategic significance	Strategic significance	Strategic significance multiplier	Standard Time to target condition (years)	Habitat created in advance (years)	Delay in starting habitat creation (years)	Standard or adjusted time to target condition	Final time to target condition (years)	Final time to target multiplier	Standard difficulty of creation	Applied difficulty multiplier		Final difficulty of creation	Difficulty multiplier applied	User comments	Planning authority comments	Habitat reference number
1		Species-rich native hedgerow	0.024057	Medium	4	Good	3	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	12			Standard time to target condition applied	12	0.652	Low	Standard difficulty applied	Low	1	0.21			
2		Species-rich native hedgerow	0.048114	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5			Standard time to target condition applied	5	0.837	Low	Standard difficulty applied	Low	1	0.35			
3		Species-rich native hedgerow	0.024057	Medium	4	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	1			Standard time to target condition applied	1	0.965	Low	Standard difficulty applied	Low	1	0.10			
4		Native hedgerow	0.1828332	Low	2	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5			Standard time to target condition applied	5	0.837	Low	Standard difficulty applied	Low	1	0.67			
5		Native hedgerow	0.1828332	Low	2	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	1			Standard time to target condition applied	1	0.965	Low	Standard difficulty applied	Low	1	0.39			
6		Native hedgerow	0.0529254	Low	2	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	1			Standard time to target condition applied	1	0.965	Low	Standard difficulty applied	Low	1	0.11			
7		Species-rich native hedgerow with trees	0.0048114	High	6	Good	3	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	20			Standard time to target condition applied	20	0.490	Low	Standard difficulty applied	Low	1	0.05			
8		Species-rich native hedgerow with trees	0.0192456	High	6	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	10			Standard time to target condition applied	10	0.700	Low	Standard difficulty applied	Low	1	0.18			
9		Species-rich native hedgerow with trees	0.0048114	High	6	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	1			Standard time to target condition applied	1	0.965	Low	Standard difficulty applied	Low	1	0.03			
10		Native hedgerow with trees	0.1539648	Medium	4	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	10			Standard time to target condition applied	10	0.700	Low	Standard difficulty applied	Low	1	0.95			
11		Native hedgerow with trees	0.1539648	Medium	4	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	1			Standard time to target condition applied	1	0.965	Low	Standard difficulty applied	Low	1	0.65			
12		Line of trees	0.2270664	Low	2	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	20			Standard time to target condition applied	20	0.490	Low	Standard difficulty applied	Low	1	0.49			
13		Line of trees	0.0129888	Low	2	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	20			Standard time to target condition applied	20	0.490	Low	Standard difficulty applied	Low	1	0.03			
14																								
15																								
16																								
17																								
18																								
			1.09																		4.21			

Project Name: Rampion 2 Offshore Wind Farm [Map](#)
 C-1 On-Site WaterC' Baseline

[Condense / Show Columns](#) [Condense / Show Rows](#)
[Main Menu](#)

Watercourse summary	
Total Net Unit Change	-0.44
Total Net % Change	-63.12%
Trading Rules Satisfied	No - check trading summary ▲

Existing watercourse type			Distinctiveness		Condition		Strategic significance			Watercourse encroachment		Riparian encroachment		Required Action to Meet Trading Rules	Ecological baseline Total watercourse units	Bespoke compensation agreed for losses of VEDH						Comments				
Ref	Watercourse type	Length (km)	Distinctiveness	Score	Condition	Score	Strategic significance	Strategic significance	Strategic significance multiplier	Extent of encroachment	Multiplier	Extent of encroachment for both banks	Multiplier			Length retained	Length enhanced	Units retained	Units enhanced	Length Lost	Units Lost	User Comments	Planning authority comments	Habitat reference number		
1	Other rivers and streams	0	High	6	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	No Encroachment	1	No Encroachment/ No Encroachment	1	Same habitat required =	0.00			0.00	0.00	0.00	0.00					
2	Other rivers and streams	0.04	High	6	Moderate	2	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	No Encroachment	1	No Encroachment/ No Encroachment	1	Same habitat required =	0.53			0.00	0.00	0.04	0.53					
3	Ditches	0.04	Medium	4	Poor	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	No Encroachment	1	No Encroachment/ No Encroachment	1	Same habitat required =	0.18			0.00	0.00	0.04	0.18					
4																										
5																										
6																										
7																										
8		0.08																								
															0.00	0.00	0.00	0.00	0.08	0.70						

