



ENVIRONMENTAL STATEMENT – VOLUME 3 – APPENDIX 10.2

Effects that have been determined to be not significant

Drax Bioenergy with Carbon Capture and Storage

The Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 – (5(2)(a))

Document Reference Number: 6.3.10.2

Applicant: Drax Power Limited

PINS Reference: EN010120



REVISION: 01

DATE: May 2022

DOCUMENT OWNER: WSP UK Limited

AUTHOR: M. Jackson

APPROVER: N. Powers

PUBLIC

TABLE OF CONTENTS

1. INSIGNIFICANT EFFECTS 1

TABLES

Table 1.1 – Effects that have been Determined to be Not Significant 2

1. INSIGNIFICANT EFFECTS

- 1.1.1. As set out in section 10.9 (Preliminary Assessment of Likely Impacts and Effects) of **Chapter 10 (Heritage)** (document reference 6.1.10), receptors identified as experiencing no change, negligible or minor effects as a result of the Proposed Scheme are reported in **Table 1.1** below rather than in the ES chapter.

Table 1.1 – Effects that have been Determined to be Not Significant

Resource / Receptor	Sensitivity of Receptor	Effect	Magnitude of Impact	Significance of Effect
Drax Augustinian priory (NHL 1016857)	High	Temporary and permanent minor adverse effect on setting during construction and operation	Minor adverse	Slight adverse
Church of St Peter and St Paul (NHL 1148397)	High	Temporary and permanent negligible adverse effect on setting during construction and operation	Negligible adverse	Slight adverse
Cowick Hall (NHL 1083323)	High	Temporary and permanent negligible adverse effect on setting during construction and operation	Negligible adverse	Slight adverse
Church of St Mary the Virgin (NHL 1148462)	High	Temporary and permanent negligible adverse effect on setting during construction and operation	Negligible adverse	Slight adverse
Airmyn Conservation Area	Medium	Temporary and permanent negligible adverse effect on setting during construction and operation	Negligible adverse	Slight adverse
Snaith Conservation Area	Medium	Temporary and permanent negligible adverse effect on setting during construction and operation	Negligible adverse	Slight adverse
Built HAs within 10 km of the Proposed Scheme.	High/Medium	Temporary and permanent negligible adverse effect on setting during construction and operation	Negligible adverse	Slight adverse
Historic Landscape Character (HLC) Areas within Order Limits	Negligible	No change	No change	No change
Unknown Buried Heritage Assets within the Offsite Habitat Provision Area	Low to negligible	Direct permanent slight adverse effect on unknown buried heritage assets during any planting or ecological works	Slight adverse	Slight adverse to negligible
Drainage impacts on known and unknown buried HAs within the Habitat Provision Area	Low to high	No change. There are currently no planned drainage works within the Habitat Provision Area.	No change	No change