



ENVIRONMENTAL STATEMENT - VOLUME 3 - APPENDIX 6.5 (TRACKED)

Operation Phase Air Quality Assessment Results Tables: Ecological Receptors

Drax Bioenergy with Carbon Capture and Storage

The Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 - 5(2)(a)

Document Reference Number: 6.3.6.5

Applicant: Drax Power Limited

PINS Reference: EN010120



REVISION: ~~0203~~

DATE: ~~October 2022~~ February 2023

DOCUMENT OWNER: WSP UK Limited

AUTHOR: ~~D. Pawson~~ B. Tuckett-Jones

APPROVER: N. Ashworth ~~B. Tuckett-Jones~~

PUBLIC

TABLE OF CONTENTS

1. OPERATION PHASE AIR QUALITY ASSESSMENT RESULTS TABLES: ECOLOGICAL RECEPTORS	1
1.1. Impacts on Ecological Receptors	1

TABLES

Table 1.1 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Mean NO _x	2
Table 1.2 - Modelled Maximum Operational Impacts at Ecological Receptors – Daily Mean NO _x	3
Table 1.3 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Mean NH ₃	4
Table 1.4 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Mean SO ₂	5
Table 1.5 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Nitrogen Deposition Rate	6
Table 1.6 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Acid Deposition Rate	8
Table 1.7 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Mean NO _x (Including Mitigation).....	10
Table 1.8 - Modelled Maximum Operational Impacts at Ecological Receptors – Daily Mean NO _x (Including Mitigation).....	11
Table 1.9 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Mean NH ₃ (Including Mitigation).....	12
Table 1.10 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Mean SO ₂ (Including Mitigation).....	13
Table 1.11 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Nitrogen Deposition Rate (Including Mitigation).....	15
Table 1.12 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Acid Deposition Rate (Including Mitigation)	16
Table 1.13 - Modelled Maximum Cumulative Impacts at Ecological Receptors – Annual Mean NO _x	19
Table 1.14 - Modelled Maximum Cumulative Impacts at Ecological Receptors – Daily Mean NO _x	20

Table 1.15 - Modelled Maximum Cumulative Impacts at Ecological Receptors – Annual Mean NH ₃	21
Table 1.16 - Modelled Maximum Cumulative Impacts at Ecological Receptors – Annual Mean SO ₂	22
Table 1.17 - Modelled Maximum Cumulative Impacts at Ecological Receptors – Annual Nitrogen Deposition Rate	24
Table 1.18 - Modelled Maximum Cumulative Impacts at Ecological Receptors – Annual Acid Deposition Rate	25
Table 1.19 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Mean NO _x (Worst Case Emissions Profile)	27
Table 1.20 - Modelled Maximum Operational Impacts at Ecological Receptors – Daily Mean NO _x (Worst Case Emissions Profile)	28
Table 1.21 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Mean NH ₃ (Worst Case Emissions Profile)	29
Table 1.22 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Mean SO ₂ (Worst Case Emissions Profile)	30
Table 1.23 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Nitrogen Deposition Rate (Worst Case Emissions Profile).....	31
Table 1.24 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Acid Deposition Rate (Worst Case Emissions Profile)	33

1. OPERATION PHASE AIR QUALITY ASSESSMENT RESULTS TABLES: ECOLOGICAL RECEPTORS

1.1. IMPACTS ON ECOLOGICAL RECEPTORS

- 1.1.1. The results of the modelling assessment at each modelled ecological receptor are presented in the below tables for each relevant pollutant and averaging period applicable to the study. The maximum modelled concentration and deposition values are presented, which is based on modelling over all five years of meteorological data (2016-2020). The change in PC and PEC, as a percentage of the relevant critical level / load, is presented for each receptor.
- 1.1.2. The PC impact in the with Proposed Scheme scenario represents the change in concentration / deposition between the Baseline scenario and Proposed Scheme scenario. [Where indicated, the tables have all mitigation applied as set out in Chapter 6 \(Air Quality\) \(APP-042\) as updated by Air Quality Technical Note 2 \(document reference 8.9.5\).](#)
- 1.1.3. In all results tables presented in this appendix, the following designated site names are shortened to 'Thorne Moor SPA' and Thorne Moor SSSI', respectively:
- a. Thorne & Hatfield Moors SPA
 - b. Thorne, Crowle and Goole Moors SSSI.

CORE MODEL SCENARIOS

- 1.1.4. Results pertaining to the core model scenarios are presented in **Tables 1.1 to 1.6**.

Table 1.1 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Mean NO_x

Receptor	Annual Mean NO _x concentration (µg/m ³)					
	Critical Level	Background	Max PC Impact	Max PC Impact as % of CL	Proposed Scheme Max PEC	Max PEC as % of CL
River Derwent SAC	<u>30</u> 30	<u>11.91</u> 11.91	<u>0.163</u> 0.123	<u>0.5%</u> 0.4%	<u>12.13</u> 12.09	<u>40.4%</u> 40.3%
Thorne Moor SAC/SPA/SSSI	<u>30</u> 30	<u>13.21</u> 13.21	<u>0.076</u> 0.057	<u>0.3%</u> 0.2%	<u>13.32</u> 13.30	<u>44.4%</u> 44.3%
Lower Derwent SAC	<u>30</u> 30	<u>9.92</u> 9.92	<u>0.166</u> 0.125	<u>0.6%</u> 0.4%	<u>10.15</u> 10.11	<u>33.8%</u> 33.7%
Lower Derwent SPA	<u>30</u> 30	<u>9.92</u> 9.92	<u>0.166</u> 0.125	<u>0.6%</u> 0.4%	<u>10.15</u> 10.11	<u>33.8%</u> 33.7%
Skipwith Common SAC	<u>30</u> 30	<u>9.76</u> 9.76	<u>0.058</u> 0.043	<u>0.2%</u> 0.1%	<u>9.84</u> 9.83	<u>32.8%</u> 32.8%
Skipwith Common SSSI	<u>30</u> 30	<u>9.76</u> 9.76	<u>0.058</u> 0.043	<u>0.2%</u> 0.1%	<u>9.84</u> 9.83	<u>32.8%</u> 32.8%
Humber Estuary SAC	<u>30</u> 30	<u>46.96</u> 42.20	<u>0.147</u> 0.111	<u>0.5%</u> 0.4%	<u>47.16</u> 42.37	<u>157.2%</u> 41.2%
Humber Estuary SPA/SSSI	<u>30</u> 30	<u>46.96</u> 42.20	<u>0.147</u> 0.111	<u>0.5%</u> 0.4%	<u>47.16</u> 42.37	<u>157.2%</u> 41.2%
Brighton Meadows SSSI	<u>30</u> 30	<u>9.92</u> 9.92	<u>0.166</u> 0.125	<u>0.6%</u> 0.4%	<u>10.15</u> 10.11	<u>33.8%</u> 33.7%
Eskamhorn Meadows SSSI	<u>30</u> 30	<u>11.35</u> 11.35	<u>0.046</u> 0.035	<u>0.2%</u> 0.1%	<u>11.40</u> 11.39	<u>38.0%</u> 38.0%
Derwent Ings SSSI	<u>30</u> 30	<u>9.80</u> 9.80	<u>0.134</u> 0.100	<u>0.4%</u> 0.3%	<u>9.99</u> 9.96	<u>33.3%</u> 33.2%
Went Ings SSSI	<u>30</u> 30	<u>12.09</u> 12.09	<u>0.052</u> 0.039	<u>0.2%</u> 0.1%	<u>12.16</u> 12.15	<u>40.5%</u> 40.5%
Barn Hill Meadows SSSI	<u>30</u> 30	<u>12.89</u> 12.89	<u>0.152</u> 0.116	<u>0.5%</u> 0.4%	<u>13.09</u> 13.05	<u>43.6%</u> 43.5%
Burr Closes SSSI	<u>30</u> 30	<u>10.53</u> 10.53	<u>0.062</u> 0.047	<u>0.2%</u> 0.2%	<u>10.61</u> 10.60	<u>35.4%</u> 35.3%
Common Plantation SINC	<u>30</u> 30	<u>11.43</u> 11.43	<u>0.017</u> 0.013	<u>0.1%</u> 0.0%	<u>11.45</u> 11.45	<u>38.2%</u> 38.2%
Disused Railway Embankment SINC	<u>30</u> 30	<u>10.76</u> 10.76	<u>0.040</u> 0.031	<u>0.1%</u> 0.1%	<u>10.81</u> 10.80	<u>36.0%</u> 36.0%
Barmby-on-the-Marsh LWS	<u>30</u> 30	<u>10.48</u> 10.48	<u>0.076</u> 0.058	<u>0.3%</u> 0.2%	<u>10.57</u> 10.55	<u>35.2%</u> 35.2%
Brockholes SINC	<u>30</u> 30	<u>11.22</u> 11.22	<u>0.019</u> 0.015	<u>0.1%</u> 0.0%	<u>11.24</u> 11.24	<u>37.5%</u> 37.5%
Meadow East of Orchard Farm SINC	<u>30</u> 30	<u>10.83</u> 10.83	<u>0.009</u> 0.007	<u>0.0%</u> 0.0%	<u>10.84</u> 10.84	<u>36.1%</u> 36.1%
Barmby Pond LWS	<u>30</u> 30	<u>9.96</u> 9.96	<u>0.127</u> 0.097	<u>0.4%</u> 0.3%	<u>10.12</u> 10.09	<u>33.7%</u> 33.6%
Cobble Croft Wood SINC	<u>30</u> 30	<u>11.62</u> 11.62	<u>0.027</u> 0.021	<u>0.1%</u> 0.1%	<u>11.65</u> 11.65	<u>38.8%</u> 38.8%
Hagg Green Lane SINC	<u>30</u> 30	<u>10.93</u> 10.93	<u>0.103</u> 0.078	<u>0.3%</u> 0.3%	<u>11.07</u> 11.04	<u>36.9%</u> 36.8%

Receptor	Annual Mean NO _x concentration (µg/m ³)					
	Critical Level	Background	Max PC Impact	Max PC Impact as % of CL	Proposed Scheme Max PEC	Max PEC as % of CL
Sand Pitt Wood & Barffs Close Plantation SINC	<u>30</u> 30	<u>11.43</u> 11.43	<u>0.028</u> 0.024	<u>0.1%</u> 0.1%	<u>11.46</u> 11.46	<u>38.2%</u> 38.2%
Env. Agency Screening Criterion (as % of CL)				1%		70%

Table 1.2 - Modelled Maximum Operational Impacts at Ecological Receptors – Daily Mean NO_x

Receptor	Daily Mean NO _x concentration (µg/m ³)					
	Critical Level	Background	Max PC Impact	Max PC Impact as % of CL	Proposed Scheme Max PEC	Max PEC as % of CL
River Derwent SAC	<u>75</u> 75	<u>23.82</u> 23.82	<u>1.787</u> 1.165	<u>2.4%</u> 1.6%	<u>27.96</u> 27.50	<u>37.3%</u> 36.7%
Thorne Moor SAC/SPA/SSSI	<u>75</u> 75	<u>26.42</u> 26.42	<u>0.893</u> 0.534	<u>1.2%</u> 0.7%	<u>29.27</u> 28.87	<u>39.0%</u> 38.5%
Lower Derwent SAC	<u>75</u> 75	<u>19.84</u> 19.84	<u>0.893</u> 0.504	<u>1.2%</u> 0.7%	<u>23.75</u> 23.31	<u>31.7%</u> 31.1%
Lower Derwent SPA	<u>75</u> 75	<u>19.84</u> 19.84	<u>0.893</u> 0.504	<u>1.2%</u> 0.7%	<u>23.75</u> 23.31	<u>31.7%</u> 31.1%
Skipwith Common SAC	<u>75</u> 75	<u>19.52</u> 19.52	<u>0.646</u> 0.337	<u>0.9%</u> 0.4%	<u>21.71</u> 21.40	<u>28.9%</u> 28.5%
Skipwith Common SSSI	<u>75</u> 75	<u>19.52</u> 19.52	<u>0.646</u> 0.337	<u>0.9%</u> 0.4%	<u>21.71</u> 21.40	<u>28.9%</u> 28.5%
Humber Estuary SAC	<u>75</u> 75	<u>93.92</u> 24.40	<u>1.200</u> 0.744	<u>1.6%</u> 1.0%	<u>96.93</u> 27.08	<u>129.2%</u> 36.1%
Humber Estuary SPA/SSSI	<u>75</u> 75	<u>93.92</u> 24.40	<u>1.200</u> 0.744	<u>1.6%</u> 1.0%	<u>96.93</u> 27.08	<u>129.2%</u> 36.1%
Brighton Meadows SSSI	<u>75</u> 75	<u>19.84</u> 24.40	<u>0.893</u> 0.504	<u>1.2%</u> 0.7%	<u>23.75</u> 23.31	<u>31.7%</u> 31.1%
Eskamhorn Meadows SSSI	<u>75</u> 75	<u>22.70</u> 22.70	<u>1.912</u> 1.417	<u>2.5%</u> 1.9%	<u>25.59</u> 24.94	<u>34.1%</u> 33.3%
Derwent Ings SSSI	<u>75</u> 75	<u>19.60</u> 19.60	<u>0.831</u> 0.416	<u>1.1%</u> 0.6%	<u>23.37</u> 22.94	<u>31.2%</u> 30.6%
Went Ings SSSI	<u>75</u> 75	<u>24.18</u> 24.18	<u>0.971</u> 0.535	<u>1.3%</u> 0.7%	<u>26.60</u> 26.33	<u>35.5%</u> 35.1%
Barn Hill Meadows SSSI	<u>75</u> 75	<u>25.78</u> 25.78	<u>0.962</u> 0.626	<u>1.3%</u> 0.8%	<u>28.30</u> 27.87	<u>37.7%</u> 37.2%
Burr Closes SSSI	<u>75</u> 75	<u>21.06</u> 21.06	<u>0.761</u> 0.500	<u>1.0%</u> 0.7%	<u>22.99</u> 22.67	<u>30.7%</u> 30.2%
Common Plantation SINC	<u>75</u> 75	<u>22.86</u> 22.86	<u>1.038</u> 0.759	<u>1.4%</u> 1.0%	<u>24.19</u> 23.89	<u>32.3%</u> 31.9%
Disused Railway Embankment SINC	<u>75</u> 75	<u>21.52</u> 21.53	<u>1.184</u> 0.835	<u>1.6%</u> 1.1%	<u>23.07</u> 22.73	<u>30.8%</u> 30.3%
Barmby-on-the-Marsh LWS	<u>75</u> 75	<u>20.96</u> 20.99	<u>1.621</u> 1.065	<u>2.2%</u> 1.4%	<u>23.44</u> 22.88	<u>31.3%</u> 30.5%

Receptor	Daily Mean NO _x concentration (µg/m ³)					
	Critical Level	Background	Max PC Impact	Max PC Impact as % of CL	Proposed Scheme Max PEC	Max PEC as % of CL
Brockholes SINC	7575	22.4422.44	1.6231.175	2.2%1.6%	24.4423.99	32.6%32.0%
Meadow East of Orchard Farm SINC	7575	21.6621.66	0.5540.404	0.7%0.5%	22.3322.18	29.8%29.6%
Barmby Pond LWS	7575	19.9219.98	1.5771.029	2.1%1.4%	23.2922.89	31.1%30.5%
Cobble Croft Wood SINC	7575	23.2423.25	1.1760.828	1.6%1.1%	25.2824.82	33.7%33.1%
Hagg Green Lane SINC	7575	21.8621.93	1.2480.533	1.7%0.7%	25.2224.81	33.6%33.1%
Sand Pitt Wood & Barffs Close Plantation SINC	7575	22.8622.87	1.6301.158	2.2%1.5%	24.9724.49	33.3%32.7%
Env. Agency Screening Criterion (as % of CL)				10%		

Table 1.3 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Mean NH₃

Receptor	Annual Mean NH ₃ concentration (µg/m ³)					
	Critical Level	Background	Max PC Impact	Max PC Impact as % of CL	Proposed Scheme Max PEC	Max PEC as % of CL
River Derwent SAC	3	4.57	0.007	0.2%	4.58	152.7%
Thorne Moor SAC/SPA/SSSI	1	2.59	0.003	0.3%	2.60	259.5%
Lower Derwent SAC	3	4.57	0.007	0.2%	4.58	152.7%
Lower Derwent SPA	3	4.57	0.007	0.2%	4.58	152.7%
Skipwith Common SAC	1	2.58	0.002	0.2%	2.58	258.4%
Skipwith Common SSSI	1	2.58	0.002	0.2%	2.58	258.4%
Humber Estuary SAC	3	3.58	0.004	0.1%	3.59	119.5%
Humber Estuary SPA/SSSI	3	3.58	0.004	0.1%	3.59	119.5%
Brighton Meadows SSSI	3	3.08	0.007	0.2%	3.09	103.0%
Eskamhorn Meadows SSSI	3	2.40	0.002	0.1%	2.40	80.1%
Derwent Ings SSSI	3	4.57	0.005	0.2%	4.58	152.6%
Went Ings SSSI	3	2.35	0.002	0.1%	2.35	78.4%

Receptor	Annual Mean NH ₃ concentration (µg/m ³)					
	Critical Level	Background	Max PC Impact	Max PC Impact as % of CL	Proposed Scheme Max PEC	Max PEC as % of CL
Barn Hill Meadows SSSI	3	2.32	0.005	0.2%	2.33	77.6%
Burr Closes SSSI	3	2.50	0.003	0.1%	2.50	83.5%
Common Plantation SINC	3	2.33	0.001	0.0%	2.33	77.7%
Disused Railway Embankment SINC	1	2.28	0.002	0.1%	2.28	76.1%
Barmby-on-the-Marsh LWS	3	2.28	0.003	0.1%	2.28	76.1%
Brockholes SINC	3	2.28	0.001	0.0%	2.28	76.0%
Meadow East of Orchard Farm SINC	1	2.33	0.000	0.0%	2.33	77.7%
Barmby Pond LWS	1	2.28	0.006	0.2%	2.29	76.2%
Cobble Croft Wood SINC	3	2.33	0.001	0.0%	2.33	77.7%
Hagg Green Lane SINC	3	3.09	0.004	0.1%	3.10	103.2%
Sand Pitt Wood & Barffs Close Plantation SINC	3	2.33	0.001	0.0%	2.33	77.7%
Env. Agency Screening Criterion (as % of CL)				1%		70%

Table 1.4 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Mean SO₂

Receptor	Annual Mean SO ₂ concentration (µg/m ³)					
	Critical Level	Background	Max PC Impact	Max PC Impact as % of CL	Proposed Scheme Max PEC	Max PEC as % of CL
River Derwent SAC	20	3.93	0.072	0.4%	4.03	20.2%
Thorne Moor SAC/SPA/SSSI	20	1.34	0.033	0.2%	1.39	7.0%
Lower Derwent SAC	20	1.70	0.073	0.4%	1.81	9.0%
Lower Derwent SPA	20	1.70	0.073	0.4%	1.81	9.0%
Skipwith Common SAC	20	1.42	0.025	0.1%	1.46	7.3%
Skipwith Common SSSI	20	1.42	0.025	0.1%	1.46	7.3%
Humber Estuary SAC	20	7.49	0.069	0.3%	7.59	38.0%

Receptor	Annual Mean SO ₂ concentration (µg/m ³)					
	Critical Level	Background	Max PC Impact	Max PC Impact as % of CL	Proposed Scheme Max PEC	Max PEC as % of CL
Humber Estuary SPA/SSSI	20	7.49	0.069	0.3%	7.59	38.0%
Brighton Meadows SSSI	20	1.70	0.073	0.4%	1.81	9.0%
Eskamhorn Meadows SSSI	20	1.29	0.021	0.1%	1.32	6.6%
Derwent Ings SSSI	20	1.69	0.059	0.3%	1.78	8.9%
Went Ings SSSI	20	1.31	0.023	0.1%	1.34	6.7%
Barn Hill Meadows SSSI	20	1.81	0.072	0.4%	1.91	9.5%
Burr Closes SSSI	20	1.23	0.027	0.1%	1.27	6.3%
Common Plantation SINC	20	1.44	0.008	0.0%	1.45	7.2%
Disused Railway Embankment SINC	20	1.32	0.019	0.1%	1.34	6.7%
Barmby-on-the-Marsh LWS	20	1.32	0.036	0.2%	1.36	6.8%
Brockholes SINC	20	1.32	0.009	0.0%	1.33	6.7%
Meadow East of Orchard Farm SINC	20	1.44	0.004	0.0%	1.44	7.2%
Barmby Pond LWS	20	1.32	0.058	0.3%	1.40	7.0%
Cobble Croft Wood SINC	20	1.44	0.013	0.1%	1.46	7.3%
Hagg Green Lane SINC	20	1.43	0.047	0.2%	1.50	7.5%
Sand Pitt Wood & Barffs Close Plantation SINC	20	1.44	0.013	0.1%	1.46	7.3%
Env. Agency Screening Criterion (as % of CL)				1%		70%

Table 1.5 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Nitrogen Deposition Rate

Receptor	Annual Nitrogen Deposition Rate (kgN/ha/yr)					
	Critical Load	Background	Max PC Impact	Max PC Impact as % of CL	Proposed Scheme Max PEC	Max PEC as % of CL
<u>River Derwent SAC</u>	<u>15</u>	<u>30.22</u>	<u>0.054</u>	<u>0.4%</u>	<u>30.30</u>	<u>202.0%</u>
Thorne Moor SAC	55	21.31 21.34	0.025 0.023	0.5% 0.5%	21.35 21.34	426.9% 426.9%

Receptor	Annual Nitrogen Deposition Rate (kgN/ha/yr)					
	Critical Load	Background	Max PC Impact	Max PC Impact as % of CL	Proposed Scheme Max PEC	Max PEC as % of CL
Thorne Moor SPA	<u>10</u> 10	<u>21.31</u> 21.31	<u>0.025</u> 0.023	<u>0.2%</u> 0.2%	<u>21.35</u> 21.34	<u>213.5%</u> 213.4%
Thorne Moor SSSI	<u>5</u> 5	<u>21.31</u> 21.31	<u>0.025</u> 0.023	<u>0.5%</u> 0.5%	<u>21.35</u> 21.34	<u>426.9%</u> 426.9%
Lower Derwent SAC	<u>20</u> 20	<u>30.22</u> 30.22	<u>0.055</u> 0.050	<u>0.3%</u> 0.3%	<u>30.30</u> 30.30	<u>151.5%</u> 151.5%
Lower Derwent SPA	<u>20</u> 20	<u>30.22</u> 30.22	<u>0.055</u> 0.050	<u>0.3%</u> 0.3%	<u>30.30</u> 30.30	<u>151.5%</u> 151.5%
Skipwith Common SAC	<u>10</u> 10	<u>21.12</u> 21.12	<u>0.019</u> 0.017	<u>0.2%</u> 0.2%	<u>21.14</u> 21.14	<u>211.4%</u> 211.4%
Skipwith Common SSSI	<u>10</u> 10	<u>21.12</u> 21.12	<u>0.019</u> 0.017	<u>0.2%</u> 0.2%	<u>21.14</u> 21.14	<u>211.4%</u> 211.4%
Humber Estuary SAC	<u>20</u> 20	<u>28.87</u> 28.87	<u>0.034</u> 0.031	<u>0.2%</u> 0.2%	<u>28.92</u> 28.91	<u>144.6%</u> 144.6%
Humber Estuary SPA/SSSI	<u>20</u> 20	<u>28.87</u> 28.87	<u>0.034</u> 0.031	<u>0.2%</u> 0.2%	<u>28.92</u> 28.91	<u>144.6%</u> 144.6%
Brighton Meadows SSSI	<u>20</u> 20	<u>23.51</u> 23.51	<u>0.055</u> 0.050	<u>0.3%</u> 0.3%	<u>23.58</u> 28.91	<u>117.9%</u> 144.6%
Eskamhorn Meadows SSSI	<u>10</u> 10	<u>19.95</u> 19.95	<u>0.016</u> 0.015	<u>0.2%</u> 0.1%	<u>19.97</u> 23.58	<u>199.7%</u> 117.9%
Derwent Ings SSSI	<u>20</u> 20	<u>30.22</u> 30.22	<u>0.043</u> 0.040	<u>0.2%</u> 0.2%	<u>30.29</u> 19.97	<u>151.5%</u> 199.7%
Went Ings SSSI	<u>15</u> 15	<u>19.38</u> 19.38	<u>0.017</u> 0.016	<u>0.1%</u> 0.1%	<u>19.41</u> 30.29	<u>129.4%</u> 151.4%
Barn Hill Meadows SSSI	<u>20</u> 20	<u>20.43</u> 20.43	<u>0.039</u> 0.036	<u>0.2%</u> 0.2%	<u>20.48</u> 19.41	<u>102.4%</u> 129.4%
Burr Closes SSSI	<u>20</u> 20	<u>20.64</u> 20.64	<u>0.020</u> 0.019	<u>0.1%</u> 0.1%	<u>20.67</u> 20.48	<u>103.3%</u> 102.4%
Common Plantation SINC	<u>10</u> 10	<u>33.74</u> 33.74	<u>0.010</u> 0.009	<u>0.1%</u> 0.1%	<u>33.75</u> 33.75	<u>337.5%</u> 337.5%
Disused Railway Embankment SINC	<u>10</u> 10	<u>33.32</u> 33.32	<u>0.022</u> 0.021	<u>0.2%</u> 0.2%	<u>33.35</u> 33.34	<u>333.5%</u> 333.4%
Barmby-on-the-Marsh LWS	<u>10</u> 10	<u>33.32</u> 33.32	<u>0.043</u> 0.040	<u>0.4%</u> 0.4%	<u>33.37</u> 33.37	<u>333.7%</u> 333.7%
Brockholes SINC	<u>10</u> 10	<u>19.74</u> 19.74	<u>0.007</u> 0.006	<u>0.1%</u> 0.1%	<u>19.75</u> 19.75	<u>197.5%</u> 197.5%
Meadow East of Orchard Farm SINC	<u>20</u> 20	<u>19.88</u> 19.88	<u>0.003</u> 0.003	<u>0.0%</u> 0.0%	<u>19.88</u> 19.88	<u>99.4%</u> 99.4%
Barmby Pond LWS	<u>10</u> 10	<u>19.74</u> 19.74	<u>0.044</u> 0.040	<u>0.4%</u> 0.4%	<u>19.80</u> 19.79	<u>198.0%</u> 197.9%

Receptor	Annual Nitrogen Deposition Rate (kgN/ha/yr)					
	Critical Load	Background	Max PC Impact	Max PC Impact as % of CL	Proposed Scheme Max PEC	Max PEC as % of CL
Cobble Croft Wood SINC	<u>1040</u>	<u>33.74</u> 33.74	<u>0.015</u> 0.014	<u>0.2%</u> 0.1%	<u>33.76</u> 33.76	<u>337.6%</u> 337.6%
Hagg Green Lane SINC	<u>1040</u>	<u>40.74</u> 40.74	<u>0.058</u> 0.052	<u>0.6%</u> 0.5%	<u>40.82</u> 40.82	<u>408.2%</u> 408.2%
Sand Pitt Wood & Barffs Close Plantation SINC	<u>1040</u>	<u>33.74</u> 33.74	<u>0.016</u> 0.015	<u>0.2%</u> 0.1%	<u>33.76</u> 33.76	<u>337.6%</u> 337.6%
Barlow Common LNR	<u>1040</u>	<u>33.74</u> 33.74	<u>0.010</u> 0.009	<u>0.1%</u> 0.1%	<u>33.75</u> 33.75	<u>337.5%</u> 337.5%
Env. Agency Screening Criterion (as % of CL)				1%		70%

Table 1.6 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Acid Deposition Rate

Receptor	Annual Acid Deposition Rate (keq/ha/yr)					
	Critical Load	Background	Max PC Impact	Max PC Impact as % of CL	Proposed Scheme Max PEC	Max PEC as % of CL
Thorne Moor SAC	<u>0.462</u> 0.462	<u>1.73</u> 1.73	<u>0.006</u> 0.006	<u>1.3%</u> 1.3%	<u>1.74</u> 1.74	<u>376.9%</u> 376.9%
Thorne Moor SSSI	<u>0.462</u> 0.462	<u>1.73</u> 1.73	<u>0.006</u> 0.006	<u>1.3%</u> 1.3%	<u>1.74</u> 1.74	<u>376.9%</u> 376.9%
Lower Derwent SAC	<u>0.643</u> 0.643	<u>2.40</u> 2.40	<u>0.013</u> 0.013	<u>2.1%</u> 2.0%	<u>2.42</u> 2.42	<u>376.9%</u> 376.8%
Skipwith Common SAC	<u>0.802</u> 0.802	<u>1.73</u> 1.73	<u>0.005</u> 0.004	<u>0.6%</u> 0.6%	<u>1.73</u> 1.73	<u>216.0%</u> 216.0%
Skipwith Common SSSI	<u>0.802</u> 0.802	<u>1.73</u> 1.73	<u>0.005</u> 0.004	<u>0.6%</u> 0.6%	<u>1.73</u> 1.73	<u>216.0%</u> 216.0%
Brighton Meadows SSSI	<u>0.643</u> 0.643	<u>1.92</u> 1.92	<u>0.013</u> 0.013	<u>2.1%</u> 2.0%	<u>1.94</u> 1.94	<u>302.2%</u> 302.2%
Eskamhorn Meadows SSSI	<u>1.998</u> 1.998	<u>1.64</u> 1.64	<u>0.004</u> 0.004	<u>0.2%</u> 0.2%	<u>1.64</u> 1.64	<u>82.2%</u> 82.2%
Derwent Ings SSSI	<u>0.643</u> 0.643	<u>2.40</u> 2.40	<u>0.010</u> 0.010	<u>1.6%</u> 1.6%	<u>2.42</u> 2.42	<u>376.5%</u> 376.4%
Went Ings SSSI	<u>2.008</u> 2.008	<u>1.59</u> 1.59	<u>0.004</u> 0.004	<u>0.2%</u> 0.2%	<u>1.60</u> 1.60	<u>79.6%</u> 79.6%
Barn Hill Meadows SSSI	<u>0.633</u> 0.633	<u>1.69</u> 1.69	<u>0.010</u> 0.010	<u>1.6%</u> 1.6%	<u>1.70</u> 1.70	<u>269.3%</u> 269.3%
Burr Closes SSSI	<u>1.248</u> 1.248	<u>1.68</u> 1.68	<u>0.005</u> 0.005	<u>0.4%</u> 0.4%	<u>1.69</u> 1.69	<u>135.2%</u> 135.2%
Env. Agency Screening Criterion (as % of CL)				1%		70%

WITH PROPOSED SCHEME MITIGATION MODEL SCENARIOS

- 1.1.5. Results pertaining to the core model scenarios, including the With Proposed Scheme Mitigation (as detailed in **Section 6.10 of Chapter 6 (Air Quality)** (~~document reference 6.1.6~~[APP-042](#)) and updated in **Air Quality Technical Note 2** ([document reference 8.9.5](#)) are presented in **Tables 1.7 to 1.12**.

Table 1.7 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Mean NO_x (Including Mitigation)

Receptor	Annual Mean NO _x concentration (µg/m ³)				
	Critical Level	Max PC Impact – No Mitigation	Max PC Impact – With Mitigation	Max PC Impact as % of CL – No Mitigation	Max PC Impact as % of CL – With Mitigation
River Derwent SAC	<u>3030</u>	<u>0.163</u> 0.123	<u>0.133</u> 0.100	<u>0.5%</u> 0.4%	<u>0.4%</u> 0.3%
Thorne Moor SAC/SPA/SSSI	<u>3030</u>	<u>0.076</u> 0.057	<u>0.064</u> 0.047	<u>0.3%</u> 0.2%	<u>0.2%</u> 0.2%
Lower Derwent SAC	<u>3030</u>	<u>0.166</u> 0.125	<u>0.138</u> 0.102	<u>0.6%</u> 0.4%	<u>0.5%</u> 0.3%
Lower Derwent SPA	<u>3030</u>	<u>0.166</u> 0.125	<u>0.138</u> 0.102	<u>0.6%</u> 0.4%	<u>0.5%</u> 0.3%
Skipwith Common SAC	<u>3030</u>	<u>0.058</u> 0.043	<u>0.049</u> 0.036	<u>0.2%</u> 0.1%	<u>0.2%</u> 0.1%
Skipwith Common SSSI	<u>3030</u>	<u>0.058</u> 0.043	<u>0.049</u> 0.036	<u>0.2%</u> 0.1%	<u>0.2%</u> 0.1%
Humber Estuary SAC	<u>3030</u>	<u>0.147</u> 0.114	<u>0.125</u> 0.093	<u>0.5%</u> 0.4%	<u>0.4%</u> 0.3%
Humber Estuary SPA/SSSI	<u>3030</u>	<u>0.147</u> 0.114	<u>0.125</u> 0.093	<u>0.5%</u> 0.4%	<u>0.4%</u> 0.3%
Brighton Meadows SSSI	<u>3030</u>	<u>0.166</u> 0.125	<u>0.138</u> 0.102	<u>0.6%</u> 0.4%	<u>0.5%</u> 0.3%
Eskamhorn Meadows SSSI	<u>3030</u>	<u>0.046</u> 0.035	<u>0.034</u> 0.026	<u>0.2%</u> 0.1%	<u>0.1%</u> 0.1%
Derwent Ings SSSI	<u>3030</u>	<u>0.134</u> 0.100	<u>0.114</u> 0.084	<u>0.4%</u> 0.3%	<u>0.4%</u> 0.3%
Went Ings SSSI	<u>3030</u>	<u>0.052</u> 0.039	<u>0.042</u> 0.032	<u>0.2%</u> 0.1%	<u>0.1%</u> 0.1%
Barn Hill Meadows SSSI	<u>3030</u>	<u>0.152</u> 0.116	<u>0.124</u> 0.093	<u>0.5%</u> 0.4%	<u>0.4%</u> 0.3%
Burr Closes SSSI	<u>3030</u>	<u>0.062</u> 0.047	<u>0.050</u> 0.038	<u>0.2%</u> 0.2%	<u>0.2%</u> 0.1%
Common Plantation SINC	<u>3030</u>	<u>0.017</u> 0.013	<u>0.011</u> 0.009	<u>0.1%</u> 0.0%	<u>0.0%</u> 0.0%
Disused Railway Embankment SINC	<u>3030</u>	<u>0.040</u> 0.034	<u>0.029</u> 0.022	<u>0.1%</u> 0.1%	<u>0.1%</u> 0.1%
Barmby-on-the-Marsh LWS	<u>3030</u>	<u>0.076</u> 0.058	<u>0.057</u> 0.043	<u>0.3%</u> 0.2%	<u>0.2%</u> 0.1%
Brockholes SINC	<u>3030</u>	<u>0.019</u> 0.015	<u>0.013</u> 0.010	<u>0.1%</u> 0.0%	<u>0.0%</u> 0.0%
Meadow East of Orchard Farm SINC	<u>3030</u>	<u>0.009</u> 0.007	<u>0.006</u> 0.005	<u>0.0%</u> 0.0%	<u>0.0%</u> 0.0%
Barmby Pond LWS	<u>3030</u>	<u>0.127</u> 0.097	<u>0.098</u> 0.074	<u>0.4%</u> 0.3%	<u>0.3%</u> 0.2%
Cobble Croft Wood SINC	<u>3030</u>	<u>0.027</u> 0.024	<u>0.020</u> 0.015	<u>0.1%</u> 0.1%	<u>0.1%</u> 0.1%
Hagg Green Lane SINC	<u>3030</u>	<u>0.103</u> 0.078	<u>0.083</u> 0.062	<u>0.3%</u> 0.3%	<u>0.3%</u> 0.2%

Receptor	Annual Mean NO _x concentration (µg/m ³)				
	Critical Level	Max PC Impact – No Mitigation	Max PC Impact – With Mitigation	Max PC Impact as % of CL – No Mitigation	Max PC Impact as % of CL – With Mitigation
Sand Pitt Wood & Barffs Close Plantation SINC	<u>3030</u>	<u>0.028</u> 0.024	<u>0.020</u> 0.015	<u>0.1%</u> 0.1%	<u>0.1%</u> 0.1%
Env. Agency Screening Criterion (as % of CL)				1%	

Table 1.8 - Modelled Maximum Operational Impacts at Ecological Receptors – Daily Mean NO_x (Including Mitigation)

Receptor	Daily Mean NO _x concentration (µg/m ³)				
	Critical Level	Max PC Impact – No Mitigation	Max PC Impact – With Mitigation	Max PC Impact as % of CL – No Mitigation	Max PC Impact as % of CL – With Mitigation
River Derwent SAC	<u>7575</u>	<u>1.787</u> 1.165	<u>1.321</u> 0.793	<u>2.4%</u> 1.6%	<u>1.8%</u> 1.1%
Thorne Moor SAC/SPA/SSSI	<u>7575</u>	<u>0.893</u> 0.534	<u>0.699</u> 0.446	<u>1.2%</u> 0.7%	<u>0.9%</u> 0.6%
Lower Derwent SAC	<u>7575</u>	<u>0.893</u> 0.504	<u>0.673</u> 0.308	<u>1.2%</u> 0.7%	<u>0.9%</u> 0.4%
Lower Derwent SPA	<u>7575</u>	<u>0.893</u> 0.504	<u>0.673</u> 0.308	<u>1.2%</u> 0.7%	<u>0.9%</u> 0.4%
Skipwith Common SAC	<u>7575</u>	<u>0.646</u> 0.337	<u>0.434</u> 0.253	<u>0.9%</u> 0.4%	<u>0.6%</u> 0.3%
Skipwith Common SSSI	<u>7575</u>	<u>0.646</u> 0.337	<u>0.434</u> 0.253	<u>0.9%</u> 0.4%	<u>0.6%</u> 0.3%
Humber Estuary SAC	<u>7575</u>	<u>1.200</u> 0.744	<u>0.872</u> 0.469	<u>1.6%</u> 1.0%	<u>1.2%</u> 0.6%
Humber Estuary SPA/SSSI	<u>7575</u>	<u>1.200</u> 0.744	<u>0.872</u> 0.469	<u>1.6%</u> 1.0%	<u>1.2%</u> 0.6%
Brighton Meadows SSSI	<u>7575</u>	<u>0.893</u> 0.504	<u>0.673</u> 0.306	<u>1.2%</u> 0.7%	<u>0.9%</u> 0.4%
Eskamhorn Meadows SSSI	<u>7575</u>	<u>1.912</u> 1.417	<u>1.438</u> 0.983	<u>2.5%</u> 1.9%	<u>1.9%</u> 1.3%
Derwent Ings SSSI	<u>7575</u>	<u>0.831</u> 0.416	<u>0.670</u> 0.308	<u>1.1%</u> 0.6%	<u>0.9%</u> 0.4%
Went Ings SSSI	<u>7575</u>	<u>0.971</u> 0.535	<u>0.651</u> 0.245	<u>1.3%</u> 0.7%	<u>0.9%</u> 0.3%
Barn Hill Meadows SSSI	<u>7575</u>	<u>0.962</u> 0.626	<u>1.274</u> 0.694	<u>1.3%</u> 0.8%	<u>1.7%</u> 0.9%
Burr Closes SSSI	<u>7575</u>	<u>0.761</u> 0.500	<u>0.561</u> 0.346	<u>1.0%</u> 0.7%	<u>0.7%</u> 0.5%
Common Plantation SINC	<u>7575</u>	<u>1.038</u> 0.759	<u>0.684</u> 0.485	<u>1.4%</u> 1.0%	<u>0.9%</u> 0.6%
Disused Railway Embankment SINC	<u>7575</u>	<u>1.184</u> 0.835	<u>1.069</u> 0.753	<u>1.6%</u> 1.1%	<u>1.4%</u> 1.0%
Barmby-on-the-Marsh LWS	<u>7575</u>	<u>1.621</u> 1.065	<u>1.420</u> 0.978	<u>2.2%</u> 1.4%	<u>1.9%</u> 1.3%

Receptor	Daily Mean NO _x concentration (µg/m ³)				
	Critical Level	Max PC Impact – No Mitigation	Max PC Impact – With Mitigation	Max PC Impact as % of CL – No Mitigation	Max PC Impact as % of CL – With Mitigation
Brockholes SINC	7575	1.6231.175	1.1700.824	2.2%1.6%	1.6%1.1%
Meadow East of Orchard Farm SINC	7575	0.5540.404	0.3850.279	0.7%0.5%	0.5%0.4%
Barmby Pond LWS	7575	1.5771.029	1.1510.698	2.1%1.4%	1.5%0.9%
Cobble Croft Wood SINC	7575	1.1760.828	0.7670.430	1.6%1.1%	1.0%0.6%
Hagg Green Lane SINC	7575	1.2480.533	0.8320.342	1.7%0.7%	1.1%0.5%
Sand Pitt Wood & Barffs Close Plantation SINC	7575	1.6301.158	1.0830.733	2.2%1.5%	1.4%1.0%
Env. Agency Screening Criterion (as % of CL)				10%	

Table 1.9 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Mean NH₃ (Including Mitigation)

Receptor	Annual Mean NH ₃ concentration (µg/m ³)				
	Critical Level	Max PC Impact – No Mitigation	Max PC Impact – With Mitigation	Max PC Impact as % of CL – No Mitigation	Max PC Impact as % of CL – With Mitigation
River Derwent SAC	3	0.007	0.006	0.2%	0.2%
Thorne Moor SAC/SPA/SSSI	1	0.003	0.003	0.3%	0.3%
Lower Derwent SAC	3	0.007	0.006	0.2%	0.2%
Lower Derwent SPA	3	0.007	0.006	0.2%	0.2%
Skipwith Common SAC	1	0.002	0.002	0.2%	0.2%
Skipwith Common SSSI	1	0.002	0.002	0.2%	0.2%
Humber Estuary SAC	3	0.004	0.005	0.1%	0.2%
Humber Estuary SPA/SSSI	3	0.004	0.005	0.1%	0.2%
Brighton Meadows SSSI	3	0.007	0.006	0.2%	0.2%
Eskamhorn Meadows SSSI	3	0.002	0.002	0.1%	0.1%
Derwent Ings SSSI	3	0.005	0.005	0.2%	0.2%
Went Ings SSSI	3	0.002	0.002	0.1%	0.1%

Receptor	Annual Mean NH ₃ concentration (µg/m ³)				
	Critical Level	Max PC Impact – No Mitigation	Max PC Impact – With Mitigation	Max PC Impact as % of CL – No Mitigation	Max PC Impact as % of CL – With Mitigation
Barn Hill Meadows SSSI	3	0.005	0.005	0.2%	0.2%
Burr Closes SSSI	3	0.003	0.002	0.1%	0.1%
Common Plantation SINC	3	0.001	0.001	0.0%	0.0%
Disused Railway Embankment SINC	1	0.002	0.001	0.1%	0.0%
Barmby-on-the-Marsh LWS	3	0.003	0.003	0.1%	0.1%
Brockholes SINC	3	0.001	0.001	0.0%	0.0%
Meadow East of Orchard Farm SINC	1	0.000	0.000	0.0%	0.0%
Barmby Pond LWS	1	0.006	0.004	0.2%	0.1%
Cobble Croft Wood SINC	3	0.001	0.001	0.0%	0.0%
Hagg Green Lane SINC	3	0.004	0.004	0.1%	0.1%
Sand Pitt Wood & Barffs Close Plantation SINC	3	0.001	0.001	0.0%	0.0%
Env. Agency Screening Criterion (as % of CL)				1%	

Table 1.10 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Mean SO₂ (Including Mitigation)

Receptor	Annual Mean SO ₂ concentration (µg/m ³)				
	Critical Level	Max PC Impact – No Mitigation	Max PC Impact – With Mitigation	Max PC Impact as % of CL – No Mitigation	Max PC Impact as % of CL – With Mitigation
River Derwent SAC	2020	0.0720.072	0.0210.034	0.4%0.4%	0.1%0.2%
Thorne Moor SAC/SPA/SSSI	2020	0.0330.033	0.0080.014	0.2%0.2%	0.0%0.1%
Lower Derwent SAC	2020	0.0730.073	0.0200.034	0.4%0.4%	0.1%0.2%
Lower Derwent SPA	2020	0.0730.073	0.0200.034	0.4%0.4%	0.1%0.2%
Skipwith Common SAC	2020	0.0250.025	0.0070.014	0.1%0.1%	0.0%0.1%
Skipwith Common SSSI	2020	0.0250.025	0.0070.014	0.1%0.1%	0.0%0.1%
Humber Estuary SAC	2020	0.0690.069	0.0190.028	0.3%0.3%	0.1%0.1%

Receptor	Annual Mean SO ₂ concentration (µg/m ³)				
	Critical Level	Max PC Impact – No Mitigation	Max PC Impact – With Mitigation	Max PC Impact as % of CL – No Mitigation	Max PC Impact as % of CL – With Mitigation
Humber Estuary SPA/SSSI	2020	0.0690.069	0.0190.028	0.3%0.3%	0.1%0.1%
Brighton Meadows SSSI	2020	0.0730.073	0.0200.031	0.4%0.4%	0.1%0.2%
Eskamhorn Meadows SSSI	2020	0.0210.021	0.0060.009	0.1%0.1%	0.0%0.0%
Derwent Ings SSSI	2020	0.0590.059	0.0150.024	0.3%0.3%	0.1%0.1%
Went Ings SSSI	2020	0.0230.023	0.0070.010	0.1%0.1%	0.0%0.0%
Barn Hill Meadows SSSI	2020	0.0720.072	0.0200.029	0.4%0.4%	0.1%0.1%
Burr Closes SSSI	2020	0.0270.027	0.0080.012	0.1%0.1%	0.0%0.1%
Common Plantation SINC	2020	0.0080.008	0.0020.003	0.0%0.0%	0.0%0.0%
Disused Railway Embankment SINC	2020	0.0190.019	0.0050.008	0.1%0.1%	0.0%0.0%
Barmby-on-the-Marsh LWS	2020	0.0360.036	0.0110.015	0.2%0.2%	0.1%0.1%
Brockholes SINC	2020	0.0090.009	0.0030.003	0.0%0.0%	0.0%0.0%
Meadow East of Orchard Farm SINC	2020	0.0040.004	0.0010.002	0.0%0.0%	0.0%0.0%
Barmby Pond LWS	2020	0.0580.058	0.0170.024	0.3%0.3%	0.1%0.1%
Cobble Croft Wood SINC	2020	0.0130.013	0.0040.005	0.1%0.1%	0.0%0.0%
Hagg Green Lane SINC	2020	0.0470.047	0.0120.019	0.2%0.2%	0.1%0.1%
Sand Pitt Wood & Barffs Close Plantation SINC	2020	0.0130.013	0.0040.005	0.1%0.1%	0.0%0.0%
Env. Agency Screening Criterion (as % of CL)					

Table 1.11 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Nitrogen Deposition Rate (Including Mitigation)

Receptor	Annual Nitrogen Deposition Rate (kgN/ha/yr)				
	Critical Load	Max PC Impact – No Mitigation	Max PC Impact – With Mitigation	Max PC Impact as % of CL – No Mitigation	Max PC Impact as % of CL – With Mitigation
<u>River Derwent SAC</u>	<u>15</u>	<u>0.054</u>	<u>0.044</u>	<u>0.4%</u>	<u>0.3%</u>
Thorne Moor SAC	55	0.025 <u>0.023</u>	0.021 <u>0.019</u>	0.5% <u>0.5%</u>	0.4% <u>0.4%</u>
Thorne Moor SPA	1040	0.025 <u>0.023</u>	0.021 <u>0.019</u>	0.2% <u>0.2%</u>	0.2% <u>0.2%</u>
Thorne Moor SSSI	55	0.025 <u>0.023</u>	0.021 <u>0.019</u>	0.5% <u>0.5%</u>	0.4% <u>0.4%</u>
Lower Derwent SAC	2020	0.055 <u>0.050</u>	0.045 <u>0.041</u>	0.3% <u>0.3%</u>	0.2% <u>0.2%</u>
Lower Derwent SPA	2020	0.055 <u>0.050</u>	0.045 <u>0.041</u>	0.3% <u>0.3%</u>	0.2% <u>0.2%</u>
Skipwith Common SAC	1040	0.019 <u>0.017</u>	0.016 <u>0.014</u>	0.2% <u>0.2%</u>	0.2% <u>0.1%</u>
Skipwith Common SSSI	1040	0.019 <u>0.017</u>	0.016 <u>0.014</u>	0.2% <u>0.2%</u>	0.2% <u>0.1%</u>
Humber Estuary SAC	2020	0.034 <u>0.031</u>	0.041 <u>0.037</u>	0.2% <u>0.2%</u>	0.2% <u>0.2%</u>
Humber Estuary SPA/SSSI	2020	0.034 <u>0.031</u>	0.041 <u>0.037</u>	0.2% <u>0.2%</u>	0.2% <u>0.2%</u>
Brighton Meadows SSSI	2020	0.055 <u>0.050</u>	0.045 <u>0.041</u>	0.3% <u>0.3%</u>	0.2% <u>0.2%</u>
Eskamhorn Meadows SSSI	1040	0.016 <u>0.015</u>	0.012 <u>0.011</u>	0.2% <u>0.1%</u>	0.1% <u>0.1%</u>
Derwent Ings SSSI	2020	0.043 <u>0.040</u>	0.037 <u>0.033</u>	0.2% <u>0.2%</u>	0.2% <u>0.2%</u>
Went Ings SSSI	1545	0.017 <u>0.016</u>	0.014 <u>0.013</u>	0.1% <u>0.1%</u>	0.1% <u>0.1%</u>
Barn Hill Meadows SSSI	2020	0.039 <u>0.036</u>	0.041 <u>0.038</u>	0.2% <u>0.2%</u>	0.2% <u>0.2%</u>
Burr Closes SSSI	2020	0.020 <u>0.019</u>	0.016 <u>0.015</u>	0.1% <u>0.1%</u>	0.1% <u>0.1%</u>
Common Plantation SINC	1040	0.010 <u>0.009</u>	0.007 <u>0.006</u>	0.1% <u>0.1%</u>	0.1% <u>0.1%</u>
Disused Railway Embankment SINC	1040	0.022 <u>0.021</u>	0.016 <u>0.015</u>	0.2% <u>0.2%</u>	0.2% <u>0.1%</u>
Barmby-on-the-Marsh LWS	1040	0.043 <u>0.040</u>	0.032 <u>0.029</u>	0.4% <u>0.4%</u>	0.3% <u>0.3%</u>
Brockholes SINC	1040	0.007 <u>0.006</u>	0.005 <u>0.004</u>	0.1% <u>0.1%</u>	0.0% <u>0.0%</u>

Receptor	Annual Nitrogen Deposition Rate (kgN/ha/yr)				
	Critical Load	Max PC Impact – No Mitigation	Max PC Impact – With Mitigation	Max PC Impact as % of CL – No Mitigation	Max PC Impact as % of CL – With Mitigation
Meadow East of Orchard Farm SINC	2020	0.0030.003	0.0020.002	0.0%0.0%	0.0%0.0%
Barmby Pond LWS	1040	0.0440.040	0.0330.031	0.4%0.4%	0.3%0.3%
Cobble Croft Wood SINC	1040	0.0150.014	0.0110.010	0.2%0.1%	0.1%0.1%
Hagg Green Lane SINC	1040	0.0580.052	0.0460.042	0.6%0.5%	0.5%0.4%
Sand Pitt Wood & Barffs Close Plantation SINC	1040	0.0160.015	0.0110.010	0.2%0.1%	0.1%0.1%
Barlow Common LNR	1040	0.0100.009	0.0070.006	0.1%0.1%	0.1%0.1%
Env. Agency Screening Criterion (as % of CL)				1%	

Table 1.12 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Acid Deposition Rate (Including Mitigation)

Receptor	Annual Acid Deposition Rate (keq/ha/yr)				
	Critical Load	Max PC Impact – No Mitigation	Max PC Impact – With Mitigation	Max PC Impact as % of CL – No Mitigation	Max PC Impact as % of CL – With Mitigation
Thorne Moor SAC	0.4620.462	0.0060.006	0.0030.003	1.3%1.3%	0.6%0.7%
Thorne Moor SSSI	0.4620.462	0.0060.006	0.0030.003	1.3%1.3%	0.6%0.7%
Lower Derwent SAC	0.6430.643	0.0130.013	0.0060.007	2.1%2.0%	1.0%1.1%
Skipwith Common SAC	0.8020.802	0.0050.004	0.0020.003	0.6%0.6%	0.3%0.3%
Skipwith Common SSSI	0.8020.802	0.0050.004	0.0020.003	0.6%0.6%	0.3%0.3%
Brighton Meadows SSSI	0.6430.643	0.0130.013	0.0060.007	2.1%2.0%	1.0%1.1%
Eskamhorn Meadows SSSI	1.9981.998	0.0040.004	0.0020.002	0.2%0.2%	0.1%0.1%
Derwent Ings SSSI	0.6430.643	0.0100.010	0.0050.006	1.6%1.6%	0.8%0.9%
Went Ings SSSI	2.0082.008	0.0040.004	0.0020.002	0.2%0.2%	0.1%0.1%
Barn Hill Meadows SSSI	0.6330.633	0.0100.010	0.0060.007	1.6%1.6%	0.9%1.1%

Receptor	Annual Acid Deposition Rate (keq/ha/yr)				
	Critical Load	Max PC Impact – No Mitigation	Max PC Impact – With Mitigation	Max PC Impact as % of CL – No Mitigation	Max PC Impact as % of CL – With Mitigation
Burr Closes SSSI	<u>1.248</u> 1.248	<u>0.005</u> 0.005	<u>0.002</u> 0.003	<u>0.4%</u> 0.4%	<u>0.2%</u> 0.2%
Env. Agency Screening Criterion (as % of CL)				1%	

CUMULATIVE IMPACTS (WITH PROPOSED SCHEME & OTHER PROJECTS)

- 1.1.6. Results pertaining to the cumulative impacts, both before mitigation (“No Mitⁿ”) and after mitigation (“Mitigⁿ”) associated With Proposed Scheme Mitigation is applied (as detailed in **Section 6.10 of Chapter 6 (Air Quality)** [and updated in Air Quality Technical Note 2 \(document reference 8.9.5\)](#) are presented in **Tables 1.13 to 1.18**.

Table 1.13 - Modelled Maximum Cumulative Impacts at Ecological Receptors – Annual Mean NO_x

Receptor	Annual Mean NO _x concentration (µg/m ³)								
	Critical Level	Max Cumulative PC Impact		Max PC Impact as % of CL		Max Cumulative PEC		Max PEC as % of CL	
		No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ
River Derwent SAC	3030	0.6750.667	0.6470.645	2.3%2.2%	2.2%2.2%	12.6312.62	12.6012.60	42.1%42.1%	42.0%42.0%
Thorne Moor SAC/SPA/SSSI	3030	0.3480.374	0.3360.365	1.2%1.2%	1.1%1.2%	13.5813.61	13.5713.60	45.3%45.4%	45.2%45.3%
Lower Derwent SAC	3030	0.6810.674	0.6530.652	2.3%2.2%	2.2%2.2%	10.6410.64	10.6210.61	35.5%35.5%	35.4%35.4%
Lower Derwent SPA	3030	0.6810.674	0.6530.652	2.3%2.2%	2.2%2.2%	10.6410.64	10.6210.61	35.5%35.5%	35.4%35.4%
Skipwith Common SAC	3030	0.5040.509	0.4950.502	1.7%1.7%	1.7%1.7%	10.2910.29	10.2810.29	34.3%34.3%	34.3%34.3%
Skipwith Common SSSI	3030	0.5040.509	0.4950.502	1.7%1.7%	1.7%1.7%	10.2910.29	10.2810.29	34.3%34.3%	34.3%34.3%
Humber Estuary SAC	3030	0.4980.506	0.4740.487	1.7%1.7%	1.6%1.6%	47.5142.75	47.4842.20	158.4%42.5%	158.3%40.7%
Humber Estuary SPA/SSSI	3030	0.4980.506	0.4740.487	1.7%1.7%	1.6%1.6%	47.5142.75	47.4842.20	158.4%42.5%	158.3%40.7%
Brighton Meadows SSSI	3030	0.6810.674	0.6530.652	2.3%2.2%	2.2%2.2%	10.6410.64	10.6210.61	35.5%35.5%	35.4%35.4%
Eskamhorn Meadows SSSI	3030	0.4880.513	0.4830.508	1.6%1.7%	1.6%1.7%	11.8411.87	11.8311.86	39.5%39.6%	39.4%39.5%
Derwent Ings SSSI	3030	0.6400.635	0.6190.618	2.1%2.1%	2.1%2.1%	10.4910.48	10.4710.47	35.0%34.9%	34.9%34.9%
Went Ings SSSI	3030	0.3030.321	0.2960.316	1.0%1.1%	1.0%1.1%	12.4012.42	12.4012.42	41.3%41.4%	41.3%41.4%
Barn Hill Meadows SSSI	3030	0.5570.558	0.5270.534	1.9%1.9%	1.8%1.8%	13.4813.48	13.4513.46	44.9%44.9%	44.8%44.9%
Burr Closes SSSI	3030	0.2830.296	0.2760.290	0.9%1.0%	0.9%1.0%	10.8310.84	10.8210.84	36.1%36.1%	36.1%36.1%
Common Plantation SINC	3030	0.7280.743	0.7230.741	2.4%2.5%	2.4%2.5%	12.1612.17	12.1512.17	40.5%40.6%	40.5%40.6%
Disused Railway Embankment SINC	3030	0.5580.578	0.5460.569	1.9%1.9%	1.8%1.9%	11.3211.34	11.3111.33	37.7%37.8%	37.7%37.8%
Barmby-on-the-Marsh LWS	3030	0.5750.588	0.5550.571	1.9%2.0%	1.8%1.9%	11.0711.08	11.0511.06	36.9%36.9%	36.8%36.9%
Brockholes SINC	3030	0.4800.508	0.4760.505	1.6%1.7%	1.6%1.7%	11.7011.73	11.7011.73	39.0%39.1%	39.0%39.1%
Meadow East of Orchard Farm SINC	3030	0.7010.725	0.6990.724	2.3%2.4%	2.3%2.4%	11.5311.56	11.5311.55	38.4%38.5%	38.4%38.5%
Barmby Pond LWS	3030	0.6110.617	0.5850.596	2.0%2.1%	2.0%2.0%	10.5910.60	10.5710.58	35.3%35.3%	35.2%35.3%
Cobble Croft Wood SINC	3030	0.6970.706	0.6900.700	2.3%2.4%	2.3%2.3%	12.3212.33	12.3112.32	41.1%41.1%	41.0%41.1%
Hagg Green Lane SINC	3030	0.7040.706	0.6840.690	2.3%2.4%	2.3%2.3%	11.6711.67	11.6511.65	38.9%38.9%	38.8%38.8%

Receptor	Annual Mean NO _x concentration (µg/m ³)								
	Critical Level	Max Cumulative PC Impact		Max PC Impact as % of CL		Max Cumulative PEC		Max PEC as % of CL	
		No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ
Sand Pitt Wood & Barffs Close Plantation SINC	3030	0.7980.806	0.7900.800	2.7%2.7%	2.6%2.7%	12.2312.24	12.2212.23	40.8%40.8%	40.7%40.8%
Env. Agency Screening Criterion (as % of CL)				1%				70%	

Table 1.14 - Modelled Maximum Cumulative Impacts at Ecological Receptors – Daily Mean NO_x

Receptor	Daily Mean NO _x concentration (µg/m ³)								
	Critical Level	Max Cumulative PC Impact		Max PC Impact as % of CL		Max Cumulative PEC		Max PEC as % of CL	
		No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ
River Derwent SAC	7575	5.4594.343	5.0783.975	7.3%5.8%	6.8%5.3%	31.4430.31	31.2430.13	41.9%40.4%	41.7%40.2%
Thorne Moor SAC/SPA/SSSI	7575	0.4463.747	0.4463.726	0.6%5.0%	0.6%5.0%	32.4331.70	32.3431.68	43.2%42.3%	43.1%42.2%
Lower Derwent SAC	7575	0.3083.498	0.3083.428	0.4%4.7%	0.4%4.6%	27.0026.20	26.9026.13	36.0%34.9%	35.9%34.8%
Lower Derwent SPA	7575	0.3083.498	0.3083.428	0.4%4.7%	0.4%4.6%	27.0026.20	26.9026.13	36.0%34.9%	35.9%34.8%
Skipwith Common SAC	7575	0.2533.166	0.2533.086	0.3%4.2%	0.3%4.1%	24.7524.15	24.6624.08	33.0%32.2%	32.9%32.1%
Skipwith Common SSSI	7575	0.2533.166	0.2533.086	0.3%4.2%	0.3%4.1%	24.7524.15	24.6624.08	33.0%32.2%	32.9%32.1%
Humber Estuary SAC	7575	0.46916.206	0.46916.173	0.6%21.6%	0.6%21.6%	100.0542.15	99.9324.40	133.4%56.2%	133.2%32.5%
Humber Estuary SPA/SSSI	7575	0.46916.206	0.46916.173	0.6%21.6%	0.6%21.6%	100.0542.15	99.9324.40	133.4%56.2%	133.2%32.5%
Brighton Meadows SSSI	7575	0.3063.498	0.3063.428	0.4%4.7%	0.4%4.6%	27.0026.18	26.8926.11	36.0%34.9%	35.9%34.8%
Eskamhorn Meadows SSSI	7575	0.9835.355	0.9835.066	1.3%7.1%	1.3%6.8%	30.4028.99	29.9928.67	40.5%38.7%	40.0%38.2%
Derwent Ings SSSI	7575	0.3083.484	0.3083.416	0.4%4.6%	0.4%4.6%	26.6325.80	26.4725.73	35.5%34.4%	35.3%34.3%
Went Ings SSSI	7575	0.2453.855	0.2453.800	0.3%5.1%	0.3%5.1%	30.2729.47	30.1429.35	40.4%39.3%	40.2%39.1%
Barn Hill Meadows SSSI	7575	0.6913.774	0.6913.673	0.9%5.0%	0.9%4.9%	32.2531.44	32.1431.34	43.0%41.9%	42.9%41.8%
Burr Closes SSSI	7575	0.3463.067	0.3462.912	0.5%4.1%	0.5%3.9%	25.9925.39	25.9525.36	34.7%33.9%	34.6%33.8%
Common Plantation SINC	7575	7.2406.613	7.5966.849	9.7%8.8%	10.1%9.1%	30.3029.67	30.6529.94	40.4%39.6%	40.9%39.9%
Disused Railway Embankment SINC	7575	6.0355.198	5.7795.087	8.0%6.9%	7.7%6.8%	27.9327.01	27.6226.78	37.2%36.0%	36.8%35.7%

Receptor	Daily Mean NO _x concentration (µg/m ³)								
	Critical Level	Max Cumulative PC Impact		Max PC Impact as % of CL		Max Cumulative PEC		Max PEC as % of CL	
		No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ
Barmby-on-the-Marsh LWS	7575	6.310 5.162	5.938 4.838	8.4% 6.9%	7.9% 6.5%	28.32 27.13	27.95 26.84	37.8% 36.2%	37.3% 35.8%
Brockholes SINC	7575	5.892 4.733	5.440 4.382	7.9% 6.3%	7.3% 5.8%	28.71 27.55	28.26 27.20	38.3% 36.7%	37.7% 36.3%
Meadow East of Orchard Farm SINC	7575	5.436 4.907	5.702 5.094	7.2% 6.5%	7.6% 6.8%	27.18 26.65	27.44 26.84	36.2% 35.5%	36.6% 35.8%
Barmby Pond LWS	7575	5.189 4.160	4.763 3.829	6.9% 5.5%	6.4% 5.1%	27.29 26.20	27.09 26.04	36.4% 34.9%	36.1% 34.7%
Cobble Croft Wood SINC	7575	7.028 6.110	6.706 5.899	9.4% 8.1%	8.9% 7.9%	31.22 30.06	30.90 29.81	41.6% 40.1%	41.2% 39.7%
Hagg Green Lane SINC	7575	5.261 4.110	4.843 3.928	7.0% 5.5%	6.5% 5.2%	29.27 28.26	28.95 28.12	39.0% 37.7%	38.6% 37.5%
Sand Pitt Wood & Barffs Close Plantation SINC	7575	7.720 7.059	7.948 7.223	10.3% 9.4%	10.6% 9.6%	31.06 30.22	31.02 30.30	41.4% 40.3%	41.4% 40.4%
Env. Agency Screening Criterion (as % of CL)				10%					

Table 1.15 - Modelled Maximum Cumulative Impacts at Ecological Receptors – Annual Mean NH₃

Receptor	Annual Mean NH ₃ concentration (µg/m ³)								
	Critical Level	Max Cumulative PC Impact		Max PC Impact as % of CL		Max Cumulative PEC		Max PEC as % of CL	
		No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ
River Derwent SAC	33	0.008 0.010	0.007 0.008	0.3% 0.3%	0.2% 0.3%	4.58 4.58	4.58 4.58	152.7% 152.8%	152.7% 152.7%
Thorne Moor SAC/SPA/SSSI	14	0.006 0.011	0.006 0.011	0.6% 1.1%	0.6% 1.1%	2.60 2.60	2.60 2.60	259.8% 260.3%	259.8% 260.2%
Lower Derwent SAC	33	0.008 0.010	0.007 0.008	0.3% 0.3%	0.2% 0.3%	4.58 4.58	4.58 4.58	152.7% 152.8%	152.7% 152.7%
Lower Derwent SPA	33	0.008 0.010	0.007 0.008	0.3% 0.3%	0.2% 0.3%	4.58 4.58	4.58 4.58	152.7% 152.8%	152.7% 152.7%
Skipwith Common SAC	14	0.003 0.004	0.003 0.004	0.3% 0.4%	0.3% 0.4%	2.58 2.59	2.58 2.59	258.4% 258.6%	258.4% 258.5%
Skipwith Common SSSI	14	0.003 0.004	0.003 0.004	0.3% 0.4%	0.3% 0.4%	2.58 2.59	2.58 2.59	258.4% 258.6%	258.4% 258.5%
Humber Estuary SAC	33	0.006 0.011	0.007 0.011	0.2% 0.4%	0.2% 0.4%	3.59 3.59	3.59 3.59	119.6% 119.8%	119.7% 119.8%
Humber Estuary SPA/SSSI	33	0.006 0.011	0.007 0.011	0.2% 0.4%	0.2% 0.4%	3.59 3.59	3.59 3.59	119.6% 119.8%	119.7% 119.8%
Brighton Meadows SSSI	33	0.008 0.010	0.007 0.008	0.3% 0.3%	0.2% 0.3%	3.09 3.09	3.09 3.09	103.0% 103.1%	103.0% 103.1%
Eskamhorn Meadows SSSI	33	0.003 0.005	0.003 0.005	0.1% 0.2%	0.1% 0.2%	2.40 2.41	2.40 2.41	80.1% 80.2%	80.1% 80.2%

Receptor	Annual Mean NH ₃ concentration (µg/m ³)								
	Critical Level	Max Cumulative PC Impact		Max PC Impact as % of CL		Max Cumulative PEC		Max PEC as % of CL	
		No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ
Derwent Ings SSSI	33	0.0060.008	0.0050.007	0.2%0.3%	0.2%0.2%	4.584.58	4.584.58	152.7%152.7%	152.6%152.7%
Went Ings SSSI	33	0.0040.006	0.0040.006	0.1%0.2%	0.1%0.2%	2.362.36	2.352.36	78.5%78.6%	78.5%78.6%
Barn Hill Meadows SSSI	33	0.0060.009	0.0070.010	0.2%0.3%	0.2%0.3%	2.332.33	2.332.33	77.6%77.7%	77.7%77.7%
Burr Closes SSSI	33	0.0030.005	0.0030.004	0.1%0.2%	0.1%0.1%	2.502.51	2.502.51	83.5%83.5%	83.5%83.5%
Common Plantation SINC	33	0.0020.004	0.0010.003	0.1%0.1%	0.0%0.1%	2.332.33	2.332.33	77.7%77.8%	77.7%77.8%
Disused Railway Embankment SINC	33	0.0030.005	0.0020.005	0.1%0.2%	0.1%0.2%	2.282.29	2.282.29	76.1%76.2%	76.1%76.2%
Barmby-on-the-Marsh LWS	33	0.0040.007	0.0040.006	0.1%0.2%	0.1%0.2%	2.292.29	2.282.29	76.2%76.3%	76.1%76.2%
Brockholes SINC	33	0.0020.004	0.0020.004	0.1%0.1%	0.1%0.1%	2.282.28	2.282.28	76.1%76.1%	76.1%76.1%
Meadow East of Orchard Farm SINC	33	0.0010.003	0.0010.003	0.0%0.1%	0.0%0.1%	2.332.33	2.332.33	77.7%77.8%	77.7%77.8%
Barmby Pond LWS	33	0.0070.009	0.0050.008	0.2%0.3%	0.2%0.3%	2.292.29	2.292.29	76.3%76.3%	76.2%76.3%
Cobble Croft Wood SINC	33	0.0020.004	0.0020.004	0.1%0.1%	0.1%0.1%	2.332.33	2.332.33	77.7%77.8%	77.7%77.8%
Hagg Green Lane SINC	33	0.0050.007	0.0040.006	0.2%0.2%	0.1%0.2%	3.103.10	3.103.10	103.2%103.3%	103.2%103.3%
Sand Pitt Wood & Barffs Close Plantation SINC	33	0.0020.004	0.0020.004	0.1%0.1%	0.1%0.1%	2.332.33	2.332.33	77.7%77.8%	77.7%77.8%
Env. Agency Screening Criterion (as % of CL)				1%				70%	

Table 1.16 - Modelled Maximum Cumulative Impacts at Ecological Receptors – Annual Mean SO₂

Receptor	Annual Mean SO ₂ concentration (µg/m ³)								
	Critical Level	Max Cumulative PC Impact		Max PC Impact as % of CL		Max Cumulative PEC		Max PEC as % of CL	
		No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ
River Derwent SAC	2020	0.0740.022	0.0220.005	0.4%0.1%	0.1%0.0%	4.044.03	3.984.00	20.2%20.1%	19.9%20.0%
Thorne Moor SAC/SPA/SSSI	2020	0.0410.018	0.0170.010	0.2%0.1%	0.1%0.0%	1.401.41	1.381.39	7.0%7.0%	6.9%7.0%
Lower Derwent SAC	2020	0.0740.023	0.0220.002	0.4%0.1%	0.1%0.0%	1.811.80	1.761.78	9.0%9.0%	8.8%8.9%
Lower Derwent SPA	2020	0.0740.023	0.0220.002	0.4%0.1%	0.1%0.0%	1.811.80	1.761.78	9.0%9.0%	8.8%8.9%

Receptor	Annual Mean SO ₂ concentration (µg/m ³)								
	Critical Level	Max Cumulative PC Impact		Max PC Impact as % of CL		Max Cumulative PEC		Max PEC as % of CL	
		No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ
Skipwith Common SAC	2020	0.0260.009	0.0080.004	0.1%0.0%	0.0%0.0%	1.461.46	1.441.45	7.3%7.3%	7.2%7.3%
Skipwith Common SSSI	2020	0.0260.009	0.0080.004	0.1%0.0%	0.0%0.0%	1.461.46	1.441.45	7.3%7.3%	7.2%7.3%
Humber Estuary SAC	2020	0.0730.026	0.0230.006	0.4%0.1%	0.1%0.0%	7.597.58	7.547.56	38.0%37.9%	37.7%37.8%
Humber Estuary SPA/SSSI	2020	0.0730.026	0.0230.006	0.4%0.1%	0.1%0.0%	7.597.58	7.547.56	38.0%37.9%	37.7%37.8%
Brighton Meadows SSSI	2020	0.0740.023	0.0220.002	0.4%0.1%	0.1%0.0%	1.811.80	1.761.78	9.0%9.0%	8.8%8.9%
Eskamhorn Meadows SSSI	2020	0.0240.008	0.0090.005	0.1%0.0%	0.0%0.0%	1.321.31	1.301.30	6.6%6.5%	6.5%6.5%
Derwent Ings SSSI	2020	0.0610.017	0.017-0.004	0.3%0.1%	0.1%0.0%	1.781.78	1.741.76	8.9%8.9%	8.7%8.8%
Went Ings SSSI	2020	0.0280.012	0.0110.006	0.1%0.1%	0.1%0.0%	1.351.34	1.331.34	6.7%6.7%	6.7%6.7%
Barn Hill Meadows SSSI	2020	0.0750.026	0.0240.006	0.4%0.1%	0.1%0.0%	1.911.89	1.861.87	9.6%9.5%	9.3%9.4%
Burr Closes SSSI	2020	0.0280.009	0.0090.002	0.1%0.0%	0.0%0.0%	1.271.26	1.251.26	6.3%6.3%	6.3%6.3%
Common Plantation SINC	2020	0.0090.009	0.0040.004	0.0%0.0%	0.0%0.0%	1.451.45	1.441.45	7.3%7.3%	7.2%7.2%
Disused Railway Embankment SINC	2020	0.0210.024	0.0080.010	0.1%0.1%	0.0%0.0%	1.341.34	1.331.33	6.7%6.7%	6.7%6.7%
Barmby-on-the-Marsh LWS	2020	0.0380.038	0.0130.017	0.2%0.2%	0.1%0.1%	1.371.37	1.341.35	6.8%6.8%	6.7%6.7%
Brockholes SINC	2020	0.0110.014	0.0050.006	0.1%0.1%	0.0%0.0%	1.331.33	1.331.33	6.7%6.7%	6.6%6.6%
Meadow East of Orchard Farm SINC	2020	0.0060.006	0.0030.003	0.0%0.0%	0.0%0.0%	1.451.45	1.441.44	7.2%7.2%	7.2%7.2%
Barmby Pond LWS	2020	0.0600.060	0.0190.026	0.3%0.3%	0.1%0.1%	1.401.40	1.361.36	7.0%7.0%	6.8%6.8%
Cobble Croft Wood SINC	2020	0.0140.014	0.0050.007	0.1%0.1%	0.0%0.0%	1.461.46	1.451.45	7.3%7.3%	7.2%7.2%
Hagg Green Lane SINC	2020	0.0490.049	0.0140.021	0.2%0.2%	0.1%0.1%	1.501.50	1.471.47	7.5%7.5%	7.3%7.4%
Sand Pitt Wood & Barffs Close Plantation SINC	2020	0.0140.014	0.0050.007	0.1%0.1%	0.0%0.0%	1.461.46	1.451.45	7.3%7.3%	7.2%7.2%
Env. Agency Screening Criterion (as % of CL)				1%				70%	

Table 1.17 - Modelled Maximum Cumulative Impacts at Ecological Receptors – Annual Nitrogen Deposition Rate

Receptor	Annual Nitrogen Deposition Rate (kgN/ha/yr)								
	Critical Level Load	Max Cumulative PC Impact		Max PC Impact as % of CL		Max Cumulative PEC		Max PEC as % of CL	
		No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ
River Derwent SAC	15	0.106	0.098	0.7%	0.7%	30.35	30.34	202.3%	202.3%
Thorne Moor SAC	55	0.0610.089	0.0630.087	1.2%1.8%	1.3%1.7%	21.3821.41	21.3821.41	427.6%428.1%	427.6%428.1%
Thorne Moor SPA	1010	0.0610.089	0.0630.087	0.6%0.9%	0.6%0.9%	21.3821.41	21.3821.41	213.8%214.1%	213.8%214.1%
Thorne Moor SSSI	55	0.0610.089	0.0630.087	1.2%1.8%	1.3%1.7%	21.3821.41	21.3821.41	427.6%428.1%	427.6%428.1%
Lower Derwent SAC	2020	0.1050.112	0.0980.107	0.5%0.6%	0.5%0.5%	30.3530.36	30.3430.35	151.8%151.8%	151.7%151.7%
Lower Derwent SPA	2020	0.1050.112	0.0980.107	0.5%0.6%	0.5%0.5%	30.3530.36	30.3430.35	151.8%151.8%	151.7%151.7%
Skipwith Common SAC	1010	0.0670.074	0.0640.071	0.7%0.7%	0.6%0.7%	21.1921.20	21.1921.20	211.9%212.0%	211.9%212.0%
Skipwith Common SSSI	1010	0.0670.074	0.0640.071	0.7%0.7%	0.6%0.7%	21.1921.20	21.1921.20	211.9%212.0%	211.9%212.0%
Humber Estuary SAC	2020	0.0730.095	0.0860.103	0.4%0.5%	0.4%0.5%	28.9628.98	28.9828.99	144.8%144.9%	144.9%145.0%
Humber Estuary SPA/SSSI	2020	0.0730.095	0.0860.103	0.4%0.5%	0.4%0.5%	28.9628.98	28.9828.99	144.8%144.9%	144.9%145.0%
Brighton Meadows SSSI	2020	0.1050.112	0.0980.107	0.5%0.6%	0.5%0.5%	23.6323.64	23.6223.63	118.2%118.2%	118.1%118.2%
Eskamhorn Meadows SSSI	1010	0.0580.072	0.0610.075	0.6%0.7%	0.6%0.8%	20.0120.03	20.0220.03	200.1%200.3%	200.2%200.3%
Derwent Ings SSSI	2020	0.0960.103	0.0910.100	0.5%0.5%	0.5%0.5%	30.3430.35	30.3430.34	151.7%151.7%	151.7%151.7%
Went Ings SSSI	1515	0.0490.060	0.0460.058	0.3%0.4%	0.3%0.4%	19.4419.45	19.4319.45	129.6%129.7%	129.6%129.6%
Barn Hill Meadows SSSI	2020	0.0820.095	0.0880.103	0.4%0.5%	0.4%0.5%	20.5220.54	20.5420.55	102.6%102.7%	102.7%102.8%
Burr Closes SSSI	2020	0.0450.054	0.0410.050	0.2%0.3%	0.2%0.2%	20.6920.70	20.6920.70	103.5%103.5%	103.4%103.5%
Common Plantation SINC	1010	0.1580.171	0.1550.171	1.6%1.7%	1.5%1.7%	33.9033.91	33.9033.91	339.0%339.1%	339.0%339.1%
Disused Railway Embankment SINC	1010	0.1260.150	0.1290.150	1.3%1.5%	1.3%1.5%	33.4533.47	33.4533.47	334.5%334.7%	334.5%334.7%
Barmby-on-the-Marsh LWS	1010	0.1410.160	0.1410.160	1.4%1.6%	1.4%1.6%	33.4733.49	33.4733.49	334.7%334.9%	334.7%334.9%
Brockholes SINC	1010	0.0560.070	0.0570.070	0.6%0.7%	0.6%0.7%	19.8019.81	19.8019.81	198.0%198.1%	198.0%198.1%
Meadow East of Orchard Farm SINC	2020	0.0750.087	0.0760.087	0.4%0.4%	0.4%0.4%	19.9619.97	19.9619.97	99.8%99.8%	99.8%99.8%
Barmby Pond LWS	1010	0.0950.095	0.0850.095	1.0%1.0%	0.9%1.0%	19.8519.85	19.8419.85	198.5%198.5%	198.4%198.5%

Receptor	Annual Nitrogen Deposition Rate (kgN/ha/yr)								
	Critical Level <u>Load</u>	Max Cumulative PC Impact		Max PC Impact as % of CL		Max Cumulative PEC		Max PEC as % of CL	
		No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ
Cobble Croft Wood SINC	<u>10</u> 40	<u>0.155</u> 0.161	<u>0.151</u> 0.161	<u>1.6%</u> 1.6%	<u>1.5%</u> 1.6%	<u>33.90</u> 33.90	<u>33.89</u> 33.90	<u>339.0%</u> 339.0%	<u>338.9%</u> 339.0%
Hagg Green Lane SINC	<u>10</u> 40	<u>0.176</u> 0.188	<u>0.173</u> 0.188	<u>1.8%</u> 1.9%	<u>1.7%</u> 1.9%	<u>40.94</u> 40.95	<u>40.93</u> 40.95	<u>409.4%</u> 409.5%	<u>409.3%</u> 409.5%
Sand Pitt Wood & Barffs Close Plantation SINC	<u>10</u> 40	<u>0.176</u> 0.181	<u>0.171</u> 0.181	<u>1.8%</u> 1.8%	<u>1.7%</u> 1.8%	<u>33.92</u> 33.92	<u>33.91</u> 33.92	<u>339.2%</u> 339.2%	<u>339.1%</u> 339.2%
Barlow Common LNR	<u>10</u> 40	<u>0.173</u> 0.187	<u>0.170</u> 0.187	<u>1.7%</u> 1.9%	<u>1.7%</u> 1.9%	<u>33.91</u> 33.93	<u>33.91</u> 33.93	<u>339.1%</u> 339.3%	<u>339.1%</u> 339.3%
Env. Agency Screening Criterion (as % of CL)				1%				70%	

Table 1.18 - Modelled Maximum Cumulative Impacts at Ecological Receptors – Annual Acid Deposition Rate

Receptor	Annual Acid Deposition Rate (keq/ha/yr)								
	Critical Level	Max Cumulative PC Impact		Max PC Impact as % of CL		Max Cumulative PEC		Max PEC as % of CL	
		No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ	No Mit ⁿ	Mitig ⁿ
Thorne Moor SAC	<u>0.462</u> 30.462	<u>0.010</u> 0.011	<u>0.007</u> 0.009	<u>2.1%</u> 2.3%	<u>1.5%</u> 1.9%	<u>1.74</u> 1.75	<u>1.74</u> 1.75	<u>375.8%</u> 378.0%	<u>377.1%</u> 377.5%
Thorne Moor SSSI	<u>0.462</u> 30.462	<u>0.010</u> 0.011	<u>0.007</u> 0.009	<u>2.1%</u> 2.3%	<u>1.5%</u> 1.9%	<u>1.75</u> 1.75	<u>1.74</u> 1.75	<u>377.8%</u> 378.0%	<u>377.1%</u> 377.5%
Lower Derwent SAC	<u>0.643</u> 0.643	<u>0.017</u> 0.018	<u>0.010</u> 0.012	<u>2.6%</u> 2.7%	<u>1.6%</u> 1.8%	<u>2.43</u> 2.43	<u>2.42</u> 2.42	<u>377.5%</u> 377.6%	<u>376.4%</u> 376.7%
Skipwith Common SAC	<u>0.802</u> 0.802	<u>0.008</u> 0.009	<u>0.006</u> 0.007	<u>1.0%</u> 1.1%	<u>0.7%</u> 0.8%	<u>1.74</u> 1.74	<u>1.73</u> 1.73	<u>216.4%</u> 216.5%	<u>216.1%</u> 216.2%
Skipwith Common SSSI	<u>0.802</u> 0.802	<u>0.008</u> 0.009	<u>0.006</u> 0.007	<u>1.0%</u> 1.1%	<u>0.7%</u> 0.8%	<u>1.74</u> 1.74	<u>1.73</u> 1.73	<u>216.4%</u> 216.5%	<u>216.1%</u> 216.2%
Brighton Meadows SSSI	<u>0.643</u> 0.643	<u>0.017</u> 0.018	<u>0.010</u> 0.012	<u>2.6%</u> 2.7%	<u>1.6%</u> 1.8%	<u>1.95</u> 1.95	<u>1.94</u> 1.94	<u>302.8%</u> 302.9%	<u>301.7%</u> 302.0%
Eskamhorn Meadows SSSI	<u>1.998</u> 1.998	<u>0.007</u> 0.008	<u>0.005</u> 0.007	<u>0.3%</u> 0.4%	<u>0.3%</u> 0.3%	<u>1.64</u> 1.65	<u>1.64</u> 1.64	<u>82.3%</u> 82.4%	<u>82.2%</u> 82.3%
Derwent Ings SSSI	<u>0.643</u> 0.643	<u>0.014</u> 0.015	<u>0.009</u> 0.011	<u>2.2%</u> 2.3%	<u>1.4%</u> 1.6%	<u>2.42</u> 2.43	<u>2.42</u> 2.42	<u>377.1%</u> 377.1%	<u>376.2%</u> 376.4%
Went Ings SSSI	<u>2.008</u> 2.008	<u>0.007</u> 0.008	<u>0.005</u> 0.006	<u>0.4%</u> 0.4%	<u>0.2%</u> 0.3%	<u>1.60</u> 1.60	<u>1.60</u> 1.60	<u>79.7%</u> 79.8%	<u>79.6%</u> 79.7%
Barn Hill Meadows SSSI	<u>0.633</u> 0.633	<u>0.014</u> 0.015	<u>0.010</u> 0.012	<u>2.2%</u> 2.4%	<u>1.5%</u> 1.9%	<u>1.71</u> 1.71	<u>1.70</u> 1.71	<u>269.9%</u> 270.1%	<u>269.3%</u> 269.6%
Burr Closes SSSI	<u>1.248</u> 1.248	<u>0.007</u> 0.007	<u>0.004</u> 0.005	<u>0.5%</u> 0.6%	<u>0.3%</u> 0.4%	<u>1.69</u> 1.69	<u>1.69</u> 1.69	<u>135.3%</u> 135.4%	<u>135.1%</u> 135.2%
Env. Agency Screening Criterion (as % of CL)				1%				70%	

SENSITIVITY TEST: WORST CASE EMISSIONS PROFILE

- 1.1.7. Results pertaining to the worst-case emissions profile sensitivity test are presented in **Tables 1.19 to 1.24**, based on emissions from the Proposed Scheme alone.
- 1.1.8. For all pollutant concentrations and deposition rates, it is evident that the modelled maximum PC impacts attributed to the with Proposed Scheme scenario are lower at all receptors relative to the core model scenarios. This is a function of all four biomass units in the Baseline scenario switching from 'mid-merit' operation (full load for 4,000 hours per year) to continuous operation (full load for 8,760 hours per year), resulting in more pollutants being emitted and thus more pronounced changes (increases) in concentrations / deposition rates relative to the With Proposed Scheme scenario. In the With Proposed Scheme scenario, operation changes from 'mid-merit' to continuous full load at the two non-BECCS biomass units only (BECCS units already assumed to operate at continuous full load in core modelling scenario), meaning the changes (increases and decreases) in concentrations / deposition rates are relatively small compared to the Baseline.
- 1.1.9. As a consequence, the maximum modelled impacts of the Proposed Scheme decrease at all receptors under the worst-case emissions profile scenario relative to the core modelling. Whilst some modelled maximum PEC concentrations do increase under worst case emissions in both the Baseline and With Proposed Scheme scenarios, there are no material changes relative to the core modelling equivalents, meaning that the respective assessment significance criteria are not exceeded.
- 1.1.10. The results confirm that the assessment of likely significant effects reported in **Chapter 6 (Air Quality)** is not affected when considering the worst-case emissions profiles in both the Baseline and With Proposed Scheme scenarios. Given that the modelled maximum impacts are lower under a worst-case emissions profile, there was no need to repeat the test in relation to cumulative impacts, as the core modelling results for the cumulative scenarios represent the most conservative results in terms of potential impacts.

Table 1.19 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Mean NO_x (Worst Case Emissions Profile)

Receptor	Annual Mean NO _x concentration (µg/m ³)					
	Critical Level	Background	Max PC Impact	Max PC Impact as % of CL	Proposed Scheme Max PEC	Max PEC as % of CL
River Derwent SAC	3030	11.9111.91	0.0550.035	0.2%0.1%	12.1012.08	40.3%40.3%
Thorne Moor SAC/SPA/SSSI	3030	13.2113.21	0.0260.016	0.1%0.1%	13.3313.32	44.4%44.4%
Lower Derwent SAC	3030	9.929.92	0.0580.036	0.2%0.1%	10.1110.09	33.7%33.6%
Lower Derwent SPA	3030	9.929.92	0.0580.036	0.2%0.1%	10.1110.09	33.7%33.6%
Skipwith Common SAC	3030	9.769.76	0.0230.014	0.1%0.0%	9.849.83	32.8%32.8%
Skipwith Common SSSI	3030	9.769.76	0.0230.014	0.1%0.0%	9.849.83	32.8%32.8%
Humber Estuary SAC	3030	46.9642.20	0.0560.036	0.2%0.1%	47.1412.36	157.1%41.2%
Humber Estuary SPA/SSSI	3030	46.9642.20	0.0560.036	0.2%0.1%	47.1412.36	157.1%41.2%
Brighton Meadows SSSI	3030	9.929.92	0.0580.036	0.2%0.1%	10.1110.09	33.7%33.6%
Eskamhorn Meadows SSSI	3030	11.3511.35	0.0120.009	0.0%0.0%	11.3811.38	37.9%37.9%
Derwent Ings SSSI	3030	9.809.80	0.0480.028	0.2%0.1%	9.989.96	33.3%33.2%
Went Ings SSSI	3030	12.0912.09	0.0180.012	0.1%0.0%	12.1512.14	40.5%40.5%
Barn Hill Meadows SSSI	3030	12.8912.89	0.0550.038	0.2%0.1%	13.0413.03	43.5%43.4%
Burr Closes SSSI	3030	10.5310.53	0.0200.013	0.1%0.0%	10.5910.59	35.3%35.3%
Common Plantation SINC	3030	11.4311.43	0.0040.003	0.0%0.0%	11.4411.44	38.1%38.1%
Disused Railway Embankment SINC	3030	10.7610.76	0.0090.007	0.0%0.0%	10.7810.78	35.9%35.9%
Barmby-on-the-Marsh LWS	3030	10.4810.48	0.0210.015	0.1%0.0%	10.5310.53	35.1%35.1%
Brockholes SINC	3030	11.2211.22	0.0040.003	0.0%0.0%	11.2311.23	37.4%37.4%
Meadow East of Orchard Farm SINC	3030	10.8310.83	0.0020.001	0.0%0.0%	10.8310.83	36.1%36.1%
Barmby Pond LWS	3030	9.969.96	0.0360.025	0.1%0.1%	10.0610.05	33.5%33.5%
Cobble Croft Wood SINC	3030	11.6211.62	0.0070.005	0.0%0.0%	11.6411.64	38.8%38.8%
Hagg Green Lane SINC	3030	10.9310.93	0.0340.024	0.1%0.1%	11.0511.03	36.8%36.8%

Receptor	Annual Mean NO _x concentration (µg/m ³)					
	Critical Level	Background	Max PC Impact	Max PC Impact as % of CL	Proposed Scheme Max PEC	Max PEC as % of CL
Sand Pitt Wood & Barffs Close Plantation SINC	<u>30</u> 30	<u>11.43</u> 11.43	<u>0.007</u> 0.005	<u>0.0%</u> 0.0%	<u>11.45</u> 11.44	<u>38.2%</u> 38.1%
Env. Agency Screening Criterion (as % of CL)				1%		70%

Table 1.20 - Modelled Maximum Operational Impacts at Ecological Receptors – Daily Mean NO_x (Worst Case Emissions Profile)

Receptor	Daily Mean NO _x concentration (µg/m ³)					
	Critical Level	Background	Max PC Impact	Max PC Impact as % of CL	Proposed Scheme Max PEC	Max PEC as % of CL
River Derwent SAC	<u>75</u> 75	<u>23.82</u> 23.82	<u>1.787</u> 0.503	<u>2.4%</u> 0.7%	<u>27.96</u> 27.50	<u>37.3%</u> 36.7%
Thorne Moor SAC/SPA/SSSI	<u>75</u> 75	<u>26.42</u> 26.42	<u>0.893</u> 0.534	<u>1.2%</u> 0.7%	<u>29.27</u> 28.87	<u>39.0%</u> 38.5%
Lower Derwent SAC	<u>75</u> 75	<u>19.84</u> 19.84	<u>0.893</u> 0.504	<u>1.2%</u> 0.7%	<u>23.75</u> 23.31	<u>31.7%</u> 31.1%
Lower Derwent SPA	<u>75</u> 75	<u>19.84</u> 19.84	<u>0.893</u> 0.504	<u>1.2%</u> 0.7%	<u>23.75</u> 23.31	<u>31.7%</u> 31.1%
Skipwith Common SAC	<u>75</u> 75	<u>19.52</u> 19.52	<u>0.646</u> 0.337	<u>0.9%</u> 0.4%	<u>21.71</u> 21.40	<u>28.9%</u> 28.5%
Skipwith Common SSSI	<u>75</u> 75	<u>19.52</u> 19.52	<u>0.646</u> 0.337	<u>0.9%</u> 0.4%	<u>21.71</u> 21.40	<u>28.9%</u> 28.5%
Humber Estuary SAC	<u>75</u> 75	<u>93.92</u> 24.40	<u>1.200</u> 0.469	<u>1.6%</u> 0.6%	<u>96.93</u> 27.08	<u>129.2%</u> 36.1%
Humber Estuary SPA/SSSI	<u>75</u> 75	<u>93.92</u> 24.40	<u>1.200</u> 0.469	<u>1.6%</u> 0.6%	<u>96.93</u> 27.08	<u>129.2%</u> 36.1%
Brighton Meadows SSSI	<u>75</u> 75	<u>19.84</u> 24.40	<u>0.893</u> 0.504	<u>1.2%</u> 0.7%	<u>23.75</u> 23.31	<u>31.7%</u> 31.1%
Eskamhorn Meadows SSSI	<u>75</u> 75	<u>22.70</u> 22.70	<u>1.912</u> 0.508	<u>2.5%</u> 0.7%	<u>25.59</u> 24.82	<u>34.1%</u> 33.1%
Derwent Ings SSSI	<u>75</u> 75	<u>19.60</u> 19.60	<u>0.831</u> 0.416	<u>1.1%</u> 0.6%	<u>23.37</u> 22.94	<u>31.2%</u> 30.6%
Went Ings SSSI	<u>75</u> 75	<u>24.18</u> 24.18	<u>0.971</u> 0.374	<u>1.3%</u> 0.5%	<u>26.60</u> 26.33	<u>35.5%</u> 35.1%
Barn Hill Meadows SSSI	<u>75</u> 75	<u>25.78</u> 25.78	<u>0.962</u> 0.626	<u>1.3%</u> 0.8%	<u>28.30</u> 27.87	<u>37.7%</u> 37.2%
Burr Closes SSSI	<u>75</u> 75	<u>21.06</u> 21.06	<u>0.761</u> 0.294	<u>1.0%</u> 0.4%	<u>22.99</u> 22.67	<u>30.7%</u> 30.2%
Common Plantation SINC	<u>75</u> 75	<u>22.86</u> 22.86	<u>1.038</u> 0.132	<u>1.4%</u> 0.2%	<u>24.19</u> 23.30	<u>32.3%</u> 31.1%
Disused Railway Embankment SINC	<u>75</u> 75	<u>21.52</u> 21.53	<u>1.184</u> 0.225	<u>1.6%</u> 0.3%	<u>23.07</u> 22.13	<u>30.8%</u> 29.5%
Barmby-on-the-Marsh LWS	<u>75</u> 75	<u>20.96</u> 20.99	<u>1.621</u> 0.377	<u>2.2%</u> 0.5%	<u>23.44</u> 22.38	<u>31.3%</u> 29.8%

Receptor	Daily Mean NO _x concentration (µg/m ³)					
	Critical Level	Background	Max PC Impact	Max PC Impact as % of CL	Proposed Scheme Max PEC	Max PEC as % of CL
Brockholes SINC	7575	22.4422.44	1.6230.287	2.2%0.4%	24.4423.16	32.6%30.9%
Meadow East of Orchard Farm SINC	7575	21.6621.66	0.5540.092	0.7%0.1%	22.3321.95	29.8%29.3%
Barmby Pond LWS	7575	19.9219.98	1.5770.368	2.1%0.5%	23.2922.89	31.1%30.5%
Cobble Croft Wood SINC	7575	23.2423.25	1.1760.308	1.6%0.4%	25.2824.50	33.7%32.7%
Hagg Green Lane SINC	7575	21.8621.93	1.2480.533	1.7%0.7%	25.2224.81	33.6%33.1%
Sand Pitt Wood & Barffs Close Plantation SINC	7575	22.8622.87	1.6300.256	2.2%0.3%	24.9723.59	33.3%31.5%
Env. Agency Screening Criterion (as % of CL)				10%		

Table 1.21 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Mean NH₃ (Worst Case Emissions Profile)

Receptor	Annual Mean NH ₃ concentration (µg/m ³)					
	Critical Level	Background	Max PC Impact	Max PC Impact as % of CL	Proposed Scheme Max PEC	Max PEC as % of CL
River Derwent SAC	3	4.57	0.002	0.1%	4.58	152.6%
Thorne Moor SAC/SPA/SSSI	1	2.59	0.001	0.1%	2.60	259.6%
Lower Derwent SAC	3	4.57	0.002	0.1%	4.58	152.6%
Lower Derwent SPA	3	4.57	0.002	0.1%	4.58	152.6%
Skipwith Common SAC	1	2.58	0.001	0.1%	2.58	258.4%
Skipwith Common SSSI	1	2.58	0.001	0.1%	2.58	258.4%
Humber Estuary SAC	3	3.58	0.002	0.1%	3.59	119.6%
Humber Estuary SPA/SSSI	3	3.58	0.002	0.1%	3.59	119.6%
Brighton Meadows SSSI	3	3.08	0.002	0.1%	3.09	103.0%
Eskamhorn Meadows SSSI	3	2.40	0.001	0.0%	2.40	80.1%
Derwent Ings SSSI	3	4.57	0.002	0.1%	4.58	152.6%
Went Ings SSSI	3	2.35	0.001	0.0%	2.35	78.4%

Receptor	Annual Mean NH ₃ concentration (µg/m ³)					
	Critical Level	Background	Max PC Impact	Max PC Impact as % of CL	Proposed Scheme Max PEC	Max PEC as % of CL
Barn Hill Meadows SSSI	3	2.32	0.002	0.1%	2.33	77.6%
Burr Closes SSSI	3	2.50	0.001	0.0%	2.50	83.4%
Common Plantation SINC	3	2.33	0.000	0.0%	2.33	77.7%
Disused Railway Embankment SINC	1	2.28	0.000	0.0%	2.28	76.0%
Barmby-on-the-Marsh LWS	3	2.28	0.001	0.0%	2.28	76.1%
Brockholes SINC	3	2.28	0.000	0.0%	2.28	76.0%
Meadow East of Orchard Farm SINC	1	2.33	0.000	0.0%	2.33	77.7%
Barmby Pond LWS	1	2.28	0.001	0.0%	2.29	76.2%
Cobble Croft Wood SINC	3	2.33	0.000	0.0%	2.33	77.7%
Hagg Green Lane SINC	3	3.09	0.001	0.0%	3.10	103.2%
Sand Pitt Wood & Barffs Close Plantation SINC	3	2.33	0.000	0.0%	2.33	77.7%
Env. Agency Screening Criterion (as % of CL)				1%		70%

Table 1.22 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Mean SO₂ (Worst Case Emissions Profile)

Receptor	Annual Mean SO ₂ concentration (µg/m ³)					
	Critical Level	Background	Max PC Impact	Max PC Impact as % of CL	Proposed Scheme Max PEC	Max PEC as % of CL
River Derwent SAC	20	3.93	0.021	0.1%	4.03	20.1%
Thorne Moor SAC/SPA/SSSI	20	1.34	0.009	0.0%	1.40	7.0%
Lower Derwent SAC	20	1.70	0.021	0.1%	1.80	9.0%
Lower Derwent SPA	20	1.70	0.021	0.1%	1.80	9.0%
Skipwith Common SAC	20	1.42	0.008	0.0%	1.46	7.3%
Skipwith Common SSSI	20	1.42	0.008	0.0%	1.46	7.3%
Humber Estuary SAC	20	7.49	0.021	0.1%	7.58	37.9%

Receptor	Annual Mean SO ₂ concentration (µg/m ³)					
	Critical Level	Background	Max PC Impact	Max PC Impact as % of CL	Proposed Scheme Max PEC	Max PEC as % of CL
Humber Estuary SPA/SSSI	20	7.49	0.021	0.1%	7.58	37.9%
Brighton Meadows SSSI	20	1.70	0.021	0.1%	1.80	9.0%
Eskamhorn Meadows SSSI	20	1.29	0.005	0.0%	1.31	6.5%
Derwent Ings SSSI	20	1.69	0.016	0.1%	1.78	8.9%
Went Ings SSSI	20	1.31	0.007	0.0%	1.34	6.7%
Barn Hill Meadows SSSI	20	1.81	0.022	0.1%	1.89	9.4%
Burr Closes SSSI	20	1.23	0.008	0.0%	1.26	6.3%
Common Plantation SINC	20	1.44	0.002	0.0%	1.44	7.2%
Disused Railway Embankment SINC	20	1.32	0.004	0.0%	1.33	6.7%
Barmby-on-the-Marsh LWS	20	1.32	0.009	0.0%	1.35	6.7%
Brockholes SINC	20	1.32	0.002	0.0%	1.32	6.6%
Meadow East of Orchard Farm SINC	20	1.44	0.001	0.0%	1.44	7.2%
Barmby Pond LWS	20	1.32	0.015	0.1%	1.37	6.9%
Cobble Croft Wood SINC	20	1.44	0.003	0.0%	1.45	7.2%
Hagg Green Lane SINC	20	1.43	0.013	0.1%	1.49	7.5%
Sand Pitt Wood & Barffs Close Plantation SINC	20	1.44	0.003	0.0%	1.45	7.2%
Env. Agency Screening Criterion (as % of CL)				1%		70%

Table 1.23 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Nitrogen Deposition Rate (Worst Case Emissions Profile)

Receptor	Annual Nitrogen Deposition Rate (kgN/ha/yr)					
	Critical Load	Background	Max PC Impact	Max PC Impact as % of CL	Proposed Scheme Max PEC	Max PEC as % of CL
<u>River Derwent SAC</u>	<u>15</u>	<u>30.22</u>	<u>0.017</u>	<u>0.1%</u>	<u>30.29</u>	<u>201.9%</u>
Thorne Moor SAC	55	21.31 21.31	0.008 0.006	0.2% 0.1%	21.35 21.35	427.0% 426.9%

Receptor	Annual Nitrogen Deposition Rate (kgN/ha/yr)					
	Critical Load	Background	Max PC Impact	Max PC Impact as % of CL	Proposed Scheme Max PEC	Max PEC as % of CL
Thorne Moor SPA	<u>10</u> 10	<u>21.31</u> 21.31	<u>0.008</u> 0.006	<u>0.1%</u> 0.1%	<u>21.35</u> 21.35	<u>213.5%</u> 213.5%
Thorne Moor SSSI	<u>5</u> 5	<u>21.31</u> 21.31	<u>0.008</u> 0.006	<u>0.2%</u> 0.1%	<u>21.35</u> 21.35	<u>427.0%</u> 426.9%
Lower Derwent SAC	<u>20</u> 20	<u>30.22</u> 30.22	<u>0.017</u> 0.015	<u>0.1%</u> 0.1%	<u>30.29</u> 30.29	<u>151.5%</u> 151.5%
Lower Derwent SPA	<u>20</u> 20	<u>30.22</u> 30.22	<u>0.017</u> 0.015	<u>0.1%</u> 0.1%	<u>30.29</u> 30.29	<u>151.5%</u> 151.5%
Skipwith Common SAC	<u>10</u> 10	<u>21.12</u> 21.12	<u>0.007</u> 0.006	<u>0.1%</u> 0.1%	<u>21.14</u> 21.14	<u>211.4%</u> 211.4%
Skipwith Common SSSI	<u>10</u> 10	<u>21.12</u> 21.12	<u>0.007</u> 0.006	<u>0.1%</u> 0.1%	<u>21.14</u> 21.14	<u>211.4%</u> 211.4%
Humber Estuary SAC	<u>20</u> 20	<u>28.87</u> 28.87	<u>0.017</u> 0.015	<u>0.1%</u> 0.1%	<u>28.93</u> 28.93	<u>144.7%</u> 144.7%
Humber Estuary SPA/SSSI	<u>20</u> 20	<u>28.87</u> 28.87	<u>0.017</u> 0.015	<u>0.1%</u> 0.1%	<u>28.93</u> 28.93	<u>144.7%</u> 144.7%
Brighton Meadows SSSI	<u>20</u> 20	<u>23.51</u> 23.51	<u>0.017</u> 0.015	<u>0.1%</u> 0.1%	<u>23.57</u> 23.57	<u>117.9%</u> 117.9%
Eskamhorn Meadows SSSI	<u>10</u> 10	<u>19.95</u> 19.95	<u>0.004</u> 0.004	<u>0.0%</u> 0.0%	<u>19.96</u> 19.96	<u>199.6%</u> 199.6%
Derwent Ings SSSI	<u>20</u> 20	<u>30.22</u> 30.22	<u>0.014</u> 0.014	<u>0.1%</u> 0.1%	<u>30.29</u> 30.29	<u>151.4%</u> 151.4%
Went Ings SSSI	<u>15</u> 15	<u>19.38</u> 19.38	<u>0.005</u> 0.005	<u>0.0%</u> 0.0%	<u>19.40</u> 19.40	<u>129.4%</u> 129.3%
Barn Hill Meadows SSSI	<u>20</u> 20	<u>20.43</u> 20.43	<u>0.017</u> 0.015	<u>0.1%</u> 0.1%	<u>20.49</u> 20.48	<u>102.4%</u> 102.4%
Burr Closes SSSI	<u>20</u> 20	<u>20.64</u> 20.64	<u>0.006</u> 0.005	<u>0.0%</u> 0.0%	<u>20.66</u> 20.66	<u>103.3%</u> 103.3%
Common Plantation SINC	<u>10</u> 10	<u>33.74</u> 33.74	<u>0.002</u> 0.002	<u>0.0%</u> 0.0%	<u>33.75</u> 33.74	<u>337.5%</u> 337.4%
Disused Railway Embankment SINC	<u>10</u> 10	<u>33.32</u> 33.32	<u>0.005</u> 0.005	<u>0.1%</u> 0.0%	<u>33.33</u> 33.33	<u>333.3%</u> 333.3%
Barmby-on-the-Marsh LWS	<u>10</u> 10	<u>33.32</u> 33.32	<u>0.011</u> 0.010	<u>0.1%</u> 0.1%	<u>33.35</u> 33.35	<u>333.5%</u> 333.5%
Brockholes SINC	<u>10</u> 10	<u>19.74</u> 19.74	<u>0.001</u> 0.001	<u>0.0%</u> 0.0%	<u>19.74</u> 19.74	<u>197.4%</u> 197.4%
Meadow East of Orchard Farm SINC	<u>20</u> 20	<u>19.88</u> 19.88	<u>0.001</u> 0.001	<u>0.0%</u> 0.0%	<u>19.88</u> 19.88	<u>99.4%</u> 99.4%
Barmby Pond LWS	<u>10</u> 10	<u>19.74</u> 19.74	<u>0.012</u> 0.014	<u>0.1%</u> 0.1%	<u>19.78</u> 19.78	<u>197.8%</u> 197.8%
Cobble Croft Wood SINC	<u>10</u> 10	<u>33.74</u> 33.74	<u>0.004</u> 0.003	<u>0.0%</u> 0.0%	<u>33.75</u> 33.75	<u>337.5%</u> 337.5%
Hagg Green Lane SINC	<u>10</u> 10	<u>40.74</u> 40.74	<u>0.017</u> 0.015	<u>0.2%</u> 0.1%	<u>40.81</u> 40.81	<u>408.1%</u> 408.1%
Sand Pitt Wood & Barffs Close Plantation SINC	<u>10</u> 10	<u>33.74</u> 33.74	<u>0.004</u> 0.003	<u>0.0%</u> 0.0%	<u>33.75</u> 33.75	<u>337.5%</u> 337.5%

Receptor	Annual Nitrogen Deposition Rate (kgN/ha/yr)					
	Critical Load	Background	Max PC Impact	Max PC Impact as % of CL	Proposed Scheme Max PEC	Max PEC as % of CL
Barlow Common LNR	<u>10</u> 10	<u>33.74</u> 33.74	<u>0.002</u> 0.002	<u>0.0%</u> 0.0%	<u>33.75</u> 33.75	<u>337.5%</u> 337.5%
Env. Agency Screening Criterion (as % of CL)				1%		70%

Table 1.24 - Modelled Maximum Operational Impacts at Ecological Receptors – Annual Acid Deposition Rate (Worst Case Emissions Profile)

Receptor	Annual Acid Deposition Rate (keq/ha/yr)					
	Critical Load	Background	Max PC Impact	Max PC Impact as % of CL	Proposed Scheme Max PEC	Max PEC as % of CL
Thorne Moor SAC	<u>0.462</u> 0.462	<u>1.73</u> 1.73	<u>0.002</u> 0.002	<u>0.4%</u> 0.4%	<u>1.74</u> 1.74	<u>377.2%</u> 377.2%
Thorne Moor SSSI	<u>0.462</u> 0.462	<u>1.73</u> 1.73	<u>0.002</u> 0.002	<u>0.4%</u> 0.4%	<u>1.74</u> 1.74	<u>377.2%</u> 377.2%
Lower Derwent SAC	<u>0.643</u> 0.643	<u>2.40</u> 2.40	<u>0.004</u> 0.004	<u>0.6%</u> 0.6%	<u>2.42</u> 2.42	<u>376.6%</u> 376.6%
Skipwith Common SAC	<u>0.802</u> 0.802	<u>1.73</u> 1.73	<u>0.002</u> 0.001	<u>0.2%</u> 0.2%	<u>1.73</u> 1.73	<u>216.0%</u> 216.0%
Skipwith Common SSSI	<u>0.802</u> 0.802	<u>1.73</u> 1.73	<u>0.002</u> 0.001	<u>0.2%</u> 0.2%	<u>1.73</u> 1.73	<u>216.0%</u> 216.0%
Brighton Meadows SSSI	<u>0.643</u> 0.643	<u>1.92</u> 1.92	<u>0.004</u> 0.004	<u>0.6%</u> 0.6%	<u>1.94</u> 1.94	<u>301.9%</u> 301.9%
Eskamhorn Meadows SSSI	<u>1.998</u> 1.998	<u>1.64</u> 1.64	<u>0.001</u> 0.001	<u>0.0%</u> 0.0%	<u>1.64</u> 1.64	<u>82.1%</u> 82.1%
Derwent Ings SSSI	<u>0.643</u> 0.643	<u>2.40</u> 2.40	<u>0.003</u> 0.003	<u>0.5%</u> 0.4%	<u>2.42</u> 2.42	<u>376.4%</u> 376.4%
Went Ings SSSI	<u>2.008</u> 2.008	<u>1.59</u> 1.59	<u>0.001</u> 0.001	<u>0.1%</u> 0.1%	<u>1.60</u> 1.60	<u>79.5%</u> 79.5%
Barn Hill Meadows SSSI	<u>0.633</u> 0.633	<u>1.69</u> 1.69	<u>0.004</u> 0.004	<u>0.6%</u> 0.6%	<u>1.70</u> 1.70	<u>269.2%</u> 269.2%
Burr Closes SSSI	<u>1.248</u> 1.248	<u>1.68</u> 1.68	<u>0.001</u> 0.001	<u>0.1%</u> 0.1%	<u>1.69</u> 1.69	<u>135.1%</u> 135.1%
Env. Agency Screening Criterion (as % of CL)				1%		70%