



HABITATS REGULATIONS ASSESSMENT - VOLUME 1 - MAIN TEXT (TRACKED)

Drax Bioenergy with Carbon Capture and Storage

The Infrastructure Planning (Applications: Prescribed Forms and Procedure) – Regulation 5(2)(g)

Document Reference Number: 6.8.1

Applicant: Drax Power Limited

PINS Reference: EN010120



REVISION: [043](#)

DATE: [JuneMay](#) 2023

DOCUMENT OWNER: WSP UK Limited

AUTHOR: P. Peterson

APPROVER: S. Ireland

PUBLIC

TABLE OF CONTENTS

1. INTRODUCTION	1
1.1. Overview	1
1.2. Proposed Scheme Description	3
1.3. Habitats Regulations Assessment Requirements	5
2. METHODOLOGY	8
2.1. Overview of Section 2	8
2.2. Methodology for Screening Likely Significant Effects	8
2.3. Methodology for Collating Information to Inform Appropriate assessment	11
2.4. Natural England consultation	14
3. FINDINGS OF HRA SCREENING	16
3.1. Overview of this Section	16
3.2. HRA Screening Step 1: Can the Project be Exempted from Assessment	16
3.3. Step 2: Describe the Plan or Project and any other Plans or Projects which, in combination, could result in significant effects on the European Site	16
3.4. Relevant European Sites	29
3.5. Step 3: Identify the Potential for LSE on European Sites	42
3.6. Step 4: Assess the Significance of any Effects on European Sites	106
4. INFORMATION TO INFORM APPROPRIATE ASSESSMENT	109
4.1. Measures to Address Likely Significant Effects	109
4.2. Adverse Effects on Integrity Post-Mitigation	115
4.3. In-combination effects with other plans and projects	158
5. CONCLUSION	175
6. BIBLIOGRAPHY	177

TABLES

Table 3.1 - Other Plans and Projects Screened into in-combination Assessment	25
Table 3.2 - European Sites in potential ZoI of the Proposed Scheme	30
Table 3.3 - Potential for Loss or Physical Disturbance of Functionally-linked Land	43
Table 3.4 - Potential for Noise and Vibration Disturbance on Functionally-linked Land	54
Table 3.5 - Potential for Visual Disturbance on Functionally-linked Land	61

Table 3.6 - European Site Sensitivity to Air Quality Impacts	70
Table 3.7 - Summary of Potential LSE from Proposed Scheme alone.....	78
Table 3.8 - HRA Screening In-combination Assessment: Loss or physical disturbance of Functionally-linked Land	81
Table 3.9 - HRA Screening In-combination Assessment: Dust.....	84
Table 3.10 - HRA Screening In-combination Assessment: Sediment Loading.....	86
Table 3.11 - HRA Screening In-combination Assessment: Water-borne Pollutants.....	89
Table 3.12 - HRA Screening In-combination Assessment: Noise and Vibration	91
Table 3.13 - HRA Screening In-combination Assessment: Visual Disturbance.....	94
Table 3.14 - HRA Screening In-combination Assessment: Operational Emissions to Air	98
Table 3.15 - HRA Screening In-combination Assessment: Noise and Vibration	100
Table 3.16 - HRA Screening In-combination Assessment: Visual Disturbance.....	101
Table 3.17 - HRA Screening In-combination Assessment: Water-borne Pollutants.....	104
Table 3-18 – Summary of LSE from Proposed Scheme, Alone and In-combination with other Plans and Projects	107
Table 4.1 - River Derwent SAC SACO – Functionally-linked Land	116
Table 4.2 - Lower Derwent Valley SAC SACO – Functionally-linked Land	117
Table 4.3 - Lower Derwent Valley SPA SACO – Functionally-linked Land	118
Table 4.4 - Humber Estuary SPA SACO – Functionally-linked Land	121
Table 4.5 - River Derwent SAC SACO – Sediment Loading	126
Table 4.6 - Lower Derwent Valley SAC SACO – Sediment Loading.....	127
Table 4.7 - Lower Derwent Valley SPA SACO – Sediment Loading	128
Table 4.8 - Humber Estuary SPA SACO – Sediment-loading.....	130
Table 4.9 - River Derwent SAC SACO – Water-borne Pollutants	132
Table 4.10 - Lower Derwent Valley SAC SACO – Water-borne Pollutants	133
Table 4.11 - Lower Derwent Valley SPA SACO – Water-borne Pollutants	135
Table 4.12 - Humber Estuary SAC SACO – Water-borne Pollutants	137
Table 4.13 - Humber Estuary SPA SACO – Water-borne Pollutants	138
Table 4.14 - Lower Derwent Valley SPA SACO – Visual Disturbance	143
Table 4.15 - Humber Estuary SPA SACO – Visual Disturbance.....	146
Table 4.16 - Modelled Maximum Operational Phase Impacts at Ecological Receptors for Annual Acid Deposition (Without Versus With Mitigation Applied)	150
Table 4.17 - River Derwent SAC SACO – Water-borne Pollutants	151

Table 4.18 - Lower Derwent Valley SAC SACO – Water-borne Pollutants	152
Table 4.19 - Lower Derwent Valley SPA SACO – Water-borne Pollutants	153
Table 4.20 - Humber Estuary SAC SACO – Water-borne Pollutants	155
Table 4.21 - Humber Estuary SPA SACO – Water-borne Pollutants	157
Table 4.23-- Thorne Moor SAC SACO – Air Quality Targets	170

1. INTRODUCTION

1.1. OVERVIEW

PURPOSE OF DOCUMENT

- 1.1.1. This report provides information to enable an appropriate assessment under the Conservation of Habitats and Species Regulations 2017 (as amended) (the Habitats Regulations) of the Drax Bioenergy with Carbon Capture and Storage (BECCS) project, hereafter referred to as the 'Proposed Scheme'. The information provided is intended to support the Examining Authority (ExA) during their assessment of the implications of the Proposed Scheme for the National Site Network.
- 1.1.2. This version of the HRA Report is submitted at Deadline 96 of the Examination. It includes a number of updates, which have been made to capture:
- a. consultation responses and advice received from Natural England and corresponding updates to the SoCG between Natural England and the Applicant;
 - ~~b. additional work completed by the Applicant in response to Natural England consultation responses and advice, including production of Appendix 8 of this HRA Report (Lower Derwent Valley Habitats and Soil Analysis (REP3-009A correction to the reported baseline levels of Nitrous Oxides (NOx) over the Humber Estuary SAC, SPA, and Ramsar site. The air quality and ecology assessment work originally reported the highest baseline NOx level anywhere over the Humber Estuary. Following identification of this error by the Applicant, this has now been amended to report the highest baseline NOx level within the 15 km Zol of the Proposed Scheme); and~~
 - ~~c. b. Updates to the in-combination assessment to reflect a revised list/additional information on other plans and projects (as set out in Environmental Statement Appendix 18.5 (Cumulative Assessment Matrix) (REP4-002)) Minor amendments and corrections of typographical errors in response to the ExA June 6 Rule 17 Request (PD-018) and to account for a final read through of the document.; and~~
 - e.
 - ~~d. the amendments to the Proposed Scheme to incorporate Overhead Line (OHL) and telecoms undergrounding work on the road network between Drax Power Station and Goole, as refined by the Second Changes Application Report (AS-126).~~
- 1.1.3. No amendments have been made in respect of dates within this document, in light of the discussions on them in the Examination of the Proposed Scheme. The implication of any change in dates to those set out in those document are explained in the Applicant's submissions to the Examination on this point.
- ~~1.1.3.1.1.4.~~ The National Site Network comprises a network of protected areas that include Special Areas of Conservation (SAC), Special Protection Areas (SPA) and Ramsar

sites. These cover the UK's most valuable and threatened species and habitats. Prior to the UK's departure from the EU, the National Site Network was referred to as Natura 2000. Protected areas within the National Site Network will hereafter be referred to as 'European Sites'.

[4.1.4.1.1.5.](#) The Proposed Scheme is located within the Existing Drax Power Station in Selby, North Yorkshire.

[4.1.5.1.1.6.](#) The Proposed Scheme is a nationally significant infrastructure project (NSIP), as defined within the Planning Act 2008, Section 14(1)(a) and 15(2). As such, it will be necessary to obtain a Development Consent Order (DCO) in order to construct and operate the Proposed Scheme. In addition, the Proposed Scheme falls under Schedule 1 paragraph 2(1) of the Infrastructure Planning (Environmental Impact Assessment) Regulations 2017 (hereafter referred to as EIA Regulations 2017) – Thermal power stations and other combustion installations with a heat output of 300 megawatts or more. Therefore, the DCO Application is supported by an Environmental Impact Assessment (EIA).

[4.1.6.1.1.7.](#) This report cross-references reports, and assessments (and its associated figures and appendices) provided to support the DCO Application. Particular reference is made to ES **Chapter 6 (Air Quality)** (APP-042), **Chapter 7 (Noise and Vibration)** (APP-043), **Chapter 8 (Ecology)** (APP-044), **Chapter 12 (Water Environment)** (APP-048), and **Chapter 18 (Cumulative Effects)** (APP-054). In addition, other key assessment documents from the Proposed Changes Application Report (AS-045), the Second Change Application Report (AS-126), and Air Quality Technical Notes 1 (AS-019) and 2 (REP2-065) are referred to as supporting information where appropriate.

[4.1.7.1.1.8.](#) References in this report and in the accompanying appendices 3 (screening matrices) and 4 (adverse effect matrices) have only been updated where this is required to capture new or different supporting information. If a document that is referenced has been updated, but this does not change the assessment presented in the HRA Report, the reference in the HRA report remains unchanged from previous versions.

STRUCTURE OF DOCUMENT

[a-1.1.9.](#) This report is structured as follows:

b.a. Section 1 (this section): introduction and overview of the Proposed Scheme and why a HRA Report is required.

e-b. Section 2: Methodology. This section of the report sets out the methods followed to assess effects of the Proposed Scheme on European Sites. It includes a summary of consultation with Natural England relating to European Sites.

d-c. Section 3: Findings of HRA Screening. This section of the HRA Report reports the findings of the HRA screening. Any likely significant effects (LSE) predicted to occur to SAC, SPA, and Ramsar sites within the National Site

Network are reported. Mitigation measures designed solely to avoid, reduce, or ameliorate LSE are not considered at the HRA screening stage, in accordance with the People Over Wind ruling (People over Wind and Peter Sweetman v Coillte, 2018).

e.d. Section 4: Information to inform an appropriate assessment. This section of the HRA report includes a detailed assessment of LSE identified at the HRA screening stage. The potential for adverse effects to the integrity of one or more designated sites within the National Site Network is determined. Where mitigation measures may avoid or reduce identified effects, these are considered at this stage. The potential for adverse effects on integrity is considered both for the Proposed Scheme alone, and for the Proposed Scheme in-combination with other plans and projects.

1.2. PROPOSED SCHEME DESCRIPTION

- 1.2.1. The Proposed Scheme would involve the installation of post-combustion carbon capture technology to capture carbon dioxide from up to two existing 660 megawatt electrical ('MWe') biomass power generating units at the Drax Power Station (Unit 1 and Unit 2). The installation of this technology constitutes an extension to the biomass Units 1 and 2 and is referred to as post-combustion carbon capture as the carbon dioxide is captured from the flue gas produced during the combustion of biomass in Units 1 and 2. The Proposed Scheme is designed to remove approximately 95% of the carbon dioxide from the flue gas from these two Units.
- 1.2.2. The carbon dioxide captured will undergo processing and compression before being transported via a proposed new pipeline for storage under the southern North Sea. Transport and storage infrastructure will be consented through separate applications submitted by other parties (not the Applicant) (see further details on the transport and storage infrastructure below).
- 1.2.3. It is intended that core items of the existing infrastructure at the Drax Power Station are re-used by installing and integrating the Carbon Capture Plant onto existing infrastructure including existing power generating units (Units 1 and 2) for extraction of steam, re-using the cooling water systems, Main Stack and electrical connections.
- 1.2.4. The Proposed Scheme is made up of the following:
 - a.** Up to two Carbon Capture Plants (one associated with Unit 1 and one associated with Unit 2) (Work No. 1D as described in Schedule 1 of the draft DCO), each made up of:
 - b.** Flue gas pre-treatment section (Includes flue gas blowers (Work Nos. 1D(v) and (vi)), Gas / Gas Heat Exchangers (Work Nos. 1D(v) and (vi)) and Quench Columns (Work Nos. 1D(i) and (ii)));
 - c.** One Absorber Column (Work Nos. 1D(i) and (ii));
 - d.** Solvent Regeneration System (to include up to two Regenerators) (Work Nos. 1D(iii) and (iv));

- e. Rich Solvent / Lean Solvent Heat Exchangers (Work Nos. 1D(iii) and (iv)); and
- f. Additional Common Plant infrastructure and modification works to the Drax Power Station that are required to support and integrate with one or both Carbon Capture Plants including:
 - g. Solvent Storage and Make-up System (comprising up to four banded solvent storage compounds) (Work No. 1D(vii) in Schedule 1 of the draft DCO);
 - h. Carbon Capture Wastewater Treatment Plant (Work No. 1D(viii) in Schedule 1 of the draft DCO);
 - i. Carbon Dioxide Processing and Compression Plant (Work No. 1E in Schedule 1 of the draft DCO);
 - j. Modification to the existing water pre-treatment plant (Work No. 1A in Schedule 1 of the draft DCO);
 - k. Modification, upgrade and extension of the existing cooling system and distribution of cooling water to the Proposed Scheme (Work No. 1B in Schedule 1 of the draft DCO);
 - l. Modifications to existing electrostatic precipitators (Work No. 3 in Schedule 1 of the draft DCO);
 - m. Modifications, upgrade and extension to existing power generating units' boilers and turbines for steam extraction and new steam processing infrastructure for distribution of process steam and electricity supply to the Proposed Scheme (Work No. 1C and Work No. 1F in Schedule 1 of the draft DCO); and
 - n. Integral electrical connections within the existing generating station and Carbon Capture Plant including upgrades to the existing electrical infrastructure and new electrical infrastructure for the secondary electrical supply to the Proposed Scheme (Work No. 1F in Schedule 1 of the draft DCO);
 - o. Infrastructure to transport compressed carbon dioxide from the Carbon Dioxide Processing and Compression Plant to storage and transport infrastructure operated by National Grid Carbon Limited (Work No. 2 in Schedule 1 of the draft DCO);
 - p. Minor vegetation and street furniture management and other works to facilitate access during construction (Work No. 4 in Schedule 1 of the draft DCO);
 - q. Additional supporting infrastructure and other works for the Proposed Scheme as set out in Section 2.2.49 (Work No. 3 in Schedule 1 of the draft DCO);
 - r. Temporary construction laydown areas (Drax Power Station Site Construction Laydown Areas and the East Construction Laydown Area) (Work No. 5 in Schedule 1 of the draft DCO)
 - s. Habitat Provision Area (Work No. 6 in Schedule 1 of the draft DCO);
 - t. Work No, 7 to create a floodplain compensation area to be located within an area of grazed land to the north of the Existing Drax Power Station Site; and
 - u. Work Number 8, comprising relocation of existing overhead lines to allow for the delivery of Abnormal Indivisible Loads (AILs) to the Site.

- 1.2.5. A full description of the Proposed Scheme is provided in **Section 2.2 of Chapter 2 (Site and Project Description)** of the ES (APP-038), with Work Nos. 7 and 8 described in the Proposed Changes Application Report (AS-045) and in the Second Change Application Report (AS-126).

1.3. HABITATS REGULATIONS ASSESSMENT REQUIREMENTS

LEGISLATIVE DRIVERS

- 1.3.1. 'Competent Authorities' must assess plans and projects for their potential to cause Likely Significant Effects (LSE) on the National Site Network. Should Likely Significant Effects (LSE) be identified by the initial screening process it is necessary to further consider the effects by way of an 'appropriate assessment (AA)'. Where the plan or project may lead to LSE it must be subject to an AA to determine whether there will be adverse effects to any such sites. Any plan or project that would lead to adverse effects on the integrity of these site(s) cannot be permitted without meeting strict additional tests.
- 1.3.2. Overall, this process of assessment is known as Habitats Regulations Assessment and further details of the applicable legislative context are summarised below.
- 1.3.3. Following the UK's exit from the European Union (EU), The Conservation of Habitats and Species (Amendment) (EU Exit) Regulations 2019 has resulted in amendments to the Habitats Regulations. Defra guidance (2021) states that Special Areas of Conservation (SACs) and Special Protection Areas (SPAs) in the UK no longer form part of the EU's Natura 2000 ecological network. The Conservation of Habitats and Species (Amendment) (EU Exit) Regulations 2019 have created a National Site Network on land and at sea, including both the inshore and offshore marine areas in the UK. The National Site Network includes:
- a.** Existing SACs and SPAs; and
 - b.** New SACs and SPAs designated under these Regulations.
- 1.3.4. Any references to Natura 2000 in the 2017 Regulations and in guidance now refers to the new National Site Network.
- 1.3.5. Maintaining a coherent network of protected sites with overarching conservation objectives is still required in order to:
- a.** Fulfil the commitment made by government to maintain environmental protections; and
 - b.** Continue to meet our international legal obligations, such as the Bern Convention, the Oslo and Paris Conventions (OSPAR), Bonn and Ramsar Conventions.
- 1.3.6. It is also a matter of government policy that Ramsar sites and potential SACs and SPAs are given the same protection as other European Sites, as described in para 181 of the National Planning Policy Framework. In that context, Ramsar sites have also been considered in this report.

RELEVANT NATIONAL PLANNING POLICY

Extant National Policy Statements

- 1.3.7. The following national planning policy is relevant to the HRA of the Proposed Scheme:
- a. Overarching National Policy Statement for Energy (EN-1); and
 - b. National Policy Statement for Renewable Energy Infrastructure (EN-3)
- 1.3.8. The National Policy Statements (NPS) for Energy were first designated and published in 2011. The NPS for Energy are currently under review by the Department for Business, Energy and Industrial Strategy. The following draft NPS that were issued for consultation in March 2023 are relevant to the HRA:
- a. Draft Overarching National Policy Statement for Energy (EN-1); and
 - b. Draft National Policy Statement for Renewable Energy Infrastructure (EN-3).

National Planning Policy Framework

- 1.3.9. The current version of the National Planning Policy Framework (NPPF) was published in 2021. It includes a variety of provisions and guidance in relation to the HRA process. This includes the provision at Paragraph 182, that '*The presumption in favour of sustainable development does not apply where the plan or project is likely to have a significant effect on a habitats¹ site unless an appropriate assessment has concluded that the plan or project will not adversely affect the integrity of the habitats site ...*'.

HRA POLICY AND GUIDANCE

- 1.3.10. The following policy and guidance relevant to the HRA process has been considered in the course of producing this assessment:
- a. Convention on Wetlands of International Importance especially as Waterfowl Habitat. Ramsar (Iran), 2 February 1971. UN Treaty Series No. 14583. As amended by the Paris Protocol, 3 December 1982, and Regina Amendments, 28 May 1987.
 - b. European Commission (2000b). Communication from the Commission on the Precautionary Principle
 - c. European Commission (2018). Assessment of plans and projects significantly affecting Natura 2000 sites: Methodological guidance on the provisions of Article 6(3) and (4) of the Habitats Directive 92/43/EEC

¹ Habitats Site in the NPPF refers to 'European Sites' as defined in this report.

- d. Joint Nature Conservation Committee (JNCC) (2016). SAC and SPA Standard Data Forms and Ramsar Information Sheets. Available online:
[REDACTED]
- e. Tyldesley, D. and Chapman, C. (2013) The Habitats Regulations Assessment Handbook (July 2020 Edition) UK DTA Publications Ltd.
- f. Department for Housing, Communities and Local Government (DHCLG) (2021). National Planning Policy Framework.
- g. Chartered Institute of Ecology and Environmental Management (CIEEM, 2021) Advice on Ecological Assessment of Air Quality Impacts.
- h. (Planning Inspectorate, 2017) Advice Note Ten: Habitats Regulations Assessment relevant to nationally significant infrastructure projects

STAGES OF HABITATS REGULATIONS ASSESSMENT

- 1.3.11. Guidance on the Habitats Directive (European Commission, 2000a) sets out the step wise approach which should be followed to enable Competent Authorities to discharge their duties under the Habitats Directive and provides further clarity on the interpretation of Articles 6 (3) and 6 (4). The process used is usually summarised in four distinct stages of assessment:
- a. Stage 1: Screening: the process which identifies whether effects upon a European Site(s) of a plan or project are possible, either alone or in combination with other plans or projects, and considers whether these effects are likely to be significant;
 - b. Stage 2: appropriate assessment: the detailed consideration of the effect on the integrity of European Sites of the plan or project, either alone or in combination with other plans or projects, with respect to the site's conservation objectives and its structure and function;
 - c. Stage 3: Assessment of alternative solutions: the process which examines alternative ways of achieving the objectives of the plan or project that avoid adverse effects on the integrity of the European Site(s); and
 - d. Stage 4: Assessment where no alternative solutions exist and where adverse effects remain: an assessment of whether the development is necessary for Imperative Reasons of Overriding Public Interest (IROPI) and, if so, of the compensatory measures needed to maintain the overall coherence of the National Site Network.

2. METHODOLOGY

2.1. OVERVIEW OF SECTION 2

- 2.1.1. This section of the report sets out the methodology followed to identify potential LSE on European Sites. It also sets out the methodology followed to assess whether identified LSE, could lead to adverse effects on the integrity of European Sites.
- 2.1.2. Guidance from the European Commission (European Commission (2001)) recommends that HRA screening should include the following steps:
- a. Step 1: Determine whether the plan or project is directly connected with or necessary to the management of the European Site;
 - b. Step 2: Describe the plan or project and any other plans or projects which, in combination, could result in significant effects on the European Site;
 - c. Step 3: Identify the potential effects on the European Site both alone and in combination with other plans and projects; and
 - d. Step 4: Assess the significance of any effects on European Sites.
- 2.1.3. The approach to each of these four steps is set out below.

2.2. METHODOLOGY FOR SCREENING LIKELY SIGNIFICANT EFFECTS

STEP 1: CAN THE PROJECT BE EXEMPTED FROM ASSESSMENT

- 2.2.1. Any project that is directly connected with or necessary for the management of any European Site(s) does not require assessment under the HRA process. This is straightforward to assess, as it is simple to identify whether or not a plan or project is proposed for reasons related to the management of European Sites, or for other reasons.

STEP 2: DESCRIBE THE PLAN OR PROJECT AND ANY OTHER PLANS OR PROJECTS WHICH, IN COMBINATION, COULD RESULT IN SIGNIFICANT EFFECTS ON THE EUROPEAN SITE

- 2.2.2. During this step, the characteristics of the Proposed Scheme that could lead to biophysical changes to European Sites are described. Any other plans or projects with potential to contribute to in-combination effects are also described. Further detail on the in-combination assessment is provided below.

STEP 3: IDENTIFY THE POTENTIAL EFFECTS ON THE EUROPEAN SITE

- 2.2.3. During this step, the biophysical changes arising from the Proposed Scheme are examined, to identify how they could lead to change to European Site qualifying features. This impact pathway approach is useful in clearly linking the impacts of the Proposed Scheme to potential effects upon European Sites. Several sources of information will be considered when completing this assessment:
- a. Information on the European Site(s) being assessed, including citation information on the qualifying interests;

- b. The description of the Proposed Scheme including Primary Mitigation (i.e. measures that are integral to the design of the Proposed Scheme) relevant to avoiding or reducing impacts on any European Site(s) (as set out in **Chapter 2 (Site and Project Description)** of the ES;
- c. The spatial extent over which the identified biophysical changes from the Proposed Scheme would occur (hereafter referred to as the 'Zone of Influence' (Zol));
- d. The locations where the boundary of European Sites overlaps with the Zol of the Proposed Scheme;
- e. The locations of any land outside the boundary of European Sites but within the Zol of the Proposed Scheme, that could support the qualifying interests (habitats and species) of any European Site(s); and
- f. Technical assessments presented in the Environmental Statement for the Proposed Scheme.

2.2.4. In accordance with the People over Wind Judgment (People over Wind and Peter Sweetman v Coillte, 2018) targeted measures to mitigate effects on European Sites will not be considered at the HRA screening stage. The People Over Wind ruling states that:

“...in order to determine whether it is necessary to carry out, subsequently, an appropriate assessment of the implications, for a site concerned, of a plan or project, it is not appropriate, at the screening stage, to take account of the measures intended to avoid or reduce the harmful effects of the plan or project on that site.”

UK government guidance to Competent Authorities carrying out HRA (Department for Environment, Food & Rural Affairs, Natural England, Welsh Government, and Natural Resources Wales, 2021) further confirms this requirement. In relation to HRA screening, this guidance states that:

“At this stage, you should not consider any mitigation measures included by the proposer for the purpose of avoiding or minimising risk to a European site. These mitigation measures need to be considered at the appropriate assessment stage.”

STEP 4: ASSESS THE SIGNIFICANCE OF ANY EFFECTS ON EUROPEAN SITES

2.2.5. Potential LSEs will be assessed in relation to two main criteria:

- a. Information on the qualifying interests of European Sites within the Zol of the Proposed Scheme and their sensitivity to the identified impact pathways;
- b. The conservation objectives for each qualifying interest, which if compromised would result in LSE to the qualifying interest(s).

- 2.2.6. Conservation objectives for European Site qualifying interests broadly comprise the following:
- a. Maintain or restore the extent and distribution of qualifying habitats and habitats of qualifying species;
 - b. Maintain or restore the structure and function (including typical species) of qualifying natural habitats;
 - c. Maintain or restore the structure and function of the habitats of qualifying species;
 - d. Maintain or restore the supporting processes on which qualifying natural habitats and the habitats of qualifying species rely;
 - e. Maintain or restore the populations of qualifying species; and,
 - f. Maintain or restore the distribution of qualifying species within the site.
- 2.2.7. For the purposes of this assessment, Steps 3 and 4 are reported together in **Section 3.5 to 3.6** of this report.

ASSESSING EFFECTS IN-COMBINATION WITH OTHER PLANS AND PROJECTS

- 2.2.8. During screening, potential LSE on European Sites need to be considered both 'alone' and 'in-combination'. Where LSEs may arise from the Proposed Scheme alone, assessment of in-combination effects can be completed at the appropriate assessment stage. No in-combination assessment is required at the screening stage under this circumstance.
- 2.2.9. If an effect is identified that is not predicted to lead to LSE on any European Sites alone, it is necessary to undertake an in-combination assessment at the screening stage. This considers whether the non-significant effect from the Proposed Scheme may, in-combination with effects from other plans or projects, result in LSE on the European Site(s) concerned.
- 2.2.10. The way in which effects from the Proposed Scheme and other plans and projects could increase the risk of LSE to European Sites, are therefore considered in the HRA Screening. In-combination effects may contribute to increased impacts and hence effects on qualifying features relative to the Proposed Scheme alone. It is therefore important to carefully consider how other plans and projects may lead to effects on European Sites.
- 2.2.11. The in-combination assessment considers the short list of other plans and projects identified in the cumulative assessment (as set out in **Appendix 18.4 of Chapter 18 (Cumulative Effects)** of the ES ([document reference 6.3.18.4, rev 02, updated at Deadline 2REP4-003](#)). The cumulative assessment of potential ecology impacts, and effects included assessment of the potential for each development to contribute to in-combination impacts on European Sites with the Proposed Scheme. The in-combination assessment draws upon and also informs the ecological assessment of cumulative effects, as set out in **Appendix 18.4 of Chapter 18 (Cumulative Effects)**

of the ES (REP4-003) and **Appendix 18.5 of Chapter 18 (Cumulative Effects)** of the ES (REP4-002).

- 2.2.12. Where it can be demonstrated that the Proposed Scheme will have no appreciable impacts or effects on European Sites, in-combination assessment will not be required. This is because if the Proposed Scheme has no effects whatsoever, then there are no effects that could combine with effects from other plans or projects.

2.3. METHODOLOGY FOR COLLATING INFORMATION TO INFORM APPROPRIATE ASSESSMENT

APPROPRIATE ASSESSMENT METHODOLOGY

- 2.3.1. Where the potential for likely significant effects (LSE) cannot be excluded, it is necessary to complete an appropriate assessment. The purpose of this is to identify if the identified LSE could lead to adverse effects on the integrity of European Sites. As per the HRA screening stage, the potential for adverse effects on integrity must be considered for the Proposed Scheme both alone and in-combination with other plans and projects.
- 2.3.2. The appropriate assessment will involve a more detailed consideration of how identified LSE could affect the European Site qualifying interests and their conservation objectives. The conservation objectives provide a framework for assessment and information on how qualifying features may be adversely affected.
- 2.3.3. In England, the conservation objectives should be read in conjunction with the Supplementary Advice on Conservation Objectives ('SACO') published by Natural England. The supplementary advice sets out how the Conservation Objectives for each qualifying interest can be met, in relation to various different criteria. For example, SACO may set out the population size a qualifying interest species needs to reach in order to meet the Conservation Objective "maintain or restore the populations of qualifying interest species".
- 2.3.4. Where a Conservation Objective is being met, SACO provide advice on how the Conservation Objective can be maintained. Where a Conservation Objective is not being met, SACO provide advice on the steps needed to restore the qualifying interest concerned.
- 2.3.5. Ramsar sites do not have published conservation objectives. Sites designated as Ramsar Sites often share boundaries with SPAs and/or SACs. Where this occurs, the SAC/SPA conservation objectives for these sites are often relevant and will be referred to during assessment of the Ramsar site.

ASSESSMENT OF POTENTIAL ADVERSE EFFECTS ON INTEGRITY

- 2.3.6. European Site integrity is defined as 'the coherence of the site's ecological structure and function, across its whole area, that enables it to sustain the habitat, complex of habitats and/or the populations of the species for which the site is, or will be designated'. European Commission guidance (European Commission, 2018) sets out

that the assessment of adverse effect should focus on the achievement or otherwise of a European Site's conservation objectives.

- 2.3.7. The appropriate assessment section of this report includes an assessment of adverse effects that may arise from the construction, operation, and decommissioning of the Proposed Scheme. The identified LSE are examined in detail, to determine whether or not they could frustrate achievement of the conservation objectives for each qualifying feature.
- 2.3.8. The assessment of adverse effects will be informed by the wider assessment of the environmental impacts and effects of the Proposed Scheme. These provide useful information about how the receiving environment surrounding the Proposed Scheme is expected to respond to the biophysical changes arising from the Proposed Scheme. In particular, the following chapters of the Environmental Statement have informed the assessment:
- a. Chapter 2 (Site and Project Description)** of the ES;
 - b. Chapter 6 (Air Quality)** of the ES;
 - c. Chapter 7 (Noise and Vibration)** of the ES;
 - d. Chapter 8 (Ecology)** of the ES;
 - e. Chapter 12 (Water Environment)** of the ES; and
 - f. Chapter 18 (Cumulative Effects)** of the ES, plus underpinning appendices.

KEY CASE LAW

- 2.3.9. This section of the report identifies key case law that has been considered in this HRA Report. It is not intended to be an exhaustive list, instead it highlights case law that is considered of particular relevance to the HRA of the Proposed Scheme.

People over Wind, Peter Sweetman v Coillte Teoranta (Case C-323/17)

- 2.3.10. The "People over Wind" judgment ruled that any measures added to achieve the purpose of avoiding or reducing harmful effects on a European Site(s) should not be considered at the screening stage. The Competent Authority can only consider such mitigation measures as part of an appropriate assessment.
- 2.3.11. The key part of the judgment is summarised in Paragraph 40 as "in order to determine whether it is necessary to carry out, subsequently, an appropriate assessment of the implications, for a site concerned, of a plan or project, it is not appropriate, at the screening stage, to take account of measures intended to avoid or reduce the harmful effects of the plan or project on that site".
- 2.3.12. UK Government guidance (Department for Environment, Food and Rural Affairs, 2021) clarifies that measures which have been specifically added to achieve the purpose of avoiding or reducing its harmful effects on a habitats site should not be considered at the screening stage. However, features that are integral to the design or physical characteristics of the project that is being assessed, for example, the layout, timing and location of a scheme, may be considered at the screening stage.

2.3.13. In accordance with UK government guidance on the application of the People over Wind ruling, this HRA Report will only consider avoidance or mitigation measures, specifically added to avoid or reduce harmful effects on a European Site(s), during the appropriate assessment stage. Such measures will not be considered at the HRA screening stage.

Coöperatie Mobilisation for the Environment and Vereniging Leefmilieu v College van gedeputeerde staten van Limburg and College van gedeputeerde staten van Gelderland (Cases C-293/17 and C-294/17)

2.3.14. The “Dutch Nitrogen” cases established that: (Paragraph 126) “...it is only when it is sufficiently certain that a measure will make an effective contribution to avoiding harm to the integrity of the site concerned, by guaranteeing beyond all reasonable doubt that the plan or project at issue will not adversely affect the integrity of that site, that such a measure may be taken into consideration in the 'appropriate assessment...’ and (Paragraph 130) “The appropriate assessment of the implications of a plan or project for the sites concerned is not to taken into account the future benefits of such 'measures' if those benefits are uncertain, inter alia because the procedures needed to accomplish them have not yet been carried out or because the level of scientific knowledge does not allow them to be identified or quantified with certainty”.

2.3.15. The cases established that ‘future benefits’ as referred to above include ‘autonomous measures’ i.e., measures delivered outside the scope of the Proposed Scheme, that would be expected to deliver beneficial outcomes to European Sites (for example strategic national level initiatives to manage nitrogen pollution, or local measures to limit recreational disturbance of European Site qualifying interest species). Such autonomous measures may only be taken into account where their benefits are certain at the time of the assessment.

2.3.16. In light of the above, The HRA Report will therefore consider the existence of conservation and / or autonomous measures only where the benefits are certain at the time of the assessment, and where certainty in their occurrence (beyond reasonable scientific doubt) can be assured. The HRA Report will also consider the effects of the Proposed Scheme on the total load of nitrogen deposition (and other relevant aerial emissions impact pathways) from the Proposed Scheme and other emitting plans and projects.

Compton Parish Council, Julian Cranwell and Ockham Parish Council v Guildford Borough Council, SoS for Housing, Communities and Local Government (2019), High Court of Justice, EWHC 3242 (Admin) CO/2173,2174,2175/2019

2.3.17. In the Compton case, the Court ruled in relation to exceedances of nitrogen deposition critical loads and NOx emissions, that, in arriving at a conclusion during appropriate assessment, that this:

‘could not be answered, one way or the other, by simply considering whether there were exceedances of critical loads or levels, albeit rather lower than currently. What

was required was an assessment of the significance of the exceedances for the SPA birds and their habitats...’.

This HRA Report will therefore, in accordance with the Compton ruling, consider the effects of likely impacts to the extent that it is possible to determine that there would be no adverse effects on the integrity of European Sites on the basis of potential for ecological change to qualifying interests and their associated Conservation Objectives, to arise.

CONSIDERATION OF MEASURES TO ADDRESS ADVERSE EFFECTS

- 2.3.18. Following the People Over Wind ruling referred to in paragraph 2.3.10, measures intended to avoid or reduce the harmful effects of a project on European Sites should only be considered at the appropriate assessment stage of the HRA process. Where required to address potential adverse effects on integrity, mitigation measures are therefore identified in the appropriate assessment section of this report.
- 2.3.19. Where mitigation measures are required, the appropriate assessment section of this report identifies how these would be secured. Where appropriate, reference is made to the following documents, which detail mitigation measures for the Proposed Scheme and how these would be secured:
- a. Register of Environmental Action and Commitments (~~AS-121, updated at Deadline 6REP7-010~~);
 - b. Outline Landscape and Biodiversity Strategy (~~AS-119, to be updated at Deadline 6REP6-017~~);
 - c. Draft Lighting Strategy (~~APP-184, to be updated at Deadline 6REP6-019~~); and
 - d. Draft Development Consent Order (~~AS-111, to be updated at Deadline 6REP8-005~~).

EFFECTS IN-COMBINATION WITH OTHER PLANS AND PROJECTS

- 2.3.20. Where an in-combination assessment has been taken forward to the appropriate assessment stage following HRA screening, potential adverse effects on European Site(s) integrity must be considered. As for the assessment of the Proposed Scheme alone, this is a more detailed assessment than is carried out at the HRA screening stage.
- 2.3.21. In addition to considering Proposed Scheme mitigation, any targeted mitigation measures for European Sites being delivered by other plans and projects will be considered.

2.4. NATURAL ENGLAND CONSULTATION

- 2.4.1. Natural England have provided advice in relation to HRA at a number of points during the Pre-Application, Pre-Examination, and Examination stages of the Proposed Scheme. This has included statutory inputs provided to PINS / the ExA in response to formal consultation requirements, and informal advice and engagement with the Applicant, provided via the Natural England Discretionary Advice Service.

2.4.2. A summary of the consultation responses and advice provided by Natural England is set out in the Statement of Common Ground between Natural England and the Applicant (REP~~85~~-01~~97~~). [All matters previously under discussion between Natural England and the Applicant have now been agreed, as set out in the Statement of Common Ground between Natural England and Drax Power Ltd \(REP8-019\).](#) Reference to HRA specific Natural England advice and consultation responses is made where relevant in this HRA Report.

3. FINDINGS OF HRA SCREENING

3.1. OVERVIEW OF THIS SECTION

- 3.1.1. This section of the HRA report sets out the findings of the HRA screening. Those aspects of the Proposed Scheme that could trigger LSE on European Sites are described. Where LSE are identified, the impact pathways triggering them are described along with an initial consideration of how European Site qualifying interests and achievement of their conservation objectives could be affected.

3.2. HRA SCREENING STEP 1: CAN THE PROJECT BE EXEMPTED FROM ASSESSMENT

- 3.2.1. The Proposed Scheme would involve the installation of post-combustion carbon capture technology to capture carbon dioxide from up to two existing 660 megawatt electrical ('MWe') biomass power generating units at the Drax Power Station (Unit 1 and Unit 2). It is clear the Proposed Scheme is not directly connected with or necessary for the management of any European Site. The Proposed Scheme must therefore be subject to HRA under the Habitats Regulations ((SI2017/2012), 2017).

3.3. STEP 2: DESCRIBE THE PLAN OR PROJECT AND ANY OTHER PLANS OR PROJECTS WHICH, IN COMBINATION, COULD RESULT IN SIGNIFICANT EFFECTS ON THE EUROPEAN SITE

- 3.3.1. A summary description of the Proposed Scheme is provided in **Section 1.2** of this report. A detailed description of the Proposed Scheme is provided in **Section 2.2 of Chapter 2 (Site and Project Description)** of the ES (APP-038). The characteristics of the Proposed Scheme that could lead to biophysical changes to European Sites are set out below.
- 3.3.2. The biophysical changes that could result from the construction and decommissioning phases are considered to be similar, with the decommissioning impacts expected to be no worse than those occurring during the construction phase (as set out in **Section 2.5 of Chapter 2 (Site and Project Description)** of the ES ([APP-038](#)). As such, one sub-section is provided below covering biophysical changes during the construction and decommissioning phases. A further sub-section is then provided which assesses potential biophysical changes arising during the operational phase of the Proposed Scheme.
- 3.3.3. Step 2 of the HRA screening process concludes with a description of the other plans and projects considered to have potential to contribute to in-combination effects with the Proposed Scheme.

CONSTRUCTION AND DECOMMISSIONING

Description of Key Characteristics

- 3.3.4. Construction [and commissioning](#) of the Proposed Scheme is anticipated to take place between 2026 and 2031. There are slight differences in the programme of construction depending on whether the Option 1 or Option 2 construction programme (as set out in **Table 2.1** and **Table 2.2** of **Chapter 2 (Site and Project Description)** of the ES (APP-038) is followed. Construction is predicted to start in quarter one 2026 for both options and finishes in either Quarter four 2031 (Option 1) or Quarter three 2031 (Option 2), although these remain approximate timings only in the absence of a detailed construction programme. Given the very similar programme for construction under either option, with construction activities confined largely to the existing Drax Power Station Site, there is no material difference between the two options in terms of potential effects on European Sites.
- 3.3.5. The majority of construction activities will be located within the existing Drax Power Station Site. Construction activities in these areas have limited potential to lead to biophysical changes relevant to European Sites. This is because the majority of the affected areas are comprised of hard-standing and existing structures and the distance of the Drax Power Station Site from the sites. Some limited extents of semi-natural habitats are present which would be removed during construction, largely focussed on the north of the Drax Power Station site.
- 3.3.6. In addition, a number of Construction Laydown Areas are proposed. These would be used to facilitate construction, for example provision of car parking and use for fabrication of construction materials.
- 3.3.7. The East Construction Laydown Area is located in a field to the east of Drax Power Station. It would be used for laydown of plant, equipment and materials, light fabrication, storage of topsoil from the area and as an overflow car park during construction. The land currently consists of arable fields surrounded by hedgerow and would be reinstated to a mixture of arable use with some habitat enhancements following completion of the construction period for both Units.
- 3.3.8. The Drax Power Station Site Construction Laydown Areas are made up of the following areas:
- a. The existing northern site entrance car park, which would be maintained as car parking for construction workers;
 - b. A hardstanding area to the west of the car park which would be used for the Contractor Village (designated area for offices and welfare facilities);
 - c. An area to the north currently characterised as the woodyard. This area would be used for laydown and heavy fabrication;
 - d. The existing limestone and gypsum storage buildings which following cease of coal operation, would be redundant. These buildings would be used for covered laydown and fabrication; and

- e. Six smaller hardstanding areas local to the BECCS construction, which would be used for laydown, fabrication and local construction.
- 3.3.9. For details of the location of the construction laydown areas, see **Figure 2.3 (Construction Laydown Plan)** (APP-061)).
- 3.3.10. Land has been identified in the Order Limits to the north of the Drax Power Station Site for habitat and landscape enhancements; this area is referred to as the Habitat Provision Area. Habitat and landscape enhancements would comprise the provision of new hedgerows and infill planting to strengthen existing hedgerows and the creation/enhancement of habitats including a pond, tree planting, and species-rich grassland and scrub creation. No new infrastructure is proposed on this land and the existing productive agricultural land would not be significantly affected.
- 3.3.11. In addition to the Habitat Provision Area, which is within the Order Limits, the Proposed Scheme also includes an Off-site Habitat Provision Area, outside the Order Limits. These are areas of land owned by Drax, that would be used for the purpose of ecological and landscape measures (not related to European Sites) and supporting the delivery of Biodiversity Net Gain. Delivery of these would be secured via S106 agreement, as set out in **Table 1.1** of the **Register of Environmental Actions and Commitments** (REAC) ([AS-121, to be updated at Deadline 6REP7-010](#)).
- 3.3.12. The **Outline Landscape and Biodiversity Strategy** ([AS-119REP6-017](#), to be updated at Deadline 6) provided as part of the application details the locations of proposed habitat measures.
- 3.3.13. Minor works to street furniture and pruning of vegetation on roundabouts and overhanging roads will be required during construction. These works are expected to be required to facilitate delivery of Abnormal Indivisible Loads (AIL), as described in more detail in **Section 2.3** of **Chapter 2 (Site and Project Description)** of the ES. The AIL route is expected to make use of the A161, M62, A614, A645, and New Road to transfer AILs from the Port of Goole to the Site. Construction traffic is not expected to lead to any significant effects to ecological receptors including European Sites, given construction would take place over a maximum six year period. In addition and as set out in **Table 6.3** in **Chapter 6 (Air Quality)** of Volume 1 of the ES (APP-042), local air quality impacts from construction traffic have also been scoped out of assessment, with no significant effects on local air quality predicted. None of the proposed construction traffic routes pass within 200m of any European Site, with the exception of a short stretch of the M62 which passes within 200 m of the upstream end of the Humber Estuary SAC, SPA and Ramsar and would likely be used by a proportion of HDV traffic accessing the Site (see **Figure 5.5 (HDV Routing)** in **Volume 2** of the ES (APP-066)).
- 3.3.14. Physical interventions for the AIL route would take place along existing heavily trafficked roads and would comprise minor vegetation management equivalent to (but of a much-reduced extent relative to) routine maintenance of the soft estate of those roads. Some road furniture (e.g., road signs and traffic lights) would need to be temporarily moved or relocated. Given the setting and nature of these minor AIL

works (which can be distinguished from the works to overhead lines that form Work No.8 discussed below), these are not considered to have any potential to contribute to LSE on European Sites, either alone or in-combination with other aspects of the Proposed Scheme or other plans and projects.

- 3.3.15. Further to the acceptance of two minor changes to the Application since submission of the DCO application, the Proposed Scheme also includes provision of replacement floodplain capacity in the form of an identified Flood Compensation Area (FCA) on land in the north of the existing Power Station Site. This is shown on Plates 2-2 and 2-3 of the Proposed Changes Application Report (AS-045). Works in this location will involve minor reprofiling of the levels, in order to achieve the necessary flood compensation. These works form Work Number 7, as set out in the draft DCO (AS-109, to be updated at Deadline 6).
- 3.3.16. The works are spatially contiguous with the Order Limits as submitted with the DCO Application and are located within the existing Drax Power Station Site. They are also screened from areas outside the existing Drax Power Station Site by a band of trees and scrub that forms part of the northern perimeter of the existing Drax Power Station site. Work Number 7 is not therefore considered to introduce any additional risk of impacts and consequent effects on European Sites, and has not triggered material changes to the assessment presented in this report relative to the assessment that was presented in the Application HRA Report (APP-185).
- 3.3.17. The Proposed Scheme also includes work to facilitate the movement of Abnormal Indivisible Loads ('AIL') between the Port of Goole and the Main Power Station Site of the Proposed Scheme. This will involve the undergrounding of overhead OHL lines and an increase in height to telecoms lines, that currently present a constraint (due to being insufficiently elevated above the road level) to the movement of the AIL. The undergrounding and height increase is therefore required to facilitate the delivery of AIL to the Power Station Site. These AIL works are relatively limited in extent, involving minor open-cut excavation to facilitate the undergrounding, as shown on the updated Works Plans (AS-106) and Plate 2-3 to 2-6 of the Second Change Application Report (AS-126). Following completion of the undergrounding, the site of the works would be reinstated to its pre-construction condition. These works form Work Number 8, as set out in the draft DCO ([AS-109, to be updated at Deadline 6](#) [REP8-005](#)).
- 3.3.18. Work Number 8 introduces a requirement for physical interventions in areas several kilometres distant from the Order Limits that were used to inform the Application HRA Report (APP-185). Work Number 8 will be in an area that has been determined to be of limited ecological interest (see Appendix 4 – Ecological Walkover Technical Note (AS-053) of the Proposed Changes Application Report). Notwithstanding this, due to the new location, it has been necessary to consider the potential for these to lead to new or changed effects on European Sites. Sites that could experience different effects due to the inclusion of Work Number 8 are considered to be limited to Humber Estuary SPA and Ramsar, and Lower Derwent Valley SPA and Ramsar, for reasons as set out subsequently in the assessment in this report.

3.3.19. Specific details of decommissioning are not available at this time. Decommissioning would take place at least 25 years after the Proposed Scheme entered the operational phase. As set out above, decommissioning activities including demolition are not anticipated to lead to any additional or greater impacts than would occur during construction. Potential biophysical changes arising from construction and decommissioning are therefore considered together in the section below.

Biophysical Changes during Construction and Decommissioning

3.3.20. The following potential biophysical changes have been identified, that could lead to effects upon European Sites:

- a. Permanent or temporary loss and disturbance of habitats to facilitate construction or decommissioning activities and installation of BECCS and supporting infrastructure;
- b. Disturbance of species using habitats lost or disturbed during construction or decommissioning;
- c. Emissions of dust from construction or decommissioning activities;
- d. Increased sediment loading of aquatic habitats receiving drainage from construction or decommissioning areas;
- e. Accidental releases of water-borne pollutants such as hydrocarbons affecting water quality of aquatic habitats receiving drainage from construction areas;
- f. Construction traffic emissions;
- g. Increased noise and vibration levels arising from construction and decommissioning activities, e.g., increased vehicle movements, increased numbers of personnel on site, piling works; and
- h. Increased levels of visual disturbance arising from the presence of additional personnel and plant within construction or decommissioning areas.

OPERATION

Description of Key Characteristics

3.3.21. Operation is anticipated to run from approximately 2030 for a period of at least 25 years. During operation, the Proposed Scheme is designed to remove approximately 95% of the carbon dioxide that would otherwise be emitted from flue gas of biomass Units 1 and 2.

3.3.22. This is achieved through ~~the~~ use of amine solvents. Through a series of chemical and heating/cooling processes, these enable the extraction of carbon dioxide from the untreated flue gas from Units 1 and 2. The untreated flue gas would be subject to the following processes to remove carbon dioxide:

- a. Flue Gas Pre-treatment – during this step untreated flue gas is cooled by a Gas / Gas Heat Exchanger before being passed through a Quench Column, which removes water vapour and other condensable components. Generated effluent is

sent to the Carbon Capture Wastewater Treatment Plant. The remaining flue gas is then sent to the next treatment stage;

- b.** The cooled untreated flue gas is passed through an Absorber Column. The Absorber Column contains an amine solvent, which reacts with the flue gas and absorbs the carbon dioxide from it. The result is a carbon dioxide-rich solvent which is separate from the remaining, now treated, flue gas. This process will also generate effluent, which is sent to the Carbon Capture Wastewater Treatment Plant;
- c.** The treated flue gas is passed through the Gas / Gas Heat Exchanger, where it absorbs heat from pre-treatment flue gas entering the treatment cycle. The treated and re-heated flue gas is then emitted from the Main Stack. The carbon dioxide-rich solvent is then sent to the next stage of treatment;
- d.** The carbon dioxide-rich solvent solution is then heated and passed through Regenerators, which strips the solvent from the carbon dioxide. The process results in a high purity carbon dioxide stream and a carbon dioxide-lean solvent. The carbon dioxide-lean solvent then passes through the solvent processing system, which removes residual contaminants and replenishes lost solvent;
- e.** The solvent is then recirculated into the Carbon Capture Plant. The carbon dioxide is treated in the Carbon Dioxide Processing and Compression Plant. This removes any residual contaminants and remaining solvent and compresses the gas prior to it being exported from the Proposed Scheme into the proposed National Grid Carbon Limited low carbon pipeline (the low carbon pipeline does not form part of the Proposed Scheme).

3.3.23. Assessment of air quality impacts for the operational phase has focussed on the following two core model scenarios (for the Proposed Scheme alone):

- a.** Baseline:
 - i.** Operation of existing four biomass units (4 x 660 MW output) from Main Stack (259 m agl);
 - ii.** All units assumed to be running at full load for 4,000 hours per year, representing a reasonable likely operating profile based on a 'mid-merit' operating regime;
 - iii.** The two coal-fired units are not included in the Baseline (or Proposed Scheme scenario) because they stopped generating electricity commercially in March 2021 and formal closure of these units is expected before the Proposed Scheme commences operation.
- b.** With Proposed Scheme:
 - i.** Operation of two biomass units (2 x 660 MW output) with BECCS from the Main Stack (259 m agl), assumed to be running continuously at full load (8,760 hours per year), representing a reasonable worst-case operating profile;

- ii. Operation of two biomass units (2 x 660 MW output) without BECCS from the Main Stack (259 m agl) assumed to be running at full load for 4,000 hours per year, representing a reasonable operating profile based on a 'mid-merit' operating regime;
- 3.3.24. Further sensitivity modelling for air quality was undertaken for the same scenarios as above, but assuming that all Biomass Units in the Baseline scenario and the non-BECCS units in the 'With Proposed Scheme' scenario would be operating at full load for all hours (8,760 hours) of the year.
- 3.3.25. Whilst total process impacts increase in both the Baseline and With Proposed Scheme scenarios under full load operating conditions, the impact on ecological receptors, defined as the difference between the Proposed Scheme and Baseline scenario, is lower than presented for the two core model scenarios described above. As such, the two core model scenarios described above represent a realistic worst-case scenario and have been used in the assessment of potential effects on European Sites.
- 3.3.26. Drax Power Station currently uses river water abstracted from the River Ouse for existing Power Station cooling towers. This would continue to be used to provide cooling water for the Proposed Scheme.
- 3.3.27. Water is pumped to the Power Station Site from the River Ouse where it is treated to remove solids and other material. The treated river water is then used for cooling. No changes are expected to be required to existing water abstraction or discharge permits and consents, with no increase in abstraction of river water from the Ouse required or works within the River Ouse itself.
- 3.3.28. As such, operation of cooling water infrastructure for the Proposed Scheme is not expected to have any potential to contribute to LSE on European Sites, either alone or in-combination with other aspects of the Proposed Scheme or other plans and projects. Operation of the Existing Cooling System for the Proposed Scheme is therefore not considered further in this report.
- 3.3.29. Additional detail relating to the operation of the Carbon Capture Plant is provided in **Section 2.2 of Chapter 2 (Site and Project Description)** of the ES.
- 3.3.30. During operation, there will be a requirement to maintain the BECCS plant. It would also be necessary for effluent waste from the carbon capture process to be stored on site (some of this may be hazardous waste). Operational requirements will also include activities which are already established on the site such as chemical deliveries and waste effluent removals to registered waste disposal facilities.
- 3.3.31. Additional lighting to that already present at the Drax Power Station site is likely to be required. Precise locations and types of new lighting are not yet known. Any new lighting will comply with the requirements set out in the **Draft Lighting Strategy** ([APP-184REP6-019](#), to be updated at Deadline 6).
- 3.3.32. During operation, ongoing habitat management and maintenance is expected to be required to support the establishment of new and enhanced habitats and landscape

planting. Such activities would be carried out primarily in the Habitat Provision Area and the Off-site Habitat Provision Area. The **Outline Landscape and Biodiversity Strategy** ([REP6-017AS-119](#)) provides details of proposed habitat and landscape management during operation.

Biophysical changes during operation

- 3.3.33. The following potential biophysical changes have been identified, that could lead to effects upon European Sites:
- a. Emissions of treated flue gas to air from the Main Stack in a scenario where BECCS has been applied to Units 1 and 2 ('the with Proposed Scheme Scenario'), leading to increased concentrations or deposition rates of chemical species onto European Sites surrounding the Proposed Scheme;
 - b. Disturbance of species as a result of noise generated by operation of the Proposed Scheme;
 - c. Increased levels of visual disturbance arising from the presence of personnel and operational lighting associated with operation of the Proposed Scheme; and
 - d. Accidental releases of water-borne pollutants, for example effluent sludge treated or stored at the Carbon Capture Wastewater Treatment Plant. This could affect water quality of any aquatic habitats affected by such a release.

OTHER PLANS AND PROJECTS

- 3.3.34. The potential for interactions between the Proposed Scheme and other plans and projects to increase the risk of LSE has been assessed. This has included assessing the plans and projects in the short-list of developments also assessed in the ES. An initial high-level screening exercise was completed. This determined whether any of the other plans and projects could have any conceivable effects on European Sites that could also be affected by the Proposed Scheme. Developments up to 30 km away from the Proposed Scheme were considered, as this was the maximum distance where there was considered to be any prospect of in-combination effects occurring. This distance was identified in relation to potential for overlapping aerial emissions from the Proposed Scheme and other large industrial / power-generating facilities.
- 3.3.35. The initial high-level screening exercise was completed in parallel with the initial assessment of cumulative effects for the **Ecology Chapter** of the ES (APP-044). The nature, location, scale, and other key characteristics of other plans and projects were determined by reviewing relevant documents (where available), such as ecological assessments submitted with planning applications. The findings of this exercise are set out in **Table 1.4 (Assessment of Cumulative Effects – Ecology)** in **Appendix 18.4** of the ES (REP4-003). For each plan or project assessed, there were two outcomes from this initial high-level screening exercise in relation to European Sites:
- a. The other plan or project could be objectively demonstrated to have negligible potential to contribute to in-combination effects on European Sites and was hence screened out of further in-combination assessment; or

- b.** The characteristics of the other plan or project meant there was a conceivable risk that it could contribute to in-combination effects on European Sites with the Proposed Scheme and required further consideration.
- 3.3.36. The assessment of in-combination effects was subsequently updated to take account of revisions to the cumulative assessment completed for Deadline 2 (APP-176 and APP-177) and at Deadline 4 (REP4-002 and REP4-003). These updates included assessment of new projects which had not been in the public domain at the time of the original assessment for the Application. Updates were also made where additional information was available for plans and projects previously considered.
- 3.3.37. The assessment was also updated to reflect the inclusion of the Keadby 2 Power Station project in the future baseline for the Proposed Scheme, rather than in the list of in-combination plans and projects. This reflects the approach to dispersion modelling taken for the Keadby 3 Carbon Capture Power Station (EN010114). Keadby 2 Power Station is now operational, having been commissioned in March 2023. The Keadby 3 DCO was granted by the Secretary of State for Business, Energy, and Industrial Strategy on the 7 December 2022. References to the dispersion (air quality) modelling numerical results later in this response therefore reflect this approach.
- 3.3.38. **Table 3.1** includes the other plans and projects that were identified as having potential to contribute to in-combination effects with the Proposed Scheme. The Short List ID used in **Chapter 18 (Cumulative Effects)** of the ES and accompanying appendices is included for ease of cross referencing.

Table 3.1 - Other Plans and Projects Screened into in-combination Assessment

Short List ID	Plan or Project	Rationale for inclusion in in-combination assessment
1	Eggborough CCGT - The construction and operation of a new CCGT generating station. Located approximately 8 km from the Proposed Scheme.	Emissions from the operation of this project could combine with the emissions from the Main Stack in the with Proposed Scheme scenario. This could cause increased air quality impacts on European Sites relative to either scheme operating alone. No other potential in-combination effects have been identified.
3	SEGL2 (Scotland to England Green Link 2) project - an underground High Voltage Distribution Cable (HVDC) between Peterhead (Aberdeenshire) and Drax (North Yorkshire) which will run into the substation at Drax Power Station. May overlap with eastern limits of Proposed Scheme.	The western limit of the HVDC is at the eastern boundary of the existing Drax Power Station Site, with a convertor station proposed in an agricultural field to the east of New Road. There is a possible overlap with the Order Limits for the Proposed Scheme in the far east of the existing Drax Power Station Site, but this is not possible to confirm on the basis of the available information for Development 3. The HVDC cable would be installed under the River Ouse downstream of the confluence of Carr Dyke (which flows under the existing Power Station Site) with the River Ouse. The convertor station for the HVDC would result in permanent landtake of habitats east of the existing Drax Power Station site and to the south of the East Construction Laydown Area (see Figure 18.2 (Committed Developments) in Volume 2 of Chapter 18 (Cumulative Effects) of the ES. There would also be temporary loss, disturbance, and fragmentation of habitats for the HVDC cable. The permanent landtake for the convertor station and the temporary effects of construction for the HVDC cable could lead to disturbance / loss of habitats for protected and notable species. This could include temporary disturbance of fish, bird, and otter populations associated with European Sites within the Zol of the Proposed Scheme. Development 3 could also lead to increased risk of water-borne pollution, given a number of watercourse crossings would be required for cable installation. Construction is predicted to take place between 2024 – 2031 with operation thereafter. The construction and operation of this project would therefore overlap with construction and operation of the Proposed Scheme.
4	Keadby 3 Low Carbon Gas Power Station Project - A combined cycle gas turbine (CCGT) power station. Located approximately 22 km from the Proposed Scheme	Emissions from the operation of this project could combine with the emissions from the Main Stack in the with Proposed Scheme scenario. This could cause increased air quality impacts on European Sites relative to either scheme operating alone. No other potential in-combination effects have been identified.
5	Ferrybridge D Combined Cycle Gas Turbine (CCGT) Power Station Project - A new CCGT generating station of circa 2000 megawatts output capacity and associated development including a gas supply. Located approximately 10.2 km from the Proposed Scheme	Emissions from the operation of this project could combine with the emissions from the Main Stack in the with Proposed Scheme scenario. This could cause increased air quality impacts on European Sites relative to either scheme operating alone. There is however no air quality information available for this Development, to enable it to be included in the cumulative air quality modelling, and as such in-combination effects cannot be assessed. Furthermore, no progress has been made with the planning process for this project since consultation in 2018. This will mean that the project will come after BECCS and will therefore need to take BECCS operations into account if it is brought forward.
6	Barlow Ash Mound - proposed additional recovery of ash resource from Barlow Mound on the western boundary of the Proposed Scheme. Located approximately 100 m from the Proposed Scheme.	Development 6 involves proposals for the reclamation of ash from the ‘Barlow mound’. Barlow Mound has been used and remains in use for the disposal of ash generated by combustion of biomass at the Drax Power Station Site. Following reclamation of ash, the site would be restored. Development 6 is located approximately 100 m west of the Proposed Scheme (and approximately 50m north-east of the Off-Site habitat Provision Area). Barlow Mound is known to support a range of habitats and protected and notable species, having been subject to a long-term programme of ecological monitoring and management by Drax. An EIA Scoping Report has been submitted to SDC, but no assessment of the potential ecological effects of Development 6 is yet available other than identification of potential impact pathways and high-level mitigation principles.

Short List ID	Plan or Project	Rationale for inclusion in in-combination assessment
		Given the proximity of Development 6 to the Proposed Scheme, with habitat connectivity between the two, in-combination effects on European Sites could arise through increased disturbance of qualifying interest species, increased risk of accidental discharges to aquatic habitats, and potentially increased impacts on 'functionally-linked land ² '.
7	Development of an existing horticultural facility for indoor farming and agri-tech, including the construction of three halls with associated process, service and administration buildings, landscaping, access improvements and additional car park access and associated infrastructure following partial demolition of existing buildings.	Development 7 is located to the south of the Proposed Scheme. The Preliminary Ecological Appraisal for the planning application identifies that Development 7 is situated in an area of low ecological interest. This is confirmed by the NYCC Ecologists consultation response to Development 7. Whilst on-site ecological impacts associated with Development 7 are expected to be limited, there is potential for cumulative impacts on ecological receptors, associated with emissions from a small boiler that is planned as part of Development 7.
9	Proposals for the erection and operation of five wind turbines and associated ancillary development. Located approximately 1.9 km from the Proposed Scheme.	Development 9 would involve the erection and subsequent operation of five wind turbines. Development 9 is located approximately 1.9km west of the Proposed Scheme. Development 9 will be located within 2 km of the Proposed Scheme and could affect bird populations associated with European Sites in the ZoI of the Proposed Scheme. It could therefore potentially contribute to in-combination effects on these receptors with the Proposed Scheme, through increased disturbance or displacement of European Site bird populations using functionally linked land outside the boundaries of any European Sites.
10	Development of a ground-mounted solar farm including associated infrastructure. Located approximately 1 km from the Proposed Scheme.	Development 10 involves the construction of a new solar farm across a 112-ha site located approximately 1 km from the Proposed Scheme. There is potential for this development to contribute to increased disturbance and displacement of wintering and breeding birds in-combination with construction and operation of the Proposed Scheme. This could include wintering birds that form part of the populations for which European Sites (SPA and/or Ramsar Sites) have been designated. No other potential in-combination effects have been identified.
12	Demolition of Flue Gas Desulphurisation (FGD) Plant and associated restoration works at Drax Power Station. Located partially within the Order Limits of the Proposed Scheme.	Development 12 involves the demolition of existing flue gas desulphurisation infrastructure within the existing Drax Power Station Site. Demolition activities will overlap spatially with the Proposed Scheme and may be taking place during the early phase of the Construction of the Proposed Scheme (Development 12 is expected to be completed by 2027). As such Development 12 could be being implemented during construction of the Proposed Scheme but is expected to be materially complete by the time the Proposed Scheme enters operation in 2030. Development 12 is located entirely within the Drax Power Station site and will take place in areas that comprise predominantly hard-standing, buildings, and other existing power station infrastructure. Ecological effects of this project will be limited. There will however be some very minor loss of terrestrial habitats and limited potential for increased disturbance of protected and notable species, potentially including SPA / Ramsar Site bird populations in-combination with the Proposed Scheme.
44, 52, 99, 100	Planning applications for a series of small industrial and/or commercial developments	These developments would involve some loss of semi-natural habitats and are located within the 1 km ecology ZoI for Work No. 8 (OHLs) of the Proposed Scheme. There would be no operational effects associated with the Work No. 8 component of the

² Functionally-linked land is land that is outside the boundaries of a European Site, but supports the ecological functioning of qualifying interests of that European Site. For example, an area of lowland heathland outside but adjacent to a SAC with lowland heathland as a qualifying interest, could support the ecological functioning of the lowland heathland inside the SAC. Another example would be the habitats outside the boundary of a SPA, that are used by populations of birds that are a qualifying interest of the SPA.

Short List ID	Plan or Project	Rationale for inclusion in in-combination assessment
	within 1 km of the Order Limits for Work Number 8.	Proposed Scheme. These developments are therefore scoped into the in-combination assessment of the Proposed Scheme, for the construction phase only.
47	The construction of an energy recovery facility (Kirk Sandall) involving the thermal treatment of residual waste and associated infrastructure including engineering, access, landscape, ground and landscaping works. Located approximately 21 km from the Proposed Scheme.	Emissions from the operation of this project could combine with the emissions from the Main Stack in the with Proposed Scheme scenario. This could cause increased air quality impacts on European Sites relative to either scheme operating alone. No other potential in-combination effects have been identified.
92	Hybrid Planning Application including the construction of a Relief Road from Thorpe Road to Station Road with drainage and landscaping, erection of an industrial unit and Outline Permission for erection of a residential development, community facilities including a supermarket, small retail units and small business/employment space, a medical centre, public house and restaurant with accommodation, elderly care home accommodation, a primary school, community park, car parks, sports pitches and pavilion, open space, a habitat area, drainage and landscaping.	Scoped in due to the potential for cumulative air quality effects on designated sites from Development 92 traffic generation and the operational emissions of the Proposed Scheme. No other potential in-combination effects identified.
102	Humber Low Carbon Pipelines: Construction of carbon dioxide and hydrogen transportation pipelines between Drax in North Yorkshire and Easington in East Riding of Yorkshire, connecting various emitters and generators in the Humber. The application will include associated infrastructure comprising pipeline internal gauge (PIG) traps, a multi-junction, block valves, a compressor station and associated works.	Development 102 has a spatial overlap with the Proposed Scheme. One of the pipelines for Development 102 crosses a number of watercourses with hydrological connectivity with the River Ouse and Humber Estuary and would involve construction activities and a limited extent of permanent landtake within and adjacent to the Order Limits for the Proposed Scheme. Due to this there is potential for in-combination effects via disturbance and disruption of potential functionally-linked land used by mobile qualifying interest features of European Sites, for in-combination hydrological effects on the connected watercourses, and for visual disturbance of species using functionally-linked land.
103	East Yorkshire Solar Farm: Construction of a new solar farm with associated Grid Connection Corridor (GCC) within which a cable to connect the solar farm to the National Grid will be installed. The western limit of the GCC is at the eastern boundary of the existing Drax Power	The western limit of the Grid Connection Corridor is at the eastern boundary of the existing Drax Power Station Site, to connect with a convertor station proposed in an agricultural field to the east of New Road. There is a minor overlap with the Order Limits for the Proposed Scheme in the far east of the existing Drax Power Station Site. The Grid Connection cable would be installed under the River Ouse downstream of the confluence of Carr Dike (which flows under the existing Power Station Site) with the River Ouse. There is also overlap with the Proposed Scheme's Habitat Provision Area. There could therefore be temporary loss, disturbance, and fragmentation of habitats for the Grid Corridor Connection which could lead to disturbance / loss of habitats for protected and notable species. This could include temporary disturbance of fish, bird, and

Short List ID	Plan or Project	Rationale for inclusion in in-combination assessment
	Station Site, with a minor overlap with the Order Limits for the Proposed Scheme.	otter populations associated with designated sites within the Zol of the Proposed Scheme, including National Network Sites and SSSI. Construction is predicted to take place between 2024 – 2026, so would overlap with proposed timescales for construction and operation of the Proposed Scheme.
106	Demolition of existing buildings and creation of 28 dwellings, with associated external works.	Development ID106 is adjacent to the northern bank of the River Ouse, and may impact otter populations associated with the River Derwent SAC and Lower Derwent Valley SAC, both of which include otter as a qualifying feature. There is the potential for the Proposed Scheme and Development 103 to contribute to increased impacts on otters relative to either development alone.

3.4. RELEVANT EUROPEAN SITES

- 3.4.1. Prior to assessing whether the identified biophysical changes arising from the Proposed Scheme would lead to LSE on European Sites, it is useful to summarise basic data on the European Sites that could be affected. This section of the report provides summary data on the European Sites considered to require inclusion in the HRA screening. These have been discussed and agreed with Natural England as set out in Table 4.2 of the Statement of Common Ground Between Natural England and Drax Power Limited (REP-~~5-0178-019~~).
- 3.4.2. Relevant European Sites have been determined by considering the maximum Zone of Influence (Zoi) over which the Proposed Scheme could cause impacts to European Sites. The impact pathway with the greatest Zoi is emissions of treated flue gas to air. As set out in **Section 6.6 of Chapter 6 (Air Quality)** of Volume 1 of the ES (APP-042), the operational phase study area extends 15 km in all directions from the Main Stack of Drax Power Station. As such, all European sites within 15 km of the Main Stack are potentially relevant.
- 3.4.3. **Table 3.1** includes summary data on European Sites within 15 km of the Proposed Scheme. The distance from both the Order Limits and the Main Stack are presented in the table, as each distance can be relevant to the HRA.

Table 3.2 - European Sites in potential Zol of the Proposed Scheme

Site	Distance and orientation from Proposed Scheme		Qualifying Features		Conservation Objectives	Site Description and Current Conditions	Key Issues and Threats
	From Order Limits (including Work Number 8)	From Main Stack	Habitats	Species			
River Derwent SAC	0.7 km to the North	2.2 km to the North	Water courses of plain to montane levels with the <i>Ranunculion fluitantis</i> and <i>Callitriche-Batrachion</i> vegetation. Rivers with floating vegetation often dominated by water-crowfoot.	River Lamprey <i>Lampetra fluviatilis</i> Sea lamprey <i>Petromyzon marinus</i> Bullhead <i>Cottus gobio</i> Otter <i>Lutra lutra</i>	Ensure that the integrity of the site is maintained or restored as appropriate, and ensure that the site contributes to achieving the Favourable Conservation Status of its Qualifying Features, by maintaining and restoring: <ul style="list-style-type: none"> ~ The extent and distribution of qualifying natural habitats and habitats of qualifying species ~ The structure and function (including typical species) of qualifying natural habitats ~ The structure and function of the habitats of qualifying species ~ The supporting processes on which qualifying natural habitats and the habitats of qualifying species rely on ~ The populations of qualifying species, and ~ The distribution of qualifying species within the site 	The Yorkshire Derwent is considered to represent one of the best British examples of the classic river profile. This lowland section, stretching from Ryemouth to the confluence with the Ouse, supports diverse communities of aquatic flora and fauna. Fed from an extensive upland catchment, the lowland course of the Derwent has been considerably diverted and extended as a result of glacial action in the Vale of Pickering. The river supports an aquatic flora uncommon in Northern Britain. Several species, including river water-dropwort <i>Oenanthe fluviatilis</i> , flowering rush <i>Butomus umbellatus</i> , shining pondweed <i>Potamogeton lucens</i> , arrowhead <i>Sagittaria sagittifolia</i> , opposite-leaved pondweed <i>Groenlandia densa</i> and narrow-leaved water-parsnip <i>Berula erecta</i> are more typically found in lowland rivers in southern England	J02 (H) human induced changes in hydraulic conditions I01 (H) Invasive non-native species A02 (H) Modification of cultivation practices H02 (H) Pollution to groundwater (point sources and diffuse sources)

Site	Distance and orientation from Proposed Scheme		Qualifying Features		Conservation Objectives	Site Description and Current Conditions	Key Issues and Threats
	From Order Limits (including Work Number 8)	From Main Stack	Habitats	Species			
Lower Derwent Valley SAC	4.3 km to the north east	6.4 km to the north east	<p>Lowland hay meadows (<i>Alopecurus pratensis</i>, <i>Sanguisorba officinalis</i>)</p> <p>Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (<i>Alno-Padion</i>, <i>Alnion incanae</i>, <i>Salicion albae</i>)</p>	<p>Otter <i>Lutra lutra</i></p>	<p>Ensure that the integrity of the site is maintained or restored as appropriate, and ensure that the site contributes to achieving the Favourable Conservation Status of its Qualifying Features, by maintaining and restoring:</p> <ul style="list-style-type: none"> ~ The extent and distribution of qualifying natural habitats and habitats of qualifying species ~ The structure and function (including typical species) of qualifying natural habitats ~ The structure and function of the habitats of qualifying species ~ The supporting processes on which qualifying natural habitats and the habitats of qualifying species rely on ~ The populations of qualifying species, and ~ The distribution of qualifying species within the site 	<p>The Lower Derwent Valley contains a greater area of high-quality examples of lowland hay meadows than any other site in the UK. The abundance of the rare narrow-leaved water-dropwort <i>Oenanthe silaifolia</i> is a notable feature. Traditional management has ensured that ecological variation is well-developed and in the transition between habitat types including wet and dry grassland, swamp, fen, and damp alder woodland.</p>	<p>H04 (H) air pollution, air-borne pollutants</p> <p>G01 (H) outdoor sports and leisure activities, recreational activities</p> <p>I01 (H) Invasive non-native species</p> <p>K02 (H) Biocenotic evolution, succession</p> <p>A04 (H) grazing</p>

Site	Distance and orientation from Proposed Scheme		Qualifying Features		Conservation Objectives	Site Description and Current Conditions	Key Issues and Threats
	From Order Limits (including Work Number 8)	From Main Stack	Habitats	Species			
Lower Derwent Valley SPA	4.3 km to the north east	6.4 km to the north east	N/A	<p>Qualifying species under article 4.1 (regular use by 1% or more of the GB population):</p> <p>Breeding:</p> <p>Northern shoveler <i>Spatula clypeata</i></p> <p>Over winter:</p> <p>Eurasian wigeon <i>Mareca penelope</i></p> <p>Bewick's swan <i>Cygnus columbianus bewickii</i></p> <p>Golden plover <i>Pluvialis apricaria</i></p> <p>Ruff <i>Philomachus pugnax</i></p> <p>Qualifying species under article 4.2 (regular use by 1% or more of the biogeographical populations):</p> <p>Wintering -Teal <i>Anas crecca</i></p> <p>Wintering bird assemblage of international importance including those listed above and Lapwing <i>Vanellus vanellus</i>, Pochard <i>Aythya ferina</i>, Shoveler <i>Spatula clypeata</i>, Mallard <i>Anas platyrhynchos</i>, and Wigeon <i>Mareca penelope</i></p>	<p>Ensure that the integrity of the site is maintained or restored as appropriate, and ensure that the site contributes to achieving the aims of the Wild Birds Directive, by maintaining or restoring:</p> <ul style="list-style-type: none"> ~ The extent and distribution of the habitats and qualifying features - The structure and function of the habitats of the qualifying features ~ The supporting processes on which the habitats of the qualifying features rely ~ The population of each of the qualifying features, and ~ The distribution of the qualifying features within the site. 	<p>The Lower Derwent Valley is a major flood plain system in east and north Yorkshire. The valley holds a series of neutral alluvial flood meadows, fens, swamps, valley mires, alder woodlands and other fresh water habitats. It is one of the largest and most important examples of traditionally managed flood meadow habitat in the UK. The site is of outstanding importance for a diverse range of waterbirds throughout the year.</p>	<p>K02 (H) Biocenotic evolution, succession</p> <p>G01 (H) outdoor sports and leisure activities, recreational activities</p> <p>J02 (H) human induced changes in hydraulic conditions</p> <p>I01 (H) Invasive non-native species</p> <p>A04 (H) grazing</p>

Site	Distance and orientation from Proposed Scheme		Qualifying Features		Conservation Objectives	Site Description and Current Conditions	Key Issues and Threats
	From Order Limits (including Work Number 8)	From Main Stack	Habitats	Species			
Lower Derwent Valley Ramsar	4.3 km to the north east	6.4 km to the north east	<p>Criterion 1</p> <p>The site represents one of the most important examples of traditionally managed species-rich alluvial flood meadow habitat remaining in the UK. The river and flood meadows play a substantial role in the hydrological and ecological functioning of the Humber Basin.</p>	<p>Criterion 2</p> <p>The site has a rich assemblage of wetland invertebrates including 16 species of dragonfly and damselfly, 15 British Red Data Book wetland invertebrates as well as a leafhopper, <i>Cicadula ornata</i> for which Lower Derwent Valley is the only known site in Great Britain.</p> <p>Criterion 4</p> <p>The site qualifies as a staging post for passage birds in spring. Of particular note are the nationally important numbers of Ruff, <i>Philomachus pugnax</i> and Whimbrel, <i>Numenius phaeopus</i>.</p> <p>Criterion 5</p> <p>Assemblage of international importance – peak counts in winter: 31,942 waterfowl</p> <p>Criterion 6</p> <p>Species/populations occurring at levels of international importance – peak counts in winter: Eurasian wigeon <i>Mareca Penelope</i> 8,350 (2% GB</p>	N/A	<p>The Lower Derwent Valley represents one of the most important examples of traditionally managed species-rich alluvial flood meadow habitat remaining in the UK. These grasslands, which were formerly widespread, are now very restricted in distribution due to agricultural improvement. The river and these floodlands play a substantial role in the hydrological and ecological functioning of the internationally important Humber basin.</p>	<p>Water diversion for irrigation/domestic/industrial use</p> <p>Reservoir/barrage/dam impact: flooding</p>

Site	Distance and orientation from Proposed Scheme		Qualifying Features		Conservation Objectives	Site Description and Current Conditions	Key Issues and Threats
	From Order Limits (including Work Number 8)	From Main Stack	Habitats	Species			
				population), Eurasian teal <i>Anas crecca</i> 4,200 (1% population)			
Humber Estuary SAC	2.9 km to the east	7.2 km to the east	<p>Estuaries</p> <p>Mudflats and sandflats not covered by seawater at low tide</p> <p>Sandbanks which are slightly covered by sea water all the time</p> <p>Coastal lagoons</p> <p><i>Salicornia</i> and other annuals colonising mud and sand</p> <p>Atlantic salt meadows</p> <p>Embryonic shifting dunes</p> <p>Shifting dunes along the shoreline with <i>Ammophila arenaria</i> "white dunes"</p> <p>Fixed coastal dunes with herbaceous vegetation "grey dunes"</p>	<p>Sea lamprey <i>Petromyzon marinus</i></p> <p>River lamprey <i>Lampetra fluviatilis</i></p> <p>Grey seal <i>Halichoerus grypus</i></p>	<p>Ensure that the integrity of the site is maintained or restored as appropriate, and ensure that the site contributes to achieving the Favourable Conservation Status of its Qualifying Features, by maintaining and restoring:</p> <ul style="list-style-type: none"> ~ The extent and distribution of qualifying natural habitats and habitats of qualifying species ~ The structure and function (including typical species) of qualifying natural habitats ~ The structure and function of the habitats of qualifying species ~ The supporting processes on which qualifying natural habitats and the habitats of qualifying species rely on ~ The populations of qualifying species, and ~ The distribution of qualifying species within the site 	<p>The Humber is the second largest coastal plain Estuary in the UK, and the largest coastal plain estuary on the east coast of Britain. The estuary supports a full range of saline conditions from the open coast to the limit of saline intrusion on the tidal rivers of the Ouse and Trent. The range of salinity, substrate and exposure to wave action influences the estuarine habitats and the range of species that utilise them; these include a breeding bird assemblage, winter and passage waterfowl, river and sea lamprey, grey seals, vascular plants and invertebrates.</p>	<p>J02 (H) human induced changes in hydraulic conditions</p> <p>M01 (H) changes in abiotic conditions</p> <p>M02 (H) changes in biotic conditions</p> <p>E02 (H) Industrial or commercial areas</p> <p>K01 (H) Abiotic (slow) natural processes</p>

Site	Distance and orientation from Proposed Scheme		Qualifying Features		Conservation Objectives	Site Description and Current Conditions	Key Issues and Threats
	From Order Limits (including Work Number 8)	From Main Stack	Habitats	Species			
			Dunes with Hippopha rhamnoides				
Humber Estuary SPA	2.9 km to the east	7.2 km to the east		<p>Qualifying species under article 4.1 (regular use by 1% or more of the GB population):</p> <p><i>Avocet Recurvirostra avosetta</i> Bittern <i>Botaurus stellaris</i>, Hen harrier <i>Circus cyaneus</i>, Golden plover <i>Pluvialis apricaria</i>, Bar-tailed godwit <i>Limosa lapponica</i>, Ruff <i>Philomachus pugnax</i>, Marsh harrier <i>Circus aeruginosus</i>, Little tern <i>Sternula albifrons</i>,</p> <p>Qualifying species under article 4.2 (regular use by 1% or more of the biogeographical populations):</p> <p>Shelduck <i>Tadorna tadorna</i>, Knot <i>Calidris canutus</i>, Dunlin <i>Calidris alpina</i> (passage and wintering), Redshank <i>Tringa totanus</i>, Black-tailed godwit <i>Limosa limosa</i>,</p> <p>Assemblage qualification under article 4.2 for use of over 20,000 waterbirds in any season.</p>	<p>Ensure that the integrity of the site is maintained or restored as appropriate, and ensure that the site contributes to achieving the aims of the Wild Birds Directive, by maintaining or restoring:</p> <ul style="list-style-type: none"> ~ The extent and distribution of the habitats and qualifying features ~ The structure and function of the habitats of the qualifying features ~ The supporting processes on which the habitats of the qualifying features rely ~ The population of each of the qualifying features, and ~ The distribution of the qualifying features within the site. 	<p>The Humber Estuary is located on the east coast of England and comprises extensive wetland and coastal habitats covering 37,630.24 ha. The inner estuary supports extensive areas of reedbed, with areas of saltmarsh, grazing marsh, sand dunes, marshy slacks and brackish pools. The estuary supports important numbers of waterbirds throughout the year.</p>	<p>I01 (H) Invasive non-native species</p> <p>M02 (H) changes in biotic conditions</p> <p>M01 (H) changes in abiotic conditions</p> <p>K01 (H) Abiotic (slow) natural processes</p> <p>G01 (H) outdoor sports and leisure activities, recreational activities</p>

Site	Distance and orientation from Proposed Scheme		Qualifying Features		Conservation Objectives	Site Description and Current Conditions	Key Issues and Threats
	From Order Limits (including Work Number 8)	From Main Stack	Habitats	Species			
Humber Estuary Ramsar	2.9 km to the east	7.2 km to the east	<p>Criterion 1</p> <p>The site is a representative example of a near-natural estuary with the following component habitats: dune systems and humid dune slacks, estuarine waters, intertidal mud and sand flats, saltmarshes, and coastal brackish/saline lagoons.</p>	<p>Criterion 3</p> <p>The Humber Estuary Ramsar site supports a breeding colony of grey seals <i>Halichoerus grypus</i> at Donna Nook. It is the second largest grey seal colony in England and the furthest south regular breeding site on the east coast. The dune slacks at Saltfleetby-Theddlethorpe on the southern extremity of the Ramsar site are the most north-easterly breeding site in Great Britain of the natterjack toad <i>Epidalea calamita</i>.</p> <p>Criterion 5</p> <p>Assemblages of international importance – 153,934 waterfowl (non-breeding season)</p> <p>Criterion 6</p> <p>Species/populations occurring at levels of international importance</p> <p>Migratory:</p> <p>Eurasian golden plover <i>Pluvialis apricaria altifrons</i> 17,996 (2.2% population)</p>	N/A	<p>The Humber Estuary is the largest macro-tidal estuary on the British North Sea coast. It drains a catchment of some 24,240 square kilometres and is the site of the largest single input of freshwater from Britain into the North Sea. It has the second-highest tidal range in Britain (max 7.4 m) and approximately one-third of the estuary is exposed as mud or sand flats at low tide. The inner estuary supports extensive areas of reedbed with areas of mature and developing saltmarsh backed in places by limited areas of grazing marsh in the middle and outer estuary. On the north Lincolnshire coast the saltmarsh is backed by low sand dunes with marshy slacks and brackish pools. The Estuary regularly supports internationally important numbers of waterfowl in winter and nationally important breeding populations in summer.</p>	<p>Disturbance to vegetation through cutting/clearing – reedbeds cleared for angling</p> <p>Vegetation succession – reed bed loss to scrub encroachment</p> <p>Water diversion for irrigations/domestic/industrial use</p> <p>Overfishing – substantial lamprey by-catch in eel nets in River Ouse</p> <p>Pollution – domestic sewage</p> <p>Pollution – agricultural fertilisers</p> <p>Recreational/tourism disturbance (unspecified) – due to illegal access with motorised vehicles and craft</p> <p>Other factor – coastal squeeze causing loss of intertidal habitats and saltmarsh due to sea level rise and fixed defences.</p>

Site	Distance and orientation from Proposed Scheme		Qualifying Features		Conservation Objectives	Site Description and Current Conditions	Key Issues and Threats
	From Order Limits (including Work Number 8)	From Main Stack	Habitats	Species			
				<p>Red knot <i>Calidris canutus islandica</i> 18,500 (4.1% population)</p> <p>Dunlin <i>Caldris alpina</i> 20,269 (1.5% population)</p> <p>Black-tailed godwit <i>Limosa limosa islandica</i> 915 (2.6% population)</p> <p>Redshank <i>Tringa totanus brittanica</i> 7,462 (5.7% population)</p> <p>Wintering:</p> <p>Common shelduck <i>Tadorna tadorna</i> 4,464 (1.5% population)</p> <p>Eurasian golden plover 30,709 (3.8% population)</p> <p>Red knot 28,165 (6.3% population)</p> <p>Dunlin 22,222 (1.7% population)</p> <p>Black-tailed godwit 1,113 (3.2% population)</p> <p>Bar-tailed godwit <i>Limosa lapponica lapponica</i> 2,752 (2.3% population)</p> <p>Redshank 4,632 (3.6% population)</p> <p>Criterion 8</p> <p>The Humber Estuary acts as an important migration route for both river lamprey</p>			

Site	Distance and orientation from Proposed Scheme		Qualifying Features		Conservation Objectives	Site Description and Current Conditions	Key Issues and Threats
	From Order Limits (including Work Number 8)	From Main Stack	Habitats	Species			
				<i>Lampetra fluviatilis</i> and sea lamprey <i>Petromyzon marinus</i> between coastal waters and their spawning areas.			
Skipwith Common SAC	7.6 km to the north	9.4 km to the north	Northern Atlantic wet heaths with <i>Erica tetralix</i> European dry heaths	N/A	Ensure that the integrity of the site is maintained or restored as appropriate, and ensure that the site contributes to achieving the Favourable Conservation Status of its Qualifying Features, by maintaining and restoring: <ul style="list-style-type: none"> ~ The extent and distribution of qualifying natural habitats ~ The structure and function (including typical species) of qualifying natural habitats, and ~ The supporting processes on which qualifying natural habitats rely 	The wet heath at Skipwith Common is the most extensive of its type in the north of England. The <i>Erica tetralix</i> – <i>Sphagnum compactum</i> community is dominated by cross-leaved heath <i>Erica tetralix</i> and purple moor-grass <i>Molinia caerulea</i> . There is a small population of marsh gentian <i>Gentiana pneumonanthe</i> . The wet heath is part of transitions from open water, fen, reed and swamp to dry heaths and other habitats. The dry heath element is a representative of <i>Calluna vulgaris</i> – <i>Deschampsia flexuosa</i> heath dominated by heather <i>Calluna vulgaris</i> .	K02 (H) Biocenotic evolution, succession J02 (H) human induced changes in hydraulic conditions H04 (H) Air pollution, airborne pollutants G01 (H) Outdoor sports and leisure activities, recreational activities
Thorne and Hatfield Moors SPA	4.5 km to the south	10.1 km to the south east	N/A	Qualifying species under Article 4.1 for regular use of at least 1% of the GB population: <i>Nightjar Caprimulgus europaeus</i> 66 breeding pairs (1.9%)	Ensure that the integrity of the site is maintained or restored as appropriate, and ensure that the site contributes to achieving the aims of the Wild Birds Directive, by maintaining or restoring:	Thorne and Hatfield Moors SPA is an extensive lowland raised mire system adjacent to the Humber estuary on the north-east coast of England and is the largest remaining lowland peatland in England. Despite a long history of extensive peat extraction since the late	

Site	Distance and orientation from Proposed Scheme		Qualifying Features		Conservation Objectives	Site Description and Current Conditions	Key Issues and Threats
	From Order Limits (including Work Number 8)	From Main Stack	Habitats	Species			
					<ul style="list-style-type: none"> ~ The extent and distribution of the habitats and qualifying features ~ The structure and function of the habitats of the qualifying features ~ The supporting processes on which the habitats of the qualifying features rely ~ The population of each of the qualifying features, and ~ The distribution of the qualifying features within the site. 	<p>nineteenth century, the site retains substantial areas of Sphagnum bog, which has been changed by succession to wet scrub woodland dominated by <i>Birch Betula</i> sp., sallows and Alder <i>Alnus glutinosa</i>. Where the peat surface has been removed, subsequent restoration of active bog has depended upon shallow flooding to allow Sphagnum and other bog plants to re-colonise. The mire communities are dominated by Hare's-tail <i>Eriophorum vaginatum</i> and Common Cottongrass <i>E. angustifolium</i>, Cross-leaved Heath <i>Erica tetralix</i>, Soft-rush <i>Juncus effusus</i> and Sphagnum mosses, and include a variety of scarcer bog plants such as Bog-rosemary <i>Andromeda polifolia</i> and Cranberry <i>Vaccinium oxycoccos</i>. Drier heath is dominated by Heather <i>Calluna vulgaris</i>, Bracken <i>Pteridium aquilinum</i> and Purple Moor-grass <i>Molinia caerulea</i>. Birch <i>Betula</i> sp. scrub, some of it dense, occurs throughout both moors. The diverse mosaic of habitats contribute greatly to the ornithological</p>	

Site	Distance and orientation from Proposed Scheme		Qualifying Features		Conservation Objectives	Site Description and Current Conditions	Key Issues and Threats
	From Order Limits (including Work Number 8)	From Main Stack	Habitats	Species			
						interest, which comprises breeding species, notably Nightjar <i>Caprimulgus europaeus</i> , hen harrier <i>Circus cyaneus</i> , merlin <i>Falco columbarius</i> and short-eared owl <i>Asio flammeus</i> , and hobby <i>Falco subbuteo</i> . Also notable are breeding nightingales <i>Luscinia megarhynchos</i> .	
Thorne Moor SAC	4.5 km to the south	10.1 km to the south east	Degraded raised bogs still capable of natural regeneration	N/A	<p>Ensure that the integrity of the site is maintained or restored as appropriate, and ensure that the site contributes to achieving the Favourable Conservation Status of its Qualifying Features, by maintaining and restoring:</p> <ul style="list-style-type: none"> ~ The extent and distribution of qualifying natural habitats ~ The structure and function (including typical species) of qualifying natural habitats, and ~ The supporting processes on which qualifying natural habitats rely 	<p>Thorne Moor is England's largest area of raised bog, lying a few kilometres from the smaller Hatfield Moors, both within the former floodplain of the rivers feeding the Humber estuary (Humberhead Levels), and includes the sub-components Goole Moors and Crowle Moors. Although management has increased the proportion of active raised bog at Thorne Moors, the inclusion of Goole Moors, where peat-extraction has now ceased, means that the site is still predominantly degraded raised bog. The restored secondary surface is rich in species of bog-mosses <i>Sphagnum</i> spp., common and hare's-tail cotton grasses <i>Eriophorum</i></p>	<p>K02 (H) Biocenotic evolution, succession</p> <p>I01 (H) Invasive non-native species</p> <p>G05 (H) Other human intrusions and disturbances</p> <p>H04 (H) Air pollution, air-borne pollutants</p> <p>J02 (H) Human induced changes in hydraulic conditions</p>

Site	Distance and orientation from Proposed Scheme		Qualifying Features		Conservation Objectives	Site Description and Current Conditions	Key Issues and Threats
	From Order Limits (including Work Number 8)	From Main Stack	Habitats	Species			
						<i>angustifolium</i> and <i>E. vaginatum</i> , heather <i>Calluna vulgaris</i> , cross-leaved heath <i>Erica tetralix</i> , round-leaved sundew <i>Drosera rotundifolia</i> , cranberry <i>Vaccinium oxycoccos</i> and bog-rosemary <i>Andromeda polifolia</i>	

3.5. STEP 3: IDENTIFY THE POTENTIAL FOR LSE ON EUROPEAN SITES

- 3.5.1. This section of the report examines each of the biophysical changes arising from the Proposed Scheme and considers how they could lead to change to European Site qualifying features. The biophysical changes set out in paragraph 3.3.20 and 3.3.33 of this report will be considered in turn, firstly for the Proposed Scheme alone and then with consideration of other plans and projects. Where the potential for LSE is identified, these are taken forwards for appropriate assessment.

POTENTIAL EFFECTS OF THE PROPOSED SCHEME ALONE – CONSTRUCTION AND DECOMMISSIONING

Loss or Disturbance of Habitats within European Sites

- 3.5.2. The Proposed Scheme is located 0.7 km from the closest European Site, which is the River Derwent SAC. There would therefore be no loss or disturbance of habitats within any European Site arising from construction or decommissioning of the Proposed Scheme (see **Figure 1 (European Sites within Air Quality Study Area)** (APP-186)).

Loss or Physical Disturbance of Functionally-linked Land

- 3.5.3. Functionally-linked land is land outside the boundary of a European Site, but which supports the qualifying interests for which the European Site has been designated. For example, fields outside the boundary of a European Site may be used for foraging or roosting by birds that are a qualifying interest of a nearby European Site. Although the fields do not fall inside the boundary of the European Site, they may be of importance for sustaining the European Site bird population. There can also be functional linkages for habitats. For example, an area of lowland heathland outside but adjacent to a SAC with lowland heathland as a qualifying interest, could support the ecological functioning of the lowland heathland inside the SAC.
- 3.5.4. **Table 3.3** summarises which European Sites could potentially be subject to LSE due to loss or disturbance of functionally-linked land, and which could not. A rationale for the decisions made is also included.

Table 3.3 - Potential for Loss or Physical Disturbance of Functionally-linked Land

Site	Potential for impacts on functionally-linked land?	Rationale
River Derwent SAC	Yes	<p>Qualifying interests of the SAC include otter, river and sea lamprey, bullhead, and river habitats.</p> <p>The closest part of the River Derwent SAC is located approximately 0.7 km from the Proposed Scheme. Otter have large home ranges, which may extend along up to 50 km of watercourse (Chanin, 2003). The River Ouse downstream of the River Derwent SAC and to the north of the Order Limits also contains suitable riparian habitat for otter, as does Carr Dyke immediately north of Drax Power Station. Previous survey work for the Drax Repower Scheme recorded evidence of otters along Carr Dyke and adjacent to the River Ouse (WSP, 2018). Carr Dyke is within 50 m of the Habitat Provision Area, where hedgerow planting is proposed. The open channel of Carr Dyke is also within 50 m of the woodyard in the north of the Drax Power Station Site, which would be used for construction laydown and fabrication (see paragraph 2.3.9 of Chapter 2 (Site and Project Description) of Volume 1 of the ES (APP-038). Carr Dyke also passes underneath the Drax Power Station Site in an existing culvert (see Figure 12.1 (Water Constraints Part 1) of the ES (APP-110)). Whilst the open sections of Carr Dyke outside the Power Station Site could be used by otter, it is unlikely otter can access the Carr Dyke culvert under the Drax Power Station Site. This is because there are trash screens at either end of the culvert, which would pose a physical barrier to the movement of otters.</p> <p>Given the above, otters may use riparian habitats adjacent to the Proposed Scheme and may occasionally use terrestrial habitats and the local ditch network within the Habitat Provision Area when moving through the wider landscape. Otters are not expected to use habitats within the Power Station Site, the East Construction Laydown Area, or the Off-Site Habitat Provision Areas, due to a lack of suitable aquatic habitat.</p> <p>As discussed above, otters have large home ranges and may use habitats within the Habitat Provision Area and in proximity to construction and decommissioning activities in the north of the Power Station Site. Otters using these areas may also form part of the River Derwent / Lower Derwent Valley SAC population; there is therefore potential for minor loss of functionally linked land used by otters (terrestrial habitats in the Habitat Provision Area) and hence LSE could occur.</p> <p>There is no potential for loss of functionally-linked habitat used by fish or supporting SAC habitats. This is because there would be no loss of habitat from Carr Dyke or other rivers or streams as a result of the Proposed Scheme. In addition, no SAC river habitats have been recorded within the section of Carr Dyke adjacent to the Proposed Scheme.</p>
Lower Derwent Valley SAC	Yes	<p>The closest part of the Lower Derwent Valley SAC is located approximately 4.7 km from the Proposed Scheme.</p> <p>Qualifying interests of the SAC include otter, hay meadow, and woodland habitats. As set out in the row above concerning the River Derwent SAC, otters can have very large home ranges and may use habitats within and adjacent to the Proposed Scheme.</p> <p>Otters using these areas may also form part of the Lower Derwent Valley SAC population; there is therefore potential for minor loss and disturbance of functionally linked land used by otters and hence LSE could occur.</p> <p>None of the habitats which form qualifying interests of the Lower Derwent Valley SAC are present within the Proposed Scheme Order Limits or the Off-site Habitat Provision Areas (see Figure 8.3 (Phase 1 Habitats) of the ES (APP-094)). There is therefore no potential for loss of functionally-linked SAC habitats.</p>
Lower Derwent Valley SPA	Yes	<p>The closest part of the Lower Derwent Valley SPA is located approximately 4.7 km from the Proposed Scheme.</p> <p>Qualifying interests of the SPA include several species of wildfowl and wader, as set out in Table 3.2.</p>

Site	Potential for impacts on functionally-linked land?	Rationale
		<p>Agricultural habitats within the Habitat Provision Area, the Off-site Habitat Provision Area, and the East Construction Laydown Area could on occasion be used by some of the bird species which are qualifying interests of the SPA.</p> <p>The Off-site Habitat Provision Area includes approximately 2.72 ha of scrub and former arable farmland habitats that could potentially be of some limited value to wintering SPA bird species for foraging and roosting. The woodland in the north of the Off-site Habitat Provision Area does not provide suitable habitat for SPA bird species. The Off-site Habitat Provision Area would not be subject to construction activities, rather the habitat present would be enhanced to deliver ecological mitigation and support the delivery of Biodiversity Net Gain (see the Outline Landscape and Biodiversity Strategy (AS-119, to be updated at Deadline 6)REP6-017).</p> <p>The Habitat Provision Area and the East Construction Laydown Area provide approximately 5.05 ha of arable cropping and improved grassland, along with limited extents of other habitats such as hedgerows, ditches and blocks of woodland planting. These habitats also have some limited suitability to support SPA bird species for foraging and roosting. Part of the East Construction Laydown Area was included in wintering bird surveys completed between October 2020 and March 2021 (see Appendix 8.3 of Chapter 8 (Ecology) of Volume 3 of the ES (APP-138) including Figure 8.3 of that report). No SPA bird species were recorded in the vicinity of the East Construction Laydown Area. As such, the East Construction Laydown Area is not considered to be of importance for SPA bird species and is not considered to be functionally-linked land. In addition, the East Construction Laydown Area would be returned to its existing land-use post-construction. The East Construction Laydown Area will not be considered further in relation to loss or disturbance of functionally-linked land.</p> <p>Habitat creation and management activities in the Habitat Provision Area (excluding the section to the north of the East Construction Laydown Area) and Off-site Habitat Provision Area could alter the suitability of those for SPA bird species. Within the Habitat Provision Area, habitat creation and enhancement is limited to hedgerow planting (excluding the section to the north of the East Construction Laydown Area, where grassland, scrub and wetland planting is proposed), as set out in the Outline Landscape and Biodiversity Strategy (AS-119REP6-017, to be updated at Deadline 6). Hedgerow planting will follow existing fencelines or infill existing hedgerow planting and treelines and will result in negligible loss of farmland habitats.</p> <p>Within the Off-site Habitat Provision Area, the former arable habitats and scrub would be managed to enhance the species-richness of areas of scrub and to provide species-rich grassland. These habitats are expected to provide comparable habitat for wintering SPA birds to the baseline situation. Regardless of the habitat present, the Off-site Habitat Provision Area is unlikely to be used regularly by SPA bird species presently or in the future. This is because the area is bisected by a public footpath, which anecdotal observations (evident flattening of vegetation observed during extended Phase 1 habitat survey) and analysis of the STRAVA heat map (Strava Heat Map, 2022) suggest is regularly used.</p> <p>Natural England requested additional information in relation to potential use of the Off-site Habitat Provision Area by SPA/Ramsar bird species in their Relevant Representation (see key issue 2 in Table 1; AS-011). The Applicant subsequently provided additional information on this matter in the Applicant's Responses to Relevant Representations and Additional Submissions (AS-038). This matter is now considered to be agreed with Natural England as per the Statement of Common Ground with Natural England (REP-020REP8-019).</p> <p>The Off-site Habitat Provision Area currently comprises a mosaic of plantation woodland, poor semi-improved grassland, former arable farmland, and dense/continuous scrub. These habitats are mapped on sheet 7 of Figure 8.3 of the ES (APP-094). As shown on the Phase 1 habitat mapping, much of the Off-site Habitat Provision Area is comprised of habitats (woodland and dense/continuous scrub) that are unlikely to be used by SPA bird species. This is borne out by the Supplementary Advice on Conservation Objectives (SACO), which for the majority of the SPA species highlight the</p>

Site	Potential for impacts on functionally-linked land?	Rationale
		<p>importance of short sward and/or tussocky grassland, other short vegetation, along with in some instances areas of bare ground, for the relevant bird species (Natural England, 2019).</p> <p>The SACO also highlight that for many of the SPA bird species, it is important to maintain unobstructed sightlines within and around roosting and foraging areas. This allows detection of approaching predators. The existing woodland and dense scrub cover in the Off-site Habitat Provision Area limits such unobstructed sightlines. There would be no increase in the extent of scrub or woodland cover under the proposals for the off-site Habitat Provision Area, with a minor reduction in the extent of dense scrub proposed. The existing semi-improved grassland and former arable habitats present would be enhanced to provide species-rich grassland, which would provide comparable habitat suitability for SPA bird species. Regardless of this, the Off-site Habitat Provision Area is expected to continue to provide at most limited suitability for SPA bird species. This is due to the minimal change in woodland and scrub cover arising from the Proposed Scheme, being located more than 4.5 km from the Lower Derwent SPA, and the fact that public access would remain unchanged as a result of the Proposed Scheme. In the absence of the proposals for the off-site Habitat Provision Area it is also likely that it's suitability for SPA bird species would decrease over time. This is because succession would be expected to continue, with an associated increase in the extent of scrub cover.</p> <p>The Applicant has also analysed desk study records for relevant bird species, as requested by NE. No species that are qualifying interests of the Lower Derwent Valley SPA were recorded within 1 km of the Off-site Habitat Provision Area.</p> <p>Given the factors set out above, there is no credible risk of the proposed habitat enhancement measures for the Off-site Habitat Provision Area leading to loss or deterioration of functionally-linked land that may be used by Lower Derwent Valley qualifying interest bird species.</p> <p>In relation to Work Number 8, all of this is located within 100 m of either a main road and/or occupied commercial or residential premises, reducing the likelihood of significant use by bird species associated with the Lower Derwent Valley SPA and Ramsar.</p> <p>Work Number 8 is limited in spatial extent and is expected to be completed over a period of approximately four weeks, after which habitats would be reinstated. Work Number 8 would lead to temporary disturbance of a maximum of approximately 1.7 hectares of grassland and farmland crops (assuming a worst-case scenario of all habitat within the Order Limits being directly affected which is unlikely), for a period of up to approximately four weeks. This is a short period of time, and there is abundant alternative comparable habitat present in the wider landscape, including closer to the River Ouse.</p> <p>The temporary non-availability of this limited extent of land is comparable to temporary fluctuations in land use in the wider surrounding agricultural landscape. As highlighted above, there is abundant farmland in the wider landscape which could be utilised by SPA / Ramsar bird species, in the unlikely event these make significant use of habitats within or adjacent to Work Number 8. As such, no LSE are predicted in relation to Work Number 8.</p> <p>Other land required for the construction and decommissioning of the Proposed Scheme is primarily within the existing Drax Power Station and does not provide suitable habitat for SPA bird species. This cannot therefore be functionally-linked land.</p>
Lower Derwent Valley Ramsar	Yes	<p>The closest part of the Lower Derwent Valley Ramsar is located approximately 4.7 km from the Proposed Scheme.</p> <p>Qualifying interests of the Ramsar include several species of wildfowl and wader, as set out in Table 3.2. Some of the criteria for designation of the Ramsar Site overlap with the qualifying interests of the Lower Derwent Valley SPA.</p> <p>Qualifying interests of the Ramsar Site also include flood meadow habitats and wetland invertebrate species. These habitats are not present within the Site, and there is no comparable wetland habitat within the Site that could support the wetland invertebrate community associated with the Ramsar Site.</p>

Site	Potential for impacts on functionally-linked land?	Rationale
		<p>The analysis of potential loss or physical disturbance of functionally-linked land for Ramsar bird species is the same as that presented for Lower Derwent Valley SPA in the row above.</p> <p>In relation to Ramsar bird species, there is therefore potential for loss or disturbance of occasionally-used functionally-linked land associated with the Habitat Provision Area. There is expected to be no loss or disturbance of functionally-linked land within the remainder of the Site.</p>
Humber Estuary SAC	No	<p>The closest part of the Humber Estuary SAC is located approximately 2.96.4 km from the Proposed Scheme.</p> <p>None of the qualifying interest habitats occur within the Site (see Figure 8.3 (Phase 1 Habitats) of the ES (APP-094). There are no habitats suitable to support the qualifying interest species (sea and river lamprey, and grey seal) within the Site.</p> <p>As such, the Proposed Scheme would not result in the loss or disturbance of functionally-linked land.</p>
Humber Estuary SPA	Yes	<p>The closest part of the Humber Estuary SPA is located approximately 6.42.9 km from the Proposed Scheme.</p> <p>Qualifying interests of the SPA include species of wildfowl and wader, as set out in Table 3.2.</p> <p>Agricultural habitats within the Habitat Provision Area, the Off-site Habitat Provision Area, and the East Construction Laydown Area could be used on occasion by some of the bird species which are qualifying interests of the SPA.</p> <p>The Off-site Habitat Provision Area includes 2.42 hectares of scrub and former arable farmland habitats that could potentially be of some limited value to wintering SPA bird species for foraging and roosting. The woodland in the north of the Off-site Habitat Provision Area does not provide suitable habitat for SPA bird species. The Off-site Habitat Provision Area would not be subject to construction activities, rather the habitat present would be enhanced to deliver ecological mitigation and support the delivery of Biodiversity Net Gain (see the Outline Landscape and Biodiversity Strategy (AS-119, to be updated at Deadline 6REP6-017)).</p> <p>The Habitat Provision Area and the East Construction Laydown Area provide approximately 5.05 ha of arable cropping and improved grassland, along with limited extents of other habitats such as hedgerows, ditches and blocks of woodland planting. These habitats also have some limited suitability to support some of the SPA bird species for foraging and roosting. Part of the East Construction Laydown Area was included in wintering bird surveys completed between October 2020 and March 2021 (see Appendix 8.3 (Wintering Bird Survey Report) of the ES (APP-094) including Figure 8.3 of that report). No SPA bird species were recorded in the vicinity of the East Construction Laydown Area. As such, the East Construction Laydown Area is not considered to be of importance for SPA bird species and is not considered to be functionally-linked land. In addition, the East Construction Laydown Area would be returned to its existing land-use post-construction. The East Construction Laydown Area will not be considered further in relation to loss or disturbance of functionally-linked land.</p> <p>Habitat creation and management activities in the Habitat Provision Area and Off-site Habitat Provision Area could alter the suitability of those for SPA bird species. Within the Habitat Provision Area, habitat creation and enhancement is limited to hedgerow planting, as set out in the Outline Landscape and Biodiversity Strategy (AS-119, to be updated at Deadline 6REP6-017). Hedgerow planting will follow existing fence lines or infill existing hedgerow planting and treelines and will result in negligible loss of farmland habitats.</p> <p>Within the Off-site Habitat Provision Area, the former arable habitats and scrub would be managed to enhance the species-richness of areas of scrub and to provide species-rich grassland. These habitats are expected to provide comparable habitat for wintering SPA birds to the baseline situation. Regardless of the habitat present, the Off-site Habitat Provision Area is unlikely to be used regularly by SPA bird species presently or in the future. This is because the area is bisected by a public footpath, which anecdotal observations (evident flattening of vegetation observed during extended Phase 1 habitat survey)</p>

Site	Potential for impacts on functionally-linked land?	Rationale						
		<p>and analysis of the STRAVA heat map (Strava Heat Map, 2022) suggest is regularly used by people. This area is also some distance from the River Ouse, which is likely to act as a flyway with SPA bird species more likely to use habitat in proximity to the river and closer to the SPA.</p> <p>Natural England requested additional information in relation to potential use of the Off-site Habitat Provision Area by SPA/Ramsar bird species in their Relevant Representation (see key issue 2 in Table 1; AS-011). The Applicant subsequently provided additional information on this matter in the Applicant's Responses to Relevant Representations and Additional Submissions (AS-038). This matter is now considered to be agreed with Natural England as per the Statement of Common Ground with Natural England (REP5-017REP8-019).</p> <p>The Off-site Habitat Provision Area currently comprises a mosaic of plantation woodland, poor semi-improved grassland, former arable farmland, and dense/continuous scrub. These habitats are mapped on sheet 7 of Figure 8.3 of the ES (APP-094). As shown on the Phase 1 habitat mapping, much of the off-site Habitat Provision Area is comprised of habitats (woodland and dense/continuous scrub) that are unlikely to be used by SPA bird species. This is borne out by the Supplementary Advice on Conservation Objectives (SACO), which for the majority of SPA species highlight the importance of short sward and/or tussocky grassland, other short vegetation, along with in some instances areas of bare ground, for the relevant bird species (Natural England, 2019).</p> <p>The SACO also highlight that for many of the SPA bird species, it is important to maintain unobstructed sightlines within and around roosting and foraging areas. This allows detection of approaching predators. The existing woodland and dense scrub cover in the Off-site Habitat Provision Area limits such unobstructed sightlines. There would be no increase in the extent of scrub or woodland cover under the proposals for the Off-site Habitat Provision Area, with a minor reduction in the extent of dense scrub proposed. The existing semi-improved grassland and former arable habitats present would be enhanced to provide species-rich grassland, which would provide comparable habitat suitability for SPA bird species. Regardless of this, the off-site Habitat Provision Area is expected to continue to provide at most limited suitability for SPA bird species. This is due to the minimal change in woodland and scrub cover arising from the Proposed Scheme, being located more than 5 km from the Humber Estuary SPA, and the fact that public access would remain unchanged due to the Proposed Scheme. In the absence of the proposals for the Off-site Habitat Provision Area it is also likely that it's suitability for SPA bird species would decrease over time. This is because succession would be expected to continue, with an associated increase in the extent of scrub cover.</p> <p>The Applicant has analysed desk study records for relevant bird species, as requested by NE. Several species which are qualifying interests of one or more SPA/Ramsar/designation have been recorded within 1 km of the off-site Habitat Provision Area. A summary of these and an assessment of the likelihood that they would make use of the off-site Habitat Provision Area (in its current condition) is provided below.</p> <table border="1" data-bbox="1279 1570 2792 1824"> <thead> <tr> <th data-bbox="1279 1570 1783 1644">Species</th> <th data-bbox="1783 1570 2792 1644">Potential for use of Off-Site Habitat Provision Area</th> </tr> </thead> <tbody> <tr> <td data-bbox="1279 1644 1783 1759">Lapwing</td> <td data-bbox="1783 1644 2792 1759">Could feasibly use grassland habitats present, but limited suitability due to obstructed sightlines.</td> </tr> <tr> <td data-bbox="1279 1759 1783 1824">Mallard</td> <td data-bbox="1783 1759 2792 1824">Unlikely to use habitats within Off-site HPA due to lack of water bodies.</td> </tr> </tbody> </table>	Species	Potential for use of Off-Site Habitat Provision Area	Lapwing	Could feasibly use grassland habitats present, but limited suitability due to obstructed sightlines.	Mallard	Unlikely to use habitats within Off-site HPA due to lack of water bodies.
Species	Potential for use of Off-Site Habitat Provision Area							
Lapwing	Could feasibly use grassland habitats present, but limited suitability due to obstructed sightlines.							
Mallard	Unlikely to use habitats within Off-site HPA due to lack of water bodies.							

Site	Potential for impacts on functionally-linked land?	Rationale		
		<table border="1" data-bbox="1279 222 2795 367"> <tr> <td data-bbox="1279 222 1783 367">Oystercatcher</td> <td data-bbox="1783 222 2795 367">Very unlikely to use habitats within Off-site HPA due to unsuitable habitat structure, lack of water bodies, lack of exposed mud, and obstructed sightlines.</td> </tr> </table> <p>Given the factors set out above, there is no credible risk of the proposed habitat enhancement measures for the Off-site Habitat Provision Area leading to loss or deterioration of functionally-linked land that may be used by Humber Estuary qualifying interest bird species.</p> <p>In relation to Work Number 8, all of this is located within 100 m of either a main road and/or occupied commercial or residential premises, reducing the likelihood of significant use by bird species associated with the Humber Estuary SPA and Ramsar.</p> <p>Work Number 8 is limited in spatial extent and is expected to be completed over a period of approximately four weeks, after which habitats would be reinstated. Work Number 8 would lead to temporary disturbance of a maximum of approximately 1.7 hectares of grassland and farmland crops (assuming a worst-case scenario of all habitat within the Order Limits being directly affected which is unlikely), for a period of up to approximately four weeks. This is a short period of time, and there is abundant alternative comparable habitat present in the wider landscape, including closer to the River Ouse.</p> <p>The temporary non-availability of this limited extent of land is comparable to temporary fluctuations in land use in the wider surrounding agricultural landscape. As highlighted above, there is abundant farmland in the wider landscape which could be utilised by SPA / Ramsar bird species, in the unlikely event these make significant use of habitats within or adjacent to Work Number 8. As such, no LSE are predicted in relation to Work Number 8.</p> <p>Other land required for the construction and decommissioning of the Proposed Scheme is located almost entirely within the existing Drax Power Station and does not provide suitable habitat for SPA bird species. This is not therefore functionally-linked land.</p>	Oystercatcher	Very unlikely to use habitats within Off-site HPA due to unsuitable habitat structure, lack of water bodies, lack of exposed mud, and obstructed sightlines.
Oystercatcher	Very unlikely to use habitats within Off-site HPA due to unsuitable habitat structure, lack of water bodies, lack of exposed mud, and obstructed sightlines.			
Humber Estuary Ramsar	Yes	<p>The closest part of the Humber Estuary Ramsar Site is located approximately 2.96-4 km from the Proposed Scheme. Qualifying interests of the Ramsar Site include marine and intertidal habitats, grey seal, natterjack toad, sea and river lamprey, and species of wildfowl and wader, as set out in Table 3.2.</p> <p>None of the qualifying interest habitats occur within the Site (see Figure 8.3 of Chapter 8 (Ecology) in Volume 2 of the ES (APP-094). There are no habitats suitable to support the qualifying interest species (sea and river lamprey, natterjack toad, and grey seal) within the Site. As such, the Proposed Scheme would not result in the loss or disturbance of functionally-linked land for these habitats and species.</p> <p>The analysis of potential loss or physical disturbance of functionally-linked land for Ramsar bird species is the same as that presented for Humber Estuary SPA in the row above, with the exception that mallard is not a qualifying feature of the Ramsar.</p> <p>In relation to Ramsar bird species, there is therefore potential for loss or disturbance of occasionally-used functionally-linked land associated with the habitat Provision Area. There is expected to be no loss or disturbance of functionally-linked land within the remainder of the Site.</p>		
Skipwith Common SAC	No	<p>The closest part of Skipwith Common SAC is located approximately 7.62 km from the Proposed Scheme.</p> <p>Qualifying Interests of the SAC include heathland habitats, as set out in Table 3.2. None of the qualifying interest habitats occur within or adjacent to the Site (see Figure 8.3 of Chapter 8 (Ecology) in Volume 2 of the ES (APP-094).</p>		

Site	Potential for impacts on functionally-linked land?	Rationale
		As such, the Proposed Scheme would not result in the loss or disturbance of functionally-linked land.
Thorne & Hatfield Moors SPA	No	<p>The closest part of Thorne and Hatfield Moors SPA is located approximately 9.14.5 km from the Proposed Scheme. The only qualifying interest of the SPA is nightjar, as set out in Table 3.2</p> <p>This species is strongly associated with heathland, moorland, woodlands with large clearings and recently felled plantations. There are no such habitats within or adjacent to the Site (see Figure 8.3 of Chapter 8 (Ecology) in Volume 2 of the ES (APP-094).</p> <p>As such, the Proposed Scheme would not result in the loss or disturbance of functionally-linked land.</p>
Thorne Moor SAC	No	<p>The closest part of Thorne Moor SAC is located approximately 9.14.5 km from the Proposed Scheme. The only qualifying interest of the SAC is degraded raised bog, as set out in Table 3.2.</p> <p>There is no qualifying interest habitat within or adjacent to the Site (see Figure 8.3 of Chapter 8 (Ecology) in Volume 2 of the ES (APP-094).</p> <p>As such, the Proposed Scheme would not result in the loss or disturbance of functionally-linked land.</p>

Emissions of Dust

- 3.5.5. As set out in **paragraph 6.8.2 of Chapter 6 (Air Quality)** of Volume 1 of the ES (APP-042), emissions of dust from construction activities could be relevant to ecological receptors up to 50 m from construction activities. There are no qualifying ecological receptors within 50 m of the construction phase study area (see **Figure 6.1 of Chapter 6 (Air Quality)** of Volume 2 of the ES (APP-068) and as such no modelling of dust impacts on ecological receptors (including European Sites) has been completed.
- 3.5.6. The assessment in **Section 6.9 of Chapter 6 (Air Quality)** identifies that there is some potential for temporary, slight adverse effects from dust soiling in relation to human health. Effects are identified as being most likely to occur in the eastern, north-eastern and southern areas of the Site.
- 3.5.7. The Habitat Provision Area and Carr Dyke are located to the north and north-east of the woodyard respectively (see **Figure 3 (Functionality-Functionally-Linked Land)** (APP-188)). ~~with a~~ small proportion of these areas are within 50 m of the woodyard. ~~where~~ Construction and decommissioning activities may take place here for the Carbon Dioxide Delivery Terminal Compound if it is built as part of the Proposed Scheme and as part of the wider use of the woodyard as one of the Drax Power Station Construction Laydown Areas. As set out in **Table 3.3** the Habitat Provision Area and Carr Dyke may form functionally-linked land that is used occasionally by European Site qualifying interests. The Habitat Provision Area and Carr Dyke could be used by some of the bird qualifying interests associated with the following European Sites:
- a. Lower Derwent Valley SPA;
 - b. Lower Derwent Valley Ramsar;
 - c. Humber Estuary SPA; and
 - d. Humber Estuary Ramsar.
- 3.5.8. Carr Dyke is likely to be used on occasion by otters. Otters using Carr Dyke could form part of the qualifying interest populations of the following European Sites:
- a. River Derwent SAC; and
 - b. Lower Derwent Valley SAC.
- 3.5.9. Dust deposition onto the Habitat Provision Area and Carr Dyke within 50m of the woodyard could have minor adverse effects on the habitats present. Dust deposition onto aquatic and terrestrial habitats can lead to soiling of plant surfaces, affecting photosynthesis and ecological functioning. Effects are more pronounced during periods of drought when dust can build up on vegetation and plants are stressed by other factors. For short-lived (e.g., under a year) demolition and construction activities, vegetation usually recovers within a year of activity ceasing (Holman. C., 2014).

- 3.5.10. Construction and decommissioning activities would last for more than a year and qualifying interest features may occasionally use habitats within 50 m of these activities. As such, there is the potential for LSE on these features due to dust emissions.

Increased Risk of Pollution from Increased Sediment Load

- 3.5.11. As set out between **paragraph 12.9.3 and 12.9.6 of Chapter 12 (Water Environment)** in Volume 1 of the ES (APP-048), in the absence of mitigation Carr Dyke may be at risk of increased sediment loading during construction and decommissioning. The risk is associated with construction activities for the new Carbon Dioxide Delivery Terminal Compound (if Option 1 is pursued as described in **paragraph 2.2.44 of Chapter 2 (Project and Site Description)** of Volume 1 of the ES (APP-038) and the Drax Power Station Site Construction Laydown Areas.
- 3.5.12. Increased sediment loading of the Carr Dyke during construction and decommissioning could temporarily reduce the suitability of this for foraging otter, through increased difficulty foraging (due to reduced visibility) and through reduced densities of prey (fish). Any otters using the Carr Dyke may also be part of the qualifying interest populations of the River Derwent SAC and Lower Derwent Valley SAC.
- 3.5.13. No effects on qualifying interest fish species associated with the River Derwent SAC or Humber Estuary SAC, and Ramsar are expected. This is because qualifying interest populations of these species are not expected to be present within Carr Dyke. [This is](#) due to the barrier to bullhead movement posed by the (tidal) River Ouse and the barrier to movement posed by pumping station infrastructure at the mouth of Carr Dyke.
- 3.5.14. Carr Dyke may [also](#) be used on occasion by low numbers of wintering birds that are associated with Lower Derwent Valley (SPA and Ramsar) and Humber Estuary (SPA and Ramsar). Reductions in water quality within Carr Dyke could reduce the suitability of this for SPA bird species through effects on the plant communities supported by the watercourse. As such, there is the potential for LSE on these SAC, SPA, and Ramsar Sites.

Accidental Releases of Water-borne Pollutants

- 3.5.15. As set out between **paragraph 12.9.9 and 12.9.11 of Chapter 12 (Water Environment)** in Volume 1 of the ES (APP-048), in the absence of mitigation Carr Dyke may be at increased risk of pollution from accidental spillages of oils, hydrocarbons, and hazardous substances during construction and decommissioning. **Paragraph 12.9.15 of Chapter 12 (Water Environment)** also identifies that River Ouse, approximately 1.4 km downstream of option 1 of the Carbon Dioxide Delivery Terminal Compound, is at risk of such pollution events. The river Ouse could potentially receive pollutants via drainage from the Site reaching Carr Dyke, which discharges into the River Ouse. Some drainage from the Site is also discharged into the River Ouse via a piped drainage system from the Site. The risk is associated with

construction activities for the new Carbon Dioxide Delivery Terminal Compound (if Option 1 is pursued as described in **paragraph 2.2.44 of Chapter 2 (Project and Site Description)** of Volume 1 of the ES (APP-038) and the Drax Power Station Site Construction Laydown Areas.

- 3.5.16. In the event of an accidental release of water-borne pollutants into Carr Dyke or River Ouse, this could temporarily reduce the suitability of these watercourses for foraging otter. In the event of a significant spill vegetation and fish populations could be impacted, reducing the suitability of the watercourse for foraging otter in the short to medium term. Any otters using the Carr Dyke / River Ouse may also be part of the qualifying interest populations of the River Derwent SAC and Lower Derwent Valley SAC.
- 3.5.17. In addition, the River Ouse is a migratory route for river and sea lamprey including those moving between the Humber Estuary and the River Derwent. Sea and river lamprey using the River Ouse are also likely to be part of the qualifying interest populations for which the River Derwent SAC and Humber Estuary SAC and Ramsar have been designated. Carr Dyke and River Ouse may also be used by wintering birds that are associated with Lower Derwent Valley (SPA and Ramsar) and Humber Estuary (SPA and Ramsar). As such, there is the potential for LSE on these SAC, SPA, and Ramsar Sites.

Disturbance from Noise and Vibration

- 3.5.18. During construction and decommissioning there would be increased levels of noise and vibration relative to the baseline situation. Noise and Vibration is assessed in detail in **Chapter 7 (Noise and Vibration)** of Volume 1 of the ES (APP-043).
- 3.5.19. The Proposed Scheme is located 0.7 km or more from any European Site. The closest part of the Proposed Scheme to any European Site is the Habitat Provision Area, which is approximately 0.7 km from the River Derwent SAC (See **Figure 2 (European Sites within 5km)** (APP-187)). Activities in the Habitat Provision Area would be limited to hedgerow planting (see **Figure 2 of The Outline Landscape and Biodiversity Strategy** (APP-182)). This would be a low impact activity, that would be of a short duration (days or weeks), generate equivalent or less noise than baseline agricultural activities in the Habitat Provision Area, and in addition be screened from the River Derwent by flood defence embankments on the southern bank of the River Ouse. Given this, hedgerow planting in the Habitat Provision Area is also not expected to result in any significant noise and vibration disturbance of functionally-linked land that may be used by European Site Qualifying Interest species. The hedgerow planting works in the Habitat Provision Area are therefore not expected to trigger LSE and will not be considered further in this report.
- 3.5.20. The Drax Power Station Site and East Construction Laydown Area, where the majority of construction activities would occur, are located more than 1 km from any European Site (see **Figure 2**). The Study Area for the construction and decommissioning noise and vibration assessment is set at 1 km from the Order Limits (see **Section 7.6 of Chapter 7 (Noise and Vibration)** of the ES (APP-043)). Given

that activities within the Habitat Provision Area would be limited to hedgerow planting, construction and demolition activities would not take place within 1 km of any European Site. Work No. 8 is also located in excess of 1 km from any European Site. As such, there is no prospect of noise and vibration from the Proposed Scheme affecting land inside the boundary of any European Site. This will not be considered further in this report.

- 3.5.21. As described in **Table 3.3**, mobile species that are qualifying interests of European Sites may also use habitats outside the boundary of a European Site. This land can be important for sustaining these species, and hence for maintaining the populations for which the European Site has been designated.
- 3.5.22. **Table 3.4** summarises which European Sites could potentially experience LSE due to noise and vibration disturbance of qualifying features. A rationale for the decisions made is also included.

Table 3.4 - Potential for Noise and Vibration Disturbance on Functionally-linked Land

Site	Potential for noise disturbance on functionally-linked land?	Rationale
River Derwent SAC	No	<p>Qualifying interests of the SAC include otter, river and sea lamprey, bullhead, and river habitats.</p> <p>As set out in Table 3.3, otters may use riparian habitats adjacent to the Proposed Scheme, with evidence previously recorded along Carr Dyke. Otter may occasionally also use terrestrial habitats and the local ditch network within the Habitat Provision Area when moving through the wider landscape. Otters are not expected to use habitats within the Power Station Site, within or adjacent to the East Construction Laydown Area, or the Off-Site Habitat Provision Areas, due to a lack of suitable aquatic habitat and/or distance from substantial water bodies.</p> <p>Sea and River lamprey are not expected to use Carr Dyke due to the barrier posed by pumping station infrastructure at the confluence with the River Ouse. Bullhead will not be present in the Stretches of the River Ouse adjacent to the Proposed Scheme, as this species is associated with freshwater habitats and is not tolerant of saline conditions (the River Ouse is tidal adjacent to the Proposed Scheme).</p> <p>Given the above, otters that form part of the River Derwent / Lower Derwent Valley SAC populations could potentially be subject to noise disturbance during construction. No other qualifying interests of this SAC are expected to be subject to noise disturbance during construction, as they are not expected to occur in the 1 km study area for construction noise.</p> <p>The assessment of noise and vibration presented in the ES considered several Biodiversity Receptors. The locations of these are shown on Figure 7.2 of Chapter 7 (Noise and Vibration) of the ES (APP-090). The results of the construction and operational noise modelling for Biodiversity Receptors are set out in Table 1 of Appendix 7.6 (Biodiversity Receptors) of the ES (APP-135). The closest Biodiversity Receptors to the Carr Dyke (BR 2 – BR6) are predicted to experience maximum noise levels of 39 LAeq,T dB. Noise levels under 40dB are equivalent or quieter than ‘a quiet office’ (Health and Safety Executive, 2022). Given the low level of predicted noise at Biodiversity Receptors, construction and decommissioning noise is not likely to lead to any changes in behaviour by otters, in the event they were using the Carr Dyke or other habitats within or adjacent to the Habitat Provision Area. As such LSE are not predicted in relation to otter, or any other qualifying interest.</p>
Lower Derwent Valley SAC	No	<p>The closest part of the Lower Derwent Valley SAC is located approximately 4.7 km from the Proposed Scheme.</p> <p>Qualifying interests of the SAC include otter, hay meadow, and alluvial woodland habitats. The habitats are absent from the Site and are also not sensitive to visual disturbance. As set out in the row above concerning the River Derwent SAC, otters can have very large home ranges and may use habitats within and adjacent to the Proposed Scheme. Otters that form part of the Lower Derwent Valley SAC population may also use habitats outside the SAC, potentially including Carr Dyke adjacent to the Proposed Scheme.</p> <p>The assessment of potential noise and vibration LSE on otter is the same as presented for the River Derwent SAC in the row above. Noise and vibration levels at the closest sections of Carr Dyke to the Proposed Scheme are not expected to lead to any change in otter behaviour.</p>
Lower Derwent Valley SPA	No	<p>The closest part of the Lower Derwent Valley SPA is located approximately 4.7 km from the Proposed Scheme.</p> <p>Qualifying interests of the SPA include several species of wildfowl and wader, as set out in Table 3.2.</p> <p>Agricultural habitats within the Habitat Provision Area, Off-site Habitat Provision Area, and the East Construction Laydown Area could be used on occasion by some of the bird species which are qualifying interests of the SPA.</p> <p>The off-site Habitat Provision Area includes 2.72 hectares of scrub and former arable farmland habitats that could potentially be of some limited value to wintering SPA bird species for foraging and roosting. The woodland in the north of the Off-site</p>

Site	Potential for noise disturbance on functionally-linked land?	Rationale
		<p>Habitat Provision Area does not provide suitable habitat for SPA bird species. The off-site Habitat Provision Area would not be subject to construction activities, rather the habitat present would be enhanced to deliver ecological mitigation and support the delivery of Biodiversity Net Gain (see the Outline Landscape and Biodiversity Strategy (AS-094REP6-017)).</p> <p>Part of the East Construction Laydown Area and habitats to the east of it were included in wintering bird surveys completed between October 2020 and March 2021 (see Appendix 8.3 of Chapter 8 (Ecology) of Volume 3 of the ES (APP-138) including Figure 8.3 of that report). No SPA bird species were recorded in the vicinity of the East Construction Laydown Area. As such, the East Construction Laydown Area is not considered to be of importance for SPA bird species and is not considered to be functionally-linked land. In addition, the East Construction Laydown Area would be returned to its existing land-use post-construction. The East Construction Laydown Area will not be considered further in relation to noise disturbance of functionally-linked land.</p> <p>Noise and vibration from habitat creation and management activities in the Off-site Habitat Provision Area could potentially disturb low numbers of SPA bird species, should any be present at the time that habitat creation activities occurred. If any SPA birds were displaced, it is likely that these would be displaced to other suitable habitat in the surrounding landscape. It should be noted that the Off-site Habitat Provision Area is bisected by a footpath, and as such is already subject to a degree of regular disturbance from human activity such as dog-walking.</p> <p>Initial habitat creation activities in this area would likely take less than six months to complete, with occasional follow-up visits to complete habitat management and check on how vegetation is developing. Such visits would be equivalent to ongoing agricultural activities in the wider landscape and are not considered to trigger LSE.</p> <p>Given the relatively small size of the off-site Habitat Provision Area, its distance from the River Ouse, and the short duration and low intensity of habitat creation, noise and vibration disturbance would be unlikely to affect more than a very small proportion (significantly less than 1% of any qualifying interest population) of SPA bird species. Additional analysis of the limited potential for the Off-Site Habitat Provision Area to support SPA/Ramsar birds is provided in Table 3.3.</p> <p>In the event that low numbers of SPA bird species were displaced, there is extensive alternative habitat available in the local area that they could occupy instead. As such, any displacement of SPA bird species that did occur is not expected to materially affect their condition or ability to persist in the environment.</p> <p>The assessment of noise and vibration presented in the ES considered several Biodiversity Receptors. The locations of these are shown on Figure 7.2 (Biodiversity Noise Sensitive Receptor Locations) of the ES (APP-090). The results of the construction and operational noise modelling for Biodiversity Receptors are set out in Table 1 of Appendix 7.6 (Biodiversity Receptors) of the ES (APP-135). Several Biodiversity Receptors (BR 2 – BR6) are located to the north of Drax Power Station Site, within the Habitat Provision Area. These locations were selected in order to assess potential noise impacts from construction and decommissioning activities. The maximum predicted noise levels are 39 LAeq,T dB. Noise levels under 40dB are equivalent or quieter than ‘a quiet office’ (Health and Safety Executive, 2022). In addition, research collated to inform assessments of waterbird disturbance identifies that SPA bird species are unlikely to be displaced by noise levels under 55dB (European Union, 2022).</p> <p>No LSE are predicted in relation to the works associated with Work Number 8, due to the limited extent, location, temporary nature and short duration (~four weeks) of these works. This is explored further in Section 6.2 of the Proposed Changes Appraisal Report (AS-045) and the underpinning Appendix 4 - Ecological Walkover Technical Note (AS-053).</p> <p>Work Number 8 is limited in spatial extent and is expected to be completed over a period of approximately four weeks, after which habitats would be reinstated. Work Number 8 would lead to temporary disturbance impacts over a period of up to approximately four weeks. This is a short period of time, and there is abundant alternative comparable habitat that could be used by SPA / Ramsar birds present in the wider landscape, including closer to the River Ouse.</p>

Site	Potential for noise disturbance on functionally-linked land?	Rationale
		<p>The temporary non-availability of this limited extent of land is comparable to temporary fluctuations in land use in the wider surrounding agricultural landscape. As highlighted above, there is abundant farmland in the wider landscape which could be utilised by SPA / Ramsar bird species, in the unlikely event these make significant use of habitats within or adjacent to Work Number 8. As such, no LSE are predicted in relation to Work Number 8.</p> <p>In light of the above, no LSE are predicted in relation to noise and vibration disturbance of SPA bird species.</p>
Lower Derwent Valley Ramsar	No	<p>The closest part of the Lower Derwent Valley Ramsar is located approximately 4.7 km from the Proposed Scheme.</p> <p>Qualifying interests of the Ramsar include several species of wildfowl and wader, as set out in Table 3.2. Some of the criteria for designation of the Ramsar Site overlap with the qualifying interests of the Lower Derwent Valley SPA.</p> <p>Qualifying interests of the Ramsar Site also include flood meadow habitats and wetland invertebrate species. These habitats are not present within the Site, and there is no comparable wetland habitat within the Site that could support the wetland invertebrate community associated with the Ramsar Site.</p> <p>The analysis of potential noise and vibration disturbance of functionally-linked land for Ramsar bird species is the same as that presented for Lower Derwent Valley SPA in the row above. In light of this, no LSE are predicted in relation to noise and vibration disturbance of Ramsar bird species.</p>
Humber Estuary SAC	No	<p>The closest part of the Humber Estuary SAC is located approximately 2.96-4 km from the Proposed Scheme.</p> <p>None of the qualifying interest habitats occur within the Site (see Figure 8.3 (Phase 1 Habitats) of the ES (APP-094). There are no habitats suitable to support the qualifying interest species (sea and river lamprey, and grey seal) in areas that could be subject to significant noise and vibration.</p> <p>In light of this, no LSE are predicted in relation to noise and vibration disturbance of SAC qualifying interests.</p>
Humber Estuary SPA	No	<p>The closest part of the Humber Estuary SPA is located approximately 2.96-4 km from the Proposed Scheme.</p> <p>Agricultural habitats within the Off-site Habitat Provision Area, and the East Construction Laydown Area could be used on occasion by some of the bird species which are qualifying interests of the SPA.</p> <p>The off-site Habitat Provision Area includes 2.72 hectares of scrub and former arable farmland habitats that could potentially be of some limited value to wintering SPA bird species for foraging and roosting. The woodland in the north of the Off-site Habitat Provision Area does not provide suitable habitat for SPA bird species. The off-site Habitat Provision Area would not be subject to construction activities, rather the habitat present would be enhanced to deliver ecological mitigation and support the delivery of Biodiversity Net Gain (see the Outline Landscape and Biodiversity Strategy (AS-119, to be updated at Deadline 6REP6-017)).</p> <p>Part of the East Construction Laydown Area and habitats to the east of it were included in wintering bird surveys completed between October 2020 and March 2021 (see Appendix 8.3 of the ES (APP-138) including Figure 8.3 of that report). No SPA bird species were recorded in the vicinity of the East Construction Laydown Area. As such, the East Construction Laydown Area is not considered to be of importance for SPA bird species and is not considered to be functionally-linked land. In addition, the East Construction Laydown Area would be returned to its existing land-use post-construction. The East Construction Laydown Area will not be considered further in relation to loss or disturbance of functionally-linked land.</p> <p>Noise and vibration from habitat creation and management activities in the Off-site Habitat Provision Area could potentially disturb low numbers of SPA bird species, should any be present at the time that habitat creation activities occurred. If any SPA birds were displaced, it is likely that these would be displaced to other suitable habitat in the surrounding landscape. It</p>

Site	Potential for noise disturbance on functionally-linked land?	Rationale
		<p>should be noted that the Off-site Habitat Provision Area is bisected by a footpath, and as such is already subject to a degree of regular disturbance from human activity such as dog-walking.</p> <p>Initial habitat creation activities in this area would likely take less than six months to complete, with occasional follow-up visits to complete habitat management and check on how vegetation is developing. Such visits would be equivalent to ongoing agricultural activities in the wider landscape.</p> <p>Given the relatively small size of the off-site Habitat Provision Area, its distance from the River Ouse, and the short duration and low intensity of habitat creation, noise and vibration disturbance would be unlikely to affect more than a very small proportion (significantly less than 1% of any qualifying interest population) of SPA bird species. Additional analysis of the limited potential for the Off-Site Habitat Provision Area to support SPA/Ramsar birds is provided in Table 3.3.</p> <p>In the event that low numbers of SPA bird species were displaced, there is extensive alternative habitat available in the local area that they could occupy instead. As such, any displacement of SPA bird species that did occur is not expected to materially affect their condition or ability to persist in the environment.</p> <p>The assessment of noise and vibration presented in the ES considered several Biodiversity Receptors. The locations of these are shown on Figure 7.2 of the ES (APP-090). The results of the construction and operational noise modelling for Biodiversity Receptors are set out in Table 1 of Appendix 7.6 (Biodiversity Receptors) the ES (APP-135). Several Biodiversity Receptors (BR 2 – BR6) are located to the north of Drax Power Station Site, within the Habitat Provision Area. These locations were selected in order to assess potential noise impacts from construction and decommissioning activities. The maximum predicted noise levels are 39 LAeq,T dB. Noise levels under 40dB are equivalent or quieter than ‘a quiet office’ (Health and Safety Executive, 2022). In addition, research collated to inform assessments of waterbird disturbance identifies that SPA bird species are unlikely to be displaced by noise levels under 55dB (European Union, 2022).</p> <p>No LSE are predicted in relation to the works associated with Work Number 8, due to the limited extent, location, temporary nature and short duration (~four weeks) of these works. This is explored further in Section 6.2 of the Proposed Changes Appraisal Report (AS-045) and the underpinning Appendix 4 - Ecological Walkover Technical Note (AS-053).</p> <p>Work Number 8 is limited in spatial extent and is expected to be completed over a period of approximately four weeks, after which habitats would be reinstated. Work Number 8 would lead to temporary disturbance impacts over a period of up to approximately four weeks. This is a short period of time, and there is abundant alternative comparable habitat that could be used by SPA / Ramsar birds present in the wider landscape, including closer to the River Ouse.</p> <p>The temporary non-availability of this limited extent of land is comparable to temporary fluctuations in land use in the wider surrounding agricultural landscape. As highlighted above, there is abundant farmland in the wider landscape which could be utilised by SPA / Ramsar bird species, in the unlikely event these make significant use of habitats within or adjacent to Work Number 8. As such, no LSE are predicted in relation to Work Number 8.</p> <p>In light of the above, no LSE are predicted in relation to noise and vibration disturbance of SPA bird species.</p>
Humber Estuary Ramsar	No	<p>The closest part of the Humber Estuary Ramsar Site is located approximately 6.42.9 km from the Proposed Scheme. Qualifying interests of the Ramsar Site include marine and intertidal habitats, grey seal, natterjack toad, sea and river lamprey, and species of wildfowl and wader, as set out in Table 3.2.</p> <p>None of the qualifying interest habitats occur within the Site (see Figure 8.3 of the ES (APP-094)). There are no habitats suitable to support the non-bird qualifying interest species (sea and river lamprey, natterjack toad, and grey seal) within or adjacent to the Site. As such, the Proposed Scheme would not result in noise or vibration disturbance of these species.</p>

Site	Potential for noise disturbance on functionally-linked land?	Rationale
		<p>The analysis of potential noise and vibration disturbance of functionally-linked land for Ramsar bird species is the same as that presented for Humber Estuary SPA in the row above.</p> <p>In light of this, no LSE are predicted in relation to noise and vibration disturbance of SPA bird species.</p>
Skipwith Common SAC	No	<p>The closest part of Skipwith Common SAC is located approximately 7.62 km from the Proposed Scheme.</p> <p>Qualifying Interests of the SAC include heathland habitats, as set out in Table 3.2. None of the qualifying interest habitats occur within or adjacent to the Site (see Figure 8.3 of the ES (APP-094) and habitats are not at risk from noise and vibration.</p> <p>As such, noise and vibration is not a relevant impact pathway for this SAC.</p>
Thorne & Hatfield Moors SPA	No	<p>The closest part of Thorne and Hatfield Moors SPA is located approximately 9-14.5 km from the Proposed Scheme. The only qualifying interest of the SPA is nightjar, as set out in Table 3.2</p> <p>This species is strongly associated with heathland, moorland, woodlands with large clearings and recently felled plantations. There are no such habitats within or adjacent to the Site (see Figure 8.3 of the ES (APP-094) and nightjar are not expected to use habitats within or adjacent to the Site.</p> <p>In light of this, no LSE are predicted in relation to noise and vibration disturbance of nightjar as the sole qualifying interest of the SPA.</p>
Thorne Moor SAC	No	<p>The closest part of Thorne Moor SAC is located approximately 4.59-4 km from the Proposed Scheme. The only qualifying interest of the SAC is degraded raised bog, as set out in Table 3.2.</p> <p>There is no qualifying interest habitat within or adjacent to the Site (see Figure 8.3 of the ES (APP-094) and habitats are not sensitive to noise and vibration impacts.</p> <p>As such, noise and vibration is not a relevant impact pathway for this SAC.</p>

Increased Visual Disturbance from Plant and Personnel

- 3.5.23. During construction and decommissioning there would be increased levels of human activity relative to the baseline situation. Additional personnel would be present working on the Drax Power Station Site, with a peak of up to 1,000 workers required to construct the Proposed Scheme. Large machinery such as excavators and piling rigs would also be present on the Power Station Site.
- 3.5.24. Visual disturbance of European Site qualifying interest species could occur from the following activities:
- a. Use of the East Construction Laydown Area for laydown of plant, equipment and materials, light fabrication, storage of topsoil from the area and as an overflow car park during construction;
 - b. Use of the Drax Power Station Site Construction Laydown Area in the woodyard (see Figure 3) for laydown and heavy fabrication;
 - c. Should option 1 for the Carbon Dioxide Delivery Terminal Compound be chosen (see **paragraph 2.2.44 of Chapter 2** (Site and Project Description) of Volume 1 of the ES (APP-038) construction of this in the woodyard could disturb qualifying interest species using habitats to the north (e.g., Carr Dyke and Habitat Provision Area);
 - d. Presence of additional people and light vehicles during hedgerow planting and establishment maintenance in the Habitat Provision Area;
 - e. Increased human presence and use of farm machinery / construction equipment (e.g., 7.5 tonne excavator) during habitat creation works in the Off-site Habitat Provision Area; and
 - f. Increased human presence and use of light vehicles and plant during construction activities for Work No. 8.
- 3.5.25. No other construction or decommissioning activities are expected to lead to visual disturbance of European Site qualifying interest species. This is because other construction and decommissioning activities would take place within parts of the Drax Power Station Site that are screened from locations that could be used by European Site qualifying interests.
- 3.5.26. The Proposed Scheme is located 0.7 km or more from any European Site. The closest part of the Proposed Scheme to any European Site is the Habitat Provision Area, which is approximately 0.7 km from the River Derwent SAC (See **Figure 2 (European Sites within 5km)**). Activities in the Habitat Provision Area would be limited to hedgerow planting (see **Figure 2 of The Outline Landscape and Biodiversity Strategy (APP-182REP6-017)**). This would be a low impact activity, that would be of a short duration (days or weeks), be equivalent to baseline agricultural activities in the Habitat Provision Area, and in addition be screened from the River Derwent by flood defence embankments on the southern bank of the River Ouse. Given this, hedgerow planting in the Habitat Provision Area is not expected to result in any significant visual disturbance within any European Site.

- 3.5.27. The Drax Power Station Site and East Construction Laydown Area, where the majority of construction activities would occur, are located more than 1 km from any European Site (see **Figure 2 (European Sites within 5km)**). As such, there is no prospect of visual disturbance from the Proposed Scheme affecting land inside the boundary of any European Site.
- 3.5.28. As described in Table 3.3, mobile species that are qualifying interests of European Sites may also use habitats outside the boundary of a European Site. This land can be important for sustaining these species, and hence for maintaining the populations for which the European Site has been designated.
- 3.5.29. **Table 3.5** summarises which European Sites could potentially experience LSE due to visual disturbance of qualifying features using such functionally-linked land. A rationale for the decisions made is also included.

Table 3.5 - Potential for Visual Disturbance on Functionally-linked Land

Site	Potential for visual disturbance on functionally-linked land?	Rationale
River Derwent SAC	Yes	<p>Qualifying interests of the SAC include otter, river and sea lamprey, bullhead, and river habitats.</p> <p>As set out in Table 3.3, otters may use riparian habitats adjacent to the Proposed Scheme, with evidence previously recorded along Carr Dyke. Otter may occasionally also use terrestrial habitats and the local ditch network within the Habitat Provision Area when moving through the wider landscape. Otters are not expected to use habitats within the Power Station Site, within or adjacent to the East Construction Laydown Area, or the Off-Site Habitat Provision Areas, due to a lack of suitable aquatic habitat and/or distance from substantial water bodies.</p> <p>Given the above, otters that form part of the River Derwent / Lower Derwent Valley SAC populations could potentially be subject to visual disturbance during construction.</p> <p>Hedgerow planting in the Habitat Provision Area would not take place within 7 m of the Carr Dyke or any other streams or rivers. Hedgerow planting would also be completed during daylight hours, would be of short duration (days or weeks) and would be equivalent in terms of levels of human activity to baseline agricultural activities. Given this, hedgerow planting in the Habitat Provision Area is considered to have negligible risk of significantly disturbing otter, and there is no prospect of the hedgerow planting works triggering LSE.</p> <p>The risk arises from the use of the Drax Power Station Site Construction Laydown Area in the woodyard, and if included as part of the Proposed Scheme, construction of the Carbon Dioxide Delivery Terminal Compound in the same location. Otters may be discouraged from using areas of the Carr Dyke in proximity to construction activities in this area. As such, there are potential LSE to the otter qualifying feature arising from works in the woodyard area.</p> <p>No other qualifying interests of this SAC are expected to be subject to visual disturbance, as they are not expected to be present in proximity to construction and decommissioning activities and/or are not sensitive to visual disturbance.</p>
Lower Derwent Valley SAC	Yes	<p>The closest part of the Lower Derwent Valley SAC is located approximately 4.7 km from the Proposed Scheme.</p> <p>Qualifying interests of the SAC include otter, hay meadow, and alluvial woodland habitats. The habitats are absent from the Site and are also not sensitive to visual disturbance.</p> <p>Otters that form part of the Lower Derwent Valley SAC population may also use habitats outside the SAC, potentially including Carr Dyke adjacent to the Proposed Scheme.</p> <p>The assessment of potential LSE arising from visual disturbance to otter is the same as presented for the River Derwent SAC in the row above. There are potential LSE to the otter qualifying feature arising from works in the woodyard area.</p>
Lower Derwent Valley SPA	Yes	<p>The closest part of the Lower Derwent Valley SPA is located approximately 4.7 km from the Proposed Scheme.</p> <p>Qualifying interests of the SPA include several species of wildfowl and wader, as set out in Table 3.2.</p> <p>Agricultural habitats within the Off-site Habitat Provision Area, and the East Construction Laydown Area could be used on occasion by some of the bird species which are qualifying interests of the SPA.</p> <p>The off-site Habitat Provision Area includes 2.72 hectares of scrub and former arable farmland habitats that could potentially be of some limited value to wintering SPA bird species for foraging and roosting. The woodland in the north of the Off-site Habitat Provision Area does not provide suitable habitat for SPA bird species. The off-site Habitat Provision Area would not be subject to construction activities, rather the habitat present would be enhanced to deliver ecological mitigation and support the delivery of Biodiversity Net Gain (see the Outline Landscape and Biodiversity Strategy (AS-119, to be updated at Deadline 6)REP6-017).</p>

Site	Potential for visual disturbance on functionally-linked land?	Rationale
		<p>Visual disturbance from habitat creation and management activities in the Off-site Habitat Provision Area could potentially disturb low numbers of SPA bird species, should any be present at the time that habitat creation activities occurred. If any SPA birds were displaced, it is likely that these would be displaced to other suitable habitat in the surrounding landscape. It should be noted that the Off-site Habitat Provision Area is bisected by a footpath, and as such is already subject to a degree of regular disturbance from human activity such as dog-walking.</p> <p>Initial habitat creation activities in this area would likely take less than six months to complete, with occasional follow-up visits to complete habitat management and check on how vegetation is developing. Such visits would be equivalent to ongoing agricultural activities in the wider landscape.</p> <p>Given the relatively small size of the off-site Habitat Provision Area, its distance from the River Ouse, and the short duration and low intensity of habitat creation, visual disturbance would be unlikely to affect more than a very small proportion (<1% of any qualifying interest population) of SPA bird species. Additional analysis of the limited potential for the Off-Site Habitat Provision Area to support SPA/Ramsar bird is provided in Table 3.3.</p> <p>In the event that low numbers of SPA bird species were displaced, there is extensive alternative habitat available in the local area that they could occupy instead. As such, any displacement of SPA bird species that did occur is not expected to materially affect their condition or ability to persist in the environment.</p> <p>Part of the East Construction Laydown Area and habitats to the east of it were included in wintering bird surveys completed between October 2020 and March 2021 (see Appendix 8.3 of the ES (APP-138) including Figure 8.3 of that report). No SPA bird species were recorded in the vicinity of the East Construction Laydown Area. As such, the East Construction Laydown Area is not considered to be of importance for SPA bird species and is not considered to be functionally-linked land. The East Construction Laydown Area will not be considered further in relation to visual disturbance of qualifying interest bird species using functionally-linked land.</p> <p>SPA qualifying interest bird species may also use land within the Habitat Provision Area. These could potentially be subject to visual disturbance from hedgerow planting and management in this area. Hedgerow planting would be completed during daylight hours, would be of short duration (days or weeks) and would be equivalent in terms of levels of human activity to baseline agricultural activities. In addition, there is abundant comparable habitat in the local area, that could be used by SPA bird species in the unlikely event any were displaced. Given this, hedgerow planting in the Habitat Provision Area is considered to have negligible risk of significantly disturbing SPA Qualifying interest bird species, and there is no prospect of the hedgerow planting works triggering LSE.</p> <p>SPA qualifying interest bird species could potentially be subject to visual disturbance during construction. The risk arises from the use of the Drax Power Station Site Construction Laydown Area in the woodyard, and if included as part of the Proposed Scheme, construction of the Carbon Dioxide Delivery Terminal Compound in the same location. SPA bird species may be displaced from using areas of the Habitat Provision Area adjacent to the woodyard. Visual disturbance could occur up to 300 m from where people are working, but the actual distances at which birds could be significantly disturbed are likely to be much less (European Union, 2022). Visual disturbance could occur intermittently throughout construction and decommissioning activities, with construction expected to run from Q1 2024 to Q3/4 2029, a six year period.</p> <p>No LSE are predicted in relation to the works associated with Work Number 8, due to the limited extent, location, temporary nature and short duration (~four weeks) of these works. This is explored further in Section 6.2 of the Proposed Changes Appraisal Report (AS-045) and the underpinning Appendix 4 - Ecological Walkover Technical Note (AS-053).</p> <p>Work Number 8 is limited in spatial extent and is expected to be completed over a period of approximately four weeks, after which habitats would be reinstated. Work Number 8 would lead to temporary disturbance impacts over a period of up to approximately four weeks. This is a short period of time, and there is abundant alternative comparable habitat that could be used by SPA / Ramsar birds present in the wider landscape, including closer to the River Ouse.</p> <p>The temporary non-availability of this limited extent of land is comparable to temporary fluctuations in land use in the wider surrounding agricultural landscape. As highlighted above, there is abundant farmland in the wider landscape which could be utilised by SPA / Ramsar bird species, in the unlikely event these make significant use of habitats within or adjacent to Work Number 8. As such, no LSE are predicted in relation to Work Number 8.</p>

Site	Potential for visual disturbance on functionally-linked land?	Rationale
		As such, there are potential LSE from visual disturbance to SPA qualifying interest bird species arising from construction and decommissioning works in the woodyard area only.
Lower Derwent Valley Ramsar	Yes	<p>The closest part of the Lower Derwent Valley Ramsar is located approximately 4.7 km from the Proposed Scheme.</p> <p>Qualifying interests of the Ramsar include several species of wildfowl and wader, as set out in Table 3.2. Some of the criteria for designation of the Ramsar Site overlap with the qualifying interests of the Lower Derwent Valley SPA.</p> <p>Qualifying interests of the Ramsar Site also include flood meadow habitats and wetland invertebrate species. These habitats are not present within the Site, and there is no comparable wetland habitat within the Site that could support the wetland invertebrate community associated with the Ramsar Site.</p> <p>The analysis of potential visual disturbance of functionally-linked land for Ramsar bird species is the same as that presented for Lower Derwent Valley SPA in the row above.</p> <p>The analysis of visual disturbance for the lamprey (fish) qualifying interests of the Ramsar is the same as that presented for River Derwent SAC above, i.e. no LSE are predicted.</p> <p>In summary, there are potential LSE from visual disturbance to SPA qualifying interest bird species arising from construction and decommissioning works in the woodyard area. No other construction or decommissioning activities are expected to lead to significant visual disturbance risk to SPA bird species.</p>
Humber Estuary SAC	No	<p>The closest part of the Humber Estuary SAC is located approximately 2.96-4 km from the Proposed Scheme.</p> <p>None of the qualifying interest habitats occur within the Site (see Figure 8.3 of the ES (APP-094)). There are no habitats suitable to support the qualifying interest species (sea and river lamprey, and grey seal) in areas that could be subject to visual disturbance. In addition, lamprey are not considered sensitive to visual disturbance and no activities would take place in or adjacent to any watercourse that might support them.</p> <p>In light of this, no LSE are predicted in relation to visual disturbance of SAC qualifying interests.</p>
Humber Estuary SPA	Yes	<p>The closest part of the Humber Estuary SPA is located approximately 2.96-4 km from the Proposed Scheme.</p> <p>The analysis of potential visual disturbance of functionally-linked land for Humber Estuary bird species is the same as that presented for Lower Derwent Valley SPA/Ramsar bird species previously in this table.</p> <p>In summary, there are potential LSE from visual disturbance to SPA qualifying interest bird species arising from construction and decommissioning works in the woodyard area. No other construction or decommissioning activities are expected to lead to significant visual disturbance risk to SPA bird species.</p>
Humber Estuary Ramsar	Yes	<p>The closest part of the Humber Estuary Ramsar Site is located approximately 2.96-4 km from the Proposed Scheme.</p> <p>Qualifying interests of the Ramsar Site include marine and intertidal habitats, grey seal, natterjack toad, sea and river lamprey, and species of wildfowl and wader, as set out in Table 3.2.</p> <p>None of the qualifying interest habitats occur within the Site (see Figure 8.3 of the ES (APP-094)) and habitats are not sensitive to visual disturbance. There are no habitats suitable to support the non-bird qualifying interest species (sea and river lamprey, natterjack toad, and grey seal) within the Site. In addition, lamprey are not considered sensitive to visual</p>

Site	Potential for visual disturbance on functionally-linked land?	Rationale
		<p>disturbance and no activities would take place in any watercourse that might support them. As such, the Proposed Scheme would not result in visual disturbance of these species.</p> <p>The analysis of potential visual disturbance of functionally-linked land for Humber Estuary bird species is the same as that presented for Lower Derwent Valley SPA/Ramsar bird species previously in this table.</p> <p>In summary, there are potential LSE from visual disturbance to Ramsar qualifying interest bird species arising from construction and decommissioning works in the woodyard area. No other construction or decommissioning activities are expected to lead to significant visual disturbance risk to Ramsar bird species.</p>
Skipwith Common SAC	No	<p>The closest part of Skipwith Common SAC is located approximately 7.62 km from the Proposed Scheme.</p> <p>Qualifying Interests of the SAC include heathland habitats, as set out in Table 3.2. None of the qualifying interest habitats occur within or adjacent to the Site (see Figure 8.3 of the ES (APP-094) and habitats are not at risk from visual disturbance.</p> <p>As such, visual disturbance is not a relevant impact pathway for this SAC.</p>
Thorne & Hatfield Moors SPA	No	<p>The closest part of Thorne and Hatfield Moors SPA is located approximately 4.59.4 km from the Proposed Scheme. The only qualifying interest of the SPA is nightjar, as set out in Table 3.2</p> <p>This species is strongly associated with heathland, moorland, woodlands with large clearings and recently felled plantations. There are no such habitats within or adjacent to the Site (see Figure 8.3 of the ES (APP-094) and nightjar are not expected to use habitats within or adjacent to the Site.</p> <p>In light of this, no LSE are predicted in relation to visual disturbance of nightjar as the sole qualifying interest of the SPA.</p>
Thorne Moor SAC	No	<p>The closest part of Thorne Moor SAC is located approximately 4.59.4 km from the Proposed Scheme. The only qualifying interest of the SAC is degraded raised bog, as set out in Table 3.2.</p> <p>There is no qualifying interest habitat within or adjacent to the Site (see Figure 8.3 of the ES (APP-094) and habitats are not sensitive to visual disturbance impacts.</p> <p>As such, noise and vibrationvisual disturbance is not a relevant impact pathway for this SAC.</p>

Construction traffic emissions to air

- 3.5.30. In their Relevant Representation (AS-011), Natural England advised that ‘...*the potential for likely significant effects from traffic emissions on the Humber Estuary designated sites, alone and in-combination, is considered in more detail in the HRA...*’ (see Key Issue 1 in Table 1 of the Natural England Relevant Representation). Additional analysis of this matter was presented in the Applicant’s Response to Relevant Representations and additional Submissions (AS-038). This matter is now considered to be agreed between Natural England and the Applicant, as per the Statement of Common Ground between Natural England and the Applicant ([REP-020REP8-019](#)). The analysis of the potential for LSE from the Proposed Scheme alone is provided below.
- 3.5.31. The risk has been identified only in relation to the Humber Estuary SAC/SPA/Ramsar site, as this is the only European Site within 200 m of any of the proposed construction traffic routes.
- 3.5.32. Emissions from construction traffic using the M62 over the Humber Estuary designated sites pose no credible air quality risk to those sites. The transport modelling predicts a peak construction year (2026) daily flow of construction traffic (as Annual Average Daily Traffic (AADT)) over this link of 161 AADT, made up of 63 light duty vehicles (LDV) and 99 heavy duty vehicles (HDV) (numbers rounded up). The Applicant acknowledges that if the Proposed Scheme and other plans and projects would increase AADT flows by more than 200 Heavy Duty Vehicles (HDV), this would trigger the screening criteria in NEA001 and require further investigation.
- 3.5.33. There are several factors relevant to the construction traffic route over the M62, which suggest there is no credible risk to the Humber Estuary designations from construction traffic emissions. These are as follows:
- ~ Construction is a temporary activity, with a predicted duration of up to approximately six years. The above AADT construction traffic flow values were calculated based on the sum of the maximum daily flow in each month of the peak construction year (2026), multiplied by 25 working days and then divided by 365 to produce the AADT – hence are very conservative and will represent an overestimate of the actual AADT. The peak predicted daily construction flows, which fall below the NEA001 criterion, will rarely, if ever, be reached and there will indeed be days when no construction traffic uses the M62 construction traffic route at all (noting that the peak traffic flows will not last the full 6 years);
 - ~ Using the same conservative approach to calculating construction traffic flows for all other construction years, the AADT values continue to be screened well below the NEA001 criterion for HDVs on the same M62 link over the Humber Estuary (2025 = 76 HDVs; 2027 = 19 HDVs; 2028 = 2 HDVs; 2029 = 3 HDVs);

- ~ The M62 bridge over the Humber Estuary is raised approximately 30 m above ground level. Pollutants emitted by vehicles using the M62 will therefore be subject to considerable vertical and horizontal dispersion before reaching habitats within the Humber designations, relative to if habitats were situated at the same height as the road;
- ~ MAGIC priority habitat mapping and use of Google Streetview indicates that SAC habitats on the southern bank of the Ouse under and adjacent to the M62 are limited to intertidal mudflats and the tidal channel itself. Habitats on the northern bank also include mudflats, with (on a precautionary basis from imagery interpretation) Atlantic salt meadow habitat (grazing marsh) also present. The mudflats appear to be unvegetated and will be subject to regular tidal flushing; as such they are not considered sensitive to aerially deposited nitrogen, notwithstanding the negligible deposition that could occur as a result of construction traffic. Atlantic salt meadow habitats will be subject to occasional tidal flushing on higher tides, and have a relatively high critical load range of 20 – 30 kgN/ha/yr. Baseline nitrogen deposition data for the three 1km² grid squares where the M62 crosses the Humber Estuary (2018 – 2020 average) ranges between 19.7 kgN/ha/yr to 20.1 kgN/ha/yr, according to APIS (Air Pollution Information System, 2022).
- ~ The latest projections for the UK vehicle fleet are for a continuing decline in per-vehicle emissions of NO_x, as a consequence of the continued uptake of low, ultra-low, and zero-emission vehicles, which will in turn lead to reduced contributions to nitrogen deposition (National Atmospheric Emissions Inventory, 2019. Vehicle fleet composition projections). It is therefore reasonable to assume that the contribution of traffic using the M62 to NO_x levels, NH₃ levels, and nitrogen deposition to the Humber Estuary adjacent to the M62 crossing will continue to reduce over future years.

POTENTIAL EFFECTS OF THE PROPOSED SCHEME ALONE – OPERATION

3.5.34. This section of the report considers the potential for operation of the Proposed Scheme to result in LSE to European Sites.

Emissions of Treated Flue Gas to Air

3.5.35. The Main Stack will, in the with Proposed Scheme scenario, emit treated gases from the two BECCS (Proposed Scheme) and non-BECCS (not part of the Proposed Scheme) units. As a result of the carbon capture process, these emissions from the Main Stack will contain a significantly reduced fraction of carbon dioxide. A number of gaseous by-products from the carbon capture process will also be emitted in addition

to the current flue gas composition. The carbon capture process utilises waste heat from the combustion of biomass. This means that gases emitted from the Main Stack when BECCS is operational would have a reduced temperature relative to emissions from the Main Stack when BECCS is not operational. This in turn reduces dispersal of the gases emitted from the Main Stack, potentially increasing concentrations and deposition rates over ecological receptors within the study area for operational air quality effects.

- 3.5.36. Operational emissions from the Main Stack, in a with Proposed Scheme scenario, would reach European Sites some distance from the Site. **Paragraph 6.8.8 of Chapter 6 (Air Quality)** of Volume 1 of the ES (APP-042) identifies a study area for European Sites covering a 15 km radius from the Main Stack.
- 3.5.37. The air quality modelling (see **Paragraph 6.9.22 to Paragraph 6.9.33 of Chapter 6 (Air Quality)** of Volume 1 of the ES (APP-042) has identified the following impact pathways that could be relevant to European Sites:
- a. Emissions of and therefore increased concentrations of oxides of nitrogen (NO_x);
 - b. Emissions of and therefore increased concentrations of ammonia (NH₃);
 - c. Emissions of and therefore increased concentrations of sulphur dioxide (SO₂);
 - d. Emissions of NO_x, NH₃, and amines may contribute to increased rates of nitrogen deposition onto European Sites; and
 - e. Emissions of NO_x, NH₃, and amines, but primarily SO₂ may contribute to increased rates of acid deposition onto European Sites.
- 3.5.38. The Air Quality modelling methodology for ecological receptors has been informed by Environment Agency guidance (Environment Agency, 2021) and is set out in full in **Section 6.5 and Appendix 6.2 of Chapter 6 (Air Quality)** of Volume 1 of the ES (APP-042 and APP-126 respectively), as supplemented by the Revised Emissions Abatement Note, [document reference 8.9.5REP2-065](#) .
- 3.5.39. Following the EA guidance, if the change in Process Contribution (PC) in the with Proposed Scheme scenario meets both of the following criteria, impacts are considered to be insignificant and further assessment is not required:
- a. The short-term PC is less than 10% of the short-term environmental standard for the ecological receptor; and
 - b. The long-term PC is less than 1% of the long-term environmental standard for the ecological.
- 3.5.40. If the above criteria are not met, additional criteria are applied as follows:
- a. If the short-term PC exceeds the above screening criteria, significant effects cannot be screened out and further assessment is needed; and
 - b. If the long-term PC is greater than 1% and the PEC is less than 70% of the long-term environmental standard, the emissions are insignificant, and no further assessment is required; or

- c.** If the PEC is greater than 70% of the long-term environmental standard, significant effects cannot be screened out and further assessment is needed.
- 3.5.41. Where it is determined that the with Proposed Scheme scenario 'alone' is sufficiently large that significant effects cannot be screened out, based on the above criteria, further ecological assessment is required. It is also necessary to consider whether the with Proposed Scheme scenario in-combination with other plans and projects would exceed the screening criteria, if the with Proposed Scheme alone scenario would not. Further ecological assessment is also required of in-combination impacts that exceed the screening criteria. This is explored in more detail in **Section 3.7** (in-combination assessment of LSE) in this report.
- 3.5.42. The screening criteria / standards used for each European Site were informed by the following:
- a.** Statutory ambient air quality standards for both human and ecological receptors;
- b.** Non-statutory environmental assessment levels (EALs) set by the EA; and
- c.** Non-statutory critical levels and critical loads for ecological receptors, taken from the APIS website (Air Pollution Information System, 2022).
- 3.5.43. The initial air quality modelling results for the with Proposed Scheme scenario alone (see **Paragraph 6.7.28 to Paragraph 6.7.43 of Chapter 6 (Air Quality)** of the **Preliminary Environmental Information Report** (WSP, 2021) identified impacts on ecological receptors associated with ammonia emissions to air from the Carbon Capture Wastewater Treatment Plant.
- 3.5.44. For the ES, the design of the Carbon Capture Wastewater Treatment Plant has been changed to utilise a closed steam stripper system. This eliminates emissions of ammonia to air from the Carbon Capture Wastewater Treatment Plant and is considered Primary Mitigation embedded into the Proposed Scheme design (see **Section 2.2 of Chapter 2 (Project and Site Description)** of the ES (APP-038). With this Primary Mitigation in place, the Carbon Capture Wastewater Treatment Plant would have no air quality impacts on European Sites (or any other designated sites).
- 3.5.45. Prior to the dispersion (air quality) modelling for the ES being completed, an ecological analysis was carried out of [all of the](#) European Sites within 15 km of the Main Stack. The purpose of this exercise was to confirm the following:
- a.** The sensitivity (or otherwise) of the qualifying interests of each European Site to air quality impacts (as some qualifying interests are insensitive to air quality impacts, whereas others are highly sensitive);
- b.** The appropriate critical load for nitrogen and acid deposition to apply for each European Site / qualifying interest, (where relevant); and
- c.** The appropriate Critical Level to apply for each European Site / qualifying interest, (where relevant).
- 3.5.46. This analysis was completed using the 'Site Relevant Critical Loads Tool' from the APIS website, [with data accessed in April 2022](#) (Air Pollution Information System,

2022) citation information for European Sites, and Priority Habitat mapping³ from the Multi-Agency Geographic Information for The Countryside (MAGIC) website.

- 3.5.47. A summary of the outcomes of this exercise is presented below in **Table 3.6**, overleaf with full details provided in **Appendix 5**.

³ In this case, priority habitat mapping refers to priority habitats as identified via the provisions of Section 41 of the Natural Environment and Rural Communities Act (2006), rather than priority Annex 1 habitats as identified via the EC Habitats Directive (2001)

Table 3.6 - European Site Sensitivity to Air Quality Impacts

Site	Sensitivity and (where required) screening criteria for European Sites				
	NOx Critical Level (annual mean) (µg/m³)	NH ₃ Critical Level (annual mean) (µg/m³)	SO ₂ Critical Level (annual mean) (µg/m³)	Nitrogen Deposition Critical Load (kgN/ha/yr) ⁴	Acid Deposition Critical Load (Keq/ha/yr) ⁵ . <u>Critical load used in calculations highlighted bold</u>
River Derwent SAC	30	3	20	None – not <u>considered</u> sensitive (see Appendices 5, 6, and 7). Proxy proxy critical load of <u>15 kgN/ha/yr</u> used following Natural England Relevant Representation comments).	None – not sensitive (see Appendices 5, 6, and 7)
Lower Derwent Valley SAC	30	3	20	20	MinCLminN: 0.856 MaxCLminN: 1.071 MinCLMaxS: 4 MaxCLMaxS: 4 MinCLMaxN: 4.856 MaxCLMaxN: 5.071
Lower Derwent Valley SPA	30	3	20	20	None – not sensitive (see Appendices 5 and 6)
Lower Derwent Valley Ramsar	30	3	20	20	MinCLminN: 0.856 MaxCLminN: 1.071 MinCLMaxS: 4 MaxCLMaxS: 4 MinCLMaxN: 4.856 MaxCLMaxN: 5.071
Humber Estuary SAC	30	3	20	20	None – not sensitive (see Appendix 5)
Humber Estuary SPA	30	3	20	20	None – not sensitive (see Appendix 5)
Humber Estuary Ramsar	30	3	20	20	None – not sensitive (see Appendix 5)
Skipwith Common SAC	30	1	20	10	MinCLminN: 0.642 MaxCLminN: 1.035 MinCLMaxS: 0.16 MaxCLMaxS: 0.81 MinCLMaxN: 0.802 MaxCLMaxN: 1.524
Thorne & Hatfield Moors SPA	30	3	20	10	None – not sensitive (see Appendix 5)

⁴ – Nitrogen (N) deposition presented as average mass deposition (kgN) per hectare (ha) per year (yr). Critical load represents the lower limit of the respective critical load range for the most sensitive feature within the designated site regardless of if it exists within the operational study area, which represents a precautionary approach with reference to IAQM guidance. However, for Lower Derwent Valley SPA, Humber Estuary SPA, and Derwent Ings SSSI where applicable, an appropriate critical load and/or critical level has been provided by the Project Ecologist based on specialist knowledge of the relevant sensitive features located within the designated site inside the operational study area. This also aligns with IAQM guidance, which states that specialist knowledge can be applied to provide a critical load in place of the precautionary lower limit based on all sensitive features within the designated site.

⁵ – Acidification caused by deposition of nitrogen (N) and sulphur (S) presented as kilo equivalents of H⁺ ions (keq) per hectare per year. Background and critical load values presented based on sum of N and S. Critical load represents the lower limit of the respective critical load range for the most sensitive feature within the designated site. Acid deposition critical load data have been updated to reflect use of the 'calcareous grassland' rather than the 'acid grassland' critical loads. This has been agreed with Natural England following additional analysis of Natural England long term habitat and soils monitoring data for the Lower Derwent Valley SAC, SPA, and Ramsar.

Thorne Moor SAC	30	1	<u>1020</u>	5	MinCLminN: 0.321 MaxCLminN: 0.321 MinCLMaxS: 0.141 MaxCLMaxS: 0.146 MinCLMaxN: 0.462 MaxCLMaxN: 0.4674 Maximum: CLminN:.321 CLmaxN:.467 CLmaxS:.146 Minimum: CLminN: .321 CLmaxN: .462 CLmaxS: .141
-----------------	----	---	-------------	---	--

- 3.5.48. [Appendix 5 to the Applicant's Responses to Examining Authorities First Written Questions, Revised Emissions Abatement Technical Note \(REP2-065\) Appendix 5 of Chapter 6 \(Air Quality\) of the ES \(REP8-012\)](#) sets out the findings of the air quality modelling for European Sites. The results of the modelling prior to the application of operational emissions abatement mitigation, show that the PC in the with Proposed Scheme scenario is $\leq 1\%$ of the critical level for all European Sites for NO_x, NH₃, and SO₂, [and/or that the Critical level is not exceeded](#). The impacts of operation of the 'with Proposed Scheme' scenario alone on annual nitrogen deposition rates are also classified as insignificant ($\leq 1\%$ of the critical load) at all European Sites.
- 3.5.49. Natural England raised several queries in relation to the assessment of operational air quality effects in their Relevant Representation (AS-011). These included a request for additional assessment of the potential for nitrogen deposition to lead to effects on the River Derwent SAC (see Key Issue 20 in Table 1 of the Natural England Relevant Representation). Additional analysis has been completed by the Applicant following the Natural England advice and is set out below.
- 3.5.50. In relation to the River Derwent SAC (for which no critical loads are available), Environment Agency monitoring data for the River Derwent (Environment Agency, 2022) reports that the River Derwent has a high acid buffering capacity. This indicates that the pH of the river water is unlikely to be significantly affected by minor additional acid deposition. In turn, fish qualifying interests of the River Derwent and its tributaries are unlikely to be subject to any effects as a result of acid deposition from the Proposed Scheme.
- 3.5.51. Otters are also a qualifying feature of the River Derwent SAC and Lower Derwent Valley SAC. It is considered that any minor acidification impacts to the River Derwent SAC and Lower Derwent Valley SAC would not significantly alter the ability of habitats within (or adjacent) to these to support the resident otter population. The otter population associated with the SAC uses the river Derwent and other watercourses for foraging. Otters are carnivorous, feeding on a variety of primarily aquatic and amphibious prey. Fish are typically a large component of their diet, but amphibians, small mammals, and waterfowl can also be taken. As set out above, the high acid buffering capacity of the River Derwent means fish populations providing prey to SAC otter populations are unlikely to be affected.
- 3.5.52. In addition to a source of prey, otters also require suitable habitat features that provide shelter. In the context of the River Derwent and Lower Derwent Valley, this is provided by areas of dense bankside vegetation (tree and scrub cover) along the river and its tributaries. Areas of dense vegetation away from watercourses are also likely to be of importance, particularly for the establishment of natal holts by female otters⁶.

⁶ Female otters are particularly sensitive to disturbance whilst rearing young. They will seek out particularly secluded and sheltered locations to establish natal holts, where young are born and reared.

Any minor acid deposition arising from the Proposed Scheme is not predicted to lead to perceptible changes to the structure of vegetation adjacent to the River Derwent SAC or within the Lower Derwent Valley SAC due to the low magnitude of the impact against a backdrop of substantially reduced SO₂ emissions from Drax (and other sources) in recent decades. There would be no change in the structure of bankside and other vegetation and therefore no change in the availability of habitat providing sheltering opportunities for otters. There would therefore be no LSE on the otter qualifying feature of the Lower Derwent Valley SAC or River Derwent SAC.

- 3.5.53. The alluvial woodland qualifying interest of the Lower Derwent Valley SAC is not sensitive to nitrogen deposition or acid deposition, as set out in Appendix 5. There would therefore be no LSE on the alluvial woodland qualifying feature of the Lower Derwent Valley SAC.
- 3.5.54. In addition, the Applicant has completed additional survey work and analysis to confirm the habitats present along the River Derwent SAC and Lower Derwent Valley SAC. This was completed to confirm the habitats present and hence to confirm appropriate habitats for use in dispersion (air quality) modelling of 'proxy habitats' for the River Derwent, as requested by Natural England. This work is reported in full in Appendix 7 of this HRA Report (REP2-107). Modelling of the 'fen, marsh, and swamp' habitat, as requested by Natural England, predicted a maximum impact (Proposed Scheme alone, prior to the application of operational emissions abatement measures) of up to 0.4% of critical load for nitrogen deposition. This is below the 1% screening threshold for significance, as described below.
- 3.5.55. In relation to all bird qualifying interest features of all SPA/Ramsar sites within 15 km of the Proposed Scheme Main Stack, these are not considered sensitive to air quality impacts and/or there are no exceedances of air quality screening criteria, as identified in **Appendix 5** and in **Appendix 5** to the **Applicant's Responses to Examining Authorities First Written Questions, Revised Emissions Abatement Technical Note** (REP2-065). The analysis for sensitivity of SPA/Ramsar bird features to air quality effects is set out in Appendix 5 of this report.
- 3.5.56. In response to the Natural England RR and additional discussions taking place via Natural England's Discretionary Advice Service, the Applicant has also completed site surveys of parts of the Lower Derwent Valley SAC/Ramsar (Brighton Meadows and Derwent Ings SSSI underpinning sites). The survey work was focussed on inspections of habitats associated with the River Derwent SAC, but also gathered incidental habitat information from within and adjacent to the Lower Derwent Valley designations, including assessment of Lower Derwent Valley SAC qualifying interest habitats. A technical note reporting the outcomes of the survey is provided in Appendix 7 (document reference REP2-107).
- 3.5.57. The survey work was completed outside the optimal period for botanical survey. It was therefore not possible to gather comprehensive habitat and species data. A number of botanical species could though still be identified. The survey data (see Table 1 in Appendix 7) found evidence of agricultural improvement within a number of

field units within and bordering the Lower Derwent Valley. The evidence of agricultural improvement suggests the surveyed locations are likely to be relatively insensitive to additional aerial nitrogen and acid deposition inputs.

- 3.5.58. Analysis of Natural England long-term soils and habitat data for Lower Derwent Valley SAC, SPA, and Ramsar (and underpinning SSSI) has also been completed since Version 2 of this HRA Report was produced. Details are contained in Appendix 8 of this HRA Report (REP3-009). This analysis has determined that the most appropriate acidity critical load class to use for Lower Derwent Valley SAC/Ramsar is the 'calcareous grassland' critical load class. Previously, the 'acid grassland' critical load class was used.
- 3.5.59. 'Calcareous grassland' habitats are less sensitive to acid deposition than 'acid grassland' habitats. With use of the 'calcareous grassland' critical load class, impacts of the Proposed Scheme on Lower Derwent Valley SAC/Ramsar are less than 1% of critical load, with a maximum predicted impact equivalent to 0.3% of critical load. No LSE are therefore predicted in relation to acid deposition impacts on the Lower Derwent Valley SAC/Ramsar.
- 3.5.60. The modelled PC in the with Proposed Scheme scenario for acid deposition is above 1% of the respective critical load at sensitive habitats within Thorne Moor SAC (1.3%). Given that background levels of acid deposition at the relevant sensitive habitats within these designated sites already exceed their respective critical loads, the impacts associated with Proposed Scheme scenario PECs exceed the screening criterion (i.e., PEC >70% of critical level).
- 3.5.61. Significant effects relating to acid deposition at Thorne Moor SAC cannot therefore be screened out on numerical grounds when considering the impacts of the with Proposed Scheme scenario alone.
- 3.5.62. For acid deposition, contributions attributed to the with Proposed Scheme scenario are a small proportion of the existing background levels of deposition at the affected designated sites. That is to say that the risk of exceedance of critical loads or the level of exceedance of the critical load, is wholly dependent on the existing deposition levels and would not be materially affected by the Proposed Scheme.
- 3.5.63. Given the above, potential LSE have been identified in relation to acid deposition for Thorne Moor SAC in the with Proposed Scheme scenario alone.

Operational Noise Disturbance of European Site Qualifying Features

- 3.5.64. Modelling has been completed to predict the noise generated by the Proposed Scheme during operation. This noise modelling takes into account a series of acoustic mitigation measures designed to reduce noise resulting from operation of the Carbon Capture Plant. These measures are considered to be embedded into the design, and therefore form part of Primary Mitigation, as set in **Section 2.2 of Chapter 2 (Site and Project Description)** of Volume 1 of the ES (APP-038). These embedded measures primarily comprise acoustic enclosures and cladding, that would reduce the level of noise otherwise generated by the Carbon Capture Plant. They

have been included in the Scheme design to mitigate effects on human receptors, with European Sites not being considered when the measures were developed. They form an integral part of the Proposed Scheme design, and the draft DCO ([AS-076REP8-005](#)) would not allow for the Proposed Scheme to be built without these measures included. As such, these measures are not considered to be affected by the People Over Wind judgment (People over Wind and Peter Sweetman v Coillte, 2018), and can be considered when screening for LSE on European Sites.

- 3.5.65. The results of the assessment for Biodiversity Receptors are set out in **Table 2 of Appendix 7.6 of Chapter 7 (Noise and Vibration)** of Volume 3 of the ES (APP-135). The locations of the modelled Biodiversity Receptors are shown on **Figure 7.2 of Chapter 7 (Noise and Vibration)** in Volume 2 of the ES (APP-090). The results of the noise modelling predict a maximum level of noise at any Biodiversity Receptor of 51 LAeq,T dB (at the BRS receptor located on the Main Stack, inside the Power Station Site). The maximum noise level at any Biodiversity Receptor considered to provide functionally linked habitat (Biodiversity Receptor 5) is 28 LAeq,T dB. These levels are equivalent to a 'quiet library' (Health and Safety Executive, 2022). Given the very low levels of noise that would arise from operation of the Carbon Capture Plant, no disturbance of any European Site qualifying interests is predicted to arise.
- 3.5.66. Habitat management activities in the Habitat Provision Area and Off-site Habitat Provision Area may also generate noise during the operational phase. As discussed in Table 3.3, these areas may be used by low numbers of SPA bird species and otter that are also part of the qualifying interest populations of nearby European Sites. Given that these activities would be carried out only occasionally and would be equivalent to baseline agricultural and other activities in the local area, they are not predicted to generate sufficient noise to disturb qualifying features of European Sites.
- 3.5.67. In light of the above, no LSE to any European Site are predicted in relation to operational noise and vibration disturbance.

Increased Levels of Visual Disturbance during Operation

- 3.5.68. The following activities during the operational phase have the potential to cause visual disturbance of European Site qualifying interests:
- a. Presence of additional personnel within the Power Station site, in order to run and maintain the Carbon Capture Plant and ancillary equipment;
 - b. Additional lighting required to support safe and effective operation of the Carbon Capture Plant;
 - c. Habitat management activities in the Habitat Provision Area and Off-site Habitat Provision Area.
- 3.5.69. During the operational phase of the Proposed Scheme a workforce of 50 full time staff would be required for operation and maintenance activities (see **Section 2.4 of Chapter 2 (Site and Project Description)** of Volume 1 of the ES (APP-038). The workforce would typically be working on the Carbon Capture Plant, which would be located within the existing Drax Power Station Site, in areas that are currently

dominated by hard-standing and existing structures. The Carbon Capture Plant would also be located in excess of 200 m from the identified functionally-linked land to the north of the existing Power Station Site (Carr Dyke and Habitat Provision Area) that may be used by Qualifying interests (otters and waterfowl) of European Sites.

- 3.5.70. Some maintenance and monitoring of the Carbon Dioxide Delivery Terminal Compound may also need to be delivered by the Applicant, if this is constructed as part of the Proposed Scheme. Although the exact location would be confirmed through the detailed design process, the approximate location is likely to be approximately 25 m from the downstream end of the culverted section of Carr Dyke and a similar distance from the Habitat Provision Area to the north. As set out in **Table 3.3**, these areas may be used by low numbers of SPA / Ramsar site bird species. Carr Dyke and the Habitat Provision Area are also likely to be used on occasion by otters, which are a qualifying interest of the River Derwent and Lower Derwent Valleys SACs.
- 3.5.71. As set out above, a relatively low number of personnel would be involved in operation and maintenance of the Proposed Scheme and the majority of their time would be spent in the vicinity of the Carbon Capture Plant. There is considered to be a negligible risk of disturbance of European Site qualifying interests using functionally-linked land adjacent to the Proposed Scheme.
- 3.5.72. Additional lighting is likely to be required during the operational phase of the Proposed Scheme, to support safe 24/7 working. Lighting will be required primarily in relation to any new infrastructure. As such, the majority of any new lighting is likely to be required in the vicinity of the Carbon Capture Plant. This would be located amongst existing buildings and other infrastructure where there is existing lighting, away from the periphery of the existing Power Station Site. As such, any new lighting required for the Carbon Capture Plant is unlikely to introduce significant illumination into functionally-linked land that could be used by SPA / Ramsar birds or otters. The Carbon Dioxide Delivery Terminal (if delivered as part of the Proposed Scheme) would have minimal lighting requirements (see **paragraph 2.2.43 of Chapter 2 (Site and Project Description)** of the ES (APP-038).
- 3.5.73. Given the locations where lighting may be required, no significant light spill onto functionally-linked land that may be used by European Site qualifying interests is predicted. No LSE are expected to arise from operational lighting.
- 3.5.74. In addition, the design of any new lighting would adhere to the principles set out in the **Draft Lighting Strategy** ([APP-184REP6-019](#)), which includes requirements for the ecologically sensitive design of lighting, although this is not considered necessary to avoid LSE.
- 3.5.75. During the operational phase, habitat establishment, maintenance and management activities will be required intermittently within the Habitat Provision Area (for hedgerow planting) and the Off-Site Habitat Provision Area (for grassland, scrub, and hedgerow habitats). Such activities would take place on an occasional basis and would be relatively non-intrusive. Further details of proposed habitat management and

maintenance are set out in the **Outline Landscape and Biodiversity Strategy** ([AS-094REP6-017](#)).

- 3.5.76. As set out in **Table 3.3**, the Habitat Provision Area and Off-site Habitat Provision Area may be used by low numbers of SPA / Ramsar bird species, and in the case of the Habitat Provision Area and the adjacent Carr Dyke, by otter. Otter is a qualifying interest of the nearby River Derwent SAC and Lower Derwent Valley SAC.
- 3.5.77. Given the nature of the proposed habitat maintenance and management requirements, with activities equivalent to ongoing baseline agricultural activities, these are not predicted to lead to significant [visual](#) disturbance of European Site qualifying interests using functionally-linked land. As such, no LSE are predicted to arise.

Accidental releases of water-borne pollutants

- 3.5.78. As set out between **paragraph 12.9.30 and 12.9.32 of Chapter 12 (Water Environment)** in Volume 1 of the ES (APP-048), in the absence of mitigation Carr Dyke and River Ouse may be at increased risk of pollution from accidental spillages of oils, hydrocarbons, and hazardous substances during operation. The assessment presented in the Water Environment chapter of the ES identifies the potential for significant adverse effects to Carr Dyke and the River Ouse.
- 3.5.79. In the event of an accidental release of water-borne pollutants into Carr Dyke or River Ouse, this could temporarily reduce the suitability of these watercourses for foraging otter. In the event of a significant spill vegetation and fish populations could be impacted, reducing the suitability of the watercourse for foraging otter in the short to medium term. Any otters using the Carr Dyke / River Ouse may also be part of the qualifying interest populations of the River Derwent SAC and Lower Derwent Valley SAC.
- 3.5.80. In addition, the River Ouse is a migratory route for river and sea lamprey including those moving between the Humber Estuary and the River Derwent. Sea and river lamprey using the River Ouse are also likely to be part of the qualifying interest populations for which the River Derwent SAC and Humber Estuary SAC and Ramsar have been designated. Carr Dyke and River Ouse may also be used by wintering birds that are associated with Lower Derwent Valley (SPA and Ramsar) and Humber Estuary (SPA and Ramsar). As such, there is the potential for LSE on these SAC, SPA, and Ramsar Sites.

SUMMARY OF PROPOSED SCHEME POTENTIAL LSE ALONE

- 3.5.81. **Table 3.7** summarises the potential LSE that could arise from the Proposed Scheme alone.

Table 3.7 - Summary of Potential LSE from Proposed Scheme alone

Impact Pathway	European Sites with potential LSE
Construction and Decommissioning Phase	
Loss or physical disturbance of functionally-linked land	River Derwent SAC, Lower Derwent Valley SAC, Lower Derwent Valley SPA, Lower Derwent Valley Ramsar, Humber Estuary SPA, Humber Estuary Ramsar.
Emissions of dust	River Derwent SAC, Lower Derwent Valley SAC, Lower Derwent Valley SPA, Lower Derwent Valley Ramsar, Humber Estuary SPA, Humber Estuary Ramsar.
Increased risk of pollution from sediment load	River Derwent SAC, Lower Derwent Valley SAC, Lower Derwent Valley SPA, Lower Derwent Valley Ramsar, Humber Estuary SPA, Humber Estuary Ramsar.
Accidental releases of water-borne pollutants	River Derwent SAC, Lower Derwent Valley SAC, Lower Derwent Valley SPA, Lower Derwent Valley Ramsar, Humber Estuary SAC, Humber Estuary SPA, Humber Estuary Ramsar.
Disturbance from Noise and Vibration	None
Increased visual disturbance from plant and personnel	River Derwent SAC, Lower Derwent Valley SAC, Lower Derwent Valley SPA, Lower Derwent Valley Ramsar, Humber Estuary SPA, Humber Estuary Ramsar.
Emissions from construction traffic	None
Operation Phase	
Emissions of treated flue gas to air in with Proposed Scheme scenario	Thorne Moor SAC.

Impact Pathway	European Sites with potential LSE
Operational Noise Disturbance	None
Increased Levels of Visual Disturbance during operation	None
Accidental releases of water-borne pollutants	River Derwent SAC, Lower Derwent Valley SAC, Lower Derwent Valley SPA, Lower Derwent Valley Ramsar, Humber Estuary SAC, Humber Estuary SPA, Humber Estuary Ramsar.

IN-COMBINATION IMPACTS AND EFFECTS

- 3.5.82. This section of the HRA Report identifies effects that may arise from The Proposed Scheme in combination with other plans and projects. Each of the impact pathways that have been identified for the Main Scheme are reassessed, with consideration to how those impacts could be changed by the other plans and projects brought forward for in-combination assessment.

Construction

- 3.5.83. Consideration is given below to how each of the impact pathways arising from the Proposed Scheme during construction could be influenced by other plans and projects.

Loss or physical disturbance of Functionally-linked Land

- 3.5.84. As set out in **Table 3.3** there is potential for minor loss of functionally-linked land to arise from the Proposed Scheme alone, in relation to the following Sites and qualifying interests:
- a. River Derwent SAC (otter);
 - b. Lower Derwent Valley SAC (otter);
 - c. Lower Derwent Valley SPA (qualifying interest bird species);
 - d. Lower Derwent Valley Ramsar (qualifying interest bird species);
 - e. Humber Estuary SPA (qualifying interest bird species); and
 - f. Humber Estuary Ramsar (qualifying interest bird species)
- 3.5.85. **Table 3.8** below assesses whether each of the other plans and projects could contribute to losses of functionally-linked land, in-combination with other plans and projects. Other plans and projects are only listed if they passed the initial screening

exercise to assess whether they could conceivably trigger or worsen in-combination effects with the Proposed Scheme in respect of this issue. Further details relating to each of the projects assessed are provided in Appendix 18.5 (Cumulative Assessment Matrix) of Chapter 18 (Cumulative Effects) of the ES (REP4-035).

Table 3.8 - HRA Screening In-combination Assessment: Loss or physical disturbance of Functionally-linked Land

Development ID and Name	Summary of potential in-combination LSE
Developments 1, 4 and 47	<p>These developments are all located in excess of 5 km from the Proposed Scheme and any other European Site, with the exception of Development 47 which is located in an industrial site adjacent to the Humber Estuary SAC, SPA and Ramsar. Development 47 is located approximately 22 km from the Proposed Scheme. The only conceivable impact pathway by which they could lead to in-combination LSE with the Proposed Scheme is through their operational air quality impacts combining with the with Proposed Scheme scenario for air quality purposes. As such, they could not contribute to in-combination effects during construction.</p>
Development 3: SEGL2	<p>Development 3 is predicted to be constructed between 2024 – 2031. It would have no permanent landtake within the Zol of the Proposed Scheme other than for a Converter Station. This would be located in part of an arable field, located to the south of the East Construction Laydown Area (see Figure 18.1 of Chapter 18 (Cumulative Effects) of the ES (APP-114). This would result in permanent loss of part of the arable land. No other habitats are expected to be permanently lost. It is possible that the field where the Converter Station will be situated could be used occasionally by birds that also form part of the Lower Derwent Valley SPA and Ramsar and the Humber Estuary SPA and Ramsar. There is therefore potential for minor loss of habitat that may be used by SPA/Ramsar bird species.</p> <p>Installation of the HVDC cable for Development 3 could potentially result in temporary disturbance of functionally-linked habitat used by otters forming part of the River Derwent SAC and Lower Derwent-Valley SAC populations. Detailed information on the proposed location of the cable was not available for assessment. The EIA Scoping Report for Development 3 states that a crossing of the River Ouse downstream of the Proposed Scheme would be required. This would be installed under the River Ouse by Horizontal Directional Drilling (HDD) or similar, so is not expected to physically affect the river itself. Machinery would however need to be used either side of the river, to complete the HDD process. The cable may also be installed across smaller watercourses by open-cut techniques, with these subsequently reinstated. The cable is also likely to be installed across other land by open-cut techniques, which would lead to temporary and short-term loss and disturbance of a narrow footprint of land along the cable route.</p> <p>Installation of the cable could therefore also lead to short-term temporary loss of functionally-linked habitat that may be used by SPA/Ramsar bird species that form part of the Lower Derwent Valley SPA and Ramsar and the Humber Estuary SPA and Ramsar populations.</p> <p>There is therefore potential for Development 3 to contribute to in-combination loss and disturbance of functionally-linked land during construction, worsening effects of the Proposed Scheme alone.</p>
Development 6 – Barlow Mound Ash reclamation	<p>Development 6 involves proposals for the mining and reclamation of ash from the ‘Barlow mound’. Barlow Mound has been used and remains in use for the disposal of ash generated by combustion of biomass at the Drax Power Station Site. Following reclamation of ash, the site would be restored. Development 6 is located approximately 600m west of the Proposed Scheme. Barlow Mound is known to support a range of habitats and protected and notable species, having been subject to a long-term programme of ecological monitoring and management by Drax.</p> <p>An EIA Scoping Report has been submitted to SDC, but no assessment of the potential ecological effects of Development 6 is yet available other than identification of potential impact pathways and high-level mitigation principles.</p> <p>Habitats within Barlow Mound include areas of grassland, that could be used by wintering birds associated with the Lower Derwent Valley SPA and Ramsar and Humber Estuary SPA and Ramsar sites. It is therefore possible that reclamation works for Barlow Mound could result in some loss of habitat that may be used by SPA birds. Whilst Barlow Mound does include suitable areas of open grassland, field units are small and there are also extensive blocks of woodland present. Any use by SPA / Ramsar bird species is therefore likely to be relatively limited but cannot be ruled out in its entirety. There is therefore potential for in-combination LSE with the Proposed Scheme.</p>
Development 7	<p>Development 7 is located to the south of the Proposed Scheme and comprises an expansion of ongoing horticultural activity at the Site plus ancillary works. The Preliminary Ecological Appraisal for the planning application identifies that Development 7 is situated in an area of low ecological interest. This is confirmed by the NYCC Ecologists consultation response to Development 3. The only possible in-combination impact pathway identified for Development 7</p>

Development ID and Name	Summary of potential in-combination LSE
	was in relation to the potential for a proposed energy centre to contribute to cumulative air quality impacts. As such, Development 7 would not contribute to in-combination effects in relation to loss or physical disturbance of functionally-linked land.
Development 9 – erection and operation of five wind turbines	<p>Development 9 would involve the erection and subsequent operation of five wind turbines. Development 9 is located approximately 1.9km west of the Proposed Scheme.</p> <p>An EIA Screening request was issued to SDC in March 2021, with SDC issuing an EIA Screening Opinion in June 2021 confirming an ES is required. The response from the NYCC Planning Ecologist identifies that they consider Development 9 needs to consider potential impacts on bird species associated with designated sites including the Lower Derwent Valley SPA / Ramsar and other SPA sites. The NYCC ecologist identifies that a shadow HRA and bird survey information should be submitted with any planning application for Development 9.</p> <p>No other environmental information was available for Development 9.</p> <p>It is possible that construction and operation of Development 9 could displace SPA bird species, that would otherwise use the habitats present, effectively leading to loss of functionally-linked land. There is therefore an in-combination risk of LSE, although this cannot be assessed with any accuracy without bird survey data for Development 9.</p>
Development 10 – solar farm	<p>Development 10 involves the construction of a new solar farm across a 112ha site located approximately 1 km from the Proposed Scheme.</p> <p>The response from the NYCC Ecologist to the planning application states that significant effects on the River Derwent SAC / SSSI can be ruled out, and that no further assessment under the Conservation of Habitats and Species Regulations (2017, as amended) is needed. On this basis, and given the scale and location of Development 10, there is considered to be no prospect of in-combination effects with the Proposed Scheme.</p>
Development 12 – Flue Gas Demolition	<p>Development 12 involves the demolition of existing flue gas desulphurisation infrastructure within the existing Drax Power Station Site. Demolition activities will overlap spatially with the Proposed Scheme and may be taking place during the operation of the Proposed Scheme. As such Development 12 could be being implemented during operation of the Proposed Scheme.</p> <p>Development 12 is located entirely within the existing Drax power Station Site and is more than 100 m from the closest functionally-linked land to the north of the Power Station Site (Carr Dyke and Habitat Provision Area). As such, Development 12 will cause no loss or disturbance of functionally-linked land and cannot contribute to in-combination LSE in relation to this type of impact.</p>
Development 92 – mixed use development and distributor road	<p>This development comprises a mixed-use development to the west of Goole. The only possible in-combination impact pathway identified for Development 92 was in relation to the potential for localised cumulative air quality impacts on Humber Estuary SAC/SPA/Ramsar due to Proposed Scheme traffic emissions to combine with operational emissions from the Proposed Scheme. As such, Development 92 would not contribute to in-combination effects in relation to loss or disturbance of functionally-linked land and no LSE are predicted to arise.</p>
Development 102 – Humber Low Carbon Pipelines	<p>The western limit of Development 102 is at the northern boundary of the existing Drax Power Station Site, with several potential locations for Above Ground Installations (AGI) proposed to the north-east of the Existing Power Station Site. There are minor overlaps with the Order Limits for the Proposed Scheme. Options A to C of the Drax AGI locations could have some overlap, as could the westernmost limits of the Development 102 pipeline run.</p> <p>The AGI would result in permanent landtake of habitats north-east of the existing Drax Power Station site and to the south of the East Construction Laydown Area. There would also be temporary loss, disturbance, and fragmentation of habitats for the pipeline installation.</p> <p>Installation of the pipeline for Development 102 could potentially result in temporary disturbance of functionally-linked habitat used by otters forming part of the River Derwent SAC and Lower Derwent SAC populations. The precise location of the pipeline was not available for assessment, but would follow a route running towards the south-east from the Proposed Scheme. The pipeline may be installed across smaller watercourses by open-cut techniques, with these subsequently reinstated. The pipeline is also likely to be installed across other land by open-cut techniques, which would lead to temporary and short-term loss and disturbance of a narrow footprint of land along the cable route, primarily agricultural land where within 1 km of the Proposed Scheme.</p>

Development ID and Name	Summary of potential in-combination LSE
	<p>Installation of the pipeline could therefore also lead to short-term temporary loss of functionally-linked habitat that may be used by SPA/Ramsar bird species that form part of the Lower Derwent Valley SPA and Ramsar and the Humber Estuary SPA and Ramsar populations.</p> <p>There is therefore potential for Development 1023 to contribute to in-combination loss and disturbance of functionally-linked land during construction, worsening effects of the Proposed Scheme alone.</p>
Development 103 – East Yorkshire Solar Farm	<p>Information has been obtained from the Scoping Report and Scoping Opinion for Development 103. The western limit of the Grid Connection Corridor (GCC) for Development 103 is at the eastern boundary of the existing Drax Power Station Site, to connect with a convertor station proposed in an agricultural field to the east of New Road. There is a minor overlap with the Order Limits for the Proposed Scheme in the far east of the existing Drax Power Station Site. The GCC would be installed under the River Ouse downstream of the confluence of Carr Dike (which flows under the existing Power Station Site) with the River Ouse. There is also overlap with the Proposed Scheme's Habitat Provision Area. It should be noted that the Applicant is seeking to engage with the applicant for this development to remove this overlap but this assessment has been undertaken on a precautionary basis in case this is unable to be achieved. Due to the low resolution of available drawings and the lack of detailed design information for Development 103, it is not possible to determine the extent of potential overlap or which (if any) parts of the Habitat Provision Area could be directly affected.</p> <p>There would be temporary loss, disturbance, and fragmentation of habitats for the GCC. This could lead to disturbance / loss of habitats for bird and otter populations associated with designated sites within the Zol of the Proposed Scheme, including National Network Sites. The Proposed Scheme would not result in the loss or disturbance of any watercourses and there is therefore no possibility of in-combination effects on fish populations that are qualifying interests of relevant European Sites. Construction is predicted to last two years and to take place between either 2024 or 2025 and so finish in either- 2026 or 2027, so would overlap with proposed timescales for construction of the Proposed Scheme.</p> <p>There is therefore potential for Development 103 to contribute to in-combination loss and disturbance of functionally-linked land during construction, worsening effects of the Proposed Scheme alone in relation to birds and otters. In-combination LSE with the Proposed Scheme may therefore arise.</p>
Development 106 – Demolition of existing buildings and creation of 28 dwellings, with associated external works.	<p>Development 106 is adjacent to the northern bank of the River Ouse and may impact otter. The Preliminary Ecological Appraisal (PEA) included with the application for 106 states that there is no evidence to suggest otter are using the site, however there is suitable habitat for otter along the River Ouse. The PEA also states that here are 9 records for Eurasian Otter (<i>Lutra lutra</i>) relating to a 1.2 km stretch of the Ouse, approximately 0.9 km south of the site. The PEA for Development 106 states that if works are required near the river, then further survey for otter would be undertaken.</p> <p>With the available information for Development 106 it is not possible to rule out that development resulting in some minor loss of habitat that could be used by otter populations associated with the River Derwent or Lower Derwent Valley SAC. Development 106 is not expected to result in the loss or disturbance of habitats suitable for fish or birds that are qualifying interests of relevant European Sites.</p> <p>Therefore, LSE are predicted to arise in relation to the River Derwent SAC and Lower Derwent Valley SAC, with only the otter qualifying interest potentially affected.</p>
Development 44, 52, 99, and 100	<p>These developments comprise industrial and/or commercial developments within 1 km of Work Number 8 of the Proposed Scheme. They would each involve some level of habitat loss, although the application materials for those developments indicate that loss of habitat that could provide functionally-linked habitat for SPA bird species (or any other European Site qualifying interest) is negligible.</p> <p>Given that there would be no permanent habitat loss associated with Work Number 8 and that construction for Work Number 8 is expected to take approximately four weeks to complete with habitats reinstated afterwards, no LSE are predicted to arise.</p>

EMISSIONS OF DUST

3.5.86. Table 3.9 below assesses whether each of the other plans and projects could contribute to increased dust deposition in functionally-linked land also affected by the Proposed Scheme.

Table 3.9 - HRA Screening In-combination Assessment: Dust

Development ID and Name	Summary of potential in-combination LSE
Developments 1, 4 and 47	These developments are all located in excess of 5 km from the Proposed Scheme and any other European Site, with the exception of Development 47 which is located in an industrial site adjacent to the Humber Estuary SAC, SPA and Ramsar. Development 47 is located approximately 22 km from the Proposed Scheme. The only conceivable impact pathway by which they could lead to in-combination LSE with the Proposed Scheme is through their operational air quality impacts combining with the with Proposed Scheme scenario for air quality purposes. As such, they could not contribute to any in-combination effects during construction.
Development 3: SEGL2	Development 3 is located more than 50 m from any of the functionally-linked land that could be affected by dust deposition from the Proposed Scheme (see paragraph 3.5.5 to 3.5.12 for description of the Proposed Scheme's effects alone). As such, there is no prospect of any dust generated by Development 3 affecting areas of functionally-linked land that may be affected by dust from the Proposed Scheme. As such, there is no prospect of in-combination LSE between Development 3 and the Proposed Scheme.
Development 6 – Barlow Mound Ash reclamation	Development 6 is located more than 50 m from any of the functionally-linked land that could be affected by dust deposition from the Proposed Scheme. As such, there is no prospect of any dust generated by Development 6 affecting areas of functionally-linked land that may be affected by dust from the Proposed Scheme. As such, there is no prospect of in-combination LSE between Development 6 and the Proposed Scheme.
Development 7	Development 7 is located more than 50 m from any of the functionally-linked land that could be affected by dust deposition from the Proposed Scheme. As such, there is no prospect of any dust generated by Development 6 affecting areas of functionally-linked land that may be affected by dust from the Proposed Scheme. As such, there is no prospect of in-combination LSE between Development 7 and the Proposed Scheme.
Development 9 – erection and operation of five wind turbines	Development 9 is located more than 50 m from any of the functionally-linked land that could be affected by dust deposition from the Proposed Scheme. As such, there is no prospect of any dust generated by Development 9 affecting areas of functionally-linked land that may be affected by dust from the Proposed Scheme. As such, there is no prospect of in-combination LSE between Development 9 and the Proposed Scheme.
Development 10 – solar farm	Development 10 is located more than 50 m from any of the functionally-linked land that could be affected by dust deposition from the Proposed Scheme. As such, there is no prospect of any dust generated by Development 10 affecting areas of functionally-linked land that may be affected by dust from the Proposed Scheme. As such, there is no prospect of in-combination LSE between Development 10 and the Proposed Scheme.
Development 12 – Flue Gas Demolition	Development 12 is located more than 50 m from any of the functionally-linked land that could be affected by dust deposition from the Proposed Scheme. Beyond 50 m from a dust source, there is no requirement to assess the potential effect of dusts on ecological receptors, as any effects would be negligible and hence <i>de minimis</i> (Holman. C., 2014). As such, there is no prospect of any dust generated by Development 12 affecting areas of functionally-linked land that may be affected by dust from the Proposed Scheme. As such, there is no prospect of in-combination LSE between Development 12 and the Proposed Scheme.
Development 92 – Mixed use development and distributor road	Development 92 is located more than 50 m from any of the functionally-linked land that could be affected by dust deposition from the Proposed Scheme. As such, there is no prospect of any dust generated by Development 92 affecting areas of functionally-linked land that may be affected by dust from the Proposed Scheme. As such, there is no prospect of in-combination LSE between Development 10 and the Proposed Scheme.
Development 102 – Humber Low Carbon Pipelines	Development 102 overlaps with the Proposed Scheme, with the Order Limits for both projects overlapping in the north of the Drax Power Station Site, Habitat Provision Area, and Eastern Laydown Area. There is therefore potential for Development 102 to contribute to in-combination dust impacts on land in

Development ID and Name	Summary of potential in-combination LSE
	these areas during construction, worsening effects of the Proposed Scheme alone in relation to habitats within the Habitat Provision Area only. This could be relevant for otter populations associated with the River Derwent SAC and Lower Derwent Valley SAC, and bird populations associated with the Lower Derwent Valley SPA and Ramsar and Humber Estuary Spa and Ramsar. In-combination LSE are therefore predicted in relation to dust deposition and Development 102.
Development 44, 52, 99, and 100	<p>These developments comprise industrial and/or commercial developments within 1 km of Works Number 8 of the Proposed Scheme. They would each involve some level of habitat loss, although the application materials for those developments indicate that loss of habitat that could provide functionally-linked habitat for SPA bird species (or any other European Site qualifying interest) is negligible.</p> <p>Given that there would be no permanent habitat loss construction associated with Work Number 8 and that construction for Work Number 8 is expected to take approximately four weeks to complete with no permanent habitat loss and habitats reinstated afterwards, no LSE are predicted to arise.</p>
Development 103 – East Yorkshire Solar Farm	<p>Information has been obtained from the Scoping Report and Scoping Opinion for Development 103. The western limit of the Grid Connection Corridor (GCC) for Development 103 is at the eastern boundary of the existing Drax Power Station Site, to connect with a convertor station proposed in an agricultural field to the east of New Road. There is a minor overlap with the Order Limits for the Proposed Scheme in the far east of the existing Drax Power Station Site. The Grid Connection cable would be installed under the River Ouse downstream of the confluence of Carr Dike (which flows under the existing Power Station Site) with the River Ouse. There is also overlap with the Proposed Scheme’s Habitat Provision Area. It should be noted that the Applicant is seeking to engage with the applicant for this development to remove this overlap but this assessment has been undertaken on a precautionary basis in case this is unable to be achieved. Due to the low resolution of available drawings and the lack of detailed design information for ID103, it is not possible to determine the extent of potential overlap or which (if any) parts of the Habitat Provision Area could be directly affected. Construction of Development 103 is predicted to last two years and to take place between either 2024 or 2025 and so finish in either 2026 or 2027. Construction of Development 103 would therefore overlap with proposed timescales for construction of the Proposed Scheme.</p> <p>There is therefore potential for Development 103 to contribute to in-combination dust impacts on land in these areas during construction, worsening effects of the Proposed Scheme alone. This could be relevant for otter populations associated with the River Derwent SAC and Lower Derwent Valley SAC, and bird populations associated with the Lower Derwent Valley SPA and Ramsar and Humber Estuary Spa and Ramsar. In-combination LSE are therefore predicted in relation to dust deposition and Development 103’s GCC.</p>
Development 106 – Demolition of existing buildings and creation of 28 dwellings, with associated external works.	Development 106 is located more than 50 m from any of the functionally-linked land that could be affected by dust deposition from the Proposed Scheme. As such, there is no prospect of any dust generated by Development 106 affecting areas of functionally-linked land that may be affected by dust from the Proposed Scheme. As such, there is no prospect of in-combination LSE between Development 106 and the Proposed Scheme.

INCREASED RISK OF POLLUTION FROM SEDIMENT LOADING

3.5.87. Table 3.10 below assesses whether each of the other plans and projects could contribute to increased sediment loading in functionally-linked land also affected by the Proposed Scheme.

Table 3.10 - HRA Screening In-combination Assessment: Sediment Loading

Development ID and Name	Summary of potential in-combination LSE
Developments 1, 4 and 47	<p>These developments are all located in excess of 5 km from the Proposed Scheme and any other European Site, with the exception of Development 74 which is located in an industrial site adjacent to the Humber Estuary SAC, SPA and Ramsar. Development 47 is located approximately 22 km from the Proposed Scheme. The only conceivable impact pathway by which they could lead to in-combination LSE with the Proposed Scheme is through their operational air quality impacts combining with the with Proposed Scheme scenario for air quality purposes. As such, they could not contribute to any in-combination effects during construction.</p>
Development 3: SEGL2	<p>Development 3 is predicted to be constructed between 2024 – 2031; construction of this Project therefore overlaps with construction of the Proposed Scheme.</p> <p>Installation of the HVDC cable for Development 3 could generate increased sediment-loading of watercourses, as a consequence because of excavation works to install and reinstate the cable. Detailed information on the exact location of the proposed cable was not available for assessment. The EIA Scoping Report for Development 3 does identify that a crossing of the River Ouse downstream of the Proposed Scheme would be required. This would be installed under the River Ouse by Horizontal Directional Drilling (HDD) or similar, so is not expected to physically affect the river itself. Machinery would however need to be used either side of the river, to complete the HDD process, and the cable may also be installed in adjacent fields and across smaller watercourses by open-cut techniques, with these subsequently reinstated.</p> <p>The Proposed Scheme alone may lead to increased sediment loading of Carr Dyke (see paragraphs 3.5.11 to 3.5.14). No effects whatsoever are predicted for any other functionally-linked land that may be used by European Site qualifying interests. Development 3 would be located to the east of the Proposed Scheme, with the HVDC crossing of the River Ouse downstream of the Proposed Scheme and hence also downstream of Carr Dyke. As such, there is no prospect of in-combination LSE between Development 3 and the Proposed Scheme.</p>
Development 6 – Barlow Mound Ash reclamation	<p>Development 6 involves proposals for the mining and reclamation of ash from the ‘Barlow mound’. It is located within 100 m of the Proposed Scheme.</p> <p>The cumulative assessment of effects on the Water Environment (see Table 1.8 in Appendix 18.5 (Cumulative Effects Assessment Matrix) of the ES (REP4-002) identifies no cumulative effects on surface water features between the Proposed Scheme and Development 6.</p> <p>As such, in-combination LSE between Development 6 and the Proposed Scheme are not predicted to arise.</p>
Development 7	<p>Development 7 is located to the south of the Proposed Scheme and comprises an expansion of ongoing horticultural activity at the Site plus ancillary works. The Preliminary Ecological Appraisal for the planning application identifies that Development 7 is situated in an area of low ecological interest. This is confirmed by the NYCC Ecologists consultation response to Development 3. The only possible in-combination impact pathway identified for Development 7 was in relation to the potential for a proposed energy centre to contribute to cumulative air quality impacts. As such, Development 7 would not contribute to in-combination effects in relation to sediment loading.</p>
Development 9 – erection and operation of five wind turbines	<p>Development 9 is located approximately 1.9 km from the Proposed Scheme. It has been scoped out of the cumulative assessment of effects on the Water Environment (see Table 1.8 in Appendix 18.4 (Justification of Scoping) in Volume 3 of the ES (REP4-003)).</p> <p>As such, there is no prospect of any sediment-loading generated by Development 9 affecting areas of functionally-linked land that may be affected by sediment-loading from the Proposed Scheme. As such, there is no prospect of in-combination LSE between Development 9 and the Proposed Scheme.</p>
Development 10 – solar farm	<p>Development 10 involves the construction of a new solar farm across a 112ha site located approximately 1 km from the Proposed Scheme.</p> <p>It has been scoped out of the cumulative assessment of effects on the Water Environment (see Table 1.8 in Appendix 18.4 (Justification of Scoping) of the ES (REP4-003)).</p>

Development ID and Name	Summary of potential in-combination LSE
	As such, there is no prospect of any sediment-loading generated by Development 10 affecting areas of functionally-linked land that may be affected by sediment-loading from the Proposed Scheme. As such, there is no prospect of in-combination LSE between Development 10 and the Proposed Scheme.
Development 12 – Flue Gas Demolition	<p>As set out in Paragraph 2.1.8 of Chapter 2 (Site and Project Description) of Volume 1 of the ES (APP-038), flue gas demolition works are scheduled to take place between 2022 – 2027. The decommissioning and demolition works of Absorber Units 4, 5 and 6 are scheduled to take place prior to the start of the construction of the Proposed Scheme, whilst the demolition of Absorber Units 1, 2 and 3 are assumed to take place following the completion of the Proposed Scheme.</p> <p>As such, it is not possible for construction and decommissioning sediment-loading from the Proposed Scheme to combine with sediment-loading from Development 12. As such, no in-combination LSE are predicted.</p>
Development 92 – mixed use development and distributor road	This development comprises a mixed-use development to the west of Goole. The only possible in-combination impact pathway identified for Development 92 was in relation to the potential for localised cumulative air quality impacts on Humber Estuary SAC/SPA/Ramsar due to Proposed Scheme traffic emissions to combine with operational emissions from the Proposed Scheme. As such, Development 92 would not contribute to in-combination effects in relation to visual-disturbancesediment loading and no LSE are predicted to arise.
Development 102 – Humber Low Carbon Pipelines	<p>The western limit of Development 102 is at the northern boundary of the existing Drax Power Station Site, with several potential locations for Above Ground Installations (AGI) proposed to the north-east of the Existing Power Station Site. There are minor overlaps with the Order Limits for the Proposed Scheme. Options A to C of the Drax AGI locations could have some overlap, as could the westernmost limits of the Development 102 pipeline run.</p> <p>The AGI would result in permanent landtake of habitats north-east of the existing Drax Power Station site and to the south of the East Construction Laydown Area. There would also be temporary loss, disturbance, and fragmentation of habitats for the pipeline installation.</p> <p>Installation of the pipeline for Development 102 could potentially include a crossing of Carr Dyke, which may provide functionally-linked land for otter populations associated with the River Derwent SAC and Lower Derwent Valley SAC, and qualifying interest bird species associated with the Lower Derwent Valley SPA and Ramsar, and the Humber Estuary SPA and Ramsar.</p> <p>The Proposed Scheme could also increase the risk of sediment loading of Carr Dyke, and the timing of construction of the Proposed Scheme and Development 102 could overlap. There is therefore the potential for in-combination LSE between Development 102 and the Proposed Scheme.</p>
Development 44, 52, 99, and 100	<p>These developments comprise industrial and/or commercial developments within 1 km of Works Number 8 of the Proposed Scheme. They would each involve some level of habitat loss, although the application materials for those developments indicate that loss of habitat that could provide functionally-linked habitat for SPA bird species (or any other European Site qualifying interest) is negligible.</p> <p>Given that there would be at most minor (and hence non-significant) pollution risk impacts on watercourses associated with Work Number 8, and that construction for Work Number 8 is expected to take approximately four weeks to complete, no LSE are predicted to arise.</p>
Development 103 – East Yorkshire Solar Farm	<p>Construction of Development 103 is predicted to last two years and to take place between either 2024 or 2025 and so finish in either 2026 or 2027. Construction of Development 103 would therefore overlap with proposed timescales for construction of the Proposed Scheme. Installation of the GCC for Development 103 could generate increased sediment-loading of watercourses, as a consequence of excavation works to install and reinstate the cable. Detailed information on the exact location of the proposed cable was not available for assessment. The GCC would be installed under the River Ouse downstream of the confluence of Carr Dike (which flows under the existing Power Station Site) with the River Ouse.</p> <p>The Proposed Scheme alone may lead to increased sediment loading of Carr Dyke (see paragraphs 3.5.11 to 3.5.14). No effects whatsoever are predicted for any other functionally-linked land that may be used by European Site qualifying interests. Development 103 would be located to the east of the Proposed Scheme, with the GCC crossing of the River Ouse downstream of the Proposed Scheme and hence also downstream of Carr Dyke. As such, there is no prospect of in-combination LSE between Development 103 and the Proposed Scheme.</p>

Development ID and Name	Summary of potential in-combination LSE
<p>Development 106 – Demolition of existing buildings and creation of 28 dwellings, with associated external works.</p>	<p>Development 106 is adjacent to the northern bank of the River Ouse, upstream of the existing Drax Power Station Site.</p> <p>The Proposed Scheme alone may lead to increased sediment loading of Carr Dyke (see paragraphs 3.5.11 to 3.5.14). No effects whatsoever are predicted for any other functionally-linked land that may be used by European Site qualifying interests. Development 106 would be located on the northern bank of the River Ouse, and is therefore downstream of Carr Dyke which has its confluence with the Ouse on the southern bank of the River Ouse. Development 106 is also beyond the Zone of Influence for water-borne pollution. As such, there is no prospect of in-combination LSE between Development 106 and the Proposed Scheme.</p>

ACCIDENTAL RELEASES OF WATER-BORNE POLLUTANTS

3.5.88. Table 3.11 below assesses whether each of the other plans and projects could contribute to increased waterborne pollution in functionally-linked land also affected by the Proposed Scheme.

Table 3.11 - HRA Screening In-combination Assessment: Water-borne Pollutants

Development ID and Name	Summary of potential in-combination LSE
Developments 1, 4, and 47	<p>These developments are all located in excess of 5 km from the Proposed Scheme and any other European Site, with the exception of Development 47 which is located in an industrial site adjacent to the Humber Estuary SAC, SPA and Ramsar. Development 47 is located approximately 22 km from the Proposed Scheme. The only conceivable impact pathway by which they could lead to in-combination LSE with the Proposed Scheme is through their operational air quality impacts combining with the with Proposed Scheme scenario for air quality purposes. As such, they could not contribute to any in-combination effects during construction.</p>
Development 3: SEGL2	<p>Development 3 is predicted to be constructed between 2024 – 2031; construction of this Project therefore overlaps with construction of the Proposed Scheme.</p> <p>Installation of the HVDC cable for Development 3 could generate increased risk of water-borne pollutants to receiving watercourses, including the River Ouse. The cumulative assessment of effects on the Water Environment (see Table 1.1 in Appendix 18.5 (Cumulative Effects Assessment Matrix) of Volume 3 of the ES (REP4-002) identifies the potential for cumulative adverse effects</p> <p>There is therefore potential for Development 3 to contribute to in-combination releases of water-borne pollutants, worsening the potential LSE from the Proposed Scheme alone.</p>
Development 6 – Barlow Mound Ash reclamation	<p>Development 6 involves proposals for the mining and reclamation of ash from the ‘Barlow mound’. It is located within 100 m of the Proposed Scheme.</p> <p>The cumulative assessment of effects on the Water Environment (see Table 1.1 in Appendix 18.5 (Cumulative Effects Assessment Matrix) of Volume 3 of the ES (REP4-002) identifies no cumulative effects on surface water features between the Proposed Scheme and Development 6.</p> <p>As such, in-combination LSE between Development 6 and the Proposed Scheme are not predicted to arise.</p>
Development 7	<p>Development 7 is located to the south of the Proposed Scheme and comprises an expansion of ongoing horticultural activity at the Site plus ancillary works. The Preliminary Ecological Appraisal for the planning application identifies that Development 7 is situated in an area of low ecological interest. This is confirmed by the NYCC Ecologists consultation response to Development 3. The only possible in-combination impact pathway identified for Development 7 was in relation to the potential for a proposed energy centre to contribute to cumulative air quality impacts. As such, Development 7 would not contribute to in-combination effects in relation to water-borne pollution.</p>
Development 9 – erection and operation of five wind turbines	<p>Development 9 is located approximately 1.9 km from the Proposed Scheme. It has been scoped out of the cumulative assessment of effects on the Water Environment (see Table 1.8 in Appendix 18.4 (Justification of Scoping) in Volume 3 of the ES (REP4-003)).</p> <p>As such, there is no prospect of any water-borne pollutants generated by Development 9 affecting areas of functionally-linked land that may be affected by water-borne pollution from the Proposed Scheme. As such, there is no prospect of in-combination LSE between Development 9 and the Proposed Scheme.</p>
Development 10 – solar farm	<p>Development 10 involves the construction of a new solar farm across a 112ha site located approximately 1 km from the Proposed Scheme.</p> <p>It has been scoped out of the cumulative assessment of effects on the Water Environment (see Table 1.8 in Appendix 18.4 (Justification of Scoping) in Volume 3 of the ES (REP4-003)).</p> <p>As such, there is no prospect of any water-borne pollution generated by Development 10 affecting areas of functionally-linked land that may be affected by water-borne pollution from the Proposed Scheme. As such, there is no prospect of in-combination LSE between Development 10 and the Proposed Scheme.</p>

Development ID and Name	Summary of potential in-combination LSE
Development 12 – Flue Gas Demolition	<p>As set out in Paragraph 2.1.8 of Chapter 2 (Site and Project Description) of Volume 1 of the ES (APP-038), flue gas demolition works are scheduled to take place between 2022 – 2027. The decommissioning and demolition works of Absorber Units 4, 5 and 6 are scheduled to take place prior to the start of the construction of the Proposed Scheme, whilst the demolition of Absorber Units 1, 2 and 3 are assumed to take place following the completion of the Proposed Scheme.</p> <p>As such, it is not possible for construction and decommissioning water-borne pollution from the Proposed Scheme to combine with water-borne pollution from Development 12. As such, no in-combination LSE are predicted.</p>
Development 92 – mixed use development and distributor road	<p>This development comprises a mixed-use development to the west of Goole. The only possible in-combination impact pathway identified for Development 92 was in relation to the potential for localised cumulative air quality impacts on Humber Estuary SAC/SPA/Ramsar due to Proposed Scheme traffic emissions to combine with operational emissions from the Proposed Scheme. As such, Development 92 would not contribute to in-combination effects in relation to visual disturbancewater-borne pollution and no LSE are predicted to arise.</p>
Development 102 – Humber Low Carbon Pipelines	<p>The western limit of Development 102 is at the northern boundary of the existing Drax Power Station Site, with several potential locations for Above Ground Installations (AGI) proposed to the north-east of the Existing Power Station Site. There are minor overlaps with the Order Limits for the Proposed Scheme. Options A to C of the Drax AGI locations could have some overlap, as could the westernmost limits of the Development 102 pipeline run.</p> <p>Installation of the pipeline for Development 102 would require crossings of a number of watercourses, some of which may be open-cut and would be upstream of the River Ouse and include Carr Dyke and could therefore increase the risk of significant in-combination effects from water-borne pollution. The cumulative assessment of effects on the Water Environment (see Table 1 in Appendix 18.5 (Cumulative Effects Assessment Matrix) of Volume 3 of the ES (REP4-002) identifies the potential for cumulative adverse effects worsening the risk of water-borne pollution from the Proposed Scheme alone. The habitats potentially affected could provide functionally-linked habitat for otter populations associated with the River Derwent SAC and Lower Derwent Valley SAC, fish populations associated with the River Derwent SAC, Humber Estuary SAC, and Humber Estuary Ramsar, and bird populations associated with Humber Estuary SPA and Ramsar, and Lower Derwent Valley SPA and Ramsar.</p> <p>There is therefore potential for Development 102 to contribute to in-combination water-borne pollution, worsening effects of the Proposed Scheme alone.</p>
Development 44, 52, 99, and 100	<p>These developments comprise industrial and/or commercial developments within 1 km of Work Number 8 of the Proposed Scheme. They would each involve some level of habitat loss, although the application materials for those developments indicate that loss of habitat that could provide functionally-linked habitat for SPA bird species (or any other European Site qualifying interest) is negligible.</p> <p>Given that there would be at most minor (and hence non-significant) pollution risk impacts on watercourses associated with Work Number 8, and that construction for Work Number 8 is expected to take approximately four weeks to complete, no LSE are predicted to arise.</p>
Development 103 – East Yorkshire Solar Farm	<p>Construction of Development 103 is predicted to last two years and to take place between either 2024 or 2025 and so finish in either 2026 or 2027. Construction of Development 103 would therefore overlap with proposed timescales for construction of the Proposed Scheme. Installation of the GCC for Development 103 could generate increased risk of water-borne pollution, as a consequence of excavation works to install and reinstate land for the cable route. Detailed information on the exact location of the proposed cable was not available for assessment. The GCC would be installed under the River Ouse downstream of the confluence of Carr Dike (which flows under the existing Power Station Site) with the River Ouse.</p> <p>The cumulative assessment of effects on the Water Environment (see Table 1 in Appendix 18.5 (Cumulative Effects Assessment Matrix) of Volume 3 of the ES (REP4-002) identifies the potential for cumulative adverse effects worsening the risk of water-borne pollution from the Proposed Scheme alone. The habitats potentially affected could provide functionally-linked habitat for otter populations associated with the River Derwent SAC and Lower Derwent Valley SAC, fish populations associated with the River Derwent SAC, Humber Estuary SAC, and Humber Estuary Ramsar, and bird populations associated with Humber Estuary SPA and Ramsar, and Lower Derwent Valley SPA and Ramsar. There is therefore potential for Development 102 to contribute to in-combination water-borne pollution, worsening effects of the Proposed Scheme alone. In-combination LSE are therefore predicted to arise.</p>

Development ID and Name	Summary of potential in-combination LSE
Development 106 – Demolition of existing buildings and creation of 28 dwellings, with associated external works.	Development 106 is adjacent to the northern bank of the River Ouse, upstream of and more than 2 km from the existing Drax Power Station Site. Development 106 is outside the Zol for the Water Environment. As such, no in-combination effects are predicted to arise.

DISTURBANCE FROM NOISE AND VIBRATION

3.5.89. Table 3.12 below assesses whether each of the other plans and projects could contribute to increased noise and vibration disturbance in functionally-linked land also affected by the Proposed Scheme.

Table 3.12 - HRA Screening In-combination Assessment: Noise and Vibration

Development ID and Name	Summary of potential in-combination LSE
Developments 1, 4 and 47	These developments are all located in excess of 5 km from the Proposed Scheme and any other European Site, with the exception of Development 47 which is located in an industrial site adjacent to the Humber Estuary SAC, SPA and Ramsar. Development 47 is located approximately 22 km from the Proposed Scheme. The only conceivable impact pathway by which they could lead to in-combination LSE with the Proposed Scheme is through their operational air quality impacts combining with the with Proposed Scheme scenario for air quality purposes. As such, they could not contribute to any in-combination effects during construction.
Development 3: SEGL2	<p>Development 3 is predicted to be constructed between 2024 – 2031; construction of this Project therefore overlaps with construction of the Proposed Scheme.</p> <p>Construction of the Converter Station and installation of the HVDC cable for Development 3 would generate noise. Information on the precise noise effects of Development 3 is not currently available. The cumulative assessment of effects from Noise and Vibration (see Table 1.1 in Appendix 18.5 (Cumulative Effects Assessment Matrix) of Volume 3 of the ES (REP4-002) identifies the potential for cumulative adverse effects, and that these will largely be determined by the construction methods and route of the HVDC cable.</p> <p>The HVDC cable would be located to the east of New Road, south and east of the Proposed Scheme. The cable route and converter station for Development 3 would be located more than 100m from the East Construction Laydown Area to the north, with a buffer of vegetation and Carr Lane between the two. It would not be possible for the Proposed Scheme to contribute to noise and vibration effects at the site of the converter station, as construction of the converter station would remove the majority of suitable habitat that could potentially be used by SPA / Ramsar Site bird species. The cable route heads east from the Converter Station and away from the Proposed Scheme, before crossing the River Ouse and continuing east towards the coast (National Grid, 2022). The cable route is more than 200 m from any of the areas of functionally-linked land identified as being potentially affected by the Proposed Scheme alone (see Table 3.4 for a description of the Proposed Scheme Noise and Vibration impacts alone).</p> <p>As set out in Table 3.4, the noise impacts of the Proposed Scheme alone have been modelled to reach a maximum of 39 LAeq,T dB. Noise levels under 40dB are equivalent or quieter than ‘a quiet office’ (Health and Safety Executive, 2022). These noise levels are under the conservative threshold for disturbance used in the Waterbird Disturbance Toolkit of 55dB (European Union, 2022) or that would be likely to trigger any behavioural response from otters and would reduce further with increasing distance from the Proposed Scheme. As such, noise-related effects on birds that may be part of the Lower Derwent Valley SPA and Ramsar and Humber Estuary SPA and Ramsar populations are not predicted. Similarly, noise-related effects on otters that may be part of the River Derwent SAC and Lower Derwent Valley SPA are not predicted either.</p> <p>Given the low levels of noise generated by the Proposed Scheme, it is not predicted to contribute to potential noise impacts on ecological receptors that might arise from Development 3.</p> <p>As such, in-combination LSE between Development 3 and the Proposed Scheme are not predicted to arise.</p>

Development ID and Name	Summary of potential in-combination LSE
Development 6 – Barlow Mound Ash reclamation	<p>Development 6 involves proposals for the mining and reclamation of ash from the ‘Barlow mound’. It is located within 100 m to the west of the Proposed Scheme.</p> <p>The cumulative assessment of effects for Noise and Vibration (see Table 1.1 in Appendix 18.5 (Cumulative Effects Assessment Matrix) of Volume 3 of the ES (REP4-002) identifies the potential for cumulative noise and vibration effects. Development 6 is at an early stage of development, with no detail of the noise and vibration impacts it might generate.</p> <p>Given the location of Development 6, there is potential for this to contribute to in-combination noise and vibration from the Proposed Scheme. The only locations supporting functionally-linked land considered at risk are the Off-Site Habitat Provision Area and potentially the western portion of the Habitat Provision Area (areas in the east of the Habitat Provision Area would be at reduced risk of noise impacts from Development 6, due to the intervening distance (several hundred metres) between the Proposed Scheme and Development 6). Noise and vibration in the Habitat Provision Area and Off-site Habitat Provision Area would be limited to that generated by habitat management activities and construction activities inside Drax Power Station Site (see Table 3.4 for assessment of the Scheme alone).</p> <p>Given the low levels of noise generated by the Proposed Scheme in these locations, it is not predicted to contribute to potential noise impacts on ecological receptors that might arise from Development 6.</p> <p>As such, in-combination LSE between Development 6 and the Proposed Scheme are not predicted to arise.</p>
Development 7	<p>Development 7 is located to the south of the Proposed Scheme and comprises an expansion of ongoing horticultural activity at the Site plus ancillary works. The Preliminary Ecological Appraisal for the planning application identifies that Development 7 is situated in an area of low ecological interest. This is confirmed by the NYCC Ecologists consultation response to Development 3. The only possible in-combination impact pathway identified for Development 7 was in relation to the potential for a proposed energy centre to contribute to cumulative air quality impacts. As such, Development 7 would not contribute to in-combination effects in relation to noise or vibration disturbance.</p>
Development 9 – erection and operation of five wind turbines	<p>Development 9 is located approximately 1.9 km west of the Proposed Scheme</p> <p>It is possible that noise generated during construction and operation of Development 9 could disturb and hence displace SPA bird species that could otherwise use the habitats present. This would reduce the suitability of any functionally-linked land, if indeed land at Development 9 is used by SPA bird species. The cumulative assessment of effects for Noise and Vibration (see Table 1.1 in Appendix 18.5 (Cumulative Effects Assessment Matrix) of Volume 3 of the ES (REP4-002) identifies the potential for low cumulative noise and vibration effects.</p> <p>Given the low levels of noise generated by the Proposed Scheme and the distance between Development 9 and the Proposed Scheme, the Proposed Scheme is not predicted to contribute to potential noise impacts on ecological receptors that might arise from Development 9, or visa versa.</p> <p>As such, in-combination LSE between Development 9 and the Proposed Scheme are not predicted to arise.</p>
Development 10 – solar farm	<p>Development 10 involves the construction of a new solar farm across a 112ha site located approximately 1 km from the Proposed Scheme.</p> <p>The response from the NYCC Ecologist to the planning application states that significant effects on the River Derwent SAC / SSSI can be ruled out, and that no further assessment under the Conservation of Habitats and Species Regulations (2017, as amended) is needed. On this basis, and given the scale and location of Development 10, there is considered to be no prospect of in-combination effects with the Proposed Scheme.</p>
Development 12 – Flue Gas Demolition	<p>As set out in Paragraph 2.1.8 of Chapter 2 (Site and Project Description) of Volume 1 of the ES (APP-038), flue gas demolition works are scheduled to take place between 2022 – 2027. The decommissioning and demolition works of Absorber Units 4, 5 and 6 are scheduled to take place prior to the start of the construction of the Proposed Scheme, whilst the demolition of Absorber Units 1, 2 and 3 are assumed to take place following the completion of the Proposed Scheme.</p> <p>As such, it is not possible for construction and decommissioning noise and vibration from the Proposed Scheme to combine with noise and vibration from Development 12. As such, no in-combination LSE are predicted.</p>

Development ID and Name	Summary of potential in-combination LSE
Development 92 – mixed use development and distributor road	<p>This development comprises a mixed-use development to the west of Goole. The only possible in-combination impact pathway identified for Development 92 was in relation to the potential for localised cumulative air quality impacts on Humber Estuary SAC/SPA/Ramsar. These could arise due to Pfromrposed Scheme traffic emissions from Development 92 to-combininge with operational emissions from the Proposed Scheme. As such, Development 92 would not contribute to in-combination effects in relation to visual-disturbancenoise and vibration and no LSE are predicted to arise.</p>
Development 102 – Humber Low Carbon Pipelines	<p>The western limit of Development 102 is at the northern boundary of the existing Drax Power Station Site, with several potential locations for Above Ground Installations (AGI) proposed to the north-east of the Existing Power Station Site. There are minor overlaps with the Order Limits for the Proposed Scheme. Options A to C of the Drax AGI locations could have some overlap, as could the westernmost limits of the Development 102 pipeline run.</p> <p>The AGI would require construction activities in habitats north-east of the existing Drax Power Station site and to the north of the Eastern Laydown Area. There would also be temporary loss, disturbance, and fragmentation of habitats for the pipeline installation.</p> <p>Installation of the pipeline for Development 102 could potentially result in temporary disturbance of functionally-linked habitat used by otters forming part of the River Derwent SAC and Lower Derwent SAC populations. The precise location of the pipeline was not available for assessment but would follow a route running towards the south-east from the Proposed Scheme. The pipeline may be installed across smaller watercourses by open-cut techniques, with these subsequently reinstated. The pipeline is also likely to be installed across other land by open-cut techniques, which would lead to temporary and short-term loss and disturbance of a narrow footprint of land along the cable route, primarily agricultural land where within 1 km of the Proposed Scheme. Habitats adjacent to the alignment of the Development 102 pipeline could therefore be subject to noise and vibration impacts, with these areas having potential to support SPA/Ramsar bird species that form part of the Lower Derwent Valley SPA and Ramsar and the Humber Estuary SPA and Ramsar populations.</p> <p>As set out in Table 3.4, the noise impacts of the Proposed Scheme alone have been modelled to reach a maximum of 39 LAeq,T dB. Noise levels under 40dB are equivalent or quieter than ‘a quiet office’ (Health and Safety Executive, 2022). These noise levels are under the conservative threshold for disturbance used in the Waterbird Disturbance Toolkit of 55dB (European Union, 2022) or that would be likely to trigger any behavioural response from otters and would reduce further with increasing distance from the Proposed Scheme. As such, noise-related effects on birds that may be part of the Lower Derwent Valley SPA and Ramsar and Humber Estuary SPA and Ramsar populations are not predicted. Similarly, noise-related effects on otters that may be part of the River Derwent SAC and Lower Derwent Valley SPA are not predicted either.</p> <p>Given the low levels of noise generated by the Proposed Scheme, it is not predicted to contribute to potential noise impacts on ecological receptors that might arise from Development 102.</p> <p>As such, in-combination LSE between Development 102 and the Proposed Scheme are not predicted to arise.</p>
Development 44, 52, 99, and 100	<p>These developments comprise industrial and/or commercial developments within 1 km of Works Number 8 of the Proposed Scheme. They would each involve some level of construction noise and vibration.</p> <p>Construction for Work Number 8 of the Proposed Scheme is expected to take approximately four weeks to complete, with no permanent habitat loss and habitats reinstated afterwards. The assessment of noise and vibration for Work Number 8 as presented in Table 6-1 in the Proposed Changes Application Report (AS-045) identifies that no new significant effects are predicted to arise, in part due to the short duration (ten days) of the construction activities that will generate the greatest levels of noise and due to the low level of noise that will be generated even during the noisiest construction activities. As such no LSE are predicted to arise.</p>
Development 103 – East Yorkshire Solar Farm	<p>Information has been obtained from the Scoping Report and Scoping Opinion for Development 103. The western limit of the Grid Connection Corridor (GCC) for Development 103 is at the eastern boundary of the existing Drax Power Station Site, to connect with a convertor station proposed in an agricultural field to the east of New Road. There is a minor overlap with the Order Limits for the Proposed Scheme in the far east of the existing Drax Power Station Site. The GCC would be installed under the River Ouse downstream of the confluence of Carr Dike (which flows under the existing Power Station Site) with the River Ouse. There is also overlap with the Proposed Scheme’s Habitat Provision Area. It should be noted that the Applicant is seeking to engage with the applicant for this development to remove this overlap but this assessment has been undertaken on a precautionary basis in case this is</p>

Development ID and Name	Summary of potential in-combination LSE
	<p>unable to be achieved. Due to the low resolution of available drawings and the lack of detailed design information for Development 103, it is not possible to determine the extent of potential overlap or which (if any) parts of the Habitat Provision Area could be directly affected.</p> <p>Installation of the GCC and Converter Station for Development 103 could potentially result in temporary disturbance of functionally-linked habitat used by otters forming part of the River Derwent SAC and Lower Derwent Valley SAC populations. The precise location of the GCC was not available for assessment but would follow a route running towards the south-east from the Proposed Scheme. The GCC may be installed across smaller watercourses by open-cut techniques, with these subsequently reinstated. The cable is also likely to be installed across other land by open-cut techniques, which would lead to temporary and short-term loss and disturbance of a narrow footprint of land along the cable route, primarily agricultural land where within 1 km of the Proposed Scheme. Habitats adjacent to the alignment of the GCC could therefore be subject to noise and vibration impacts, with these areas having potential to support SPA/Ramsar bird species that form part of the Lower Derwent Valley SPA and Ramsar and the Humber Estuary SPA and Ramsar populations.</p> <p>As set out in Table 3.4, the noise impacts of the Proposed Scheme alone have been modelled to reach a maximum of 39 LAeq,T dB. Noise levels under 40dB are equivalent or quieter than ‘a quiet office’ (Health and Safety Executive, 2022). These noise levels are under the conservative threshold for disturbance used in the Waterbird Disturbance Toolkit of 55dB (European Union, 2022) or that would be likely to trigger any behavioural response from otters and would reduce further with increasing distance from the Proposed Scheme. As such, noise-related effects on birds that may be part of the Lower Derwent Valley SPA and Ramsar and Humber Estuary SPA and Ramsar populations are not predicted. Similarly, noise-related effects on otters that may be part of the River Derwent SAC and Lower Derwent Valley SPA are not predicted either.</p> <p>As such, in-combination LSE between Development 103 and the Proposed Scheme are not predicted to arise.</p>
<p>Development 106 – Demolition of existing buildings and creation of 28 dwellings, with associated external works.</p>	<p>Development 106 is adjacent to the northern bank of the River Ouse. It is located more than 2 km from the Proposed Scheme.</p> <p>As set out in Table 3.4, the noise impacts of the Proposed Scheme alone have been modelled to reach a maximum of 39 LAeq,T dB. Noise levels under 40dB are equivalent or quieter than ‘a quiet office’ (Health and Safety Executive, 2022). These noise levels are under the conservative threshold for disturbance used in the Waterbird Disturbance Toolkit of 55dB (European Union, 2022) or that would be likely to trigger any behavioural response from otters and would reduce further with increasing distance from the Proposed Scheme. As such, noise-related effects on birds that may be part of the Lower Derwent Valley SPA and Ramsar and Humber Estuary SPA and Ramsar populations are not predicted. Similarly, noise-related effects on otters that may be part of the River Derwent SAC and Lower Derwent Valley SPA are not predicted either.</p> <p>As such, in-combination LSE between Development 103 and the Proposed Scheme are not predicted to arise.</p>

INCREASED VISUAL DISTURBANCE FROM PLANT AND PERSONNEL

3.5.90. Table 3.13 below assesses whether each of the other plans and projects could contribute to increased visual disturbance in functionally-linked land also affected by the Proposed Scheme.

Table 3.13 - HRA Screening In-combination Assessment: Visual Disturbance

Development ID and Name	Summary of potential in-combination LSE
<p>Developments 1, 4 and 47</p>	<p>These developments are all located in excess of 5 km from the Proposed Scheme and any other European Site, with the exception of Development 47 which is located in an industrial site adjacent to the Humber Estuary SAC, SPA and Ramsar. Development 47 is located approximately 22 km from the Proposed Scheme. The only conceivable impact pathway by which they could lead to in-combination LSE with the Proposed Scheme is through their operational air quality impacts combining with the with Proposed Scheme scenario for air quality purposes. As such, they could not contribute to any in-combination effects during construction.</p>

Development ID and Name	Summary of potential in-combination LSE
Development 3: SEGL2	<p>Development 3 is predicted to be constructed between 2024 – 2031; construction of this Project therefore overlaps with construction and operation of the Proposed Scheme.</p> <p>The HVDC cable would be located to the east of New Road, south and east of the Proposed Scheme. The cable route and convertor station for Development 3 would be located more than 100m from the East Construction Laydown Area to the north, with a buffer of existing vegetation (part of which is within the Order Limits and retained throughout construction) and Carr Lane between the two. It would not be possible for the Proposed Scheme to contribute to visual disturbance impacts at the site of the convertor station or western extent of the HVDC cable, given the screening vegetation between the Proposed Scheme and Development 3 (see Figure 8.3 of Chapter 8 (Ecology) in Volume 2 of the ES (APP-094). Development 3 is also distant from the areas of functionally-linked land that may be subject to visual disturbance impacts from the Proposed Scheme alone. These are located to the north of the Power Station Site, comprising Carr Dyke and the Habitat Provision Area. See Table 3.5 for the assessment of visual disturbance effects of the Proposed Scheme alone.</p> <p>As such, in-combination LSE between Development 3 and the Proposed Scheme are not predicted to arise.</p>
Development 6 – Barlow Mound Ash reclamation	<p>Development 6 involves proposals for the mining and reclamation of ash from the ‘Barlow mound’. It is located within 100 m to the west of the Proposed Scheme.</p> <p>Given the location of Development 6, there is potential for this to contribute to in-combination visual disturbance from the Proposed Scheme. The locations supporting functionally-linked land considered at risk are the Off-Site Habitat Provision Area and the western portion of the Habitat Provision Area. As such, in-combination LSE are predicted in relation to potential visual disturbance effects.</p>
Development 7	<p>Development 7 is located to the south of the Proposed Scheme and comprises an expansion of ongoing horticultural activity at the Site plus ancillary works. The Preliminary Ecological Appraisal for the planning application identifies that Development 7 is situated in an area of low ecological interest. This is confirmed by the NYCC Ecologists consultation response to Development 3. The only possible in-combination impact pathway identified for Development 7 was in relation to the potential for a proposed energy centre to contribute to cumulative air quality impacts. Development 7 is located in excess of 1 km from the identified functionally-linked land relevant to the Proposed Scheme, and also has no intervisibility with it due to topography and intervening vegetation. As such, Development 7 would not contribute to in-combination effects in relation to loss or physical disturbance of functionally-linked land.</p>
Development 9 – erection and operation of five wind turbines	<p>Development 9 is located approximately 1.9 km west of the Proposed Scheme</p> <p>It is possible that visual disturbance arising from construction and operation of Development 9 could disturb and hence displace SPA bird species that could otherwise use the habitats present. This would reduce the suitability of any functionally-linked land present, if indeed land at Development 9 is used by SPA bird species. Given the distance between Development 9 and the Proposed Scheme (1.9 km), Development 9 is not predicted to lead to any displacement of SPA birds from areas of land within or adjacent to the Proposed Scheme, and hence effects would be spatially separated. Given this, no in-combination LSE between Development 9 and the Proposed Scheme are predicted to arise.</p>
Development 10 – solar farm	<p>Development 10 involves the construction of a new solar farm across a 112ha site located approximately 1 km from the Proposed Scheme.</p> <p>The response from the NYCC Ecologist to the planning application states that significant effects on the River Derwent SAC / SSSI can be ruled out, and that no further assessment under the Conservation of Habitats and Species Regulations (2017, as amended) is needed. On this basis, and given the scale and location of Development 10, there is considered to be no prospect of in-combination effects with the Proposed Scheme.</p>
Development 12 – Flue Gas Demolition	<p>As set out in Paragraph 2.1.8 of Chapter 2 (Site and Project Description) of Volume 1 of the ES (APP-038), flue gas demolition works are scheduled to take place between 2022 – 2027. The decommissioning and demolition works of Absorber Units 4, 5 and 6 are scheduled to take place prior to the start of the construction of the Proposed Scheme, whilst the demolition of Absorber Units 1, 2 and 3 are assumed to take place following the completion of the Proposed Scheme.</p>

Development ID and Name	Summary of potential in-combination LSE
	As such, it is not possible for construction and decommissioning visual disturbance from the Proposed Scheme to combine with visual disturbance from Development 12. In addition, Development 12 is located entirely within the existing footprint of Drax Power Station Site, within areas of existing buildings and hard-standing and in excess of 100 m from the potential functionally-linked land in and adjacent to the Habitat Provision Area. As such, no in-combination LSE are predicted in relation to visual disturbance.
Development 92 – mixed use development and distributor road	This development comprises a mixed-use development to the west of Goole. The only possible in-combination impact pathway identified for Development 92 was in relation to the potential for localised cumulative air quality impacts on Humber Estuary SAC/SPA/Ramsar due to Proposed Scheme traffic emissions to combine with operational emissions from the Proposed Scheme. As such, Development 92 would not contribute to in-combination effects in relation to visual disturbance and no LSE are predicted to arise.
Development 102 – Humber Low Carbon Pipelines	<p>The western limit of Development 102 is at the northern boundary of the existing Drax Power Station Site, with several potential locations for Above Ground Installations (AGI) proposed to the north-east of the Existing Power Station Site. There are minor overlaps with the Order Limits for the Proposed Scheme. Options A to C of the Drax AGI locations could have some overlap, as could the westernmost limits of the Development 102 pipeline run.</p> <p>The AGI would require construction activities in habitats north-east of the existing Drax Power Station site and to the north of the East Construction Laydown Area. There would also be temporary loss, disturbance, and fragmentation of habitats for the pipeline installation.</p> <p>Installation of the pipeline for Development 102 could potentially result in temporary disturbance of functionally-linked habitat used by otters forming part of the River Derwent SAC and Lower Derwent SAC populations. The precise location of the pipeline was not available for assessment, but would follow a route running towards the south-east from the Proposed Scheme. The pipeline may be installed across smaller watercourses by open-cut techniques, with these subsequently reinstated. The pipeline is also likely to be installed across other land by open-cut techniques, which would lead to temporary and short-term loss and disturbance of a narrow footprint of land along the epipelineable route, primarily agricultural land where within 1 km of the Proposed Scheme. Habitats adjacent to the alignment of the Development 102 pipeline could therefore be subject to visual disturbance impacts, with these areas having potential to support SPA/Ramsar bird species that form part of the Lower Derwent Valley SPA and Ramsar and the Humber Estuary SPA and Ramsar populations.</p> <p>Given the location of Development 102, there is potential for this to contribute to in-combination visual disturbance from the Proposed Scheme. The locations supporting functionally-linked land considered at risk of increased in-combination impacts are the Habitat Provision Area north of the Drax Power Station Site and the East Construction Laydown Area. As such, in-combination LSE are predicted in relation to potential visual disturbance effects</p>
Development 44, 52, 99, and 100	<p>These developments comprise industrial and/or commercial developments within 1 km of Works Number 8 of the Proposed Scheme. They would each involve some level of construction noise and vibration.</p> <p>Construction for Work Number 8 of the Proposed Scheme is expected to take approximately four weeks to complete with habitats reinstated afterwards. There is potential for construction of Works Number 8 to occur at the same time as implementation of several of the identified other developments. In addition, Works Number 8 is located in a relatively flat and open agricultural landscape, as are some of the other developments identified. There is also intervisibility between some of the identified developments and the Proposed Scheme. There is therefore considered to be potential for increased visual disturbance of birds that may form part of qualifying interest populations for the Humber Estuary SPA and Ramsar and the Lower Derwent Valley SPA and Ramsar. As such, in-combination LSE are predicted in relation to potential visual disturbance effects.</p>
Development 103 – East Yorkshire Solar Farm	Information has been obtained from the Scoping Report and Scoping Opinion for Development 103. The western limit of the Grid Connection Corridor (GCC) for Development 103 is at the eastern boundary of the existing Drax Power Station Site, to connect with a convertor station proposed in an agricultural field to the east of New Road. There is a minor overlap with the Order Limits for the Proposed Scheme in the far east of the existing Drax Power Station Site. The GCC would be installed under the River Ouse downstream of the confluence of Carr Dike (which flows under the existing Power Station Site) with the River Ouse. There is also overlap with the Proposed Scheme's Habitat Provision Area. It should be noted that the Applicant is seeking to engage with the applicant for this development to remove this overlap but this assessment has been undertaken on a precautionary basis in case this is

Development ID and Name	Summary of potential in-combination LSE
	<p>unable to be achieved. Due to the low resolution of available drawings and the lack of detailed design information for Development 103, it is not possible to determine the extent of potential overlap or which (if any) parts of the Habitat Provision Area could be directly affected.</p> <p>There would also be temporary loss, disturbance, and fragmentation of habitats for the GCC. Construction activities could lead to visual disturbance of birds associated with the Lower Derwent Valley SPA and Ramsar, and Humber Estuary SPA and Ramsar. Otter populations associated with the River Derwent SAC and Lower Derwent Valley SAC could also be subject to increased visual disturbance. The Proposed Scheme would not involve any work in watercourses and SAC fish species are not considered sensitive to visual disturbance; as such there is no possibility of in-combination effects on fish populations that are qualifying interests of relevant European Sites. Construction of Development 103 is predicted to last two years and to take place between either 2024 or 2025 and so finish in either 2026 or 2027. Construction of Development 103 would therefore overlap with proposed timescales for construction of the Proposed Scheme.</p> <p>There is therefore potential for Development 103 to contribute to in-combination visual disturbance of otters and birds using functionally-linked land during construction, worsening effects of the Proposed Scheme alone. In-combination LSE with the Proposed Scheme may therefore arise.</p>
<p>Development 106 – Demolition of existing buildings and creation of 28 dwellings, with associated external works.</p>	<p>Development 106 is adjacent to the northern bank of the River Ouse. The Preliminary Ecological Appraisal (PEA) included with the application for Development 106 states that there is no evidence to suggest otter are using the site, however there is suitable habitat for otter along the River Ouse. The PEA also states that there are nine records for Eurasian Otter (Lutra lutra) otter relating to a 1.2 km stretch of the Ouse, approximately 0.9 km south of the site. The PEA for Development 106 states that if works are required near the river, then further survey for otter would be undertaken.</p> <p>Development 106 is located in excess of 2 km from the Proposed Scheme and the River Derwent SAC/Lower Derwent Valley SAC. Given the intervening distance between the Proposed Scheme and Development 106 and the relevant European Sites, no in-combination LSE are predicted to arise.</p>

Construction Traffic Emissions

- 3.5.91. In their Relevant Representation (AS-011), Natural England advised that ‘...*the potential for likely significant effects from traffic emissions on the Humber Estuary designated sites, alone and in-combination, is considered in more detail in the HRA...*’ (see Key Issue 1 in Table 1 of the Natural England Relevant Representation). Additional analysis of this matter was presented in the Applicant’s Response to Relevant Representations and additional Submissions (AS-038). This matter is now considered to be agreed between Natural England and the Applicant, as per the Statement of Common Ground between Natural England and the Applicant (REP-[0208-019](#)). The analysis of the potential for LSE from the Proposed Scheme [alone/in-combination](#) is provided below.
- 3.5.92. The risk has been identified only in relation to the Humber Estuary SAC/SPA/Ramsar site, as this is the only European Site within 200 m of any of the proposed construction traffic routes. As none of the Proposed Scheme construction traffic routes are located within 200 m of the Lower Derwent Valley, River Derwent, Thorne Moor, or Skipwith Common European Site designations, there is no prospect of construction traffic for the Proposed Scheme contributing to cumulative air quality impacts on these sites.
- 3.5.93. Emissions from construction traffic using the M62 over the Humber Estuary designated sites pose no credible air quality risk to those sites. The transport modelling predicts a peak construction year (2026) daily flow of construction traffic (as Annual Average Daily Traffic (AADT)) over this link of 161 AADT, made up of 63 light duty vehicles (LDV) and 99 heavy duty vehicles (HDV) (numbers rounded up). The Applicant acknowledges that if the Proposed Scheme and other plans and projects would increase AADT flows by more than 200 Heavy Duty Vehicles (HDV), this would trigger the screening criteria in NEA001 and require further investigation.
- 3.5.94. There are several factors relevant to the construction traffic route over the M62, which suggest there is no credible risk to the Humber Estuary designations from construction traffic emissions, either alone or in-combination with other plans and projects. These are as follows:
- ~ Construction for the Proposed Scheme is a temporary activity, with a predicted duration of up to approximately six years. The above AADT construction traffic flow values were calculated based on the sum of the maximum daily flow in each month of the peak construction year (2026), multiplied by 25 working days and then divided by 365 to produce the AADT – hence are very conservative and will represent an overestimate of the actual AADT. The peak predicted daily construction flows, which

fall below the NEA001 criterion, will rarely, if ever, be reached and there will indeed be days when no construction traffic uses the M62 construction traffic route at all (noting that the peak traffic flows will not last the full 6 years);

- ~ Using the same conservative approach to calculating construction traffic flows for all other construction years, the AADT values continue to be screened well below the NEA001 criterion for HDVs on the same M62 link over the Humber Estuary (2025 = 76 HDVs; 2027 = 19 HDVs; 2028 = 2 HDVs; 2029 = 3 HDVs);
- ~ The M62 bridge over the Humber Estuary is raised approximately 30 m above ground level. Pollutants emitted by vehicles using the M62 will therefore be subject to considerable vertical and horizontal dispersion before reaching habitats within the Humber designations, relative to if habitats were situated at the same height as the road;
- ~ MAGIC priority habitat mapping and use of Google Streetview indicates that SAC habitats on the southern bank of the Ouse under and adjacent to the M62 are limited to intertidal mudflats and the tidal channel itself. Habitats on the northern bank also include mudflats, with (on a precautionary basis from imagery interpretation) Atlantic salt meadow habitat (grazing marsh) also present. The mudflats appear to be unvegetated and will be subject to regular tidal flushing; as such they are not considered sensitive to aerially deposited nitrogen, notwithstanding the negligible deposition that could occur as a result of construction traffic. Atlantic salt meadow habitats will be subject to occasional tidal flushing on higher tides and have a relatively high critical load range of 20 – 30 kgN/ha/yr. Baseline nitrogen deposition data for the three 1km² grid squares where the M62 crosses the Humber Estuary (2018 – 2020 average) ranges between 19.7 kgN/ha/yr to 20.1 kgN/ha/yr, according to the Air Pollution Information System.

3.5.95. The latest projections for the UK vehicle fleet are for a continuing decline in per-vehicle emissions of NO_x, ~~as a consequence of due to~~ the continued uptake of low, ultra-low, and zero-emission vehicles, which will in turn lead to reduced contributions to nitrogen deposition (National Atmospheric Emissions Inventory, 2019. Vehicle fleet composition projections). It is therefore reasonable to assume that the contribution of all traffic using the M62 to NO_x levels, NH₃ levels, and nitrogen deposition to the Humber Estuary adjacent to the M62 crossing will continue to reduce over future years. In addition, none of the other plans and projects reviewed were identified as being likely to significantly add to the construction phase traffic emissions from the Proposed Scheme, due to their inherent characteristics, locations, and scale.

OPERATION

Emissions of treated flue gas to air

3.5.96. Table 3.14 below assesses whether each of the other plans and projects could contribute to increased operational emissions to air affecting European Sites.

Table 3.14 - HRA Screening In-combination Assessment: Operational Emissions to Air

Development ID and Name	Summary of potential in-combination LSE
Developments 1, 4, 7, 47, and 92	<p>Developments 1, 4, 7, 47, and 92 would produce emissions of one or more pollutant that could combine with the emissions to air in the with Proposed Scheme scenario. This could lead to increased impacts relative to operation of the with Proposed Scheme scenario alone. Developments 1, 4 and 47 are not predicted to contribute to any other in-combination effects, due to the nature and location of those developments and the distance (> 5 km in all cases) between them and the Proposed Scheme.</p> <p>Development 7 includes a small energy centre including a boiler, which was considered to have potential to contribute to in-combination air quality effects. Following review of the application documents for the Development 7 planning application, it has been determined that potential for cumulative impacts is limited to receptors in Camblesforth, where no European Sites are located. Outside of Camblesforth, the impacts of the energy centre are imperceptible and, in the context of potential for in-combination impacts and effects on ecological sites, <i>de minimis</i>. Therefore Development 7 cannot contribute to significant in-combination effects and will not be considered further (see Table 1, Ecology and Air Quality sections, of Appendix 18.5 Cumulative Assessment Matrix (document reference 6.3.18.5; to be updated at Deadline 2REP4-002)).</p> <p>The relevant EAL (Environmental Assessment Level) for each European Site are set out in Table 3.6 of this report. These have been applied when assessing the impacts of the Proposed Scheme alone and are also relevant to the assessment of in-combination air quality effects. The methodology for the dispersion (air quality) modelling of other plans and projects is set out between paragraphs 6.5.27 to 6.5.36 of Chapter 6 (Air Quality) in Volume 1 of the ES (APP-042). The cumulative air quality modelling considers the combined impacts of other relevant emitting developments and the Proposed Scheme. The results of the cumulative (in-combination) air quality modelling have been updated since submission of the DCO application, with updated modelling being included in Appendix 5 to the Applicant’s Responses to Examining Authorities First Written Questions, Revised Emissions Abatement Technical Note (REP2-065).</p>

Development ID and Name	Summary of potential in-combination LSE
	<p>The cumulative operational impacts on annual mean SO₂ are classified as insignificant (≤1% of the critical level) at all designated sites. Similarly, whilst the maximum cumulative NO_x PC impacts are predicted to be above 1% of the annual mean critical level for some sites, the maximum PECs at all designated sites are below 70% of the critical level. This includes the Humber Estuary SAC, SPA, and Ramsar. There is an error in Table 1.13 in the updated Operation Phase Air Quality Assessment Results Tables: Ecological Receptors (REP4-002). This reports impacts that are greater than 1% of the critical level for NO_x (correctly). A total predicted concentration of NO_x equivalent to 158.4% is also reported (which is incorrect). The error in Table 1.13 has arisen because the highest baseline concentration of NO_x anywhere within the Humber Estuary SAC, SPA, and Ramsar site has been used. Within the 15 km air quality Zol of the Proposed Scheme, baseline concentrations are however less than 100% of the critical level. Data on APIS (Air Pollution Information System, 2022) indicates a maximum average annual concentration of NO_x over the Humber and within 15 km of the Main Stack of 15.6ug/m³ i.e. just over 50% of the critical level of 30ug/m³. Baseline air quality data for NO_x over the Humber Estuary has been amended to correct a previously reported error, with the full results in Appendix 6.5 (Operation Phase Air Quality Assessment Results Tables: Ecological Receptors; REP8-012, Rev05 submitted at Deadline 9). This reports the maximum background concentration of annual mean NO_x over the Humber Estuary SAC/SPA/Ramsar site as being 19.2ug/m³. As such, the modelled cumulative impacts are classified as insignificant.</p> <p>The cumulative operational impacts on annual mean NH₃ are classified as insignificant (≤1% of the critical level) at all designated sites. An exceedance of the Critical Level was previously predicted for Thorne Moor SAC as reflected in the DCO Application (see Table 6.20 of Chapter 6 (Air Quality); APP-042). With the updates to the dispersion (air quality) modelling prior to the application of operational emissions abatement measures, this no longer occurs (see Revised Emissions Abatement Technical Note, REP2-065).</p> <p>The cumulative operational impacts on annual nitrogen deposition are classified as insignificant (≤1% of the critical load) at all designated sites except for Thorne Moor SAC. With inclusion of Development 92 in the in-combination air quality modelling, modelled cumulative impacts over the Humber Estuary SAC, SPA, and Ramsar increase from 0.5% (as reported in the Application HRA (APP-185) to 0.6% of critical load for nitrogen deposition and remain as not significant.</p> <p>At the Thorne Moor SAC, the modelled maximum cumulative PC impact for nitrogen deposition prior to the application of operational emissions abatement, which equates to 1.2% of the respective critical load, with the revisions to the cumulative air quality modelling compared to the previously reported 1.8%, This exceeds the 1% significance screening criterion. The maximum PEC also exceeds the relevant critical load (see Revised Emissions Abatement Technical Note, REP2-065).</p> <p>As such, in-combination LSE are predicted in relation to Thorne Moor SAC and the critical load for nitrogen deposition. In-combination LSE for nitrogen deposition are not predicted for any other European Site.</p> <p>The maximum cumulative PC impacts on annual acid deposition, exceed the 1% criterion at Thorne Moor SAC (2.1%). Given the existing levels of acid deposition at this sites, the maximum PEC exceeds the respective critical loads (see Revised Emissions Abatement Technical Note, REP2-065). As such in-combination LSE are predicted for Thorne Moor SAC.</p> <p>An exceedance of the 1% criterion for acid deposition was previously predicted for Skipwith Common SAC (see Table 6.22 of Chapter 6 (Air Quality) of the ES (APP-042). With the updates to the air quality modelling (prior to the inclusion of operational emissions abatement mitigation), this reduces to a maximum of 1.0% of critical load. As the screening criterion is not exceeded, no LSE are predicted in relation to in-combination acid deposition to Skipwith Common SAC.</p> <p>An exceedance of the 1% criterion for acid deposition was previously predicted for Lower Derwent Valley SAC and Ramsar (see Table 6.22 of Chapter 6 (Air Quality) of the ES (APP-042). As described between paragraphs 3.5.56 to 3.5.57 of this report, it has been determined that the most appropriate acidity critical load class to use for Lower Derwent Valley SAC/Ramsar is the 'calcareous grassland' critical load class (see Appendix 8, REP3-009). With use of the 'calcareous grassland' critical load class, in-combination impacts of the Proposed Scheme and other plans and projects on Lower Derwent Valley SAC/Ramsar are less than 1% of critical load, with a maximum predicted impact equivalent to 0.4% of critical load. No LSE are therefore predicted in relation to acid deposition impacts on the Lower Derwent Valley SAC/Ramsar.</p> <p>Natural England raised several queries and provided advice in relation to the assessment of operational air quality effects in their Relevant Representation (AS-011). These included a request for additional assessment of the potential for nitrogen deposition to lead to effects on the River Derwent SAC (see Key Issue 20 in Table 1 of the Natural England Relevant Representation). Additional analysis and survey work has been completed by the Applicant following the Natural England advice, which is described between paragraphs 3.5.48 to 3.5.53 of this report. Part of Natural England's advice was that proxy habitats be used to enable dispersion (air quality) modelling against proxy habitats for the River Derwent SAC. The Applicant completed survey work to confirm the appropriate habitats for use in dispersion (air quality) modelling of 'proxy habitats' for</p>

Development ID and Name	Summary of potential in-combination LSE
	<p>the River Derwent, as requested by Natural England. This work is reported in full in Appendix 7 of this HRA Report (REP2-107). Modelling of the ‘fen, marsh, and swamp’ habitat, as requested by Natural England, predicted a maximum impact (Proposed Scheme in-combination, prior to the application of operational emissions abatement measures) of up to 0.7% of critical load for nitrogen deposition (see Revised Emissions Abatement Technical Note). This is below the 1% screening threshold for significance, and therefore supports the previous finding that operational emissions will lead to no LSE on the river Derwent SAC.</p> <p>In summary, LSE are therefore predicted for Thorne Moor SAC in relation to in-combination nitrogen deposition and acid deposition. No LSEs are predicted for any other gaseous pollutants, and for Lower Derwent Valley in relation to in-combination acid deposition.</p>
All other development	<p>No other developments would produce appreciable emissions to air that could combine with those in the with Proposed Scheme scenario. This is due to the nature of these developments, which are not industrial installations or otherwise of a type that would generate significant emissions to air that could impact European Sites and other ecological receptors. As such they could not contribute to in-combination cumulative air quality impacts with the Proposed Scheme and no LSE are predicted to arise.</p>

IN-COMBINATION NOISE AND VIBRATION DISTURBANCE

Table 3.15 - HRA Screening In-combination Assessment: Noise and Vibration

Development ID and Name	Summary of potential in-combination LSE
Development 1, 3, 4, 6, 7, 9, 10, 12, 92, 102, 103, and 106.	<p>The assessment of noise and vibration presented in the ES considered several Biodiversity Receptors. The locations of these are shown on Figure 7.2 of Chapter 7 (Noise and Vibration) of the ES (APP-090). The results of the construction and operational noise modelling for Biodiversity Receptors are set out in Table 1.2 of Appendix 7.6 (Biodiversity Receptors) of Chapter 7 (Noise and Vibration) of the ES (APP-135). Several Biodiversity Receptors (BR 2 – BR6) are located to the north of Drax Power Station Site, within the Habitat Provision Area. These locations were selected in order to assess potential noise impacts from operation. The maximum predicted noise levels are 28 LAeq,T dB. Noise levels under 30dB are equivalent to or quieter than ‘a quiet library’ (Health and Safety Executive, 2022) . In addition, research collated to inform assessments of waterbird disturbance identifies that SPA/Ramsar bird species are unlikely to be displaced by noise levels under 55dB (European Union, 2022). Otters are also highly unlikely to be disturbed by noise at these levels. Baseline noise levels in the vicinity of the Drax Power Station also regularly exceed 28 dB (see Tables 7.17 and 7.18 in Chapter 7 (Noise and Vibration) of Volume 1 of the ES (APP-043)), so are comparable or higher than the predicted noise levels arising from operation of the Proposed Scheme.</p> <p>During operation of the Proposed Scheme, habitat management activities in the Habitat Provision Area and Off-site Habitat Provision Area would be intermittent and relatively non-intrusive, limited to use of hand tools and light machinery. These activities are considered to be no more disturbing than baseline agricultural activities in and adjacent to these areas.</p> <p>In light of the above, operational noise and vibration from the Proposed Scheme is considered to be <i>de minimis</i> and have negligible potential to appreciably combine with noise and vibration from any other source and affect functionally-linked land. As such, no LSE are predicted to arise.</p>

IN-COMBINATION VISUAL DISTURBANCE

3.5.97. **Table 3.16** below assesses whether each of the other plans and projects could contribute to increased visual disturbance of European Site qualifying interests using functionally-linked land.

Table 3.16 - HRA Screening In-combination Assessment: Visual Disturbance

Development ID and Name	Summary of potential in-combination LSE
Developments 1, 4 and 47	<p>These developments are all located in excess of 5 km from the Proposed Scheme and any other European Site, with the exception of Development 47 which is located in an industrial site adjacent to the Humber Estuary SAC, SPA and Ramsar. Development 47 is located approximately 22 km from the Proposed Scheme. As such there would be no in-combination visual disturbance impact in operation.</p>
Development 3: SEGL2	<p>Development 3 is predicted to be constructed between 2024 – 2031; construction and operation of this Project therefore overlaps with operation of the Proposed Scheme.</p> <p>The HVDC cable would be located to the east of New Road, south and east of the Proposed Scheme. The cable route and convertor station for Development 3 would be located more than 100m from the East Construction Laydown Area to the north, with a buffer of vegetation and Carr Lane between the two. The cable would be installed underground, so would have no to negligible above-ground components after construction. In addition, the East Construction Laydown Area would be reinstated to farmland (with some ecological enhancements) at the end of the construction phase of the Proposed Scheme. It would therefore not be possible for the Proposed Scheme to contribute to visual disturbance impacts at the site of the convertor station or western extent of the HVDC cable.</p> <p>As such, in-combination LSE between Development 3 and the Proposed Scheme are not predicted to arise.</p>
Development 6 – Barlow Mound Ash reclamation	<p>Development 6 involves proposals for the mining and reclamation of ash from the ‘Barlow mound’. It is located within 100 m to the west of the Proposed Scheme.</p> <p>Given the location of Development 6, there is potential for this to contribute to in-combination visual disturbance from the Proposed Scheme. The locations supporting functionally-linked land considered at risk are the Off-Site Habitat Provision Area and the western portion of the Habitat Provision Area.</p> <p>During operation of the Proposed Scheme, habitat management activities in the Habitat Provision Area and Off-site Habitat Provision Area would be intermittent and relatively non-intrusive, limited to use of hand tools and light machinery. These activities are considered to be no more disturbing than baseline agricultural activities in and adjacent to these areas. Management activities would also lead to slight enhancements of the habitats present for SPA / Ramsar bird species in the medium to long term, although given the setting and location of the Off-Site Habitat Provision Area it is still unlikely to be used by a substantial proportion of any SPA / Ramsar site populations.</p> <p>Other potential sources of visual disturbance from the Proposed Scheme include lighting of the Carbon Capture Plant, presence of additional personnel (~50) to operate the carbon capture plant, and maintenance and monitoring of the Carbon Dioxide Delivery Compound (assuming this is delivered as part of the Proposed Scheme). Given the minimal visual disturbance impacts that could be generated by these aspects of the Proposed Scheme adjacent to functionally-linked land (see paragraph 3.5.68 to 3.5.77 of this report), these aspects of operation could not make a significant contribution to in-combination visual disturbance effects.</p> <p>In light of the above, operational visual disturbance from the Proposed Scheme is considered to be <i>de minimis</i> and hence have negligible potential to appreciably combine with visual disturbance arising from any other source such as Development 6 and affect functionally-linked land. As such, no LSE are predicted to arise.</p>
Development 7	<p>Development 7 is located to the south of the Proposed Scheme and comprises an expansion of ongoing horticultural activity at the Site plus ancillary works. The Preliminary Ecological Appraisal for the planning application identifies that Development 7 is situated in an area of low ecological interest. This is confirmed by the NYCC Ecologists consultation response to Development 3. The only possible in-combination impact pathway identified for Development 7 was in relation to the potential for a proposed energy centre to contribute to cumulative air quality impacts. Development 7 is located in excess of 1 km from</p>

Development ID and Name	Summary of potential in-combination LSE
	<p>the identified functionally-linked land relevant to the Proposed Scheme, and also has no intervisibility with it due to topography and intervening vegetation. As such, Development 7 would not contribute to in-combination effects in relation to loss or physical disturbance of functionally-linked land.</p>
<p>Development 9 – erection and operation of five wind turbines</p>	<p>Development 9 is located approximately 1.9 km west of the Proposed Scheme</p> <p>During operation of the Proposed Scheme, habitat management activities in the Habitat Provision Area and Off-site Habitat Provision Area would be intermittent and relatively non-intrusive, limited to use of hand tools and light machinery. These activities are considered to be no more disturbing than baseline agricultural activities in and adjacent to these areas. Management activities would also lead to slight enhancements of the habitats present for SPA / Ramsar bird species in the medium to long term, although given the setting and location of the Off-Site Habitat Provision Area it is still unlikely to be used by a substantial proportion of any SPA / Ramsar site populations.</p> <p>Other potential sources of visual disturbance from the Proposed Scheme include lighting of the Carbon Capture Plant, presence of additional personnel (~50) to operate the carbon capture plant, and maintenance and monitoring of the Carbon Dioxide Delivery Compound (assuming this is delivered as part of the Proposed Scheme). Given the minimal visual disturbance impacts that could be generated by these aspects of the Proposed Scheme adjacent to functionally-linked land (see paragraph 3.5.68 to 3.5.77 of this report), these aspects of operation could not make a significant contribution to in-combination visual disturbance effects.</p> <p>In light of the above, operational visual disturbance from the Proposed Scheme is considered to have negligible potential to appreciably combine with visual disturbance from any other source such as Development 9 and affect functionally-linked land. As such, no LSE are predicted to arise.</p>
<p>Development 10 – solar farm</p>	<p>Development 10 involves the construction of a new solar farm across a 112ha site located approximately 1 km from the Proposed Scheme.</p> <p>During operation of the Proposed Scheme, habitat management activities in the Habitat Provision Area and Off-site Habitat Provision Area would be intermittent and relatively non-intrusive, limited to use of hand tools and light machinery. These activities are considered to be no more disturbing than baseline agricultural activities in and adjacent to these areas. Management activities would also lead to slight enhancements of the habitats present for SPA / Ramsar bird species in the medium to long term, although given the setting and location of the Off-Site Habitat Provision Area it is still unlikely to be used by a substantial proportion of any SPA / Ramsar site populations.</p> <p>Other potential sources of visual disturbance from the Proposed Scheme include lighting of the Carbon Capture Plant, presence of additional personnel (~50) to operate the carbon capture plant, and maintenance and monitoring of the Carbon Dioxide Delivery Compound (assuming this is delivered as part of the Proposed Scheme). Given the minimal visual disturbance impacts that could be generated by these aspects of the Proposed Scheme adjacent to functionally-linked land (see paragraph 3.5.68 to 3.5.77 of this report), these aspects of operation could not make a significant contribution to in-combination visual disturbance effects.</p> <p>In light of the above, operational visual disturbance from the Proposed Scheme is considered to have negligible potential to appreciably combine with visual disturbance from any other source such as Development 10 and affect functionally-linked land. As such, no LSE are predicted to arise.</p>
<p>Development 12 – Flue Gas Demolition</p>	<p>As set out in Paragraph 2.1.8 of Chapter 2 (Site and Project Description) of Volume 1 of the ES (APP-038), flue gas demolition works are scheduled to take place between 2022 – 2027. The decommissioning and demolition works of Absorber Units 4, 5 and 6 are scheduled to take place prior to the start of the construction of the Proposed Scheme, whilst the demolition of Absorber Units 1, 2 and 3 are assumed to take place following the completion of the Proposed Scheme. As such, demolition of Absorber Units 1, 2, and 3 could overlap with operation of the Proposed Scheme.</p> <p>Development 12 is located entirely within the existing footprint of Drax Power Station Site, within areas of existing buildings and hard-standing and in excess of 100 m from the nearest potential functionally-linked land (this being Carr Dyke and the Habitat Provision Area and surroundings). As such, development 12 is not predicted to lead to any visual disturbance effects and no in-combination LSE are predicted in relation to visual disturbance.</p>
<p>Development 92 – mixed use development and distributor road</p>	<p>This development comprises a mixed-use development to the west of Goole. The only possible in-combination impact pathway identified for Development 92 was in relation to the potential for localised cumulative air quality impacts on Humber Estuary SAC/SPA/Ramsar due to Proposed Scheme traffic</p>

Development ID and Name	Summary of potential in-combination LSE
	emissions to combine with operational emissions from the Proposed Scheme. As such, Development 92 would not contribute to in-combination effects in relation to visual disturbance and no LSE are predicted to arise.
Development 102 – Humber Low Carbon Pipelines	<p>The western limit of Development 102 is at the northern boundary of the existing Drax Power Station Site, with several potential locations for Above Ground Installations (AGI) proposed to the north-east of the Existing Power Station Site. There are minor overlaps with the Order Limits for the Proposed Scheme. Options A to C of the Drax AGI locations could have some overlap, as could the westernmost limits of the Development 102 pipeline run.</p> <p>During operation of the Proposed Scheme, habitat management activities in the Habitat Provision Area and Off-site Habitat Provision Area would be intermittent and relatively non-intrusive, limited to use of hand tools and light machinery. These activities are considered to be no more disturbing than baseline agricultural activities in and adjacent to these areas. Management activities would also lead to slight enhancements of the habitats present for SPA / Ramsar bird species in the medium to long term, although given the setting and location of the Off-Site Habitat Provision Area it is still unlikely to be used by a substantial proportion of any SPA / Ramsar site populations.</p> <p>Other potential sources of visual disturbance from the Proposed Scheme include lighting of the Carbon Capture Plant, presence of additional personnel (~50) to operate the carbon capture plant, and maintenance and monitoring of the Carbon Dioxide Delivery Compound (assuming this is delivered as part of the Proposed Scheme). Given the minimal visual disturbance impacts that could be generated by these aspects of the Proposed Scheme adjacent to functionally-linked land (see paragraph 3.5.68 to 3.5.77 of this report), these aspects of operation could not make a significant contribution to in-combination visual disturbance effects.</p> <p>In light of the above, operational visual disturbance from the Proposed Scheme is considered to have negligible potential to appreciably combine with visual disturbance from any other source such as Development 102 and affect functionally-linked land. As such, no LSE are predicted to arise.</p>
Development 103 – East Yorkshire Solar Farm	<p>Information has been obtained from the Scoping Report and Scoping Opinion for Development 103. The western limit of the Grid Connection Corridor (GCC) for Development 103 is at the eastern boundary of the existing Drax Power Station Site, to connect with a convertor station proposed in an agricultural field to the east of New Road. There is a minor overlap with the Order Limits for the Proposed Scheme in the far east of the existing Drax Power Station Site. The GCC would be installed under the River Ouse downstream of the confluence of Carr Dike (which flows under the existing Power Station Site) with the River Ouse. There is also overlap with the Proposed Scheme's Habitat Provision Area. It should be noted that the Applicant is seeking to engage with the applicant for this development to remove this overlap but this assessment has been undertaken on a precautionary basis in case this is unable to be achieved. Due to the low resolution of available drawings and the lack of detailed design information for Development 103, it is not possible to determine the extent of potential overlap or which (if any) parts of the Habitat Provision Area could be directly affected.</p> <p>During operation of the Proposed Scheme, habitat management activities in the Habitat Provision Area and Off-site Habitat Provision Area would be intermittent and relatively non-intrusive, limited to use of hand tools and light machinery. These activities are considered to be no more disturbing than baseline agricultural activities in and adjacent to these areas. Management activities would also lead to slight enhancements of the habitats present for SPA / Ramsar bird species in the medium to long term, although given the setting and location of the Off-Site Habitat Provision Area it is still unlikely to be used by a substantial proportion of any SPA / Ramsar site populations.</p> <p>Other potential sources of visual disturbance from the Proposed Scheme include lighting of the Carbon Capture Plant, presence of additional personnel (~50) to operate the carbon capture plant, and maintenance and monitoring of the Carbon Dioxide Delivery Compound (assuming this is delivered as part of the Proposed Scheme). Given the minimal visual disturbance impacts that could be generated by these aspects of the Proposed Scheme adjacent to functionally-linked land (see paragraph 3.5.68 to 3.5.77 of this report), these aspects of operation could not make a significant contribution to in-combination visual disturbance effects. In addition, it is likely that construction of Development 103 will have been completed before operation of the Proposed Scheme commences, with operation of Development 103 unlikely to contribute towards significant visual disturbance of qualifying features of European Sites.</p> <p>In light of the above, operational visual disturbance from the Proposed Scheme is considered to have negligible potential to appreciably combine with visual disturbance from any other source such as Development 103 and affect functionally-linked land. As such, no LSE are predicted to arise.</p>

Development ID and Name	Summary of potential in-combination LSE
Development 106 – Demolition of existing buildings and creation of 28 dwellings, with associated external works.	<p>Development 106 is adjacent to the northern bank of the River Ouse. The Preliminary Ecological Appraisal (PEA) included with the application for 106 states that there is no evidence to suggest otter are using the site, however there is suitable habitat for otter along the River Ouse. The PEA also states that here are 9 records for <u>Eurasian Otter (<i>Lutra lutra</i>)</u> relating to a 1.2 km stretch of the Ouse, approximately 0.9 km south of the site. The PEA for Development 106 states that if works are required near the river, then further survey for otter would be undertaken.</p> <p>Development 106 is located in excess of 2 km from the Proposed Scheme and the River Derwent SAC/Lower Derwent Valley SAC. Given the intervening distance between the Proposed Scheme and Development 106 and the relevant European Sites, no in-combination LSE are predicted to arise.</p>

ACCIDENTAL RELEASES OF WATER-BORNE POLLUTANTS

3.5.98. Table 3.17 below assesses whether each of the other plans and projects could contribute to increased waterborne pollution in functionally-linked land also affected by the Proposed Scheme.

Table 3.17 - HRA Screening In-combination Assessment: Water-borne Pollutants

Development ID and Name	Summary of potential in-combination LSE
Developments 1, 4, 9, 10, 47, and 92	All of these developments are outside the Zol for Water Environment (see Table 1.8 in Appendix 18.4 (Justification of Scoping) in Volume 3 of Chapter 18 of the ES (REP4-003). As such, they could not contribute to any in-combination effects during operation.
Development 3: SEGL 2	Should there be overlap between construction of SEGL2 and operation of the Proposed Scheme there is potential for adverse cumulative effects in relation to increased risk of water-borne pollutants released by accidental spillage and leakage of oil, hydrocarbons and hazardous substances. These could impact the quality of the local drains and potentially the River Ouse. As such, in-combination LSE are predicted to arise in relation to qualifying interests of European Sites that are known to or are likely to use the River Ouse (River Derwent SAC, Lower Derwent Valley SAC, Lower Derwent Valley SPA, Lower Derwent Valley Ramsar, Humber Estuary SAC, Humber Estuary SPA, Humber Estuary Ramsar).
Development 6 – Barlow Mound Ash Reclamation	Impacts of the Barlow Ash Mound scheme on the surface water features were scoped out in the Scoping Report prepared for Barlow Ash Mound project (Stantec, 2022). Considering this information, no cumulative effects are envisaged during construction and operational phase on surface water features (see Table 1.8 in Appendix 18.4 (Justification of Scoping) in Volume 3 of Chapter 18 of the ES (APP-176). As such, no in-combination effects are predicted to arise on any European Site.
Development 7	Development 7 is located to the south of the Proposed Scheme and comprises an expansion of ongoing horticultural activity at the Site plus ancillary works. The Preliminary Ecological Appraisal for the planning application identifies that Development 7 is situated in an area of low ecological interest. This is confirmed by the NYCC Ecologists consultation response to Development 3. The only possible in-combination impact pathway identified for Development 7 was in relation to the potential for a proposed energy centre to contribute to cumulative air quality impacts. As such, Development 7 would not contribute to in-combination effects in relation to water-borne pollution.
Development 12 - Flue Gas Demolition	<p>As set out in Paragraph 2.1.8 of Chapter 2 (Site and Project Description) of Volume 1 of the ES (APP-038), flue gas demolition works are scheduled to take place between 2022 – 2027. The decommissioning and demolition works of Absorber Units 4, 5 and 6 are scheduled to take place prior to the start of the construction of the Proposed Scheme, whilst the demolition of Absorber Units 1, 2 and 3 are assumed to take place following the completion of the Proposed Scheme. As such, demolition of Absorber Units 1, 2, and 3 could overlap with operation of the Proposed Scheme.</p> <p>Should there be overlap between demolition of Units 1, 2, and 3 and operation of the Proposed Scheme there is potential for adverse cumulative effects in relation to increased pollutants released by accidental spillage and leakage of oil, hydrocarbons and hazardous substances. These could impact the quality of the local drains including Carr Dyke and potentially the River Ouse. As such, in-combination LSE are predicted to arise in relation to qualifying interests of</p>

Development ID and Name	Summary of potential in-combination LSE
	European Sites that are known to or are likely to use the River Ouse (River Derwent SAC, Lower Derwent Valley SAC, Lower Derwent Valley SPA, Lower Derwent Valley Ramsar, Humber Estuary SAC, Humber Estuary SPA, Humber Estuary Ramsar).
Development 102 – Humber Low Carbon Pipelines	<p>The western limit of Development 102 is at the northern boundary of the existing Drax Power Station Site, with several potential locations for Above Ground Installations (AGI) proposed to the north-east of the Existing Power Station Site. There are minor overlaps with the Order Limits for the Proposed Scheme. Options A to C of the Drax AGI locations could have some overlap, as could the westernmost limits of the Development 102 pipeline run.</p> <p>Should there be overlap between construction of Development 102 and operation of the Proposed Scheme there is potential for adverse cumulative effects in relation to increased risk of water-borne pollutants released by accidental spillage and leakage of oil, hydrocarbons and hazardous substances. These could impact the quality of the local drains and potentially the River Ouse. As such, in-combination LSE are predicted to arise in relation to qualifying interests of European Sites that are known to or are likely to use the River Ouse (River Derwent SAC, Lower Derwent Valley SAC, Lower Derwent Valley SPA, Lower Derwent Valley Ramsar, Humber Estuary SAC, Humber Estuary SPA, Humber Estuary Ramsar).</p>
Development 103 – East Yorkshire Solar Farm	<p>Construction of Development 103 is predicted to last two years and to take place between either 2024 or 2025 and so finish in either 2026 or 2027. Construction of Development 103 is therefore unlikely to overlap with proposed timescales for operation of the Proposed Scheme. Development 103 is not predicted to lead to significant risks of water-borne pollution during its operation, due to the nature of the development. As such, no in-combination effects are predicted to arise.</p>
Development 106 – Demolition of existing buildings and creation of 28 dwellings, with associated external works.	<p>Development 106 is adjacent to the northern bank of the River Ouse, upstream of and more than 2 km from the existing Drax Power Station Site.</p> <p>Development 106 is outside the Zol for the Water Environment. As such, no in-combination effects are predicted to arise.</p>

3.6. STEP 4: ASSESS THE SIGNIFICANCE OF ANY EFFECTS ON EUROPEAN SITES

- 3.6.1. This section confirms the European Sites which may be subject to LSE from the Proposed Scheme, both alone and in-combination with other Plans or Projects, and therefore require appropriate assessment. This follows from the analysis of potential effects completed in **Section 3.6**, above. **Table 3-18** summarises the European Sites for which LSE have been identified, both alone and in-combination with other Plans and Projects.

Table 3-18 – Summary of LSE from Proposed Scheme, Alone and In-combination with other Plans and Projects

Impact Pathway	European Sites with LSE from Proposed Scheme alone	European Sites with LSE from Proposed Scheme in-combination
Construction and Decommissioning Phase		
Loss and disturbance of functionally-linked land	River Derwent SAC, Lower Derwent Valley SAC, Lower Derwent Valley SPA, Lower Derwent Valley Ramsar, Humber Estuary SPA, Humber Estuary Ramsar.	River Derwent SAC, Lower Derwent Valley SAC, Lower Derwent Valley SPA, Lower Derwent Valley Ramsar, Humber Estuary SPA, Humber Estuary Ramsar.
Emissions of dust	River Derwent SAC, Lower Derwent Valley SAC, Lower Derwent Valley SPA, Lower Derwent Valley Ramsar, Humber Estuary SPA, Humber Estuary Ramsar.	River Derwent SAC, Lower Derwent Valley SAC, Lower Derwent Valley SPA, Lower Derwent Valley Ramsar, Humber Estuary SPA, Humber Estuary Ramsar.
Increased risk of pollution from sediment load	River Derwent SAC, Lower Derwent Valley SAC, Lower Derwent Valley SPA, Lower Derwent Valley Ramsar, Humber Estuary SPA, Humber Estuary Ramsar.	River Derwent SAC, Lower Derwent Valley SAC, Lower Derwent Valley SPA, Lower Derwent Valley Ramsar, Humber Estuary SPA, Humber Estuary Ramsar.
Accidental releases of water-borne pollutants	River Derwent SAC, Lower Derwent Valley SAC, Lower Derwent Valley SPA, Lower Derwent Valley Ramsar, Humber Estuary SAC, Humber Estuary SPA, Humber Estuary Ramsar.	River Derwent SAC, Lower Derwent Valley SAC, Lower Derwent Valley SPA, Lower Derwent Valley Ramsar, Humber Estuary SAC, Humber Estuary SPA, Humber Estuary Ramsar.
Disturbance from Noise and Vibration	None	None
Increased visual disturbance from plant and personnel	River Derwent SAC, Lower Derwent Valley SAC, Lower Derwent Valley SPA, Lower Derwent Valley Ramsar, Humber Estuary SPA, Humber Estuary Ramsar.	River Derwent SAC, Lower Derwent Valley SAC, Lower Derwent Valley SPA, Lower Derwent Valley Ramsar, Humber Estuary SPA, Humber Estuary Ramsar.
Construction traffic emissions to air	None	None
Operation Phase		
Emissions of treated flue gas to air in the with Proposed Scheme scenario	Thorne Moor SAC.	Thorne Moor SAC.

Impact Pathway	European Sites with LSE from Proposed Scheme alone	European Sites with LSE from Proposed Scheme in-combination
Operational Noise Disturbance	None	None
Increased Levels of Visual Disturbance during operation	None	None
Accidental releases of water-borne pollutants	River Derwent SAC, Lower Derwent Valley SAC, Lower Derwent Valley SPA, Lower Derwent Valley Ramsar, Humber Estuary SAC, Humber Estuary SPA, Humber Estuary Ramsar.	River Derwent SAC, Lower Derwent Valley SAC, Lower Derwent Valley SPA, Lower Derwent Valley Ramsar, Humber Estuary SAC, Humber Estuary SPA, Humber Estuary Ramsar.

4. INFORMATION TO INFORM APPROPRIATE ASSESSMENT

4.1. MEASURES TO ADDRESS LIKELY SIGNIFICANT EFFECTS

- 4.1.1. Primary Mitigation that forms an integral part of the Proposed Scheme design (see **paragraph 2.2.59 of Chapter 2 (Site and Project Description)** in Volume 1 of the ES (APP-038) has been considered during the HRA screening. As discussed at **paragraph 2.2.4**, following the People Over Wind judgment (People over Wind and Peter Sweetman v Coillte, 2018), it is not appropriate to consider mitigation measures intended to avoid or reduce harmful effects to European Sites at the HRA Screening Stage. These secondary measures have instead been considered when assessing the potential for adverse effects on the integrity of European Sites.
- 4.1.2. This Section of the HRA Report therefore considers the mitigation measures that have been specifically identified to avoid or lessen potential LSE on European Sites. Mitigation measures for each of the identified impact pathways are set out below, along with identification of how they would be secured through the DCO.

CONSTRUCTION PHASE

Loss and Disturbance of Functionally-linked Land

- 4.1.3. Loss and disturbance of functionally-linked land is relevant to European Site qualifying interests including otter in relation to the River Derwent and Lower Derwent Valley SAC, and bird species associated with the Lower Derwent Valley SPA and Ramsar, and Humber Estuary SPA and Ramsar.
- 4.1.4. Mitigation in relation to loss or disturbance of functionally-linked land includes the following:
- a. Hedgerow planting will be carried out in March of whichever calendar year(s) it is completed. This would be at the end of the core wintering/passage bird season (which is typically taken to be October to March inclusive), minimising potential effects of loss and disturbance of functionally-linked land on wintering/passage SPA and Ramsar bird species.

Emissions of dust

- 4.1.5. Emissions of dust onto functionally-linked land are relevant to European Site qualifying interests including otter in relation to the River Derwent and Lower Derwent Valley SAC, and bird species associated with the Lower Derwent Valley SPA and Ramsar, and Humber Estuary SPA and Ramsar.
- 4.1.6. Mitigation in relation to dust emissions includes the following relevant mitigation (see Section 1.3 of **Appendix 6.2** of Volume 3 of the ES (APP-126) for additional detail:
- a. Dust management measures during preparation and maintenance of the Site;
 - b. Daily on-site and off-site inspections, including for evidence of dust soiling and dust deposition;

- c. Measures to minimise dust generation from operating vehicles and machinery;
- d. Measures to minimise and / or suppress dust generation from demolition, fabrication, and construction activities; and
- e. Specific measures to address dust generation from earthworks impacts.

4.1.7. Mitigation for dust management measures is to be applied via the implementation of a CEMP, developed from the **Register of Environmental Actions and Commitments (REAC)** (REP7-0105).

Increased risk of pollution from increased sediment load

4.1.8. The potential risk of pollution from increased sediment loads onto functionally-linked land is relevant to European Site qualifying interests including otter in relation to the River Derwent and Lower Derwent Valley SAC, and bird species associated with the Lower Derwent Valley SPA and Ramsar, and Humber Estuary SPA and Ramsar.

4.1.9. Mitigation in relation to the potential impact of increased sediment loadings includes a number of measures (see **Section 12.10 of Chapter 12 (Water Environment)** of Volume 1 of the ES (APP-048) for full details.

4.1.10. The Construction Environment Management Plan (CEMP) and Decommissioning Environmental Management Plan (DEMP) (as included in the **Register of Environmental Actions and Commitments (REAC)** (~~REP5-011, REV-05 submitted at Deadline 6~~REP7-010) which would be secured by a Requirement of the DCO) include a series of measures to avoid and manage the risk of increased pollution from sediment loading, including adherence to good practice guidance, the use of Method Statements for works which may increase sediment loading of Site drainage, and procedures for monitoring and inspections. In particular, measures to address sediment loading risk include the following:

- a. Stockpiling of materials would be carried out at a minimum of 10 m from surface water features;
- b. Stockpiles would be appropriately managed e. g. by using jute matting to mitigate release of sediment load;
- c. No activities would take place in Carr Dyke or within 7 m its open channel or piped section without prior consent from the Selby Area IDB. As this will be secured pursuant to the DCO, no separate Land Drainage consent will be required. This rule also relates to any other ordinary watercourse within the Order Limits;
- d. Surface water management plan would be prepared for construction phase to ensure that the runoff is appropriately managed, so it does not increase risk of pollution to the environment;
- e. All loose materials would be covered;
- f. Construction activities including vegetation clearance, earth moving, storage of materials and equipment and plant movement in the vicinity of any surface water feature or drainage lines would be minimised;

- g. Land clearance in the vicinity of surface water features would be minimised. If land clearance in the vicinity of surface water features is unavoidable, the features would be protected with, but not limited to, silt traps, silt fences and filter bunds;
- h. Temporary cut-off drains would be used uphill and downhill of the working areas to prevent clean runoff entering and dirty water leaving the working area without appropriate treatment;
- i. Vegetation would only be removed when necessary and gradients kept as shallow as possible to prevent large amounts of earth being washed away during periods of heavy rainfall;
- j. Areas of ground that have been exposed would be reseeded or surfaced as soon as reasonably practicable;
- k. Facilities would be provided for wheel washing to prevent “track out” from vehicles. Wheel wash facilities would be appropriately contained to ensure that silt laden water would not reach surface water features;
- l. Cut off ditches, silt fencing or similar measures, would be provided along the perimeter of the Site to capture any runoff from the Site;
- m. Surface water run-off and excavation dewatering would be captured and settled out prior to water being discharged through the Purge to the River Ouse. Any contaminants would be removed prior to disposal;
- n. Measures to protect drains and surface water features from increased sediment load would be implemented for example by labelling / marking drains, using straw bales, silt fencing or silt traps;
- o. All the existing drains and sewers within the Drax Power Station Site would be identified and labelled and measures implemented to prevent polluting substances from entering them; and
- p. Soil and stockpiles would not be located within 10 m of water bodies or drainage lines.

Increased Risk of Pollution from Accidental Release of Water-borne Pollutants

- 4.1.11. The potential risk of pollution from water-borne pollutants onto functionally-linked land is relevant to European Site qualifying interests including otter in relation to the River Derwent and Lower Derwent Valley SAC, and bird species associated with the Lower Derwent Valley SPA and Ramsar, and Humber Estuary SPA and Ramsar.
- 4.1.12. Mitigation in relation to the potential impact of water-borne pollutants includes a number of measures (see **Section 12.10 of Chapter 12 (Water Environment)** of Volume 1 of the ES (APP-048) for full details.
- 4.1.13. The Construction Environment Management Plan (CEMP) and Decommissioning Environmental Management Plan (DEMP) (as included in the **Register of Environmental Actions and Commitments (REAC)** which would be secured by a Requirement of the DCO) include a series of measures to avoid and manage the risk of increased pollution from water-borne pollutants, including adherence to good

practice guidance, the use of Method Statements for managing works with potential to generate water-borne pollutants, and procedures for monitoring and inspections. In particular, measures to address water-borne pollutant risk include the following:

- a. Appropriate interceptors would be incorporated into on-site drainage systems;
- b. Spill containment equipment would be stored on the Site;
- c. Hazardous substances, oil and fuel would not be located within 10 m of water bodies or drainage lines and would be stored in bunded areas holding at least 110% of the volume of the container or one quarter of the combined capacity of all containers where there are more than one. Storage and bunded areas would be constructed with impervious floors;
- d. Refuelling of machinery would be undertaken in bunded areas, which would not be located within 10 m of water bodies or drainage lines;
- e. All refuelling would be supervised and carried out in a designated area with appropriate cut-off drainage and located away from watercourses and drainage lines.
- f. Drip trays would be used for diesel pumps and standing plant would be regularly maintained to prevent leaks;
- g. Construction materials, such as cement, would be mixed in designated areas located away from water bodies and drainage lines;
- h. Concrete wash out would only take place at designated concrete washout areas; and
- i. Topsoil and other construction materials would not be stored in the northern and southern parts of East Construction Laydown Area.

Increased Risk of Visual Disturbance

- 4.1.14. The potential risk of visual disturbance onto functionally-linked land is relevant to European Site qualifying interests including otter in relation to the River Derwent and Lower Derwent Valley SAC, and bird species associated with the Lower Derwent Valley SPA and Ramsar, and Humber Estuary SPA and Ramsar.
- 4.1.15. The Construction Environment Management Plan (CEMP) and Decommissioning Environmental Management Plan (DEMP) (as included in the **Register of Environmental Actions and Commitments (REAC)** which would be secured by **Requirements 14 and 18** of the **draft DCO** ([AS-109, to be updated at Deadline 6REP8-005](#)) include measures to avoid or minimise potential visual disturbance effects.
- 4.1.16. Certain construction compounds and laydown and demolition areas will be surrounded by hoardings to reduce visual effects due to the presence of construction traffic, plant and equipment, as well as demolition of existing and construction of built form. The hoardings will be a minimum of 2.4 m high and will be maintained in good condition for the duration of the relevant construction/decommissioning activity. Solid hoardings will be provided on the eastern, northern, and southern boundaries of the East Construction Laydown Area. They will also be provided around the western,

northern, and eastern boundaries of the woodyard Drax Power Station Site Construction Laydown Area (see Figure 3 for location of the woodyard).

- 4.1.17. If constructed as part of the Proposed Scheme, the construction footprint for the Carbon Dioxide Delivery Terminal Compound would also be fenced using minimum 2.4 m high hoarding, if visual screening of this would not be achieved by the proposed hoarding around the woodyard Drax Power Station Site Construction Laydown Area. The requirement for hoarding is secured via **Action G5** of the **REAC** (~~AS-121, to be updated at Deadline 6REP7-010~~) which would be secured by **Requirement 14 and 18** of the **draft DCO** (~~AS-109, to be updated at Deadline 6REP8-005~~).
- 4.1.18. A **Draft Lighting Strategy** (~~APP-184, to be updated at Deadline 6REP6-019~~) has been produced as part of the Proposed Scheme. Detailed lighting measures substantially in accordance with the **Draft Lighting Strategy** will be secured via **Requirement 8** of the **draft DCO**). The Draft Lighting Strategy includes measures in relation to biodiversity (see **Section 5.3** of the **draft Lighting Strategy**), which are relevant to avoiding or minimising potential increases in illumination of functionally linked land that could be used by European Site qualifying interests.
- 4.1.19. In addition, the following measures would be completed specifically in relation to otter, and would be in the CEMP/DEMP, production and approval of which is secured by **Requirements 14 and 18** of the **draft DCO** (~~AS-109, to be updated at Deadline 6REP8-005~~):
- a. Pre-construction surveys to reconfirm the status of otter habitat usage of the Site and surrounding watercourses up to 250 m from the Proposed Scheme.
 - b. Avoidance of any obstructions to established otter paths and access to open water.
 - c. The marking of, and adherence to, 30 m exclusion zones around any holts and shelters identified as a result of updated survey prior to site clearance and construction activities occurring. If otters are known or suspected to be breeding, the exclusion zone could be extended to a 200 m radius. However, it could be reduced to 100 m depending on the nature of the works, topography and natural screening. This will require judgement from an experienced ecologist.
 - d. If breeding was confirmed and exclusion zones of the size set out above were not possible, works would be undertaken in accordance with a European Protected Species (EPS) Mitigation licence to derogate the legislation protecting otter (except during periods of active breeding). As part of the licence, appropriate compensation would be provided to ensure that alternative habitat is provided in advance of the impact occurring. This would ensure no net loss in available habitat that may be considered to provide functional linkage for the SAC.
 - e. As a minimum, light spill will be minimised, and dark corridors will be maintained to ensure that otters can continue to commute and forage without undue disturbance during construction. -In addition, defined site compounds and access

roads with slow speed limits, will limit the risk of otter collisions during construction.

- f. The capping of any exposed pipe systems when contractors are off site and providing exit ramps from any exposed trenches or holes (to prevent otters entering and becoming trapped).

OPERATION STAGE MITIGATION

Emissions of Treated Flue Gas to Air

- 4.1.20. Emissions of treated flue gas to air are relevant in terms of potential effects on the concentrations and deposition rates of pollutants onto European Sites in the with Proposed Scheme scenario, as set out in Section 3.5. The relevant pollutants (for the with Proposed Scheme scenario and the with Proposed Scheme scenario in-combination with other plans and projects) are nitrogen deposition (Thorne Moor SAC), and acid deposition (Thorne Moor SAC, Lower Derwent Valley SAC, and Lower Derwent Valley Ramsar).
- 4.1.21. Mitigation measures have been identified to reduce the impact of operational emissions to air. These mitigation measures primarily bring benefits in reducing acidification effects, but also have minor beneficial effects in terms of the with Proposed Scheme scenario's contribution to nitrogen deposition and NH₃ concentrations.
- 4.1.22. The following operational changes to the Main Stack emissions parameters were applied relative to the unmitigated impacts from the with Proposed Scheme scenario, at the time of the DCO Application:
 - a. Reduce SO₂ emissions by 40% compared to the Best Available Technology (BAT) Environmental Assessment Level (EAL), applied to the two BECCS Biomass Units; and
 - b. Increase exit temperature of flue gases from the BECCS Units from 80°C to 100°C.
- 4.1.23. The purpose of these measures is to increase buoyancy in the flue gases leaving the Main Stack, thereby improving dispersion of all pollutants, and to reduce the concentration of SO₂ being emitted, thus reducing the with Proposed Scheme scenario's contribution to acid deposition at the identified sensitive habitats.
- 4.1.24. Since submission of the Application, additional operational emissions abatement mitigation has been identified, for incorporation into the Proposed Scheme. To provide additional operational phase mitigation of acid deposition over sensitive ecological receptors, the annual Emission Limit Value (ELV) for SO₂ has been reduced to 45mg/Nm³ for the BECCS units.
- 4.1.25. -The mitigation measures (and monitoring of them) will be secured through a variation to the existing Drax Environmental Permit.

Accidental Releases of Water-borne Pollutants

- 4.1.26. The potential risk of accidental releases of water-borne pollution onto functionally-linked land is relevant to European Site qualifying interests including otter in relation to the River Derwent and Lower Derwent Valley SAC, and bird species associated with the Lower Derwent Valley SPA and Ramsar, and Humber Estuary SPA and Ramsar.
- 4.1.27. Mitigation in relation to the potential impact of water-borne pollutants includes a number of measures (see **Section 12.10 of Chapter 12 (Water Environment)** of Volume 1 of the ES (APP-048) for full details. The detail of Mitigation measures would be secured through the detailed drainage design, the production and approval of which would be secured by **Requirement 10 of the draft DCO (AS-076REP8-005)**. This would require that the detailed drainage design be 'substantially in accordance with' the **Surface Water Drainage Strategy (SWDS)**, which forms **Appendix 12.3 of Chapter 12 (Water Environment)** in Volume 3 of the ES.
- 4.1.28. Mitigation measures to be delivered via the SWDS include the following:
- a. Containment measures to collect potentially contaminated surface water runoff from the Solvent Storage and Make-up System, Carbon Capture Waste Water Treatment Plant, Quench Column, and Absorber Column;
 - b. Oil Storage for the Flue gas blower, CO₂ compressor and air compressor unit would be designed in accordance with the Control of Pollution (Oil Storage) (England) Regulations 2001. All potentially oil contaminated storm water in these areas would be collected into the oil water drain pit and transferred to the existing oily wastewater system;
 - c. Rich Solvent / Lean Solvent Heat Exchangers would be individually banded; Daily checks would be carried out to inspect for chemical and oil leakage;
 - d. Drip trays, or similar, would be installed under pumps to capture any potential leaks; and
 - e. Pans and shrouds will be installed for Plate Heat Exchanger (PHE).

4.2. ADVERSE EFFECTS ON INTEGRITY POST-MITIGATION

- 4.2.1. This section of the report assesses whether the Proposed Scheme (alone) would lead to adverse effects on the integrity of any of the European Sites for which LSE have been identified. The identified LSE are examined in detail, to determine whether or not they could frustrate achievement of the conservation objectives for each qualifying feature.

LOSS AND DISTURBANCE OF FUNCTIONALLY-LINKED LAND

River Derwent SAC

- 4.2.2. This impact pathway is only relevant to the otter qualifying interest of the SAC, with no LSE predicted for other qualifying interests. This impact was identified in relation to

the minor loss and disturbance of functionally-linked land that would occur in the Habitat Provision Area (see **Figure 3**).

- 4.2.3. The relevant Natural England Supplementary Advice on Conservation Objectives (SACO) (Natural England, 2017) relate to supporting habitat: structure and function. These include the targets as summarised below in **Table 4.1**.

Table 4.1 - River Derwent SAC SACO – Functionally-linked Land

Attribute	Targets
Habitat Quality - river	Maintain the quality of supporting river habitat features, based on the advice above for the H3260 feature, to provide a characteristic biotope mosaic required by otters.
Habitat quality - waterways	Maintain the quality of supporting waterway habitat such as associated tributaries of the Derwent.
Food availability	Maintain fish biomass at expected natural levels of biomass (subject to natural fluctuations).

- 4.2.4. As described in **Table 3.3**, potential loss and disturbance of functionally-linked habitat for otter, is limited to habitat enhancement measures in the Habitat Provision Area. These habitat enhancements are limited to hedgerow planting only. There would be no loss or modification of aquatic habitats or bankside vegetation, which provide the key functionally-linked land for otters within the Habitat Provision Area. The locations of the proposed hedgerow planting are set out on Figure 1 of the **Outline Landscape and Biodiversity Strategy** (APP-180).
- 4.2.5. The presence of trees or woodland (and by inference, hedgerows) is unlikely to significantly alter usage of an area by otter for commuting or foraging (Chanin, 2003). As such the planting of hedgerows within the Habitat Provision Area is unlikely to have any material effect on the use of this area by otters.
- 4.2.6. Equally, the planting of hedgerows within the Habitat Provision Area would not alter the quality of ‘supporting waterway habitats’ such as Carr Dyke and ditches in the Habitat Provision Area. Hedgerow planting may actually have a beneficial effect on water quality in the Carr Dyke, through reducing diffuse agricultural run-off from agricultural activities (Sheng, 2020). Any such benefits cannot be modelled accurately and are not considered significant.
- 4.2.7. In light of the above, **no adverse effects on the River Derwent SAC** are predicted in relation to loss or disturbance of functionally-linked land.

Lower Derwent Valley SAC

- 4.2.8. This impact pathway is only relevant to the otter qualifying interest of the SAC, with no LSE predicted for other qualifying interests. This impact was identified in relation to

the minor loss and disturbance of functionally-linked land that would occur in the Habitat Provision Area (see **Figure 3**).

- 4.2.9. The relevant Natural England Supplementary Advice on Conservation Objectives (SACO) (Natural England, 2019) relate to supporting habitat: structure and function. These include the targets as summarised below in **Table 4.2**.

Table 4.2 - Lower Derwent Valley SAC SACO – Functionally-linked Land

Attribute	Targets
Habitat Quality - river	Maintain the quality of supporting river habitat features based on natural river function, which provides a characteristic river-habitat mosaic that caters for otters.
Habitat quality - waterways	Maintain the quality of supporting waterways habitat features used by the otter population.
Food availability	Maintain fish biomass at expected natural levels of biomass (subject to natural fluctuations).

- 4.2.10. As described in **Table 3.3**, potential loss and disturbance of functionally-linked habitat for otter, is limited to habitat enhancement measures in the Habitat Provision Area. These habitat enhancements are limited to hedgerow planting only. There would be no loss or modification of aquatic habitats or bankside vegetation, which provide the key functionally-linked land for otters within the Habitat Provision Area. The locations of the proposed hedgerow planting are set out on **Figure 1** of the **Outline Landscape and Biodiversity Strategy** (APP-181).
- 4.2.11. The presence of trees or woodland (and by inference, hedgerows) is unlikely to significantly alter usage of an area by otter for commuting or foraging (Chanin, 2003). As such the planting of hedgerows within the Habitat Provision Area is unlikely to have any material effect on the use of this area by otters.
- 4.2.12. Equally, the planting of hedgerows within the Habitat Provision Area would not alter the quality of ‘supporting waterway habitats’ such as Carr Dyke and ditches in the Habitat Provision Area. Hedgerow planting may actually have a beneficial effect on water quality in the Carr Dyke, through reducing diffuse agricultural run-off from agricultural activities (Sheng, 2020). Any such benefits cannot be modelled accurately and are not considered significant.
- 4.2.13. In light of the above, **no adverse effects on the Lower Derwent Valley SAC** are predicted in relation to loss or disturbance of functionally-linked land.

Lower Derwent Valley SPA

- 4.2.14. This impact pathway is potentially relevant to a number of the SPA bird qualifying interest features of the SPA. The qualifying interests are primarily present within the SPA (and surrounding areas where used) over winter and the early spring passage

period. The northern shoveler is the only species identified as a breeding feature (Natural England, 2019). This impact pathway was identified in relation to the minor loss and disturbance of functionally-linked land that would occur in the Habitat Provision Area (see Figure 3).

- 4.2.15. Some of the bird species which are qualifying interests of the SPA may use farmland habitats outside the SPA itself foraging and/or roosting as functionally linked land. Due to differences in their ecology, the use of farmland habitats varies between the species. Regardless of the differences between the species, any use of the Habitat Provision Area and surrounding fields is likely to be limited. This is due to the distance between the SPA and the Habitat Provision Area (~4.3 km), the presence of more suitable habitat within the SPA itself, and the presence of extensive areas of farmland closer to the SPA.
- 4.2.16. Based on their habitat preferences, the following species could use farmland habitats and/or Carr Dyke in and adjacent to the Habitat Provision Area:
- a. Bewick’s swan;
 - b. Teal;
 - c. Shoveler;
 - d. Wigeon; and
 - e. Golden plover.
- 4.2.17. The relevant Natural England Supplementary Advice on Conservation Objectives (SACO) (Natural England, 2019) relate to supporting habitat: structure and function. These include the targets as summarised below in **Table 4.3**. The SACO are the same for each qualifying interest:

Table 4.3 - Lower Derwent Valley SPA SACO – Functionally-linked Land

Attribute	Targets
Extent and distribution of supporting non-breeding habitat	Maintain the extent and distribution of suitable habitat (either within or outside the site boundary) which supports the feature for all necessary stages of the non-breeding/wintering period (moulting, roosting, loafing, feeding) Wet grassland (which will be partially inundated during winter months) c.709ha Inland water bodies (Standing/Running water) c.109ha Fens & associated habitats c.262ha.
Conservation measures	Maintain management or other measures (whether within and/or outside the site boundary as appropriate) necessary to maintain the structure, function and/or the supporting processes associated with the feature and its supporting habitats.

- 4.2.18. As described in **Table 3.3**, potentially significant loss and disturbance of functionally-linked habitat, is considered to be limited to habitat enhancement measures in the Habitat Provision Area. These habitat enhancements are limited to hedgerow planting only, comprising a combination of new hedgerows and infill planting of existing tree-lines and defunct hedgerows. There would be no loss or modification of aquatic habitats or bankside vegetation and negligible loss of farmland habitats, which provide the key functionally-linked land within the Habitat Provision Area. The locations of the proposed hedgerow planting are set out on **Figure 1** of the **Outline Landscape and Biodiversity Strategy** (APP-181).
- 4.2.19. Wintering bird surveys were completed for the Drax Repower Project between November 2017 – March 2018. The geographical coverage of these surveys included part of the Habitat Provision Area (see **Figure 2** in **Appendix 8.13 (Drax Repower Wintering Bird Surveys)** in Volume 3 of the ES (APP-148)). These reported an assemblage of non-SPA wintering birds across the south-eastern extent of the Habitat Provision Area and the East Construction Laydown Area. In addition to the non-SPA species, a peak count of four teal was recorded, equivalent to approximately 0.1% of the SPA population. Teal are one of the qualifying interests of the SPA. These were all associated with the pond that lies adjacent to one of the hedgerow planting locations adjacent to the Habitat Provision Area (shown at the top right corner on **Figure 2** in **Appendix 8.13 (Drax Repower Wintering Bird Surveys)** in Volume 3 of the ES (APP-148)), which sits adjacent to a series of farm buildings. Teal (and shoveler) are strongly associated with waterbodies and would be unlikely to use farmland habitats away from waterbodies although might use Carr Dyke on occasion. No other SPA bird species were recorded. Whilst the 2017/18 survey did not cover all of the Habitat Provision Area, it does suggest that habitats in and adjacent to the Habitat Provision Area are likely to receive limited use by SPA bird species.
- 4.2.20. In summary, there will be very minor change in landuse that would occur in the Habitat Provision Area, which is located ~4.7 km from the SPA, and is unlikely to be used by significant numbers of SPA bird species. As such **no adverse effects on the integrity of Lower Derwent Valley SPA** are predicted in relation to loss or disturbance of functionally-linked land.

Lower Derwent Valley Ramsar

- 4.2.21. This impact pathway is potentially relevant to a number of the Ramsar bird qualifying interest features of the SPA. The qualifying interests are primarily present within the Ramsar (and surrounding areas where used) over winter and the early spring passage period. This impact pathway was identified in relation to the minor loss and disturbance of functionally-linked land that would occur in the Habitat Provision Area (see **Figure 3**).
- 4.2.22. Some of the bird species which are qualifying interests of the Ramsar may use farmland habitats outside the Ramsar itself for foraging and/or roosting. Due to differences in their ecology, the use of farmland habitats varies between the species. Regardless of the differences between the species, any use of the Habitat Provision

Area and surrounding fields is likely to be limited. This is due to the distance between the Ramsar and the Habitat Provision Area (~4.3 km), the presence of more suitable habitat within the SPA itself, and the presence of extensive areas of farmland closer to the SPA.

- 4.2.23. Based on their habitat preferences, the following species could use farmland habitats and/or Carr Dyke in and adjacent to the Habitat Provision Area:
- a. Teal; and
 - b. Wigeon.
- 4.2.24. Ramsar sites do not have published conservation objectives. As such, the SACO identified for Lower Derwent Valley SPA are considered relevant, as set out in **Table 4.3**, above.
- 4.2.25. As described in **Table 3.3**, potentially significant loss and disturbance of functionally-linked habitat, is considered to be limited to habitat enhancement measures in the Habitat Provision Area. These habitat enhancements are limited to hedgerow planting only, comprising a combination of new hedgerows and infill planting of existing tree-lines and defunct hedgerows. There would be no loss or modification of aquatic habitats or bankside vegetation and negligible loss of farmland habitats, which provide the key functionally-linked land within the Habitat Provision Area. The locations of the proposed hedgerow planting are set out on **Figure 1** of the **Outline Landscape and Biodiversity Strategy** (APP-181).
- 4.2.26. Wintering bird surveys were completed for the Drax Repower Project between November 2017 – March 2018. The geographical coverage of these surveys included part of the Habitat Provision Area (see **Figure 2** in **Appendix 8.13 (Drax Repower Wintering Bird Surveys)** in Volume 3 of the ES (APP-148)). These reported an assemblage of non-Ramsar wintering birds across the south-eastern extent of the Habitat Provision Area and the East Construction Laydown Area. In addition to the non-Ramsar species, a peak count of four teal was recorded on one survey, equivalent to approximately 0.1% of the Ramsar population. These were all associated with the pond that lies adjacent to one of the hedgerow planting locations adjacent to the Habitat Provision Area (shown at the top right corner on **Figure 2** in **Appendix 8.13 (Drax Repower Wintering Bird Surveys)** in Volume 3 of the ES (APP-148)), which sits adjacent to a series of farm buildings. Teal (and shoveler) are strongly associated with waterbodies and would be unlikely to use farmland habitats away from waterbodies although might use Carr Dyke on occasion. No other Ramsar bird species were recorded. Whilst the 2017/18 survey did not cover all of the Habitat Provision Area, it does suggest that habitats in and adjacent to the Habitat Provision Area are likely to receive limited use by Ramsar bird species.
- 4.2.27. In summary, there will be very minor changes in land use that would occur in the Habitat Provision Area, which is located ~4.7 km from the SPA, and is unlikely to be used by significant numbers of SPA bird species. As such **no adverse effects on the integrity of Lower Derwent Valley Ramsar** are predicted in relation to loss or disturbance of functionally-linked land.

Humber Estuary SPA

- 4.2.28. This impact pathway is potentially relevant to a number of the SPA bird qualifying interest features of the SPA. The qualifying interests are primarily present within the SPA (and surrounding areas where used) over winter and the early spring passage period. Several of the qualifying interests do comprise breeding populations, including avocet, bittern, little tern, and marsh harrier. This impact pathway was identified in relation to the minor loss and disturbance of functionally-linked land that would occur in the Habitat Provision Area (**see Figure 3**).
- 4.2.29. Some of the bird species which are qualifying interests of the SPA may use farmland habitats outside the SPA itself for foraging and/or roosting. Due to differences in their ecology, the use of farmland habitats varies between the species. Regardless of the differences between the species, any use of the Habitat Provision Area and surrounding fields is likely to be limited. This is due to the distance between the SPA and the Habitat Provision Area (~6.3 km), the presence of more suitable habitat within the SPA itself, and the presence of extensive areas of farmland closer to the SPA.
- 4.2.30. Based on their habitat preferences, the following species (individual qualifying interest species and species forming part of the Article 4.2 assemblage of waterbirds) could use farmland habitats and/or Carr Dyke in and adjacent to the Habitat Provision Area:
- a. Lapwing;
 - b. Curlew;
 - c. Shoveler;
 - d. Mallard;
 - e. Wigeon;
 - f. Marsh harrier; and
 - g. Golden plover.
- 4.2.31. The relevant Natural England Supplementary Advice on Conservation Objectives (SACO) (Natural England, 2019) relate to supporting habitat. These include the targets as summarised below in **Table 4.4**:

Table 4.4 - Humber Estuary SPA SACO – Functionally-linked Land

Qualifying Interest	Attribute	Targets
Golden plover, non-breeding	Supporting habitat: extent and distribution of supporting habitat for the non-breeding season.	Restore the extent, distribution and availability of suitable habitat (either within or outside the site boundary) which supports the feature for all necessary stages of the non-breeding/wintering period (moulting, roosting, loafing, feeding) [to] [an

Qualifying Interest	Attribute	Targets
		unspecified extent, based on restoring natural estuarine functioning
Waterbird assemblage, Non-breeding	Supporting habitat: extent and distribution of supporting habitat for the non-breeding season.	Restore the extent, distribution and availability of suitable habitat (either within or outside the site boundary) which supports the feature for all necessary stages of the non-breeding/wintering period (moulting, roosting, loafing, feeding) to an unknown extent, based on restoring natural estuarine functioning.
Waterbird assemblage, Non-breeding	Supporting habitat: quality of supporting non-breeding habitat	<p>Maintain the structure, function and availability of the following habitats (site specific notes) which support the assemblage feature for all stages (moulting, roosting, loafing, feeding) of the non-breeding period. The principal habitats known or likely to support the assemblage feature at this SPA are:</p> <ul style="list-style-type: none"> Intertidal sand and mudflats Coastal lagoons Saltmarsh Tidal reedbeds Freshwater wetlands Inland areas of wet grassland, rough grassland and agricultural land (both arable land and permanent pasture) Annual vegetation of drift lines (sand and shingle) Artificial structures such as derelict pier/jetty structures, flood defences; and water column.
Marsh harrier, breeding	Supporting habitat: extent and distribution of	Maintain the extent, distribution and availability of suitable habitat (either within or outside the site boundary) which supports the feature for all

Qualifying Interest	Attribute	Targets
	supporting habitat for the breeding season	necessary stages of its breeding cycle (courtship, nesting, feeding) at: current level. Exact ha not known at this time.
Golden plover (non-breeding)	Supporting habitat: vegetation characteristics for feeding	Maintain the extent and distribution of predominantly short (<10 cm) grassland swards or arable fields in areas used for feeding.

- 4.2.32. As described in **Table 3.3**, potentially significant loss and disturbance of functionally-linked habitat, is considered to be limited to habitat enhancement measures in the Habitat Provision Area. These habitat enhancements are limited to hedgerow planting only, comprising a combination of new hedgerows and infill planting of existing tree-lines and defunct hedgerows. There would be no loss or modification of aquatic habitats or bankside vegetation and negligible loss of farmland habitats, which provide the key functionally-linked land within the Habitat Provision Area. There will be no change to agricultural management practices arising from the Proposed Scheme. The locations of the proposed hedgerow planting are set out on **Figure 1** of the **Outline Landscape and Biodiversity Strategy** (APP-181).
- 4.2.33. Wintering bird surveys were completed for the Drax Repower Project between November 2017 – March 2018. The geographical coverage of these surveys included part of the Habitat Provision Area (see **Figure 2** in **Appendix 8.13 (Drax Repower Wintering Bird Surveys)** in Volume 3 of the ES (APP-148)). These reported an assemblage of non-SPA wintering birds across the south-eastern extent of the Habitat Provision Area and the East Construction Laydown Area. In addition to the non-SPA species, a peak count of three mallard was recorded. Mallard are one of the species mentioned in the description of the wintering bird assemblage qualifying interest of the SPA (Natural England, 2019). These were all associated with the pond that lies adjacent to one of the hedgerow planting locations in the Habitat Provision Area (shown at the top right corner on **Figure 2** in **Appendix 8.13 (Drax Repower Wintering Bird Surveys)** in Volume 3 of the ES (APP-148)), which sits adjacent to a series of farm buildings. No other SPA bird species were recorded. Breeding bird surveys for Drax Repower in 2018 recorded no SPA or Ramsar bird species during four survey visits between April and July (WSP, 2018(c)). Whilst the 2017/18 surveys did not cover all of the Habitat Provision Area, it does suggest that habitats in and adjacent to the Habitat Provision Area are likely to receive limited use by SPA bird species.
- 4.2.34. In summary, there will be very minor change in landuse that would occur in the Habitat Provision Area, which is located ~6.3 km from the SPA, and is unlikely to be used by significant numbers of SPA bird species. As such **no adverse effects on the**

integrity of Humber Estuary SPA are predicted in relation to loss or disturbance of functionally-linked land.

Humber Estuary Ramsar

- 4.2.35. This impact pathway is potentially relevant to a number of the bird qualifying interest features of the Ramsar. The qualifying interests are primarily present within the Ramsar (and surrounding areas where used) over winter and the early spring passage period. The Ramsar bird qualifying interests are similar to those for which the Humber Estuary SPA has been designated. This impact pathway was identified in relation to the minor loss and disturbance of functionally-linked land that would occur in the Habitat Provision Area (**see Figure 3**).
- 4.2.36. Some of the bird species which are qualifying interests of the Ramsar may use farmland habitats outside the Ramsar itself for foraging and/or roosting. Due to differences in their ecology, the use of farmland habitats varies between the species. Regardless of the differences between the species, any use of the Habitat Provision Area and surrounding fields is likely to be limited. This is due to the distance between the Ramsar and the Habitat Provision Area (~6.3 km), the presence of more suitable habitat within the Ramsar itself, and the presence of extensive areas of farmland closer to the Ramsar.
- 4.2.37. Based on their habitat preferences, the following species (individual qualifying interest species and species forming part of the Ramsar Criterion 5 assemblage of waterbirds) could use farmland habitats in and adjacent to the Habitat Provision Area:
- a. Lapwing;
 - b. Curlew;
 - c. Shoveler;
 - d. Mallard;
 - e. Wigeon; and
 - f. Golden plover.
- 4.2.38. Ramsar sites do not have published conservation objectives. As such, the SACO identified for Humber Estuary SPA are considered relevant, as set out in **Table 4.4**, above.
- 4.2.39. As described in Table 3.3, potentially significant loss and disturbance of functionally-linked habitat, is considered to be limited to habitat enhancement measures in the Habitat Provision Area. These habitat enhancements are limited to hedgerow planting only, comprising a combination of new hedgerows and infill planting of existing tree-lines and defunct hedgerows. There would be no loss or modification of aquatic habitats or bankside vegetation and negligible loss of farmland habitats, which provide the key functionally-linked land within the Habitat Provision Area. There will be no change to agricultural management practices arising from the Proposed Scheme. The locations of the proposed hedgerow planting are set out on **Figure 1** of the **Outline Landscape and Biodiversity Strategy** (APP-181).

- 4.2.40. Wintering bird surveys were completed for the Drax Repower Project between November 2017 – March 2018. The geographical coverage of these surveys included part of the Habitat Provision Area (see **Figure 2** in **Appendix 8.13 (Drax Repower Wintering Bird Surveys)** in Volume 3 of the ES (APP-148)). These reported an assemblage of non-Ramsar wintering birds across the south-eastern extent of the Habitat Provision Area and the East Construction Laydown Area. In addition to the non-Ramsar species, a peak count of three mallard was recorded. Mallard are one of the species mentioned in the description of the wintering bird assemblage qualifying interest of the Ramsar (Natural England, 2019). These were all associated with the pond that lies adjacent to one of the hedgerow planting locations adjacent to the Habitat Provision Area (shown at the top right corner on **Figure 2** in **Appendix 8.13** in Volume 3 of the ES, which sits adjacent to a series of farm buildings. No other Ramsar bird species were recorded. Breeding bird surveys for Drax Repower in 2018 recorded no SPA or Ramsar bird species during four survey visits between April and July (WSP, 2018(c)). Whilst the 2017/18 surveys did not cover all of the Habitat Provision Area, it does suggest that habitats in and adjacent to the Habitat Provision Area are likely to receive limited use by Ramsar bird species.
- 4.2.41. In summary, there will be very minor change in landuse that would occur in the Habitat Provision Area, which is located ~~~6.34.7~~ km from the SPA, and is unlikely to be used by significant numbers of SPA bird species. As such **no adverse effects on the integrity of Humber Estuary SPARamsar** are predicted in relation to loss or disturbance of functionally-linked land.

EMISSIONS OF DUST

- 4.2.42. Dust mitigation measures are described above in **Section 4.1** and set out in full in **Section 1.3 of Appendix 6.2 (Construction Dust Assessment)** of **Chapter 6** (Air Quality) in Volume 3 of the ES (APP-126).
- 4.2.43. With application of dust mitigation measures as described, the residual effects of dust are predicted to be negligible (see Section 1.4 of **Appendix 6.2 (Construction Dust Assessment)** of **Chapter 6** (Air Quality) in Volume 3 of the ES (APP-126).
- 4.2.44. As such **no adverse effects on the integrity of** any European Site are predicted in relation to dust impacts on functionally-linked land.

INCREASED RISK OF POLLUTION FROM SEDIMENT LOAD

River Derwent SAC

- 4.2.45. This impact pathway is relevant to the otter qualifying interest of the SAC, with no LSE predicted for other qualifying interests. This impact was identified in relation to the potential for increased sediment loading of Carr Dyke during construction of the Proposed Scheme.
- 4.2.46. The relevant Natural England Supplementary Advice on Conservation Objectives (SACO) (Natural England, 2019) relate to supporting habitat: structure and function. These include the targets as summarised below in **Table 4.5**.

Table 4.5 - River Derwent SAC SACO – Sediment Loading

Attribute	Targets
Habitat Quality – river	Maintain the quality of supporting river habitat features based on natural river function, which provides a characteristic river-habitat mosaic that caters for otters.
Habitat quality – waterways	Maintain the quality of supporting waterways habitat features used by the otter population.
Food availability	Maintain fish biomass at expected natural levels of biomass (subject to natural fluctuations).
Water quality/quantity	Ensure water quality and quantity is restored to a standard which provides the necessary conditions to support the feature. Flow targets for the H3260 feature should be met.
Water quality: Toxic chemicals	Avoid any increase in the level of pollutants which are potentially toxic to otters.

4.2.47. As described in **paragraph 3.5.11**, increased sediment loading could impact water quality in Carr Dyke, potentially leading to LSE through reductions in the suitability of riparian habitats for otter. With mitigation measures in place (see **paragraph 4.1.10**) the assessment of effects on the Water Environment (see **paragraph 12.11.2 to 12.11.3 of Chapter 12 (Water Environment)** of Volume 1 of the ES (APP-048) predicts that impacts on the Carr Dyke would be negligible.

4.2.48. In light of the above, **no adverse effects on the River Derwent SAC** are predicted in relation to increased pollution risk from sediment-loading.

Lower Derwent Valley SAC

4.2.49. This impact pathway is relevant to the otter qualifying interest of the SAC, with no LSE predicted for other qualifying interests. This impact was identified in relation to the potential for increased sediment loading of Carr Dyke during construction of the Proposed Scheme.

4.2.50. The relevant Natural England Supplementary Advice on Conservation Objectives (SACO) (Natural England, 2019) relate to ‘supporting habitat: structure and function’, and ‘Supporting processes (on which the feature and/or its supporting habitat relies)’. These include the targets as summarised below in **Table 4.6**.

Table 4.6 - Lower Derwent Valley SAC SACO – Sediment Loading

Attribute	Targets
Habitat Quality - river	Maintain the quality of supporting river habitat features based on natural river function, which provides a characteristic river-habitat mosaic that caters for otters.
Habitat quality - waterways	Maintain the quality of supporting waterways habitat features used by the otter population
Food availability	Maintain fish biomass at expected natural levels of biomass (subject to natural fluctuations).
Water quantity/quality	Where the feature or its supporting habitat is dependent on surface water, maintain water quality and quantity to a standard which provides the necessary conditions to support the feature.
Water quality/quantity	Maintain water quality and quantity to a standard which provides the necessary conditions to support the feature.
Water quality: Toxic chemicals	Avoid any increase in the level of pollutants affecting the site which are potentially toxic to otters.

4.2.51. As described in **paragraph 3.5.11**, increased sediment loading could impact water quality in Carr Dyke, potentially leading to LSE through reductions in the suitability of riparian habitats for otter. With mitigation measures in place (see **paragraph 4.1.10**) the assessment of effects on the Water Environment (see **paragraph 12.11.2 to 12.11.3 of Chapter 12** (Water Environment) of Volume 1 of the ES (APP-048) predicts that impacts on the Carr Dyke would be negligible.

4.2.52. In light of the above, **no adverse effects on the Lower Derwent Valley SAC** are predicted in relation to increased pollution risk from sediment-loading.

Lower Derwent Valley SPA

4.2.53. This impact pathway is potentially relevant to a number of the SPA bird qualifying interest features of the SPA. The qualifying interests are primarily present within the SPA (and surrounding areas where used) over winter and the early spring passage period. The shoveler is the only species identified as a breeding feature (Natural England, 2019). This impact pathway was identified in relation to the potential for increased sediment loading of Carr Dyke during construction of the Proposed Scheme.

4.2.54. Some of the bird species which are qualifying interests of the SPA may use farmland habitats outside the SPA itself foraging and/or roosting. Due to differences in their ecology, the use of farmland habitats varies between the species. Regardless of the differences between the species, any use of the Habitat Provision Area and

surrounding fields is likely to be limited. This is due to the distance between the SPA and the Habitat Provision Area (~4.3 km), the presence of more suitable habitat within the SPA itself, and the presence of extensive areas of farmland closer to the SPA.

4.2.55. Based on their habitat preferences, the following species could use farmland habitats in and adjacent to the Habitat Provision Area:

- a. Bewick's swan;
- b. Teal;
- c. Shoveler;
- d. Wigeon; and
- e. Golden plover.

4.2.56. The relevant Natural England Supplementary Advice on Conservation Objectives (SACO) (Natural England, 2019) relate to 'supporting habitat: water quality'. These include the targets as summarised below in **Table 4.7**. The SACO are the same for each qualifying interest.

Table 4.7 - Lower Derwent Valley SPA SACO – Sediment Loading

Attribute	Targets
Supporting habitat: water quality - contaminants	Restrict aqueous contaminants to levels equating to High Status according to Annex VIII and Good Status according to Annex X of the Water Framework Directive, avoiding deterioration from existing levels.
Supporting habitat: water quality - dissolved oxygen	Maintain the dissolved oxygen (DO) concentration at levels equating to Good Ecological Status (specifically ≥ 5.7 mg per litre (at 35 salinity) for 95 % of the year), avoiding deterioration from existing levels.
Supporting habitat: water quality - nutrients	Maintain water quality and specifically mean winter dissolved inorganic nitrogen (DIN) at a concentration equating to High Ecological Status (specifically mean winter DIN is $< 12 \mu\text{M}$ for coastal waters), avoiding deterioration from existing levels.
Supporting habitat: water quality - turbidity	Maintain natural levels of turbidity (e.g., concentrations of suspended sediment, plankton and other material) across the habitat.

4.2.57. As described in **paragraph 3.5.11**, increased sediment loading could impact water quality in Carr Dyke, potentially leading to LSE through reductions in the suitability of riparian habitats for SPA bird species. With mitigation measures in place (see **paragraph 4.1.10**) the assessment of effects on the Water Environment (see **paragraph 12.11.2 to 12.11.3 of Chapter 12** (Water Environment) of Volume 1 of the ES (APP-048) predicts that impacts on the Carr Dyke would be negligible.

4.2.58. In light of the above, **no adverse effects on the integrity of the Lower Derwent Valley SPA** are predicted in relation to increased pollution risk from sediment-loading.

Lower Derwent Valley Ramsar

4.2.59. This impact pathway is potentially relevant to a number of the Ramsar bird qualifying interest features of the Ramsar. The qualifying interests are primarily present within the Ramsar (and surrounding areas where used) over winter and the early spring passage period. This impact pathway was identified in relation to the potential for increased sediment loading of Carr Dyke during construction of the Proposed Scheme.

4.2.60. Some of the bird species which are qualifying interests of the Ramsar may use farmland habitats outside the Ramsar itself for foraging and/or roosting. Due to differences in their ecology, the use of farmland habitats varies between the species. Regardless of the differences between the species, any use of the Habitat Provision Area and surrounding fields is likely to be limited. This is due to the distance between the Ramsar and the Habitat Provision Area (~4.3 km), the presence of more suitable habitat within the [RamsarSPA](#) itself, and the presence of extensive areas of farmland closer to the [RamsarSPA](#).

4.2.61. Based on their habitat preferences, the following species could use farmland and watercourse habitats in and adjacent to the Habitat Provision Area:

- a. Teal; and
- b. Wigeon.

4.2.62. Ramsar sites do not have published conservation objectives. As such, the SACO identified for Lower Derwent Valley SPA are considered relevant, as set out in **Table 4.7**, above.

4.2.63. As described in **paragraph 3.5.11**, increased sediment loading could impact water quality in Carr Dyke, potentially leading to LSE through reductions in the suitability of riparian habitats for SPA bird species. With mitigation measures in place (see **paragraph 4.1.10**) the assessment of effects on the Water Environment (see **paragraph 12.11.2 to 12.11.3 of Chapter 12** (Water Environment) of Volume 1 of the ES (APP-048) predicts that impacts on the Carr Dyke would be negligible.

4.2.64. In light of the above, **no adverse effects on the integrity of the Lower Derwent Valley Ramsar** are predicted in relation to increased pollution risk from sediment-loading.

Humber Estuary SPA

4.2.65. This impact pathway is potentially relevant to a number of the SPA bird qualifying interest features of the SPA. The qualifying interests are primarily present within the SPA (and surrounding areas where used) over winter and the early spring passage period. Several of the qualifying interests do comprise breeding populations, including avocet, bittern, little tern, and marsh harrier. This impact pathway was identified in

relation to the potential for increased sediment loading of Carr Dyke during construction of the Proposed Scheme.

- 4.2.66. Some of the bird species which are qualifying interests of the SPA may use farmland habitats outside the SPA itself foraging and/or roosting. Due to differences in their ecology, the use of farmland habitats varies between the species. Regardless of the differences between the species, any use of the Habitat Provision Area and surrounding fields is likely to be limited. This is due to the distance between the SPA and the Habitat Provision Area (~6.3 km), the presence of more suitable habitat within the SPA itself, and the presence of extensive areas of farmland closer to the SPA.
- 4.2.67. Based on their habitat preferences, the following species (individual qualifying interest species and species forming part of the Article 4.2 assemblage of waterbirds) could use farmland habitats in and adjacent to the Habitat Provision Area:
- a. Lapwing;
 - b. Curlew;
 - c. Shoveler;
 - d. Mallard;
 - e. Wigeon;
 - f. Marsh harrier; and
 - g. Golden plover.
- 4.2.68. The relevant Natural England Supplementary Advice on Conservation Objectives (SACO) (Natural England, 2019) relate to 'supporting habitat: water quality'. These include the targets as summarised below in **Table 4.8**. The SACO are the same for each qualifying interest.

Table 4.8 - Humber Estuary SPA SACO – Sediment-loading

Attribute	Targets
Supporting habitat: water quality - contaminants	Restrict aqueous contaminants to levels equating to High Status according to Annex VIII and Good Status according to Annex X of the Water Framework Directive, avoiding deterioration from existing levels.
Supporting habitat: water quality - dissolved oxygen	Maintain the dissolved oxygen (DO) concentration at levels equating to Good Ecological Status (specifically ≥ 5.7 mg per litre (at 35 salinity) for 95 % of the year), avoiding deterioration from existing levels.
Supporting habitat: water quality - nutrients	Maintain water quality and specifically mean winter dissolved inorganic nitrogen (DIN) at a concentration equating to High Ecological Status (specifically mean

	winter DIN is < 12 µM for coastal waters), avoiding deterioration from existing levels.
Supporting habitat: water quality - turbidity	Maintain natural levels of turbidity (e.g. concentrations of suspended sediment, plankton and other material) across the habitat.

4.2.69. As described in **paragraph 3.5.11**, increased sediment loading could impact water quality in Carr Dyke, potentially leading to LSE through reductions in the suitability of riparian habitats for SPA bird species. With mitigation measures in place (see **paragraph 4.1.10**) the assessment of effects on the Water Environment (see **paragraph 12.11.2 to 12.11.3 of Chapter 12 (Water Environment)** of Volume 1 of the ES (APP-048) predicts that, impacts on the Carr Dyke would be negligible.

4.2.70. In light of the above, **no adverse effects on the integrity of the Humber Estuary SPA** are predicted in relation to increased pollution risk from sediment-loading.

Humber Estuary Ramsar

4.2.71. This impact pathway is potentially relevant to a number of the bird qualifying interest features of the Ramsar. The qualifying interests are primarily present within the Ramsar (and surrounding areas where used) over winter and the early spring passage period. The Ramsar bird qualifying interests are similar to those for which the Humber Estuary SPA has been designated. This impact pathway was identified in relation to the potential for increased sediment loading of Carr Dyke during construction of the Proposed Scheme.

4.2.72. Some of the bird species which are qualifying interests of the Ramsar may use farmland habitats outside the Ramsar itself for foraging and/or roosting. Due to differences in their ecology, the use of farmland habitats varies between the species. Regardless of the differences between the species, any use of the Habitat Provision Area and surrounding fields is likely to be limited. This is due to the distance between the Ramsar and the Habitat Provision Area (~6.3 km), the presence of more suitable habitat within the Ramsar itself, and the presence of extensive areas of farmland closer to the Ramsar.

4.2.73. Based on their habitat preferences, the following species (individual qualifying interest species and species forming part of the Ramsar Criterion 5 assemblage of waterbirds) could use farmland habitats in and adjacent to the Habitat Provision Area:

- a. Lapwing;
- b. Curlew;
- c. Shoveler;
- d. Mallard;
- e. Wigeon; and
- f. Golden plover.

- 4.2.74. Ramsar sites do not have published conservation objectives. As such, the SACO identified for Humber Estuary SPA are considered relevant, as set out in **Table 4.8**, above.
- 4.2.75. As described in **paragraph 3.5.11**, increased sediment loading could impact water quality in Carr Dyke, potentially leading to LSE through reductions in the suitability of riparian habitats for [Ramsar SPA](#) bird species. With mitigation measures in place (see **paragraph 4.1.10**) the assessment of effects on the Water Environment (see **paragraph 12.11.2 to 12.11.3 of Chapter 12** (Water Environment) of Volume 1 of the ES (APP-048) predicts that, impacts on the Carr Dyke would be negligible.
- 4.2.76. In light of the above, **no adverse effects on the integrity of the Humber Estuary Ramsar** are predicted in relation to increased pollution risk from sediment-loading.

INCREASED RISK OF POLLUTION FROM WATER-BORNE POLLUTANTS

River Derwent SAC

- 4.2.77. This impact pathway is relevant to the otter, sea lamprey, and river lamprey qualifying interest of the SAC, with no LSE predicted for other qualifying interests. This impact was identified in relation to the potential for increased water-borne pollution of Carr Dyke and the River Ouse during construction of the Proposed Scheme.
- 4.2.78. The relevant Natural England Supplementary Advice on Conservation Objectives (SACO) (Natural England, 2019) relate to supporting habitat: structure and function. These include the targets as summarised below in **Table 4.9**.

Table 4.9 - River Derwent SAC SACO – Water-borne Pollutants

Attribute	Targets
Habitat Quality – river	Maintain the quality of supporting river habitat features based on natural river function, which provides a characteristic river-habitat mosaic that caters for otters.
Habitat quality – waterways	Maintain the quality of supporting waterways habitat features used by the otter population.
Food availability	Maintain fish biomass at expected natural levels of biomass (subject to natural fluctuations).
Water quality/quantity	Ensure water quality and quantity is restored to a standard which provides the necessary conditions to support the feature.
Water quality: Toxic chemicals	Avoid any increase in the level of pollutants which are potentially toxic to otters.
Water quality – other pollutants	Achieve at least ‘Good’ chemical status (i.e. compliance with relevant Environmental Quality Standards).

- 4.2.79. As described in **paragraph 3.5.15**, increased water-borne pollution could impact water quality in Carr Dyke and River Ouse, potentially leading to LSE through reductions in the suitability of riparian habitats for otter, river lamprey and sea lamprey. With mitigation measures in place (see **paragraph 4.1.11 to 4.1.13**) the assessment of effects on the Water Environment (see **paragraph 12.11.14 of Chapter 12** (Water Environment) of Volume 1 of the ES (APP-048) predicts that impacts on the Carr Dyke and River Ouse would be negligible.
- 4.2.80. In light of the above, **no adverse effects on the River Derwent SAC** are predicted in relation to increased pollution risk from water-borne pollutants.

Lower Derwent Valley SAC

- 4.2.81. This impact pathway is relevant to the otter qualifying interest of the SAC, with no LSE predicted for other qualifying interests. This impact was identified in relation to the potential for increased water-borne pollution of Carr Dyke and River Ouse during construction of the Proposed Scheme.
- 4.2.82. The relevant Natural England Supplementary Advice on Conservation Objectives (SACO) (Natural England, 2019) relate to ‘supporting habitat: structure and function’, and ‘Supporting processes (on which the feature and/or its supporting habitat relies)’. These include the targets as summarised below in **Table 4.10**.

Table 4.10 - Lower Derwent Valley SAC SACO – Water-borne Pollutants

Attribute	Targets
Habitat Quality - river	Maintain the quality of supporting river habitat features based on natural river function, which provides a characteristic river-habitat mosaic that caters for otters.
Habitat quality - waterways	Maintain the quality of supporting waterways habitat features used by the otter population
Food availability	Maintain fish biomass at expected natural levels of biomass (subject to natural fluctuations).
Water quantity/quality	Where the feature or its supporting habitat is dependent on surface water, maintain water quality and quantity to a standard which provides the necessary conditions to support the feature.
Water quality/quantity	Maintain water quality and quantity to a standard which provides the necessary conditions to support the feature.

Water quality: Toxic chemicals	Avoid any increase in the level of pollutants affecting the site which are potentially toxic to otters.
--------------------------------	---

4.2.83. As described in **paragraph 3.5.15**, increased water-borne pollution could impact water quality in Carr Dyke and River Ouse, potentially leading to LSE through reductions in the suitability of riparian habitats for otter. With mitigation measures in place (see **paragraph 4.1.11 to 4.1.13**) the assessment of effects on the Water Environment (see **paragraph 12.11.14 of Chapter 12** (Water Environment) of Volume 1 of the ES (APP-048) predicts that impacts on the Carr Dyke and River Ouse would be negligible.

4.2.84. In light of the above, **no adverse effects on the Lower Derwent Valley SAC** are predicted in relation to increased pollution risk from water-borne pollutants.

Lower Derwent Valley SPA

4.2.85. This impact pathway is potentially relevant to a number of the SPA bird qualifying interest features of the SPA. The qualifying interests are primarily present within the SPA (and surrounding areas where used) over winter and the early spring passage period. The shoveler is the only species identified as a breeding feature (Natural England, 2019). This impact pathway was identified in relation to the potential for water-borne pollution of Carr Dyke during construction of the Proposed Scheme.

4.2.86. Some of the bird species which are qualifying interests of the SPA may use farmland and watercourse habitats outside the SPA itself for foraging and/or roosting. Due to differences in their ecology, the use of farmland habitats varies between the species. Regardless of the differences between the species, any use of the Habitat Provision Area and surrounding fields and Carr Dyke is likely to be limited. This is due to the distance between the SPA and the Habitat Provision Area (~4.3 km), the presence of more suitable habitat within the SPA itself, and the presence of extensive areas of farmland closer to the SPA.

4.2.87. Based on their habitat preferences, the following species could use farmland and watercourse habitats in and adjacent to the Habitat Provision Area:

- a. Bewick swan;
- b. Teal;
- c. Shoveler;
- d. Wigeon; and
- e. Golden plover.

4.2.88. The relevant Natural England Supplementary Advice on Conservation Objectives (SACO) (Natural England, 2019) relate to ‘supporting habitat: water quality’. These include the targets as summarised below in **Table 4.11**. The SACO are the same for each qualifying interest.

Table 4.11 - Lower Derwent Valley SPA SACO – Water-borne Pollutants

Attribute	Targets
Supporting habitat: water quality - contaminants	Restrict aqueous contaminants to levels equating to High Status according to Annex VIII and Good Status according to Annex X of the Water Framework Directive, avoiding deterioration from existing levels.
Supporting habitat: water quality - dissolved oxygen	Maintain the dissolved oxygen (DO) concentration at levels equating to Good Ecological Status (specifically ≥ 5.7 mg per litre (at 35 salinity) for 95 % of the year), avoiding deterioration from existing levels.
Supporting habitat: water quality - nutrients	Maintain water quality and specifically mean winter dissolved inorganic nitrogen (DIN) at a concentration equating to High Ecological Status (specifically mean winter DIN is $< 12 \mu\text{M}$ for coastal waters), avoiding deterioration from existing levels.
Supporting habitat: water quality - turbidity	Maintain natural levels of turbidity (e.g. concentrations of suspended sediment, plankton and other material) across the habitat.

4.2.89. As described in **paragraph 3.5.15**, increased water-borne pollutants could impact water quality in Carr Dyke, potentially leading to LSE through reductions in the suitability of riparian habitats for SPA bird species. With mitigation measures in place (see **paragraph 4.1.11 to 4.1.13**) the assessment of effects on the Water Environment (see **paragraph 12.11.14 of Chapter 12** (Water Environment) of Volume 1 of the ES (APP-048) predicts that impacts on the Carr Dyke and River Ouse would be negligible.

4.2.90. In light of the above, **no adverse effects on the integrity of the Lower Derwent Valley SPA** are predicted in relation to increased pollution risk from water-borne pollutants.

Lower Derwent Valley Ramsar

4.2.91. This impact pathway is potentially relevant to a number of the Ramsar bird qualifying interest features of the Ramsar. The qualifying interests are primarily present within the Ramsar (and surrounding areas where used) over winter and the early spring passage period. This impact pathway was identified in relation to the potential for increased water-borne pollution of Carr Dyke and River Ouse during construction of the Proposed Scheme.

- 4.2.92. Some of the bird species which are qualifying interests of the Ramsar may use farmland and/or watercourse habitats outside the Ramsar itself for foraging and/or roosting. Due to differences in their ecology, the use of farmland habitats varies between the species. Regardless of the differences between the species, any use of the Habitat Provision Area, Carr Dyke, and surrounding fields is likely to be limited. This is due to the distance between the Ramsar and the Habitat Provision Area (~4.3 km), the presence of more suitable habitat within the Ramsar itself, and the presence of extensive areas of farmland closer to the Ramsar.
- 4.2.93. Based on their habitat preferences, the following species could use farmland and watercourse habitats in and adjacent to the Habitat Provision Area:
- a. Teal; and
 - b. Wigeon.
- 4.2.94. Ramsar sites do not have published conservation objectives. As such, the SACO identified for Lower Derwent Valley SPA are considered relevant, as set out in **Table 4.11**, above.
- 4.2.95. As described in **paragraph 3.5.15**, increased water-borne pollution could impact water quality in Carr Dyke and River Ouse, potentially leading to LSE through reductions in the suitability of riparian habitats for SPA bird species. With mitigation measures in place (see **paragraph 4.1.11 to 4.1.13**) the assessment of effects on the Water Environment (see **paragraph 12.11.14 of Chapter 12** (Water Environment) of Volume 1 of the ES (APP-048) predicts that impacts on the Carr Dyke and River Ouse would be negligible.
- 4.2.96. In light of the above, **no adverse effects on the integrity of the Lower Derwent Valley Ramsar** are predicted in relation to increased pollution risk from water-borne pollutants.

Humber Estuary SAC

- 4.2.97. This impact pathway is relevant to the sea lamprey and river lamprey qualifying interest of the SAC, with no LSE predicted for other qualifying interests. This impact was identified in relation to the potential for increased water-borne pollution of the River Ouse during construction of the Proposed Scheme.
- 4.2.98. The relevant Natural England Supplementary Advice on Conservation Objectives (SACO) (Natural England, 2019) relate to supporting processes. These include the targets as summarised below in **Table 4.12**.

Table 4.12 - Humber Estuary SAC SACO – Water-borne Pollutants

Attribute	Targets
Supporting processes: physico-chemical properties (species)	Maintain the natural physico-chemical properties of the water.
Supporting processes: water quality - contaminants (species)	Restrict aqueous contaminants to levels equating to High Status according to Annex VIII and Good Status according to Annex X of the Water Framework Directive, avoiding deterioration from existing levels.
Supporting processes: water quality - dissolved oxygen (species)	Maintain the dissolved oxygen (DO) concentration at levels equating to Good Ecological Status (specifically ≥ 5.7 mg per litre (at 35 salinity) for 95 % of the year), avoiding deterioration from existing levels.
Supporting processes: water quality - nutrients (species)	Maintain water quality at mean winter dissolved inorganic nitrogen levels where biological indicators of eutrophication (opportunistic macroalgal and phytoplankton blooms) do not affect the integrity of the site and features [avoiding deterioration from e (SIC)

- 4.2.99. As described in **paragraph 3.5.15**, increased water-borne pollution could impact water quality in River Ouse, potentially leading to LSE through reductions in the suitability of riparian habitats for river lamprey and sea lamprey. With mitigation measures in place (see **paragraph 4.1.11 to 4.1.13**) the assessment of effects on the Water Environment (see **paragraph 12.11.14 of Chapter 12** (Water Environment) of Volume 1 of the ES (APP-048) predicts that impacts on the Carr Dyke and River Ouse would be negligible.
- 4.2.100. In light of the above, **no adverse effects on the Humber Estuary SAC** are predicted in relation to increased pollution risk from water-borne pollutants.

Humber Estuary SPA

- 4.2.101. This impact pathway is potentially relevant to a number of the SPA bird qualifying interest features of the SPA. The qualifying interests are primarily present within the SPA (and surrounding areas where used) over winter and the early spring passage period. Several of the qualifying interests do comprise breeding populations, including avocet, bittern, little tern, and marsh harrier. This impact pathway was identified in relation to the potential for increased water-borne pollution of Carr Dyke during construction of the Proposed Scheme.

- 4.2.102. Some of the bird species which are qualifying interests of the SPA may use farmland and/or watercourse habitats outside the SPA itself for foraging and/or roosting. Due to differences in their ecology, the use of farmland habitats varies between the species. Regardless of the differences between the species, any use of the Habitat Provision Area and surrounding fields is likely to be limited. This is due to the distance between the SPA and the Habitat Provision Area (~6.3 km), the presence of more suitable habitat within the SPA itself, and the presence of extensive areas of farmland closer to the SPA.
- 4.2.103. Based on their habitat preferences, the following species (individual qualifying interest species and species forming part of the Article 4.2 assemblage of waterbirds) could use farmland habitats in and adjacent to the Habitat Provision Area:
- a. Lapwing;
 - b. Curlew;
 - c. Shoveler;
 - d. Mallard;
 - e. Wigeon;
 - f. Marsh harrier; and
 - g. Golden plover.
- 4.2.104. The relevant Natural England Supplementary Advice on Conservation Objectives (SACO) (Natural England, 2019) relate to ‘supporting habitat: water quality’. These include the targets as summarised below in **Table 4.13**. The SACO are the same for each qualifying interest.

Table 4.13 - Humber Estuary SPA SACO – Water-borne Pollutants

Attribute	Targets
Supporting habitat: water quality - contaminants	Restrict aqueous contaminants to levels equating to High Status according to Annex VIII and Good Status according to Annex X of the Water Framework Directive, avoiding deterioration from existing levels.
Supporting habitat: water quality - dissolved oxygen	Maintain the dissolved oxygen (DO) concentration at levels equating to Good Ecological Status (specifically ≥ 5.7 mg per litre (at 35 salinity) for 95 % of the year), avoiding deterioration from existing levels.
Supporting habitat: water quality - nutrients	Maintain water quality and specifically mean winter dissolved inorganic nitrogen (DIN) at a concentration equating to High Ecological Status (specifically mean winter DIN is $< 12 \mu\text{M}$ for coastal waters), avoiding deterioration from existing levels.

Attribute	Targets
Supporting habitat: water quality - turbidity	Maintain natural levels of turbidity (e.g. concentrations of suspended sediment, plankton and other material) across the habitat.

4.2.105. As described in **paragraph 3.5.15**, increased water-borne pollution could impact water quality in Carr Dyke and River Ouse, potentially leading to LSE through reductions in the suitability of riparian habitats for SPA bird species. With mitigation measures in place (see **paragraph 4.1.11 to 3.5.13**) the assessment of effects on the Water Environment (see **paragraph 12.11.14 of Chapter 12** (Water Environment) of Volume 1 of the ES (APP-048) predicts that, impacts on the Carr Dyke and River Ouse would be negligible.

4.2.106. In light of the above, **no adverse effects on the integrity of the Humber Estuary SPA** are predicted in relation to increased pollution risk from water-borne pollution.

Humber Estuary Ramsar

4.2.107. This impact pathway is potentially relevant to a number of the bird qualifying interest features of the Ramsar. The qualifying interests are primarily present within the Ramsar (and surrounding areas where used) over winter and the early spring passage period. The Ramsar bird qualifying interests are similar to those for which the Humber Estuary SPA has been designated. This impact pathway was identified in relation to the potential for increased water-borne pollution of Carr Dyke and River Ouse during construction of the Proposed Scheme, and in relation to River and sea lamprey for the River Ouse. This impact pathway is also relevant to River and sea lamprey, which use the River Ouse downstream of the Carr Dyke and the Proposed Scheme to migrate between the Humber Estuary and their upstream breeding sites, including within the River Derwent SAC.

4.2.108. Some of the bird species which are qualifying interests of the Ramsar may use farmland and/or watercourse habitats outside the Ramsar itself for foraging and/or roosting. Due to differences in their ecology, the use of farmland habitats varies between the species. Regardless of the differences between the species, any use of the Habitat Provision Area and surrounding fields is likely to be limited. This is due to the distance between the Ramsar and the Habitat Provision Area (~6.3 km), the presence of more suitable habitat within the Ramsar itself, and the presence of extensive areas of farmland closer to the Ramsar.

4.2.109. Based on their habitat preferences, the following species (individual qualifying interest species and species forming part of the Ramsar Criterion 5 assemblage of waterbirds) could use farmland and/or watercourse habitats in and adjacent to the Habitat Provision Area:

- a. Lapwing;
 - b. Curlew;
 - c. Shoveler;
 - d. Mallard;
 - e. Wigeon; and
 - f. Golden plover.
- 4.2.110. Ramsar sites do not have published conservation objectives. As such, the SACO identified for Humber Estuary SPA are considered relevant, as set out in **Table 4.13**, above.
- 4.2.111. As described in **paragraph 3.5.15**, increased water-borne pollution could impact water quality in Carr Dyke and River Ouse, potentially leading to LSE through reductions in the suitability of riparian habitats for [RamsarSPA](#) bird species and (in relation to the River Ouse) river and sea lamprey. With mitigation measures in place (see **paragraph 4.1.11 to 4.1.13**) the assessment of effects on the Water Environment (see **paragraph 12.11.14 of Chapter 12** (Water Environment) of Volume 1 of the ES (APP-048) predicts that impacts on the Carr Dyke and River Ouse would be negligible.
- 4.2.112. In light of the above, **no adverse effects on the integrity of the Humber Estuary Ramsar** are predicted in relation to increased pollution risk from water-borne pollution.

INCREASED VISUAL DISTURBANCE FROM PLANT AND PERSONNEL

River Derwent SAC

- 4.2.113. This impact pathway is only relevant to the otter qualifying interest of the SAC, with no LSE predicted for other qualifying interests. This impact was identified in relation to the potential for visual disturbance of otter that would occur in and around the Habitat Provision Area (see **Figure 3**).
- 4.2.114. The relevant Natural England Supplementary Advice on Conservation Objectives (SACO) (Natural England, 2017) do not include any objectives that directly relate to the risk of disturbance to otter.
- 4.2.115. Otters originating from the SAC may utilise the habitats within and adjacent to the Proposed Scheme Habitat Provision Area (both aquatic and associated riparian and bankside areas and terrestrial habitat providing connectivity to such features). Otters may use the ditch network adjacent to the Habitat Provision Area and potentially cross open fields.
- 4.2.116. Otters may therefore be indirectly impacted as a result of construction lighting and visual disturbance from works in the north of the Power Station Site and from the proposed hedgerow planting in the Habitat Provision Area. Where the Proposed Scheme is located in proximity to occupied habitat, primarily Carr Dyke, disturbance

may be prevalent up to 30 m from a holt and up to 200 m from a natal den (Scottish Natural Heritage, 2017).

- 4.2.117. No holts were recorded within 200 m of the Drax Power Station Site during surveys for the Drax Repower Project in 2018, with evidence within 200m of the Drax Power Station Site including spraints, a slide, and otter prints around Carr Dyke, with the closest evidence recorded approximately 50 m east of the Drax Power Site. In addition, a possible couch (above-ground resting site) was recorded approximately 200m north-east of the Drax Power Station Site, on the southern bank of the Carr Dyke (WSP, 2018). As discussed previously, otters are likely to make at least occasional use of other waterbodies and ditches within and adjacent to the Habitat Provision Area and may also use terrestrial habitats within dense vegetation for couches. They may also cross open farmland to move between other habitat features in the wider landscape.
- 4.2.118. As discussed in **Table 3.5**, the risk of visual disturbance arises from the use of the woodyard Drax Power Station Site Construction Laydown Area, in the north of the Drax Power Station Site (**see Figure 3**). This area may also be used for construction of the Carbon Dioxide Delivery Terminal Compound, if this is constructed as part of the Proposed Scheme (see **paragraph 2.2.44 of Chapter 2** (Site and Project Description) of Volume 1 of the ES (APP-038).
- 4.2.119. The above-described mitigation measures between **paragraph 4.1.14 to 4.1.19** are appropriate, proven avoidance and mitigation measures and no residual, significant effects are envisaged. The use of 2.4 m construction hoarding will limit visibility of the Proposed Scheme from Carr Dyke such that personnel working at ground level and most machinery would not be visible from the watercourse and adjacent land, limiting visibility to taller plant and activities associated with construction of the Carbon Dioxide Delivery Terminal Compound (if this is constructed as part of the Proposed Scheme).
- 4.2.120. There may be some very minor residual effects on otters' use of habitats in proximity to the north of the existing Power Station Site adjacent to the Proposed Scheme. Given the abundant habitat available in the wider floodplain of the River Ouse and within the River Derwent SAC and Lower Derwent Valley SAC sites themselves, no perceptible effects on otters are expected to arise.
- 4.2.121. In light of the above, **no adverse effects on the integrity of the River Derwent SAC** are predicted in relation to visual disturbance during construction.

Lower Derwent Valley SAC

- 4.2.122. This impact pathway is only relevant to the otter qualifying interest of the SAC, with no LSE predicted for other qualifying interests. This impact was identified in relation to the potential for visual disturbance of otters, that would occur in and adjacent to the Habitat Provision Area (**see Figure 3**).

- 4.2.123. The relevant Natural England Supplementary Advice on Conservation Objectives (SACO) (Natural England, 2019) do not include any objectives that directly relate to the risk of disturbance to otter.
- 4.2.124. Otters originating from the SAC may utilise the habitats within and adjacent to the Proposed Scheme Habitat Provision Area (both aquatic and associated riparian and bankside areas and terrestrial habitat providing connectivity to such features). Otters may use the ditch network adjacent to the Habitat Provision Area and potentially cross open fields.
- 4.2.125. Otters may therefore be indirectly impacted as a result of construction lighting and visual disturbance from works in the north of the Power Station Site and from the proposed hedgerow planting in the Habitat Provision Area. Where the Proposed Scheme is located in proximity to occupied habitat, primarily Carr Dyke, disturbance may be prevalent up to 30 m from a holt and up to 200 m from a natal den (Scottish Natural Heritage, 2017).
- 4.2.126. No holts were recorded within 200 m of the Drax Power Station Site during surveys for the Drax Repower Project in 2018, with evidence within 200m of the Drax Power Station Site including spraints, a slide, and otter prints around Carr Dyke, with the closest evidence recorded approximately 50 m east of the Drax Power Site. In addition, a possible couch (above-ground resting site) was recorded approximately 200m north-east of the Drax Power Station Site, on the southern bank of the Carr Dyke (WSP, 2018). As discussed previously, otters are likely to make at least occasional use of other waterbodies and ditches within and adjacent to the Habitat Provision Area and may also use terrestrial habitats within dense vegetation for couches. They may also cross open farmland to move between other habitat features in the wider landscape.
- 4.2.127. As discussed in **Table 3.5**, the risk of visual disturbance arises from the use of the woodyard Drax Power Station Site Construction Laydown Area, in the north of the Drax Power Station Site (**see Figure 3**). This area may also be used for construction of the Carbon Dioxide Delivery Terminal Compound, if this is constructed as part of the Proposed Scheme (see **paragraph 2.2.44 of Chapter 2** (Site and Project Description) of Volume 1 of the ES (APP-038).
- 4.2.128. The above described mitigation measures between **paragraph 4.1.14 to 4.1.19** are appropriate, proven avoidance and mitigation measures and no residual, significant effects are envisaged. The use of 2.4 m construction hoarding will limit visibility of the Proposed Scheme from Carr Dyke such that personnel working at ground level and most machinery would not be visible from the watercourse and adjacent land, limiting visibility to taller plant and activities associated with construction of the Carbon Dioxide Delivery Terminal Compound (if this is constructed as part of the Proposed Scheme).
- 4.2.129. There may be some very minor residual effects on otters' use of habitats in proximity to the north of the existing Power Station Site adjacent to the Proposed Scheme. Given the abundant habitat available in the wider floodplain of the River Ouse and

within the River Derwent SAC and Lower Derwent Valley SAC sites themselves, no perceptible effects on otter populations are expected to arise.

4.2.130. In light of the above, **no adverse effects on the integrity of the Lower Derwent Valley SAC** are predicted in relation to visual disturbance during construction.

Lower Derwent Valley SPA

4.2.131. As set out in **Table 3.5**, this impact pathway is relevant to several of the SPA qualifying interest features. This impact was identified in relation to the potential for visual disturbance of SPA birds, in the event that they use habitats in and adjacent to the Habitat Provision Area (see **Figure 3**).

4.2.132. Some of the bird species which are qualifying interests of the SPA may use farmland and watercourse habitats outside the SPA itself for foraging and/or roosting. Due to differences in their ecology, the use of farmland habitats varies between the species. Regardless of the differences between the species, any use of the Habitat Provision Area and surrounding fields and Carr Dyke is likely to be limited. This is due to the distance between the SPA and the Habitat Provision Area (~4.3 km), the presence of more suitable habitat within the SPA itself, and the presence of extensive areas of farmland closer to the SPA.

4.2.133. Based on their habitat preferences, the following species could use farmland and watercourse habitats in and adjacent to the Habitat Provision Area:

- a. Bewick swan;
- b. Teal;
- c. Shoveler;
- d. Wigeon; and
- e. Golden plover.

4.2.134. The relevant Natural England Supplementary Advice on Conservation Objectives (SACO) (Natural England, 2019) relate to ‘Supporting habitat (both within and outside the SPA): minimising disturbance’. These include the targets as summarised below in **Table 4.14**. The SACO are the same for each qualifying interest.

Table 4.14 - Lower Derwent Valley SPA SACO – Visual Disturbance

Attribute	Targets
Minimising disturbance caused by human activity	Restrict the frequency, duration and/or intensity of disturbance affecting moulting, loafing, feeding and/or roosting birds so that the assemblage feature is not significantly disturbed.

4.2.135. Human activity, including visual disturbance by the presence of plant and in particular people, can result in disturbance of birds. Sustained or frequent disturbance at a level

which significantly alters their behaviour can impact on the long-term viability of populations.

- 4.2.136. Such disturbing effects can result in changes to feeding or roosting behaviour, increased energy expenditure due to more frequent flights, and desertion of supporting habitat. Susceptibility alters between species, with some species relatively adaptable to differing levels of disturbance whilst others are more sensitive.
- 4.2.137. The Waterbird Disturbance Toolkit (European Union, 2022) contains analysis and guidance on the potential disturbance effects that can arise from visual stimuli. This indicates that typically it is the presence of people (and in the case of recreational disturbance, people with dogs) that is likely to trigger the greatest responses to disturbance in waders and wildfowl. For example, the toolkit identifies that disturbance effects of workers operating outside plant are likely to be greater than an operational excavator plant. The toolkit also confirms that disturbance decreases with increasing distance from the source of disturbance. In addition, the breeding bird surveys (completed for Drax Repower) (WSP, 2018(c)) and wintering bird surveys (completed for the Proposed Scheme – APP-094); and completed for Drax Repower (WSP, 2018b)) have recorded minimal activity by SPA and Ramsar species, including no evidence of breeding.
- 4.2.138. A series of mitigation measures have been identified in relation to visual disturbance, as set out between paragraphs **4.1.14** and **4.1.18**. These include the use of minimum 2.4 m solid hoarding around the periphery of the woodyard Drax Power Station Construction Laydown Area and, if required, around the construction footprint of the Carbon Dioxide Delivery Terminal Compound. With this solid hoarding in place, intervisibility between habitats in and adjacent to the Habitat Provision Area and construction / decommissioning activities (at ground level) would be blocked. Workers at ground level would not be visible from adjacent habits to the north, which is the greatest potential source of disturbance.
- 4.2.139. In light of the above, **no adverse effects on the integrity of the Lower Derwent Valley SPA** are predicted in relation to visual disturbance during construction.

Lower Derwent Valley Ramsar

- 4.2.140. This impact pathway is potentially relevant to a number of the Ramsar bird qualifying interest features of the Ramsar. The qualifying interests are primarily present within the Ramsar (and surrounding areas where used) over winter and the early spring passage period. This impact was identified in relation to the potential for visual disturbance of Ramsar birds, in the event that they use habitats in and adjacent to the Habitat Provision Area (**see Figure 3**).
- 4.2.141. Some of the bird species which are qualifying interests of the Ramsar may use farmland and/or watercourse habitats outside the Ramsar itself for foraging and/or roosting. Due to differences in their ecology, the use of farmland habitats varies between the species. Regardless of the differences between the species, any use of the Habitat Provision Area, Carr Dyke, and surrounding fields is likely to be limited.

This is due to the distance between the Ramsar and the Habitat Provision Area (~4.3 km), the presence of more suitable habitat within the Ramsar itself, and the presence of extensive areas of farmland closer to the Ramsar.

- 4.2.142. Based on their habitat preferences, the following species could use farmland and watercourse habitats in and adjacent to the Habitat Provision Area:
- a. Teal; and
 - b. Wigeon.
- 4.2.143. Ramsar sites do not have published conservation objectives. As such, the SACO identified for Lower Derwent Valley SPA are considered relevant, as set out in **Table 4.14**, above.
- 4.2.144. Human activity, including visual disturbance by the presence of plant and in particular people, can result in disturbance of birds. Sustained or frequent disturbance at a level which significantly alters their behaviour can impact on the long-term viability of populations.
- 4.2.145. Such disturbing effects can result in changes to feeding or roosting behaviour, increased energy expenditure due to more frequent flights, and desertion of supporting habitat. Susceptibility alters between species, with some species relatively adaptable to differing levels of disturbance whilst others are more sensitive.
- 4.2.146. The Waterbird Disturbance Toolkit (European Union, 2022) contains analysis and guidance on the potential disturbance effects that can arise from visual stimuli. This indicates that typically it is the presence of people (and in the case of recreational disturbance, people with dogs) that is likely to trigger the greatest responses to disturbance in waders and wildfowl. For example, the toolkit identifies that disturbance effects of workers operating outside plant are likely to be greater than an operational excavator. The toolkit also confirms that disturbance decreases with increasing distance from the source of disturbance. In addition, the breeding bird surveys (completed for Drax Repower) (WSP, 2018(c)) and wintering bird surveys (completed for the Proposed Scheme – APP-094; and completed for Drax Repower (WSP, 2018b)) have recorded minimal activity by SPA and Ramsar species, including no evidence of breeding.
- 4.2.147. A series of mitigation measures have been identified in relation to visual disturbance, as set out between paragraphs **4.1.14 and 4.1.18**. These include the use of minimum 2.4 m solid hoarding around the periphery of the woodyard Drax Power Station Construction Laydown Area and, if required, around the construction footprint of the Carbon Dioxide Delivery Terminal Compound. With this solid hoarding in place, intervisibility between habitats in and adjacent to the Habitat Provision Area and construction / decommissioning activities (at ground level) would be blocked. Workers at ground level would not be visible from adjacent habitats to the north, which is the greatest potential source of disturbance.
- 4.2.148. In light of the above, **no adverse effects on the integrity of the Lower Derwent Valley Ramsar** are predicted in relation to visual disturbance during construction.

Humber Estuary SPA

- 4.2.149. This impact pathway is potentially relevant to a number of the SPA bird qualifying interest features of the SPA. The qualifying interests are primarily present within the SPA (and surrounding areas where used) over winter and the early spring passage period. Several of the qualifying interests do comprise breeding populations, including avocet, bittern, little tern, and marsh harrier. This impact was identified in relation to the potential for visual disturbance of SPA birds, in the event that they use habitats in and adjacent to the Habitat Provision Area (**see Figure 3**).
- 4.2.150. Some of the bird species which are qualifying interests of the SPA may use farmland and/or watercourse habitats outside the SPA itself for foraging and/or roosting. Due to differences in their ecology, the use of farmland habitats varies between the species. Regardless of the differences between the species, any use of the Habitat Provision Area and surrounding fields is likely to be limited. This is due to the distance between the SPA and the Habitat Provision Area (~6.3 km), the presence of more suitable habitat within the SPA itself, and the presence of extensive areas of farmland closer to the SPA.
- 4.2.151. Based on their habitat preferences, the following species (individual qualifying interest species and species forming part of the Article 4.2 assemblage of waterbirds) could use farmland habitats in and adjacent to the Habitat Provision Area:
- a. Lapwing;
 - b. Curlew;
 - c. Shoveler;
 - d. Mallard;
 - e. Wigeon;
 - f. Marsh harrier; and
 - g. Golden plover.
- 4.2.152. The relevant Natural England Supplementary Advice on Conservation Objectives (SACO) (Natural England, 2019) relate to ‘Disturbance caused by human activity’. These include the targets as summarised below in **Table 4.15**. The SACO are the same for each qualifying interest.

Table 4.15 - Humber Estuary SPA SACO – Visual Disturbance

Attribute	Targets
Minimising disturbance caused by human activity	Restrict the frequency, duration and/or intensity of disturbance affecting moulting, loafing, feeding and/or roosting birds so that the assemblage feature is not significantly disturbed.

- 4.2.153. Human activity, including visual disturbance by the presence of plant and in particular people, can result in disturbance of birds. Sustained or frequent disturbance at a level

which significantly alters their behaviour can impact on the long-term viability of populations.

- 4.2.154. Such disturbing effects can result in changes to feeding or roosting behaviour, increased energy expenditure due to more frequent flights, and desertion of supporting habitat. Susceptibility alters between species, with some species relatively adaptable to differing levels of disturbance whilst others are more sensitive.
- 4.2.155. The Waterbird Disturbance Toolkit (European Union, 2022) contains analysis and guidance on the potential disturbance effects that can arise from visual stimuli. This indicates that typically it is the presence of people (and in the case of recreational disturbance, people with dogs) that is likely to trigger the greatest responses to disturbance in waders and wildfowl. For example, the toolkit identifies that disturbance effects of workers operating outside plant are likely to be greater than an operational excavator. The toolkit also confirms that disturbance decreases with increasing distance from the source of disturbance. In addition, the breeding bird surveys (completed for Drax Repower) (WSP, 2018(c)) and wintering bird surveys (completed for the Proposed Scheme – APP-094; and completed for Drax Repower (WSP, 2018b)) have recorded minimal activity by SPA and Ramsar species, including no evidence of breeding.
- 4.2.156. A series of mitigation measures have been identified in relation to visual disturbance, as set out between paragraphs **4.1.14 and 4.1.18**. These include the use of minimum 2.4 m solid hoarding around the periphery of the woodyard Drax Power Station Construction Laydown Area and, if required, around the construction footprint of the Carbon Dioxide Delivery Terminal Compound. With this solid hoarding in place, intervisibility between habitats in and adjacent to the Habitat Provision Area and construction / decommissioning activities (at ground level) would be blocked. Workers at ground level would not be visible from adjacent habitats to the north, which is the greatest potential source of disturbance.
- 4.2.157. In light of the above, **no adverse effects on the integrity of the Humber Estuary SPA** are predicted in relation to visual disturbance during construction.

Humber Estuary Ramsar

- 4.2.158. This impact pathway is potentially relevant to a number of the bird qualifying interest features of the Ramsar. The qualifying interests are primarily present within the Ramsar (and surrounding areas where used) over winter and the early spring passage period. The Ramsar bird qualifying interests are similar to those for which the Humber Estuary SPA has been designated. This impact pathway was identified in relation to the potential for visual disturbance of Ramsar birds, in the event that they use habitats in and adjacent to the Habitat Provision Area (**see Figure 3**).
- 4.2.159. Some of the bird species which are qualifying interests of the Ramsar may use farmland and/or watercourse habitats outside the Ramsar itself for foraging and/or roosting. Due to differences in their ecology, the use of farmland habitats varies between the species. Regardless of the differences between the species, any use of

the Habitat Provision Area and surrounding fields is likely to be limited. This is due to the distance between the Ramsar and the Habitat Provision Area (~6.3 km), the presence of more suitable habitat within the Ramsar itself, and the presence of extensive areas of farmland closer to the Ramsar.

- 4.2.160. Based on their habitat preferences, the following species (individual qualifying interest species and species forming part of the Ramsar Criterion 5 assemblage of waterbirds) could use farmland and/or watercourse habitats in and adjacent to the Habitat Provision Area:
- a. Lapwing;
 - b. Curlew;
 - c. Shoveler;
 - d. Mallard;
 - e. Wigeon; and
 - f. Golden plover.
- 4.2.161. Ramsar sites do not have published conservation objectives. As such, the SACO identified for Humber Estuary SPA are considered relevant, as set out in **Table 4.15**, above.
- 4.2.162. Human activity, including visual disturbance by the presence of plant and in particular people, can result in disturbance of birds. Sustained or frequent disturbance at a level which significantly alters their behaviour can impact on the long-term viability of populations.
- 4.2.163. Such disturbing effects can result in changes to feeding or roosting behaviour, increased energy expenditure due to more frequent flights, and desertion of supporting habitat. Susceptibility alters between species, with some species relatively adaptable to differing levels of disturbance whilst others are more sensitive.
- 4.2.164. The Waterbird Disturbance Toolkit (European Union, 2022) contains analysis and guidance on the potential disturbance effects that can arise from visual stimuli. This indicates that typically it is the presence of people (and in the case of recreational disturbance, people with dogs) that is likely to trigger the greatest responses to disturbance in waders and wildfowl. For example, the toolkit identifies that disturbance effects of workers operating outside plant are likely to be greater than an operational excavator. The toolkit also confirms that disturbance decreases with increasing distance from the source of disturbance. In addition, the breeding bird surveys (completed for Drax Repower) (WSP, 2018(c)) and wintering bird surveys (completed for the Proposed Scheme – APP-094; and completed for Drax Repower (WSP, 2018b)) have recorded minimal activity by SPA and Ramsar species, including no evidence of breeding.
- 4.2.165. A series of mitigation measures have been identified in relation to visual disturbance, as set out between paragraphs **4.1.14** and **4.1.18**. These include the use of minimum 2.4 m solid hoarding around the periphery of the woodyard Drax Power Station Construction Laydown Area and, if required, around the construction footprint of the

Carbon Dioxide Delivery Terminal Compound. With this solid hoarding in place, intervisibility between habitats in and adjacent to the Habitat Provision Area and construction / decommissioning activities (at ground level) would be blocked. Workers at ground level would not be visible from adjacent habitats to the north, which is the greatest potential source of disturbance.

- 4.2.166. In light of the above, **no adverse effects on the integrity of the Humber Estuary RamsarSPA** are predicted in relation to visual disturbance during construction.

OPERATION

Emissions of treated flue gas to air

- 4.2.167. The mitigation measures proposed at **paragraph 4.1.22** have two relevant effects on the air quality impacts in the with Proposed Scheme scenario:
- a.** The dispersion of all emitted pollutants is increased due to the increased exit temperature of the flue gases; and
 - b.** The concentration of SO₂ emitted from the Main Stack is reduced, due to the annual Emission Limit Value (ELV) for SO₂ being reduced to 45mg/Nm³ for the BECCS units. This reduces the Proposed Scheme's contribution to acid deposition.
- 4.2.168. As set out between paragraphs **3.5.48 and 3.5.49**, in the absence of mitigation, operation of the Proposed Scheme would exceed screening criteria for acid deposition at Thorne Moor SAC.
- 4.2.169. **Table 4.16** below, summarises the dispersion modelling outputs for acid deposition from the Air Quality Assessment. Figures are presented both pre and post-mitigation (see **Appendix 5 to the Applicant's Responses to Examining Authorities First Written Questions, Revised Emissions Abatement Technical Note (REP2-065)**).

Table 4.16 - Modelled Maximum Operational Phase Impacts at Ecological Receptors for Annual Acid Deposition (Without Versus With Mitigation Applied)

European Site	Critical Load (keq/ha/yr)	Max PC (Impact) – No Mitigation (keq/ha/yr)	Max PC (Impact) – With Mitigation (keq/ha/yr)	Max PC as % of CL – No Mitigation	Max PC as % of CL – With Mitigation
Thorne Moor SAC	0.462	0.006	0.003	1.3%	0.6%
Notes: Maximum values based on results modelled using five years of meteorological data (2016-2020). Results presented only for the sites that are assigned an acid deposition critical load and experience a pre-mitigation impact >1.0% of critical load.					

4.2.170. With the mitigation measures applied, the Proposed Scheme’s acid deposition maximum impact over Thorne Moor SAC is reduced to be below the 1.0% screening criteria. Therefore, with mitigation the Proposed Scheme alone would no longer trigger LSE to Thorne Moor SAC, **and no adverse effects on integrity are predicted.**

INCREASED RISK OF POLLUTION FROM WATER-BORNE POLLUTANTS

River Derwent SAC

4.2.171. This impact pathway is relevant to the otter, sea lamprey, and river lamprey qualifying interests of the SAC, with no LSE predicted for other qualifying interests. This impact was identified in relation to the potential for increased water-borne pollution of Carr Dyke and the River Ouse during operation of the Proposed Scheme.

4.2.172. The relevant Natural England Supplementary Advice on Conservation Objectives (SACO) (Natural England, 2019) relate to supporting habitat: structure and function. These include the targets as summarised below in **Table 4.17.**

Table 4.17 - River Derwent SAC SACO – Water-borne Pollutants

Attribute	Targets
Habitat Quality – river	Maintain the quality of supporting river habitat features based on natural river function, which provides a characteristic river-habitat mosaic that caters for otters.
Habitat quality – waterways	Maintain the quality of supporting waterways habitat features used by the otter population.
Food availability	Maintain fish biomass at expected natural levels of biomass (subject to natural fluctuations).
Water quality/quantity	Ensure water quality and quantity is restored to a standard which provides the necessary conditions to support the feature.
Water quality: Toxic chemicals	Avoid any increase in the level of pollutants which are potentially toxic to otters.
Water quality – other pollutants	Achieve at least ‘Good’ chemical status (i.e. compliance with relevant Environmental Quality Standards).

4.2.173. As described in **paragraph 3.5.78 to 3.5.80**, increased water-borne pollution could impact water quality in Carr Dyke and River Ouse, potentially leading to LSE through reductions in the suitability of riparian habitats for otter, river lamprey and sea lamprey. With mitigation measures in place (see **paragraph 4.1.26 to 4.1.28**) the assessment of effects on the Water Environment (see **paragraph 12.11.14** of

Chapter 12 (Water Environment) of Volume 1 of the ES (APP-048) predicts that impacts on the Carr Dyke and River Ouse would be negligible.

4.2.174. In light of the above, **no adverse effects on the River Derwent SAC** are predicted in relation to increased pollution risk from water-borne pollutants.

Lower Derwent Valley SAC

4.2.175. This impact pathway is relevant to the otter qualifying interest of the SAC, with no LSE predicted for other qualifying interests. This impact was identified in relation to the potential for increased water-borne pollution of Carr Dyke and River Ouse during operation of the Proposed Scheme.

4.2.176. The relevant Natural England Supplementary Advice on Conservation Objectives (SACO) (Natural England, 2019) relate to ‘supporting habitat: structure and function’, and ‘Supporting processes (on which the feature and/or its supporting habitat relies)’. These include the targets as summarised below in **Table 4.18**.

Table 4.18 - Lower Derwent Valley SAC SACO – Water-borne Pollutants

Attribute	Targets
Habitat Quality - river	Maintain the quality of supporting river habitat features based on natural river function, which provides a characteristic river-habitat mosaic that caters for otters.
Habitat quality - waterways	Maintain the quality of supporting waterways habitat features used by the otter population
Food availability	Maintain fish biomass at expected natural levels of biomass (subject to natural fluctuations).
Water quantity/quality	Where the feature or its supporting habitat is dependent on surface water, maintain water quality and quantity to a standard which provides the necessary conditions to support the feature.
Water quality/quantity	Maintain water quality and quantity to a standard which provides the necessary conditions to support the feature.
Water quality: Toxic chemicals	Avoid any increase in the level of pollutants affecting the site which are potentially toxic to otters.

4.2.177. As described in **paragraph 3.5.78 to 3.5.80**, increased water-borne pollution could impact water quality in Carr Dyke and River Ouse, potentially leading to LSE through reductions in the suitability of riparian habitats for otter, river lamprey and sea lamprey. With mitigation measures in place (see **paragraph 4.1.26 to 4.1.28**) the assessment of effects on the Water Environment (see **paragraph 12.11.14** of

Chapter 12 (Water Environment) of Volume 1 of the ES (APP-048) predicts that impacts on the Carr Dyke and River Ouse would be negligible.

4.2.178. In light of the above, **no adverse effects on the Lower Derwent Valley SAC** are predicted in relation to increased pollution risk from water-borne pollutants.

Lower Derwent Valley SPA

4.2.179. This impact pathway is potentially relevant to a number of the SPA bird qualifying interest features of the SPA. The qualifying interests are primarily present within the SPA (and surrounding areas where used) over winter and the early spring passage period. The shoveler is the only species identified as a breeding feature (Natural England, 2019). This impact pathway was identified in relation to the potential for water-borne pollution of Carr Dyke during operation of the Proposed Scheme.

4.2.180. Some of the bird species which are qualifying interests of the SPA may use farmland and watercourse habitats outside the SPA itself for foraging and/or roosting. Due to differences in their ecology, the use of farmland habitats varies between the species. Regardless of the differences between the species, any use of the Habitat Provision Area and surrounding fields and Carr Dyke is likely to be limited. This is due to the distance between the SPA and the Habitat Provision Area (~4.3 km), the presence of more suitable habitat within the SPA itself, and the presence of extensive areas of farmland closer to the SPA.

4.2.181. Based on their habitat preferences, the following species could use farmland and watercourse habitats in and adjacent to the Habitat Provision Area:

- a. Bewick’s swan;
- b. Teal;
- c. Shoveler;
- d. Wigeon; and
- e. Golden plover.

4.2.182. The relevant Natural England Supplementary Advice on Conservation Objectives (SACO) (Natural England, 2019) relate to ‘supporting habitat: water quality’. These include the targets as summarised below in **Table 4.19**. The SACO are the same for each qualifying interest.

Table 4.19 - Lower Derwent Valley SPA SACO – Water-borne Pollutants

Attribute	Targets
Supporting habitat: water quality - contaminants	Restrict aqueous contaminants to levels equating to High Status according to Annex VIII and Good Status according to Annex X of the Water Framework Directive, avoiding deterioration from existing levels.
Supporting habitat: water quality - dissolved oxygen	Maintain the dissolved oxygen (DO) concentration at levels equating to Good Ecological Status (specifically ≥ 5.7 mg per litre (at 35 salinity) for 95 %

	of the year), avoiding deterioration from existing levels.
Supporting habitat: water quality - nutrients	Maintain water quality and specifically mean winter dissolved inorganic nitrogen (DIN) at a concentration equating to High Ecological Status (specifically mean winter DIN is < 12 µM for coastal waters), avoiding deterioration from existing levels.
Supporting habitat: water quality - turbidity	Maintain natural levels of turbidity (e.g., concentrations of suspended sediment, plankton and other material) across the habitat.

4.2.183. As described in **paragraph 3.5.78 to 3.5.80**, increased water-borne pollution could impact water quality in Carr Dyke and River Ouse, potentially leading to LSE through reductions in the suitability of riparian habitats for SPA bird species. With mitigation measures in place (see **paragraph 4.1.26 to 4.1.28**) the assessment of effects on the Water Environment (see **paragraph 12.11.14 of Chapter 12** (Water Environment) of Volume 1 of the ES (APP-048) predicts that impacts on the Carr Dyke and River Ouse would be negligible.

4.2.184. In light of the above, **no adverse effects on the integrity of the Lower Derwent Valley SPA** are predicted in relation to increased pollution risk from water-borne pollutants.

Lower Derwent Valley Ramsar

4.2.185. This impact pathway is potentially relevant to a number of the Ramsar bird qualifying interest features of the Ramsar. The qualifying interests are primarily present within the Ramsar (and surrounding areas where used) over winter and the early spring passage period. This impact pathway was identified in relation to the potential for increased water-borne pollution of Carr Dyke and River Ouse during operation of the Proposed Scheme.

4.2.186. Some of the bird species which are qualifying interests of the Ramsar may use farmland and/or watercourse habitats outside the Ramsar itself for foraging and/or roosting. Due to differences in their ecology, the use of farmland habitats varies between the species. Regardless of the differences between the species, any use of the Habitat Provision Area, Carr Dyke, and surrounding fields is likely to be limited. This is due to the distance between the Ramsar and the Habitat Provision Area (~4.3 km), the presence of more suitable habitat within the Ramsar itself, and the presence of extensive areas of farmland closer to the Ramsar.

4.2.187. Based on their habitat preferences, the following species could use farmland and watercourse habitats in and adjacent to the Habitat Provision Area:

- a. Teal; and
- b. Wigeon.

- 4.2.188. Ramsar sites do not have published conservation objectives. As such, the SACO identified for Lower Derwent Valley SPA are considered relevant, as set out in **Table 4.1920**, above.
- 4.2.189. As described in **paragraph 3.5.78 to 3.5.80**, increased water-borne pollution could impact water quality in Carr Dyke and River Ouse, potentially leading to LSE through reductions in the suitability of riparian habitats for Ramsar bird species. With mitigation measures in place (see **paragraph 4.1.26 to 4.1.28**) the assessment of effects on the Water Environment (see **paragraph 12.11.14 of Chapter 12 (Water Environment)** of Volume 1 of the ES (APP-048) predicts that impacts on the Carr Dyke and River Ouse would be negligible.
- 4.2.190. In light of the above, **no adverse effects on the integrity of the Lower Derwent Valley Ramsar** are predicted in relation to increased pollution risk from water-borne pollutants.
- Humber Estuary SAC**
- 4.2.191. This impact pathway is relevant to the sea lamprey and river lamprey qualifying interest of the SAC, with no LSE predicted for other qualifying interests. This impact was identified in relation to the potential for increased water-borne pollution of the River Ouse during operation of the Proposed Scheme.
- 4.2.192. The relevant Natural England Supplementary Advice on Conservation Objectives (SACO) (Natural England, 2019) relate to supporting processes. These include the targets as summarised below in **Table 4.20**.

Table 4.20 - Humber Estuary SAC SACO – Water-borne Pollutants

Attribute	Targets
Supporting processes: physico-chemical properties (species)	Maintain the natural physico-chemical properties of the water.
Supporting processes: water quality - contaminants (species)	Restrict aqueous contaminants to levels equating to High Status according to Annex VIII and Good Status according to Annex X of the Water Framework Directive, avoiding deterioration from existing levels.
Supporting processes: water quality - dissolved oxygen (species)	Maintain the dissolved oxygen (DO) concentration at levels equating to Good Ecological Status (specifically ≥ 5.7 mg per litre (at 35 salinity) for 95 % of the year), avoiding deterioration from existing levels.
Supporting processes: water quality - nutrients (species)	Maintain water quality at mean winter dissolved inorganic nitrogen levels where biological indicators of eutrophication (opportunistic macroalgal and phytoplankton blooms) do not affect the integrity of the site and features [avoiding deterioration from e (SIC)

- 4.2.193. As described in **paragraph 3.5.78 to 3.5.80**, increased water-borne pollution could impact water quality in River Ouse, potentially leading to LSE through reductions in the suitability of riparian habitats for river lamprey and sea lamprey. With mitigation measures in place (see **paragraph 4.1.26 to 4.1.28**) the assessment of effects on the Water Environment (see **paragraph 12.11.14 of Chapter 12 (Water Environment)** of Volume 1 of the ES (APP-048) predicts that impacts on the River Ouse would be negligible.
- 4.2.194. In light of the above, no adverse effects on the Humber Estuary SAC are predicted in relation to increased pollution risk from water-borne pollutants.

Humber Estuary SPA

- 4.2.195. This impact pathway is potentially relevant to a number of the SPA bird qualifying interest features of the SPA. The qualifying interests are primarily present within the SPA (and surrounding areas where used) over winter and the early spring passage period. Several of the qualifying interests do comprise breeding populations, including avocet, bittern, little tern, and marsh harrier. This impact pathway was identified in relation to the potential for increased water-borne pollution of Carr Dyke during operation of the Proposed Scheme.
- 4.2.196. Some of the bird species which are qualifying interests of the SPA may use farmland and/or watercourse habitats outside the SPA itself for foraging and/or roosting. Due to differences in their ecology, the use of farmland habitats varies between the species. Regardless of the differences between the species, any use of the Habitat Provision Area and surrounding fields is likely to be limited. This is due to the distance between the SPA and the Habitat Provision Area (~6.3 km), the presence of more suitable habitat within the SPA itself, and the presence of extensive areas of farmland closer to the SPA.
- 4.2.197. Based on their habitat preferences, the following species (individual qualifying interest species and species forming part of the Article 4.2 assemblage of waterbirds) could use farmland habitats in and adjacent to the Habitat Provision Area:
- a.** Lapwing;
 - b.** Curlew;
 - c.** Shoveler;
 - d.** Mallard;
 - e.** Wigeon;
 - f.** Marsh harrier; and
 - g.** Golden plover.
- 4.2.198. The relevant Natural England Supplementary Advice on Conservation Objectives (SACO) (Natural England, 2019) relate to 'supporting habitat: water quality'. These include the targets as summarised below in **Table 4.21**. The SACO are the same for each qualifying interest.

Table 4.21 - Humber Estuary SPA SACO – Water-borne Pollutants

Attribute	Targets
Supporting habitat: water quality - contaminants	Restrict aqueous contaminants to levels equating to High Status according to Annex VIII and Good Status according to Annex X of the Water Framework Directive, avoiding deterioration from existing levels.
Supporting habitat: water quality - dissolved oxygen	Maintain the dissolved oxygen (DO) concentration at levels equating to Good Ecological Status (specifically ≥ 5.7 mg per litre (at 35 salinity) for 95 % of the year), avoiding deterioration from existing levels.
Supporting habitat: water quality - nutrients	Maintain water quality and specifically mean winter dissolved inorganic nitrogen (DIN) at a concentration equating to High Ecological Status (specifically mean winter DIN is $< 12 \mu\text{M}$ for coastal waters), avoiding deterioration from existing levels.
Supporting habitat: water quality - turbidity	Maintain natural levels of turbidity (e.g., concentrations of suspended sediment, plankton and other material) across the habitat.

4.2.199. As described in **paragraph 3.5.78 to 3.5.80**, increased water-borne pollution could impact water quality in Carr Dyke and River Ouse, potentially leading to LSE through reductions in the suitability of riparian habitats for SPA bird species. With mitigation measures in place (see **paragraph 4.1.26 to 4.1.28**) the assessment of effects on the Water Environment (see **paragraph 12.11.14 of Chapter 12** (Water Environment) of Volume 1 of the ES (APP-048) predicts that impacts on the Carr Dyke and River Ouse would be negligible.

4.2.200. In light of the above, **no adverse effects on the integrity of the Humber Estuary SPA** are predicted in relation to increased pollution risk from water-borne pollution.

Humber Estuary Ramsar

4.2.201. This impact pathway is potentially relevant to a number of the bird qualifying interest features of the Ramsar. The qualifying interests are primarily present within the Ramsar (and surrounding areas where used) over winter and the early spring passage period. The Ramsar bird qualifying interests are similar to those for which the Humber Estuary SPA has been designated. This impact pathway was identified in relation to the potential for increased water-borne pollution of Carr Dyke and River Ouse during operation of the Proposed Scheme. This impact pathway is also relevant to the sea lamprey and river lamprey qualifying interests.

4.2.202. Some of the bird species which are qualifying interests of the Ramsar may use farmland and/or watercourse habitats outside the Ramsar itself for foraging and/or roosting. Due to differences in their ecology, the use of farmland habitats varies

between the species. Regardless of the differences between the species, any use of the Habitat Provision Area and surrounding fields is likely to be limited. This is due to the distance between the Ramsar and the Habitat Provision Area (~6.3 km), the presence of more suitable habitat within the Ramsar itself, and the presence of extensive areas of farmland closer to the Ramsar. River and sea lamprey are known to use the River Ouse as a migratory route between marine and intertidal habitats including the Humber Estuary and upstream freshwater habitats including the River Derwent.

4.2.203. Based on their habitat preferences, the following species (individual qualifying interest species and species forming part of the Ramsar Criterion 5 assemblage of waterbirds) could use farmland and/or watercourse habitats in and adjacent to the Habitat Provision Area:

- a. Lapwing;
- b. Curlew;
- c. Shoveler;
- d. Mallard;
- e. Wigeon; and
- f. Golden plover.

4.2.204. Ramsar sites do not have published conservation objectives. As such, the SACO identified for Humber Estuary SPA are considered relevant, as set out in **Table 4.21**, above.

4.2.205. As described in **paragraph 3.5.78 to 3.5.80**, increased water-borne pollution could impact water quality in Carr Dyke and River Ouse, potentially leading to LSE through reductions in the suitability of riparian habitats for Ramsar bird species and (in relation to the River Ouse) sea and river lamprey. With mitigation measures in place (see **paragraph 4.1.26 to 4.1.28**) the assessment of effects on the Water Environment (see **paragraph 12.11.14 of Chapter 12 (Water Environment)** of Volume 1 of the ES (APP-048) predicts that impacts on the Carr Dyke and River Ouse would be negligible.

4.2.206. In light of the above, **no adverse effects on the integrity of the Humber Estuary Ramsar** are predicted in relation to increased pollution risk from water-borne pollution.

4.3. IN-COMBINATION EFFECTS WITH OTHER PLANS AND PROJECTS

LOSS OF FUNCTIONALLY-LINKED LAND (CONSTRUCTION AND DECOMMISSIONING)

4.3.1. The in-combination HRA screening assessment identified the potential for combined impacts with other plans and projects to worsen the impacts and hence effects of the Proposed Scheme alone. Potential in-combination effects were identified in relation to Development 3, 6, 9, ~~and~~ [102](#), [103](#), and [106](#) (see **Table 3.8**).

- 4.3.2. Development 3 could lead to the following potential relevant impacts and effects:
- a.** Temporary loss and/or disturbance of minor watercourses for cable installation, with affected watercourses in the vicinity of the Proposed Scheme potentially used by the population of otters associated with the River Derwent SAC and Lower Derwent Valley SAC; and
 - b.** Loss and disturbance of farmland in the vicinity of the Proposed Scheme that could be used by wintering birds associated with the Lower Derwent Valley SPA and Ramsar and/or the Humber Estuary SPA and Ramsar. The majority of habitat loss would be short term and temporary, associated with installation of the HVDC cable. There would be minor permanent habitat loss from the arable field where the convertor station would be located east of Drax Power Station.
- 4.3.3. Development 6 could lead to the following potential relevant impacts and effects:
- a.** Loss and disturbance of habitats on Barlow Mound in the vicinity of the Proposed Scheme that could be used by wintering birds associated with the Lower Derwent Valley SPA and Ramsar and/or the Humber Estuary SPA and Ramsar.
- 4.3.4. Development 9 could lead to the following potential relevant impacts and effects:
- a.** Effective loss of farmland habitats that could be used by wintering birds associated with the Lower Derwent Valley SPA and Ramsar and/or the Humber Estuary SPA and Ramsar, due to displacement of those birds in response to the presence of wind turbines.
- 4.3.5. Development 102 could lead to the following potential relevant impacts and effects:
- a.** Temporary loss and/or disturbance of minor watercourses for pipeline installation, with affected watercourses in the vicinity of the Proposed Scheme potentially used by the population of otters associated with the River Derwent SAC and Lower Derwent Valley SAC; and
 - b.** Loss and disturbance of farmland in the vicinity of the Proposed Scheme that could be used by wintering birds associated with the Lower Derwent Valley SPA and Ramsar and/or the Humber Estuary SPA and Ramsar. The majority of habitat loss would be short term and temporary, associated with installation of the pipeline. There would be minor permanent habitat loss wherever the AGI is located (four options are currently under consideration by Development 102).
- 4.3.6. Development 103 could lead to the following potential relevant impacts and effects:
- a.** Temporary loss and/or disturbance of minor watercourses for cable installation, with affected watercourses in the vicinity of the Proposed Scheme potentially used by the population of otters associated with the River Derwent SAC and Lower Derwent Valley SAC; and
 - b.** Loss and disturbance of farmland in the vicinity of the Proposed Scheme that could be used by wintering birds associated with the Lower Derwent Valley SPA and Ramsar and/or the Humber Estuary SPA and Ramsar. The majority of habitat loss would be short term and temporary, associated with installation of

the GCC cable. There would be minor permanent habitat loss from the arable field where the convertor station would be located east of Drax Power Station.

- 4.3.7. Development 106 could lead to the following potential relevant impacts and effects:
- a. Permanent or temporary loss and/or disturbance of bankside habitats adjacent to the River Ouse that may be used by the population of otters associated with the River Derwent SAC and Lower Derwent Valley SAC;
- 4.3.8. The effects of the Proposed Scheme itself in terms of functionally-linked land that triggered LSE are very minor, comprising hedgerow planting within the Habitat Provision Area only. There would be no spatial overlap with Development 3, 6, 9, or 106. There could be a spatial overlap with Development 102 and 103. The hedgerow planting in the Habitat Provision Area is not predicted to lead to any material change in the suitability of this area for otter or SPA/Ramsar bird species.
- 4.3.9. In addition, mitigation has been proposed for the Proposed Scheme (see **paragraph 4.1.4**) that would require hedgerow planting in the Habitat Provision Area to be timed to be completed at the end of the wintering bird season (March in any calendar year).
- 4.3.10. Depending on the detailed construction timings for Development 3, 6, 102, and 103 (which are not known, but would likely be between 2024 – 2039) and 9 (which is completely unknown), it is possible that the East Construction Laydown Area of the Proposed Scheme could be in use whilst construction activities for the Development 3 convertor station and adjacent sections of HVDC cable are ongoing / have been completed, and during implementation of Developments 6, 9 and 103. This could increase the cumulative loss of farmland habitats to the east and west of the existing Drax Power Station.
- 4.3.11. Should this potential overlap occur, it is considered unlikely to significantly worsen the effects of the Proposed Scheme alone on SPA / Ramsar bird species. This is because;
- a. The wintering bird surveys completed for the Proposed Scheme recorded no SPA species in the East Construction Laydown Area;
 - b. The distance between Development 9 and The Proposed Scheme;
 - c. The East Construction Laydown Area would be reinstated following construction, i.e., 2029 at the latest;
 - d. The habitat enhancements proposed to the north of the East Construction Laydown Area (see Figure 1 of the **Outline Landscape and Biodiversity Strategy** (APP-181) would increase the potential suitability of this area for SPA / Ramsar bird species;
 - e. Habitats within and adjacent to Development 3's onshore works have been determined to be of low importance for SPA/Ramsar/SSSI bird species, with this finding agreed to by Natural England;
 - f. Habitats within and adjacent to Development 102's onshore works have been determined to be of low importance for SPA/Ramsar/SSSI bird species, with this finding agreed to by Natural England; and

- g.** Permanent habitat loss associated with Development 103 would be negligible, with habitats affected by temporary works expected to be reinstated by 2027.
- 4.3.12. In relation to otter, the Proposed Scheme will have very minor effects on functionally-linked land, as set out between paragraphs **4.2.2** and **4.2.13**. It is not considered that these would combine appreciably with those of Development 3, 102, 103, and 106 particularly given that the majority of these developments' impacts would be temporary, associated with the HVDC cable route, Grid Connection Corridor, and pipeline installation route respectively where crossing watercourses and adjoining land. At present, there is no evidence to suggest that otter habitat would be affected by Development 6 (Stantec, 2022), or Development 9.
- 4.3.13. In addition the Ecology chapter of the ES for Development 3 confirms that a range of mitigation measures including pre-construction surveys for otter will be implemented during implementation of that scheme. It is also confirmed that Development 3 will implement standard good practice environmental mitigation, including the provision of an Ecological Clerk of Works for sensitive water crossings, pre-construction repeat surveys for otter, and, if required, micro-siting of the cable route to avoid key otter habitat features, e.g. holts if present. Surveys for Development 3 did not record any holts within or adjacent to the Development 3 scheme in advance of the planning application being submitted. Natural England have agreed with the mitigation measures proposed.
- 4.3.14. The Ecology chapter of the Preliminary Environmental Information Report (PEIR) for Development 102 confirms that a range of mitigation measures including pre-construction surveys for otter will be implemented in advance of and during construction in proximity to watercourses for that scheme. It is also confirmed that Development 102 will implement standard good practice environmental mitigation.
- 4.3.15. In addition, the Ecology chapter of the Scoping Report for Development 103 confirms that a suite of avoidance and mitigation measures will be implemented during construction of that scheme. These will support avoidance, minimisation, and mitigation of Development 103's impacts on ecological receptors.
- 4.3.16. The Preliminary Ecological Appraisal for Development 106 confirms that further surveys will be carried out to determine the presence of otter near the site. It is appropriate to assume that prior to granting permission for Development 106, the local planning authority would satisfy itself that the proposed works will have no adverse effect on the otter population associated with the River Ouse and linked European sites.
- 4.3.17. In light of the above, **no adverse effects** on the integrity of any European Sites are predicted in relation to loss or disturbance of functionally-linked land.

DUST DEPOSITION

- 4.3.18. The in-combination HRA screening assessment identified the potential for combined impacts with other plans and projects to worsen the impacts and hence effects of the Proposed Scheme alone. Potential in-combination effects were identified in relation to

Development 102, the Humber Low Carbon Pipeline, and Development 103, East Yorkshire Solar Farm, only (see **Table 3.9**).

- 4.3.19. The risk arises because Developments 102 and 103 could increase the risk of dust deposition onto functionally-linked land, and the timing of construction of the Proposed Scheme and Development 102 & 103 could overlap.
- 4.3.20. Both the Proposed Scheme and Development 102 propose mitigation measures to address construction phase impacts, including dust. These are set out in Item AQ1, 5 of the REAC (~~AS-121, to be updated at Deadline 6~~[REP7-010](#)) in relation to the Proposed Scheme. As detailed in the PEIR for Development 102 and the Scoping Report for Development 103, good practice measures within those projects CEMP would manage the effects of dust deposition. The cumulative assessment of air quality effects (see 'Air Quality' in Table 1 of the Cumulative Assessment Matrix (REP4-002) identifies that with all projects' mitigation measures in place, construction-phase effects would be neutral and hence not significant.
- 4.3.21. In light of the above, **no adverse effects** on the integrity of any European Sites are predicted in relation to dust deposition.

~~4.3.22.~~

SEDIMENT LOADING (CONSTRUCTION AND DECOMMISSIONING)

- ~~4.3.23.~~[4.3.22.](#) The in-combination HRA screening assessment identified the potential for combined impacts with other plans and projects to worsen the impacts and hence effects of the Proposed Scheme alone. Potential in-combination effects were identified in relation to Development 102, the Humber Low Carbon Pipelines only (see **Table 3.10**).
- ~~4.3.24.~~[4.3.23.](#) The risk arises because Development 102 could increase the risk of sediment loading of Carr Dyke, and the timing of construction of the Proposed Scheme and Development 102 could overlap.
- ~~4.3.25.~~[4.3.24.](#) Both the Proposed Scheme and Development 102 propose mitigation measures to minimise the risk of water-borne pollution including sediment loading during their construction. These are set out in Items WE8, WE9, WE12, WE14, and WE15 of the REAC (~~AS-121, to be updated at Deadline 6~~[REP07-010](#)) in relation to the Proposed Scheme. As detailed in the PEIR for Development 102, good practice measures within that projects CEMP would reduce the risk of pollution of the water environment during construction by removing the pathways between sources and receptors for most working areas. The cumulative assessment of effects on the Water Environment (see 'Water Environment' in Table 1 of the Cumulative Assessment Matrix (~~APP-177; to be updated at Deadline 2~~[REP4-002](#))) identifies that with all projects' mitigation measures in place, construction-phase effects would be slight adverse and hence not significant.
- ~~4.3.26.~~[4.3.25.](#) In light of the above, **no adverse effects** on the integrity of any European Sites are predicted in relation to sediment loading.

ACCIDENTAL RELEASES OF WATER-BORNE POLLUTANTS (CONSTRUCTION AND DECOMMISSIONING, AND OPERATION)

4.3.27-4.3.26. The in-combination HRA screening assessment identified the potential for combined impacts with other plans and projects to worsen the impacts and hence effects of the Proposed Scheme alone. Potential in-combination effects were identified in relation to Development 3 (construction, decommissioning, and operation), Development 12 (operation), Development 102 (construction, decommissioning, and operation), and Development 103 (construction only) (see **Table 3.11 and Table 3.17**).

4.3.28-4.3.27. There is a potential risk that Development 3 could lead to a worsening of the potential impacts of the Proposed Scheme alone during both construction and operation. Development 3 would involve a watercourse crossing of the River Ouse, downstream of the Proposed Scheme, which would require temporary works either side of the River. In the event of pollution incidents occurring for the Proposed Scheme and Development 3, this could lead to overall increased impacts on the River Ouse. Any such impacts could be relevant to otters, river lamprey, and sea lamprey associated with the Humber Estuary SAC, River Derwent SAC, and Lower Derwent Valley SAC, and to bird populations associated with the Lower Derwent Valley SPA and Ramsar and Humber Estuary SPA and Ramsar.

4.3.29-4.3.28. In relation to Development 12, should there be overlap between demolition activities for Development 12 and operation of the Proposed Scheme there is potential for adverse cumulative effects in relation to increased pollutants released by accidental spillage and leakage of oil, hydrocarbons and hazardous substances. These could impact the quality of the local drains including Carr Dyke and potentially the River Ouse. Any such impacts could be relevant to otters, river lamprey, and sea lamprey associated with the Humber Estuary SAC, River Derwent SAC, and Lower Derwent Valley SAC, and to bird populations associated with the Lower Derwent Valley SPA and Ramsar and Humber Estuary SPA and Ramsar.

4.3.30-4.3.29. There is a potential risk that Development 102 could lead to a worsening of the potential impacts of the Proposed Scheme during both construction and operation. Development 102 would involve a watercourse crossing of the Carr Dyke, downstream of the Proposed Scheme and upstream of the River Ouse, which would require temporary works either side of the watercourse. In the event of pollution incidents occurring for the Proposed Scheme and Development 102, this could lead to overall increased impacts on the River Ouse. Any such impacts could be relevant to otters, river lamprey, and sea lamprey associated with the Humber Estuary SAC, River Derwent SAC, and Lower Derwent Valley SAC, and to bird populations associated with the Lower Derwent Valley SPA and Ramsar and Humber Estuary SPA and Ramsar.

4.3.31-4.3.30. There is a potential risk that Development 103 could lead to a worsening of the potential impacts of the Proposed Scheme alone during construction. Development 103 would involve a watercourse crossing of the River Ouse, downstream of the

Proposed Scheme, which would require temporary works either side of the River. In the event of pollution incidents occurring for the Proposed Scheme and Development 103, this could lead to overall increased impacts on the River Ouse. Any such impacts could be relevant to otters, river lamprey, and sea lamprey associated with the Humber Estuary SAC and Ramsar, River Derwent SAC, and Lower Derwent Valley SAC, and to bird populations associated with the Lower Derwent Valley SPA and Ramsar and Humber Estuary SPA and Ramsar.

4.3.32-4.3.31. Both the Proposed Scheme and Developments 3, 12, 102, and 103 propose mitigation measures to minimise the risk of water-borne pollution including sediment loading during their construction. These are set out in Items WE8, WE9, WE12, WE14, and WE15 of the REAC (REP-015) in relation to the Proposed Scheme. As detailed in the PEIR for Development 102 and the Scoping information for Development 103, good practice measures within those projects CEMPs would reduce the risk of pollution of the water environment during construction by removing the pathways between sources and receptors for most working areas.

4.3.33-4.3.32. The cumulative assessment of effects on the Water Environment (see 'Water Environment' in Table 1 of the Cumulative Assessment Matrix (REP4-002) identifies that with all projects' mitigation measures in place, construction-phase effects would be slight adverse and hence not significant, with operational effects predicted to be neutral and hence not significant.

4.3.34-4.3.33. In light of the above, no adverse effects on the integrity of any European Sites are predicted in relation to water-borne pollution.

INCREASED RISK OF VISUAL DISTURBANCE (CONSTRUCTION AND DECOMMISSIONING ONLY)

4.3.35-4.3.34. The in-combination HRA screening assessment identified the potential for combined impacts with other plans and projects to worsen the impacts and hence effects of the Proposed Scheme alone. Potential in-combination effects were identified in relation to Development 6, 44, 52, 99, 100, 102, and 103 (see **Table 3.13**).

4.3.36-4.3.35. The effects of the Proposed Scheme itself in terms of the risk of visual disturbance that triggered LSE are relatively minor. The risk arises from the use of the Drax Power Station Site Construction Laydown Area in the woodyard, and if included as part of the Proposed Scheme, construction of the Carbon Dioxide Delivery Terminal Compound in the same location. SPA/Ramsar bird species associated with Lower Derwent Valley SPA and Ramsar and Humber Estuary SPA and Ramsar, and otter associated with the River Derwent and Lower Derwent Valley SAC may be displaced from using areas of the Habitat Provision Area adjacent to the woodyard. Mitigation measures have been identified (see **Section 4.1**) to address potential visual disturbance effects, including the use of solid hoarding to provide visual screening around the Proposed Scheme.

~~4.3.37~~4.3.36. Development 6 involves proposals to mine ash from Barlow Mound. Barlow Mound is located to the west of the existing Drax Power Station Site, with the Habitat Provision Area to the east of the northern part of the development (Stantec, 2022). The EIA scoping report for Development 6 indicates that the Off-site Habitat Provision Area is approximately 50 m to the west of Development 6.

~~4.3.38~~4.3.37. The current red line boundary for Development 6 is shown on Figure 02 of the Development 6 EIA Scoping Report (Stantec, 2022) The proposals for habitat measures in the Off-site Habitat Provision Area are shown on **Figure 1 of the Outline Landscape and Biodiversity Strategy** (APP-181). Based on these sources of information an existing band of dense scrub and tree cover would be maintained between the existing/proposed open habitats (i.e., grassland) in the Off-site Habitat Provision Area and Development 6. This would provide visual screening between Development 6 and the Off-site Habitat Provision Area.

~~4.3.39~~4.3.38. Potential for increased in-combination visual disturbance has also been identified in relation to Development 102. The western limit of Development 102 is at the northern boundary of the existing Drax Power Station Site, with several potential locations for Above Ground Installations (AGI) proposed to the north-east of the Existing Power Station Site. There are minor overlaps with the Order Limits for the Proposed Scheme. Options A to C of the Drax AGI locations could have some overlap, as could the westernmost limits of the Development 102 pipeline run.

~~4.3.40~~4.3.39. Given the location of Development 102, there is potential for this to contribute to in-combination visual disturbance from the Proposed Scheme. The locations supporting functionally-linked land considered at risk of increased in-combination impacts are the Habitat Provision Area north of the Drax Power Station Site and the East Construction Laydown Area.

~~4.3.41~~4.3.40. Habitats within and adjacent to Development 102's onshore works have been determined to be of low importance for SPA/Ramsar/SSSI bird species, with this finding agreed to by Natural England. In addition, the Ecology chapter of the PEIR for Development 102 confirms that a suite of avoidance and mitigation measures would be implemented during construction of that scheme, with additional measures to be identified as needed as the design progresses and further ecological surveys are completed.

~~4.3.42~~4.3.41. The potential for significant in-combination visual disturbance between Developments 44, 52, 99, 100, and the Proposed Scheme was also identified at the screening stage. The other developments listed are all within 1 km of Work Number 8, which comprises works to underground overhead power and telecommunications lines. The other Developments and Work Number 8 would take place in area with long-ranging views across an agricultural landscape, within 5 km of the River Ouse and Humber Estuary SPA and Ramsar Site. Some of the other developments also have intervisibility with the Proposed Scheme and/or the other developments listed. As such, the potential for in-combination visual disturbance effects was identified at the screening stage.

4.3.43.4.3.42. Given the potential risks, a detailed review of ecological information pertaining to the other developments and their potential to contribute to visual disturbance effects was completed.

4.3.44.4.3.43. A review of the ecological information submitted with Development 44's planning application identifies that habitats within the application boundary for ID44 are considered to be of no importance for wintering/passage bird species that may be associated with the Humber Estuary SPA/SSSI/Ramsar, and of negligible importance for breeding lapwing and oystercatcher. The ecology reporting for Development 44 also identifies a series of mitigation measures to further reduce any residual risk of disturbance to birds that may be associated with Humber Estuary SPA/SSSI/Ramsar populations. These include the provision of acoustic fencing along the eastern boundary of Development 44 during site clearance and construction.

4.3.45.4.3.44. The ecological assessments for Development 52 identify that habitats within the application boundary for Development 52 are considered unsuitable for bird species associated with the Humber Estuary SPA/SSSI/Ramsar. This is due to the Development 52 site being surrounded by mature trees to the east and existing buildings and industrial areas to the north, east, and west. The HRA report for Development 52 also identifies that the Development 52 Site is surrounded by several existing land uses generating noise and lighting and which also provide partial screening of the Development 52 site. The development 52 HRA Report concludes that there would be no risk of LSE to Humber Estuary bird species from disturbance, either alone or in-combination with other plans and projects.

4.3.46.4.3.45. A review of the ecological information submitted with Development 99's planning application has been completed. The HRA Report for Development 99 identified that habitats within the application boundary are considered unsuitable for bird species associated with the Humber Estuary SPA/SSSI/Ramsar. This was due to the Development 99 site ground cover being dominated by scrub and rough grassland, deemed unsuitable for these bird species. The HRA Report concludes that there would be no risk of LSE to Humber Estuary bird species from disturbance, either alone or in-combination with other plans and projects.

4.3.47.4.3.46. The Ecology Officer who reviewed the Development 99 HRA Report on behalf of East Riding of Yorkshire, made no challenge in relation to Development 99's potential for disturbance effects on Humber Estuary SPA/SSSI/Ramsar bird species.

4.3.48.4.3.47. The ecological assessment and Nature Conservation Officer comments for Development 100 identifies that habitats within and adjacent the application boundary for Development 100 are unsuitable for bird species associated with the Humber Estuary SPA/SSSI/Ramsar. This is due to the Development 100 site being surrounded by major roads including the M62 and existing industrial landuses. The site itself was also found to be dominated by dense scrub and poor semi-improved grassland with some tree cover; habitats of limited suitability for Humber Estuary SPA/SSSI/Ramsar bird species.

4.3.49-4.3.48. Subject to securing of a suitable Construction Environmental Management Plan in relation to water pollution risk from Development 100, the Nature Conservation Officer for EDC advises that adverse effects on the integrity of European Sites can be avoided. The Nature Conservation Officer considered no Likely Significant effects would occur in relation to disturbance of Humber Estuary SPA/SSSI Ramsar bird species.

4.3.50-4.3.49. In addition, the OHL locations associated with Work Number 8 are adjacent to an existing main road and public footpaths, with residential and commercial properties present, reducing the suitability of this land for SPA and Ramsar bird species.

4.3.51-4.3.50. Potential for increased in-combination visual disturbance has also been identified in relation to Development 103. The western limit of Development 103 is at the eastern boundary of the existing Drax Power Station Site. There are minor overlaps with the Order Limits for the Proposed Scheme.

4.3.52-4.3.51. Given the location of Development 103, there is potential for this to contribute to in-combination visual disturbance from the Proposed Scheme during construction of its GCC. The locations supporting functionally-linked land considered at risk of increased in-combination impacts are the Habitat Provision Area north of the Drax Power Station Site and areas surrounding the East Construction Laydown Area.

4.3.53-4.3.52. Should construction of the Proposed Scheme and Development 103 coincide, this is not predicted to trigger significant visual disturbance of SPA and Ramsar bird species, or otters that may form part of the River Derwent SAC and Lower Derwent Valley SAC populations. This is because the wintering bird surveys completed for the Proposed Scheme recorded no SPA species in the East Construction Laydown Area including the eastern portion of the Habitat Provision Area. The proposed mitigation incorporated into the Proposed Scheme (see **Section 4.1**) to reduce visual disturbance effects of the Proposed Scheme is also relevant should construction of Development 103 and the Proposed Scheme coincide. Additional analysis relating to otters is presented in paragraphs 4.3.12 to 4.3.16, above.

4.3.54-4.3.53. In addition, the Ecology chapter of the Scoping Report for Development 103 confirms that a suite of avoidance and mitigation measures will be implemented during construction of that scheme. These will support avoidance, minimisation, and mitigation of Development 103's impacts on ecological receptors.

4.3.55-4.3.54. In light of the above, no adverse effects on the integrity of any European Sites are predicted in relation to visual disturbance during construction and decommissioning.

EMISSIONS OF TREATED FLUE GAS TO AIR (OPERATION ONLY)

4.3.56-4.3.55. The in-combination HRA screening assessment identified the potential for combined impacts with other plans and projects to worsen the impacts and hence effects of the with Proposed Scheme scenario alone. Potential in-combination effects could arise via emissions from the Proposed Scheme combining with those from other plans and projects, leading to increased pollutant concentrations and deposition

onto designated Sites. Developments 1, 4, 47 and 92 are relevant to the assessment of in-combination air quality effects, as these are industrial/energy-generating installations that would each emit some of the same gasses as the Proposed Scheme, or would generate traffic that could emit some of the same gasses. The HRA screening for in-combination air quality (carried out pre-mitigation) is presented in **Table 3.14**.

~~4.3.57~~4.3.56. The relevant other plans and projects that have been included in the in-combination air quality modelling are as follows:

- a. Development 1 – Eggborough CCGT;
- b. Development 4 – Keadby 3 Low Carbon Gas Power Station Project;
- c. Development 47 – Sandall Stones Road Energy from Waste Facility; and
- d. Development 92 – Mixed use development including construction of a relief road.

~~4.3.58~~4.3.57. The assessment of in-combination effects is made with consideration of the mitigation measures that have been developed in relation to operational emissions from the Proposed Scheme. These are set out in paragraphs **4.1.20** to **4.1.23**.

~~4.3.59~~4.3.58. In summary, mitigation measures include:

- a. Reducing the concentrations of SO₂ emissions from the Main Stack to reflect the annual Emission Limit Value (ELV) for SO₂ being reduced to 45mg/Nm³ for the two BECCS Biomass Units; and
- b. Increasing exit temperature of flue gases from the two BECCS Units from 80°C to 100°C.

~~4.3.60~~4.3.59. These measures increase buoyancy of the flue gas leaving the Main Stack hence increasing dispersal of all pollutants. The Proposed Scheme's contribution to acidification is also reduced, due to the reduced SO₂ emissions.

~~4.3.61~~4.3.60. The air quality modelling is based on several conservative assumptions, which taken together mean the modelled outcomes presented are highly precautionary. These are described in detail between paragraphs **6.5.15** and **6.5.33** of **Chapter 6** (Air Quality) of Volume 1 of the ES. They comprise the following in relation to the modelling of the with Proposed Scheme scenario, both alone and in-combination with other plans and projects:

- a. Modelling has been completed using meteorological data from each of five years (2016 – 2020), with the results from the maximum (i.e., worst) year presented; and
- b. The modelling of the Proposed Scheme assumes that the two BECCS Biomass Units would both operate at continuous full load (8,760 hrs per year), which in reality would be unlikely to occur;
- c. Assessment of maximum impacts anywhere in a designated site, irrespective of area represented by the maximum;
- d. Assessment against the lower threshold of the recommended critical loads; and

- e. The modelling of the Proposed Scheme assumes that Developments 1, 4 and 47 would all be operational at the same time as the Proposed Scheme and would all operate at continuous full load (i.e., 8,760 hrs per year). In reality this is an extremely unlikely scenario to occur, so represents a conservative worst-case assessment of annual mean impacts.

~~4.3.62~~4.3.61. In their Relevant Representation (AS-011), Natural England provided advice and raised several queries in relation to the effects of operational emissions to air on ecological receptors. These are set out in Table 1 of the Natural England Relevant Representation. Key Issues 18, 19, 20, 21, and 22 from Table 1 are relevant to the assessment of air quality impacts on European Sites. The matters raised by Natural England were:

- a. Key Issue 18 – Clarification on scenarios used to assess the impacts from aerial emissions on Humber Estuary SPA/SAC; Lower Derwent Valley SAC/SPA/Ramsar; Thorne Moor SAC; River Derwent SAC and Skipwith Common SAC designated features.
- b. Key Issue 19 – Impacts of acid deposition from aerial emissions on Lower Derwent Valley SAC/Ramsar designated features (alone and in-combination).
- c. Key Issue 20 – Impacts of nitrogen deposition from aerial emissions on Thorne Moor SAC (in-combination) and River Derwent SAC designated features (alone and in-combination).
- d. Key Issue 21 – Impacts of ammonia from aerial emissions on Thorne Moor SAC designated features (in-combination).
- e. Key Issue 22 – Proposed mitigation for impacts of aerial emissions on Lower Derwent Valley SAC/Ramsar; Thorne Moor SAC; River Derwent SAC; and Skipwith Common SAC designated features.

~~4.3.63~~4.3.62. In relation to Key Issue 18, clarification on the scenarios used to assess the impacts of aerial emissions on European Sites (and other ecological receptors) was provided in Appendix B of the Applicant's Responses to Relevant representations (AS-038). As set out in Row 4.2.2 of Table 4.2 (Air Quality) of the Statement of Common Ground between Natural England and Drax Power Limited (REP5-017), this matter is now agreed.

~~4.3.64~~4.3.63. In relation to key issues 19, 20, and 21, additional information was provided in Rows 5.31 to 5.33 of Table 5.1 of the Applicant's Responses to Relevant Representations and Additional Submissions (AS-038). Further relevant information has also been provided in Table 3.1 of The Applicant's Responses to First Written Questions (document reference 8.9; submitted at Deadline 2), at rows BIO1.9, BIO1.27, BIO1.28, and BIO1.29. Additional information on updated dispersion (air quality) modelling submitted at Deadline 2 is provided in Appendix 5 to The Applicant's Responses to First Written Questions, Revised Emissions Abatement Technical Note (REP2-065). Relevant information from these responses is included in the assessment for Thorne Moor SAC below, and has previously been considered in the HRA screening section on Lower Derwent Valley SAC and Ramsar and Skipwith

Common SAC relating to operation air quality effects (see paragraphs 3.5.49 to 3.5.59). As set out in Rows 4.2.6 of Table 4.2 (Air Quality) and 4.3.4 of Table 4.3 (Ecology) of the Statement of Common Ground between Natural England and Drax Power Limited (REP5-017), this matter is now agreed.

~~4.3.65~~4.3.64. In relation to Key Issue 20, specifically impacts of nitrogen deposition on River Derwent SAC, no LSE are predicted to arise. The assessment for this is set out in Table 3.6 and subsequent paragraphs, with additional detail provided in appendices 5, 6, and 7. As set out in Rows 4.2.6 of Table 4.2 (Air Quality) and 4.3.4 of Table 4.3 (Ecology) of the Statement of Common Ground between Natural England and Drax Power Limited (REP5-017), this matter is now agreed.

~~4.3.66~~4.3.65. In relation to Key Issue 21, with the updates to dispersion (air quality) modelling as described in the Revised Emissions Abatement Technical Note (RE2-065) exceedances of the 1% screening criterion for ammonia are no longer predicted for Thorne Moor SAC prior to the application of operational emissions abatement measures. As such, LSE are no longer predicted for Thorne Moor SAC in relation to the critical level for ammonia. This is set out in Table 3.14. As set out in Rows 4.2.6 of Table 4.2 (Air Quality) and 4.3.4 of Table 4.3 (Ecology) of the Statement of Common Ground between Natural England and Drax Power Limited (REP5-017), this matter is now agreed.

~~4.3.67~~4.3.66. In relation to Key Issue 22, additional operational emissions abatement has been incorporated into the Proposed Scheme (to be secured via the variation to the Drax Environmental Permit), since the Application was submitted. This is summarised in Section 4.1 and described in the Revised Emissions Abatement Technical Note (REP2-065). As set out in Row 4.3.5 of Table 4.3 (Ecology) of the Statement of Common Ground between Natural England and Drax Power Limited (REP5-017), this matter is now agreed.

Thorne Moor SAC

~~4.3.68~~4.3.67. This impact pathway is relevant to the degraded raised bogs qualifying interests of the SAC. The relevant Natural England Supplementary Advice on Conservation Objectives (SACO) relate to ‘Supporting processes (on which the feature and/or its supporting habitat relies)’. These include the target as summarised below in **Table 4.23**.

Table 4.22-- Thorne Moor SAC SACO – Air Quality Targets

Attribute	Targets
Air Quality	Maintain or, where necessary, restore concentrations and deposition of air pollutants to at or below the site-relevant Critical Load or Level values given for this feature of the site on the Air Pollution Information System [REDACTED]

4.3.69.4.3.68. The EALs for which the screening criteria are exceeded in-combination with other plans and projects are for nitrogen deposition and acid deposition. There are no in-combination exceedances of the 1% screening criteria for other pollutants.

4.3.70.4.3.69. The updated results of the air quality modelling are presented in [Appendix 5 to the Applicant's Responses to Examining Authorities First Written Questions, Revised Emissions Abatement Technical Note \(REP2-065\) Appendix 6.5 of Chapter 6 \(Air quality\) of the ES \(REP8-012; REV-05 submitted at Deadline 9\)](#).

4.3.71.4.3.70. There would be a cumulative impact of up to 1.3% of critical load for nitrogen deposition, with the Proposed Scheme contributing up to 0.4%. The cumulative impact on nitrogen therefore continues to exceed 1% of critical load.

4.3.72.4.3.71. To support the assessment of the implications of this deposition, published research into the effects of nitrogen deposition on bog habitats was reviewed (CAPORN, 2017). This included a review of existing scientific knowledge covering several studies. This study suggests that the effects of additional nitrogen where background deposition rates are already high are much reduced relative to where background deposition rates are low. This is because nitrogen is already in excess, with the plants present having limited capacity to respond. In this study, with background deposition rates of 20 kg N/ha/yr (comparable to estimated baseline deposition rates at Thorne Moor SAC), adding a further 1 kg N/ha/yr was shown to decrease species richness by 0.9%. Graminoid (grass) cover was found to increase by 1.5%. The maximum species richness recorded across the studies examined was 32.

4.3.73.4.3.72. Taking a species richness from the above of 32, an impact equivalent to 3.3 kgN/ha/yr would theoretically be required to reduce species richness across the SAC by an average of one species (per quadrat). A base species richness of 32 was used, as this was the highest recorded species richness from any of the studies referred to in the NERC210 report. This is considered precautionary because at a higher level of species-richness, a reduced quantum of nitrogen deposition is required to trigger a theoretical reduction in species richness of one, than at a lower base species richness. For example, if a base species richness of 16 was assumed, an impact equivalent to 6.6 kgN/ha/yr would theoretically be required to reduce species richness across the SAC by an average of one species. Using a base species richness of 32 is therefore conservative, as it minimises the amount of nitrogen deposition that would theoretically be required to reduce species richness.

4.3.74.4.3.73. The maximum predicted in-combination impact of the Proposed Scheme with other plans and projects is 0.063 kgN/ha/yr, equivalent to approximately 1.9% of the amount required to reduce species richness by an average of one species per quadrat. This compares to a maximum predicted in-combination impact of 0.09 kgN/ha/yr at the time of the Application.

4.3.75.4.3.74. Consideration has also been given to the potential for changes in graminoid cover, by extrapolating the NERC210 findings to reflect the impacts of the Proposed Scheme. This has been done assuming a linear relationship, which is likely to be

conservative at high background deposition rates. This suggest that the maximum in-combination impact of 0.063 kgN/ha/yr could trigger an increase in Graminoid cover of 0.09%.

[4.3.76.4.3.75.](#) Table 22 of the NERC210 report provides a summary of relationships between long term nitrogen deposition and changes in species cover or probability of presence, for species commonly associated with bog habitats. The following species from Table 22 of NERC210 were considered: Hare's-tail cottongrass *Eriophorum vaginatum*, *Cladonia uncialis*, *Sphagnum fimbriatum*, wavy hair-grass *Deschampsia flexuosa*, and *Campylopus introflexus*. Citation information from Thorne Moor SAC and data from the Thorne and Hatfield Moors Conservation Forum (Thorne and Hatfield Moors Conservation Forum, 2019) references the presence of Hare's-tail cottongrass and wavy hair-grass, along with the presence of *Sphagnum* and *Cladonia* species. Whilst the Applicant cannot confirm the presence of all the species referred to, a proportion are present and the remainder are considered good indicator species for the habitat types for which the SAC/SSSI are designated.

[4.3.77.4.3.76.](#) At a baseline nitrogen deposition rate of 20 kgN/ha/yr (broadly equivalent to baseline deposition rates at Thorne Moor SAC) an increase of nitrogen deposition equivalent to 1 kgN/ha/yr is predicted to result in changes in species cover/probability of occurrence ranging between -0.01% and +1.5%. Extrapolating linearly against the in-combination impact of the Proposed Scheme and other plans and projects (0.063 kgN/ha/yr), these figures would be between -0.0036% and +0.072%.

[4.3.78.4.3.77.](#) The level of deposition and the potential consequential vegetative change continues to fall within the bounds of natural variation and is predicted to lead to negligible (and imperceptible) effects across the SAC.

[4.3.79.4.3.78.](#) As highlighted in **paragraph 4.3.61** the in-combination impact has also been modelled based on several conservative assumptions. In reality deposition rates arising from in-combination impacts would be lower.

[4.3.80.4.3.79.](#) With Keadby 2 included in the future baseline and the Proposed Scheme's air quality mitigation measures applied as per the Revised Emissions Abatement Technical Note, the maximum in-combination impact for acidification is 1.5% of the critical load, compared to the impact of 1.9% which was predicted at the time of the Application. Again, no perceptible vegetative changes of the SAC degraded raised bog habitat are predicted to arise from this level of deposition, in the context of the baseline deposition levels and the magnitude of the in-combination air quality impacts. There is also evidence from a study completed by the Centre for Ecology and Hydrology (NERC Centre for Ecology & Hydrology, 2015) that suggests levels of acid deposition across Thorne Moor are reducing, with evidence of a downward trend between 2012 and 2014.

[4.3.81.4.3.80.](#) In addition, there have been significant reductions in the contribution of SO₂ to acidification and overall acid deposition across the UK since the 1970s, driven in particular by improvements in (and requirements for) abatement technology and the phasing out of coal as a combustion source. Of particular relevance to the Proposed

Scheme, annual SO₂ emissions from Drax Power Station have fallen substantially over recent years, in line with increasingly stringent Environmental Permit requirements. There has been a reduction in emissions from approximately 35 kilotonnes in 2012 compared to approximately 5 kilotonnes in 2020. Per gram emitted, SO₂ has approximately 16 times the acidifying potential of NO_x (Drax, 2021). Reductions in SO₂ emissions therefore lead to a proportionately greater reduction in acidification potential relative to NO_x.

~~4.3.82~~4.3.81. The UK has now made significant progress towards achieving targeted reductions in national SO₂ emissions. Under the Convention on Long Range Transboundary Air Pollution (CLRTAP) and National Emissions Ceiling Regulations (NECR), the UK has set targets to reduce SO₂ emissions by 59 per cent compared to 2005 emissions by 2020, and by 88 per cent compared to 2005 emissions by 2030. The 2020 target was achieved with headroom.

~~4.3.83~~4.3.82. Data from 2020 indicates that UK emissions of SO₂ were 83% lower than in 2005, with mass emissions of 0.79 million tonnes in 2005 compared to mass emissions of 0.136 million tonnes in 2020. Based on the trajectory to date the UK seems likely to achieve the 2030 target. Reductions in SO₂ emissions will lead to a corresponding reduction in the contribution of SO₂ to acid deposition in the UK.

~~4.3.84~~4.3.83. As these are national targets which do not assess regional variation, the trend cannot be fully applied at a regional or local level. The Applicant is not aware of any regional or local initiatives to reduce acid deposition, SO₂ emissions, or emissions of other potentially acidifying pollutants. Whilst there seems likely to be further reductions in acid deposition arising from national reductions in SO₂ emissions in the period to 2030, these cannot be extrapolated to comparable reductions across Thorne Moor SAC or other designated sites with confidence.

~~4.3.85~~4.3.84. Whilst likely future national reductions in SO₂ emissions to 2030 may contribute to continued reductions in acid deposition over Thorne Moor SAC and the other designated sites considered, this is not certain and cannot be relied on solely when considering the potential for AEOI. However, in combination with the other sources of information referred to including NERC210 (CAPORN, 2017) and the significant historic reductions in acid deposition, and with consideration of the minor nature of the in-combination exceedance, the future likely national reductions provide additional support to the finding of no AEOI.

~~4.3.86~~4.3.85. In light of the above, **no adverse effects on the integrity of the Thorne Moor SAC** are predicted in relation to in-combination air quality impacts.

Operational In-combination air quality impacts – summary

~~4.3.87~~4.3.86. In summary, with the application of operational emissions abatement and in consideration of the scale and nature of the in-combination air quality impacts, no adverse effects on the integrity of Thorne Moor SAC are predicted to arise. In addition to the rationale for this conclusion presented in the application HRA (APP-185 and

supporting appendices), additional information has been provided in support of this conclusion in this Deadline [92](#) version of the HRA Report.

~~4.3.88~~[4.3.87](#). In summary, the additional information provided above sets out:

- a.** The further reductions in the air quality impacts from the Proposed Scheme alone and in-combination, as detailed in Appendix 5 to the Applicant's Responses to Examining Authorities First Written Questions, Revised Emissions Abatement Technical Note (REP2-065);
- b.** Reference to the significant declines in national SO₂ emissions and consequent acid deposition;
- c.** Survey work completed by the Applicant, as set out in Appendix 7 to the HRA Report (REP2-107);
- d.** Additional analysis of Natural England SSSI condition assessment monitoring for Brighton Meadows;
- e.** Additional analysis and explanation of the Applicant's use of Natural England Commissioned Research Report 210; and
- f.** Additional analysis of the timescales for other plans and projects included in the cumulative dispersion (air quality) modelling.

5. CONCLUSION

- 5.1.1. In accordance with the Conservation of Habitats and Species Regulations 2017 (the Habitats Regulations), information to inform an appropriate assessment of the Proposed Scheme has been provided.
- 5.1.2. The HRA has been informed by an initial screening for likely significant effects (LSE), which identified LSE on the following European Sites identified within a 15 km zone of influence for potential impacts:
- g.** Lower Derwent Valley SAC.
 - h.** Lower Derwent Valley SPA.
 - i.** Lower Derwent Valley Ramsar.
 - j.** River Derwent SAC.
 - k.** Humber Estuary SAC.
 - l.** Humber Estuary SPA.
 - m.** Humber Estuary Ramsar site.
 - n.** Thorne Moor SAC.
- 5.1.3. The zone of influence for potential impacts on European sites was set at 15 km from the centre of the Main Stack (within the Power Station Site). This was taken to correspond to the maximum extent of perceptible air quality impacts, with air quality impacts predicted to have the largest zone of influence of all potentially identified impacts.
- 5.1.4. Having identified European sites within the ZoI and assessed their interest features and Conservation Objectives, the Stage 1 screening (undertaken based on an assessment of the unmitigated Proposed Scheme) discounted a number of potential impacts (for example, direct impacts on habitats within European sites). For some European Sites, LSE were identified for a proportion of the qualifying interests. The Stage 1 screening also identified a range of impacts that could arise from the Proposed Scheme, as follows:
- a.** Loss and/or disturbance of functionally-linked land;
 - b.** Disturbance to qualifying features in functionally-linked habitat (light/noise/vibration/visual);
 - c.** Emissions of dust onto functionally-linked habitats;
 - d.** Hydrological changes to functionally-linked habitat (effects on water quality from sedimentation or water-borne pollutants; and
 - e.** Air quality changes during operation, and during construction in relation to the Humber Estuary sites only.
- 5.1.5. It was also identified that the impacts described above could be exacerbated by the impacts of other plans and projects. As such, consideration of potential in-combination effects has also been made.

5.1.6. These effects were assessed further through the Stage 2 assessment for potential adverse effects on integrity which considered: European Site data including Supplementary Advice on Conservation Objectives; available environmental condition data; and the potential effects of the Proposed Scheme on its own and in-combination with other plans and projects, taking mitigation proposed for the Proposed Scheme (and other plans and projects) into account.

5.1.7. This HRA report has been updated at Deadline [96](#) to [respond to capture](#):

[a. consultation responses and advice received from Natural England and corresponding updates to the SoCG between Natural England and the Applicant;](#)

[b. An amendment to the reported baseline levels of oxides of nitrogen \(NOx\) over the Humber Estuary SAC, SPA, and Ramsar site; and](#)

[c. Minor amendments and corrections of typographical errors in response to the ExA June 6 Rule 17 Request \(PD-018\) and to account for a final read through of the document.](#)

~~a. consultation responses and advice received from Natural England and corresponding updates to the SoCG between Natural England and The Applicant;~~

~~b. additional work completed by the Applicant in response to Natural England consultation responses and advice, including production of Appendix 8 of this HRA Report (Lower Derwent Valley Habitats and Soil Analysis (REP3-009)); and~~

~~c. Updates to the in-combination assessment to reflect a revised list/additional information on other plans and projects (as set out in Environmental Statement Appendix 18.5 (Cumulative Assessment Matrix) (REP4-002)).~~

5.1.8. Following incorporation of this additional information, it continues to be concluded that the Proposed Scheme would not have an adverse effect on the integrity of any of the European Sites assessed.

6. BIBLIOGRAPHY

- (SI2017/2012). (2017). *The Conservation of Habitats and Species Regulations (as amended)*. Retrieved from <https://www.legislation.gov.uk/ukxi/2017/1012/introduction>
- Air Pollution Information System. (2022, April 4). *Site Relevant Critical Loads and Source Attribution*. Retrieved from Air Pollution Information system.
- CAPORN, S. F. (2017). *Assessing the effects of small increments of atmospheric nitrogen deposition (above the critical load) on semi-natural habitats of conservation importance*. Peterborough: Natural England Commissioned Reports, No. 210.
- Chanin, P. (2003). *Ecology of The European Otter: Conserving Natura 2000 Rivers Ecology Series No. 10*. Peterborough: English Nature.
- CIEEM. (2021). *Advice on Ecological Assessment of Air Quality Impacts*. Winchester, UK: Chartered Institute of Ecology and Environmental Management.
- Coöperatie Mobilisation for the Environment UA and Others v College van gedeputeerde staten van Limburg and Others, Joined Cases C-293/17 and C-294/17 (Court of Justice of The European Union July 25, 2018).
- Department for Environment, Food & Rural Affairs, Natural England, Welsh Government, and Natural Resources Wales. (2021, February 24). *Habitats regulations assessments: protecting a European site*. Retrieved from Land Management: <https://www.gov.uk/guidance/habitats-regulations-assessments-protecting-a-european-site#appropriate-assessment>
- Department for Environment, Food and Rural Affairs. (2021, Feb 24). *Habitats regulations assessments: protecting a European site*. Retrieved from Gov.uk: <https://www.gov.uk/guidance/habitats-regulations-assessments-protecting-a-european-site>
- Drax. (2021). *Environmental Social Governance Supplement*.
- Environment Agency. (2021, Sept 3). *Air emissions risk assessment for your environmental permit*. Retrieved Sept 22, 2021, from <https://www.gov.uk/guidance/air-emissions-risk-assessment-for-your-environmental-permit>
- Environment Agency. (2022, February). *Derwent from Elvington Beck to River Ouse Water Body*. Retrieved from Environment Agency Catchment Data Explorer: <https://environment.data.gov.uk/catchment-planning/WaterBody/GB104027068311>
- European Commission. (2018). *Managing Natura 2000 Sites: the provisions of Article 6 of the Habitats Directive 92/43/CEE*. European Commission.
- European Union. (2022, 03 25). *Waterbird Disturbance and Mitigation Toolkit*. Retrieved from TIDE Toolbox: [REDACTED]
- Health and Safety Executive. (2022, 04 02). *Noise*. Retrieved from Health and Safety Executive: <https://www.hse.gov.uk/noise/advice.htm>
- Holman, C., e. a. (2014). *IAQM Guidance on the assessment of dust from demolition and construction*. London: Institute of Air Quality Management.
- National Grid. (2022). *Interactive Map*. Retrieved from Scotland to England Green Link – SEGL2: [REDACTED]

- Natural England. (2017). *European Site Conservation Objectives: Supplementary Advice on Conserving and Restoring Site Features River Derwent Special Area of Conservation (SAC) Site Code: UK0030253*. Peterborough: Natural England.
- Natural England. (2019, September 13). *Designated Sites View: Humber Estuary SAC*. Retrieved from Marine Site Detail: Supplementary Advice:
<https://designatedsites.naturalengland.org.uk/Marine/SupAdvice.aspx?SiteCode=UK0030170&SiteName=humber&SiteNameDisplay=Humber+Estuary+SAC&countyCode=&responsiblePerson=&SeaArea=&IFCAArea=&NumMarineSeasonality=8>
- Natural England. (2019). *European Site Conservation Objectives: Supplementary Advice on Conserving and Restoring Site Features. Lower Derwent Valley Special Area of Conservation (SAC) Site Code: UK0012844*. Peterborough: Natural England.
- Natural England. (2019). *European Site Conservation Objectives: Supplementary advice on conserving and restoring site features. Lower Derwent Valley Special Protection Area (SPA). Site Code: UK9006092*. Peterborough: Natural England.
- Natural England. (2019, September 13). *Humber Estuary SPA*. Retrieved from Designated Sites View:
<https://designatedsites.naturalengland.org.uk/Marine/SupAdvice.aspx?SiteCode=UK9006111&SiteName=humber&SiteNameDisplay=Humber+Estuary+SPA&countyCode=&responsiblePerson=&SeaArea=&IFCAArea=&NumMarineSeasonality=15>
- Natural England. (2022, April 27th). *Condition of SSSI Units for Site Brighton Meadows SSSI*. Retrieved from Designated Sites View:
<https://designatedsites.naturalengland.org.uk/ReportUnitCondition.aspx?SiteCode=S1002003&ReportTitle=Brighton%20Meadows%20SSSI>
- NERC Centre for Ecology & Hydrology. (2015). *Monitoring of acidifying and eutrophying deposition and ecological parameters at seven potentially vulnerable Natura 2000 sites in England and Wales*. Lancaster: Centre for Ecology and Hydrology.
- People over Wind and Peter Sweetman v Coillte, C-323/17 (Court of Justice of the European Union (CJEU) 2018).
- Planning Inspectorate. (2017, November). *Advice Note Ten: Habitats Regulations Assessment relevant to nationally significant infrastructure projects*. Retrieved from National Infrastructure Planning:
<https://infrastructure.planninginspectorate.gov.uk/legislation-and-advice/advice-notes/advice-note-ten/>
- Scottish Natural Heritage. (2017). *Protected Species Advice (A195316)*. Scottish Natural Heritage.
- Sheng, Y. W. (2020). Effects of plant hedgerows on agricultural non-point source pollution. *Environmental Science*, 24831 - 24847.
- Stantec. (2022). *Barlow Ash Mound – Resource Recovery Operation: EIA Scoping Report*. Stantec.
- Strava Heat Map. (2022, April 01). Retrieved from Strava Heat Map:
 [REDACTED]
- Thorne and Hatfield Moors Conservation Forum. (2019). *Moors*. Retrieved from Thorne and Hatfield Moors Conservation Forum: [REDACTED]
- WSP. (2018). *The Drax Power (Generating Stations) Order Land at, and in the vicinity of, Drax Power Station, near Selby, North Yorkshire: Otter and Water Vole Survey*. Drax Power Limited.

- WSP. (2018(c)). *The Drax Power (Generating Stations) Order Land at, and in the vicinity of, Drax Power Station, near Selby, North Yorkshire Supplemental Environmental Information - Breeding Bird Survey*. Selby: Drax Power.
- WSP. (2018b). *The Drax Power (Generating Stations) Order Land at, and in the vicinity of, Drax Power Station, near Selby, North Yorkshire Environmental Statement Appendix 9.7 - Wintering Bird Survey*. Selby: Drax Power.