



OAKLANDS FARM SOLAR PARK

Applicant: Oaklands Farm Solar Ltd

Environmental Statement

Chapter 5 - Figures 5.10a – 5.10q

January 2024

Document Ref: EN010122/APP/6.1/Fig 5.10a – 5.10q

Revision: -

Planning Act 2008

Infrastructure Planning (Application: Prescribed Forms and Procedure) Regulations 2009 - 5(2)(a)



Baseline photograph - Summer

This image provides landscape and visual context only



OS reference:	422803 E 316232 N
AOD (Above Ordnance Datum):	84.99 m
Direction of view:	45°
Horizontal field of view:	90° (cylindrical projection)

Vertical field of view:	27°
Image Enlargement Factor:	96%
Paper size:	841 x 297 mm (half A1)
Correct printed image size:	820 x 250 mm

Camera:	Nikon D750
Lens:	Nikkor AF 50mm f/1.8D
Camera height:	1.5 m (above AOD)
Date and time:	21/10/2021 14:05



Baseline photograph - Winter

This image provides landscape and visual context only



OS reference:	422804 E 316232 N
AOD (Above Ordnance Datum):	85 m
Direction of view:	45°
Horizontal field of view:	90° (cylindrical projection)

Vertical field of view:	27°
Image Enlargement Factor:	96%
Paper size:	841 x 297 mm (half A1)
Correct printed image size:	820 x 250 mm

Camera:	Nikon D750
Lens:	Nikkor AF 50mm f/1.8D
Camera height:	1.5 m (above AOD)
Date and time:	11/02/2022 13:37



Landscape Institute Visualisation Type: 4, AVR Level 3 Photomontage (Year 1) using Winter Photograph

View flat at a comfortable arm's length



OS reference: 422804 E 316232 N
AOD (Above Ordnance Datum): 85 m
Direction of view: 45°
Horizontal field of view: 90° (cylindrical projection)

Vertical field of view: 27°
Image Enlargement Factor: 96%
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 250 mm

Camera: Nikon D750
Lens: Nikkor AF 50mm f/1.8D
Camera height: 1.5 m (above AOD)
Date and time: 11/02/2022 13:37

Data Sources:
Development proposals (PV panels, battery storage, substation, ancillary infrastructure and site topography) provided by Baywa in DWG/PDF format.
Highway works associated with access proposals provided by Pell Frischman in DWG/PDF format.



Landscape Institute Visualisation Type: 4, AVR Level 3 Photomontage (Year 10 after planting mitigation) using Winter Photograph

View flat at a comfortable arm's length



OS reference: 422804 E 316232 N
 AOD (Above Ordnance Datum): 85 m
 Direction of view: 45°
 Horizontal field of view: 90° (cylindrical projection)

Vertical field of view: 27°
 Image Enlargement Factor: 96%
 Paper size: 841 x 297 mm (half A1)
 Correct printed image size: 820 x 250 mm

Camera: Nikon D750
 Lens: Nikkor AF 50mm f/1.8D
 Camera height: 1.5 m (above AOD)
 Date and time: 11/02/2022 13:37

Data Sources:
 Development proposals (PV panels, battery storage, substation, ancillary infrastructure and site topography) provided by Baywa in DWG/PDF format.
 Highway works associated with access proposals provided by Pell Frischman in DWG/PDF format.



Baseline photograph - Summer

This image provides landscape and visual context only



OS reference:	422803 E 316232 N
AOD (Above Ordnance Datum):	84.99 m
Direction of view:	135°
Horizontal field of view:	90° (cylindrical projection)

Vertical field of view:	27°
Image Enlargement Factor:	96%
Paper size:	841 x 297 mm (half A1)
Correct printed image size:	820 x 250 mm

Camera:	Nikon D750
Lens:	Nikkor AF 50mm f/1.8D
Camera height:	1.5 m (above AOD)
Date and time:	21/10/2021 14:05



Baseline photograph - Winter

This image provides landscape and visual context only



OS reference:	422804 E 316232 N
AOD (Above Ordnance Datum):	85 m
Direction of view:	135°
Horizontal field of view:	90° (cylindrical projection)

Vertical field of view:	27°
Image Enlargement Factor:	96%
Paper size:	841 x 297 mm (half A1)
Correct printed image size:	820 x 250 mm

Camera:	Nikon D750
Lens:	Nikkor AF 50mm f/1.8D
Camera height:	1.5 m (above AOD)
Date and time:	11/02/2022 13:37



Landscape Institute Visualisation Type: 4, AVR Level 3 Photomontage (Year 1) using Winter Photograph

View flat at a comfortable arm's length



OS reference: 422804 E 316232 N
 AOD (Above Ordnance Datum): 85 m
 Direction of view: 135°
 Horizontal field of view: 90° (cylindrical projection)

Vertical field of view: 27°
 Image Enlargement Factor: 96%
 Paper size: 841 x 297 mm (half A1)
 Correct printed image size: 820 x 250 mm

Camera: Nikon D750
 Lens: Nikkor AF 50mm f/1.8D
 Camera height: 1.5 m (above AOD)
 Date and time: 11/02/2022 13:37

Data Sources:
 Development proposals (PV panels, battery storage, substation, ancillary infrastructure and site topography) provided by Baywa in DWG/PDF format.
 Highway works associated with access proposals provided by Pell Frischman in DWG/PDF format.



Landscape Institute Visualisation Type: 4, AVR Level 3 Photomontage (Year 10 after planting mitigation) using Winter Photograph

View flat at a comfortable arm's length



OS reference: 422804 E 316232 N
AOD (Above Ordnance Datum): 85 m
Direction of view: 135°
Horizontal field of view: 90° (cylindrical projection)

Vertical field of view: 27°
Image Enlargement Factor: 96%
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 250 mm

Camera: Nikon D750
Lens: Nikkor AF 50mm f/1.8D
Camera height: 1.5 m (above AOD)
Date and time: 11/02/2022 13:37

Data Sources:
Development proposals (PV panels, battery storage, substation, ancillary infrastructure and site topography) provided by Baywa in DWG/PDF format.
Highway works associated with access proposals provided by Pell Frischman in DWG/PDF format.



Baseline photograph - Summer

This image provides landscape and visual context only



OS reference:	422803 E 316232 N
AOD (Above Ordnance Datum):	84.99 m
Direction of view:	225°
Horizontal field of view:	90° (cylindrical projection)

Vertical field of view:	27°
Image Enlargement Factor:	96%
Paper size:	841 x 297 mm (half A1)
Correct printed image size:	820 x 250 mm

Camera:	Nikon D750
Lens:	Nikkor AF 50mm f/1.8D
Camera height:	1.5 m (above AOD)
Date and time:	21/10/2021 14:05



Baseline photograph - Winter

This image provides landscape and visual context only



OS reference:	422804 E 316232 N
AOD (Above Ordnance Datum):	85 m
Direction of view:	225°
Horizontal field of view:	90° (cylindrical projection)

Vertical field of view:	27°
Image Enlargement Factor:	96%
Paper size:	841 x 297 mm (half A1)
Correct printed image size:	820 x 250 mm

Camera:	Nikon D750
Lens:	Nikkor AF 50mm f/1.8D
Camera height:	1.5 m (above AOD)
Date and time:	11/02/2022 13:37



Landscape Institute Visualisation Type: 4, AVR Level 3 Photomontage (Year 1) using Winter Photograph

View flat at a comfortable arm's length



OS reference: 422804 E 316232 N
 AOD (Above Ordnance Datum): 85 m
 Direction of view: 225°
 Horizontal field of view: 90° (cylindrical projection)

Vertical field of view: 27°
 Image Enlargement Factor: 96%
 Paper size: 841 x 297 mm (half A1)
 Correct printed image size: 820 x 250 mm

Camera: Nikon D750
 Lens: Nikkor AF 50mm f/1.8D
 Camera height: 1.5 m (above AOD)
 Date and time: 11/02/2022 13:37

Data Sources:
 Development proposals (PV panels, battery storage, substation, ancillary infrastructure and site topography) provided by Baywa in DWG/PDF format.
 Highway works associated with access proposals provided by Pell Frischman in DWG/PDF format.



Landscape Institute Visualisation Type: 4, AVR Level 3 Photomontage (Year 10 after planting mitigation) using Winter Photograph

View flat at a comfortable arm's length



OS reference: 422804 E 316232 N
 AOD (Above Ordnance Datum): 85 m
 Direction of view: 225°
 Horizontal field of view: 90° (cylindrical projection)

Vertical field of view: 27°
 Image Enlargement Factor: 96%
 Paper size: 841 x 297 mm (half A1)
 Correct printed image size: 820 x 250 mm

Camera: Nikon D750
 Lens: Nikkor AF 50mm f/1.8D
 Camera height: 1.5 m (above AOD)
 Date and time: 11/02/2022 13:37

Data Sources:
 Development proposals (PV panels, battery storage, substation, ancillary infrastructure and site topography) provided by Baywa in DWG/PDF format.
 Highway works associated with access proposals provided by Pell Frischman in DWG/PDF format.



Landscape Institute Visualisation Type: 4, AVR Level 3 Photomontage (Year 10 after planting mitigation) using Winter Photograph (variant showing transformer units in pearl green, RAL 6035)

View flat at a comfortable arm's length



OS reference: 422804 E 316232 N
 AOD (Above Ordnance Datum): 85 m
 Direction of view: 225°
 Horizontal field of view: 90° (cylindrical projection)

Vertical field of view: 27°
 Image Enlargement Factor: 96%
 Paper size: 841 x 297 mm (half A1)
 Correct printed image size: 820 x 250 mm

Camera: Nikon D750
 Lens: Nikkor AF 50mm f/1.8D
 Camera height: 1.5 m (above AOD)
 Date and time: 11/02/2022 13:37

Data Sources:
 Development proposals (PV panels, battery storage, substation, ancillary infrastructure and site topography) provided by Baywa in DWG/PDF format.
 Highway works associated with access proposals provided by Pell Frischman in DWG/PDF format.



Baseline photograph - Summer

This image provides landscape and visual context only



OS reference:	422803 E 316232 N
AOD (Above Ordnance Datum):	84.99 m
Direction of view:	315°
Horizontal field of view:	90° (cylindrical projection)

Vertical field of view:	27°
Image Enlargement Factor:	96%
Paper size:	841 x 297 mm (half A1)
Correct printed image size:	820 x 250 mm

Camera:	Nikon D750
Lens:	Nikkor AF 50mm f/1.8D
Camera height:	1.5 m (above AOD)
Date and time:	21/10/2021 14:05



Baseline photograph - Winter

This image provides landscape and visual context only



OS reference:	422804 E 316232 N
AOD (Above Ordnance Datum):	85 m
Direction of view:	315°
Horizontal field of view:	90° (cylindrical projection)

Vertical field of view:	27°
Image Enlargement Factor:	96%
Paper size:	841 x 297 mm (half A1)
Correct printed image size:	820 x 250 mm

Camera:	Nikon D750
Lens:	Nikkor AF 50mm f/1.8D
Camera height:	1.5 m (above AOD)
Date and time:	11/02/2022 13:37



Landscape Institute Visualisation Type: 4, AVR Level 3 Photomontage (Year 1) using Winter Photograph

View flat at a comfortable arm's length



OS reference: 422804 E 316232 N
 AOD (Above Ordnance Datum): 85 m
 Direction of view: 315°
 Horizontal field of view: 90° (cylindrical projection)

Vertical field of view: 27°
 Image Enlargement Factor: 96%
 Paper size: 841 x 297 mm (half A1)
 Correct printed image size: 820 x 250 mm

Camera: Nikon D750
 Lens: Nikkor AF 50mm f/1.8D
 Camera height: 1.5 m (above AOD)
 Date and time: 11/02/2022 13:37

Data Sources:
 Development proposals (PV panels, battery storage, substation, ancillary infrastructure and site topography) provided by Baywa in DWG/PDF format.
 Highway works associated with access proposals provided by Pell Frischman in DWG/PDF format.



Landscape Institute Visualisation Type: 4, AVR Level 3 Photomontage (Year 10 after planting mitigation) using Winter Photograph

View flat at a comfortable arm's length



OS reference:	422804 E 316232 N
AOD (Above Ordnance Datum):	85 m
Direction of view:	315°
Horizontal field of view:	90° (cylindrical projection)

Vertical field of view:	27°
Image Enlargement Factor:	96%
Paper size:	841 x 297 mm (half A1)
Correct printed image size:	820 x 250 mm

Camera:	Nikon D750
Lens:	Nikkor AF 50mm f/1.8D
Camera height:	1.5 m (above AOD)
Date and time:	11/02/2022 13:37

Data Sources:	Development proposals (PV panels, battery storage, substation, ancillary infrastructure and site topography) provided by Baywa in DWG/PDF format.
	Highway works associated with access proposals provided by Pell Frischman in DWG/PDF format.