



# OAKLANDS FARM SOLAR PARK

Applicant: Oaklands Farm Solar Ltd

Environmental Statement

Appendix 15.1 – Agricultural Land Classification Survey for Oaklands Farm  
November 2024

Document Ref: EN010122/D6/6.1/Appx 15.1

Version: Deadline 6

Planning Act 2008

Infrastructure Planning (Application: Prescribed Forms and  
Procedure) Regulations 2009 - 5(2)(a)

***AGRICULTURAL LAND CLASSIFICATION***

**Arcus Consultancy Services**

*Oaklands Solar Farm*



**Our Ref: SES/ACS/OSF/#V12024**

**Date: 2<sup>nd</sup> August 2024**

**Client:**

Arcus Consultancy Services  
1C Swinegate Court East  
3 Swinegate  
York  
YO1 8AJ

***AGRICULTURAL LAND CLASSIFICATION***

***Oaklands Solar Farm***

A report prepared on behalf of *Soil Environment Services* by:

**Louise Tavasso** BSc (Hons) M.I.SoilSci  
*Environmental Consultant*

Approved by:

**Dr Robin S Davies** BSc PhD F.I.SoilSci PGC *Contaminated Land Management*  
*Managing Director*

*This report has been prepared by Soil Environment Services with all reasonable skill, care and diligence, within the terms of The Contract with The Client. The report is the property of The Client who can assign this report to any third party who will then be afforded the same assurances as detailed within the terms of the original Contract with The Client.*

---

**Soil Environment Services**

Agricultural Land Classification, Contaminated Land  
Risk Assessment, Mineral Extraction Soil Planning  
Unit 8, Stocksfield Hill, Stocksfield, Northumberland, NE43 7TN  
Tel: 01661 844 827, Email: rd@soilenvironmental.co.uk

[www.soilenvironmental.co.uk](http://www.soilenvironmental.co.uk)

---

# CONTENTS

	<b>Page</b>
<b>1. INTRODUCTION</b>	
<b>1.1 Methodology</b>	<b>4</b>
<b>1.2 Previous ALC gradings</b>	<b>4</b>
<b>2. CLIMATIC LIMITATIONS</b>	<b>5</b>
<b>2.1 Overall climate</b>	<b>5</b>
<b>2.2 Local climate</b>	<b>5</b>
<b>3. SITE LIMITATIONS</b>	<b>6</b>
<b>3.1 Gradient</b>	<b>6</b>
<b>3.2 Microrelief</b>	<b>6</b>
<b>3.3 Flooding</b>	<b>6</b>
<b>4. SOIL LIMITATIONS</b>	<b>7</b>
<b>4.1 Texture and structure</b>	<b>7</b>
<b>4.2 Depth</b>	<b>9</b>
<b>4.3 Stoniness</b>	<b>9</b>
<b>4.4 Chemical</b>	<b>9</b>
<b>5. INTERACTIVE LIMITATIONS</b>	<b>10</b>
<b>5.1 Wetness</b>	<b>10</b>
<b>5.2 Droughtiness</b>	<b>10</b>
<b>5.3 Erosion</b>	<b>10</b>
<b>6. AGRICULTURAL LAND CLASSIFICATION</b>	<b>11</b>
<b>6.1 Most limiting factor</b>	<b>11</b>
<b>6.2 Current ALC grading</b>	<b>11</b>

**DRAWING 1**            **ALC Grade and survey points**

**APPENDIX A**            **Survey profile data sheet**

**STATEMENT OF COMPETENCE**

**GENERAL INFORMATION SOURCES**

**GLOSSARY**

## 1. INTRODUCTION

An Agricultural Land Classification (ALC) has been carried out on 162 ha of land at Oaklands Farm (Drawing 1). The site is centred on OS Grid Ref. 423034, 316743.

The survey was conducted on the 8<sup>th</sup> and 9<sup>th</sup> July 2020 by two soil surveyors (see Statement of Competence) and classified the land into one or more of the below grades (see Drawing 1). On the survey date, the site was in agricultural use.

### 1.1 Methodology

Agricultural land is classified into the following grades according to the 1988 guidelines<sup>1</sup>.

Grade	Description
1	<b>Excellent quality agricultural land</b> with no or very minor limitations to agricultural use.
2	<b>Very good quality agricultural land</b> with minor limitations which affect crop yield, cultivation or harvesting.
3a	<b>Good quality agricultural land</b> capable of producing moderate to high yields of a narrow range of arable crops or moderate yields of a wider range of crops. <b>Moderate quality agricultural land</b> capable of producing moderate yields of a narrow range of crops or lower yields of a wider range of crops.
3b	
4	<b>Poor quality agricultural land</b> with severe limitations which significantly restrict the range of crops and/or level of yields.
5	<b>Very poor quality agricultural land</b> with very severe limitations which restrict use to permanent pasture or rough grazing, except for occasional pioneer forage crops.

The classification includes an initial desktop investigation to examine previously mapped soil types and to note the drift and solid geology followed by the field survey consisting of auger borings at one every 100 m in general and a pit excavated in each of the main soil types to confirm the structures and stone content if needed. Laboratory analysis of soil textures is undertaken if needed in order to confirm textures such the *heavy/medium* clay and *medium/fine* sand categories or stone content. All site survey profile data is listed in Appendix A.

All of the potential limitations are assessed and then the most limiting factor dictating the ALC grade was determined for this site and is detailed in Table 2.

### 1.2 Previous ALC gradings

Grading on the MAFF (1983) 1: 250 000 provisional map indicated the site is mapped as Grade 2 and 3 land. No detailed surveys have been undertaken for the site.

## 2. CLIMATIC LIMITATIONS

### 2.1 Overall climate

The climatological data for the site centre is detailed in Table 1.

<b>Table 1</b>		
<b>Climatological information<sup>3</sup></b>		
<b>Factor</b>	<b>Units</b>	<b>Value</b>
Altitude AOD	m	75
Accumulated temperature	day°C (Jan-June)	1385.4
Average Annual Rainfall	mm	641.0
Field Capacity Days	days	138.2
Moisture Deficit Wheat	mm	103.5
Moisture Deficit Potatoes	mm	93.7
Overall climate ALC Grade	Grade 1	

Climate will not result in the most significant limiting factor for the site.

### 2.2. Local climate

Local climate will not result in a significant limiting factor for this site.

### **3 SITE LIMITATIONS**

#### **3.1 Gradient**

The slope measured on site in general was minimal and gradient will not limit the ALC Grade in excess of any other limitations other than at Location 50.

#### **3.2 Microrelief**

Variation in relief was noted such as not to effect farming practices directly but more to have influenced the geomorphology and hence soil development

#### **3.3 Flooding**

A very low to low risk of flooding from rivers, sea and surface water has been identified for the site (<https://flood-warning-information.service.gov.uk/long-term-flood-risk>).

## 4 SOIL LIMITATIONS

### 4.1 Texture and structure

The soils on the site are varied and mainly comprised sandy clay loam, medium or heavy silty clay loam or medium or heavy clay loam over sandy clay loam, sandy clay or clay. Soils were of a medium subangular or coarse prismatic structure over moderate coarse prismatic or coarse angular blocky structure.

The soils noted on site, in general, to some degree, in general match the soils previously mapped with slight but significant variations in texture effecting the wetness class and hence ALC grade. The soil pattern is relatively complex but in general the lighter textured soils are located on the diamicton to the far west and north-east and the heavier soils on the alluvium.

Particle Size Distribution (PSD) analysis was undertaken on the selected samples:

**Table 1a - PSD Results**

Laboratory Analysis						
Reference: SES/ACS/OSF						
Client: Arcus Consultancy Services						
Sample Reference		24	45	68	80	90
Determined	Unit	SOIL	SOIL	SOIL	SOIL	SOIL
Sand	%	11.64	10.84	30.02	52.31	15.98
Silt	%	53.68	39.76	44.25	19.00	57.92
Clay	%	34.68	49.40	25.73	28.69	26.10
Total	%	100	100	100	100	100
Textural Class		HZCL	C	MCL	SCL	MZCL
<b>Analysis Notes:</b>						
The sample submitted was of adequate size to complete all analysis requested.						
The results as reported relate only to the item(s) submitted for testing.						
The results are presented on a dry matter basis unless otherwise stipulated.						
<b>Method:</b>						
BS1377 Pipette Method						

The soils are mapped as loamy and clayey soils with impeded drainage. The soil pattern is relatively complex and has been influenced by the solid geology and superficial deposits which also have a complex pattern across the site.

The site has previously been mapped as having soils of the following Associations:

The Salop Association soils on the site are mapped as: *Slowly permeable seasonally waterlogged reddish fine loamy over clayey, fine loamy and clayey soils associated with fine loamy over clayey soils with slowly permeable subsoils and slight seasonal waterlogging ([www.landis.org.uk](http://www.landis.org.uk)).*

The Whimble 3 Association soils on the site are mapped as: *'Reddish fine loamy or fine silty over clayey soils with slowly permeable subsoils and slight seasonal waterlogging. Some similar clayey soils on brows. Slowly permeable seasonally waterlogged fine loamy and fine silty over clayey soils on lower slopes ([www.landis.org.uk](http://www.landis.org.uk)).*

**Superficial Geology 1:50 000 scale superficial deposits description:**

***Southeast and northwest***

*1:50 000 scale superficial deposits description: Alluvium - Clay, Silt, Sand and Gravel. Superficial Deposits formed up to 2 million years ago in the Quaternary Period. Local environment previously dominated by rivers (U).*

***Southeast and northwest***

*1:50 000 scale superficial deposits description: Thrussington Member - Diamicton. Superficial Deposits formed up to 2 million years ago in the Quaternary Period. Local environment previously dominated by ice age conditions (U).*

**Bedrock Geology 1:50 000 scale bedrock geology description:**

*1:50 000 scale bedrock geology description: Edwalton Member - Sandstone. Sedimentary Bedrock formed approximately 228 to 237 million years ago in the Triassic Period. Local environment previously dominated by hot deserts.*

## **4.2 Depth**

Soil depth will not result in a significant limiting factor for this site.

## **4.3 Stoniness**

Stoniness within the top 25 cm of soil is considered not to be a limiting factor for the soils on the site. Stones were hard rock or stones and varied from stoneless to slightly stony in the upper horizon.

## **4.4 Chemical**

Chemical contamination will not result in a significant limiting factor for this site.

## **5. INTERACTIVE LIMITATIONS**

### **5.1 Wetness**

#### ***Grade 2 land***

The combination of soils with a Wetness Class of II, the Field Capacity Days of 138.2 and a topsoil texture of Sandy Clay Loam results in an ALC Grade of 2.

#### ***Grade 3a land***

The combination of soils with a Wetness Class of III, the Field Capacity Days of 138.2 and a topsoil texture of Medium Clay Loam results in an ALC Grade of 3a.

#### ***Grade 3b land***

The combination of soils with a Wetness Class of IV, the Field Capacity Days of 138.2 and a topsoil texture of Clay or Heavy Silty Clay Loam with also one small area with a gradient of 8° (at BH50) results in an ALC Grade of 3b.

### **5.2. Droughtiness**

The Available Water Capacity which subsequently when considered with respect to the Moisture Deficit for wheat and potatoes results in a droughtiness limitation of ALC Grade 2 for some soils on the site.

### **5.3 Erosion**

Erosion will not result in a significant limiting factor for this site.

## 6. AGRICULTURAL LAND CLASSIFICATION

### 6.1 Most limiting factors

#### *Wetness Limitation*

##### *Grade 2 land*

The combination of soils with a Wetness Class of II, the Field Capacity Days of 138.2 and a topsoil texture of Sandy Clay Loam results in an ALC Grade of 2.

##### *Grade 3a land*

The combination of soils with a Wetness Class of III, the Field Capacity Days of 138.2 and a topsoil texture of Medium Clay Loam results in an ALC Grade of 3a.

##### *Grade 3b land*

The combination of soils with a Wetness Class of IV, the Field Capacity Days of 138.2 and a topsoil texture of Clay or Heavy Silty Clay Loam with also one small area with a gradient of 8° (at BH50) results in an ALC Grade of 3b.

#### *Droughtiness Limitation*

The Available Water Capacity which subsequently when considered with respect to the Moisture Deficit for wheat and potatoes results in a droughtiness limitation of ALC Grade 2 for some soils on the site.

### 6.2 Current grading

This survey has resulted in the following grades (Table 2 and Drawing 1):

<b>Table 2. ALC gradings and limitations</b>			
<b>Grade</b>	<b>ha</b>	<b>%</b>	<b>Limitation</b>
<b>1</b>			
<b>2</b>	37	22.8	Wetness/droughtiness
<b>3a</b>	71	43.8	Wetness
<b>3b</b>	54	33.4	Wetness/Slope
<b>4</b>			
<b>5</b>			
<b>Non-agricultural land</b>			
<b>Total</b>	162	100%	

# **DRAWING 1**

**ALC Grade**

**Key**

ALC Grades

- Grade 1
- Grade 2
- Grade 3a
- Grade 3b
- Grade 4
- Grade 5
- Non agricultural land

- Boring
- Pit

# Soil Environment Services

Drawing Title: ALC Grade

Drawing No.: 1

Scale: 1:10000

Date: July 2020



# APPENDIX A

## Soil profile data

### Notes

- 1 All abbreviations relating to soil parameters are standard and derived from the guidance documents:  
  
*Agricultural Land Classification of England and Wales*. Revised guidelines and criteria for grading the quality of agricultural land. MAFF. 1988.  
*Soil Survey Field Handbook*. Technical Monograph No.5. Soil Survey of England and Wales.1976.
- 2 The pit data is detailed in this table and information on structure and stone content copied to the appropriate boring profiles.
- 3 Any blanks or zeros in the cells indicate the data is not needed or appropriate for that cell.
- 4 If 'NA' is inserted in a cell the information is not appropriate on this occasion.
5. Boring or pit locations are directly (within 2 m accuracy) on the grid reference corresponding to the points on the map unless otherwise stated.
- 6 A point directly marked on a track, boundary or other feature will be moved 2-3 m off the point or omitted if surrounding points and soil types allow.
7. Borings that are potentially within 15 m of a gas pipeline are limited to 0.4 m depth and the strata description in the data table below this depth will be extrapolated from nearby borings and upper strata characteristics.
8. The *Observation Density* is 1 per ha on a 100 m grid or using a semi *Free Survey* method if appropriate\*. The letter 'B' in the second column of the data table refers to an observation point at which a boring will have been undertaken. In some situations it is not possible to visit the location due to for example crop status or animals in a field. In such cases, the location moved or nearby data is used. The soil, geology, topography, flood risk and aerial crop patterns are assessed from published sources and the soils will be subject to a full 120 cm depth boring if possible. If all data sources are agreeable, a soil pattern can be established.  

\* British Society of Soil Science. Working With Soil – The Professional Competency Scheme. Agricultural Land Classification: England and Wales. How2 sheet 4.2.4. 2018.
9. For moisture balance calculations, *strongly*, *moderately* and *well developed* structure will equate to *good*, *moderate* or *poor* structure terms respectively in Table 14 of the guidelines.
10. Pit information in addition to that listed in the table below will be detailed in Section 4.1 and 4.3 if needed.
11. For Wetness Class Determination, the actual SPL depth is listed in the data table but the soil Wetness Class is determined using the minimum depths from Figures 7 & 8 from the MAFF guidance.



Obs point	Core ref. # off intersection	Boring or Pit	Grad. (deg)	Base Depth (cm)	OFFICE USE	Text.	Calc	Matrix colour	Mots./black ferro. conc. %/depth	Mott colour or FC if ferro. conc.	Ped face colour	Stns %	Stns type	Porosity	Struct (F+firm consistence)	Degree of development	SPL depth (cm)	Gleying depth (cm)	SWC	Grade (weiness)	TAV	EAV	StTAV	StEAV	MBW	Grain (Dough-WHEAT)	MBP	Grain (Dough-POTATOES)					
21		B	≤7	25		MCL	N	7.5YR32	0			5	HR																				
				50	SCL		10YR46	15/25	10YR56	10	HR	P	MSAB	MD						50	25	III	3a	18	1								
				120	C		5YR43	20/50	10YR56	15	HR	P	CPR	MD																			
				120											0																		
22		B	≤7	30		HZCL	N	10YR44	0			10	HR																				
				70	C		5YR44	30/30	10YR56	0		P	CPR	ST																			
				120	C		5YR44	30/70	7.5YR56	0		P	CAB	MD																			
				120											0																		
23		B	≤7	30		HCL	N	10YR44	0			10	HR																				
				70	C		5YR44	30/30	10YR56	0		P	CPR	ST																			
				120	C		5YR44	30/70	7.5YR56	0		P	CAB	MD																			
				120											0																		
24		P	≤7	30		HZCL	N	10YR44	0			10	HR																				
				70	C		5YR44	30/30	10YR56	0		P	CPR	ST																			
				120	C		5YR44	30/70	7.5YR56	0		P	CAB	MD																			
				120											0																		
25		B	≤7	30		HZCL	N	10YR44	0			10	HR																				
				70	C		5YR44	30/30	10YR56	0		P	CPR	ST																			
				120	C		5YR44	30/70	7.5YR56	0		P	CAB	MD																			
				120											0																		
26		B	≤7	30		MZCL	N	5YR33	0			5	HR																				
				70	SCL		7.5YR34	0		5	HR	P	MSAB	MD																			
				120	SCL		10YR53	15/70	10YR56	15	HR	P	CPR	MD																			
				120											0																		
27		B	≤7	25		MCL	N	7.5YR32	0			5	HR																				
				50	SCL		10YR46	15/25	10YR56	10	HR	P	MSAB	MD																			
				120	C		5YR43	20/50	10YR56	15	HR	P	CPR	MD																			
				120											0																		
28		B	≤7	25		MCL	N	7.5YR32	0			5	HR																				
				50	SCL		10YR46	15/25	10YR56	10	HR	P	MSAB	MD																			
				120	C		5YR43	20/50	10YR56	15	HR	P	CPR	MD																			
				120											0																		
29		P	≤7	25		MCL	N	7.5YR32	0			5	HR																				
				50	SCL		10YR46	15/25	10YR56	10	HR	P	MSAB	MD																			
				120	C		5YR43	20/50	10YR56	15	HR	P	CPR	MD																			
				120											0																		
30		B	≤7	30		ZL	N	10YR32	0			5	HR																				
				60	MSZL		10YR42	15/30	10YR56	10	HR	P	CPR	ST																			
				120	MSZL		5YR43	20/60	10YR56	70	HR	P	M																				
				120											0																		
31		B	≤7	30		HZCL	N	10YR44	0			10	HR																				
				70	C		5YR44	30/30	10YR56	0		P	CPR	ST																			
				120	C		5YR44	30/70	7.5YR56	0		P	CAB	MD																			
				120											0																		
32		B	≤7	30		HZCL	N	10YR44	0			10	HR																				
				70	C		5YR44	30/30	10YR56	0		P	CPR	ST																			
				120	C		5YR44	30/70	7.5YR56	0		P	CAB	MD																			
				120											0																		
33		B	≤7	30		HZCL	N	10YR44	0			10	HR																				
				70	C		5YR44	30/30	10YR56	0		P	CPR	ST																			
				120	C		5YR44	30/70	7.5YR56	0		P	CAB	MD																			
				120											0																		
34		B	≤7	30		HZCL	N	10YR44	0			10	HR																				
				70	C		5YR44	30/30	10YR56	0		P	CPR	ST																			
				120	C		5YR44	30/70	7.5YR56	0		P	CAB	MD																			
				120											0																		
35		B	≤7	25		MCL	N	7.5YR32	0			5	HR																				
				50	SCL		10YR46	15/25	10YR56	10	HR	P	MSAB	MD																			
				120	C		5YR43	20/50	10YR56	15	HR	P	CPR	MD																			
				120											0																		
36		B	≤7	25		MCL	N	7.5YR32	0			5	HR																				
				50	SCL		10YR46	15/25	10YR56	10	HR	P	MSAB	MD																			
				120	C		5YR43	20/50	10YR56	15	HR	P	CPR	MD																			
				120											0																		
37		B	≤7	25		MCL	N	7.5YR32	0			5	HR																				
				50	SCL		10YR46	15/25	10YR56	10	HR	P	MSAB	MD																			
				120	C		5YR43	20/50	10YR56	15																							

Obs point	Grid ref. # of intersection	Boring or Pit	Grad. (deg)	Base Depth (cm)	OFFICE USE	Text.	Calc	Matrix colour	Mots./Black ferro. conc. %/depth	Mott colour or FC if ferro. conc.	Ped face colour	Stns %	Stns type	Porosity	Struct (Firm consistency)	Degree of development	SPL depth (cm)	Gleyping depth (cm)	SWC	Grade (wetness)	TAv	EAv	STAv	StEAv	MBW	Grain (Drought- WHEAT)	MBP	Grain (Drought- POTATOES)						
41		B	≤7	25		MCL	DX	7.5YR32	0			5	HR																					
				50		SCL		10YR46	15/25	10YR56	10	HR	P	MSAB	MD																			
				120		C		5YR43	20/50	10YR56	15	HR	P	CPR	MD																			
				120																														
42		B	≤7	25		MCL	N	7.5YR32	0			5	HR																					
				50		SCL		10YR46	15/25	10YR56	10	HR	P	MSAB	MD																			
				120		C		5YR43	20/50	10YR56	15	HR	P	CPR	MD																			
				120																														
43		B	≤7	25		MCL	N	7.5YR32	0			5	HR																					
				50		SCL		10YR46	15/25	10YR56	10	HR	P	MSAB	MD																			
				120		C		5YR43	20/50	10YR56	15	HR	P	CPR	MD																			
				120																														
44		B	≤7	25		MCL	N	7.5YR32	0			5	HR																					
				50		SCL		10YR46	15/25	10YR56	10	HR	P	MSAB	MD																			
				120		C		5YR43	20/50	10YR56	15	HR	P	CPR	MD																			
				120																														
45		B	≤7	25		C	N	5YR53	0			5	HR																					
				50		C		7.5YR44	20/25	10YR56	5	HR	P	CPR	ST																			
				120		ZCL		5YR44	20/50	10YR56	5	HR	P	CPR	MD																			
				120																														
46		B	≤7	30		HZCL	N	7.5YR43	0			5	HR																					
				70		C		7.5YR44	15/30	10YR56	0		P	CPR	ST																			
				120		C		5YR44	30/70	10YR56	0		P	CAB	MD																			
				120																														
47		B	≤7	30		HZCL	N	7.5YR43	0			10	HR																					
				60		ZCL		10YR44	25/30	10YR56	0		P	CPR	ST																			
				120		C		5YR44	30/70	10YR56	0		P	CAB	MD																			
				120																														
48		P	≤7	30		HZCL	N	7.5YR43	0			5	HR																					
				70		C		7.5YR44	30/30	10YR56	0		P	CPR	ST																			
				120		C		5YR44	30/70	10YR56	0		P	CAB	MD																			
				120																														
49		B	≤7	30		HZCL	N	10YR44	0			5	HR																					
				70		C		7.5YR44	15/30	10YR56	0		P	CPR	ST																			
				120		C		5YR44	30/70	10YR56	0		P	CAB	MD																			
				120																														
50		B	8	25		MCL	N	7.5YR42	0			5	HR																					
				50		SC		10YR46	15/25	10YR56	10	HR	P	CPR	ST																			
				120		C		5YR43	20/50	7.5YR56	15	HR	P	CAB	MD																			
				120																														
51		B	≤7	25		MCL	N	7.5YR32	0			5	HR																					
				50		SCL		10YR46	15/25	10YR56	10	HR	P	MSAB	MD																			
				120		C		5YR43	20/50	10YR56	15	HR	P	CPR	MD																			
				120																														
52		B	≤7	25		MCL	N	7.5YR32	0			5	HR																					
				50		SCL		10YR46	15/25	10YR56	10	HR	P	MSAB	MD																			
				120		C		5YR43	20/50	10YR56	15	HR	P	CPR	MD																			
				120																														
53		B	≤7	25		MCL	N	7.5YR32	0			5	HR																					
				50		SCL		10YR46	15/25	10YR56	10	HR	P	MSAB	MD																			
				120		C		5YR43	20/50	10YR56	15	HR	P	CPR	MD																			
				120																														
54		B	≤7	20		SCL	N	10YR32	0			5	HR																					
				60		LFS		10YR34	0		5	HR	P	MSAB	MD																			
				120		SCL		5YR43	20/60	10YR56	20	HR	P	CPR	MD																			
				120																														
55		B	≤7	25		C	N	5YR32	5/15	10YR56		5	HR																					
				50		C		10YR44	25/25	10YR56	5	HR	P	MAB	WK																			
				120		C		5YR44	20/50	10YR56	5	HR	P	CAB	MD																			
				120																														
56		B	≤7	25		MCL	N	7.5YR32	0			5	HR																					
				50		SCL		10YR46	15/25	10YR56	10	HR	P	MSAB	MD																			
				120		C		5YR43	20/50	10YR56	15	HR	P	CPR	MD																			
				120																														
57		B	≤7	25		MCL	N	7.5YR32	0			5	HR																					

Obs point	Grid ref. (if off intersection)	Boring or Pit	Grad. (deg)	Base Depth (cm)	OFFICE USE	Text.	Calc	Matrix colour	Mott. / black ferro. conc. %/depth	Mott colour or FC if ferro. conc.	Ped face colour	Stns %	Stns type	Porosity	Struct (F=firm consistency)	Degree of development	SPL depth (cm)	Gleying depth (cm)	SWC	Grade (wetness)	TAv	EAv	STAv	StEAv	MBW	Grade (Drought. WHEAT)	MBP	Grade (Drought. POTATOES)							
61		B	≤7	30		HZCL	N	10YR44	0			10	HR																						
				70		C	5YR44	30/30	10YR56	0						P	CPR	ST																	
				120		C	5YR44	30/70	7.5YR56	0								P	CAB	MD	30	30	IV	3b					60.13	1	41.91	1			
				120																															
62		B	≤7	25		MCL	N	7.5YR32	0			5	HR																						
				50		SCL		10YR46	15/25	10YR56	10	HR	P	MSAB	MD																				
				120		C	5YR43	20/50	10YR56	15	HR	P	CPR	MD	50	25	III	3a																	
				120																															
63		B	≤7	25		MCL	N	7.5YR32	0			5	HR																						
				50		SCL		10YR46	15/25	10YR56	10	HR	P	MSAB	MD																				
				120		C	5YR43	20/50	10YR56	15	HR	P	CPR	MD	50	25	III	3a																	
				120																															
64		B	≤7	25		MCL	N	7.5YR32	0			5	HR																						
				50		SCL		10YR46	15/25	10YR56	10	HR	P	MSAB	MD																				
				120		C	5YR43	20/50	10YR56	15	HR	P	CPR	MD	50	25	III	3a																	
				120																															
65		B	≤7	30		SCL	N	7.5YR32	0			5	HR																						
				60		SCL		7.5YR44	0																										
				120		SCL	5YR43	20/60	10YR56	20	HR	P	CPR	MD	60	60	II	2																	
				120																															
66		B	≤7	25		MCL	N	7.5YR32	0			5	HR																						
				50		SC		10YR46	15/25	10YR56	10	HR	P	MSAB	MD																				
				120		C	5YR43	20/50	10YR56	15	HR	P	CPR	MD	50	25	III	3a																	
				120																															
67		B	≤7	25		MCL	N	7.5YR32	0			5	HR																						
				50		SC		10YR46	15/25	10YR56	10	HR	P	MSAB	MD																				
				120		C	5YR43	20/50	10YR56	15	HR	P	CPR	MD	50	25	III	3a																	
				120																															
68		B	≤7	25		MCL	N	7.5YR32	0			5	HR																						
				50		SC		10YR46	15/25	10YR56	10	HR	P	MSAB	MD																				
				120		C	5YR43	20/50	10YR56	15	HR	P	CPR	MD	50	25	III	3a																	
				120																															
69		B	≤7	30		SCL	N	7.5YR32	0			5	HR																						
				60		SCL		7.5YR44	0																										
				120		SCL	5YR43	20/60	10YR56	20	HR	P	CPR	MD	60	60	II	2																	
				120																															
70		B	≤7	30		SCL	N	7.5YR32	0			5	HR																						
				60		SCL		7.5YR44	0																										
				120		SCL	5YR43	20/60	10YR56	20	HR	P	CPR	MD	60	60	II	2																	
				120																															
71		B	≤7	30		HZCL	N	10YR44	0			5	HR																						
				70		C	7.5YR44	30/30	10YR56	0																									
				120		C	5YR44	30/70	10YR56	0																									
				120																															
72		B	≤7	30		HZCL	N	10YR44	0			10	HR																						
				70		C	5YR44	30/30	10YR56	0																									
				120		C	5YR44	30/70	7.5YR56	0																									
				120																															
73		B	≤7	30		HZCL	N	10YR44	0			10	HR																						
				70		C	5YR44	30/30	10YR56	0																									
				120		C	5YR44	30/70	7.5YR56	0																									
				120																															
74		B	≤7	30		HZCL	N	10YR44	0			10	HR																						
				70		C	5YR44	30/30	10YR56	0																									
				120		C	5YR44	30/70	7.5YR56	0																									
				120																															
75		B	≤7	30		HZCL	N	10YR44	0			10	HR																						
				70		C	5YR44	30/30	10YR56	0																									
				120		C	5YR44	30/70	7.5YR56	0																									
				120																															
76		B	≤7	30		HZCL	N	10YR44	0			10	HR																						
				70		C	5YR44	30/30	10YR56	0																									
				120		C	5YR44	30/70	7.5YR56	0																									
				120																															
77		B	≤7	25		MCL	N	7.5YR32	0			5	HR																						

Obs point	Chdrref. # off intersection	Boring or Pit	Grad. (deg)	Base Depth (cm)	OFFICE USE	Text.	Calc	Matrix colour	Mott. / black ferro. conc. %/ depth	Mott colour or FC if ferro. conc.	Ped face colour	Stns %	Stns type	Porosity	Struct (F=firm consistence)	Degree of development	SPL depth (cm)	Gleiyng depth (cm)	SWC	Grade (wetness)	TAv	EAv	StTAv	StEAv	MBW	Grade (Drought- WHEAT)	MBP	Grade (Drought- POTATOES)				
81		B	≤7	30		SCL	N	7.5YR32	0			5	HR																			
				60		SCL		7.5YR44	0					15	HR	P	MSAB	MD	60	60	II	2		17		1			28.11	2	5.81	2
				120		SCL		5YR43	20/60	10YR56				20	HR	P	CPR	MD						15	10	1	0.5					
				120									0											0	0	0	0					
82		B	≤7	30		SCL	N	7.5YR32	0			5	HR																			
				60		SCL		7.5YR44	0					15	HR	P	MSAB	MD	60	60	II	2		17		1			28.11	2	5.81	2
				120		SCL		5YR43	20/60	10YR56				20	HR	P	CPR	MD						15	10	1	0.5					
				120									0											0	0	0	0					
83		B	≤7	30		SCL	N	7.5YR32	0			5	HR																			
				60		SCL		7.5YR44	0					15	HR	P	MSAB	MD	60	60	II	2		17		1			28.11	2	5.81	2
				120		SCL		5YR43	20/60	10YR56				20	HR	P	CPR	MD						15	10	1	0.5					
				120									0											0	0	0	0					
84		B	≤7	30		SCL	N	10YR34	0			5	HR																			
				55		SC		10YR54	0					15	HR	P	MSAB	MD	60	60	II	2		17		1			9.35	2	-0.84	2
				120		SCL		5YR43	20/60	10YR56				50	HR	P	CPR	MD						15	10	1	0.5					
				120									0											0	0	0	0					
85		B	≤7	35		C	N	5YR33	5/10	10YR56		0																				
				120		C		5YR42	35/35	10YR56			5	HR	P	CPR	ST	35	35	IV	3b		17		1			85.96	1	35.81	1	
				120									0											0	0	0	0					
				120									0											0	0	0	0					
86		B	≤7	30		HZCL	N	10YR44	0			10	HR																			
				70		C		5YR44	30/30	10YR56			0		P	CPR	ST	30	30	IV	3b		19		1			60.13	1	41.91	1	
				120		C		5YR44	30/70	7.5YR56			0		P	CAB	MD						16	8	1	0.5						
				120									0											0	0	0	0					
87		B	≤7	30		HZCL	N	10YR44	0			10	HR																			
				70		C		5YR44	30/30	10YR56			0		P	CPR	ST	30	30	IV	3b		19		1			60.13	1	41.91	1	
				120		C		5YR44	30/70	7.5YR56			0		P	CAB	MD						16	8	1	0.5						
				120									0											0	0	0	0					
88		B	≤7	30		HZCL	N	10YR44	0			10	HR																			
				70		C		5YR44	30/30	10YR56			0		P	CPR	ST	30	30	IV	3b		19		1			60.13	1	41.91	1	
				120		C		5YR44	30/70	7.5YR56			0		P	CAB	MD						16	8	1	0.5						
				120									0											0	0	0	0					
89		B	≤7	25		MCL	N	7.5YR32	0			5	HR																			
				50		SCL		10YR46	15/25	10YR56			10	HR	P	MSAB	MD	50	25	III	3a		18		1			21.53	2	10.69	1	
				120		C		5YR43	20/50	10YR56			15	HR	P	CPR	MD						16	8	1	0.5						
				120									0											0	0	0	0					
90		P	≤7	30		MZCL	N	7.5YR33	0			5	HR																			
				50		C		5YR43	15/25	10YR56			10	HR	P	MSAB	MD	50	30	III	3a		19		1			26.16	2	15.31	1	
				120		C		5YR43	20/50	10YR56			15	HR	P	CPR	MD						16	8	1	0.5						
				120									0											0	0	0	0					
91		B	≤7	25		MCL	N	7.5YR32	0			5	HR																			
				50		SCL		10YR46	15/25	10YR56			10	HR	P	MSAB	MD	50	25	III	3a		18		1			21.53	2	10.69	1	
				120		C		5YR43	20/50	10YR56			15	HR	P	CPR	MD						16	8	1	0.5						
				120									0											0	0	0	0					
92		B	≤7	30		SCL	N	7.5YR32	0			5	HR																			
				60		SCL		7.5YR44	0					15	HR	P	MSAB	MD	60	60	II	2		17		1			27.73	2	5.81	2
				120		SCL		5YR43	20/60	10YR56				20	HR	P	CPR	MD						15	10	1	0.5					
				120									0											0	0	0	0					
93		B	≤7	30		SCL	N	7.5YR32	0			5	HR																			
				60		SCL		7.5YR44	0					15	HR	P	MSAB	MD	60	60	II	2		17		1			28.11	2	5.81	2
				120		SCL		5YR43	20/60	10YR56				20	HR	P	CPR	MD						15	10	1	0.5					
				120									0											0	0	0	0					
94		B	≤7	30		SCL	N	7.5YR32	0			5	HR																			
				60		SCL		7.5YR44	0					15	HR	P	MSAB	MD	60	60	II	2		17		1			28.11	2	5.81	2
				120		SCL		5YR43	20/60	10YR56				20	HR	P	CPR	MD						15	10	1	0.5					
				120									0											0	0	0	0					
95		B	≤7	30		SCL	N	7.5YR32	0			5	HR																			
				60		SCL		7.5YR44	0					15	HR	P	MSAB	MD	60	60	II	2		17		1			28.11	2	5.81	2
				120		SCL		5YR43	20/60	10YR56				20	HR	P	CPR	MD						15	10	1	0.5					
				120									0											0	0	0	0					
96		B	≤7	30		SCL	N	7.5YR32	0			5	HR																			
				60		SCL		7.5YR44	0					15	HR	P	MSAB	MD	60	60	II	2		17		1			28.11	2	5.81	2
				120		SCL		5YR43	20/60	10YR56				20	HR	P	CPR	MD						1								

Obs point	Grid ref. (if off intersection)	Boring or Pit	Grad. (deg)	Base Depth (cm)	OFFICE USE	Text.	Calc	Matrix colour	Motts./black ferro. conc. %/ depth	Mott colour or FC if ferro. conc.	Ped face colour	Stns %	Stns type	Porosity	Struct (F/dirm consistencies)	Degree of development	SPL depth (cm)	Gleying depth (cm)	SWC	Grade (wetness)	TAV	EAV	StTAV	StEAV	MBW	Grade (Draught WHEEL)	MBP	Grade (Draught POTATOES)		
101		B	≤7	25		MCL	N	7.5YR32	0			5	HR				50	25	III	3a	18		1		21.53	2	10.69	1		
				50	SC	10YR46	15/25	10YR56	10	HR	P	MSAB	MD										15	8					1	0.5
				120	C	5YR43	20/50	10YR56	15	HR	P	CPR	MD										16	8					1	0.5
				120					0														0	0					0	0
102		B	≤7	25		MCL	N	7.5YR32	0			5	HR				50	25	III	3a	18		1		21.53	2	10.69	1		
				50	SC	10YR46	15/25	10YR56	10	HR	P	MSAB	MD										15	8					1	0.5
				120	C	5YR43	20/50	10YR56	15	HR	P	CPR	MD										16	8					1	0.5
				120					0														0	0					0	0
103		B	≤7	25		MCL	N	7.5YR32	0			5	HR				50	25	III	3a	18		1		21.53	2	10.69	1		
				50	SC	10YR46	15/25	10YR56	10	HR	P	MSAB	MD										15	8					1	0.5
				120	C	5YR43	20/50	10YR56	15	HR	P	CPR	MD										16	8					1	0.5
				120					0														0	0					0	0
104		B	≤7	25		MCL	N	7.5YR32	0			5	HR				50	25	III	3a	18		1		21.53	2	10.69	1		
				50	SC	10YR46	15/25	10YR56	10	HR	P	MSAB	MD										15	8					1	0.5
				120	C	5YR43	20/50	10YR56	15	HR	P	CPR	MD										16	8					1	0.5
				120					0														0	0					0	0
105		B	≤7	25		MCL	N	7.5YR32	0			5	HR				50	25	III	3a	18		1		21.53	2	10.69	1		
				50	SC	10YR46	15/25	10YR56	10	HR	P	MSAB	MD										15	8					1	0.5
				120	C	5YR43	20/50	10YR56	15	HR	P	CPR	MD										16	8					1	0.5
				120					0														0	0					0	0
106		B	≤7	30		SCL	N	7.5YR32	0			5	HR				60	60	II	2	17		1		28.11	2	5.81	2		
				60	SCL	7.5YR44	0		15	HR	P	MSAB	MD										15	10					1	0.5
				120	SCL	5YR43	20/60	10YR56	20	HR	P	CPR	MD										15	10					1	0.5
				120					0														0	0					0	0
107		B	≤7	30		SCL	N	7.5YR32	0			5	HR				60	60	II	2	17		1		28.11	2	5.81	2		
				60	SCL	7.5YR44	0		15	HR	P	MSAB	MD										15	10					1	0.5
				120	SCL	5YR43	20/60	10YR56	20	HR	P	CPR	MD										15	10					1	0.5
				120					0														0	0					0	0
108		P	≤7	30		SCL	N	7.5YR32	0			5	HR				60	60	II	2	17		1		28.11	2	5.81	2		
				60	SCL	7.5YR44	0		15	HR	P	MSAB	MD										15	10					1	0.5
				120	SCL	5YR43	20/60	10YR56	20	HR	P	CPR	MD										15	10					1	0.5
				120					0														0	0					0	0
109		B	≤7	30		SCL	N	7.5YR32	0			5	HR				60	60	II	2	17		1		28.11	2	5.81	2		
				60	SCL	7.5YR44	0		15	HR	P	MSAB	MD										15	10					1	0.5
				120	SCL	5YR43	20/60	10YR56	20	HR	P	CPR	MD										15	10					1	0.5
				120					0														0	0					0	0
110		B	≤7	30		SCL	N	7.5YR32	0			5	HR				60	60	II	2	17		1		28.11	2	5.81	2		
				60	SCL	7.5YR44	0		15	HR	P	MSAB	MD										15	10					1	0.5
				120	SCL	5YR43	20/60	10YR56	20	HR	P	CPR	MD										15	10					1	0.5
				120					0														0	0					0	0
111		B	≤7	25		MCL	N	7.5YR32	0			5	HR				50	25	III	3a	18		1		21.53	2	10.69	1		
				50	SCL	10YR46	15/25	10YR56	10	HR	P	MSAB	MD										15	10					1	0.5
				120	C	5YR43	20/50	10YR56	15	HR	P	CPR	MD										16	8					1	0.5
				120					0														0	0					0	0
112		B	≤7	25		MCL	N	7.5YR32	0			5	HR				50	25	III	3a	18		1		21.53	2	10.69	1		
				50	SCL	10YR46	15/25	10YR56	10	HR	P	MSAB	MD										15	10					1	0.5
				120	C	5YR43	20/50	10YR56	15	HR	P	CPR	MD										16	8					1	0.5
				120					0														0	0					0	0
113		B	≤7	25		MCL	N	7.5YR32	0			5	HR				50	25	III	3a	18		1		21.53	2	10.69	1		
				50	SCL	10YR46	15/25	10YR56	10	HR	P	MSAB	MD										15	10					1	0.5
				120	C	5YR43	20/50	10YR56	15	HR	P	CPR	MD										16	8					1	0.5
				120					0														0	0					0	0
114		B	≤7	25		MCL	N	7.5YR32	0			5	HR				50	25	III	3a	18		1		21.53	2	10.69	1		
				50	SC	10YR46	15/25	10YR56	10	HR	P	MSAB	MD										15	8					1	0.5
				120	C	5YR43	20/50	10YR56	15	HR	P	CPR	MD										16	8					1	0.5
				120					0														0	0					0	0
115		B	≤7	25		MCL	N	7.5YR32	0			5	HR				50	25	III	3a	18		1		21.53	2	10.69	1		
				50	SC	10YR46	15/25	10YR56	10	HR	P	MSAB	MD										15	8					1	0.5
				120	C	5YR43	20/50	10YR56	15	HR	P	CPR	MD										16	8					1	0.5
				120					0														0	0					0	0
116		B	≤7	25		MCL	N	7.5YR32	0			5	HR				50	25	III	3a	18		1		21.53	2	10.69	1		
				50	SC	10YR46	15/25	10YR56	10	HR	P	MSAB	MD										15	8					1	0.5
				120	C	5YR43	20/50	10YR56	15	HR	P	CPR	MD										16	8					1	0.5
				120					0														0	0					0	0
117		B	≤7	25		MCL	N	7.5YR32	0			5	HR				50	25	III	3a	18		1		21.53	2	10.69	1		
				50	SC	10YR46	15/25	10YR56	10	HR	P	MSAB	MD										15	8					1	0.5
				120	C	5YR43	20/50	10YR56	15	HR	P	CPR	MD										16	8					1	0.5
				120					0														0	0					0	0
118		B	≤																											

Obs point	Grid ref. (if off intersection)	Boring or Pit	Grad. (deg)	Base Depth (cm)	OFFICE USE	Text.	Calc	Matrix colour	Motts./black ferro. conc. %/depth	Mott colour or FC if ferro. conc.	Ped face colour	Stns %	Stns type	Porosity	Struct (F-firm consistency)	Degree of development	SPL depth (cm)	Gleying depth (cm)	SWC	Grade (wetness)	TAv	EAv	StTAv	StEAv	MEW	Grade (Drought, WHEAT)	MBP	Grade (Drought, POTATOES)
121		B	≤7	30		SCL	N	7.5YR32	0			5	HR				60	60	II	2	17		1		28.11	2	5.81	2
				60		SCL		7.5YR44	0			15	HR	P	MSAB	MD	15	10	1	0.5								
				120		SCL		5YR43	20/60	10YR56		20	HR	P	CPR	MD	15	10	1	0.5								
				120							0					0	0	0	0									
122		B	≤7	30		SCL	N	7.5YR32	0			5	HR				60	60	II	2	17		1		28.11	2	5.81	2
				60		SCL		7.5YR44	0			15	HR	P	MSAB	MD	15	10	1	0.5								
				120		SCL		5YR43	20/60	10YR56		20	HR	P	CPR	MD	15	10	1	0.5								
				120							0					0	0	0	0									
123		B	≤7	25		MCL	N	7.5YR32	0			5	HR				50	25	III	3a	18		1		21.53	2	10.69	1
				50		SC		10YR46	15/25	10YR56		10	HR	P	MSAB	MD	15	8	1	0.5								
				120		C		5YR43	20/50	10YR56		15	HR	P	CPR	MD	16	8	1	0.5								
				120							0					0	0	0	0									
124		B	≤7	25		MCL	N	7.5YR32	0			5	HR				50	25	III	3a	18		1		21.53	2	10.69	1
				50		SC		10YR46	15/25	10YR56		10	HR	P	MSAB	MD	15	8	1	0.5								
				120		C		5YR43	20/50	10YR56		15	HR	P	CPR	MD	16	8	1	0.5								
				120							0					0	0	0	0									
125		B	≤7	25		MCL	N	7.5YR32	0			5	HR				50	25	III	3a	18		1		21.53	2	10.69	1
				50		SC		10YR46	15/25	10YR56		10	HR	P	MSAB	MD	15	8	1	0.5								
				120		C		5YR43	20/50	10YR56		15	HR	P	CPR	MD	16	8	1	0.5								
				120							0					0	0	0	0									
126		B	≤7	25		MCL	N	7.5YR32	0			5	HR				50	25	III	3a	18		1		21.53	2	10.69	1
				50		SC		10YR46	15/25	10YR56		10	HR	P	MSAB	MD	15	8	1	0.5								
				120		C		5YR43	20/50	10YR56		15	HR	P	CPR	MD	16	8	1	0.5								
				120							0					0	0	0	0									
127		B	≤7	25		MCL	N	7.5YR32	0			5	HR				50	25	III	3a	18		1		21.53	2	10.69	1
				50		SCL		10YR46	15/25	10YR56		10	HR	P	MSAB	MD	15	10	1	0.5								
				120		C		5YR43	20/50	10YR56		15	HR	P	CPR	MD	16	8	1	0.5								
				120							0					0	0	0	0									
128		P	≤7	30		SCL	N	7.5YR32	0			5	HR				60	60	II	2	17		1		28.11	2	5.81	2
				60		SCL		7.5YR44	0			15	HR	P	MSAB	MD	15	10	1	0.5								
				120		SCL		5YR43	20/60	10YR56		20	HR	P	CPR	MD	15	10	1	0.5								
				120							0					0	0	0	0									
129		B	≤7	30		SCL	N	7.5YR32	0			5	HR				60	60	II	2	17		1		28.11	2	5.81	2
				60		SCL		7.5YR44	0			15	HR	P	MSAB	MD	15	10	1	0.5								
				120		SCL		5YR43	20/60	10YR56		20	HR	P	CPR	MD	15	10	1	0.5								
				120							0					0	0	0	0									
130		B	≤7	30		SCL	N	7.5YR32	0			5	HR				60	60	II	2	17		1		28.11	2	5.81	2
				60		SCL		7.5YR44	0			15	HR	P	MSAB	MD	15	10	1	0.5								
				120		SCL		5YR43	20/60	10YR56		20	HR	P	CPR	MD	15	10	1	0.5								
				120							0					0	0	0	0									
131		B	≤7	30		MZCL	N	10YR44	0			5	HR				50	25	III	3a	18		1		27.66	2	12.16	1
				70		SCL		5YR44	15/25	10YR56		10	HR	P	MSAB	MD	15	10	1	0.5								
				120		C		5YR44	20/50	10YR56		15	HR	P	CPR	MD	16	8	1	0.5								
				120							0					0	0	0	0									
132		B	≤7	25		MCL	N	7.5YR32	0			5	HR				50	25	III	3a	18		1		32.83	1	10.69	1
				50		SCL		10YR46	15/25	10YR56		10	HR	P	MSAB	MD	15	10	1	0.5								
				120		C		5YR43	20/50	10YR56		15	HR	P	CPR	MD	16	8	1	0.5								
				120							0					0	0	0	0									
133		B	≤7	30		SCL	N	7.5YR32	0			5	HR				60	60	II	2	17		1		28.11	2	5.81	2
				60		SCL		7.5YR44	0			15	HR	P	MSAB	MD	15	10	1	0.5								
				120		SCL		5YR43	20/60	10YR56		20	HR	P	CPR	MD	15	10	1	0.5								
				120							0					0	0	0	0									
134		B	≤7	30		HZCL	N	10YR44	0			10	HR				30	30	IV	3b	19		1		60.13	1	41.91	1
				70		C		5YR44	30/30	10YR56		0		P	CPR	ST	21	15	1	0.5								
				120		C		5YR44	30/70	7.5YR56		0		P	CAB	MD	16	8	1	0.5								
				120							0					0	0	0	0									
135		B	≤7	30		HZCL	N	10YR44	0			10	HR				30	30	IV	3b	19		1		60.13	1	41.91	1
				70		C		5YR44	30/30	10YR56		0		P	CPR	ST	21	15	1	0.5								
				120		C		5YR44	30/70	7.5YR56		0		P	CAB	MD	16	8	1	0.5								
				120							0					0	0	0	0									
136		B	≤7	25		MCL	N	7.5YR32	0			5	HR				50	25	III	3a	18		1		21.53	2	10.69	1
				50		SCL		10YR46	15/25	10YR56		10	HR	P	MSAB	MD	15	10	1	0.5								
				120		C		5YR43	20/50	10YR56		15	HR	P	CPR	MD	16	8	1	0.5								
				120							0					0	0	0	0									
137		B	≤7	25		MCL	N	7.5YR32	0			5	HR				50	25	III	3a	18		1		21.53	2	10.69	1
				50		SCL		10YR46	15/25	10YR56		10	HR	P	MSAB	MD	15	10	1	0.5								
				120		C		5YR43	20/50	10YR56		15	HR	P	CPR	MD	16	8	1	0.5								
				120							0					0	0	0	0									
138		B	≤7	25		MCL	N	7.5YR32	0			5	HR				50	25	III	3a	18		1		21.53	2	10.69	1
				50		SC		10YR46	15/25	10YR56		10	HR	P	MSAB	MD	15	8	1	0.5								
				120		C		5YR43	20/50	10YR56		15	HR	P	CPR	MD	16	8	1	0.5								
				120							0					0	0	0	0									
139		B	≤7	25		MCL	N	7.5YR32	0			5	HR				50	25	III	3a	18		1		21.53	2	10.69	1
				50		SC		10YR46	15/25	10YR56		10	HR	P	MSAB	MD	15	8	1	0.5								
				120		C		5YR43	20/50	10YR56		15	HR	P	CPR	MD	16	8	1	0.5								
				120							0					0	0	0	0									
140		B	≤7	25		MCL	N	7.5YR32	0			5	HR				50	25	III	3a	18		1		21.53	2	10.69	1
				50		SC		10YR46	15/25	10YR56		10	HR	P	MSAB	MD	15	8	1	0.5								
				120		C		5YR43	20/50	10YR56		1																





## Statement of competence - Agricultural land Classification

SES Ltd undertake several dozen Agricultural Land Classification (ALC) or Land Capability Classifications for Agriculture (LCCA-Scotland) surveys a year and have worked on sites up to 1000 ha including housing, roads, solar farm and mineral extraction developments.. We have been undertaking ALC surveys for 25 years and have won many contracts to supply Land Classification reports to local authorities as part of their strategic development plans. A number of our staff have attended the training course Agricultural Land Classification: England and Wales. Working with Soil – The IPSS Professional Competency Scheme. BSSS & DEFRA.

### DR ROBIN DAVIES BSc PhD F.I.SoilSci. (Managing Director)

- Fellow of The British Society of Soil Science
- Council Member of The Institute of Professional Soil Scientists for 4 years.
- PhD Soil Physics - Agricultural land drainage - University of Newcastle upon Tyne
- Founder and Managing Director of Soil Environment Services Limited for 25 years.

#### Selected peer reviewed scientific papers:

- \* **Soil nitrogen depletion - the threat from soil stockpiling.** Environmental Scientist: Journal of The Institution of Environmental Sciences, 1997.
- \* **Nitrogen loss from a soil, restored after surface-mining.** Journal of Environmental Quality, 1995
- \* **The influence of soil factors on the growth of a grass/clover sward on a restored site in Northumberland.** Grass & Forage Science, 1994.
- \* **The effect of post-restoration cropping regime on some physical properties of a restored soil.** Soil Use & Management, 1994
- \* **Water availability in a restored soil.** Soil Use & Management, 1992.
- \* **A laboratory Method for Investigating the Stabilisation of Mole Channels.** J.Agric.Eng.Res.1991.

### Louise Tavasso BSc (Hons) (Soil surveyor/ Environmental Consultant)

Member of British Society of Soil Science  
Postgraduate short course Contaminated Land Risk assessment – LQM Nottingham University

Worked for Soil Environment Services Limited for 16 years. Environmental consultant with initial work in contaminated land risk assessment and since 2011 as assistant soil surveyor with last three years as lead consultant on agricultural land classification surveys. All work areas have required field survey and identification and description of soils combined with an understanding of soil processes for reporting.

Completed the BSSS Agricultural Land Classification Course – 2021.



#### Main areas of specialisation

##### 1 Agricultural Land Classification

Soil survey and Agricultural Land Classification for planning applications –, roads, housing, solar parks. Fully conversant with the procedures of the *Agricultural Land Classification of England and Wales, Guidelines and criteria for grading the quality of agricultural land, 1988, MAFF, London.*

##### 2 Soil survey for habitat restoration

Soil survey and nutrient analysis assessment for conversion of farmland to species rich grassland.

##### 3 Contaminated land risk assessment

Phase 1 site survey risk assessment of contaminated land; site investigation, on-site monitoring; risk analysis, modelling and communication; recommendations for Phase 2 and remediation options.

#### Examples of Agricultural Land Classification (ALC or LCCA Scotland) consultancy work

Kier Mining. Greenburn Opencast Coal Site. Soils and deep peat survey for LCCA report soil resources planning. 2011

Newcastle International Airport Ltd. ALC survey for solar park development. 2021.

#### Examples of soil survey habitat creation consultancy work

BSG Ecology. Backwork Estate – farmland conversion to wildflower meadow. 2020.

Private garden owner. Soil survey and recommendation for drainage system design. 2021

#### Examples of contaminated land consultancy work

Numerous risk assessments on petrol stations for hydrocarbon leakages (2006-2019)

Farm building risk assessments for conversion to residential housing (2006-2019)

## GENERAL INFORMATION SOURCES

1. *Agricultural Land Classification of England and Wales*. Revised guidelines and criteria for grading the quality of agricultural land. MAFF. 1988.
2. *Soil Survey Field Handbook*. Technical Monograph No.5. Soil Survey of England and Wales.1976.
3. *Climatological Data for Agricultural Land Classification*, The Met. Office 1989
4. *Soil Map of England and Wales: 1:250 000*. Soil Survey of England and Wales, Harpenden.
5. *Soils and Their Use in Midlands and Western England*. Soil Survey of England and Wales,
6. *Agricultural Land Classification Map* 1:250 000. MAFF 1983.
7. *Risk of Flooding*: <https://flood-warning-information.service.gov.uk/long-term-flood-risk>
8. *Geology of Britain Viewer*. Reproduced with the permission of the British Geological Survey ©NERC. All rights Reserved
9. *Butler, B E. Soil Classification for Soil Survey Monographs on Soil Survey (1980)* Clarendon Press, Oxford
10. *Munsell Soil Colour Charts, Munsell Colour, Grand Rapids 1994*.

# **GLOSSARY**

## ABBREVIATIONS AND TERMS USED IN SURVEY DATA

Soil pit and auger boring information collected during ALC survey is held on a computer database and is reproduced in this report. Terms used and abbreviations are set out below. These conform to definitions contained in the Soil Survey Field Handbook (Hodgson, 1997).

### 1. Terms used on computer database, in order of occurrence.

**GRID REF:** National 100 km grid square and 8 figure grid reference.

**LAND USE:** At the time of survey

<b>WHT:</b>	Wheat	<b>SBT:</b>	Sugar Beet	<b>HTH:</b>	Heathland
<b>BAR:</b>	Barley	<b>BRA:</b>	Brassicas	<b>BOG:</b>	Bog or Marsh
<b>OAT:</b>	Oats	<b>FCD:</b>	Fodder Crops	<b>DCW:</b>	Deciduous Wood
<b>CER:</b>	Cereals	<b>FRT:</b>	Soft and Top Fruit	<b>CFW:</b>	Coniferous Woodland
<b>MZE:</b>	Maize	<b>HRT:</b>	Horticultural Crops	<b>PLO:</b>	Ploughed
<b>OSR:</b>	Oilseed Rape	<b>LEY:</b>	Ley Grass	<b>FLW:</b>	Fallow (inc. Set aside)
<b>POT:</b>	Potatoes	<b>PGR:</b>	Permanent Pasture	<b>SAS:</b>	Set Aside (where known)
<b>LIN:</b>	Linseed	<b>RGR:</b>	Rough Grazing	<b>OTH:</b>	Other
<b>BEN:</b>	Field Beans	<b>SCR:</b>	Scrub		

**GRDNT:** Gradient as estimated or measured by hand-held optical clinometer.

**GLEYS, SPL:** Depth in centimetres to gleying or slowly permeable layer.

**AP (WHEAT/POTS):** Crop-adjusted available water capacity.

**MB (WHEAT/POTS):** Moisture Balance. (Crop adjusted AP - crop potential MD)

**DRT:** Best grade according to soil droughtiness.

If any of the following factors are considered significant, 'Y' will be entered in the relevant column.

<b>MREL:</b>	Microrelief limitation	<b>FLOOD:</b>	Flood risk	<b>EROSN:</b>	Soil erosion risk
<b>EXP:</b>	Exposure limitation	<b>FROST:</b>	Frost prone	<b>DIST:</b>	Disturbed land
<b>CHEM:</b>	Chemical limitation				

**LIMIT:** The main limitation to land quality: The following abbreviations are used.

<b>OC:</b>	Overall Climate	<b>AE:</b>	Aspect	<b>EX:</b>	Exposure
<b>FR:</b>	Frost Risk	<b>GR:</b>	Gradient	<b>MR:</b>	Microrelief
<b>FL:</b>	Flood Risk	<b>TX:</b>	Topsoil Texture	<b>DP:</b>	Soil Depth
<b>CH:</b>	Chemical	<b>WE:</b>	Wetness	<b>WK:</b>	Workability
<b>DR:</b>	Drought	<b>ER:</b>	Erosion Risk	<b>WD:</b>	Soil Wetness/Droughtiness

**ST:** Topsoil Stoniness

**TEXTURE:** Soil texture classes are denoted by the following abbreviations:-

<b>S:</b> Sand	<b>LS:</b> Loamy Sand	<b>SL:</b> Sandy Loam
<b>SZL:</b> Sandy Silt Loam	<b>CL:</b> Clay Loam	<b>ZCL:</b> Silty Clay Loam
<b>ZL:</b> Silt Loam	<b>SCL:</b> Sandy Clay Loam	<b>C:</b> Clay
<b>SC:</b> Sandy clay	<b>ZC:</b> Silty clay	<b>OL:</b> Organic Loam
<b>P:</b> Peat	<b>SP:</b> Sandy Peat	<b>LP:</b> Loamy Peat
<b>PL:</b> Peaty Loam	<b>PS:</b> Peaty Sand	<b>MZ:</b> Marine Light Silts

For the sand, loamy sand, sandy loam and sandy silt loam classes, the predominant size of sand fraction will be indicated by the use of the following prefixes:-

**F:** Fine (more than 66% of the sand less than 0.2mm)  
**M:** Medium (less than 66% fine sand and less than 33% coarse sand)  
**C:** Coarse (more than 33% of the sand larger than 0.6mm)

The clay loam and silty clay loam classes will be sub-divided according to the clay content: **M:** Medium (< 27% clay) **H:** heavy (27 - 35% clay)

**MOTTLE COL:** Mottle colour using Munsell notation.

**MOTTLE ABUN:** Mottle abundance, expressed as a percentage of the matrix or surface described.

**F:** few <2% **C:** common 2 - 20% **M:** many 20 - 40% **VM:** very many 40%+

**MOTTLE CONT:** Mottle contrast

**F:** faint - indistinct mottles, evident only on close inspection  
**D:** distinct - mottles are readily seen  
**P:** Prominent - mottling is conspicuous and one of the outstanding features of the horizon.

**PED. COL:** Ped face colour using Munsell notation.

**GLEYS:** If the soil horizon is gleyed a 'Y' will appear in this column. If slightly gleyed, an 'S' will appear.

**STONE LITH:** Stone Lithology - One of the following is used.

<b>HR:</b> All hard rocks and stones	<b>SLST:</b> Soft oolitic or dolimitic limestone
<b>CH:</b> Chalk	<b>FSST:</b> Soft, fine grained sandstone
<b>ZR:</b> Soft, argillaceous, or silty rocks	<b>GH:</b> Gravel with non-porous (hard) stones
<b>MSST:</b> Soft, medium grained sandstone	<b>GS:</b> Gravel with porous (soft) stones
<b>SI:</b> Soft weathered igneous or metamorphic rock	

Stone contents are given in % by volume for sizes >2cm, >6cm and total stone >2mm.

**STRUCT:** The degree of development, size and shape of soil peds are described using the following notation

<b><u>Degree of development</u></b>	<b>WA:</b> Weakly developed Adherent	<b>WK:</b> Weakly developed
	<b>MD:</b> Moderately developed	<b>ST:</b> Strongly developed
<b><u>Ped size</u></b>	<b>F:</b> Fine	<b>M:</b> Medium
	<b>C:</b> Coarse	<b>VC:</b> Very coarse
<b><u>Ped Shape</u></b>	<b>S:</b> Single grain	<b>M:</b> Massive
	<b>GR:</b> Granular	<b>AB:</b> Angular blocky
	<b>SAB:</b> Sub-angular blocky	<b>PR:</b> Prismatic
	<b>PL:</b> Platy	

**CONSIST:** Soil consistence is described using the following notation:

<b>L:</b> Loose	<b>VF:</b> Very Friable	<b>FR:</b> Friable	<b>FM:</b> Firm
<b>VM:</b> Very firm	<b>EM:</b> Extremely firm	<b>EH:</b> Extremely Hard	

**SUBS STR:** Subsoil structural condition recorded for the purpose of calculating profile droughtiness: **G:** Good **M:** Moderate **P:** Poor

**POR:** Soil porosity. If a soil horizon has poor porosity with less than 0.5% biopores >0.5mm, a 'Y' will appear in this column.

**IMP:** If the profile is impenetrable to rooting a 'Y' will appear in this column at the appropriate horizon.

**SPL:** Slowly permeable layer. If the soil horizon is slowly permeable a 'Y' will appear in this column.

**CALC:** If the soil horizon is calcareous with naturally occurring calcium carbonate exceeding 1% a 'Y' will appear this column.

## 2. Additional terms and abbreviations used mainly in soil pit descriptions.

**STONE ASSESSMENT:**

<b>V:</b> Visual	<b>S:</b> Sieved	<b>D:</b> Displacement
------------------	------------------	------------------------

**MOTTLE SIZE:**

<b>EF:</b> Extremely fine <1mm	<b>M:</b> Medium 5-15mm
<b>VF:</b> Very fine 1-2mm>	<b>C:</b> Coarse >15mm
<b>F:</b> Fine 2-5mm	

**MOTTLE COLOUR:** May be described by Munsell notation or as ochreous (OM) or grey (GM).

**ROOT CHANNELS:** In topsoil the presence of 'rusty root channels' might also be noted as RRC.

**MANGANESE CONCRETIONS:** Assessed by volume

<b>N:</b> None	<b>M:</b> Many	20-40%
<b>F:</b> Few <2%	<b>VM:</b> Very Many	>40%
<b>C:</b> Common 2-20%		

**POROSITY:**

**P:** Poor - less than 0.5% biopores at least 0.5mm in diameter  
**G:** Good - more than 0.5% biopores at least 0.5mm in diameter

**ROOT ABUNDANCE:**

The number of roots per 100cm <sup>2</sup> :		Very Fine and Fine	Medium and Coarse
<b>F:</b>	Few	1-10	1 or 2
<b>C:</b>	Common	10-25	2 - 5
<b>M:</b>	Many	25-200	>5
<b>A:</b>	Abundant	>200	

**ROOT SIZE**

<b>VF:</b> Very fine <1mm	<b>M:</b> Medium	2 - 5mm
<b>F:</b> Fine 1-2mm	<b>C:</b> Coarse	>5mm

**HORIZON BOUNDARY DISTINCTNESS:**

<b>Sharp:</b> <0.5cm	<b>Gradual:</b> 6 - 13cm
<b>Abrupt:</b> 0.5 - 2.5cm	<b>Diffuse:</b> >13cm
<b>Clear:</b> 2.5 - 6cm	

**HORIZON BOUNDARY FORM:** Smooth, wavy, irregular or broken.\*

\* See Soil Survey Field Handbook (Hodgson, 1997) for details.