




CONTEXT BASELINE VIEWPOINT 7A

Lay by along the A1121 near Skerth Bridge.



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 3m
Date & time of photograph	- 08/04/2022 @ 10:33	Distance from Energy Park (fenceline)	- 1983m
OS grid reference	- 522700, 343127		

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
SUMMER


DRWG No: P20-2370_23 REV: A

Date: 26/05/2022



CONTEXT BASELINE VIEWPOINT 7B

Lay by along the A1121 near Skerth Bridge.



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 3m
Date & time of photograph	- 08/04/2022 @ 10:33	Distance from Energy Park	
OS grid reference	- 522700, 343127	(fenceline)	- 1983m

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
SUMMER

DRWG No: P20-2370_23 REV: A

Date: 26/05/2022



Camera make & model - Canon EOS 5D, FFS
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 08/04/2022 @ 10:33
OS grid reference - 522700, 343127

Viewpoint height (AOD) - 3m
Distance from site - 1983m
Projection - Planar
Enlargement / Sheet Size - 100% @ A3

Visualisation Type - Type 1
Horizontal Field of View - 39.6°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 420 x 297 / 390 x 260


VIEWPOINT 7

Lay by along the A1121 near Skerth Bridge.



CONTEXT BASELINE VIEWPOINT 7A

Lay by along the A1121 near Skerth Bridge.



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 3m
Date & time of photograph	- 15/12/2022 @ 09:49	Distance from Energy Park	- 1973m
OS grid reference	- 522688, 343127	(fenceline)	

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
WINTER

DRWG No: P20-2370_90 REV:


Date: 31/01/2023





CONTEXT BASELINE VIEWPOINT 7B

Lay by along the A1121 near Skerth Bridge.



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 3m
Date & time of photograph	- 15/12/2022 @ 09:49	Distance from Energy Park	
OS grid reference	- 522688, 343127	(fenceline)	- 1973m

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
WINTER

DRWG No: P20-2370_90 REV:

Date: 31/01/2023



Camera make & model - Canon EOS 5D, FFS
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 15/12/2022 @ 09:49
OS grid reference - 522688, 343127

Viewpoint height (AOD) - 3m
Distance from site - 1973m
Projection - Planar
Enlargement / Sheet Size - 100% @ A3

Visualisation Type - Type 1
Horizontal Field of View - 39.6°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 420 x 297 / 390 x 260


VIEWPOINT 7

Lay by along the A1121 near Skerth Bridge.



CONTEXT BASELINE VIEWPOINT 8

Claydike Bank, Amber Hill



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 3m
Date & time of photograph	- 08/04/2022 @ 09:51	Distance from Energy Park	
OS grid reference	- 523207, 345738	(fenceline)	- 1661m

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
SUMMER

DRWG No: P20-2370_23 REV: A

Date: 26/05/2022




Camera make & model - Canon EOS 5D, FFS
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 08/04/2022 @ 09:51
OS grid reference - 523207, 345738

Viewpoint height (AOD) - 3m
Distance from site - 1661m
Projection - Planar
Enlargement / Sheet Size - 100% @ A3


Visualisation Type - Type 1
Horizontal Field of View - 39.6°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 420 x 297 / 390 x 260

VIEWPOINT 8
Claydike Bank, Amber Hill



CONTEXT BASELINE VIEWPOINT 8

Claydike Bank, Amber Hill



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 3m
Date & time of photograph	- 15/12/2022 @ 11:21	Distance from Energy Park	
OS grid reference	- 523212, 345738	(fenceline)	- 1666m

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
WINTER

DRWG No: P20-2370_90 REV:

Date: 31/01/2023



Camera make & model - Canon EOS 5D, FFS
 Lens make & focal length - Canon EF 50mm, f/1.4 USM
 Date & time of photograph - 15/12/2022 @ 11:21
 OS grid reference - 523212, 345738

Viewpoint height (AOD) - 3m
 Distance from site - 1666m
 Projection - Planar
 Enlargement / Sheet Size - 100% @ A3

Visualisation Type - Type 1
 Horizontal Field of View - 39.6°
 Height of camera AGL - 1.5m
 Page size / Image size (mm) - 420 x 297 / 390 x 260


VIEWPOINT 8
 Claydike Bank, Amber Hill



Approximate extent of Energy Park

CONTEXT BASELINE VIEWPOINT 9A

Bicker Drove at Bicker Fen




Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 2m
Date & time of photograph	- 08/04/2022 @ 16:01	Distance from Energy Park	
OS grid reference	- 518856, 339677	(fenceline)	- 4612m

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
SUMMER


DRWG No: P20-2370_23 REV: A

Date: 26/05/2022



CONTEXT BASELINE VIEWPOINT 9B

Bicker Drove at Bicker Fen



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 2m
Date & time of photograph	- 08/04/2022 @ 16:01	Distance from Energy Park	
OS grid reference	- 518856, 339677	(fenceline)	- 4612m

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
SUMMER

DRWG No: P20-2370_23 REV: A


Date: 26/05/2022





CONTEXT BASELINE VIEWPOINT 9C

Bicker Drove at Bicker Fen



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 2m
Date & time of photograph	- 08/04/2022 @ 16:01	Distance from Energy Park	
OS grid reference	- 518856, 339677	(fenceline)	- 4612m

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
SUMMER

DRWG No: P20-2370_23 REV: A

Date: 26/05/2022





Camera make & model - Canon EOS 5D, FFS
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 08/04/2022 @ 16:01
OS grid reference - 518856, 339677

Viewpoint height (AOD) - 2m
Distance from site - 4612m
Projection - Planar
Enlargement / Sheet Size - 100% @ A3


Visualisation Type - Type 1
Horizontal Field of View - 39.6°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 420 x 297 / 390 x 260

VIEWPOINT 9
Bicker Drove at Bicker Fen



CONTEXT BASELINE VIEWPOINT 9A

Bicker Drove at Bicker Fen




Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 2m
Date & time of photograph	- 15/12/2022 @ 12:57	Distance from Energy Park	
OS grid reference	- 518858, 339678	(fenceline)	- 4611m

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
WINTER


DRWG No: P20-2370_90 REV:

Date: 31/01/2023



CONTEXT BASELINE VIEWPOINT 9B

Bicker Drove at Bicker Fen



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 2m
Date & time of photograph	- 15/12/2022 @ 12:57	Distance from Energy Park	(fenceline)
OS grid reference	- 518858, 339678		- 4611m

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
WINTER


DRWG No: P20-2370_90 REV:

Date: 31/01/2023



CONTEXT BASELINE VIEWPOINT 9C

Bicker Drove at Bicker Fen



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 2m
Date & time of photograph	- 15/12/2022 @ 12:57	Distance from Energy Park (fenceline)	- 4611m
OS grid reference	- 518858, 339678		

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
WINTER

DRWG No: P20-2370_90 REV:

Date: 31/01/2023



Camera make & model - Canon EOS 5D, FFS
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 15/12/2022 @ 12:57
OS grid reference - 518858, 339678

Viewpoint height (AOD) - 2m
Distance from site - 461m
Projection - Planar
Enlargement / Sheet Size - 100% @ A3


Visualisation Type - Type 1
Horizontal Field of View - 39.6°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 420 x 297 / 390 x 260

VIEWPOINT 9
Bicker Drove at Bicker Fen



CONTEXT BASELINE VIEWPOINT 10

Sutterton Drove near Sheperds Farm



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 2m
Date & time of photograph	- 08/04/2022 @ 08:49	Distance from Energy Park	
OS grid reference	- 520459, 350134	(fenceline)	- 3298m

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
SUMMER

DRWG No: P20-2370_23 REV: A

Date: 26/05/2022





Camera make & model - Canon EOS 5D, FFS
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 08/04/2022 @ 08:49
OS grid reference - 520459, 350134

Viewpoint height (AOD) - 2m
Distance from site - 3298m
Projection - Planar
Enlargement / Sheet Size - 100% @ A3

Visualisation Type - Type 1
Horizontal Field of View - 39.6°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 420 x 297 / 390 x 260


VIEWPOINT 10

Sutterton Drove near Sheperds Farm



CONTEXT BASELINE VIEWPOINT 10

Sutterton Drove near Sheperds Farm



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 2m
Date & time of photograph	- 15/12/2022 @ 10:17	Distance from Energy Park	- 3301m
OS grid reference	- 520458, 350138	(fenceline)	

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
WINTER

DRWG No: P20-2370_90 REV:

Date: 31/01/2023




Camera make & model - Canon EOS 5D, FFS
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 15/12/2022 @ 10:17
OS grid reference - 520458, 350138

Viewpoint height (AOD) - 2m
Distance from site - 3301m
Projection - Planar
Enlargement / Sheet Size - 100% @ A3


Visualisation Type - Type 1
Horizontal Field of View - 39.6°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 420 x 297 / 390 x 260

VIEWPOINT 10
Sutterton Drove near Sheperds Farm



CONTEXT BASELINE VIEWPOINT 11

Public Footpath Ambe/5/1 near Chestnut House Farm



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 2m
Date & time of photograph	- 08/04/2022 @ 09:05	Distance from Energy Park	
OS grid reference	- 521088, 349037	(fenceline)	- 2219m

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
SUMMER

DRWG No: P20-2370_23 REV: A

Date: 26/05/2022




Camera make & model - Canon EOS 5D, FFS
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 08/04/2022 @ 09:05
OS grid reference - 521088, 349037

Viewpoint height (AOD) - 2m
Distance from site - 2219m
Projection - Planar
Enlargement / Sheet Size - 100% @ A3

Visualisation Type - Type 1
Horizontal Field of View - 39.6°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 420 x 297 / 390 x 260


VIEWPOINT 11

Public Footpath Ambe/5/1 near Chestnut House Farm



CONTEXT BASELINE VIEWPOINT 11

Public Footpath Ambe/5/1 near Chestnut House Farm



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 2m
Date & time of photograph	- 15/12/2022 @ 10:43	Distance from Energy Park	
OS grid reference	- 521090, 349038	(fenceline)	- 2221m

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
WINTER

DRWG No: P20-2370_90 REV:

Date: 31/01/2023



Camera make & model - Canon EOS 5D, FFS
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 15/12/2022 @ 10:43
OS grid reference - 521090, 349038

Viewpoint height (AOD) - 2m
Distance from site - 2221m
Projection - Planar
Enlargement / Sheet Size - 100% @ A3


Visualisation Type - Type 1
Horizontal Field of View - 39.6°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 420 x 297 / 390 x 260

VIEWPOINT 11

Public Footpath Ambe/5/1 near Chestnut House Farm



CONTEXT BASELINE VIEWPOINT 12
Sutterton Drove near Sutterton Bridge



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 2m
Date & time of photograph	- 08/04/2022 @ 09:18	Distance from Energy Park	
OS grid reference	- 522736, 347253	(fenceline)	- 1845m

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
SUMMER

DRWG No: P20-2370_23 REV: A

Date: 26/05/2022





Camera make & model - Canon EOS 5D, FFS
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 08/04/2022 @ 09:18
OS grid reference - 522736, 347253

Viewpoint height (AOD) - 2m
Distance from site - 1845m
Projection - Planar
Enlargement / Sheet Size - 100% @ A3


Visualisation Type - Type 1
Horizontal Field of View - 39.6°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 420 x 297 / 390 x 260

VIEWPOINT 12

Sutterton Drove near Sutterton Bridge



CONTEXT BASELINE VIEWPOINT 12
 Sutterton Drove near Sutterton Bridge



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 2m
Date & time of photograph	- 15/12/2022 @ 10:56	Distance from Energy Park	(fenceline)
OS grid reference	- 522739, 347256		- 1849m

FIGURE 6.6
 DCO Reference Number: 6.2.6

Context Baseline Views
 WINTER

DRWG No: P20-2370_90 REV:

Date: 31/01/2023




Camera make & model - Canon EOS 5D, FFS
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 15/12/2022 @ 10:56
OS grid reference - 522739, 347256

Viewpoint height (AOD) - 2m
Distance from site - 1849m
Projection - Planar
Enlargement / Sheet Size - 100% @ A3


Visualisation Type - Type 1
Horizontal Field of View - 39.6°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 420 x 297 / 390 x 260

VIEWPOINT 12

Sutterton Drove near Sutterton Bridge



CONTEXT BASELINE VIEWPOINT 13
 Harrison's Drove, Other Route with Public Access



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 2m
Date & time of photograph	- 08/04/2022 @ 10:14	Distance from Energy Park	
OS grid reference	- 523638, 344011	(fenceline)	- 2647m

FIGURE 6.6
 DCO Reference Number: 6.2.6

Context Baseline Views
SUMMER

DRWG No: P20-2370_23 REV: A

Date: 26/05/2022




Camera make & model - Canon EOS 5D, FFS
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 08/04/2022 @ 10:14
OS grid reference - 523638, 344011

Viewpoint height (AOD) - 2m
Distance from site - 2647m
Projection - Planar
Enlargement / Sheet Size - 100% @ A3


Visualisation Type - Type 1
Horizontal Field of View - 39.6°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 420 x 297 / 390 x 260

VIEWPOINT 13

Harrison's Drove, Other Route with Public Access



CONTEXT BASELINE VIEWPOINT 13
 Harrison's Drove, Other Route with Public Access



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 2m
Date & time of photograph	- 15/12/2022 @ 11:45	Distance from Energy Park	(fenceline)
OS grid reference	- 523621, 344011		- 2629m

FIGURE 6.6
 DCO Reference Number: 6.2.6

Context Baseline Views
WINTER

DRWG No: P20-2370_90 REV:
 Date: 31/01/2023