




Camera make & model - Canon EOS 5D, FFS
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 15/12/2022 @ 11:45
OS grid reference - 523621, 344011

Viewpoint height (AOD) - 2m
Distance from site - 2629m
Projection - Planar
Enlargement / Sheet Size - 100% @ A3

Visualisation Type - Type 1
Horizontal Field of View - 39.6°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 420 x 297 / 390 x 260


VIEWPOINT 13

Harrison's Drove, Other Route with Public Access



CONTEXT BASELINE VIEWPOINT 14A

Junction of Timm's Drove and Tilebarn Lane, West Low Grounds



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 3m
Date & time of photograph	- 08/04/2022 @ 15:33	Distance from Energy Park (fenceline)	- 2598m
OS grid reference	- 521781, 341502		

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
SUMMER


DRWG No: P20-2370_23 REV: A

Date: 26/05/2022



CONTEXT BASELINE VIEWPOINT 14B

Junction of Timm's Drove and Tilebarn Lane, West Low Grounds



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 3m
Date & time of photograph	- 08/04/2022 @ 15:33	Distance from Energy Park	
OS grid reference	- 521781, 341502	(fenceline)	- 2598m

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
SUMMER

DRWG No: P20-2370_23 REV: A

Date: 26/05/2022




Camera make & model - Canon EOS 5D, FFS
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 08/04/2022 @ 15:33
OS grid reference - 521781, 341502

Viewpoint height (AOD) - 3m
Distance from site - 2598m
Projection - Planar
Enlargement / Sheet Size - 100% @ A3

Visualisation Type - Type 1
Horizontal Field of View - 39.6°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 420 x 297 / 390 x 260


VIEWPOINT 14

Junction of Timm's Drove and Tilebarn Lane, West
Low Grounds



CONTEXT BASELINE VIEWPOINT 14A

Junction of Timm's Drove and Tilebarn Lane, West Low Grounds



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 3m
Date & time of photograph	- 15/12/2022 @ 12:28	Distance from Energy Park (fenceline)	- 2592m
OS grid reference	- 521783, 341508		

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
WINTER


DRWG No: P20-2370_90 REV:

Date: 31/01/2023



CONTEXT BASELINE VIEWPOINT 14B

Junction of Timm's Drove and Tilebarn Lane, West Low Grounds



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 3m
Date & time of photograph	- 15/12/2022 @ 12:28	Distance from Energy Park	
OS grid reference	- 521783, 341508	(fenceline)	- 2592m

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
WINTER

DRWG No: P20-2370_90 REV:
Date: 31/01/2023






Camera make & model - Canon EOS 5D, FFS
 Lens make & focal length - Canon EF 50mm, f/1.4 USM
 Date & time of photograph - 15/12/2022 @ 12:28
 OS grid reference - 521783, 341508

Viewpoint height (AOD) - 3m
 Distance from site - 2592m
 Projection - Planar
 Enlargement / Sheet Size - 100% @ A3

Visualisation Type - Type 1
 Horizontal Field of View - 39.6°
 Height of camera AGL - 1.5m
 Page size / Image size (mm) - 420 x 297 / 390 x 260


VIEWPOINT 14

Junction of Timm's Drove and Tilebarn Lane, West Low Grounds



CONTEXT BASELINE VIEWPOINT 15A

Junction of Bicker Drove and Vicarage Drove along Mill Drain



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 2m
Date & time of photograph	- 08/04/2022 @ 15:49	Distance from Energy Park (fenceline)	- 4921m
OS grid reference	- 520257, 339031		

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
SUMMER


DRWG No: P20-2370_23 REV: A

Date: 26/05/2022



CONTEXT BASELINE VIEWPOINT 15B

Junction of Bicker Drove and Vicarage Drove along Mill Drain



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 2m
Date & time of photograph	- 08/04/2022 @ 15:49	Distance from Energy Park (fenceline)	- 4921m
OS grid reference	- 520257, 339031		

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
SUMMER

DRWG No: P20-2370_23 REV: A


Date: 26/05/2022





CONTEXT BASELINE VIEWPOINT 15C

Junction of Bicker Drove and Vicarage Drove along Mill Drain



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 2m
Date & time of photograph	- 08/04/2022 @ 15:49	Distance from Energy Park	
OS grid reference	- 520257, 339031	(fenceline)	- 4921m

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
SUMMER

DRWG No: P20-2370_23 REV: A

Date: 26/05/2022






Camera make & model - Canon EOS 5D, FFS
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 08/04/2022 @ 15:49
OS grid reference - 520257, 339031

Viewpoint height (AOD) - 2m
Distance from site - 4921m
Projection - Planar
Enlargement / Sheet Size - 100% @ A3

Visualisation Type - Type 1
Horizontal Field of View - 39.6°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 420 x 297 / 390 x 260


VIEWPOINT 15

Junction of Bicker Drove and Vicarage Drove
along Mill Drain



CONTEXT BASELINE VIEWPOINT 15A

Junction of Bicker Drove and Vicarage Drove along Mill Drain



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 2m
Date & time of photograph	- 15/12/2022 @ 12:47	Distance from Energy Park (fenceline)	- 4912m
OS grid reference	- 520248, 339040		

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
WINTER


DRWG No: P20-2370_90 REV:

Date: 31/01/2023



CONTEXT BASELINE VIEWPOINT 15B

Junction of Bicker Drove and Vicarage Drove along Mill Drain



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 2m
Date & time of photograph	- 15/12/2022 @ 12:47	Distance from Energy Park (fenceline)	- 4912m
OS grid reference	- 520248, 339040		

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
WINTER


DRWG No: P20-2370_90 REV:

Date: 31/01/2023



CONTEXT BASELINE VIEWPOINT 15C

Junction of Bicker Drove and Vicarage Drove along Mill Drain



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 2m
Date & time of photograph	- 15/12/2022 @ 12:47	Distance from Energy Park	
OS grid reference	- 520248, 339040	(fenceline)	- 4912m

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
WINTER

DRWG No: P20-2370_90 REV:

Date: 31/01/2023



Camera make & model - Canon EOS 5D, FFS
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 15/12/2022 @ 12:47
OS grid reference - 520248, 339040

Viewpoint height (AOD) - 2m
Distance from site - 4912m
Projection - Planar
Enlargement / Sheet Size - 100% @ A3

Visualisation Type - Type 1
Horizontal Field of View - 39.6°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 420 x 297 / 390 x 260


VIEWPOINT 15

Junction of Bicker Drove and Vicarage Drove
along Mill Drain



CONTEXT BASELINE VIEWPOINT 16A

Public Footpath Heck/2/2, east of Heckington



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 7m
Date & time of photograph	- 19/05/2022 @ 11:12	Distance from Energy Park	
OS grid reference	- 514961, 344371	(fenceline)	- 4042m

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
SUMMER


DRWG No: P20-2370_23 REV: A

Date: 26/05/2022



CONTEXT BASELINE VIEWPOINT 16B

Public Footpath Heck/2/2, east of Heckington



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 7m
Date & time of photograph	- 19/05/2022 @ 11:12	Distance from Energy Park	
OS grid reference	- 514961, 344371	(fenceline)	- 4042m

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
SUMMER

DRWG No: P20-2370_23 REV: A

Date: 26/05/2022



Camera make & model - Canon EOS 5D, FFS
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 19/05/2022 @ 11:12
OS grid reference - 514961, 344371

Viewpoint height (AOD) - 7m
Distance from site - 4042m
Projection - Planar
Enlargement / Sheet Size - 100% @ A3

Visualisation Type - Type 1
Horizontal Field of View - 39.6°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 420 x 297 / 390 x 260


VIEWPOINT 16

Public Footpath Heck/2/2, east of Heckington



CONTEXT BASELINE VIEWPOINT 16A

Public Footpath Heck/2/2, east of Heckington



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 7m
Date & time of photograph	- 15/12/2022 @ 10:43	Distance from Energy Park	(fenceline)
OS grid reference	- 514958, 344373		- 4045m

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
WINTER


DRWG No: P20-2370_90 REV:

Date: 31/01/2023



CONTEXT BASELINE VIEWPOINT 16B

Public Footpath Heck/2/2, east of Heckington



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 7m
Date & time of photograph	- 15/12/2022 @ 10:43	Distance from Energy Park	(fenceline) - 4045m
OS grid reference	- 514958, 344373		

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
WINTER

DRWG No: P20-2370_90 REV:

Date: 31/01/2023



Camera make & model - Canon EOS 5D, FFS
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 15/12/2022 @ 10:43
OS grid reference - 514958, 344373

Viewpoint height (AOD) - 7m
Distance from site - 4045m
Projection - Planar
Enlargement / Sheet Size - 100% @ A3

Visualisation Type - Type 1
Horizontal Field of View - 39.6°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 420 x 297 / 390 x 260


VIEWPOINT 16

Public Footpath Heck/2/2, east of Heckington



CONTEXT BASELINE VIEWPOINT 17A

Public Footpath Heck/3/1 near Littleworth Drove and Holme House



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 5m
Date & time of photograph	- 19/05/2022 @ 12:03	Distance from Energy Park	
OS grid reference	- 516903, 345299	(fenceline)	- 2047m

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
SUMMER


DRWG No: P20-2370_23 REV: A

Date: 26/05/2022



CONTEXT BASELINE VIEWPOINT 17B

Public Footpath Heck/3/1 near Littleworth Drove and Holme House



Camera make & model - Canon EOS 5D, FFS
 Date & time of photograph - 19/05/2022 @ 12:03
 OS grid reference - 516903, 345299
 Viewpoint height (AOD) - 5m
 Distance from Energy Park (fenceline) - 2047m

FIGURE 6.6
 DCO Reference Number: 6.2.6

Context Baseline Views
 SUMMER

DRWG No: P20-2370_23 REV: A

Date: 26/05/2022



Camera make & model - Canon EOS 5D, FFS
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 19/05/2022 @ 13:44
OS grid reference - 516903, 345299

Viewpoint height (AOD) - 5m
Distance from site - 2047m
Projection - Planar
Enlargement / Sheet Size - 100% @ A3

Visualisation Type - Type 1
Horizontal Field of View - 39.6°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 420 x 297 / 390 x 260


VIEWPOINT 17

Public Footpath Heck/3/1 near Littleworth Drove
and Holme House



CONTEXT BASELINE VIEWPOINT 17A

Public Footpath Heck/3/1 near Littleworth Drove and Holme House



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 6m
Date & time of photograph	- 15/12/2022 @ 10:56	Distance from Energy Park (fenceline)	- 2053m
OS grid reference	- 516897, 345308		

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
WINTER


DRWG No: P20-2370_90 REV:

Date: 31/01/2023



CONTEXT BASELINE VIEWPOINT 17B

Public Footpath Heck/3/1 near Littleworth Drove and Holme House



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 6m
Date & time of photograph	- 15/12/2022 @ 10:56	Distance from Energy Park	- 2053m
OS grid reference	- 516897, 345308	(fenceline)	- 2053m

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
WINTER

DRWG No: P20-2370_90 REV:

Date: 31/01/2023




Camera make & model - Canon EOS 5D, FFS
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 15/12/2022 @ 10:56
OS grid reference - 516897, 345308

Viewpoint height (AOD) - 6m
Distance from site - 2053m
Projection - Planar
Enlargement / Sheet Size - 100% @ A3

Visualisation Type - Type 1
Horizontal Field of View - 39.6°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 420 x 297 / 390 x 260


VIEWPOINT 17

Public Footpath Heck/3/1 near Littleworth Drove
and Holme House



CONTEXT BASELINE VIEWPOINT 18

Public Footpath SKym/1/1 and Cow Drove near Whitehouse Farm



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 2m
Date & time of photograph	- 19/05/2022 @ 13:44	Distance from Energy Park	
OS grid reference	- 517017, 347777	(fenceline)	- 2431m

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
SUMMER

DRWG No: P20-2370_23 REV: A

Date: 26/05/2022



Camera make & model - Canon EOS 5D, FFS
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 19/05/2022 @ 13:44
OS grid reference - 517017, 347777

Viewpoint height (AOD) - 2m
Distance from site - 2431m
Projection - Planar
Enlargement / Sheet Size - 100% @ A3

Visualisation Type - Type 1
Horizontal Field of View - 39.6°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 420 x 297 / 390 x 260


VIEWPOINT 18

Public Footpath SKym/1/1 and Cow Drove near
Whitehouse Farm



CONTEXT BASELINE VIEWPOINT 18

Public Footpath SKym/1/1 and Cow Drove near Whitehouse Farm



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 2m
Date & time of photograph	- 15/12/2022 @ 15:22	Distance from Energy Park	- 2437m
OS grid reference	- 517016, 347784	(fenceline)	-

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
WINTER

DRWG No: P20-2370_90 REV:

Date: 31/01/2023



Camera make & model - Canon EOS 5D, FFS
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 15/12/2022 @ 15:22
OS grid reference - 517016, 347784

Viewpoint height (AOD) - 2m
Distance from site - 2437m
Projection - Planar
Enlargement / Sheet Size - 100% @ A3

Visualisation Type - Type 1
Horizontal Field of View - 39.6°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 420 x 297 / 390 x 260


VIEWPOINT 18

Public Footpath SKym/1/1 and Cow Drove near
Whitehouse Farm



CONTEXT BASELINE VIEWPOINT 19

Public Footpath SKym/8/1, south western edge of South Kyme near Kyme Tower.



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 3m
Date & time of photograph	- 19/05/2022 @ 13:26	Distance from Energy Park	
OS grid reference	- 516934, 349486	(fenceline)	- 3678m

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
SUMMER

DRWG No: P20-2370_23 REV: A

Date: 26/05/2022



Camera make & model - Canon EOS 5D, FFS
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 19/05/2022 @ 13:26
OS grid reference - 516934, 349486

Viewpoint height (AOD) - 3m
Distance from site - 3678m
Projection - Planar
Enlargement / Sheet Size - 100% @ A3

Visualisation Type - Type 1
Horizontal Field of View - 39.6°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 420 x 297 / 390 x 260


VIEWPOINT 19

Public Footpath SKym/8/1, south western edge of South Kyme near Kyme Tower.



CONTEXT BASELINE VIEWPOINT 19

Public Footpath SKym/8/1, south western edge of South Kyme near Kyme Tower.



Camera make & model	- Canon EOS 5D, FFS	Viewpoint height (AOD)	- 3m
Date & time of photograph	- 15/12/2022 @ 15:09	Distance from Energy Park	
OS grid reference	- 516941, 349493	(fenceline)	- 3679m

FIGURE 6.6
DCO Reference Number: 6.2.6

Context Baseline Views
WINTER

DRWG No: P20-2370_90 REV:

Date: 31/01/2023



Camera make & model - Canon EOS 5D, FFS
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 15/12/2022 @ 15:09
OS grid reference - 516941, 349493

Viewpoint height (AOD) - 3m
Distance from site - 3679m
Projection - Planar
Enlargement / Sheet Size - 100% @ A3

Visualisation Type - Type 1
Horizontal Field of View - 39.6°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 420 x 297 / 390 x 260

VIEWPOINT 19

Public Footpath SKym/8/1, south western edge of
South Kyme near Kyme Tower.