

Heckington Fen Solar Park EN010123

Environmental Statement | Volume 3: Technical Appendices Appendix 6.9: Detailed Visual Assessment Applicant: Ecotricity (Heck Fen Solar) Limited

Document Reference: 6.3.6.9 Pursuant to: APFP Regulation 5(2)(a) Document Revision: 2

March 2023

TRACK CHANGES



Planning Act 2008

APPENDIX 6.9- DETAILED VISUAL ASSESSMENT

	Document Propertie	es	
Regulation Reference	Regulation 5(2)(a)		
Planning Inspectorate	EN010123		
Scheme Reference			
Application Document	6.3.6.9		
Reference			
Title	Appendix 6.9 - Detailed Visual Assessment		
Prepared By	Heckington Fen Energy Park Project Team (Pegasus)		
	Version History		
Version	Date	Version Status	
Rev 1	February 2023	Application Version	
Rev 2	<u>March 2023</u>	Additional Submission – s55	
		response	

Appendix 6.9: Detailed Visual Assessment

The scoping out stage carried out in Appendix 6.8 identified that receptors present at the following viewpoints have the potential to experience significant visual effects:

- Viewpoint 1.
- Viewpoint 2.
- Viewpoint 3.
- Viewpoint 4.
- Viewpoint 6.
- Viewpoint 8.
- Viewpoint 14.
- Viewpoint 15.
- Viewpoint 20.
- Viewpoint 21.
- Viewpoint 22.
- Viewpoint 23.

The following table provides a detailed visual assessment of the shortlisted viewpoints and includes the description of baseline views for all of the identified viewpoints, provided for completeness. **Figure 6.5a-c** and **Figure 6.6** provide the photographic evidence and support the assessment.

The assessment of the construction phase is written with reference to **Chapter 4** Proposed Development (document reference 6.1.4) and **Figure 4.3** Indicative Phasing Plan (document reference 6.2.4), as stated in **Chapter 6** (document reference 6.1.6) paragraph 6.2.1 and paragraph 6.5.2.

Page 2 of 36

<u>March</u> 2023 | P20-2370

Heckington Fen Energy Park

Viewpoint 1

Public Footpath SKym/2/1 and Sidebar Lane overbridge at Head Dike

Receptor Type	Value of View	Receptor Susceptibility	Receptor Sensitivity	Distance to the Energy Park	
Recreational receptors	Medium	High	High	575m	
Road users	Medium	Medium	Medium		

Existing View:

This is one of the closest views, taken from the nearest public highways Sidebar Lane. It is representative of the open and level views across the local landscape gained from this section of the road. Views further north become interrupted by small blocks of woodland, with views further south along the road, restricted and eventually screened. With regard to recreational receptors similar views are available from the eastern section of the PRoW, east of Sidebar Lane, as receptors travel closer to the Energy Park. Views west of the road would be similarly open but increasingly distant and partially interrupted by the intervening vegetation around Glebe Farm and Chapel House. Electricity poles introduce vertical elements into the view; large scale wind farm is visible to the south. The pumping station associated with Head Dike is visible to the far right – Viewpoint 1B. The eye is drawn across the level foreground and towards the built form and trees on the horizon. Views are distant and there is a strong sense of openness. Some of the large-scale farm buildings appear somewhat isolated without any planting.

The visible extent of the Application Site occupies the majority of the view. Elm Grange, visible to the south indicates the south western edge of the Energy Park with the course of Head Dike marking its northern edge. The large scale barn, visible in the distance is associated with Six Hundreds Farm and is located in the eastern part of the Energy Park. The appreciation of the landscape is focused on the level landform, sense of opens, and big skies. Hedgerows are limited with trees forming small clumps of vegetation. The distant horizon has the appearance of a relatively well wooded landscape.

Description of Predicted View / Change	Magnitude of Change	Nature and Significance of Effect
Construction Phase: Phase 1 would introduce some limited movement and activities in the south western and central part of the Energy Park but would not detract from the overall view given the distance and intervening vegetation. Phase 2 would be associated with the	High	Short-term, temporary – Major
north western part of the Energy Park, i.e., that closest to Viewpoint 1. Construction activities and movement within fields G7 and G8 would be the most relevant to this view, with G6 largely screened by the intervening block of woodland. The construction phase within Phase 2 would extend across much of the view, with Phase 3 located behind and Phase 4 visible to the right of the view, successively increasing the extent of construction activities and solar modules in the view. The construction compound associated with Phase 2 would be screened by the intervening small block of woodland, seen in the middle ground. The	High	Short-term, temporary – Major

Page 3 of 36

Appendix 6.9 Detailed Visual Assessment

Viewpoint 1		
construction activities associated with the central substation would be visible but not prominent, given the distance and intervening infrastructure within Phase 2. The construction of the grid connection and works at the National Grid Bicker Fen substation would be inconsequential, in visual terms.		
Operational Phase:	High	Long-term,
The north western part of the Proposed Development would form an easily recognisable feature in this view, due to its horizontal extent and typology. The proposed modules within the northern most part of field $G6 - G8$ would be 3.5m in height, thus would		reversible - Major
screen the 3.0m high modules located beyond, in the southern parts of G7 and G8 and G11 – G15 associated with the remaining areas of Phase 2. Development of solar modules within Phase 3 - Phase 5 would be inconsequential to this view as these are likely to be screened by the slightly taller solar modules on the north western edge of the Energy Park. The proposed central energy compound would be largely screened and unlikely to be identifiable. The proposed substation would protrude above the relatively uniform height of the solar modules and would be seen approximately 2km away at its closest point. As such distance the proposed substation infrastructure would appear as a relatively small element on the horizon with its height and extent diminished by the openness of the view. For comparison, the large scale shed of Six Hundreds Farm, seen in the distance is approximately 7.5m high to eaves, i.e., comparable in height to the majority of the infrastructure within the new substation.	High	Long-term, reversible - Major
Mitigation Measures:	L	
Consistent height along the western edge; new perimeter hedgerow to grow out to approx. 3m height, visually linking with various perception of a vegetated close-range horizon. The substation compound located next to the existing large scale shed at Six Hundr balance the perception of scale and mass.		
Residual Effects:	Low	Long-term,
It is predicted that at Year 5 the introduced hedgerow planting would start to considerably restrict views of the closest solar modules, particularly in summer months.		reversible - Moderate to Minor
Note: The solar modules are likely to be completely screened, even in winter views, at Year 10. Seldom growing hedgerow trees along the north western edge of field G6 – G8 would help reduce the perception of scale and visually disintegrate the Energy Park and disrupt the horizontal extent of the solar modules.		
Cumulative Effects:	No Change	No Effects
The Proposed Development would not be seen from this viewpoint in cumulation with any other solar farms.		
Decommissioning Phase: At this stage, it is predicted that the mature boundary hedgerows would completely screen the existing modules within the Energy	Negligible	Short-term, temporary –

				-
	vn		nt	
-		0		_

Public Footpath Heck/15/1, near the north eastern edge of the Energy Park

Receptor Type	Value of View	Receptor Susceptibility	Receptor Sensitivity	Distance to the Energy Park
Recreational receptors	Medium	High	High	195m

Existing View:

View similar in character and nature to Viewpoint 1, but closer.

The visible extent of the Application Site occupies the majority of the view to the west and south west. The course of Head Dike marks the northern edge of the Energy Park with Mill Green Farm visible in the distance. Elm Grange, visible to the south, helps locate the south western corner of the Energy Park. The existing large scale shed at Six Hundreds Farm is not visible, being screened by the intervening trees.

The appreciation of the landscape is focused on the level landform, sense of opens, and big skies. Hedgerows are limited with trees forming small clumps of vegetation. The distant horizon has the appearance of a relatively well wooded landscape.

Predicted Visual Impacts of Proposed Development				
Description of Predicted View / Change	Magnitude of Change	Nature and Significance of Effect		
Construction Phase: It is predicted that the visibility of the construction stage and phasing would be, broadly speaking, similar to that described at Viewpoint 1 and at closer proximity. Activities within field G5 and G6 would be seen in the immediate foreground with the remaining area associated with Phase 2 located beyond. Construction activities within Phase 3 would be less apparent, being located beyond the already constructed Phase 2. Construction work associated with Phase 4 would be seen to the right of the view, to the south east of the viewpoint, and would increase the field of view of the construction activities and movement across this part of the Application Site.	High	Short-term, temporary – Major		
Operational Phase: The solar modules within the north western part of the Energy Park would be the most apparent and prominent feature in this view. at the distance of approx. 200m the proposed fencing, CCTV, and modules of varied height (3.0 - 3.5m) would define the foreground and large proportion of the available panorama. Development within the south western part of the Energy Park would be seen stretching some distance away from this viewpoint, revealing the scale of the Energy Park. Development within the central and eastern part of the Energy Park would be largely screened by the infrastructure in the foreground. The 0.5m height difference between the solar modules would be identifiable at close quarters (fields G7) but not in the more distant parts of the Energy Park.	High	Long-term, reversible – Major		

Page 5 of 36

Appendix 6.9 Detailed Visual Assessment

Viewpoint 2		
The proposed central energy compound would be inconsequential in visual terms, being if similar height or lower than the proposed solar modules. The proposed central substation would be seen immediately to the left of the existing belt of trees – seen in the middle ground of Viewpoint 2B.		
Mitigation Measures:		
Consistent height along the western edge; new perimeter hedgerow to grow out to approx. 3m height, visually linking with var perception of a vegetated close-range horizon. The substation is screened, given evidence of how small groups of trees can su infrastructure, and help 'absorb' it into the view.		
Residual Effects: It is predicted that at Year 5 the introduced hedgerow planting would start to restrict views of the closest solar modules, particularly in summer months. Due to proximity, however, it is likely that the upper parts of the modules, and those located further away would still be evident. It is expected that at Year 10 the maturing hedgerow would serve to screen the modules, fencing, with only the upper most part of the CCTV system appearing above the new hedgerow line. No hedgerow trees are being proposed along the western edge of the Energy Park in order to retain the sense of openness.	Low	Long-term, reversible - Moderate
Cumulative Effects:	No Change	No Effects
The Proposed Development would not be seen from this viewpoint in cumulation with any other solar farms.		
Decommissioning Phase: At this stage, it is predicted that the mature boundary hedgerows would almost completely screen the existing solar modules, with views into the interior of the Energy Park gained through access gates only. During the decommissioning phase views are likely to include the cranes and activities across different parts of the Energy Park but these would be highly localised and temporary, and short-term with the mature boundary vegetation restricting views into the Energy Park. Assuming that the decommissioning work takes place in the north western and western parts of the Energy Park, it is predicted that upon its completion, the degree of change would be low beneficial with the effects moderate beneficial – with views of the fencing, CCTV, and visible solar modules, removed from the view.	Low Beneficial	Short-term, temporary – Moderate Beneficial

Viewpoint 3

Littleworth Drove, near White House Farm and The Barns.

Receptor Type	Value of View	Receptor Susceptibility	Receptor Sensitivity	Distance to the Energy Park
Road users	Medium	Medium	Medium	865m

Existing View:

This location aims to illustrate medium range views from the western part of the study area, as perceived by road users. The view is open but largely limited to the immediate foreground with the built form and roadside vegetation along Sidebar Lane screening the landscape further east. Chapel House, visible in the middle ground, marks the highway. A single storey wooden shed, estimate to be at least 3m in height and located at the junction of Sidebar Laner and Crab Lane, is visible through the gap in the roadside hedgerow and above the hedgerow line. None of the features within the northern or north western part of the Energy Park are visible.

Views to the south east are distant and include the closer lying The Bungalow and No. 1-4 New Cottages along the southern section of Sidebar Lane, and Elm Grange near the south western corner of the Energy Park. The large-scale barn at Six Hundreds Farm is visible to the right of Chapel House and its curtilage. This, along with the built form of Chapel House and Elm Grange serve as height indicators.

Predicted Visual Impacts of Proposed Development				
Description of Predicted View / Change	Magnitude of Change	Nature and Significance of Effect		
Construction Phase: The majority of the construction activities, movement and traffic within the northern part of the Energy Park would not be visible from this location or would be inconsequential. Based on the line of sight, the south eastern corner of Phase 2, that along Labour in Vain Drain, would be perceptible at the distance of approximately 1.4km away but the majority of filed G5 is screened by Chapel House and its curtilage. Phase 4 would be seen as a relatively modest area, largely seen in isolation and without any evident visibility of Phase 2 or Phase 3. Views would be interrupted by the isolated trees and The Bungalow along Sidebar Lane. Phase 5 would be developed with Phase 4 already in place. The construction of the grid connection and works at the National Grid Bicker Fen substation would be inconsequential, in visual terms.	Negligible (east/north east) to Low (south east)	Short-term, temporary – Negligible to Minor		
Operational Phase: The solar modules in the south western part of the Energy Park would be evident in the view, given the gap in the roadside vegetation between Chapel House and The Bungalow, some 1km away. The introduced solar modules would appear as a relatively low lying feature, of consistent height but are likely to partially obstruct the wooded horizon. The more distant tree canopies and belts of trees within the Energy Park would continue to be perceived and understood as key landscape features within this part of the Application Site. Some of the solar modules would appear edge on, towards the receptor, but at such distance their geometry would be lost, and the modules would appear en masse. The closest parcel of solar modules along	Negligible (east/north east) to Low (south east)	Long-term, reversible - Negligible to Minor		

Page 7 of 36

Viewpoint 3		
the western edge would serve to screen those further away. The height and extent of the solar modules would be somewhat diminished by the openness of the landscape and its big skies.		
Whilst the large scale barn at Six Hundreds Farm is visible in this view, the proposed substation would not be visible, being screened by the nearby 'L' shaped belt of trees and vegetation associated with Chapel House seen in the middle ground.		
Mitigation Measures:		
The proposed hedgerow along the perimeter of the Energy Park would help, with time, screen the proposed solar modules as a deflect the attention with the focus shifting from long range views to close range and medium range views terminating on the than extending towards Elm Grange and East Heckington.		
Residual Effects:	Negligible	Negligible
It is predicted that even at Year 5 the maturing hedgerow would serve to reduce the visual influence of the introduced solar modules, given the distance. The proposed Energy Park would not be visible, or its visibility would be inconsequential and negligible.		
Cumulative Effects:	No Change	No Effects
The Proposed Development would not be seen from this viewpoint in cumulation with any other solar farms.		
Decommissioning Phase:	Negligible	Short-term,

Given the distance and assessment of the construction and operational stages, it is predicted that the decommissioning work would not be percpetible, or their influence would be inconsequential. The removal of the Energy Park would be largely inconsequential.

Page 8 of 36

Sidebar Lan	e, near a teleo	communication mast			
Receptor Type	Value of View	Receptor Sensitivity	Distance to the Energy Park		
Road users	Medium	Susceptibility Medium	Medium	400m	
identify the severated ho Hundreds Far to being cove	t is from the ea outh western co rizon. Small blo m is an easily r red in grassland	orner of the Energy Pau ock of woodland and tre recognisable feature. T	Lane, between The bungalow to the north and No. 1-4 New Cottage to the k. Views are close range and very open with views traveling across the lev be belts break the strongly horizontal pattern and monotony of the landsca he bank along Head Dike marks the northern edge of the Energy Park but t with the surrounding fields. The visual experience mainly derives for the s	el landscape and tow pe. The existing large his feature is not neo	ards the distant e scale shed at Six cessarily apparent du
views and big		of Proposed Develop	oment		
	-	/iew / Change		Magnitude of Change	Nature and Significance of Effect
part of the Er within Phase include Phase of the develo developed wit	and movement ergy Park. Pha 2, although tall 4, seen in dire pment. Movement th Phase 4 alread	se 3 would not be apparent of the comparison of the comparent of the comparent and activities, howe ady in place.	e 2 would be seen at close quarters across the north western and western arent, being located further away and screened by the infrastructure over the constructed solar modules. Views to the south east would leted development within Phase 2, thus increasing the horizontal extent ever, would be contained to Phase 4 area only. Phase 5 would be at the National Grid Bicker Fen substation would be inconsequential, in	High	Short-term, temporary – Major
Operational	Phase:			High	Long-term,
With the land	form level, view	vs are likely to termina	CTV would be quite apparent given the distance and horizontal extent. te on the western edge of the Energy Park, with the central and eastern d vary from slight oblige to very oblique, regardless of the direction of		reversible - Majo
angle of view	gained betwee	n the nearby 'L' shape	eened by the surrounding tree belts with views limited to a very narrow d belt of trees and tree lines at Six Hundreds Farm and seen some 1.8km and be inconsequential in visual terms, and would be seen in an angle of		

Page 9 of 36

Viewpoint 4		
view no larger than the horizontal extent of the large scale shed at Six Hundreds Farm, seen immediately to the right of the proposed substation.		
Mitigation Measures:		
The proposed hedgerow along the perimeter of the Energy Park would help, with time, screen the proposed solar modules. Du planting is being proposed along this edge of the Energy Park.	e to the openness of th	e landscape no tree
Residual Effects: It is predicted that at Year 10 the maturing hedgerow would serve to screen the introduced solar modules with the substation almost completely obscured by the maturing trees located along its western edge. The introduced tree planting would be in keeping with the landscape and would help visually link the two neighbouring belts of trees that collectively serve to enclose the substation.	Low	Long-term, reversible - Minor
Cumulative Effects:	No Change	No Effects
The Proposed Development would not be seen from this viewpoint in cumulation with any other solar farms.		
Decommissioning Phase: At this stage, it is predicted that the mature boundary hedgerows would almost completely screen the existing solar modules. Views into the interior of the Energy Park would be gained through gaps where the existing ditches/ drains puncture the perimeter hedgerow. During the decommissioning phase views are likely to include the cranes and activities across different parts of the Energy Park but these would be highly localised and temporary, and short-term with the mature boundary vegetation restricting views into the Energy Park. Assuming that the decommissioning work takes place in the western parts of the Energy Park, it is predicted that upon its completion, the degree of change would be low beneficial with the effects moderate beneficial – with views of the fencing, CCTV, and visible solar modules, removed from the view.	Low Beneficial	Short-term, temporary – Moderate Beneficial

Viewpoint 5						
Lay by along the A17, near Garwick Cottage.						
Receptor Type	Value of View	Receptor Susceptibility	Receptor Sensitivity	Distance to the Energy Park		
Road users	Medium	Medium	Medium	1040m		
This view is ta travel eastbouvegetation in south western	t forms part of aken from a lay und, and before rear gardens a n most part of t	by along the northern they reach the junction along field boundar he Energy Park would	s carried out along the A17 - refer to Viewpoint 6 and 7. edge of the A17, between Heckington and East Heckington. It is illustrative on with Sidebar Lane. Built form along Sidebar Lane is visible on the horizo les. The majority of the Energy Park would be screened with a relatively na be perceptible at the distance of approx. 1km. Views would be slight oblique where gaps in the roadside vegetation allow for views north and north east	n, albeit partially screened by the arrow angle of view available where the ue to oblique. Similar and close range views		
Predicted Vi	sual Impacts	of Proposed Develop	oment			
Refer to Appe	ndix 6.8. Recep	otors at this Viewpoint	are unlikely to experience significant visual effects. Not taken for detailed	assessment.		

Page 11 of 36

Viewpoint 6						
Footway in East Heckington, near Six Hundred Farm House.						
Receptor Type	Value of View	Receptor Susceptibility	Receptor Sensitivity	Distance to the E	nergy Park	
Road users	Medium	Medium	Medium	245m		
Existing Vie	w:					
edge of East the village int associated wi	Heckington fran errupts views of th Six Hundred reduced due to	mes the view to the we of the landscape beyor is Farm, various small	deed further east, with Six Hundreds Farmhouse interrupting the view from est and screens the western part of the Energy park site. A mature belt of id with the eye directed to the immediate foreground and features directly scale blocks of woodland, and hedgerows. The distant landscape further to ility and intervening features. The eye is drawn towards the distant landsc	trees that runs north t north of the road: the the north is visible bu	to south, away from a large scale shed ut its contribution is	
Predicted V	sual Impacts	of Proposed Develo	oment			
Description	of Predicted \	/iew / Change		Magnitude of Change	Nature and Significance o Effect	
Constructio	n Phase:			Medium	Short-term,	
compound, lo	cated in the so npleted Phase	outh eastern part of Pha 3 would be seen behin	d by Phase 5 of the Energy Park construction stage, its construction ase 5, with movement and human presence evident across much of the d the large scale shed associated with Six Hundreds Farm with the by the intervening vegetation, built form in East Heckington. Views for		temporary – Moderate	
completed Ph		vould be of similar char				

Page 12 of 36

March 2023 | P20-2370

Appendix 6.9 Detailed Visual Assessment

Viewpoint 6		
Operational Phase: The proposed solar arrays would be set back by one field from the A17, at their closest point with the majority of the Energy Park located further away, and beyond the various lines of trees and hedgerows that characterise the fields in this part of the site. Due to the proximity, the proposed fencing, CCTV, and solar arrays would be prominent – largely due to their physical extent rather than height, with the perception of scale reduced by the openness of the landscape. The proposed substation and energy centre would be located behind the existing large scale shed and other farm buildings associated with Six Hundreds Farm, visible directly to the north, some 1.5km away. This existing built form would largely screen the proposed infrastructure with the adjacent lines of trees heavily interrupting the western edge of the energy centre. Energy storage units, within the energy centre, would not be visible with the solar modules in the middle ground screening the centre of the Energy Park. The slight elevated nature of this viewpoint suggests that views may extend across the tops of the modules located further beyond than just the southern most edge of the Energy Park.	High	Long-term, reversible - Major
Mitigation Measures: The southern edge of the Energy Park would be enclosed by a new hedgerow, of up to 3m height when mature. There are a nu hedgerow trees and mature tall overgrown hedgerows along Six Hundreds Drove, as it leads towards the aforementioned large context and justification for the proposed mitigation planting with similar hedgerow planting suggested along Six Hundreds Drove break up the horizontal extent of the Energy Park, and visually balance the mass of the scheme.	e scale shed to the nor	h. This provides
Residual Effects: It is likely that a Year 5 the maturing perimeter hedgerow and hedgerow trees would enclose the Energy Park and limit views of the introduced infrastructure. The proposed vegetation would be located slightly closer that the panels themselves in order to follow the existing field boundaries and respond to the prevailing field pattern. Views over the new hedgerow line may continue to be gained, due to the extent of the Energy Park, but the upper edges of the solar modules would appear as a relatively small linear element, sat low above the vegetation and seen against the maturing hedgerow trees in the background. Views into the interior of the Energy Park would be gained along Six Hundred Drove which reveals the internal fence line and solar modules.	Medium	Long-term, reversible - Moderate
Cumulative Effects: The Proposed Development would not be seen from this viewpoint in cumulation with any other solar farms.	No Change	No Effects
Decommissioning Phase: At this stage, it is predicted that the mature boundary hedgerows would almost completely screen the existing solar modules. Views into the interior of the Energy Park would be gained along Six Hundred Drove which reveals the internal fence line and solar modules. During the decommissioning phase views are likely to include the cranes and activities across this part of the Energy Park but such views would be highly localised and temporary, and short-term with the mature boundary vegetation restricting views into the remaining parts of the Energy Park. Assuming that the decommissioning work takes place in the southern eastern part of the Energy Park, it is predicted that upon its completion, the degree of change would be low beneficial with the effects minor beneficial – with views of the fencing, CCTV, and visible solar modules, removed from the view.	Low Beneficial	Short-term, temporary – Minor Beneficial

Viewpoint 7						
Lay by along the A1121 near Skerth Bridge.						
Receptor Type	Value of View	Receptor Susceptibility	Receptor Sensitivity	Distance to the Energy Park		
Road users	Medium	Medium	Medium	945m		
This viewpoin restricted view view is charac proposed ene	t is representa ws to the north cterised by the rgy Park would	tive of restricted and west where various l level and open fenlar l be visible in a relativ	puilt form and features in the local landscape help iden d landscape with views, generally speaking, terminatir ely narrow angle of view, between the northern edge c	nt 5 and 6. ton and the A17. This particular section of the road offers least tify the direction of view towards the proposed Energy Park. The ng on the built form and vegetation along Brown's Drove. The of No. 1-14 Brown's Drove and Cattlehome Farm. The small distance seen through the tree canopies that line Brown's		
Predicted Vi	sual Impacts	of Proposed Develo	pment			
Refer to Appe	ndix 6.8. Rece	ptors at this Viewpoin	t are unlikely to experience significant visual effects. N	lot taken for detailed assessment.		

Page 14 of 36

Viewpoint 8					
Claydike Bank, Amber Hill					
Receptor Type	Value of View	Receptor Susceptibility	Receptor Sensitivity	Distance to the E	nergy Park
Road users	Medium	Medium	Medium	1635m	
continuation k with the dista the view of th	t is taken from nown as Maryl nt dwellings ald e grid connecti	ands Bank) are screen ong the A17 and Sideb on route but its northe	dge Mill, Amber Hill. Views are illustrative of the worst case scenario as vie ed or heavily interrupted. Views are open and the eye travels across the lo ar Lane identifiable in the background. The farm buildings at College Farm rn most edge – as it joins the Energy Park would be visible, given the visib are visible: the isolated rectangular block of woodland (north of Six Hund	w lying expanse of ac - northern end of Bro ility of Rake's Farm. \	ricultural landscape wn's Drove, curtail /arious landscape
scale shed, ar Drain acts to	d farm building restrict views to	gs associated with Six	Hundreds Farm and nearby tree vegetation (northern end of Six Hundreds ng station at Skerth Drain / Holland Dyke helps identify the north eastern of	Drove). The bank as	ociated with Skerth
	-	/iew / Change		Magnitude of Change	Nature and Significance of Effect
seen approx. movement for with the const construction v constructed Pl Phase 5 would	I introduce som 1.5km away at ming a very sr ruction compo- vork associated nase 2, due to I increase the f	its closest point. Given nall addition to the view und located next to a w l with the new substati being located further a norizontal extent of the	nd activities in the north eastern and eastern part of the Energy Park, In the distance this would not redefine the view with any vehicle w and exerting limited influence. Human presence would not be evident ery small block of trees, in the south eastern corner of field SH9. The on would form part of the same angle of view and experience. The way, would be inconsequential in visual terms. As the work progresses, works, but at this stage it is predicted that Phase 3 would not require would form a static element in the view.	Low	Short-term, temporary – Minor
scale indicator compound wo away and beh 1.6km away t the height of t and would rea	tioned farm bu with regard to uld be seen dir ind the solar m he proposed so the bank along d as a simple a	o the proposed solar m ectly against the vario nodules located along t olar modules would be Skerth Drain, the uppe	d and neglected two storey high dwelling, at Six Hundreds Farm provide a odules and new substation. The new substation and energy storage us farm buildings and vegetation at Six Hundreds Farm, seen some 2.5km he eastern edge of the Energy Park – fields SH11 – SH13. At approx. apparent due to their horizontal extent rather than height or mass. Given ar most parts of the modules would be seen above this man-made feature in the overall wide panorama. Its scale would be diminished due to the .	Low	Long-term, reversible - Mino

Page 15 of 36

Viewpoint 8

The foreground would remain unchanged, and the tree lined horizon would continue to be identifiable, albeit partially screened and influenced by the introduced Energy Park.

Mitigation Measures:

Whilst the man made bank along Skerth Drain provides some enclosure and limits views in and out of the Energy Park, it is proposed that the eastern perimeter is enclosed with a new hedgerow. It is envisaged that this hedgerow would be maintained, once mature, at approx. 3m in height – sufficient to screen the majority of the solar modules in the south eastern part of the Energy Park. The proposed hedgerow and hedgerow trees along Six Hundreds Drove would ensure that the central and south western part of the Energy Park would be screened or views heavily interrupted. With regard to the north eastern and eastern part of the Energy Park, where the solar modules reach 3.5m height, the proposed hedgerow would be locally maintained at an increased height.

Residual Effects: It is envisaged that, with the successful implementation of the proposed mitigation planning, the maturing hedgerows and hedgerow trees would almost completely screen the proposed solar modules with the remaining areas of modules seen as inconspicuous and low-lying elements in the view. The upper parts of the substation are likely to remain visible but at the distance of 2.5km, this infrastructure would not be apparent.	Negligible	Long-term, reversible - Negligible
Cumulative Effects: The Proposed Development would not be seen from this viewpoint in cumulation with any other solar farms.	No Change	No Effects
Decommissioning Phase: Given the distance and assessment of the construction and operational stages, it is predicted that the decommissioning work would be largely imperceptible, or their influence would be inconsequential. The removal of the Energy Park would be largely inconsequential.	Negligible	Short-term, temporary – Negligible

Page 16 of 36

Viewpoint 9 Bicker Drove at Bicker Fen					
ecreational Medium High ceptors (Other oute with Public ccess)	High	35m			
Medium	Medium	Medium			
ion, smaller s	scale substation to ridor of the A17 wit	the north east of the viewpoint, and large-scale Bicker Fen Wind Fa h the landscape beyond, i.e., the site of the Energy Park, not visibl	arm that defines the foreground. Views north e. Views east, towards the revised grid corrido		
	Value of View Medium Medium the south of ion, smaller egetated cor	Value of View Receptor Susceptibility Medium High Medium Medium the south of the A17, within Bic ion, smaller scale substation to egetated corridor of the A17 with	Value of View Receptor Susceptibility Receptor Sensitivity Medium High High		

Refer to Appendix 6.8. Receptors at this Viewpoint are unlikely to experience significant visual effects. Not taken for detailed assessment.

Page 17 of 36

March 2023 | P20-2370

Viewpoint 10						
Sutterton Drove near Sheperds Farm						
Receptor Type	Value of View	Receptor Susceptibility	Receptor Sensitivity	Distance to the Energy Park		
Road users	Medium	Aedium Medium Medium 3280m				
dwellings and Theoretically, I Maryland Hous	is representati clusters of built the proposed E se and Chestnu	: form, which coupled w nergy Park would be vis t House Farm – seen to	In the northern part of the study area. The landscape is level with the settl ith the associated garden vegetation and small blocks of woodland act to ible in a very narrow angle of view curtailed by the properties and vegeta the left of the view and more distant farm buildings and vegetation assoc ergy Park site are visible.	interrupt views across the level landscape. tion along Clyde Bank, for example		
Predicted Vis	ual Impacts o	of Proposed Developm	ient			
Refer to Apper	dix 6.8. Recep	tors at this Viewpoint ar	re unlikely to experience significant visual effects. Not taken for detailed a	issessment.		

Page 18 of 36

Viewpoint 11						
Public Footpath Ambe/5/1 near Chestnut House Farm						
Receptor Type	Value of View	Receptor Susceptibility	Receptor Sensitivity	Distance to the Energy Park		
Recreational users	Medium	High	High	2200m		
to the right of t away, help ider in the far distar	is similar in nat he view, but on htify the horizon nce creating a p	utside of the presented ntal extent of the prop perception of a well tre	/iewpoint 10, albeit the foreground is free from any crop vegetation. Chesi d photographs. Elliss Farmhouse, located along Claydike Bank some 0.7kr osed Energy Park – its northern edge. The landscape in between is level, s eed horizon. Isolated trees and groups of vegetation mark internal bounda western part of the Energy Park – field G14, is visible in the far distance.	n away and Mill Green Farm, some 2km simple, with various hedgerows and trees		
Predicted Visu	ual Impacts o	f Proposed Develop	nent			
Refer to Append	dix 6.8. Recept	ors at this Viewpoint a	re unlikely to experience significant visual effects. Not taken for detailed a	issessment.		

Page 19 of 36

March 2023 | P20-2370

Viewpoint 1						
Sutterton Drove near Sutterton Bridge						
Receptor Type	Value of View	Receptor Susceptibility	Receptor Sensitivity	Distance to the Energy Park		
Road users	Medium	Medium	Medium	1815m		
viewpoint is t associated ga out. The focus	been purposel aken from Sutt rden vegetation s is on the imm	erton Drove, where a n curtail views to the r ediate foreground. An	distant views to the north east and help establish the actual zor gap in the roadside hedgerow line allows for views south west a ight. Dwellings along Claydike Bank and roadside hedgerow, ma incidental gap in the roadside hedgerow allows for views out. D listant landscape is extremely limited. The view does not include	nd west. The property known as Mob's Eye and its arked by evenly spaced hedgerow trees screen views Due to the distance and heavily restricted nature of		
Predicted Vi	sual Impacts	of Proposed Develo	pment			
Refer to Appe	ndix 6.8. Recep	otors at this Viewpoint	are unlikely to experience significant visual effects. Not taken for	or detailed assessment.		

Viewpoint 13 Harrison's Drove, Other Route with Public Access				
Recreational users (Route with Other Public Access)	Medium	High	High	2030m
Road users	Medium	Medium	Medium	

The view is defined by the strong sense of openness associated with this part of the landscape, level landform, distant views and big skies. The foreground is open with little structural vegetation. Large scale fields allow the eye to travel freely but only in close range views or to the north where views are long range. Views north east towards the Energy Park, however, are interrupted by the built form and vegetation along Skerth Drain: Cattle Holme Farm and High House Farm. Further beyond, the vegetation and buildings along Brown's Drove add to the visual separation. None of the landscape features present within the Energy Park site are visible in this view.

Predicted Visual Impacts of Proposed Development

Refer to Appendix 6.8. Receptors at this Viewpoint are unlikely to experience significant visual effects. Not taken for detailed assessment.

Page 21 of 36

Junction of '	Timm's Drove	and Tilebarn Lane,	West Low Grounds			
Receptor Type	Value of View	Receptor Susceptibility	Receptor Sensitivity	Distance to the Order limits		
Road users	Medium	Medium	Medium	710m		
Foot Drain cre route is locate existing Bicke	nd very open la eates a strong l ed some 0.8km r Fen National	ine in the landscape bl away, behind the dwe Grid Substation. The p	eld pattern with limited to non-structural vegetation along the field bounda ocking views further west and north. Views towards the Energy Park are no Ilings along Timm's Drove. The corridor leads from the north, from around roposed extension would be located approx. 3.8km away and behind the ex ehind in the far distance under construction, are associated with the Viking	t gained. The propos Royalty Farm, and le isting substation, wh	ed grid connection ads south towards th	
Predicted Vi	sual Impacts	of Proposed Develo	oment	-		
Description	of Predicted V	/iew / Change		Magnitude of Change	Nature and Significance of Effect	
of the availab scale Bicker V the area. This	ion stage, if ca le panorama w Vind Farm augr would help red	ith movement and acti nent the landscape cha duce the perceived cha	ly for the whole of the grid connection route, would be visible across much vities quite evident. The existing large scaly pylons, substation, and large- aracter, form detracting features, and add to the developed character of nge. The construction zone would be seen at approx. 0.8km away at its would block its visibility.	High	Short-term, temporary – Major	
Operational Not relevant a		he Proposed Developm	ient is underground.			
Mitigation M Built in as par		ve design process only	No further mitigation measures are necessary.			
experienced i	the timing of t	with the construction o	nstruction stage of the proposed grid connection may be potentially r operational stage of the cumulative scheme Vicarage Drove ated some 3.3km away at its closest point.	Low	Short-term, reversible - Mino	

Appendix 6.9 Detailed Visual Assessment

Viewpoint 14		
It is predicted that the <u>construction stage</u> , if occurring simultaneously, would be perceived as one development given the somewhat transformed character of the immediate area and the extent of the Proposed Development and the cumulative scheme Vicarage Drove. The magnitude of change would be low with the effects minor adverse. With regard to the <u>operational phase</u> of the Proposed Development, the cumulative effects are expected to be negligible with the proposed National Grid Bicker Fen Substation Extension Works reading as being part of the existing substation	Negligible	Long-term, reversible – Negligible
infrastructure.		
Decommissioning Phase: The underground cables associated with the Cable Route Corridor and the Off-site Cable Route Corridor are envisaged to remain in situ with the extension to the existing National Grid Bicker Fen Substation also retained. Thus, the decommissioning stage would be inconsequential.	Negligible	Short-term, temporary – Negligible

Page 23 of 36

March 2023 | P20-2370

Heckington Fen Energy Park

Viewpoint 1	5					
Junction of I	Bicker Drove a	and Vicarage Drove a	long Mill Drain			
Receptor Type	Value of View	Receptor Susceptibility	Receptor Sensitivity Distance to the Order limits			
Road users	Medium	Medium	Medium	365m		
fenland. The end of the feature of t	and nature of existing Bicker features. Their	Fen National Grid Subs r scale is somewhat ree	/iewpoint 14. Large scale field pattern and limited structural vegetation allo tation is screened by its mitigation tree planting. Large scale pylons and Bi duced due to the openness and large scale of the landscape.			
	-	of Proposed Develop	oment			
Description of Predicted View / Change				Magnitude of Change	Nature and Significance of Effect	
Construction Phase: Construction activity and vehicle movements would be seen at very close proximity, approx. 0.5km away at its closest point. The linear nature of the Application Site would be experienced across the majority of the available panorama when looking west. Views east would not be affected.			High	Short-term, temporary – Major		
Operational Not relevant a		he Proposed Developm	ent is underground.			
Mitigation M Built in as par		ve design process only.	No further mitigation measures are necessary.			
experienced in	the timing of t	with the construction o	struction stage of the proposed grid connection may be potentially r operational stage of the cumulative scheme Vicarage Drove	Low	Short-term, reversible - Minor	
[B/21/0443]. This cumulative scheme would be located approx. 0.5km away at its closest point. At such distance it is predicted that any potential change to the views would be very limited with a low magnitude of change. With regard to the <u>operational phase</u> of the Proposed Development, the cumulative effects are expected to be negligible with no views of the proposed National Grid Bicker Fen Substation Extension Works or Off-site Cable Route Corridor.		Negligible	Long-term, reversible – Negligible			
Corridor are e	envisaged to re		es associated with the Cable Route Corridor and the Off-site Cable Route ktension to the existing National Grid Bicker Fen Substation also retained. quential.	Negligible	Short-term, temporary – Negligible	

Page 24 of 36

Viewpoint 16								
Public Footpath Heck/2/2, east of Heckington								
Receptor Type	Value of View	Receptor Susceptibility	Receptor Sensitivity	Distance to the Energy Park				
Recreational users	Medium	High	High	4010m				
illustrate views	has been speci from around t	he settlement of Hec	spond to the initial comments received during the Scoping Report stakington and help establish the actual zone of visual influence of the strongly enclosed corridor of the A17. Views out towards the Energy	proposed Energy Park.				
Predicted Vis	ual Impacts o	of Proposed Develo	pment					
Refer to Appen	dix 6.8. Recept	tors at this Viewpoint	are unlikely to experience significant visual effects. Not taken for de	etailed assessment.				

Page 25 of 36

March 2023 | P20-2370

Appendix 6.9 Detailed Visual Assessment

Viewpoint 17				
Public Footpa	th Heck/3/1	near Littleworth Di	rove and Holme House	
Receptor Type	Value of View	Receptor Susceptibility	Receptor Sensitivity	Distance to the Energy Park
Recreational users	Medium	High	High	2025m
sparse. Views t	ms to represer erminate on tr	ee and hedgerow veg	tern part of the study area, between the Energy Park and the settlement of the settl	
Predicted Visu	ual Impacts o	f Proposed Develo	oment	
Predicted Visu	ual Impacts o	of Proposed Develop		assessment.

Page 26 of 36

March 2023 | P20-2370

Viewpoint 18	Viewpoint 18							
Public Footpath Skym/1/1 and Cow Drove near Whitehouse Farm								
Receptor Type	Value of View	Receptor Susceptibility	Receptor Sensitivity	Distance to the Energy Park				
Recreational users	Medium	High	High	2405m				
which lead to p medium range seen as a very the small rectan triangular wood	ms to represer rivate dwelling landscape, stri minor feature ngular block of fland near the	s. PRoWs are sparse. uctural vegetation is l against the skyline. T woodland in the mid	h western part of the study area. Beyond Sidebar Lane, public access is lim The view is defined by the large-scale fields, which form the foreground, h imited to groups of trees associated with dwellings and farm buildings. The he landscape is expansive. Certain features in the landscape and around th dle ground – left of the view, Five Willow Wath Farm and nearby pumping s f the Energy Park. These features help identify the extent of the Energy Pa ke.	igh degree of openness, and big skies. In horizon is very distant with the vegetation e proposed Energy Park are identifiable: station at Head Dike, Glebe Farm, and				
Predicted Visu	ual Impacts o	of Proposed Develop	oment					
Refer to Append	dix 6.8. Recep	tors at this Viewpoint	are unlikely to experience significant visual effects. Not taken for detailed a	assessment.				

Page 27 of 36

Viewpoint 19									
Public Footpath Skym/8/1, south western edge of South Kyme near Kyme Tower.									
Receptor Type	Value of View	Receptor Susceptibility	Receptor Sensitivity	Distance to the Energy Park					
Recreational users	Medium	High	High	3595m					
seen at varying of intervening linea detached dwellin and indicate the	distance. The or blocks of wo ogs No. 91 – 9 direction of vi	very distant horizon ap odland, seen in mid-ra 4 along Clay Bank and ew towards the Energy	e, large scale, with big skies. Blocks of woodland and tree lines break up to pears well treed, with wind turbines punctuating the horizon to the south nge to the left of the view. This vegetation would also screen the north ea Five Willow Wath Farm (with two silos), and Glebe Farm are identifiable i Park, and serve as scale indicators. The area proposed as the main subs one of the nearby landscape features or built form – the large scale shed	Pattingden House is screened by the astern part of the Energy Park. Four semi- n the distance (also seen in Viewpoint 18) tation and energy storage compound					
Predicted Visua	al Impacts of	f Proposed Developm	nent						
Refer to Appendi	ix 6.8. Recept	ors at this Viewpoint ar	e unlikely to experience significant visual effects. Not taken for detailed a	issessment.					

Receptor Type	r Value of Receptor Receptor Sensitivity View Susceptibility			Distance to the Energy Park		
Road users	Medium	Medium	Medium	1515m		
travel across against the sl	t is taken from the level fenlar <y. bicker="" f<br="" the="">the Energy Par</y.>	nd landscape. The built Fen Wind Farm is ident	idebar Lane/ the B1395 when travelling southbound from South Kyme towa form along the A17 is barely perceptible due to the distance with the tree ifiable but does not form a feature and appears lower than the nearby elect sh due to the distance and limited landscape features present in the view. T	vegetation forming a ricity poles that cros	s very minor feature s the foreground.	
Predicted Vi	sual Impacts	of Proposed Develo	oment			
Description	of Predicted \	/iew / Change		Magnitude of Change	Nature and Significance o Effect	
1.5km away a very small ad and any move The construct same angle o	d introduce son at its closest po dition to the vie ement and stor ion work assoc f view and expe	int. Given the distance ew and exerting limited age materials within it iated with the new sub erience but would be s	and activities in the north western part of the Energy Park, seen approx. The this would not redefine the view with any vehicle movement forming a d influence. The construction compound would be located further away would be inconsequential, in visual terms. Instation and energy storage element and Phase 3 would form part of the een behind Phase 2 thus the perception of any activities would be greatly due to being located further away, would be inconsequential in visual	Low	Short-term, temporary – Minor	
be considerab	dules within the bly reduced for sible, in reality,	the travelling receptor the distance and emb	the Energy Park would be theoretically visible but their perception would s. Whilst the majority of the norther edge of the Energy Park would be ankment associated with Head Dike would reduce this perception. The a very minor and very low sitting element in this expansive and wide	Low	Long-term, reversible – Minor	

Appendix 6.9 Detailed Visual Assessment

Viewpoint 20		
Residual Effects: It is envisaged that, with the successful implementation of the proposed mitigation planning, the maturing hedgerow along the northern edge of the Energy Park, coupled with the embankment along Head Dike the proposed solar modules would be inconspicuous. The upper parts of the substation are likely to remain visible but at the distance of 1.5km, this infrastructure would not be apparent.	Negligible	Long-term, reversible - Negligible
Cumulative Effects: The Proposed Development would not be seen from this viewpoint in cumulation with any other solar farms.	No Change	No Effects
Decommissioning Phase: Given the distance and assessment of the construction and operational stages, it is predicted that the decommissioning work would not be percpetible, or their influence would be inconsequential. The removal of the Energy Park would be largely inconsequential.	Negligible	Short-term, temporary – Negligible

Page 30 of 36

March 2023 | P20-2370

Viewpoint 21					
Public Footpat	th Skym/2/1	footbridge at Head	Dike, Fenside.		
ReceptorValue of ViewReceptor SusceptibilityReceptor SensitivityDistance to the Energy				nergy Park	
Recreational users	Medium	High	High	2160m	
landscape large	is similar to Vie ely devoid of ar was requested	ny features; acknowle	direction of view and general character of the view. It is, however, more d dging the proximity to Whitehouse Farm and built form in Fenside. dvisor, thus has been purposely shortlisted for detailed assessment to prov	5	J
Predicted Visu	ual Impacts o	of Proposed Develop	oment	-	
Description of Predicted View / Change				Magnitude of Change	Nature and Significance of Effect
of the Energy P within the Energy	ws would includ Park. At the dis gy Park would	tance of over 2km, ho be extremely reduced	ork across Phase 2 and Phase 4, which are located along the western edge owever, the perception of vehicle movement, built form, and activities d. The vehicle movement along Sidebar Lane is perceptible, but does not d be true for the construction work within the Energy Park.	Negligible	Short-term, temporary – Negligible
the very distant appreciated. Th vegetation arou	nce the built fo t vegetated ho ne focus would und farmsteads	rizon. None of the ele remain on the foregro	Park would not be evident with static solar modules visually merging with ments associated with the Energy Park would be evident or easily bund and mid-range landscape with the intervening blocks of trees and ements in the view. Receptors at this Viewpoint would be subject to a tts.	Negligible	Long-term, reversible - Negligible
Mitigation Mea The proposed m		ting is likely to be inef	fective given the distance but would reinforce the perception of the distant	vegetated horizon.	
Residual Effec Based on the al		ual effects are expecte	ed to be negligible.	Negligible	Long-term, reversible - Negligible

Appendix 6.9 Detailed Visual Assessment

Viewpoint 21		
Cumulative Effects: The Proposed Development would not be seen from this viewpoint in cumulation with any other solar farms.	No Change	No Effects
Decommissioning Phase: Given the distance and assessment of the construction and operational stages, it is predicted that the decommissioning work would not be percpetible, or their influence would be inconsequential. The removal of the Energy Park would be largely inconsequential.	Negligible	Short-term, temporary – Negligible

Page 32 of 36

March 2023 | P20-2370

Heckington Fen Energy Park

Viewpoint 22					
Claydike Banl	k, near Mob's	Eye, Sutterton Fen.			
Receptor Type	Value of View	Receptor Susceptibility	Receptor Sensitivity	Distance to the Energy Park	
Recreational users	Medium	High	High	1275m	
Road users	Medium	Medium	Medium	_	
Refer to the de	is not too dissi scription of Vie	ewpoint 8 for details.	8 and serves as a worst case scenario for views from the nearby Public For	otpath Ambe/4/1.	
Predicted Vis	ual Impacts o	of Proposed Develop	oment	-	
Description o	f Predicted Vi	iew / Change		Magnitude of Change	Nature and Significance of Effect
seen approx. 1 seen in oblique Ambe/4/1. The the view and e located next to the new substa located further horizontal exte	introduce som .3km away at to very obliqu construction s xerting limited a very small b tion would for away, would b nt of the works	its closest point. Given the views from the road stage would not redefin influence. Human pre- block of trees, in the s m part of the same ar be inconsequential in v s, but at this stage it i	nd activities in the north eastern and eastern part of the Energy Park, in the distance such activities would be perceived as a very minor feature, I and very restricted views from the southern end of Public Footpath ine the view with any vehicle movement forming a very small addition to essence would not be evident with the nearest construction compound outh eastern corner of field SH9. The construction work associated with hegle of view and experience. The constructed Phase 2, due to being visual terms. As the work progresses, Phase 5 would increase the s predicted that Phase 3 would not require any additional movement or in the view.	Low	Short-term, temporary – Minor
The farm build with regard to seen directly a the solar modu would be appar Drain, the uppe very small elen character of th	Derational Phase: The farm buildings and unoccupied and neglected two storey high dwelling at Six Hundreds Farm provide a scale indicator with regard to the proposed solar modules and new substation. The new substation and energy storage compound would be seen directly against the various farm buildings and vegetation at Six Hundreds Farm, seen some 2.1km away and behind he solar modules located along the eastern edge of the Energy Park. At approx. 1.3m away the proposed solar modules vould be apparent due to their horizontal extent rather than height or mass. Given the height of the bank along Skerth Drain, the upper most parts of the modules would be seen above this man made feature and would read as a simple and rery small element in the overall wide panorama. Its scale would be diminished due to the distance and large-scale character of the landscape. The foreground would remain unchanged, and the tree lined horizon would continue to be dentifiable, albeit partially screened and influenced by the introduced Energy Park.				Long-term, reversible - Mino

Page 33 of 36

Viewpoint 22

Mitigation Measures:

Whilst the man made bank along Skerth Drain provides some enclosure and limits views in and out of the Energy Park, it is proposed that the eastern perimeter is enclosed with a new hedgerow. It is envisaged that this hedgerow would be maintained, once mature, at approx. 3m in height – sufficient to screen the majority of the solar modules in the south eastern part of the Energy Park. The proposed hedgerow and hedgerow trees along Six Hundreds Drove would ensure that the central and south western part of the Energy Park would be screened or views heavily interrupted. With regard to the north eastern and eastern part of the Energy Park, where the solar modules reach 3.5m height, the proposed hedgerow would be locally maintained at an increased height.

Residual Effects: It is envisaged that, with the successful implementation of the proposed mitigation planning, the maturing hedgerows and hedgerow trees would almost completely screen the proposed solar modules with the remaining areas of modules seen as inconspicuous and low-lying elements in the view. The upper parts of the substation are likely to remain visible but at the distance of 2.5km, this infrastructure would not be apparent.	Negligible	Long-term, reversible - Negligible
Cumulative Effects: The Proposed Development would not be seen from this viewpoint in cumulation with any other solar farms.	No Change	No Effects
Decommissioning Phase: Given the distance and assessment of the construction and operational stages, it is predicted that the decommissioning work would not be percpetible, or their influence would be inconsequential. The removal of the Energy Park would be largely inconsequential.	Negligible	Short-term, temporary – Negligible

Page 34 of 36

Viewpoint 23							
Brown's Drove, near No.14.							
Receptor Type	Value of View	Receptor Susceptibility	Receptor Sensitivity	Distance to the Order limits			
Road users	Medium	Medium	Medium	240m			
Existing View: This relatively open view is gained from the central section of Brown's Drove. Views from the road are partially interrupted by hedgerows and trees that mark its alignment. Views west and north west include the nearby Rakes Farm, which acts as a scale indicator. The small-scale block of woodland, seen immediately to the right of Rakes Farm, is located east of Rakes Farm, thus closer to the receptor and outside of the Application Site. The block of woodland further to the right is located in the south eastern corner of the Energy Park. The farm buildings associated with Six Hundreds Farm, visible further to the right, help located the eastern edge of the Energy Park.							
Predicted Vis	ual Impacts o	of Proposed Developm	ent	1	1		
Description o	f Predicted Vi	ew / Change		Magnitude of Change	Nature and Significance of Effect		
Construction Phase: The construction phase associated with Phase 3 and Phase 5 would be identifiable as they form the eastern edge of the Energy Park, seen some 950m away. The construction of the Off-site Cable Route Corridor would cross the close range landscape, between this viewpoint and Rakes Farm. Whilst the construction phase would be located in a relatively close proximity the extent of the works is unlikely to be large and would be localised within the defined corridor. Construction activities within the Energy Park would not be evident. For that reason the magnitude of change is considered to be medium.				Medium	Short-term, temporary – Minor		
Operational Phase: The proposed solar arrays are likely to be perceptible largely due to their horizontal extent rather than height or mass. The Energy Park would be seen across much of the view, but would be sat very low against the sky, partially screening the more distant vegetation and built form. The new substation, energy facilities, and associated equipment would be screened by the large scale shed / grain dryer, other neighbouring built form and vegetation associated with Six Hundreds Farm, visible further to the right. Its introduction is considered to be inconsequential given the distance, screening, with the solar modules enclosing and partially screening the eastern edge of this compound, seen some 1.8km away. Receptors at this Viewpoint would be subject to a low magnitude of change and minor effects.			Low	Long-term, reversible - Minor			
form at Six Hui effects it is pro	made bank alo ndreds Farm ar posed that the	e available. Thus, it is p eastern perimeter of the	les some enclosure and limits views in and out of the Energy Park, views redicted that the eastern edge of the Energy Park would be visible. In or e Energy Park is enclosed with a new hedgerow. It is envisaged that this the majority of the solar modules in the south eastern and eastern part	der to reduce the poter hedgerow would be ma	ntial for any adverse aintained, once e proposed		
					Page 35 of 36		

Viewpoint 23

hedgerow and hedgerow trees along Six Hundreds Drove would ensure that the central and south western part of the Energy Park would be screened or views heavily interrupted. With regard to the north eastern and eastern part of the Energy Park, where the solar modules reach 3.5m height, the proposed hedgerow would be locally maintained at an increased height, but this part of the development would be seen some distance away thus the change in height of the solar modules is unlikely to be perceptible.

Residual Effects: It is envisaged that, with the successful implementation of the proposed mitigation planning, the maturing hedgerows and hedgerow trees would almost completely screen the proposed solar modules with the remaining areas of modules seen as inconspicuous and low lying elements in the view.	Negligible	Long-term, reversible - Negligible
Cumulative Effects: The Proposed Development would not be seen from this viewpoint in cumulation with any other solar farms.	No Change	No Effects
Decommissioning Phase: Given the distance and assessment of the construction and operational stages, it is predicted that the decommissioning work would not be percpetible, or their influence would be inconsequential. The removal of the Energy Park would be largely inconsequential.	Negligible	Short-term, temporary – Negligible

Page 36 of 36