



Transboundary screening undertaken by the Planning Inspectorate (the Inspectorate) on behalf of the Secretary of State (SoS) for the purposes of Regulation 32 of The Infrastructure Planning (Environmental Impact Assessment) Regulations 2017 (the 2017 EIA Regulations)

Project name:	Cory Decarbonisation Project
Address/Location:	Riverside 1 and 2 Energy from Waste Plants, Belvedere, London, DA17 6JY
Planning Inspectorate Ref:	EN010128
Date(s) screening undertaken:	First screening – 26 May 2023. Second screening – 7 August 2024.

TRANSBOUNDARY SCREENING

The Inspectorate undertook transboundary screening of the Proposed Development in the Scoping Opinion, which was adopted on 26 May 2023. The Inspectorate concluded that the Proposed Development **is unlikely to have a significant effect either alone or cumulatively on the environment in a European Economic Area State**. The Scoping Opinion is available from:

<http://infrastructure.planninginspectorate.gov.uk/document/EN010128-000026>

TRANSBOUNDARY RE-SCREENING

Document(s) used for transboundary screening:	Environmental Statement (ES) (March 2024), Docs 6.1 to 6.4 [APP-050 to APP-120].
--	--

The Inspectorate has re-considered the likelihood of transboundary effects resulting from the Proposed Development, taking into account any changes that have been made to the Proposed Development since the previous transboundary screening process was undertaken.

The Inspectorate considers that the Proposed Development is **unlikely to have a significant effect either alone or cumulatively on the environment in a European Economic Area State**. This position will remain under review and will have regard to any new or materially different information coming to light which may alter that decision.

Note: The Proposed Development subject to this transboundary screening is the Cory Decarbonisation Project (to be located within the site boundary shown on Figure 1-1 of the ES [APP-072]), which is subject to an application for Development Consent under the Planning Act 2008. Disposal of carbon dioxide (CO₂) offshore does not form part of the Proposed Development and development of offshore elements of the project, including

off-site geological storage locations for the captured CO₂, is subject to separate consenting requirements.

Action: No further action required at this stage.

Date: 07 August 2024

Note: The SoS' duty under Regulation 32 of the 2017 EIA Regulations continues throughout the application process.

Note:

The Inspectorate's screening of transboundary issues is based on the relevant considerations specified in the Annex to its Advice Note Twelve, available on our website at <http://infrastructure.planninginspectorate.gov.uk/legislation-and-advice/advice-notes/>