

## Hannigan, Georgiana

---

**From:** Sam Dewar [REDACTED]@dpaplanning.co.uk>  
**Sent:** 02 April 2024 19:23  
**To:** Outer Dowsing Offshore Wind  
**Cc:** Norman, Phil; Marwood, Abbie; Booth, Andrew  
**Subject:** Adequacy of consultation request  
**Attachments:** A12 - AoCR Boston BC - Outer Dowsing Offshore Wind Farm.pdf; A12 - AoCR East Lindsey DC - Outer Dowsing Offshore Wind Farm.pdf; A12 - AoCR south holland - Outer Dowsing Offshore Wind Farm.pdf

You don't often get email from [REDACTED]@dpaplanning.co.uk. [Learn why this is important](#)

Dear sir/madam,

I refer to your recent request for the adequacy of consultation. I attach responses from all 3 affected local authorities as the main point of contact during this process. The comments are the same on each council response however this is because I was representing each local planning authority and therefore the experiences during the consultation process are consistent. Please note I have made comments previously regarding the number of re-consultations to your main point of contact via email, albeit as stated in the attached I understand the reasons why.

We wish to remain involved through the examination period and should you require any further information please do not hesitate to contact me on the details below.

Kind regards

Sam Dewar BSc MA MRTPI  
Director  
Dewar Planning Associates  
[REDACTED]