



Guildhall
Marshall's Yard
Gainsborough
Lincolnshire DN21 2NA
Telephone 01427 676676
Web www.west-lindsey.gov.uk

Louise Harraway
The Planning Inspectorate
Temple Quay House
The Square
Temple Quay
Bristol
BS1 6PB

Your contact for this matter is:
Ian Elliott
[REDACTED]@west-lindsey.gov.uk
[REDACTED]

4th April 2024

Dear Mr Harraway

APPLICATION REFERENCE NO: 148198

PROPOSAL: Written Enquiry re: adequacy of consultation request - EN010130

LOCATION: Outer Dowsing Offshore Wind (Generating Station)

RE: Adequacy of Consultation Request

Thank you for the letter dated 20th March 2024 alerting us to the submission of the application for the Outer Dowsing Offshore Wind (Generating Station) and allowing us the opportunity to comment on the pre-application stage and its compliance with section 42, 47 and 48 of the Planning Act 2008 (as amended).

It is considered that the applicant has complied with the relevant sections of the Planning Act 2008 (as amended) in their duty to consult ourselves, the community and publicise.

Yours sincerely

Ian Elliott
Development Management Team Leader
On behalf of West Lindsey District Council

If you want to know more about how we use your data, what your rights are and how to contact us if you have any concerns, please read our privacy notice:
www.west-lindsey.gov.uk/planning-privacy

If you require this letter in another format e.g. large print, please contact Customer Services on 01427 676676, by email customer.services@west-lindsey.gov.uk or by asking any of the Customer Services staff.