# West Burton Solar Project

# EIA Scoping Report Appendices (Part 2 of 4): Chapter 10 (Part A) Ground Conditions and Contamination

Prepared by Lanpro January 2022





### **Contents**

Appendix 10.1	for West Burton 1	4
Appendix 10.2	Preliminary Geo-Environmental Risk Assessment Report for West Burton 2	159



### **Issue Sheet**

Report Prepared for: West Burton Solar Project Ltd.

EIA Scoping Report Submission

West Burton Solar Project: EIA Scoping Report

Appendices (Part 2 of 4): Chapter 10 (Part A)

**Ground Conditions and Contamination** 

### Prepared by:

Name: Jane Crichton MRTPI

Title: Associate Director

### Approved by:

Name: Ian Douglass MRTPI

Title: Associate Director

Date: January 2022

Revision: 2



10.1 Preliminary Geo-Environmental Risk Assessment Report for West Burton 1



# Preliminary Geo-Environmental Risk Assessment West Burton Solar Project – West Burton 1

Presented to: West Burton Solar Project Limited

Issued: November 2021

Delta-Simons Project No: 21-1098.02





# Report Details

Client	West Burton Solar Project Limited
Report Title	Preliminary Geo-Environmental Risk Assessment
Site Address	Land at Broxholme, Lincoln, LN1 2ZS
Report No.	21-1098.02_REP_West-Burton-Solar-WB1_PRA_21-11-29
Delta-Simons Contact	Paul Huteson (

# **Quality Assurance**

Issue No.	Status	Issue Date	Comments	Author	Technical Review	Authorised
01	Final	29/11/2021	-	Jessica Rowe Senior Consultant	Paul Huteson Associate Director	Paul Bennett Unit Director

# **About Us**

Delta-Simons is a trusted, multidisciplinary environmental consultancy, focused on delivering the best possible project outcomes for customers. Specialising in Environment, Health & Safety and Sustainability, Delta-Simons provide support and advice within the property development, asset management, corporate and industrial markets. Operating from across the UK we employ over 180 environmental professionals, bringing experience from across the private consultancy and public sector markets.

As part of Lucion Services, our combined team of 500 in the UK has a range of specialist skill sets in over 50 environmental consultancy specialisms including asbestos, hazardous materials, ecology, air and water services, geo-environmental and sustainability amongst others.



Delta-Simons is proud to be a founder member of the Inogen Environmental Alliance, enabling us to efficiently deliver customer projects worldwide by calling upon over 5000 resources in our global network of consultants, each committed to providing superior EH&S and sustainability consulting expertise to our customers. Through Inogen we can offer our Clients more consultants, with more expertise in more countries than traditional multinational consultancy.

Delta-Simons is a 'Beyond Net-Zero' company. We have set a Science-Based Target to reduce our Scope 1 and Scope 2 carbon emissions in line with the Paris Agreement and are committed to reducing Scope 3 emissions from our supply chain. Every year we offset our residual emissions by 150% through verified carbon removal projects linked to the UN Sustainable Development Goals. Our consultancy services to you are climate positive.

If you would like support in understanding your carbon footprint and playing your part in tackling the global climate crisis, please get in touch with your Delta-Simons contact above who will be happy to help.



# **Table of Contents**

1.0	INTRODUCTION	
1.1	Appointment	1
1.2	Context & Purpose	1
1.3	Scope of Works	1
1.4	Existing Information	1
1.5	Limitations	
2.0	SITE CONTEXT & DATA REVIEW	
2.1	Site Information	
2.2	Physical Setting	
2.3	Sensitive Land Use	
2.4	Historical Use of the Site & Surrounding Area	
2.4.1		
2.4.2		
2.4.3		
2.5	Environmental Database Review	
2.6	Planning Review/Regulatory Enquiries	
	CONCEPTUAL SITE MODEL	
3.1	Introduction	
3.2	Potential Contamination Sources	
3.3	Potential Pathways	
3.4	Potential Receptors	
4.0	CONCLUSIONS & RECOMMENDATIONS	
4.1	Land Contamination Risks and Liabilities	
4.2	Geotechnical Considerations	
4 3	Recommendations and Development Constraints	C

### **FIGURES**

Figure 1 – Site Location Map Figure 2 – Site Layout Plan

Figure 3 – Relevant Feature Plan

**APPENDICES** 

Appendix A – Limitations

Appendix B – Risk Definitions

Appendix C – Historical Maps

Appendix D – Landmark Envirocheck Report



### 1.0 Introduction

### 1.1 Appointment

Delta-Simons Environmental Consultants Limited ("Delta-Simons") was instructed by West Burton Solar Project Limited (the "Client") to prepare a Preliminary (Geo-Environmental) Risk Assessment for a parcel of land located to the east of Broxholme, Lincoln, LN1 2ZS, hereafter referred to as 'West Burton 1' (the "Site"). A Site Location Map is included as Figure 1.

This Report was undertaken in accordance with Delta-Simon's fee proposal dated 20<sup>th</sup> October 2021. The standard limitations associated with this Assessment are presented in Appendix A.

### 1.2 Context & Purpose

It is understood that the Site is proposed to be developed as a Solar Farm (West Burton Solar Project), however, no proposed development plans have been provided. It is anticipated that the majority of the Site will comprise ground mounted solar arrays with associated maintenance access routes and limited infrastructure such as sub-stations and battery storage.

The aim of this Report is to support the submission of a planning application for the proposed development.

To that end this study assesses the likely environmental issues associated with soil and groundwater conditions that may affect the proposed development of the Site. This Report is designed in general accordance with guidance on Land Contamination: Risk Management pages of the GOV.UK web pages, the relevant requirements of the National Planning Policy Framework (NPPF) (as revised 2021) (paragraphs 174 & 183-184)<sup>1</sup> and the Planning Practice Guidance (Land Affected by Contamination)<sup>2</sup>.

### 1.3 Scope of Works

- A Review of the environmental setting of the Site, including the current use / status of the Site and surrounding area, and review of the geology, hydrogeology and hydrology;
- Review of the historical activities of the Site and surrounding area;
- Review of regulatory information relating to the Site;
- Review of the online planning records for the Site;
- ▲ Consult and review information from the Local Authority in relation to Part 2A of the 1990 Environmental Protection Act;
- Review online records of potential unexploded ordnance risks;
- ▲ Develop an outline Conceptual Site Model, and undertake a Preliminary Risk Assessment with respect to potential contamination focussed on the proposed land use; and
- Provide commentary on potential land contamination and geotechnical constraints in the context of the proposed development.

### 1.4 Existing Information

The following information has been used within the Assessment:

- Current and Historical Ordnance Survey (OS) maps;
- British Geological Survey (BGS) data;
- ▲ Environment Agency (EA) online data;
- Coal Authority (CA) online data;
- ▲ A Landmark Envirocheck Report for the Site (Ref. 287331719 1 1), dated 4<sup>th</sup> November 2021;



<sup>&</sup>lt;sup>1</sup> https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment\_data/file/1004408/NPPF\_JULY\_2021.pdf

<sup>&</sup>lt;sup>2</sup> https://www.gov.uk/guidance/land-affected-by-contamination

- Historical Maps included as part of the Envirocheck Report; and
- Information provided by West Lindsey District Council.

### 1.5 Limitations

The standard limitations associated with this Assessment are presented in Appendix A. In addition, there are the following specific limitations that apply to this Assessment:

- ▲ No proposed development scheme has been provided, however, it is anticipated that the majority of the Site will comprise ground mounted solar panels with associated maintenance access routes and limited infrastructure such as sub-stations and battery storage; and
- A Site walkover has been undertaken as part of this assessment, however, given the scale of the Site it is not feasible to inspect all of the Site, although key areas have been inspected.



# 2.0 Site Context & Data Review

### 2.1 Site Information

Co-ordinates	Centred at National Grid Reference 491570, 378500.	Elevation	4 to 8 m AOD
	370300.	Area	89 Ha
Site Address and Location	The Site is located off Main Street, Broxholme, approximately 10 km north west of Lincoln city centre. A Site Location Map is included as Figure 1.		
Site Description	The Site has been assessed through readily available online aerial and street view imagery and a Site Layout Plan is included as Figure 2. In addition, a Delta-Simons representative undertook a Site walkover on 24th November 2021. Pertinent entries observed or reported on-Stie are described below and shown on Figure 3, with supporting photographs.		
	The Site consists a series of agricultural fields separated by hedgerows, land drains and occasional trees. The fields are accessed via entrances off Main Street, which runs through the north western area of the Site. A number of concrete blocks were noted in the entrance of the north eastern field.		
	Overhead electrical power lines and associated pylons are noted to cut across the southern area of the Site.		
	From readily available online data the Site is in accordance with the local topography and slopes from 8 m AOD in the west to 4 m AOD in the south.		
Description of Adjacent and Surrounding Land Uses	The Site is located within a predominantly rural area with farmland to the north, south and east. The village of Broxholme with associated residential dwellings and a church is present to the west.		

### 2.2 Physical Setting

Published Geology	From the BGS Geology of Britain Online Viewer, the eastern area of the Site is indicated to be underlain by superficial Till (Diamicton). Superficial Alluvium (Clay, Silt, Sand and Gravel) is noted to encroach onto the Site along the northern boundary. No superficial deposits are mapped across the eastern area. The bedrock is mapped as the Charmouth Mudstone Formation.	
Site-Specific Geology	There are three BGS Boreholes (Ref. SK97NW9/G, SK97NW24 and SK97NW9/F) located between 10 m and 180 m of the north western boundary. The boreholes recorded a general sequence of Topsoil underlain by soft sandy silty clay underlain by very stiff fissured blue grey silty clay with thin bands of limestone to a maximum drilled depth of 12.00 m bgl. Groundwater was recorded at 4.50 m bgl.	
Aquifers and Groundwater Receptors	The EA classify the superficial Till and bedrock of the Charmouth Mudstone Formation as Secondary Undifferentiated Aquifers. The Alluvium along the northern boundary is classified as a Secondary A Aquifer, however, given its limited extent on-Site, is unlikely to form a viable potable groundwater source.  The EA also indicate that the Site is not located within a Groundwater Source Protection Zone (SPZ).  According to the Envirocheck® Report there are no licenced groundwater	
	abstractions records within 500 m of the Site.	



Hydrology	There are a series of unnamed land drains across and along the Site boundaries. In addition, the River Till is located approximately 400 m west.  According to the Envirocheck® Report there are no licenced abstraction records from surface water within 500 m of the Site.	
	Surface water within 500 m or the Site.	
Mining & Quarrying	Reference to the Coal Authority on-line viewer indicates that the Site is not with a Coal Mining Reporting Area. Consequently, as such a Coal Mining Risk Assessment (CMRA) is not required under the planning regime.	
	There are no BGS Recorded Mineral Sites within 500 m of the Site.	
Radon Gas	The Site lies within an area where less than 1% of homes are above the National Radiological Protection Board (NRPB) recommended "action level" for radon. BRE211 (2015) indicates that no radon protective measures are necessary in the construction of new buildings at the Site.	
Agricultural Buried Waste	Legal burial of waste, including asbestos containing materials (ACM) for agriculture was banned in 2006.	
	Prior to that date it is understood farmers were required to make a record of waste burial locations and recommended use a clean cover of soil.	
	There are no known records of agricultural buried waste for this Site, but infilled ponds may represent a source of contamination.	

### 2.3 Sensitive Land Use

Ecological Receptors	It is understood from information provided within the Envirocheck Report that there are no statutory ecological receptors located within 500 m of the Site.	
Heritage Interest	Historic England Records ( <a href="https://doi.org.uk">historic England Records</a> (	

### 2.4 Historical Use of the Site & Surrounding Area

### 2.4.1 Approach

The historical development of the Site and surrounding area has been assessed through a review of historical maps, aerial photographs and Google Earth historical satellite imagery. A summary of the key historical Site uses and developments in the surrounding area is presented below. Copies of selected historical maps are included as Appendix C.

### 2.4.2 Historical Information Review

The following table provides a review of the historical information for the Site, adjacent and surrounding area.

Historical Features On-Site	From the earliest map edition dated 1885, the Site is largely undeveloped and comprises a series of agricultural fields with associated land drains and a single pond in the central area. A road is noted in the north western area of the Site, consistent with the route of the present-day thoroughfare. The pond in the central area is no longer mapped by the 1906 map edition and is potentially infilled.
	No further changes are noted until the 1976 map edition where overhead power lines and pylons are noted in the southern area of the Site.  No further alterations are noted, and the Site remains consistent until present day.



Potential sources of contamination located within 250 m are limited to the potential infilling of three ponds located between 180 m and 250 m south west, however, given the underlying clay geology, the infilling is not considered to represent a significant risk. In addition, Grange Farm is located approximately 50 m west from the earliest map edition dated 1885 until present.

### 2.4.3 Unexploded Ordnance (UXO)

The Zetica Regional Unexploded Bomb Risk Map for the area of the Site (<u>zeticauxo.com</u>) indicates a low risk from unexploded ordnance at the Site.

### 2.5 Environmental Database Review

The Landmark Envirocheck® Report provides a database of environmental information held by various statutory bodies including the EA, Local Authority (LA), Health & Safety Executive (HSE) and Public Health England amongst others. A copy of the Envirocheck Report is provided in Appendix D and the most relevant information is summarised below.

Features On-Site	The Landmark Envirocheck® Report does not list any entries for the Site.		
Potentially Contaminative	Pertinent entries included within the Landmark Envirocheck® Report, located within 250 m of the Site, include the following:		
Features Off-Site	▲ A single Discharge Consent located approximately 20 m south west relating to the discharge of final/treated sewage to a tributary of the River Till; and		
	▲ Two Public Infrastructure Points of Interest located approximately 245 m north east relating to a weir, sluice or dam.		
	There are no BGS, EA or Historical Landfill Sites within 500 m of the Site.		

### 2.6 Planning Review/Regulatory Enquiries

On-line Planning Review	West Lindsey District Council	Date Accessed	15/11/2021
Findings	There are no planning applications relating to the Site.		
	No additional potentially contaminative activities or other information pertinent to this assessment was identified from the historical planning records.		



# 3.0 Conceptual Site Model

### 3.1 Introduction

A Conceptual Site Model (CSM) represents the relationships between contaminant sources, pathways and receptors, to support the identification and assessment of contaminant linkages.

### 3.2 Potential Contamination Sources

Identified potential contamination sources are presented in the following table:

Reference	Source	Location	Dates Present	Potential Associated Contaminants of Concern
S1	Agricultural use including small scale fuel spills/leaks from machinery	Site-wide	Pre 1885 to present	Heavy metals and hydrocarbon compounds
S2	Potentially infilled pond	Central area	1906 to present	Asbestos, heavy metals, hydrocarbon compounds and hazardous ground gas
S3	Potential for buried asbestos waste	Site-wide	Pre 2006 to present	Asbestos
S4	Unrecorded on and off-Site sources	Unknown	Unknown	Asbestos, heavy metals, hydrocarbon compounds and hazardous ground gas

### 3.3 Potential Pathways

The potential pathways are considered to be as follows:

- Direct contact, ingestion or inhalation of soil bound contaminants / dust during or following redevelopment.
- Inhalation of organic vapours associated with contamination.
- ▲ Migration of ground gas / vapours into on-Site buildings causing asphyxiation or risk of explosion.
- Leaching of contamination into groundwater followed by migration of groundwater to the wider groundwater environment or discharge to surface waters.
- Direct contact between aggressive ground conditions and new infrastructure.

### 3.4 Potential Receptors

Relevant potential receptors are considered to include:

- Construction workers.
- ▲ Third parties during construction (adjacent Site users and adjacent residents).
- Future Site users including maintenance workers.
- Controlled waters including land drains and the River Till.
- The underlying Secondary A and Secondary Undifferentiated Aquifers.
- The Built Environment (new buildings and infrastructure / utilities).



Source	Pathway(s)	Receptor(s)	Risk Ratings	Justification & Mitigation (if required)
	Direct contact/ ingestion and inhalation of dust, vapours and asbestos fibres.	Future Site users.  Groundworkers during the redevelopment or during any sub- surface maintenance works.	Very Low Risk	Limited potential sources of contamination have been identified at the Site associated with the Sites former agricultural use. Given the very low sensitivity end use comprising a solar farm the risk to future Site users is considered very low. No further works are considered to required.  A 'hotspot' protocol should be in place during the redevelopment for ground workers to act upon should suspected contamination be identified.  Groundworkers should use appropriate personal protective equipment (PPE), including respiratory protective equipment (RPE), if required and maintain good standards of hygiene to be protected from any soil contamination which may be present.
Sources Identified in Section 3.2.	Leaching of contamination into groundwater.  Vertical and lateral migration of contamination through permeable deposits below the Site.	Controlled waters.	Very Low Risk	No significant potential sources have been identified and there are no licensed groundwater abstraction records for potable water within 500 m of the Site, as such, the risk to controlled waters is considered very low.
	Direct contact.	Buried infrastructure.	Low Risk	Sulphates within the ground have the potential to attached buried infrastructure. Based on the anticipated natural clay soils at the Site, the risk is considered low, however it would be prudent to assess the sulphate class of the soils at the time of any geotechnical investigation.  It is considered unlikely that new potable supply pipes are required.
Hazardous ground gas (Potential infilled pond in central area).	Accumulation of gas in enclosed spaces and subfloor voids.	Buildings and future Site users.	Very Low Risk	Limited sources of ground gas have been identified at the Site associated with a potentially infilled pond in the central area of the Site. Given the very low sensitivity end use comprising a solar farm with limited infrastructure comprising battery storage and sub-stations, the potential for hazardous ground gas to accumulate is considered very low, as such, no further assessment is required.



# 4.0 Conclusions & Recommendations

### 4.1 Land Contamination Risks and Liabilities

Soils	Given the very low sensitivity end use comprising a solar farm the risk to future Site users is considered very low and no further assessment is required.
Groundwater	No significant potential sources have been identified and there are no licensed groundwater abstraction records for potable water within 500 m of the Site, as such, the risk to controlled waters is considered very low.
Ground Gas	Limited sources of ground gas have been identified at the Site associated with a potentially infilled pond and land drain in the north eastern area of the Site. Given the very low sensitivity end use comprising a solar farm, the potential for hazardous ground gas to accumulate is considered low, however, given no proposed development plans have been provided the risk should be re-assessed following determination of the layout. Should buildings be proposed in this area of the Site a limited investigation should be undertaken to assess the potential for hazardous ground gas generation and requirement for any ground gas protection measures.
Building Fabric & Services	Aggressive ground chemistry may attack buried concrete and therefore there may be a requirement for protection measures to be put in place at the Site.
Materials Management	Earthworks will need to be undertaken under a Materials Management Plan (MMP) in accordance with the CL:AIRE Code of Practice to facilitate the reuse of these materials. The Contractor shall be responsible for the preparation of a MMP and obtaining appropriate sign off from a Qualified Person prior to the commencement of earthworks.
Potential Contaminated Land Development Risks	Widespread contamination is considered unlikely and the preliminary risk assessment has identified a <b>very low to low</b> risk of soil/groundwater contamination and hazardous ground gas at the Site.

### 4.2 Geotechnical Considerations

Uncertainty and Data Gaps	This assessment is based on desk study information only. No Site-specific ground investigation data has made available for review.
Preliminary Ground Model	Based on the available information, it is anticipated that the Site is likely underlain by a sequence of Topsoil and superficial Till across the eastern area of the Site with the potential for Alluvium (clay, silt, sand and gravel) to encroach along the northern boundary, subsequently underlain by bedrock of the Charmouth Mudstone Formation. Bedrock is anticipated directly below Topsoil in the western area of the Site.
	Given the presence of a land drains, groundwater is expected to be shallow or perched.
Plausible Geo-Hazards	The geohazards listed below have been identified to follow guidance presented in the HE document CD622 'Managing Geotechnical Risk' (2019) which aims to identify and manage the geotechnical risks associated with a scheme throughout its lifespan, from planning to construction to maintenance.
	The following geohazards are considered to be substantial ground related risks associated with the proposed development. A substantial risk is defined by Delta-Simons in Appendix B.



- Potential for Made Ground associated with the potentially infilled pond in the central area. Made Ground is typically variable in nature and strength with a potentially low bearing capacity and unacceptable levels of total/differential settlement may occur;
- Potential soft, variable and compressible superficial Alluvial deposits which have potentially low bearing capacity and unacceptable levels of total/differential settlement may occur; and
- Possible shrink/swelling of clay due to trees bordering the Site and along field boundaries.

### 4.3 Recommendations and Development Constraints

### Recommendations

The following recommendations and development abnormals area considered appropriate;

- ▲ A geotechnical Site investigation to assess in-situ geotechnical soil strength testing / laboratory testing and CBRs, in order to inform proposed foundation/roadway design;
- A hotspot protocol should be put in place for groundworks to act upon should potential contamination be identified; and
- ▲ Subject to the proposed development scheme a Materials Management Plan (MMP) may be required in accordance with regulatory protocols during redevelopment.




# **Figures**



# Figure 1 – Site Location Map





deltasimons

Site Location Map West Burton Solar Project West Burton 1 JR To Scale@A4 21-1098

□NICHED BY
PH 1 FIGURE NO:

8th November 2021 1

# Figure 2 – Site Layout Plan






deltasimons

Site Layout Plan
West Burton Solar Project
West Burton 1

JR	Not to Scale	PROJECT NO: 21-1098.02
снескев ву: РН	REVISION:	FIGURE NO:
DATE: 8th N	lovember 2021	2

# Figure 3 – Relevant Feature Plan





PH04: View across northern area PH05: View across northern area



PHOS: Access track along central area





Relevant Features Plan West Burton Solar Project West Burton 1

NTS

21-1098.02

25<sup>th</sup> November 2021

3

# **Appendices**



# Appendix A – Limitations



### Limitations

This Report was prepared by Delta-Simons Environmental Consultants Ltd (Delta-Simons) for the sole and exclusive use of the Client and for the specific purpose for which Delta-Simons was instructed. Nothing contained in this Report shall be construed to give any rights or benefits to anyone other than the Client and Delta-Simons, and all duties and responsibilities undertaken are for the sole and exclusive benefit of the Client and not for the benefit of any other party. Delta-Simons does not intend, without its written consent through a formal letter of reliance or warranty, for this Report to be disseminated to any party other than the named Client or to be used or relied upon by any party other than the named Client. Use of the Report by any other party is unauthorised and such use is at the sole risk of the user. Any party using or relying upon this Report, other than the Client, agrees by virtue of its use to indemnify and hold harmless Delta-Simons from and against all claims, losses and damages (of whatsoever nature and howsoever or whensoever arising), arising out of or resulting from the performance of the work by Delta-Simons. Unless explicitly agreed otherwise, in writing, this Report has been prepared under Delta-Simons' Standard Terms and Conditions as included within our proposal to the Client.

The recommendations contained within this Report represent Delta-Simons professional opinions, based upon the information detailed within the Report, exercising the reasonable skill and care to be expected of a professional consultant holding itself out as having the competence, experience and resources necessary for the purpose of carrying out similar work in scope and character to the services performed. The Report needs to be considered in the light of the proposal and associated limitations of scope. The Report needs to be read and considered in full and isolated sections cannot be used without full reference to other elements of the report and any previous works referenced within the Report.

Where Delta-Simons has obtained, reviewed and evaluated information in preparing this Report from the Client and others and Delta-Simons conclusions, opinions and recommendations has been reasonably determined using this information, Delta-Simons does not warrant the accuracy of the third-party information provided to it and cannot be responsible for any opinions which Delta-Simons has expressed, or conclusions which it has reached in reliance upon information which is subsequently proven to be inaccurate.

Site surveys document the conditions encountered at the time of survey only and conditions may change due to natural processes or human intervention. As such, surveys represent an assessment at a specific point in time and Delta-Simons cannot be responsible for adverse conditions which arise or become apparent after the time of the survey or for conditions which sit outside the scope for which the survey or Report was commissioned.

Where intrusive investigations have been completed, information, comments and opinions given in this report are based on the ground conditions encountered during the site work period and on the results of laboratory and field tests performed during the investigation. Ground conditions are inherently variable such that no investigation can be exhaustive to the extent that all adverse conditions are revealed. Conditions may therefore be present beneath the site that were not apparent in the data reviewed or obtained as part of this assessment. It should be noted that groundwater levels vary due to seasonal and other effects and may at times differ to those measured during the investigation. Delta-Simons does not warrant or guarantee that the Site is free of hazardous or potentially hazardous materials or conditions. Where risk assessment is undertaken, this is based upon the standards, guidance and common practice at the time of the assessment and Delta-Simons cannot be responsible for conditions which become apparent following changes in guidance or practice or advancements in scientific knowledge which change the position in relation to assessment of risk.

No aspect of this Report constitutes a design. Where this information is used in design, the designer should verify the information has been used appropriately.

Where budgets are prepared and presented within the Report, these are for information only to indicate the likely magnitude of a cost and do not represent an invitation to treat for the works. All budgets and programmes presented should be reviewed and verified by appropriately qualified and experienced independent Project Managers and Cost Consultants.



# Appendix B – Risk Definitions



### Contaminated Land Risk Definitions

The following methodology is based on the methodology presented in CIRIA C552 Contaminated Land Risk Assessment: A Guide to Good Practice 2001. It requires the classification of the:

Magnitude of the potential consequence (severity) of the Risk occurring: and

Magnitude of the Probability (likelihood) of the Risk occurring.

The classifications are then compared to indicate the risk presented by each pollutant linkage.

### **Consequence to Receptor Definition Matrix**

	Human Health	Controlled Waters	Buildings/Services
Severe Consequence	Acute or chronic permanent impact on human health.	Sensitive controlled water pollution ongoing, or just about to occur.	Catastrophic collapse
	Chronic permanent impact on human health	Gradual pollution of sensitive controlled water	Degradation of materials
IIVIIIA CANSANIIANCA	Chronic temporary impact on human health	Gradual pollution of non-	Damage to building rendering it unsafe.to occupy (e.g. foundation damage resulting in instability).
Minor Consequence	Non-permanent health effects to human health (easily prevented by means such as personal protective clothing etc).	Slight discoloration of water	Easily repairable effects of damage to buildings, structures and services, i.e. discoloration of concrete

### **Probability Definitions**

Probability	Definition in Context
Higher	There is a pollution linkage and an event that either appears very likely in the short term and almost inevitable over the long term, or there is evidence at the receptor of harm or pollution.  Positive evidence of source, pathway and receptor.
Likely	There is a pollution linkage and all the elements are present and in the right place, which means that it is probable that an event will occur. Circumstances are such that an event is not inevitable, but possible in the short term and likely over the long term.  Suspect source, pathway, and receptor
Low Likelihood	There is a pollution linkage and circumstances are possible under which an event could occur.  However, it is by no means certain that even over a longer period such event would take place, and is less likely in the shorter term.
Unlikely	There is a pollution linkage but circumstances are such that it is improbable that an event would occur even in the very long term.  No evidence of hazard, pathway, and receptor



### **Standard Risk Matrix**

			Consequence/Ma	gnitude of impact	
		Severe	Medium	Mild	Minor
<u>ج</u>	High	Very High	High	Moderate	Moderate/Low
Probability	Likely	High	Moderate	Moderate/low	Low
Prob	Low Likelihood	Moderate	Moderate/low	Low	Very Low
	Unlikely	Moderate/low	Low	Very Low	Very Low

### Classified risks and likely action

	<u> </u>
Significance Level	Definition/Comments
	There is a high probability that severe harm could arise to a designated receptor from an identified hazard, OR, there is evidence that severe harm to a designated receptor is currently happening.
Very High Risk	This risk, if realised, is likely to result in a substantial liability. Urgent investigation (if not undertaken already) and remediation are likely to be required.
	Demonstrable contaminated land situation, highest threat & liability level, urgent action recommended.
	Harm is likely to arise to a designated receptor from an identified hazard.
High Risk	Realisation of the risk is likely to present a substantial liability. Urgent investigation (if not undertaken already) is required and remedial works may be necessary in the short term and are likely over the longer term.
	Likely contaminated land situation, risk assessment and action recommended.
	It is possible that harm could arise to a designated receptor from an identified hazard. However, if is either relatively unlikely that any such harm would be severe, or if any harm were to occur it is more likely that the harm would be relatively mild.
Moderate	Investigation (if not already undertaken) is normally required to clarify the risk and to determine the potential liability. Some remedial works may be required in the longer term.
	Plausible contaminated land situation, risk assessment and possible action recommended.
Low Risk	It is possible that harm could arise to a designated receptor from an identified hazard, but it is likely that this harm, if realised, would at worst normally be mild.
	Unlikely contaminated land situation, possible risk assessment and possible action.
Very Low Risk	There is a low possibility that harm could arise to a receptor. In the event of such harm being realised it is not likely to be severe.
	Negligible risk, no action recommended except vigilance for changes in conditions.



### Geotechnical Risk Classification

The geohazards listed in the report within Section 4 follow guidance presented in Clayton, C.R.I. (2001) Managing Geotechnical Risk, Thomas Telford and the Highways Agency document CD622 'Managing Geotechnical Risk' (2008) which aims to identify and manage the geotechnical risks associated with a scheme throughout its lifespan, from planning to construction to maintenance.

For each geohazard the probability of the hazard occurring (P) has been considered together with the impact it would have (I) if it were to happen to calculate the risk rating between 1 and 25.

Risks that fall within Moderate, Significant and Severe categories below are considered to be substantial and are therefore listed within the report.

Probability	(P)	
Very Likely (VLk)	5	
Likely (Lk)	4	)
Plausible (P)	3	
Unlikely (U)	2	
Very Unlikely (VU)	1	

Impact	(1)	
Very High (VH)	5	
High (H)	4	
Medium (M)	3	
Low (L)	2	
Very Low (VL)	1	

(R)	Risk
20 – 25	Severe
15 – 19	Substantial
10 – 14	Moderate
5-9	Minor
1-4	Negligible



# Appendix C – Historical Maps



# **Historical Mapping Legends**

### **Ordnance Survey County Series 1:10,560** Gravel Pit Other Orchard Mixed Wood Deciduous Brushwood Furze Rough Pasture Trigonometrical Arrow denotes flow of water Station Site of Antiquities Bench Mark Pump, Guide Post, Well, Spring, Signal Post Boundary Post Surface Level -285 Sketched Instrumental Contour Contour Fenced Main Roads Minor Roads Un-Fenced Raised Road Sunken Road Railway over Road over Railway River Railway over Level Crossing Road Road over Road over Road over County Boundary (Geographical) County & Civil Parish Boundary Administrative County & Civil Parish Boundary County Borough Boundary (England) Co. Boro. Bdy. County Burgh Boundary (Scotland) Rural District Boundary RD. Bdy.

Civil Parish Boundary

### Ordnance Survey Plan 1:10,000

	alk Pit, Clay Pit Quarry	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Gravel Pit				
Sar	nd Pit		Disused Pit or Quarry				
1.0.	fuse or g Heap	<b></b>	Lake, Loch or Pond				
Sauge Dur	nes	000	Boulders				
弁 弁 ☆ Cor Tre	niferous es	446	Non-Coniferous Trees				
♦ Orcha	rd Ωn_	Scrub	\Y₁v Coppice				
ரி Brack எ	en	Heath '	( ) , , , Rough Grassland				
<u>→</u> Marsh	· · · · · · · · · · · · · · · · · · ·	Reeds	— <u>১</u> — Saltings				
Direction of Flow of Water							
Buildin		1	Shingle				
		1//	Simgle				
	>_	*//	Sand				
Glassi	nouse						
		Pylon	Electricity				
tomate of the last			- Transmission				
CITTLE Slopin	g Masonry	Pole	Line				
			_				
Cutting	Embankme	nt	Standard Gauge				
***************************************			Multiple Track				
Road ''' Road Level Foot Single Track							
Under	Over Crossi	ng Bridge	Siding, Tramway or Mineral Line				
— — Geographical County							
	Administrative Co or County of City	unty, County	Borough				
Municipal Borough, Urban or Rural District, Burgh or District Council							
Borough, Burgh or County Constituency Shown only when not coincident with other boundaries							
Civil Parish Shown alternately when coincidence of boundaries occurs							
BP, BS Boundar	ry Post or Stone	Pol Sta	Police Station				
Ch Church	. , . oa. or otorie	PO Sta	Post Office				
			Public Convenience				
	ine Station	PH SB	Public House				
			Signal Box				
Fn Fountair GP Guide Po		Spr TCB	Spring Telephone Call Box				
Guide Po	va.	ICB	Telephone Call Box				

Mile Post

Mile Stone

TCP

Telephone Call Post

# 1:10,000 Raster Mapping


(EED)	Gravel Pit	(EEE)	Refuse tip or slag heap
7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	Rock	1 7	Rock (scattered)
*****	Boulders		Boulders (scattered)
2000	Shingle	Mud	Mud
Sand	Sand	(EEE)	Sand Pit
mm	Slopes	רררררר הנהנהנה	Top of cliff
	General detail		Underground detail
	Overhead detail	**********	Narrow gauge railway
	Multi-track railway		Single track railway
	County boundary (England only)		Civil, parish or community boundary
	District, Unitary, Metropolitan, London Borough boundary		Constituency boundary
**	Area of wooded vegetation	مم مم	Non-coniferous trees
۵ ۵	Non-coniferous trees (scattered)	** **	Coniferous trees
* *	Coniferous trees (scattered)	Q	Positioned tree
4	Orchard	R R	Coppice or Osiers
, str.	Rough Grassland	artitira	Heath
On_	Scrub	a <u>N</u> in.	Marsh, Salt Marsh or Reeds
6	Water feature	<del>-</del>	Flow arrows
MHW(S)	Mean high water (springs)	MLW(S)	Mean low water (springs)
	Telephone line (where shown)		Electricity transmission line (with poles)
+- BM 123.45 m	Bench mark (where shown)	Δ	Triangulation station
	Point feature (e.g. Guide Post or Mile Stone)	$\boxtimes$	Pylon, flare stack or lighting tower
+	Site of (antiquity)		Glasshouse
	General Building		Important Building



### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Lincolnshire	1:10,560	1885 - 1886	3
Lincolnshire	1:10,560	1907	4
Lincolnshire	1:10,560	1907	5
Lincolnshire	1:10,560	1947	6
Ordnance Survey Plan	1:10,000	1956	7
Ordnance Survey Plan	1:10,000	1976	8
Lincoln	1:10,000	1989	9
10K Raster Mapping	1:10,000	2000	10
10K Raster Mapping	1:10,000	2006	11
VectorMap Local	1:10,000	2021	12

# Historical Map - Slice A



### **Order Details**

Order Number: 287331719\_1\_1 Customer Ref: 21-1098.02 National Grid Reference: 491570, 378500 Slice:

Site Area (Ha): Search Buffer (m): 90.26


### **Site Details** West Burton 1

Landmark

0844 844 9951 www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021 Page 1 of 12

# **Russian Military Mapping Legends**




### **Key to Numbers on Mapping**



### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Lincolnshire	1:10,560	1885 - 1886	3
Lincolnshire	1:10,560	1907	4
Lincolnshire	1:10,560	1907	5
Lincolnshire	1:10,560	1947	6
Ordnance Survey Plan	1:10,000	1956	7
Ordnance Survey Plan	1:10,000	1976	8
Lincoln	1:10,000	1989	9
10K Raster Mapping	1:10,000	2000	10
10K Raster Mapping	1:10,000	2006	11
VectorMap Local	1:10,000	2021	12

### Russian Map - Slice A



### **Order Details**

Order Number: 287331719\_1\_1 21-1098.02 **Customer Ref:** National Grid Reference: 491570, 378500

Slice:

Site Area (Ha): 90.26 Search Buffer (m):


**Site Details** 

West Burton 1

Landmark

0844 844 9951

A Landmark Information Group Service v50.0 04-Nov-2021 Page 2 of 12







# Published 1885 - 1886 Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and o her strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued un il recently, with new editions appearing every

### Map Name(s) and Date(s)



### **Historical Map - Slice A**




287331719\_1\_1 21-1098.02 National Grid Reference: 491570, 378500


90.26




0844 844 9951 www.enviroche

A Landmark Information Group Service v50.0 04-Nov-2021 Page 3 of 12










### Lincolnshire


### **Published 1947** Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and o her strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued un il recently, with new editions appearing every 10 years or so for urban areas.

### Map Name(s) and Date(s)



#### **Historical Map - Slice A**



#### **Order Details**

Order Number: 287331719\_1\_1 **Customer Ref:** 21-1098.02 National Grid Reference: 491570, 378500


Site Area (Ha): Search Buffer (m): 90.26

**Site Details** 

West Burton 1



0844 844 9951 www.enviroche







### **Ordnance Survey Plan** Published 1956 Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and o her strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued un il recently, with new editions appearing every 10 years or so for urban areas.

### Map Name(s) and Date(s)



#### **Historical Map - Slice A**



#### **Order Details**

Order Number: 287331719\_1\_1 **Customer Ref:** 21-1098.02 National Grid Reference: 491570, 378500


Site Area (Ha): Search Buffer (m): 90.26

### **Site Details**

West Burton 1



0844 844 9951 www.enviroche







### **Ordnance Survey Plan** Published 1976 Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and o her strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued un il recently, with new editions appearing every 10 years or so for urban areas.

### Map Name(s) and Date(s)



#### **Historical Map - Slice A**



#### **Order Details**

Order Number: 287331719\_1\_1 **Customer Ref:** 21-1098.02 National Grid Reference: 491570, 378500


Site Area (Ha): Search Buffer (m): 90.26


**Site Details** 


West Burton 1




0844 844 9951 www.enviroche










### **Ordnance Survey County Series and Ordnance Survey Plan 1:2,500**



Pump

Sluice

Spring

Trough

Well

Signal Post

Telephone Call Box

S.P

T.C.B

Tr

B.R.

EPP.B. Bridle Road

Foot Bridge


Mile Stone

M.P. M.R. Mooring Post or Ring

Electricity Pylor

Guide Post or Board

### Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



<sup>E T L</sup> Electricity Transmission Line		
	County Boundary (Geographical)	
· — · — ·	County & Civil Parish Boundary	
	Civil Parish Boundary	
· <del></del> · ·	Admin. County or County Bor. Boundary	
- <del></del>	London Borough Boundary	
***	Symbol marking point where boundary mereing changes	

вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250

		Slo	pes <sub>T</sub>	ор
Clift		op		<b>!!!!!!!!</b> !!!!!!!!
Som Rock		52	Rock (sca	attered)
🕰 Bould	ers	Δ	Boulders	(scattered)
○ Position	oned Boulder		Scree	
्रि Non-C (surve	Coniferous Tree eyed)	-1-	Coniferou	
C 3 Co. 1	Coniferous Trees urveyed)	~I\ _A.	Coniferou	
င့် Orcha Tree	ırd	rub	الم ا	Bracken
∦ √ Coppi Osier	ce, 🔌 Re	eds 🗝		Marsh, Saltings
Rough		ath	1	Culvert
»→ Direct of wat		angulation ation		Antiquity (site of)
<u>E_T</u> L Ele	ectricity Transmissio	n Line	$\boxtimes$	Electricity Pylon
<b>/</b> √ BM 231.60m	Bench Mark		Buildings Building	
F	Roofed Building		9	zed Roof ding
	Ci∨il parish/co	mmunity bo	oundary	
	District bounda	ary	•	
_ •	County bounds	arv		
g	Boundary post	<u>-</u>		
	Boundary mer		ol (note: tl	nese
۵	always appear of three)			
Bks Barr	acks	Р	Pillar, Pole	
Bty Batte	-	PO PC	Post Office Public Cor	
Cemy Cem Chy Chin	etery nnev	PC Pp	Public Cor	IVEINENCE
Cis Ciste	•	Ppg Sta	Pumping S	Station
	smantled Railway	PW	Place of W	
	ectricity Generating ation	Sewage Pp	g Sta Sev Pun	vage nping Station
	tricity Pole, Pillar	SB, S Br	_	x or Bridge
	tricity Sub Station	SP, SL	Signal Pos	st or Light
FB Filter		Spr	Spring	·
Fn/DFn Four	ntain / Drinking Ftn.	Tk	Tank or Tra	ack

Gas Valve Compound

Mile Post or Mile Stone

Gas Governer

**Guide Post** 

Manhole

GVC

Trough

Wind Pump Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

Wd Pp


Wks



### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Lincolnshire	1:2,500	1886	2
Lincolnshire	1:2,500	1906	3
Ordnance Survey Plan	1:2,500	1974	4
Large-Scale National Grid Data	1:2,500	1994	5
Historical Aerial Photography	1:2,500	1999	6

### **Historical Map - Segment A6**



#### **Order Details**

Order Number: 287331719\_1\_1 **Customer Ref:** 21-1098.02 National Grid Reference: 491570, 378500

Slice:

Site Area (Ha): 90.26 Search Buffer (m):


### **Site Details**


West Burton 1




0844 844 9952

Page 1 of 6











# Ordnance Survey Plan Published 1974 Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cul ivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, wi h independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

### Map Name(s) and Date(s)



### **Historical Map - Segment A6**



#### **Order Details**

Order Number: 287331719\_1\_1 Customer Ref: 21-1098.02 National Grid Reference: 491570, 378500

e:


Site Area (Ha): 90.26 Search Buffer (m): 100

### **Site Details**

West Burton 1

Landmark\*

Tel: 0844 844 9952 Fax: 0844 844 9951 Web: www.envirochec






### **Large-Scale National Grid Data** Published 1994 Source map scale - 1:2,500

'Large Scale Na ional Grid Data' superseded S M cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

### Map Name(s) and Date(s)



### **Historical Map - Segment A6**



#### **Order Details**

287331719\_1\_1 21-1098.02 Order Number: Customer Ref: National Grid Reference: 491570, 378500


Site Area (Ha): Search Buffer (m): 90.26

### **Site Details**

West Burton 1

Landmark

0844 844 9952






### **Historical Aerial Photography** Published 1999

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

### **Historical Aerial Photography - Segment A6**



#### **Order Details**

Order Number: 287331719\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 491570, 378500

Site Area (Ha): Search Buffer (m): 90.26


**Site Details** 

West Burton 1

**Landmark** 

0844 844 9952 0844 844 9951 www.envirocheck co uk

### **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring

Trough Well

S.P

T.C.B

Tr

B.R.

EPP.B.

M.S

Bridle Road

Foot Bridge


Mile Stone

M.P. M.R. Mooring Post or Ring

Electricity Pylor

Guide Post or Board

Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



Culvert யார் Heath Grassland Direction Bench Antiquity of water flow (site of) Electricity Cave Triangulation ÷

**Electricity Transmission Line** County Boundary (Geographical) County & Civil Parish Boundary Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary mereing changes

вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250

		Slo	opes _	
عالابه المالاند	لبنيد	Тор	1111111	op 
Cliff	1111	HINIMAN	_ )))))))	]]]]]]]]]
~~~~~~~~~			11111111	11111111
Sig Roc	:k	7,3	Rock (sca	attered)
△ Bou	ılders	<i>△</i>	Boulders	(scattered)
△ Pos	itioned Boulder		Scree	
C 13	n-Coniferous Tree rveyed)	丰	Coniferou (surveyed	
ເມເມ	n-Coniferous Trees t surveyed)	* **	Coniferou (not surve	
රු Orci	hard & a.	Scrub	الرّ ا	Bracken
∦ √ Cop Osi	opice, er	Reeds 🛥		Marsh, Saltings
Rou Gra	igh "ատ, issland	Heath	1	Culvert
<del>,,,, ,,</del>	ection 🛆 vater flow	Triangulatior Station		Antiquity (site of)
_E_TLE	Electricity Transmis	ssion Line		Electricity Pylon
₩ 231.6	մտ Bench Mark		Buildings Building	s with Seed
	Roofed Building			zed Roof ding
	• Ci∨il parish	/community b	oundary	
	District box	=	,	
_ •	— County bou	-		
٥	Boundary	<del>-</del>		
٥	Boundary r	mereing symb ear in oppose		
Bks Ba	arracks	P	Pillar, Pole	or Post
	attery	PO	Post Office	
-	emetery	PC	Public Cor	nvenience
-	himney	Pp	Pump	
Cis Ci	istern	Ppg Sta	Pumping S	
Dismtd Rly	Dismantled Railway	PW	Place of W	•
El Gen Sta	Electricity Generating Station	Sewage P		vage nping Station
EIP EI	ectricity Pole, Pillar	SB, S Br		x or Bridge
	ectricity Sub Station	SP, SL	Signal Pos	st or Light
FB Fil	lter Bed	Spr	Spring	
F-25 F- F-				_

Fn / D Fn Fountain / Drinking Ftn.

Gas Governer

**Guide Post** 

Manhole

GVC

Gas Valve Compound


Mile Post or Mile Stone



### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Lincolnshire	1:2,500	1886	2
Lincolnshire	1:2,500	1906	3
Ordnance Survey Plan	1:2,500	1973 - 1974	4
Large-Scale National Grid Data	1:2,500	1994	5
Historical Aerial Photography	1:2,500	1999	6

### **Historical Map - Segment A7**



#### **Order Details**

Order Number: 287331719\_1\_1 **Customer Ref:** 21-1098.02 National Grid Reference: 491570, 378500 Slice:

Site Area (Ha):

90.26 Search Buffer (m):

#### **Site Details** West Burton 1

Tank or Track

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

Tr


Wd Pp


Wks


Landmark

0844 844 9952 0844 844 9951

Page 1 of 6











### **Ordnance Survey Plan Published 1973 - 1974** Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cul ivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, wi h independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

### Map Name(s) and Date(s)



### **Historical Map - Segment A7**



#### **Order Details**

Order Number: 287331719\_1\_1 21-1098.02 Customer Ref: National Grid Reference: 491570, 378500 Slice:


Site Area (Ha): Search Buffer (m): 90.26

### **Site Details**

West Burton 1



0844 844 9951 www.envirocheck co uk







### **Large-Scale National Grid Data** Published 1994 Source map scale - 1:2,500

'Large Scale Na ional Grid Data' superseded S M cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

### Map Name(s) and Date(s)



### **Historical Map - Segment A7**



#### **Order Details**

287331719\_1\_1 21-1098.02 Order Number: Customer Ref: National Grid Reference: 491570, 378500 Slice:


Site Area (Ha): Search Buffer (m): 90.26

### **Site Details**

West Burton 1



0844 844 9951 www.envirocheck co uk






### **Historical Aerial Photography** Published 1999

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

### **Historical Aerial Photography - Segment A7**



#### **Order Details**

Order Number: 287331719\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 491570, 378500

Site Area (Ha): Search Buffer (m): 90.26


### **Site Details**

West Burton 1

Landmark

0844 844 9952 0844 844 9951 www.envirocheck co uk

### **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring

Trough Well

S.P

T.C.B

Tr

B.R.

EPP.B.

M.S

Bridle Road

Foot Bridge


Mile Stone

M.P. M.R. Mooring Post or Ring

Electricity Pylor

Guide Post or Board

Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 



**Electricity Transmission Line** 

Direction

Cave

of water flow

County Boundary (Geographical) County & Civil Parish Boundary Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary mereing changes

Bench

Triangulation

Antiquity

(site of)

Electricity

÷

вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250

		Slo	opes Top
لانتهنى	-	Гор	111111111111111111
Cliff	11111111	1111111111111	100000111111111111111111111111111111111
	11111111	mmmmu	
Sock Rock		₹2	Rock (scattered)
△ Boulders		~	Boulders (scattered)
○ Positioned	d Boulder		Scree
Non-Conit	ferous Tree I)	丰	Coniferous Tree (surveyed)
ದ್ದಿದ್ದ Non-Conit (not surve	ferous Trees yed)	春春	Coniferous Trees (not surveyed)
එ Orchard Tree	ç <sup>lo</sup> a. Sc	rub	<sub>ໃ</sub> ຕຼ Bracken
Coppice, Osier	.₩. Re	eds 📲	<u>ட அம</u> Marsh, Saltings
Rough Grassland	d umm, He	eath	Culvert
Direction of water fl		angulation ation	Antiquity (site of)
E_TL Electric	city Transmissio	n Line	⊠ Electricity Pylon
 	Bench Mark		Buildings with Building Seed
Roof	ed Building		Glazed Roof Building
	Oir ill maniah (a.a.		
	Civil parish/co		oundary
<u> </u>	District bound	-	
_ •	County bounda	ary	
0	Boundary post	/stone	
٥			ol (note: these ed pairs or groups
Bks Barracks		Р	Pillar, Pole or Post
Bty Battery		PO	Post Office
Cemy Cemetery	•	PC	Public Convenience
Chy Chimney		Pp	Pump
Cis Cistern		Ppg Sta	Pumping Station
Dismtd Rly Dismar	ntled Railway	PW	Place of Worship
El Gen Sta Electrio Station	city Generating	Sewage P	pg Sta Sewage Pumping Station
	Pole, Pillar	SB, S Br	Signal Box or Bridge
•			
El Sub Sta Electricity			
El Sub Sta Electricity FB Filter Bed	Sub Station	SP, SL Spr	Signal Post or Light Spring

Fn / D Fn Fountain / Drinking Ftn.

Gas Governer

**Guide Post** 

Manhole

GVC

Gas Valve Compound


Mile Post or Mile Stone



#### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Lincolnshire	1:2,500	1886	2
Lincolnshire	1:2,500	1906	3
Ordnance Survey Plan	1:2,500	1974	4
Large-Scale National Grid Data	1:2,500	1994	5
Historical Aerial Photography	1:2,500	1999	6

### **Historical Map - Segment A10**



#### **Order Details**

Order Number: 287331719\_1\_1 **Customer Ref:** 21-1098.02 National Grid Reference: 491570, 378500 Slice:

Site Area (Ha):

Search Buffer (m):

**Site Details** West Burton 1

Tank or Track

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

Tr

Wd Pp

Wks


Landmark


0844 844 9952 0844 844 9951

Page 1 of 6

A Landmark Information Group Service v50.0 04-Nov-2021

90.26








### Lincolnshire


### Published 1906 Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cul ivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, wi h independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

### Map Name(s) and Date(s)



### **Historical Map - Segment A10**



#### **Order Details**

Order Number: 287331719\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 491570, 378500

ce:


Site Area (Ha): 90.26 Search Buffer (m): 100


### **Site Details**


West Burton 1



Tel: 0844 844 9952 Fax: 0844 844 9951 Web: www.envirocheck co uk










### **Historical Aerial Photography** Published 1999

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

### **Historical Aerial Photography - Segment A10**



#### **Order Details**

Order Number: 287331719\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 491570, 378500


Site Area (Ha): Search Buffer (m): 90.26

**Site Details** West Burton 1

Landmark

0844 844 9952 0844 844 9951 www.envirocheck co uk

### **Ordnance Survey County Series and Ordnance Survey Plan 1:2,500**



Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring

Trough

Well

S.P

T.C.B

Tr

B.R.

EPP.B. Bridle Road

Foot Bridge


Mile Stone

M.P. M.R. Mooring Post or Ring

Electricity Pylor

Guide Post or Board

#### Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



E T L Electricity Transmission Line		
	County Boundary (Geographical)	
. — . — .	County & Civil Parish Boundary	
	Civil Parish Boundary	
· <del></del> · <del></del> ·	Admin. County or County Bor. Boundary	
- <del></del>	London Borough Boundary	
24	Symbol marking point where boundary mereing changes	

вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250

ניליליויניילילי			Slopes <sub>Top</sub>			
	Cliff		Тор	!!!!!!!	HHHHHH	
· · · · · · ·				1111111	 	
		111		1111111	(11)(17)(1	
250	Rock		3	Rock (so	cattered)	
	Boulders		<i>\triangle</i>	Boulders	s (scattered)	
	Positioned	Boulder		Scree		
2월	Non-Conif (surveyed	erous Tree )	*	Conifero	ous Tree ed)	
Öΰ	Non-Conif (not surve	erous Trees yed)	* **	Conifero	ous Trees /eyed)	
දා	Orchard Tree	Q a.	Scrub	Jr,	Bracken	
* ~	Coppice, Osier	sNo.	Reeds 🛥	)ালে <i>স্মা</i> লি	Marsh, Saltings	
astilie,	Rough Grassland	$uuu_{n}$	Heath	1	Culvert	
<del>*** &gt;</del>	Direction of water flo	Δ ow	Triangulation Station	ુ નું	Antiquity (site of)	
E_TL	_ Electric	ity Transmi	ssion Line	$\boxtimes$	Electricity Pylon	
Buildings with Building Seed						
	Roofe	ed Building		∞.	azed Roof iilding	
		Ci∨il parish	n/community b	oundary		
		District bo	=	,		
_	_		•			
_ •		County boundary				
¢	,	Boundary				
غر		-	mereing symb bear in oppos			
Bks	Barracks		Р	Pillar. Po	le or Post	
Bty	Battery		PO	Post Offi		
Cemy	Cemetery		PC	Public C	onvenience	
Chy	Chimney		Pp	Pump		
Cis	Cistern		Ppg Sta	Pumping		
Dismtd F	•	tled Railway	PW	Place of	Worship	
El Gen S	ta Electric Station	ity Generating	Sewage F		ewage umping Station	
EIP	Electricity	Pole, Pillar	SB, S Br	Signal B	ox or Bridge	
El Sub S	ta Electricity	Sub Station	SP, SL	Signal P	ost or Light	
FB	Filter Bed		Spr	Spring		
En / D En	. Fountsin (	Drinking Etn	TL	Took or T		

Fn / D Fn Fountain / Drinking Ftn.

Gas Governer

**Guide Post** 

Manhole

Gas Valve Compound


Mile Post or Mile Stone



### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Lincolnshire	1:2,500	1886	2
Lincolnshire	1:2,500	1906	3
Ordnance Survey Plan	1:2,500	1974	4
Large-Scale National Grid Data	1:2,500	1994	5
Historical Aerial Photography	1:2,500	1999	6

### **Historical Map - Segment A11**



#### **Order Details**

Order Number: 287331719\_1\_1 **Customer Ref:** 21-1098.02 National Grid Reference: 491570, 378500 Slice:

Site Area (Ha): Search Buffer (m):

**Site Details** 

West Burton 1

Tank or Track

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

Tr

Wd Pp

Wks





0844 844 9952 0844 844 9951


Page 1 of 6


A Landmark Information Group Service v50.0 04-Nov-2021


90.26














# Historical Aerial Photography Published 1999

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

### **Historical Aerial Photography - Segment A11**



#### **Order Details**

Order Number: 287331719\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 491570, 378500

rial Cita (toloronos : Aros (tto):


Site Area (Ha): 90.26 Search Buffer (m): 100

Site Details
West Burton 1

Landmark

Tel: 0844 844 9952 Fax: 0844 844 9951 Web: www.envirocheck co uk

### **Ordnance Survey County Series and Ordnance Survey Plan 1:2,500**



Pump

Sluice

Spring

Trough

Well

Signal Post

Telephone Call Box

S.P

T.C.B

Tr

B.R.

EPP.B. Bridle Road

Foot Bridge


Mile Stone

M.P. M.R. Mooring Post or Ring

Electricity Pylor

Guide Post or Board

### Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



	Electri	icity Iransmission Line
		County Boundary (Geographical)
· — ·		County & Civil Parish Boundary
		Civil Parish Boundary
· <del></del> ·	<del></del> ·	Admin. County or County Bor. Boundary
LBBo	1y_ <del>-e_</del>	London Borough Boundary
***		Symbol marking point where boundary mereing changes
DU	Desallanas	D. Dillar Pole or Poet

вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250

		Slopes <sub>Top</sub>			
רוני. הלאנדיונייניי		Тор	uuu	Man	
Cliff	1111111	111111111111	_,,,,,,,,,	1111111111	
>			1111111	111111111	
≤2 <sub>52</sub> Rock		23	Rock (sc	attered)	
riangle  riangle		Δ.	Boulders	(scattered)	
Positioned	Boulder		Scree		
Non-Conife (surveyed)	erous Tree	-1-	Conifero (surveye		
ූූට Non-Conife (not surve	erous Trees /ed)	/IN .A.	Conifero (not surv	ous Trees reyed)	
එ Orchard Tree	လွ <sup>ဖ</sup> ြင့် So	crub	<sup>ب</sup> ھ ّ	Bracken	
Coppice, Osier	ava R∈	eeds <u>w</u>	<u>ল স্</u> যাত	Marsh, Saltings	
Rough Grassland	<sub>мини</sub> . Не	eath	1	Culvert	
Direction of water flo		iangulation ation	ઌ૾ૺ	Antiquity (site of)	
E_TL Electric	ity Transmissio	on Line	$\boxtimes$	Electricity Pylon	
\ €\ BM 231.60m	ench Mark		Building Building		
Roofe	ed Building		9	azed Roof ilding	
	Civil parish/co	mmunity bo	oundary		
	District bound	<del>-</del>	, un uu u		
		-			
_ •	County boundary				
٠	Boundary post		17 1	11	
P	Boundary mer always appea of three)				
Bks Barracks		Р	Pillar, Pol	e or Post	
Bty Battery		PO	Post Offic	ce	
Cemy Cemetery		PC	Public Co	onvenience	
Chy Chimney		Pp	Pump		
Cis Cistern		Ppg Sta	Pumping		
-	tled Railway	PW	Place of V	·	
El Gen Sta Electric Station	ity Generating	Sewage Pp		wage mping Station	
EIP Electricity	Pole, Pillar	SB, S Br		ox or Bridge	
El Sub Sta Electricity		SP, SL	_	ost or Light	
FB Filter Bed		Spr	Spring	=	

Fn / D Fn Fountain / Drinking Ftn.

Gas Governer

**Guide Post** 

Manhole

Gas Valve Compound


Mile Post or Mile Stone



### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Lincolnshire	1:2,500	1886	2
Lincolnshire	1:2,500	1906	3
Ordnance Survey Plan	1:2,500	1973 - 1974	4
Additional SIMs	1:2,500	1993	5
Large-Scale National Grid Data	1:2,500	1994	6
Historical Aerial Photography	1:2,500	1999	7

### **Historical Map - Segment A14**



#### **Order Details**

Order Number: 287331719\_1\_1 **Customer Ref:** 21-1098.02 National Grid Reference: 491570, 378500 Slice:

Site Area (Ha):

90.26 Search Buffer (m):

#### **Site Details** West Burton 1

Tank or Track

Trough

Wind Pump Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

Tr


Wd Pp


Wks



0844 844 9952

Page 1 of 7











### **Ordnance Survey Plan Published 1973 - 1974** Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cul ivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, wi h independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

#### Map Name(s) and Date(s)



### **Historical Map - Segment A14**



#### **Order Details**

Order Number: 287331719\_1\_1 Customer Ref: 21-1098.02 National Grid Reference: 491570, 378500 Slice:


Site Area (Ha): Search Buffer (m): 90.26


### **Site Details**

West Burton 1



0844 844 9952 0844 844 9951








### **Large-Scale National Grid Data** Published 1994 Source map scale - 1:2,500

'Large Scale Na ional Grid Data' superseded S M cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

### Map Name(s) and Date(s)



### **Historical Map - Segment A14**



### **Order Details**

Order Number: 287331719\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 491570, 378500

Site Area (Ha): Search Buffer (m): 90.26


### **Site Details**

West Burton 1



0844 844 9952

A Landmark Information Group Service v50.0 04-Nov-2021






### **Historical Aerial Photography** Published 1999

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

### **Historical Aerial Photography - Segment A14**



### **Order Details**

Order Number: 287331719\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 491570, 378500

Slice:

Site Area (Ha): Search Buffer (m): 90.26

**Site Details** West Burton 1


Landmark

0844 844 9952 0844 844 9951 www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021

## **Historical Mapping Legends**

### **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



P.C.B

S.P

SL

Sp.

Tr

T.C.B

B.R.

EP

P.B.

M.S

Bridle Road

Foot Bridge

Mile Stone

M.P. M.R. Mooring Post or Ring

Electricity Pylor

Guide Post or Board

Police Call Box

Telephone Call Box

Signal Post

Pump


Sluice

Spring

Trough

Well

Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 




Rough Culvert Grassland Direction Bench Antiquity of water flow (site of) Electricity Triangulation Cave ÷ Entrance

ETL **Electricity Transmission Line** County Boundary (Geographical) County & Civil Parish Boundary Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary mereing changes

вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250



Gas Valve Compound

Mile Post or Mile Stone

Gas Governer

**Guide Post** 

Manhole

GVC

MP, MS

Tr

Wd Pp

Wks

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap


Works (building or area)



### Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Lincolnshire	1:2,500	1886	2
Lincolnshire	1:2,500	1906	3
Ordnance Survey Plan	1:2,500	1973 - 1974	4
Large-Scale National Grid Data	1:2,500	1994	5
Historical Aerial Photography	1:2,500	1999	6

### **Historical Map - Segment A15**



#### **Order Details**

Order Number: 287331719\_1\_1 21-1098.02 **Customer Ref:** National Grid Reference: 491570, 378500 Slice:

Site Area (Ha): Search Buffer (m):

**Site Details** 

West Burton 1





0844 844 9952 0844 844 9951


Page 1 of 6

A Landmark Information Group Service v50.0 04-Nov-2021

90.26











### **Ordnance Survey Plan Published 1973 - 1974** Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cul ivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, wi h independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

### Map Name(s) and Date(s)



### **Historical Map - Segment A15**



#### **Order Details**

Order Number: 287331719\_1\_1 21-1098.02 Customer Ref: National Grid Reference: 491570, 378500 Slice:

Site Area (Ha): Search Buffer (m): 90.26


### **Site Details**

West Burton 1



0844 844 9951 www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021







### **Large-Scale National Grid Data** Published 1994 Source map scale - 1:2,500

'Large Scale Na ional Grid Data' superseded S M cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

### Map Name(s) and Date(s)



### **Historical Map - Segment A15**



#### **Order Details**

287331719\_1\_1 21-1098.02 Order Number: Customer Ref: National Grid Reference: 491570, 378500

Site Area (Ha): Search Buffer (m):

**Site Details** 

Landmark

0844 844 9951 www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021

90.26






### **Historical Aerial Photography** Published 1999

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

### **Historical Aerial Photography - Segment A15**



### **Order Details**

Order Number: 287331719\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 491570, 378500

Site Area (Ha): Search Buffer (m): 90.26

**Site Details** West Burton 1

Landmark

0844 844 9952 0844 844 9951 www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021

## Appendix D – Landmark Envirocheck Report





## **Envirocheck® Report:**

### **Datasheet**

### **Order Details:**

Order Number: 287331719\_1\_1

Customer Reference:

21-1098.02

**National Grid Reference:** 

491570, 378500

Slice:

Α

Site Area (Ha):

90.26

Search Buffer (m):

250

#### **Site Details:**

West Burton 1

### **Client Details:**

Mr A Howells Delta Simons 3 Henley Office Park Doddington Road Lincoln LN6 3QR







Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	12
Hazardous Substances	-
Geological	13
Industrial Land Use	15
Sensitive Land Use	16
Data Currency	17
Data Suppliers	22
Useful Contacts	23

#### Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination.

For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client.

In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

#### **Copyright Notice**

© Landmark Information Group Limited 2021. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environme Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under

Agency/Natural Resolutes waters and Natural England, and mist not be reproduced in whole of in part by protocopying of any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer.

A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.

© Environment Agency & United Kingdom Research and Innovation 2021. © Natural Resources Wales & United Kingdom Research and Innovation 2021.

#### Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

#### Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3 0.

#### Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining review@arup com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

#### Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

#### Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

#### **Natural Resources Wales Copyright Notice**

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2021. Land & Property Services © Crown copyright and database right.

#### Report Version v53.0



Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Agency & Hydrological			
BGS Groundwater Flooding Susceptibility	pg 1	Yes	
Contaminated Land Register Entries and Notices			
Discharge Consents	pg 1		1
Prosecutions Relating to Controlled Waters			n/a
Enforcement and Prohibition Notices			
Integrated Pollution Controls			
Integrated Pollution Prevention And Control			
Local Authority Integrated Pollution Prevention And Control			
Local Authority Pollution Prevention and Controls			
Local Authority Pollution Prevention and Control Enforcements			
Nearest Surface Water Feature	pg 1	Yes	
Pollution Incidents to Controlled Waters			
Prosecutions Relating to Authorised Processes			
Registered Radioactive Substances			
River Quality			
River Quality Biology Sampling Points			
River Quality Chemistry Sampling Points			
Substantiated Pollution Incident Register			
Water Abstractions			
Water Industry Act Referrals			
Groundwater Vulnerability Map	pg 1	Yes	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a
Groundwater Vulnerability - Local Information			n/a
Bedrock Aquifer Designations	pg 3	Yes	n/a
Superficial Aquifer Designations	pg 3	Yes	n/a
Source Protection Zones			
Extreme Flooding from Rivers or Sea without Defences	pg 3	Yes	
Flooding from Rivers or Sea without Defences	pg 3	Yes	Yes
Areas Benefiting from Flood Defences			
Flood Water Storage Areas	pg 4	Yes	
Flood Defences	pg 4	Yes	Yes
OS Water Network Lines	pg 4	14	47



Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Waste			
BGS Recorded Landfill Sites			
Historical Landfill Sites			
Integrated Pollution Control Registered Waste Sites			
Licensed Waste Management Facilities (Landfill Boundaries)			
Licensed Waste Management Facilities (Locations)			
Local Authority Landfill Coverage	pg 12	2	n/a
Local Authority Recorded Landfill Sites			
Potentially Infilled Land (Non-Water)			
Potentially Infilled Land (Water)			
Registered Landfill Sites			
Registered Waste Transfer Sites			
Registered Waste Treatment or Disposal Sites			
Hazardous Substances			
Control of Major Accident Hazards Sites (COMAH)			
Explosive Sites			
Notification of Installations Handling Hazardous Substances (NIHHS)			
Planning Hazardous Substance Consents			
Planning Hazardous Substance Enforcements			



Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Geological			
BGS 1:625,000 Solid Geology	pg 13	Yes	n/a
BGS Estimated Soil Chemistry	pg 13	Yes	Yes
BGS Recorded Mineral Sites			
BGS Urban Soil Chemistry			
BGS Urban Soil Chemistry Averages			
CBSCB Compensation District			n/a
Coal Mining Affected Areas			n/a
Mining Instability			n/a
Man-Made Mining Cavities			
Natural Cavities			
Non Coal Mining Areas of Great Britain			
Potential for Collapsible Ground Stability Hazards	pg 14	Yes	Yes
Potential for Compressible Ground Stability Hazards	pg 14	Yes	
Potential for Ground Dissolution Stability Hazards			
Potential for Landslide Ground Stability Hazards	pg 14	Yes	
Potential for Running Sand Ground Stability Hazards	pg 14	Yes	
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 14	Yes	
Radon Potential - Radon Affected Areas			n/a
Radon Potential - Radon Protection Measures			n/a
Industrial Land Use			
Contemporary Trade Directory Entries			
Fuel Station Entries			
Points of Interest - Commercial Services			
Points of Interest - Education and Health			
Points of Interest - Manufacturing and Production			
Points of Interest - Public Infrastructure	pg 15		2
Points of Interest - Recreational and Environmental			
Gas Pipelines			
Underground Electrical Cables			



Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Sensitive Land Use			
Ancient Woodland			
Areas of Adopted Green Belt			
Areas of Unadopted Green Belt			
Areas of Outstanding Natural Beauty			
Environmentally Sensitive Areas			
Forest Parks			
Local Nature Reserves			
Marine Nature Reserves			
National Nature Reserves			
National Parks			
Nitrate Sensitive Areas			
Nitrate Vulnerable Zones	pg 16	1	
Ramsar Sites			
Sites of Special Scientific Interest			
Special Areas of Conservation			
Special Protection Areas			
World Heritage Sites			



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater I	Flooding Susceptibility				
	Flooding Type:	Potential for Groundwater Flooding of Property Situated Below Ground Level	A10SE (W)	0	1	491400 378500
	BGS Groundwater I	Flooding Susceptibility				
	Flooding Type:	Potential for Groundwater Flooding to Occur at Surface	A10SE (SW)	0	1	491565 378496
	Discharge Consent	s				
1	Operator: Property Type: Location: Authority: Catchment Area: Reference:	Mr & Mrs Krick WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Gooseholes Barn, Broxholme, Lincoln, Ln1 2ng Environment Agency, Anglian Region River Till Prnnf18353	A6NW (SW)	18	2	491150 378150
	Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge	1 3rd May 2005 16th May 2005 Not Supplied Sewage Discharges - Final/Treated Effluent - Not Water Company Freshwater Stream/River				
	Environment: Receiving Water: <b>Status:</b>	Unnamed Trib Of R. Till New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Located by supplier to within 10m				
	Nearest Surface Wa	ater Feature				
			A14SE	0	-	491394
			(NW)			378896
	Groundwater Vulne		A400E	0	2	404565
	Combined Classification: Combined	Secondary Superficial Aquifer - Medium Vulnerability  Medium	A10SE (SW)	0	3	491565 378496
	Vulnerability: Combined Aquifer: Pollutant Speed: Bedrock Flow: Dilution: Baseflow Index:	Productive Bedrock Aquifer, Productive Superficial Aquifer Low Poorly Connected Fractures <300 mm/year 40-70%				
	Superficial Patchiness:	<90%				
	Superficial Thickness: Superficial	<3m Low				
	Recharge:	LOW				
	Groundwater Vulne	erability Map				
		Secondary Superficial Aquifer - High Vulnerability	A11SE (E)	0	3	49208 <sup>2</sup> 37849 <sup>2</sup>
	Combined Vulnerability:	High				
	Combined Aquifer: Pollutant Speed:	Productive Bedrock Aquifer, Productive Superficial Aquifer High				
	Bedrock Flow: Dilution:	Poorly Connected Fractures <300 mm/year				
	Baseflow Index: Superficial Patchiness:	40-70% >90%				
	Superficial Thickness:	<3m				
	Superficial Recharge:	Low				
	Groundwater Vulne	erability Map				
	Combined	Secondary Superficial Aquifer - Medium Vulnerability	A14SW	0	3	491073
	Classification: Combined	Medium	(NW)			37888
	Vulnerability: Combined Aquifer:	Productive Bedrock Aquifer, Productive Superficial Aquifer				
	Pollutant Speed: Bedrock Flow: Dilution:	Low Poorly Connected Fractures <300 mm/year				
	Baseflow Index: Superficial	40-70% <90%				
	Patchiness: Superficial	<3m				
	Thickness: Superficial	Low				
	Recharge:					



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulne	erability Map				
	Combined Classification:	Secondary Superficial Aquifer - High Vulnerability	A11SE (E)	0	3	492000 378496
	Combined Vulnerability:	High				
	Combined Aquifer: Pollutant Speed: Bedrock Flow: Dilution: Baseflow Index:	Productive Bedrock Aquifer, Productive Superficial Aquifer High Poorly Connected Fractures <300 mm/year 40-70%				
	Superficial Patchiness:	>90%				
	Superficial Thickness:	<3m				
	Superficial Recharge:	Low				
	Groundwater Vulne	erability Map				
	Combined Classification:	Secondary Superficial Aquifer - Medium Vulnerability	A15SW (N)	0	3	491578 379000
	Combined Vulnerability:	Medium				
	Combined Aquifer: Pollutant Speed: Bedrock Flow:	Productive Bedrock Aquifer, Productive Superficial Aquifer Low Poorly Connected Fractures				
	Dilution: Baseflow Index: Superficial	<300 mm/year 40-70% <90%				
	Patchiness: Superficial Thickness:	<3m				
	Superficial Recharge:	High				
	Groundwater Vulne	erability Map				
	Combined Classification:	Secondary Bedrock Aquifer - Medium Vulnerability	A6NE (S)	0	3	491565 378000
	Combined Vulnerability: Combined Aquifer:	Medium  Productive Bedrock Aquifer, No Superficial Aquifer				
	Pollutant Speed: Bedrock Flow: Dilution:	Low Poorly Connected Fractures <300 mm/year				
	Baseflow Index: Superficial Patchiness:	40-70% <90%				
	Superficial Thickness:	<3m				
	Superficial Recharge:	High				
	Groundwater Vulne	erability Map				
	Combined Classification:	Secondary Superficial Aquifer - Medium Vulnerability	A7NW (S)	0	3	491604 378000
	Combined Vulnerability:	Medium				
	Combined Aquifer: Pollutant Speed: Bedrock Flow:	Productive Bedrock Aquifer, Productive Superficial Aquifer Low Poorly Connected Fractures				
	Dilution: Baseflow Index: Superficial	<300 mm/year 40-70% <90%				
	Patchiness: Superficial	<3m				
	Thickness: Superficial Recharge:	High				



ap D		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulne	rability Map				
	Combined	Secondary Bedrock Aquifer - Medium Vulnerability	A14SE	0	3	491565
	Classification: Combined	Medium	(N)			379000
	Vulnerability: Combined Aquifer:	Productive Bedrock Aquifer, No Superficial Aquifer				
	Pollutant Speed:	Low				
	Bedrock Flow:	Poorly Connected Fractures				
	Dilution: Baseflow Index:	<300 mm/year 40-70%				
	Superficial	40-70 % <90%				
	Patchiness:					
	Superficial Thickness:	<3m				
	Superficial	High				
	Recharge:					
	Groundwater Vulne	rability Map				
	Combined	Secondary Bedrock Aquifer - Low Vulnerability	A10SE	0	3	491416
	Classification:		(SW)			378377
	Combined Vulnerability:	Low				
	Combined Aquifer:	Productive Bedrock Aquifer, No Superficial Aquifer				
	Pollutant Speed:	Low				
	Bedrock Flow: Dilution:	Poorly Connected Fractures <300 mm/year				
	Baseflow Index:	40-70%				
	Superficial	<90%				
	Patchiness: Superficial	<3m				
	Thickness:					
	Superficial	Low				
	Recharge:					
	Groundwater Vulne None	erability - Soluble Rock Risk				
	Bedrock Aquifer De	_				
	Aquiter Designation:	Secondary Aquifer - Undifferentiated	A10SE (SW)	0	3	491565 378496
	Superficial Aquifer	Designations				
	Aquifer Designation:	Secondary Aquifer - A	A15SW	0	3	491621
		<b>-</b>	(N)			378948
	Superficial Aquifer	-	14005			404505
	Aquiter Designation:	Secondary Aquifer - Undifferentiated	A10SE (SW)	0	3	491565 378496
	Extreme Flooding f	rom Rivers or Sea without Defences				
	Type:	Extent of Extreme Flooding from Rivers or Sea without Defences	A10SE	0	2	491541
	Flood Plain Type: Boundary Accuracy:	Fluvial Models As Supplied	(S)			378386
	, ,	**				
	_	rom Rivers or Sea without Defences  Extent of Extreme Flooding from Rivers or Sea without Defences	A 1 ON IVA/	0	2	40114
	Type: Flood Plain Type:	Extent of Extreme Flooding from Rivers of Sea without Defences Fluvial Models	A10NW (NW)	U	۷	491118 378760
	Boundary Accuracy:					
	Extreme Flooding f	rom Rivers or Sea without Defences				
	Type:	Extent of Extreme Flooding from Rivers or Sea without Defences	A10NW	0	2	491094
	Flood Plain Type: Boundary Accuracy:	Fluvial Models and Fluvial Events	(NW)			378812
	, ,					
	_	rs or Sea without Defences	A 4 40144		2	40.40.
	Type: Flood Plain Type:	Extent of Flooding from Rivers or Sea without Defences Fluvial Models	A14SW (NW)	0	2	491212 379056
	Boundary Accuracy:		(1444)			0,000
	Flooding from Rive	rs or Sea without Defences				
	Type:	Extent of Flooding from Rivers or Sea without Defences	A11SE	0	2	491940
	Flood Plain Type:	Fluvial Models	(SE)			378307
	Boundary Accuracy:					
	_	rs or Sea without Defences	A 4 40144	40	2	40.00
	Type: Flood Plain Type:	Extent of Flooding from Rivers or Sea without Defences Fluvial Models	A14SW (NW)	10	2	491093 378984
	Boundary Accuracy:		(1444)			0,030
	Areas Benefiting fro	om Flood Defences				
	oue _eog			1		1



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flood Water Storage Areas				
	Type: Flood Water Storage Areas Reference: Not Supplied	A10NE (NW)	0	2	491250 378864
	Flood Defences  Type: Flood Defences Reference: Not Supplied	A10NE (NW)	0	2	491265 378865
	Flood Defences  Type: Flood Defences Reference: Not Supplied	A14SW (NW)	0	2	491097 378955
	Flood Defences Type: Flood Defences Reference: Not Supplied	A14SW (NW)	4	2	491100 378980
	Flood Defences Type: Flood Defences Reference: Not Supplied	A14SW (NW)	7	2	491012 378961
	Flood Defences  Type: Flood Defences Reference: Not Supplied	A15SW (N)	54	2	491607 379179
2	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 1509.4  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A14SW (NW)	0	4	491098 378971
3	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 2.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A14SW (NW)	0	4	491008 378935
4	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 91.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A14SW (NW)	0	4	491091 378897
5	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 88.3  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A14SE (N)	0	4	491355 379178
6	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 284.5  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 2	A14SE (NW)	0	4	491394 378896
7	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 294.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A15SW (N)	0	4	491607 379155



Page 5 of 23

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
8	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 442.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Main Drain Catchment Name: Witham Primacy: 1	A11NE (E)	0	4	492053 378665
9	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 202.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied	A6NW (SW)	0	4	491174 378144
	Catchment Name: Witham Primacy: 1				
10	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 1071.1  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A14SW (NW)	0	4	491006 378935
11	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 547.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A7NW (S)	0	4	491605 378205
12	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 680.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A7NW (S)	0	4	491633 378013
13	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 425.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A11NW (NE)	0	4	491665 378563
14	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 8.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A11SW (SE)	0	4	491726 378222
15	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 383.0  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A11SW (SE)	0	4	491734 378223
16	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 330.8  Watercourse Level: On ground surface Permanent: True Watercourse Name: Main Drain Catchment Name: Witham Primacy: 1	A11SE (E)	1	4	492104 378531



Page 6 of 23

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
17	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 386.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Main Drain Catchment Name: Witham Primacy: 1	A11SE (E)	1	4	492113 378277
18	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 76.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A6NW (SW)	5	4	491216 377956
19	OS Water Network Lines  Watercourse Form: Inland river Watercourse Level: On ground surface Permanent: True Watercourse Name: Main Drain Catchment Name: Witham Primacy: 1	A11NE (E)	6	4	492086 378623
20	OS Water Network Lines  Watercourse Form: Inland river Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A14SE (NW)	7	4	491390 378894
21	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 312.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A11NE (E)	7	4	492099 378607
22	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 321.1  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A14SE (NW)	9	4	491394 378896
23	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 17.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A7NW (S)	11	4	491790 377880
24	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 143.7  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A7NW (S)	11	4	491806 377885
25	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 524.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A14SW (NW)	17	4	491089 378991



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
26	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 5.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A7NW (S)	20	4	491784 377878
27	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 381.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A7NE (SE)	23	4	492148 378087
28	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 405.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A11SE (E)	24	4	492121 378513
29	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 393.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A7NW (S)	26	4	491780 377876
30	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 7.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A14SW (NW)	32	4	490980 378975
31	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 2.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A14SW (NW)	37	4	490972 378974
32	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 9.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 2	A14SW (NW)	39	4	490970 378974
33	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 225.4  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A14SW (NW)	39	4	490970 378974
34	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 7.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 2	A14SW (NW)	45	4	490970 378983



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
35	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 221.4  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 2	A14SW (NW)	50	4	490969 378991
36	OS Water Network Lines  Watercourse Form: Inland river Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A14NE (N)	62	4	491397 379228
37	OS Water Network Lines  Watercourse Form: Inland river Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A15SW (N)	62	4	491590 379200
38	OS Water Network Lines  Watercourse Form: Inland river Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A14NE (N)	68	4	491395 379237
39	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 496.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Main Drain Catchment Name: Witham Primacy: 1	A15SW (N)	135	4	491708 379037
40	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 449.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A7SW (SE)	155	4	491874 377759
41	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 527.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A7SW (SE)	155	4	491874 377759
42	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 10.1  Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A15SW (N)	156	4	491687 379017
43	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 217.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A14NE (N)	160	4	491263 379336



Page 9 of 23

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
44	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 14.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A15SW (N)	166	4	491691 379026
45	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 18.5 Watercourse Level: Underground Permanent: True Watercourse Name: Main Drain Catchment Name: Witham Primacy: 1	A15SW (N)	178	4	491690 379040
46	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 140.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Main Drain Catchment Name: Witham Primacy: 1	A15SW (N)	179	4	491690 379040
47	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 291.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A7SE (SE)	181	4	492023 377789
48	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 578.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Main Drain Catchment Name: Witham Primacy: 1	A7NE (SE)	181	4	492201 377904
49	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 7.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 2	A14SW (NW)	200	4	491002 379208
50	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 747.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A7NE (SE)	203	4	492218 377888
51	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 138.7  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 2	A14SW (NW)	203	4	491004 379215
52	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 29.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A15SE (NE)	228	4	492166 379020



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
53	OS Water Network Lines  Watercourse Form: Inland river Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A6NW (SW)	232	4	490974 377978
54	OS Water Network Lines  Watercourse Form: Inland river Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A6SE (S)	232	4	491411 377753
55	OS Water Network Lines  Watercourse Form: Inland river Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A6SE (S)	234	4	491404 377750
56	OS Water Network Lines  Watercourse Form: Inland river Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A6SE (S)	235	4	491399 377749
57	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 216.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A6SE (S)	236	4	491392 377746
58	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 12.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 2	A15SW (N)	242	4	491606 379195
59	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 247.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A15SW (N)	242	4	491597 379203
60	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 225.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A13SE (NW)	244	4	490747 378927
61	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 11.3  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A13SE (NW)	244	4	490758 378947



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	OS Water Network Lines				
62	Watercourse Form: Inland river Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A13SE (NW)	250	4	490742 378956

Order Number: 287331719\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 11 of 23



### **Waste**

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Landfill Coverage				
	Name: West Lindsey District Council - Has no landfill data to supply		0	5	491565 378496
	Local Authority Landfill Coverage				
	Name: Lincolnshire County Council - Had landfill data but passed it to the relevant environment agency		0	6	491565 378496

Order Number: 287331719\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 12 of 23





Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid	d Geology				
	Description:	Lias Group	A10SE (SW)	0	1	491565 378496
	BGS Estimated Soil Source: Soil Sample Type: Arsenic Concentration: Cadmium Concentration: Chromium Concentration: Lead Concentration: Nickel Concentration:	British Geological Survey, National Geoscience Information Service Rural Soil <15 mg/kg <1.8 mg/kg 60 - 90 mg/kg	A10SE (SW)	0	1	491416 378377
		Chamista				
	BGS Estimated Soil Source: Soil Sample Type: Arsenic Concentration: Cadmium Concentration: Chromium Concentration: Lead Concentration: Nickel Concentration:	British Geological Survey, National Geoscience Information Service Rural Soil 15 - 25 mg/kg <1.8 mg/kg 60 - 90 mg/kg	A10SE (SW)	0	1	491565 378496
	BGS Estimated Soil	Chemistry				
	Source: Soil Sample Type: Arsenic Concentration: Cadmium Concentration: Chromium Concentration: Lead Concentration: Nickel Concentration:	British Geological Survey, National Geoscience Information Service Rural Soil <15 mg/kg <1.8 mg/kg 60 - 90 mg/kg <100 mg/kg 15 - 30 mg/kg	A15SW (N)	0	1	491621 378948
	BGS Estimated Soil	Chemistry				
	Source: Soil Sample Type: Arsenic Concentration: Cadmium Concentration: Chromium Concentration: Lead Concentration: Nickel Concentration:	British Geological Survey, National Geoscience Information Service Rural Soil <15 mg/kg <1.8 mg/kg 90 - 120 mg/kg	A14SW (NW)	99	1	491000 379077
	BGS Estimated Soil	Chemistry				
	Source: Soil Sample Type: Arsenic Concentration: Cadmium Concentration: Chromium Concentration: Lead Concentration: Nickel Concentration:	British Geological Survey, National Geoscience Information Service Rural Soil <15 mg/kg <1.8 mg/kg 60 - 90 mg/kg	A13SE (NW)	122	1	490890 379000
	BGS Measured Urba	an Soil Chemistry				
	No data available					
	BGS Urban Soil Che No data available	emistry Averages				
	Coal Mining Affecte	d Areas				
		not be affected by coal mining				
	Non Coal Mining Ar	eas of Great Britain				



## **Geological**

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Collap	sible Ground Stability Hazards				
	Hazard Potential: Source:	No Hazard British Geological Survey, National Geoscience Information Service	A15SW (N)	0	1	491621 378948
	Potential for Collap	sible Ground Stability Hazards				
	Hazard Potential: Source:	Very Low British Geological Survey, National Geoscience Information Service	A10SE (SW)	0	1	491565 378496
	Potential for Collap	sible Ground Stability Hazards				
	Hazard Potential: Source:	Very Low British Geological Survey, National Geoscience Information Service	A14SW (NW)	99	1	491018 379093
	Potential for Comp	ressible Ground Stability Hazards				
	Hazard Potential: Source:	No Hazard British Geological Survey, National Geoscience Information Service	A10SE (SW)	0	1	491565 378496
	Potential for Comp	ressible Ground Stability Hazards				
	Hazard Potential: Source:	Moderate British Geological Survey, National Geoscience Information Service	A15SW (N)	0	1	491621 378948
	Potential for Comp	ressible Ground Stability Hazards				
	Hazard Potential: Source:	No Hazard British Geological Survey, National Geoscience Information Service	A14SW (NW)	99	1	491018 379093
	Potential for Groun	d Dissolution Stability Hazards				
	Hazard Potential: Source:	No Hazard British Geological Survey, National Geoscience Information Service	A10SE (SW)	0	1	491565 378496
	Potential for Lands	lide Ground Stability Hazards				
	Hazard Potential: Source:	Very Low British Geological Survey, National Geoscience Information Service	A10SE (SW)	0	1	491565 378496
	Potential for Runni	ng Sand Ground Stability Hazards				
	Hazard Potential: Source:	No Hazard British Geological Survey, National Geoscience Information Service	A10SE (SW)	0	1	491416 378377
	Potential for Runni	ng Sand Ground Stability Hazards				
	Hazard Potential: Source:	Very Low British Geological Survey, National Geoscience Information Service	A10SE (SW)	0	1	491565 378496
	Potential for Runni	ng Sand Ground Stability Hazards				
	Hazard Potential: Source:	Low British Geological Survey, National Geoscience Information Service	A15SW (N)	0	1	491621 378948
	Potential for Runni	ng Sand Ground Stability Hazards				
	Hazard Potential: Source:	No Hazard British Geological Survey, National Geoscience Information Service	A14SW (NW)	99	1	491018 379093
	Potential for Shrink	ing or Swelling Clay Ground Stability Hazards				
	Hazard Potential: Source:	Low British Geological Survey, National Geoscience Information Service	A10SE (SW)	0	1	491565 378496
	Radon Potential - R	adon Affected Areas			_	
	Affected Area:	The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level).	A10SE (SW)	0	1	491565 378496
	Source:	British Geological Survey, National Geoscience Information Service				
		adon Protection Measures  No radon protective measures are necessary in the construction of new	A10SE	0	1	491565
	Source:	dwellings or extensions British Geological Survey, National Geoscience Information Service	(SW)			378496

Order Number: 287331719\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 14 of 23



### **Industrial Land Use**

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Points of Interest - Po	ublic Infrastructure				
63	Location: L Category: \ Class Code: \	Sluice LN1 Water Weirs, Sluices and Dams Positioned to an adjacent address or location	A15SE (NE)	242	7	492171 379033
	Points of Interest - Po	ublic Infrastructure				
63	Location: L Category: \ Class Code: \	Sluice LN1 Water Weirs, Sluices and Dams Positioned to an adjacent address or location	A15SE (NE)	246	7	492180 379033

Order Number: 287331719\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 15 of 23



### **Sensitive Land Use**

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR	
	Nitrate Vulnerab	ele Zones					
64	Name: Description: Source:	Lower Witham Nvz Surface Water Environment Agency, Head Office	A10SE (SW)	0	3	491565 378496	

Order Number: 287331719\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 16 of 23



Agency & Hydrological	Version	Update Cycle	
Contaminated Land Register Entries and Notices			
Environment Agency - Head Office	June 2020	Annually	
West Lindsey District Council - Environmental Health Department	September 2017	Annual Rolling Update	
Discharge Consents			
Environment Agency - Anglian Region	July 2021	Quarterly	
Enforcement and Prohibition Notices			
Environment Agency - Anglian Region	March 2013		
Integrated Pollution Controls			
Environment Agency - Anglian Region	January 2009		
Integrated Pollution Prevention And Control			
Environment Agency - Anglian Region	July 2021	Quarterly	
Local Authority Integrated Pollution Prevention And Control			
West Lindsey District Council - Environmental Health Department	November 2014	Variable	
Local Authority Pollution Prevention and Controls			
West Lindsey District Council - Environmental Health Department	November 2014	Annual Rolling Update	
Local Authority Pollution Prevention and Control Enforcements			
West Lindsey District Council - Environmental Health Department	November 2014	Variable	
Nearest Surface Water Feature			
Ordnance Survey	August 2021		
Pollution Incidents to Controlled Waters	1.1.9.1.1		
Environment Agency - Anglian Region	September 1999		
	Coptomber 1000		
Prosecutions Relating to Authorised Processes Environment Agency - Anglian Region	July 2015		
	July 2013		
Prosecutions Relating to Controlled Waters	March 2013		
Environment Agency - Anglian Region	Watch 2013		
Registered Radioactive Substances	luna 2010		
Environment Agency - Anglian Region	June 2016	Annually	
River Quality			
Environment Agency - Head Office	November 2001	Not Applicable	
River Quality Biology Sampling Points			
Environment Agency - Head Office	April 2012	Annually	
River Quality Chemistry Sampling Points			
Environment Agency - Head Office	April 2012	Annually	
Substantiated Pollution Incident Register			
Environment Agency - Anglian Region - Northern Area	July 2021	Quarterly	
Water Abstractions			
Environment Agency - Anglian Region	July 2021	Quarterly	
Water Industry Act Referrals			
Environment Agency - Anglian Region	October 2017	Quarterly	
Groundwater Vulnerability Map			
Environment Agency - Head Office	June 2018	As notified	
Bedrock Aquifer Designations			
Environment Agency - Head Office	January 2018	Annually	
Superficial Aquifer Designations			
Environment Agency - Head Office	January 2018	Annually	
Source Protection Zones	-		
Environment Agency - Head Office	May 2021	Bi-Annually	
Extreme Flooding from Rivers or Sea without Defences		,	
Environment Agency - Head Office	September 2021	Quarterly	
Flooding from Rivers or Sea without Defences	2		
riodaling from inversion dea without deterices	September 2021	Quarterly	

Order Number: 287331719\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 17 of 23



Agency & Hydrological	Version	Update Cycle
Areas Benefiting from Flood Defences		
Environment Agency - Head Office	September 2021	Quarterly
Flood Water Storage Areas		
Environment Agency - Head Office	September 2021	Quarterly
Flood Defences		
Environment Agency - Head Office	September 2021	Quarterly
OS Water Network Lines		
Ordnance Survey	July 2021	Quarterly
Surface Water 1 in 30 year Flood Extent		
Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 100 year Flood Extent		
Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 1000 year Flood Extent		
Environment Agency - Head Office	May 2018	Annually
Surface Water Suitability		
Environment Agency - Head Office	February 2016	Annually
BGS Groundwater Flooding Susceptibility		
British Geological Survey - National Geoscience Information Service	May 2013	Annually
Waste	Version	Update Cycle
BGS Recorded Landfill Sites		
British Geological Survey - National Geoscience Information Service	November 2002	Not Applicable
Historical Landfill Sites		
Environment Agency - Head Office	May 2021	Quarterly
Integrated Pollution Control Registered Waste Sites		
Environment Agency - Anglian Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries)		
Environment Agency - Anglian Region - Northern Area	July 2021	Quarterly
Licensed Waste Management Facilities (Locations)	·	
Environment Agency - Anglian Region - Northern Area	July 2021	Quarterly
Local Authority Landfill Coverage		
Lincolnshire County Council	February 2003	Not Applicable
West Lindsey District Council - Environmental Health Department	February 2003	Not Applicable
Local Authority Recorded Landfill Sites		
Lincolnshire County Council	October 2018	
West Lindsey District Council - Environmental Health Department	October 2018	
Potentially Infilled Land (Non-Water)		
Landmark Information Group Limited	December 1999	Not Applicable
Potentially Infilled Land (Water)		
Landmark Information Group Limited	December 1999	
Registered Landfill Sites		
Environment Agency - Anglian Region - Northern Area	March 2006	Not Applicable
Registered Waste Transfer Sites		
Environment Agency - Anglian Region - Northern Area	April 2018	
Registered Waste Treatment or Disposal Sites	·	
-0	June 2015	

Order Number: 287331719\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 18 of 23



Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH)		
Health and Safety Executive	April 2018	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	Annually
Notification of Installations Handling Hazardous Substances (NIHHS)	Water 2017	Ailidally
Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements		
Lincolnshire County Council - Highways and Planning Department	August 2010	Variable
West Lindsey District Council	February 2016	Variable
Planning Hazardous Substance Consents		
Lincolnshire County Council - Highways and Planning Department	August 2007	Variable
West Lindsey District Council	February 2016	Variable
Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology		
British Geological Survey - National Geoscience Information Service	January 2009	Not Applicable
BGS Estimated Soil Chemistry British Geological Survey - National Geoscience Information Service	December 2015	Annually
BGS Recorded Mineral Sites	December 2010	Airidany
British Geological Survey - National Geoscience Information Service	May 2021	Bi-Annually
CBSCB Compensation District		
Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011	As notified
Coal Mining Affected Areas		
The Coal Authority - Property Searches	March 2014	Annual Rolling Update
Mining Instability		
Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain		
British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	Annually
	April 2020	Annually
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Ground Dissolution Stability Hazards		7
British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Landslide Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Running Sand Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Shrinking or Swelling Clay Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	Annually
Radon Potential - Radon Affected Areas		
British Geological Survey - National Geoscience Information Service	July 2011	Annually
Radon Potential - Radon Protection Measures	lub 0044	٠ المحدد عالم
British Geological Survey - National Geoscience Information Service	July 2011	Annually

Order Number: 287331719\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 19 of 23



Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries		
Thomson Directories	July 2021	Quarterly
Fuel Station Entries		
Catalist Ltd - Experian	August 2021	Quarterly
Gas Pipelines		
National Grid	October 2021	Annually
Points of Interest - Commercial Services		
PointX	September 2021	Quarterly
Points of Interest - Education and Health		
PointX	September 2021	Quarterly
Points of Interest - Manufacturing and Production		
PointX	September 2021	Quarterly
Points of Interest - Public Infrastructure		
PointX	September 2021	Quarterly
Points of Interest - Recreational and Environmental		
PointX	September 2021	Quarterly
Underground Electrical Cables		
National Grid	May 2021	Annually

Order Number: 287331719\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 20 of 23



Sensitive Land Use	Version	Update Cycle
Ancient Woodland		
Natural England	February 2021	Bi-Annually
Areas of Adopted Green Belt		
West Lindsey District Council	October 2020	Quarterly
Areas of Unadopted Green Belt		
West Lindsey District Council	October 2020	Quarterly
Areas of Outstanding Natural Beauty		
Natural England	January 2021	Bi-Annually
Environmentally Sensitive Areas		
Natural England	January 2017	
Forest Parks		
Forestry Commission	April 1997	Not Applicable
Local Nature Reserves		
Natural England	February 2021	Bi-Annually
Marine Nature Reserves		
Natural England	July 2019	Bi-Annually
National Nature Reserves		
Natural England	January 2021	Bi-Annually
National Parks		
Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas		
Natural England	April 2016	Not Applicable
Nitrate Vulnerable Zones		
Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA)	April 2016	
Environment Agency - Head Office	June 2017	Bi-Annually
Ramsar Sites		
Natural England	August 2020	Bi-Annually
Sites of Special Scientific Interest		
Natural England	February 2021	Bi-Annually
Special Areas of Conservation		
Natural England	July 2020	Bi-Annually
Special Protection Areas		
Natural England	February 2021	Bi-Annually

Order Number: 287331719\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 21 of 23



# **Data Suppliers**

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	Map data
Environment Agency	Environment
Scottish Environment Protection Agency	SEPA
The Coal Authority	The Coal Authority
British Geological Survey	British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
Centre for Ecology and Hydrology	Centre for Ecology & Hydrology NATURAL ENVIRONMENT RESEARCH COUNCIL
Natural Resources Wales	Cyfoeth Natural Cyrru Natural Reconces Vales
Scottish Natural Heritage	SCOTTISH NATURAL HERITAGE
Natural England	NATURAL ENGLAND
Public Health England	Public Health England
Ove Arup	ARUP
Stantec UK Ltd	<b>Stantec</b>



# **Useful Contacts**

Contact	Name and Address	Contact Details		
1	British Geological Survey - Enquiry Service  British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk		
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk		
3	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409		
4	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk		
5	West Lindsey District Council - Environmental Health Department The Guildhall, Caskgate Street, Gainsborough, Lincolnshire, DN21 2DH	Telephone: 01427 676676 Fax: 01427 810623 Website: www.west-lindsey.gov.uk		
6	4th Floor, City Hall, Lincoln, Lincolnshire, LN1 1DN Fax: 01522 552288 Email: PublicRelations@	Telephone: 01522 552222 Fax: 01522 552288 Email: PublicRelations@lincolnshire.gov.uk Website: www.lincolnshire.gov.uk		
7	PointX 7 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Website: www.pointx.co.uk		
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org		
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk		

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

Order Number: 287331719\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 23 of 23

# Geology 1:50,000 Maps Legends

## Superficial Geology

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	ALV	Alluvium	Clay, Silt, Sand and Gravel	Not Supplied - Holocene
	TILMP	Till, Mid Pleistocene	Diamicton	Not Supplied - Cromerian
	GFDMP	Glaciofluvial Deposits, Mid Pleistocene	Sand and Gravel	Not Supplied - Cromerian
	RTDU	River Terrace Deposits (Undifferentiated)	Sand and Gravel	Not Supplied - Quaternary
	RTD1	River Terrace Deposits, 1	Sand and Gravel	Not Supplied - Quaternary

#### Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	CHAM	Charmouth Mudstone Formation	Mudstone	Not Supplied - Sinemurian
	SMD	Scunthorpe Mudstone Formation	Mudstone and Limestone, Interbedded	Not Supplied - Phaetian



#### Geology 1:50,000 Maps

This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1 50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.


The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrodic) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map. legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

#### Geology 1:50,000 Maps Coverage

Map ID: Map Sheet No: Map Name: Map Date: Sedrock Geology: Experiess Geology: Artificial Geology: Faults: Landwitz: Rock Segments

Market Rasen

#### Geology 1:50,000 Maps - Slice A





#### Order Details:

Order Number: Customer Reference: National Grid Reference: Shoe:

Site Area (Ha): Search Buffer (m):


Site Details:

287331719\_1\_1 21-1098.02 491570, 378500 90.26 250

West Burton 1



0844 544 9952 0844 844 9951 9994 anvinched crus





#### Artificial Ground and Landslip


Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.

#### Artificial ground includes:

- Made ground man-made deposits such as embankments and spoil heaps on the natural ground surface.
- Worked ground areas where the ground has been cut away such as quarries and road cuttings.
- Infilled ground areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground areas where the surface has been reshaped. Disturbed ground - areas of ill-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

#### Artificial Ground and Landslip Map - Slice A



287331719\_1\_1 21-1098.02

491570, 378500

#### Order Details:

Order Number: Customer Reference: National Grid Reference: Show Site Area (Ha): Search Buffer (m):

90.26

Site Details:


West Burton 1

Landmark

0844 544 9952 0844 844 9951

Page 2 of 5

v15.0 04-Nov-2021






#### Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, sit and day, and onshore they form relatively thin, often discontinuous patches or larger spreads.

#### Superficial Geology Map - Slice A



#### Order Details:

Order Number: Customer Reference: National Grid Reference: Site Area (Ha): Search Buffer (m):

491570, 378500 90.26 250

287331719\_1\_1 21-1098.02


Site Details: West Burton 1

Landmark

0844-544-9052 (844-844-9951 4644-844/9551 4644-844/9551eck cs.uk

v15.0 04-Nov-2021

Page 3 of 5





#### Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Plicoene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut. across the strata and post date its deposition.

#### Bedrock and Faults Map - Slice A



287331719\_1\_1 21-1098.02

491570, 378500

90.26

#### Order Details:

Order Number: Customer Reference: National Grid Reference: Site Area (Ha): Search Buffer (m):

Site Details:


West Burton 1



0844 544 9952 0844 844 9951 9994 WV/mcheck co.uk

v15.0 04-Nov-2021

Page 4 of 5





#### Combined Surface Geology

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.


#### Additional Information

More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'information and Data' link on the BGS website.

#### Contact

British Geological Survey Kingsley Dunham Centre Keyworth Notingham NG12 5GG Telephone: 0115 936 3143 Fax: 0115 936 3276 email: enquiries@gogs ac.uk website: www.bgs ac.uk

#### Combined Geology Map - Slice A



#### Order Details:

Order Number: Customer Reference: National Orid Reference: Sites: Site Area (Ha): Search Buffer (m):

491570, 378500 A 90 26 250

287331719\_1\_1 21-1098.02

## Site Details:


West Burton 1



Tal 0844-544-9952 Fax 0844-844-9951 Web www.anvincheck.co.uk

v15.0 04-Nov-2021

Page 5 of 5





# **Index Map**

For ease of identification, your site and buffer have been split into Slices, Segments and Quadrants. These are illustrated on the Index Map opposite and explained further below.

#### Slice

Each slice represents a 1:10,000 plot area (2.7km x 2.7km) for your site and buffer. A large site and buffer may be made up of several slices (represented by a red outline), that are referenced by letters of the alphabet, starting from the bottom left corner of the slice "grid". This grid does not relate to National Grid lines but is designed to give best fit over the site and buffer.

#### Segmen

A segment represents a 1:2,500 plot area. Segments that have plot files associated with them are shown in dark green, others in light blue. These are numbered from the bottom left hand corner within each slice.

#### Quadrant

A quadrant is a quarter of a segment. These are labelled as NW, NE, SW, SE and are referenced in the datasheet to allow features to be quickly located on plots. Therefore a feature that has a quadrant reference of A7NW will be in Slice A, Segment 7 and the NW Quadrant.

A selection of organisations who provide data within this report:









Envirocheck reports are compiled from 136 different sources of data.

### **Client Details**

Mr A Howells, Delta Simons, 3 Henley Office Park, Doddington Road, Lincoln, LN6 3QR

## **Order Details**

Order Number: 287331719\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 491580, 378470

Site Area (Ha): 90.26 Search Buffer (m): 250

## **Site Details**


West Burton 1


Full Terms and Conditions can be found on the following link: http://www.landmarkinfo.co.uk/Terms/Show/515





Tel: 0844 844 9952 Fax: 0844 844 9951 Web: www envirocheck co uk


A Landmark Information Group Service v50.0 04-Nov-2021 Page 1 of 1





























































# **Envirocheck® Report:**

# Mining and Ground Stability Datasheet

# **Order Details:**

Order Number:

287331719\_1\_1

**Customer Reference:** 

21-1098.02

**National Grid Reference:** 

491570, 378500

Slice:

Α

Site Area (Ha):

90.26

Search Buffer (m):

250

**Site Details:** 

West Burton 1

# **Client Details:**

Mr A Howells
Delta Simons
3 Henley Office Park
Doddington Road
Lincoln
LN6 3QR







Report Section and Details	Page Number
Summary	-
The Summary section provides an overview of the data contained within the report, detailing the or the existence of a data set in relation to the buffer selected.  For ease of reference, the report is broken down into 4 sections of data; Mining and Natural Cav Use Information (1:2,500), Historical Land Use Information (1:10,000) and Ground Stability Data	vities Data, Historical Land
Mining and Natural Cavities Data	-
The Mining and Natural Cavities Data section features data sets related to the existence of mini hazards; and details of naturally formed cavities.  Data sets within this section are not plotted, with the exception of BGS Recorded Mineral Sites which feature on the Historical Land Use Information (1:10,000) map.	,
Historical Land Use Information (1:2,500)	-
The Historical Land Use Information (1:2,500) section contains data captured from analysis carricular 1:1,250 and 1:2,500 scale historical Ordnance Survey mapping, identifying areas where, historical potentially contaminative.  For the purpose of this Envirocheck module, only historical data relating to mining and ground splotted on the corresponding Historical Land Use Information (1:2,500) map. This section also in Features data set, which details various man-made and man-used underground spaces obtained Britannica society.	cally, the land uses were tability has been included and ncludes the Subterranean
Historical Land Use Information (1:10,000)	-
The Historical Land Use (1:10,000) section covers data captured from the systematic analysis of 1:10, 560 and 1:10,000 scale historical Ordnance Survey mapping dating back to the mid-19th contaminative past industrial land uses.  For the purpose of this Envirocheck module, only data relating to mining and ground stability has on the accompanying Historical Land Use Information (1:10,000) map.	century, identifying potentially
Ground Stability Data (1:50,000)	1

separate maps. Also reported is brine subsidence, brine mining and salt mining data sets, of which Brine Pumping and Salt Mining Related Features are plotted, and subsidence insurance claims and insurance investigations data, which is not plotted.

The Ground Stability (1:50,000) section includes the BGS Geosure data suite, reporting features to 250m and plotted onto 3

# **Historical Map List** 2

The Historical Map List section details the historical mapping that has been analysed for your site, in relation to the Historical Land Use Information sections

Data Currency	3
Data Suppliers	4
Useful Contacts	5

# **Copyright Notice**

© Landmark Information Group Limited 2021. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, and the Environment Agency/Natural Resources Wales, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.

© Copyright Stantec UK Limited. All rights reserved.

The brine subsidence data relating to the Driotwich area as provided in this report is derived from JPB studies and physical monitoring undertaken annually over more than 35 years. For more detailed interpretation contact enquiries@jpb.co.uk. JPB retain the copyright and intellectual rights to this data and accept no liability for any loss or damage, including in direct or consequential loss, arising from the use of this data.

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Report Version v53.0

Order Number: 287331719\_1\_1 Date: 04-Nov-2021 A Landmark Information Group Service rpr\_ec\_datasheet v53.0





Data Type	Page Number	On Site	0 to 250m
Mining and Natural Cavities Data			
BGS Recorded Mineral Sites			
Coal Mining Affected Areas			n/a
Man Made Mining Cavities			
Mining Instability			n/a
Natural Cavities			
Non Coal Mining Areas of Great Britain			
Potential Mining Areas			
Historical Land Use Information (1:2,500)			
Extractive Industries or Potential Excavations from 1855-1909 (100m)			
Extractive Industries or Potential Excavations from 1893-1915 (100m)			
Extractive Industries or Potential Excavations from 1906-1937 (100m)			
Extractive Industries or Potential Excavations from 1924-1949 (100m)			
Extractive Industries or Potential Excavations from 1950-1980 (100m)			
Subterranean Features (100m)			
Historical Land Use Information (1:10,000)			
Air Shafts			
Disturbed Ground			
General Quarrying			
Heap, unknown constituents			
Mineral Railway			
Mining & quarrying general			
Mining of coal & lignite			
Quarrying of sand & clay, operation of sand & gravel pits			
Former Marshes			
Potentially Infilled Land (Non-Water)			
Potentially Infilled Land (Water)			
Ground Stability Data (1:50,000)			
CBSCB Compensation District			n/a
Brine Pumping Related Features			
Brine Subsidence Solution Area			
Potential for Collapsible Ground Stability Hazards	pg 1	Yes	Yes
Potential for Compressible Ground Stability Hazards	pg 1	Yes	Yes
Potential for Ground Dissolution Stability Hazards	pg 1	Yes	
Potential for Landslide Ground Stability Hazards	pg 1	Yes	
Potential for Running Sand Ground Stability Hazards	pg 1	Yes	Yes
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 1	Yes	
Salt Mining Related Features			

Order Number: 287331719\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service





Report Version v53.0

Order Number: 287331719\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service



# **Ground Stability Data (1:50,000)**

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	CBSCB Compensa					
		all within the brine compensation area.				
	Brine Subsidence	Solution Area all within the brine subsidence solution area.				
		psible Ground Stability Hazards				
1	Hazard Potential: Source:	Very Low British Geological Survey, National Geoscience Information Service	A10SE (SW)	0	1	491565 378496
	Potential for Colla	psible Ground Stability Hazards				
2	Hazard Potential: Source:	Very Low British Geological Survey, National Geoscience Information Service	A14SW (NW)	99	1	491018 379093
	Potential for Colla	psible Ground Stability Hazards				
	Hazard Potential: Source:	No Hazard British Geological Survey, National Geoscience Information Service	A15SW (N)	0	1	491621 378948
	Potential for Comp	oressible Ground Stability Hazards				
3	Hazard Potential: Source:	Moderate British Geological Survey, National Geoscience Information Service	A15SW (N)	0	1	491621 378948
	Potential for Comp	pressible Ground Stability Hazards				
	Hazard Potential: Source:	No Hazard British Geological Survey, National Geoscience Information Service	A10SE (SW)	0	1	491565 378496
	Potential for Comp	pressible Ground Stability Hazards				
	Hazard Potential: Source:	No Hazard British Geological Survey, National Geoscience Information Service	A14SW (NW)	99	1	491018 379093
	Potential for Groun	nd Dissolution Stability Hazards				
	Hazard Potential: Source:	No Hazard British Geological Survey, National Geoscience Information Service	A10SE (SW)	0	1	491565 378496
	Potential for Lands	slide Ground Stability Hazards				
4	Hazard Potential: Source:	Very Low British Geological Survey, National Geoscience Information Service	A10SE (SW)	0	1	491565 378496
	Potential for Runn	ing Sand Ground Stability Hazards				
5	Hazard Potential: Source:	Very Low British Geological Survey, National Geoscience Information Service	A10SE (SW)	0	1	491565 378496
	Potential for Runn	ing Sand Ground Stability Hazards				
6	Hazard Potential: Source:	Low British Geological Survey, National Geoscience Information Service	A15SW (N)	0	1	491621 378948
	Potential for Runn	ing Sand Ground Stability Hazards				
	Hazard Potential: Source:	No Hazard British Geological Survey, National Geoscience Information Service	A10SE (SW)	0	1	491416 378377
	Potential for Runn	ing Sand Ground Stability Hazards				
	Hazard Potential: Source:	No Hazard British Geological Survey, National Geoscience Information Service	A14SW (NW)	99	1	491018 379093
	Potential for Shrin	king or Swelling Clay Ground Stability Hazards				
7	Hazard Potential: Source:	Low British Geological Survey, National Geoscience Information Service	A10SE (SW)	0	1	491565 378496

Order Number: 287331719\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 1 of 5



# **Historical Map List**

## The following mapping has been analysed for Historical Land Use Information (1:2,500):

1:2,500	Mapsheet	Published Date
Ordnance Survey Plan	SK9079	1973
Ordnance Survey Plan	SK9179	1973
Ordnance Survey Plan	SK9179	1973
Ordnance Survey Plan	SK9277	1973
Ordnance Survey Plan	SK9077	1974
Ordnance Survey Plan	SK9078	1974
Ordnance Survey Plan	SK9078	1974
Ordnance Survey Plan	SK9078	1974
Ordnance Survey Plan	SK9177	1974
Ordnance Survey Plan	SK9177	1974
Ordnance Survey Plan	SK9178	1974
Ordnance Survey Plan	SK9178	1974
Ordnance Survey Plan	SK9178	1974
Ordnance Survey Plan	SK9178	1974
Ordnance Survey Plan	SK9178	1974
Ordnance Survey Plan	SK9178	1974
Ordnance Survey Plan	SK9278	1974
Ordnance Survey Plan	SK9278	1974
Ordnance Survey Plan	SK9278	1974
Ordnance Survey Plan	SK9279	1974

# The following mapping has been analysed for Historical Land Use Information (1:10,000):

1:10,560	Mapsheet	Published Date
Lincolnshire	060_NE	1890
Lincolnshire	061_NW	1891
Lincolnshire	060_NE	1907
Lincolnshire	061_NW	1907
Lincolnshire	060_NE	1947
Lincolnshire	061_NW	1947
Ordnance Survey Plan	SK97NW	1956
1:10,000	Mapsheet	Published Date
Ordnance Survey Plan	SK97NW	1976

Order Number: 287331719\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 2 of 5



# **Data Currency**

Mining and Cavities Data	Version	Update Cycle
BGS Recorded Mineral Sites		
British Geological Survey - National Geoscience Information Service	May 2021	Bi-Annually
Coal Mining Affected Areas		
The Coal Authority - Property Searches	March 2014	Annual Rolling Update
Man Made Mining Cavities		
Stantec UK Ltd	May 2021	Bi-Annually
Mining Instability		
Ove Arup & Partners	June 1998	Not Applicable
Natural Cavities		
Stantec UK Ltd	May 2021	Bi-Annually
Non Coal Mining Areas of Great Britain		
British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Historical Land Use Information (1:2,500)	Version	Update Cycle
Subterranean Features		
Landmark Information Group Limited	February 2020	Bi-Annually
Ground Stability Data (1:50,000)	Version	Update Cycle
CBSCB Compensation District		
Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011	As notified
Potential for Collapsible Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	April 2020	Annually
Potential for Compressible Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Ground Dissolution Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Landslide Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Running Sand Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Shrinking or Swelling Clay Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	Annually
Brine Subsidence Solution Area		
Johnson Poole & Bloomer	December 2020	Annual Rolling Update

Order Number: 287331719\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 3 of 5



# **Data Suppliers**

A selection of organisations who provide data within this report


Data Supplier	Data Supplier Logo
Ordnance Survey	Map data
British Geological Survey	British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
The Coal Authority	The Coal Authority
Ove Arup	ARUP
Stantec UK Ltd	Stantec
Wardell Armstrong	wardell armstrong your earth our world
Johnson Poole & Bloomer	IPB





## **Useful Contacts**


Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service  British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk


Order Number: 287331719\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 5 of 5


































10.2 Preliminary Geo-Environmental Risk Assessment Report for West Burton 2




# Preliminary Geo-Environmental Risk Assessment West Burton Solar Project – West Burton 2

Presented to: West Burton Solar Project Limited

Issued: November 2021

Delta-Simons Project No: 21-1098.02





### Report Details

Client	West Burton Solar Project Limited
Report Title	Preliminary Geo-Environmental Risk Assessment
Site Address	Land at Ingleby, Lincoln, LN1 2PQ
Report No.	21-1098.02_REP_West-Burton-Solar-WB2_PRA_21-11-29
Delta-Simons Contact	Paul Huteson (

### **Quality Assurance**

Issue No.	Status	Issue Date	Comments	Author	Technical Review	Authorised
01	Final	29/11/2021	_			
	T IIIGI	20/11/2021		Jessica Rowe Senior Consultant	Paul Huteson Associate Director	Paul Bennett Unit Director

### **About Us**

Delta-Simons is a trusted, multidisciplinary environmental consultancy, focused on delivering the best possible project outcomes for customers. Specialising in Environment, Health & Safety and Sustainability, Delta-Simons provide support and advice within the property development, asset management, corporate and industrial markets. Operating from across the UK we employ over 180 environmental professionals, bringing experience from across the private consultancy and public sector markets.

As part of Lucion Services, our combined team of 500 in the UK has a range of specialist skill sets in over 50 environmental consultancy specialisms including asbestos, hazardous materials, ecology, air and water services, geo-environmental and sustainability amongst others.



Delta-Simons is proud to be a founder member of the Inogen Environmental Alliance, enabling us to efficiently deliver customer projects worldwide by calling upon over 5000 resources in our global network of consultants, each committed to providing superior EH&S and sustainability consulting expertise to our customers. Through Inogen we can offer our Clients more consultants, with more expertise in more countries than traditional multinational consultancy.

Delta-Simons is a 'Beyond Net-Zero' company. We have set a Science-Based Target to reduce our Scope 1 and Scope 2 carbon emissions in line with the Paris Agreement and are committed to reducing Scope 3 emissions from our supply chain. Every year we offset our residual emissions by 150% through verified carbon removal projects linked to the UN Sustainable Development Goals. Our consultancy services to you are climate positive.

If you would like support in understanding your carbon footprint and playing your part in tackling the global climate crisis, please get in touch with your Delta-Simons contact above who will be happy to help.



## **Table of Contents**

1.0	INTRODUCTION	1
1.1	Appointment	1
1.2	Context & Purpose	
1.3	Scope of Works	1
1.4	Existing Information	
1.5	Limitations	2
2.0	SITE CONTEXT & DATA REVIEW	3
2.1	Site Information	3
2.2	Physical Setting	3
2.3	Sensitive Land Use	4
2.4	Historical Use of the Site & Surrounding Area	
2.4.1		
2.4.2		4
2.4.3	B Unexploded Ordnance (UXO)	5
2.5	Environmental Database Review	
2.6	Planning Review/Regulatory Enquiries	5
3.0	CONCEPTUAL SITE MODEL	
3.1	Introduction	6
3.2	Potential Contamination Sources	6
3.3	Potential Pathways	6
3.4	Potential Receptors	
4.0	CONCLUSIONS & RECOMMENDATIONS	8
4.1	Land Contamination Risks and Liabilities	8
4.2	Geotechnical Considerations	8
4.3	Recommendations and Development Constraints	Ç

#### **FIGURES**

Figure 1 – Site Location Map Figure 2 – Site Layout Plan

Figure 3 – Relevant Feature Plan

**APPENDICES** 

Appendix A – Limitations

Appendix B – Risk Definitions

Appendix C – Historical Maps

Appendix D – Landmark Envirocheck Report



#### 1.0 Introduction

#### 1.1 Appointment

Delta-Simons Environmental Consultants Limited ("Delta-Simons") was instructed by West Burton Solar Project Limited (the "Client") to prepare a Preliminary (Geo-Environmental) Risk Assessment for a parcel of land located at Ingleby, Lincoln, LN1 2PQ, hereafter referred to as 'West Burton 2' (the "Site"). A Site Location Map is included as Figure 1.

This Report was undertaken in accordance with Delta-Simon's fee proposal dated 20<sup>th</sup> October 2021. The standard limitations associated with this Assessment are presented in Appendix A.

#### 1.2 Context & Purpose

It is understood that the Site is proposed to be developed as a Solar Farm (West Burton Solar Project), however, no proposed development plans have been provided. It is anticipated that the majority of the Site will comprise ground mounted solar arrays with associated maintenance access routes and limited infrastructure such as sub-stations and battery storage.

The aim of this Report is to support the submission of a planning application for the proposed development.

To that end this study assesses the likely environmental issues associated with soil and groundwater conditions that may affect the proposed development of the Site. This Report is designed in general accordance with guidance on Land Contamination: Risk Management pages of the GOV.UK web pages, the relevant requirements of the National Planning Policy Framework (NPPF) (as revised 2021) (paragraphs 174 & 183-184)<sup>1</sup> and the Planning Practice Guidance (Land Affected by Contamination)<sup>2</sup>.

#### 1.3 Scope of Works

- A Review of the environmental setting of the Site, including the current use / status of the Site and surrounding area, and review of the geology, hydrogeology and hydrology;
- Review of the historical activities of the Site and surrounding area;
- Review of regulatory information relating to the Site;
- Review of the online planning records for the Site;
- ▲ Consult and review information from the Local Authority in relation to Part 2A of the 1990 Environmental Protection Act;
- Review online records of potential unexploded ordnance risks;
- ▲ Develop an outline Conceptual Site Model, and undertake a Preliminary Risk Assessment with respect to potential contamination focussed on the proposed land use; and
- Provide commentary on potential land contamination and geotechnical constraints in the context of the proposed development.

#### 1.4 Existing Information

The following information has been used within the Assessment:

- Current and Historical Ordnance Survey (OS) maps;
- British Geological Survey (BGS) data;
- ▲ Environment Agency (EA) online data;
- Coal Authority (CA) online data;
- ▲ A Landmark Envirocheck Report for the Site (Ref. 2873318441 1), dated 4<sup>th</sup> November 2021;



<sup>&</sup>lt;sup>1</sup> https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment\_data/file/1004408/NPPF\_JULY\_2021.pdf

<sup>2</sup> https://www.gov.uk/guidance/land-affected-by-contamination

- Historical Maps included as part of the Envirocheck Report; and
- Information provided by West Lindsey District Council.

#### 1.5 Limitations

The standard limitations associated with this Assessment are presented in Appendix A. In addition, there are the following specific limitations that apply to this Assessment:

- ▲ No proposed development scheme has been provided, however, it is anticipated that the majority of the Site will comprise ground mounted solar panels with associated maintenance access routes and limited infrastructure such as sub-stations and battery storage; and
- A Site walkover has been undertaken as part of this assessment, however, given the scale of the Site it is not feasible to inspect all of the Site, although key areas have been inspected.



## 2.0 Site Context & Data Review

#### 2.1 Site Information

Co-ordinates	Co-ordinates Centred at National Grid Reference 488660, 377270.	Elevation	5 - 16 m AOD
		Area	330 Ha
Site Address and Location	The Site is centred around Ingleby, approximately centre. A Site Location Map is included as Figure 1.		west of Lincoln city
Site Description	The Site has been assessed through readily availa imagery and a Site Layout Plan is included as Figu representative undertook a Site walkover on 24 <sup>th</sup> N observed or reported on-Site are described below supporting photographs.	re 2. In addit ovember 202	ion, a Delta-Simons 21. Pertinent entries
	The Site consists a series of agricultural fields centred around Ingleby. The fields are separated by hedgerows, land drains and tree lines. Sturton Road is noted to dissect the central area of the Site in a north south orientation and Broxholme Lane crosses the Site in the southern area. In addition, The River Till is located adjacent to the eastern boundary.  A tarmacked access road was noted in the south western area which provided access to a number of fields. A land drain was noted adjacent to the access road.  Overhead electrical power lines and associated pylons are noted to cut across the western and northern areas of the Site.		
	From readily available online data, the Site is indica 5 m AOD in the eastern area to 16 m AOD in the with the local topography.		
Description of Adjacent and Surrounding Land Uses	The Site is located within a predominantly rural area with the surrounding area dominated by agricultural land and a number of farms. Residential dwellings and a care home are present in the central area off Sturton Road. The villages of Bransby and Saxilby are present to the north and south, respectively.		

#### 2.2 Physical Setting

Published Geology	From the BGS Geology of Britain Online Viewer, superficial deposits are mapped as absent across the majority of the Site. Alluvium (Clay, Silt, Sand and Gravel) is mapped across the most easterly area of the Site associated with the adjacent River Till. The bedrock is mapped as the Charmouth Mudstone Formation across the eastern half of the Site and the Scunthorpe Mudstone Formation (Mudstone and Limestone) across the west.
Site-Specific Geology	There are four BGS Boreholes (Ref. SK87NE26, SK97NW12, SK87NE28 and SK97NW9/A) located on-Site in the central and south eastern area. The boreholes recorded a general sequence of Topsoil underlain by light blueish grey clayey silt underlain by grey silty clay with thin bands of stone (mudstone) to a maximum drilled depth of 15.25 m bgl.
Aquifers and Groundwater Receptors	The EA classify the superficial Alluvium in the eastern area is classified as a Secondary A Aquifer, however, given its limited extent on-Site, is unlikely to form a viable potable groundwater source. The Charmouth Mudstone Formation and



	Scunthorpe Mudstone Formations are classified as a Secondary Undifferentiated and Secondary B Aquifers, respectively.
	The EA also indicate that the Site is not located within a Groundwater Source Protection Zone (SPZ).
	According to the Envirocheck® Report there are no licenced groundwater abstractions records within 500 m of the Site.
Hydrology	There are a series of unnamed land drains across and along the Site boundaries. In addition, the River Till is located adjacent to the eastern boundary.
	According to the Envirocheck® Report there are six licenced abstraction records from surface water within 500 m of the Site, the closest of which is located approximately 30 m north relating to abstraction for use in spray irrigation.
Mining & Quarrying	Reference to the Coal Authority on-line viewer indicates that the Site is not with a Coal Mining Reporting Area. Consequently, as such a Coal Mining Risk Assessment (CMRA) is not required under the planning regime.
	There are no BGS Recorded Mineral Sites within 500 m of the Site.
Radon Gas	The Site lies within an area where less than 1% of homes are above the National Radiological Protection Board (NRPB) recommended "action level" for radon. BRE211 (2015) indicates that no radon protective measures are necessary in the construction of new buildings at the Site.
Agricultural Buried Waste	Legal burial of waste, including asbestos containing materials (ACM) for agriculture was banned in 2006.
	Prior to that date it is understood farmers were required to make a record of waste burial locations and recommended use a clean cover of soil.
	There are no known records of agricultural buried waste for this Site, but infilled ponds may represent a source of contamination.

#### 2.3 Sensitive Land Use

Ecological Receptors	It is understood from information provided within the Envirocheck Report that there are no statutory ecological receptors located within 500 m of the Site.
Heritage Interest	Historic England Records ( <u>historicengland.org.uk</u> ) indicate that there is a Scheduled Ancient Monument (SAM) in the central area of the Site listed as the 'Deserted Village of North Ingleby'

#### 2.4 Historical Use of the Site & Surrounding Area

#### 2.4.1 Approach

The historical development of the Site and surrounding area has been assessed through a review of historical maps, aerial photographs and Google Earth historical satellite imagery. A summary of the key historical Site uses and developments in the surrounding area is presented below. Copies of selected historical maps are included as Appendix C.

#### 2.4.2 Historical Information Review

The following table provides a review of the historical information for the Site, adjacent and surrounding area.

Historical	From the earliest map edition dated 1885, the Site is largely undeveloped and
Features On-Site	comprises a series of agricultural fields with associated land drains and ponds in the
	central and northern area. A number of buildings and a pond are noted in the central



	western area, mapped as Ingleby Wood Farm. A well is noted adjacent to the buildings by the 1947 map edition. The buildings and pond are no longer mapped by the 1975 map edition and are assumed demolished/infilled. Further potential infilling of ponds in the central area is noted by the 1979 mapping.  No further alterations are noted, and the Site remains consistent until present day.
Potentially Contaminative Historical Features Off-Site	Potential sources of contamination located within 250 m are limited to a number of farmyards located adjacent to the Site and a railway line located approximately 240 m west from the earliest map edition dated 1885 until present.

#### 2.4.3 Unexploded Ordnance (UXO)

The Zetica Regional Unexploded Bomb Risk Map for the area of the Site (<u>zeticauxo.com</u>) indicates a low risk from unexploded ordnance at the Site.

#### 2.5 Environmental Database Review

The Landmark Envirocheck® Report provides a database of environmental information held by various statutory bodies including the EA, Local Authority (LA), Health & Safety Executive (HSE) and Public Health England amongst others. A copy of the Envirocheck Report is provided in Appendix D and the most relevant information is summarised below.

Features On-Site	The Landmark Envirocheck® Report does not list any entries for the Site.	
Potentially Contaminative	Pertinent entries included within the Landmark Envirocheck® Report, located within 250 m of the Site, include the following:	
Features Off-Site	▲ Seven Discharge Consents, the closest of which is located approximately 5 m north east relating to the discharge of final/treated sewage to a tributary of the River Till;	
	▲ A single Integrated Pollution Control located approximately 80 m north relating to intensive farming;	
	▲ Four Contemporary Trade Directory Entries, the closest of which is located in the central area (80 m east) relating to an active mechanical engineers; and	
	▲ Three Manufacturing and Production Points of Interest, the closest of which is located in the central area (10 m east) relating to a tank;	
	There are no BGS, EA or Historical Landfill Sites within 500 m of the Site.	

#### 2.6 Planning Review/Regulatory Enquiries

On-line Planning Review	West Lindsey District Council	Date Accessed	15/11/2021
Findings	houses in the central western area of the Site. 143040 dated August 2021 relates to the erec	are a number of planning applications which relate to the erection of poultry in the central western area of the Site. The most recent application Ref. dated August 2021 relates to the erection of 1 No. poultry unit. The tion was granted subject to conditions, however, none relate to contaminated	
assessment was identified from the historical planning record			



### 3.0 Conceptual Site Model

#### 3.1 Introduction

A Conceptual Site Model (CSM) represents the relationships between contaminant sources, pathways and receptors, to support the identification and assessment of contaminant linkages.

#### 3.2 Potential Contamination Sources

Identified potential contamination sources are presented in the following table:

Reference	Source	Location	Dates Present	Potential Associated Contaminants of Concern
S1	Agricultural use including small scale fuel spills/leaks from machinery	Site-wide	Pre 1885 to present	Heavy metals and hydrocarbon compounds
S2	Made Ground associated with small scale construction and demolition	Central western area	Pre 1885 to present	Asbestos, heavy metals, hydrocarbon compounds and hazardous ground gas
S3	Potentially infilled ponds	Central area	1979 to present	Asbestos, heavy metals, hydrocarbon compounds and hazardous ground gas
S3	Potential for buried asbestos waste	Site-wide	Pre 2006 to present	Asbestos
S4	Unrecorded on and off-Site sources	Unknown	Unknown	Asbestos, heavy metals, hydrocarbon compounds and hazardous ground gas

#### 3.3 Potential Pathways

The potential pathways are considered to be as follows:

- Direct contact, ingestion or inhalation of soil bound contaminants / dust during or following redevelopment.
- Inhalation of organic vapours associated with contamination.
- ▲ Migration of ground gas / vapours into on-Site buildings causing asphyxiation or risk of explosion.
- ▲ Leaching of contamination into groundwater followed by migration of groundwater to the wider groundwater environment or discharge to surface waters.
- Direct contact between aggressive ground conditions and new infrastructure.

#### 3.4 Potential Receptors

Relevant potential receptors are considered to include:

- ▲ Construction workers.
- Third parties during construction (adjacent Site users and adjacent residents).
- Future Site users including maintenance workers.
- Controlled waters including land drains and the River Till.
- The underlying Secondary B and Secondary Undifferentiated Aquifers.
- ▲ The Built Environment (new buildings and infrastructure / utilities).



Source	Pathway(s)	Receptor(s)	Risk Ratings	Justification & Mitigation (if required)
	Direct contact/ ingestion and inhalation of dust, vapours and asbestos fibres.	Future Site users.  Groundworkers during the redevelopment or during any sub- surface maintenance works.	Very Low Risk	Limited potential sources of contamination have been identified at the Site associated with the Sites former agricultural use and development in the central western area. Given the very low sensitivity end use comprising a solar farm the risk to future Site users is considered very low. No further works are considered to be required.  A 'hotspot' protocol should be in place during the redevelopment for ground workers to act upon should suspected contamination be identified.  Groundworkers should use appropriate personal protective equipment (PPE), including respiratory protective equipment (RPE), if required and maintain good standards of hygiene to be protected from any soil contamination which may be present.
Sources Identified in Section 3.2.	Leaching of contamination into groundwater.  Vertical and lateral migration of contamination through permeable deposits below the Site.	Controlled waters.	Very Low Risk	No significant potential sources have been identified and there are no licensed groundwater abstraction records for potable water within 500 m of the Site, as such, the risk to controlled waters is considered very low.
	Direct contact.	Buried infrastructure.	Low Risk	Sulphates within the ground have the potential to attached buried infrastructure. Based on the anticipated natural clay soils at the Site, the risk is considered low, however it would be prudent to assess the sulphate class of the soils at the time of any geotechnical investigation.  It is considered unlikely that new potable supply pipes are required.
Hazardous ground gas (Potential infilled ponds in central area and Made Ground).	Accumulation of gas in enclosed spaces and subfloor voids.	Buildings and future Site users.	Very Low Risk	Limited sources of ground gas have been identified at the Site associated with potentially infilled ponds in the central area of the Site and potential Made Ground associated with development in the central western area.  Given the very low sensitivity end use comprising a solar farm with limited infrastructure comprising battery storage and sub-stations, the potential for hazardous ground gas to accumulate is considered very low as such no further assessment is required.



## 4.0 Conclusions & Recommendations

#### 4.1 Land Contamination Risks and Liabilities

Soils	Given the very low sensitivity end use comprising a solar farm the risk to future Site users is considered very low and no further assessment is required.	
Groundwater	No significant potential sources have been identified and there are no licensed groundwater abstraction records for potable water within 500 m of the Site, as such, the risk to controlled waters is considered very low.	
Ground Gas	Limited sources of ground gas have been identified at the Site associated with potentially infilled ponds in the central area of the Site and potential Made Ground associated with development in the central western area.	
	Given the very low sensitivity end use comprising a solar farm, the potential for hazardous ground gas to accumulate is considered low, as such, no further assessment is required.	
Building Fabric & Services	Aggressive ground chemistry may attack buried concrete and therefore there may be a requirement for protection measures to be put in place at the Site.	
Materials Management	Earthworks will need to be undertaken under a Materials Management Plan (MMP) in accordance with the CL:AIRE Code of Practice to facilitate the reuse of these materials. The Contractor shall be responsible for the preparation of a MMP and obtaining appropriate sign off from a Qualified Person prior to the commencement of earthworks.	
Potential Contaminated Land Development Risks	Widespread contamination is considered unlikely and the preliminary risk assessment has identified a <b>very low to low</b> risk of soil/groundwater contamination and hazardous ground gas at the Site.	

#### 4.2 Geotechnical Considerations

	T	
Uncertainty and Data Gaps	This assessment is based on desk study information only. No Site-specific ground investigation data has made available for review.	
Preliminary Ground Model	Based on the available information, it is anticipated that the Site is likely underlain by a sequence of Topsoil and superficial Alluvium across the eastern area of the Site only, subsequently underlain by bedrock of the Charmouth Mudstone Formation. Bedrock is anticipated directly below Topsoil in the western area of the Site comprising Scunthorpe Mudstone Formation.	
	Given the presence of a land drains, groundwater is expected to be shallow or perched.	
Plausible Geo-Hazards	The geohazards listed below have been identified to follow guidance presented in the HE document CD622 'Managing Geotechnical Risk' (2019) which aims to identify and manage the geotechnical risks associated with a scheme throughout its lifespan, from planning to construction to maintenance.	
	The following geohazards are considered to be substantial ground related risks associated with the proposed development. A substantial risk is defined by Delta-Simons in Appendix B.	
	▲ Potential for Made Ground associated with potentially infilled ponds in the central area and associated with historical development in the west. Made Ground is typically variable in nature and strength with a potentially low	



- bearing capacity and unacceptable levels of total/differential settlement may occur;
- Potential soft, variable and compressible superficial Alluvial deposits which have potentially low bearing capacity and unacceptable levels of total/differential settlement may occur; and
- Possible shrink/swelling of clay due to trees bordering the Site and along field boundaries.

#### 4.3 Recommendations and Development Constraints

#### Recommendations

The following recommendations and development abnormals area considered appropriate;

- ▲ A geotechnical Site investigation to assess in-situ geotechnical soil strength testing / laboratory testing and CBRs, in order to inform proposed foundation/roadway design;
- A hotspot protocol should be put in place for groundworks to act upon should potential contamination be identified; and
- ▲ Subject to the proposed development scheme a Materials Management Plan (MMP) may be required in accordance with regulatory protocols during redevelopment.




# **Figures**



# Figure 1 – Site Location Map





deltasimons

Site Location Map West Burton Solar Project West Burton 2

JR	To Scale@A4	21-1098	
DHOUDIN	REVISION:	2,300,000,000,000	
DATE	1.	FIGURE NO:	
8th November 2021		1	

# Figure 2 – Site Layout Plan





deltasimons


Site Layout Plan
West Burton Solar Project
West Burton 2

DRAWN	JR	Not to Scale	PROJECT NO:
снескев ву: РН		REVISION:	FIGURE NO:
DATE: 8th November 2021			

21-1098.02

# Figure 3 – Relevant Feature Plan





# **Appendices**



# Appendix A – Limitations



#### Limitations

This Report was prepared by Delta-Simons Environmental Consultants Ltd (Delta-Simons) for the sole and exclusive use of the Client and for the specific purpose for which Delta-Simons was instructed. Nothing contained in this Report shall be construed to give any rights or benefits to anyone other than the Client and Delta-Simons, and all duties and responsibilities undertaken are for the sole and exclusive benefit of the Client and not for the benefit of any other party. Delta-Simons does not intend, without its written consent through a formal letter of reliance or warranty, for this Report to be disseminated to any party other than the named Client or to be used or relied upon by any party other than the named Client. Use of the Report by any other party is unauthorised and such use is at the sole risk of the user. Any party using or relying upon this Report, other than the Client, agrees by virtue of its use to indemnify and hold harmless Delta-Simons from and against all claims, losses and damages (of whatsoever nature and howsoever or whensoever arising), arising out of or resulting from the performance of the work by Delta-Simons. Unless explicitly agreed otherwise, in writing, this Report has been prepared under Delta-Simons' Standard Terms and Conditions as included within our proposal to the Client.

The recommendations contained within this Report represent Delta-Simons professional opinions, based upon the information detailed within the Report, exercising the reasonable skill and care to be expected of a professional consultant holding itself out as having the competence, experience and resources necessary for the purpose of carrying out similar work in scope and character to the services performed. The Report needs to be considered in the light of the proposal and associated limitations of scope. The Report needs to be read and considered in full and isolated sections cannot be used without full reference to other elements of the report and any previous works referenced within the Report.

Where Delta-Simons has obtained, reviewed and evaluated information in preparing this Report from the Client and others and Delta-Simons conclusions, opinions and recommendations has been reasonably determined using this information, Delta-Simons does not warrant the accuracy of the third-party information provided to it and cannot be responsible for any opinions which Delta-Simons has expressed, or conclusions which it has reached in reliance upon information which is subsequently proven to be inaccurate.

Site surveys document the conditions encountered at the time of survey only and conditions may change due to natural processes or human intervention. As such, surveys represent an assessment at a specific point in time and Delta-Simons cannot be responsible for adverse conditions which arise or become apparent after the time of the survey or for conditions which sit outside the scope for which the survey or Report was commissioned.

Where intrusive investigations have been completed, information, comments and opinions given in this report are based on the ground conditions encountered during the site work period and on the results of laboratory and field tests performed during the investigation. Ground conditions are inherently variable such that no investigation can be exhaustive to the extent that all adverse conditions are revealed. Conditions may therefore be present beneath the site that were not apparent in the data reviewed or obtained as part of this assessment. It should be noted that groundwater levels vary due to seasonal and other effects and may at times differ to those measured during the investigation. Delta-Simons does not warrant or guarantee that the Site is free of hazardous or potentially hazardous materials or conditions. Where risk assessment is undertaken, this is based upon the standards, guidance and common practice at the time of the assessment and Delta-Simons cannot be responsible for conditions which become apparent following changes in guidance or practice or advancements in scientific knowledge which change the position in relation to assessment of risk.

No aspect of this Report constitutes a design. Where this information is used in design, the designer should verify the information has been used appropriately.

Where budgets are prepared and presented within the Report, these are for information only to indicate the likely magnitude of a cost and do not represent an invitation to treat for the works. All budgets and programmes presented should be reviewed and verified by appropriately qualified and experienced independent Project Managers and Cost Consultants.



## Appendix B – Risk Definitions



#### Contaminated Land Risk Definitions

The following methodology is based on the methodology presented in CIRIA C552 Contaminated Land Risk Assessment: A Guide to Good Practice 2001. It requires the classification of the:

Magnitude of the potential consequence (severity) of the Risk occurring: and

Magnitude of the Probability (likelihood) of the Risk occurring.

The classifications are then compared to indicate the risk presented by each pollutant linkage.

#### **Consequence to Receptor Definition Matrix**

	Human Health	Controlled Waters	Buildings/Services
Severe Consequence	Acute or chronic permanent impact on human health.	Sensitive controlled water pollution ongoing, or just about to occur.	Catastrophic collapse
	Chronic permanent impact on human health	Gradual pollution of sensitive controlled water	Degradation of materials
IVIIIN CANSONIIO	Chronic temporary impact on human health	Gradual pollution of non-	Damage to building rendering it unsafe.to occupy (e.g. foundation damage resulting in instability).
Minor Consequence	Non-permanent health effects to human health (easily prevented by means such as personal protective clothing etc).	Slight discoloration of water	Easily repairable effects of damage to buildings, structures and services, i.e. discoloration of concrete

#### **Probability Definitions**

Probability	Definition in Context
Higher	There is a pollution linkage and an event that either appears very likely in the short term and almost inevitable over the long term, or there is evidence at the receptor of harm or pollution.  Positive evidence of source, pathway and receptor.
Likely	There is a pollution linkage and all the elements are present and in the right place, which means that it is probable that an event will occur. Circumstances are such that an event is not inevitable, but possible in the short term and likely over the long term.  Suspect source, pathway, and receptor
Low Likelihood	There is a pollution linkage and circumstances are possible under which an event could occur.  However, it is by no means certain that even over a longer period such event would take place, and is less likely in the shorter term.
Unlikely	There is a pollution linkage but circumstances are such that it is improbable that an event would occur even in the very long term.  No evidence of hazard, pathway, and receptor



#### **Standard Risk Matrix**

		Consequence/Magnitude of impact			
		Severe	Medium	Mild	Minor
<b>&gt;</b>	High	Very High	High	Moderate	Moderate/Low
Probability	Likely	High	Moderate	Moderate/low	Low
Prob	Low Likelihood	Moderate	Moderate/low	Low	Very Low
	Unlikely	Moderate/low	Low	Very Low	Very Low

#### Classified risks and likely action

Significance Level	Definition/Comments
Very High Risk	There is a high probability that severe harm could arise to a designated receptor from an identified hazard, OR, there is evidence that severe harm to a designated receptor is currently happening.
	This risk, if realised, is likely to result in a substantial liability. Urgent investigation (if not undertaken already) and remediation are likely to be required.
	Demonstrable contaminated land situation, highest threat & liability level, urgent action recommended.
	Harm is likely to arise to a designated receptor from an identified hazard.
	Realisation of the risk is likely to present a substantial liability. Urgent investigation (if not undertaken already) is required and remedial works may be necessary in the short term and are likely over the longer term.
	Likely contaminated land situation, risk assessment and action recommended.
	It is possible that harm could arise to a designated receptor from an identified hazard. However, if is either relatively unlikely that any such harm would be severe, or if any harm were to occur it is more likely that the harm would be relatively mild.
Moderate	Investigation (if not already undertaken) is normally required to clarify the risk and to determine the potential liability. Some remedial works may be required in the longer term.
	Plausible contaminated land situation, risk assessment and possible action recommended.
	It is possible that harm could arise to a designated receptor from an identified hazard, but it is likely that this harm, if realised, would at worst normally be mild.
	Unlikely contaminated land situation, possible risk assessment and possible action.
Very Low Risk	There is a low possibility that harm could arise to a receptor. In the event of such harm being realised it is not likely to be severe.
	Negligible risk, no action recommended except vigilance for changes in conditions.



#### Geotechnical Risk Classification

The geohazards listed in the report within Section 4 follow guidance presented in Clayton, C.R.I. (2001) Managing Geotechnical Risk, Thomas Telford and the Highways Agency document CD622 'Managing Geotechnical Risk' (2008) which aims to identify and manage the geotechnical risks associated with a scheme throughout its lifespan, from planning to construction to maintenance.

For each geohazard the probability of the hazard occurring (P) has been considered together with the impact it would have (I) if it were to happen to calculate the risk rating between 1 and 25.

Risks that fall within Moderate, Significant and Severe categories below are considered to be **substantial** and are therefore listed within the report.

Probability	(P)	
Very Likely (VLk)	5	
Likely (Lk)	4	)
Plausible (P)	3	2.50
Unlikely (U)	2	1
Very Unlikely (VU)	1	

Impact	(1)	
Very High (VH)	5	
High (H)	4	:
Medium (M)	3	
Low (L)	2	
Very Low (VL)	1	

(R)	Risk
20 – 25	Severe
15 – 19	Substantial
10 – 14	Moderate
5-9	Minor
1-4	Negligible



## Appendix C – Historical Maps



## **Historical Mapping Legends**

#### **Ordnance Survey County Series 1:10,560** Gravel Pit Other Orchard Mixed Wood Deciduous Brushwood Furze Rough Pasture Trigonometrical Arrow denotes flow of water Station Site of Antiquities Bench Mark Pump, Guide Post, Well, Spring, Signal Post Boundary Post Surface Level -285 Sketched Instrumental Contour Contour Fenced Main Roads Minor Roads Un-Fenced Raised Road Sunken Road Railway over Road over Railway River Railway over Level Crossing Road Road over Road over Road over County Boundary (Geographical) County & Civil Parish Boundary Administrative County & Civil Parish Boundary County Borough Boundary (England) Co. Boro. Bdy. County Burgh Boundary (Scotland) Rural District Boundary RD. Bdy.

Civil Parish Boundary

#### Ordnance Survey Plan 1:10,000

	k Pit, Clay Pit uarry	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Gravel Pit		
Sand	l Pit	(	Disused Pit or Quarry		
1.0.	se or Heap	<b></b>	Lake, Loch or Pond		
ca <sub>wa</sub> s Dune	95	000	Boulders		
弁 ↑↑ Coni Tree	ferous s	44	Non-Coniferous Trees		
♦ Orchard	00_	Scrub	\Y₁v Coppice		
ក្រា Bracke	n	Heath '	( ) , , , Rough Grassland		
<u>→</u> Marsh	w///	Reeds	→ <u>•</u> Saltings		
	-				
Building		ion of Flow of			
		1/00	Shingle		
	>	3//	Sand		
Glassho	ouse				
		Pylon	Electricity		
rounn			<ul> <li>Electricity</li> <li>Transmission</li> </ul>		
Sloping	Masonry	Pole	Line		
			_		
Cutting	Embankme	nt	Standard Gauge		
***************************************					
	_//	\\	⊨ Standard Gauge		
	oad // Level	ng Bridge	Single Track		
			Siding, Tramway or Mineral Line		
			→ Narrow Gauge		
	Geographical Cou	inty			
	Administrative Co or County of City	unty, County	Borough		
	Municipal Boroug Burgh or District (		ural District,		
	Borough, Burgh o Shown only when not	r County Con coincident with	stituency other boundaries		
	Civil Parish Shown alternately when coincidence of boundaries occurs				
BP, BS Boundary	Post or Stone	Pol Sta	Police Station		
Ch Church		PO	Post Office		
CH Club Hous		PC PLI	Public Convenience		
FE Sta Fire Engin		PH SB	Public House Signal Box		
Fn Fountain	,-	Spr	Spring		
GP Guide Pos	t	тсв	Telephone Call Box		
MP Mile Post		TCP	Telephone Call Post		

Mile Post

Telephone Call Post

### 1:10,000 Raster Mapping


(EEE)	Gravel Pit	(EEE)	Refuse tip or slag heap
2,7,7	Rock	, ,	Rock (scattered)
	Boulders		Boulders (scattered)
	Shingle	Mud	Mud
Sand	Sand		Sand Pit
mm	Slopes	הונינוניה הנהנהנה	Top of cliff
	General detail		Underground detail
	Overhead detail	**********	Narrow gauge railway
	Multi-track railway	-	Single track railway
	County boundary (England only)		Civil, parish or community boundary
	District, Unitary, Metropolitan, London Borough boundary		Constituency boundary
۵ <sup>۵</sup> **	Area of wooded vegetation	مم مم	Non-coniferous trees
۵۵	Non-coniferous trees (scattered)	** **	Coniferous trees
*	Coniferous trees (scattered)	Q	Positioned tree
φ φ φ φ	Orchard	R R	Coppice or Osiers
unter	Rough Grassland	1907	Heath
On_	Scrub	∆ <u>N</u> iL	Marsh, Salt Marsh or Reeds
S	Water feature	<del>-</del>	Flow arrows
MHW(S)	Mean high water (springs)	MLW(S)	Mean low water (springs)
	Telephone line (where shown)		Electricity transmission line (with poles)
+- ВМ 123.45 m	Bench mark (where shown)	Δ	Triangulation station
	Point feature (e.g. Guide Post or Mile Stone)	$\boxtimes$	Pylon, flare stac or lighting tower
•‡•	Site of (antiquity)		Glasshouse
	General Building		Important Building



#### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Lincolnshire	1:10,560	1885	2
Nottinghamshire	1:10,560	1900	3
Lincolnshire	1:10,560	1906 - 1907	4
Lincolnshire	1:10,560	1907	5
Lincolnshire	1:10,560	1921 - 1922	6
Lincolnshire	1:10,560	1921 - 1922	7
Lincolnshire	1:10,560	1938 - 1948	8
Lincolnshire	1:10,560	1950	9
Ordnance Survey Plan	1:10,000	1956	10
Ordnance Survey Plan	1:10,000	1979	11
10K Raster Mapping	1:10,000	2000	12
10K Raster Mapping	1:10,000	2006	13
VectorMap Local	1:10,000	2021	14

#### **Historical Map - Slice A**



#### **Order Details**

Order Number: 287331844\_1\_1 Customer Ref: 21-1098.02 National Grid Reference: 488660, 377270

Slice:

Site Area (Ha): Search Buffer (m): 331.04


**Site Details** 

West Burton 2



0844 844 9951 www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021 Page 1 of 14







## Lincolnshire **Published 1885** Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of coun ies, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

#### Map Name(s) and Date(s)



## **Historical Map - Slice A**



#### **Order Details**

287331844\_1\_1 21-1098.02 Order Number: **Customer Ref:** National Grid Reference: 488660, 377270

Site Area (Ha): Search Buffer (m): 331.04

## **Site Details**

West Burton 2



0844 844 9951 www.enviroched

A Landmark Information Group Service v50.0 04-Nov-2021 Page 2 of 14







## Nottinghamshire Published 1900 Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of coun ies, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

#### Map Name(s) and Date(s)



#### **Historical Map - Slice A**



#### **Order Details**

287331844\_1\_1 21-1098.02 Order Number: Customer Ref: National Grid Reference: 488660, 377270

Site Area (Ha): Search Buffer (m): 331.04


## **Site Details**

West Burton 2



0844 844 9951 www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021 Page 3 of 14






#### Lincolnshire


## Published 1906 - 1907 Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of coun ies, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

#### Map Name(s) and Date(s)



#### **Historical Map - Slice A**



#### **Order Details**

287331844\_1\_1 21-1098.02 Order Number: **Customer Ref:** National Grid Reference: 488660, 377270

Site Area (Ha): Search Buffer (m): 331.04


## **Site Details**


West Burton 2



0844 844 9951 www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021 Page 4 of 14









# **Published 1921 - 1922**

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of coun ies, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every

#### Map Name(s) and Date(s)






287331844\_1\_1 21-1098.02 National Grid Reference: 488660, 377270

331.04

0844 844 9951 www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021 Page 6 of 14







# **Published 1921 - 1922**

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of coun ies, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every

#### Map Name(s) and Date(s)






287331844\_1\_1 21-1098.02 National Grid Reference: 488660, 377270

331.04

0844 844 9951 www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021 Page 7 of 14





#### Lincolnshire


## **Published 1938 - 1948** Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of coun ies, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

#### Map Name(s) and Date(s)

1	080NW	060NE	
1	1947 1:10,560	1947 1:10,560	•
1	1.10,500	1.10,500	
1	060SW	060SE	
1	1948 1:10,560	1938 1:10,560	1
1		!	

#### **Historical Map - Slice A**



#### **Order Details**

287331844\_1\_1 21-1098.02 Order Number: **Customer Ref:** National Grid Reference: 488660, 377270

Site Area (Ha): Search Buffer (m): 331.04


## **Site Details**

West Burton 2



0844 844 9951 www.enviroched

A Landmark Information Group Service v50.0 04-Nov-2021 Page 8 of 14







## Lincolnshire Published 1950 Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of coun ies, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

#### Map Name(s) and Date(s)



#### **Historical Map - Slice A**



#### **Order Details**

287331844\_1\_1 21-1098.02 Customer Ref: National Grid Reference: 488660, 377270


Site Area (Ha): Search Buffer (m): 331.04

## **Site Details**



0844 844 9951 www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021 Page 9 of 14






# Ordnance Survey Plan Published 1956 Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of coun ies, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

#### Map Name(s) and Date(s)



#### **Historical Map - Slice A**



#### **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 488660, 377270
Slice: A

Site Area (Ha): 331.04 Search Buffer (m): 250

ito Details

Site Details
West Burton 2



el: 0844 844 9952 ax: 0844 844 9951 /eb: www.envirocheck.co

A Landmark Information Group Service v50.0 04-Nov-2021 Page 10 of 14






## **Ordnance Survey Plan** Published 1979 Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of coun ies, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

#### Map Name(s) and Date(s)



#### **Historical Map - Slice A**



#### **Order Details**

Order Number: 287331844\_1\_1 21-1098.02 **Customer Ref:** National Grid Reference: 488660, 377270

Site Area (Ha): Search Buffer (m): 331.04


## **Site Details**


West Burton 2




0844 844 9951 www.enviroche

A Landmark Information Group Service v50.0 04-Nov-2021 Page 11 of 14








## **Historical Mapping Legends**

#### **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



Pump

Sluice

Spring

Trough

Well

Signal Post

Telephone Call Box

NTL

Normal Tidal Limit

S.P

T.C.B

Tr

B.R.

EP

P.B.

M.S

Bridle Road

Foot Bridge


Mile Stone

M.P. M.R. Mooring Post or Ring

Electricity Pylor

Guide Post or Board

Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



**Electricity Transmission Line** 

Cave

County Boundary (Geographical) County & Civil Parish Boundary Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary

Triangulation

Electricity

÷

mereing changes Beer House Pillar, Pole or Post **Boundary Post or Stone** Post Office Capstan, Crane Public Convenience PH Public House Chy D Fn Drinking Fountain Pump EIP Electricity Pillar or Post SB, SB Signal Box or Bridge FAP Fire Alarm Pillar SP. SL Signal Post or Light FB Foot Bridge Spring Tank or Track Guide Post Τk Hydrant or Hydraulic TCB Telephone Call Box LC Level Crossing TCP Telephone Call Post Manhole Trough MP Mile Post or Mooring Post Water Point, Water Tap MS

Wd Pp

Wind Pump

## 1:1,250

	~		Slo	opes Top	
	للتغلابات		Тор	11111111111111111	
(	Cliff	1111		))))))))))))	
,		1111			
520	Rock		52	Rock (scattered)	
$\triangle_{a}$	Boulders		<i>\triangle</i>	Boulders (scattered)	
	Positioned	Boulder		Scree	
ফ্র	Non-Conif	erous Tree )	丰	Coniferous Tree (surveyed)	
ζļ¢	Non-Conif	erous Trees yed)	* **	Coniferous Trees (not surveyed)	
දා	Orchard Tree	Q a.	Scrub	<sub>າ</sub> ຕຸ Bracken	
* ~	Coppice, Osier	sNo.	Reeds 🛥	u <u> அம்</u> Marsh, Saltings	
attin,	Rough Grassland	annin,	Heath	Culvert	
<b>»→</b>	Direction of water flo	Δ	Triangulatior Station	Antiquity (site of)	
E_TL	_ Electric	ity Transmis	ssion Line	⊠ Electricity Pylon	
\ <del>€</del> \ 8₩	291.60m E	Bench Mark		Buildings with Building Seed	
	Roofe	ed Building		Glazed Roof Building	
		Ci∨il parish	/community b	oundary	
		District bou	=	-	
_ •		County box	ındary		
٥		Boundary p	ost/stone		
Þ		Boundary r	nereing symb	ol (note: these ed pairs or groups	
Disa	Dewe -l		5	Billor Bols or Bo-4	
Bks Btv	Barracks Battery		P PO	Pillar, Pole or Post Post Office	
Bty Cemy	Cemetery Cemetery		PC PC	Public Convenience	
Chy	Chimney		Pp	Pump	
Cis	Cistern		Ppg Sta	Pumping Station	
Dismtd R		tled Railway	PW	Place of Worship	
El Gen S	•	ity Generating	Sewage P	pg Sta Sewage Pumping Station	
EIP		Pole, Pillar	SB, S Br	Signal Box or Bridge	
El Sub St	ta Electricity	Sub Station	SP, SL	Signal Post or Light	

Spr

Tk

Tr

Wd Pp

Wks

Spring

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

Tank or Track

Filter Bed

Gas Governer

**Guide Post** 

Manhole

Fountain / Drinking Ftn.

Gas Valve Compound

Mile Post or Mile Stone

Fn/DFn


GVC



#### Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Lincolnshire	1:2,500	1886	2
Lincolnshire	1:2,500	1906	3
Lincolnshire	1:2,500	1920	4
Ordnance Survey Plan	1:2,500	1972 - 1975	5
Large-Scale National Grid Data	1:2,500	1994	6
Historical Aerial Photography	1:2,500	1999	7

## **Historical Map - Segment A6**



#### **Order Details**

Order Number: 287331844\_1\_1 21-1098.02 **Customer Ref:** National Grid Reference: 488660, 377270 Slice: 331.04

Site Area (Ha): Search Buffer (m):

## **Site Details**


West Burton 2



0844 844 9952 0844 844 9951

Page 1 of 7


A Landmark Information Group Service v50.0 04-Nov-2021






## Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.




#### **Historical Map - Segment A6**





287331844\_1\_1 21-1098.02 National Grid Reference: 488660, 377270

0844 844 9952 0844 844 9951 www.enviroche

A Landmark Information Group Service v50.0 04-Nov-2021 Page 2 of 7











## Ordnance Survey Plan Published 1972 - 1975 Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

#### Map Name(s) and Date(s)



#### **Historical Map - Segment A6**



#### **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 488660, 377270

): .

Site Area (Ha): 331.04 Search Buffer (m): 100


## **Site Details**

West Burton 2

Landmark

Tel: 0844 844 9952 Fax: 0844 844 9951 Web: www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021 Page 5 of 7



0844 844 9951 www.envirocheck co uk






## **Historical Aerial Photography** Published 1999

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

#### **Historical Aerial Photography - Segment A6**



#### **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 488660, 377270 Slice:

Site Area (Ha): Search Buffer (m): 331.04 100

## **Site Details**

West Burton 2


Landmark'

0844 844 9952 0844 844 9951 www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021

## **Historical Mapping Legends**

#### **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring

Trough Well

S.P

T.C.B

Tr

B.R.

EPP.B. Bridle Road

Foot Bridge


Mile Stone

M.P. M.R. Mooring Post or Ring

Electricity Pylor

Guide Post or Board

Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



Rough Culvert யார் Heath Grassland Direction Bench Antiquity of water flow (site of) Electricity Cave Triangulation ÷

**Electricity Transmission Line** County Boundary (Geographical) County & Civil Parish Boundary Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary mereing changes

вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

FΒ

GVC

Filter Bed

Fn / D Fn Fountain / Drinking Ftn.

Gas Governer

**Guide Post** 

Manhole

Gas Valve Compound

Mile Post or Mile Stone

## 1:1,250

	لخنائن		Slo	opes .	Тор
	Cliff		Тор	1111111	!!!!!!!!!
~~~~					
				<b>5</b>	
252	Rock		23	Rock (so	attered)
$\Box$	Boulders		2	Boulders	(scattered)
	Positioned	l Boulder		Scree	
ফ্র	Non-Conif (surveyed	erous Tree )	\$	Conifero	
ర్లోల్	Non-Conif (not surve	erous Trees yed)	杰杰	Conifero (not surv	ous Trees /eyed)
දා	Orchard Tree	Q a.	Scrub	r,	Bracken
* ~	Coppice, Osier	alva, F	Reeds ⊸	<u>ш</u> — <u>лу</u> с	Marsh, Saltings
artte.	Rough Grassland	<sub>9</sub> 0100,	Heath	1	Culvert
** <del>*</del>	Direction of water flo		Γriangulatior Station	, &	Antiquity (site of)
E_TL	_ Electric	ity Transmiss	sion Line	$\boxtimes$	Electricity Pylon
\ ∤ BM	231.6ûm E	Bench Mark		Building Building	gs with g Seed
	Roofe	ed Building		29	azed Roof ilding
		Ci∨il parish/o	-	oundary	
_ •		County bour	ndary		
9		Boundary po	st/stone		
×	>	Boundary me always appe of three)			
Bks	Barracks		Р	Pillar, Pol	e or Post
Bty	Battery		PO	Post Offi	
Cemy	Cemetery		PC	Public Co	onvenience
Chy	Chimney		Pp	Pump	
Cis	Cistern		Ppg Sta	Pumping	Station
Dismtd F	Rly Disman	tled Railway	PW	Place of\	Vorship
El Gen S	ta Electric Station	ity Generating	Sewage P		wage Imping Station
EIP	Electricity	Pole, Pillar	SB, S Br	Signal B	ox or Bridge
El Sub S	ta Electricity	Sub Station	SP, SL	Signal Po	ost or Light
	Ciltan Dad			_	-

Spr

Tr

Wd Pp

Wks

Spring

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap

Works (building or area)


Tank or Track



#### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Lincolnshire	1:2,500	1886	2
Lincolnshire	1:2,500	1906	3
Lincolnshire	1:2,500	1920	4
Ordnance Survey Plan	1:2,500	1972	5
Additional SIMs	1:2,500	1986	6
Additional SIMs	1:2,500	1993	7
Large-Scale National Grid Data	1:2,500	1994	8
Historical Aerial Photography	1:2,500	1999	9

## **Historical Map - Segment A7**



#### **Order Details**

Order Number: 287331844\_1\_1 **Customer Ref:** 21-1098.02 National Grid Reference: 488660, 377270 Slice: Site Area (Ha): 331.04

Search Buffer (m):

**Site Details** 


West Burton 2





0844 844 9952 0844 844 9951


Page 1 of 9

A Landmark Information Group Service v50.0 04-Nov-2021












0844 844 9951 www.envirocheck co uk

Page 5 of 9












## **Historical Aerial Photography** Published 1999

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

#### **Historical Aerial Photography - Segment A7**



#### **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 488660, 377270 Slice:

Site Area (Ha): Search Buffer (m): 331.04 100


**Site Details** West Burton 2

Landmark

0844 844 9952 0844 844 9951 www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021

## **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



Co. Burgh Bdy.

Bridle Road

Foot Bridge

Mile Stone

M.P. M.R. Mooring Post or Ring


Electricity Pylor

Guide Post or Board

B.R.

EPP.B.

### Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



***		Symbol mark mereing chai		where boundary
вн	Beer House		Р	Pillar, Pole or Post
BP, BS	Boundary Pos	st or Stone	PO	Post Office
Cn, C	Capstan, Crar	ne .	PC	Public Convenience
Chy	Chimney		PH	Public House
D Fn	Drinking Four	ntain	Pp	Pump
EIP	Electricity Pills	ar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pill	ar	SP, SL	Signal Post or Light
FB	Foot Bridge		Spr	Spring
GP	Guide Post		Tk	Tank or Track
Н	Hydrant or Hy	draulic	TCB	Telephone Call Box
LC	Level Crossin	g	TCP	Telephone Call Post
MH	Manhole		Tr	Trough
MP	Mile Post or Me	ooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone		W	Well
NTL	Normal Tidal L	_imit	Wd Pp	Wind Pump

County Boundary (Geographical) County & Civil Parish Boundary

Admin. County or County Bor. Boundary

Civil Parish Boundary

London Borough Boundary

L B Bdy

Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring

Trough

S.P

T.C.B

Tr

# 1:1,250

			Slo	opes .	Тор
	 Clitt		Тор	<b>!!!!!!</b> !!!!!!	
233	Rock		7,3	Rock (so	cattered)
$\triangle_{\underline{a}}$	Boulders		Δ	Boulders	(scattered)
$\triangle$	Positioned	Boulder		Scree	
<u> දකු</u>	Non-Conif (surveyed	erous Tree )	*	Coniferd (surveye	
ζţά	Non-Conif (not surve	erous Trees yed)	未未	Conifero	ous Trees /eyed)
ද	Orchard Tree	Q a.	Scrub	<sup>1</sup> L	Bracken
* ~	Coppice, Osier	siVi.	Reeds 🛥	<u>।ए —ग्र</u> ीह	Marsh, Saltings
artite,	Rough Grassland	1111111 <sub>11</sub>	Heath	1	Culvert
<del>*** &gt;</del>	Direction of water flo	Δ ow	Triangulation Station	, of	Antiquity (site of)
E <u>T</u> L	_ Electric	ity Transmis	ssion Line	$\boxtimes$	Electricity Pylon
<b>∤</b> ∤Вм	231.60m E	Bench Mark	7	Building Building	
	Roofe	ed Building		8	azed Roof iilding
		Ci∨il parish	/community b	oundary	
		District bou	undary	•	
_ •		County bou	ındarv		
٥		Boundary p			
,c	>	Boundary r	nereing symb ear in oppose	. `	
Bks	Barracks		Р	Pillar, Pol	le or Post
Bty	Battery		PO	Post Offic	ce
Cemy	Cemetery		PC -		onvenience
Chy	Chimney		Pp Ppg Sta	Pump	Station
Cis Dismtd F	Cistern	tled Railway	Ppg Sta PW	Pumping Place of\	
El Gen S	-	ity Generating	Sewage P	pg Sta Se	wage umping Station
EIP	Electricity	Pole, Pillar	SB, S Br		ox or Bridge
El Sub S	ta Electricity	Sub Station	SP, SL	Signal Po	ost or Light
FB	Filter Bed		Spr	Spring	
Fn/DFr	Fountain /	Drinking Ftn.	Tk	Tank or T	rack
			<b>T</b>	T	

Gas Valve Compound

Mile Post or Mile Stone

Gas Governer

**Guide Post** 

Manhole

Tr

Wd Pp

Wks

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap


Works (building or area)



## **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Lincolnshire	1:2,500	1886	2
Lincolnshire	1:2,500	1906	3
Lincolnshire	1:2,500	1920	4
Ordnance Survey Plan	1:2,500	1972	5
Additional SIMs	1:2,500	1986	6
Additional SIMs	1:2,500	1993	7
Large-Scale National Grid Data	1:2,500	1994	8
Historical Aerial Photography	1:2,500	1999	9

## **Historical Map - Segment A8**



#### **Order Details**

Order Number: 287331844\_1\_1 **Customer Ref:** 21-1098.02 National Grid Reference: 488660, 377270 Slice:

Site Area (Ha):


331.04 Search Buffer (m):


**Site Details** West Burton 2


Landmark


0844 844 9952 0844 844 9951

Page 1 of 9













## **Ordnance Survey Plan** Published 1972 Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

## Map Name(s) and Date(s)



## **Historical Map - Segment A8**



#### **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 488660, 377270

Site Area (Ha): Search Buffer (m): 331.04


## **Site Details**


West Burton 2


Landmark

0844 844 9951 www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021 Page 5 of 9











## **Large-Scale National Grid Data** Published 1994 Source map scale - 1:2,500

'Large Scale Na ional Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Informa ion on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

## Map Name(s) and Date(s)



#### **Historical Map - Segment A8**




Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 488660, 377270

331.04

## **Site Details**

Landmark


0844 844 9951 www.envirocheck co uk





This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

## **Historical Aerial Photography - Segment A8**



#### **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 488660, 377270

Site Area (Ha): Search Buffer (m): 331.04 100

**Site Details** 


West Burton 2

Landmark

0844 844 9952 0844 844 9951 www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021 Page 9 of 9

## **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



P.C.B

S.P

SL

Sp.

Tr

T.C.B

Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring

Trough

Well

Co. Burgh Bdy.

Bridle Road

Foot Bridge

Mile Stone

M.P. M.R. Mooring Post or Ring

Electricity Pylor

Guide Post or Board


B.R.

EP

P.B.

M.S

Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



#### County Boundary (Geographical) County & Civil Parish Boundary Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary mereing changes

**Electricity Transmission Line** 

Cave

ETL

Entrance

Triangulation

Electricity

Fn/DFn

GVC

MP, MS

Fountain / Drinking Ftn.

Gas Valve Compound

Mile Post or Mile Stone

Gas Governer

**Guide Post** 

Manhole

Tk

Tr

Wd Pp

Wks

Tank or Track

Trough


Wind Pump Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

÷

,			
вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250






### Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Lincolnshire	1:2,500	1886	2
Lincolnshire	1:2,500	1906	3
Lincolnshire	1:2,500	1920	4
Ordnance Survey Plan	1:2,500	1972 - 1975	5
Large-Scale National Grid Data	1:2,500	1994	6
Historical Aerial Photography	1:2,500	1999	7

## **Historical Map - Segment A10**



### **Order Details**

Order Number: 287331844\_1\_1 21-1098.02 **Customer Ref:** National Grid Reference: 488660, 377270 Slice:

Site Area (Ha):


331.04 Search Buffer (m): 100


#### **Site Details** West Burton 2


Landmark


0844 844 9952 0844 844 9951

Page 1 of 7













## **Ordnance Survey Plan Published 1972 - 1975** Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

## Map Name(s) and Date(s)



## **Historical Map - Segment A10**



#### **Order Details**

Order Number: 287331844\_1\_1 21-1098.02 Customer Ref: National Grid Reference: 488660, 377270


Site Area (Ha): Search Buffer (m): 331.04


## **Site Details**

West Burton 2



0844 844 9951 www.envirocheck co uk








This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

## **Historical Aerial Photography - Segment A10**



#### **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 488660, 377270

331.04 100 Site Area (Ha): Search Buffer (m):


## **Site Details**

West Burton 2

Landmark

0844 844 9952 0844 844 9951 www.envirocheck co uk

### **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring

Trough Well

S.P

T.C.B

Tr

B.R.

EPP.B.

M.S

Bridle Road

Foot Bridge


Mile Stone

M.P. M.R. Mooring Post or Ring

Electricity Pylor

Guide Post or Board

Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



Culvert யார் Heath Grassland Direction Bench Antiquity of water flow (site of) Electricity Cave Triangulation ÷

**Electricity Transmission Line** County Boundary (Geographical) County & Civil Parish Boundary Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary mereing changes

вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250

-TV-1-V	~~~~~		Slo	opes	Тор
	Clift ئىدىنىدىن		Тор	1111111	1111111111
~~~~ <u>~</u>				(11111	
		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		*******	()(()()()
25	Rock		52	Rock (so	cattered)
$\Box$	Boulders		Δ	Boulders	s (scattered)
	Positioned	l Boulder		Scree	
<u>ක</u>	Non-Conit (surveyed	erous Tree	\$	Conifero	
ජීජ	Non-Conit (not surve	erous Trees yed)	杰杰	Conifero	ous Trees /eyed)
දා	Orchard Tree	Ç û	crub	J.L.	Bracken
北~	Coppice, Osier	.w. R∈	eds 🛥	<u>।ए —ग्र</u> ीह	Marsh, Saltings
autu,	Rough Grassland	<sub>лини</sub> , Не	eath	1	Culvert
<del>››&gt; ≻</del>	Direction of water fl		iangulatior ation	ું નું	Antiquity (site of)
E_T_L	_ Electric	city Transmissio	on Line	$\boxtimes$	Electricity Pylon
/ <del>/</del> / вм	231.6úm	Bench Mark		Building Building	
	Roof	ed Building		×1	azed Roof iilding
		Civil parish/co	mmunity b	oundary	
		District bound	ary		
_ •		County bound	ary		
9		Boundary post	t/stone		
×		Boundary mer always appea of three)		,	
Bks	Barracks		Р	Pillar, Pol	le or Post
Bty	Battery		РО	Post Offi	
Cemy	Cemetery		PC	Public Co	onvenience
Chy	Chimney		Pp	Pump	
Cis	Cistern		Ppg Sta	Pumping	
Dismtd F El Gen S	•	itled Railway city Generating	PW Sewage P	Place of\	Worship ewage
El Gell S	Station		Sewage P		ewage umping Station
EIP	Electricity	Pole, Pillar	SB, S Br	Signal B	ox or Bridge
El Sub S	ta Electricity	Sub Station	SP, SL	Signal Po	ost or Light

Tk

Tr

Wd Pp

Wks

Tank or Track

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

Filter Bed

GVC

Fn / D Fn Fountain / Drinking Ftn.

Gas Governer

**Guide Post** 

Manhole

Gas Valve Compound


Mile Post or Mile Stone



### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Lincolnshire	1:2,500	1886	2
Lincolnshire	1:2,500	1906	3
Lincolnshire	1:2,500	1920	4
Ordnance Survey Plan	1:2,500	1972 - 1975	5
Additional SIMs	1:2,500	1986	6
Additional SIMs	1:2,500	1993	7
Large-Scale National Grid Data	1:2,500	1994	8
Historical Aerial Photography	1:2,500	1999	9

## **Historical Map - Segment A11**



#### **Order Details**

Order Number: 287331844\_1\_1 **Customer Ref:** 21-1098.02 National Grid Reference: 488660, 377270 Slice: 331.04


Site Area (Ha): Search Buffer (m):


**Site Details** West Burton 2




0844 844 9952 0844 844 9951

Page 1 of 9













## **Ordnance Survey Plan Published 1972 - 1975** Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

### Map Name(s) and Date(s)



### **Historical Map - Segment A11**



#### **Order Details**

Order Number: 287331844\_1\_1 21-1098.02 Customer Ref: National Grid Reference: 488660, 377270 Slice: 331.04


Site Area (Ha): Search Buffer (m):


### **Site Details**


West Burton 2



0844 844 9951 www.envirocheck co uk










## **Large-Scale National Grid Data** Published 1994 Source map scale - 1:2,500

'Large Scale Na ional Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Informa ion on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

## Map Name(s) and Date(s)

_	_	_			
1		1877	1	SK897	7 1
1	199	500	1	1994	1 1
1			1		- 1
-	-	-			-
1	SKE	876	-1	SK897	6 1
1	199	4 500	1	1994	, 1
1			1		1
_	-	-			-

### **Historical Map - Segment A11**



#### **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 488660, 377270 Slice:


Site Area (Ha): Search Buffer (m): 331.04

## **Site Details**

West Burton 2




0844 844 9951 www.envirocheck co uk





This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

## **Historical Aerial Photography - Segment A11**



#### **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 488660, 377270

Site Area (Ha): Search Buffer (m): 331.04

**Site Details** 


West Burton 2

Landmark'

0844 844 9952 0844 844 9951 www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021 Page 9 of 9

### **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring

Trough Well

S.P

T.C.B

Tr

Co. Burgh Bdy.

Bridle Road

Foot Bridge

Mile Stone

M.P. M.R. Mooring Post or Ring

Electricity Pylor


Guide Post or Board

B.R.

EPP.B.

M.S

Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



**Electricity Transmission Line** 

Direction

Cave

of water flow

County Boundary (Geographical) County & Civil Parish Boundary Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary mereing changes

Bench

Triangulation

Antiquity

(site of)

Electricity

÷

ВН	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250

			Sle	opes	<b>T</b>
الم الماليات. الم الماليات	لكنائب		Тор	1111111	Top 
(	Cliff	111			((((((((
,					
520	Rock		52	Rock (so	cattered)
$\triangle$	Boulders		₽	Boulders	s (scattered)
$\Box$	Positioned	Boulder		Scree	
ফ্র	Non-Conif (surveyed	erous Tree )	*	Conifero	
ζţά	Non-Conif (not surve	erous Trees yed)	* **	Coniferd (not sur	ous Trees /eyed)
දා	Orchard Tree	© a .	Scrub	<sup>7</sup> μັ	Bracken
* ~	Coppice, Osier	siNts,	Reeds 🛥	100 <u>- M</u> [0	Marsh, Saltings
willing.	Rough Grassland	$mun_{h}$	Heath	1	Culvert
<b>&gt;&gt;→</b>	Direction of water flo	Δ ow	Triangulation Station	ું નું	Antiquity (site of)
E <u>T</u> L	_ Electric	ity Transmi	ssion Line	$\boxtimes$	Electricity Pylon
/ <del>/</del> / BM	231.60m E	Bench Mark		Building Building	
	Roofe	ed Building		201	azed Roof iilding
		Ci∨il parish	/community b	oundary	
		District bo	=	,	
_	_		•		
_ •		County bo			
٥		Boundary		-1 (4	41
P	,	-	mereing symb pear in oppose	,	
Bks	Barracks		Р	Pillar, Po	le or Post
Bty	Battery		PO	Post Offi	
Cemy	Cemetery		PC	Public C	onvenience
Chy	Chimney		Pp	Pump	
Cis	Cistern		Ppg Sta	Pumping	
Dismtd R	•	tled Railway	PW	Place of	
El Gen Si	ta Electric Station	ity Generating	Sewage F		ewage umping Station
EIP	Electricity	Pole, Pillar	SB, S Br		ox or Bridge
El Sub St	ta Electricity		SP, SL	_	ost or Light
FB	Filter Bed		Spr	Spring	<u> </u>
	Fountain (	Drinking Etc	Tν	Topker	

Fn / D Fn Fountain / Drinking Ftn.

Gas Governer

**Guide Post** 

Manhole

GVC

Gas Valve Compound


Mile Post or Mile Stone



### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Lincolnshire	1:2,500	1886	2
Lincolnshire	1:2,500	1906	3
Lincolnshire	1:2,500	1920	4
Ordnance Survey Plan	1:2,500	1972 - 1975	5
Additional SIMs	1:2,500	1986	e
Additional SIMs	1:2,500	1993	7
Large-Scale National Grid Data	1:2,500	1994	8
Historical Aerial Photography	1:2,500	1999	9

## **Historical Map - Segment A12**



#### **Order Details**

Order Number: 287331844\_1\_1 **Customer Ref:** 21-1098.02 National Grid Reference: 488660, 377270 Slice:

Site Area (Ha):

331.04 Search Buffer (m):

## **Site Details**

West Burton 2

Tank or Track

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

Tr


Wd Pp

Wks



0844 844 9952 0844 844 9951

Page 1 of 9







# Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

## Map Name(s) and Date(s)



## **Historical Map - Segment A12**




Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 488660, 377270


331.04




0844 844 9952 0844 844 9951 www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021 Page 2 of 9











## **Ordnance Survey Plan Published 1972 - 1975** Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveyes of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

## Map Name(s) and Date(s)



## **Historical Map - Segment A12**



#### **Order Details**

287331844\_1\_1 21-1098.02 Order Number: Customer Ref: National Grid Reference: 488660, 377270


Site Area (Ha): Search Buffer (m): 331.04


## **Site Details**

West Burton 2

Landmark

0844 844 9951 www.envirocheck co uk











## **Large-Scale National Grid Data** Published 1994 Source map scale - 1:2,500

'Large Scale Na ional Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Informa ion on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

## Map Name(s) and Date(s)



### **Historical Map - Segment A12**



#### **Order Details**

287331844\_1\_1 21-1098.02 Order Number: Customer Ref: National Grid Reference: 488660, 377270 Slice:

Site Area (Ha): Search Buffer (m): 331.04

**Site Details** 

West Burton 2

Landmark


0844 844 9951 www.envirocheck co uk





This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

## **Historical Aerial Photography - Segment A12**



#### **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 488660, 377270 Slice:

Site Area (Ha): Search Buffer (m): 331.04 100

**Site Details** 


West Burton 2

Landmark

0844 844 9952 0844 844 9951 www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021 Page 9 of 9

### **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



P.C.B

S.P

SL

Sp.

Tr

T.C.B

B.R.

EP

P.B.

M.S

Bridle Road

Foot Bridge

Mile Stone

M.P. M.R. Mooring Post or Ring

Electricity Pylor

Guide Post or Board

Police Call Box

Telephone Call Box

Signal Post

Pump


Sluice

Spring

Trough

Well

Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 




Direction Bench Antiquity of water flow (site of) Electricity Cave Triangulation ÷ Station

ETL Electricity Transmission Line				
	County Boundary (Geographical)			
. — . — .	County & Civil Parish Boundary			
	Civil Parish Boundary			
· <del></del> · ·	Admin. County or County Bor. Boundary			
-e L B Bdy	London Borough Boundary			
×.	Symbol marking point where boundary mereing changes			

вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250



Gas Valve Compound

Mile Post or Mile Stone

Gas Governer

**Guide Post** 

Manhole

GVC

MP, MS

Tr

Wd Pp

Wks

Trough

Wind Pump Wr Pt. Wr T Water Point, Water Tap


Works (building or area)



### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Lincolnshire	1:2,500	1886	2
Lincolnshire	1:2,500	1906	3
Lincolnshire	1:2,500	1920	4
Ordnance Survey Plan	1:2,500	1975	5
Large-Scale National Grid Data	1:2,500	1994	6
Historical Aerial Photography	1:2,500	1999	7

## **Historical Map - Segment A13**



#### **Order Details**

Order Number: 287331844\_1\_1 21-1098.02 **Customer Ref:** National Grid Reference: 488660, 377270 Slice: 331.04

Site Area (Ha):

Search Buffer (m):

#### **Site Details** West Burton 2


Landmark


0844 844 9952


Page 1 of 7


A Landmark Information Group Service v50.0 04-Nov-2021


100














# **Large-Scale National Grid Data**

'Large Scale Na ional Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Informa ion on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

### Map Name(s) and Date(s)


### **Historical Map - Segment A13**



287331844\_1\_1 21-1098.02 National Grid Reference: 488660, 377270

331.04


0844 844 9952





This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

### **Historical Aerial Photography - Segment A13**



### **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 488660, 377270


Site Area (Ha): Search Buffer (m): 331.04 100

**Site Details** West Burton 2

Landmark

0844 844 9952 0844 844 9951 www.envirocheck co uk

### **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



Pump

Sluice

Spring

Trough

Well

Signal Post

Telephone Call Box

S.P

SL

Sp.

Tr

T.C.B

B.R.

EP

P.B.

M.S

Bridle Road

Foot Bridge


Mile Stone

M.P. M.R. Mooring Post or Ring

Electricity Pylor

Guide Post or Board

Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 



Direction Bench Antiquity of water flow (site of) Electricity Triangulation Cave ÷ Entrance

ETL **Electricity Transmission Line** County Boundary (Geographical) County & Civil Parish Boundary Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary mereing changes

,			
вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

GVC

MP, MS

Gas Governer

Mile Post or Mile Stone

**Guide Post** 

Manhole


Wd Pp

Wks

Wind Pump Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

# 1:1,250






### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Lincolnshire	1:2,500	1886	2
Lincolnshire	1:2,500	1906	3
Ordnance Survey Plan	1:2,500	1975	4
Large-Scale National Grid Data	1:2,500	1994	5
Historical Aerial Photography	1:2,500	1999	6

### **Historical Map - Segment A14**



### **Order Details**

Order Number: 287331844\_1\_1 21-1098.02 **Customer Ref:** National Grid Reference: 488660, 377270 Slice:

331.04 Site Area (Ha): Search Buffer (m): 100


### **Site Details**


West Burton 2



0844 844 9952

Page 1 of 6











# Ordnance Survey Plan Published 1975 Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

### Map Name(s) and Date(s)



### **Historical Map - Segment A14**



### **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 488660, 377270
Slice: A
Site Area (Ha): 331.04
Search Buffer (m): 100

**Site Details** 


West Burton 2



Tel: 0844 844 9952 Fax: 0844 844 9951 Web: www.envirochec

A Landmark Information Group Service v50.0 04-Nov-2021

21 Page






# **Large-Scale National Grid Data** Published 1994 Source map scale - 1:2,500

'Large Scale Na ional Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Informa ion on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

### Map Name(s) and Date(s)

1	SK8778	1	SK8878	
1	1994	1	1994	j
1		1		
-				-
1	SK8777	1	SK8877	
1	1994 12,500	1	1994	
1		1		Ì
-	A LECT PROPERTY.		COLUMN TO THE REAL PROPERTY.	_

### **Historical Map - Segment A14**




### **Order Details**

287331844\_1\_1 21-1098.02 Customer Ref: National Grid Reference: 488660, 377270

331.04

Landmark


0844 844 9952





This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

### **Historical Aerial Photography - Segment A14**



### **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 488660, 377270

Site Area (Ha): Search Buffer (m): 331.04


### **Site Details**

West Burton 2

Landmark

0844 844 9952 0844 844 9951

### **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



P.C.B

S.P

SL

Sp.

Tr

T.C.B

B.R.

EP

P.B.

M.S

Bridle Road

Foot Bridge

Mile Stone

M.P. M.R. Mooring Post or Ring

Electricity Pylor

Guide Post or Board

Police Call Box

Telephone Call Box

Signal Post

Pump


Sluice

Spring

Trough

Well

Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



Entrance ETL **Electricity Transmission Line** 

Direction

Cave

of water flow

County Boundary (Geographical) County & Civil Parish Boundary Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary mereing changes

Bench

Triangulation

Antiquity

(site of)

Electricity

GVC

MP, MS

Gas Governer

Mile Post or Mile Stone

**Guide Post** 

Manhole

Wd Pp

Wks


Wind Pump Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

÷

ВН	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250






### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Lincolnshire	1:2,500	1886	2
Lincolnshire	1:2,500	1906	3
Ordnance Survey Plan	1:2,500	1975	4
Large-Scale National Grid Data	1:2,500	1994	5
Historical Aerial Photography	1:2,500	1999	6

### **Historical Map - Segment A15**



### **Order Details**

Order Number: 287331844\_1\_1 21-1098.02 **Customer Ref:** National Grid Reference: 488660, 377270 Slice:

Site Area (Ha):

331.04 Search Buffer (m): 100


**Site Details** 


West Burton 2




0844 844 9952 0844 844 9951

Page 1 of 6










# **Ordnance Survey Plan** Published 1975 Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

### Map Name(s) and Date(s)

1		1		į
i	SK8878 1975	1	SK8978 1975	ì
1	12,500	1	12,500	1
1		1		1
1	SK8877 1975	1	SK8977 1975	1
1	12,500	1	12,500	1
1		1		1

### **Historical Map - Segment A15**



### **Order Details**

Order Number: 287331844\_1\_1 21-1098.02 Customer Ref: National Grid Reference: 488660, 377270 Slice: 331.04

Site Area (Ha): Search Buffer (m):


**Site Details** 

Landmark

0844 844 9951 www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021

Page 4 of 6






# **Large-Scale National Grid Data** Published 1994 Source map scale - 1:2,500

'Large Scale Na ional Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Informa ion on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

### Map Name(s) and Date(s)

_	_	-			_
1		878	1	SK8978	1
1	199		1	1994	
1			1		
-	-	-			-
1	SK8	877	- 1	SK8977	1
1	199		1	1994	
1			1		1
-	-	-			-

### **Historical Map - Segment A15**



### **Order Details**

287331844\_1\_1 21-1098.02 Order Number: Customer Ref: National Grid Reference: 488660, 377270 Slice: 331.04

Site Area (Ha): Search Buffer (m):

**Site Details** 

West Burton 2




0844 844 9951 www.envirocheck co uk





This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

### **Historical Aerial Photography - Segment A15**



### **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 488660, 377270

331.04 100 Site Area (Ha): Search Buffer (m):


# **Site Details**

West Burton 2

Landmark

0844 844 9952 0844 844 9951 www.envirocheck co uk

### **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring

Trough Well

S.P

T.C.B

Tr

B.R.

EPP.B.

M.S

Bridle Road

Foot Bridge


Mile Stone

M.P. M.R. Mooring Post or Ring

Electricity Pylor

Guide Post or Board

Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



Rough Culvert யார் Heath Grassland Direction Bench Antiquity of water flow (site of) Electricity Cave Triangulation ÷

**Electricity Transmission Line** County Boundary (Geographical) County & Civil Parish Boundary Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary mereing changes

ВН	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250

Slopes

770-CVC+50000			Slopes Top			
لكناب			Тор	1111111	HILIMITH	
I	Cliff	1111		1111111	11111111111	
,		111			(((((((((((((((((((((((((((((((((((((((	
523	Rock		2,3	Rock (so	attered)	
$\Box$	Boulders		<i>△</i>	Boulders	(scattered)	
$\triangle$	Positioned	Boulder		Scree		
<u>දකු</u>	Non-Conif	erous Tree )	\$	Conifero		
ජීජ	Non-Conife (not surve	erous Trees yed)	* **	Conifero	ous Trees reyed)	
දා	Orchard Tree	© a.	Scrub	'n,	Bracken	
* ~	Coppice, Osier	siVe,	Reeds 🛥	160 <u></u>	Marsh, Saltings	
arttir,	Rough Grassland	111111 <sub>11</sub> ,	Heath	1	Culvert	
<b>››→</b>	Direction of water flo	Δ	Triangulation Station	, of	Antiquity (site of)	
_ETL_	_ Electric	ity Transmis	ssion Line	$\boxtimes$	Electricity Pylon	
\ <del>-</del> \	231.60m E	Bench Mark		Building Building	gs with g Seed	
	Roofe	ed Building		881	azed Roof ilding	
		Civil parioh	Jaannen mitss h	oundary		
• •			/community b	ouriuai y		
		District bo	undary			
_ •		County box	undary			
٥		Boundary	ost/stone			
,c	,	Boundary i	mereing symb pear in oppose			
Dir-	D - v 1-		_	Dall D :	D4	
Bks Bh/	Barracks		P PO	Pillar, Pol Post Offic		
Bty Cemy	Battery Cemetery		PC		onvenience	
Chy	Chimney		Pp	Pump	5.1.1 CT HOTIEC	
Cis	Cistern		Ppg Sta	Pumping	Station	
Dismtd R		tled Railway	PW	Place of\		
El Gen S	-	ity Generating			wage	
	Station				imping Station	
EIP	Electricity	Pole, Pillar	SB, S Br	Signal B	ox or Bridge	
El Sub S	ta Electricity	Sub Station	SP, SL	Signal Po	ost or Light	
FB	Filter Bed		Spr	Spring		
F / D. F		Data Line of Etc.				

Fn / D Fn Fountain / Drinking Ftn.

Gas Governer

**Guide Post** 

Manhole

GVC

Gas Valve Compound


Mile Post or Mile Stone



### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Lincolnshire	1:2,500	1886	2
Lincolnshire	1:2,500	1906	3
Ordnance Survey Plan	1:2,500	1975	4
Large-Scale National Grid Data	1:2,500	1994	5
Historical Aerial Photography	1:2,500	1999	6

### **Historical Map - Segment A16**



### **Order Details**

Order Number: 287331844\_1\_1 **Customer Ref:** 21-1098.02 National Grid Reference: 488660, 377270 Slice: Site Area (Ha): 331.04

Search Buffer (m):

**Site Details** West Burton 2

Tank or Track

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

Tr


Wd Pp


Wks

Landmark

0844 844 9952 0844 844 9951

Page 1 of 6











# **Ordnance Survey Plan Published 1975** Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveyes of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

### Map Name(s) and Date(s)



### **Historical Map - Segment A16**



### **Order Details**

Order Number: 287331844\_1\_1 21-1098.02 Customer Ref: National Grid Reference: 488660, 377270

Site Area (Ha): Search Buffer (m): 331.04


### **Site Details**

West Burton 2



0844 844 9951 www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021 Page 4 of 6






# **Large-Scale National Grid Data** Published 1994 Source map scale - 1:2,500

'Large Scale Na ional Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Informa ion on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

### Map Name(s) and Date(s)

1.	200	AT 3
1	SK89	78
ĺ.	12,5	00 1
î.		1
É	SK89	77
	12,5	00 1
		i

### **Historical Map - Segment A16**



### **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 488660, 377270 Slice:


Site Area (Ha): Search Buffer (m): 331.04

# **Site Details**

West Burton 2




0844 844 9951 www.envirocheck co uk





This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

### **Historical Aerial Photography - Segment A16**



### **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 488660, 377270

Site Area (Ha): Search Buffer (m): 331.04 100

**Site Details** West Burton 2

Landmark

0844 844 9952 0844 844 9951 www.envirocheck co uk

### **Ordnance Survey County Series 1:10,560** Gravel Pit Other Orchard Mixed Wood Deciduous Brushwood Furze Rough Pasture Trigonometrical Arrow denotes flow of water Station Site of Antiquities Bench Mark Pump, Guide Post, Well, Spring, Signal Post Boundary Post -285 Surface Level Sketched Instrumental Contour Contour Fenced Main Roads Minor Roads Un-Fenced Sunken Road Raised Road Railway over Road over Railway River Railway over Level Crossing Road over Road over Road over County Boundary (Geographical) County & Civil Parish Boundary Administrative County & Civil Parish Boundary County Borough Boundary (England) Co. Boro. Bdy. County Burgh Boundary (Scotland) Rural District Boundary RD. Bdy.

Civil Parish Boundary

<b>Ordnance Survey</b>	Plan 1:10,000
------------------------	---------------

Chalk Pit, or Quarry	Clay Pit	Gravel Pit				
Sand Pit	(	Disused Pit or Quarry				
Refuse or Slag Heap	<b>(</b>	Lake, Loch or Pond				
Dunes	000	Boulders				
未 ↑ ↑ Coniferous Trees	φ.	Non-Coniferous     Trees     Trees				
	∩∩_ Scrub	\Y₁v Coppice				
ក្រា Bracken .	William Heath	, , , , , , Rough Grassland				
→ <u>··</u> ← Marsh	V/// Reeds	→ <u>•</u> Saltings				
Direction of Flow of Water						
Building	1/	Shingle				
	1/6	Simgle				
	***//	Sand Sand				
Glasshouse						
	Pylon	Electricity				
touttur Circles Man		Transmission				
Sloping Maso	nry Pole	Line				
	•					
Cutting	Embankment	Standard Gauge				
***************************************		"" Multiple Track				
	/\\	Standard Gauge				
Road '''∏''' Road // Under Over	Level Fo Crossing Brid	ige				
		Siding, Tramway or Mineral Line				
		Narrow Gauge				
		· Hallow Gauge				
— — Geographical County						
	istrative County, Coun nty of City	ty Borough				
Municipal Borough, Urban or Rural District, Burgh or District Council						
Borough, Burgh or County Constituency Shown only when not coincident with other boundaries						
Civil Parish Shown alternately when coincidence of boundaries occurs						
BP, BS Boundary Post o	r Stone Pol Sta	Police Station				
Ch Church	PO	Post Office				
CH Club House	PC	Public Convenience				
F E Sta Fire Engine Statio		Public House				
FB Foot Bridge Fn Fountain	SB	Signal Box				
GP Guide Post	Spr TCB	Spring Telephone Call Box				

Mile Post

Mile Stone

TCP

Telephone Call Post

### 1:10,000 Raster Mapping


(EE)	Gravel Pit	(EEE)	Refuse tip or slag heap
2 2 2 2	Rock	, ,	Rock (scattered)
	Boulders		Boulders (scattered)
2020	Shingle	Mud	Mud
Sand	Sand		Sand Pit
mm	Slopes	ררורורוי הבנבבבה	Top of cliff
	General detail		Underground detail
	Overhead detail	***********	Narrow gauge railway
	Multi-track railway		Single track railway
	County boundary (England only)		Civil, parish or community boundary
	District, Unitary, Metropolitan, London Borough boundary		Constituency boundary
۵ <sup>۵</sup> *	Area of wooded vegetation	مم مم	Non-coniferous trees
۵	Non-coniferous trees (scattered)	** **	Coniferous trees
*	Coniferous trees (scattered)	Q	Positioned tree
φ φ φ φ	Orchard	R R	Coppice or Osiers
, etts,	Rough Grassland	artitira	Heath
On_	Scrub	s <u>N</u> is.	Marsh, Salt Marsh or Reeds
S	Water feature	<del>-</del>	Flow arrows
MHW(S)	Mean high water (springs)	MLW(S)	Mean low water (springs)
	Telephone line (where shown)		Electricity transmission line (with poles)
+- ВМ 123.45 m	Bench mark (where shown)	Δ	Triangulation station
	Point feature (e.g. Guide Post or Mile Stone)	$\boxtimes$	Pylon, flare stac or lighting tower
•‡•	Site of (antiquity)		Glasshouse
	General Building		Important Building



### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Lincolnshire	1:10,560	1885 - 1886	3
Nottinghamshire	1:10,560	1900	4
Lincolnshire	1:10,560	1906 - 1907	5
Lincolnshire	1:10,560	1907	6
Lincolnshire	1:10,560	1922	7
Lincolnshire	1:10,560	1922	8
Lincolnshire	1:10,560	1938 - 1950	9
Lincolnshire	1:10,560	1950	10
Ordnance Survey Plan	1:10,000	1956	11
Ordnance Survey Plan	1:10,000	1976 - 1979	12
Lincoln	1:10,000	1989	13
10K Raster Mapping	1:10,000	2000	14
10K Raster Mapping	1:10,000	2006	15
VectorMap Local	1:10,000	2021	16

### **Historical Map - Slice B**



### **Order Details**

Order Number: 287331844\_1\_1 Customer Ref: 21-1098.02 National Grid Reference: 490370, 377000 Slice:

Site Area (Ha): Search Buffer (m): 331.04


**Site Details** West Burton 2

Landmark

0844 844 9952

A Landmark Information Group Service v50.0 04-Nov-2021 Page 1 of 16

# **Russian Military Mapping Legends**




### **Key to Numbers on Mapping**



### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Lincolnshire	1:10,560	1885 - 1886	3
Nottinghamshire	1:10,560	1900	4
Lincolnshire	1:10,560	1906 - 1907	5
Lincolnshire	1:10,560	1907	6
Lincolnshire	1:10,560	1922	7
Lincolnshire	1:10,560	1922	8
Lincolnshire	1:10,560	1938 - 1950	9
Lincolnshire	1:10,560	1950	10
Ordnance Survey Plan	1:10,000	1956	11
Ordnance Survey Plan	1:10,000	1976 - 1979	12
Lincoln	1:10,000	1989	13
10K Raster Mapping	1:10,000	2000	14
10K Raster Mapping	1:10,000	2006	15
VectorMap Local	1:10,000	2021	16

### Russian Map - Slice B



### **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 490370, 377000

Slice:


Site Area (Ha): 331.04 Search Buffer (m): 250


Site Details West Burton 2





: 0844 844 9952 :: 0844 844 9951 h: www.envirocheck


A Landmark Information Group Service v50.0 04-Nov-2021 Page 2 of 16



























# **Ordnance Survey Plan** Published 1956 Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of coun ies, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

### Map Name(s) and Date(s)



### **Historical Map - Slice B**



### **Order Details**

287331844\_1\_1 21-1098.02 National Grid Reference: 490370, 377000


331.04

### **Site Details**



0844 844 9952 0844 844 9951

A Landmark Information Group Service v50.0 04-Nov-2021 Page 11 of 16







# **Ordnance Survey Plan Published 1976 - 1979** Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of coun ies, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

### Map Name(s) and Date(s)



### **Historical Map - Slice B**



### **Order Details**

Order Number: 287331844\_1\_1 Customer Ref: 21-1098.02 National Grid Reference: 490370, 377000 Slice: 331.04


Site Area (Ha): Search Buffer (m):


**Site Details** 


Landmark


0844 844 9952 0844 844 9951

A Landmark Information Group Service v50.0 04-Nov-2021 Page 12 of 16










### **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring

Trough

Well

S.P

T.C.B

Tr

B.R.

EPP.B. Bridle Road

Foot Bridge


Mile Stone

M.P. M.R. Mooring Post or Ring

Electricity Pylor

Guide Post or Board

Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



ETL Elec	tricity Transmission Line
	County Boundary (Geographical)
· — · — ·	County & Ci∨il Parish Boundary
	Civil Pariob Payadany

Triangulation

Cave

Electricity

÷

Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary mereing changes

вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250

	Cliff	Sk	opes Top
525	Rock	S	Rock (scattered)
$\triangle_{\Delta}$	Boulders	Δ.	Boulders (scattered)
$\triangle$	Positioned Boulder		Scree
දුමු	Non-Coniferous Tree (surveyed)	*	Coniferous Tree (surveyed)
ర్లోల్	Non-Coniferous Trees (not surveyed)	<del>አ</del> ጳ	Coniferous Trees (not surveyed)
දා	Orchard $Q = Q = Q$	crub	<sub>າ</sub> ຕຸ Bracken
* ~	Coppice, No. Re	eeds 🛥	اهـ Marsh, Saltings
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Rough attitus, H	eath	Culvert
* <del>** &gt;</del>		riangulatior tation	Antiquity (site of)
E_TL	_ Electricity Transmissi	on Line	Electricity Pylon
\ <sup>€</sup> / вм	ı 291.6ûm Bench Mark		Buildings with Building Seed
	Roofed Building		Glazed Roof Building
- ·		dary dary st/stone reing symb	oundary ol (note: these ed pairs or groups
Bks	Barracks	Р	Pillar, Pole or Post
Bty	Battery	PO	Post Office
Cemy	Cemetery	PC	Public Convenience
Chy	Chimney	Pp Pp a Sta	Pump Bumping Station
Cis Dismtd F	Cistern	Ppg Sta PW	Pumping Station Place of Worship
El Gen S	Sta Electricity Generating	Sewage P	pg Sta Sewage
	Station	07.5-	Pumping Station
EIP	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge
⊨i Sub S	ta Electricity Sub Station	SP, SL	Signal Post or Light

Spr

Tk

Tr

Wd Pp

Wks

Spring

Trough

Wind Pump

Works (building or area)

Wr Pt. Wr T Water Point, Water Tap

Tank or Track

Filter Bed

GVC

Fn / D Fn Fountain / Drinking Ftn.

Gas Governer

**Guide Post** 

Manhole

Gas Valve Compound


Mile Post or Mile Stone



### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Lincolnshire	1:2,500	1886	2
Lincolnshire	1:2,500	1906	3
Lincolnshire	1:2,500	1920	4
Ordnance Survey Plan	1:2,500	1972 - 1973	
Additional SIMs	1:2,500	1986 - 1993	(
Additional SIMs	1:2,500	1993	7
Large-Scale National Grid Data	1:2,500	1994	8
Historical Aerial Photography	1:2,500	1999	9

## **Historical Map - Segment B5**



### **Order Details**

Order Number: 287331844\_1\_1 **Customer Ref:** 21-1098.02 National Grid Reference: 490370, 377000 Slice:


Site Area (Ha): 331.04 Search Buffer (m):


**Site Details** West Burton 2


Landmark


0844 844 9952 0844 844 9951


Page 1 of 9























# **Historical Aerial Photography** Published 1999

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

## **Historical Aerial Photography - Segment B5**



### **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 490370, 377000 Slice:


Site Area (Ha): Search Buffer (m): 331.04

**Site Details** West Burton 2

Landmark

0844 844 9952 0844 844 9951 www.envirocheck co uk

### **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring

Trough Well

S.P

T.C.B

Tr

B.R.

EPP.B. Bridle Road

Foot Bridge


Mile Stone

M.P. M.R. Mooring Post or Ring

Electricity Pylor

Guide Post or Board

Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



**Electricity Transmission Line** 

Cave

County Boundary (Geographical) County & Civil Parish Boundary Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary mereing changes

Triangulation

Electricity

÷

вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump
	BP, BS Cn, C Chy D Fn EI P FAP FB GP H LC MH MP MS	BP, BS Boundary Post or Stone Cn, C Capstan, Crane Chy Chimney DFn Drinking Fountain EI P Electricity Pillar or Post FAP Fire Alarm Pillar FB Foot Bridge GP Guide Post H Hydrant or Hydraulic LC Level Crossing MH Manhole MP Mile Post or Mooring Post MS Mile Stone	BP, BS         Boundary Post or Stone         PO           Cn, C         Capstan, Crane         PC           Chy         Chimney         PH           D Fn         Drinking Fountain         Pp           EI P         Electricity Pillar or Post         SB, S Br           FAP         Fire Alarm Pillar         SP, SL           FB         Foot Bridge         Spr           GP         Guide Post         Tk           H         Hydrant or Hydraulic         TCB           LC         Level Crossing         TCP           MH         Manhole         Tr           MP         Mile Post or Mooring Post         Wr Pt, Wr T           MS         Mile Stone         W

# 1:1,250

		Slo	pes <sub>Tam</sub>
Clitt לאברוניג שניני	•	· ор	
CIIII			38333333333334733 {  {
	11111111	200111111111	(11111)
Sock Rock		23	Rock (scattered)
🗠 Boulder	rs	2	Boulders (scattered)
🗅 Position	ned Boulder		Scree
्रिः Non-Co (survey	niferous Tree ed)	-1-	Coniferous Tree (surveyed)
ದ್ದಿದ್ದ Non-Co (not sur	niferous Trees ∨eyed)	~I\ .A.	Coniferous Trees (not surveyed)
එ Orchard Tree	d ⊗ û . Sci	rub	<sub>ໃ</sub> ຕຸ Bracken
Coppice Osier	e, "ww. Ree	eds 🗝	<u>ചൂം</u> Marsh, Saltings
Rough Grassla	and with He	ath	Culvert
Direction of wate		angulation ition	Antiquity (site of)
ETL Elec	tricity Transmissio	n Line	Electricity Pylon
 	Bench Mark		Buildings with Building Seed
Ro	ofed Building		Glazed Roof Building
	Ci∨il parish/cor	nmunity ba	oundary
	District bounda	-	
	County bounda	ıry	
۵	Boundary post/		
٥	Boundary mere	eing symbo	ol (note: these d pairs or groups
Bks Barrac	ks	P	Pillar, Pole or Post
Bty Battery		PO	Post Office
Cemy Cemet	-	PC D-	Public Convenience
Chy Chimn Cis Cisterr	-	Pp Ppg Sta	Pump Pumping Station
	า nantled Railway	PW Sta	Place of Worship
-	tricity Generating	Sewage Pr	
	city Pole, Pillar	SB, S Br	Signal Box or Bridge
El Sub Sta Electri		SP, SL	Signal Post or Light
FB Filter B	ed	Spr	Spring

Fn / D Fn Fountain / Drinking Ftn.

Gas Governer

**Guide Post** 

Manhole

GVC

Gas Valve Compound


Mile Post or Mile Stone



### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Lincolnshire	1:2,500	1886	2
Lincolnshire	1:2,500	1906	3
Lincolnshire	1:2,500	1920	4
Ordnance Survey Plan	1:2,500	1973	5
Additional SIMs	1:2,500	1993	6
Large-Scale National Grid Data	1:2,500	1994	7
Historical Aerial Photography	1:2,500	1999	8

### **Historical Map - Segment B6**



### **Order Details**

Order Number: 287331844\_1\_1 **Customer Ref:** 21-1098.02 National Grid Reference: 490370, 377000 Slice:

Site Area (Ha):

331.04 Search Buffer (m):

# **Site Details**

West Burton 2

Tank or Track

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

Tr


Wd Pp


Wks





0844 844 9952 0844 844 9951


Page 1 of 8




















# **Historical Aerial Photography** Published 1999

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

### **Historical Aerial Photography - Segment B6**



### **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 490370, 377000

Site Area (Ha): Search Buffer (m): 331.04 100


# **Site Details**

West Burton 2

Landmark'

0844 844 9952 0844 844 9951 www.envirocheck co uk

### **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring

Trough Well

S.P

T.C.B

Tr

B.R.

EPP.B. Bridle Road

Foot Bridge


Mile Stone

M.P. M.R. Mooring Post or Ring

Electricity Pylor

Guide Post or Board

Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



Non-Coniferous Trees Coniferous Trees (not surveyed) (not surveyed) Orchard Scrub Bracken Marsh, Coppice, Reeds Saltings Rough Culvert யார் Heath Grassland

Direction Bench Antiquity of water flow (site of) Electricity Cave Triangulation ÷ **Electricity Transmission Line** 

County Boundary (Geographical) County & Civil Parish Boundary Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary mereing changes

-			
вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

FΒ

GVC

Filter Bed

Fn / D Fn Fountain / Drinking Ftn.

Gas Governer

**Guide Post** 

Manhole

Gas Valve Compound

Mile Post or Mile Stone

# 1:1,250

_			SI	opes	T
	 Clitt Dickerite		Top	<b>!!!!!!</b> 	Top 
523	Rock		22	Rock (so	cattered)
$\Box_{a}$	Boulders		<i>△</i>	Boulders	s (scattered)
$\Box$	Positioned	Boulder		Scree	
<u> </u>	Non-Conif	erous Tree )	*	Coniferd (surveye	
ζţά	Non-Conif	erous Trees yed)	* **	Conifero	ous Trees /eyed)
දා	Orchard Tree	Q a.	Scrub	າຕັ	Bracken
* ~	Coppice, Osier	sHu,	Reeds -≝	100 <u></u>	Marsh, Saltings
acette,	Rough Grassland	1111111 <sub>11</sub>	Heath	1	Culvert
<del>&gt;&gt;&gt;</del>	Direction of water flo	Δ	Triangulation Station	ુ નુ	Antiquity (site of)
_ E T L _	_ Electric	ity Transmis	ssion Line	$\boxtimes$	Electricity Pylon
<b>∤</b> -\ B₩	231.60m E	Bench Mark		Building Building	
	Roofe	ed Building		∞.	azed Roof uilding
		Civil parish	n/community b	oundary	
		District box		,	
_ •		County box	•		
٥		Boundary			
			mereing symb	al (noto:	thaca
مر	,		pear in oppos		
Bks	Barracks		Р	Pillar, Po	le or Post
Bty	Battery		PO	Post Offi	ce
Cemy	Cemetery		PC	Public C	onvenience
Chy	Chimney		Pp	Pump	
Cis	Cistern		Ppg Sta	Pumping	Station
Dismtd R	-	tled Railway	PW	Place of	
El Gen S	ta Electric Station	ity Generating	Sewage F		ewage umping Station
EIP	Electricity	Pole, Pillar	SB, S Br	Signal B	ox or Bridge
El Sub St	ta Electricity	Sub Station	SP, SL	Signal P	ost or Light
	Cilkan Dad		O	O	

Spr

Tr

Wd Pp

Wks

Spring

Trough

Wind Pump Wr Pt. Wr T Water Point, Water Tap

Works (building or area)


Tank or Track



### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Lincolnshire	1:2,500	1886	2
Lincolnshire	1:2,500	1906	3
Lincolnshire	1:2,500	1920	4
Ordnance Survey Plan	1:2,500	1972 - 1975	5
Additional SIMs	1:2,500	1986 - 1993	6
Additional SIMs	1:2,500	1993	7
Large-Scale National Grid Data	1:2,500	1994	8
Historical Aerial Photography	1:2,500	1999	9

# **Historical Map - Segment B9**



### **Order Details**

Order Number: 287331844\_1\_1 **Customer Ref:** 21-1098.02 National Grid Reference: 490370, 377000 Slice: Site Area (Ha): 331.04


Search Buffer (m):

**Site Details** West Burton 2



0844 844 9952

Page 1 of 9






### Lincolnshire


# **Published 1886** Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

## Map Name(s) and Date(s)



### **Historical Map - Segment B9**



### **Order Details**

287331844\_1\_1 21-1098.02 Order Number: Customer Ref: National Grid Reference: 490370, 377000

Site Area (Ha): Search Buffer (m): 331.04


# **Site Details**

West Burton 2

Landmark

0844 844 9952 0844 844 9951


A Landmark Information Group Service v50.0 04-Nov-2021 Page 2 of 9






The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

## Map Name(s) and Date(s)



### **Historical Map - Segment B9**




287331844\_1\_1 21-1098.02 National Grid Reference: 490370, 377000


331.04



0844 844 9952 0844 844 9951

A Landmark Information Group Service v50.0 04-Nov-2021 Page 3 of 9









# **Ordnance Survey Plan Published 1972 - 1975** Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

### Map Name(s) and Date(s)



### **Historical Map - Segment B9**




287331844\_1\_1 21-1098.02 National Grid Reference: 490370, 377000


331.04





0844 844 9952 0844 844 9951

A Landmark Information Group Service v50.0 04-Nov-2021 Page 5 of 9












# **Historical Aerial Photography** Published 1999

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

### **Historical Aerial Photography - Segment B9**



### **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 490370, 377000

Site Area (Ha): Search Buffer (m): 331.04 100


**Site Details** 

West Burton 2

Landmark

0844 844 9952 0844 844 9951 www.envirocheck co uk

### **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



Pump

Sluice

Spring

Trough Well

Signal Post

Telephone Call Box

S.P

T.C.B

Tr

B.R.

EPP.B.

M.S

Bridle Road

Foot Bridge


Mile Stone

M.P. M.R. Mooring Post or Ring

Electricity Pylor

Guide Post or Board

Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 



Grassland Direction Bench Antiquity of water flow (site of) Electricity Cave Triangulation ÷

**Electricity Transmission Line** County Boundary (Geographical) County & Civil Parish Boundary Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary mereing changes

вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250

			Slopes <sub>Top</sub>			
لكناب			Тор	1111111	IIIIIIIII	
(	Cliff	!!!!	111111111111111111111111111111111111111		!!!!! <b>!!!!</b>	
		1111	111111111111111111111111111111111111111			
523	Rock		7,5	Rock (so	cattered)	
$ \mathcal{Q}^{\sigma} $	Boulders		<i>D</i>	Boulders	s (scattered)	
	Positioned	Boulder		Scree		
ফ্র	Non-Conifo (surveyed)	erous Tree )	*	Conifero		
ඊූූ	Non-Conife (not surve	erous Trees yed)	* **	Conifero (not sur	ous Trees /eyed)	
Ą.	Orchard Tree	Q 6 a.	Scrub	<sup>1</sup> u	Bracken	
* ~	Coppice, Osier	sNu,	Reeds 🛥	<u>।ए —ग्र</u> ीह	Marsh, Saltings	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Rough Grassland	$mm_{tt}$	Heath	1	Culvert	
<del>&gt;&gt;&gt; ≻</del>	Direction of water flo	Δ wα	Triangulation Station	, %	Antiquity (site of)	
E <u>T</u> L	Electric	ity Transmis	ssion Line	$\boxtimes$	Electricity Pylon	
K BM	231.60m E	Bench Mark	7	Building Building		
	Roofe	ed Building		81	azed Roof iilding	
		Ci∨il parish	/community b	oundary		
		District bou	=	•		
_ •		County bou	ındary			
0		Boundary	=			
		Boundary r	nereing symb	ol (note:	these	
٥		always app of three)	ear in oppose	ed pairs o	r groups	
Bks	Barracks		Р		le or Post	
Bty	Battery		PO PO	Post Offi		
Cemy Chy	Cemetery Chimney		PC Pp	Public Co	onvenience	
Cis	Cistern		Ppg Sta	Pumping	Station	
Dismtd R		tled Railway	PW	Place of		
El Gen St	a Electric Station	ity Generating	Sewage P		ewage umping Station	
EIP		Pole, Pillar	SB, S Br		ox or Bridge	
El Sub St	a Electricity		SP, SL	_	ost or Light	
FB	Filter Bed		Spr	Spring	_	
Fn / D Fn	Fountain /	Drinking Ftn.	Tk	Tank or T	rack	
			_			

Gas Valve Compound

Mile Post or Mile Stone

Gas Governer

**Guide Post** 

Manhole

Tr

Wd Pp

Wks

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap


Works (building or area)



### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Lincolnshire	1:2,500	1886	2
Lincolnshire	1:2,500	1906	3
Lincolnshire	1:2,500	1920	4
Ordnance Survey Plan	1:2,500	1973 - 1974	5
Additional SIMs	1:2,500	1993	6
Large-Scale National Grid Data	1:2,500	1994	7
Historical Aerial Photography	1:2,500	1999	8

## **Historical Map - Segment B10**



### **Order Details**

Order Number: 287331844\_1\_1 **Customer Ref:** 21-1098.02 National Grid Reference: 490370, 377000 Slice:

Site Area (Ha):

331.04 Search Buffer (m):


# **Site Details**

West Burton 2



0844 844 9952 0844 844 9951

Page 1 of 8






### Lincolnshire


# **Published 1886** Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveyes of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

# Map Name(s) and Date(s)



### **Historical Map - Segment B10**



### **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 490370, 377000

Site Area (Ha): Search Buffer (m): 331.04


# **Site Details**

West Burton 2

Landmark

0844 844 9952 0844 844 9951 www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021 Page 2 of 8






### Lincolnshire


# Published 1906 Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

# Map Name(s) and Date(s)



### **Historical Map - Segment B10**



### **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 490370, 377000

(11.)

Site Area (Ha): 331.04 Search Buffer (m): 100


# **Site Details**


West Burton 2

Landmark INFORMATION GROUP

Tel: 0844 844 9952 Fax: 0844 844 9951 Web: www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021 Page 3 of 8









# **Ordnance Survey Plan Published 1973 - 1974** Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

### Map Name(s) and Date(s)



### **Historical Map - Segment B10**



### **Order Details**


Order Number: 287331844\_1\_1 21-1098.02 Customer Ref: National Grid Reference: 490370, 377000 Slice: 331.04


Site Area (Ha): Search Buffer (m):

**Site Details** 

Landmark

0844 844 9951 www.envirocheck co uk








# **Large-Scale National Grid Data** Published 1994 Source map scale - 1:2,500

'Large Scale Na ional Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Informa ion on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

# Map Name(s) and Date(s)

1	SK9077	1	SK9177	1
1	1994	1	1994	-
1		1		
-				-
1	SK9078	-1	SK9176	1
1	1994 12,500	1	1994	
1		1		1
_				_

### **Historical Map - Segment B10**



### **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 490370, 377000 Slice: 331.04


Site Area (Ha): Search Buffer (m):

# **Site Details**

West Burton 2



0844 844 9951 www.envirocheck co uk






## **Historical Aerial Photography** Published 1999

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

## **Historical Aerial Photography - Segment B10**



#### **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 490370, 377000

Site Area (Ha): Search Buffer (m): 331.04 100

## **Site Details**


West Burton 2

Landmark

0844 844 9952 0844 844 9951 www.envirocheck co uk

# **Historical Mapping Legends**

### **Ordnance Survey County Series and Ordnance Survey Plan 1:2,500**



Pump

Sluice

Spring

Trough Well

Signal Post

Telephone Call Box

S.P

T.C.B

Tr

B.R.

EPP.B. Bridle Road

Foot Bridge


Mile Stone

M.P. M.R. Mooring Post or Ring

Electricity Pylor

Guide Post or Board

Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



Direction Bench Antiquity of water flow (site of) Electricity Cave Triangulation Ŧ.

**Electricity Transmission Line** County Boundary (Geographical) County & Civil Parish Boundary Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary mereing changes

,			
вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250

Slopes Top				
	CI: <del>tt</del> DEXXENE	Тор	utuuiimuu	
,	Cliff			
525	Rock	52	Rock (scattered)	
$\triangle_{a}$	Boulders	<u>~</u>	Boulders (scattered)	
$\Box$	Positioned Boulder		Scree	
<u> </u>	Non-Coniferous Tree (surveyed)	*	Coniferous Tree (surveyed)	
Öά	Non-Coniferous Trees (not surveyed)	春春	Coniferous Trees (not surveyed)	
ఢ	Orchard & Q \( \hat{\alpha} \).	Scrub	າ້ີ Bracken	
* ~	Coppice, Osier	Reeds -벨	ارد Marsh, Saltings	
weller.	Rough mum, Grassland	Heath	Culvert	
<del>***                                  </del>	Direction △ of water flow	Triangulatior Station	Antiquity (site of)	
E <u>T</u> L	_ Electricity Transmis	sion Line	Electricity Pylon	
\ <del>€</del> \ 8₩	231.60m Bench Mark		Buildings with Building Seed	
	Roofed Building		Glazed Roof Building	
· ·	Civil parish	community b	oundary	
_ •	—— County bou	ndary		
٥	Boundary p	ost/stone		
مر			ol (note: these ed pairs or groups	
Bks	Barracks	Р	Pillar, Pole or Post	
Bty	Battery	PO PO	Post Office	
Cemy Chy	Cemetery Chimney	PC Pp	Public Convenience Pump	
Cis	Cistern	Ppg Sta	Pumping Station	
Dismtd R		PW	Place of Worship	
El Gen S	ta Electricity Generating Station	Sewage P	pg Sta Sewage Pumping Station	
EIP	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge	
El Sub St	ta Electricity Sub Station	SP, SL	Signal Post or Light	
FB	Filter Bed	Spr	Spring	
Fn/DFn	Fountain / Drinking Ftn.	Tk	Tank or Track	

Gas Gov

GVC

Gas Valve Compound

Mile Post or Mile Stone

Gas Governer

**Guide Post** 

Manhole

Tr

Wd Pp

Wks

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap


Works (building or area)



### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Lincolnshire	1:2,500	1886	2
Lincolnshire	1:2,500	1906	3
Ordnance Survey Plan	1:2,500	1974 - 1975	4
Large-Scale National Grid Data	1:2,500	1994	5
Historical Aerial Photography	1:2,500	1999	6

## **Historical Map - Segment B13**



#### **Order Details**

Order Number: 287331844\_1\_1 21-1098.02 **Customer Ref:** National Grid Reference: 490370, 377000 Slice: 331.04

Site Area (Ha): Search Buffer (m):


**Site Details** 


West Burton 2




0844 844 9952 0844 844 9951

Page 1 of 6











# **Ordnance Survey Plan Published 1974 - 1975** Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

## Map Name(s) and Date(s)



#### **Historical Map - Segment B13**



#### **Order Details**


Order Number: 287331844\_1\_1 **Customer Ref:** 21-1098.02 National Grid Reference: 490370, 377000 331.04


Site Area (Ha): Search Buffer (m):

**Site Details** 



0844 844 9951 www.envirocheck co uk








## **Historical Aerial Photography** Published 1999

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

## **Historical Aerial Photography - Segment B13**



#### **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 490370, 377000 Slice:

Site Area (Ha): Search Buffer (m): 331.04

## **Site Details**


West Burton 2

Landmark

0844 844 9952 0844 844 9951 www.envirocheck co uk

# **Historical Mapping Legends**

### **Ordnance Survey County Series and Ordnance Survey Plan 1:2,500**



P.C.B

S.P

SL

Sp.

Tr

T.C.B

B.R.

EP

P.B.

M.S

Bridle Road

Foot Bridge

Mile Stone

M.P. M.R. Mooring Post or Ring

Electricity Pylor

Guide Post or Board

Police Call Box

Telephone Call Box

Signal Post

Pump


Sluice

Spring

Trough

Well

Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



ETL **Electricity Transmission Line** 

Cave

Entrance

County Boundary (Geographical) County & Civil Parish Boundary Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary mereing changes

Triangulation

Electricity

Fn/DFn

GVC

MP, MS

Fountain / Drinking Ftn.

Gas Valve Compound

Mile Post or Mile Stone

Gas Governer

**Guide Post** 

Manhole

Tk

Tr

Wd Pp

Wks

Tank or Track

Trough


Wind Pump Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

÷

вн	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250






#### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Lincolnshire	1:2,500	1886	2
Lincolnshire	1:2,500	1906	3
Ordnance Survey Plan	1:2,500	1974	4
Large-Scale National Grid Data	1:2,500	1994	5
Historical Aerial Photography	1:2,500	1999	6

## **Historical Map - Segment B14**



#### **Order Details**

Order Number: 287331844\_1\_1 21-1098.02 **Customer Ref:** National Grid Reference: 490370, 377000 Slice:

Site Area (Ha):


331.04 Search Buffer (m): 100


**Site Details** West Burton 2

Landmark


0844 844 9952

Page 1 of 6





0844 844 9952







# **Ordnance Survey Plan Published 1974** Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

## Map Name(s) and Date(s)



## **Historical Map - Segment B14**



#### **Order Details**

Order Number: 287331844\_1\_1 21-1098.02 Customer Ref: National Grid Reference: 490370, 377000 Slice:

Site Area (Ha): Search Buffer (m): 331.04

**Site Details** West Burton 2

Landmark

0844 844 9952 0844 844 9951

A Landmark Information Group Service v50.0 04-Nov-2021

Page 4 of 6






# **Large-Scale National Grid Data** Published 1994 Source map scale - 1:2,500

'Large Scale Na ional Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Informa ion on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

## Map Name(s) and Date(s)

_	_	_		_	_	_
1	SK9		1	SK91	78	3
1	199		1	1994	00	ş
1			1			ij
-	-	-			-	-
1	SK9	077	1	SK91	77	
1	199		1	1994	00	ij
1			1			ġ

#### **Historical Map - Segment B14**



#### **Order Details**

287331844\_1\_1 21-1098.02 Order Number: Customer Ref: National Grid Reference: 490370, 377000 Slice: 331.04

Site Area (Ha): Search Buffer (m):

**Site Details** West Burton 2

Landmark

0844 844 9952






## **Historical Aerial Photography** Published 1999

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

## **Historical Aerial Photography - Segment B14**



#### **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 490370, 377000 Slice:

Site Area (Ha): Search Buffer (m): 331.04 100

**Site Details** West Burton 2

0844 844 9952 0844 844 9951 www.envirocheck co uk


A Landmark Information Group Service v50.0 04-Nov-2021 Page 6 of 6

# **Historical Mapping Legends**

### **Ordnance Survey County Series 1:10,560** Other Gravel Orchard Osiers Mixed Wood Deciduous Brushwood Furze Rough Pasture Arrow denotes Trigonometrical flow of water Station Site of Antiquities Bench Mark Pump, Guide Post, Well, Spring, Signal Post Boundary Post -285 Surface Level Sketched Instrumental Contour Contour Fenced Main Roads Minor Roads Un-Fenced Raised Road Sunken Road Railway over Road over River Railway Railway over Level Crossing Road Road over Road over Stream Road over Stream County Boundary (Geographical) County & Civil Parish Boundary Administrative County & Civil Parish Boundary County Borough Boundary (England) Co. Boro. Bdy. County Burgh Boundary (Scotland) Co. Burgh Bdy. Rural District Boundary RD. Bdy.

Civil Parish Boundary

## Ordnance Survey Plan 1:10,000



Mile Stone

### 1:10,000 Raster Mapping


(EEE)	Gravel Pit	OF THE	Refuse tip or slag heap
2 2 2 2	Rock	- ~	Rock (scattered)
*****	Boulders		Boulders (scattered)
	Shingle	Mud	Mud
Sand	Sand	0000	Sand Pit
mm	Slopes	רררררר הנהנהנה	Top of cliff
	General detail		Underground detail
	- Overhead detail		Narrow gauge railway
	Multi-track railway		Single track railway
	County boundary (England only)		Civil, parish or community boundary
	District, Unitary, Metropolitan, London Borough boundary		Constituency boundary
۵۵ <sub>*</sub> *	Area of wooded vegetation	مم مم	Non-coniferous trees
۵	Non-coniferous trees (scattered)	** **	Coniferous trees
* *	Coniferous trees (scattered)	Q	Positioned tree
φ φ φ φ	Orchard	R R	Coppice or Osiers
$\omega T_{\rm h}$	Rough Grassland	arithra arithra	Heath
On_	Scrub	a <u>Mir</u> aMir	Marsh, Salt Marsh or Reeds
40	Water feature	<del>-</del>	Flow arrows
MHW(S)	Mean high water (springs)	MLW(S)	Mean low water (springs)
-••-	Telephone line (where shown)		Electricity transmission line (with poles)
+- ВМ 123.45 m	Bench mark (where shown)	Δ	Triangulation station
•	Point feature (e.g. Guide Post or Mile Stone)	$\boxtimes$	Pylon, flare stac or lighting tower
• [•	Site of (antiquity)		Glasshouse
	General Building		Important Building



## **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Lincolnshire	1:10,560	1885	2
Nottinghamshire	1:10,560	1900	3
Lincolnshire	1:10,560	1906 - 1907	4
Lincolnshire	1:10,560	1907	5
Lincolnshire	1:10,560	1922	6
Lincolnshire	1:10,560	1922	7
Lincolnshire	1:10,560	1947	8
Ordnance Survey Plan	1:10,000	1956	9
Ordnance Survey Plan	1:10,000	1979	10
Ordnance Survey Plan	1:10,000	1981	11
10K Raster Mapping	1:10,000	2000	12
10K Raster Mapping	1:10,000	2006	13
VectorMap Local	1:10,000	2021	14

### **Historical Map - Slice C**



#### **Order Details**

Order Number: 287331844\_1\_1 **Customer Ref:** 21-1098.02 National Grid Reference: 488570, 378350

Slice:

Site Area (Ha): 331.04 Search Buffer (m): 250

## **Site Details**

West Burton 2



0844 844 9952 0844 844 9951

A Landmark Information Group Service v50.0 04-Nov-2021 Page 1 of 14







## Published 1885 Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of coun ies, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

## Map Name(s) and Date(s)



## Historical Map - Slice C



#### **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 488570, 378350

ce:

Site Area (Ha): 331.04 Search Buffer (m): 250


## **Site Details**

West Burton 2



Tel: 0844 844 9952 Fax: 0844 844 9951 Web: www.envirocheck

A Landmark Information Group Service v50.0 04-Nov-2021 Page 2 of 14







# Nottinghamshire Published 1900 Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of coun ies, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

## Map Name(s) and Date(s)



# Historical Map - Slice C



#### **Order Details**

Order Number: 287331844\_1\_1 Customer Ref: 21-1098.02 National Grid Reference: 488570, 378350 С

Slice:

Site Area (Ha): Search Buffer (m): 331.04


## **Site Details**

West Burton 2



0844 844 9951 www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021 Page 3 of 14







# **Published 1906 - 1907 Source map scale - 1:10,560**

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of coun ies, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

### Map Name(s) and Date(s)



## Historical Map - Slice C



#### **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 488570, 378350
Slice: C

e:

Site Area (Ha): 331.04 Search Buffer (m): 250


## **Site Details**

West Burton 2

Landmark

Tel: 0844 844 9952 Fax: 0844 844 9951 Web: www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021 Page 4 of 14







## Published 1907 Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of coun ies, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

### Map Name(s) and Date(s)



## **Historical Map - Slice C**



#### **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 488570, 378350

Slice:

Site Area (Ha): 331.04 Search Buffer (m): 250


## **Site Details**

West Burton 2



Tel: 0844 844 9952 Fax: 0844 844 9951 Web: www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021 Page 5 of 14






# Published 1922


## Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of coun ies, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

## Map Name(s) and Date(s)



## **Historical Map - Slice C**



#### **Order Details**

Order Number: 287331844\_1\_1 Customer Ref: 21-1098.02 National Grid Reference: 488570, 378350 С

Slice:

Site Area (Ha): Search Buffer (m): 331.04


## **Site Details**

West Burton 2



0844 844 9951 www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021 Page 6 of 14






## Lincolnshire Published 1922


# Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of coun ies, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

## Map Name(s) and Date(s)



#### **Historical Map - Slice C**



#### **Order Details**

Order Number: 287331844\_1\_1 Customer Ref: 21-1098.02 National Grid Reference: 488570, 378350 С

Slice:

Site Area (Ha): Search Buffer (m): 331.04


## **Site Details**

West Burton 2



0844 844 9951 www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021 Page 7 of 14







## **Published 1947** Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of coun ies, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

### Map Name(s) and Date(s)



## Historical Map - Slice C



#### **Order Details**

Order Number: 287331844\_1\_1 **Customer Ref:** 21-1098.02 National Grid Reference: 488570, 378350 Slice:

Site Area (Ha): Search Buffer (m): 331.04


## **Site Details**

West Burton 2



0844 844 9951 www.enviroched

A Landmark Information Group Service v50.0 04-Nov-2021 Page 8 of 14






## **Ordnance Survey Plan** Published 1956 Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of coun ies, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

### Map Name(s) and Date(s)



#### **Historical Map - Slice C**



#### **Order Details**

Order Number: 287331844\_1\_1 **Customer Ref:** 21-1098.02 National Grid Reference: 488570, 378350 Slice:

Site Area (Ha): Search Buffer (m): 331.04


## **Site Details**

West Burton 2



0844 844 9951 www.enviroched

A Landmark Information Group Service v50.0 04-Nov-2021 Page 9 of 14







# **Ordnance Survey Plan** Published 1979 Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of coun ies, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

### Map Name(s) and Date(s)



#### **Historical Map - Slice C**



#### **Order Details**

Order Number: 287331844\_1\_1 Customer Ref: 21-1098.02 National Grid Reference: 488570, 378350 Slice:

Site Area (Ha): Search Buffer (m):

**Site Details** 


West Burton 2



0844 844 9951 www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021 Page 10 of 14

331.04







# **Ordnance Survey Plan** Published 1981 Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of coun ies, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

### Map Name(s) and Date(s)



#### **Historical Map - Slice C**



#### **Order Details**

Order Number: 287331844\_1\_1 Customer Ref: 21-1098.02 National Grid Reference: 488570, 378350 Slice:

Site Area (Ha): Search Buffer (m): 331.04


## **Site Details**


West Burton 2




0844 844 9951 www.envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021 Page 11 of 14







# Appendix D – Landmark Envirocheck Report





# **Envirocheck® Report:**

## **Datasheet**

### **Order Details:**

**Order Number:** 

287331844\_1\_1

**Customer Reference:** 

21-1098.02

**National Grid Reference:** 

488660, 377270

Slice:

Α

Site Area (Ha):

331.04

Search Buffer (m):

250

#### **Site Details:**

West Burton 2

### **Client Details:**

Mr A Howells Delta Simons 3 Henley Office Park Doddington Road Lincoln LN6 3QR







Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	20
Hazardous Substances	-
Geological	21
Industrial Land Use	23
Sensitive Land Use	24
Data Currency	25
Data Suppliers	31
Useful Contacts	32

#### Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination.

For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client.

In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

#### Copyright Notice

© Landmark Information Group Limited 2021. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environme Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under

Agency/Natural Resolutes waters and Natural England, and mist not be reproduced in whole of in part by protocopying of any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer.

A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.

© Environment Agency & United Kingdom Research and Innovation 2021. © Natural Resources Wales & United Kingdom Research and Innovation 2021.

#### Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

#### Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3 0.

#### Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining review@arup com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

#### Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

#### Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

#### **Natural Resources Wales Copyright Notice**

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2021. Land & Property Services © Crown copyright and database right.

#### Report Version v53.0



Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Agency & Hydrological			
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes
Contaminated Land Register Entries and Notices			
Discharge Consents	pg 2		7
Prosecutions Relating to Controlled Waters			n/a
Enforcement and Prohibition Notices			
Integrated Pollution Controls			
Integrated Pollution Prevention And Control	pg 3		1
Local Authority Integrated Pollution Prevention And Control			
Local Authority Pollution Prevention and Controls			
Local Authority Pollution Prevention and Control Enforcements			
Nearest Surface Water Feature	pg 3	Yes	
Pollution Incidents to Controlled Waters			
Prosecutions Relating to Authorised Processes			
Registered Radioactive Substances			
River Quality			
River Quality Biology Sampling Points			
River Quality Chemistry Sampling Points			
Substantiated Pollution Incident Register			
Water Abstractions	pg 4		1
Water Industry Act Referrals			
Groundwater Vulnerability Map	pg 4	Yes	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a
Groundwater Vulnerability - Local Information			n/a
Bedrock Aquifer Designations	pg 9	Yes	n/a
Superficial Aquifer Designations	pg 9	Yes	n/a
Source Protection Zones			
Extreme Flooding from Rivers or Sea without Defences	pg 9	Yes	
Flooding from Rivers or Sea without Defences	pg 10	Yes	Yes
Areas Benefiting from Flood Defences			
Flood Water Storage Areas	pg 10	Yes	
Flood Defences			
OS Water Network Lines	pg 10	37	41



Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Waste			
BGS Recorded Landfill Sites			
Historical Landfill Sites			
Integrated Pollution Control Registered Waste Sites			
Licensed Waste Management Facilities (Landfill Boundaries)			
Licensed Waste Management Facilities (Locations)			
Local Authority Landfill Coverage	pg 20	2	n/a
Local Authority Recorded Landfill Sites			
Potentially Infilled Land (Non-Water)			
Potentially Infilled Land (Water)			
Registered Landfill Sites			
Registered Waste Transfer Sites			
Registered Waste Treatment or Disposal Sites			
Hazardous Substances			
Control of Major Accident Hazards Sites (COMAH)			
Explosive Sites			
Notification of Installations Handling Hazardous Substances (NIHHS)			
Planning Hazardous Substance Consents			
Planning Hazardous Substance Enforcements			



Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Geological			
BGS 1:625,000 Solid Geology	pg 21	Yes	n/a
BGS Estimated Soil Chemistry	pg 21	Yes	Yes
BGS Recorded Mineral Sites			
BGS Urban Soil Chemistry			
BGS Urban Soil Chemistry Averages			
CBSCB Compensation District			n/a
Coal Mining Affected Areas			n/a
Mining Instability			n/a
Man-Made Mining Cavities			
Natural Cavities			
Non Coal Mining Areas of Great Britain			
Potential for Collapsible Ground Stability Hazards	pg 22	Yes	
Potential for Compressible Ground Stability Hazards			
Potential for Ground Dissolution Stability Hazards			
Potential for Landslide Ground Stability Hazards	pg 22	Yes	
Potential for Running Sand Ground Stability Hazards	pg 22	Yes	
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 22	Yes	
Radon Potential - Radon Affected Areas			n/a
Radon Potential - Radon Protection Measures			n/a
Industrial Land Use			
Contemporary Trade Directory Entries	pg 23		1
Fuel Station Entries			
Points of Interest - Commercial Services			
Points of Interest - Education and Health			
Points of Interest - Manufacturing and Production	pg 23		1
Points of Interest - Public Infrastructure			
Points of Interest - Recreational and Environmental			
Gas Pipelines			
Underground Electrical Cables			



Data Type		Page umber	On Site	0 to 250m (*up to 500m)
Sensitive Land Use				
Ancient Woodland				
Areas of Adopted Green Belt				
Areas of Unadopted Green Belt				
Areas of Outstanding Natural Beauty				
Environmentally Sensitive Areas				
Forest Parks				
Local Nature Reserves				
Marine Nature Reserves				
National Nature Reserves				
National Parks				
Nitrate Sensitive Areas				
Nitrate Vulnerable Zones	р	g 24	2	1
Ramsar Sites				
Sites of Special Scientific Interest				
Special Areas of Conservation				
Special Protection Areas				
World Heritage Sites				



# **Agency & Hydrological**

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility				
	Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NW (NE)	0	1	488661 377271
	BGS Groundwater Flooding Susceptibility				
	Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	0	1	489000 378350
	BGS Groundwater Flooding Susceptibility		_		
	Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NW (SW)	0	1	488500 377100
	BGS Groundwater Flooding Susceptibility				
	Flooding Type: Limited Potential for Groundwater Flooding to Occur	A6NE (S)	0	1	488450 376650
	BGS Groundwater Flooding Susceptibility				
	Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NE (E)	0	1	489000 377271
	BGS Groundwater Flooding Susceptibility	,			-
	Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A16NW (NE)	0	1	489300 377750
	BGS Groundwater Flooding Susceptibility	()			200
	Flooding Type: Limited Potential for Groundwater Flooding to Occur	A10NW (W)	0	1	488050 377050
	BGS Groundwater Flooding Susceptibility	(,			2550
	Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12SW (SE)	0	1	489450 376750
	BGS Groundwater Flooding Susceptibility	(- )			0.0.00
	Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A10SE (SW)	0	1	488300 376750
	BGS Groundwater Flooding Susceptibility	(011)			070700
	Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(E)	0	1	489900 377271
	BGS Groundwater Flooding Susceptibility				911211
	Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(E)	0	1	490000 377271
	BGS Groundwater Flooding Susceptibility				
	Flooding Type: Limited Potential for Groundwater Flooding to Occur	A6NE (SW)	3	1	488200 376450
	BGS Groundwater Flooding Susceptibility	(-)			
	Flooding Type: Limited Potential for Groundwater Flooding to Occur	A6NW (SW)	19	1	488150 376500
	BGS Groundwater Flooding Susceptibility	(011)			0.0000
	Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	54	1	490000 376450
	BGS Groundwater Flooding Susceptibility				070400
	Flooding Type: Limited Potential for Groundwater Flooding to Occur	A6NW (SW)	55	1	488150 376450
	BGS Groundwater Flooding Susceptibility	(011)			0.0.00
	Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(N)	56	1	489050 378450
	BGS Groundwater Flooding Susceptibility				0,0400
	Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	91	1	490000 376250
	BGS Groundwater Flooding Susceptibility				370230
	Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	127	1	489000 378550
	BGS Groundwater Flooding Susceptibility				373330
	Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NE)	146	1	489550 378250
	BGS Groundwater Flooding Susceptibility				2.0200
	Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	171	1	490050 376150
	BGS Groundwater Flooding Susceptibility				370100
	Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	214	1	489000

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 1 of 32



# **Agency & Hydrological**

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Discharge Consent	s				
1	Operator: Property Type: Location:  Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment: Receiving Water: Status:	J Nowell Domestic Property (Single) Ingleby Hall Barns Barn 1 Sturton Road, Ingleby, Lincoln, Lincolnshire, Ln1 2pq Environment Agency, Anglian Region River Till Prnnf12879 1 8th November 2002 12th December 2002 Not Supplied Sewage Discharges - Final/Treated Effluent - Not Water Company Freshwater Stream/River  Tributary Of The River Till New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as	A16NW (NE)	5	2	489360 377951
	Positional Accuracy:	amended by Environment Act 1995) Located by supplier to within 10m				
	Discharge Consent	s				
1	Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment: Receiving Water: Status:	J Nowell Domestic Property (Single) Ingleby Hall Barns Barn 2 Sturton Road, Ingleby, Lincoln, Ln1 2pq Environment Agency, Anglian Region River Till Prnnf12880 1 8th November 2002 12th December 2002 1st April 2004 Sewage Discharges - Final/Treated Effluent - Not Water Company Freshwater Stream/River  Tributary Of The River Till New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)	A16NW (NE)	5	2	489360 377950
	Positional Accuracy:	Located by supplier to within 10m				
	-	,				
2	Discharge Consent Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment: Receiving Water: Status: Positional Accuracy:	J Nowell Domestic Property (Single) Ingleby Hall Barns Barn 2 Sturton Road, Ingleby, Lincoln, Ln1 2pq Environment Agency, Anglian Region River Till Prnnf12880 2 2nd April 2004 2nd April 2004 Not Supplied Sewage Discharges - Final/Treated Effluent - Not Water Company Freshwater Stream/River Tributary Of The River Till New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Located by supplier to within 10m	A16NW (NE)	22	2	489190 377780
	Discharge Consent	s				
3	Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment: Receiving Water: Status:	Leverton Farms Limited Arable Farming Leverton Farms Ltd, Ingleby Grange Farm, Ingleby Environment Agency, Anglian Region Catchment 29 Unknown Detail Gwnlf40504 1 1st April 1999 21st July 2000 27th February 2015 Trade Discharge - Agricultural And Surface Onto Land Groundwater Surrendered under EPR 2010	A12NW (E)	39	2	489500 377200



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Discharge Consents	S				
4	•	Leverton Farms Limited WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Ingleby Hall Farm, Saxilby With Ingleby, Nr.Lincoln. Environment Agency, Anglian Region Not Supplied Pr3lfu390 1 17th January 1969 17th January 1969 30th May 1997 Unknown Onto Land Land Pre National Rivers Authority Legislation where issue date < 01/09/1989 Approximate location provided by supplier	A15NE (NE)	40	2	489000 378000
5	Discharge Consents Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment: Receiving Water: Status: Positional Accuracy:	M&M Care Ltd Domestic Property (Single) Old Rectory Saxilby Sturton Road, Saxilby, Lincoln, Ln1 2pg Environment Agency, Anglian Region River Till Pr3nf446 2 1st February 1992 1st February 1992 Not Supplied Sewage Discharges - Final/Treated Effluent - Not Water Company Freshwater Stream/River Unnamed Stream Post National Rivers Authority Legislation where issue date > 31/08/1989 Located by supplier to within 100m	A8NE (SE)	187	2	489700 376400
5	Discharge Consents Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment: Receiving Water: Status: Positional Accuracy:	Messrs Brock & Hogan Domestic Property (Single) Old Rectory Saxilby Sturton Road, Saxilby, Lincoln, Ln1 2pg Environment Agency, Anglian Region Not Supplied Pr3nf446 1 28th August 1987 28th August 1987 31st January 1992 Sewage Discharges - Final/Treated Effluent - Not Water Company Freshwater Stream/River Unknown Trib Pre National Rivers Authority Legislation where issue date < 01/09/1989 Located by supplier to within 100m	A8NE (SE)	187	2	489700 376400
	Integrated Pollution	Prevention And Control				
6	Name: Location: Authority: Permit Reference: Original Permit Ref: Effective Date: Status: Application Type: App. Sub Type: Positional Accuracy: Activity Code:	Leverton Farms Limited Ingleby Hall Farm Poultry Unit, Ingleby Hall Farm, Ingleby,, Lincoln, Lincolnshire, LN1 2PQ Environment Agency, Midlands Region XP3838QG	A15NW (N)	82	2	488600 377880
	Nearest Surface Wa					
	Troutest Surface Wa	. Salar S	A16SE (E)	0	-	489837 377403

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service



Page 4 of 32

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions					
7	Operator: Licence Number: Permit Version: Location: Authority: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details: Authorised Start: Authorised End: Permit Start Date: Permit End Date: Positional Accuracy:	David Johnson & Partners 4/30/06/*S/0013 100 Drain In Ingleby Pumped System Environment Agency, Anglian Region General Agriculture: Spray Irrigation - Storage Water may be abstracted from a single point Surface Not Supplied Not Supplied Not Supplied O1 January 31 March 1st November 1991 Not Supplied Located by supplier to within 100m	A16NE (NE)	182	2	489700 377940
	Groundwater Vulne	rability Map				
	Combined Classification: Combined Vulnerability: Combined Aquifer: Pollutant Speed: Bedrock Flow: Dilution: Baseflow Index: Superficial Patchiness: Superficial Thickness: Superficial Recharge:	Secondary Bedrock Aquifer - High Vulnerability  High  Productive Bedrock Aquifer, Productive Superficial Aquifer Low  Well Connected Fractures <300 mm/year 40-70% <90%  <3m  No Data	A16NW (NE)	0	3	489235 378000
	Groundwater Vulne	rability Map				
	Combined Classification: Combined Vulnerability: Combined Aquifer: Pollutant Speed: Bedrock Flow: Dilution: Baseflow Index: Superficial Patchiness: Superficial Thickness: Superficial Recharge:	Secondary Superficial Aquifer - High Vulnerability  High  Productive Bedrock Aquifer, Productive Superficial Aquifer High Poorly Connected Fractures <300 mm/year >70% <90%  <3m  High	(NE)	0	3	490041 378000
	Groundwater Vulne	rability Map				
	Combined Classification: Combined Vulnerability: Combined Aquifer: Pollutant Speed: Bedrock Flow: Dilution: Baseflow Index: Superficial Patchiness: Superficial Thickness: Superficial Recharge:	Secondary Bedrock Aquifer - High Vulnerability  High  Productive Bedrock Aquifer, No Superficial Aquifer Low Well Connected Fractures <300 mm/year 40-70% <90%  <3m  No Data	(E)	0	3	489915 377000



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulne	erability Map				
	Combined Classification:	Secondary Bedrock Aquifer - High Vulnerability	(E)	0	3	490000 376988
	Combined Vulnerability:	High				
	Combined Aquifer: Pollutant Speed:	Productive Bedrock Aquifer, No Superficial Aquifer High				
	Bedrock Flow: Dilution:	Well Connected Fractures <300 mm/year				
	Baseflow Index: Superficial	>70% <90%				
	Patchiness: Superficial	3-10m				
	Thickness: Superficial	High				
	Recharge:	·				
	Groundwater Vulne	• •	A4605		•	400044
	Combined Classification:	Secondary Bedrock Aquifer - High Vulnerability	A16SE (E)	0	3	489811 377506
	Combined Vulnerability:	High				
	Combined Aquifer: Pollutant Speed:	Productive Bedrock Aquifer, No Superficial Aquifer Low				
	Bedrock Flow: Dilution:	Well Connected Fractures <300 mm/year				
	Baseflow Index: Superficial	40-70% <90%				
	Patchiness: Superficial	<3m				
	Thickness: Superficial Recharge:	No Data				
	Groundwater Vulne	rability Map				
	Combined Classification:	Secondary Bedrock Aquifer - High Vulnerability	(E)	0	3	490000 377673
	Combined Vulnerability:	High				
	Combined Aquifer: Pollutant Speed:	Productive Bedrock Aquifer, No Superficial Aquifer High				
	Bedrock Flow: Dilution:	Poorly Connected Fractures <300 mm/year				
	Baseflow Index: Superficial	>70% <90%				
	Patchiness: Superficial	<3m				
	Thickness: Superficial	High				
	Recharge:					
	Groundwater Vulne					
	Combined Classification:	Secondary Bedrock Aquifer - High Vulnerability	(E)	0	3	489992 377000
	Combined Vulnerability:	High				
	Combined Aquifer: Pollutant Speed:	Productive Bedrock Aquifer, Productive Superficial Aquifer Low				
	Bedrock Flow: Dilution:	Well Connected Fractures <300 mm/year				
	Baseflow Index: Superficial	40-70% <90%				
	Patchiness: Superficial	<3m				
	Thickness: Superficial	No Data				
	Recharge:					



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulne	erability Map				
	Combined Classification:	Secondary Superficial Aquifer - High Vulnerability	(E)	0	3	490000 377000
	Combined Vulnerability:	High				
	Combined Aquifer: Pollutant Speed:	Productive Bedrock Aquifer, Productive Superficial Aquifer High				
	Bedrock Flow: Dilution:	Well Connected Fractures <300 mm/year				
	Baseflow Index: Superficial	>70% <90%				
	Patchiness: Superficial	3-10m				
	Thickness: Superficial	High				
	Recharge:					
	Groundwater Vulne Combined	erability Map Secondary Bedrock Aquifer - High Vulnerability	A10SE	0	3	488280
	Classification: Combined	High	(SW)		3	376744
	Vulnerability: Combined Aquifer:	Productive Bedrock Aquifer, Productive Superficial Aquifer				
	Pollutant Speed: Bedrock Flow:	Low Well Connected Fractures				
	Dilution:	<300 mm/year				
	Baseflow Index: Superficial	40-70% <90%				
	Patchiness: Superficial Thickness:	<3m				
	Superficial Recharge:	No Data				
	Groundwater Vulne	erability Map				
	Combined Classification:	Secondary Bedrock Aquifer - High Vulnerability	(E)	0	3	489903 377304
	Combined Vulnerability:	High				
	Combined Aquifer: Pollutant Speed:	Productive Bedrock Aquifer, Productive Superficial Aquifer Low				
	Bedrock Flow: Dilution:	Well Connected Fractures <300 mm/year				
	Baseflow Index: Superficial	40-70% <90%				
	Patchiness: Superficial	<3m				
	Thickness: Superficial	No Data				
	Recharge:  Groundwater Vulne	erability Man				
	Combined	Secondary Bedrock Aquifer - High Vulnerability	A16NW	0	3	489312
	Classification: Combined	High	(NE)			377765
	Vulnerability: Combined Aquifer:	Productive Bedrock Aquifer, Productive Superficial Aquifer				
	Pollutant Speed: Bedrock Flow:	Low Well Connected Fractures				
	Dilution: Baseflow Index:	<300 mm/year 40-70%				
	Superficial Patchiness:	<90%				
	Superficial Thickness:	<3m				
	Superficial Recharge:	No Data				



Page 7 of 32

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulne	erability Map				
	Combined	Secondary Superficial Aquifer - High Vulnerability	(E)	0	3	490000
	Classification: Combined	High				377271
	Vulnerability: Combined Aquifer: Pollutant Speed: Bedrock Flow: Dilution:	Productive Bedrock Aquifer, Productive Superficial Aquifer High Poorly Connected Fractures <300 mm/year				
	Baseflow Index: Superficial Patchiness:	>70% <90%				
	Superficial Thickness: Superficial Recharge:	<3m High				
	Groundwater Vulne	erability Map				
	Combined Classification:	Secondary Bedrock Aquifer - High Vulnerability	(NE)	0	3	490000 378000
	Combined Vulnerability: Combined Aquifer:	High  Productive Bedrock Aquifer, No Superficial Aquifer				
	Pollutant Speed: Bedrock Flow: Dilution:	High Poorly Connected Fractures <300 mm/year				
	Baseflow Index: Superficial Patchiness:	>70% <90%				
	Superficial Thickness: Superficial	<3m High				
	Recharge:					
	Groundwater Vulne	erability Map				
	Combined Classification:	Secondary Bedrock Aquifer - High Vulnerability	A15NE (NE)	0	3	489000 378000
	Combined Vulnerability: Combined Aquifer:	High  Productive Bedrock Aquifer, No Superficial Aquifer				
	Pollutant Speed: Bedrock Flow: Dilution:	Low Well Connected Fractures <300 mm/year				
	Baseflow Index: Superficial Patchiness:	40-70% <90%				
	Superficial Thickness:	<3m				
	Superficial Recharge:	No Data				
	Groundwater Vulne	erability Map				
	Combined Classification:	Secondary Bedrock Aquifer - High Vulnerability	A14NW (NW)	0	3	488000 378000
	Combined Vulnerability:	High				
	Combined Aquifer: Pollutant Speed: Bedrock Flow:	Productive Bedrock Aquifer, No Superficial Aquifer Low Well Connected Fractures				
	Dilution: Baseflow Index: Superficial	<300 mm/year 40-70% <90%				
	Patchiness: Superficial	<3m				
	Thickness: Superficial Recharge:	No Data				

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service



Page 8 of 32

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulne	erability Map				
	Combined Classification:	Secondary Bedrock Aquifer - High Vulnerability	A15NW (N)	0	3	488661 378000
	Combined Vulnerability:	High	(1.1)			0.000
	Combined Aquifer: Pollutant Speed: Bedrock Flow: Dilution: Baseflow Index: Superficial Patchiness: Superficial	Productive Bedrock Aquifer, No Superficial Aquifer Low Well Connected Fractures <300 mm/year 40-70% <90% <3m				
	Thickness: Superficial Recharge:	No Data				
	Groundwater Vulne	erability Map				
	Combined Classification: Combined	Secondary Bedrock Aquifer - High Vulnerability High	A11SW (S)	0	3	488661 377000
	Vulnerability: Combined Aquifer: Pollutant Speed: Bedrock Flow: Dilution: Baseflow Index: Superficial Patchiness: Superficial	Productive Bedrock Aquifer, No Superficial Aquifer Low Well Connected Fractures <300 mm/year 40-70% <90% <3m				
	Thickness: Superficial	No Data				
	Recharge:					
	Groundwater Vulne	erability Map				
	Combined Classification: Combined Vulnerability: Combined Aquifer: Pollutant Speed: Bedrock Flow: Dilution: Baseflow Index: Superficial Patchiness: Superficial Thickness: Superficial Recharge:  Groundwater Vulne	Secondary Bedrock Aquifer - High Vulnerability  High  Productive Bedrock Aquifer, No Superficial Aquifer Low Well Connected Fractures <300 mm/year 40-70% <90%  <3m  No Data	A11SE (SE)	0	3	489000 377000
	Combined	Secondary Bedrock Aquifer - High Vulnerability	A10NW	0	3	488000
	Classification: Combined Vulnerability: Combined Aquifer: Pollutant Speed: Bedrock Flow: Dilution: Baseflow Index: Superficial Patchiness: Superficial Thickness: Superficial Recharge:	High Productive Bedrock Aquifer, No Superficial Aquifer Low Well Connected Fractures <300 mm/year 40-70% <90% <3m No Data	(W)	U	3	488000 377271



ap D		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulne	erability Map				
	Combined	Secondary Bedrock Aquifer - High Vulnerability	A11NW	0	3	488661
	Classification:	J. J	(NE)			377271
	Combined	High				
	Vulnerability:					
	Combined Aquifer:	Productive Bedrock Aquifer, No Superficial Aquifer				
	Pollutant Speed: Bedrock Flow:	Low Well Connected Fractures				
	Dilution:	<300 mm/year				
	Baseflow Index:	40-70%				
	Superficial	<90%				
	Patchiness:					
	Superficial	<3m				
	Thickness:	No Data				
	Superficial Recharge:	No Data				
	Groundwater Vulne	erability Map				
	Combined	Secondary Bedrock Aquifer - High Vulnerability	A11NE	0	3	489000
	Classification:	, , , , , , , , , , , , , , , , , , ,	(E)		-	377271
	Combined	High	` ′			
	Vulnerability:					
	Combined Aquifer:	Productive Bedrock Aquifer, No Superficial Aquifer				
	Pollutant Speed:	Low Well Connected Fractures				
	Bedrock Flow: Dilution:	Well Connected Fractures <300 mm/year				
	Baseflow Index:	40-70%				
	Superficial	<90%				
	Patchiness:					
	Superficial	<3m				
	Thickness:	= .				
	Superficial	No Data				
	Recharge:					
	Groundwater Vulne None	erability - Soluble Rock Risk				
	Bedrock Aquifer De	_				
	Aquifer Designation:	: Secondary Aquifer - Undifferentiated	A16SE	0	3	489811
			(E)			377506
	Bedrock Aquifer De	esignations				
	Aquifer Designation:	: Secondary Aquifer - Undifferentiated	(E)	0	3	490000 377271
	Bedrock Aquifer De	esignations				3/12/1
	-	: Secondary Aquifer - B	A11NW	0	3	488661
	Aquilei Designation.	Secondary Aquiler - B	(NE)	0	3	377271
	Superficial Aquifer		(: -			
		Designations	(112)			
	Aquiler Designation:	Designations : Secondary Aquifer - A	(E)	0	3	I
		: Secondary Aquifer - A		0	3	489903 377304
	Superficial Aquifer	Secondary Aquifer - A  Designations	(E)			377304
	Superficial Aquifer	: Secondary Aquifer - A		0	3	377304 488280
	Superficial Aquifer	Secondary Aquifer - A  Designations  Secondary Aquifer - A	(E)			377304 488280
	Superficial Aquifer Aquifer Designation: Superficial Aquifer	E Secondary Aquifer - A  Designations E Secondary Aquifer - A  Designations	(E) A10SE (SW)	0	3	377304 488280 376744
	Superficial Aquifer Aquifer Designation: Superficial Aquifer	Secondary Aquifer - A  Designations  Secondary Aquifer - A	(E)			488280 376744 490000
	Superficial Aquifer Aquifer Designation: Superficial Aquifer	Designations Secondary Aquifer - A  Designations Secondary Aquifer - A  Designations Secondary Aquifer - A	(E) A10SE (SW)	0	3	377304 488280 376744 490000
	Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Superficial Aquifer	Designations Secondary Aquifer - A  Designations Secondary Aquifer - A  Designations Secondary Aquifer - A	(E)  A10SE (SW)  (E)  A16NW	0	3	488286 376744 490000 377272
	Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation:	Designations Secondary Aquifer - A	(E) A10SE (SW)	0	3	488280 376744 490000 377271 489312
	Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Extreme Flooding for	Designations Secondary Aquifer - A  from Rivers or Sea without Defences	(E)  A10SE (SW)  (E)  A16NW (NE)	0 0	3 3	488280 376744 490000 377271 489312 377765
	Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Extreme Flooding f Type:	Designations Secondary Aquifer - A  from Rivers or Sea without Defences Extent of Extreme Flooding from Rivers or Sea without Defences	(E)  A10SE (SW)  (E)  A16NW (NE)  A16SE	0	3	488280 376744 490000 377271 489312 377765
	Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Extreme Flooding for Type: Flood Plain Type:	Designations Secondary Aquifer - A  from Rivers or Sea without Defences Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events	(E)  A10SE (SW)  (E)  A16NW (NE)	0 0	3 3	488280 376744 490000 377271 489312 377765
	Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Extreme Flooding f Type: Flood Plain Type: Boundary Accuracy:	Designations Secondary Aquifer - A  From Rivers or Sea without Defences Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events As Supplied	(E)  A10SE (SW)  (E)  A16NW (NE)  A16SE	0 0	3 3	488280 376744 490000 377271 489312 377765
	Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Extreme Flooding fi Type: Flood Plain Type: Boundary Accuracy: Extreme Flooding fi	Designations Secondary Aquifer - A  From Rivers or Sea without Defences Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events As Supplied  From Rivers or Sea without Defences	(E)  A10SE (SW)  (E)  A16NW (NE)  A16SE (E)	0 0 0	3 3 2	488280 376744 490000 377271 489312 377765 489698 377504
	Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Extreme Flooding f Type: Flood Plain Type: Boundary Accuracy: Extreme Flooding f Type:	Designations Secondary Aquifer - A  from Rivers or Sea without Defences Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events As Supplied  from Rivers or Sea without Defences  Extent of Extreme Flooding from Rivers or Sea without Defences  Extent of Extreme Flooding from Rivers or Sea without Defences	(E)  A10SE (SW)  (E)  A16NW (NE)  A16SE (E)	0 0	3 3	488280 376744 490000 377271 489312 377765 489695 377504
	Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Extreme Flooding fi Type: Flood Plain Type: Boundary Accuracy: Extreme Flooding fi	Designations Secondary Aquifer - A  from Rivers or Sea without Defences Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events As Supplied  from Rivers or Sea without Defences  Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events	(E)  A10SE (SW)  (E)  A16NW (NE)  A16SE (E)	0 0 0	3 3 2	488280 376744 490000 377271 489312 377765 489695 377504
	Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Extreme Flooding for Type: Flood Plain Type: Boundary Accuracy: Extreme Flooding for Type: Flood Plain Type: Boundary Accuracy: Flood Plain Type: Boundary Accuracy:	Designations Secondary Aquifer - A  from Rivers or Sea without Defences Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events As Supplied  from Rivers or Sea without Defences  Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events Secondary Aquifer - A	(E)  A10SE (SW)  (E)  A16NW (NE)  A16SE (E)	0 0 0	3 3 2	488280 376744 490000 377271 489312 377765 489699 377504
	Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Extreme Flooding fi Type: Flood Plain Type: Boundary Accuracy: Extreme Flooding fi Type: Flood Plain Type: Boundary Accuracy: Extreme Flooding fi Extreme Flooding fi	Designations Secondary Aquifer - A  from Rivers or Sea without Defences Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events As Supplied  from Rivers or Sea without Defences Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events As Supplied  from Rivers or Sea without Defences Fluvial Events As Supplied  from Rivers or Sea without Defences	(E)  A10SE (SW)  (E)  A16NW (NE)  A16SE (E)  A16SE (E)	0 0 0	3 3 2 2	488280 376744 490000 377271 489312 377765 489699 377504 489685 377520
	Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Extreme Flooding f Type: Flood Plain Type: Boundary Accuracy: Extreme Flooding f Type: Flood Plain Type: Boundary Accuracy: Extreme Flooding f Type: Boundary Accuracy: Extreme Flooding f Type: Boundary Accuracy:	Designations Secondary Aquifer - A  from Rivers or Sea without Defences Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events As Supplied  from Rivers or Sea without Defences  Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events As Supplied  from Rivers or Sea without Defences Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events As Supplied  from Rivers or Sea without Defences  Extent of Extreme Flooding from Rivers or Sea without Defences  Extent of Extreme Flooding from Rivers or Sea without Defences	(E)  A10SE (SW)  (E)  A16NW (NE)  A16SE (E)  A16SE (E)	0 0 0	3 3 2	488280 376744 490000 377271 489312 377765 489695 377504 489685 377520
	Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Extreme Flooding f Type: Flood Plain Type: Boundary Accuracy: Extreme Flooding f Type: Flood Plain Type: Boundary Accuracy: Extreme Flooding f Type: Flood Plain Type: Flood Plain Type: Flood Plain Type: Flood Plain Type:	Designations Secondary Aquifer - A  from Rivers or Sea without Defences Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events As Supplied  from Rivers or Sea without Defences Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events As Supplied  from Rivers or Sea without Defences Extent of Extreme Flooding from Rivers or Sea without Defences Extent of Extreme Flooding from Rivers or Sea without Defences Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Models	(E)  A10SE (SW)  (E)  A16NW (NE)  A16SE (E)  A16SE (E)	0 0 0	3 3 2 2	488280 376744 490000 377271 489312 377765 489695 377504 489685 377520
	Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Extreme Flooding fi Type: Flood Plain Type: Boundary Accuracy: Extreme Flooding fi Type: Flood Plain Type: Boundary Accuracy: Extreme Flooding fi Type: Flood Plain Type: Boundary Accuracy: Extreme Flooding fi Type: Flood Plain Type: Boundary Accuracy:	Designations Secondary Aquifer - A  from Rivers or Sea without Defences Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events As Supplied  from Rivers or Sea without Defences Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events As Supplied  from Rivers or Sea without Defences Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events Extent of Extreme Flooding from Rivers or Sea without Defences Filovial Models As Supplied	(E)  A10SE (SW)  (E)  A16NW (NE)  A16SE (E)  A16SE (E)	0 0 0	3 3 2 2	488280 376744 490000 377271 489312 377765 489695 377504 489685 377520
	Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Extreme Flooding fi Type: Flood Plain Type: Boundary Accuracy: Extreme Flooding fi Type: Flood Plain Type: Boundary Accuracy: Extreme Flooding fi Type: Flood Plain Type: Boundary Accuracy: Extreme Flooding fi Type: Flood Plain Type: Boundary Accuracy: Extreme Flooding fi	Designations Secondary Aquifer - A  From Rivers or Sea without Defences Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events As Supplied  From Rivers or Sea without Defences Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events As Supplied  From Rivers or Sea without Defences Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events As Supplied  From Rivers or Sea without Defences Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Models As Supplied  From Rivers or Sea without Defences	(E)  A10SE (SW)  (E)  A16NW (NE)  A16SE (E)  A16SE (E)	0 0 0 0	3 3 2 2	488280 376744 490000 377271 489312 377765 489699 377504 489685 377520 489704 377126
	Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Superficial Aquifer Aquifer Designation: Extreme Flooding fi Type: Flood Plain Type: Boundary Accuracy: Extreme Flooding fi Type: Flood Plain Type: Boundary Accuracy: Extreme Flooding fi Type: Flood Plain Type: Boundary Accuracy: Extreme Flooding fi Type: Flood Plain Type: Boundary Accuracy:	Designations Secondary Aquifer - A  from Rivers or Sea without Defences Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events As Supplied  from Rivers or Sea without Defences Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events As Supplied  from Rivers or Sea without Defences Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events Extent of Extreme Flooding from Rivers or Sea without Defences Filovial Models As Supplied	(E)  A10SE (SW)  (E)  A16NW (NE)  A16SE (E)  A16SE (E)	0 0 0	3 3 2 2	488280 376744 490000 377271 489312 377765 489695 377504 489685 377520

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences  Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A16SW (E)	0	2	489410 377552
	Extreme Flooding from Rivers or Sea without Defences  Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (W)	0	2	488402 377252
	Extreme Flooding from Rivers or Sea without Defences  Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Fluvial Events Boundary Accuracy: As Supplied	A16SE (E)	0	2	489670 377589
	Flooding from Rivers or Sea without Defences  Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A16SW (E)	0	2	489410 377552
	Flooding from Rivers or Sea without Defences  Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A6NW (SW)	3	2	488128 376518
	Areas Benefiting from Flood Defences None Flood Water Storage Areas				
	Type: Flood Water Storage Areas Reference: Not Supplied	A12NE (E)	0	2	489726 377333
	Flood Defences None				
8	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 14.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A12SW (SE)	0	4	489487 376736
9	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 1.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A12SW (SE)	0	4	489502 376740
10	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 184.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A12SW (SE)	0	4	489503 376740
11	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 22.2  Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 2	A12SE (SE)	0	4	489720 376804
12	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 8.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A12SE (SE)	0	4	489680 376793

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
13	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 32.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A12SE (SE)	0	4	489688 376795
14	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 248.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A12SE (SE)	0	4	489720 376804
15	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 342.3  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: On Supplied Primacy: 1	A11NE (E)	0	4	489025 377331
16	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 326.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 2	A11NE (E)	0	4	489119 377261
17	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 274.8  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A16SE (E)	0	4	489824 377429
18	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 113.8  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A12NW (E)	0	4	489196 377310
19	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 6.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A12NW (E)	0	4	489309 377306
20	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 50.9  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A12NW (E)	0	4	489315 377307
21	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 5.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A12NW (E)	0	4	489190 377312



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
22	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 273.7  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A16SE (E)	0	4	489837 377403
	OS Water Network Lines				
23	Watercourse Form: Inland river Watercourse Length: 4.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A16SE (E)	0	4	489827 377446
24	OS Water Network Lines  Watercourse Form: Inland river Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Primacy: 2	A11NE (SE)	0	4	488958 377068
25	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 486.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A8NE (SE)	0	4	489713 376390
26	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 244.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 2	A12SE (SE)	0	4	489726 376783
27	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 1096.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A11NE (E)	0	4	489138 377315
28	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 144.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A15SE (NE)	0	4	489007 377447
29	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 146.8  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A15SE (E)	0	4	489149 377451
30	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 227.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A15SW (NE)	0	4	488804 377531



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
31	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 14.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A15SE (NE)	0	4	489169 377596
	OS Water Network Lines				
32	Watercourse Form: Inland river Watercourse Length: 378.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A16SE (E)	0	4	489769 377670
33	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 81.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A16NW (NE)	0	4	489496 377858
	OS Water Network Lines				
34	Watercourse Form: Inland river Watercourse Length: 279.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	A13SW (W)	0	4	487470 377705
	OS Water Network Lines				
35	Watercourse Form: Inland river Watercourse Length: 483.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	A14NW (NW)	0	4	488113 377995
	OS Water Network Lines				
36	Watercourse Form: Inland river Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Primacy: 1	A14NW (NW)	0	4	488073 377743
37	OS Water Network Lines Watercourse Form: Inland river	A10NW	0	4	488099
	Watercourse Length: 421.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	(W)			377316
	OS Water Network Lines				
38	Watercourse Form: Inland river Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Primacy: 1	A14NW (NW)	0	4	488074 377735
	OS Water Network Lines				
39	Watercourse Form: Inland river Watercourse Length: 10.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	A14NW (NW)	0	4	488114 377985



Page 14 of 32

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
40	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 119.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	A6NE (SW)	0	4	488193 376636
41	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 225.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	A10SE (SW)	0	4	488189 376859
42	OS Water Network Lines  Watercourse Form: Inland river Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	A11SW (S)	0	4	488742 377010
43	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 276.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	A13SE (W)	0	4	487489 377430
44	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 227.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	A6NE (S)	0	4	488418 376663
45	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 138.0  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A12SW (SE)	1	4	489503 376740
46	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 162.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A15SE (NE)	1	4	489010 377598
47	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 516.7  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A15SE (NE)	1	4	489010 377598
48	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 470.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	A10NW (W)	1	4	488140 377217



Page 15 of 32

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
49	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 250.3  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A12NE (E)	2	4	489630 377106
50	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 244.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A12NW (E)	2	4	489496 377360
51	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 58.2 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A8NE (SE)	3	4	489830 376483
52	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 1.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A15SE (NE)	3	4	489171 377610
53	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 107.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A12NW (E)	4	4	489461 377060
54	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 8.9 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	A11NE (SE)	4	4	488949 377066
55	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 21.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	A6NW (SW)	4	4	488161 376521
56	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 9.0  Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Primacy: 1	A11NE (SE)	5	4	488958 377068
57	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 2.3  Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 2	A15SE (NE)	5	4	489171 377610



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
58	OS Water Network Lines  Watercourse Form: Inland river Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 2	A15SE (NE)	5	4	489172 377613
59	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 54.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A12NE (E)	7	4	489568 377091
60	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 8.5  Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A12NE (E)	7	4	489621 377104
61	OS Water Network Lines  Watercourse Form: Inland river Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A12NE (E)	8	4	489564 377089
62	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 237.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A12SW (SE)	12	4	489487 376736
63	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 201.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	A6NW (SW)	13	4	488152 376501
64	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 568.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	A11NE (SE)	14	4	488961 377059
65	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 413.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	A6SE (SW)	16	4	488239 376324
66	OS Water Network Lines  Watercourse Form: Lake Watercourse Length: 5.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	A13NE (NW)	17	4	487569 378031



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
67	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 483.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	A6NW (SW)	17	4	488152 376501
	OS Water Network Lines				
68	Watercourse Form: Inland river Watercourse Length: 6.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	A6SE (SW)	19	4	488238 376330
69	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 319.4  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	A13NE (NW)	21	4	487564 378034
70	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 403.8  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	A12NW (E)	23	4	489184 377117
71	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 1.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	A12NW (E)	23	4	489184 377119
72	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 229.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A8SE (SE)	60	4	489639 376355
73	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 6.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A16NE (NE)	70	4	489575 377881
74	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 87.4  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A16NE (NE)	77	4	489581 377882
75	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 4.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A8NE (SE)	139	4	489548 376609



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
76	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 254.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A8NE (SE)	143	4	489549 376605
	OS Water Network Lines				
77	Watercourse Form: Inland river Watercourse Length: 88.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A16NE (NE)	154	4	489666 377903
78	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 293.8  Watercourse Level: Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	A10NW (W)	167	4	487983 377088
79	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 56.7 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A8SE (SE)	188	4	489665 376358
80	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 5.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A16NE (NE)	188	4	489743 377947
81	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 6.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A16NE (NE)	189	4	489749 377947
82	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 262.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A16NE (NE)	194	4	489707 377987
83	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 238.5  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A8NW (SE)	236	4	489337 376446
84	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 172.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A8NE (SE)	236	4	489566 376514



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	OS Water Network Lines				
85	Watercourse Form: Inland river Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	A8SE (SE)	241	4	489644 376343

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 19 of 32



### **Waste**

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Landfill Coverage				
	Name: West Lindsey District Council - Has no landfill data to supply		0	5	488661 377271
	Local Authority Landfill Coverage				
	Name: Lincolnshire County Council - Had landfill data but passed it to the relevant environment agency		0	6	488661 377271

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 20 of 32





Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid	d Geology Lias Group	A11NW	0	1	488661
	'	·	(NE)			377271
	BGS Estimated Soil Source: Soil Sample Type: Arsenic Concentration: Cadmium	Chemistry  British Geological Survey, National Geoscience Information Service Rural Soil 15 - 25 mg/kg  <1.8 mg/kg	A15NW (N)	0	1	488661 378000
	Concentration: Chromium Concentration: Lead Concentration: Nickel Concentration:	90 - 120 mg/kg <100 mg/kg 15 - 30 mg/kg				
	BGS Estimated Soil	Chemistry				
	Source: Soil Sample Type: Arsenic Concentration: Cadmium Concentration: Chromium Concentration: Lead Concentration: Nickel	British Geological Survey, National Geoscience Information Service Rural Soil <15 mg/kg <1.8 mg/kg 60 - 90 mg/kg <100 mg/kg 15 - 30 mg/kg	A11NE (E)	0	1	489000 377271
	Concentration:					
	BGS Estimated Soil Source: Soil Sample Type: Arsenic Concentration:	Chemistry  British Geological Survey, National Geoscience Information Service Rural Soil <15 mg/kg	A16NW (NE)	0	1	489312 377765
	Cadmium Concentration: Chromium Concentration: Lead Concentration: Nickel Concentration:	<1.8 mg/kg 40 - 60 mg/kg <100 mg/kg <15 mg/kg				
	BGS Estimated Soil	Chemistry				
	Source: Soil Sample Type: Arsenic Concentration:	British Geological Survey, National Geoscience Information Service Rural Soil <15 mg/kg	A10SE (SW)	0	1	488280 376744
	Cadmium Concentration:	<1.8 mg/kg				
	Chromium Concentration: Lead Concentration:					
	Nickel Concentration:	<15 mg/kg				
	BGS Estimated Soil Source: Soil Sample Type: Arsenic Concentration:	British Geological Survey, National Geoscience Information Service Rural Soil <15 mg/kg	A11NW (NE)	0	1	488661 377271
	Cadmium Concentration: Chromium Concentration:	<1.8 mg/kg 90 - 120 mg/kg				
	Lead Concentration: Nickel Concentration:	<100 mg/kg 15 - 30 mg/kg				
	BGS Estimated Soil	Chemistry				
	Source: Soil Sample Type: Arsenic Concentration:	British Geological Survey, National Geoscience Information Service Rural Soil <15 mg/kg	A6NW (SW)	15	1	488155 376476
	Cadmium Concentration:	<1.8 mg/kg				
	Chromium Concentration: Lead Concentration: Nickel	90 - 120 mg/kg <100 mg/kg 15 - 30 mg/kg				
	Concentration:					





Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil	Chemistry				
	Source: Soil Sample Type: Arsenic Concentration:	British Geological Survey, National Geoscience Information Service Rural Soil <15 mg/kg	A6NW (SW)	163	1	488000 376592
	Cadmium Concentration:	<1.8 mg/kg				
	Chromium Concentration:	20 - 40 mg/kg				
	Lead Concentration: Nickel Concentration:	<100 mg/kg <15 mg/kg				
	BGS Estimated Soil	Chemistry				
	Source: Soil Sample Type: Arsenic Concentration:	British Geological Survey, National Geoscience Information Service Rural Soil <15 mg/kg	A6NW (SW)	163	1	488000 376513
	Cadmium Concentration:	<1.8 mg/kg				
	Chromium Concentration:	60 - 90 mg/kg				
	Lead Concentration: Nickel Concentration:	<100 mg/kg 15 - 30 mg/kg				
	BGS Measured Urba	an Soil Chemistry				
	BGS Urban Soil Che	emistry Averages				
	No data available	d Arana				
	Coal Mining Affecte In an area that might	not be affected by coal mining				
	Non Coal Mining Ar	eas of Great Britain				
	Potential for Collap	sible Ground Stability Hazards				
	Hazard Potential: Source:	Very Low British Geological Survey, National Geoscience Information Service	A11NW (NE)	0	1	488661 377271
	· ·	essible Ground Stability Hazards				
	Hazard Potential: Source:	No Hazard British Geological Survey, National Geoscience Information Service	A11NW (NE)	0	1	488661 377271
		d Dissolution Stability Hazards				
	Hazard Potential: Source:	No Hazard British Geological Survey, National Geoscience Information Service	A11NW (NE)	0	1	488661 377271
		ide Ground Stability Hazards				
	Hazard Potential: Source:	Very Low British Geological Survey, National Geoscience Information Service	A11NW (NE)	0	1	488661 377271
		ng Sand Ground Stability Hazards				
	Hazard Potential: Source:	Very Low British Geological Survey, National Geoscience Information Service	A10SE (SW)	0	1	488280 376744
		ng Sand Ground Stability Hazards				
	Hazard Potential: Source:	No Hazard British Geological Survey, National Geoscience Information Service	A11NW (NE)	0	1	488661 377271
	Hazard Potential:	ng Sand Ground Stability Hazards Very Low	A16NW	0	1	489312
	Source:	British Geological Survey, National Geoscience Information Service	(NE)			377765
	Potential for Runnir Hazard Potential: Source:	ng Sand Ground Stability Hazards  No Hazard  British Geological Survey, National Geoscience Information Service	A6NW (SW)	15	1	488155 376476
	Potential for Shrink	ing or Swelling Clay Ground Stability Hazards				
	Hazard Potential: Source:	Low British Geological Survey, National Geoscience Information Service	A11NW (NE)	0	1	488661 377271
	Radon Potential - R Affected Area:	adon Affected Areas  The property is in a Lower probability radon area (less than 1% of homes are	A11NW	0	1	488661
	Source:	estimated to be at or above the Action Level).  British Geological Survey, National Geoscience Information Service	(NE)		1	377271
		adon Protection Measures				
	Protection Measure:	No radon protective measures are necessary in the construction of new dwellings or extensions	A11NW (NE)	0	1	488661 377271
	Source:	British Geological Survey, National Geoscience Information Service				

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service



## **Industrial Land Use**

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
86	Contemporary Trad	•	A12NW	77		490466
00	Name: Location: Classification: <b>Status:</b> Positional Accuracy:	J T L Engineering Services Ltd Ingleby Grange Farm, Ingleby, Lincoln, Lincolnshire, LN1 2PQ Mechanical Engineers Active Automatically positioned to the address	(E)	77	-	489466 377128
	Points of Interest - I	Manufacturing and Production				
87	Name: Location: Category: Class Code: Positional Accuracy:	Tanks LN1 Industrial Features Tanks (Generic) Positioned to an adjacent address or location	A12NW (E)	70	7	489460 377111

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 23 of 32



## **Sensitive Land Use**

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Nitrate Vulnerabl	le Zones				
88	Name: Description: Source:	Fossdyke Canal Nvz Surface Water Environment Agency, Head Office	A11NW (NE)	0	3	488661 377271
	Nitrate Vulnerable	le Zones				
89	Name: Description: Source:	Lower Witham Nvz Surface Water Environment Agency, Head Office	A11NW (N)	0	3	488654 377326
	Nitrate Vulnerabl	le Zones				
90	Name: Description: Source:	R Trent From Carlton-On-Trent To Laughton Drain Nvz Surface Water Environment Agency, Head Office	(NW)	206	3	487394 378195

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 24 of 32



Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices		
Environment Agency - Head Office	June 2020	Annually
Newark And Sherwood District Council - Environmental Services	September 2017	Annual Rolling Update
West Lindsey District Council - Environmental Health Department	September 2017	Annual Rolling Update
Discharge Consents		
Environment Agency - Anglian Region	July 2021	Quarterly
Environment Agency - Midlands Region	July 2021	Quarterly
Enforcement and Prohibition Notices		
Environment Agency - Anglian Region	March 2013	
Environment Agency - Midlands Region	March 2013	
Integrated Pollution Controls		
Environment Agency - Anglian Region	January 2009	
Environment Agency - Midlands Region	January 2009	
Integrated Pollution Prevention And Control		
Environment Agency - Anglian Region	July 2021	Quarterly
Environment Agency - Midlands Region	July 2021	Quarterly
Local Authority Integrated Pollution Prevention And Control		
West Lindsey District Council - Environmental Health Department	November 2014	Variable
Newark And Sherwood District Council - Environmental Services	October 2014	Variable
Local Authority Pollution Prevention and Controls		
West Lindsey District Council - Environmental Health Department	November 2014	Annual Rolling Update
Newark And Sherwood District Council - Environmental Services	October 2014	Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements		3 - 1 - 3 - 1 - 1
West Lindsey District Council - Environmental Health Department	November 2014	Variable
Newark And Sherwood District Council - Environmental Services	October 2014	Variable
Nearest Surface Water Feature	00.0001.2011	Variable
Ordnance Survey	August 2021	
Pollution Incidents to Controlled Waters		
Environment Agency - Midlands Region	December 1999	
Environment Agency - Anglian Region	September 1999	
Prosecutions Relating to Authorised Processes		
Environment Agency - Anglian Region	July 2015	
Environment Agency - Midlands Region	July 2015	
Prosecutions Relating to Controlled Waters		
Environment Agency - Anglian Region	March 2013	
Environment Agency - Midlands Region	March 2013	
Registered Radioactive Substances		
Environment Agency - Anglian Region	June 2016	Annually
Environment Agency - Midlands Region	June 2016	Annually
River Quality		<u> </u>
Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points		11,00000
Environment Agency - Head Office	April 2012	Annually
River Quality Chemistry Sampling Points	'	
Environment Agency - Head Office	April 2012	Annually
	, , , , , , , , , , , , , , , , , , , ,	, amount
Substantiated Pollution Incident Register	luk 2004	Quartarly
Environment Agency - Anglian Region - Northern Area Environment Agency - Midlands Region - East Area	July 2021	Quarterly Quarterly
Environment Agency - Midlands Region - East Area Environment Agency - Midlands Region - Lower Trent Area	July 2021 July 2021	Quarterly
	July 2021	Quarterly
	İ	
<b>Water Abstractions</b> Environment Agency - Anglian Region	July 2021	Quarterly

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 25 of 32



Agency & Hydrological	Version	Update Cycle
Water Industry Act Referrals		
Environment Agency - Anglian Region	October 2017	Quarterly
Environment Agency - Midlands Region	October 2017	Quarterly
Groundwater Vulnerability Map		
Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations		
Environment Agency - Head Office	January 2018	Annually
Superficial Aquifer Designations		
Environment Agency - Head Office	January 2018	Annually
Source Protection Zones		
Environment Agency - Head Office	May 2021	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	September 2021	Quarterly
Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	September 2021	Quarterly
Areas Benefiting from Flood Defences		
Environment Agency - Head Office	September 2021	Quarterly
Flood Water Storage Areas		
Environment Agency - Head Office	September 2021	Quarterly
Flood Defences		
Environment Agency - Head Office	September 2021	Quarterly
OS Water Network Lines		
Ordnance Survey	July 2021	Quarterly
Surface Water 1 in 30 year Flood Extent		
Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 100 year Flood Extent		
Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 1000 year Flood Extent		
Environment Agency - Head Office	May 2018	Annually
Surface Water Suitability		
Environment Agency - Head Office	February 2016	Annually
BGS Groundwater Flooding Susceptibility		
British Geological Survey - National Geoscience Information Service	May 2013	Annually

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 26 of 32



Waste	Version	Update Cycle
BGS Recorded Landfill Sites		
British Geological Survey - National Geoscience Information Service	November 2002	Not Applicable
Historical Landfill Sites		
Environment Agency - Head Office	May 2021	Quarterly
Integrated Pollution Control Registered Waste Sites		
Environment Agency - Anglian Region	January 2009	Not Applicable
Environment Agency - Midlands Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries)		
Environment Agency - Anglian Region - Northern Area	July 2021	Quarterly
Environment Agency - Midlands Region - East Area	July 2021	Quarterly
Environment Agency - Midlands Region - Lower Trent Area	July 2021	Quarterly
Licensed Waste Management Facilities (Locations)		
Environment Agency - Anglian Region - Northern Area	July 2021	Quarterly
Environment Agency - Midlands Region - East Area	July 2021	Quarterly
Environment Agency - Midlands Region - Lower Trent Area	July 2021	Quarterly
Local Authority Landfill Coverage		,
Lincolnshire County Council	February 2003	Not Applicable
Newark And Sherwood District Council - Environmental Services	February 2003	Not Applicable
Nottinghamshire County Council - Environment Department	February 2003	Not Applicable
West Lindsey District Council - Environmental Health Department	February 2003	Not Applicable
Local Authority Recorded Landfill Sites		
Lincolnshire County Council	October 2018	
Newark And Sherwood District Council - Environmental Services	October 2018	
Nottinghamshire County Council - Environment Department	October 2018	
West Lindsey District Council - Environmental Health Department	October 2018	
Potentially Infilled Land (Non-Water)		
Landmark Information Group Limited	December 1999	Not Applicable
Potentially Infilled Land (Water)		
Landmark Information Group Limited	December 1999	
Registered Landfill Sites		
Environment Agency - Anglian Region - Northern Area	March 2006	Not Applicable
Environment Agency - Midlands Region - East Area	March 2006	Not Applicable
Environment Agency - Midlands Region - Lower Trent Area	March 2006	Not Applicable
Registered Waste Transfer Sites		
Environment Agency - Anglian Region - Northern Area	April 2018	
Environment Agency - Midlands Region - East Area	April 2018	
Environment Agency - Midlands Region - Lower Trent Area	April 2018	
Registered Waste Treatment or Disposal Sites		
Environment Agency - Anglian Region - Northern Area	June 2015	
Environment Agency - Midlands Region - East Area	June 2015	
Environment Agency - Midlands Region - Lower Trent Area	June 2015	

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 27 of 32



Hazardous Substances	Version	Update Cycle	
Control of Major Accident Hazards Sites (COMAH)	April 2019	Pi Appually	
Health and Safety Executive	April 2018	Bi-Annually	
Explosive Sites Health and Safety Executive	March 2017	Annually	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001		
Planning Hazardous Substance Enforcements			
Nottinghamshire County Council	August 2007	Variable	
Lincolnshire County Council - Highways and Planning Department	August 2010	Variable	
Newark And Sherwood District Council - Planning Department	February 2016	Variable	
West Lindsey District Council	February 2016	Variable	
Planning Hazardous Substance Consents			
Lincolnshire County Council - Highways and Planning Department	August 2007	Variable	
Nottinghamshire County Council	August 2007	Variable	
Newark And Sherwood District Council - Planning Department	February 2016	Variable	
West Lindsey District Council	February 2016	Variable	
Geological	Version	Update Cycle	
BGS 1:625,000 Solid Geology			
British Geological Survey - National Geoscience Information Service	January 2009	Not Applicable	
BGS Estimated Soil Chemistry			
British Geological Survey - National Geoscience Information Service	December 2015	Annually	
BGS Recorded Mineral Sites			
British Geological Survey - National Geoscience Information Service	May 2021	Bi-Annually	
CBSCB Compensation District			
Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011	As notified	
Coal Mining Affected Areas			
The Coal Authority - Property Searches	March 2014	Annual Rolling Update	
Mining Instability			
Ove Arup & Partners	June 1998	Not Applicable	
Non Coal Mining Areas of Great Britain			
British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable	
Potential for Collapsible Ground Stability Hazards			
British Geological Survey - National Geoscience Information Service	April 2020	Annually	
Potential for Compressible Ground Stability Hazards			
British Geological Survey - National Geoscience Information Service	January 2019	Annually	
Potential for Ground Dissolution Stability Hazards			
British Geological Survey - National Geoscience Information Service	January 2019	Annually	
Potential for Landslide Ground Stability Hazards			
British Geological Survey - National Geoscience Information Service	January 2019	Annually	
Potential for Running Sand Ground Stability Hazards			
British Geological Survey - National Geoscience Information Service	January 2019	Annually	
Potential for Shrinking or Swelling Clay Ground Stability Hazards			
British Geological Survey - National Geoscience Information Service	January 2019	Annually	
Radon Potential - Radon Affected Areas		-	
British Geological Survey - National Geoscience Information Service	July 2011	Annually	
	,		
Radon Potential - Radon Protection Measures			

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 28 of 32



Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries		
Thomson Directories	July 2021	Quarterly
Fuel Station Entries		
Catalist Ltd - Experian	August 2021	Quarterly
Gas Pipelines		
National Grid	October 2021	Annually
Points of Interest - Commercial Services		
PointX	September 2021	Quarterly
Points of Interest - Education and Health		
PointX	September 2021	Quarterly
Points of Interest - Manufacturing and Production		
PointX	September 2021	Quarterly
Points of Interest - Public Infrastructure		
PointX	September 2021	Quarterly
Points of Interest - Recreational and Environmental		
PointX	September 2021	Quarterly
Underground Electrical Cables		
National Grid	May 2021	Annually

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 29 of 32



Sensitive Land Use	Version	Update Cycle
Ancient Woodland		
Natural England	February 2021	Bi-Annually
Areas of Adopted Green Belt		
Newark And Sherwood District Council	October 2020	Quarterly
West Lindsey District Council	October 2020	Quarterly
Areas of Unadopted Green Belt		
Newark And Sherwood District Council	October 2020	Quarterly
West Lindsey District Council	October 2020	Quarterly
Areas of Outstanding Natural Beauty		
Natural England	January 2021	Bi-Annually
Environmentally Sensitive Areas		
Natural England	January 2017	
Forest Parks		
Forestry Commission	April 1997	Not Applicable
Local Nature Reserves		
Natural England	February 2021	Bi-Annually
Marine Nature Reserves		
Natural England	July 2019	Bi-Annually
National Nature Reserves		
Natural England	January 2021	Bi-Annually
National Parks		
Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas		
Natural England	April 2016	Not Applicable
Nitrate Vulnerable Zones		
Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA)	April 2016	
Environment Agency - Head Office	June 2017	Bi-Annually
Ramsar Sites		
Natural England	August 2020	Bi-Annually
Sites of Special Scientific Interest		
Natural England	February 2021	Bi-Annually
Special Areas of Conservation		
Natural England	July 2020	Bi-Annually
Special Protection Areas		
Natural England	February 2021	Bi-Annually

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 30 of 32



# **Data Suppliers**

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	Map data
Environment Agency	Environment Agency
Scottish Environment Protection Agency	S E PAP
The Coal Authority	The Coal Authority
British Geological Survey	British Geological Survey MATURAL ENVIRONMENT RESEARCH COUNCIL
Centre for Ecology and Hydrology	Centre for Ecology & Hydrology
Natural Resources Wales	Cyfoeth Naturiol Cymru Naturiol Handwice
Scottish Natural Heritage	SCOTTISH NATURAL HERITAGE
Natural England	NATURAL ENGLAND
Public Health England	Public Health England
Ove Arup	ARUP
Stantec UK Ltd	<b>Stantec</b>



### **Useful Contacts**

Contact	Name and Address	Contact Details	
1	British Geological Survey - Enquiry Service  British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk	
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk	
3	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409	
4	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk	
5	West Lindsey District Council - Environmental Health Department The Guildhall, Caskgate Street, Gainsborough, Lincolnshire, DN21 2DH	Telephone: 01427 676676 Fax: 01427 810623 Website: www.west-lindsey.gov.uk	
6	Lincolnshire County Council 4th Floor, City Hall, Lincoln, Lincolnshire, LN1 1DN	Telephone: 01522 552222 Fax: 01522 552288 Email: PublicRelations@lincolnshire.gov.uk Website: www.lincolnshire.gov.uk	
7	PointX 7 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Website: www.pointx.co.uk	
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org	
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk	

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 32 of 32

### Geology 1:50,000 Maps Legends

### Superficial Geology

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	ALV	Alluvium	Clay, Silt, Sand and Gravel	Not Supplied - Holocene
	TILMP	Till, Mid Pleistocene	Diamidon	Not Supplied - Cromerian
	HPSG	Holme Plemepont Sand and Gravel Member	Sand and Gravel	Not Supplied - Pleistocene
	RTDU	River Terrace Deposits (Undifferentiated)	Sand and Gravel	Not Supplied - Quaternary

### Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	CHAM	Charmouth Mudstone Formation	Mudstone	Not Supplied - Sinemutian
	SMD	Sounthorpe Mudstone Formation	Mudstone and Limestone, Interbedded	Not Supplied - Rhaetian



### Geology 1:50,000 Maps

This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1 50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.


The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrodic) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map. legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

### Geology 1:50,000 Maps Coverage

Map ID: Map Sheet No: Map Name: Map Date: Sedrock Geology: Experious Geology: Artificial Geology: Faults: Landstlp: Rock Segments

Market Rasen

### Geology 1:50,000 Maps - Slice A



287331844\_1\_1 21-1098.02

488660, 377270

331 04



### Order Details:

Order Number: Customer Reference: National Grid Reference: Sice

Site Area (Ha): Search Buffer (m):


Site Details: West Burton 2

Landmark

0844 544 9952 0844 844 9951 9994 anvinched crus

v15.0 04-Nov-2021

Page 1 of 5





### Artificial Ground and Landslip


Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity, information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.

#### Artificial ground includes:

- Made ground man-made deposits such as embankments and spoil heaps on the natural ground surface.
- Worked ground areas where the ground has been cut away such as quarties and road cuttings.
- Infilled ground areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground areas where the surface has been reshaped.
   Disturbed ground areas of III-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

### Artificial Ground and Landslip Map - Slice A



### Order Details:

Order Number: Customer Reference: National Grid Reference: Slice: Site Area (Ha): Search Buffer (m):

Reference: 488660, 377270 A 331 04 (ml): 250

Site Details:


Site Details West Burlon 2



Tel: 0844-544-9952 Fax: 0844-844-9951 Web: www.anvincheck.co.uk

v15.0 04-Nov-2021 Page 2 of 5

287331844\_1\_1 21-1096.02






### Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and "in place". Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, sit and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

### Superficial Geology Map - Slice A



### Order Details:

Order Number: Customer Reference: National Grid Reference: 287331844\_1\_1 21-1096.02 488660, 377270 331 04

Site Area (Ha): Search Buffer (m):

### Site Details:


West Burton 2

Landmark

0844-544-9052 (844-844-9951 4644-844/9551 4644-844/9551eck cs.uk

v15.0 04-Nov-2021

Page 3 of 5





### Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water:

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rooks of the Photercock, some 2500 million years ago, or older, up to the relatively young Plocene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin, igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gipsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral visins primarily affect the bedrock but out across the strata and post data its deposition.

### Bedrock and Faults Map - Slice A



### Order Details:

Order Number: Customer Reference: National Grid Reference: Slice: Site Area (Ha): Search Buffer (m): 287331844\_1\_1 21-1098.02 488660, 377270 A 331.04

o Dotaile:


Site Details: West Burton 2

Landmark

0544-544-9952 K (0544-544-9951 db www.wrv/tocheck.co.uk

v15.0 04-Nov-2021

Page 4 of 5





### Combined Surface Geology

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.


#### Additional Information

More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'Information and Data' link on the BGS website.

#### Contact

British Geological Survey Ringsley Dunham Centre Keyworth Nottingham NG12 5GG Telephone: 0115 936 3143 Fax: 0115 936 3276 emalt: enquiries@bgs ac.uk website: www.bgs ac.uk

### Combined Geology Map - Slice A



### Order Details:

Order Number: Customer Reference: National Orid Reference: Sites: Site Area (Ha): Search Buffer (m): 287331844\_1\_1 21-1098.02 488660, 377270 A 331.04

3.

### Site Details:


West Burton 2





# 0844-544-9952 BX 0844-844-9951 Mb www.wrv/mcheck.co.uk


v15.0 04-Nov-2021


Page 5 of 5















































































# **Envirocheck® Report:**

### **Datasheet**

### **Order Details:**

**Order Number:** 

287331844\_1\_1

**Customer Reference:** 

21-1098.02

**National Grid Reference:** 

490370, 377000

Slice:

В

Site Area (Ha):

331.04

Search Buffer (m):

250

#### **Site Details:**

West Burton 2

### **Client Details:**

Mr A Howells Delta Simons 3 Henley Office Park Doddington Road Lincoln LN6 3QR







Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	20
Hazardous Substances	-
Geological	21
Industrial Land Use	-
Sensitive Land Use	24
Data Currency	25
Data Suppliers	30
Useful Contacts	31

#### Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination.

For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client.

In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

#### Copyright Notice

© Landmark Information Group Limited 2021. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environme Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under

Agency/Natural Resolutes waters and Natural England, and mist not be reproduced in whole of in part by protocopying of any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer.

A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.

© Environment Agency & United Kingdom Research and Innovation 2021. © Natural Resources Wales & United Kingdom Research and Innovation 2021.

#### Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

#### Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3 0.

#### Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining review@arup com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

#### Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

#### Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

#### **Natural Resources Wales Copyright Notice**

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2021. Land & Property Services © Crown copyright and database right.

#### Report Version v53.0



Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Agency & Hydrological			
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes
Contaminated Land Register Entries and Notices			
Discharge Consents			
Prosecutions Relating to Controlled Waters			n/a
Enforcement and Prohibition Notices			
Integrated Pollution Controls			
Integrated Pollution Prevention And Control			
Local Authority Integrated Pollution Prevention And Control			
Local Authority Pollution Prevention and Controls			
Local Authority Pollution Prevention and Control Enforcements			
Nearest Surface Water Feature		Yes	
Pollution Incidents to Controlled Waters			
Prosecutions Relating to Authorised Processes			
Registered Radioactive Substances			
River Quality	pg 1	1	
River Quality Biology Sampling Points			
River Quality Chemistry Sampling Points	pg 2		2
Substantiated Pollution Incident Register			
Water Abstractions	pg 3		5 (*3)
Water Industry Act Referrals			
Groundwater Vulnerability Map	pg 5	Yes	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a
Groundwater Vulnerability - Local Information			n/a
Bedrock Aquifer Designations	pg 9	Yes	n/a
Superficial Aquifer Designations	pg 9	Yes	n/a
Source Protection Zones			
Extreme Flooding from Rivers or Sea without Defences	pg 9	Yes	Yes
Flooding from Rivers or Sea without Defences	pg 11	Yes	
Areas Benefiting from Flood Defences			
Flood Water Storage Areas	pg 11	Yes	
Flood Defences	pg 11		Yes
OS Water Network Lines	pg 12	29	36



Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Waste			
BGS Recorded Landfill Sites			
Historical Landfill Sites			
Integrated Pollution Control Registered Waste Sites			
Licensed Waste Management Facilities (Landfill Boundaries)			
Licensed Waste Management Facilities (Locations)			
Local Authority Landfill Coverage	pg 20	2	n/a
Local Authority Recorded Landfill Sites			
Potentially Infilled Land (Non-Water)			
Potentially Infilled Land (Water)			
Registered Landfill Sites			
Registered Waste Transfer Sites			
Registered Waste Treatment or Disposal Sites			
Hazardous Substances			
Control of Major Accident Hazards Sites (COMAH)			
Explosive Sites			
Notification of Installations Handling Hazardous Substances (NIHHS)			
Planning Hazardous Substance Consents			
Planning Hazardous Substance Enforcements			



Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Geological			
BGS 1:625,000 Solid Geology	pg 21	Yes	n/a
BGS Estimated Soil Chemistry	pg 21	Yes	Yes
BGS Recorded Mineral Sites			
BGS Urban Soil Chemistry			
BGS Urban Soil Chemistry Averages			
CBSCB Compensation District			n/a
Coal Mining Affected Areas			n/a
Mining Instability			n/a
Man-Made Mining Cavities			
Natural Cavities			
Non Coal Mining Areas of Great Britain			
Potential for Collapsible Ground Stability Hazards	pg 21	Yes	Yes
Potential for Compressible Ground Stability Hazards	pg 22	Yes	
Potential for Ground Dissolution Stability Hazards			
Potential for Landslide Ground Stability Hazards	pg 22	Yes	
Potential for Running Sand Ground Stability Hazards	pg 22	Yes	
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 22	Yes	
Radon Potential - Radon Affected Areas			n/a
Radon Potential - Radon Protection Measures			n/a
Industrial Land Use			
Contemporary Trade Directory Entries			
Fuel Station Entries			
Points of Interest - Commercial Services			
Points of Interest - Education and Health			
Points of Interest - Manufacturing and Production			
Points of Interest - Public Infrastructure			
Points of Interest - Recreational and Environmental			
Gas Pipelines			
Underground Electrical Cables			



Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Sensitive Land Use			
Ancient Woodland			
Areas of Adopted Green Belt			
Areas of Unadopted Green Belt			
Areas of Outstanding Natural Beauty			
Environmentally Sensitive Areas			
Forest Parks			
Local Nature Reserves			
Marine Nature Reserves			
National Nature Reserves			
National Parks			
Nitrate Sensitive Areas			
Nitrate Vulnerable Zones	pg 24	2	
Ramsar Sites			
Sites of Special Scientific Interest			
Special Areas of Conservation			
Special Protection Areas			
World Heritage Sites			



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater I	Flooding Susceptibility				
	Flooding Type:	Limited Potential for Groundwater Flooding to Occur	B9SW (W)	0	1	489850 376800
	BGS Groundwater	Flooding Susceptibility				
	Flooding Type:	Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	489550 378250
	BGS Groundwater I	Flooding Susceptibility				
	Flooding Type:	Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	488700 376300
	BGS Groundwater I	Flooding Susceptibility				
	Flooding Type:	Limited Potential for Groundwater Flooding to Occur	B9SW (W)	0	1	489950 376950
	BGS Groundwater I	Flooding Susceptibility				
	Flooding Type:	Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	489400 377750
	BGS Groundwater I	Flooding Susceptibility				
	Flooding Type:	Limited Potential for Groundwater Flooding to Occur	(W)	0	1	489650 376800
	BGS Groundwater I	Flooding Susceptibility				
	Flooding Type:	Potential for Groundwater Flooding to Occur at Surface	B9NW (W)	0	1	490000 377050
	BGS Groundwater I	Flooding Susceptibility				
	Flooding Type:	Potential for Groundwater Flooding to Occur at Surface	B9SE (W)	0	1	490375 377002
	BGS Groundwater I	Flooding Susceptibility				
	Flooding Type:	Limited Potential for Groundwater Flooding to Occur	B5NW (SW)	54	1	490050 376450
	BGS Groundwater I	Flooding Susceptibility				
	Flooding Type:	Limited Potential for Groundwater Flooding to Occur	B5SW (S)	91	1	490100 376250
	BGS Groundwater I	Flooding Susceptibility				
	Flooding Type:	Potential for Groundwater Flooding to Occur at Surface	(NW)	146	1	489600 378250
	BGS Groundwater I	Flooding Susceptibility				
	Flooding Type:	Limited Potential for Groundwater Flooding to Occur	B5SW (S)	171	1	490100 376150
	BGS Groundwater I	Flooding Susceptibility				
	Flooding Type:	Potential for Groundwater Flooding of Property Situated Below Ground Level	B6SE (SE)	242	1	491000 376200
	Nearest Surface Wa	ater Feature	B13NE (N)	0	-	490423 377957
	River Quality		(14)			311331
	Name: GQA Grade: Reach: Estimated Distance (km):		B9SE (W)	0	2	490288 377010
	Flow Rate: Flow Type: Year:	Flow less than 0.62 cumecs River 2000				



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	River Quality Chem	istry Sampling Points				
1	Name: Reach: Reach: Estimated Distance: Objective: Positional Accuracy: Year: GQA Grade: Compliance: Year: GQA Grade:	Till Kexby Beck To Cricket Till 7.70 Not Supplied Located by supplier to within 10m 1990 River Quality Chemistry GQA Grade E - Poor Not Supplied 1993 River Quality Chemistry GQA Grade D - Fair Not Supplied 1994 River Quality Chemistry GQA Grade D - Fair Not Supplied 1994 River Quality Chemistry GQA Grade D - Fair Not Supplied 1995 River Quality Chemistry GQA Grade C - Fairly Good Not Supplied 1996 River Quality Chemistry GQA Grade C - Fairly Good Not Supplied 1997 River Quality Chemistry GQA Grade B - Good Not Supplied 1997 River Quality Chemistry GQA Grade B - Good Not Supplied 1998 River Quality Chemistry GQA Grade C - Fairly Good	B9SE (S)	35	2	490439 376799
	GQA Grade: Compliance: Year: GQA Grade: Compliance:	River Quality Chemistry GQA Grade C - Fairly Good Not Supplied 1999 River Quality Chemistry GQA Grade D - Fair Not Supplied 2000 River Quality Chemistry GQA Grade D - Fair Not Supplied 2001 River Quality Chemistry GQA Grade D - Fair Not Supplied 2002 River Quality Chemistry GQA Grade D - Fair Not Supplied 2002 River Quality Chemistry GQA Grade D - Fair Not Supplied				
	Year: GQA Grade: Compliance:	River Quality Chemistry GQA Grade D - Fair Not Supplied 2004 River Quality Chemistry GQA Grade D - Fair Not Supplied 2005 River Quality Chemistry GQA Grade D - Fair Not Supplied 2006 River Quality Chemistry GQA Grade D - Fair Not Supplied 2007 River Quality Chemistry GQA Grade D - Fair Not Supplied 2007 River Quality Chemistry GQA Grade D - Fair Not Supplied 2008 River Quality Chemistry GQA Grade C - Fairly Good Not Supplied 2009 River Quality Chemistry GQA Grade C - Fairly Good Not Supplied 2009 River Quality Chemistry GQA Grade C - Fairly Good Not Supplied				



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	River Quality Chem	istry Sampling Points				
1	Name:	Till	B9SE	35	2	490439
	Reach: Estimated Distance:	Cricket Till To Fossdyke Canal 5.20	(S)		_	376799
	Objective: Positional Accuracy: Year:	Not Supplied Located by supplier to within 10m 1990				
	GQA Grade: Compliance:	River Quality Chemistry GQA Grade E - Poor Not Supplied				
	Year: GQA Grade: Compliance:	1993 River Quality Chemistry GQA Grade D - Fair Not Supplied				
	Year: GQA Grade:	1994 River Quality Chemistry GQA Grade D - Fair				
	Compliance: Year: GQA Grade:	Not Supplied 1995 River Quality Chemistry GQA Grade C - Fairly Good				
	Compliance: Year: GQA Grade:	Not Supplied 1996 River Quality Chemistry GQA Grade C - Fairly Good				
	Compliance: Year:	Not Supplied 1997				
	GQA Grade: Compliance: Year:	River Quality Chemistry GQA Grade B - Good Not Supplied 1998				
	GQA Grade: Compliance: Year:	River Quality Chemistry GQA Grade C - Fairly Good Not Supplied 1999				
	GQA Grade: Compliance:	River Quality Chemistry GQA Grade D - Fair Not Supplied				
	Year: GQA Grade: Compliance:	2000 River Quality Chemistry GQA Grade D - Fair Not Supplied				
	Year: GQA Grade:	2001 River Quality Chemistry GQA Grade D - Fair				
	Compliance: Year: GQA Grade:	Not Supplied 2002 River Quality Chemistry GQA Grade D - Fair				
	Compliance: Year: GQA Grade:	Not Supplied 2003 River Quality Chemistry GQA Grade D - Fair				
	Compliance: Year:	Not Supplied 2004				
	GQA Grade: Compliance: Year:	River Quality Chemistry GQA Grade D - Fair Not Supplied 2005				
	GQA Grade: Compliance:	River Quality Chemistry GQA Grade D - Fair Not Supplied				
	Year: GQA Grade: Compliance:	2006 River Quality Chemistry GQA Grade D - Fair Not Supplied				
	Year: GQA Grade: Compliance:	2007 River Quality Chemistry GQA Grade D - Fair Not Supplied				
	Year: GQA Grade:	2008 River Quality Chemistry GQA Grade C - Fairly Good				
	Compliance: Year: GQA Grade:	Not Supplied 2009 River Quality Chemistry GQA Grade C - Fairly Good				
	Compliance:	Not Supplied				
	Water Abstractions					
2	Operator: Licence Number: Permit Version:	Lincoln Water Transfer Ltd An/030/0005/002	B14NW (N)	30	2	490680 378040
	Location: Authority:	River Till & Cricket Till Environment Agency, Anglian Region				
	Abstraction: Abstraction Type: Source:	General Agriculture: Spray Irrigation - Direct Water may be abstracted from a river or stream reach, or a row of wellpoints Surface				
	Daily Rate (m3): Yearly Rate (m3): Details:	Not Supplied Not Supplied Not Supplied				
	Authorised Start: Authorised End:	01 April 31 October				
	Permit Start Date: Permit End Date: Positional Accuracy:	1st April 2011 Not Supplied Located by supplier to within 10m				



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
2	Water Abstractions Operator: Licence Number: Permit Version: Location: Authority: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details: Authorised Start: Authorised End: Permit Start Date: Permit End Date: Positional Accuracy:	Lincoln Water Transfer Ltd 4/30/05/*S/0054 3 River Till & Cricket Till Environment Agency, Anglian Region General Agriculture: Spray Irrigation - Direct Water may be abstracted from a river or stream reach, or a row of wellpoints Surface Not Supplied Not Supplied Not Supplied O1 April 31 October 12th January 2006 Not Supplied Located by supplier to within 10m	B14NW (N)	30	2	490680 378040
2	Water Abstractions Operator: Licence Number: Permit Version: Location: Authority: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details: Authorised Start: Authorised Start: Authorised End: Permit Start Date: Permit End Date: Positional Accuracy:	Lincoln Water Transfer Ltd 4/30/05/*S/0054 2 River Till & Cricket Till Environment Agency, Anglian Region General Agriculture: Spray Irrigation - Direct Water may be abstracted from a river or stream reach, or a row of wellpoints Surface Not Supplied Not Supplied Not Supplied O1 April 31 October 7th October 2004 Not Supplied Located by supplier to within 10m	B14NW (N)	30	2	490680 378040
3	Water Abstractions Operator: Licence Number: Permit Version: Location: Authority: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details: Authorised Start: Authorised Start: Authorised End: Permit Start Date: Permit End Date: Positional Accuracy:	W Allison & Sons 4/30/06/*S/0012 100 Ingleby Pump Drain Saxilby Environment Agency, Anglian Region General Agriculture: Spray Irrigation - Direct Water may be abstracted from a river or stream reach, or a row of wellpoints Surface Not Supplied Not Supplied Not Supplied O1 May 30 September 20th June 1979 Not Supplied Located by supplier to within 100m	B6SE (SE)	161	2	491000 376290
3	Water Abstractions Operator: Licence Number: Permit Version: Location: Authority: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details: Authorised Start: Authorised Start: Authorised End: Permit Start Date: Permit End Date: Positional Accuracy:	W Allison & Sons 4/30/06/*S/0012 100 River Till R.Bank Saxilby Environment Agency, Anglian Region General Agriculture: Spray Irrigation - Direct Water may be abstracted from a river or stream reach, or a row of wellpoints Surface Not Supplied Not Supplied Not Supplied O1 May 30 September 20th June 1979 Not Supplied Located by supplier to within 100m	B6SE (SE)	167	2	491010 376290



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator:	Anglian Water Services Ltd	B6SE	268	2	491040
	Licence Number: Permit Version:	4/30/06/*i/015 Not Supplied	(SE)			376190
	Location: Authority:	River Till Control Sluice Environment Agency, Anglian Region				
	Abstraction: Abstraction Type:	Impounding Not Supplied				
	Source: Daily Rate (m3):	Unknown Not Supplied				
	Yearly Rate (m3): Details:	Not Supplied Not Supplied				
	Authorised Start: Authorised End:	Not Supplied Not Supplied				
	Permit Start Date: Permit End Date:	Not Supplied Not Supplied				
	-	Located by supplier to within 100m				
	Water Abstractions Operator:	W. Allison And Sons	B2NE	487	2	491150
	Licence Number: Permit Version:	4/30/06/*s/012 Not Supplied	(SE)			376000
	Location: Authority:	Ingleby Pump Drain, SAXILBY Environment Agency, Anglian Region				
	Abstraction: Abstraction Type:	Spray Irrigation Not Supplied				
	Source: Daily Rate (m3):	Stream 5				
	Yearly Rate (m3): Details:	800000 Not Supplied				
	Authorised Start: Authorised End:	Not Supplied Not Supplied				
	Permit Start Date: Permit End Date:	Not Supplied Not Supplied				
	-	Located by supplier to within 100m				
	Water Abstractions Operator:	W. Allison And Sons	B2NE	492	2	491160
	Licence Number: Permit Version:	4/30/06/*s/012 Not Supplied	(SE)			376000
	Location: Authority:	River Till R Bank, SAXILBY Environment Agency, Anglian Region				
	Abstraction: Abstraction Type:	Spray Irrigation Not Supplied				
	Source: Daily Rate (m3):	Stream 5				
	Yearly Rate (m3): Details:	800000 Not Supplied				
	Authorised Start: Authorised End:	Not Supplied Not Supplied				
	Permit Start Date: Permit End Date:	Not Supplied Not Supplied				
	Positional Accuracy:	Located by supplier to within 100m				
	Groundwater Vulne Combined	rability Map Secondary Bedrock Aquifer - High Vulnerability	(NW)	0	3	489335
	Classification: Combined	High	(1444)	, J	3	378000
	Vulnerability:	Productive Bedrock Aquifer, Productive Superficial Aquifer				
	Combined Aquifer: Pollutant Speed:	Low				
	Bedrock Flow: Dilution:	Well Connected Fractures <300 mm/year 40.70%				
	Baseflow Index: Superficial	40-70% <90%				
	Patchiness: Superficial	<3m				
	Thickness: Superficial	No Data				
	Recharge:					



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulne	erability Map				
	Combined Classification:	Secondary Superficial Aquifer - High Vulnerability	B13NE	0	3	490375 378000
	Combined Vulnerability:	High	(N)			378000
	Combined Aquifer: Pollutant Speed: Bedrock Flow: Dilution: Baseflow Index: Superficial	Productive Bedrock Aquifer, Productive Superficial Aquifer High Poorly Connected Fractures <300 mm/year >70% <90%				
	Patchiness: Superficial	<3m				
	Thickness: Superficial Recharge:	High				
	Groundwater Vulne	erability Map				
	Combined Classification: Combined	Secondary Bedrock Aquifer - High Vulnerability High	B9SW (W)	0	3	490000 376988
	Vulnerability: Combined Aquifer: Pollutant Speed: Bedrock Flow: Dilution: Baseflow Index:	Productive Bedrock Aquifer, No Superficial Aquifer Low Well Connected Fractures <300 mm/year				
	Superficial Patchiness: Superficial	40-70% <90% <3m				
	Thickness: Superficial Recharge:	No Data				
	Groundwater Vulne	erability Map				
	Combined Classification: Combined Vulnerability: Combined Aquifer: Pollutant Speed: Bedrock Flow: Dilution: Baseflow Index: Superficial Patchiness: Superficial Thickness: Superficial Recharge:  Groundwater Vulne	Secondary Bedrock Aquifer - High Vulnerability  High  Productive Bedrock Aquifer, No Superficial Aquifer High Well Connected Fractures <300 mm/year >70% <90%  3-10m  High	B9SW (W)	0	3	490036 376910
	Combined	Secondary Bedrock Aquifer - High Vulnerability	B9SW	0	3	489992
	Combined Classification: Combined Vulnerability: Combined Aquifer: Pollutant Speed: Bedrock Flow: Dilution: Baseflow Index: Superficial Patchiness: Superficial Thickness: Superficial Recharge:	High Productive Bedrock Aquifer, No Superficial Aquifer Low Well Connected Fractures <300 mm/year 40-70% <90% <3m No Data	(W)	U	3	489992 377000



Page 7 of 31

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulne	erability Map				
	Combined Classification:	Secondary Bedrock Aquifer - High Vulnerability	B13SW (NW)	0	3	490000 377673
	Combined Vulnerability:	High	(****)			
	Combined Aquifer: Pollutant Speed:	Productive Bedrock Aquifer, No Superficial Aquifer High				
	Bedrock Flow: Dilution:	Poorly Connected Fractures <300 mm/year				
	Baseflow Index: Superficial Patchiness:	>70% <90%				
	Superficial Thickness:	<3m				
	Superficial Recharge:	High				
	Groundwater Vulne	•				
	Combined Classification:	Secondary Bedrock Aquifer - High Vulnerability	B9SW (W)	0	3	490000 377000
	Combined Vulnerability: Combined Aquifer:	High  Productive Bedrock Aquifer, Productive Superficial Aquifer				
	Pollutant Speed: Bedrock Flow:	Low Well Connected Fractures				
	Dilution: Baseflow Index:	<300 mm/year 40-70%				
	Superficial Patchiness:	<90%				
	Superficial Thickness: Superficial	<3m No Data				
	Recharge:	NO Data				
	Groundwater Vulne	erability Map				
	Combined Classification:	Secondary Superficial Aquifer - High Vulnerability	B9SE (S)	0	3	490375 377000
	Combined Vulnerability:	High				
	Combined Aquifer: Pollutant Speed: Bedrock Flow:	Productive Bedrock Aquifer, Productive Superficial Aquifer High Well Connected Fractures				
	Dilution: Baseflow Index:	Verification of the conference of the confere				
	Superficial Patchiness:	<90%				
	Superficial Thickness:	3-10m				
	Superficial Recharge:	High				
	Groundwater Vulne	erability Map				
	Combined Classification:	Secondary Bedrock Aquifer - High Vulnerability	B9SW (W)	0	3	490000 377002
	Combined Vulnerability:	High				
	Combined Aquifer: Pollutant Speed:	Productive Bedrock Aquifer, Productive Superficial Aquifer Low Woll Copported Fractures				
	Bedrock Flow: Dilution: Baseflow Index:	Well Connected Fractures <300 mm/year 40-70%				
	Superficial Patchiness:	<90%				
	Superficial Thickness:	<3m				
	Superficial Recharge:	No Data				



ap D		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulne	erability Map				
	Combined	Secondary Bedrock Aquifer - High Vulnerability	(NW)	0	3	489373
	Classification: Combined	High				377734
	Vulnerability: Combined Aquifer: Pollutant Speed:	Productive Bedrock Aquifer, Productive Superficial Aquifer Low				
	Bedrock Flow:	Well Connected Fractures				
	Dilution:	<300 mm/year				
	Baseflow Index:	40-70%				
	Superficial Patchiness:	<90%				
	Superficial	<3m				
	Thickness:	3011				
	Superficial	No Data				
_	Recharge:					
	Groundwater Vulne Combined	erability Map Secondary Superficial Aquifer - High Vulnerability	B9SE	0	3	49037
	Classification:	Geoondary Supernolal Aquilet - Fight vulnerability	(W)	U	S	37700
	Combined	High	()			
	Vulnerability:					
	Combined Aquifer: Pollutant Speed:	Productive Bedrock Aquifer, Productive Superficial Aquifer				
	Bedrock Flow:	High Poorly Connected Fractures				
	Dilution:	<300 mm/year				
	Baseflow Index:	>70%				
	Superficial	<90%				
	Patchiness: Superficial	<3m				
	Thickness:	<b>3</b> 111				
	Superficial	High				
	Recharge:					
	Groundwater Vulne					
	Combined	Secondary Bedrock Aquifer - High Vulnerability	B13NW	0	3	49004 37800
	Classification: Combined	High	(N)			3/8000
	Vulnerability:	i iigii				
	Combined Aquifer:	Productive Bedrock Aquifer, No Superficial Aquifer				
	Pollutant Speed:	High				
	Bedrock Flow: Dilution:	Poorly Connected Fractures				
	Baseflow Index:	<300 mm/year >70%				
	Superficial	<90%				
	Patchiness:					
	Superficial	<3m				
	Thickness: Superficial	High				
	Recharge:	riigii				
	Groundwater Vulne	erability Map				
	Combined	Secondary Bedrock Aquifer - High Vulnerability	(NW)	0	3	48973
	Classification:	LE-L				37800
	Combined Vulnerability:	High				
	Combined Aquifer:	Productive Bedrock Aguifer, No Superficial Aguifer				
	Pollutant Speed:	Low				
	Bedrock Flow:	Well Connected Fractures				
	Dilution:	<300 mm/year				
	Baseflow Index: Superficial	40-70% <90%				
	Patchiness:					
	· · · · · · · · · · · · · · · · · · ·	-2m				1
	Superficial	<3m				I
	Superficial Thickness: Superficial	No Data				



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Classification: Combined High Vulnerability: Combined Aquifer: Pollutant Speed: Bedrock Flow: Well Connec Dilution: Saseflow Index: Superficial  High Vulnerability: Productive B Low Well Connec 300 mm/yea 40-70% Superficial  40-70%		B9SW (W)	0	3	489931 376920
	Patchiness: Superficial <3m Thickness: Superficial No Data Recharge:					
	Classification: Combined High Vulnerability:		B9SW (W)	0	3	489915 377000
	Groundwater Vulnerability - Solu	ble Rock Risk				
	Bedrock Aquifer Designations Aquifer Designation: Secondary A	quifer - Undifferentiated	B9SW (W)	0	3	490000 377002
	Bedrock Aquifer Designations Aquifer Designation: Secondary A	quifer - Undifferentiated	B9SE (W)	0	3	490375 377002
	<b>Bedrock Aquifer Designations</b> Aquifer Designation: Secondary A	quifer - B	B9SW (W)	0	3	489931 376920
	Superficial Aquifer Designations Aquifer Designation: Secondary A	quifer - A	B9SW (W)	0	3	490000 377002
	Superficial Aquifer Designations Aquifer Designation: Secondary A	quifer - A	B9SE (W)	0	3	490375 377002
	<b>Superficial Aquifer Designations</b> Aquifer Designation: Secondary A	quifer - A	(NW)	0	3	489373 377734
	Extreme Flooding from Rivers or Type: Extent of Ext Flood Plain Type: Fluvial Event Boundary Accuracy: As Supplied	eme Flooding from Rivers or Sea without Defences	B5NW (SW)	0	2	489906 376652
	Extreme Flooding from Rivers or  Type: Extent of Ext Flood Plain Type: Fluvial Event Boundary Accuracy: As Supplied	eme Flooding from Rivers or Sea without Defences	B5NW (SW)	0	2	489904 376654
	Extreme Flooding from Rivers or Type: Extent of Ext Flood Plain Type: Fluvial Event Boundary Accuracy: As Supplied	eme Flooding from Rivers or Sea without Defences	B5NW (SW)	0	2	489902 376656
	Extreme Flooding from Rivers or  Type: Extent of Ext Flood Plain Type: Fluvial Event Boundary Accuracy: As Supplied	eme Flooding from Rivers or Sea without Defences	B5NW (SW)	0	2	489900 376660
	Extreme Flooding from Rivers or	eme Flooding from Rivers or Sea without Defences	B5NW (SW)	0	2	489896 376662

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences  Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	B5NW (SW)	0	2	489886 376706
	Extreme Flooding from Rivers or Sea without Defences  Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	B9SW (SW)	0	2	489886 376714
	Extreme Flooding from Rivers or Sea without Defences  Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	B5NW (SW)	0	2	490018 376611
	Extreme Flooding from Rivers or Sea without Defences  Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	B5NW (SW)	0	2	489906 376652
	Extreme Flooding from Rivers or Sea without Defences  Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	B5NW (SW)	0	2	489903 376654
	Extreme Flooding from Rivers or Sea without Defences  Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	B5NW (SW)	0	2	489901 376656
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	B5NW (SW)	0	2	489897 376660
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	B5NW (SW)	0	2	489894 376662
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	B5NW (SW)	0	2	489885 376708
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	B9SW (W)	0	2	489884 376927
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	(NW)	0	2	489681 377564
	Extreme Flooding from Rivers or Sea without Defences  Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Fluvial Events Boundary Accuracy: As Supplied	B9SE (SW)	0	2	490302 376937
	Extreme Flooding from Rivers or Sea without Defences  Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	B5NW (SW)	1	2	490036 376612
	Extreme Flooding from Rivers or Sea without Defences  Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	B9SE (SW)	8	2	490326 376962
	Extreme Flooding from Rivers or Sea without Defences  Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	B5NW (SW)	11	2	490021 376596
	Extreme Flooding from Rivers or Sea without Defences  Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Fluvial Events Boundary Accuracy: As Supplied	B9SE (W)	46	2	490375 377002

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 10 of 31



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Type:	om Rivers or Sea without Defences  Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events As Supplied	B5SW (S)	93	2	490144 376216
	Type:	om Rivers or Sea without Defences  Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Models As Supplied	B5SW (S)	96	2	490143 376214
	Type:	om Rivers or Sea without Defences  Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events As Supplied	B5SW (S)	97	2	490144 376212
	Type:	om Rivers or Sea without Defences  Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Models As Supplied	B5SW (S)	104	2	490141 376206
	Type:	om Rivers or Sea without Defences  Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Models As Supplied	B14SW (NE)	105	2	490695 377410
	Type:	om Rivers or Sea without Defences  Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events As Supplied	B5SW (S)	106	2	490142 376204
	Type:	om Rivers or Sea without Defences  Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Models As Supplied	B5SW (S)	108	2	490140 376202
	Type:	om Rivers or Sea without Defences  Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events As Supplied	B5SW (S)	109	2	490140 376201
	Type:	om Rivers or Sea without Defences  Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Models As Supplied	B13NW (NW)	120	2	489950 377879
	Type:	om Rivers or Sea without Defences  Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Models As Supplied	B5SW (S)	134	2	490114 376184
	Type:	om Rivers or Sea without Defences  Extent of Extreme Flooding from Rivers or Sea without Defences Fluvial Events As Supplied	B13NW (NW)	180	2	489908 377898
	Type:	s or Sea without Defences  Extent of Flooding from Rivers or Sea without Defences Fluvial Models As Supplied	B14NW (N)	0	2	490772 378016
	Type:	s or Sea without Defences  Extent of Flooding from Rivers or Sea without Defences Fluvial Models As Supplied	B9SE (W)	0	2	490375 377002
	Areas Benefiting fro	m Flood Defences				
	Flood Water Storage Type: Reference:	e Areas Flood Water Storage Areas Not Supplied	B9SE (W)	0	2	490375 377002
	Flood Defences Type: Reference:	Flood Defences Not Supplied	B9SE (SW)	10	2	490303 376935
	Flood Defences Type: Reference:	Flood Defences Not Supplied	B10SW (SE)	18	2	490692 376723
	Flood Defences Type: Reference:	Flood Defences Not Supplied	B9SE (SW)	43	2	490327 376960

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 1



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
4	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 378.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B13SW (NW)	0	4	489859 377691
	OS Water Network Lines				
5	Watercourse Form: Inland river Watercourse Length: 142.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B5NE (S)	0	4	490349 376520
6	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 145.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B5NE (S)	0	4	490410 376394
7	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 638.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B6NW (S)	0	4	490583 376462
8	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 306.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B9SE (S)	0	4	490367 376790
9	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 494.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B13NE (N)	0	4	490423 377957
10	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 8.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B13NW (N)	0	4	490100 377978
11	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 2.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B13NW (N)	0	4	490092 377978
12	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 54.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B13NW (N)	0	4	490090 377978



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
13	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 144.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B13NW (N)	0	4	490091 378033
	OS Water Network Lines				
14	Watercourse Form: Inland river Watercourse Length: 241.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B9SW (W)	0	4	489961 376865
15	OS Water Network Lines  Watercourse Form: Inland river Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B9SE (SW)	0	4	490288 376930
16	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 446.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B9NE (N)	0	4	490304 377239
17	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 11.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B13SW (NW)	0	4	490105 377455
18	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 195.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 2	B13SE (N)	0	4	490300 377477
19	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 205.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B13SW (NW)	0	4	490104 377466
20	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 14.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 2	B13SE (N)	0	4	490314 377477
21	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 309.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B13SW (NW)	0	4	490076 377670



Page 14 of 31

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
22	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 9.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 2	B13SW (NW)	0	4	490086 377670
23	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 349.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 2	B13SE (N)	0	4	490331 377686
24	OS Water Network Lines  Watercourse Form: Inland river Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 2	B13SE (N)	0	4	490435 377693
25	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 248.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B9SW (W)	0	4	489961 376865
26	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 139.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B9SW (W)	0	4	489957 376879
27	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 172.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B9SW (W)	0	4	489922 376999
28	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 274.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B9NW (W)	0	4	489871 377176
29	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 273.7  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B13SW (NW)	0	4	490105 377455
30	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 486.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B5NW (SW)	0	4	490119 376657



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
31	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 17.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B5NW (SW)	0	4	490030 376634
32	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 18.7  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B5NW (SW)	0	4	490123 376675
33	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 422.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B13SE (N)	1	4	490443 377693
34	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 11.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B9NW (W)	1	4	489873 377165
35	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 684.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B9SE (S)	2	4	490401 376786
36	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 146.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B14NW (N)	2	4	490593 377945
37	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 251.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B9NE (N)	2	4	490322 377246
38	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 331.1  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B13SE (N)	2	4	490314 377477
39	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 250.3  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B9NW (W)	2	4	489873 377165



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
40	OS Water Network Lines  Watercourse Form: Inland river Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B5NW (SW)	2	4	490035 376617
41	OS Water Network Lines  Watercourse Form: Inland river Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B5NW (SW)	2	4	490123 376675
42	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 58.2  Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B5NW (SW)	3	4	489879 376514
43	OS Water Network Lines  Watercourse Form: Inland river Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B9SE (S)	5	4	490388 376800
44	OS Water Network Lines  Watercourse Form: Inland river Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B6NE (SE)	9	4	490923 376425
45	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 3206.0  Watercourse Level: On ground surface Permanent: True Watercourse Name: River Till Catchment Name: Witham Primacy: 1	B9SE (SW)	28	4	490318 376946
46	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 677.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B9SE (SW)	60	4	490339 376969
47	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 440.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B9NE (N)	60	4	490404 377274
48	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 894.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B13SE (N)	61	4	490505 377674



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
49	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 106.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B14SW (N)	63	4	490530 377563
	OS Water Network Lines				
50	Watercourse Form: Inland river Watercourse Length: 6.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B14SW (N)	64	4	490530 377563
51	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 8.0  Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B13SE (N)	64	4	490505 377666
52	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 367.8  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B9SE (SW)	65	4	490332 376977
53	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 470.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B9SE (SE)	67	4	490376 376999
54	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 190.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B9NE (N)	67	4	490404 377274
55	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 5.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B14SW (N)	70	4	490536 377564
56	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 451.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B14SW (N)	75	4	490541 377565
57	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 995.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B6NE (SE)	76	4	490896 376666



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
58	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 9.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B6NE (SE)	88	4	490896 376666
59	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 257.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B6NE (SE)	96	4	490905 376667
60	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 239.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B14NW (NE)	115	4	490798 377949
61	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 33.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B6SE (SE)	138	4	490972 376302
62	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 41.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 2	B6SE (SE)	138	4	490972 376302
63	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 759.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Till Catchment Name: Witham Primacy: 1	B6SE (SE)	151	4	491013 376312
64	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 821.0  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B6SW (S)	166	4	490698 376164
65	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 130.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B6SE (SE)	170	4	490978 376269
66	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 13.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B6SE (SE)	170	4	490978 376269



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
67	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 171.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B5SW (S)	179	4	490131 376131
68	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 513.6  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	B10SE (E)	204	4	491146 376731

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 19 of 31



### **Waste**

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Landfill Coverage				
	Name: West Lindsey District Council - Has no landfill data to supply		0	5	490375 377002
	Local Authority Landfill Coverage				
	Name: Lincolnshire County Council - Had landfill data but passed it to the relevant environment agency		0	6	490375 377002

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 20 of 31





Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Description:	d Geology Lias Group	B9SE (W)	0	1	490375 377002
	BGS Estimated Soil Source: Soil Sample Type: Arsenic Concentration:	Chemistry  British Geological Survey, National Geoscience Information Service Rural Soil <15 mg/kg	B13NW (N)	0	1	490041 378000
	Cadmium Concentration: Chromium Concentration: Lead Concentration: Nickel Concentration:	<1.8 mg/kg 60 - 90 mg/kg <100 mg/kg <15 mg/kg				
	BGS Estimated Soil Source: Soil Sample Type: Arsenic Concentration: Cadmium Concentration: Chromium	Chemistry British Geological Survey, National Geoscience Information Service Rural Soil <15 mg/kg <1.8 mg/kg 60 - 90 mg/kg	B9SW (W)	0	1	490036 376910
	Concentration: Lead Concentration: Nickel Concentration:					
	BGS Estimated Soil Source: Soil Sample Type: Arsenic Concentration: Cadmium	Chemistry  British Geological Survey, National Geoscience Information Service Rural Soil <15 mg/kg  <1.8 mg/kg	B9SE (W)	0	1	490375 377002
	Concentration: Chromium Concentration: Lead Concentration: Nickel Concentration:	60 - 90 mg/kg				
	BGS Estimated Soil Source: Soil Sample Type: Arsenic Concentration: Cadmium Concentration: Chromium Concentration: Lead Concentration:	British Geological Survey, National Geoscience Information Service Rural Soil <15 mg/kg <1.8 mg/kg 60 - 90 mg/kg	B10SE (E)	76	1	490888 377000
	Nickel Concentration:  BGS Measured Urba	<15 mg/kg				
	No data available  BGS Urban Soil Che					
	No data available  Coal Mining Affecte					
	In an area that might  Non Coal Mining Are No Hazard	not be affected by coal mining eas of Great Britain				
		sible Ground Stability Hazards  No Hazard  British Geological Survey, National Geoscience Information Service	B9SW (W)	0	1	490000 377002
	Potential for Collaps Hazard Potential: Source:	sible Ground Stability Hazards No Hazard British Geological Survey, National Geoscience Information Service	B9SE (W)	0	1	490375 377002
	Potential for Collaps Hazard Potential: Source:	sible Ground Stability Hazards  Very Low  British Geological Survey, National Geoscience Information Service	B9SW (W)	0	1	490000 376988
	Potential for Collaps Hazard Potential: Source:	sible Ground Stability Hazards  Very Low  British Geological Survey, National Geoscience Information Service	B13SW (NW)	0	1	490000 377673





Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Collapsible Ground Stability Hazards				
	Hazard Potential: Very Low Source: Very Low British Geological Survey, National Geoscience Information Service	B9SW (W)	0	1	490036 376910
	Potential for Collapsible Ground Stability Hazards  Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B10NW (NE)	76	1	490792 377240
	Potential for Compressible Ground Stability Hazards  Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9SW (W)	0	1	490000 376988
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard	B13SW	0	1	490000
	Source: British Geological Survey, National Geoscience Information Service	(NW)			377673
	Potential for Compressible Ground Stability Hazards  Hazard Potential: No Hazard  Source: British Geological Survey, National Geoscience Information Service	B9SW (W)	0	1	490036 376910
	Potential for Compressible Ground Stability Hazards				
	Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	B9SW (W)	0	1	490000 377002
	Potential for Compressible Ground Stability Hazards  Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	B9SE (W)	0	1	490375 377002
	Potential for Compressible Ground Stability Hazards  Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B10NW (NE)	76	1	490792 377240
	Potential for Ground Dissolution Stability Hazards  Hazard Potential: No Hazard  Source: British Geological Survey, National Geoscience Information Service	B9SW (W)	0	1	490000 377002
	Potential for Ground Dissolution Stability Hazards  Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9SE (W)	0	1	490375 377002
	Potential for Landslide Ground Stability Hazards  Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B9SW (W)	0	1	490000 377002
	Potential for Landslide Ground Stability Hazards  Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B9SE (W)	0	1	490375 377002
	Potential for Running Sand Ground Stability Hazards  Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9SW (W)	0	1	490000 376988
	Potential for Running Sand Ground Stability Hazards  Hazard Potential: No Hazard  Source: British Geological Survey, National Geoscience Information Service	B13SW (NW)	0	1	490000 377673
	Potential for Running Sand Ground Stability Hazards  Hazard Potential: No Hazard  Source: British Geological Survey, National Geoscience Information Service	B9SW (W)	0	1	490036 376910
	Potential for Running Sand Ground Stability Hazards  Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B9SW (W)	0	1	490000 377002
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B9SE (W)	0	1	490375 377002
	Potential for Running Sand Ground Stability Hazards  Hazard Potential: Source: No Hazard British Geological Survey, National Geoscience Information Service	B10NW (NE)	76	1	490792 377240
	Potential for Shrinking or Swelling Clay Ground Stability Hazards  Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B9SW (W)	0	1	490000 377002
	Potential for Shrinking or Swelling Clay Ground Stability Hazards  Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B9NE (N)	0	1	490371 377187
	Potential for Shrinking or Swelling Clay Ground Stability Hazards  Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B9NW (W)	0	1	490000 377065

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page



# **Geological**

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Shrink	ing or Swelling Clay Ground Stability Hazards				
	Hazard Potential: Source:	Very Low British Geological Survey, National Geoscience Information Service	B9SE (W)	0	1	490375 377002
	Radon Potential - R	adon Affected Areas				
	Affected Area: Source:	The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level).  British Geological Survey, National Geoscience Information Service	B9SW (W)	0	1	490000 377002
	Radon Potential - R	adon Affected Areas				
	Affected Area: Source:	The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level).  British Geological Survey, National Geoscience Information Service	B9SE (W)	0	1	490375 377002
	Radon Potential - R	adon Protection Measures				
	Protection Measure: Source:	No radon protective measures are necessary in the construction of new dwellings or extensions British Geological Survey, National Geoscience Information Service	B9SW (W)	0	1	490000 377002
		adon Protection Measures				
		No radon protective measures are necessary in the construction of new dwellings or extensions British Geological Survey, National Geoscience Information Service	B9SE (W)	0	1	490375 377002

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 23 of 31



## **Sensitive Land Use**

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
69	Nitrate Vulnerabl Name: Description: Source:	e Zones Fossdyke Canal Nvz Surface Water Environment Agency, Head Office	(W)	0	3	489300 377102
70	Nitrate Vulnerabl Name: Description: Source:	e Zones  Lower Witham Nvz Surface Water Environment Agency, Head Office	B9SE (W)	0	3	490375 377002

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 24 of 31



Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices		
Environment Agency - Head Office	June 2020	Annually
North Kesteven District Council - Environmental Health Department	October 2017	Annual Rolling Update
West Lindsey District Council - Environmental Health Department	September 2017	Annual Rolling Update
Discharge Consents Environment Agency - Anglian Region	July 2021	Quarterly
Enforcement and Prohibition Notices	5diy 2621	Quarterly
Environment Agency - Anglian Region	March 2013	
Environment Agency - Midlands Region	March 2013	
	Water 2010	
Integrated Pollution Controls	January 2000	
Environment Agency - Anglian Region	January 2009	
Environment Agency - Midlands Region	January 2009	
ntegrated Pollution Prevention And Control		
Environment Agency - Anglian Region	July 2021	Quarterly
Environment Agency - Midlands Region	July 2021	Quarterly
Local Authority Integrated Pollution Prevention And Control		
North Kesteven District Council - Environmental Health Department	May 2014	Variable
West Lindsey District Council - Environmental Health Department	November 2014	Variable
ocal Authority Pollution Prevention and Controls		
North Kesteven District Council - Environmental Health Department	May 2014	Annual Rolling Updat
West Lindsey District Council - Environmental Health Department	November 2014	Annual Rolling Updat
Local Authority Pollution Prevention and Control Enforcements		
North Kesteven District Council - Environmental Health Department	May 2014	Variable
West Lindsey District Council - Environmental Health Department	November 2014	Variable
Nearest Surface Water Feature		
Ordnance Survey	August 2021	
	7 (dgust 2021	
Pollution Incidents to Controlled Waters  Environment Agency - Anglian Region	September 1999	
	September 1999	
Prosecutions Relating to Authorised Processes		
Environment Agency - Anglian Region	July 2015	
Environment Agency - Midlands Region	July 2015	
Prosecutions Relating to Controlled Waters		
Environment Agency - Anglian Region	March 2013	
Environment Agency - Midlands Region	March 2013	
Registered Radioactive Substances		
Environment Agency - Anglian Region	June 2016	Annually
Environment Agency - Midlands Region	June 2016	Annually
River Quality		
Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points		
Environment Agency - Head Office	April 2012	Annually
River Quality Chemistry Sampling Points		
Environment Agency - Head Office	April 2012	Annually
	Αριίι 2012	7 till dally
Substantiated Pollution Incident Register	Lab. 2004	Out a mile of
Environment Agency - Anglian Region - Northern Area	July 2021	Quarterly
Environment Agency - Midlands Region - Lower Trent Area	July 2021	Quarterly
Water Abstractions	July 2021	Quarterly
Environment Agency - Anglian Region	July 2021	Quarterly
Nater Industry Act Referrals		
Environment Agency - Anglian Region	October 2017	Quarterly

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service



Agency & Hydrological	Version	Update Cycle
Groundwater Vulnerability Map		
Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations		
Environment Agency - Head Office	January 2018	Annually
Superficial Aquifer Designations		
Environment Agency - Head Office	January 2018	Annually
Source Protection Zones		
Environment Agency - Head Office	May 2021	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	September 2021	Quarterly
Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	September 2021	Quarterly
Areas Benefiting from Flood Defences		
Environment Agency - Head Office	September 2021	Quarterly
Flood Water Storage Areas		
Environment Agency - Head Office	September 2021	Quarterly
Flood Defences		
Environment Agency - Head Office	September 2021	Quarterly
OS Water Network Lines		
Ordnance Survey	July 2021	Quarterly
Surface Water 1 in 30 year Flood Extent		
Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 100 year Flood Extent		
Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 1000 year Flood Extent		
Environment Agency - Head Office	May 2018	Annually
Surface Water Suitability		
Environment Agency - Head Office	February 2016	Annually
BGS Groundwater Flooding Susceptibility		
British Geological Survey - National Geoscience Information Service	May 2013	Annually

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 26 of 31



Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	Not Applicable
· ,	November 2002	Not Applicable
Historical Landfill Sites	14 0004	
Environment Agency - Head Office	May 2021	Quarterly
Integrated Pollution Control Registered Waste Sites		
Environment Agency - Anglian Region	January 2009	Not Applicable
Environment Agency - Midlands Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries)		
Environment Agency - Anglian Region - Northern Area	July 2021	Quarterly
Environment Agency - Midlands Region - Lower Trent Area	July 2021	Quarterly
Licensed Waste Management Facilities (Locations)		
Environment Agency - Anglian Region - Northern Area	July 2021	Quarterly
Environment Agency - Midlands Region - Lower Trent Area	July 2021	Quarterly
Local Authority Landfill Coverage		
Lincolnshire County Council	February 2003	Not Applicable
North Kesteven District Council - Environmental Health Department	February 2003	Not Applicable
West Lindsey District Council - Environmental Health Department	February 2003	Not Applicable
Local Authority Recorded Landfill Sites		
Lincolnshire County Council	October 2018	
North Kesteven District Council - Environmental Health Department	October 2018	
West Lindsey District Council - Environmental Health Department	October 2018	
Potentially Infilled Land (Non-Water)		
Landmark Information Group Limited	December 1999	Not Applicable
Potentially Infilled Land (Water)		
Landmark Information Group Limited	December 1999	
Registered Landfill Sites		
Environment Agency - Anglian Region - Northern Area	March 2006	Not Applicable
Environment Agency - Midlands Region - Lower Trent Area	March 2006	Not Applicable
Registered Waste Transfer Sites		11 11 11
Environment Agency - Anglian Region - Northern Area	April 2018	
Environment Agency - Midlands Region - Lower Trent Area	April 2018	
- · · · · · · · · · · · · · · · · · · ·	Αριί 2010	
Registered Waste Treatment or Disposal Sites	luna 2015	
Environment Agency - Anglian Region - Northern Area Environment Agency - Midlands Region - Lower Trent Area	June 2015 June 2015	
Environment Agency - Midiands Region - Lower Trent Area	Julie 2015	
Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH)		
Health and Safety Executive	April 2018	Bi-Annually
Explosive Sites		
Health and Safety Executive	March 2017	Annually
Notification of Installations Handling Hazardous Substances (NIHHS)		
Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements		
Lincolnshire County Council - Highways and Planning Department	August 2010	Variable
West Lindsey District Council	February 2016	Variable
North Kesteven District Council - Planning Department	October 2015	Variable
Planning Hazardous Substance Consents		
	August 2007	Variable
Planning Hazardous Substance Consents Lincolnshire County Council - Highways and Planning Department West Lindsey District Council	August 2007 February 2016	Variable Variable

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 27 of 31



Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology		
British Geological Survey - National Geoscience Information Service	January 2009	Not Applicable
BGS Estimated Soil Chemistry		
British Geological Survey - National Geoscience Information Service	December 2015	Annually
BGS Recorded Mineral Sites		
British Geological Survey - National Geoscience Information Service	May 2021	Bi-Annually
CBSCB Compensation District		
Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011	As notified
Coal Mining Affected Areas		
The Coal Authority - Property Searches	March 2014	Annual Rolling Update
Mining Instability		
Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain		
British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	April 2020	Annually
Potential for Compressible Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Ground Dissolution Stability Hazards	,	,
British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Landslide Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	Annually
	Garidary 2010	7 iiii daiiy
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
	January 2019	Annually
Potential for Shrinking or Swelling Clay Ground Stability Hazards	lanuary 2010	Annually
British Geological Survey - National Geoscience Information Service	January 2019	Annually
Radon Potential - Radon Affected Areas		
British Geological Survey - National Geoscience Information Service	July 2011	Annually
Radon Potential - Radon Protection Measures		
British Geological Survey - National Geoscience Information Service	July 2011	Annually
Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries		
Thomson Directories	July 2021	Quarterly
Fuel Station Entries		
Catalist Ltd - Experian	August 2021	Quarterly
Gas Pipelines		
National Grid	October 2021	Annually
Points of Interest - Commercial Services		,
PointX	September 2021	Quarterly
Points of Interest - Education and Health		
PointX	September 2021	Quarterly
Points of Interest - Manufacturing and Production	555501 2021	200.10119
PointX	September 2021	Quarterly
	Oopicilibei 2021	Quarterly
Points of Interest - Public Infrastructure PointX	September 2021	Quarterly
	September 2021	Quarterly
Points of Interest - Recreational and Environmental	0.4-1	0
PointX	September 2021	Quarterly
Underground Electrical Cables		
National Grid	May 2021	Annually

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 28 of 31



Sensitive Land Use	Version	Update Cycle	
Ancient Woodland			
Natural England	February 2021	Bi-Annually	
Areas of Adopted Green Belt			
North Kesteven District Council	October 2020	Quarterly	
West Lindsey District Council	October 2020	Quarterly	
Areas of Unadopted Green Belt			
North Kesteven District Council	October 2020	Quarterly	
West Lindsey District Council	October 2020	Quarterly	
Areas of Outstanding Natural Beauty			
Natural England	January 2021	Bi-Annually	
Environmentally Sensitive Areas			
Natural England	January 2017		
Forest Parks			
Forestry Commission	April 1997	Not Applicable	
Local Nature Reserves			
Natural England	February 2021	Bi-Annually	
Marine Nature Reserves			
Natural England	July 2019	Bi-Annually	
National Nature Reserves			
Natural England	January 2021	Bi-Annually	
National Parks			
Natural England	February 2018	Bi-Annually	
Nitrate Sensitive Areas			
Natural England	April 2016	Not Applicable	
Nitrate Vulnerable Zones			
Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA)	April 2016		
Environment Agency - Head Office	June 2017	Bi-Annually	
Ramsar Sites			
Natural England	August 2020	Bi-Annually	
Sites of Special Scientific Interest			
Natural England	February 2021	Bi-Annually	
Special Areas of Conservation			
Natural England	July 2020	Bi-Annually	
Special Protection Areas			
Natural England	February 2021	Bi-Annually	

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 29 of 31



## **Data Suppliers**

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	Map data
Environment Agency	Environment Agency
Scottish Environment Protection Agency	S E PAP
The Coal Authority	The Coal Authority
British Geological Survey	British Geological Survey MATURAL SHYIROPHENT RESEARCH COUNCIL
Centre for Ecology and Hydrology	Centre for Ecology & Hydrology
Natural Resources Wales	Cytoeth Naturial Cytrus Naturial Hasturese Visit
Scottish Natural Heritage	SCOTTISH NATURAL HERITAGE
Natural England	NATURAL ENGLAND
Public Health England	Public Health England
Ove Arup	ARUP
Stantec UK Ltd	<b>Stantec</b>



### **Useful Contacts**

Contact	Name and Address	Contact Details	
1	British Geological Survey - Enquiry Service  British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk	
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk	
3	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409	
4	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk	
5	West Lindsey District Council - Environmental Health Department The Guildhall, Caskgate Street, Gainsborough, Lincolnshire, DN21 2DH	Telephone: 01427 676676 Fax: 01427 810623 Website: www.west-lindsey.gov.uk	
6	Lincolnshire County Council 4th Floor, City Hall, Lincoln, Lincolnshire, LN1 1DN	Telephone: 01522 552222 Fax: 01522 552288 Email: PublicRelations@lincolnshire.gov.uk Website: www.lincolnshire.gov.uk	
7	PointX 7 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Website: www.pointx.co.uk	
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org	
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk	

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 31 of 31

### Geology 1:50,000 Maps Legends

### Superficial Geology

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	ALV	Alluvium	Clay, Silt, Sand and Gravel	Not Supplied - Holocene
	TILMP	Till, Mid Pleistocene	Diamicton	Not Supplied - Cromerian
	HPSG	Holme Pierrepont Sand and Gravel Member	Sand and Gravel	Not Supplied - Pleistocene
	RTDU	River Terrace Deposits (Undifferentiated)	Sand and Gravel	Not Supplied - Quaternary
	RTD1	River Terrace Deposits, 1	Sand and Gravel	Not Supplied - Quaternary

### Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	CHAM	Charmouth Mudstone Formation	Mudstone	Not Supplied - Sinemurian
	SMD	Sounthorpe Mudstone Formation	Mudstone and Limestone, Interbedded	Not Supplied - Phaetian



### Geology 1:50,000 Maps

This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1.50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.


The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

### Geology 1:50,000 Maps Coverage

Map ID: Map Sheet No: Map Name: Map Date: Bedrock Geology: Superficial Geology: Artificial Geology: Faults: Landwitp: Rock Segments:

100 Market Rasen 1905 Available Austable Not Available Not Available Not Available Not Supplied

### Geology 1:50,000 Maps - Slice B





### Order Details:

Order Number: Customer Reference: National Grid Reference: Slice: Site Area (Ha):

Site: B Site Area (Ha): 331 04 Search Buffer (m): 250


287331844\_1\_1 21-1098.02 490370, 377000 B

Site Details: West Burlon 2

Landmark

Tiel 0 Fax 0

0844 544 9052 0844 844 9951 www.envitocheck.co.uk





### Artificial Ground and Landslip


Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.

#### Artificial ground includes:

- Made ground man-made deposits such as embankments and spoil heaps on the natural ground surface.
- Worked ground areas where the ground has been cut away such as quarries and road cuttings.
- Infilled ground areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground areas where the surface has been reshaped. Disturbed ground - areas of III-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form tandsips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

### Artificial Ground and Landslip Map - Slice B



287331844\_1\_1 21-1096.02

### Order Details:

Order Number: Customer Reference: National Grid Reference: Show Site Area (Ha): Search Buffer (m):

490370, 377000 331 04


Site Details: West Burton 2



0844 544 9952 0844 844 9951 999 WYNCHESK CLUB

Page 2 of 5

v15.0 04-Nov-2021






### Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, sit and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

### Superficial Geology Map - Slice B



### Order Details:

Order Number: Customer Reference: National Grid Reference: Since: Site Area (Ha): Search Buffer (m):

287331844\_1\_1 21-1098.02 490370, 377000 331 04


Site Details: West Burton 2

Landmark

0844-544-9052 (844-844-9951 4644-844/9551 4644-844/9551eck cs.uk

v15.0 04-Nov-2021

Page 3 of 5





### Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proferozoic, some 2500 million years. ago, or older, up to the relatively young Pliocene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut. across the strata and post date its deposition.

### Bedrock and Faults Map - Slice B





### Order Details:

Order Number: Customer Reference: National Grid Reference: Site Area (Ha): Search Buffer (m):

287331844\_1\_1 21-1096.02 490370, 377000 331 04


Site Details: West Burton 2

Landmark

0844-544-9952 0844-844-9951 www.anvincheck.co.uk

v15.0 04-Nov-2021

Page 4 of 5





### Combined Surface Geology

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.

#### Additional Information

More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'Information and Data' link on the BGS website.

#### Contact

British Geological Survey Kingsley Dunham Centre Keyworth Nottingham NG12 5GG Telephone: 0115 936 3143 Fax: 0115 936 3276 email: enquiries@bgs ac.uk website: www.bgs ac.uk

### Combined Geology Map - Slice B





### Order Details:

Order Number: Customer Reference: National Orid Reference: Silice: Site Area (Ha): Search Buffer (m): 287331844\_1\_1 21-1098.02 490370, 377000 8 331 04 250

Site Details:


West Burton 2


Landmark


0844-544-9952 0844-844-9951 www.anv/incheck.co.uk


Page 5 of 5


v15.0 04-Nov-2021



































































# **Envirocheck® Report:**

### **Datasheet**

### **Order Details:**

Order Number:

287331844\_1\_1

**Customer Reference:** 

21-1098.02

**National Grid Reference:** 

488570, 378350

Slice:

С

Site Area (Ha):

331.04

Search Buffer (m):

250

### **Site Details:**

West Burton 2

### **Client Details:**

Mr A Howells Delta Simons 3 Henley Office Park Doddington Road Lincoln LN6 3QR







Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	8
Hazardous Substances	-
Geological	9
Industrial Land Use	11
Sensitive Land Use	12
Data Currency	13
Data Suppliers	18
Useful Contacts	19

#### Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination.

For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources

Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

### **Copyright Notice**

© Landmark Information Group Limited 2021. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer.

A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark,

subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.

© Environment Agency & United Kingdom Research and Innovation 2021. © Natural Resources Wales & United Kingdom Research and Innovation 2021.

### Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the

### Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3 0.

### Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining review@arup com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

### **Stantec Copyright Notice**

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

### Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

### **Natural Resources Wales Copyright Notice**

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2021. Land & Property Services © Crown copyright and database right.

Report Version v53.0



Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Agency & Hydrological			
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes
Contaminated Land Register Entries and Notices			
Discharge Consents			
Prosecutions Relating to Controlled Waters			n/a
Enforcement and Prohibition Notices			
Integrated Pollution Controls			
Integrated Pollution Prevention And Control			
Local Authority Integrated Pollution Prevention And Control			
Local Authority Pollution Prevention and Controls			
Local Authority Pollution Prevention and Control Enforcements			
Nearest Surface Water Feature	pg 1	Yes	
Pollution Incidents to Controlled Waters			
Prosecutions Relating to Authorised Processes			
Registered Radioactive Substances			
River Quality			
River Quality Biology Sampling Points			
River Quality Chemistry Sampling Points			
Substantiated Pollution Incident Register			
Water Abstractions			
Water Industry Act Referrals			
Groundwater Vulnerability Map	pg 1	Yes	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a
Groundwater Vulnerability - Local Information			n/a
Bedrock Aquifer Designations	pg 4	Yes	n/a
Superficial Aquifer Designations	pg 5	Yes	n/a
Source Protection Zones			
Extreme Flooding from Rivers or Sea without Defences	pg 5	Yes	
Flooding from Rivers or Sea without Defences			
Areas Benefiting from Flood Defences			
Flood Water Storage Areas			
Flood Defences			
OS Water Network Lines	pg 5	1	16



Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Waste			
BGS Recorded Landfill Sites			
Historical Landfill Sites			
Integrated Pollution Control Registered Waste Sites			
Licensed Waste Management Facilities (Landfill Boundaries)			
Licensed Waste Management Facilities (Locations)			
Local Authority Landfill Coverage	pg 8	2	n/a
Local Authority Recorded Landfill Sites			
Potentially Infilled Land (Non-Water)			
Potentially Infilled Land (Water)			
Registered Landfill Sites			
Registered Waste Transfer Sites			
Registered Waste Treatment or Disposal Sites			
Hazardous Substances			
Control of Major Accident Hazards Sites (COMAH)			
Explosive Sites			
Notification of Installations Handling Hazardous Substances (NIHHS)			
Planning Hazardous Substance Consents			
Planning Hazardous Substance Enforcements			



Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Geological			
BGS 1:625,000 Solid Geology	pg 9	Yes	n/a
BGS Estimated Soil Chemistry	pg 9	Yes	Yes
BGS Recorded Mineral Sites			
BGS Urban Soil Chemistry			
BGS Urban Soil Chemistry Averages			
CBSCB Compensation District			n/a
Coal Mining Affected Areas			n/a
Mining Instability			n/a
Man-Made Mining Cavities			
Natural Cavities			
Non Coal Mining Areas of Great Britain			
Potential for Collapsible Ground Stability Hazards	pg 9	Yes	
Potential for Compressible Ground Stability Hazards			
Potential for Ground Dissolution Stability Hazards			
Potential for Landslide Ground Stability Hazards	pg 9	Yes	
Potential for Running Sand Ground Stability Hazards	pg 10	Yes	Yes
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 10	Yes	
Radon Potential - Radon Affected Areas			n/a
Radon Potential - Radon Protection Measures			n/a
Industrial Land Use			
Contemporary Trade Directory Entries	pg 11		3
Fuel Station Entries			
Points of Interest - Commercial Services			
Points of Interest - Education and Health			
Points of Interest - Manufacturing and Production	pg 11		2
Points of Interest - Public Infrastructure	pg 11		2
Points of Interest - Recreational and Environmental			
Gas Pipelines			
Underground Electrical Cables			



Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Sensitive Land Use			
Ancient Woodland			
Areas of Adopted Green Belt			
Areas of Unadopted Green Belt			
Areas of Outstanding Natural Beauty			
Environmentally Sensitive Areas			
Forest Parks			
Local Nature Reserves			
Marine Nature Reserves			
National Nature Reserves			
National Parks			
Nitrate Sensitive Areas			
Nitrate Vulnerable Zones	pg 12	2	1
Ramsar Sites			
Sites of Special Scientific Interest			
Special Areas of Conservation			
Special Protection Areas			
World Heritage Sites			



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Type:	Flooding Susceptibility Limited Potential for Groundwater Flooding to Occur	C3SW (NE)	0	1	488567 378346
	<b>BGS Groundwater</b> Flooding Type:	Flooding Susceptibility Limited Potential for Groundwater Flooding to Occur	C3NE (E)	0	1	488950 378400
	BGS Groundwater Flooding Type:	Flooding Susceptibility Limited Potential for Groundwater Flooding to Occur	C2SE (W)	0	1	488300 378346
	BGS Groundwater Flooding Type:	Flooding Susceptibility Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	489000 377800
	BGS Groundwater Flooding Type:	Flooding Susceptibility  Potential for Groundwater Flooding of Property Situated Below Ground Level	C4SW	0	1	489250
	BGS Groundwater Flooding Type:	Flooding Susceptibility Limited Potential for Groundwater Flooding to Occur	(E) C2NW	0	1	378100 487850
	BGS Groundwater Flooding Type:	Flooding Susceptibility  Potential for Groundwater Flooding to Occur at Surface	(W)	0	1	378550 489950
	BGS Groundwater Flooding Type:	Flooding Susceptibility  Potential for Groundwater Flooding to Occur at Surface	(E)	0	1	377650 490000
	BGS Groundwater Flooding Type:	Flooding Susceptibility Potential for Groundwater Flooding to Occur at Surface	C3NE	56	1	378650 489000
	BGS Groundwater Flooding Type:	Flooding Susceptibility  Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	127	1	378500 489000
	BGS Groundwater Flooding Type:	Flooding Susceptibility  Potential for Groundwater Flooding to Occur at Surface	(NE) C4NW	146	1	378550 489450
	BGS Groundwater Flooding Type:	Flooding Susceptibility  Potential for Groundwater Flooding of Property Situated Below Ground Level	(E) C3NE	214	1	378400 489000
	Nearest Surface Wa		(NE)	0		378650 488100
			(SW)	0	-	378085
	Groundwater Vulne Combined Classification: Combined Vulnerability: Combined Aquifer: Pollutant Speed: Bedrock Flow: Dilution: Baseflow Index: Superficial Patchiness:	Productive Bedrock Aquifer - High Vulnerability  High  Productive Bedrock Aquifer, Productive Superficial Aquifer Low  Well Connected Fractures  <300 mm/year  40-70%  <90%	C4SW (SE)	0	2	489244 378064
	Superficial Thickness: Superficial Recharge:	<3m No Data				
	Groundwater Vulne Combined Classification: Combined Vulnerability: Combined Aquifer: Pollutant Speed: Bedrock Flow: Dilution: Baseflow Index: Superficial Patchiness: Superficial Thickness: Superficial	Prability Map Secondary Superficial Aquifer - High Vulnerability High Productive Bedrock Aquifer, Productive Superficial Aquifer High Poorly Connected Fractures <300 mm/year >70% <90% <3m High	(E)	0	2	490000 378643

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulne	erability Map				
	Combined Classification:	Secondary Bedrock Aquifer - High Vulnerability	(E)	0	2	489730 378000
	Combined	High				370000
	Vulnerability: Combined Aquifer: Pollutant Speed: Bedrock Flow: Dilution: Baseflow Index:	Productive Bedrock Aquifer, No Superficial Aquifer Low Well Connected Fractures <300 mm/year 40-70%				
	Superficial Patchiness:	<90%				
	Superficial Thickness:	<3m				
	Superficial Recharge:	No Data				
	Groundwater Vulne	erability Map				
	Combined Classification:	Secondary Bedrock Aquifer - High Vulnerability	(E)	0	2	490000 378000
	Combined Vulnerability:	High				
	Combined Aquifer: Pollutant Speed: Bedrock Flow: Dilution:	Productive Bedrock Aquifer, No Superficial Aquifer High Poorly Connected Fractures <300 mm/year				
	Baseflow Index: Superficial Patchiness:	>70% <90%				
	Superficial Thickness:	<3m				
	Superficial Recharge:	High				
	Groundwater Vulne	erability Map				
	Combined Classification:	Secondary Bedrock Aquifer - High Vulnerability	(SE)	0	2	489943 377572
	Combined Vulnerability: Combined Aquifer:	High  Productive Bedrock Aquifer, Productive Superficial Aquifer				
	Pollutant Speed: Bedrock Flow: Dilution:	Low Well Connected Fractures <300 mm/year				
	Baseflow Index: Superficial Patchiness: Superficial	40-70% <90% <3m				
	Thickness: Superficial Recharge:	No Data				
	Groundwater Vulne	erability Map				
	Combined Classification:	Secondary Bedrock Aquifer - High Vulnerability	(SE)	0	2	489235 378000
	Combined Vulnerability:	High				
	Combined Aquifer: Pollutant Speed: Bedrock Flow:	Productive Bedrock Aquifer, Productive Superficial Aquifer Low Well Connected Fractures				
	Dilution: Baseflow Index: Superficial Patchiness:	<300 mm/year 40-70% <90%				
	Superficial Thickness:	<3m				
	Superficial Recharge:	No Data				



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulne	erability Map				
	Combined	Secondary Superficial Aquifer - High Vulnerability	(E)	0	2	490041
	Classification: Combined	High				378000
	Vulnerability: Combined Aquifer:	Productive Bedrock Aquifer, Productive Superficial Aquifer				
	Pollutant Speed: Bedrock Flow:	High Poorly Connected Fractures				
	Dilution:	<300 mm/year				
	Baseflow Index:	>70%				
	Superficial Patchiness:	<90%				
	Superficial	<3m				
	Thickness:					
	Superficial Recharge:	High				
	Groundwater Vulne	erability Map				
	Combined Classification:	Secondary Bedrock Aquifer - High Vulnerability	(E)	0	2	490000 378346
	Combined	High				33.0
	Vulnerability: Combined Aquifer:	Productive Bedrock Aquifer, No Superficial Aquifer				
	Pollutant Speed:	High				
	Bedrock Flow:	Poorly Connected Fractures				
	Dilution:	<300 mm/year				
	Baseflow Index: Superficial	>70% <90%				
	Patchiness:	10070				
	Superficial	<3m				
	Thickness:	Lliah				
	Superficial Recharge:	High				
	Groundwater Vulne	erability Map				
	Combined	Secondary Bedrock Aquifer - High Vulnerability	C3SE	0	2	489000
	Classification:	I Bark	(E)			378346
	Combined Vulnerability:	High				
	Combined Aquifer:	Productive Bedrock Aquifer, No Superficial Aquifer				
	Pollutant Speed:	Low				
	Bedrock Flow: Dilution:	Well Connected Fractures				
	Baseflow Index:	<300 mm/year 40-70%				
	Superficial	<90%				
	Patchiness:	_				
	Superficial Thickness:	<3m				
	Superficial	No Data				
	Recharge:					
	Groundwater Vulne	erability Map Secondary Bedrock Aquifer - High Vulnerability	COSIM		0	499000
	Combined Classification:	Secondary Dedition Aquiler - High Vullierability	C2SW (W)	0	2	488000 378346
	Combined	High				
	Vulnerability:	Decideration Deciderate Assistant No. 0 (1) 1.4. (1)				
	Combined Aquifer: Pollutant Speed:	Productive Bedrock Aquifer, No Superficial Aquifer Low				
	Bedrock Flow:	Well Connected Fractures				
	Dilution:	<300 mm/year				
	Baseflow Index: Superficial	40-70% <90%				
	Patchiness:	NO /0				
	Superficial	<3m				
	Thickness:					
	Superficial	No Data				



Classification: Corribinat Contributed Contributed Forticlase Reductor Aquifer, No Superficial Aquifer Pollutant Special Contributed Pollutant Special Contributed Reductor Aquifer, No Superficial Aquifer Pollutant Special Contributed Reductor Aquifer High Vulnerability Contributed Reductor Aquifer High Vulnerability (SWI) 0 2 48500 (SWI) 0 2 48500 (SWI) Vulnerability Contributed Aquifer Pollutant Special Contributed Contri	ap D		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
Classification: Contained Contained Flex Contained Flex Distant Speed Bedfock Flow Viva Connected Finctures Distant Speed Contained Contained Contained Flow Superficial Superficial No Data Rocharge: Contained Agailer: Productive Bedrock Aquifer - High Vulnerability Contained Agailer: Politicant Speed Contained Superficial Politicant Speed Contained Contained Contained Superficial Flow Superficial Flow Superficial Flow Contained Agailer: Politicant Speed Contained Contained Superficial Flow Supe		Groundwater Vulne	erability Map				
Combined High Volumerability Map Combined Secondary Bedrock Aquifer, No Superficial Aquifer Orange Superficial Rectarge:  Groundwater Vulnerability Map Combined Superficial Combined Superficial Combined Superficial Rectarge:  Groundwater Vulnerability Map Combined Superficial Rectarge:  Groundwater Vulnerability Map Combined Secondary Bedrock Aquifer, No Superficial Aquifer Designation Combined Superficial Rectarge:  Groundwater Vulnerability Map Combined Superficial Rectarge:  Groundwater Vulnerability Superficial Rectarge:  Groundwater Vulnerability Map Combined Superficial Rectarge:  Groundwater Vulnerability		Combined	Secondary Bedrock Aquifer - High Vulnerability	C3SW	0	2	488567
Vulnerability: Combried Agailer Bedrock Flow: Combried Agailer Bedrock Flow: Basefor Index: Basefor Index: Superficial Thickness: Superficial Common Index: Superficial Combried Secondary Bedrock Agailer - High Vulnerability Combred Agailer Combred Agailer Combred Secondary Bedrock Agailer - High Vulnerability Combred Agailer Combred Secondary Bedrock Agailer - High Vulnerability Combred Agailer Combred Secondary Bedrock Agailer - High Vulnerability Combred Agailer Combred Secondary Bedrock Agailer - High Vulnerability Combred Agailer Combred Secondary Bedrock Agailer - High Vulnerability Combred Secondary Agailer - Local Coronadore Vulnerability Combred Secondary Secondary Secondary Secondary Secondary				(NE)			378346
Combined Aquifer Pollutant Special Company of the C			High				
Pollutant Speed: Low Well Connected Firsturies Superficial Control of Control							
Bedrock Flow Well Connected Fractures							
Dilution: According to the complete and							
Baseflov Index: 4070% Superficial < <00% Patchiness: 3-0m Thickness: Superficial No Data Recharge: Combined Secondary Bedrock Aquifer - High Vulnerability (ISW) 0 2 48800 Groundwater Vulnerability Map Combined Secondary Bedrock Aquifer, No Superficial Aquifer Pollutant Special Secondary Bedrock Aquifer - High Vulnerability (ISW) 0 2 48800 Superficial Secondary Bedrock Aquifer - High Vulnerability (ISW) 0 2 48800 Superficial Secondary Bedrock Aquifer - High Vulnerability (ISW) 0 2 48800 Superficial Secondary Bedrock Aquifer - High Vulnerability (ISW) 0 2 48856 Superficial Secondary Bedrock Aquifer - High Vulnerability (ISW) 0 2 48856 Superficial Secondary Bedrock Aquifer - High Vulnerability (ISW) 0 2 48856 Superficial Secondary Bedrock Aquifer - High Vulnerability (ISW) 0 2 48856 Superficial Superficial Superficial Superficial Aquifer Superficial							
Patchiness: Superficial   <a href="#"></a>		Baseflow Index:					
Superficial Combined Secondary Bedrock Aquifer - High Vulnerability (SW) 0 2 48800 37800 William Redistripted Secondary Bedrock Aquifer - High Vulnerability (SW) 0 2 48800 37800 William Redistripted Secondary Bedrock Aquifer - High Vulnerability (SW) 0 2 48800 37800 William Redistripted Secondary Bedrock Aquifer No Superficial Aquifer Pollutant Special Secondary Bedrock Aquifer - High Vulnerability (S) 0 2 48956 Secondary Bedrock Aquifer - High Vulnerability (S) 0 2 48956 Secondary Bedrock Aquifer - High Vulnerability (S) 0 2 48956 Secondary Bedrock Aquifer - High Vulnerability (S) 0 2 48956 Secondary Bedrock Aquifer - High Vulnerability (S) 0 2 48956 Secondary Bedrock Aquifer - High Vulnerability (S) 0 2 48956 Secondary Bedrock Aquifer - High Vulnerability (S) 0 2 48956 Secondary Bedrock Aquifer - High Vulnerability (S) 0 2 48956 Secondary Bedrock Aquifer - High Vulnerability (S) 0 2 48956 Secondary Bedrock Aquifer - High Vulnerability (S) 0 2 48956 Secondary Bedrock Aquifer - High Vulnerability (S) 0 2 48956 Secondary Bedrock Aquifer - High Vulnerability (S) 0 2 48956 Secondary Bedrock Aquifer - High Vulnerability (SE) 0 2 48956 Secondary Bedrock Aquifer - High Vulnerability (SE) 0 2 48956 Secondary Bedrock Aquifer - High Vulnerability (SE) 0 2 48956 Secondary Bedrock Aquifer - High Vulnerability (SE) 0 2 48956 Secondary Bedrock Aquifer - High Vulnerability (SE) 0 2 48956 Secondary Bedrock Aquifer - High Vulnerability (SE) 0 2 48956 Secondary Bedrock Aquifer - High Vulnerability (SE) 0 2 48956 Secondary Bedrock Aquifer - High Vulnerability (SE) 0 2 48956 Secondary Aquifer - Undifferentiated (SE) 0 2 48956 Secondary Aquifer - Undifferentiated (SE) 0 2 48956 Bedrock Aquifer Designations Secondary Aquifer - Undifferentiated (SE) 0 2 48956 Bedrock Aquifer Designations Secondary Aquifer - Undifferentiated (SE) 0 2 48956 Bedrock Aquifer Designations Secondary Aquifer - Undifferentiated (SE) 0 2 48956 Bedrock Aquifer Designations Secondary Aquifer - Undifferentiated (SE) 0 2 48956 Bedrock Aquifer Designations			<90%				
Thickness: Superficial No Data Recharge:  Recha			0				
Superficial   No Datia   Recharge			<3111				
Recharge:  Groundwater Vulnerability Map  Combined Secondary Bedrock Aquifer - High Vulnerability Combined Aquifer Vulnerability: Combined Aquifer Pollutant Speed Baseflow Index: Baseflow Index: Superficial Recharge: No Data Recharge: No Data Recharge: Combined Aquifer: No Superficial Aquifer Vulnerability Map Combined Secondary Bedrock Aquifer - High Vulnerability Combined Aquifer: Productive Bedrock Aquifer No Superficial Aquifer Vulnerability: Combined Aquifer: Productive Bedrock Aquifer No Superficial Aquifer Pollutant Speed Bedrock Flow: Vulnerability Combined Aquifer: Productive Bedrock Aquifer - High Vulnerability Combined Secondary Bedrock Aquifer - High Vulnerability Secondary Secondary Bedrock Secondary Bedrock Secondary Sec			No Data				
Combined Capacitics Secondary Bedrock Aquifer - High Vulnerability (SW) 0 2 48800 37800 Wilnerability: Combined Aquifer High Vulnerability: Combined Aquifer Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: 40-70% Superficial Speed: 40-70% Superficial Recharge: Valor Recharge: V			110 2414				
Combined Capacitics Secondary Bedrock Aquifer - High Vulnerability (SW) 0 2 48800 37800 Wilnerability: Combined Aquifer High Vulnerability: Combined Aquifer Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: 40-70% Superficial Speed: 40-70% Superficial Recharge: Valor Recharge: V		Groundwater Vulne	erability Man				
Classification: Combined Aguiller: Pollution: Speed: Dilution: Baseflow Index: Superficial 40-70% Superficial 50-70% Superficial 40-70% Superficial 50-70% Superficial 40-70% Superficial 50-70% Superficial 60-70% Superficial 60-70% Superficial 70-70% Superficia			•	(5///)	0	2	488000
Combined Fligh Vulnerability Combined Aquifer Pollutant Speed: Baselfow Index: Superficial 490% Superficial 490% Superficial 3m No Data Recharge: Combined Aquifer Pollutant Speed: Superficial 490% Superficial 490% Superficial 490% Superficial 490% Superficial 5m No Data Recharge: Superficial 5m No Data Recharge: Superficial 6m No Data Recharge: Superficial 7m No Data Recharge: Superficial 6m No Data Recharge: Superficial 7m No Data Recharge: Superficial 6m No Data Recharge: Superficial 7m No Data Recharge: Superficial 400% Supe			Occordary Dedicon Aquirer - Fight Vullierability	(344)		2	I
Vulnerability: Combined Aquiter: Productive Bedrock Aquifer, No Superficial Aquifer   Low   Vulnerability   Combined Aquiter: Productive Bedrock Aquifer - High Vulnerability   Combined Aquifer: Productive Bedrock Aquifer: No Superficial Aquifer   Combined Combined   High Vulnerability   Combined Aquifer: Productive Bedrock Aquifer: No Superficial Aquifer   Productive Bedrock Aquifer: Productive Bedrock Aquifer: No Superficial Aquifer   Combined Aquifer: Productive Bedrock Aquifer: Productive Bedrock Aquifer: No Superficial Aquifer   Productive Bedrock Aquifer: Productive Bedrock Aquifer: No Superficial Aquifer   Combined Aquifer: Productive Bedrock Aquifer: Undifferentiated   C4SE   0 2 48900 37836   Bedrock Aquifer Designations   Secondary Aquifer: Undifferentiated   C6SE   0 2 48900 37836   Bedrock Aquifer: Designations   C6Condary Bquifer: Undifferentiated   C6SE   0 2 48900 37836   C6SE   C6SE   C6SE   0 2 48900 37836   C6SE   C6SE   C6SE   C6SE   C6SE   C6SE   C6SE			High				2,000
Pollutant Speed: Low   Bedrock Flow: Well Connected Fractures   Superficial   April		Vulnerability:					
Bedrock Flow: Well Connected Fractures Dilution: 400 mm/year Baseflow Index: 40-70% Patchiness: 30m myear Superficial 40-70% Patchiness: 40m Superficial No Data Recharge: 40m Secondary Bedrock Aquifer - High Vulnerability Combined Secondary Bedrock Aquifer No Superficial Aquifer Dilution: 400 mm/year Baseflow Index: 40-70% Superficial No Data Recharge: 40m Myear Baseflow Index: 40-70% Superficial No Data Recharge: 40m Myear Baseflow Index: 40-70% Superficial Aguifer Postignations Index Secondary Bedrock Aquifer - High Vulnerability (SE) 0 2 48856 Superficial No Data Recharge: 40m Myear Baseflow Index: 40m Mye							
Dilution: <a <="" href="documents-of-order-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-year-light-&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Baseflow Index: 40-70% superficial &lt; 40% yes and the content of th&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Superficial committee and superficial commit&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Superficial Cambridge Combined Secondary Bedrock Aquifer - High Vulnerability (S) 0 2 48856 37800 Combined Secondary Bedrock Aquifer - High Vulnerability (S) 0 2 48856 37800 Classification: Combined High Vulnerability: Combined Aquifer Productive Bedrock Aquifer, No Superficial Aquifer Pollutants Speed: Low Connected Fractures Bedrock Flow: Well Connected Fractures Bedrock Risk (S) 0 2 48800 Secondary Bedrock Aquifer - High Vulnerability: Superficial Cambridge Secondary Bedrock Aquifer - High Vulnerability (SE) 0 2 48800 37800 Classification: Combined Aquifer: Productive Bedrock Aquifer - High Vulnerability (SE) 0 2 48800 37800 Classification: Combined High Vulnerability: Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutants Speed: Low Well Connected Fractures Dilution: Cambridge Speed: Low Well Connected Fractures Dilution: Cambridge Speed: Low Well Connected Fractures Superficial Cambridge Speed: Low Gedrock Risk None Secondary Aquifer - Undifferentiated C4SE 0 2 48870 Aquifer Designation: Secondary Aquifer - Undifferentiated C4SE 0 2 48870 Aquifer Designation: Secondary Aquifer - Undifferentiated (E) 0 2 48970 37838 Bedrock Aquifer Designation: Secondary Aquifer - Undifferentiated (E) 0 2 48970 37838 Bedrock Aquifer Designation: Secondary Aquifer - Undifferentiated (E) 0 2 48970 37838 Bedrock Aquifer Designation: Secondary Aquifer - Undifferentiated (E) 0 2 48970 37838 Bedrock Aquifer Designation: Secondary Aquifer - Undifferentiated (E) 0 2 48970 37838 Bedrock Aquifer Designation: Secondary Aquifer - Undifferentiated (E) 0 2 48970 37838 Bedrock Aquifer Designation: Secondary Aquifer - Undifferentiated (E) 0 2 48970 37838 Bedrock Aquifer Designation: Secondary Aquifer - Undifferentiated (E) 0 2 48970 37838 Bedrock Aquifer Designation: Secondary Aquifer - Undifferentiated (E) 0 2 48970 37838 Bedrock Aquifer Designation: Secondary Aquifer - Undifferentiated (E) 0 2 48970 37838 Bedrock Aquifer Designation: Secondary Aquifer - Undifferentiated (E) 0 2 48970 37838 Bedrock Aquifer Designa&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;Superficial&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Trickness: Superficial No Data Recharge:  Groundwater Vulnerability Map Combined Secondary Bedrock Aquifer - High Vulnerability Classification: Combined High Vulnerability: Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Bedrock Flow: Pollutant Speed: Bedrock Flow: Pollutant Speed: Superficial Secondary Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Patchiness: Superficial Secondary Bedrock Aquifer - High Vulnerability Combined Aquifer: Pollutant Speed: Superficial No Data Rechange:  Groundwater Vulnerability Map Classification: Combined Secondary Bedrock Aquifer - High Vulnerability Combined Aquifer: Pollutant Speed: Ded Combined High Vulnerability: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Ded Combined Aquifer: Pollutant Speed: Ded Combined lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;Patchiness:&lt;/td&gt;&lt;td&gt;_&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Superficial No Data Recharge:  Groundwater Vulnerability Map Combined Secondary Bedrock Aquifer - High Vulnerability Classification: Combined High Vulnerability: Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Dilution: Superficial Speed: Superficial Speed: Superficial No Data Recharge:  Groundwater Vulnerability Map Combined Secondary Bedrock Aquifer - High Vulnerability Classification: Combined Secondary Bedrock Aquifer - High Vulnerability Classification: Combined Secondary Bedrock Aquifer - High Vulnerability Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Vulnerability: Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutants Speed: Superficial Speed: Superfi&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;3m&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;  Recharge:                                      &lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;No Data&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Groundwater Vulnerability Map Combined Secondary Bedrock Aquifer - High Vulnerability Classification: Combined High Vulnerability: Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: - 300 mm/year Baseflow Index: 40-70% Superficial - 90% Patchiness: Superficial No Data Recharge:  Groundwater Vulnerability Map Combined Secondary Bedrock Aquifer - High Vulnerability Vulnerability: Productive Bedrock Aquifer - High Vulnerability Vulnerability: Productive Bedrock Aquifer Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: - 300 mm/year Secondary Bedrock Aquifer Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Superficial - 40-70% lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;NO Data&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Combined Secondary Bedrock Aquifer - High Vulnerability Combined Aquifer: Combined No Data Recharge:  Groundwater Vulnerability Combined Aquifer: Productive Bedrock Aquifer - High Vulnerability Combined Aquifer: Superficial &lt;3m Thickness: Superficial No Data Recharge:  Groundwater Vulnerability: Combined Aquifer: Productive Bedrock Aquifer - High Vulnerability Classification: Combined High Vulnerability: Combined Aquifer: Productive Bedrock Aquifer - High Vulnerability Classification: Combined High Vulnerability: Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: Soom manyear Basellow Index: Superficial Some Flow: Superficial Soom Manyear S&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;and Allie Man&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Classification: Combined Aguifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: &lt;300 mm/year Baseflow Index: 40-70% Superficial &lt;00 do 2 described Section: Superficial Section: Superficial Aquifer Section: Combined Secondary Bedrock Aquifer - High Vulnerability Combined High Vulnerability: Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: &lt;300 mm/year Baseflow Index: 40-70% Superficial &lt;00 mm/year Baseflow Index: 40-70% Superficial Superficial Superficial Superficial Superficial Superfic&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;(6)&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;2&lt;/td&gt;&lt;td&gt;40056&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: 4300 mm/year Baseflow Index: 40-70% Superficial &lt;90% Patchiness: Superficial &lt;3m Thickness: Superficial No Data Recharge:  Groundwater Vulnerability Map Combined Secondary Bedrock Aquifer - High Vulnerability Combined High Combined High Combined High Combined High Combined High Combined Rquifer: Productive Bedrock Aquifer, No Superficial Aquifer Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Well Connected Fractures Dilution: 4300 mm/year Baseflow Index: 40-70% Superficial &lt;90% Patchiness: Superficial No Data Recharge:  Groundwater Vulnerability - Soluble Rock Risk None  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated C4SE 0 2 48370 37836  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated (E) 0 2 49000 37834  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated (E) 0 2 49000 37834&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;Secondary Bedrock Aquiler - High Vulnerability&lt;/td&gt;&lt;td&gt;(5)&lt;/td&gt;&lt;td&gt;0&lt;/td&gt;&lt;td&gt;2&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;  Vulnerability:   Combined Aquifer:   Productive Bedrock Aquifer, No Superficial Aquifer   Pollutant Speed:   Low   Bedrock Flow:   Well Connected Fractures   Superficial   40-70%   Superficial   40-70%   Superficial   40-70%   Superficial   40-70%   Superficial   No Data   Recharge:   Rechar&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;High&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;370000&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: 4300 mm/year 490% Patchiness: Superficial 490% Patchiness: Superficial No Data Recharge: Productive Bedrock Aquifer - High Vulnerability (SE) 0 2 48900 Classification: Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: 4300 mm/year Baseflow Index: 40-70% Superficial 490% Patchiness: Superficial 490% Patchiness: Superficial 490% Patchiness: Superficial 43m Thickness: Superficial 800 mm/year Baseflow Index: 40-70% Bedrock Aquifer Pollutant Speed: Low Bedrock Aquifer Bedrock 40-70% Baseflow Index: 40-70% Baseflow&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;del&gt;.&lt;/del&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Bedrock Flow: Well Connected Fractures Dilution: 4300 mm/year Baseflow Index: 40-70% Superficial &lt;90% Patchiness: Superficial &lt;3m Thickness: Superficial No Data Recharge:  Groundwater Vulnerability Map Combined Secondary Bedrock Aquifer - High Vulnerability (SE) 0 2 48900 Classification: Combined High Vulnerability: Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: &lt;3000 mm/year Baseflow Index: 40-70% Superficial &lt;90% Patchiness: Superficial &lt;3m Thickness: Superficial No Data Recharge:  Groundwater Vulnerability - Soluble Rock Risk None  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  C4SE 0 2 48970 (E) 0 2 49900 A7834  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated (E) 0 2 49000 A7834  Bedrock Aquifer Designations&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;Productive Bedrock Aquifer, No Superficial Aquifer&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;  Dilution:&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Baseflow Index: 40-70% Superficial &lt;90% Patchiness: Superficial No Data Recharge:  Groundwater Vulnerability Map Combined Secondary Bedrock Aquifer - High Vulnerability Classification: Combined High Vulnerability: Combined High Vulnerability: Combined Aquifer: Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: &lt;300 mm/year Baseflow Index: 40-70% Superficial &lt;90% Patchiness: Superficial No Data Recharge:  Groundwater Vulnerability - Soluble Rock Risk None  Bedrock Aquifer Designation: Aquifer Designation: Secondary Aquifer - Undifferentiated Aquifer Designation: Secondary Aquifer - Undifferentiated Bedrock Aquifer Designations&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Superficial &lt;90% Patchiness: Superficial &lt;3m Thickness: Superficial No Data Recharge:  Groundwater Vulnerability Map Combined Secondary Bedrock Aquifer - High Vulnerability Classification: Combined High Vulnerability: Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dillution: Superficial &lt;90% Patchiness: Superficial &lt;3m Thickness: Superficial No Data Recharge:  Groundwater Vulnerability - Soluble Rock Risk None  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  C4SE 0 2 48970 37834  Bedrock Aquifer Designation: Secondary Aquifer - Undifferentiated  (E) 0 2 49000 37834  Bedrock Aquifer Designation: Secondary Aquifer - Undifferentiated  (E) 0 2 49000 37834&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Superficial &lt;3m Thickness: Superficial No Data Recharge:  Groundwater Vulnerability Map Combined Secondary Bedrock Aquifer - High Vulnerability Combined High Vulnerability: Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: Superficial &lt;300 mm/year Baseflow Index: 40-70% Superficial &lt;300 mm/year Baseflow Index: 40-70% Patchiness: Superficial &lt;3m Thickness: Superficial No Data Recharge:  Groundwater Vulnerability - Soluble Rock Risk None  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  C4SE 0 2 48970 (E) 0 2 49000 37834  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  (E) 0 2 49000 37834&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Thickness: Superficial No Data Recharge:  Groundwater Vulnerability Map Combined Secondary Bedrock Aquifer - High Vulnerability Classification: Combined High Vulnerability: Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: &lt;300 mm/year Baseflow Index: 40-70% Superficial &lt;90% Patchiness: Superficial &lt;3m Thickness: Superficial No Data Recharge:  Groundwater Vulnerability - Soluble Rock Risk None  Bedrock Aquifer Designations Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  (E) 0 2 49000 37834  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  (E) 0 2 49000 37834&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;Patchiness:&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Superficial No Data Recharge:  Groundwater Vulnerability Map Combined Secondary Bedrock Aquifer - High Vulnerability (SE) 0 2 48900 37800 Classification: Combined High Vulnerability: Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: &lt;300 mm/year Baseflow Index: 40-70% Superficial &lt;90% Patchiness: Superficial &lt;3m Thickness: Superficial No Data Recharge:  Groundwater Vulnerability - Soluble Rock Risk None  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  C4SE 0 2 48970 37836  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  (E) 0 2 49000 37834  Bedrock Aquifer Designations&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;3m&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Recharge:  Groundwater Vulnerability Map Combined Secondary Bedrock Aquifer - High Vulnerability (SE) 0 2 48900 37800 Classification: Combined High Vulnerability: Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: &lt;300 mm/year Baseflow Index: 40-70% Superficial &lt;90% Patchiness: Superficial &lt;3m Thickness: Superficial No Data Recharge:  Groundwater Vulnerability - Soluble Rock Risk None  Bedrock Aquifer Designations Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  (E) 0 2 48900 37834  Bedrock Aquifer Designations Secondary Aquifer - Undifferentiated (E) 0 2 49000 37834&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;No Dete&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Groundwater Vulnerability Map  Combined Secondary Bedrock Aquifer - High Vulnerability Classification: Combined High Vulnerability: Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: &lt;300 mm/year Baseflow Index: 40-70% Superficial &lt;90% Patchiness: Superficial No Data Recharge:  Groundwater Vulnerability - Soluble Rock Risk None  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  C4SE 0 2 48970 37836  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  (E) 0 2 49000 37834  Bedrock Aquifer Designations&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;No Data&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Combined Secondary Bedrock Aquifer - High Vulnerability (SE) 0 2 48900 37800  Classification: Combined High Vulnerability: Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: &lt;300 mm/year Baseflow Index: 40-70% Superficial &lt;90% Patchiness: Superficial &lt;3m Thickness: Superficial No Data Recharge:  Groundwater Vulnerability - Soluble Rock Risk None  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  C4SE 0 2 48970 37836  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  (E) 0 2 49000 37834  Bedrock Aquifer Designations&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;and the Man&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Classification: Combined High Vulnerability: Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: &lt;300 mm/year Baseflow Index: 40-70% Superficial &lt;90% Patchiness: Superficial &lt;3m Thickness: Superficial No Data Recharge:  Groundwater Vulnerability - Soluble Rock Risk None  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated C4SE 0 2 48970 37836  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated (E) 0 2 49000 37834  Bedrock Aquifer Designations&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;• •&lt;/td&gt;&lt;td&gt;(05)&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;0&lt;/td&gt;&lt;td&gt;40000&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Combined High Vulnerability: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: &lt;300 mm/year Baseflow Index: 40-70% Superficial &lt;90% Patchiness: Superficial No Data Recharge:  Groundwater Vulnerability - Soluble Rock Risk None  Bedrock Aquifer Designation: Secondary Aquifer - Undifferentiated  Edwards Secondary Aquifer - Undifferentiated  Edwards Secondary Aquifer - Undifferentiated  Edwards Secondary Aquifer - Undifferentiated  (E) 0 2 49000 37834  Bedrock Aquifer Designations&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;Secondary Bedrock Aquirer - High Vulnerability&lt;/td&gt;&lt;td&gt;(SE)&lt;/td&gt;&lt;td&gt;  " td=""><td>2</td><td></td></a>	2						
Vulnerability: Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial <90% Patchiness: Superficial No Data Recharge:  Groundwater Vulnerability - Soluble Rock Risk None  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  Edward Aquifer Designation: Secondary Aquifer - Undifferentiated			High				37000
Combined Áquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial <90% Patchiness: Superficial <3m Thickness: Superficial No Data Recharge:  Groundwater Vulnerability - Soluble Rock Risk None  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  Egyptic Secondary Aquifer - Undifferentiated			<b>.</b>				
Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial <90% Patchiness: Superficial <3m Thickness: Superficial No Data Recharge:  Groundwater Vulnerability - Soluble Rock Risk None  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  Ederock Aquifer Designations		Combined Aquifer:					
Dilution: <300 mm/year Baseflow Index: 40-70% Superficial <90% Patchiness: Superficial <3m Thickness: Superficial No Data Recharge:  Groundwater Vulnerability - Soluble Rock Risk None  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  Edward Aquifer Designations		Pollutant Speed:					
Baseflow Index: 40-70% Superficial <90% Patchiness: Superficial <3m Thickness: Superficial No Data Recharge:  Groundwater Vulnerability - Soluble Rock Risk None  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated C4SE 0 2 48970 37836  Bedrock Aquifer Designation: Secondary Aquifer - Undifferentiated (E) 0 2 49000 37834  Bedrock Aquifer Designation: Secondary Aquifer - Undifferentiated (E) 0 2 49000 37834							
Superficial <90% Patchiness: Superficial <3m Thickness: Superficial No Data Recharge:  Groundwater Vulnerability - Soluble Rock Risk None  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  C4SE 0 2 48970 37836  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  Edifferentiated  C4SE 0 2 48970 37836  Bedrock Aquifer Designations  Aquifer Designation: Secondary Aquifer - Undifferentiated  (E) 0 2 49000 37834  Bedrock Aquifer Designations							
Patchiness: Superficial <3m Thickness: Superficial No Data Recharge:  Groundwater Vulnerability - Soluble Rock Risk None  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  C4SE 0 2 48970 (E) 37836  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  Edifferentiated  (E) 0 2 49000 37834  Bedrock Aquifer Designations							
Thickness: Superficial No Data Recharge:  Groundwater Vulnerability - Soluble Rock Risk None  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  C4SE 0 2 48970 (E) 37836  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  (E) 0 2 49000 37834  Bedrock Aquifer Designations		Patchiness:					
Superficial Recharge:  Groundwater Vulnerability - Soluble Rock Risk None  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  C4SE 0 2 48970 37836  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  (E) 0 2 49000 37834  Bedrock Aquifer Designations			<3m				
Recharge:  Groundwater Vulnerability - Soluble Rock Risk None  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  C4SE 0 2 48970 37836  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  (E) 0 2 49000 37834  Bedrock Aquifer Designations			No Data				
Groundwater Vulnerability - Soluble Rock Risk None  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  C4SE 0 2 48970 37836  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  (E) 0 2 49000 37834  Bedrock Aquifer Designations			NO Dala				
None  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  C4SE 0 2 48970 37836  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  (E) 0 2 49000 37834  Bedrock Aquifer Designations			wahilitu. Calubla Baak Biak				
Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  C4SE 0 2 48970 37836  Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  (E) 0 2 49000 37834  Bedrock Aquifer Designations			eradility - Soludie Kock KISK				
Aquifer Designation: Secondary Aquifer - Undifferentiated  C4SE (E)  Bedrock Aquifer Designations  Aquifer Designation: Secondary Aquifer - Undifferentiated  (E)  2 48970 37836  Bedrock Aquifer Designation: Secondary Aquifer - Undifferentiated  (E)  0 2 49000 37834  Bedrock Aquifer Designations							
Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  Bedrock Aquifer Designations  (E) 0 2 49000 37834			<del>-</del>	2:25		6	400=-
Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated  (E) 0 2 49000 37834  Bedrock Aquifer Designations		Aquiter Designation:	Secondary Aquiter - Undifferentiated		0	2	l
Aquifer Designation: Secondary Aquifer - Undifferentiated (E) 0 2 49000 37834  Bedrock Aquifer Designations		Bedrock Aquifer De	esignations	(L)			37030
Bedrock Aquifer Designations 37834			_	(F)	0	2	49000
		quiioi Dosignation.		(L)			37834
		Bedrock Aquifer De	esignations				
		· · ·	<del>-</del>	C3SW	0	2	48856



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(SE)	0	2	489943 377572
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(E)	0	2	490000 378643
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	C4SW (SE)	0	2	489244 378064
	Extreme Flooding from Rivers or Sea without Defences  Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	C2SW (W)	0	3	488124 378212
	Flooding from Rivers or Sea without Defences None				
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None Flood Defences				
1	None  OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 483.5  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	C2SW (W)	0	4	488075 378316
2	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 516.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	C3SE (SE)	1	4	488939 378072
3	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 583.7  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	C3SW (E)	2	4	488722 378386
4	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 201.3  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	C2NE (NW)	4	4	488249 378493
5	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 332.9  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	C2NW (W)	6	4	488051 378474
6	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 241.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	C2NE (NW)	10	4	488251 378495



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
7	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 319.4  Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	(W)	21	4	487564 378034
	OS Water Network Lines				
8	Watercourse Form: Inland river Watercourse Length: 448.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	C4SE (E)	73	4	489614 378336
	OS Water Network Lines				
9	Watercourse Form: Inland river Watercourse Length: 46.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 2	C3SW (SE)	84	4	488752 378191
	OS Water Network Lines				
10	Watercourse Form: Inland river Watercourse Length: 262.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	C4SE (E)	194	4	489605 378228
	OS Water Network Lines				
11	Watercourse Form: Inland river Watercourse Length: 110.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	C4SE (E)	195	4	489592 378342
	OS Water Network Lines				
12	Watercourse Form: Lake Watercourse Length: 5.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	C4SE (E)	220	4	489554 378352
	OS Water Network Lines				
13	Watercourse Form: Inland river Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	C4SE (E)	225	4	489555 378357
	OS Water Network Lines				
14	Watercourse Form: Inland river Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	C4SE (E)	238	4	489590 378342
	OS Water Network Lines				
15	Watercourse Form: Inland river Watercourse Length: 13.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	C4SE (E)	239	4	489592 378342



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
16	OS Water Network Lines  Watercourse Form: Inland river Watercourse Length: 9.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Witham Primacy: 1	C4SE (E)	246	4	489605 378338
	OS Water Network Lines				
17	Watercourse Form: Inland river Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Primacy: 1	C2NE (NW)	246	4	488264 378731

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 7 of 19



### **Waste**

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Landfill Coverage				
	Name: West Lindsey District Council - Has no landfill data to supply		0	5	488567 378346
	Local Authority Landfill Coverage				
	Name: Lincolnshire County Council - Had landfill data but passed it to the relevant environment agency		0	6	488567 378346

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 8 of 19





Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid	d Geology				
	Description:	Lias Group	C3SW (NE)	0	1	488567 378346
	BGS Estimated Soil Source: Soil Sample Type: Arsenic Concentration:	Chemistry British Geological Survey, National Geoscience Information Service Rural Soil 15 - 25 mg/kg	C3SW (NE)	0	1	488567 378346
	Cadmium Concentration: Chromium Concentration: Lead Concentration: Nickel Concentration:	<1.8 mg/kg 90 - 120 mg/kg <100 mg/kg 15 - 30 mg/kg				
	BGS Estimated Soil Source: Soil Sample Type: Arsenic Concentration: Cadmium Concentration: Chromium Concentration: Lead Concentration: Nickel Concentration:	British Geological Survey, National Geoscience Information Service Rural Soil <15 mg/kg <1.8 mg/kg 60 - 90 mg/kg	C3SE (E)	0	1	489000 378346
	BGS Estimated Soil Source: Soil Sample Type: Arsenic Concentration: Cadmium Concentration: Chromium Concentration: Lead Concentration: Nickel Concentration:	British Geological Survey, National Geoscience Information Service Rural Soil <15 mg/kg <1.8 mg/kg 40 - 60 mg/kg	C4SW (SE)	0	1	489244 378064
	BGS Estimated Soil	Chemistry				
	Source: Soil Sample Type: Arsenic Concentration: Cadmium Concentration: Chromium Concentration: Lead Concentration: Nickel Concentration:	British Geological Survey, National Geoscience Information Service Rural Soil <15 mg/kg <1.8 mg/kg 40 - 60 mg/kg	C3NE (E)	74	1	488999 378515
	BGS Measured Urba No data available	an Soil Chemistry				
	BGS Urban Soil Che	emistry Averages				
	Coal Mining Affecte In an area that might	not be affected by coal mining				
	Non Coal Mining Ar No Hazard	eas of Great Britain				
	Potential for Collaps Hazard Potential: Source:	sible Ground Stability Hazards Very Low British Geological Survey, National Geoscience Information Service	C3SW (NE)	0	1	488567 378346
	Potential for Compr Hazard Potential: Source:	essible Ground Stability Hazards No Hazard British Geological Survey, National Geoscience Information Service	C3SW (NE)	0	1	488567 378346
	Potential for Ground Hazard Potential: Source:	d Dissolution Stability Hazards  No Hazard  British Geological Survey, National Geoscience Information Service	C3SW (NE)	0	1	488567 378346
	Potential for Landsl Hazard Potential: Source:	ide Ground Stability Hazards  Very Low  British Geological Survey, National Geoscience Information Service	C3SW (NE)	0	1	488567 378346



# **Geological**

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR	
	Potential for Runni	ng Sand Ground Stability Hazards					
	Hazard Potential: Source:	No Hazard British Geological Survey, National Geoscience Information Service	C3SW (NE)	0	1	488567 378346	
	Potential for Runni	ng Sand Ground Stability Hazards					
	Hazard Potential: Source:	Very Low British Geological Survey, National Geoscience Information Service	C4SW (SE)	0	1	489244 378064	
	Potential for Runni	ng Sand Ground Stability Hazards					
	Hazard Potential: Source:	Very Low British Geological Survey, National Geoscience Information Service	C3NE (E)	74	1	488999 378515	
	Potential for Runni	ng Sand Ground Stability Hazards					
	Hazard Potential: Source:	Very Low British Geological Survey, National Geoscience Information Service	C4NW (E)	153	1	489470 378434	
	Potential for Shrink	king or Swelling Clay Ground Stability Hazards					
	Hazard Potential: Source:	Low British Geological Survey, National Geoscience Information Service	C3SW (NE)	0	1	488567 378346	
	Radon Potential - Radon Affected Areas						
	Affected Area: Source:	The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level).  British Geological Survey, National Geoscience Information Service	C3SW (NE)	0	1	488567 378346	
		Radon Potential - Radon Protection Measures					
		No radon protection measures  No radon protective measures are necessary in the construction of new dwellings or extensions  British Geological Survey, National Geoscience Information Service	C3SW (NE)	0	1	488567 378346	

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 10 of 19



## **Industrial Land Use**

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
18	Contemporary Trade Directory Entries  Name: Brumfield Engineering Location: Unit 8, Old Park, Sturton Road, Lincoln, LN1 2PQ Classification: Engineering Services Status: Inactive Positional Accuracy: Automatically positioned to the address	C3NE (NE)	110	-	488919 378561
18	Contemporary Trade Directory Entries  Name: Pauls Sheet Metal & Fabrications Location: The Old Park, Ingleby, Lincoln, LN1 2PQ Classification: Sheet Metal Work Status: Inactive Positional Accuracy: Automatically positioned to the address	C3NE (NE)	143	-	488912 378595
18	Contemporary Trade Directory Entries  Name: Jays Auto Tints Location: The Bungalow, Ingleby, Lincoln, LN1 2PQ Classification: Window Tinting Status: Inactive Positional Accuracy: Automatically positioned to the address	C3NE (NE)	179	-	488922 378630
19	Points of Interest - Manufacturing and Production  Name: Tanks Location: LN1 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	C3SW (SE)	82	7	488676 378118
19	Points of Interest - Manufacturing and Production  Name: Tank Location: LN1 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	C3SW (SE)	84	7	488681 378135
20	Points of Interest - Public Infrastructure  Name: Reedman Services Ltd Location: Ingleby, Lincoln, LN1 2PQ Category: Water Class Code: Rivers and Canal Organisations and Infrastructure Positional Accuracy: Positioned to address or location	C3NE (NE)	143	7	488927 378594
20	Points of Interest - Public Infrastructure  Name: Reedman Services Ltd Location: The Bungalow, Ingleby, Lincoln, LN1 2PQ Category: Water Class Code: Rivers and Canal Organisations and Infrastructure Positional Accuracy: Positioned to address or location	C3NE (NE)	179	7	488922 378630

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 11 of 19



## **Sensitive Land Use**

Map ID	Details		Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Nitrate Vulneral	ble Zones				
21	Name: Description: Source:	Fossdyke Canal Nvz Surface Water Environment Agency, Head Office	C3SW (NE)	0	2	488567 378346
	Nitrate Vulneral	ble Zones				
22	Name: Description: Source:	Lower Witham Nvz Surface Water Environment Agency, Head Office	C3SW (E)	0	2	488722 378386
	Nitrate Vulneral					
23	Name: Description: Source:	R Trent From Carlton-On-Trent To Laughton Drain Nvz Surface Water Environment Agency, Head Office	C1SW (W)	206	2	487388 378271

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 12 of 19



Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices		
Environment Agency - Head Office	June 2020	Annually
West Lindsey District Council - Environmental Health Department	September 2017	Annual Rolling Update
Discharge Consents		
Environment Agency - Anglian Region	July 2021	Quarterly
Environment Agency - Midlands Region	July 2021	Quarterly
Enforcement and Prohibition Notices		
Environment Agency - Anglian Region	March 2013	
Integrated Pollution Controls		
Environment Agency - Anglian Region	January 2009	
Integrated Pollution Prevention And Control		
Environment Agency - Anglian Region	July 2021	Quarterly
Local Authority Integrated Pollution Prevention And Control		
West Lindsey District Council - Environmental Health Department	November 2014	Variable
Local Authority Pollution Prevention and Controls		
West Lindsey District Council - Environmental Health Department	November 2014	Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements		
West Lindsey District Council - Environmental Health Department	November 2014	Variable
Nearest Surface Water Feature		
Ordnance Survey	August 2021	
Pollution Incidents to Controlled Waters	, tagast 2021	
Environment Agency - Midlands Region	December 1999	
Environment Agency - Anglian Region	September 1999	
Prosecutions Relating to Authorised Processes	Coptomical 1000	
Environment Agency - Anglian Region	July 2015	
	July 2013	
Prosecutions Relating to Controlled Waters Environment Agency - Anglian Region	March 2013	
	Maich 2013	
Registered Radioactive Substances	luna 2040	A
Environment Agency - Anglian Region	June 2016	Annually
River Quality		
Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points		
Environment Agency - Head Office	April 2012	Annually
River Quality Chemistry Sampling Points		
Environment Agency - Head Office	April 2012	Annually
Substantiated Pollution Incident Register		
Environment Agency - Anglian Region - Northern Area	July 2021	Quarterly
Water Abstractions		
Environment Agency - Anglian Region	July 2021	Quarterly
Environment Agency - Midlands Region	July 2021	Quarterly
Water Industry Act Referrals		
Environment Agency - Anglian Region	October 2017	Quarterly
Groundwater Vulnerability Map		
Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations		
Environment Agency - Head Office	January 2018	Annually
Superficial Aquifer Designations		
Environment Agency - Head Office	January 2018	Annually
Source Protection Zones		_
Environment Agency - Head Office	May 2021	Bi-Annually

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 13 of 19



Agency & Hydrological	Version	Update Cycle
Extreme Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	September 2021	Quarterly
Flooding from Rivers or Sea without Defences	_	
Environment Agency - Head Office	September 2021	Quarterly
Areas Benefiting from Flood Defences		
Environment Agency - Head Office	September 2021	Quarterly
Flood Water Storage Areas		
Environment Agency - Head Office	September 2021	Quarterly
Flood Defences		
Environment Agency - Head Office	September 2021	Quarterly
OS Water Network Lines		
Ordnance Survey	July 2021	Quarterly
Surface Water 1 in 30 year Flood Extent		
Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 100 year Flood Extent		
Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 1000 year Flood Extent		
Environment Agency - Head Office	May 2018	Annually
Surface Water Suitability		
Environment Agency - Head Office	February 2016	Annually
BGS Groundwater Flooding Susceptibility		
British Geological Survey - National Geoscience Information Service	May 2013	Annually
Waste	Version	Update Cycle
BGS Recorded Landfill Sites		
British Geological Survey - National Geoscience Information Service	November 2002	Not Applicable
Historical Landfill Sites		
Environment Agency - Head Office	May 2021	Quarterly
Integrated Pollution Control Registered Waste Sites		
Environment Agency - Anglian Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries)		
Environment Agency - Anglian Region - Northern Area	July 2021	Quarterly
Licensed Waste Management Facilities (Locations)		
Environment Agency - Anglian Region - Northern Area	July 2021	Quarterly
Local Authority Landfill Coverage		
Lincolnshire County Council	February 2003	Not Applicable
West Lindsey District Council - Environmental Health Department	February 2003	Not Applicable
Local Authority Recorded Landfill Sites		
Lincolnshire County Council	October 2018	
West Lindsey District Council - Environmental Health Department	October 2018	
Potentially Infilled Land (Non-Water)		
Landmark Information Group Limited	December 1999	Not Applicable
Potentially Infilled Land (Water)		
_andmark Information Group Limited	December 1999	
Registered Landfill Sites		
Environment Agency - Anglian Region - Northern Area	March 2006	Not Applicable
Registered Waste Transfer Sites		
Environment Agency - Anglian Region - Northern Area	April 2018	
Registered Waste Treatment or Disposal Sites		

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 14 of 19



Hazardous Substances	Version	Update Cycle	
Control of Major Accident Hazards Sites (COMAH)			
Health and Safety Executive	April 2018	Bi-Annually	
Explosive Sites	March 0047	A	
Health and Safety Executive	March 2017	Annually	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001		
Planning Hazardous Substance Enforcements	August 2001		
Lincolnshire County Council - Highways and Planning Department	August 2010	Variable	
West Lindsey District Council	February 2016	Variable	
Planning Hazardous Substance Consents			
Lincolnshire County Council - Highways and Planning Department	August 2007	Variable	
West Lindsey District Council	February 2016	Variable	
Geological	Version	Update Cycle	
BGS 1:625,000 Solid Geology			
British Geological Survey - National Geoscience Information Service	January 2009	Not Applicable	
BGS Estimated Soil Chemistry			
British Geological Survey - National Geoscience Information Service	December 2015	Annually	
BGS Recorded Mineral Sites	M 0004	D' Assesselles	
British Geological Survey - National Geoscience Information Service	May 2021	Bi-Annually	
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011	As notified	
Coal Mining Affected Areas	August 2011	As notined	
The Coal Authority - Property Searches	March 2014	Annual Rolling Updat	
Mining Instability		3 2 7 7 7	
Ove Arup & Partners	June 1998	Not Applicable	
Non Coal Mining Areas of Great Britain			
British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable	
Potential for Collapsible Ground Stability Hazards			
British Geological Survey - National Geoscience Information Service	April 2020	Annually	
Potential for Compressible Ground Stability Hazards			
British Geological Survey - National Geoscience Information Service	January 2019	Annually	
Potential for Ground Dissolution Stability Hazards			
British Geological Survey - National Geoscience Information Service	January 2019	Annually	
Potential for Landslide Ground Stability Hazards	January 0040	A	
British Geological Survey - National Geoscience Information Service	January 2019	Annually	
Potential for Running Sand Ground Stability Hazards  British Geological Survey - National Geoscience Information Service	January 2019	Annually	
Potential for Shrinking or Swelling Clay Ground Stability Hazards	January 2019	Aillually	
British Geological Survey - National Geoscience Information Service	January 2019	Annually	
Radon Potential - Radon Affected Areas	January 2010	, and daily	
British Geological Survey - National Geoscience Information Service	July 2011	Annually	
Radon Potential - Radon Protection Measures			
British Geological Survey - National Geoscience Information Service	July 2011	Annually	

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 15 of 19



Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries		
Thomson Directories	July 2021	Quarterly
Fuel Station Entries		
Catalist Ltd - Experian	August 2021	Quarterly
Gas Pipelines		
National Grid	October 2021	Annually
Points of Interest - Commercial Services		
PointX	September 2021	Quarterly
Points of Interest - Education and Health		
PointX	September 2021	Quarterly
Points of Interest - Manufacturing and Production		
PointX	September 2021	Quarterly
Points of Interest - Public Infrastructure		
PointX	September 2021	Quarterly
Points of Interest - Recreational and Environmental		
PointX	September 2021	Quarterly
Underground Electrical Cables		
National Grid	May 2021	Annually

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 16 of 19



Sensitive Land Use	Version	Update Cycle
Ancient Woodland		
Natural England	February 2021	Bi-Annually
Areas of Adopted Green Belt		
West Lindsey District Council	October 2020	Quarterly
Areas of Unadopted Green Belt		
West Lindsey District Council	October 2020	Quarterly
Areas of Outstanding Natural Beauty		
Natural England	January 2021	Bi-Annually
Environmentally Sensitive Areas		
Natural England	January 2017	
Forest Parks		
Forestry Commission	April 1997	Not Applicable
Local Nature Reserves		
Natural England	February 2021	Bi-Annually
Marine Nature Reserves		
Natural England	July 2019	Bi-Annually
National Nature Reserves		
Natural England	January 2021	Bi-Annually
National Parks		
Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas		
Natural England	April 2016	Not Applicable
Nitrate Vulnerable Zones		
Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA)	April 2016	
Environment Agency - Head Office	June 2017	Bi-Annually
Ramsar Sites		
Natural England	August 2020	Bi-Annually
Sites of Special Scientific Interest		
Natural England	February 2021	Bi-Annually
Special Areas of Conservation		
Natural England	July 2020	Bi-Annually
Special Protection Areas		
Natural England	February 2021	Bi-Annually

Order Number: 287331844\_1\_1 Date: 04-Nov-2021 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 17 of 19



# **Data Suppliers**

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	Mop dists
Environment Agency	Environment Agency
Scottish Environment Protection Agency	SEPA
The Coal Authority	The Coal Authority
British Geological Survey	British Geological Survey MATURAL ENVIRONMENT RESEARCH COUNCIL
Centre for Ecology and Hydrology	Centre for Ecology & Hydrology
Natural Resources Wales	Cydoeth Hoturiol Cyrru Hoturiol Hoturioles
Scottish Natural Heritage	SCOTTISH NATURAL HERITAGE WAR
Natural England	NATURAL ENGLAND
Public Health England	Public Health England
Ove Arup	ARUP
Stantec UK Ltd	Stantec



## **Useful Contacts**

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service  British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
3	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
4	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
5	West Lindsey District Council - Environmental Health Department The Guildhall, Caskgate Street, Gainsborough, Lincolnshire, DN21 2DH	Telephone: 01427 676676 Fax: 01427 810623 Website: www.west-lindsey.gov.uk
6	Lincolnshire County Council 4th Floor, City Hall, Lincoln, Lincolnshire, LN1 1DN	Telephone: 01522 552222 Fax: 01522 552288 Email: PublicRelations@lincolnshire.gov.uk Website: www.lincolnshire.gov.uk
7	PointX 7 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Website: www.pointx.co.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

## Geology 1:50,000 Maps Legends

## Superficial Geology

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	ALV	Alluvium	Clay, Silt, Sand and Gravel	Not Supplied - Holocene
	TILMP	Till, Mid Pleistocene	Diamicton	Not Supplied - Cromerian
	GFDMP	Glaciofluvial Deposits, Mid Pleistocene	Sand and Gravel	Not Supplied - Cromerian
	RTDU	River Terrace Deposits (Undifferentiated)	Sand and Gravel	Not Supplied - Quaternary

#### Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	CHAM	Charmouth Mudstone Formation	Mudstone	Not Supplied - Sinemutian
	SMD	Sounthorpe Mudstone Formation	Mudstone and Limestone, Interbedded	Not Supplied - Rhaetian



### Geology 1:50,000 Maps

This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1.50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.


The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

## Geology 1:50,000 Maps Coverage

Map ID:
Map Sheet No:
Map Name:
Map Dahr,
Sedrock Geology:
Raperficial Geology:
Artificial Geology:
Faults
Landwitp:
Rock Segments:

Market Rasen 1909 Available Available Not Available Not Available Not Available Not Supplied

### Geology 1:50,000 Maps - Slice C





### Order Details:

Order Number: Customer Reference: National Grid Reference: Slice: Site Area (Ha):

Site Area (Ha): Search Buffer (m):

Site Details: West Burlon 2

Landmark


Tal 0844 Fax 0844 York www.

287331844\_1\_1 21-1098.02

488570, 378350

331 04

0844 544 9052 0844 844 9951 www.envitocheck.co.uk





#### Artificial Ground and Landslip

Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity, information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.

#### Artificial ground includes:

- Made ground man-made deposits such as embankments and spoil heaps on the natural ground surface.
- Worked ground areas where the ground has been cut away such as quarties and road cuttings.
- Infilled ground areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground areas where the surface has been reshaped.
   Disturbed ground areas of ill-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

### Artificial Ground and Landslip Map - Slice C



### Order Details:


Order Number: Customer Reference: National Orid Reference: Slice: Site Area (Ha): Search Buffer (m): 287331844\_1\_1 21-1098.02 488570, 378350 C 331.04

Site Details: West Burlon 2

Landmark

Tel: 0844-844-9952 Fax: 0844-844-9951 Web: www.envitricheck.co.uk

v15.0 04-Nov-2021 Page 2 of 5






### Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, sit and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

## Superficial Geology Map - Slice C



### Order Details:

Order Number: Customer Reference: National Orid Reference: Slice: Site Area (Ha): Search Buffer (m): 287331844\_1\_1 21-1098.02 488570, 378350 C 331.04

Site Details:


West Burton 2

Landmark

lat 0844 544 9052 9x 0844 844 9951 9db www.anvincheck.co.uk

v15.0 04-Nov-2021

Page 3 of 5





#### Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water:

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Plicoene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but out across the strata and post data its deposition.

## Bedrock and Faults Map - Slice C



### Order Details:

Order Number: Customer Reference: National Grid Reference: Slice: Site Area (Ha): Search Buffer (m):

Reference: 488570, 378350 C 331 04 (ml): 250

287331844\_1\_1 21-1096.02


Site Details: West Burton 2

Landmark

lat 0844 544 9052 9X 0844 844 9951 Web www.anvincheck.co.uk

v15.0 04-Nov-2021

Page 4 of 5





#### Combined Surface Geology

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.


#### Additional Information

More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'information and Data' link on the BGS website.

#### Contact

British Geological Survey Kingsley Dunham Centre Keyworth Notingham NG12 5GG Telephone: 0115 936 3143 Fax: 0115 936 3276 email: enquiries@gogs ac.uk website: www.bgs ac.uk

## Combined Geology Map - Slice C



### Order Details:

Order Number: Customer Reference: National Orid Reference: Slice: Site Area (Ha): Search Buffer (m):

488570, 378350 C 331 04 250

287331844\_1\_1 21-1098.02

Site Details:


West Burton 2

Landmark

lei 0844-544-9052 3x 0844-844-9951 0xb www.arv/morbeck.co.uk

v15.0 04-Nov-2021

Page 5 of 5





## **Index Map**

For ease of identification, your site and buffer have been split into Slices, Segments and Quadrants. These are illustrated on the Index Map opposite and explained further below.

#### Slice

Each slice represents a 1:10,000 plot area (2.7km x 2.7km) for your site and buffer. A large site and buffer may be made up of several slices (represented by a red outline), that are referenced by letters of the alphabet, starting from the bottom left corner of the slice "grid". This grid does not relate to National Grid lines but is designed to give best fit over the site and buffer.

#### Seament

A segment represents a 1:2,500 plot area. Segments that have plot files associated with them are shown in dark green, others in light blue. These are numbered from the bottom left hand corner within each slice.

## Quadrant

A quadrant is a quarter of a segment. These are labelled as NW, NE, SW, SE and are referenced in the datasheet to allow features to be quickly located on plots. Therefore a feature that has a quadrant reference of A7NW will be in Slice A, Segment 7 and the NW Quadrant.

A selection of organisations who provide data within this report:









Envirocheck reports are compiled from 136 different sources of data.

## **Client Details**

Mr A Howells, Delta Simons, 3 Henley Office Park, Doddington Road, Lincoln, LN6 3QR

## **Order Details**

Order Number: 287331844\_1\_1
Customer Ref: 21-1098.02
National Grid Reference: 489180, 377430

Site Area (Ha): 331.04 Search Buffer (m): 250

## **Site Details**

West Burton 2

Full Terms and Conditions can be found on the following link: http://www.landmarkinfo.co.uk/Terms/Show/515



Tel: 0844 844 9952 Fax: 0844 844 9951 Web: www envirocheck co uk

A Landmark Information Group Service v50.0 04-Nov-2021 Page 1 of 1

