Cottam Solar Project

Environmental Statement:

Appendix 8.3 Potential Visual Effects

Prepared by: Lanpro January 2023

PINS reference: EN010133 Document reference: C6.3.8.3 APFP Regulation 5(2)(a)





Contents

- 8.3.1 VIEWPOINT OVERVIEW [EN010133/APP/C6.3.8.3.1]
- 8.3.2 INDIVIDUAL VIEWPOINT RECEPTOR SHEETS [EN010133/APP/C6.3.8.3.2]
- 8.3.3 INDIVIDUAL RESIDENTIAL RECEPTOR SHEETS [EN010133/APP/C6.3.8.3.3]
- 8.3.4 INDIVIDUAL TRANSPORT RECEPTOR SHEETS [EN010133/APP/C6.3.8.3.4]
- 8.3.5 INDIVIDUAL PROW RECEPTOR SHEETS [EN010133/APP/C6.3.8.3.5]

Viewpoint	Location	Co-ore	dinates	Distance to Site (m) (distance to nearest site boundary)	Represented Visual Receptors Eg, road, PRoW, Residential	Yes / No	ulative Sites (List ich Sites)	Deve Ye	nulative lopments s / No ch Features)	Field of view (90,180 or 360 Degree)	Photograph Yes / No	Quadrant	Photomontage Yes / No	AVR Level
1	Tillbridge Lane	495419.484	378364.362	4.02km	Road, Vantage Point	Yes	All	Yes	Cottam PS & West Burton PS & WB Solar	180	Yes	C1-SE	Yes	AVR 1
2	Scmp/195/2	493860.094	378854.825	2.5km	PRoW	No	n/a	No	n/a	180	Yes	C1-SE	No	Annotated baseline photo. Scope out
3	Scmp/31/1	491140.541	379645.244	1.02km	PRoW	No	n/a			360	Yes	C1-SW	No	Annotated baseline photo Scope out
4	Thorpe Lane, Local Bridge	492072.194	380644.197	5m	Road	No	n/a	Yes	WB Solar	360	Yes	C1-SE	Yes	AVR3
5	TLFe/31/2	491557.426	380679.32	Om	Road	No	n/a	No	n/a	360	Yes	C1-SW	Yes	AVR3
6	Thorpe Lane	491225.185	380731.352	38.7m	Road, Residential	No	n/a	No	n/a	360	Yes	C1-SW	Yes	AVR3
7	TLFe/32/1	490511.562	380652.148	9.1m	Road	No	n/a	No	n/a	360	Yes	C1-SW	Yes	AVR3
8	Stur/80/1	490092.694	380609.052	416.7m	PRoW	No	n/a	No	n/a	360	Yes	C1-SW	Yes	Annotated baseline photo. Scope out
9	Fleets Road, Stur/79/1	489363.428	380543.63	1143.5m	Road	No	n/a	No	n/a	n/a	Yes	C1-SW	No	Annotated baseline photo. Scope out
10	Stur/73/1	489959.305	380543.63	40m	Road, PRoW	No	n/a	No	n/a	360	Yes	C1-SW	Yes	AVR3
11	TLFe/31/2	491486.477	381322.598	0m	PRoW	No	n/a	No	n/a	90	Yes	C1-SW	Yes	Annotated baseline photo.
12	Camm/31/1	491406.094	382043.8	14.7m	PRoW	No	n/a	No	n/a	180	Yes	C1-SW	Yes	Annotated baseline photo.
13	Fleets Lane, Stow Pasture	489796.401	382096.138	0m	Road	No	n/a	No	n/a	90	Yes	C1-SW	Yes	Annotated baseline photo.
14	Ingham Road	489527.618	382096.138	11.7m	Road	No	n/a	Yes	West Burton PS	90	Yes	C1-SW	Yes	AVR3
15	Squire's Bridge	490397.706	382378.984	39.4m	Road	No	n/a	Yes	Cottam PS	360	Yes	C1-SW	Yes	Annotated baseline photo.
16	Bridleway Camm/31/1 and Ingham Road, Furze Hill	490819.018	382442.451	396.8m	Road	No	n/a	Yes	Cottam PS & West Burton PS	180	Yes	C1-SW	Yes	AVR3
17	Stow/83/1	490510.71	382821.867	250.2m	PRoW	No	n/a	No	n/a	180	Yes	C1-SW	Yes	AVR3
18	St Edith's Church and Coates Hill	490829.632	383046.2	652.7m	Residential	No	n/a	No	n/a	180	Yes	C1-SW	Yes	AVR3
19	Bridge over River Till	489364.15	382929.939	1.8m	PRoW	No	n/a	No	n/a	90	Yes	C1-SW	Yes	AVR3
20	Normanby Road	488241.321	382936.139	11.2m	Road	Yes	C1 and C2	No	n/a	90	Yes	C1-SW	Yes	AVR3
21	Stow/83/1	492537.094	383603.835	0m	PRoW	No	n/a	No	n/a	360	Yes	C1-SE	Yes	AVR3
22	Ingh/27/5	492839.906	383067.011	424.3m	PRoW	No	n/a	No	n/a	180	Yes	C1-SE	Yes	AVR 1
23	Ingh/27/5 and Ingham Road	492869.227	382672.081	117.7m	Road	No	n/a	Yes	Cottam PS & West	180	Yes	C1-SE	Yes	AVR3
24	B1398	494804.942	381860.858	1.5km	Road	No	n/a	No	n/a	n/a	Yes	C1-SE	Yes	Annotated baseline photo. Scope out
25	Stow Lane and Lincoln Road Crossroads	494921.433	382797.156	1.6km	Road	No	n/a	No	Cottam PS	180	Yes	C1-SE	No	Annotated baseline photo. Scope out
26	Ingh/24/2	494314.387	383715.717	1.1km	Road, Residential	No	n/a	No	n/a	180	Yes	C1-SE	Yes	AVR1

Viewpoint	Location	Co-ore	dinates	Distance to Site (m) (distance to nearest site boundary)	Represented Visual Receptors Eg, road, PRoW, Residential	Yes / No	nulative Sites D (List hich Sites)	Deve Ye	nulative lopments es / No ich Features)	Field of view (90,180 or 360 Degree)	Photograph Yes / No	Quadrant	Photomontage Yes / No	AVR Level
27	Junction of Church Hill and the B1398	495717.952	383573.212	2.4km	PRoW	Yes	All	Yes	Cottam PS & West	180	Yes	C1-SE	No	Annotated baseline photo. Scope out
28	Junction of Ingh/18/2, Ingh/18/1, Ingh/17/1 and	494754.677	384250.495	1.3km	PRoW	Yes	C1, C3 and C3b	No	n/a	180	Yes	C1-NE	No	Annotated baseline photo. Scope out
29	Ingh/17/2 just off of B1398:	495651.361	384336.638	2.2km	Road	Yes	All	Yes	West Burton PS	180	Yes	C1-NE	Yes	AVR 1
30	Junction of High Street and the B1398	495503.726	385842.159	1.9km	Road	Yes	All	No	n/a	180	Yes	C1-NE	Yes	AVR 1
31	Fill/87/1 Just of Willingham Road	494672.679	385292.36	1.3km	Road	No	n/a	No	n/a	n/a	Yes	C1-NE	Yes	Annotated baseline photo. Scope out
32	Fill/86/1	493420.739	384840.108	0km	Road	No	n/a	No	n/a	90	Yes	C1-NE	Yes	AVR3
33	Fill/86/1 off Willingham Road	493348.442	385245.005	140m	Road	No	n/a	Yes	Cottam PS	90	Yes	C1-NE	Yes	AVR3
34	Fill/85/2	492753.16	385714.443	300.4m	PRoW	No	n/a	No	n/a	180	Yes	C1-NE	Yes	AVR1
35	Junction of Fill/85/1, Fill/85/2 and Fill/767/1	492518.553	385766.805	388.8m	PRoW	No	n/a	No	n/a	180	Yes	C1-NE	Yes	AVR1
36	Fill/767/1	492139.542	385700.373	18.6m	PRoW	No	n/a	No	n/a	180	Yes	C1-NE	Yes	AVR3
37	Junction of Gypsy Lane and Fillingham Lane	490482.814	385258.776	15.8m	Road	No	n/a	No	n/a	90	Yes	C1-NW	Yes	AVR3
38	South Lane	489814.276	384501.039	107.1m	Road	No	n/a	Yes	Cottam PS	180	Yes	C1-NW	Yes	AVR3
39	Junction of Cot Garth Lane and Stone Pit Lane	488433.302	384316.388	43.9m	Road, Residential	No	n/a	No	Cottam PS	180	Yes	C1-NW	Yes	AVR3
40	Junction of Fillingham Lane and Stone Pit Lane	488300.788	384670.032	357.9m	Road	Yes	C1 and C2	No	n/a	180	Yes	C1-NW	No	Annotated baseline photo. Scope out
41	Gltw/85/1 just off Kexby Road	492261.662	387137.371	574m	Road	Yes	C1, C3a and 3b	No	n/a	180	Yes	C1-NE	Yes	Annotated baseline photo. Scope out
42	Gltw/88/1	494733.355	387215.547	1.4km	Road	No	n/a	No	n/a	180	Yes	C1-NE	No	Annotated baseline photo. Scope out
43	Owmb/5/2 just off A15	496842.714	386801.051	3.3km	Road	No	n/a	No	n/a	n/a	Yes	C1-NE	No	Annotated baseline photo. Scope out
44	Junction off School Lane and Chapel Lane	487728.346	389815.546	1.7km	Road	Yes	All	No	n/a	n/a	Yes	C2-SW	Yes	Annotated baseline photo. Scope out
45	A361	489828.572	390811.981	1.1km	Road	Yes	C2, C3a and C3b	No	n/a	180	Yes	C2-SE	Yes	Annotated baseline photo. Scope out
46	Corringham Windmill	487934.901	390915.989	679m	Road	Yes	C2, C3a and C3b	Yes	Cottam PS & West	180	Yes	C2-SW	Yes	AVR1
47	Junction of Mill Mere Road and Pilham Lane	486474.533	391565.34	1.3km	Road	Yes	All	Yes	Cottam PS & West	180	Yes	C2-SW/C3-SW	Yes	AVR1
48	East Lane	487424.782	391590.817	352.6m	Road	Yes	C2, C3a and C3b	No	n/a	180	Yes	C2-SW/C3-SE	Yes	Annotated baseline photo. Scope out
49	East Lane	488129.283	391576.05	25.7m	Road	Yes	C2, C3a and C3b	Yes	Cottam PS & West	90	Yes	C2-SW/C3-SE	Yes	AVR3
50	Yawhthorpe	489641.418	391851.859	533.9m	Road	Yes	All	No	West Burton PS	180	Yes	C2-SE/C3-SE	Yes	AVR 1
51	wltn/13/1	492839.783	393065.76	3.9km	PRoW	Yes	All	No	n/a	360	Yes	C2-NE	Yes	AVR1
52	Pilham Lane	486386.146	392989.583	1.6km	Road	No	n/a	No	n/a	360	Yes	C2-NW/C3-SW	Yes	Annotated baseline photo. Scope out
53	Corr/22/1	487229.365	392659.248	695m	PRoW	Yes	C2, C3a and C3b	Yes	Cottam PS & West		Yes	C2-NW/C3-SE	No	Annotated baseline photo. Scope out
54	Bonsdale Lane just north of Corringham Beck	487968.783	392852.406	222m	Road	Yes	C2, C3a and C3b	No	West Burton PS	n/a	Yes	C2-NW/C3-SE	Yes	Annotated baseline photo. Scope out

Viewpoint	Location	Co-or	dinates	Distance to Site (m) (distance to nearest site boundary)	Represented Visual Receptors Eg, road, PRoW, Residential	Yes / N	nulative Sites o (List vhich Sites)	Deve Ye	mulative elopments es / No ich Features)	Field of view (90,180 or 360 Degree)	Photograph Yes / No	Quadrant	Photomontage Yes / No	AVR Level
55	Pilham Lane	486350.307	393926.914	389.4m	Road, Residential	Yes	C2, C3a and C3b	No	n/a	360	Yes	C2-NW/C3-SW	Yes	AVR 1
56	Pilh/20/1	486552.134	394160.826	99.2m	PRoW, Residential	Yes	C2, C3a and C3b	No	n/a	360	Yes	C2-NW/C3-SW	Yes	AVR3
57	Bonsdale Farm	487990.281	393967.328	368.2m	Road	Yes	C1, C2 and C3b	Yes	Cottam PS & West	360	Yes	C2-NWC3-C3-SE	Yes	AVR 1
58	Junction of Pilh/20/1 and Bonsdale Lane	488035.347	394353.615	0m	Road	Yes	All	Yes	West Burton PS	360	Yes	C2-NW/C3-SE	Yes	AVR3
59	Blyton Level Crossing	488027.55	394953.612	7.8m	Road	Yes	C3a and C3b	Yes	Cottam PS & West	360	Yes	C2-NW/C3-SE	Yes	AVR3
60	B1025 (Kirton Road)	487737.216	395275.786	1.8m	Road	Yes	C3a and C3b	Yes	ARDC & West	360	Yes	C2-NW/C3-NE	Yes	AVR3
61	B1025 (Kirton Road)	488089.981	395583.382	13m	Road	Yes	C3a and C3b	Yes	ARDC	360	No	C2-NW/C3-NE	Yes	3
62	B1025 (Kirton Road)	486096.784	395097.127	120m	Road	Yes	C2, C3a and C3b	No	n/a	180	Yes	C2-NW/C3-NW	Yes	AVR 1
63	A159 (Laughton Road)	485745.953	395842.397	48.5m	Road	No	n/a	No	n/a	90	Yes	C2-NW/C3-NW	Yes	AVR3
64	A159 (Laughton Road)	485971.797	397758.5	1.6km	Road	Yes	C2, C3a and C3b	No	n/a	180	Yes	C3-NW	No	Annotated baseline photo. Scope out
65	Scotton Common Nature Reserve	487335.526	398465.975	1.5km	Road	Yes	C3a and C3b	No	n/a	n/a	Yes	C3-NE	No	Annotated baseline photo. Scope out
66	Nthp/504/1	488214.991	397346.868	724m	Road	No	n/a	?	?	360	Yes	C3-NE	Yes	AVR 1
67	Monson Road	489513.185	396978.939	1.7km	Road	No	n/a	No	n/a	180	Yes	C3-NE	Yes	AVR 1
LCC-C-A	Ingham Road	488935.8381	382122.8053	401.6m	Road	Yes	C1 and C2	No	n/a	360	No	C1-SW	Yes	AVR 1
LCC-C-B	PROW Stur/72/3	488912.112	381474.8614	1029.5m	PRoW	Yes	C1, C2 and C3b	?	?	360	No	C1-SW	No	Scope out. Replace with LCC-C-C.
LCC-C-C	PROW Stur/73/1	489416.3886	381123.2881	580m	PRoW	Yes	C1, C2 and C3a	?	?	360	No	C1-SW	Yes	AVR1
LCC-C-D	Blackthorn Lane	493330.2337	382166.1129	31.2m	Road	No	n/a	?	?	180	Yes	C1-SE	Yes	AVR3
LCC-C-E	PROW Ingh/27/2	494565.0004	382904.1922	1.3km	PRoW	No	n/a	Yes	Cottam PS & West	180	Yes	C1-SE	Yes	AVR 1
LCC-C-F	PROW Ingh/24/1	493814.4307	384405.1063	379.2m	PRoW	No	n/a	?	?	360	Yes	C1-NE	Yes	AVR 1
LCC-C-G	PROW Fill/85/2	492862.3772	385260.9004	28m	PRoW	No	n/a	Yes	Cottam PS & West	90	Yes	C1-NE	Yes	AVR3
LCC-C-H	PROW Fill/767/1	492213.8595	385500.0549	49.1m	PRoW	No	n/a	No	n/a	90	Yes	C1-NE	No	Annotated baseline photo.
LCC-C-I	Willingham Road	491185.5962	385270.9016	7.3m	Road	No	n/a	Yes	Cottam PS	90	Yes	C1-NW	Yes	AVR3
LCC-C-J	Fillingham Lane	490288.522	385165.6902	36.4m	Road	No	n/a	No	n/a	90	Yes	C1-NW	Yes	AVR3
LCC-C-K	Fillingham Lane	488909.6574	384809.1896	420.3m	Road	No	n/a	Yes	Cottam PS & West	360	Yes	C1-NW	Yes	AVR1
LCC-C-L	B1398	495224.8654	387633.5489	2.04km	Road	No	n/a	Yes	Cottam PS	360	Yes	C1-NE	Yes	AVR1
LCC-C-M	Kexby Road	493712.0625	387493.5985	767m	Road	Yes	All	Yes	Cottam PS	n/a	Yes	C1-NE	Yes	Annotated baseline photo. Scope out
LCC-C-N	Glentworth Road	490386.1627	386466.8488	909.2m	Road	No	n/a	Yes	Cottam PS & West	n/a	Yes	C1-NW	Yes	Annotated baseline photo. Scope out
LCC-C-O	Glentworth Road	487836.7593	385769.1971	1.5km	Road	No	n/a	No	Cottam PS	n/a	Yes	C1-NW	No	Annotated baseline photo.
LCC-C-P	Corringham Beck	487450.5359	392339.439	320.5m	Road	Yes	C2, C3a and C3b	No	n/a	360	Yes	C2-NW	Yes	Scope out AVR 1

Viewpoint	Location	Co-ore	dinates	Distance to Site (m) (distance to nearest site boundary)	Represented Visual Receptors Eg, road, PRoW, Residential	Yes / No	ulative Sites (List hich Sites)	Develo Yes	ulative opments ; / No :h Features)	Field of view (90,180 or 360 Degree)	Photograph Yes / No	Quadrant	Photomontage Yes / No	AVR Level
LCC-C-Q	Junction at Temple Field Road and Yawthorpe Road	490064.9705	391482.8925	1.03km	Road	Yes	All	No	n/a	n/a	Yes	C2-SE	No	Annotated baseline photo. Scope out
LCC-C-R	A159	484763.4122	393878.5384	1.9km	Road	Yes	All	No	n/a	n/a	Yes	C3-SW	No	Annotated baseline photo. Scope out
LCC-C-S	PRoW Blyt/24/2	485740.0743	394354.3951	906m	PRoW	No	n/a	No	n/a	n/a	Yes	C3-SW	No	Annotated baseline photo. Scope out
LCC-C-T	Kirton Road	486213.8268	395116.803	5.4m	Road	Yes	C2, C3a and C3b	No	n/a	180	Yes	C3-NW	Yes	AVR3
LCC-C-U	PROW Blyt/32/1	485193.6798	395924.6746	587.2m	PRoW	No	n/a	No	n/a	n/a	Yes	C3-NW	No	Annotated baseline photo. Scope out
LCC-C-V	Dring Lane	485988.1715	396960.1986	1.25km	Road	No	n/a	No	West Burton PS	n/a	Yes	C3-NW	No	Annotated baseline photo. Scope out
LCC-C-W	Northorpe Road	489579.6137	397707.3248	2.04km	Road	No	n/a	No	n/a	n/a	Yes	C3-NE	No	Annotated baseline photo. Scope out
LCC-C-X	Scotton Nature Reserve				Road	No	n/a			n/a	Yes	C3-NE	No	Annotated baseline photo. Scope out

Viewpoint	Location	Bumble Bee Farm	Field Farm	Gate Burton Energy Farm	High Marnham Solar	Tillbridge Solar	West Burton	Potential Intervisibility	
1	Tillbridge Lane	N	Y	Y	Y	Y	Y		Cottam 1 is not visibile the
2	Scmp/195/2								
3	Scmp/31/1								
4	Thorpe Lane, Local Bridge	N	Ν	N	N	Y	Y	No	Though the cumulative d extensive zones of theore be noted that with effect visibility could be zero. Sp closest West Burton Site closed down by the inter in the distance. Similarly, and therefore has no pot Out.
5	TLFe/31/2	N	N	Y	N	Y	Y	No	Though the cumulative d extensive zones of theore be noted that with effect visibility could be zero. Sp Burton Site being approxi by the intervening field h distance. Similarly, Tillbri- therefore has no potentia 5.1km to the northwest of views of cumulative deve
6	Thorpe Lane	N	N	Y	N	Y	Y	No	Though the cumulative de extensive zones of theore be noted that with effect visibility could be zero. Sp Burton Site being approxi by intervening field hedge Similarly Tillbridge Solar i has no potential intervisil the northwest of the view cumulative development:
7	TLFe/32/1	N	N	N	N	Y	N	No	Though the cumulative de extensive zones of theore be noted that with effecti visibility could be zero. Sp Tillbridge Solar site being has no intervisibility. No v
8	Stur/80/1	N	Ν	N	N	Y	N		Cottam 1 is not visibile th
9	Fleets Road, Stur/79/1								

Potential Intervisibility Justification
ile therefore no potential cumulative intervisibility.
Already Scoped Out
Already Scoped Out
ive developments cover a significant surface area and therefore have heoretical visibility, with the case of ground-mounted solar panels it should effective screening and site-specific topography the area of theoretical ro. Specifically with viewpoint 4 at Local Bridge in Thorpe Lane, with the Site being approximately 1.6km to the south, views to the development is intervening field hedgerows and the vegetation bordering Tillbridge Lane larly, Tillbridge Solar is approximately 5.8km to the north of the viewpoint o potential intervisibility. No views of cumulative developments - Scope
ive developments cover a significant surface area and therefore have heoretical visibility, with the case of ground-mounted solar panels it should iffective screening and site-specific topography the area of theoretical ro. Specifically with viewpoint 5 at PROW TLFe/31/2, with the closest West proximately 1.5km to the south, views to the development is closed down eld hedgerows and the vegetation bordering Tillbridge Lane in the "illbridge Solar is approximately 5.75 km to the north of the viewpoint and tential intervisibility. Finally, Gate Burton Energy Farm is approximately vest of the viewpoint and therefore has no potential intervisibility. No developments - Scope Out.
ive developments cover a significant surface area and therefore have heoretical visibility, with the case of ground-mounted solar panels it should iffective screening and site-specific topography the area of theoretical ro. Specifically with viewpoint 6 at Thorpe Lane, with the closest West proximately 1.6km to the south, views to the development is closed down hedgerows and the vegetation bordering Tillbridge Lane in the distance. olar is approximately 5.7km to the north of the viewpoint and therefore ervisibility. Finally, Gate Burton Energy Farm is approximately 4.75km to e viewpoint and therefore has no potential intervisibility. No views of ments - Scope Out.
ive developments cover a significant surface area and therefore have heoretical visibility, with the case of ground-mounted solar panels it should offective screening and site-specific topography the area of theoretical ro. Specifically with viewpoint 7 at PRoW TLFe/32/1, with the closest being approximately 6km to the northeast of the viewpoint and therefore . No views of cumulative developments -Scope Out.
ile therefore no potential cumulative intervisibility.

Already Scoped Out

Viewpoint	Location	Bumble Bee Farm	Field Farm	Gate Burton Energy Farm	High Marnham Solar	Tillbridge Solar	West Burton	Potential Intervisibility	
10	Stur/73/1	N	N	N	N	Y	Y	No	Though the cumulative extensive zones of the be noted that with effe visibility could be zero. West Burton Solar site by intervening field hee Tillbridge Solar is appro potential intervisibility.
11	TLFe/31/2	N	N	Y	N	Y	Y	No	Though the cumulative extensive zones of theory be noted that with effe visibility could be zero. West Burton site being intervening field hedge solar is approximately 5 Finally, Gate Burton En and therefore has no in
12	Camm/31/1	Ν	Ν	Y	Ν	Y	Ν	No	Though the cumulative extensive zones of theo be noted that with effer visibility could be zero. Tillbridge Solar site is ap potential intervisibility. northwest of the viewp cumulative development
13	Fleets Lane, Stow Pasture	N	N	N	N	Y	N	No	Though the cumulative extensive zones of theo be noted that with effe visibility could be zero. closest Tillbridge Solar therefore has no poten
14	Ingham Road	Ν	Ν	Y	N	Y	Y		Cottam 1 is not visibile
15	Squire's Bridge	N	N	Y	N	Y	Y	No	Though the cumulative extensive zones of theo be noted that with effe visibility could be zero. Burton site is approxim down by the intervenin distance. Similarly, Tillb no potential intervisibil nrothwest of the viewp cumulative developmen
16	Bridleway Camm/31/1 and Ingham Road, Furze Hill	N	N	Y	N	Y	Y		Cottam 1 is not visibile
17	Stow/83/1	Ν	Ν	N	N	N	N		Cottam 1 is not visibile
18	St Edith's Church and Coates Hill	Ν	N	N	N	Y	Y		Cottam 1 is not visibile
19	Bridge over River Till	Ν	Ν	N	N	N	N	No	No views of cumulative

ive developments cover a significant surface area and therefore have heoretical visibility, with the case of ground-mounted solar panels it should effective screening and site-specific topography the area of theoretical ro. Specifically with viewpoint 10 at PRoW sTUR/73/1, with the closest ite being 2.5km to the southeast, views to the development is closed down hedgerows and the vegetation bordering Tillbridge Lane. Similarly, proximately 5.5km to the north east of the viewpoint and therefore has no ity. No views of cumulative developments - Scope Out.

ive developments cover a significant surface area and therefore have heoretical visibility, with the case of ground-mounted solar panels it should effective screening and site-specific topography the area of theoretical ro. Specifically with viewpoint 11 at PRoW TLFe/31/2, with the closest ing 2.15km to the south, views to the development is closed down by dgerows and the vegetation bordering Tillbridge Lane. Similarly, Tillbridge ely 5.10km to the north and therefore has no potential intervisibility. Energy Farm is approximately 4.7km to the northwest of the viewpoint o intervisibility. No views of cumulative developments - Scope Out.

ive developments cover a significant surface area and therefore have heoretical visibility, with the case of ground-mounted solar panels it should effective screening and site-specific topography the area of theoretical ro. Spcecifically with viewpoint 12 at PROW Camm/31/1, the closest is approximately 4.4km to the north of the viewpoint and therefore has no ity. Similarly, Gate Burton Energy Park is approximately 4.45km to the ewpoint and therefore has no potential intervisibility. No views of ments - Scope Out.

ive developments cover a significant surface area and therefore have heoretical visibility, with the case of ground-mounted solar panels it should effective screening and site-specific topography the area of theoretical ro. Specifically with viewpoint 13 at Stow Pasture on Fleets Lane, with the lar site is approximately 4.75km to the northeast of the viewpoint and tential intervisibility. No views of cumulative developments - Scope Out.

ile therefore no potential cumulative intervisibility.

ive developments cover a significant surface area and therefore have heoretical visibility, with the case of ground-mounted solar panels it should effective screening and site-specific topography the area of theoretical ro. Specifically with Viewpoint 15 at Squire's Bridge, the closest West ximately 3.33km to the southeast, views to the development is closed ening field hedgerows and the vegetation bordering Tillbridge Lane in the fillbridge Solar is approximately 4.2km to the northeast and therefore has sibility. Finally, Gate Burton Energy Farm is approximately 3.3km to the ewpoint and therefore has no potential intervisibility. No views of ments - Scope Out.

ile therefore no potential cumulative intervisibility.

ile therefore no potential cumulative intervisibility.

ile therefore no potential cumulative intervisibility.

tive developments - Scope Out.

Viewpoint	Location	Bumble Bee Farm	Field Farm	Gate Burton Energy Farm	High Marnham Solar	Tillbridge Solar	West Burton	Potential Intervisibility	
20	Normanby Road	N	Y	Y	Y	Y	Y	No	Though the cumulative extensive zones of theory be noted that with effer visibility could be zero. approximately 4.82km Farm Site and High Ma these Sites. The viewpor Farm (northwest of vie combined with the buil and therefore has no p approximately 2.25 km associated with the set intervisibility. No views
21	Stow/83/1	N	N	Y	N	Y	N	No	Though the cumulative extensive zones of theory be noted that with effer visibility could be zero. 5.3km from the closest the closest Tillbridge So has no potential intervi
22	Ingh/27/5	Ν	N	N	N	Y	Y		Cottam 1 is not visibile
23	Ingh/27/5 and Ingham Road	N	N	Y	N	Y	N		Cottam 1 is not visibile
24	B1398								
25	Stow Lane and Lincoln Road Crossroads								
26	Ingh/24/2								
27	Junction of Church Hill and the B1398								
28	Junction of Ingh/18/2, Ingh/18/1, Ingh/17/1 and Ingh/17/2								
29	Ingh/17/2 just off of B1398:	Y	Y	Y	N	Y	Y		Cottam 1 is not visibile
30	Junction of High Street and the B1398	Y	Y	Y	Y	Y	Y		Cottam 1 is not visibile
31	Fill/87/1 Just of Willingham Road								
32	Fill/86/1	N	N	Y	N	Y	Y	No	Though the cumulative extensive zones of theor be noted that with effer visibility could be zero. 1.9km from the closest surrounding Willinghar intervisibility. The close closest Gate Burton site potential intervisibility Scope Out.
33	Fill/86/1 off Willingham Road	Ν	N	Y	N	N	Y		Cottam 1 is not visibile
34	Fill/85/2	N	N	Y	N	Y	Y		Cottam 1 is not visibile
35	Junction of Fill/85/1, Fill/85/2 and Fill/767/1	Ν	N	N	N	Y	N		Cottam 1 is not visibile

ive developments cover a significant surface area and therefore have heoretical visibility, with the case of ground-mounted solar panels it should effective screening and site-specific topography the area of theoretical ro. Specifically with viewpoint 20 at Normanby Road, the viewpoint is cm to the closest Tillbridge Solar Site and over 10km to the closest Field Marnham Solar Scheme and therefore has no potential intervisibility to vpoint is approximately 1.1km to the closest site at Gate Burton Energy viewpoint), however, due to the thick hedgerow and strong vegetation poult form associated with West Farm. the development cannot be seen o potential intervisibility. The closest West Burton Solar site is km to the southwest, however due to the distance and built form settlement of Stow the site is not visible and therefore has no potential eves of cumulative developments - Scope Out.

ive developments cover a significant surface area and therefore have heoretical visibility, with the case of ground-mounted solar panels it should effective screening and site-specific topography the area of theoretical ro. Specifically with viewpoint 21 at PRoW Stow/83/1 being approximately est Gate Burton site and therefore has no potential intervisibility. Similarly, e Solar site is 3km from the viewpoint and therefore due to the distance ervisibility to these sites. No views of cumulative developments -Scope Out.

ile therefore no potential cumulative intervisibility.

ile therefore no potential cumulative intervisibility.

Already Scoped Out

ile therefore no potential cumulative intervisibility.

ile therefore no potential cumulative intervisibility.

Already Scoped Out

ive developments cover a significant surface area and therefore have heoretical visibility, with the case of ground-mounted solar panels it should effective screening and site-specific topography the area of theoretical ro. Specifically with viewpoint 32 at PRoW Fill/86/1 being approximately est Tillbridge Solar site however due to the densley planted vegetation ham Road the site is not visibile and therefore has no potential osest Well Burton site is approximately 6km from the viewpoint and the site is approximately 6.3km from the viewpoint and therefore has no ity into these two developments. No views of cumulative developments -

ile therefore no potential cumulative intervisibility.

ile therefore no potential cumulative intervisibility.

ile therefore no potential cumulative intervisibility.

			1	1		1	r		1
Viewpoint	Location	Bumble Bee Farm	Field Farm	Gate Burton Energy Farm	High Marnham Solar	Tillbridge Solar	West Burton	Potential Intervisibility	
36	Fill/767/1	Ν	N	N	N	Y	N	Yes	Though the cumulative extensive zones of theo be noted that with effe visibility could be zero. closest Tillbridge Solar
37	Junction of Gypsy Lane and Fillingham Lane	Ν	N	N	N	Y	N	No	Though the cumulative extensive zones of theory be noted that with effer visibility could be zero. Lane being apprimately and Fillingham Low Wo
38	South Lane	Ν	N	Y	Ν	Y	Y		Cottam 1 is not visibile
39	Junction of Cot Garth Lane and Stone Pit Lane	Ν	N	Y	Ν	N	Ν	No	Though the cumulative extensive zones of theory be noted that with effer visibility could be zero. Pit Lane being 1.6km to hedgerow to the wester the settlement of Willin therefore has no poten
40	Junction of Fillingham Lane and Stone Pit Lane								
41	Gltw/85/1 just off Kexby Road		N	N	Ν	Y	Y		Cottam 1 is not visibile
42	Gltw/88/1								
43	Owmb/5/2 just off A15								
44	Junction off School Lane and Chapel Lane	Ν	N	N	Ν	Y	Ν		Cottam 2 is not visibile
45	A361	Ν	N	N	Ν	Y	Ν		Cottam 2 is not visibile
46	Corringham Windmill	Ν	N	Y	Ν	Y	Ν		Cottam 2 is not visibile
47	Junction of Mill Mere Road and Pilham Lane								
48	East Lane	Ν	N	N	Ν	N	Ν		Cottam 2 is not visibile
49	East Lane	Ν	N	N	N	Y	Ν	No	Though the cumulative extensive zones of there be noted that with effer visibility could be zero. to the closest Tillbridge vegetation surrounding potential intervisibility
50	Yawhthorpe	Ν	N	N	Ν	Y	N		Cottam 2 is not visibile
51	wltn/13/1								
52	Pilham Lane								
53	Corr/22/1								

ive developments cover a significant surface area and therefore have heoretical visibility, with the case of ground-mounted solar panels it should effective screening and site-specific topography the area of theoretical ro. Specifically with viewpoint 36 at Fill/767/1 being 0.8km from the lar Site the development could be visible in the distance.

ive developments cover a significant surface area and therefore have heoretical visibility, with the case of ground-mounted solar panels it should effective screening and site-specific topography the area of theoretical ro. Specifically with viewpoint 37 at Junction of Gypsy Lane and Fillingham tely 1.6km Tillbridge Solar however views are closed down by Turpin Wood Wood. No views of cumulative developments -Scope Out.

ile therefore no potential cumulative intervisibility.

ive developments cover a significant surface area and therefore have heoretical visibility, with the case of ground-mounted solar panels it should effective screening and site-specific topography the area of theoretical ro. Specifically with viewpoint 39 at junction of Cot Garth Lane and Stone n to closest Gate Burton Solar Site. The view is closed down by strong estern side of Stone Pit Lane, built form associated with Woods Farm and fillingham by Stow closes down views to the Gate Burton Solar scheme and tential intervisibility. No views of cumulative developments -Scope Out.

Already Scoped Out

ile therefore no potential cumulative intervisibility.

Already Scoped Out

Already Scoped Out

ile therefore no potential cumulative intervisibility.

ile therefore no potential cumulative intervisibility.

ile therefore no potential cumulative intervisibility.

Already Scoped Out

ile therefore no potential cumulative intervisibility.

ive developments cover a significant surface area and therefore have heoretical visibility, with the case of ground-mounted solar panels it should effective screening and site-specific topography the area of theoretical ro. Specifically with viewpoint 49 at East Lane being approximately 1.3km dge Solar Site. Due to the distance, interveing field hedgerows and ling A631, the development will not be visible in view and therefore has no ity. No views of cumulative developments - Scope Out.

ile therefore no potential cumulative intervisibility.

Already Scoped Out

Already Scoped Out

Already Scoped Out

	1 1				1			1	
Viewpoint	Location	Bumble Bee Farm	Field Farm	Gate Burton Energy Farm	High Marnham Solar	Tillbridge Solar	West Burton	Potential Intervisibility	
54	Bonsdale Lane just north of Corringham Beck	Ν	N	N	N	N	N		Cottam 2 is not visibile
55	Pilham Lane	Ν	Ν	Y	N	Y	N		Cottam 2 is not visibile
56	Pilh/20/1	N	N	N	N	Y	N	No	Though the cumulative extensive zones of the be noted that with effe visibility could be zero. 3.2km away from the c Pilham and Corringham no potential intervisibil
57	Bonsdale Farm	N	N	Y	N	Y	N		Cottam 2 is not visibile
58	Junction of Pilh/20/1 and Bonsdale Lane	N	N	Y	N	Y	N	No	Though the cumulative extensive zones of the be noted that with effe visibility could be zero. Lane being approximat Solar Site and thereford cumulative developme
59	Blyton Level Crossing	Ν	N	N	N	Y	N	No	Though the cumulative extensive zones of theorem be noted that with effer visibility could be zero. from the closest site at intervening field hedge visible and therefore has Scope Out.
60	B1025 (Kirton Road)	Ν	N	N	N	Y	N	No	Though the cumulative extensive zones of ther be noted that with effer visibility could be zero. 4.7km from the closest railway the developme of cumulative develop
61	B1025 (Kirton Road)	N	N	Y	N	Y	N	No	Though the cumulative extensive zones of the be noted that with effe visibility could be zero. 4.7km from the closest Burton Solar site. Due f and therefore has no p Out.
62	B1025 (Kirton Road)	N	N	N	N	Y	N	No	Though the cumulative extensive zones of the be noted that with effe visibility could be zero. 4.2km away from the c associated with the set intervisibility. No views

ile therefore no potential cumulative intervisibility.

ile therefore no potential cumulative intervisibility.

ive developments cover a significant surface area and therefore have heoretical visibility, with the case of ground-mounted solar panels it should effective screening and site-specific topography the area of theoretical ro. Specifically with viewpoint 56 at PRoW Pilh/20/1 being approximately e closest Tillbridge Solar site, however, due to built form associated with ham combined with the distance, closes down the views and therefore has sibility. No views of cumulative developments - Scope Out.

ile therefore no potential cumulative intervisibility.

ive developments cover a significant surface area and therefore have heoretical visibility, with the case of ground-mounted solar panels it should effective screening and site-specific topography the area of theoretical ro. Specifically with viewpoint 58 at junction of Pilh/20./1 and Bonsdale nately 3.6km from Tillbridge Solar and 8.75km to the closest Gate Burton fore has no potential intervisibility due to the distance. No views of ments - Scope Out.

ive developments cover a significant surface area and therefore have heoretical visibility, with the case of ground-mounted solar panels it should effective screening and site-specific topography the area of theoretical ro. Specifically with viewpoint 59 at Blyton Level Crossing being 4.3km e at Tillbridge Solar, however, due to the distance combined with dgerows and vegetation associated with Bonsdale Farm the scheme is not e has no potential intervisibility. No views of cumulative developments -

ive developments cover a significant surface area and therefore have heoretical visibility, with the case of ground-mounted solar panels it should iffective screening and site-specific topography the area of theoretical ro. Specifically with viewpoint 60 at Kirton Road being approximately est Tillbridge Solar site. Due to distance and vegetation associated with the ment is not in view and therefore has no potential intervisibility. No views opments - Scope Out.

ive developments cover a significant surface area and therefore have heoretical visibility, with the case of ground-mounted solar panels it should effective screening and site-specific topography the area of theoretical ro. Specifically with viewpoint 61 at Kirton Road being approximately est Tillbridge Solar site and approximately 9.9km to the closest Gate ue to the distance and intervening hedgerows both schemes are not visible o potential intervisibility. No views of cumulative developments - Scope

ive developments cover a significant surface area and therefore have heoretical visibility, with the case of ground-mounted solar panels it should effective screening and site-specific topography the area od theoretical ro. Specifically with viewpoint 62 at Kirton Road being approximately e closest Tillbridge Solar site. Due to distance combined with the built form settlements of Pilham and Corringham and therefore has no potential ews of cumulative developments - Scope Out.

Viewpoint	Location	Bumble Bee Farm	Field Farm	Gate Burton Energy Farm	High Marnham Solar	Tillbridge Solar	West Burton	Potential Intervisibility	
63	A159 (Laughton Road)	N	N	N	N	N	N	No	Though the cumulative extensive zones of the be noted that with effe visibility could be zero. developments due to t no potential intervisibi
64	A159 (Laughton Road)								
65	Scotton Common Nature Reserve								
66	Nthp/504/1	N	N	N	N	N	N		Cottam 3 is not visibile
67	Monson Road	N	N	N	N	N	N		Cottam 3 is not visibile
LCC-C-A	Ingham Road	N	N	N	N	Y	N		Cottam 1 is not visibile
LCC-C-B	PROW Stur/72/3								
LCC-C-C	PROW Stur/73/1	Ν	N	Ν	N	Y	N		Cottam 1 is not visibile
LCC-C-D	Blackthorn Lane	Ν	N	Y	N	N	N	No	Though the cumulative extensive zones of the be noted that with effe visibility could be zero. approximately 6.3km t vegetation such as Nor intervisibility. No views
LCC-C-E	PROW Ingh/27/2	N	Y	Y	N	Y	Y		Cottam 1 is not visibile
LCC-C-F	PROW Ingh/24/1	N	N	Y	N	Y	N		Cottam 1 is not visibile
LCC-C-G	PROW Fill/85/2	Ν	N	Y	N	Y	Y	No	Though the cumulative extensive zones of the be noted that with effe visibility could be zero. approximately 5.6km a approximately 6.5km a 5km limits views and th from the closest Tillbrid small drains and tribute intervisibility. No views
LCC-C-H	PROW Fill/767/1	Ν	N	N	N	Y	N	Yes	Though the cumulative extensive zones of the be noted that with effe visibility could be zero. approximately 1.5km t dense vegetation the s Views of cumulative de

ive developments cover a significant surface area and therefore have heoretical visibility, with the case of ground-mounted solar panels it should effective screening and site-specific topography the area of theoretical ro. Specifically with viewpoint 63 at A159 there are no views of any to the distance from the viewpoint to the developments and therefore has sibility. No views of cumulative developments - Scope Out.

Already Scoped Out

Already Scoped Out

ile therefore no potential cumulative intervisibility.

ile therefore no potential cumulative intervisibility.

ile therefore no potential cumulative intervisibility.

Already Scoped Out

ile therefore no potential cumulative intervisibility.

ive developments cover a significant surface area and therefore have heoretical visibility, with the case of ground-mounted solar panels it should effective screening and site-specific topography the area of theoretical ro. Specifically with viewpoint LCC-C-D at Blackthorn Lane being n to the closest Gate Burton Solar site. Due to the distance and intervening Normanby Gorse the view is closed and therefore has no potential ews of cumulative developments - Scope Out.

ile therefore no potential cumulative intervisibility.

ile therefore no potential cumulative intervisibility.

ive developments cover a significant surface area and therefore have heoretical visibility, with the case of ground-mounted solar panels it should effective screening and site-specific topography the area of theoretical ro. Specifically with viewpoint LCC-C-G at PRoW Fill/85/2 being n away from the closest Gate Burton Solar site whereas the viewpoint is n away from the closest West Burton Solar Site. Both being further than d therefore has no visibility. The viewpoint is approximately 1.45km away bridge Solar site, however, due to distance and vegetation surrounding buteries the view is closed down and limited this having no potential eves of cumulative developments - Scope Out.

ive developments cover a significant surface area and therefore have heoretical visibility, with the case of ground-mounted solar panels it should effective screening and site-specific topography the area of theoretical ro. Specifically with viewpoint LCC-C-H at PRoW Fill/767/1 being n to the closest Tillbridge Solar site. Due to the proximity and the lack of e scheme will be visibile and therefore will have potential intervisibility.

Viewpoint	Location	Bumble Bee Farm	Field Farm	Gate Burton Energy Farm	High Marnham Solar	Tillbridge Solar	West Burton	Potential Intervisibility	Potential Intervisibility Justification
LCC-C-I	Willingham Road	Ν	Ν	N	N	Y	N	No	Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topography the area of theoretical visibility could be zero. Specifically with viewpoint LCC-C-1 at Willingham Road being approximately 1.2km away from the closest Tillbridge Solar Site however, due to distance and existing vegetation such as Fillingham Low Wood closing down the view and thus having no potential intervisibility. No views of cumulative developments - Scope Out.
LCC-C-J	Fillingham Lane	Ν	Ν	Y	N	N	N	No	Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topography the area of theoretical visbility could be zero. Specifically with viewpoint LCC-C-J at Fillingham Lane being approximately 3.09km from the closest Gate Burton Solar Site, however due tot he built form associated with the settlement of Willingham by Stow the view is closed down and disrupted and therefore has no potential intervisibility. No cumulative developments - Scope Out.
LCC-C-K	Fillingham Lane	Ν	Ν	N	Ν	Y	Y		Cottam 1 is not visibile therefore no potential cumulative intervisibility.
LCC-C-L	B1398								Already Scoped Out
LCC-C-M	Kexby Road	Ν	Y	Y	Ν	Y	Y		Cottam 1 is not visibile therefore no potential cumulative intervisibility.
LCC-C-N	Glentworth Road	N	Ν	Y	N	Ν	Y		Cottam 1 is not visibile therefore no potential cumulative intervisibility.
LCC-C-O	Glentworth Road								Already Scoped Out
LCC-C-P	Corringham Beck	N	Ν	Ν	N	Y	N		Cottam 2 is not visibile therefore no potential cumulative intervisibility.
LCC-C-Q	Junction at Temple Field Road and Yawthorpe Road								Already Scoped Out
LCC-C-R	A159								Already Scoped Out
LCC-C-S	PRoW Blyt/24/2								Already Scoped Out
LCC-C-T	Kirton Road	N	Ν	N	N	N	N	No	Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topography the area of theoretical visibility could be zero. There are no views towards any other developments therefore has no potential intervisibility. No cumulative developments - Scope Out.
LCC-C-U	PROW Blyt/32/1								Already Scoped Out
LCC-C-V	Dring Lane								Already Scoped Out
LCC-C-W	Northorpe Road								Already Scoped Out
LCC-C-X	Scotton Nature Reserve								Already Scoped Out



Viewpoint: LCC - C - B - ProW Stur/72/3

Receptor Baseline:

This view is located on PRoW, footpath Stur/72/3, looking east towards the western extent of the Cottam 1 South Site/Sites.

Objective: This viewpoint offers views over a low-lying almost flat landscape within the wider context of a broad vale, which is conspicuous in the view. The landform then rises sharply to capture the ridgeline at Cammerigngham and Brattleby in the east. The landform also rises gently in the west towards the edge of Sturton by Stow rising from 15m AOD to 20m AOD in the central part of the settlement. The land use is predominantly arable with some deciduous woodlands and shelterbelts in the far distance, such as those to the east of Fleets Lane at Brattleby Thorns and Cammeringham. In terms of man-made features, there is very little built influence and settlement is very sparse comprising of scattered farmsteads at Furze Hill, Lower Furze Hill and The Grange. There are also isolated dwellings known as Fleets Cottages which stand out as a strong built influence, in an otherwise open landscape with little settlement.

Subjective: The view depicts a large-scale, open landscape, being exposed with few areas of enclosure, and with far-reaching views toward the Lincoln Cliff and the Lincoln Minster. There are also views towards the limestone capped ridgeline at Cammeringham and Brattleby where the woodland cover is a strong feature on the horizon. In terms of variety, the combination of landscape features includes farmsteads, churches, woodland, hedgerows and hedgerow trees that presents a varied and harmonious composition. In terms of texture, the arable fields are highly managed with a muted colour combination giving an impression of an ordinary landscape, but this is balanced in terms of interest by the far reaching, but rare views towards Lincoln.

Overall: The view is influenced by the open arable landscape where the loss of hedgerows has impacted upon scale. However, this is a quiet location at the settlement edge of Sturton by Stow due to the absence of settlement and busy roads, and only a few local lanes such as Fleets Lane and Thorpe Lane. The overall experience is a pleasant and invigorating comprising a view from a quiet location at the edge of the settlement.

Receptors:

This viewpoint is representative of views available to PRoW users along footpath Stur/72/3. This is the section of the footpath that leads from the north at Ingham Road in Stow, past Old Rectory Farm and Mill House towards Sturton by Stow in the south where the footpath joins with Fleets Road.

Replace with alternative Viewpoints LCC-C-A and LCC-C-C, which provide a similar view.

Scope out.

Receptor susceptibility to change	Value of view	Sensitivity	Embedde
Not Applicable	Not Applicable	Not Applicable	Not Applica
Not Applicable	Not Applicable	Not Applicable	Not Applica

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.2: Viewpoint Analysis & Evaluation – Views Scoped out [Reference: EN010133/APP/C6.3.8.3.2.2.1] July 2022

ded Mitigation

cable



Viewpoint: LCC-C-L - B1398

This viewpoint is located on the B1398 (Middle Street) looking southwest towards the Cottam 1 North Site/Sites with Cottam 1 South beyond.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, experienced from the Limestone Scarps and Dipslopes Character Area 6a. The view comprises of a very gently rolling landscape within the context of a broad valley that is almost conspicuous at this location. The land use is predominantly arable with mixed woodland visible to the northwest (left of view) comprising of Nursery Plantation and Hanoverhill Plantation, and to the south woodland cover on the far horizon at Fillingham Grange and The Lake, and Fillingham is a strong dark feature. The intervening woodland and settlement at Fillingham also closes down views towards the south. The views towards the far horizon are curtailed by the landform in the foreground. Tree clumps are also a feature along the hedgerow boundaries, which enhance the existing woodlands and give the impression of a more intimate landscape. In terms of man-made elements, the B1398 has the main influence where it passes along the ridgeline in a long, straight alignment with fast moving traffic.

Subjective: The viewpoint depicts a medium to large-scale, partially open landscape, with views closed down by a wooded horizon in some locations. The intensive arable land use opens visibility, but the landform and strong hedgerows with tree clumps help to dissipate the scale. In terms of variety, the combination of features includes woodland, tree clumps and hedgerows that present a simple landscape with very limited interest. In terms of texture, this is a highly managed arable land use with a muted colour combination and some far-reaching views towards the west.

Overall: The B1398 is partially enclosed as it heads along the scarp slope between the settlements of Glentworth and Fillingham. The main feature is the extended views towards the west which capture the River Trent set within the Floodplain Valleys Landscape Character Area 3a. The immediate view is typical of the local landscape character, but the far-reaching open views offer more interest. The overall experience is pleasant but with some bland foreground features. The scale of the view is vast and open with a variety of landscape elements that add complexity. The open arable landscape and woodlands provide an overall balanced and attractive landscape. The experience within this viewpoint is invigorating and pleasant, but with the B1398 being a detractor.

Receptors:

The viewpoint is representative of views for users of the B1398 traveling between the settlements of Glentworth and Fillingham.

Scope Out

Receptor susceptibility to change	Value of view	Sensitivity	Embedde
Not Applicable	Not Applicable	Not Applicable	Not Applica
Not Applicable	Not Applicable	Not Applicable	Not Applica

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.2: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.2.2] July 2022

ded Mitigation cable



Viewpoint: LCC-C-O – Glentworth Road

Receptor Baseline:

The view is located on Glentworth Road at the eastern edge of the settlement of Kexby, looking southeast towards the northern extent of the Cottam 1 Site/Sites.

Objective: This viewpoint offers views of an almost flat landscape within the wider context of a rolling lowland. Glentworth Road is a prominent feature as this stretch is a long, straight route point that connects the settlements of Kexby with Glentworth. The land use is predominantly arable with some distinctive tree and woodland cover at the edge of the settlement. There are clear and uninterrupted views to the southeast (left of view) towards Primrose Farm and Primrose Farm Cottage, but long-distance views to the south are limited due to the intervening settlement of Willingham by Stow. Fillingham Lane is also visible on the horizon to the south by the presence of hedgerow trees and tree clumps to each side of the road. There are also wide grass verges that separate the Glentworth Road from the hedgerows and this is a key feature of the road at this location.

Subjective: The scale of the view is medium and enclosed in parts due to the tall hedgerows that line both sides of Glentworth Road. The enclosed nature of the road is appealing and provides for a balanced and attractive environment at the edge of the settlement. Glentworth Road has some fast-moving traffic however due to its straight alignment. In terms of texture, the hedgerows are well-managed and there are strong colours due to the presence of the tree cover at the settlement edge and a varied arable land use.

Overall: The experience is interesting with pleasant views; however the road has some fast moving traffic.

Receptors:

This viewpoint is representative of views available to motorists and residents at the eastern edge of the settlement of Kexby when travelling along Glentworth Road towards the settlement of Glentworth in the east.

There are no meaningful views towards the Site/Sites due to the distance and intervening hedgerows, woodland cover and tree clumps.

Scope out.

Receptor susceptibility to change	Value of view	Sensitivity	Embedde
Not Applicable	Not Applicable	Not Applicable	Not Applica
Not Applicable	Not Applicable	Not Applicable	Not Applica

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.2: Viewpoint Analysis & Evaluation – Views Scoped out [Reference: EN010133/APP/C6.3.8.3.2.2.3] July 2022

ded Mitigation

cable



Viewpoint: LCC-C-Q – Junction at Temple Field Road and Yawthorpe Road

Receptor Baseline:

The view is located at the junction with Templefield Road and Yawthorpe Road, looking northwest towards the southern extent of the Cottam 2 Site.

Objective: This viewpoint offers views of a gently undulating landscape within the context of a broader rolling valley that is conspicuous at this location due to the higher landform (approximately 20m AOD) at this junction. The land use is predominantly arable with the large deciduous woodland of Yawthorpe Fox Covert visible on the horizon to the north. There are a variety of other woodland blocks including the small copses around the settlement of Yawthorpe and smaller woodlands further to the east at Willhoughton. In terms of man-made elements, there are residential dwellings at Moorlands Magin Moor to the south, otherwise the immediate area is sparsely settled comprising other isolated dwellings and the small hamlet of Yawthorpe.

Subjective: The viewpoint depicts a large-scale, open landscape, being exposed due to the large field sizes and lack of hedgerows and tree cover. In terms of variety, the combination of features includes isolated dwellings, Yawthorpe Fox Covert, tree clumps, hedgerows and hedgerow trees, and the gently rising landform where Yawthorpe occupies higher ground. In terms of texture, this is an intensely managed landscape with an arable dominance and a combination of colours owing to crop variety and the various woodland blocks.

Overall: The A361 is a prominent feature and although the foreground hedgerows provide some visual relief from the fast-moving traffic the noise is a notable detractor. The immediate view is typical of local landscape character being large scale and arable dominant, but woodland at Yawthorpe Fox Covert and riparian trees lining Yawthorpe Beck add some vigour and interest to the view. The woodland around Yawthorpe also compliments the landscape setting of Home Farm, which is an attractive feature. The overall experience provides a balanced landscape with some distractions from the A361, but the views are very pleasant and invigorating.

Receptors:

This viewpoint is representative of views available to motorists using Yawthorpe Road that leads from the A361 in the south. The view is a location where Yawthorpe Road takes a slight turn in direction and views are revealed across the junction with Temple Field Road towards the landscape around Corringham and Springthorpe. There are no meaningful views towards the Site/Sites due to distance, topography and intervening hedgerows.

Scope out.

Receptor susceptibility to change	Value of view	Sensitivity	Embedde
Not applicable	Not applicable	Not applicable	Not applica
Not applicable	Not applicable	Not applicable	Not applica

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.2: Viewpoint Analysis & Evaluation – Views Scoped out [Reference: EN010133/APP/C6.3.8.3.2.2.4] July 2022

ded Mitigation cable



The view is located along the A159 (Gainsborough Road) at the bridge crossing over the mainline railway, looking northeast towards the Cottam 3b Site/Sites.

Objective: This viewpoint offers views of an almost flat landscape within the context of a wider gently rolling lowland that is hardly conspicuous at this location. The land use is a mixture of arable and pasture interspersed with strong woodland blocks and sinuous shelterbelts. In terms of man-made features, the railway line and over bridge are dominant, urban features and Gainsborough Road is busy with fast-moving traffic at this location. Telephone wires and poles also cut across the open fields and electricity pylons are also a distraction on the far horizon.

Subjective: The viewpoint depicts a large-scale, open landscape that is exposed due to the lack of hedgerows in the foreground or hedgerows that are cut back. Shelterbelts and tree clumps are visible in the middle distance of the view and the far horizon is lined with strong woodland cover. In terms of variety, the combination of features includes farmsteads, low hedgerows, small woodland blocks, shelterbelts, tree groups and field trees. In terms of texture, this is highly complex landscape with a variety of colour and unsettling interventions such as power lines, telegraph poles and isolated dwellings without the benefit of tree cover.

Overall: The open, arable landscape gives a harsh appearance to the view, but the deciduous woodland blocks and vegetation along the railway line are also very prominent and attractive features in the landscape. This is an interesting view that is far-reaching with a complex mixture of elements including the prominent vegetation cover to each side of the railway line.

Receptors:

This viewpoint is representative of views available to walkers, motorists and residents travelling along the A159 (Gainsborough Road). There are no meaningful views towards the Site/Sites due to distance, intervening settlement at Pilham, woodlands, shelterbelts and the vegetation bordering the mainline railway.

Scope out.

Receptor susceptibility to change	Value of view	Sensitivity	Embedde
Not Applicable	Not Applicable	Not Applicable	Not Applical
Not Applicable	Not Applicable	Not Applicable	Not Applica

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.2: Viewpoint Analysis & Evaluation – Views Scoped out [Reference: EN010133/APP/C6.3.8.3.2.2.5] July 2022

led Mitigation

able

able



Viewpoint: LCC-C-S - ProW Blyt/24/2

Viewpoint Baseline:

The view is located on the PRoW, footpath (Blyt/24/2), at the pedestrian crossing to the mainline railway, looking northeast towards the Cottam 3a and 3b Site/Sites.

Objective: This viewpoint offers views of an almost flat landscape within the context of a wider gently rolling lowland that is hardly conspicuous at this location. The land use is a mixture of arable and pasture interspersed with strong woodland blocks and sinuous shelterbelts. In terms of man-made features, the railway line is dominant, and the edge of Blyton settlement also forms a harsh edge with the fields to the south due to lack of tree cover at the settlement edge. Station Road also exerts a dominant influence and the electricity sub-station on Pilham Lane also stands out in the landscape due to there being limited tree cover. Telephone wires and poles also cut across the open fields and electricity pylons are also a distraction to the south.

Subjective: The viewpoint depicts a small-scale, landscape that is enclosed due to the abundance of vegetation along the mainline railway and the small triangular copse at the crossing over the railway. Shelters belts and tree clumps are visible in the foreground of the view and the edge of Pilham is lined with strong woodland cover. In terms of variety, the combination of features includes abundant hedgerows, small woodland blocks, shelterbelts, tree groups and field trees. In terms of texture, this is an attractive landscape with an interesting mix of colour due to the benefit of tree cover and varied agricultural uses.

Overall: This is an enclosed landscape that supports numerous hedgerows with strong tree cover all of which gives an attractive appearance to the view. The deciduous woodland blocks and vegetation along the railway line are also very prominent and attractive features in this landscape. This is an interesting view that is enclosed and intimate with a complex mixture of attractive features including the prominent vegetation cover to each side of the railway line.

Receptors:

This viewpoint is representative of views available to walkers using the footpath (Blyt/24/2). There are no meaningful views towards the Site/Sites due to distance, intervening settlement at Pilham, woodlands, shelterbelts and the vegetation bordering the mainline railway.

Scope out.

Receptor susceptibility to change	Value of view	Sensitivity	Embedde
Not Applicable	Not Applicable	Not Applicable	Not Applica
Not Applicable	Not Applicable	Not Applicable	Not Applica

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.2: Viewpoint Analysis & Evaluation – Views Scoped out [Reference: EN010133/APP/C6.3.8.3.2.2.6] July 2022

ded Mitigation

cable



Viewpoint: LCC-C-U - ProW Blyt/32/1

Viewpoint Baseline:

The view is located on PRoW, footpath (Blyt/32/1), just to the west of the Grace Park Caravan and Camping site, looking east towards the Cottam 3a Site/Sites.

Objective: This viewpoint offers views of a slightly undulating landscape within the context of a wider Wooded Vale that is quite conspicuous at this location. The land use is a mixture of arable and pasture interspersed with strong woodland blocks and sinuous shelterbelts. In terms of man-made features, Laughton Road is a dominant along with the caravan and camping site and the sewage works site. The edge of Blyton settlement is also visible to the south where it forms an attractive edge with the fields to the north due to abundance of tree cover. The settlement occupies a broad spur that extends to the northwest and rising to approximately 25m AOD.

Subjective: The viewpoint depicts a small to medium-scale, landscape that is enclosed due to the abundance of vegetation along the Laughton Highland Drain and the strong presence of the woodland to the west at Pyewipe Hall Farm and Laughton Common. Shelters belts, tree clumps and field trees are also visible in the foreground of the view and the edge of Laughton is also lined with strong woodland cover. In terms of variety, the combination of features includes abundant hedgerows, distinctive woodland blocks, shelterbelts, tree groups, field trees and the rising spur at the edge of Blyton. In terms of texture, this is a very attractive landscape with a distinctive mix of colour due to the benefit of tree cover and varied topography and pastoral land uses.

Overall: This is a very attractive and enclosed landscape that supports numerous hedgerows with strong tree cover all which gives a very pleasant appearance to the view. The deciduous woodland blocks and woodland at Laughton Common are also very prominent and attractive features in this landscape. This is a highly interesting view that is enclosed and intimate with a complex mixture of attractive features including the prominent vegetation cover around Laughton and Blyton.

Receptors:

This viewpoint is representative of views available to walkers using the footpath (Blyt/32/1). There are no meaningful views towards the Site/Sites due to distance, intervening settlement bordering Laughton Road and at Blyton Grange. There are intervening woodlands, shelterbelts and robust hedgerows that provide a further layer of screening and separation.

Scope out.

Receptor susceptibility to change	Value of view	Sensitivity	Embedde
Not Applicable	Not Applicable	Not Applicable	Not Applica
Not Applicable	Not Applicable	Not Applicable	Not Applica

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.2: Viewpoint Analysis & Evaluation – Views Scoped out [Reference: EN010133/APP/C6.3.8.3.2.2.7] July 2022

ded Mitigation

cable

able



Viewpoint: LCC-C-V – Dring Lane

Viewpoint Baseline:

The view is located at the junction of Dring Lane with A159 (Laughton Road), looking southeast towards the Cottam 3a Site/Sites with the Cottam 3b Site/Sites beyond.

Objective: This viewpoint offers views of a slightly undulating landscape within the context of a wider Wooded Vale that also shares a boundary with the Unwooded Vale. The interface between the two landscape types is quite conspicuous at this location. The land use is predominantly arable interspersed with very few woodland blocks and hedgerows. In terms of man-made features, the A159 (Laughton Road) is dominant along with the wooded setting of the Respect Green Burial Park at the eastern end of Dring Lane. In terms of man-made features, electricity pylons stand out on the horizon amidst the arable fields and intervening plantations.

Subjective: The viewpoint depicts a large-scale, landscape that is open and exposed due to the lack of hedgerows and intensive arable fields. The main area of woodland is located around the burial park, which serves to close down views towards the south. Further trees and tall hedgerow cover are also located to the north of Blyton Grange, which provide further closure to views southwards from Dring Lane. There is also a strong line of vegetation (including tall tree cover) to the east side of the A159 (Laughton Road) which provides further separation and screening in the landscape. In terms of variety, the combination of features includes occasional hedgerows and woodland at the burial site, otherwise the interest is focused towards Laughton Common to the west. In terms of texture, this is an almost bland landscape with very few distinctive features other than the woodland at the burial park and Laughton Woods.

Overall: This is a very open, simple landscape that supports intensive agriculture with a distinct lack of hedgerows. The deciduous woodland blocks and woodland at Laughton Common are the neatest attractive features which add balance and a sense of familiarity.

Receptors:

This viewpoint is representative of views available to users of Dring Lane approaching the burial ground and road users along the A159. There are no meaningful views towards the Site/Sites due to distance, intervening woodland bordering the burial park and Blyton Grange and the strong tree belt to the east side of the A159. There are intervening hedgerows to the east of the A159 with some tree cover that provide a further layer of screening and separation.

Scope Out

Receptor susceptibility to change	Value of view	Sensitivity	Embedde
Not Applicable	Not Applicable	Not Applicable	Not Applica
N. C.A P I.I.		NL CAL PULL	
Not Applicable	Not Applicable	Not Applicable	Not Applica

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.2: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.2.8] July 2022

ded Mitigation

cable



Viewpoint: LCC-C-W – Northorpe Road

Viewpoint Baseline:

The view is located on Northorpe Road where it then leads into Monson Road to the north of the settlement of Northorpe. The view is looking southwest towards the Cottam 3a Site/Sites with the Cottam 3b Site/Sites beyond.

Objective: This viewpoint offers views over a plateau landscape within the context of a wider Wooded Vale. The land use is predominantly arable interspersed with very few woodland blocks and some hedgerows. In terms of man-made features, Northorpe Road is dominant where it passes across the landscape at this higher elevation (approximately 20m AOD) than the surrounding vale of Northorpe Beck.

Subjective: The viewpoint depicts a large-scale, landscape that is open and exposed due to the lack of hedgerows and intensive arable fields. The main area of woodland and tree cover is located around the settlement of Northorpe and mainly associated with Northorpe Hall and parkland known as The Park. Further tree cover is associated with Northorpe Beck, otherwise the landscape is largely devoid of tree cover. In terms of variety, the combination of features is limited to occasional hedgerows, small woodland blocks and tree cover within Northorpe, otherwise the interest is focused towards Laughton Common to the west. In terms of texture, this is an almost bland landscape with very few distinctive features other than the woodland at the hedgerows between the large-scale field systems.

Overall: This is a very open, simple landscape that supports intensive agriculture with a distinct lack of hedgerows and tree cover. The deciduous woodland blocks and woodland at Laughton Common are the nearest attractive features which add balance and a sense of familiarity towards the west.

Receptors:

This viewpoint is representative of views available to users of Northorpe Road which then leads into Monson Road when approaching the settlement of Northorpe. There are no meaningful views towards the Site/Sites due to distance, intervening topography and built form.

Scope Out

Receptor susceptibility to change	Value of view	Sensitivity	Embedde
Not Applicable	Not Applicable	Not applicable	Not applica
Not applicable.	Not applicable.	Not applicable.	Not Applica

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.2: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.2.9] July 2022

ded Mitigation

cable



Viewpoint: LCC-C-X – Scotton Nature Reserve

Viewpoint Baseline:

The view is located at Scotton Common Nature Reserve, looking south towards the northern extent of the Cottam 3a Site/Sites.

Objective: This viewpoint offers views over an almost flat landscape within the wider context of the Wooded Vales of Laughton Forest that is fully conspicuous at this location. The land use partly arab including Dallison Plantation that stands tall at the southwest corner of the view (right of view). This plantation mirrors the other coniferous woodland blocks in the area and others located at the so example. In terms of man-made elements, there are very few detractors with plantation woodland being a consistent feature, however the electricity pylons in the far distance add discordancy to ar

Subjective: The viewpoint depicts a combination of scales, comprising a small scale and intimate feel within the enclosed woodland areas and a larger scale where the views extend to distant horizon landscape is dominated by large scale woodland blocks that frame views, often to distant horizons as far as Scotton and Northorpe. In terms of variety, the views depict the stark contrast between the that are enclosed with extensive areas of dense woodland.

Overall: The arable landscape is a plain feature but the contrasts with the woodlands and shelterbelts add interest and vibrancy to the views. The enclosed nature of the woodlands also provides a b of isolation and solitude. The landscape of Laughton Woods is a rare and unusual feature within this part of Lincolnshire and a focus for both formal and informal recreation. The overall experience

Receptors:

This viewpoint is representative of views available to visitors to Scotton Common Nature Reserve and Laughton Forest. The view is also experienced by motorists and residents travelling between La are no meaningful views towards the Site/Sites due to distance, topography and intervening hedgerows.

Scope out.

Receptor susceptibility to change	Value of view	Sensitivity	Embedde
Not Applicable	Not Applicable	Not Applicable	Not Applica
Not Applicable	Not Applicable	Not Applicable	Not Applica

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.2: Viewpoint Analysis & Evaluation – Views Scoped out [Reference: EN010133/APP/C6.3.8.3.2.2.10] July 2022

ble interspersed with plantation woodland utheast corner of the view (right of view) for n otherwise harmonious landscape.
ns across the arable landscape. The enclosed he open arable fields (often without hedgerows)
palanced and calm environment with a strong sense is very pleasant and invigorating.
aughton and Scotton along Laughton Road. There
led Mitigation
able
able



Viewpoint VP2 – Scmp/195/2

Viewpoint Baseline:

The view is located on the PRoW, footpath (Scmp/195/2), looking northwest in the wider context of the southern and eastern boundaries of the Cottam 1 Site/Sites.

Objective: This viewpoint offers views over a low-lying, flat landscape within the wider context of a broad valley, which is only just conspicuous in the view, but adds to the sense of scale. The land use is mainly arable with occasional geometric blocks of deciduous woodland, some that are clearly visible on the horizon. In terms of man-made elements, there is some influence of industrial/urban features, including the line of electricity pylons that are just visible in the distance looking north (right of view) as a detractor on the horizon and there are distant views toward the Trent and its associated power industry. The busy Roman road (Till Bridge Lane) is also a detractor with some noise and moving traffic, which influences the nature of the public right of way (PRoW). Isolated trees are evident within the field boundary hedgerows, in particular along the boundary with Till Bridge Lane to the south-west (left of view) and within the hedgerows to the east (right of view).

Subjective: The viewpoint depicts a large scale/vast landscape, being exposed with few areas of enclosure, and with far-reaching views. In terms of variety, the combination of landscape features presents a simple and well-balanced composition, but the presence of the pylons and busy road add some discordancy. In terms of texture, this is a well-managed arable land use with a muted colour combination giving the impression of an ordinary landscape this is almost bland, but balanced.

Overall: The view is influenced by the presence of the busy Till Bridge Road, which has an unnerving influence. This location offers no intimacy or feeling of comfort due to its lack of enclosure and the unpleasant proximity to the busy road network.

Receptors:

This viewpoint is representative of views available to PRoW users along the footpath Scmp/195/2. This is a section of the footpath that leads from the Roman road at Till Bridge Lane in the south towards the settlement of Scampton in the northeast. There are no meaningful views towards the Site/Sites due to distance, topography and intervening layering of hedgerows.

Scope out.



Receptor susceptibility to change	Value of view	Sensitivity	Embedde
Not applicable	Not applicable	Not applicable	Not applicat
Not applicable	Not applicable	Not applicable	Not applica

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.2: Viewpoint Analysis & Evaluation – Views Scoped out [Reference: EN010133/APP/C6.3.8.3.2.2.11] July 2022

led Mitigation

able

able



Viewpoint VP3 – Scmp/31/1

Viewpoint Baseline:

The view is located on the PRoW, bridleway (Scmp/31/1), looking north in the wider context of the southern boundaries of the Cottam 1 Site/Sites.

Objective: This viewpoint offers views over a low-lying, flat landscape within the wider context of a broad valley, which is only just conspicuous in the view, but adds to the sense of scale. The land cover is mainly arable with occasional geometric blocks of deciduous woodland, some that are clearly visible on the horizon. In terms of man-made elements, the A1500 (Till Bridge Road) is evident to the north-west (left of view). The busy A1500 is a detractor due to the frequent, fast-moving traffic owning to its long straight alignment. In terms of other built features, Tillbridge Farm and its associated agricultural buildings are located to the southwest (left of view). The farmhouse holds listed building status (assessment of any effects of the listed building are assessed within the Heritage Statement) and the viewpoint also offers direct views (following the direction of the bridleway) towards the small settlement of Thorpe Le Fallows in the distance, which also supports listed buildings. Tall hedgerows screen the majority of the views towards the north-west (left of view) and Brattleby Gorse is just visible on the far horizon.

Subjective: The viewpoint depicts a landscape scale that is large with an open view mainly towards the north. In terms of variety, landscape features present a combination of openness and enclosure due to the presence of some tall hedgerows. In particular, the tall hedgerows on the western boundary of the bridleway enclose this view, bringing some intimacy to the location. In terms of texture, the landscape appears quite ruffled in character, but also robust especially where the thick vegetation lines the course of the River Till. The colours in this view are muted giving an ordinary appearance that is almost bland, but with some interest.

Overall: The view is influenced by the presence of the busy Till Bridge Road, which has an unnerving influence. This location offers some intimacy and feeling of comfort due to the enclosure provided by the tall hedgerow that adjoins the bridleway to the west.

Receptors:

This viewpoint is representative of views available to horse riders using the bridleway Scmp/31/1 and for motorists using Till Bridge Road. The viewpoint is also representative of views for the group of isolated, residential properties associated with Tillbridge Farm. This is a section of the bridleway that leads from Till Bridge Lane towards the settlement of Thorpe le Fallows and Thorpe Lane in the north. There are no meaningful views towards the Site/Sites due to distance, topography, the intervening layering hedgerows and the settlement of Thorpe le Fallows. The backdrop of strong woodland also helps to dimmish the presence of any distant features.

Scope out.



Receptor susceptibility to change	Value of view	Sensitivity	Embedde
Not applicable	Not applicable	Not applicable	Not applica
Not applicable	Not applicable	Not applicable	Not applica

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.2: Viewpoint Analysis & Evaluation – Views Scoped out [Reference: EN010133/APP/C6.3.8.3.2.2.12] July 2022

ded Mitigation

cable



Viewpoint VP9 – Fleets Road, Stur/79/1

Viewpoint Baseline:

The view is located on Fleets Road at the junction with PRoW, footpath (Stur/79/1), looking northeast towards the southwest boundary of the Cottam 1 Site/Sites.

Objective: This viewpoint offers views over a low-lying, flat landscape but the wider context of a broad valley is not evident due to the tall hedgerows which border Fleets Road, and which diminish the sense of scale at this location. The land cover is mainly built up with residential buildings with Fleets Road having a dominant influence in the foreground of the view. The strong hedgerow cover to both sides of Fleets Lane however provide cover for the residential buildings, which belies their presence at this location. The hedgerow sitting south of Fleets Lane (right of view) has some gaps and the entrance provides views into the Sturton by Stow Recreation Field. There is a further hedgerow within the recreation field that closes the views further to the south.

Subjective: The viewpoint depicts a small/intimate landscape with the hedgerows enclosing the location giving a tight view. In terms of variety, the landscape features are simple but there is discordancy due to the entrance into the recreation field and the open views of the car park. In terms of texture, the landscape features are managed, but colourful giving an interesting appearance that is typical to an edge of settlement setting.

Overall: The view is typical to local character and with the residential development being within the context of the view this adds a sense of security, safety and familiarity at this location. This is a relatively calm edge of the settlement; the dominance of Fleets Road is however distracting in what otherwise is a pleasant view. The hedgerows and tree cover provide a strong feature.

Receptors:

This viewpoint is representative of views available to walkers using footpath Stur/79/1, motorists using Fleets Road, and residents on the eastern edge of Sturton by Stow.

This is a similar view to that provided by Viewpoint VP08, although at closer proximity to Site/Sites.

Scope Out.



Receptor susceptibility to change	Value of view	Sensitivity	Embedd
Not applicable	Not applicable	Not applicable	
Not applicable	Not applicable	Not applicable	

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.2: Viewpoint Analysis & Evaluation – Views Scoped out [Reference: EN010133/APP/C6.3.8.3.2.2.13] July 2022

lded Mitigation



Viewpoint VP24 – B1398

Viewpoint Baseline:

The view is located along the B1398, looking west towards the southern extent of the Cottam 1 Site/Sites.

Objective: This viewpoint offers views from the foot of the scarp slope over a low-lying, flat landscape; however, the wider context of a broad valley is not evident due to the closed nature of the view. The lack of visibility away from the edge of the settlement is due to the intervening hedgerow and shelterbelt that is tall and dense. The viewpoint shows a typical village setting where the B1398 stands out as the prominent feature in the context of the adjoining hedgerows and tree cover. The southern built edge of Cammeringham is also visible to the north (right of view), but the houses are largely hidden behind the tree cover. Grass verges separate the hedgerows from the road and are a distinctive feature of this section of the road. The shelter belt comprises sycamore, oak and field maple.

Subjective: The viewpoint depicts a small-scale, closed view at the edge of the settlement located towards the foot of the scarp slope. In terms of texture, the vegetation is mainly native and muted in colour and the roadside hedgerow is wellmanaged.

Overall: The view is interesting, pleasant and typical in character to the string of settlements that follow the scarp slope where the presence of a parkland landscape adds to the sense of history. The overall experience of this view is interesting and pleasant with an overriding sense of consistency.

Receptors:

This viewpoint is representative of views available to walkers, motorists and residents travelling between the settlements of Cammeringham and Brattleby along the B1398.

There are no meaningful views due to distance, topography and intervening hedgerows and woodland at Brattleby Gorse, Cammeringham Low Covert and Beck Spinney.

Scope Out



Receptor susceptibility to change	Value of view	Sensitivity	Embedded M
Not Applicable	Not Applicable	Not Applicable	Not Applicable
Not Applicable	Not Applicable	Not Applicable	Not applicable

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.2: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.2.14] July 2022

Mitigation



Viewpoint VP25 – Stow Lane and Lincoln Road Crossroads

Viewpoint Baseline:

The view is located along the B1398 at the junction with Stow Lane and Lincoln Road, looking southwest towards the southern extent of the Cottam 1 Site/Sites.

Objective: This viewpoint offers views of a very gently rolling landscape at the foot of the scarp slope, where the wider context of the broad lower-lying valley is hardly visible due to the intervening landform and tree cover. The land use is predominantly arable, however the combination of the road intersection and adjoining residential areas impart a strong urban influence. The viewpoint is located to the south of the small settlement of Ingham where the built form is clearly evident within the view. Other man-made influences include telephone masts, lighting columns and signage that add to the complex nature of the road junction.

Subjective: The viewpoint depicts a medium scale, open, quite discordant view at the edge of the settlement where the hedgerows and tree cover provide some enclosure and intimacy along the road in parts. Woodlands located around Brattleby Hall and the settlement of Brattleby are also visible on the far horizon to the south (left of view) and include both deciduous and coniferous species. The nature of view is a busy location due to the road junction, the proximity to the edge of the Ingham settlement and colourful mixture of traffic signs and road markings.

Overall: The view is typical in character to the string of settlements that follow the scarp slope where the experience is pleasant, but bland in parts where the open arable landscape is a dominant feature, and the edge of settlements are exposed in the landscape.

Receptors:

This viewpoint is representative of views available to walkers, motorists and residents travelling between the settlements of Ingham and Cammeringham along the B1398.

There are no meaningful views due to distance, topography and intervening hedgerows and woodland cover.

Scope out.



Receptor susceptibility to change	Value of view	Sensitivity	Embedded N
Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.2: Viewpoint Analysis & Evaluation – Views Scoped out [Reference: EN010133/APP/C6.3.8.3.2.2.15] July 2022





Viewpoint VP26 – Ingh/24/2

Viewpoint Baseline:

The view is located on PRoW, bridleway (Ingh/24/2), looking northwest towards Cottam 1 North Site/Sites and southwest towards the Cottam 1 South Site/Sites.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a low-lying, gently undulating landscape within the wider context of a rolling lowland at the foot of the limestone capped scarp slope. The land use is predominantly arable farmland with many of the large fields under single crop. There is plantation woodland interspersed with deciduous woodland that form distinctive groups and help channel views across the area. There are geometric blocks of woodland to the south associated with Manor Farm and Cammeringham Grange between the settlements of Ingham and Brattleby, including Half Acre Plantation and Cammeringham Top Covert. To the north, there are geometric woodland blocks at Hare's Wood and Fillingham Castle. Hedgerows enclose the fields and provide additional layering to the landscape which is crossed by farm tracks that are also prominent in the context of the adjoining hedgerows. There is also pasture within the small fields to the west (left of view) of the bridleway. Tree clumps are also common in this landscape and they are particularly evident dotted in hedgerows just to the west of the view, bordering the fields in use as pasture and sheep grazing. In terms of man-made features, the mobile home park is discordant with the character and distinctiveness of the settlement of Ingham.

Subjective: The viewpoint depicts a medium to small-scale landscape that is partially enclosed at this location due to the areas of woodland cover, giving an intimate feel to the view. New Plantation and Larch Plantation closes down some views across to the west and the small watercourse (tributary of the River Till) to the north of Long Lane also supports a strong line of tree cover. The view provides a combination of features that includes strong hedgerows, shelterbelts, tree clumps and plantation woodland, which add a simple but attractive composition.

Overall: The view is typical in character to the wider rolling arable landscape, which is interesting and pleasant where hedgerows and woodland add interest and lend an enclosed nature to views across the area. In terms of variety, there are a number of elements that create an interesting composition and there are also strong contrasts between open arable fields and enclosed woodlands in parts. The good combination of features adds colour, texture and harmony to views. Overall, the view is balanced and the landscape is well-managed with strong colours that give an overall impression of an attractive and pleasant landscape.

Receptors:

This viewpoint is representative of views available to walkers, residents, and horse riders on the PRoW (Ingh/24/2) that extends from the northern edge of Ingham settlement into the wider landscape.

There are no meaningful views due to distance, topography and intervening hedgerows and woodland cover.

Scope Out



Receptor susceptibility to change	Value of view	Sensitivity	Embedded I
Not Applicable	Not Applicable	Not Applicable	Not Applicable
Not Applicable	Not Applicable	Not Applicable	Not Applicable

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.2: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.2.16] July 2022

Mitigation



Viewpoint VP27 – Junction of Church Hill and the B1398

Viewpoint Baseline:

The view is located along the B1398 at the junction with Church Hill and PRoW Camm/29/1, looking west towards the northern extent of the Cottam 1 Site/Sites.

Objective: This viewpoint offers views of an almost flat landscape at the top of the scarp slope, where the wider context of the broad lower-lying valley is only just visible due to the intervening landform. The road junction is a dominant feature within the foreground of the view. The land use is predominantly arable interspersed with geometric blocks of deciduous woodland that stand out clearly on the horizon as dark, strong features. The viewpoint is located to the east of the small settlement of Cammeringham where the built form, tree clumps and hedgerows close down any visibility towards the east.

Subjective: The viewpoint depicts a large-scale landscape that is vast and exposed giving an invigorating view with the Trent power industry just visible on the far horizon. The nature of the foreground view is a busy location as the two roads converge and this detracts from the distant features, which are more interesting. The view provides a combination of features in the wider landscape including plantations, shelterbelts, tree clumps, isolated trees and hedgerows.

Overall: The view is typical in character to the string of settlements on the ridgeline where the open expanses between these settlements provide far reaching and invigorating views that are often panoramic. The overall experience in this viewpoint is invigorating and very pleasant apart from the proximity to the road that evokes a sense of discordancy.

Receptors:

This viewpoint is representative of views available to walkers, motorists and residents travelling between the settlements of Ingham and Fillingham along the B1398.

There are no meaningful views due to distance, topography and intervening settlement, hedgerows and woodland cover.

Scope out.



Receptor susceptibility to change	Value of view	Sensitivity	Embedded N
Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.2: Viewpoint Analysis & Evaluation – Views Scoped out [Reference: EN010133/APP/C6.3.8.3.2.2.17] July 2022





Viewpoint VP28 – Junction of Ingh/17/1 and Ingh/17/2 and Ingh/18/1 and Ingh/18/2

Viewpoint Baseline:

The view is located along junction of PRoW, footpaths Ingh/17/1 and Ingh/17/2 and footpaths Ingh/18/1 and Ingh/18/2, looking west towards the northern extent of the Cottam 1 Site/Sites.

Objective: This viewpoint offers views of an almost flat landscape within the wider context of a rolling lowland at the foot of the limestone capped scarp slope. The land use is predominantly arable interspersed with deciduous woodland that stands out on the horizon as distinctive features. Hedgerows enclose the fields and provide an additional layering to the landscape which is crossed by farm tracks that are also prominent in the context of the adjoining hedgerows.

Subjective: The viewpoint depicts a large-scale landscape that is open in contrast to the areas of woodland cover. Fox Covert and Hares Wood close down some views across the area. The view provides a combination of features that are wellbalanced and well-managed with muted colours that give an overall impression of a calm landscape.

Overall: The view is typical in character to the wider rolling arable landscape, which is interesting and pleasant where hedgerows and woodland add interest and depict an enclosed nature. There are also strong contrasts in parts where wider open views are possible that provide a greater sense of scale and less intimacy.

Receptors:

This viewpoint is representative of views available to walkers travelling between the settlements of Ingham and Fillingham on a well-connected footpath network.

There are no meaningful views due to distance, topography and intervening hedgerows.

Scope out.



Receptor susceptibility to change	Value of view	Sensitivity	Embedded N
Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.2: Viewpoint Analysis & Evaluation – Views Scoped out [Reference: EN010133/APP/C6.3.8.3.2.2.18] July 2022





Viewpoint VP31 - Fill/87/1 just off Willingham Road

Viewpoint Baseline:

The view is located at the junction of PRoW footpath (Fill/87/1) with Willingham Road, looking west towards the northern extent of the Cottam 1 Site/Sites.

Objective: This viewpoint offers views of an almost flat, low-lying landscape within the wider context of a rolling lowland at the foot of the limestone capped scarp slope. There are extended views towards the east where Hares Wood and Fox Covert stand out as strong features on the horizon. The land use is predominantly arable interspersed with a strong hedgerow network and tree clumps that stand out on the skyline and across field boundaries. The land is also crossed by farm tracks with adjacent hedgerows including the footpath which follows one of these tracks and stands prominent in the landscape especially where it joins with Willingham Road. There are few man-made influences apart from moving traffic on the horizon where Middle Street passes north to south between the City of Lincoln and the Hull crossing.

Subjective: The viewpoint depicts a medium-scale landscape that is mostly open apart from the blocks of deciduous woodland on the horizon that follow the line of the scarp slope and give some enclosure. The view provides a combination of features including clumps of oak trees sitting in hedgerows, typically to the west (left of view) that are a strong feature adding to the sense of enclosure. The hedgerows to the west have frequent gaps in places but this barely evident in the context of the wider view. Rising landform is also prominent to the north-east of the viewpoint around Church Farm and this combined with tree cover adds a pleasant character to the view in this direction.

Overall: The view is typical in character to the wider rolling arable landscape, which is interesting and pleasant where the woodland blocks and isolated oak trees add stimulus. There is also a strong sense of consistency, and the landscape is unspoilt with very few man-made interventions. There are also extended views south along the ridgeline towards Ingham Cliff which adds vigour to the view.

Receptors:

This viewpoint is representative of views available to walkers along the footpath (Fill/8/1) and motorists travelling on Willingham Road between the settlements of Fillingham and Ingham.

No meaningful views due to distance, topography and intervening hedgerows.

Scope out



Receptor susceptibility to change	Value of view	Sensitivity	Embedded M
Not Applicable	Not Applicable	Not Applicable	Not Applicable
Not Applicable	Not Applicable	Not Applicable	Not applicable

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.2: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.2.18] July 2022

Mitigation



Viewpoint VP40 - Junction of Fillingham Lane and Stone Pit Lane

Viewpoint Baseline:

The view is located at the junction of Fillingham Lane and Stone Pit Lane, looking southeast towards the northern extent of the Cottam 1 North Site/Sites.

Objective: This viewpoint offers views of an almost flat landscape within the wider context of a rolling lowland. Fillingham Lane is a prominent feature as it is a major route that connects Fillingham with Willingham By Stow. The land use is predominantly arable with some tree and woodland cover at the edge of the settlement. There are clear and uninterrupted views to the northeast (left of view) towards Heaton's Wood, Top Wood, Big Wood, and Oak Wood. Views to the south are limited due to the hedgerows to the south of Fillingham Lane. Normanby Gorse is also visible in the horizon to the south. Isolated trees are notable in the foreground of the view and to the south of Fillingham Lane with a few running along Stone Pit Lane.

Subjective: There are wide grass verges that separate the road from the hedgerows. The scale of the view is small, enclosed and intimate and this is a simple landscape. The enclosed nature of the road is appealing that provides for a balanced and calm environment. In terms of texture, the vegetation is managed and muted in colour. The proximity to the road and settlements at Willingham (right of view) provide some sense of security.

Overall: The experience is interesting and pleasant.

Receptors:

This viewpoint is representative of views available to motorists and residents at the eastern edge of the settlement of Willingham by Stow.

There is a similar view provided by Viewpoint VP39.

Scope out.



Receptor susceptibility to change	Value of view	Sensitivity	Embedded M
Not Applicable	Not Applicable	Not Applicable	Not Applicable
Not Applicable	Not Applicable	Not Applicable	Not Applicable

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.2: Viewpoint Analysis & Evaluation – Views Scoped out [Reference: EN010133/APP/C6.3.8.3.2.2.19] July 2022





Viewpoint VP42 - Gltw/88/1

Viewpoint Baseline:

The view is located on the PRoW, bridleway (Gltw/88/1), looking west towards the northern extent of the Cottam 1 Site/Sites.

Not Applicable

Objective: This viewpoint offers views of a very gently rolling landscape within the context of a broad valley that is almost conspicuous at this location. The land use is predominantly arable with mixed woodland visible to the north (left of view) comprising Nursery Plantation, and to the south woodland cover on the far horizon at Fillingham Grange and The Lake, and Fillingham is a strong dark feature. The views towards the far horizon are curtailed by the landform in the foreground. Tree clumps are also a feature along the hedgerow boundaries, which enhance the existing woodlands and give the impression of a more intimate landscape. In terms of man-made elements, there is little built influence since the landscape is sparsely populated with only a few isolated dwellings and grange houses.

Subjective: The viewpoint depicts a medium to large-scale, partially open landscape, with views closed down by a wooded horizon. The intensive arable land use opens visibility, but the landform and strong hedgerows with tree clumps help to dissipate the scale. In terms of variety, the combination of features includes woodland, tree clumps and hedgerows that present a simple landscape with very limited interest. In terms of texture, this is a highly managed arable land use with a muted colour combination and very few far-reaching views.

Overall: The bridleway is partially concealed as it travels along the west side (left of view) of existing hedgerow where the large, open arable fields are the main feature of the view. The intervening woodland and settlement at Fillingham also close down views towards the south. The immediate view is typical of the local landscape character, but the far-reaching open views offer more interest. The overall experience is pleasant but with some bland foreground features.

Receptors:

This viewpoint is representative of views available to PRoW users along bridleway Gltw/88/1. This section of bridleway is used by walkers and horse riders and leads from Kexby Road at Glentworth in the north to join High Street at Willingham in the south. There are no meaningful views towards the Site/Sites due to distance, topography and intervening layering of hedgerows and woodlands.

Not Applicable

Scope out.

Not Applicable

Approximate Extent of Development			
Receptor susceptibility to change	Value of view	Sensitivity	Embedded Mi
Not Applicable	Not Applicable	Not Applicable	Not Applicable

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.2: Viewpoint Analysis & Evaluation – Views Scoped out [Reference: EN010133/APP/C6.3.8.3.2.2.20] July 2022



Mitigation

Not Applicable



Viewpoint VP43 - Owmb/5/2 just off A15

Viewpoint Baseline:

The view is located on the PRoW, footpath Owmb/5/2 at the junction with the A15 (Ermine Street), looking west towards the northern extent of the Cottam 1 Site/Sites.

Objective: This viewpoint offers views of a very gently rolling landscape but the context of the broad valley to the west is not fully conspicuous at this location due the foreground topography. The land use is predominantly arable with mixed woodland visible such as Pale Wood, Fox Covert and Lady's wood, and to the south woodland cover on the horizon at Ingham is a strong dark feature. In terms of man-made elements, the A15 is a prominent feature as it leads north towards Hemswell Cliff and south towards Lincoln.

Subjective: The viewpoint depicts a large-scale, open landscape which is punctuated by well managed hedgerows with frequent gaps that provide short but frequent views across the open fields. In terms of variety, the combination of features includes strong gappy hedgerows and large woodland blocks that present a varied and balanced composition with very few detractors other than the influence of the busy A15 and fast-moving traffic that erodes the character. In terms of texture, this is a well-managed landscape with contrasting colours that are muted but interesting, giving the impression of a pleasant landscape with some intimacy created by the woodland blocks.

Overall: The busy A15 is a significant detractor due to the fast-moving traffic. The presence of strong hedgerows closes down visibility and decreases the sense of scale. The overall experience is unsettling due to the proximity of the A15, but the landscape context is visibly pleasant.

Receptors:


This viewpoint is representative of views available to PRoW users along footpath Owmb/5/2. This section of footpath is used by walkers and leads from the A15 in the west to join Owmby Cliff Road in the east. The view is also experienced by motorists and residents using the A15 and access to Owmby Cliff Farm and Owmby Cliff Farm Cottages. There are no meaningful views towards the Site/Sites due to distance, topography and intervening hedgerows and woodlands.

Scope out.



Receptor susceptibility to change	Value of view	Sensitivity	Embedded M
Not Applicable	Not Applicable	Not Applicable	Not Applicable
Not Applicable	Not Applicable	Not Applicable	Not Applicable

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.2: Viewpoint Analysis & Evaluation – Views Scoped out [Reference: EN010133/APP/C6.3.8.3.2.2.21] July 2022





Viewpoint VP47 - Junction of Mill Mere Road and Pilham Lane

Viewpoint Baseline:

The view is located at the junction of Mill Mere Road and Pilham Lane looking east towards the Cottam 2 Site/Sites and north towards the Cottam 3b Site/Sites.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a slightly undulating, low-lying landscape within the wider context of a broad vale, which is hardly conspicuous at this location. The land use is mainly productive arable farmland with many large fields under single crop. There are some local variations in landform where the land rises to the west (left of view) towards Wharton Wood and the A159. To the north, the landform follows a narrow spur towards the settlement of Pilham and to the south the landform is gently undulating to take account of the localized hills that rise to approximately 20m AOD. The landform is generally at a similar elevation towards the east but the settlement of Corringham closes down views across the landscape. In terms of enclosure, there are very few woodland blocks or shelterbelts in the wider landscape other than Yawthorpe Fox Covert to the east and Wharton Wood towards the west. At closer proximity, there is vegetation at the edge of the Corringham within the field systems to the west of Middle Street. The field systems are smaller scale at this location and the strong tree cover in the hedgerows helps to close down views across the landscape towards the eat. To the north, east and south, there are mainly open views and to the east, the settlement of Corringham (and associated vegetation) closes down the visibility. In terms of man-made features, there is the settlement of Corringham and other settlement is centered on Aisby to the north and Gainsborough to the southwest. Pilham Lane is a prominent feature particularly its long, straight alignment where it heads north towards Pilham. The wind turbine at Blyton Park Driving Centre is also just visible on the far horizon to the northeast (left of view). The Grade I listed tower of the Church of St. Lawrence is also just visible in the view.

Subjective: The viewpoint depicts the immediate edge of settlement in the wider context of a large-scale, exposed landscape. In terms of variety, the hedgerows are a strong feature, but well cut back with few hedgerow trees, and the poplar shelterbelts also stand out. The hedgerows are present on both sides of Mill Mere Road and Pilham Lane and there are narrow grass verges that presents a simple consistency. In terms of texture and colour, the hedgerows are low cut and have a highly managed appearance and little texture, and the view is muted. Mast poles are however prominent. The view tends to be ordinary overall, but the extended visibility in most directions (north south and west) reveals a more open character, interest and stimulus to this location.

Overall: The view is influenced by the presence of the busy Pilham Lane, which is a detractor to the rural character of the view. The tree cover is limited, the hedgerows are cut back and the arable land use is intensively managed. The overall experience is that of an ordinary location due to the lack of features and distant visibility.

Receptors:

This viewpoint is representative of views available to walkers, horse riders, motorists and residents using Mill Mere Road and Pilham Lane. There are no meaningful views due to distance, topography and intervening hedgerows and woodland cover.

Scope out



Receptor susceptibility to change	Value of view	Sensitivity	Embedded I
Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.2: Viewpoint Analysis & Evaluation – Views Scoped out [Reference: EN010133/APP/C6.3.8.3.2.2.22] July 2022

Mitigation



Viewpoint VP51 - wltn/13/1

Viewpoint Baseline:

The view is located on the PRoW, footpath (Wltn/13/1), looking southwest towards the northern extent of the Cottam 2 Site.

Objective: This viewpoint offers views of a gently rolling landscape at the settlement edge of Willhoughton where the broader valley context is hardly conspicuous due to the abundance of tree cover, woodlands and the scattering of built form at this location. The land use is predominantly pasture with sheep grazing with an abundance of field trees and tree groups within the hedgerows. In terms of man-made elements this location adjoins the settlement of Willhoughton but the built form is barely visible due to the abundance of tree cover.

Subjective: The viewpoint depicts a small-scale, intimate landscape, being enclosed with limited views beyond the immediate field boundaries. In terms of variety, the combination of features includes pasture, hedgerows, woodland, tree clumps, hedgerow trees, field trees and pasture that enhances the character and provides a very pleasant and interesting view. In terms of texture, the landscape is grazed with sheep stock and the colours are evocative of a pastoral landscape being rich in tone and varied.

Overall: The pasture is a strong feature, and the gently undulating landform adds a soft quality to the view. The immediate view is very interesting and typical to the local landscape character with historic influences with being an Ancient Monument (List Entry 1007689) Site of medieval preceptory and settlement remains, Temple Garth, with the remains of a medieval landscape that has survived largely intact. The overall experience is pleasant and very interesting with a highly attractive combination of features.

Receptors:

This viewpoint is representative of views available PRoW users along the footpath and visitors to the Ancient Monument. This section of footpath leads from the Ancient Monument to join with Southfield Lane that then connects to Hemswell in the south. There are no meaningful views towards the Site/Sites due to distance, topography and intervening hedgerows and tree cover.

Scope out.



Receptor susceptibility to change	Value of view	Sensitivity	Embedded M
Not Applicable	Not Applicable	Not Applicable	Not Applicable
Not Applicable	Not Applicable	Not Applicable	Not Applicable

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.2: Viewpoint Analysis & Evaluation – Views Scoped out [Reference: EN010133/APP/C6.3.8.3.2.2.23] July 2022

Mitigation



The view is located on Pilham Lane, looking southeast towards the northern extent of the Cottam 2 Site/Sites.

This viewpoint offers views of an undulating landscape within the context of rolling lowland that is conspicuous at this location. The land use is predominantly arable with some pasture and areas of deciduous woodland. In terms of man-made elements, there is settlement comprising isolated dwellings and the small hamlets of Gilby and Aisby, which are former medieval sites. Other influences include telegraph poles that break the horizon to the south of Green Lane and Gilby Farm is dominant on the horizon due to the associated large-scale agricultural buildings.

The viewpoint depicts a large-scale landscape, being exposed but accented by strong woodland blocks that dominate the horizon, including woodland at Corringham Scroggs. In terms of variety, the combination of features includes farmsteads, low hedgerows, small woodland blocks, shelterbelts, field trees and tree groups, but the man-made detractors denude the landscape character. In terms of texture, this is a highly managed landscape with low clipped hedgerows and muted colours and there are no invigorating qualities than the wide views.

Overall, the arable landscape adds to the sense of denudation and this contrasts sharply with well-tendered pasture that lies to the east side of Pilham Lane, and in the context of the medieval settlements at Gilby and Aisby. On balance the landscape is intact and harmonious as a sum of parts.

Receptors:

This viewpoint is representative of views available to users of Pilham Lane that includes walkers, horse riders, motorists and residents. The leads from Pilham in the north to the A631 in the south. There are no meaningful views towards the Site/Sites due to the intervening settlement of Aisby and Gilby, distance and intervening hedgerows and woodland cover.

Scope out.



Receptor susceptibility to change	Value of view	Sensitivity	Embedded M
Not Applicable	Not Applicable	Not Applicable	Not Applicable
Not Applicable	Not Applicable	Not Applicable	Not Applicable





The view is located on the PRoW, footpath (Corr/22/1) at the junction with Bonsall Lane, looking southeast towards the northern extent of the Cottam 2 Site. The view is also looking north towards the southern extent of the Cottam 3b Site/Sites.

Objective: The viewpoint offers views over an almost flat landscape within the wider context of a rolling broad valley that is hardly conspicuous at this location. The land use is predominantly arable with occasional blocks of deciduous woodland. In terms of man-made elements, there are direct views of farm buildings and isolated residential properties giving the location a settled appearance. Masts and poles also litter the landscape, but the roads are inconspicuous in the distance and only evident at close range.

Subjective: The viewpoint depicts a large-scale, open landscape, being exposed due to the large field sizes and a limited hedgerow network. In terms of variety, the combination of features includes farmsteads, residential properties, low cut hedgerows, deciduous woodland blocks and hedgerow trees.

Overall: The footpath is a feature as it heads south from Aisby, but the wider outlook is disrupted by hedgerows and woodland blocks in places. Where there are distant views towards the skyline, they are often punctured by telegraph poles which appear dominant and consistent on the horizon. There is limited tree cover around Aisby and therefore the residential properties stand out in the landscape. The overall experience is a calm and intact landscape but the presence of poles and other man-made features exert an ordinary influence over the other more attractive features.

Receptors:

This viewpoint is representative of views available to PRoW users along footpath Corr/22/1. This section of footpath is used by walkers and leads from Bonsall Lane in the north to the settlement of Corringham in the south. The view is also experienced by motorists and residents travelling between Corringham and Aisby. There are no meaningful views due to distance, topography and intervening hedgerows.

Scope out.



Receptor susceptibility to change	Value of view	Sensitivity	Embedded Mit
Not Applicable	Not Applicable	Not Applicable	Not Applicable
Not Applicable	Not Applicable	Not Applicable	Not Applicable

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.2: Viewpoint Analysis & Evaluation – Views Scoped out [Reference: EN010133/APP/C6.3.8.3.2.2.25] July 2022

itigation



Viewpoint VP64 - A159 (Laughton Road)

Viewpoint Baseline:

The view is located on the A159 (Laughton Road), looking southeast towards the western extent of the Cottam 3a Site/Sites.

Objective: This viewpoint offers views over an almost flat landscape within the wider context of the Wooded Vales of Laughton Forest that is fully conspicuous at this location. The land use is partly arable interspersed with plantation woodland including Dallison Plantation that stands tall at the southwest corner of the view (right of view). This plantation mirrors the other coniferous woodland blocks in the area and others located at the southeast corner of the view (right of view) in the context with Dallison Plantation, Park House Farm and Mount Pleasant Farm. In terms of man-made elements, there are very few detractors with plantation woodland being a consistent feature, however the electricity pylons in the far distance add discordancy to an otherwise harmonious landscape. The settlements of Laughton and Blyton are located beyond the plateau and not evident in the view.

Subjective: The viewpoint depicts a combination of scales, comprising a small scale and intimate feel adjacent to the woodland areas and a larger scale where the views extend to distant horizons across the arable landscape. The enclosed landscape is dominated by large scale woodland blocks that frame views, often to distant horizons as far as Scotton and Northorpe. In terms of variety, the views depict the stark contrast between the open arable fields (often without hedgerows) that are enclosed with extensive areas of dense woodland. Laughton Road is a prominent feature but the clumps of trees and roadside vegetation help the road to blend with the landscape. Woodland at the Respect Green Burial Park is also prominent on the horizon.

Overall: The arable landscape is a plain feature but the contrasts with the woodlands and shelterbelts add interest and vibrancy to the views. The enclosed nature of the woodlands also provides a balanced and calm environment with a strong sense of isolation and solitude. The landscape of Laughton Woods is a rare and unusual feature within this part of Lincolnshire and a focus for both formal and informal recreation. Detractors such as wind turbines and pylons are evident in the far distance adding complexity to the view, but the overall experience is very pleasant and invigorating.

Receptors:

This viewpoint is representative of views available to the users of the A159 (Laughton Road) and visitors to Scotton Common Nature Reserve and Laughton Forest. The view is also experienced by motorists and residents travelling between Laughton and Scotton along Laughton Road. There are no meaningful views towards the Site/Sites due to distance, topography and intervening hedgerows.

Scope out.

Approximate Extent of Development				
Receptor susceptibility to change	Value of view	Sensitivity	Embedd	
Not Applicable	Not Applicable	Not Applicable	Not Applica	
Not Applicable	Not Applicable	Not Applicable	Not Applica	

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.2: Viewpoint Analysis & Evaluation – Views Scoped out [Reference: EN010133/APP/C6.3.8.3.2.2.26] July 2022



ded Mitigation

cable

cable



Viewpoint VP65 – Scotton Common Nature Reserve

Viewpoint Baseline:

The view is located at the entrance to the Scotton Common Nature Reserve at the junction with Laughton Road, looking south towards the northern extent of the Cottam 3a Site/Sites.

Objective: This viewpoint offers views over an almost flat landscape within the wider context of the Wooded Vales of Laughton Forest that is fully conspicuous at this location. The land use partly arable interspersed with plantation woodland including Dallison Plantation that stands tall at the southwest corner of the view (right of view). This plantation mirrors the other coniferous woodland blocks in the area and others located at the southeast corner of the view (right of view) for example. In terms of man-made elements, there are very few detractors with plantation woodland being a consistent feature, however the electricity pylons in the far distance add discordancy to an otherwise harmonious landscape.

Subjective: The viewpoint depicts a combination of scales, comprising a small scale and intimate feel within the enclosed woodland areas and a larger scale where the views extend to distant horizons across the arable landscape. The enclosed landscape is dominated by large scale woodland blocks that frame views, often to distant horizons as far as Scotton and Northorpe. In terms of variety, the views depict the stark contrast between the open arable fields (often without hedgerows) that are enclosed with extensive areas of dense woodland.

Overall: The arable landscape is a plain feature but the contrasts with the woodlands and shelterbelts add interest and vibrancy to the views. The enclosed nature of the woodlands also provides a balanced and calm environment with a strong sense of isolation and solitude. The landscape of Laughton Woods is a rare and unusual feature within this part of Lincolnshire and a focus for both formal and informal recreation. The overall experience is very pleasant and invigorating.


Receptors:

This viewpoint is representative of views available to visitors to Scotton Common Nature Reserve and Laughton Forest. The view is also experienced by motorists and residents travelling between Laughton and Scotton along Laughton Road. There are no meaningful views towards the Site/Sites due to distance, topography and intervening hedgerows.

Scope out.

MARN. V	RINZ	A A A A A A A A A A A A A A A A A A A	pproximate Extent of De
			2 Million March
		And the second second second	

Receptor susceptibility to change	Value of view	Sensitivity	Embedde
Not applicable	Not applicable	Not applicable	Not applicab
Not applicable	Not applicable	Not applicable	Not applicat





Viewpoint: LCC-C-D – Blackthorn Lane

Receptor Baseline:

This viewpoint is located on Blackthorn Lane and looks directly southwest over the Cottam 1 South Site and northwest over the Cottam 1 North Site.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising a low-lying, flat landscape where the wider context of a broad valley is not that evident due to the enclosed nature of the view. The land use is mainly productive arable with many large fields under single crop as a series of geometric fields bordered by hedgerows and ditches. There are some local variations in landform where the land rises to the east towards the settlement of Ingham to approximately 60m AOD. To the west and south, the landform is predominantly flat at approximately 10m AOD and the land rises to the north to form part of Blackthorn Hill. In terms of enclosure, there are some woodland blocks to the south comprising of Cammeringham Low Covert, Long Covert, Brattleby Gorse, Horse Covert and Polar Wood that close down views in this direction. There is some open visibility towards the east and the scarp slope with the woodland at Cammeringham Top Covert and Cammeringham Grange. In terms of man-made features, there is an isolated agricultural building at Blackthorn Hill and farmsteads at Cold Harbour to the southwest and Furze Hill and Lower Furze Hill to the west. Little else exists in terms of built influence other than the Trent power industry on the far horizon to the west.

Subjective: The viewpoint depicts a medium to large-scale, partially enclosed landscape with arable fields divided by land drains and strong, well-managed hedgerows. In terms of variety, there is a combination of features such as hedgerows and woodland, and Thorpe Lane is also just evident on the far horizon by virtue of the tree cover adding some complexity and interest to the view. In terms of texture, the landscape is simple with well-managed hedgerows and muted colours. Although there is a distinct lack of tree cover in the hedgerows, the deciduous woodlands on the horizon add a wooded context to the view.

Overall: The view is influenced by the flat landscape with regular and geometric fields in arable use divided by tall hedgerows. The woodland at Brattleby Hall is just visible in the distance to the south (right of view) and the tree cover associated with Stow Lane is also just visible on the horizon to the north. There is also a tall, distinctive hedgerow to north of Blackthorn Lane that closes down views towards the north, but in contrast the hedgerow to the south of Blackthorn Lane lacks structure and is gappy in parts giving more visibility in this direction. The overall experience is a simple landscape with very few elements or features of interest. This is an isolated location, but pleasant with a sense of safety and security.

Receptors:

This viewpoint is representative of views available to motorists, residents, walkers, and horse riders using these local lanes at the western edge of Cammeringham.

Description of View:

The foreground of the view comprises the immediate context of agricultural fields with tall hedgerows. Further agricultural fields are not visible beyond this since the landscape is flat, and this local collection of fields are expansive and vast where the intervening hedgerows close down visibility. The middle and long distance therefore yields no visibility. To the right-hand side of the view, there are further agricultural fields and to the left-hand side of the view there is a similar collection of fields. The remainder of the horizon is made up of hedgerows that are well established, and so middle and distant views are not possible. There are no vertical elements in the view.



Indegree vocinition is commonplexe across the area with hedgerow of the excession of the exces	eptor susceptibility to change	Value of view	Sensitivity	Embedded Mitigation
with heggrows often excessively trimmed angapy and that few wriving trees are in por condito The bas also been a steady decline in permanent patter and camerenist na arabite uses around the edges of sattlements. Agricultural internsification and furm anaiganamion is leading to a more homogenous landscape. Where woodlands survive, such as camerenist han to Covert and los (covert, they as inportant features in the views across the area and providing screile where across the area input and the edges or was and providing screile where across the area and covert in the degerow and and providing screile where across the area input and the edges or was and providing screile where across the area indicates the settlement of Cammeringham and indicates the settlement of Cammeringham and providing screile where across the area intrinsic local character. (Heggrow quality is the key aspect of the costing farms that are sering screice) and screice the source screice and patter and the degerow quality is the key aspect of the costing farms that area indicates the series and providing screile where the series and providing screile where are significant through agricultural intersiticat of the subtom that aspect and the asset and indicates the series and provide screice have some ablity to accommering the woodland to the west of the settlement of cameringham. Impactation of the settlement of fastlement on the network of the settlement of cameringham. Impactation of the settlement of fastlement on the network with twest and there are significant and the asset and the isoacticated through agricultural intersitication of the settlement of through agricultural intersitication of fastlement and the settlement of through agricultural intersitication of the visual decar a maximu cancer the settlement of through agricultural intersitication of the visual character. Wee area significanters of the settlement of the visual character. Wee area significanters of the settlement of t	ms of forces for change for LCC-C-D, poor	Scenic: There are locations where panoramas are	Range of Features: The location	Embedded Mitigation would be taken
and that few surviving trees are in poor contline. There has also been a steady detaile in permanent pasture and conversion to atable uses around the deges of stettments. Agricultural intensification and farm amagamation is leading to a more homogenous landstape. Where woollands true, such as the are outpower, such as the area outpower, such as the area outpower and Long Covert, they are induces the settlement of converting the wives access the area and induces the settlement of converting the wives access the area and induces the settlement of converting the wives access the area and induces the settlement of converting the wives access the area and induces the settlement of converting the wives access the area and induces the west of the settlement of converting the wives access the area and the need to console there and there accessed the settlement of converting the wives accessed converting the settlement of converting the wives accessed converting the wive accessed the variation of the wive.Panels to be set a minin Panels to be set a minin Panels to be set a minin minior vaterourses.Overall, the susceptibility for LCC-D is conditioned by the need to consol, where they have been lost in thray consol there accessed the variation of the wive.Matazit Marry of these wooldands form geometric shapes such as Samely which form as true of true accessed and Endowmern. The Unwooded Vales thray consol the set and minite accessed and forus of the lead consol there accessed and the voolland blocks.Matazit Marry of these woollands to the set of minite the voolland blocks.Panels to be set a minite Panels to be set a minite minite consol the set out panels and the set out panels a				1 and Year 15) and decommissioning
has abo been a steady decline in permanent pasture and conversion to arable uses around the edges of settlements, Agricultural intensification and farm amagemation is leading to a more phonegonous landscape. Where woodlands surve, such as commeringham too Covert and Long Covert, they are averying farmsteads included inputs and their outying farmsteads included includes the settlement of Cammeringham and includes the settlement of Cammeringham and ingham and their outying farmsteads including lackston rilli.	0 11 1		-	is also referred to as primary mitigation
and conversion to arable uses around the edges of sustements. Agricultural interstification and farm analganation is leading to a more homogenous landscape. Where woodlands survive, such as includes the woodland survive, such as includes the settement of cammeringham tow Covert and Long Covert and the agricultural setting.Backtom tane but only visible through occasional up in the hedgerows.In provide some indimacy, in terms of variety, there is a combination of provide some indimacy.Panels to be set a minin minor watercourses.Overall, the susceptibility for LCC-CD is conditioned by the need to consorts, where they are often (gluby trimed, paper) and species poor. However, there are significant opportunities to restore and manage hedgerow shere the landscape have been lost at includes the west of the settlement of Constrate the degerow and their sociation of the overall experience is a simple tandscape therefore have some addites some constrates. The indication of the exercise of the existing character, where they are often indicates to the west of the settlement of Constrate the exercise and manage hedgerow have weetle weetlem and to evolation to the visco.Existing hedges are to 1 Head sociation and terms. The indication of the exercise as simple convert, there are significant opportunities to restore and manage hedgerow here weetle weetlement of constrates the exercise of the exercise addite some condent through addite the existing character, where they are often indicated to weetlement of constrates the exercise of the exercise addite the existing character, where they are often indicated to weetlement of constrates there are on the local in an entower with views towards through addite the existing character exercise addite the local intermets and sense of pracitational dintermets and analysape therefore ha	Ç .	÷ .		
settements. Agricultural intensification and farm amagination to leading to an onchomogenous landscape. Where woodlands survive, such as a commertingham took cover and Long Cover, they are important features in the views across the area and providing relief within the agricultural setting. Overall, the susceptibility for LCC-CO is conditioned by the need to conserve rural settlement pattern and ensure that new development is complianentary to intrinsic local character. Hedgerow quality is the key appet of the existing character, where they are offen tighty trimmed, gappy and species-poor. However, there are significant opportunities of restors and analysis the settement of cammeringham. Low Gover, the else settement in the area setting character, where they are offen and scape benefore have some ability to accommodate there are significant opportunities of restors and habitats and landscape features that have been los and enhance tree cover. The relevant character sitting of the woodland blocks. habitats and landscape features that have been los and enhance tree cover. The relevant character sitting of the loss acting approximation of rurat targanging and the loss and species of the else setting scope to restore the hedgerows and their associated habitats and landscape features that have been loss and enhance tree cover. The relevant character sitting of the loss acting and else setting have been for a the and class of the landscape features that have been loss and enhance tree covers. The relevant character sitting have effects.			e	Panels to be set a minimum of 15m fr
analgamation is leading to a more homogenous landscape. Where wooldinds survive, such as Cammeringham Low Covert and Long Covert, they are induced she settlement of Cammeringham and providing relief within the agricultural setting.Callment Landscape, Mare Mare and induced she settlement of Cammeringham and and interest to the view.Panels to be set a minin monor watercourses.Overall, the susceptibility for LCC-O: Di conditioned by remarket. Hedgerow quality is the key settlement of instruis local character. Hedgerow quality is the key settlement of stapes such as for a public settlement pattern and there are settlement of the settlement of Cammeringham Low Covert, Long there are settlement of the settlement of Cammeringham.Fautures and interest to the view.Panels to be set a minin monor watercourses.Overall, the susceptibility to change without undue adverse effectsRecreation and Englyment. The Unwoodded Vales Character Keet as a sociated the wood and blocks.Interest. This is a lang log to the settlement of safey and security within the sace using to use dowlen maintenant the wood and blocks.Immering ham.Indicates the lead genow and their associated haptarts and indicase features and there fore have safey and intracters. Same of pare thread as subject of the landscape features in the week endormering ham.Immering ham.Indicates the landscape features that have been lost thread associated have function. The relevant characterstics of the landscape features that have been lost indicates set lost of the and scape function. Therefore have a safe strong sense of place endorsed by the strong mand there associated have function. Therefore have a safe strong sense of place endorsed by the strong mand network. The adverse mering ham.Immering	•			
landscape. Where woodlands survive, such as cammeringham low Cover at low Gover, the for a fortow for woodland, and Thorpe Lane is also just and their outlying farmsteads including Blackthorn Hill.woodland, and Thorpe Lane is also just 	-	gaps in the nedgerow.	-	Panels to be set a minimum of 50m fr
Cammeringham Low Cover and Long Cover, they are important fistures in the views corress the area and providing relief within the agricultural setting.Firms that are eveny distributed across the area in the cover to conditionate the settlement of cammeringham and ingham and their outlying farmsteads including blickhorn Hill.evident on the far horizon by virtue of there cover additions on the network of focial tracks.Panels to be set a mini the dest consumeringham Low Covert, Long Cover and Brattleby Gorse, which form a strong group of woodlands to the west of the settlement of cammeringham.evident on the far horizon by virtue of the field boundaries The overall dest fast and the cover and grattleby Gorse, which form a strong group of woodlands to the west of the settlement of cammeringham.evident on the far horizon by virtue of there cover addition on the network of focial tracks. The overall descent the hole west with a set of the read significant opportunities to restore the hodgerow quality is the key and annate the cover. The relevant characteristics of the reserver the reader with a set of the set is not a public right of way which deflects from the important focuses on the local lane network with views toward the vide across retin a sense of rural tranquility and intactress and prove arise could hole.evident on the far horizon by virtue of the field boundaries The overall miss at an one construction by virtue of the field boundaries the averance of the index performs and the agricultural intensities of the strange therefore have a song foundaries to the section and transocrate the read segnificant operforming the averance of the read segnificant operforming the theore as significant. The relevant character index performs area the undex encess cells and therefore have a the output of the inters of the			ũ	Danals to be set minimum of 20m from
 important features in the views across the area and providing relief within the agricultural setting. Overall, the susceptibility for LCC-O is conditioned by the need to conserve rural settlement potantic to restore and manage hedgerow quality is the key aspect of the existing character, where they are often tightly timengappart and species poor. However, and Bratteby Cores, which for the astrong providing relief within the agricultural intersification, but pleasant with a sense of ratartes of interest. This is an isolated character the edgerow targets on the location nucle welf. Character Area da is valued for recreation which welfs concerned the view. <i>Natural: Nany of these woodlands form geometric shapes such as Cammeringham. Now Covert, Long approat on Species poor. However, and Bratteby Cores, which for the astrong providing release on the location on the network of location, but pleasant with a sense of ratartes of interest. This is an isolated location, but pleasant with a sense of a safety and ascurity, which raises the level.</i> <i>Natural: Nany of these woodlands form geometric shapes such as Strong ponse of the existing character, where the beer location on the network with views towards the woodland blocks.</i> <i>Natural: Nany of these strong of the existing character, where the beer location and the insocret. Wide areas retain a sense of rural tranquility and intactness and place character area and well-being.</i> <i>Incel Distinctiveness and Sense of Place:</i> The landscape therefore have some and their associated place in a sense of rural tranquility and intactness away from the main road network with several woodlands being and their asociating and their sociation and well-being. <i>Natural: Many of the sevent have and their asociation and well-being.</i> <i>Natural: Many of the </i>				
providing relief within the agricultural setting. Overall, the susceptibility for LCC-CD is conditioned by the need to conserve rural settlement pattern and ensure that new development is complimentary to intrinsic local character. Hedgerow quality is the kys spect of the existing character, Hedgerow quality is the kys spect of the existing character. Hedgerow quality is the kys spect of the existing character. Hedgerow quality is the kys spect of the existing character. Hedgerow quality is the kys spect of the existing character, Hedgerow quality is the kys spect of the existing character. However, there are significant opportunities to restore and manage hedgerows, where they have been lost and enhance there cover. The relevant characteristics of the ablatas and lankscape features associated through agricultural intensification. The relevant characteristics of the landscape therefore have a effects. H <u>Hold handscape features in existing spect of the existing handscape without undue adverse effects given there are signification. The relevant characteristics of the landscape therefore have a effects. H<u>Hold hand Subtas and landscape features in the local lane network of PRoW meaning that the local lane such as Blackthorn Lane.</u> H<u>Hold hand Well/Heing:</u> There is a limited network of PRoW meaning that the local lanes such as Blackthorn Lane. H<u>Hold hand Well/Heing:</u> There is a limited network of PRoW meaning that the local lanes as a be the main focus for recreation and well-being. The visual effects with the distinctive character of the exert, Many village place names provide some evidence of time depth with several woodlands being named after a local willage such as cammeringhan Luo evort, Indicating it once belonged to the community of Cammeringham. Overall, the subue of Viswophit LCC-C-D is shaped by the distinctive character of the woodland shich are local landmarks. The landscape possessers areas of local landmarks. The landscape possessers areas of local landmarks. The landscape possesseres areas </u>			-	minor watercourses.
Bickhorn Hill. Bickho		0		Panels to be set a minimum of 3m fro
Overall, the susceptibility for LCC-C9 is conditioned by the need to conserve rural settement pattern and ensure that new development is complimentary to intrinsic local character. Hedgerow quality is the key spacet of the existing character, where they are often tighty timmed, gappy and species poor. However, there are significant opportunities to restore and manage hedgerows, where they have been lost and enhance tree cover. The relevant characteristics of the cover. The relevant characteristics of the landscape features of interest. This is an is loaded location. Dut he network of local trans- ter size soft interest. This is an is loaded location on the network of local trans- ter size soft interest. This is an is loaded location. Dut he network of local trans- ter size soft interest. This is an is loaded location. Dut pleasant with a sense of importance of the view. Existing hedges are to 1 to the field boundaries randomitas to the woodland to the west of the settime and focuses on the local lane network with views towards the woodland blocks. Importance of the view. Existing hedges are to 1 to the field boundaries randomitas excate risk as its valued for recreation which often focuses on the local lane network with views towards the woodland blocks. Importance of the view. Existing hedges are to 1 to the field boundaries randomitas eccation and terioper the landscape focus the transfication. The relevant characteristics of the landscape features with the view of the view. Importance of the view. Existing hedges are to 1 to the field boundaries randomitas the view. Existing hedges are to 1 to the field boundaries randomitas to the field boundaries randomitas the local lane network with views towards drin active sharester of the read settime and sense of flace: The lead settime randomitas being mamed after a local willing suph to the weise of the setti	· · · ·	• • • •	and interest to the view.	
the need to conserve rural settlement pattern and ensure that new development is complianents to complianents to intrinsic local character, Hedgerow quality is the key apacet of the existing character, where they are often tight y timmed, gappy and species-poor. However, there are significant opportunities to restore and enhance tree cover. The relevant characteristics of the landscape therefore have some ability to accommodate character strees defines given there is scope to restore the hedgerows effects given there is scope to restore the hedgerows and their associated holtats and landscape features that have been lost through agricultural intensification. The relevant character stices of the landscape has a 'strong sense of place' endorsed by the servand by local lanes such as Blackthorn Lane. Health and Wellbeing: There is al limited network of PROW meaning that the local lanes can be the main focus for recreation and well-being. Deverall , the value of View elements of safety and security. Which elements are soft the view. Deverall, the value of View elements of the view. Deverall weak of the landscape has a 'strong sense of place' endorsed by the serval woodland being named after a local wilgage such as Cammeringham Low Covert, indicating it once belonged to the community of Cammeringham. Wide areas retain a sense of rural tranquility and intactrees away from the main cand here ables and the serval woodland being named after a local wilgage such as Cammeringham Low Covert, indicating it once belonged to the community of Cammeringham.			Importance of View: This is a part open	Existing hedges are to be allowed to g
ensure that new development is complimentary to intrinsic local character. Hedgerow quality is the keys appet of the existing character, where they are often tighty trimmed, gappy and species-poor. However, there are significant opportunities to restore and manage hedgerows, where they have been lost and enhance tree cover. The relevant characteristics of the landscape vithout undue adverse effects given there is scope to restore the hedgerows and their associated habitats and landscape therefore have a medium susceptibility to change without undue adverse effects.		Natural: Many of those woodlands form geometric		Hedgerow trees will be encouraged to
intrinsic local character, Hedgerow quality is the key aspect of the existing character, where they are often there are significant opportunities to restore and manage hedgerows, where they have been lost character strong for the existing character, where they have been lost throad er the hedgerows and their associated habitats and landscape features that have been lost throad scrup therefore have as one ability to accurate through agricultural intersification. The relevant character strong sense of place? The and scrup through agricultural intersification. The relevant character strong sense of place? The and scrup through agricultural intersification. The relevant character strong sense of place? The and scrup the woodland blocks.Imates agricultural intersification. The relevant character strong sense of place? The landscape fractures scrup sense of place? The landscape fractures scrup sense of place? The sense restin a sense of rural tranquility and intactness away from the main focus for recreation and well-being.Imatescrup tensor <b< td=""><td></td><td></td><td></td><td>to the field boundaries with the additi</td></b<>				to the field boundaries with the additi
 aspect of the existing character, where they are often tightly trimmed, gappy and species-poor. However, there are significant opportunities to restore and manage hedgerows, where they have been lost and enhance tree cover. The relevant characteristics of the landscape therefore have some ability to accommodate habitats and landscape therefore have been lost through agricultural intensification. The relevant character Area A is valued for recreation which often through agricultural intensification. The relevant character Area A is valued for correcation which often through agricultural intensification. The relevant character Area A is valued for correcation which often through agricultural intensification. The relevant character Area A is valued for correct the head as 'strong sense of rural character. Wide areas retain a sense of rural tranquility and intactress away from the main road network. These areas can only often be reached by local lanes such as Blackthorn Lane. <u>Health and Wellbeing</u>: There is a limited network of PRW manning that he local lanes can be the main focus for recreation and well-being. <u>Important Spatial Function</u>; Many village place names provide some evidence of 'time depth' with several woollands bo the woollands which are local landmarks. The landscape to cloc Village such as cammeringham. Overall, the value of Viewpoint LCC-C-D is shaped by the distinctive character of the woollands which are local landmarks. The landscape possees areas of dickidous and naive woollands which areas local landmarks. The landscape possees areas of dickidous and naive woollands which areas group to the west of the Settlement of Cammeringham. Wide areas retain a sense of rural tranquily and interters away from the main road network. These 				randomly spaced along the length of a
tighty trimmed, gappy and species-poor. However, there are significant opportunities to restore and enhance tree cover. The relevant characteristics of the andscape therefore have some ability to accummodate change without undue adverse effects given there is scope to restore the hedgerows and their associated habitats and landscape features that have been lost through agricultural intensification. The relevant characteristics of the landscape therefore have some definition to the under the importance through agricultural intensification. The relevant characteristics of the landscape therefore have some effects. Location but of leasant with a sense of strong sense of place endorsed by the strong agricultural character. Wide areas retain a sense of rural tranquility and intactness away from the main road network. These areas can only offen be reached by local lanes such as Blackthorn Lane. Iocation, but pleasant with a sense of strong sense of place' endorsed by the strong agricultural character. Wide areas retain a sense of rural tranquility and intactness away from the main road network. These areas can only offen be reached by local lanes such as Blackthorn Lane. Intent offen be reached by local lanes such as Blackthorn Lane. Health and Wellbeing: Droveral, the value of Viewpoint LCC-C-D is shaped by the distinctive character of the woodlands which are local landmarks. The landscape posses areas of local landmarks. The landscape possesses areas of local landmarks. The landscape possesse				
there are significant opportunities to restore and manage hedgerows, where they have been lost and enhance tree cover. The relevant characteristics of the landscape therefore have some ability to accommodate habitats and landscape features that have been lost.Safety and security, which raises the level installed at a maximum required within panelle installed at a maximum required within panelle medium susceptibility to change without undue adverse a distinctiveness and Sense of Place: The landscape habitats and landscape features that have been lost.Safety and security, which raises the level installed at a maximum required within panelle installed at a maximum required within panelle medium susceptibility to change without undue adverse a distinctiveness and Sense of Place: The landscape has a 'strong sense of place' endorsed by the strong agricultural intensfiction. The relevant character Area as Blackthorn Lane.Safety and security, which raises the level installed at a maximum required within panelle installed at a maximum required within panelle medium susceptibility to change without undue adverse or and network. These areas can only often be reached by local lanes such as Blackthorn Lane.Safety and security, which raises the level installed at a maximum required within panelle mitigation which will he impact at this Embedde installed at a maximum private some evidence of 'time depth' with several woodland being named after a local village such as Carameringham.Safety and security, which raises the level installed at a maximum required within panelle distalled at a maximum private some evidence of 'time depth' with several woodland being named after a local village such as Carameringham.Safety and security, which raises the level installed at a maximum the view. </td <td></td> <td></td> <td></td> <td>Lighting will be limited to downlights v</td>				Lighting will be limited to downlights v
enhance tree cover. The relevant characteristics of the landscape therefore have some ability to accommodate change without undue adverse effects given there is scope to restore the hedgerows and their associated habitats and landscape features that have been lost through agricultural intensification. The relevant characteristics of the landscape therefore have a medium susceptibility to change without undue adverse effects.	are significant opportunities to restore and		safety and security, which raises the level	used when maintenance or security is
enhance tree cover. The relevant characteristics of the landscape therefore have accommodate change without undue adverse effects given there is scope to restore the hedgerows and their associated habitats and landscape features that have been lost through agricultural intensification. The relevant characteristics of the landscape features that have been lost through agricultural intensification. The relevant characteristics of the landscape getatures that have been lost through agricultural intensification. The relevant characteristics of the landscape getatures that have been lost through agricultural intensification. The relevant characteristics of the landscape getatures that have been lost through agricultural intensification. The relevant characteristics of the landscape features that have been lost through agricultural intensification. The relevant characteristics of the landscape features that have been lost through agricultural intensification. The relevant characteristics of the landscape features that have been lost through agricultural intensification. The relevant characteristics of the landscape effects. Health and Wellbeing: There is a limited network of PROW meaning that the local lances can be the main focus for recreation and well-being. Important Spatial Function: Many village place names provide some evidence of 'time depth' with several woodlands being named after a local village such as Cammeringham Low Covert, indicating it once belonged to the community of Cammeringham. Overall , the value of Viewpoint LCC-C-D is shaped by the distinctive character of the woodland shich are local landmarks. The landscape sees areas of decidous and native woodland that is forms a group to the west of the Settlement of Cammeringham. Wide areas retain a sense of rural tranquility and intactness away from the main road network. These	age hedgerows, where they have been lost and	Recreation and Enjoyment: The Unwooded Vales	of importance of the view.	be calibrated to vehicle and personne
landscape therefore have some ability to accommodate change without undue adverse effects given there is scope to restore the hedgerows and their associated habitats and landscape features that have been lost through agricultural intensification. The relevant characteristics of the landscape therefore have a medium susceptibility to change without undue adverse effects. focuses on the local lane network with views towards tocuses on the local lane network with views towards toruses and <u>Sense of Place</u> . The landscape has a 'strong sense of place' endorsed by the strong agricultural character. Wide areas retain a sense of rural tranquility and intactness away from the main road network. These areas can only often be reached by local lanes such as Blackthorn Lane. <u>Number of Receptors</u> : This is likely to only the view. The visual effects with those effects set out for way, which deflects from the importance of the view. The visual effects with those effects set out for mitigation which will he impact at this Embedde Wiebberger Health and Wellbeing: There is a limited network of PRoW meaning that the local lanes can be the main focus for recreation and well-being. Important Spatial Function: Many village place names provide some evidence of 'time depth' with several woodlands being named after a local village such as Cammeringham Lux Cover, indicating it once belonged to the community of Cammeringham. Overall, the value of Viewpoint LCC-CD is shaped by the distinctive character of the woodland which are local landmarks. The landscape possesses areas of deciduous and native woodland that is forms a group to the west of the Settlement of Cammeringham. Important spatial function; wide areas retain a sense of rural tranquility and intactness away from the main road network. These Important spatial function; wide areas ret				installed at a maximum height of 4m
change without undue adverse effects given there is scope to restore the hedgerows and their associated the woodland blocks. attracts local users. Overall, this is a quite to backwater that is not a public right of mitigation the importance of the view. attracts local users. Overall, this is a quite to backwater that is not a public right of mitigation the importance of the view. attracts local users. Overall, this is a quite to backwater that is not a public right of mitigation with will he a 3'strong sense of place' indocred by the strong agricultural character wite areas retain a sense of rural tranquility and intactness away from the main road network. These areas can only often be reached by local lanes such as Blackthorn Lane. attractactic Wite areas retain a sense of rural tranquility and intactness away from the main road network of PROW meaning that the local lanes can be the main focus for recreation and well-being. The visual effects with this Embedde importance of the view. Important Spatial Function: Meaning that the local lanes can be the main focus for recreation and well-being. Important Spatial Function: Many village place names provide some evidence of time depth' with several woodland she ing named after a local village such as Cammeringham. Soverall, the value of Viewpoint LCC-CD is shaped by the distinctive character of the woodland that is forms a group to the west of the Settlement of Cammeringham. Soverall, the value of rural tranquility and intactness areas for deciduous and native woodland that is forms a group to the west of the Settlement of Cammeringham. Soverall, the value of viewpoint LCC-CD is shaped by the distinctive character of the woodland that is forms a group to the west of the Settlement of Cammeringham. Soverall, the value of view	scape therefore have some ability to accommodate			required within panelled areas will be
habitats and landscape features that have been lost through agricultural intensification. The relevant characteristics of the landscape therefore have a medium susceptibility to change without undue adverse effects.Local Distinctiveness and Sense of Place: The landscape has a strong sense of place endorsed by the strong agricultural character. Wide areas retain a sense of rural tranquility and intactness away from the main road network. These areas can only often be reached by local lanes such as Blackthorn Lane.Way, which deflects from the importance of the view.The visual effects with those effects set out for wild and the set of the se	ge without undue adverse effects given there is			perimeter fencing.
through agricultural intensification. The relevant characteristics of the landscape therefore have a medium susceptibility to change without undue adverse effects. bits a 'strong sense of place' endorsed by the strong agricultural character. Wide areas retain a sense of rural tranquility and intactness away from the main road network. These areas can only often be reached by local lanes such as Blackthorn Lane. of the view. those effects set out for mitigation which will he impact at this Embedded Health and Wellbeing: There is a limited network of PROW meaning that the local lanes can be the main focus for recreation and well-being. Important Spatial Function: Many village place names provide some evidence of time depth' with several woodlands being named after a local village such as Cammeringham. Low Covert, indicating it once belonged to the community of Cammeringham. Overall, the value of Viewpoint LCC-C-D is shaped by the distinctive character of the woodlands which are local landmarks. The landscape possesse areas of deciduous and native woodland that is forms a group to the west of the Settlement of Cammeringham. Overall, the value of viewpoint LCC-C-D is shaped by the distinctive character of thrue dopting and that is forms a group to the west of the Settlement of cammeringham. Impact at the set of the set of the woodland that is forms a group to the west of the Settlement of cammeringham.	÷			
characteristics of the landscape therefore have a mitigation with guide character, Wide areas retain a sense of mitigation which will ha agricultural character. Wide areas retain a sense of rural tranquility and intactness away from the main impact at this Embedde road network. These areas can only offen be reached by local lanes such as Blackthorn Lane. Health and Wellbeing. There is a limited network of PRoW meaning that the local lanes can be the main focus for recreation and well-being. Important Spatial Function: Mary village place names provide some evidence of time depth' with several woodlands being named after a local village such as Cammeringham Low Covert, indicating it once belonged to the community of Cammeringham. Overall, the value of Viewpoint LCC-CD is shaped by the distinctive character of the woodlands which are local landmarks. The landscape possesses areas of deciduous and native woodland that is forms a group to the west of the Settlement of Cammeringham. Wide areas retain a sense of rural tranquility and intactness away from the main road network. These intactness away from the main intactness		Local Distinctiveness and Sense of Place: The landscape		The visual effects with only the Embe
medium susceptibility to change without undue adverse effects. impact all that unduity and intactness away from the main road network. These areas can only often be reached by local lanes such as Blackthorn Lane. impact at this Embedde Health and Wellbeing: There is a limited network of PROW meaning that the local lanes can be the main focus for recreation and well-being. impact at this Embedde Important Spatial Function: Woodlands being named after a local village such as Cammeringham Low Covert, indicating it once belonged to the community of Cammeringham. impact at this Embedde Overall, the value of Viewpoint LCC-C-D is shaped by the distinctive character of the woodland that is forms a group to the west of the Sertie of		has a 'strong sense of place' endorsed by the strong	of the view.	those effects set out for the operation
effects. road network. These areas can only offen be reached by local lanes such as Blackthorn Lane. <u>Health and Wellbeing:</u> There is a limited network of PRoW meaning that the local lanes can be the main focus for recreation and well-being. <u>Important Spatial Function:</u> Many village place names provide some evidence of 'time depth' with several woodlands being named after a local village such as Cammeringham Low Covert, indicating it once belonged to the community of Cammeringham. Overall , the value of Viewpoint LCC-C-D is shaped by the distinctive character of the woodlands which are local landmarks. The landscape possesses areas of deciduous and native woodland that is forms a group to the west of the Settlement of Cammeringham. Wide areas retain a sense of rural tranquility and intactness away from the main road network. These		agricultural character. Wide areas retain a sense of		mitigation which will have been carrie
Index network. These areas can only often be reached by local lanes such as Blackthorn Lane. Health and Wellbeing: PRoW meaning that the local lanes can be the main focus for recreation and well-being. Important Spatial Function: May village place names provide some evidence of time depth' with several woodlands being named after a local village such as Cammeringham Low Covert, indicating it once belonged to the community of Cammeringham. Overall, the value of Viewpoint LCC-C-D is shaped by the distinctive character of the woodlands which are local landmarks. The landscape possesses areas of deciduous and native woodland that is forms a group to the west of the Settlement of Cammeringham. Wide areas retain a sense of rural tranquility and intactness away from the main road network. These	ta			impact at this Embedded Mitigation st
Health and Wellbeing: There is a limited network of PRoW meaning that the local lanes can be the main focus for recreation and well-being. Important Spatial Function: Many village place names provide some evidence of time depth' with several woodlands being named after a local village such as Cammeringham Low Covert, indicating it once belonged to the community of Cammeringham. Overall, the value of Viewpoint LCC-C-D is shaped by the distinctive character of the woodlands which are local landmarks. The landscape possesses areas of deciduous and native woodland that is forms a group to the west of the Settlement of Cammeringham. Wide areas retain a sense of rural tranquility and intactness away from the main road network. These Settlement of Cammeringham.				
PRoW meaning that the local lanes can be the main focus for recreation and well-being. Important Spatial Function: Many village place names provide some evidence of 'time depth' with several woodlands being named after a local village such as Cammeringham Low Covert, indicating it once belonged to the community of Cammeringham. Overall, the value of Viewpoint LCC-C-D is shaped by the distinctive character of the woodlands which are local landmarks. The landscape possesses areas of deciduous and native woodland that is forms a group to the west of the Settlement of Cammeringham. Wide areas retain a sense of rural tranquility and intactness away from the main road network. These		by local lanes such as Blackthorn Lane.		
PRoW meaning that the local lanes can be the main focus for recreation and well-being.Important Spatial Function: movide some evidence of 'time depth' with several woodlands being named after a local village such as Cammeringham Low Covert, indicating it once belonged to the community of Cammeringham.Overall, the value of Viewpoint LCC-C-D is shaped by the distinctive character of the woodlands which are local landmarks. The landscape possesses areas of deciduous and native woodland that is forms a group to the west of the Settlement of Cammeringham.Wide areas retain a sense of rural tranquility and intactness away from the main road network. These		Upath and Wallbaing There is a limited network of		
focus for recreation and well-being.Important Spatial Function: Many village place names provide some evidence of 'time depth' with several woodlands being named after a local village such as Cammeringham Low Covert, indicating it once belonged to the community of Cammeringham.Overall, the value of Viewpoint LCC-C-D is shaped by the distinctive character of the woodlands which are local landmarks. The landscape possesses areas of deciduous and native woodland that is forms a group to the west of the Settlement of Cammeringham.Wide areas retain a sense of rural tranquility and intactness away from the main road network. These		-		
Important Spatial Function: Many village place names provide some evidence of 'time depth' with several woodlands being named after a local village such as Cammeringham Low Covert, indicating it once belonged to the community of Cammeringham. Overall , the value of Viewpoint LCC-C-D is shaped by the distinctive character of the woodlands which are local landmarks. The landscape possesses areas of deciduous and native woodland that is forms a group to the west of the Settlement of Cammeringham. Wide areas retain a sense of rural tranquility and		0		
provide some evidence of 'time depth' with several woodlands being named after a local village such as Cammeringham Low Covert, indicating it once belonged to the community of Cammeringham.Overall, the value of Viewpoint LCC-C-D is shaped by the distinctive character of the woodlands which are local landmarks. The landscape possesses areas of deciduous and native woodland that is forms a group to the west of the Settlement of Cammeringham.Wide areas retain a sense of rural tranquility and intactness away from the main road network. These		וטכעש וטו דפרו פמנוטוד מווע שפוו-שפוווצ.		
provide some evidence of 'time depth' with several woodlands being named after a local village such as Cammeringham Low Covert, indicating it once belonged to the community of Cammeringham.Overall, the value of Viewpoint LCC-C-D is shaped by the distinctive character of the woodlands which are local landmarks. The landscape possesses areas of deciduous and native woodland that is forms a group to the west of the Settlement of Cammeringham.Wide areas retain a sense of rural tranquility and intactness away from the main road network. These		Important Spatial Function: Many village place names		
 woodlands being named after a local village such as Cammeringham Low Covert, indicating it once belonged to the community of Cammeringham. Overall, the value of Viewpoint LCC-C-D is shaped by the distinctive character of the woodlands which are local landmarks. The landscape possesses areas of deciduous and native woodland that is forms a group to the west of the Settlement of Cammeringham. Wide areas retain a sense of rural tranquility and intactness away from the main road network. These 				
Cammeringham Low Covert, indicating it once belonged to the community of Cammeringham. Overall, the value of Viewpoint LCC-C-D is shaped by the distinctive character of the woodlands which are local landmarks. The landscape possesses areas of deciduous and native woodland that is forms a group to the west of the Settlement of Cammeringham. Wide areas retain a sense of rural tranquility and intactness away from the main road network. These				
Overall, the value of Viewpoint LCC-C-D is shaped by the distinctive character of the woodlands which are local landmarks. The landscape possesses areas of deciduous and native woodland that is forms a group to the west of the Settlement of Cammeringham. Wide areas retain a sense of rural tranquility and intactness away from the main road network. These				
the distinctive character of the woodlands which are local landmarks. The landscape possesses areas of deciduous and native woodland that is forms a group to the west of the Settlement of Cammeringham. Wide areas retain a sense of rural tranquility and intactness away from the main road network. These		belonged to the community of Cammeringham.		
the distinctive character of the woodlands which are local landmarks. The landscape possesses areas of deciduous and native woodland that is forms a group to the west of the Settlement of Cammeringham. Wide areas retain a sense of rural tranquility and intactness away from the main road network. These				
local landmarks. The landscape possesses areas of deciduous and native woodland that is forms a group to the west of the Settlement of Cammeringham. Wide areas retain a sense of rural tranquility and intactness away from the main road network. These				
deciduous and native woodland that is forms a group to the west of the Settlement of Cammeringham. Wide areas retain a sense of rural tranquility and intactness away from the main road network. These				
to the west of the Settlement of Cammeringham. Wide areas retain a sense of rural tranquility and intactness away from the main road network. These				
Wide areas retain a sense of rural tranquility and intactness away from the main road network. These				
intactness away from the main road network. These		-		
areas can only often be reached by local lanes such as				
Blackthorn Lane.				
Medium Medium Medium Not Applicable	um	Medium	Medium	Not Applicable

en into account at the construction, operation (Year ng stages of the Scheme. This Embedded Mitigation ation and would include the following measures:

from adjacent PRoW.

from adjacent residential property boundaries.

rom major watercourses and minimum of 8m from

rom Site boundaries.

grow out and will be managed to a height of 5m. to grow out to add further thickening and growth lition of new hedgerow trees as appropriate, of existing hedges.

within substations and battery banks only and is required. Lighting will be PIR operated and will nel movements. All visible lighting would be 50W, m with cowls fitted to prevent light spillage. Lighting be manually operated. There will be no lighting on

bedded Mitigation taken into account equate to on stage (Year 1) and this includes secondary ied out, but will have had limited physical or visual i stage.



Viewpoint: LCC-C-D – Blackthorn Lane

Construction	Operation (Year 1)	Operation (Year 15)	Decommissionin
Activities considered includes, site	The foreground of the view would change from agricultural fields to an area of panels, but the tall	With secondary mitigation such as planting and	A similar process to t
preparation / enabling works, construction,	hedgerows would provide some intermediary screening. Further agricultural fields are not visible	grass seeding being taken into account at the	of construction stage
and commissioning with effects such as	beyond and so this element of the view would not change, and middle and distant views are not	operational stage (Year 15) the following	but with the Scheme
construction traffic, noise and vibration	possible. There are no vertical elements in the view to give rise to any change.	changes to the landscape would occur and the	being no longer
from construction activities, dust		visual effects are set out below.	operational. This is a
generation, site runoff, mud on roads, and	Views of the wider Site of Cottam 1 South are predominantly screened by several blocks of existing		assessment of the S
the visual intrusion of plant and machinery	woodland breaking up the overall scale of the Scheme.	The view will become more enclosed since the	winter but assumes
on site. At the early stages of the		intervening vegetation will have established to	retention of existing
construction stage, ground, and lower-level		screen the Site/Sites from close range views and	vegetation and buil
activities such as the construction of the	The effects set out below for Year 1 include secondary mitigation which will have been carried out, but	will form a layered effect across the landscape	upon the proposed
solar panel areas and associated	will have had limited physical or visual impact at this stage:	to the south with the woodland backdrop.	primary and second
infrastructure and inverters would be		Shelterbelts will join existing woodland cover to	mitigation that had
partly screened by the foreground	Views of the wider Site of Cottam 1 South are predominantly screened by several blocks of existing	create a strong east/west buffer both locally	established as the
hedgerows bordering Blackthorn Lane.	woodland breaking up the overall scale of the Scheme.	and from longer distance views. An existing	baseline. Effects ar
During the latter part of the construction		backdrop of patches of woodland creates the	those arising from
stage, views would become available of the	Scattered tree belt	mid distance skyline with several relatively large	activities for the du
elevated activities, and although the	A small section of scattered tree belt is proposed within field D31, partially breaking up this field and	blocks of woodland to the south of this view.	of the decommissio
hedgerows to the foreground and within	linking a lone field tree to the woodland to the south (Cameringham Low Covert).	blocks of woodiand to the south of this view.	including site traffic
the surrounding field systems would give		Overall , in terms of mitigation for the Cottam 1	noise and vibration
some partial layering, these activities	Shelterbelts	South Site, due to the predominance of medium	decommissioning
would still occupy an extensive proportion	Two shelterbelts are proposed within the Site joining Cameringham Low Covert, Brattleby Gorse and	and large-scale agriculture, the aim is to	activities, dust
of the view.	Thorpe wood and creating a continual visual screen when seen from the northern/southern aspects.	promote the use of sustainable agricultural	generation and site
of the view.	······································	practices. The key aims for enhancement of the	runoff.
Other works would be undertaken in	Existing hedges	landscape include creating grass margins in	runon.
connection with the construction including	To the northern and eastern boundaries of field D34 adjacent to this viewpoint, exiting hedges are to be		Following
fencing, gates, boundary treatment and	enhanced, being allowed to grow out and managed to 5m with the addition of hedgerow trees at	arable fields and restoring hedgerows. Other	Following
other means of enclosure and works for	irregular intervals along the hedgeline to reinforce the field boundaries and provide interest and further	measures include the provision of more	decommissioning,
the provision of security and monitoring	screening of the Site from the east and north. The existing hedgerows to the south of fields D31, D32	habitats for pollinator and pest-regulating	land is likely to be
measures such as CCTV and the laying	and 34 are low cut and create an open and exposed landscape. These will be managed to a height of	species. Opportunities for increasing the area	returned to arable
down of internal tracks. There would also	5m with the addition of hedgerow trees to create a much more enclosed route along Blackthorn Lane	and network of habitats such as flower rich field	production. The Sit
be landscape and biodiversity mitigation	and creating visual interest and screening from Stow Lane to the north. Enhancement of the northern	margins, hedgerows and species rich grasslands	however benefit fr
	boundary to fields D25 and D30 will mitigate views from the Stow Road to the north. Enhanced hedges	and seeking opportunities for the sustainable	the significantly
works, including planting and the	around D27 and D28 will further break up the east/west views and strengthen the character locally.	use of wetland habitats.	enhanced tree and
improvement of the foreground	around b27 and b26 win further break up the cash west views and strengthen the character locally.	Potween Vears 1 and 15, the following honoficial	hedgerow planting
hedgerows.	New hedges	Between Years 1 and 15, the following beneficial effects will be achieved in terms of Visual	has been carried o
These short-lived construction activities	A new section of hedgerow is proposed on the northern boundary of field D30 where this section is		has begun to matu
would obstruct a significant proportion of	missing. Field D27 will also have a new hedgerow with hedgerow trees planted along its northern	Receptors: – Grassland reversion around field	create a much stro
the view and become a dominant feature.	boundary where this is currently missing. A new hedge is proposed to the east of field D31 which is	boundaries and PRoW	and robust landsca
There would be a considerable change to	currently open, joining up with the woodland to the south of the Site. This will screen views from the		retaining and enha
the arable land use, but the surrounding	west and strengthen the field pattern locally with new hedgerow trees throughout creating a more	 Increased woodland/vegetation cover 	the overall character
field boundaries and the associated tree	settled and less exposed landscape in this area.	 A more varied landscape Improved (more natural) management 	providing consider
cover would remain intact. There would	settied and less exposed landscape in this alea.	 Improved (more natural) management 	biodiversity benefit
not be a fundamental change to the	Grassland mixes	of exiting vegetation	the years. Bird miti
immediate north, south and east of this	Adjacent to this viewpoint, the ditch on the southern boundary of field D34 is to have a 20m buffer of	 Less expanse of intensively managed 	fields are likely to b
		arable land	retained and the
location and the wider landscape to the	tall herb mix on its northern boundary creating visual interest, keeping the ditch open and providing	 A less exposed and windswept 	potential may exist
east would also not fundamentally change.	biodiversity. A tussock mix is proposed around the field boundaries and where appropriate, a flower	landscape	retain grass margin
Construction Access	rich pollinator mix is to be provided to add to the visual interest and biodiversity.	 Water quality improvements 	preserve some vari
<u>Construction Access</u> There would be no views of the		 Potential animal grazing 	land use and maint
	Adverse effects:	 Reinstatement of historic field patterns 	long-term improver
construction access from this viewpoint.	 Panels and structures across the landscape 	 Bird mitigation fields 	in biodiversity in th
Cable Davida Comildan	 Increased hard standing areas 	 Significantly improved biodiversity 	area, all of which w
Cable Route Corridor	 Increased traffic locally 		benefit visual recep



Type of Effect Significance	Adverse & Short Term	High Adverse & Long Term	Beneficial & Long Term	Neutral & Short Term
Magnitude	Medium	High	Medium	Very Low
	Substation This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 1.	 existing vegetation The residual effects at the Operational Phase at Year 15 without Mitigation equate to those effects at the beginning of Year 1 before secondary mitigation has been applied. The Effects set out below include secondary mitigation which will have been carried out but will have had limited physical or visual impact at this stage. 	 Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Year 15. Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15. 	the negative effects of the physical decommissioning will be balanced out by the long term landscape and visual effects of this mitigation.
	Viewpoint is outside of the 0.5km study area and there would be no view of this route.	 Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vogetation 	Growth of existing and proposed vegetation is assumed to be:	With secondary mitigation considered,



Viewpoint: LCC-C-D – Blackthorn Lane

	In-combination Effects [Cumulative Sites]	Cumulative Effects {Cumulative Developments}
	There is no Intervisibility between the Cottam 1, 2 and 3a and 3b Sites and therefore no in- combination effects between the Sites. In terms of the combined effects of dust and noise and visual effects, there would be views of the construction works from this viewpoint, but no visibility of the construction access, the Cable Route Corridor and even though the viewpoint is within the 2km Study Area for the Cottam 1 Substation, there would be no intervisibility at this location. There is potential for significant effects at the construction stage from the activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. <i>In Summary</i> The In-combination effects upon viewpoint LCC-C-D of the substation and Cumulative Sites is considered to be Moderate at construction, reducing to no change during the operation and decommissioning stages of the Scheme. This is due to the limited impact upon the view as a result of the segregated nature of the Sites. Embedded and Secondary Mitigation proposed would screen the panels and therefore the effects upon the view are reduced in combination.	 In Summary The Currulative Effects upon viewpoint LCC-C-D of the Currulative Developments is Negligible at year 1 of operation and Negligible limited impact upon the view as a result of the segregated nature of the Sites and Currulative Developments and proximity to the v Embedded and Secondary Mitigation proposed would screen the panels and therefore the effects upon the view are reduced in cor Lane is located approximately 6.3km to the closest Gate Burton Solar site. Due to the distance and intervening vegetation such as N has no potential intervisibility. Eabric of the Landscape There would not be the removal of or changes in individual elements or features of the landscape within the character area. There would be the introduction of new elements and features comprising the solar panel areas and the substation area within the Asstrict Aspects of the Landscape Refer to Figure 8.15.2.1 (C6.4.8.15.2.1) which shows that with the Cottam 1 Site/Sites, cumulative visibility with the cumulative devel majority of the Skm study area. This is due to the distance, the intervening woodlands, hedgerows, and tree cover between the Site form would also curtail cumulative visibility. There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 Site/Sites and G West Burton Solar Park. This cumulative visibility is set out in further detail within the following figures: Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Fi
Magnitude	Construction Stage: Medium	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	Construction Stage: Adverse and Short Term	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Construction Stage: Moderate Significant	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.3: Viewpoint Analysis & Evaluation – Views Significant [Reference: EN010133/APP/C6.3.8.3.2.3.1] January 2023

le at year 15 with mitigation. This is due to the e visual receptor. Existing vegetation and combination. Viewpoint LCC-C-D at Blackthorn Normanby Gorse the view is closed and therefore

he character area

velopments would not be experienced across the ite/Sites. The intervening settlements and built

Gate Burton Energy Park, Tillbridge Solar and

t from another. The strategic major road network aller string of settlements across the area. Overall, and they have a major role in helping to define

with farms, nucleated villages, and small hamlets the landscape. These relevant characteristics of or the Cottam 1 Site/Sites would not alter the ithin a well-vegetated context or associated with



Viewpoint: LCC-C-G – ProW Fill/85/2

Receptor Baseline:

This viewpoint is located on PRoW, bridleway (Fill/85/2) at the junction with Willingham Road, looking in all directions over the Cottam 1 North Site and southwest towards the Cottam 1 South Site beyond.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising a slightly undulating, low-lying landscape within the wider context of a broad vale, which conspicuous at this location. The land use is mainly productive arable farmland with many fields under single crop. There are some local variations in landform where the land rises towards the east with Fillingham Grange at approximately 25m AOD. To the west, the landform is flat at approximately 15m AOD and to the south the land rises gently to a series of inconspicuous hills at approximately 25m AOD. The landform to the north is slightly undulating rising to a high point at Glentworth Grange on Kexby Road at approximately 27m AOD. In terms of man-made features, there are isolated farmsteads at North Farm and Side Farm in the southwest and Fillingham Grange and Glebe Farm to the east. Farm buildings for Greystones Farm can be seen in the middle ground of view sitting in close to the south of Willingham Road (right of view). Otherwise, there is little else in the way of built influence apart from the distant views towards the Trent power industry in the west.

Subjective: The viewpoint depicts a medium-scale, open landscape with deciduous geometric woodlands such as Larch Plantation and New Plantation visible to the southwest. In terms of variety, there are strong hedgerows on either side of Willingham Road that present some consistency and overall interest to the view. There is strong hedgerow to the east of the bridleway that closes down visibility towards the east and the arable fields to the west are divided by sparse hedgerows with some tree clumps. Willingham Road has a pleasant character and being almost single track, there is a remote and tranquil quality to this stretch of road. Willingham Road is also distinguished by the grass verges to each side that adds a greater feeling of scale and open character. In terms of texture and colour, the landscape is well-managed and there are a range of elements that add visual interest but overall, the landscape is muted. The deciduous woodlands such as Larch Plantation add some texture to the view and overall structure to the landscape and views towards the wooded skyline at Fillingham Castle are also evident within the Scarps and Dipslopes Character Area 6a.

Overall: The view is influenced by the part enclosed nature of the location with strong hedgerows that lack tree cover where the woodland blocks are prominent features in the landscape. The overall experience is pleasant as this is a quiet location with a distinct absence of settlement and disturbance.

Receptors:

This viewpoint is representative of views available to walkers using the bridleway (Fill/85/2). This section of bridleway leads from Willingham Road (at Greystones Farm) then in a 'dog-leg' alignment to eventually join with Kexby Road at Glentworth Grange.

Description of View:

The foreground of the view comprises Willingham Road in the immediate context of large scale and expansive agricultural fields with a limited network of hedgerows but with views towards Larch Plantation. Further agricultural fields are visible beyond this since the landscape is gently undulating, and this local collection of fields are expansive and vast where the intervening hedgerows are absent allowing extended visibility. The middle and long distance therefore yields good visibility. the right-hand side of the view, there is further large-scale agricultural fields and to the left-hand side of the view there is a similar collection of fields. The remainder of the horizon is made up of farmsteads at Turpin Farm, Side Farm and North Farm, large scale agricultural fields with few hedgerows and so middle and distant views are filtered. There are vertical elements in the view that include agricultural buildings and associated agricultural infrastructure.



Receptor susceptibility to change	Value of view	Sensitivity	Embedded Mitigation
In terms of forces for change for LCC-C-G, there are	Scenic: The PRoW network such as bridleway (Fill/85/2),	Range of Features: The location	Embedded Mitigation would be taken
aims to protect existing rural landscape features, in	appeals to the visual senses due to absence of	comprises the local road network that	1 and Year 15) and decommissioning
particular the restoration of hedgerows. The most	settlement and the remote and tranquil character.	connects two settlements. This is a part	is also referred to as primary mitigation
widespread change has been in agricultural		enclosed location due to the hedgerows	
intensification from pastoral to arable cropping that has	<u><i>Cultural:</i></u> The landscape shows evidence of generally	that are outgrown with some tall trees,	Panels to be set a minimum of 15m fr
resulted in the loss of hedges, and consequently,	little settlement, with only the isolated farmsteads at	which helps to provide some intimacy. In	
increase in field size. The loss of pasture is particularly	Glebe Farm and Greystones Farm. The prevalent use	terms of variety, there are strong	Panels to be set a minimum of 50m fr
evident around settlements, where grazing animals and	brick in these farmsteads adds visual unity to the	hedgerows on either side of Willingham	
smaller field sizes contribute to the setting and structure	landscape.	Road that present some consistency and	Panels to be set minimum of 20m from
of several villages.		overall interest to the view. There is	minor watercourses.
Overall , the susceptibility for LCC-C-G is conditioned by	<i><u>Natural</u></i> : There are extensive expanses of agricultural	strong hedgerow to the east of the bridleway that closes down visibility	Panels to be set a minimum of 3m fro
managing growth, ensuring development is appropriate	landscape, which are carefully managed, resulting in	towards the east and the arable fields to	Pariers to be set a minimum of Sm no
in terms of type, scale and location. The flat, open	very few areas of semi natural habitat. Large-scale	the west are divided by sparse	Existing hedges are to be allowed to g
landscape is also a key consideration and whilst the aim	agricultural buildings are a key feature, and some are	hedgerows with some tree clumps.	Hedgerow trees will be encouraged to
is to plant new tree planting around key settlements,	shrouded in tree cover such as the buildings at Glebe Farm. Where present, this woodland gives added		to the field boundaries with the additi
woodland does not form a significant component of this	significance to views along the east west roads such as	Importance of View: The view is	randomly spaced along the length of
landscape, and in considering its open and expansive	Willingham Road.	influenced by the part enclosed nature of	, , , , , , , , , , , , , , , , , , , ,
character, extensive new woodland planting would be	Winnightan Roud.	the location with strong hedgerows that	Lighting will be limited to downlights v
generally inappropriate. However, there is significant	<u>Recreation and Enjoyment:</u> The bridleway network has a	lack tree cover where the woodland	used when maintenance or security is
benefit with appropriate tree planting that could be	local identity, but connections are limited and often	blocks are prominent features in the	be calibrated to vehicle and personne
used in and around settlements to increase the	severed by the road network in most places. This	landscape. The overall experience is	installed at a maximum height of 4m
occurrence of semi-natural habitats and maintain the	location at Willingham Road is a constraint to the	pleasant as this is a quiet local lane with	required within panelled areas will be
perception of a 'well-treed' landscape. The relevant	north south bridleway network at this location.	a distinct absence of settlement and	perimeter fencing.
characteristics of the landscape therefore have a high		disturbance, which raises the level of	
susceptibility to change without undue adverse effects.	<u>Local Distinctiveness and Sense of Place:</u> The landscape	importance of the view.	The visual effects with only the Embe
	has a limited 'sense of place' due to its productive and		those effects set out for the operation
	utilitarian character, however the working farmsteads	<u>Number of Receptors</u> : This is likely to	mitigation which will have been carrie
	along the east west road network add the local	attracts local users and those from the	impact at this Embedded Mitigation st
	distinctiveness to views.	wider area who may be travelling	
		between settlements.	
	<u>Health and Wellbeing:</u> The Unwooded Vales Character		
	Area 4a provides limited areas for recreation due to		
	the distinct lack of PRoW, but this is diverted onto the		
	east west lane network where gaps exist such as this		
	location.		
	Important Spatial Function: The landscape benefits		
	from the high level of visual unity from the extensive		
	arable land use and sparse settlement along east west		
	routes.		
	Overall the value of Views start of a constraint of		
	Overall , the value of Viewpoint LCC_C_G is shaped by		
	its a geometric modern landscape of planned		
	enclosure and modern field systems. There is some		
	time depth associated with the presence of the		
	isolated farmsteads, and the remote tranquil character		
	is a feature of the view, otherwise the landscape presents a simple palette of land uses and features.		
	presents a simple palette or ianu uses anu reatures.		
High	Medium	Medium to High	Not Applicable

en into account at the construction, operation (Year ng stages of the Scheme. This Embedded Mitigation ation and would include the following measures:

- from adjacent PRoW.
- from adjacent residential property boundaries.
- rom major watercourses and minimum of 8m from

from Site boundaries.

grow out and will be managed to a height of 5m. to grow out to add further thickening and growth lition of new hedgerow trees as appropriate, of existing hedges.

ts within substations and battery banks only and is required. Lighting will be PIR operated and will nel movements. All visible lighting would be 50W, m with cowls fitted to prevent light spillage. Lighting be manually operated. There will be no lighting on

bedded Mitigation taken into account equate to ion stage (Year 1) and this includes secondary ried out but will have had limited physical or visual i stage.



Viewpoint: LCC-C-G - PRoW Fill/85/2

Construction	Operation (Year 1)	Operation (Year 15)	Decommissio
Activities considered includes, site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened by the foreground hedgerows bordering Willingham Road. During the latter part of the construction stage, views would become available of the elevated activities,	The foreground of the view comprising Willingham Road would not change but the immediate context of agricultural fields would change to areas of new panels. There is a limited network of hedgerows and so views towards Larch Plantation would remain but set above the panels. Further agricultural fields beyond would be screened by the new panels. The remainder of the horizon is made up of farmsteads at Turpin Farm, Side Farm and North Farm and their associated woodlands, but the middle and distant views are already filtered by layering of hedgerows and trees giving rise to no change in views towards these features. The effects set out below for Year 1 include secondary mitigation which will have been carried out, but will have had limited physical or visual impact at this stage: Scattered tree belt A large belt of scattered trees is proposed to run around the northern boundary of field C28 and the eastern boundary of field C23 adjacent to the existing waterway creating a strong buffer of mixed riparian species along its length. This will screen views from the east into the	With secondary mitigation such as planting and grass seeding being taken into account at the operational stage (Year 15) the following changes to the landscape would occur and the visual effects are set out below. The view will become more enclosed since the proposed new hedgerows will have established to create a strong field structure and partially screen views of the Scheme. Existing hedges will have been managed to grow out to 5m and proposed hedgerow trees will begin to reach some height, reinforcing the vertical structure locally. In the close-range, the hedgerows will screen Site/Sites with mid and longer distance views appearing as a layered well-treed	A similar process construction stag with the Scheme longer operation an assessment of in winter but assu retention of exist vegetation and bu upon the propose primary and seco mitigation that has established as the baseline. Effects a arising from active the duration of the
and although the hedgerows to the foreground and within the surrounding field systems would give some partial layering, these activities would still occupy an extensive proportion of the view.	Site and will act as a buffer to views from the village of Ingham 1km to the southeast. Further short sections of tree belt are to link lone field trees to the boundary vegetation further west. <u>Shelterbelt</u> A 5m wide shelterbelt is proposed to the southern boundary of field C21 to help mitigate views south of the main part of the Site from the Willingham Road and to strengthen the field	landscape with a backdrop of strong woodland features to some views with more distant horizons of hedgerow trees. Overall , in terms of mitigation for the Cottam 1 North Site, the aim is to enhance the woodland and	decommissioning including site traf and vibration fror decommissioning activities, dust get and site runoff.
Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows.	boundaries locally. Further shelterbelts are proposed in fields C15 and C18 breaking up the views across to the west and enhancing the watercourse in these fields. Existing hedges Existing hedges along the Willingham Road will be enhanced as necessary, with the eastern boundary to field C19 being augmented with hedgerow trees and allowed to grow out to 5m. Across the Site running broadly north south, the existing low hedges will be enhanced, allowed to grow out and be managed at a height of 5m and will be augmented with the addition of hedgerow trees to strengthen the field pattern and further mitigate views across the Site.	hedgerow network through the planting of small woodlands, tree belts, hedgerow trees and new hedgerows to benefit landscape character. Creating grass margins in arable fields is a key priority, including increasing the amount of flower rich areas, hedgerows and species rich grasslands. Planting new hedgerows to restore historic field patterns and create habitat linkages is also appropriate to counteract the threat to the landscape character and biodiversity.	Following decommissionin is likely to be retr arable productio will however ben the significantly tree and hedger planting that has carried out and h to mature to crea
These short-lived construction activities would obstruct a significant proportion of the view and become a dominant feature. There would be a considerable change to the arable land use, but the surrounding field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the immediate north, east and west of this location and the wider landscape to the northwest would also not fundamentally change.	New hedges Where field boundaries are missing or gappy within the Site; again, running broadly north/south, these will be infilled with new hedgerows to strengthen the field patter and local character. New hedges are also proposed to the eastern and western boundaries of fields C27 and C30 with the ditch line between the two being reinforced where existing specimen trees exist. This will mitigate views from the east and reinforce the historical field pattern. Successional Scrub Around Larch Plantation within the Site, successional scrub is proposed in order to create a buffer around the woodland and to provide both visual and ecological benefit with the woodland edge being layered towards the meadow mixes beyond.	 Between Years 1 and 15, the following beneficial effects will be achieved in terms of Visual Receptors: Grassland reversion around field boundaries and PRoW Increased woodland/vegetation cover A more varied landscape Improved (more natural) management of exiting vegetation Less expanse of intensively managed arable land A less exposed and windswept landscape Water quality improvements 	much stronger a landscape, retair enhancing the ov character and pr considerable bio benefits over the Bird mitigation fi likely to be retair the potential ma retain grass mar, preserve some v use and maintair
Construction Access All throughout the construction stage the viewpoint will be affected due to Willingham Road having 3 points of access into the Cottam 1 North Site. The first point of access is	<u>Grassland mixes</u> A tall herb mix is proposed around existing watercourses, with a general width of 5-10m depending upon the size of each ditch and its current surroundings. Tussock mixes are proposed to most field boundaries to create a natural edge to existing and	 Potential animal grazing Reinstatement of historic field patterns Bird mitigation fields Significantly improved biodiversity 	term improveme biodiversity in th area, all of which benefit visual rec
close to Glebe Farm as it leads to field B2. The second point of access is close to North Farm as it leads to fields A2 and A4. The third point	proposed hedgerows with a flower rich pollinator mix used where appropriate on south/west facing field boundaries and around existing services.	Growth of existing and proposed vegetation is assumed to be:	With secondary considered, the effects of the ph

Cottam
SOLAR PROJECT

SOLAR PROJECT			[Reference: ER
	of access is close to Turpin's Bungalows as it provides access to fields C3 and C4. Cable Route Corridor Viewpoint is outside of 0.5km study area. Substation This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 1.	 Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	Woodland/trees and shelterbelts 1, 7.5m max at Year 15. New hedgerows: 0.6m at Year 1 15. Existing hedgerows: 0.9m at Yea 15. Shrubs: 0.9m at Year 1 and 5m a
Magnitude	Medium	High	Medium
Type of Effect	Adverse & Short Term	Adverse & Long Term	Adverse & Long Term
Significance of Effect	Moderate-Major Significant	Moderate-Major Significant	Moderate-Major Significant

s: 2.5m max at Year	decommissioning will be balanced out by the long term landscape and visual
and 3.5m at Year	effects of this mitigation.
ar 1 and 5m at Year	
at Year 15.	
	Medium
	Adverse & Short Term
	Moderate Significant



Viewpoint: LCC-C-G – ProW Fill/85/2 **In-Combination Effects** Cumulative Effects [Cumulative Developments] [Cumulative Sites] In Summary In Summary There would be no intervisibility between The Cumulative Effects upon viewpoint LCC-C-G of the Cumulative Developments is Negligible at year 1 of operation and Negligible at year 15 with mitigation. This is due to the limited the Cottam 1 Site/Sites. Cottam 2 Site. and impact upon the view as a result of the segregated nature of the Sites and Cumulative Developments and proximity to the visual receptor. Existing vegetation and Embedded and Cottam 3a and 3b Sites, due to distance, Secondary Mitigation proposed would screen the panels and therefore the effects upon the view are reduced in combination. Viewpoint LCC-C-G is located approximately 1.45km the foreground hedgerow, the framing tree away from the closest Tillbridge Solar site, however, due to distance and vegetation surrounding small drains and tributaries no potential intervisibility is anticipated. cover to each side of the viewpoint within the hedgerow. Therefore, there no in Fabric of the Landscape combination visual effects are anticipated. There would not be the removal of or changes in individual elements or features of the landscape within the character area. There would be the introduction of new elements and features comprising the solar panel areas and the substation area within the character area Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the cumulative developments would not be experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedgerows, and tree cover between the Site/Sites. The intervening settlements and built form would also curtail cumulative visibility. There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the following figures: Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9] The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type or area different from another. The strategic major road network is defined by important historic routes and in contrast, the east west minor road network links several historic and distinctive smaller string of settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are often tranquil and hedged to both sides with wide grassed verges and they have a major role in helping to define the quality of the landscape and reducing the visibility across the area. **Overall Landscape Character and Visual Amenity** Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of historic settlement with farms, nucleated villages, and small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised for adding intimacy and interest to the landscape. These relevant characteristics of the landscape and land use have some ability to accommodate change without undue adverse effects. The cumulative visibility for the Cottam 1 Site/Sites would not alter the overall character of the landscape and its communications and infrastructure features. Moreover, these features are often set within a well-vegetated context or associated with built form that plays a positive role in reducing the overall cumulative effects. Construction: Very Low Operation (Year 1): Very Low Magnitude No Change Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Type of No Change Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Effect Operation (Year 15): Adverse & Long Term Decommissioning: Neutral & Short Term Construction: Negligible **Not Significant** Operation (Year 1): Negligible Not Significant Significance No Change Operation (Year 1): with only Embedded Mitigation: Negligible Not Significant of Effect Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant



Viewpoint: LCC-C-H - ProW Fill/767/1

Receptor Baseline:

This view is located along the route of PRoW, bridleway (Fill/767/1), looking in all directions and directly over the Cottam 1 North Site with the Cottam 1 South Sites beyond. The view is also looking north towards the Cottam 2 Site.

Objective: This viewpoint offers views of an almost flat, low-lying landscape within the wider context of a rolling lowland that extends well beyond the foot of the limestone capped scarp slope. There are extended views where the boundary vegetation of the Site/Sites is evident in the context of the open fields. The landform at this location falls to a low point and this helps in shielding the field in views from Willingham Road to the south. The footpath follows a 'dog-leg' alignment to reflect the field boundary and is shielded by the hedgerows that have grown tall and although gappy in parts it helps to provide enclosure and intimacy. The Larch Plantation that sits on the southern side of Willingham Road to the east of Side Farm is also clearly visible on the horizon where the landform is at a higher elevation than the bridleway. The large-scale agricultural buildings associated with North Farm are also visible to the west (left of view) along with the large woodland block where the land rises and extends to meet the woodland. The track is also a prominent feature in the landscape as it leads from the bridleway to serve North Farm.

Subjective: The viewpoint depicts a medium-scale landscape where the undulations in topography display a strong landscape pattern with the layering of hedgerows being a prominent feature. The landscape features are balanced with simple additions of farm buildings interspersed with tree cover. The landscape is managed and muted in colour, but overall, the view is not distinctive or 'out of the ordinary'.

Overall: The view is typical in character to the wider open and arable land use where the tall and outgrown hedgerows add some intimacy along the route of the bridleway. There is a sense of security and a safe quality to the landscape. Overall, the experience is bland but pleasant.

Receptors:

This viewpoint is representative of views available to walkers and horse riders along the bridleway (Fill/767/1) that leads from Glentworth Grange and Kexby Road in the north to meet with Willingham Road in the south

A similar view provided by Viewpoints VP35 and LCC-C-G.

Description of View:

The foreground of the view comprises Willingham Road in the immediate context of large scale and expansive agricultural fields with a limited network of hedgerows but with views towards Larch Plantation. Further agricultural fields are visible beyond this since the landscape is gently undulating, and this local collection of fields are expansive and vast where the intervening hedgerows are absent allowing extended visibility. The middle and long distance therefore yields good visibility. To the right-hand side of the view, there is further collection of large-scale agricultural fields and to the left-hand side of the view there is a similar collection of fields. The remainder of the horizon is made up of farmsteads at Turpin Farm, Side Farm and North Farm, large-scale agricultural fields with few hedgerows and so middle and distant views are filtered. There are vertical elements in the view that include agricultural buildings and associated agricultural infrastructure.



Receptor susceptibility to change	Value of view	Sensitivity	Embeddee
In terms of forces for change for LCC-C-H, significant	Scenic: This region represents a major east-west link,	Range of Features: The location comprises the local road network	Embedded N
infrastructure development pressures exist from the	connecting Lincolnshire with the North of England and	that connects two settlements. This is a part enclosed location due	construction
main settlements and the minor roads that traverse the	the minor road network offers views over a local	to the hedgerows that are outgrown with some tall trees, which	decommissio
area. The challenges are to conserve the tranquility of	landscape that is, in parts, scenic with pleasant views.	helps to provide some intimacy. In terms of variety, there are	Mitigation is
the area through careful planning that minimises road	The network of PRoW such as this bridleway	strong hedgerows on either side of Willingham Road that present	would includ
construction, car use and disturbance, and provide	(Fill/767/1) are important.	some consistency and overall interest to the view. There is strong	
sustainable transport options and well-designed green		hedgerow to the east of the bridleway that closes down visibility	Panels to be
infrastructure.	<u><i>Cultural:</i></u> The close proximity to Gainsborough as a	towards the east and the arable fields to the west are divided by	
	major historic crossing on the River Trent to the west	sparse hedgerows with some tree clumps.	Panels to be
Overall , the susceptibility for LCC-C-H is conditioned by	and the strategic location of Roman roads on the		property bou
the sensitivity of the rural roads and minor tracks, lanes	limestone capped scarp slope to the east give rise to a	Importance of View: This is a part enclosed location on the network	
and farm roads that are bordered by wide verges.	number of historic settlements in the intervening	of local lanes. The landscape features are balanced with simple	Panels to be
Driving north to south across the area is relatively	landscape. This includes Fillingham and associated	additions of farm buildings interspersed with tree cover. The	and minimur
straightforward as the A156 runs true to the River Trent	Fillingham Conservation Area and Fillingham Castle	landscape is managed and muted in colour, but overall, the view is	
and the B1241 follows the almost meandering course of	registered park and garden (List Entry:10009) to the	not distinctive or 'out of the ordinary', which deflects from the level	Panels to be
the River Till. Most of the developed settlements are	east.	of importance.	
near these roads, however narrow country lanes link			Existing hedg
east west and this direction of travel is slightly more	Natural: The local roads are valuable wildlife corridors	<u>Number of Receptors</u> : This is likely to attracts local users and those	managed to a
challenging. The relevant characteristics of the	since they are often narrow country lanes with grass	from the wider area who may be travelling between settlements.	encouraged
landscape therefore have a high susceptibility to	verges, hedgerows to both sides and high levels of		to the field b
change without undue adverse effects given there is	tranquility.		trees as appr
scope to protect the character and diversity of the road			existing hedg
networks through conservation and enhancement of	Recreation and Enjoyment: The 'east west' travel		
the local lanes and recognition of the value that the	direction of local lanes often links the older		Lighting will I
strategic routes provide in connections across the	settlements moving in a more random pattern		battery bank
region.	following minor roads. These roads such as		required. Lig
	Willingham Road, Fillingham Lane and Kexby Road are		to vehicle an
	popular for recreation as narrow country lanes.		would be 50\
			cowls fitted t
	<u>Local Distinctiveness and Sense of Place:</u> The landscape		panelled area
	associated with Fillingham Lane and Willingham Road		ighting on pe
	that derive their 'sense of place' from the woodland		0 0 1
	blocks that contrast with the intensive arable		The visual eff
	landscape.		into account
			stage (Year 1
	<u>Health and Wellbeing:</u> Main roads are significant		will have bee
	features in this landscape but the minor road		or visual imp
	networks and their connecting PRoW, including		
	bridleways are often refuges of tranquility bringing		
	benefits for health and wellbeing.		
	Important Spatial Function: The local roads play an		
	important role in wayfinding by linking a number of		
	historic and distinctive smaller string of settlements with the PRoW network.		
High		Madium to High	Not applicab
High	Medium	Medium to High	Not applicab

ed Mitigation

Mitigation would be taken into account at the on, operation (Year 1 and Year 15) and sioning stages of the Scheme. This Embedded is also referred to as primary mitigation and ude the following measures:

be set a minimum of 15m from adjacent PRoW.

be set a minimum of 50m from adjacent residential ooundaries.

be set minimum of 20m from major watercourses num of 8m from minor watercourses.

be set a minimum of 3m from Site boundaries.

edges are to be allowed to grow out and will be to a height of 5m. Hedgerow trees will be ed to grow out to add further thickening and growth I boundaries with the addition of new hedgerow ppropriate, randomly spaced along the length of edges.

ill be limited to downlights within substations and nks only and used when maintenance or security is Lighting will be PIR operated and will be calibrated and personnel movements. All visible lighting 50W, installed at a maximum height of 4m with ed to prevent light spillage. Lighting required within reas will be manually operated. There will be no perimeter fencing.

effects **with only** the Embedded Mitigation taken nt equate to those effects set out for the operation 1) and this includes secondary mitigation which een carried out, but will have had limited physical mpact at this Embedded Mitigation stage

able



Construction	Operation (Year 1)	Operation (Year 15)
Activities considered includes, site	The foreground of the view comprising Willingham Road would not change but the	With secondary mitigation such
preparation / enabling works, construction,	immediate context of agricultural fields would change to areas of new panels. There is a	seeding being taken into accoun
and commissioning with effects such as	limited network of hedgerows and so views towards Larch Plantation would remain but set	(Year 15) the following changes
construction traffic, noise and vibration	above the panels. Further agricultural fields beyond would be screened by the new panels.	occur and the visual effects are
from construction activities, dust	The remainder of the horizon is made up of farmsteads at Turpin Farm, Side Farm and	
generation, site runoff, mud on roads, and	North Farm and their associated woodlands, but the middle and distant views are already	The view will become more end
the visual intrusion of plant and machinery	filtered by layering of hedgerows and trees giving rise to no change in views towards these	and Willingham Road looking s
on site. At the early stages of the	features.	a well treed landscape with veg
construction stage, ground, and lower-level		Plantation, breaking up the ope
activities such as the construction of the	The effects set out below for Year 1 include secondary mitigation which will have been	range views from this viewpoir
solar panel areas and associated	carried out, but will have had limited physical or visual impact at this stage:	shelterbelt within the existing
infrastructure and inverters would be		ditch line and enhanced hedge
partly screened by the foreground	Shelterbelt planting	foreground. Shelterbelt and h
hedgerows bordering Willingham Road.	Strong blocks, incorporating lone field trees and a line of shelterbelt planting are proposed	established and will begin to p
During the latter part of the construction	to the southern boundary of C18 adjacent to the existing watercourse where this is	layers across the landscape me
stage, views would become available of the	currently very open. The Site is in the immediate view at this point with low hedges along	blocks with some woodland co
elevated activities, and although the	the roadside. A further block of planting is proposed to the northern corner of field C19 to	views permit. To the south eas
hedgerows to the foreground and within	further screen the Site from this location. A further line of shelterbelt planting is proposed	mid-distance, enhanced blocks
the surrounding field systems would give	running broadly east west from Larch Plantation to the east of the Site, breaking up the	views and will augment the lev
some partial layering, these activities	open field boundaries and linking to existing woodland. These belts will bring height and	blending into the wooded hori
would still occupy an extensive proportion	visual interest to an otherwise relatively open landscape where hedgerow trees are limited.	
of the view.	A small block of planting is proposed to the entrance to Side Farm adjacent to the	Overall, in terms of mitigation
	Willingham Road. A long line of shelterbelt planting is proposed to the southern boundaries	due to the sensitivity of the ru
Other works would be undertaken in	of fields C7, 11, 13 and 16 adjacent to the existing watercourse providing a strong visual	should be protected and enha
connection with the construction including	buffer along this route and reducing views towards the Cottam 1 South Site beyond.	the smaller settlements are a
fencing, gates, boundary treatment and		identity of the local landscape
other means of enclosure and works for	New Hedgerows	characteristic in these location
the provision of security and monitoring	A new hedge is proposed to the northwestern boundary of field C18 adjacent to the	confined to hedgerows (i.e., no
measures such as CCTV and the laying	watercourse further mitigating views south into the wider Site and linking up with	enclosure roads).
down of internal tracks. There would also	vegetation adjacent to Larch Plantation. A new hedgerow with hedgerow trees is to be	
be landscape and biodiversity mitigation	planted to the eastern boundary of field C13 adjacent to the existing track. This will reduce	Between Years 1 and 15, the fo
works, including planting and the	views into this field from this viewpoint and help to strengthen the level of tree cover locally	be achieved in terms of Visual
improvement of the foreground	across the Site. New hedgerows are proposed to field boundaries across the Site to the	 Grassland reversion a
hedgerows.	south running broadly north/where these are missing. This will help reinforce historical	PRoW
-	field pattern which has been degraded and link existing vegetation and breaking up views.	 Increased woodland/\u00ed
These short-lived construction activities		 A more varied landsca
would obstruct a significant proportion of	Existing hedgerows	 Improved (more nature)
the view and become a dominant feature.	Existing hedgerows along the Willingham Road (fields C18 and C19) are to be allowed to	vegetation
There would be a considerable change to	grow out. They will be managed to a height of 5m and infilled with irregularly spaced native	 Less expanse of intensities
the arable land use, but the surrounding	hedgerow trees to provide further height/screening and to reinforce the level of tree cover.	 A less exposed and w
field boundaries and the associated tree		 Water quality improve
cover would remain intact. There would	Successional scrub	 Potential animal grazi
not be a fundamental change to the east of	A buffer of successional scrub will be planted around Larch Plantation helping to visually	 Reinstatement of history
this location.	integrate the woodland into the surrounding landscape and enhancing the visual interest	 Bird mitigation fields
	whilst creating a natural buffer to this woodland block and increasing its overall mass.	 Significantly improved
Construction Access	Creational Minar	
There would be no view of any	Grassland Mixes	Growth of existing and propos
construction access from this viewpoint.	Adjacent to this viewpoint, the ditch between fields C18 and C19 is to have a 10m buffer of	be:
·	tall herb mix on either side creating visual interest, keeping the ditch open and providing	
<u>Cable Route Corridor</u>	biodiversity. A tussock mix is proposed around the field boundaries and where appropriate,	Woodland/trees and shelterbe
Viewpoint is outside of 0.5km study area	a flower rich pollinator mix is to be provided to add to the visual interest and biodiversity.	max at Year 15.
and there would be no view of this route.		

> nting and grass e operational stage landscape would t below.

ince from the PRoW id southeast will be of links around Larch ne in this area. Close ne PRoW will be of a undaries along the the anting will have trong vegetated to existing woodland he horizon where

s several fields in the tered trees will soften e cover locally, laces.

Cottam 1 North Site, , the hedgerows ne approach roads to ure that add to the s of trees are often planting should be ges) on all historic

beneficial effects will rs: eld boundaries and

on cover

agement of exiting

anaged arable land landscape

patterns

rsity

tation is assumed to

m max at Year 1, 7.5m

Decommissioning

A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.

Following

decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.

Cottam
SOLAR PROJECT

	<u>Substation</u> This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 1.	Wildflower meadow mix beneath paneled areas and a proposed margin verge habitat is to be provided adjacent to the Willingham Road. Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation	New hedgerows: 0.6m at Year 1 and 3.5m at Year 15. Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15.	With secondary mitigation considered, the negative effects of the physical decommissioning will be balanced out by the long term landscape and visual effects of this mitigation.
Magnitude	High	High	Medium	Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Adverse & Long Term	Adverse & Short Term
Significance of Effect	Moderate-Majo r Significant	Major Significant	Moderate Significant	Minor Not Significant



Viewpoint: LCC-C-H – ProW Fill/767/1 In-Combination Effects [Cumulative Sites] **Cumulative Effects [Cumulative Developments]** In Summary In Summary There would be no intervisibility between the Cottam 1 The Cumulative Effects upon viewpoint LCC-C-H of the substation and Cumulative Developments is Negligible at year 1 of operation and Negligible at year 15 with Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due mitigation. This is due to the limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Developments and proximity to the visual to distance, the foreground hedgerow, the framing tree receptor. Viewpoint LCC-C-H at PRoW Fill/767/1 is located approximately 1.5km to the closest Tillbridge Solar site. Due to the proximity and the lack of dense vegetation cover to each side of the viewpoint within the hedgerow. the scheme may be visible however visual effects would be limited. Therefore, there no in combination visual effects are anticipated. Fabric of the Landscape There would not be the removal of or changes in individual elements or features of the landscape within the character area. There would be the introduction of new elements and features comprising the solar panel areas and the substation area within the character area Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the cumulative developments would not be experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedgerows, and tree cover between the Site/Sites. The intervening settlements and built form would also curtail cumulative visibility. There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the following figures: Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2,d 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9] The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type or area different from another. The strategic major road network is defined by important historic routes and in contrast, the east west minor road network links several historic and distinctive smaller string of settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are often tranquil and hedged to both sides with wide grassed verges and they have a major role in helping to define the quality of the landscape and reducing the visibility across the area. **Overall Landscape Character and Visual Amenity** Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of historic settlement with farms, nucleated villages, and small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised for adding intimacy and interest to the landscape. These relevant characteristics of the landscape and land use have some ability to accommodate change without undue adverse effects. The cumulative visibility for the Cottam 1 Site/Sites would not alter the overall character of the landscape and its communications and infrastructure features. Moreover, these features are often set within a well-vegetated context or associated with built form that plays a positive role in reducing the overall cumulative effects. Construction: Very Low Operation (Year 1): Very Low No change Magnitude Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Type of No change Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Effect Operation (Year 15): Adverse & Long Term Decommissioning: Neutral & Short Term Construction: Negligible **Not Significant** Operation (Year 1): Negligible Not Significant Significance No change Operation (Year 1): with only Embedded Mitigation: Negligible Not Significant of Effect Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant



Viewpoint: LCC-C-I – Willingham Road

Receptor Baseline:

This viewpoint offers views along Willingham Road, looking in all directions directly over the Cottam 1 North Site and south towards the Cottam 1 South Site.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a slightly undulating, low-lying landscape within the wider context of a broad vale, which is conspicuous at this location. The land use is mainly productive arable farmland with many large fields under single crop. There are some local variations in landform where the land rises to the west to a high point of approximately 20m AOD around Willingham by Stow and Kexby. To the north, the land rises to a local high point of approximately 15m AOD at Heaton's Wood and to the south there is a gentle fall towards the River Till, which takes a meandering course to the north of Normanby by Stow and to the east of Coates. Towards the east, the landform is generally flat at 10m AOD then rising gently towards the foot of the scarp slope from where the landscape then rises sharply towards the settlements of Fillingham and Ingham. In terms of enclosure, there are numerous woodland blocks that form strong geometric shapes in the landscape and collectively provide a dominant wooded horizon, particularly towards the north and south of the view. These woodlands include Fillingham Low Wood, New Plantation and Larch Plantation. To the west and north, the view is enclosed by the gently rising landform and settlements, whereas to the south the landscape is more open with views extending over the River Till Vale. Towards the east the geometric woodland blocks close down some visibility. In terms of man-made features, there are isolated farmsteads at Turpin Farm, Side Farm and North Farm and there are also residential properties at Moor Bridge, otherwise little else exists in terms of built influence. Occasional groups of conifer trees have a domestic character and the overhead wires that pass along the road network are also detractors. Willingham Road is prominent in the landscape and the 'S' curve in the road (where it becomes Fillingham Lane) offers an interesting view towards the east that captures the Limestone Scarps and Dipslopes Character Area 6a showing the strong woodlands at Fillingham.

Subjective: The viewpoint depicts a large-scale, partially open landscape. In terms of variety, the combination of landscape features includes farm buildings, plantation woodland, poplar shelterbelts, occasional hedgerows and arable fields that present a simple, well-balanced composition. In terms of texture and colour, this is an intensively managed land use that is mainly muted but the strong presence of geometric woodlands adds some interest and sense of enclosure. Grass verges are also a feature of these local lanes that add a 'sense of place' and distinctive character, and the hedgerows have a good range of native species including hawthorn, elder, ash and dog rose. The bends in the road also add intimacy to the landscape.

Overall: The view is influenced by the woodlands on the horizon towards the east that form a significant component and add balance to the landscape. This location offers some intimacy since this is a local lane with little traffic and there is no major settlement to disrupt the tranquility. The field hedgerows are cut back, and the arable land use is intensively managed, however, the mature ash trees within the hedgerows are a strong feature. The overall experience is pleasant, with some depth to views and strong contrasting features due to the presence of the plantation woodlands on the horizon and the slight undulations in topography. This is an isolated, remote location with a distinct absence of settlement, built form or other man-made features.

Receptors:

This viewpoint is representative of views available to walkers and horse riders travelling between the settlements of Willingham by Stow in the west and Fillingham in the east.

Description of View:

The foreground of the view comprises Willingham Road in the immediate context of large scale and expansive agricultural fields with a limited network of hedgerows. Further agricultural fields are visible beyond this since the landscape is gently undulating, and this local collection of fields are expansive and vast where the intervening hedgerows are absent allowing extended visibility. The middle and long distance therefore yields good visibility. To the right-hand side of the view, there is further collection of large-scale agricultural fields and to the left-hand side of the view there is a similar collection of fields. The remainder of the horizon is made up of farmsteads at Turpin Farm, Side Farm and North Farm, large scale agricultural fields with few hedgerows and so middle and distant views are filtered. There are vertical elements in the view that include agricultural buildings and associated agricultural infrastructure.



Receptor susceptibility to change	Value of view	Sensitivity	Embedded Mitigatio
In terms of forces for change for LCC-C-I, significant infrastructure development pressures exist from the main settlements and the minor roads that traverse the area. The challenges are to conserve the tranquility of the area through careful planning that minimises road construction, car use and disturbance, and provide sustainable transport options and well-designed green infrastructure. Overall, the susceptibility for LCC-C-I is conditioned by the sensitivity of the rural roads and minor tracks, lanes and farm roads that are bordered by wide verges. Driving north to south across the area is relatively straightforward as the A156 runs true to the River Trent and the B1241 follows the almost meandering course of the River Till. Most of the developed settlements are near these roads, however narrow country lanes link east west and this direction of travel is slightly more challenging. The relevant characteristics of the landscape therefore have a medium susceptibility to change without undue adverse effects given there is scope to protect the character and diversity of the road networks through conservation and enhancement of the local lanes and recognition of the value that the strategic routes provide in connections across the region.	 Scenic: There is a string of small, nucleated settlements on the limestone capped scarp slope that add to the sequence of views, and the same sequence applies to the string of farmsteads on the east west minor road network. Cultural: Where the farmhouses are set back from the roads, lines of trees such as horse chestnuts form distinctive features and where the farmhouse directly front the highway they are framed to each side with oak and polar species which stand out in the landscape. Conifer species are also seen with the large-scale agricultural buildings. This characteristic is particularly noticeable along Fillingham Lane and Willingham Road. Natural: The quiet rural lanes provide opportunities for wildlife corridors across the area, especially where they join with minor farm tracks and green lanes along Willingham Road. Recreation and Enjoyment: There are no PRoW and recreation is provided by numerous small country lanes. The slight turns and 'S' bends on the east west minor road network helps with the appreciation of these views. Local Distinctiveness and Sense of Place: The 'sense of place' is marked by the minor bend in the road, which is a distinctive feature of the east-west road network, which is typically straight. Health and Wellbeing: Willingham Road and Fillingham Lane is a quiet backwater relative to the B1241 to the west and A15 to the east. Important Spatial Function: The long eastward views to the limestone capped scarp slope are key to the spatial qualities of the area. Overall, the value of LCC-C-I is shaped by the nature of the predominantly rural and sparsely settled area with dispersed farms. The east-west local network of lanes contrast with the B1241 to the west and the A15 to the east. 	<u>Range of Features:</u> The location comprises the local road network that connects two settlements. This is a part enclosed location due to the hedgerows that are outgrown with some tall trees, which helps to provide some intimacy. In terms of variety, the combination of landscape features includes farm buildings, plantation woodland, poplar shelterbelts, occasional hedgerow trees, hedgerows and arable fields that present a simple, well-balanced composition. <u>Importance of View:</u> This is a part enclosed location on the network of local lanes. This location offers some intimacy since this is a local lane with little traffic and there is no major settlement to disrupt the tranquility, which raises the importance of the view. <u>Number of Receptors</u> : This is likely to attracts local users and those from the wider area who may be travelling between settlements.	Embedded Mitigation wo operation (Year 1 and Yea Scheme. This Embedded mitigation and would incl Embedded mitigation wo the following measures: Panels to be set a minimu boundaries. Panels to be set a minimu of 8m from minor water Panels to be set a minimu Existing hedges are to be height of 5m. Hedgerow further thickening and gr new hedgerow trees as a existing hedges. Lighting will be limited to only and used when mair PIR operated and will be All visible lighting would b cowls fitted to prevent lig areas will be manually op fencing. The visual effects with or equate to those effects set includes secondary mitig- have had limited physical stage.
Medium	Medium	Medium	Not Applicable

tion

ould be taken into account at the construction, ear 15) and decommissioning stages of the d Mitigation is also referred to as primary clude the following measures:

ould be taken into account at this stage to include

num of 15m from adjacent PRoW.

num of 50m from adjacent residential property

um of 20m from major watercourses and minimum rcourses.

num of 3m from Site boundaries.

be allowed to grow out and will be managed to a w trees will be encouraged to grow out to add growth to the field boundaries with the addition of appropriate, randomly spaced along the length of

to downlights within substations and battery banks intenance or security is required. Lighting will be calibrated to vehicle and personnel movements. be 50W, installed at a maximum height of 4m with ight spillage. Lighting required within panelled operated. There will be no lighting on perimeter

only the Embedded Mitigation taken into account set out for the operation stage (Year 1) and this igation which will have been carried out, but will al or visual impact at this Embedded Mitigation



Viewpoint: LCC-C-I – Willingham Road Construction **Operation (Year 1) Operation (Year 15)** Activities considered includes, site preparation The foreground of the view comprises Willingham Road would not change but the With secondary mitigation such as / enabling works, construction, and immediate context of agricultural fields would become areas of panels. Further agricultural seeding being taken into account fields beyond would also be screened by the new panels. The remainder of the horizon is commissioning with effects such as stage (Year 15) the following change made up of farmsteads at Turpin Farm, Side Farm and North Farm, large scale agricultural would occur and the visual effects construction traffic, noise and vibration from fields with few hedgerows but middle and distant views towards these features are filtered. construction activities, dust generation, site runoff, mud on roads, and the visual intrusion There are vertical elements in the view that include agricultural buildings and associated The view will become more enclos Willingham Road looking south an of plant and machinery on site. At the early agricultural infrastructure, but they would give rise to no cumulative change in this view. stages of the construction stage, ground and a well treed landscape with vegeta lower-level activities such as the construction The effects set out below for Year 1 include secondary mitigation which will have been existing local woodland, breaking of the solar panel areas and associated carried out, but will have had limited physical or visual impact at this stage: this area. Close range views from infrastructure and inverters would be partly of a shelterbelt within the existing along the ditch line. Shelterbelt ar screened by the foreground hedgerows Scattered tree belt bordering Willingham Road. During the latter have established and will begin to Scattered tree belts are proposed around this viewpoint where existing lone trees are set part of the construction stage, views would vegetated layers across the landso within the fields. These belts will link these trees to the adjacent vegetation of the field become available of the elevated activities, existing woodland blocks with son boundaries, create added visual interest and provide limited screening across the Site in and although the hedgerows to the the horizon where views permit. fields C4 and C3. foreground and within the surrounding field systems would give some partial layering, Shelterbelt Reinforce hedgerow to the norther these activities would still occupy an extensive A strong 10m wide shelterbelt is proposed to the western boundary of Turpin's Farm to the C4 and C10, allow for the hedgero proportion of the view. south of the Willingham Road and joining the proposed scattered tree belt and existing woodland to the south of the farm. A further shelterbelt is proposed to the northern Plant hedgerow trees to the bound boundary of field C5 and the southern boundaries of fields C12, 15 and 18, breaking up Other works would be undertaken in C9 to mitigate any views from the connection with the construction including Bungalows to the north of Willingh views south and southeast. This belt lies adjacent to the existing watercourse which fencing, gates, boundary treatment and other currently delineates the field boundaries but adds no vertical interest. Additional shelterbelt means of enclosure and works for the planting is proposed to the boundaries of the watercourse further south within fields C7, 11, The presence of the north south re provision of security and monitoring measures 13 and 16 further reducing views across the Site/Sites and creating a multi layered severs habitat connectivity in some such as CCTV and the laying down of internal landscape. To the north, a new 5m shelterbelt is proposed around Turpin's Bungalows set major route that divides the Trent tracks. There would also be landscape and back 40m from these properties with a flower rich pollinator mix within this meadow area. Till Vale to the east. The relevant biodiversity mitigation works, including landscape therefore have a limited Existing hedges planting and the improvement of the accommodate change without und Enhancement of existing low hedgerows is required along the Willingham Road. Existing foreground hedgerows. given there is scope to protect and hedges are to be allowed to grow out and managed to a height of 5m with the addition of character of the minor 'east-west' hedgerow trees to provide added height and visual interest both along this route and within These short-lived construction activities would There is also scope to improve link the local area and mitigate views into the Site both to the north and south. obstruct a significant proportion of the view Trent flood plain and the Till Vale and become a dominant feature. There would improving connectivity across maj New hedges be a considerable change to the arable land A156 (Gainsborough Road). A new hedgerow is proposed to the northern and western boundary of field C7. A new use, but the surrounding field boundaries and hedge is required to the west and east of field C9 adjacent to Turpins Bungalows to mitigate the associated tree cover would remain intact. Between Years 1 and 15, the follow views and to strengthen the historical field pattern. There would be a fundamental change to the will be achieved in terms of Visual north, south, east, and west of this location. Grassland reversion arou Successional scrub and PRoW Successional scrub is proposed to the base of all existing woodland blocks to create a strong Construction Access _ Increased woodland/vege buffer to the woodlands and layered woodland edge. All throughout the construction stage the _ A more varied landscape viewpoint will be affected due to Willingham Improved (more natural) Grassland mixes Road having 3 points of access into the exiting vegetation Adjacent to the existing watercourses, a 10m buffer of tall herb mix on either side will create Cottam 1 North Site. The first point of access is Less expanse of intensive visual interest, keep the ditch open and provide added biodiversity. close to Glebe Farm as it leads to field B2. The land A tussock mix is proposed around the field boundaries and where appropriate, a flower rich second point of access is close to North Farm A less exposed and winds _ pollinator mix is to be provided to add to the visual interest and biodiversity. Wildflower as it leads to fields A2 and A4. The third point Water quality improveme meadow mix beneath paneled areas and a proposed margin verge habitat to the verges of access is close to Turpin's Bungalows as it Potential animal grazing adjacent to the Willingham Road would provide enhancement. provides access to fields C3 and C4. Reinstatement of historic _ Adverse effects: Bird mitigation fields

	Decommissioning
s planting and grass at the operational ges to the landscape s are set out below. Sed since from the nd southeast will be of ated links around the up the open skyline in this viewpoint will be g field boundaries and nd hedge planting will o provide strong cape merging into me woodland cover on	A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning including site traffic,
ow to grow out. Idaries of fields C3 and Road and Turpins	noise and vibration from decommissioning activities, dust generation and site
ham Road	runoff.
road network also ne areas. The A156 is a t flood plain from the characteristics of the d ability to due adverse effects d enhance the natural local road network. kages between the to the east by jor routes such as the	Following decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape,
wing beneficial effects l Receptors: ınd field boundaries	retaining and enhancing the overall character and providing considerable biodiversity benefits over
etation cover	the years. Bird mitigation fields are likely to be
management of	retained and the potential may exist to
ely managed arable swept landscape ents	retain grass margins to preserve some varied land use and maintain long-term improvements
field patterns	in biodiversity in the local area, all of which will benefit visual receptors.



	Cable Route Corridor Viewpoint is outside of 0.5km study area. Substation This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 1.	 Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	 Significantly improved biodiversity Growth of existing and proposed vegetation is assumed to be: Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Year 15. Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15. 	With secondary mitigation considered, the negative effects of the physical decommissioning will be balanced out by the long term landscape and visual effects of this mitigation.
Magnitude	Medium	Medium	Low	Very Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Adverse & Long Term	Neutral & Short Term
Significance of Effect	Moderate Significant	Moderate Significant	Minor Not Significant	Negligible Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	In Summary There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance, the foreground hedgerow, the framing tree cover to each side of the viewpoint within	In Summary The Cumulative Effects upon viewpoint LCC-C-I of the substation and Cumulative Developments is Negligible at year 1 of operation a due to the limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Developments and proximi Embedded and Secondary Mitigation proposed would screen the panels and therefore the effects upon the view are reduced in com approximately 1.2km away from the closest Tillbridge Solar Site however, due to distance and existing vegetation such as Fillingham
	the hedgerow. Therefore, there no in combination visual effects are anticipated.	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or features of the landscape within the character area. There would be the introduction of new elements and features comprising the solar panel areas and the substation area within the
		Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the cumulative develor majority of the 5km study area. This is due to the distance, the intervening woodlands, hedgerows, and tree cover between the Site/ would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 Site/Sites and Ga Burton Solar Park. This cumulative visibility is set out in further detail within the following figures:
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9]
		The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type or area different fr defined by important historic routes and in contrast, the east west minor road network links several historic and distinctive smaller prevailing road network is formed by narrow lanes that are often tranquil and hedged to both sides with wide grassed verges and th quality of the landscape and reducing the visibility across the area.
		Overall Landscape Character and Visual Amenity Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of historic settlement with such as Thorpe le Fallows and Coates, which are features value that are not highly recognised for adding intimacy and interest to the landscape and land use have some ability to accommodate change without undue adverse effects. The cumulative visibility for the C character of the landscape and its communications and infrastructure features. Moreover, these features are often set within a well that plays a positive role in reducing the overall cumulative effects.
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Adverse & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

> and Negligible at year 15 with mitigation. This is mity to the visual receptor. Existing vegetation and ombination. Viewpoint LCC-C-I is located am Low Wood no intervisibility is anticipated.

ne character area

elopments would not be experienced across the te/Sites. The intervening settlements and built form

Gate Burton Energy Park, Tillbridge Solar and West

from another. The strategic major road network is r string of settlements across the area. Overall, the they have a major role in helping to define the

ith farms, nucleated villages, and small hamlets the landscape. These relevant characteristics of the Cottam 1 Site/Sites would not alter the overall ell-vegetated context or associated with built form



Viewpoint: LCC-C-J – Fillingham Lane

Receptor Baseline:

This viewpoint offers views along Fillingham Lane, looking east over the Cottam North 1 Site and south towards the Cottam 1 Site/Sites.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a slightly undulating, low-lying landscape within the wider context of a broad vale, which is conspicuous at this location. The land use is mainly productive arable farmland with many large fields under single crop. There are some local variations in landform where the land rises to the west to a high point of approximately 20m AOD around Willingham by Stow and Kexby. To the north, the land rises to a local high point of approximately 15m AOD at Heaton's Wood and to the south there is a gentle fall towards the River Till, which takes a meandering course to the north of Normanby by Stow and to the east of Coates. Towards the east, the landform is generally flat at 10m AOD then rising gently towards the foot of the scarp slope from where the landscape then rises sharply towards the settlements of Fillingham and Ingham. In terms of enclosure, there are numerous woodland blocks that form strong geometric shapes in the landscape and collectively provide a dominant wooded horizon, particularly towards the east of the view. These woodlands include Fillingham Low Wood, New Plantation and Larch Plantation. To the west and north, the view is enclosed by the gently rising landform and the settlements, whereas to the south the landscape is more open with views extending over the River Till Vale. Towards the east the geometric woodland blocks close down some visibility. In terms of man-made features, there are isolated farmsteads at Turpin Farm, Side Farm and North Farm and there are also residential properties at Moor Bridge, otherwise little else exists in terms of built influence. Occasional groups of conifer trees have a domestic character and the overhead wires that pass along the road network are also detractors. Willingham Road is prominent in the landscape and the 'S' curve in the road (where it becomes Fillingham Lane) offers an interesting view towards the east that captures the Limestone Scarps and Dipslopes Character Area 6a showing the strong woodlands at Fillingham.

Subjective: The viewpoint depicts a medium to large-scale, partially open landscape. In terms of variety, the combination of landscape features includes farm buildings, plantation woodland, occasional hedgerows and arable fields that present a simple, well-balanced composition. In terms of texture and colour, this is an intensively managed land use that is mainly muted but the strong presence of geometric woodlands adds some interest and sense of enclosure. Grass verges are also a feature of these local lanes that add a 'sense of place' and distinctive character, and the hedgerows have a good range of native species including hawthorn, elder, ash and dog rose. The bends in the road also add intimacy to the landscape.

Overall: The view is influenced by the woodlands on the horizon towards the east that form a significant component and add balance to the landscape. This location offers some intimacy since this is a local lane with little traffic and there is no major settlement to disrupt the tranquility. The field hedgerows are cut back, and the arable land use is intensively managed, however the mature ash trees within the hedgerows are a strong feature. The overall experience is pleasant, with some depth to views and strong contrasting features due to the presence of the plantation woodlands on the horizon and the slight undulations in topography. This is an isolated, remote location with a distinct absence of settlement, built form or other man-made features

Receptors:

This viewpoint is representative of views available to walkers and horse riders travelling between the settlements of Willingham by Stow in the west and Fillingham in the east.

Description of View:

The foreground of the view comprises Fillingham Lane in the immediate context of large scale and expansive agricultural fields with a limited network of hedgerows. Further agricultural fields are visible beyond this since the landscape is gently undulating, and this local collection of fields are expansive and vast where the intervening hedgerows are absent allowing extended visibility. The middle and long distance therefore yields good visibility. To the right-hand side of the view, there is further collection of large-scale agricultural fields and to the left-hand side of the view there is a similar collection of fields. The remainder of the horizon is made up of farmsteads at Turpin Farm, Side Farm and North Farm, large scale agricultural fields with few hedgerows and so middle and distant views are filtered. There are vertical elements in the view that include agricultural buildings and associated agricultural infrastructure.



Receptor susceptibility to change	Value of view	Sensitivity	Embedde
In terms of forces for change for LCC-C-J, given the close proximity to Gainsborough the main elements of change are the noise and visual intrusion of the traffic using the A631. The impact on the local lanes that feed into the A631 is also a consideration such as locations close to Willingham by Stow, Fillingham Lane, the local road to Fillingham and Willingham Road.	<u>Scenic:</u> There is a string of small, nucleated settlements on the limestone capped scarp slope that add to the sequence of views, and the same sequence applies to the string of farmsteads on the east west minor road network. <u>Cultural:</u> Where the farmhouses are set back from the	<u>Range of Features:</u> The location comprises the local road network that connects two settlements. This is a part enclosed location due to the hedgerows that are outgrown with some tall trees, which helps to provide some intimacy. In terms of variety, the combination of landscape features includes farm buildings, plantation woodland, occasional hedgerow trees, hedgerows and arable fields that present a simple, well-balanced composition.	Embedded construction decommissi Mitigation i would inclue Panels to be
Overall , the susceptibility for LCC-C-J is conditioned by the aim to ensure that road improvements and associated new development protect the character of the local lanes from noise, visual intrusion and construction interventions. Pressure on the land for arable agriculture and competing demands of farm diversification are also leading to change to farmsteads	roads, lines of trees such as horse chestnuts form distinctive features and where the farmhouse directly front the highway they are framed to each side with oak and polar species which stand out in the landscape. Conifer species are also seen with the large-scale agricultural buildings. This characteristic is particularly noticeable along Fillingham Lane and Willingham Road.	<u>Importance of View</u> : This is a part enclosed location on the network of local lanes. This location offers some intimacy since this is a local lane with little traffic and there is no major settlement to disrupt the tranquility, which raises the importance of the view. <u>Number of Receptors</u> : This is likely to attracts local users and those from the wider area who may be travelling between settlements.	Panels to be property bo Panels to be and minimu Panels to be
in quiet rural locations, which is causing significant change to the rural character of the area in some parts. The relevant characteristics of the landscape therefore has a medium susceptibility to change without undue adverse effects given the tranquility of the areas away from the main road networks is under threat. The balance between promoting industry, commerce and leisure and the impact on the rural settlements and local lanes is an important consideration, especially where these features are in close proximity the larger settlements and market towns such as Gainsborough.	Natural: Natural: The quiet rural lanes provide opportunities for wildlife corridors across the area, especially where they join with minor farm tracks and green lanes along Willingham Road.Recreation and Enjoyment: There are no PRoW and recreation is provided by numerous small country lanes. The slight turns and 'S' bends on the east-west minor road network helps with the appreciation of these views.Local Distinctiveness and Sense of Place: The 'sense of place' is marked by the minor bend in the road, which is a distinctive feature of the east west road network, which is typically straight.Health and Wellbeing: Willingham Road and Fillingham Lane is a quiet backwater relative to the B1241 to the west and A15 to the east.		Existing hed managed to encouraged to the field I trees as app existing hed Lighting will battery ban required. Lig to vehicle ar would be 50 cowls fitted panelled are lighting on p The visual e into accoun stage (Year will have be or visual im
	Important Spatial Function: The long eastward views to the limestone capped scarp slope are key to the spatial qualities of the area. Overall , the value of LCC-C-J is shaped by the nature of the predominantly rural and sparsely settled area with dispersed farms. The east west local network of lanes contrast with the B1241 to the west and the A15 to the east and the 'S' bends in the road helps with the appreciation of the views towards the scarp slope and the associated woodlands at Fillingham Castle.		
Medium	Medium	Medium	Not Applical

led Mitigation

d Mitigation would be taken into account at the on, operation (Year 1 and Year 15) and ssioning stages of the Scheme. This Embedded is also referred to as primary mitigation and lude the following measures:

be set a minimum of 15m from adjacent PRoW.

be set a minimum of 50m from adjacent residential poundaries.

be set minimum of 20m from major watercourses num of 8m from minor watercourses.

be set a minimum of 3m from Site boundaries.

edges are to be allowed to grow out and will be to a height of 5m. Hedgerow trees will be ed to grow out to add further thickening and growth d boundaries with the addition of new hedgerow ppropriate, randomly spaced along the length of edges.

will be limited to downlights within substations and anks only and used when maintenance or security is Lighting will be PIR operated and will be calibrated and personnel movements. All visible lighting 50W, installed at a maximum height of 4m with and to prevent light spillage. Lighting required within areas will be manually operated. There will be no in perimeter fencing.

effects **with only** the Embedded Mitigation taken int equate to those effects set out for the operation in 1) and this includes secondary mitigation which been carried out, but will have had limited physical mpact at this Embedded Mitigation stage

able



Construction	Operation (Year 1)	Operation (Year 15)
Activities considered includes, site	The foreground of the view comprising Fillingham Lane would not change but the immediate context of	With secondary mitigation
preparation / enabling works, construction,	agricultural fields would change to an area of panels. Further agricultural fields beyond would also be	and grass seeding being ta
and commissioning with effects such as	screened by the new panels. The remainder of the horizon is made up of farmsteads at Turpin Farm, Side	the operational stage (Year
construction traffic, noise and vibration	Farm and North Farm, large scale agricultural fields with few hedgerows and so middle and distant views	changes to the landscape v
from construction activities, dust	are filtered towards the new area of panels. There are vertical elements in the view that include	visual effects are set out be
generation, site runoff, mud on roads, and	agricultural buildings and associated agricultural infrastructure, but they would not add cumulative	
the visual intrusion of plant and machinery	changes to the view.	The view will become more
on site. At the early stages of the		proposed scattered trees a
construction stage, ground, and lower-level	The effects set out below for Year 1 include secondary mitigation which will have been carried out, but	have established to create
activities such as the construction of the	will have had limited physical or visual impact at this stage:	structure and screen views
solar panel areas and associated		the mid distance. Existing
infrastructure and inverters would be	Scattered tree belt	Site will have been manage
partly screened by the foreground	Directly adjacent to this viewpoint a small belt of scattered trees is proposed in the foreground adjacent	5m reinforcing the vertical
hedgerows bordering Fillingham Lane.	to the existing trees in the corner of field C1 adding to the overall bulk of vegetation in this location. A	the close-range, the existin
During the latter part of the construction	scattered tree belt is proposed within field C3 to the northeast of this viewpoint linking an existing lone	screen the Scheme with m
stage, views would become available of the	tree to the hedgerow to the north. Another belt links a tree in field C4 to the eastern boundary of this	distance views appearing a
elevated activities, and although the	field.	treed landscape with a bac
hedgerows to the foreground and within		distant woodland. Roadsi
the surrounding field systems would give	Shelterbelt	Willingham Road to the eas established to create a mo
some partial layering, these activities	A 5m shelterbelt is proposed to the north and west of Turnpins Bungalows and to the south and west of	
would still occupy an extensive proportion of the view.	Turnpin Farm to mitigate views of the Scheme from these properties. A long shelterbelt will run west/east	visually pleasing route.
of the view.	to the north of field C5 adjacent to the existing waterway creating a strong break across this large field	Overall, in terms of mitiga
Other works would be undertaken in	and adding height and variation to the views across the Site.	1 North Site, due to the clo
connection with the construction including	Evicting hadges	market town of Gainsboro
fencing, gates, boundary treatment and	Existing hedges	conserve the rural settleme
other means of enclosure and works for	Existing hedgerows along the Willingham Road are to be managed to grow out with the addition of irregularly spaced hedgerow trees as appropriate to increase the tree cover locally and provide height	outlying villages. Any devel
the provision of security and monitoring	and further screening whilst retaining the overall character of this road.	complimentary to intrinsic
measures such as CCTV and the laying		the nucleated form of the s
down of internal tracks. There would also	New hedges	feature, especially in long v
be landscape and biodiversity mitigation	A new hedgerow to two sections of the northern boundary of field C3 are proposed where none exists	area. Mitigation measures
works, including planting and the	mitigating views of the Site from the wider landscape to the north and joining the existing hedgerow.	minimize car use to protec
improvement of the foreground	Further east, new field hedges to the west and east of field C9 will strengthen the field pattern locally	the area and any developm
hedgerows.	whilst also further mitigating views from Turpin's Farm and bungalows as well as views from the east	consider well designed gre
5	along Willingham Road. A new hedgerow to the west of field C2 will mitigate views from the west and	0 0
These short-lived construction activities	north and help to further strengthen the field structure locally, providing additional height with proposed	Between Years 1 and 15, th
would obstruct a significant proportion of	hedgerow trees. A new hedge is proposed to the southern boundary of field C5 and the eastern boundary	beneficial effects will be ac
the view and become a dominant feature.	of C6 which will further reinforce the field pattern and break up the bulk of the paneled area.	Visual Receptors:
There would be a considerable change to		 Grassland reversion
the arable land use, but the surrounding	Successional scrub	boundaries and Pl
field boundaries and the associated tree	A belt of successional scrub is proposed to the western boundary of field C3 adjacent to existing	 Increased woodlar
cover would remain intact. There would	vegetation on this western boundary of the Site. A strong buffer of successional scrub is proposed to run	 A more varied land
not be a fundamental change to the	north/south and east either side of existing vegetation within fields C2,5 and 6 providing a layered visual	 Improved (more n
immediate north, east and west and the	effect and creating a natural buffer to this woodland block and increasing its overall mass.	management of ex
wider landscape to the northwest would		 Less expanse of in
not fundamentally change.	Grassland mixes	arable land
	A 10m tall herb mix buffer is to line each side of the existing watercourse running across the	 A less exposed and
Construction Access	Site.Elsewhere within the field boundaries, flower rich pollinator mixes are to be used with tussock mixes	landscape
There would be no view of any	used adjacent to existing and proposed vegetation in places.	 Water quality implies
construction access from this viewpoint	Margin verge habitat	 Potential animal g
due to its relatively enclosed nature.		 Reinstatement of
-		patterns

on such as planting taken into account at ear 15) the following e would occur and the below.

ore enclosed since the es and shelterbelt will te a strong field ws of the Scheme in ig hedges around the aged to grow out to cal structure locally. In ting hedgerows will mid and longer g as a layered wellackdrop of local and lside verges along east will have nore natural and

gation for the Cottam close proximity to the rough, the aim is to ment pattern of the elopment should be sic local character and ne settlements is a key ng views across the es should also aim to tect the tranquility of pment should green infrastructure.

the following achieved in terms of

- rsion around field PRoW lland/vegetation cover
- andscape
- natural)
- exiting vegetation
- intensively managed

and windswept

provements grazing of historic field

Decommissioning

A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.

Following

decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.



Significance of Effect	Moderate Significant	Moderate-Major Significant	Moderate Significant	Minor Not Significant
Type of Effect	Adverse & Short Term	Adverse & Long Term	Adverse & Long Term	Adverse & Short Term
Magnitude	Medium	High-Medium	Medium	Low
	Cable Route/s Viewpoint is outside of the 0.5km study area and there would be no view of this route. Substation This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 1 due to the relatively enclosed nature of this viewpoint.	 To the north of the Willingham Road adjacent to the viewpoint, an enhanced roadside margin habitat is proposed to mitigate the erosion of good quality roadside verges in this area to create a more visually pleasing and natural view. Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	 Bird mitigation fields Significantly improved biodiversity Growth of existing and proposed vegetation is assumed to be: Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Year 15. Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15. 	With secondary mitigation considered, the negative effects of the physical decommissioning will be balanced out by the long term landscape and visual effects of this mitigation.



Viewpoint: LCC-C-J – Fillingham Lane In-Combination Effects [Cumulative Sites] **Cumulative Effects [Cumulative Developments]** In Summary In Summary There would be no intervisibility between the Cottam 1 The Cumulative Effects upon viewpoint LCC-C-J of the substation and Cumulative Developments is Negligible at year 1 of operation and Negligible at year 15 with Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to mitigation. This is due to the limited impact upon the view as a result of the segregated nature of the Sites and proximity of the receptor to the Sites. Existing distance, the foreground hedgerow, the framing tree cover to vegetation and Embedded and Secondary Mitigation proposed would screen the panels and therefore the effects upon the view are reduced in combination. Viewpoint LCC-C-I is located approximately 3.09km from the closest Cumulative Development Gate Burton Solar Site, however due to the built form associated with each side of the viewpoint. Therefore, there no in combination visual effects are anticipated. the settlement of Willingham by Stow no intervisibility is anticipated. Fabric of the Landscape There would not be the removal of or changes in individual elements or features of the landscape within the character area. There would be the introduction of new elements and features comprising the solar panel areas and the substation area within the character area Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the cumulative developments would not be experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedgerows, and tree cover between the Site/Sites. The intervening settlements and built form would also curtail cumulative visibility. There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the following figures: Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9] The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type or area different from another. The strategic major road network is defined by important historic routes and in contrast, the east west minor road network links several historic and distinctive smaller string of settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are often tranquil and hedged to both sides with wide grassed verges and they have a major role in helping to define the quality of the landscape and reducing the visibility across the area. Overall Landscape Character and Visual Amenity Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of historic settlement with farms, nucleated villages, and small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised for adding intimacy and interest to the landscape. These relevant characteristics of the landscape and land use have some ability to accommodate change without undue adverse effects. The cumulative visibility for the Cottam 1 Site/Sites would not alter the overall character of the landscape and its communications and infrastructure features. Moreover, these features are often set within a well-vegetated context or associated with built form that plays a positive role in reducing the overall cumulative effects. Construction: Very Low Operation (Year 1): Very Low No Change Magnitude Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Type of No Change Operation (Year 1): with only Embedded Mitigation: Effect Operation (Year 15): Adverse & Long Term Decommissioning: Neutral & Short Term Construction: Negligible Not Significant Operation (Year 1): Negligible **Not Significant** Significance No Change Operation (Year 1): with only Embedded Mitigation: Negligible Not Significant of Effect Operation (Year 15): Negligible **Not Significant** Decommissioning: Negligible Not Significant





Viewpoint: LCC-C-T – Kirton Road

Viewpoint Baseline:

The view is located on Kirton Road, looking northeast directly over the Cottam 3a Site and southeast towards the Cottam 3b Site. The view is also looking south towards the Cottam 2 Site with the Cottam 1 North Site beyond.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a very slightly undulating, plateau landscape within the wider context of a broad vale, which is not that conspicuous at this location. The land use is mainly productive arable farmland with many large fields under single crop but with former airfields on these plateau locations and the settlement of Blyton to the west. Beyond the plateau there are some local variations in landform where the land falls to the west just beyond the A159 at Laughton Common and Laughton Woods (recreational woodland). To the north, the land rises towards Scotton at approximately 20m AOD, but there are also small variations in landform between to take account of several watercourses including Northorpe Beck and its tributaries. To the south the landform extends from the plateau as generally flat until there is a gentle rise to the settlement of Aisby at approximately 20m AOD. The landform also rises towards the east (right of view) towards Northorpe Hall at approximately 25m AOD. The landform then continues to rise in the east towards the limestone capped scarp slope where the settlement of Kirton in Lindsay occupies higher elevation at approximately 60m AOD. In terms of enclosure, there are several woodland blocks or shelterbelts in the wider landscape including woodland at Northorpe Hall to the east and the expansive Laughton Woods to the west and north of the Site/Sites. To the south, the vegetation along the mainline railway and the tall shelterbelts in the field systems to the northeast of Top Farm are the prominent feature. The woodland associated with the burial site to the north of the Site/Sites also closes down views in this direction. At closer proximity, there is some woodland around the settlement of Blyton and around Blyton Grange, Grange Farm, Top Farm and Southorpe Farm which adds some enclosure. The views are mainly open at this location with most of the visibility extending towards the east, with limited visibility to the west, south and north due to the built form of Blyton and associated tree and woodland cover. In terms of man-made features, the residential properties of Blyton have a significant influence at this location.

Subjective: The viewpoint depicts a medium-scale, partially open landscape. In terms of variety, the residential properties are the main feature and the low-cut hedgerows along the Kirton Road frontage allow open visibility across the landscape towards the east and southeast. There is a strong line of mature tree and scrub cover along both sides of the mainline railway but the further hedgerows and tree cover within the small collection of fields to the northeast of Top Farm fall below the horizon. In terms of texture and colour, the vegetation along the railway supports a wider variety of species than the low-cut hedgerows and is grown out in parts with an interesting texture on the skyline, and there are also colourful tones due to the presence of the residential properties of Blyton. Masts, poles, and electricity pylons are also prominent features. The views are interesting and pleasant in the immediate context of the Site/Sites due the open context and the extended views along Kirton Road that show a strong visual relationship between the green heart (internal field systems) of Blyton to the east of the war memorial.

Overall: The view is influenced by the open nature of the location and the visual relationship between the heart of the settlement at the war memorial and this location. Although Kirton Road is defined by strong hedgerows they are low-cut, but the hedgerow trees are strong and this gives some visual comfort to the route (given that it is a long straight road with fast moving traffic and no footways, with only narrow grass verges). The existing vegetation bordering the mainline railway is the appealing feature of the view along with the views to the heart of the settlement. The small woodland block to the west boundary of the Site/Sites is prominent from this viewpoint on the horizon and the nearby conifer shelter belt just falls below the horizon behind the intervening hedgerows. The viewpoint offers some interesting and attractive features locally, including intervisibility between the heart of the village and the landscape to the east. The overall experience is that of a pleasant location with overwhelming feelings of familiarity and comfort.

Receptors:

This viewpoint is representative of views available to walkers, motorists, and residents along Kirton Road. And to users of the airfield.

Description of View:

The foreground of the view comprises Kirton Road in the immediate context of agricultural fields and the Blyton Park Racing Centre, which lies beyond. Further agricultural fields are not visible beyond this since the landscape is flat, this local collection of fields are expansive and vast where the intervening hedgerows close down visibility. The middle and long distance therefore yields limited visibility across these agricultural fields and the Blyton Park Driving Centre. To the right-hand side of the view, there is Kirton Road as it takes a straight course and to the left-hand side of the view there is Kirton Road with groups and individual trees along its verges. The remainder of the horizon is made up of large-scale arable fields where hedgerows are well established but middle and distant views are not possible. There are vertical elements in the view, including power lines, the wind turbine at the Blyton Park Racing Centre, the mainline railway infrastructure, telegraph poles and associated cables, and these are not notable elements due to the groups and individual trees lining Kirton Road.



Receptor susceptibility to change	Value of view	Sensitivity	Embedded Mitigation
In terms of forces for change for LCC-C-T, there are	<u>Scenic:</u> Local views towards the east are a key feature.	Range of Features: The location	Embedded Mitigation would be taken int
challenges in conserving the tranquility of the area.	The view is influenced by the open nature of the	comprises the local road network at	and Year 15) and decommissioning stage
Road construction, car use and disturbance have made	location and the visual relationship between the heart	the gateway and the edge of a	also referred to as primary mitigation and
an impact. Sustainable transport options and well-	of the settlement at the war memorial and this	settlement. This is a part open	
designed green infrastructure are likely to take some	viewpoint.	location due to the hedgerows that	Panels to be set a minimum of 15m from
pressures away from the main settlements and roads		are well cut back, which helps to	
that traverse the area. The distinctive long straight	<u><i>Cultural:</i></u> The wider landscape setting of the	provide extended views, but the	Panels to be set a minimum of 50m from
Roman roads and their 'east-west' connections form the	settlements is hardly evident in this view or the visual	vegetation bordering the mainline	
basis of current road networks and are at risk of losing	relationships between adjoining Area of Greater	railway helps to close down views at	Panels to be set minimum of 20m from r
heir character.	Landscape Value (AGLV).	this location. In terms of variety, the	minor watercourses.
Overall, the susceptibility for LCC-C-T is conditioned by		residential properties are the main feature and the low-cut hedgerows	Panels to be set a minimum of 3m from
the relative lack of road connectivity east to west.	<u>Natural:</u> The views tend to be interesting and	along the Kirton Road frontage allow	Pariers to be set a minimum of smiron .
Driving north to south across the area is generally	comfortable due the relationship with the edge of	open visibility across the landscape	Existing hedges are to be allowed to grow
straightforward as the A156 runs true to the River Trent	settlement. The discordant uses within the airfield,	towards the east and southeast.	Hedgerow trees will be encouraged to gr
and the A15 and B1398 follow the limestone capped	which detract from the natural qualities of the	There is a strong line of mature tree	the field boundaries with the addition of
scarp slope to the east. Most of the developed	landscape are hardly evident from this location.	and scrub cover along both sides of	spaced along the length of existing hedge
settlements are near these roads, however narrow	Decreation and Enjoyments The Distan Dark Driving	the mainline railway but the further	
country lanes link east west and this direction of travel	<u>Recreation and Enjoyment:</u> The Blyton Park Driving Centre is the key recreational resource, but its	hedgerows and tree cover within the	Lighting will be limited to downlights with
s slightly more challenging. The relevant characteristics	relationship with the landscape setting of Blyton is	small collection of fields to the	when maintenance or security is require
of the landscape therefore have a medium susceptibility	marred by the discordant uses.	northeast of Top Farm fall below the	calibrated to vehicle and personnel move
to change without undue adverse effects given there is	marred by the discordant uses.	horizon.	at a maximum height of 4m with cowls fi
scope to protect the character and diversity of the road	Local Distinctiveness and Sense of Place: The presence		within panelled areas will be manually o
networks through the conservation and enhancement	of individual field boundary oak/ash trees is a key	Importance of View: This is a part	fencing.
of the rural roads. These minor tracks, lanes and farm	feature of the location as a significant group. Even the	open location on the local road	
roads are often bordered by tall hedgerows and wide	relatively nondescript occasional trees seen in	network. The views tend to be	The visual effects with only the Embedd
verges and evidence of Roman influence through	isolation make a crucial contribution to this location.	attractive and offer some interesting	effects set out for the operation stage (Ye
Medieval settlement is also present through abandoned		and attractive features locally,	which will have been carried out but will
illages and medieval settlements, such as Coates.	Health and Wellbeing: Although Kirton Road is defined	including intervisibility between the	Embedded Mitigation stage.
	by strong hedgerows, they are low-cut, but the	heart of the village and the landscape	
	hedgerow trees are strong and this gives some visual	to the east. The overall experience is	
	comfort and feeling of well-being to the route (given	that of a pleasant location with	
	that it is a long straight road with fast moving traffic	overwhelming feelings of familiarity	
	and no footways, with only narrow grass verges).	and comfort, which raises the	
		importance of the view.	
	Important Spatial Function: There are different		
	landscape patterns that typify the differing landscape	<u>Number of Receptors</u> : This is the local	
	character and its contribution to spatial function. This	road network that attracts local users	
	is particularly noticeable where the baseline views	but is also likely to attract users from	
	change dramatically between the settlement and just	the wider area since this is a	
	outside its boundary where the strong vegetation	secondary road with connections to	
	along the mainline railway has a strong influence.	Kirton in Lindsey. Overall, this is a	
		gateway to the settlement, which	
	Overall , the value of LCC-C-T is shaped by the strong	raises the importance of the view.	
	hedgerow and mature tree cover that is prominent to		
	the north side of Kirton Road. The former airbase uses		
	are not evident from this location and the landscape		
	setting of Blyton is not adversely influenced by its		
	presence. This is a noticeable difference where the		
	baseline views change dramatically between the edge		
	of settlement and the outlying landscape where the		
	vegetation along the mainline railway has an influence.		
Medium	Medium	Medium	Not Applicable

nto account at the construction, operation (Year 1 ages of the Scheme. This Embedded Mitigation is and would include the following measures:

om adjacent PRoW.

m adjacent residential property boundaries.

n major watercourses and minimum of 8m from

n Site boundaries.

ow out and will be managed to a height of 5m. grow out to add further thickening and growth to of new hedgerow trees as appropriate, randomly lges.

ithin substations and battery banks only and used red. Lighting will be PIR operated and will be ovements. All visible lighting would be 50W, installed fitted to prevent light spillage. Lighting required operated. There will be no lighting on perimeter

ded Mitigation taken into account equate to those (Year 1) and this includes secondary mitigation ill have had limited physical or visual impact at this



 enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened by the foreground hedgerows bordering Kirton Road. During the latter part of the construction stage, views would become available of the elevated activities, and although the hedgerows to the foreground and within the surrounding field systems would give some partial layering, these activities would still occupy an extensive proportion of the view. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as 	ortheast of this viewpoint along Kirton Road will be augmented with gerow trees species to infill tree cover and provide additional height as gical value and range of species to the existing block of vegetation and fencing will sit 8m north of the existing roadside vegetation with panels set lanting will be provided to the western boundary of field K1 where it abuts idditional hedgerow trees will augment the local tree cover and existing row out and be managed to a height of 5m where the wide road verge ill be mitigated where the land falls away a little over the Site in the east.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage to include the following changes to the landscape: The view will become more enclosed since the existing hedgerows will have been managed to outgrow to a height of 5m, new planting will have established with scattered trees beginning to provide some good cover and proposed hedges and scrub planting will be established. Close range views will be of scrub and scattered trees breaking up the immediate views with enhanced hedgerows across the Site helping to increase the tree cover around settlements. Longer distance views will be of layered vegetation of existing and proposed hedgerows with trees with a wooded horizon where glimpses exist across the landscape. Overall, in terms of mitigation for the Cottam 3a Site, many of the rural villages	A similar process to of construction stag but with the Scheme operational. This is a assessment of the S winter but assumes retention of existing vegetation and build upon the proposed primary and second mitigation that had established as the fu baseline. Effects are those arising from activities for the dur of the decommissio including site traffic, noise and vibration decommissioning activities, dust generation and site runoff.
 enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened by the foreground hedgerows bordering Kirton Road. During the latter part of the construction stage, views would become available of the elevated activities, and although the hedgerows to the foreground and within the surrounding field systems would give some partial layering, these activities would still occupy an extensive proportion of the view. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as 	al or visual impact at this stage: In Road looking north will be mitigated by the proposed scattered native bundary to field K1 some 500m distant. This will provide a strong structural e planting relatively close to the built-up area of Blyton in line with trives. ortheast of this viewpoint along Kirton Road will be augmented with gerow trees species to infill tree cover and provide additional height as gical value and range of species to the existing block of vegetation and fencing will sit 8m north of the existing roadside vegetation with panels set lanting will be provided to the western boundary of field K1 where it abuts idditional hedgerow trees will augment the local tree cover and existing row out and be managed to a height of 5m where the wide road verge ill be mitigated where the land falls away a little over the Site in the east. c, extending to 35m wide at its widest, will run north/south to the western ing existing vegetation and running over existing underground services. to to the small wooded area, the existing hedge will also be reinforced by	grass seeding would be taken into account at this stage to include the following changes to the landscape: The view will become more enclosed since the existing hedgerows will have been managed to outgrow to a height of 5m, new planting will have established with scattered trees beginning to provide some good cover and proposed hedges and scrub planting will be established. Close range views will be of scrub and scattered trees breaking up the immediate views with enhanced hedgerows across the Site helping to increase the tree cover around settlements. Longer distance views will be of layered vegetation of existing and proposed hedgerows with trees with a wooded horizon where glimpses exist across the landscape. Overall, in terms of mitigation for the	of construction stag but with the Schem being no longer operational. This is assessment of the S winter but assumes retention of existing vegetation and buil upon the proposed primary and second mitigation that had established as the f baseline. Effects are those arising from activities for the du of the decommission including site traffic noise and vibration decommissioning activities, dust generation and site
commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened by the foreground hedgerows bordering Kirton Road. During the latter part of the construction stage, views would become available of the elevated activities, and although the hedgerows to the foreground and within the surrounding field systems would give some partial layering, these activities would still occupy an extensive proportion of the view.Scattered native trees Views from the B1205 Kirto trees along the southern bo buffer and appropriate trees character assessment objectCother works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such asScattered native trees Views from the B1205 Kirto trees along the southern bo buffer and appropriate trees character assessment objectExisting vegetation Existing vegetation to the ne irregular spaced native hed well as increasing the ecolo hedgerows. Proposed Site 20m from this roadside. Additional enhancement pl the Laughton Road where a hedges will be allowed to gr allows. Views to the east will boundary of field K3 adjoint Adjacent to the road and up irregularly spaced native hed	n Road looking north will be mitigated by the proposed scattered native bundary to field K1 some 500m distant. This will provide a strong structural e planting relatively close to the built-up area of Blyton in line with trives. Ortheast of this viewpoint along Kirton Road will be augmented with gerow trees species to infill tree cover and provide additional height as gical value and range of species to the existing block of vegetation and fencing will sit 8m north of the existing roadside vegetation with panels set lanting will be provided to the western boundary of field K1 where it abuts idditional hedgerow trees will augment the local tree cover and existing row out and be managed to a height of 5m where the wide road verge ill be mitigated where the land falls away a little over the Site in the east.	at this stage to include the following changes to the landscape: The view will become more enclosed since the existing hedgerows will have been managed to outgrow to a height of 5m, new planting will have established with scattered trees beginning to provide some good cover and proposed hedges and scrub planting will be established. Close range views will be of scrub and scattered trees breaking up the immediate views with enhanced hedgerows across the Site helping to increase the tree cover around settlements. Longer distance views will be of layered vegetation of existing and proposed hedgerows with trees with a wooded horizon where glimpses exist across the landscape. Overall, in terms of mitigation for the	but with the Schem being no longer operational. This is assessment of the S winter but assumes retention of existing vegetation and buil upon the proposed primary and second mitigation that had established as the f baseline. Effects are those arising from activities for the du of the decommission including site traffic noise and vibration decommissioning activities, dust generation and site
traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened by the foreground hedgerows bordering Kirton Road. During the latter part of the construction stage, views would become available of the elevated activities, and although the hedgerows to the foreground and within the surrounding field systems would give some partial layering, these activities would still occupy an extensive proportion of the view. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as	bundary to field K1 some 500m distant. This will provide a strong structural e planting relatively close to the built-up area of Blyton in line with strives.	to the landscape: The view will become more enclosed since the existing hedgerows will have been managed to outgrow to a height of 5m, new planting will have established with scattered trees beginning to provide some good cover and proposed hedges and scrub planting will be established. Close range views will be of scrub and scattered trees breaking up the immediate views with enhanced hedgerows across the Site helping to increase the tree cover around settlements. Longer distance views will be of layered vegetation of existing and proposed hedgerows with trees with a wooded horizon where glimpses exist across the landscape. Overall, in terms of mitigation for the	being no longer operational. This is assessment of the S winter but assumes retention of existing vegetation and buil upon the proposed primary and second mitigation that had established as the f baseline. Effects are those arising from activities for the du of the decommission including site traffic noise and vibration decommissioning activities, dust generation and site
 activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened by the foreground hedgerows bordering Kirton Road. During the latter part of the construction stage, views would become available of the elevated activities, and although the hedgerows to the foreground and within the surrounding field systems would give some partial layering, these activities would still occupy an extensive proportion of the view. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as Views from the B1205 Kirtor trees along the southern both the construction of the view. Views from the B1205 Kirtor trees along the southern both the solar panel areas and associated infrastructure and infrastructure and structure and the source of the construction stage, views would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as 	bundary to field K1 some 500m distant. This will provide a strong structural e planting relatively close to the built-up area of Blyton in line with strives.	The view will become more enclosed since the existing hedgerows will have been managed to outgrow to a height of 5m, new planting will have established with scattered trees beginning to provide some good cover and proposed hedges and scrub planting will be established. Close range views will be of scrub and scattered trees breaking up the immediate views with enhanced hedgerows across the Site helping to increase the tree cover around settlements. Longer distance views will be of layered vegetation of existing and proposed hedgerows with trees with a wooded horizon where glimpses exist across the landscape.	operational. This is assessment of the s winter but assumes retention of existin vegetation and buil upon the proposed primary and second mitigation that had established as the f baseline. Effects and those arising from activities for the du of the decommission including site traffic noise and vibration decommissioning activities, dust generation and site
 roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened by the foreground hedgerows bordering Kirton Road. During the latter part of the construction stage, views would become available of the elevated activities, and although the hedgerows to the foreground and within the surrounding field systems would give some partial layering, these activities would still occupy an extensive proportion of the view. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as 	bundary to field K1 some 500m distant. This will provide a strong structural e planting relatively close to the built-up area of Blyton in line with strives.	the existing hedgerows will have been managed to outgrow to a height of 5m, new planting will have established with scattered trees beginning to provide some good cover and proposed hedges and scrub planting will be established. Close range views will be of scrub and scattered trees breaking up the immediate views with enhanced hedgerows across the Site helping to increase the tree cover around settlements. Longer distance views will be of layered vegetation of existing and proposed hedgerows with trees with a wooded horizon where glimpses exist across the landscape.	assessment of the winter but assume retention of existin vegetation and bui upon the proposed primary and secon mitigation that had established as the baseline. Effects ar those arising from activities for the du of the decommissio including site traffic noise and vibratior decommissioning activities, dust generation and site
machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened by the foreground hedgerows bordering Kirton Road. During the latter part of the construction stage, views would become available of the elevated activities, and although the hedgerows to the foreground and within the surrounding field systems would give some partial layering, these activities would still occupy an extensive proportion of the view.buffer and appropriate tree character assessment object character assessment object Existing vegetationOther works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such asbuffer and appropriate tree character assessment object character assessment object Existing vegetationMathematical construction of the solar proportion of the view.Existing vegetation Existing vegetation to the ne irregular spaced native hed well as increasing the ecolo hedgerows. Proposed Site 20m from this roadside.Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such asSuccessional scrub planting boundary of field K3 adjoint Adjacent to the road and up irregularly spaced native hed	e planting relatively close to the built-up area of Blyton in line with trives.	the existing hedgerows will have been managed to outgrow to a height of 5m, new planting will have established with scattered trees beginning to provide some good cover and proposed hedges and scrub planting will be established. Close range views will be of scrub and scattered trees breaking up the immediate views with enhanced hedgerows across the Site helping to increase the tree cover around settlements. Longer distance views will be of layered vegetation of existing and proposed hedgerows with trees with a wooded horizon where glimpses exist across the landscape.	winter but assume retention of existin vegetation and bui upon the proposed primary and secon mitigation that had established as the baseline. Effects ar those arising from activities for the du of the decommissi including site traffi noise and vibratior decommissioning activities, dust generation and site
construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened by the foreground hedgerows bordering Kirton Road. During the latter part of the construction stage, views would become available of the elevated activities, and although the hedgerows to the foreground and within the surrounding field systems would give some partial layering, these activities would still occupy an extensive proportion of the view.character assessment object Existing vegetationOther works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such ascharacter assessment object the solar Existing vegetation Existing vegetation to the ne irregular spaced native hed well as increasing the ecolor hedgerows. Proposed Site 20m from this roadside. Additional enhancement pl the Laughton Road where a hedges will be allowed to gr allows. Views to the east with Successional scrub planting boundary of field K3 adjoint Adjacent to the road and up irregularly spaced native hed	trives. ortheast of this viewpoint along Kirton Road will be augmented with gerow trees species to infill tree cover and provide additional height as gical value and range of species to the existing block of vegetation and fencing will sit 8m north of the existing roadside vegetation with panels set lanting will be provided to the western boundary of field K1 where it abuts idditional hedgerow trees will augment the local tree cover and existing row out and be managed to a height of 5m where the wide road verge ill be mitigated where the land falls away a little over the Site in the east. , extending to 35m wide at its widest, will run north/south to the western ing existing vegetation and running over existing underground services. to the small wooded area, the existing hedge will also be reinforced by	 managed to outgrow to a height of 5m, new planting will have established with scattered trees beginning to provide some good cover and proposed hedges and scrub planting will be established. Close range views will be of scrub and scattered trees breaking up the immediate views with enhanced hedgerows across the Site helping to increase the tree cover around settlements. Longer distance views will be of layered vegetation of existing and proposed hedgerows with trees with a wooded horizon where glimpses exist across the landscape. Overall, in terms of mitigation for the 	retention of existin vegetation and bui upon the proposed primary and secon mitigation that had established as the baseline. Effects ar those arising from activities for the du of the decommissi including site traffi noise and vibration decommissioning activities, dust generation and site
activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened by the foreground hedgerows bordering Kirton Road. During the latter part of the construction stage, views would become available of the elevated activities, and although the hedgerows to the foreground and within the surrounding field systems would give some partial layering, these activities would still occupy an extensive proportion of the view.Existing vegetation Existing vegetation to the me irregular spaced native hed well as increasing the ecolor hedgerows. Proposed Site 20m from this roadside. Additional enhancement pl the Laughton Road where a hedges will be allowed to gr allows. Views to the east will Successional scrub planting Successional scrub planting boundary of field K3 adjoind Adjacent to the road and up irregularly spaced native hed	ortheast of this viewpoint along Kirton Road will be augmented with gerow trees species to infill tree cover and provide additional height as gical value and range of species to the existing block of vegetation and fencing will sit 8m north of the existing roadside vegetation with panels set lanting will be provided to the western boundary of field K1 where it abuts idditional hedgerow trees will augment the local tree cover and existing row out and be managed to a height of 5m where the wide road verge ill be mitigated where the land falls away a little over the Site in the east.	planting will have established with scattered trees beginning to provide some good cover and proposed hedges and scrub planting will be established. Close range views will be of scrub and scattered trees breaking up the immediate views with enhanced hedgerows across the Site helping to increase the tree cover around settlements. Longer distance views will be of layered vegetation of existing and proposed hedgerows with trees with a wooded horizon where glimpses exist across the landscape. Overall, in terms of mitigation for the	vegetation and bu upon the proposed primary and secon mitigation that had established as the baseline. Effects an those arising from activities for the du of the decommissi including site traffi noise and vibration decommissioning activities, dust generation and sit
panel areas and associated infrastructure and inverters would be partly screened by the foreground hedgerows bordering Kirton Road. During the latter part of the construction stage, views would become available of the elevated activities, and although the hedgerows to the foreground and within the surrounding field systems would give some partial layering, these activities would still occupy an extensive proportion of the view.Existing vegetation Existing vegetation to the ne irregular spaced native hed well as increasing the ecolor hedgerows. Proposed Site 20m from this roadside. Additional enhancement pl the Laughton Road where a hedges will be allowed to gr allows. Views to the east will Successional scrub planting Successional scrub planting boundary of field K3 adjoint Adjacent to the road and up irregularly spaced native hed	gerow trees species to infill tree cover and provide additional height as gical value and range of species to the existing block of vegetation and fencing will sit 8m north of the existing roadside vegetation with panels set lanting will be provided to the western boundary of field K1 where it abuts idditional hedgerow trees will augment the local tree cover and existing row out and be managed to a height of 5m where the wide road verge ill be mitigated where the land falls away a little over the Site in the east. c, extending to 35m wide at its widest, will run north/south to the western ing existing vegetation and running over existing underground services. b to the small wooded area, the existing hedge will also be reinforced by	trees beginning to provide some good cover and proposed hedges and scrub planting will be established. Close range views will be of scrub and scattered trees breaking up the immediate views with enhanced hedgerows across the Site helping to increase the tree cover around settlements. Longer distance views will be of layered vegetation of existing and proposed hedgerows with trees with a wooded horizon where glimpses exist across the landscape. Overall, in terms of mitigation for the	upon the proposed primary and secon mitigation that had established as the baseline. Effects an those arising from activities for the du of the decommissi including site traff noise and vibration decommissioning activities, dust generation and sit
inverters would be partly screened by the foreground hedgerows bordering Kirton Road. During the latter part of the construction stage, views would become available of the elevated activities, and although the hedgerows to the foreground and within the surrounding field systems would give some partial layering, these activities would still occupy an extensive proportion of the view. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as	gerow trees species to infill tree cover and provide additional height as gical value and range of species to the existing block of vegetation and fencing will sit 8m north of the existing roadside vegetation with panels set lanting will be provided to the western boundary of field K1 where it abuts idditional hedgerow trees will augment the local tree cover and existing row out and be managed to a height of 5m where the wide road verge ill be mitigated where the land falls away a little over the Site in the east. c, extending to 35m wide at its widest, will run north/south to the western ing existing vegetation and running over existing underground services. b to the small wooded area, the existing hedge will also be reinforced by	and proposed hedges and scrub planting will be established. Close range views will be of scrub and scattered trees breaking up the immediate views with enhanced hedgerows across the Site helping to increase the tree cover around settlements. Longer distance views will be of layered vegetation of existing and proposed hedgerows with trees with a wooded horizon where glimpses exist across the landscape. Overall, in terms of mitigation for the	primary and secon mitigation that had established as the baseline. Effects an those arising from activities for the du of the decommissi including site traff noise and vibration decommissioning activities, dust generation and sit
foreground hedgerows bordering Kirton Road. During the latter part of the construction stage, views would become available of the elevated activities, and although the hedgerows to the foreground and within the surrounding field systems would give some partial layering, these activities would still occupy an extensive proportion of the view. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as	gerow trees species to infill tree cover and provide additional height as gical value and range of species to the existing block of vegetation and fencing will sit 8m north of the existing roadside vegetation with panels set lanting will be provided to the western boundary of field K1 where it abuts idditional hedgerow trees will augment the local tree cover and existing row out and be managed to a height of 5m where the wide road verge ill be mitigated where the land falls away a little over the Site in the east. c, extending to 35m wide at its widest, will run north/south to the western ing existing vegetation and running over existing underground services. b to the small wooded area, the existing hedge will also be reinforced by	 will be established. Close range views will be of scrub and scattered trees breaking up the immediate views with enhanced hedgerows across the Site helping to increase the tree cover around settlements. Longer distance views will be of layered vegetation of existing and proposed hedgerows with trees with a wooded horizon where glimpses exist across the landscape. Overall, in terms of mitigation for the 	mitigation that had established as the baseline. Effects at those arising from activities for the du of the decommissi including site traff noise and vibration decommissioning activities, dust generation and sit
During the latter part of the construction stage, views would become available of the elevated activities, and although the hedgerows to the foreground and within the surrounding field systems would give some partial layering, these activities would still occupy an extensive proportion of the view. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as	gical value and range of species to the existing block of vegetation and fencing will sit 8m north of the existing roadside vegetation with panels set lanting will be provided to the western boundary of field K1 where it abuts idditional hedgerow trees will augment the local tree cover and existing row out and be managed to a height of 5m where the wide road verge ill be mitigated where the land falls away a little over the Site in the east. c, extending to 35m wide at its widest, will run north/south to the western ing existing vegetation and running over existing underground services. b to the small wooded area, the existing hedge will also be reinforced by	 be of scrub and scattered trees breaking up the immediate views with enhanced hedgerows across the Site helping to increase the tree cover around settlements. Longer distance views will be of layered vegetation of existing and proposed hedgerows with trees with a wooded horizon where glimpses exist across the landscape. Overall, in terms of mitigation for the 	established as the baseline. Effects an those arising from activities for the du of the decommissi including site traff noise and vibration decommissioning activities, dust generation and sit
views would become available of the elevated activities, and although the hedgerows to the foreground and within the surrounding field systems would give some partial layering, these activities would still occupy an extensive proportion of the view. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as	fencing will sit 8m north of the existing roadside vegetation with panels set lanting will be provided to the western boundary of field K1 where it abuts additional hedgerow trees will augment the local tree cover and existing row out and be managed to a height of 5m where the wide road verge ill be mitigated where the land falls away a little over the Site in the east. c, extending to 35m wide at its widest, will run north/south to the western ing existing vegetation and running over existing underground services. to the small wooded area, the existing hedge will also be reinforced by	the immediate views with enhanced hedgerows across the Site helping to increase the tree cover around settlements. Longer distance views will be of layered vegetation of existing and proposed hedgerows with trees with a wooded horizon where glimpses exist across the landscape. Overall, in terms of mitigation for the	baseline. Effects and those arising from activities for the du of the decommissi including site traff noise and vibration decommissioning activities, dust generation and sit
activities, and although the hedgerows to the foreground and within the surrounding field systems would give some partial layering, these activities would still occupy an extensive proportion of the view.20m from this roadside. Additional enhancement pl the Laughton Road where a hedges will be allowed to gr allows. Views to the east with Successional scrub planting Successional scrub planting boundary of field K3 adjoint Adjacent to the road and up irregularly spaced native here	anting will be provided to the western boundary of field K1 where it abuts additional hedgerow trees will augment the local tree cover and existing row out and be managed to a height of 5m where the wide road verge ill be mitigated where the land falls away a little over the Site in the east. , extending to 35m wide at its widest, will run north/south to the western ing existing vegetation and running over existing underground services. to to the small wooded area, the existing hedge will also be reinforced by	hedgerows across the Site helping to increase the tree cover around settlements. Longer distance views will be of layered vegetation of existing and proposed hedgerows with trees with a wooded horizon where glimpses exist across the landscape. Overall, in terms of mitigation for the	those arising from activities for the du of the decommissi including site traff noise and vibration decommissioning activities, dust generation and sit
foreground and within the surrounding field systems would give some partial layering, these activities would still occupy an extensive proportion of the view.Additional enhancement pl the Laughton Road where a hedges will be allowed to gr allows. Views to the east with Successional scrub planting Successional scrub planting boundary of field K3 adjoint Adjacent to the road and up irregularly spaced native here	additional hedgerow trees will augment the local tree cover and existing row out and be managed to a height of 5m where the wide road verge ill be mitigated where the land falls away a little over the Site in the east. c, extending to 35m wide at its widest, will run north/south to the western ing existing vegetation and running over existing underground services. to the small wooded area, the existing hedge will also be reinforced by	 increase the tree cover around settlements. Longer distance views will be of layered vegetation of existing and proposed hedgerows with trees with a wooded horizon where glimpses exist across the landscape. Overall, in terms of mitigation for the 	activities for the du of the decommissi including site traff noise and vibration decommissioning activities, dust generation and sit
systems would give some partial layering, these activities would still occupy an extensive proportion of the view. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as the Laughton Road where a hedges will be allowed to gr allows. Views to the east with Successional scrub planting boundary of field K3 adjoint Adjacent to the road and up irregularly spaced native he	additional hedgerow trees will augment the local tree cover and existing row out and be managed to a height of 5m where the wide road verge ill be mitigated where the land falls away a little over the Site in the east. c, extending to 35m wide at its widest, will run north/south to the western ing existing vegetation and running over existing underground services. to the small wooded area, the existing hedge will also be reinforced by	Longer distance views will be of layered vegetation of existing and proposed hedgerows with trees with a wooded horizon where glimpses exist across the landscape. Overall, in terms of mitigation for the	of the decommissi including site traff noise and vibration decommissioning activities, dust generation and sit
activities would still occupy an extensive proportion of the view.hedges will be allowed to gr allows. Views to the east will be allows. Views to the east will Successional scrub planting Successional scrub planting boundary of field K3 adjoint Adjacent to the road and up irregularly spaced native here	row out and be managed to a height of 5m where the wide road verge ill be mitigated where the land falls away a little over the Site in the east. c, extending to 35m wide at its widest, will run north/south to the western ing existing vegetation and running over existing underground services. to the small wooded area, the existing hedge will also be reinforced by	vegetation of existing and proposed hedgerows with trees with a wooded horizon where glimpses exist across the landscape. Overall, in terms of mitigation for the	including site traff noise and vibration decommissioning activities, dust generation and sit
proportion of the view.allows. Views to the east with Successional scrub planting Successional scrub planting Successional scrub planting boundary of field K3 adjoint Adjacent to the road and up irregularly spaced native here	ill be mitigated where the land falls away a little over the Site in the east. c, extending to 35m wide at its widest, will run north/south to the western ing existing vegetation and running over existing underground services. o to the small wooded area, the existing hedge will also be reinforced by	hedgerows with trees with a wooded horizon where glimpses exist across the landscape.Overall, in terms of mitigation for the	noise and vibratio decommissioning activities, dust generation and sit
Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such asSuccessional scrub planting boundary of field K3 adjoint Adjacent to the road and up irregularly spaced native here	, extending to 35m wide at its widest, will run north/south to the western ing existing vegetation and running over existing underground services. to the small wooded area, the existing hedge will also be reinforced by	horizon where glimpses exist across the landscape. Overall, in terms of mitigation for the	decommissioning activities, dust generation and sit
connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as	, extending to 35m wide at its widest, will run north/south to the western ing existing vegetation and running over existing underground services. to the small wooded area, the existing hedge will also be reinforced by	landscape. Overall, in terms of mitigation for the	activities, dust generation and sit
connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as	, extending to 35m wide at its widest, will run north/south to the western ing existing vegetation and running over existing underground services. to the small wooded area, the existing hedge will also be reinforced by	Overall, in terms of mitigation for the	generation and sit
fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as	ing existing vegetation and running over existing underground services. to the small wooded area, the existing hedge will also be reinforced by	÷	0
means of enclosure and works for the provision Adjacent to the road and up of security and monitoring measures such as irregularly spaced native he	to the small wooded area, the existing hedge will also be reinforced by	÷	runoff.
of security and monitoring measures such as irregularly spaced native he		Cottam 3a Site, many of the rural villages	
CCTV and the laying down of internal tracks. dwellings further west along	dgerow trees to mitigate views east from this viewpoint and from	have not seen widespread expansion but	Following
	g Kirton Road. Site fencing will sit to the east of this scrub planting and will	development pressures continue with the	decommissioning,
	t. Further east along Kirton Road, a buffer of successional scrub planting,	demand for housing, commerce and	land is likely to be
	ative hedge with hedgerow trees will augment this roadside boundary	industry is creating visual intrusion and	returned to arable
	more sparce, reducing overall views of the Site from the south and west	extending the urban fringe. For	production. The Si
	closer to the roadside. Further along Kirton Road to the east, an existing	development associated with the rural	however benefit fi
These short-lived construction activities would roadway will be utilized run	ning north from the road into the Site.	villages, specific mechanisms include Village	the significantly
obstruct a significant proportion of the view and		Design Statements, and tree planting	enhanced tree and
become a dominant feature. There would be a <u>Existing hedgerows</u>		around settlement fringes to help integrate	hedgerow planting
considerable change to the arable land use, but Existing gaps within the roa	dside hedgerows to be infilled with mixed native hedgerow species.	new development into the landscape.	has been carried o
the surrounding field boundaries and the Looking south towards Coth	nam 3b and 2, the roadside vegetation will be retained as existing in order		has begun to matu
associated tree cover would remain intact. to maintain the open chara	cter of the views to the south.	Between Years 1 and 15, the following	create a much stro
There would not be a fundamental change to		beneficial effects will be achieved in terms of	and robust landsc
the immediate south, east and west of this <u>Grassland mixes</u>		Visual Receptors:	retaining and enha
location and the wider landscape to the Panels will sit over a propos	ed wildflower grassland mix, whilst a min. 10m buffer zone around	 Grassland reversion around field 	the overall charact
	Il be seeded with a flower-rich pollinator mix which will also extend around	boundaries and PRoW	providing conside
change. proposed access/Site roads		 Increased woodland/vegetation 	biodiversity benef
		cover	the years. Bird mit
New hedgerows		 A more varied landscape 	fields are likely to
	boundaries of the existing buildings on the runway, mixed native	– Improved (more natural)	retained and the
	baced hedgerow trees will augment the existing cover , provide height and	management of exiting vegetation	potential may exis
	eld buildings and the panels from view.	 Less expanse of intensively 	retain grass margi
B1205 having 2 points of access into the Cottam Adverse effects:		managed arable land	preserve some va
	res across the landscape	 A less exposed and windswept 	land use and mair
Road as it connects to fields K3 and K4. The – Increased hard sta		landscape	long-term improve
second access point is through Kirton Road as it – Increased traffic lo	•	 Water quality improvements 	in biodiversity in t
	follution within open countryside	 Potential animal grazing 	area, all of which v
	onation within open countryside		benefit visual rece



SOLAR PROJECT				
	will make Kirton Road busy during the	 Substation, Battery storage and other associated infrastructure structures visible above 	 Reinstatement of historic field 	
	construction stages and will affect the view.	existing vegetation	patterns Bird mitigation fields	With secondary mitigation considered,
	<u>Cable Route Corridor</u> Viewpoint is within 0.5km study area and will		 Bird mitigation fields Significantly improved biodiversity 	the negative effects of the physical
	experience effects at construction stage.		Growth of existing and proposed vegetation is assumed to be:	decommissioning will be balanced out by the long term landscape and
	Substation This viewpoint is within the 2km study area but there would be no view of the Substation at		Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at Year 15.	visual effects of this mitigation.
	Cottam 3a due to the intervening existing vegetation.		New hedgerows: 0.6m at Year 1 and 3.5m at Year 15.	
			Existing hedgerows: 0.9m at Year 1 and 5m at Year 15.	
			Shrubs: 0.9m at Year 1 and 5m at Year 15.	
Magnitude	Medium	High	Medium	Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Adverse & Long Term	Adverse & Short Term
Significance of Effect	Moderate Significant	Moderate-Major Significant	Moderate Significant	Minor Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	In Summary There would be no intervisibility between the 3a and Cottam 2 Sites due to distance, the intervening vegetation along the mainline railway and additional intervening settlement, hedgerows, and tree cover. Between the Cottam 3a and 3b Sites, the changes would not be readily noticeable. In the context of the Cottam 3a Site, the Cottam 3b Site occupies only a very small portion of the view due to the intervening vegetation along the mainline railway and foreground hedgerows and tree cover and would not result in a change to the view's composition. There would be a small change to existing landscape elements beyond the railway line by the addition of the area of panels in place of an arable field, but the detectable impacts do not alter the baseline of the receptor materially.	In Summary The Cumulative Effects upon viewpoint LCC-C-T of the Cumulative Devel Minor at year 15 with mitigation. This is due to the limited impact upon the Sites and Cumulative Developments and proximity to the visual recers Secondary Mitigation proposed as well as existing topography would lime Eabric of the Landscape There would not be the removal of or changes in individual elements or area. There would be the introduction of new elements and features comprisite Aesthetic Aspects of the Landscape Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with the Cottar cumulative developments would not be experienced across the majority distance, the intervening woodlands, hedgerows, and tree cover betweee built form would also curtail cumulative visibility between these Site/Site There are local patches of cumulative visibility which may be focus of lik and Tillbridge Solar. This cumulative visibility is set out in further detail v Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Devel Overall Landscape Character and Visual Amenity Overall, the character of the Unwooded Vales is shaped by the strong ags strong sense of rural tranquility. In contrast, the low levels of woodland landscape comprising an arable land use within a scattered pattern of set to west and a more strategic road network north to south. These releva ability to accommodate change without undue adverse effects. The cum
Magnitude	Construction: Low-Medium Operation (Year 1): Low-Medium Operation (Year 1): with only Embedded Mitigation: Low-Medium Operation (Year 15): Low-Medium Decommissioning: Low-Medium	alter the overall character of the landscape within the Unwooded Vales Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low
Type of Effect	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Adverse & Long Term Decommissioning: Neutral & Short Term	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Te Operation (Year 15): Adverse & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Construction: Minor-Moderate Not Significant Operation (Year 1): Minor-Moderate Not Significant Operation (Year 1): with only Embedded Mitigation: Minor-Moderate Not Significant Operation (Year 15): Minor-Moderate Not Significant Decommissioning: Minor-Moderate Not Significant	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Signific Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant

elopments is Minor at year 1 of operation and n the view as a result of the segregated nature of ceptor. Existing vegetation, Embedded and imit any cumulative visual effects.

or features of the landscape within the character

ising the solar panel areas and the substation area.

am 3a and 3b Sites, cumulative visibility with the ity of the 5km study area. This is due to the een the Site/Sites. The intervening settlements and ites.

ikely significant effects, between the Cottam 3a Site I within the following figures:

elopments Augmented ZTV [C6.4.8.15.2.8]

agricultural presence, with wide areas retaining a d cover create a relatively open and expansive settlement, linked by a series of minor roads east vant characteristics of the landscape have some mulative visibility for the Cottam 3b Site would not s Character Area 4a.

Term

ficant



Viewpoint VP4 - Thorpe Lane, Local Bridge

Viewpoint Baseline:

The view is located on Thorpe Lane, looking north with the southern extent of the Cottam South 1 Site in the foreground.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a low-lying almost flat landscape within the wider context of a broad vale, which is conspicuous in this view. The land use is mainly productive arable farmland with many of the large fields under single crop. There is deciduous woodland including Thorpe Wood that is only just visible on the distant horizon. The lack of a hedgerow field boundary to the north side of the lane allows direct views across the open fields. The pattern of drainage is a key feature at this location and a small tributary of the River Till is notable to the west (left of the view) as it forms a meandering course along the eastern edge of the Site/Sites. This watercourse crosses beneath the lane at this local bridge and then takes a meandering course towards the northeast. The watercourse winds through the landscape and is only just discernable by its tracing of alder and willow trees that soften the skyline. In terms of man-made elements, mast and poles are evident in the distance following the route of Thorpe Lane to the east (right of view) in the foreground and farm buildings at Clandon House to the west (left of view) add interest in the landscape (with being shrouded in tree cover).

Subjective: The viewpoint depicts an exposed large-scale landscape, that is extensive due to the absence of hedgerows. In terms of variety, although the landscape is uniform and mostly consistent, it lacks interest and balance since there are no strong vertical features. In terms of texture and colour, the fields are under single crop, and this gives a monochrome appearance to the view, and an overriding impression of being an ordinary landscape.

Overall: The view is influenced by the presence of the small tributary of the River Till that passes beneath the lane at this local bridge. The watercourse is distinguished by the presence of rusty pastures and localized concentrations of riparian tree cover that soften the skyline in what is an otherwise open and featureless landscape. There are intensive levels of management within this arable farmland that add some decline to the natural qualities of the view. The overall impression are views over a simple calm landscape at a local vantage point on Thorpe Lane.

Receptors:

This viewpoint is representative of views available to users travelling on Thorpe Lane. This section of the lane leads from Sturton by Stow in the west towards Brattleby in the east and is host to a variety of users including cyclists, horse riders and walkers.


Description of View:

The foreground of the view comprises a large flat agricultural field with a newly planted hedgerow, a second agricultural field is visible beyond this. In the middle distance, to the centre there are woodlands comprising Thorpe Wood and Brattleby Thorns visible amongst hedgerows and hedgerow trees. To the right-hand side of the view, Thorpe Lane leads towards Brattleby where the roadside hedgerows and verges are visible and close down views in that direction. The remainder of the horizon is made up of trees, farm buildings and telegraph poles in the middle and long distance. There are some vertical elements in the view, including telegraph poles and associated cables in the distance and right-hand side of the view, but these are very minor elements in the context of the wider landscape.



		Approximate Extent of Dev
	Durgen and a second	

Receptor susceptibility to change	Value of view	Sensitivity	Embedded Mitigation	
In terms of forces for change for VP4, the	Scenic: This location appeals to the	visual senses where Thorpe Lane and a	Range of Features: The location comprises the local road	Embedded
flood plains are distinctive features,	small tributary of the River Till com		network that forms an east west connection between	constructio
however, the rivers themselves, such as the	-	s bridge crossings provides local points	Brattleby and Sturton by Stow. This is a local 'node'	decommiss
River Till are not visually prominent in the		capture views across the landscape to	where the minor road network crosses a local tributary of	Mitigation
wider landscape and are often hidden from	the higher landform fringing the Va	•	the River Till and gives a subtle grain to the landscape	would inclu
view by levees or lack of riparian vegetation.		acs.	where the roadside hedgerows and riparian vegetation	Embedded
There are also issues with water quality on	Cultural: The landscape shows evid	ence of historic settlement with farms	create a small level of visual containment.	stage to inc
much of the River Till, caused by run-off		amlets such as Thorpe le Fallows to the		stage to me
from agricultural land, physical modification	west.	annets such as morpe le ranows to the	Importance of View: This is part of the local footpath	Panels to be
of the river channel, and discharges from	west.		network at a location where the distribution of public	
sewage treatment works.	<u>Natural:</u> The extensive expanses of	cominatural babitat rivors and	rights of way (PRoW) is limited giving a reliance on the	Panels to be
sewage treatment works.		be feature such the River Till where the	local lanes for informal recreation. This being an east-	residential
Overall , the susceptibility for VP4 is	course can be observed by tracing		west road connection at a bridge crossing which is	residential
conditioned by	riverside trees.	sinuous beits of riparian habit and	÷ •	Panels to be
by the watercourses where they flow largely	riverside trees.		otherwise devoid of a range of features raises the level of importance of the view.	
	Degraation and Enjoyments Whilet th	a landform of the Linus and Males	Importance of the view.	and minimu
unnoticed through the landscape marked		e landform of the Unwooded Vales	Number of Decemberry. This is easting county may a lineited	Danalatah
only by a fringe of scattered trees and	Character Area 4a is typically low a		<u>Number of Receptors</u> : This location captures a limited	Panels to be
riparian vegetation. However, there is an		of neighboring elevated land are often	range of receptors and is primarily a draw for local	F 1. (1) - 1
opportunity to reconnect the rivers with		and enjoyment of the area. Typically,	residents using the road network to travel east west by	Existing hec
their flood plains and restore and create a	these locations occur around Thor	pe le Fallows and along Thorpe Lane.	car. The location is unlikely to capture a high number of	managed to
mosaic of wetland and flood plain habitats			visitors from a wider area as there is little opportunity to	encouraged
including grazing marsh, pastures, fens,	-	ace: The landscape has a 'strong sense of	park on the narrow lanes and walk from here. This is not	growth to th
reedbeds, wet woodland and eutrophic		s flanking the lower lying areas creating	a recognised travel destination in the district.	hedgerow t
standing waters. The relevant	a broad scale visual containment a	• •		length of ex
characteristics of the landscape therefore	Cammeringham, Ingham and Filling	gham.		
have a high susceptibility to change without				Lighting wil
undue adverse effects given there is scope	-	ed Vales Character Area 4a provides a		battery ban
to manage the link and extend existing	very limited network of PRoW with	-		is required.
habitats and make more space for the		t across the area linked by a series of		calibrated to
natural development of the watercourses	narrow straight lanes such as Thor	pe Lane.		lighting wou
and their associated topographical features.				with cowls f
		the low levels of woodland cover, the		within pane
	landscape benefits from high levels	s of visual containment at these bridge		be no lighti
		gerows and riparian vegetation create		
	visual containment.			The visual e
				into accoun
		04 is shaped by the interruption at the		operation s
		ne, that provides a local point of interest		mitigation v
	and the opportunity to capture view			limited phys
	landform fringing the Vales. In cont			stage.
		dgerows and belts of riverside trees that		
	truncate views and give a feeling of	f intimacy, enclosure and 'sense of place'.		
				1



to vehicle and personnel movements. All visible vould be 50W, installed at a maximum height of 4m ls fitted to prevent light spillage. Lighting required nelled areas will be manually operated. There will nting on perimeter fencing.

effects **with only** the Embedded Mitigation taken unt equate to those effects set out for the n stage (Year 1) and this includes secondary n which will have been carried out but will have had hysical or visual impact at this Embedded Mitigation



Construction	Operation (Year 1)	Operation (Year 15)	Decommissioning
Activities considered includes, site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened due to the presence of foreground hedgerow bordering Thorpe Lane. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerow, but the riparian vegetation bordering the River Till would provide some screening such that these activities would	The foreground of the view would change from a large agricultural field to an area of panels with the previously planted hedgerow now established to provide some screening of the panels at the lower level. The second agricultural field beyond this would no longer be visible due to the intervening panels. In the middle distance to the centre, Thorpe Wood and Brattleby Thorns would still remain visible but above the panel areas. To the right-hand side of the view, Thorpe Lane would still be visible but in the context of panels where it leads towards Brattleby. The roadside hedgerows and verges would add softening and help mitigate views in that direction. The remainder of the horizon is made up of trees, farm buildings and telegraph poles in the middle and long distance and this would not change. The vertical elements in the view, including telegraph poles and associated cables would bring cumulative changes to the view.	 With secondary mitigation such as planting and grass seeding being taken into account at the operational stage (Year 15) the following changes to the landscape would occur and the visual effects are set out below. Views to the north and west of the Site will be softened and screened at close-range through the shelterbelt planting and the enhancement of existing hedges which will be managed to a height of 5m in the middle distance. These augmented hedgerows will provide a series of good quality field boundaries both formally strengthening the existing and the historical field pattern and creating a multi-layered landscape. Views towards the longer distance (where hedgerows to not block these) will be of a layered, well treed landscape with a backdrop of some wooded vegetation in places on the horizon. Both new and existing vegetation will have established and begun to mature, creating a much stronger structure to the landscape and reducing the exposed feel of the area whilst retaining its overall 	A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessmen of the Site in winter but assumes retention of existing vegetation ar builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning including sit traffic, noise and vibration from decommissioning activities, dust generation and site runoff. Following decommissioning, the
be confined to a narrower section of the view. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the	 which will have been carried out, but will have had limited physical or visual impact at this stage: <u>Scattered tree belt</u> A proposed scattered tree belt is proposed to the western boundary of D22 either side of the existing hedgerow screening views of the more western extents of the Site whilst mitigating views to the east from 'The Lodge'. <u>Shelterbelt</u> 	 character. Open views across the non-wooded farmland will be retained to the east and south with enhanced tree cover to the north and west. Overall, in terms of mitigation for the Cottam 1 South Site, initiatives could look to enhance the river systems and their floodplains for their ecological importance and contribution to biodiversity. The aim is to protect belts of waterside trees and riparian habitats to distinguish watercourses. The planting of trees and replacing lost hedgerows in 	land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing
foreground hedgerows These short-lived construction activities would obstruct a significant proportion of the view and become a dominant feature. There would be a considerable change to the arable land use, but the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the south and east of Thorpe Lane. Construction Access There would be no view of any construction access from this viewpoint	Close range views from Thorpe Lane are to be mitigated by the proposed 5m shelterbelt planting adjacent to the road and existing roadside hedgerow. Existing hedges The existing riparian vegetation to the eastern boundary is to be retained, mitigating views from further east of the Site. Existing hedgerows surrounding fields D21 and D22 and to the north of field D19are to be enhanced with the addition of irregularly spaced hedgerow trees and infilled as necessary to create a layered well-treed landscape and further strengthening the existing field pattern in this area and creating some additional height across the local views.	flood plains to improve landscape character and attenuate flood flows is also promoted. Between Years 1 and 15, the following beneficial effects will be achieved in terms of Visual Receptors: - Grassland reversion around field boundaries and PRoW - Increased woodland/vegetation cover - A more varied landscape - Improved (more natural) management of exiting vegetation - Less expanse of intensively managed arable land - A less exposed and windswept landscape - Water quality improvements - Potential animal grazing - Reinstatement of historic field patterns - Bird mitigation fields	considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long term improvements in biodiversity in the local area, all of which will benefit visual receptors. With secondary mitigation considered, the negative effects of the physical decommissioning will be balanced out by the long term landscape and visual effects of thi
Cable Route Corridor Viewpoint is outside of the 0.5km study area and there would be no view of this route. Substation This viewpoint is within the 2km study area but there would be no view of the Substation at	The relatively small-scale field pattern in this area, broken up up existing ditches does not require additional hedge planting. <u>Grassland mixes</u> Adjacent to existing hedgerows and proposed blocks of scattered trees, a tussock grass mix is proposed with a wildflower grass mix under the proposed papels. Areas of flower	 Significantly improved biodiversity Growth of existing and proposed vegetation is assumed to take on the following rates: Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at 	mitigation.
Cottam 1.	wildflower grass mix under the proposed panels. Areas of flower rich pollinator mix are proposed around other field boundaries as well as a 10m buffer around existing overhead power lines within field D18 and beyond.	Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Year 15.	



		 Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation. 	Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15.	
Magnitude	Medium	High	Medium	Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Adverse & Long Term	Adverse & Short Term
Significance of Effect	Moderate-Major Significant	Moderate-Major Significant	Moderate-Major Significant	Minor-Moderate Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	m-combination effects [cumulative sites]	
	In Summary There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and intervening vegetation. Therefore, there no in combination visual effects are anticipated.	In Summary The Cumulative Effects upon viewpoint 4 of the Cumulative Developments is Negligible at year 1 of operation and Net the limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Developments and of existing vegetation, Embedded and Secondary Mitigation proposed as well as existing topography would limit any Bridge in Thorpe Lane, is located approximately 1.6km to the closest Cumulative Development West Burton, however vegetation bordering Tillbridge Lane in the distance, it is anticipated there would be no cumulative visual effects. Fabric of the Landscape There would not be the removal of or changes in individual elements or features of the landscape within the characted. There would be the introduction of new elements and features comprising the solar panel areas and the substation at Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the cu experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedge The intervening settlements and built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 S Tillbridge Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the following fig Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9] The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type or a road network is defined by important historic routes and in contrast, the east west minor road network links several settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are often tranquil ar verges and they have a major role in helping to define the quality of the landscape and reducing the visibility across t <i>Overall Landscape Character and Visual Amenity</i> Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of historic small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised for addin These relevant characteristics of the landscape and land use have some ability to accommodate change without und the Cottam 1 Site/Sites would not alter the overall character of the landscape and its communications and infrastruct often set within a well-vegetated context or associated with built form that plays a positive role in reducing the overal
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

> Negligible at year 15 with mitigation. This is due to nd proximity to the visual receptor. A combination ny cumulative visual effects. Viewpoint 4 at Local ver due to intervening field hedgerows and the

cter area.

n area within the character area

cumulative developments would not be gerows, and tree cover between the Site/Sites.

Site/Sites and Gate Burton Energy Park, figures:

r area different from another. The strategic major al historic and distinctive smaller string of and hedged to both sides with wide grassed s the area.

ic settlement with farms, nucleated villages, and ding intimacy and interest to the landscape. ndue adverse effects. The cumulative visibility for ucture features. Moreover, these features are rall cumulative effects.



Viewpoint VP5 – TLFe/31/2

Viewpoint Baseline:

The view is located on the PRoW, bridleway TLFe/31/2, looking north with the southern extent of the Cottam 1 South Site in the foreground.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a low-lying, flat arable landscape within the wider context of a broad vale, which adds to the sense of scale of this view. The land use is mainly productive arable farmland with many of the large fields under single crop. There is deciduous woodland including Thorpe Wood that forms a distinctive 'zig-zag' shape in the landscape along with the other occasional geometric blocks such as Cammeringham Low Covert and Brattleby Gorse. These woodlands combine to form a strong feature on the horizon and a feeling of enclosure due to their localized concentration. In terms of man-made elements, there are occasional farmsteads including The Grange that is just visible on the horizon (left of view) in the context of Thorpe Wood. This built form also includes the Grade II listed Brattleby Hall (List Entry: 1063335). The tall hedgerow to the west of the bridleway also gives a sense of visual containment to this location. The hedgerows separating fields D16 from D18 and D19 stand tall and are a strong feature and the bridleway is also a prominent feature that has clear and direct view into fields D18 and D19. The vegetation is well managed providing a distinctive, but with a safe feel to the environment.

Subjective: The viewpoint depicts a large-scale, flat, open landscape, being exposed at close-range and in the mid distance due to the absence of hedgerows. In terms of variety, the combination of landscape features includes farm buildings, deciduous woodland, tall hedgerows, occasional hedgerow trees and arable fields that present a simple, well-balanced composition, but the increased field sizes add some discordancy. In terms of texture and colour, this is an intensively managed land use that is mainly muted.

Overall: The view is influenced by the open arable fields and the woodlands on the horizon that form a significant component and add balance to the landscape. The location offers some intimacy despite the close proximity to the residential property (The Lodge) to the south. There is a gap between the woodland on the horizon that extends the view towards the distant ridge line where the Scampton Airfield is just visible. The overall experience is interesting and very pleasant, with some depth to views and strong contrasting features.

Receptors:

This viewpoint is representative of views available to PRoW users along the bridleway TFLe/31/2. This section of the bridleway leads from Thorpe Lane in the south to meet with Ingham Road in the north and is used for walkers, horse riders and occasional vehicle traffic.

Description of View:

The foreground of the view comprises a large flat agricultural field with no hedgerow, two further agricultural fields are visible beyond this. In the middle distance, to the left there is a tall hedge bordering the bridleway. To the right-hand side of the view there are woodlands comprising Thorpe Wood and Brattleby Thorns visible amongst hedgerows and hedgerow trees and then a conifer hedgerow to the garden of the residential property (The Lodge). The remainder of the horizon is made up of woodlands at Cammeringham, trees, farm buildings in the middle and long distance. There are some vertical elements in the view, including telegraph poles and associated cables in the distance, but these are very minor elements in the context of the wider landscape and the dark wooded backdrop.





Receptor susceptibility to change	Value of view	Sensitivity	Embedded
In terms of forces for change for VP5, the main sensitivity is focused on the ancient enclosures that	<u>Scenic:</u> The network of footpaths and bridleways offer a sequence of views to the setting of settlements that also include views towards their outlying woodland blocks	<u>Range of Features:</u> The location comprises the local road network that	Embedded M construction,
has been weakened by modern agricultural	which have been traditionally associated with them such as Thorpe Wood and Thorpe	forms an east west connection	decommissio
practices. The settlement pattern that defines the	le Fallows.	between Brattleby and Sturton by	Mitigation is
contrast between the small compact villages and		Stow. This is a location where the	would include
larger market towns remains largely intact, but	<u>Cultural:</u> Some of the villages have a broad landscape setting which encompasses the	minor road network forms a junction	Deve alla da la a
their landscape settings are risk of demise from expansion and development.	minor roads. Where the footpath network links to these minor roads and the intersection captures views toward the settlement.	with the bridleway network. The viewpoint depicts a large-scale, flat,	Panels to be
	intersection captures views toward the settlement.	open landscape, being exposed at	Panels to be
Overall , the susceptibility for VP5 is conditioned by	<i>Natural:</i> The management of hedgerows (and hedgerow trees) on the margins of	close-range and in the mid distance	residential pr
string of historic settlements that are aligned	villages and lining footpaths and bridleways is important to help retain the	due to the absence of hedgerows and	residential pi
approximately north to south and the Trent	characteristic sense of enclosure and contrast with open areas. The hedgerow to the	therefore displays few features of	Panels to be
floodplain where there are surviving ancient	west of bridleway TLFe/31/2 offers scope for management.	interest.	and minimum
enclosures characterised by small field sizes. The			
mixed farming heritage is also fundamental in	<u>Recreation and Enjoyment:</u> Recreation is provided by the numerous local lanes and	Importance of View: This is part of the	Panels to be
retaining landscape character and should be	public rights of way, especially where the networks offer scope for circular routes or	local bridleway network at a location	
managed to ensure the area continues to reflect its	provide north south links between the east west minor roads. Bridleway TLFe/31/2	where the distribution of bridleways	Existing hedg
long history of agricultural land use. The relevant	provides a strategic north south link between two east-west minor roads.	are limited giving a reliance on the local	managed to
characteristics of the landscape therefore have a		lanes for riding. This being a north	encouraged t
high susceptibility to change without undue	Local Distinctiveness and Sense of Place: Some views from the footpaths and bridleways	south bridleway connection in a	growth to the
adverse effects given there is scope to protect the	offer long westward views to the power stations on the River Trent, and eastward	landscape which is otherwise devoid of	hedgerow tre
character and diversity of the farming heritage of the area despite the erosion of traditional	views to the scarp face of Lincoln 'Cliff'. Bridleway TLFe/31/2 offers some views towards	a range of features footpath raises the level of importance of the view.	length of exis
character and ecosystems through post-war	the limestone capped scarp slope.	level of importance of the view.	Lighting will b
agricultural intensification.		Number of Receptors: This location	battery bank
	<u>Health and Wellbeing:</u> The landscape feels exposed in parts, but the combination of	captures a limited range of receptors	is required. L
	bends in local lanes and blocks of woodlands provide some enclosure. This landscape	and is primarily a draw for local riders	calibrated to
	pattern is important in invigorating the senses of well-being and matters of health.	using the bridleway network to travel	lighting woul
	Bridleway TLFe/31/2 provides an opportunity to experience this enclosure from	north south. The location is unlikely to	with cowls fit
	woodland blocks.	capture a high number of riders from a	within panell
	Internet and Constitut Franctions, Donate and actions from the also and be added at the second	wider area as there is little opportunity	be no lighting
	<u>Important Spatial Function</u> : Roads and minor farm tracks are bordered by wide verges and hedgerows and this contributes to their function in providing an open setting to	to park on the narrow lanes and ride	
	villages. Access for recreation is an important factor in these locations and bridleway	from here. This is not a recognised	The visual eff
	TLFe/31/2 provides access to a minor farm track.	destination for riding in the district.	into account
			operation sta
	Overall , the value of Viewpoint VP05 is shaped by the importance of Bridleway		mitigation wh
	TFLe/31/2 that offers a sequence of views at both close range towards the setting of		limited physic
	settlements and their outlying woodland blocks which have been traditionally		stage.
	associated with them such as Thorpe Wood and Thorpe le Fallows. Long range,		
	eastward views towards the limestone capped scarp slope are also important.		
High	Medium	Medium to High	Not Applicab

ed Mitigation

Mitigation would be taken into account at the on, operation (Year 1 and Year 15) and sioning stages of the Scheme. This Embedded is also referred to as primary mitigation and ude the following measures:

be set a minimum of 15m from adjacent PRoW.

be set a minimum of 50m from adjacent l property boundaries.

be set minimum of 20m from major watercourses um of 8m from minor watercourses.

be set a minimum of 3m from Site boundaries.

edges are to be allowed to grow out and will be to a height of 5m. Hedgerow trees will be ed to grow out to add further thickening and the field boundaries with the addition of new trees as appropriate, randomly spaced along the existing hedges.

ill be limited to downlights within substations and nks only and used when maintenance or security Lighting will be PIR operated and will be to vehicle and personnel movements. All visible ould be 50W, installed at a maximum height of 4m fitted to prevent light spillage. Lighting required elled areas will be manually operated. There will ing on perimeter fencing.


effects **with only** the Embedded Mitigation taken nt equate to those effects set out for the stage (Year 1) and this includes secondary which will have been carried out but will have had ysical or visual impact at this Embedded Mitigation

able



Viewpoint VP5 – TLFe/31/2

Construction	Operation (Year 1)	Operation (Year 15)	Decommissioning
Activities considered includes, site	The foreground of the view would change from a large agricultural field	With secondary mitigation such as planting and grass seeding being	A similar process to that of
preparation / enabling works, construction,	to an area of panels. The two further agricultural fields beyond this	taken into account at the operational stage (Year 15) the following	construction stage, but with the
and commissioning with effects such as	would no longer be visible due to the intervening panels. Views of the	changes to the landscape would occur and the visual effects are set	Scheme being no longer
construction traffic, noise and vibration from	tall hedge bordering the bridleway would remain as well as the views of	out below.	operational. This is an assessment
construction activities, dust generation, site	Thorpe Wood and Brattleby Thorns, but these would now be visible		of the Site in winter but assumes
runoff, mud on roads, and the visual	above the panels. The conifer hedgerow to the garden of the	Views to the northwest and northeast of the Site will be softened	retention of existing vegetation and
intrusion of plant and machinery on site. At	residential property (The Lodge) would remain. The woodlands at	and screened at close-range through the planting of a block of	builds upon the proposed primary
the early stages of the construction stage,	Cammeringham, trees and farm buildings would remain in the view, but	scattered trees as well as new and enhanced hedgerows. In the	and secondary mitigation that had
ground, and lower-level activities such as the	the panels would obscure the lower levels. The vertical elements in the	middle distance, new and augmented hedgerows will provide a	been established as the future
construction of the solar panel areas and	view, including telegraph poles and associated cables would be	series of good quality field boundaries both formally strengthening	baseline. Effects are those arising
associated infrastructure and inverters	obscured by the panels.	the existing and historical field pattern and creating a multi-layered	from activities for the duration of
would not be screened due to the lack of		landscape towards Thorpe Wood and Brattleby Gorse. Views	the decommissioning including site
foreground hedgerow bordering the	The Effects set out below for Year 1 include secondary mitigation which	towards the longer distance, (where foreground vegetation does not	traffic, noise and vibration from
Site/Sites. During the latter part of the	will have been carried out, but will have had limited physical or visual	block these), will be of a layered, well treed landscape with a	decommissioning activities, dust
construction stage, views would become	impact at this stage:	backdrop of wooded vegetation in places on the horizon. Both new	generation and site runoff.
available of the elevated activities also, but		and existing vegetation will have established and begun to mature,	
the tall hedgerow to the west of the	Scattered tree belt	creating a strong structure to the landscape, and reducing the	Following decommissioning, the
bridleway would provide some screening	A triangular shaped scattered tree belt is proposed to the southeastern	exposed feel of the area whilst retaining its overall character. Views	land is likely to be returned to
such that these activities would be confined	corner of field D16 to the east of the overhead power cables and	to the south of the Site will remain more open and exposed.	arable production. The Site will
to a narrower section of the view.	adjacent to the PRoW TLFe/31/2 at this viewpoint. Another block lies to		however benefit from the
	the west of field D16 creating scattered blocks throughout the Site.	Overall , in terms of mitigation for the Cottam 1 South Site, the aim	significantly enhanced tree and
Other works would be undertaken in	-	should be to plan new woodland in the most suitable locations. This	hedgerow planting that has been
connection with the construction including	Existing hedges	may include in and around settlements, where woodland would	carried out and has begun to
fencing, gates, boundary treatment and	There is a good quality hedge adjacent to the road at this viewpoint	help integrate new development into the landscape and in more	mature to create a much stronger
other means of enclosure and works for the	looking north with a low over-managed hedgerow to the south creating	intimate low-lying areas, where woodland would help create a	and robust landscape, retaining
provision of security and monitoring	an exposed landscape to the south. An existing hedge to the west of	mixed pattern of land use. Consideration should also be given to the	and enhancing the overall
measures such as CCTV and the laying down	this PRoW heading north is to be enhanced with irregularly spaced	management of existing trees and woodland, enhancing biodiversity	character and providing
of internal tracks. There would also be	native hedgerow trees and allowed to grow out to 5m creating some	value and age structure through new planting and the creation of	considerable biodiversity benefits
landscape and biodiversity mitigation works,	additional landscape features and helping to screen views from the	woodland edge habitats. An increase in grassland reversion should	over the years. Bird mitigation
including planting of new foreground	PRoW and 'The Grange'. An existing hedgerow to the north of field D19	also be encouraged, increasing the occurrence of semi-natural	fields are likely to be retained and
hedgerows	will also be enhanced breaking up the views to the north.	habitats.	the potential may exist to retain
	-		grass margins to preserve some
These short-lived construction activities	New hedges	Between Years 1 and 15, the following beneficial effects will be	varied land use and maintain long-
would obstruct a significant proportion of	A new hedgerow is proposed to the eastern boundary of the PRoW as it	achieved in terms of Visual Receptors:	term improvements in biodiversity
the view and become a dominant feature.	heads north to 'The Grange' helping to enclose this PRoW, create an	 Grassland reversion around field boundaries and PRoW 	in the local area, all of which will
There would be a considerable change to the arable land use, but the field boundaries and	intimate experience and further enhance the varied experience of the	 Increased woodland/vegetation cover 	benefit visual receptors.
the associated tree cover would remain	route as well as to mitigate views of panels and overhead cables to the	 A more varied landscape 	With cocondary mitigation
intact. There would not be a fundamental	east and from Grange Farm. A new hedgerow with hedgerow trees to the south of field D16 will run	 Improved (more natural) management of exiting vegetation 	With secondary mitigation considered, the negative effects of
change to the surroundings to the south of	west/east joining the southern boundary of field D14 which abuts the	 Less expanse of intensively managed arable land 	the physical decommissioning will
Thorpe Lane.	war memorial Site. This will mitigate views from directly south as well	 A less exposed and windswept landscape 	be balanced out by the long term
Thorpe Lane.	as softening views when looking northwest from the PRoW, The Lodge	 Water quality improvements 	landscape and visual effects of this
Construction Access	and the road.	 Potential animal grazing Reinstatement of historic field patterns 	mitigation.
There would be no view of any construction		 Bird mitigation fields 	
access from this viewpoint.	Successional scrub planting.	 Bird mugation fields Significantly improved biodiversity 	
	To the west of the proposed block of scattered trees and beneath the		
Cable Route Corridor	existing power lines, a strip of successional scrub will create layering to		
Viewpoint is outside of the 0.5km study area	the proposed woodland edge and create a low maintenance strip.	Growth of existing and proposed vegetation is assumed to take on	
and there would be no view of this route.	are proposed moodania cage and create a row maintenance strip.	the following rates:	
	Grassland mixes		
Substation	A tussock mix is proposed to line the existing and proposed hedgerows	Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at	
	with a tall herb mix 10m either side of the existing ditch line to the	Year 15.	





	This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 1.	 western boundary of field D16. A flower rich pollinator mix is proposed under the existing power lines to the northeast of this viewpoint. Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	New hedgerows: 0.6m at Year 1 and 3.5m at Year 15. Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15
Magnitude	Medium	High	Medium
Type of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term
Significance of Effect	Moderate – Major Significant	Major – Moderate Not Significant	Minor – Moderate Not Significant

Very Low
Neutral & Short Term
Negligible Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	<u>In Summary</u> There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and intervening vegetation. Therefore, there no in combination visual effects are anticipated.	In Summary The Cumulative Effects upon viewpoint 5 of the Cumulative Developments is Negligible at year 1 of operation and Negl the limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Developments and p of existing vegetation, Embedded and Secondary Mitigation proposed as well as existing topography would limit any cu TLFe/31/2, is located approximately 1.5km from the closest Cumulative Development West Burton Site, however views field hedgerows and the vegetation bordering Tillbridge Lane in the distance.
		<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or features of the landscape within the character
		There would be the introduction of new elements and features comprising the solar panel areas and the substation are
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the cum experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedger intervening settlements and built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 Sit Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the following figures:
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9]
		The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type or are road network is defined by important historic routes and in contrast, the east west minor road network links several his settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are often tranquil and and they have a major role in helping to define the quality of the landscape and reducing the visibility across the area.
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of historic set small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised for adding relevant characteristics of the landscape and land use have some ability to accommodate change without undue adver Cottam 1 Site/Sites would not alter the overall character of the landscape and its communications and infrastructure fe within a well-vegetated context or associated with built form that plays a positive role in reducing the overall cumulative
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

> egligible at year 15 with mitigation. This is due to l proximity to the visual receptor. A combination cumulative visual effects. Viewpoint 5 at PRoW vs to the development is limited by intervening

er area.

area within the character area

imulative developments would not be erows, and tree cover between the Site/Sites. The

Site/Sites and Gate Burton Energy Park, Tillbridge

area different from another. The strategic major historic and distinctive smaller string of nd hedged to both sides with wide grassed verges a.

settlement with farms, nucleated villages, and ing intimacy and interest to the landscape. These verse effects. The cumulative visibility for the e features. Moreover, these features are often set tive effects.



Viewpoint VP6 – Thorpe Lane

Viewpoint Baseline:

The view is located just off Thorpe Lane at the site of the Thorpe Lane Medieval Settlement (List Entry:101698), looking north with the southern extent of the Cottam 1 South Site in the foreground.

Objective: The viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a low-lying, flat arable landscape within the wider context of the broad vale, which adds to the sense of scale of this view. The wider land use is mainly productive arable, but the immediate context of the view is mainly in use as pasture and the remains of the medieval village survive well at this location. The remains include a series of substantial earthworks and linear ponds adjacent to Thorpe Road that are also part of the group remains. In terms of man-made elements, the war memorial to the west (left of view), and near the centre of this settlement of Thorpe le Fallows, marks the site of the former medieval church. Other built influences include the listed Thorpe le Fallows Farmhouse (List Entry Number: 1308921) which is a c. 1830 cream brick buildings with a hipped tiled roof, located to the south. This is a small hamlet including a collection of other properties including Westop Cottages to the southwest (west of view) and Clandon House to the southeast (right of view).

<u>Subjective</u>: The viewpoint depicts large-scale, slightly undulating landscape where the settlement of Thorpe le Fallows is located at a slightly higher elevation (approximately 10m AOD) as an almost localized plateau in the context of the wider lowerlying areas. This localize plateau gives rise to slightly less visibility towards the south and as a result the farmstead (The Grange) is only just visible to the northwest (right of view). Due to the localized landform, the skyline breaks the view within close context at this location. In terms of variety, the combination of landscape features includes farm buildings, deciduous woodland, tall hedgerows, occasional hedgerow trees, tree groups and pasture that presents an intimate quality to the foreground of the view with some enclosure created by the hedgerows. In terms of texture and colour, the landscape is managed and there are splashes of colour created by the surrounding buildings and variety of vegetation cover.

Overall: The view is influenced by the surviving features of the medieval village in the context of this localized plateau that adds a notable 'sense of place' to this location. This is a comfortable environment with a pleasant and interesting outlook to the north from the edge of the settlement. The overall experience is appealing, enhanced by the historic context where tranquility is a main feature of this view.

Receptors:

The viewpoint is representative of views available to residents of Clandon House and Westop Cottages, and motorists using Thorpe Lane. This section of the lane leads from the settlement of Sturton by Stow in the west towards Brattleby in the east.

Description of View:

The foreground of the view comprises a large flat agricultural field defined by a post and wire fence and a further agricultural field is visible beyond this. In the middle distance, to the left there is riparian vegetation cover bordering the River Till visible amongst hedgerows and hedgerow trees. To the right-hand side of the view there are woodlands comprising Thorpe Wood and Brattleby Thorns and then the garden of the residential property (Clandon House). The remainder of the horizon is made up of woodlands at Coates, trees, hedgerows, and farm buildings in the middle and long distance. There are some vertical elements in the view, including telegraph poles and associated cables in the distance, but these are very minor elements in the context of the wider landscape and the dark wooded backdrop.



	Appro	oximate Extent of Development	
Receptor susceptibility to change	Value of view	Sensitivity	Embedd
In terms of forces for change for VP6, the settlement pattern is a key sensitivity. The contrast between the small compact villages and larger market towns remains largely intact, but the expansion around their edges and the associated impact on landscape character is a key issue. Other sensitivities are focused on the ancient enclosures that has been weakened by modern agricultural practices. Overall , the susceptibility for VP6 is conditioned by the collection of historic settlements that date from medieval and some with stone and bronze age origins where there are visible surviving earthworks and ridge and furrow. The mixed farming heritage is also fundamental in retaining landscape character and should be managed to ensure the area continues to reflect its long history of agricultural land use. The relevant characteristics of the landscape therefore have a medium susceptibility to change without undue adverse effects given there is scope to protect the character and diversity of the farming heritage through appropriate landscape maintenance and management interventions.	 <u>Scenic:</u> The line of settlements, aligned approximately north to south on the ridgeline, retain much of their historic character and the smaller historic settlements such as Thorpe le Fallows (east west minor road network) are also important. <u>Cultural:</u> The largest settlement in the wider area is Gainsborough and the character of the views across is defined by the contrasts between these large and smaller settlements such as Thorpe le Fallows. <u>Natural:</u> Rural tranquility remains a strong feature, however significant development pressures exist from the major roads that traverse the area. Thorpe Lane provides a quiet location that is not discordant with the rural character of the area. <u>Recreation and Enjoyment:</u> This strategic focus is on the wider Trent valley in the west and scarp slopes towards the east, however there are many tranquil places for people to enjoy the landscape for recreation such as the east west minor road network. <u>Local Distinctiveness and Sense of Place:</u> This is typified by the strong minor road network, which reflect the strong east to west alignment. <u>Health and Wellbeing:</u> The tranquil experiential qualities are strong in many places and the sense of history is experienced through the medieval settlement pattern of small compact villages that remain broadly intact such as Thorpe le Fallows. <u>Important Spatial Function:</u> The hedgerows provide a link to the past, some marking ancient boundaries and many dating from the period of enclosure. Overall, the value of Viewpoint VP06 is shaped by Thorpe Lane as being part of the typical east west road network. The associated historic settlements on these roads such as Thorpe le Fallows are also key elements in the landscape. The ancient enclosures with these settlement (and their contrast with the modern fields and planned enclosures) are also important parts of the landscape. 	Range of Features: Ancient hedgerows are still evident in the context of these settlements and sinuous belts of trees and shrubs define ancient parish boundaries that add to the scenic quality of settlements such as Thorpe le Fallows The location comprises the local road network that forms an east west connection between Brattleby and Sturton by Stow. This is a location where the minor road network passes through the small settlement of Thorpe le Fallows or Thorpe Lane Medieval Settlement (List Entry:101698). Importance of View: This is part of the local road network within the small medieval settlement of Thorpe le Fallows. This being an east west local lane connection that links these historic settlements between the major north south routes, raises the level of importance of the view. Number of Receptors: This location captures a limited range of receptors and is primarily a draw for local road users to travel east west and the residents of Thorpe le Fallows. The location is likely to capture regular and passing local traffic but is unlikely to capture receptors from a wider area as there is little opportunity to park in Thorpe le Fallows and walk from here. This is not a recognised destination for visitors in the district.	Embedded construction decommiss Mitigation would inclu Panels to b Panels to b Panels to b Panels to b Panels to b and minim Panels to b Existing he managed to encouraged to the field trees as ap existing he Lighting wi battery bar required. L to vehicle a would be 5 cowls fitted panelled ar lighting on The visual of into accour stage (Year will have be or visual in
High	Medium	Medium to High	Not Applic



ded Mitigation

ed Mitigation would be taken into account at the tion, operation (Year 1 and Year 15) and issioning stages of the Scheme. This Embedded n is also referred to as primary mitigation and clude the following measures:

be set a minimum of 15m from adjacent PRoW.

be set a minimum of 50m from adjacent residential boundaries.

be set minimum of 20m from major watercourses mum of 8m from minor watercourses.

be set a minimum of 3m from Site boundaries.

nedges are to be allowed to grow out and will be I to a height of 5m. Hedgerow trees will be ged to grow out to add further thickening and growth Id boundaries with the addition of new hedgerow appropriate, randomly spaced along the length of nedges.

will be limited to downlights within substations and anks only and used when maintenance or security is Lighting will be PIR operated and will be calibrated e and personnel movements. All visible lighting 50W, installed at a maximum height of 4m with ed to prevent light spillage. Lighting required within areas will be manually operated. There will be no n perimeter fencing.

effects **with only** the Embedded Mitigation taken unt equate to those effects set out for the operation ar 1) and this includes secondary mitigation which been carried out but will have had limited physical impact at this Embedded Mitigation stage.




Construction
Activities considered includes, site preparation / enabling works, construction, and commissioning with effects such as construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened due to the presence of foreground hedgerow bordering the Site/Sites. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerow, but the hedgerows to the bordering field systems would provide some screening such that these activities would be confined to a narrower section of the view. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a significant proportion of the view and become a dominant feature. There would be a considerable change to the pasture and arable land use, but the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the south of Thorpe Lane

Decommissioning

A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.

Following decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain longterm improvements in biodiversity in the local area, all of which will benefit visual receptors.

With secondary mitigation considered, the negative effects of the physical decommissioning will be balanced out by the long term landscape and visual effects of this mitigation.





Level of	Medium Adverse & Short Term	 countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation High Adverse & Long Term 	Medium Beneficial & Long Term	Lo
Magnitude	Medium	 countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	Medium	Lo
		 countryside Substation, Battery storage and other associated infrastructure structures visible 		
		 with a flower rich pollinator mix to the northern boundary adjacent to existing hedges and ditch. To the east of D14, a tall herb mix is to be planted 10m either side of the existing ditch line to create an open and varied habitat with views of the waterway. Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open 		
	Substation This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 1.	A minimum of 50m width of open grassland to the southern part of the Site at this point will comprise a tussock seed mix to continue the open grassland of the mediaeval/war memorial site. This tussock mix is to extend to the western boundary of D14	Shrubs: 0.9m at Year 1 and 5m at Year 15.	

Low

Neutral & Short Term

Minor-Moderate Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	<u>In Summary</u> There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and intervening vegetation. Therefore, there no in combination visual effects are anticipated.	In Summary The Cumulative Effects upon viewpoint 6 of the Cumulative Developments is Negligible at year 1 of operation and to the limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Developments combination of existing vegetation, Embedded and Secondary Mitigation proposed as well as existing topography or closest Development to Viewpoint 6 is West Burton Site, located approximately 1.6km to the south, however views field hedgerows and the vegetation bordering Tillbridge Lane in the distance, therefore no cumulative visual effects <i>Eabric of the Landscape</i> There would not be the removal of or changes in individual elements or features of the landscape within the chara There would be the introduction of new elements and features comprising the solar panel areas and the substation
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hed The intervening settlements and built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton Tillbridge Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the following
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9]
		The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type o major road network is defined by important historic routes and in contrast, the east west minor road network links settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are often tranquil verges and they have a major role in helping to define the quality of the landscape and reducing the visibility acros
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of historic small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised for add These relevant characteristics of the landscape and land use have some ability to accommodate change without un for the Cottam 1 Site/Sites would not alter the overall character of the landscape and its communications and infra are often set within a well-vegetated context or associated with built form that plays a positive role in reducing the
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

> nd Negligible at year 15 with mitigation. This is due nts and proximity to the visual receptor. A ny would limit any cumulative visual effects. The ws to the development are limited by intervening ects are anticipated.

racter area.

tion area within the character area

he cumulative developments would not be edgerows, and tree cover between the Site/Sites.

n 1 Site/Sites and Gate Burton Energy Park, ng figures:

or area different from another. The strategic ks several historic and distinctive smaller string of uil and hedged to both sides with wide grassed oss the area.

coric settlement with farms, nucleated villages, and adding intimacy and interest to the landscape. undue adverse effects. The cumulative visibility rastructure features. Moreover, these features ne overall cumulative effects.



Viewpoint VP7 - Thorpe Bridge TLFe/32/1

Viewpoint Baseline:

The view is located on Thorpe Lane at Thorpe Bridge at the junction with footpath (TLFe/32/1) where the lane crosses the River Till, looking northeast towards the southern extent of the Cottam 1 Site/Sites.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a low-lying almost flat landscape within the wider context of a broad vale, which is conspicuous in this view. The land use is mainly productive arable farmland with many of the large fields under single crop. There is some deciduous woodland including a very strong shelterbelt to the south of Thorpe Lane and the east of the bridge (right of view) that is a very distinctive feature in the landscape. The lack of a hedgerow field boundary to the north side of the lane allows direct views across the open fields. The pattern of drainage is a key feature at this location and the River Till is notable to the west (left of the view) as it forms a meandering course along the western edge of the Site/Sites. This watercourse crosses beneath the lane at Thorpe Bridge (there is a local stopping point or 'pull-in' off the lane to capture views across to the settlement of Sturton by Stow) and then takes a meandering course towards the northeast and follows an irregular alignment to then pass beneath Ingham Road at Squire's Bridge. The watercourse winds through the landscape and is hardly discernable except for a minor tracing of alder and willow trees on the far horizon. In terms of man-made elements, Thorpe Lane to the east (right of view) in the foreground is the main feature and the concrete bridge structure and its metal balustrade railing to each side are typical of the built elements of this landscape.

Subjective: The viewpoint depicts an exposed, large-scale landscape, that is extensive in nature due to the absence of hedgerows. In terms of variety, although the landscape is uniform and mostly consistent, it lacks interest other than the strong tree cover to the south side of Thorpe Lane that has a strong vertical influence and lends a distinctive 'sense of place' to this location. The views also extend as far as the settlement of Sturton by Stow where the chunky church tower is a distinctive feature on the horizon and the isolated buildings group at Fleets Cottages is also a feature in the landscape. Woodlands such as Thorpe Wood are also just evident on the distance horizon. In terms of texture and colour, the fields are under single crop and this gives a monochrome appearance to the view, and an overriding impression of being an ordinary landscape.

Overall: The viewpoint is influenced by the presence of the River Till that passes beneath Thorpe Bridge at this local stopping point off the lane. The watercourse is distinguished by the presence of rusty pastures and minor concentrations of riparian tree cover on the distant skyline in what is an otherwise open and featureless landscape. There are intensive levels of management within this arable farmland that add some decline to the natural qualities of the view. The overall impression are distinctive views over a simple calm landscape at a local stopping point on Thorpe Lane.

Receptors:

This viewpoint is representative of views available to users travelling on Thorpe Lane. This section of the lane leads from Sturton by Stow in the west towards Brattleby in the east and is host to a variety of users including cyclists, horse riders and walkers.

Description of View:

The foreground of the view comprises a large flat agricultural field defined by a recently planted hedgerow and a further agricultural field is visible beyond this. In the middle distance, to the left there is riparian vegetation cover bordering the River Till visible amongst hedgerows and hedgerow trees. To the right-hand side of the view there are woodlands comprising Thorpe Wood and Brattleby Thorns. The remainder of the horizon is made up of woodlands at Coates, trees, hedgerows, and farm buildings in the middle and long distance. There are some vertical elements in the view, including telegraph poles and associated cables in the distance, but these are very minor elements in the context of the wider landscape and the dark wooded backdrop.





Receptor susceptibility to change	Value of view	Sensitivity	Embedded
In terms of forces for change for VP7, there is pressure for built development in villages within commuting distance of Lincoln and some of the most sensitive parts of the landscape are the minor steams and bridge crossings where the east west road cross the landscape. The associated riparian vegetation with these locations is also a sensitive feature. Overall , the susceptibility for VP7 is conditioned by the need to retain buffer zones along rivers and streams to enhance their nature conservation value and reduce fertilizer/pesticide run off from arable land. However, there is an opportunity for new tree/scrub planting (goat willow, hawthorn, alder and alder buckthorn) along these rivers, streams and ditches to increase their visual presence in the landscape. The relevant characteristics of the landscape therefore have a high susceptibility to change without undue adverse effects given there is scope to restore/enhance/create river habitats and river margins including some naturalisation of some of the watercourses.	 <u>Scenic:</u> The river flood plains and watercourses such as the River Till, and their associated vegetation and grazing marsh and the landscape character they provide are important scenic features. <u>Cultural</u>: The historic crossings of the River Trent is a significant feature in contrast to the minor presence of the River Till as it meanders slowly across its flood plain. The crossings of the River Till with the local road network are important to local landscape character. <u>Natural</u>: Very little semi-natural habitat remains across the area, apart from habitat associated with the River Till and its tributaries, which provides a strong feature running through the landscape that can be experienced at these local bridge crossings. <u>Recreation and Enjoyment</u>: The River Till and its associated flood plains play an important role in the area for their recreational importance especially where footpaths and bridleways such as TLFe/32/1 follow their course. <u>Local Distinctiveness and Sense of Place</u>: A simple palette of low-lying terrain gives visual unity and a strong sense of identity to the landscape at local bridge crossings. <u>Health and Wellbeing</u>: Access within and connecting to the river corridors and their flood plains are important for biodiversity, geodiversity, recreation, and health benefits. <u>Important Spatial Function</u>: The landform is low-lying with smooth low ridges that divide the shallow broad river valleys (vales) and their flood plains. The River Till is the key river valley that provides the spatial function to bridleway TLFe/32/1 at this location. Overall, the value of Viewpoint VP07 is shaped by the presence of the River Till and its network of tributaries, valleys, corridors, and flood plains that are key features in the landscape. Where the footpath and bridleway network (such as TFLe/32/1) follow these river corridors and meet with the local road network this adds to the importance of the vie	Range of Features: The location comprises the local road network that forms an east west connection between Brattleby and Sturton by Stow. This is a local 'node' where the minor road network crosses the River Till and gives a distinctive grain to the landscape where the roadside hedgerows, mature trees and riparian vegetation create a small level of visual containment and interest at this location. Importance of View: This is part of the local footpath network at a location where the distribution of public rights of way (PRoW) is limited giving a reliance on the local lanes for informal recreation. This being an east-west road connection at a bridge crossing which is otherwise devoid of a range of features raises the level of importance of the view. Number of Receptors: This location captures a limited range of receptors and is primarily a draw for local residents using the road network to travel east west by car. The location is likely to capture some visitors from a wider area as there is opportunity to park in the lay by and walk from here. This is not a recognised travel destination in the district, but it does provide an interesting destination for walking the course of the River Till.	Embedded Mit construction, o decommission Mitigation is al include the foll Panels to be see Panels to be see property bound Panels to be see and minimum Panels to be see Existing hedges managed to a f encouraged to to the field bout trees as approp existing hedges Lighting will be battery banks of required. Light to vehicle and p be 50W, installed to prevent light areas will be m perimeter fence The visual effect into account en stage (Year 1) a will have been visual impact a
High	Medium	Medium to High	Not Applicable

Mitigation

litigation would be taken into account at the , operation (Year 1 and Year 15) and oning stages of the Scheme. This Embedded also referred to as primary mitigation and would ollowing measures:

set a minimum of 15m from adjacent PRoW.

set a minimum of 50m from adjacent residential undaries.

set minimum of 20m from major watercourses m of 8m from minor watercourses.

set a minimum of 3m from Site boundaries.

ges are to be allowed to grow out and will be a height of 5m. Hedgerow trees will be to grow out to add further thickening and growth oundaries with the addition of new hedgerow ropriate, randomly spaced along the length of ges.

be limited to downlights within substations and s only and used when maintenance or security is hting will be PIR operated and will be calibrated d personnel movements. All visible lighting would alled at a maximum height of 4m with cowls fitted t spillage. Lighting required within panelled manually operated. There will be no lighting on ncing.

fects **with only** the Embedded Mitigation taken equate to those effects set out for the operation) and this includes secondary mitigation which n carried out but will have had limited physical or t at this Embedded Mitigation stage.



Construction	Operation (Year 1)	Operation (Year 15)	Decommissioning
Activities considered includes, site preparation	The foreground of the view would change from a large agricultural field to an	With secondary mitigation such as planting and grass	A similar process to that of
/ enabling works, construction, and	area of panels with the previously planted hedgerow now established to	seeding being taken into account at the operational stage	construction stage, but with the
ommissioning with effects such as	provide some screening at the lower level. The further agricultural field	(Year 15) the following changes to the landscape would	Scheme being no longer operatio
construction traffic, noise and vibration from	beyond this would no longer be visible due to the intervening panels. In the	occur and the visual effects are set out below.	This is an assessment of the Site
construction activities, dust generation, site	middle distance, the riparian vegetation cover bordering the River Till would	This view will become significantly more enclosed creating a	winter but assumes retention of
runoff, mud on roads, and the visual intrusion	remain visible but above the panels along with Thorpe Wood and Brattleby	more varied and interesting route along this section of the	existing vegetation and builds up
of plant and machinery on site. At the early	Thorns. The remainder of the horizon comprising the woodlands at Coates,	Thorpe Lane. The close-range views to the north will be	the proposed primary and secon
stages of the construction stage, ground, and	trees and hedgerows would remain visible above the panels, but the farm	mitigated by a strong shelterbelt screening the solar panels,	mitigation that had been establis
lower-level activities such as the construction	•		as the future baseline. Effects ar
	buildings may disappear from view. The vertical elements in the view,	whilst scattered tree planting in a belt along the River Till	
of the solar panel areas and associated	including telegraph poles and associated cables would bring very minor	will add considerable structure to the landscape. By year	those arising from activities for t
infrastructure and inverters would be visible	cumulative changes to the view.	15, this vegetation will be well established with hedgerows	duration of the decommissionin
due to the absence of foreground hedgerow		maintained to 5m and intermittent tree cover creating a	including site traffic, noise and
bordering the Site/Sites. During the latter part	The Effects set out below for Year 1 include secondary mitigation which will	more diverse landscape across the longer distance views.	vibration from decommissioning
of the construction stage, views would	have been carried out, but will have had limited physical or visual impact at		activities, dust generation and s
become available of the elevated activities,	this stage:	Overall , in terms of mitigation for the Cottam 1 South Slte,	runoff.
and the lack of hedgerows to the bordering	Scattered tree belt	due to the shift away from mixed farming, this has had an	
field systems would give rise to open visibility	A strong belt of scattered trees is proposed to the eastern boundary of the	impact on local character and also in regulating water	Following decommissioning, the
such that these activities would be confined to	River Till, set adjacent to but a minimum of 20m from the watercourse. This	quality. The aim should be to protect and enhance belts of	is likely to be returned to arable
a wide section of the view.	belt will significantly enhance this open and exposed area whilst creating a	waterside trees and riparian habitats to distinguish	production. The Site will howev
	strong ecological corridor and mitigating views into the Site from Thorpe	watercourses and create buffer. The planting of trees and	benefit from the significantly
Other works would be undertaken in	Road and views from the west. This belt is to run north from Thorpe Road to	replacing lost hedgerows in flood plains to improve	enhanced tree and hedgerow
connection with the construction including	the north of field D10 where it joins existing vegetation at this point.	landscape character and attenuate flood flows should also	planting that has been carried o
÷			
fencing, gates, boundary treatment and other	The tree belt will break to cross the river and will then follow along its	be encouraged.	and has begun to mature to cre
means of enclosure and works for the	western edge in field D9 creating an overall belt of trees of some 1000m		much stronger and robust
provision of security and monitoring measures	running north/south.	Between Years 1 and 15, the following beneficial effects will	landscape, retaining and enhan
such as CCTV and the laying down of internal		be achieved in terms of Visual Receptors:	the overall character and provid
tracks. There would also be landscape and	Shelterbelt	 Grassland reversion around field boundaries and 	considerable biodiversity benef
biodiversity mitigation works, including	A shelterbelt is proposed to the north of Thorpe Road to mitigate views from	PRoW	over the years. Bird mitigation f
planting and the improvement of the	the road and augment the existing roadside vegetation beyond a site access	 Increased woodland/vegetation cover 	are likely to be retained and the
foreground hedgerows.	road adjacent to the bridge.	 A more varied landscape 	potential may exist to retain gra
	A further block of shelterbelt planting is proposed to the southwestern	 Improved (more natural) management of exiting 	margins to preserve some varie
These short-lived construction activities would	extent of the new tree belt to mitigate views from the west around this Site	vegetation	land use and maintain long-teri
obstruct a significant proportion of the view	entrance.	 Less expanse of intensively managed arable land 	improvements in biodiversity ir
and become a dominant feature. There would		 A less exposed and windswept landscape 	local area, all of which will bene
be a considerable change to the arable land	Existing hedges	 Water quality improvements 	visual receptors.
use, but the surrounding field boundaries and	Existing hedgerows around D11,12 and 14 are to be enhanced with infilling	 Potential animal grazing 	
the associated tree cover would remain intact.	as necessary and the addition of hedgerow trees spaced intermittently along	 Reinstatement of historic field patterns 	With secondary mitigation
There would not be a fundamental change to	their length to strengthen the overall field pattern and create some visual	 Bird mitigation fields 	considered, the negative effects
the surroundings to the south of Thorpe Lane	interest.	 Significantly improved biodiversity 	the physical decommissioning
and to the west of this location.		Significancy improved biodiversity	balanced out by the long term
and to the west of this location.	New hedges	Crowth of ovicting and proposed vegetation is accounted to	landscape and visual effects of
Construction Access	A new hedge is proposed to the east of an existing ditch which runs	Growth of existing and proposed vegetation is assumed to	mitigation.
All throughout the construction phase the	north/south between D10 and D12 further breaking up the very open and	be:	
÷ .			
viewpoint will be affected due to Thorpe Lane	barren landscape at this point.	Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m	
having a point of access into the Cottam 1		max at Year 15.	
South Site through field D10.	Grassland mixes		
	A minimum 10m buffer either side of the existing waterways is to be seeded	New hedgerows: 0.6m at Year 1 and 3.5m at Year 15.	
Cable Route Corridor	with a tall herb mix to create visual interest and ecological benefits around		
Viewpoint is outside of the 0.5km study area	these waterways.	Existing hedgerows: 0.9m at Year 1 and 5m at Year 15.	
and there would be no view of this route.			
		Shrubs: 0.9m at Year 1 and 5m at Year 15.	



	Substation This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 1.	 A tussock mix is proposed to the base of existing and proposed hedgerows along Thorpe Road, linking up with a block of tussock mix north of the War Memorial Site. Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	
Magnitude	Medium	High	Medium
Type of Effect	Adverse & Short Term	Adverse & Long Term	Adverse & Long Term
Significance of Effect	Moderate - Major Significant	Major - Moderate Significant	Moderate - Major Significant

Low
Adverse & Short Term
Minor-Moderate Not Significant



Viewpoint VP7 – Thorpe Bridge TLFe/32/1 **In-Combination Effects Cumulative Effects [Cumulative Developments]** [Cumulative Sites] In Summary In Summary The Cumulative Effects upon viewpoint 7 of the Cumulative Developments is Negligible at year 1 of operation and Negligible at year 15 with mitigation. This is due to the limited impact upon There would be no intervisibility between the Cottam 1 Site/Sites, the view as a result of the segregated nature of the Sites and Cumulative Developments and proximity to the visual receptor. A combination of existing vegetation, Embedded and Secondary Cottam 2 Site, and Cottam 3a and Mitigation proposed as well as existing topography would limit any cumulative visual effects. The closest Cumulative Development to viewpoint 7 is Tillbridge Solar located approximately 6km 3b Sites, due to distance and to the northeast and it is anticipated there would be no cumulative visual effects due to proximity. intervening vegetation. Therefore, there no in combination visual Fabric of the Landscape effects are anticipated. There would not be the removal of or changes in individual elements or features of the landscape within the character area. There would be the introduction of new elements and features comprising the solar panel areas and the substation area within the character area Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the cumulative developments would not be experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedgerows, and tree cover between the Site/Sites. The intervening settlements and built form would also curtail cumulative visibility. There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the following figures: Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9] The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type or area different from another. The strategic major road network is defined by important historic routes and in contrast, the east west minor road network links several historic and distinctive smaller string of settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are often tranquil and hedged to both sides with wide grassed verges and they have a major role in helping to define the quality of the landscape and reducing the visibility across the area. **Overall Landscape Character and Visual Amenity** Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of historic settlement with farms, nucleated villages, and small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised for adding intimacy and interest to the landscape. These relevant characteristics of the landscape and land use have some ability to accommodate change without undue adverse effects. The cumulative visibility for the Cottam 1 Site/Sites would not alter the overall character of the landscape and its communications and infrastructure features. Moreover, these features are often set within a well-vegetated context or associated with built form that plays a positive role in reducing the overall cumulative effects. Construction: Very Low Operation (Year 1): Very Low No Change Magnitude Operation (Year 1) with only Embedded Mitigation Very Low Operation (Year 15): with Embedded and Secondary Mitigation: Very Low Decommissioning: Very Low Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Type of No Change Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Effect Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Significance No Change Operation (Year 1): with only Embedded Mitigation: Negligible Not Significant of Effect Operation (Year 15): Negligible **Not Significant** Decommissioning: Negligible Not Significant



Viewpoint Baseline:

The view is located on PROW, footpath (Stur/3/1) looking northeast with the Cottam 1 South Site in the immediate foreground.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a low-lying almost flat landscape within the wider context of a broad vale, which is conspicuous in this view. There are also views across this vale towards the Limestone Scarps and Dipslopes Character Area 6a, where the landform rises sharply to capture the ridgeline at Cammeringham and Brattleby. The landform also rises gently in the west (left of view) towards the settlement edge of Sturton by Stow (rising from 15m AOD to 20m AOD). The land use is predominantly arable with some deciduous woodlands and shelterbelts in the far distance, such as those to the east of Fleets Lane at Brattleby Thorns and Cammeringham. In terms of man-made features, there is very little built influence and settlement is very sparse comprising scattered farmsteads at Furze Hill, Lower Furze Hill and The Grange. There are also isolated dwellings known as Fleets Cottages which stand out as a strong built influence in the foreground of the view. Fleets Lane is also a prominent man-made influence in the view.

Subjective: The view depicts a large-scale landscape, that is mostly exposed but with some areas of enclosure due the strong hedgerow network with mixed species comprising spindle and hawthorn. There are far-reaching views toward the limestone scarp slope, although views towards the Lincoln Cliff and the Lincoln Minster are less evident due to the relatively lower elevation at this point (approximately 10m AOD). There are however direct views towards the limestone capped ridgeline at Cammeringham and Brattleby where the woodland cover is a strong feature on the horizon. In terms of variety, the combination of landscape features includes farmsteads, deciduous and coniferous woodland, strong hedgerows, poplar shelterbelts and hedgerow trees that present a varied and harmonious composition. In terms of texture, the arable fields are highly managed with a muted colour combination giving an impression of an ordinary landscape, but this is balanced in terms of interest by the far reaching, views towards the limestone scarp slope at Cammeringham and Brattleby.

Overall: The view is influenced by the intensive arable landscape where the presence of hedgerows helps reduce the scale. This is a quiet location (even though it is in close proximity to Sturton by Stow) with a distinct absence of settlement or busy roads. The local road network passes across the landscape with some right-angled bends giving the opportunity to capture views towards the distant ridgeline. The viewpoint depicts a large-scale landscape that is divided by a strong hedgerow network at this location, which helps to decrease the sense of scale. This is a quiet spot and Fleets Lane is an attractive local lane with distinctive grass verges but is open in parts due to the lack of verge side hedgerows. The overall experience is a pleasant and invigorating comprising a view from a quiet location in close proximity to the settlement of Sturton by Stow.

Receptors:

This viewpoint is representative of users of Fleets Lane and the footpath, PRoW (Stur/73/1). This is the section of the footpath that leads from the west at Sturton by Stow (from School Lane and Ashfield) where the footpath then joins with Fleets Road in the east.

Description of View:

The foreground of the view comprises two large flat agricultural fields divided by the access track leading to Fleets Cottages with further agricultural fields that are visible beyond this. The collection of fields are defined by well-established hedgerows with no hedgerow trees. In the middle distance there is Fleets Cottages then to the left there is riparian vegetation cover bordering the River Till visible amongst hedgerows and hedgerow trees along with woodland at Coates. To the right-hand side of the view there are woodlands comprising Thorpe Wood and Brattleby Thorns. The remainder of the horizon is made up of woodlands at Brattleby and Cammeringham, trees, hedgerows, and farm buildings in the middle and long distance. There are some vertical elements in the view, including telegraph poles and associated cables in the distance, but these are very minor elements in the context of the wider landscape and the dark wooded backdrop.





Receptor susceptibility to change	Value of view	Sensitivity	Embedde
In terms of forces for change for VP10, the landscape has a strong rural character, but tranquility levels are being disturbed by development pressures from the larger scale settlements and major routes across the area. Tranquility is however associated with the winding lanes and landscape-scale projects such as the Trent Vale Landscape Partnership which can help by offering increased recreational and educational opportunities within these areas. Overall, the susceptibility for VP10 is conditioned by the limited network of footpaths and bridleways and the availability of the rural roads and minor tracks for extended access. The relevant characteristics therefore have medium susceptibility to change without undue adverse effects. There is however scope to increase recreation opportunities including where there are natural features and historical elements to draw interest from residents and tourists.	 <u>Scenic:</u> The major roads and the network of minor lanes within the Unwooded Vales Character Area 4a as strong functional feature running through the landscape, which contribute strongly to scenic factors. Fleets Lane is a key part of this network. <u>Cultural:</u> This network of minor lanes links supports the linking of the string of small, nucleated settlements along the B1241 such as Sturton by Stow, Stow, Normanby by Stow and Willingham by Stow. Views from these minor lanes towards the landscape setting of the settlements provide the cultural context to views from roads such as Fleets Lane. <u>Natural:</u> These minor lanes provide attractive destinations as narrow country lanes often with hedgerows on both sides or ditches that enhance the rural quality of the area. <u>Recreation and Enjoyment:</u> The east west travel direction often links the older settlements moving in a more random pattern following minor roads. These roads gain access to smaller villages and are popular for recreation. <u>Local Distinctiveness and Sense of Place:</u> This is a predominantly rural and sparsely settled area with small villages and dispersed farms linked by quiet lanes such as Fleets Lane that connect across the landscape to the wider strategic road network linking the cities of Nottingham and Lincoln. <u>Health and Wellbeing:</u> The local roads (that gain access to smaller villages) are popular for recreation since they provide attractive destinations as narrow country lanes often with high levels of tranquility and isolation. <u>Important Spatial Function:</u> The bypassing of original village changes the spatial function of the landscape type or area different from another. The strategic major road network is defined by important historic routes and in contrast, the minor road network links several historic and distinctive smaller string of settlements across the area. Overall, the prevailing road network is formed by narrow lanes such as Fleets Lane that	Range of Features: The location comprises the local road network that forms a north south axis between the prevailing east west pattern which connects between Brattleby and Sturton by Stow. This is a local 'node' where the minor road network crosses the River Till and gives a distinctive grain to the landscape where the roadside hedgerows, mature trees and riparian vegetation create a small level of visual containment and interest at this location. Importance of View: This is part of the local road network that offers far-reaching views toward the limestone scarp slope, although views towards the Lincoln Cliff and the Lincoln Minster are less evident due to the relatively lower elevation at this point (approximately 10m AOD). There are however direct views towards the limestone capped ridgeline at Cammeringham and Brattleby where the woodland cover is a strong feature on the horizon, raising the importance of the view. Number of Receptors: This location captures a limited range of receptors and is primarily a draw for local residents using the road network to travel north south by car. The location is unlikely to capture some visitors from a wider area as there is no opportunity to park and walk from here. This is not a recognised travel destination in the district.	Embedded N construction decommissis Mitigation is would includ Panels to be residential p Panels to be residential p Panels to be and minimu Panels to be Existing hed, managed to encouraged growth to th hedgerow tr length of exi Lighting will battery bank is required. I calibrated to lighting wou with cowls fi within panel be no lightin The visual ef into account operation st mitigation w limited phys stage.
Medium	Medium	Medium	Not Applicab

ed Mitigation

Mitigation would be taken into account at the on, operation (Year 1 and Year 15) and sioning stages of the Scheme. This Embedded is also referred to as primary mitigation and ude the following measures:

- be set a minimum of 15m from adjacent PRoW.
- be set a minimum of 50m from adjacent property boundaries.
- be set minimum of 20m from major watercourses num of 8m from minor watercourses.
- be set a minimum of 3m from Site boundaries.

edges are to be allowed to grow out and will be to a height of 5m. Hedgerow trees will be ed to grow out to add further thickening and the field boundaries with the addition of new trees as appropriate, randomly spaced along the existing hedges.

ill be limited to downlights within substations and nks only and used when maintenance or security . Lighting will be PIR operated and will be to vehicle and personnel movements. All visible ould be 50W, installed at a maximum height of 4m fitted to prevent light spillage. Lighting required elled areas will be manually operated. There will ting on perimeter fencing.

effects **with only** the Embedded Mitigation taken nt equate to those effects set out for the stage (Year 1) and this includes secondary which will have been carried out but will have had ysical or visual impact at this Embedded Mitigation



Viewpoint VP10 - Stur/73/1

Construction	Operation (Year 1)	Operation (Year 15)	Decommissioning
Activities considered includes, site	The foreground of the view would change from two large agricultural fields to two	With secondary mitigation such as planting and grass	A similar process to that of
preparation / enabling works, construction,	areas of panels. The further agricultural fields beyond this would no longer be	seeding being taken into account at the operational	construction stage, but with the
and commissioning with effects such as	visible due to the intervening panels. Fleets Cottages would still remain in the view	stage (Year 15) the following changes to the landscape	Scheme being no longer operation
construction traffic, noise and vibration from	but above the panels along with the riparian vegetation bordering the River Till and	would occur and the visual effects are set out below.	This is an assessment of the Site in
construction activities, dust generation, site	the woodland at Coates. Thorpe Wood and Brattleby Thorns would also remain in		winter but assumes retention of
runoff, mud on roads, and the visual	the view, but above the panels along with woodlands at Brattleby and	This view will become significantly more enclosed	existing vegetation and builds up
intrusion of plant and machinery on site. At	Cammeringham. The vertical elements in the view, including telegraph poles and	creating a more varied and interesting route along this	the proposed primary and secon
the early stages of the construction stage,	associated cables would be bring very minor cumulative changes to the view.	section of the Fleets Lane. The close-range views to	mitigation that had been establis
ground, and lower-level activities such as the		the north will be mitigated by a strong shelterbelt	as the future baseline. Effects are
construction of the solar panel areas and	The effects set out below for Year 1 include secondary mitigation which will have	screening the proposed Scheme whilst scattered trees	those arising from activities for t
associated infrastructure and inverters	been carried out, but will have had limited physical or visual impact at this stage:	planting in a belt along the River Till will add	duration of the decommissioning
would be partly screened due to the		considerable structure to the area. By year 15, this	including site traffic, noise and
presence of the foreground hedgerows	Scattered tree belt	vegetation will be well established with hedgerows	vibration from decommissioning
bordering Fleets Lane. During the latter part	A strong belt of scattered trees is proposed to the eastern boundary of the River	maintained to 5m and intermittent tree cover creating	activities, dust generation and sit
of the construction stage, views would	Till, set adjacent to but a minimum of 20m from the watercourse. This belt will	a more diverse landscape across the longer distance	runoff.
become available of the elevated activities,	significantly enhance this open and exposed area whilst creating a strong ecological	views.	
but the hedgerows bordering Fleets Lane	corridor and mitigating views into the Site from Thorpe Road and views from the		Following decommissioning, the
and those within the bordering field systems	west. This belt is to run north from Thorpe Road to the north of field D10 where it	Overall , in terms of mitigation for the Cottam 1 South,	is likely to be returned to arable
would give some partial visibility such that	joins existing vegetation at this point.	Site due to the limited network of public rights of way	production. The Site will howeve
these activities would be confined to a		(PRoW) across the area the aim is to enhance the river	benefit from the significantly
framed section of the view.	The tree belt will break to cross the river and will then follow along its western edge	corridors and their flood plains for their recreational	enhanced tree and hedgerow
	in field D9 creating an overall belt of trees of some 1000m running north/south.	importance and the Trent is the main river providing a	planting that has been carried or
Other works would be undertaken in		valuable link. The Trent Valley Way in particular,	and has begun to mature to crea
connection with the construction including	Shelterbelt	provides a long-distance route. The other notable river	much stronger and robust
fencing, gates, boundary treatment and	A shelterbelt is proposed to the north of Thorpe Road to mitigate views from the	is the upper parts of the Witham of which the River Till	landscape, retaining and enhand
other means of enclosure and works for the	road and augment the existing roadside vegetation beyond a site access road	is a tributary. The aims are to extend the non-road	the overall character and provid
provision of security and monitoring	adjacent to the bridge.	network, especially where it can link people to	considerable biodiversity benefit
measures such as CCTV and the laying down of internal tracks. There would also be	A further block of abolts whalt planting is prepared to the couthwastern system of	woodlands and river corridors. Trees and hedgerows	over the years. Bird mitigation fi
	A further block of shelterbelt planting is proposed to the southwestern extent of	also make an important contribution and	are likely to be retained and the
landscape and biodiversity mitigation works,	the new tree belt to mitigate views from the west around this Site entrance.	improvements on approaches to villages could	potential may exist to retain gras
including planting and the improvement of the foreground hedgerows.	Evicting bodgos	improve the identity of the local landscape for the	margins to preserve some varied land use and maintain long-term
the foreground hedgerows.	Existing hedges Existing hedgerows around D11,12 and 14 are to be enhanced with infilling as	benefit of recreation.	improvements in biodiversity in
These short-lived construction activities	necessary and the addition of hedgerow trees spaced intermittently along their		local area, all of which will benef
would obstruct a significant proportion of	length to strengthen the overall field pattern and create some visual interest.	Between Years 1 and 15, the following beneficial	visual receptors.
the view and become a dominant feature.	information strengthen the overall new pattern and create some visual interest.	effects will be achieved in terms of Visual Receptors:	visual receptors.
There would be a considerable change to the	New hedges	 Grassland reversion around field boundaries 	
arable land use, but the surrounding field	A new hedge is proposed to the east of an existing ditch which runs north/south	and PRoW Increased woodland/vegetation cover 	Without Secondary Mitigation ha
boundaries and the associated tree cover	between D10 and D12 further breaking up the very open and barren landscape at	 A more varied landscape 	been applied throughout the
would remain intact. There would not be a	this point.	 A more varied landscape Improved (more natural) management of 	scheme, the only change to the
fundamental change to the surroundings to		exiting vegetation	views/landscape following
the west of Fleets Lane and to the south of	Grassland mixes	 Less expanse of intensively managed arable 	decommissioning would be the
this location.	A minimum 10m buffer either side of the existing waterways is to be seeded with a	land	existing hedgerows which will ha
	tall herb mix to create visual interest and ecological benefits around these	 A less exposed and windswept landscape 	been allowed to grow out and w
Construction Access	waterways.	 Water quality improvements 	have been managed to a height
All throughout the construction phase the		 Potential animal grazing 	5m. It is assumed that these will
viewpoint will be affected due to Thorpe	A tussock mix is proposed to the base of existing and proposed hedgerows along	 Reinstatement of historic field patterns 	retained.
Lane having a point of access into the	Thorpe Road, linking up with a block of tussock mix north of the War Memorial Site.	 Bird mitigation fields 	
Cottam 1 South Site through field D10.		 Significantly improved biodiversity 	With secondary mitigation
			considered, the negative effects
Cable Route Corridor		Growth of existing and proposed vegetation is	the physical decommissioning w
		assumed to be:	balanced out by the long term

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.3: Viewpoint Analysis & Evaluation – Views Significant [Reference: EN010133/APP/C6.3.8.3.2.3.11] January 2023



	Viewpoint is outside of the 0.5km study area and there would be no view of this route. Substation This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 1.	 A tussock mix will border existing hedgerows with flower rich pollinator mix to the southern aspects of hedgelines in fields D9 and surrounding D10. Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Year 15. Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15.	landscape and visual effects of this mitigation.
Magnitude	Medium	High	Medium	Very Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term	Neutral & Short Term
Significance of Effect	Moderate Significant	Moderate-Major Significant	Moderate Significant	Negligible Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	In Summary	In Summary
	There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and intervening vegetation. Therefore, there no in combination visual effects are anticipated.	The Cumulative Effects upon viewpoint 10 of the Cumulative Developments is Negligible at year 1 of operation and Negligible limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Developments and proximity to vegetation, Embedded and Secondary Mitigation proposed as well as existing topography would limit any cumulative visual exist Burton Solar Site, located approximately 2.5km to the southeast, and it is anticipated there would be no cumulative v and the vegetation bordering Tillbridge Lane.
		<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or features of the landscape within the character area. There would be the introduction of new elements and features comprising the solar panel areas and the substation area with
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the cumulative across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedgerows, and tree cover settlements and built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 Site/Sites and West Burton Solar Park. This cumulative visibility is set out in further detail within the following figures:
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9]
		The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type or area different network is defined by important historic routes and in contrast, the east west minor road network links several historic and of the area. Overall, the prevailing road network is formed by narrow lanes that are often tranquil and hedged to both sides with role in helping to define the quality of the landscape and reducing the visibility across the area.
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of historic settleme hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised for adding intimacy ar characteristics of the landscape and land use have some ability to accommodate change without undue adverse effects. The would not alter the overall character of the landscape and its communications and infrastructure features. Moreover, these context or associated with built form that plays a positive role in reducing the overall cumulative effects.
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

> ble at year 15 with mitigation. This is due to the to the visual receptor. A combination of existing al effects. The closest Development to Viewpoint 10 e visual effects due to intervening field hedgerows

ea. within the character area

tive developments would not be experienced ver between the Site/Sites. The intervening

tes and Gate Burton Energy Park, Tillbridge Solar

lifferent from another. The strategic major road d distinctive smaller string of settlements across with wide grassed verges and they have a major

ement with farms, nucleated villages, and small and interest to the landscape. These relevant he cumulative visibility for the Cottam 1 Site/Sites se features are often set within a well-vegetated



Viewpoint VP11 – TLFe/31/2

Viewpoint Baseline:

The view is located on PRoW, bridleway (TLFe/31/2) looking towards the southern extent of the Cottam 1 Site/Sites.

Objective: This viewpoint offers views over a low-lying, flat landscape where the wider context of a broad valley is almost evident due to the open nature of the view, and this helps to enhance the sense of scale. The viewpoint shows a typical arable landscape where there are some distant man-made influences such as the Trent power industry on the far horizon. There is limited woodland cover apart from Thorpe Wood plantation which is visible in the middle ground of the view as it extends into the skyline (left of view) and has a dominant influence. The tall hedgerow is visible on the west side of the bridleway (left of view). The bridleway then extends ahead to turn in a dog leg direction and eventually meet with Thorpe Lane.

Subjective: The viewpoint depicts a large-scale landscape scale with a more open location to the east due to the tall hedgerow enclosing the view to the west. In terms of variety, there is a combination of features such as hedgerows and woodland adding some complexity to the view. In terms of texture, the landscape is organised and well-managed and the colours are muted.

Overall: The view is ordinary and typical to the local character. The openness of the bridleway makes the environment unsettling. The overall environment is bland and unpleasant.

Receptors:

This viewpoint is representative of views for walkers and horse riders using bridleway TLFe/31/2, which links Thorpe Lane and Thorpe le Fallows in the south to Ingham Road in the north.

This is a similar view to that provided by Viewpoint VP05, although at a location (approximately 650m) to the north.

Description of View:

The foreground of the view comprises two large flat agricultural fields divided by the bridleway leading to Thorpe Lane, but further agricultural fields are not visible beyond this since this local collection of fields is defined by well-established hedgerows that curtail visibility. In the middle and long distance there is no visibility. To the right-hand side of the view, there is the hedgerow defining the bridleway and to the left-hand side of the view there is Thorpe Wood. The remainder of the horizon is made up of trees, hedgerows, and farm buildings at close range. There are some vertical elements in the view, including agricultural buildings at The Grange, telegraph poles and associated cables, but these are very minor elements in the context of the immediate landscape and the dark wooded backdrop.





Receptor susceptibility to change	Value of view	Sensitivity	Embedded
In terms of forces for change for VP11, the distinctive character of the settlements in the context of their associated woodlands are sensitive features of the landscape. The aims to promote new woodland planting as a component of the landscape are therefore important. The restoration of hedgerows should also be given priority to strengthen the field pattern and enhance linkages between these woodlands. The impact on the setting of village churches and the relationship with woodlands is also particularly important as these are distinctive local landmarks. Overall , the susceptibility for VP11 is conditioned by several key forces for change that have the potential to shape the future of the landscape. These include the mitigation for agricultural intensification and farm amalgamation that is resulting in the loss or damage of many typical landscape features, including traditional patterns of field boundaries, remnants of ridge and furrow, and grasslands. The loss of grazing fields around the edges of villages is also leading to a more homogenous landscape. The relevant characteristics therefore have a high susceptibility to change without undue adverse effects.	 Scenic: This location appeals to the visual senses where the public bridleway and Thorpe Wood combine to give a subtle grain to the landscape. The interruption at this bridleway provides a local point of interest and the opportunity to capture views that are framed by the woodland across the landscape to the higher landform fringing the Vales. <u>Cultural</u>: The landscape shows evidence of historic settlement with farms and nucleated villages and small hamlets such as Thorpe le Fallows to the south. <u>Natural</u>: The extensive expanses of semi-natural habitat, rivers, and streams are an important landscape feature such the River Till to the west and a tributary to the east, where their courses can be observed by tracing sinuous belts of riparian habit and riverside trees. <u>Recreation and Enjoyment</u>: Whilst the landform of the Unwooded Vales Character Area 4a is typically low and subdued, rising landform often provides locations where glimpses of neighboring elevated land are often sufficient to add to the recreation and enjoyment of the area. Typically, these locations occur around Thorpe le Fallows and along Thorpe Lane and the bridleways that join them. <u>Local Distinctiveness and Sense of Place</u>: The landscape has a 'strong sense of place' with major landform features flanking the lower lying areas creating a broad scale visual containment along the ridgeline to the east at Cammeringham, Ingham and Fillingham. <u>Health and Wellbeing</u>: The Unwooded Vales Character Area 4a provides a very limited network of PRoW with a dependence on the more direct arterial routes that run east to west across the area linked by the north south bridleway network. <u>Important Spatial Function</u>: Despite the low levels of woodland cover, the landscape benefits from high levels of visual containment with woodlands such as Thorpe Wood, that provides a local point of interest and the opportunity to frame and truncate views across the landscape to higher	Range of Features: The location comprises the public bridleway network that forms a north south connection between Thorpe Lane in the south that leads between Brattleby and Sturton by Stow and Ingham Road in the north. The viewpoint depicts a large-scale, flat, open landscape, being exposed at close-range but the presence of hedgerows and Thorpe Wood displays some features of interest. <i>Importance of View:</i> This is part of the local bridleway network at a location where the distribution of bridleways are limited giving a reliance on the local lanes for riding. This being a north south bridleway connection in a landscape which is otherwise devoid of bridleway connections raises the level of importance of the view. <i>Number of Receptors:</i> This location captures a limited range of receptors and is primarily a draw for local riders using the bridleway network to travel north south. The location is unlikely to capture a high number of riders from a wider area as there is little opportunity to park on the narrow lanes and ride from here. This is not a recognised destination for riding in the district.	Embedded M construction, decommissio Mitigation is include the for Panels to be s Panels to be s property bou Panels to be s and minimum Panels to be s Existing hedg managed to a encouraged t to the field bo trees as appr existing hedg Lighting will b battery banks required. Ligh vehicle and p 50W, installed prevent light will be manua perimeter fer The visual effi into account of stage (Year 1) will have been
High	Medium	Medium to High	Not Applicabl

ed Mitigation

Mitigation would be taken into account at the on, operation (Year 1 and Year 15) and sioning stages of the Scheme. This Embedded is also referred to as primary mitigation and would following measures:

be set a minimum of 15m from adjacent PRoW.

be set a minimum of 50m from adjacent residential oundaries.

be set minimum of 20m from major watercourses um of 8m from minor watercourses.

e set a minimum of 3m from Site boundaries.

dges are to be allowed to grow out and will be o a height of 5m. Hedgerow trees will be d to grow out to add further thickening and growth boundaries with the addition of new hedgerow propriate, randomly spaced along the length of dges.

be limited to downlights within substations and nks only and used when maintenance or security is ighting will be PIR operated and will be calibrated to l personnel movements. All visible lighting would be led at a maximum height of 4m with cowls fitted to ht spillage. Lighting required within panelled areas nually operated. There will be no lighting on fencing.

effects **with only** the Embedded Mitigation taken nt equate to those effects set out for the operation 1) and this includes secondary mitigation which een carried out but will have had limited physical or act at this Embedded Mitigation stage.



Viewpoint VP11 – TLFe/31/2

ewpoint VI	/point VP11 – TLFe/31/2					
	Construction	Operation (Year 1)	Operation (Year 15)	Decommissioning		
	Activities considered includes, site preparation / enabling works,	The foreground of the view would change from two large agricultural fields to two areas of panels. The further agricultural fields beyond this would no longer be visible	With secondary mitigation such as planting and grass seeding being taken into account at the operational stage	A similar process to that of construction stage, but with the		
	construction, and commissioning with effects such as construction traffic,	due to the intervening panels. The hedgerow defining the bridleway would still remain a feature of the view along with Thorpe Wood. The vertical elements, including	(Year 15) the following changes to the landscape would occur and the visual effects are set out below.	Scheme being no longer operational. This is an		
	noise and vibration from construction	agricultural buildings at The Grange, telegraph poles and associated cables would		assessment of the Site in winter		
	activities, dust generation, site runoff, mud on roads, and the visual intrusion	bring very minor cumulative changes to the view.	This view will become significantly more enclosed as the existing and proposed vegetation will have begun to fully	but assumes retention of existing vegetation and builds upon the		
	of plant and machinery on site. At the early stages of the construction stage,	The effects set out below for Year 1 include secondary mitigation which will have been carried out, but will have had limited physical or visual impact at this stage:	establish providing hedges of some 5m (where existing vegetation has been managed to grow out) to form strong	proposed primary and secondary mitigation that had been		
	ground, and lower-level activities such as the construction of the solar panel	Scattered tree belt	field boundaries and varied layers of vegetation. Close distance views will be experienced of a wide, hedged	established as the future baseline. Effects are those arising		
	areas and associated infrastructure and inverters would be visible due to the	A small area of scattered tree belt is proposed to the east of this viewpoint between the existing overhead power cables and an IDB drain. This will help to break up views	bridleway with tussock grassland margins whilst mid distance views will be broken up by tall hedges with	from activities for the duration of		
	absence of the foreground hedgerows	to the east and create a small block of tall vegetation. Another block sits to the south	hedgerow trees, creating a more interesting and layered	the decommissioning including site traffic, noise and vibration		
	bordering the Site/Sites. During the latter part of the construction stage,	of this PRoW towards Thorpe Road.	landscape. Small blocks of scattered trees will augment the well wooded scene in this location with longer distance	from decommissioning activities, dust generation and site runoff.		
	views would become available of the elevated activities, but the hedgerows	To the northwest of this viewpoint and bounding fields D11 and 13, a belt of trees is proposed adjacent to, but 10m south of the existing ditch. This belt will provide a	views of more open landscape to the south.	Following decommissioning, the		
	within the bordering field systems	strong east/west buffer providing height in this area and will help to screen the	Overall , in terms of mitigation for the Cottam 1 South Site,	land is likely to be returned to		
	would give some partial screening such that these activities would be confined	Scheme from views to the northeast on the PRoW and other views from the north.	due to the importance of woodlands to the setting of the settlements, consideration should be given to the	arable production. The Site will however benefit from the		
	to a filtered section of the view.	Existing hedges Existing hedges in and around the Site are to be enhanced to strengthen the field	management of existing trees and woodland, enhancing biodiversity value and age structure through new planting	significantly enhanced tree and hedgerow planting that has been		
	Other works would be undertaken in connection with the construction	pattern and help break up views of the bulk of the paneled area. The southern	and the creation of woodland edge habitats. An increase in	carried out and has begun to mature to create a much stronger		
	including fencing, gates, boundary	boundary to D17 is to be infilled and planted with intermittently spaced native hedgerow trees to break up views southeast from this PRoW, as well as boundaries to	grassland reversion should also be encouraged, increasing the occurrence of semi-natural habitats. The aim should	and robust landscape, retaining		
	treatment and other means of enclosure and works for the provision	fields D18,20 and 22.	also be to plan new woodland in the most suitable locations. This may include in and around settlements,	and enhancing the overall character and providing		
	of security and monitoring measures	New hedges	where woodland would help integrate new development	considerable biodiversity benefits		
	such as CCTV and the laying down of internal tracks. There would also be	New hedges are proposed to the east of the PRoW, set back some 10m to allow for the bridleway and with the addition of hedgerow trees to mitigate views into the Site from	into the landscape and in more intimate low-lying areas, where woodland would help create a mixed pattern of land	over the years. Bird mitigation fields are likely to be retained and		
	landscape and biodiversity mitigation works, including planting and the	this bridleway. These hedges also act to mitigate views from 'The Grange' to the northeast and southeast.	use.	the potential may exist to retain grass margins to preserve some		
	improvement of the foreground	A further near hedrony is an end to the nearth of field D4F where every	Between Years 1 and 15, the following beneficial effects will	varied land use and maintain		
	hedgerows.	A further new hedgerow is proposed to the north of field D15 where none exists, mitigating views from the north, including from the bridleway beyond the Site.	 be achieved in terms of Visual Receptors: Grassland reversion around field boundaries and 	long-term improvements in biodiversity in the local area, all		
	These short-lived construction activities would obstruct a significant proportion	Grassland mixes	PRoW – Increased woodland/vegetation cover	of which will benefit visual receptors.		
	of the view and become a dominant feature. There would be a considerable	Tall herb mixes are proposed 10m either side of existing ditches with a flower rich pollinator mix to be planted under existing overhead cables.	 A more varied landscape Improved (more natural) management of exiting 			
	change to the arable land use, but the		vegetation	With secondary mitigation		
	surrounding field boundaries and the associated tree cover would remain	Flower rich pollinator mix is also proposed to the northern boundaries of fields D14,15,17 and 20 .	 Less expanse of intensively managed arable land A less exposed and windswept landscape 	considered, the negative effects of the physical decommissioning		
	intact. There would not be a		 Water quality improvements 	will be balanced out by the long		
	fundamental change to the immediate northwest of this location.	Elsewhere, within the Site a tussock mix is proposed around existing and proposed boundary vegetation.	 Potential animal grazing Reinstatement of historic field patterns Bird mitigation fields 	term landscape and visual effects of this mitigation.		
	Construction Access		 Significantly improved biodiversity 			
	All throughout the construction stage the viewpoint will be affected due to	Adverse effects: – Panels and structures across the landscape	Growth of existing and proposed vegetation is assumed to			
	Thorpe Lane having a point of access	 Increased hard standing areas 	be:			



Significance of Effect	Moderate-Major Significant	Major Significant	Moderate-Major Significant
Level of Effect	Adverse & Short Term	Adverse & Long Term	Adverse & Long Term
Magnitude	High	High	Medium
SOLAR PROJECT	 into the Cottam 1 South Site through field D10. Though this access is in the distance of this view, to the foreground there is a track that will experience vehicular traffic that connects to the access track in the far distance. Construction Access There would be no view of any construction access from this viewpoint. Cable Route Corridor Viewpoint is outside of the 0.5km study area and there would be no view of this route. Substation This viewpoint is outside the 2km study area and there would be no view of the Substation at Cottam 1. 	 Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	Woodland/trees and shelterbelts: 2.5m max at 7 max at Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Ye Existing hedgerows: 0.9m at Year 1 and 5m at Y Shrubs: 0.9m at Year 1 and 5m at Year 15.

at Year 1, 7.5m	
Year 15.	
t Year 15.	
	Low
	Adverse & Short Term
	Minor Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	In-Combination Effects [Cumulative Sites] In Summary There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and intervening vegetation. Therefore, there no in combination visual effects are anticipated.	In Summary The Cumulative Effects upon viewpoint 11 of the Cumulative Developments is Negligible at year 1 of operation of due to the limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Development of existing vegetation, Embedded and Secondary Mitigation proposed as well as existing topograp closest Development to Viewpoint 11 is West Burton Site, located approximately 2.15km to the south, therefore intervening field hedgerows and the vegetation bordering Tillbridge Lane and no cumulative visual effects are a <i>Eabric of the Landscape</i> There would not be the removal of or changes in individual elements or features of the landscape within the charther would be the introduction of new elements and features comprising the solar panel areas and the substate <i>Aesthetic Aspects of the Landscape</i> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with texperienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, I Site/Sites. The intervening settlements and built form would also curtail cumulative visibility. There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cott Tillbridge Solar and West Burton Solar Park. This cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.6]
		Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9] The landscape is shaped by the wide range of local and strategic road networks, which make one landscape typ major road network is defined by important historic routes and in contrast, the east west minor road network li string of settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are of grassed verges and they have a major role in helping to define the quality of the landscape and reducing the vis <u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of his and small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised landscape. These relevant characteristics of the landscape and land use have some ability to accommodate char cumulative visibility for the Cottam 1 Site/Sites would not alter the overall character of the landscape and its cor Moreover, these features are often set within a well-vegetated context or associated with built form that plays a efforte
Magnitude	No Change	effects. Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

> on and Negligible at year 15 with mitigation. This is elopments and proximity to the visual receptor. A aphy would limit any cumulative visual effects. The ore views to the development are limited by anticipated.

character area.

station area within the character area

h the cumulative developments would not be s, hedgerows, and tree cover between the

otton 1 Site/Sites and Gate Burton Energy Park, owing figures:

6] .2.8]

type or area different from another. The strategic links several historic and distinctive smaller often tranquil and hedged to both sides with wide visibility across the area.

historic settlement with farms, nucleated villages, sed for adding intimacy and interest to the hange without undue adverse effects. The communications and infrastructure features. s a positive role in reducing the overall cumulative





Viewpoint VP12 – Camm/31/1

Viewpoint Baseline:

The view is located along PRoW, bridleway Camm/31/1, looking southwest towards the southern extent of the Cottam 1 Site/Sites.

Objective: This viewpoint offers views over a low-lying, flat landscape where the wider context of a broad valley is quite evident due to the open nature of the view, and this helps to enhance the sense of scale. The viewpoint shows a typical arable landscape where there are some man-made influences such as the Trent power industry on the far horizon and agricultural buildings at Lower Furze Hill Farm are just evident towards the north (left of view). There is a generous setting of woodland cover where Thorpe Wood and Brattleby Gorse are evident on the far horizon as a feature that stands out in an otherwise featureless skyline. There are also tall hedgerows with one being evident to the east of the bridleway within the verge to the track.

Subjective: The viewpoint depicts a large-scale, open landscape with arable fields divided by land drains. In terms of variety, there is a combination of features such as hedgerows and woodland adding complexity to the view. Thorpe le Fallows is also just evident on the far horizon. In terms of texture, the landscape is simple with well-managed vegetation and muted colours.

Overall: The view is ordinary and typical to local character and the experience is pleasant with a sense of safety and security.

Receptors:

This viewpoint is representative of views for active recreation, such as riding and passive recreation, such as walking using bridleway Camm/31/1, which links Thorpe Lane and Thorpe le Fallows in the south to Ingham Road in the north.

There are similar views to that provided by Viewpoints VP04, VP05 and VP11 and there are potential sequential cumulative effects along the route of the bridleway.

Description of View:

The foreground of the view comprises a large flat agricultural field with no hedgerows and with further agricultural fields that are visible beyond this since this local collection of fields lacks well-established hedgerows. The middle and long distance therefore yields extensive visibility across the open agricultural fields. To the right-hand side of the view, there is the farmstead and associated large-scale agricultural buildings at Lower Furze Hill and to the left-hand side of the view there is Thorpe Wood, Brattleby Gorse and Cammeringham Low Covert. The remainder of the horizon is made up of trees, hedgerows, and farm buildings in the middle and long distance. There are some vertical elements in the view, including agricultural buildings at Lower Furze Hill and Cold Harbour, telegraph poles and associated cables, but these are very minor elements in the context of the expansive landscape and the dark wooded backdrop.





Receptor susceptibility to change	Value of view	Sensitivity	Embedde
In terms of forces for change for VP12, the landscape has a strong rural character, but tranquility levels are being disturbed by development pressures from the larger scale settlements and major routes across the area. Tranquility is however associated with the winding lanes, which adds to their sensitivity, but landscape-scale projects such as the Trent Vale	<u>Scenic:</u> This location appeals to the visual senses where the public bridleway, a drainage feature and a system of local farm tracks combine to give a subtle grain to the landscape. The interruption at this bridleway provides a local point of interest and the opportunity to capture open views across the landscape to the higher landform fringing the Vales. <u>Cultural:</u> The landscape shows evidence of historic settlement with farms and nucleated villages and small hamlets such as Coates to the north.	Range of Features: The location comprises the public bridleway network that forms a north south connection between Thorpe Lane in the south that leads between Brattleby and Sturton by Stow and Ingham Road in the north. The viewpoint depicts a large-scale, flat,	Embedded N construction decommissio Mitigation is would includ Panels to be
Landscape Partnership can help by offering increased recreational and educational opportunities within these areas.	<u>Natural:</u> The extensive expanses of semi-natural habitat, rivers, and streams are an important landscape feature such the River Till to the west, where the course can be observed by tracing sinuous belts of riparian habit and riverside trees.	open landscape, being exposed at close-range due to the absence of hedgerows and other features.	Panels to be residential p Panels to be
Overall, the susceptibility for VP12 is conditioned by the limited network of footpaths and bridleways and the availability of the rural roads and minor tracks for extended access. The relevant characteristics therefore have a high susceptibility	<u>Recreation and Enjoyment:</u> Whilst the landform of the Unwooded Vales Character Area 4a is typically low and subdued, rising landform often provides locations where glimpses of neighboring elevated land are often sufficient to add to the recreation and enjoyment of the area. Typically, these locations occur around Coates to the north, which rises to 10m	Importance of View: This is part of the local bridleway network at a location where the distribution of bridleways are limited giving a reliance on the local lanes for riding. This being a	Panels to be Existing hed
to change without undue adverse effects. There is however scope to increase recreation opportunities including where there are natural features and historical elements to draw interest from residents and tourists.	AOD. <u>Local Distinctiveness and Sense of Place</u> : The landscape has a 'strong sense of place' with major landform features flanking the lower lying areas creating a broad scale visual containment along the ridgeline to the east at Cammeringham, Ingham and Fillingham.	north south bridleway connection in a landscape which is otherwise devoid of bridleway connections raises the level of importance of the view.	managed to encouraged growth to th hedgerow tr length of exi
	<u>Health and Wellbeing</u> : The Unwooded Vales Character Area 4a provides a very limited network of PRoW with a dependence on the more direct arterial routes that run east to west across the area linked by the north south bridleway network.	<u>Number of Receptors</u> : This location captures a limited range of receptors and is primarily a draw for local riders using the bridleway network to travel north south. The location is unlikely	Lighting will battery bank is required. I calibrated to
	<u>Important Spatial Function</u> : Despite the low levels of woodland cover, the landscape benefits from high levels of visual containment with woodlands such as Thorpe Wood and Coates Gorse.	to capture a high number of riders from a wider area as there is little opportunity to park on the narrow lanes and ride from here. This is not a	lighting wou with cowls fi within panel be no lightin
	Overall, the value of Viewpoint VP12 is shaped by the interruption of the bridleway with the network of farm tracks and local drainage feature, that provides a local point of interest. These lower lying areas also support intact hedgerows and belts of riverside trees that truncate views and give a feeling of intimacy, enclosure and 'sense of place', and the opportunity to frame and truncate views across the landscape to higher landform fringing the Vales.	recognised destination for riding in the district.	The visual effinto account operation sta mitigation w limited physistage.
High	Medium	Medium to High	Not applicab

led Mitigation

d Mitigation would be taken into account at the on, operation (Year 1 and Year 15) and sioning stages of the Scheme. This Embedded is also referred to as primary mitigation and ude the following measures:

be set a minimum of 15m from adjacent PRoW.

be set a minimum of 50m from adjacent l property boundaries.

be set minimum of 20m from major watercourses num of 8m from minor watercourses.

be set a minimum of 3m from Site boundaries.

edges are to be allowed to grow out and will be to a height of 5m. Hedgerow trees will be ed to grow out to add further thickening and the field boundaries with the addition of new trees as appropriate, randomly spaced along the existing hedges.

ill be limited to downlights within substations and nks only and used when maintenance or security d. Lighting will be PIR operated and will be to vehicle and personnel movements. All visible ould be 50W, installed at a maximum height of 4m fitted to prevent light spillage. Lighting required nelled areas will be manually operated. There will ting on perimeter fencing.


effects **with only** the Embedded Mitigation taken Int equate to those effects set out for the stage (Year 1) and this includes secondary which will have been carried out but will have had ysical or visual impact at this Embedded Mitigation

able



Viewpoint VP12 - Camm/31/1

oint VP12 – Camm/31/1			
Construction	Operation (Year 1)	Operation (Year 15)	Decommissioning
Activities considered includes, site preparation	The foreground of the view would change from a large agricultural field to an	With secondary mitigation such as planting and grass	A similar process to that of
/ enabling works, construction, and	area of panels. Further agricultural fields beyond would be screened by the	seeding being taken into account at the operational	construction stage, but with the
commissioning with effects such as	panels. The farmstead and associated large-scale agricultural buildings at Lower	stage (Year 15) the following changes to the landscape	Scheme being no longer operation
construction traffic, noise and vibration from	Furze Hill would be screened by the panels but Thorpe Wood, Brattleby Gorse	would occur and the visual effects are set out below.	This is an assessment of the Site
construction activities, dust generation, site	and Cammeringham Low Covert would remain in the view above the panels.		winter but assumes retention of
runoff, mud on roads, and the visual intrusion	The vertical elements in the view, including telegraph poles and associated	This view will become significantly more enclosed as the	existing vegetation and builds up
of plant and machinery on site. At the early	cables could add minor cumulative change to the view.	existing and proposed vegetation will have begun to	the proposed primary and secon
stages of the construction stage, ground, and		fully establish providing hedges of some 5m (where	mitigation that had been establis
lower-level activities such as the construction	The effects set out below for Year 1 include secondary mitigation which will have	existing vegetation has been managed to grow out) to	as the future baseline. Effects are
of the solar panel areas and associated	been carried out, but will have had limited physical or visual impact at this stage:	form strong field boundaries and varied layers of	those arising from activities for t
infrastructure and inverters would be visible		vegetation. Close distance views will be experienced	duration of the decommissioning
due to the absence of the foreground	Scattered tree belt	of a wide, hedged bridleway with tussock grassland	including site traffic, noise and
hedgerows bordering the Site/Sites. During	A belt of scattered trees is proposed to the north of fields D12 and D13 which	margins whilst mid distance views will be broken up by	vibration from decommissioning
the latter part of the construction stage, views would become available of the elevated	adjoins that running adjacent to the River Till. This belt provides a strong	tall hedges with hedgerow trees, creating a more	activities, dust generation and sit runoff.
activities, but the hedgerows within the	vegetative buffer and landscape feature in an area relatively devoid of trees. It will mitigate views from the PRoW to the north east as well as those from	interesting and layered landscape. Small blocks of scattered trees will augment the well wooded scene in	runon.
bordering field systems would give some	further north.	this location with longer distance views of a more open	Following decommissioning, the
partial screening such that these activities	Shelterbelt	landscape to the south.	is likely to be returned to arable
would be confined to a filtered section of the			production. The Site will howeve
view.	Existing hedges	Overall , in terms of mitigation for the Cottam 1 South	benefit from the significantly
vicvv.	The existing hedge to the east of the Bridleway at field D24 is to be enhanced	Site, due to the limited network of public rights of way	enhanced tree and hedgerow
Other works would be undertaken in	with infilling as necessary and the addition of irregularly spaced native	(PRoW) across the area the aim is to enhance the river	planting that has been carried ou
connection with the construction including	hedgerow trees. This will both reinforce the historic field patter and help to	corridors and their flood plains for their recreational	and has begun to mature to crea
fencing, gates, boundary treatment and other	mitigate potential views from this Bridleway into the Site in the east.	importance and the Trent is the main river providing a	much stronger and robust
means of enclosure and works for the		valuable link. The Trent Valley Way in particular provides	landscape, retaining and enhance
provision of security and monitoring measures	To the north and east of field D26, the existing hedgerows are to be enhanced	a long-distance route. The other notable river is the	the overall character and providi
such as CCTV and the laying down of internal	to help mitigate views to the east from the PRoW and strengthen the historic	upper parts of the Witham of which the River Till is a	considerable biodiversity benefit
tracks. There would also be landscape and	field pattern as well as reducing views from 'Cold Harbour' to the east.	tributary. The aims are to extend the non-road network,	over the years. Bird mitigation fi
biodiversity mitigation works, including		especially where it can link people to woodlands and	are likely to be retained and the
planting and the improvement of the	New hedges	river corridors. Trees and hedgerows make an	potential may exist to retain gras
foreground hedgerows.	A new hedgerow is proposed to the south of field D24, 10m from the adjacent	important contribution and improvements on	margins to preserve some varied
	existing ditch.	approaches to villages could improve the identity of the	
These short-lived construction activities would		local landscape for the benefit of recreation.	improvements in biodiversity in
obstruct a significant proportion of the view	A new hedge is proposed to the northern boundary of D27 where none exists		local area, all of which will benef
and become a dominant feature. There would	strengthening the character of this boundary and providing additional screening	Between Years 1 and 15, the following beneficial effects	visual receptors.
be a considerable change to the arable land	from views from the north.	will be achieved in terms of Visual Receptors:	
use, but the surrounding field boundaries and		 Grassland reversion around field boundaries 	With Mitigation, the negative effe
the associated tree cover would remain intact.	Successional scrub	and PRoW	of the physical decommissioning
There would not be a fundamental change to the immediate north and west of this location.	Successional scrub is to be used adjacent to existing woodland to create a	 Increased woodland/vegetation cover A more varied landscape 	be balanced out by the long-terr
the infinediate north and west of this location.	layered effect as well as under overhead power cables adjacent to these woodland areas for ease of maintenance.	 A more varied landscape Improved (more natural) management of 	landscape and visual effects of the mitigation
Construction Access	woodiand areas for ease of maintenance.	exiting vegetation	mitigation.
Viewpoint will not be affected by construction	Grassland mixes	 Less expanse of intensively managed arable 	
traffic due to the distance between the	Tussock grassland mixes are proposed predominantly around existing and	land	
viewpoint and the proposed construction	proposed hedgerows with flower rich pollinator mixes used on the northern	 A less exposed and windswept landscape 	
access. There would be no view of any	and eastern aspects where the base of the hedges is likely to be more sunny.	 Water quality improvements 	
construction access from this viewpoint.		 Potential animal grazing 	
	A tall herb mix is proposed 10m either side of the existing ditches on Site	 Reinstatement of historic field patterns 	
Cable Route Corridor	creating a varied habitat and open areas around these waterways.	 Bird mitigation fields 	
Viewpoint is outside of the 0.5km study area		 Significantly improved biodiversity 	
and there would be no view of this route.	Wildlfower meadow mix is to be seeded under the proposed panels.		



Cottam
SOLAR PROJECT

	Substation This viewpoint is outside the 2km study area and there would be no view of the Substation at Cottam 1.	 Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	Growth of existing and proposed vegetation is as to be: Woodland/trees and shelterbelts: 2.5m max at Y 7.5m max at Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Yea Existing hedgerows: 0.9m at Year 1 and 5m at Yea Shrubs: 0.9m at Year 1 and 5m at Year 15.
Magnitude	High	High	Medium
Type of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term
Significance of Effect	Moderate-Major Significant	Major Significant	Moderate Significant

is assumed	
x at Year 1,	
it Year 15.	
at Year 15.	
	Low
	Adverse & Short Term
	Minor Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	<u>In Summary</u> There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and intervening vegetation. Therefore, there no in combination visual effects are anticipated.	In Summary The Cumulative Effects upon viewpoint 12 of the Cumulative Developments is Negligible at year 1 of operation a due to the limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Develo combination of existing vegetation, Embedded and Secondary Mitigation proposed as well as existing topograph closest Development to Viewpoint 12 is Tillbridge Solar, located approximately 4.4km to the north therefore no
		<i><u>Fabric of the Landscape</u></i> There would not be the removal of or changes in individual elements or features of the landscape within the cha
		There would be the introduction of new elements and features comprising the solar panel areas and the substa
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, he Site/Sites. The intervening settlements and built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotto Tillbridge Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the follow
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9]
		The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type major road network is defined by important historic routes and in contrast, the east west minor road network li string of settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are of grassed verges and they have a major role in helping to define the quality of the landscape and reducing the vis
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of his and small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised landscape. These relevant characteristics of the landscape and land use have some ability to accommodate cha cumulative visibility for the Cottam 1 Site/Sites would not alter the overall character of the landscape and its cor Moreover, these features are often set within a well-vegetated context or associated with built form that plays a effects.
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

> n and Negligible at year 15 with mitigation. This is elopments and proximity to the visual receptor. A aphy would limit any cumulative visual effects. The no cumulative visual effects are anticipated.

character area.

station area within the character area

the cumulative developments would not be , hedgerows, and tree cover between the

tton 1 Site/Sites and Gate Burton Energy Park, wing figures:

2.8]

pe or area different from another. The strategic links several historic and distinctive smaller often tranquil and hedged to both sides with wide isibility across the area.

nistoric settlement with farms, nucleated villages, sed for adding intimacy and interest to the hange without undue adverse effects. The ommunications and infrastructure features. a positive role in reducing the overall cumulative





Viewpoint VP13 – Fleets Lane, Stow Pasture

Viewpoint Baseline:

The view is located along Fleets Lane at the small settlement of Stow Pasture, looking towards the southern extent of the Cottam 1 Site/Sites.

Objective: This viewpoint offers views over a low-lying, flat landscape where the wider context of a broad valley is quite evident due to the open nature of the view, and this helps to enhance the sense of scale. The view extends as far as the limestone capped scarp slope in the east where the ridgeline is conspicuous between the settlements of Brattleby in the south and Ingham in the north. The viewpoint shows a typical arable landscape where there are some man-made influences such as Fleets Lane that is prominent in the landscape as it continues south to Sturton by Stow. Residential properties at Ingham Road are also visible in the context of the large-scale arable fields with hedgerows and trees towards the west (left of view). Mast poles are visible and stand tall on the immediate horizon when looking south (right of view). The hedgerow bordering Fleets Lane on both sides is a strong feature with several extended gaps that allow for direct, but framed views across the arable landscape.

Subjective: The viewpoint depicts a large-scale, open landscape divided by arable fields and tall hedgerows with some tree clumps, especially in the northeastern direction sitting to the south of Ingham Road. In terms of variety, the landscape is simple and consistently open that provides a harmonious feeling to the view. In terms of texture, the is well-managed and colour is evident due to the scattering of residential properties that add interest.

Overall: The view is pleasant and typical to local character with single track lanes, tall hedgerows, and strong vertical elements such as telegraph poles. The strong hedgerows surrounding Fleets Lane have some gaps that provide for occasional views across the area. The overall experience of this view is interesting with an overriding sense of safety and security.

Receptors:

This viewpoint is representative of views for passive recreation such as walkers and motorists travelling on Fleets Lane between Fleets Road in the south and Ingham Road in the north.

There are similar views to that provided by Viewpoint VP10 and there are potential sequential cumulative affects along the route of Fleets Lane.

Description of View:

The foreground of the view comprises two large flat agricultural fields divided by Fleets Lane as it leads towards Fleets Road. Further agricultural fields are not visible beyond this since this local collection of fields has well-established and dense hedgerows. The middle and long distance therefore yields limited visibility across the agricultural fields. To the right-hand side of the view, there is a framework of hedged fields and to the left-hand side of the view there is the same field networks. but with extended views towards residential properties at Stow Pasture. The remainder of the horizon is made up of hedgerows and woodlands where visibility towards the middle and long distance is confined to gaps in the hedgerows and field entrances. There are some vertical elements in the view, including telegraph poles and associated cables and these are notable elements in the context of this close-range and enclosed landscape.



Approximate Extent of Development	T
Real Concerning of the Concern	J

Receptor susceptibility to change	Value of view	Sensitivity	Embedded
In terms of forces for change for VP13, there are sensitive rural landscape features such as the hedgerows since the most widespread change has been agricultural intensification and the change from pastoral to arable cropping that has resulted in the loss of hedges, and consequently, increase in field size. The restoration of hedgerows is therefore important and the loss of pasture that is particularly evident around settlements, where grazing animals and smaller field sizes contribute to the setting and structure of several villages. Overall, the susceptibility for VP13 is conditioned by the flat, open landscape and whilst the aim is to plan new tree planting around key settlements, woodland does not always form a significant component of this landscape. In consideration of its open and expansive character at this location, extensive new woodland planting would not be generally inappropriate. The relevant characteristics of the landscape therefore have a medium susceptibility to change without undue adverse effects. However, there is significant benefit with appropriate tree planting that could be used in and around settlements to increase the occurrence of semi-natural habitats and maintain the perception of a 'well-treed' landscape.	 <u>Scenic:</u> This location appeals to the visual senses where the local system of the 'east-west' road network combines with the 'north-south' network to give a subtle grain to the landscape. The interruption of the two road systems provides a local point of interest and the opportunity to capture open views across the landscape to the higher landform fringing the Vales. <u>Cultural:</u> The landscape shows evidence of historic settlement with farms and nucleated villages and small hamlets such as Coates to the northeast and Stow to the west. <u>Natural:</u> The extensive expanses of semi-natural habitat, rivers, and streams are an important landscape feature such the River Till to the east, where the course can be observed by tracing sinuous belts of riparian habit and riverside trees. <u>Recreation and Enjoyment:</u> Whilst the landform of the Unwooded Vales Character Area 4a is typically low and subdued, rising landform often provides locations where glimpses of neighboring elevated land are often sufficient to add to the recreation and enjoyment of the area. Typically, these locations occur around Coates to the northeast, which rises to 10m AOD. <u>Local Distinctiveness and Sense of Place:</u> The landscape has a 'strong sense of place' with major landform features flanking the lower lying areas creating a broad scale visual containment along the ridgeline to the east at Cammeringham, Ingham and Fillingham. <u>Health and Wellbeing:</u> The Unwooded Vales Character Area 4a provides a very limited network of PROW with a dependence on the local system of 'north south' and 'east west' local road networks. <u>Important Spatial Function</u>: Despite the low levels of woodland cover, the landscape benefits from high levels of visual containment with woodlands such as Thorpe Wood, Coates Gorse and woodland around Coates. Overall, the value of Viewpoint VP13 is shaped by the interruption of the viewpoint with the system of 'east west' and 'nort	Range of Features: The location comprises the local road network that forms an east west connection between Ingham and Stow. There are roadside hedgerows and riparian vegetation creates a small level of visual containment to the east of this location. Importance of View: This is part of the local road network at a junction with the east west road network. This being a T' junction which is otherwise devoid of a range of features raises the level of importance of the view. Number of Receptors: This location captures a limited range of receptors and is primarily a draw for local residents using the road network to travel east west and north south by car. The location is unlikely to capture a high number of visitors from a wider area as there is little opportunity to park on the narrow lanes and walk from here. This is not a recognised travel destination in the district.	Embedded M construction, decommissic Mitigation is include the fe Panels to be Panels to be property bou Panels to be and minimur Panels to be Existing hedg managed to encouraged to to the field b trees as appr existing hedg Lighting will I battery bank required. Lig vehicle and p 50W, installe prevent light will be manu perimeter fer The visual effi into account stage (Year 1 will have bee visual impact
Medium	Medium	Medium	Not applicabl



d Mitigation

Mitigation would be taken into account at the n, operation (Year 1 and Year 15) and oning stages of the Scheme. This Embedded s also referred to as primary mitigation and would following measures:

e set a minimum of 15m from adjacent PRoW.

e set a minimum of 50m from adjacent residential oundaries.

e set minimum of 20m from major watercourses Im of 8m from minor watercourses.

e set a minimum of 3m from Site boundaries.

lges are to be allowed to grow out and will be a height of 5m. Hedgerow trees will be to grow out to add further thickening and growth boundaries with the addition of new hedgerow propriate, randomly spaced along the length of lges.

be limited to downlights within substations and ks only and used when maintenance or security is ghting will be PIR operated and will be calibrated to personnel movements. All visible lighting would be ed at a maximum height of 4m with cowls fitted to t spillage. Lighting required within panelled areas ually operated. There will be no lighting on encing.

ffects **with only** the Embedded Mitigation taken equate to those effects set out for the operation 1) and this includes secondary mitigation which en carried out but will have had limited physical or ct at this Embedded Mitigation stage.



Construction	Operation (Year 1)	Operation (Year 15)	Decommissioning
Activities considered includes, site	The foreground of the view would change from two large agricultural fields to two	Secondary mitigation such as planting, and grass seeding	A similar process to that o
preparation / enabling works, construction, and commissioning with	areas of panels. The further agricultural fields beyond this would no longer be visible due to the intervening panels. The remainder of the horizon made up of woodlands	would be taken into account at this stage to include the following changes to the landscape:	construction stage, but wi Scheme being no longer
effects such as construction traffic,	would remain visible through gaps in the hedgerows and field entrances. The vertical		operational. This is an
noise and vibration from construction activities, dust generation, site runoff,	elements in the view, including telegraph poles and associated cables would bring very minor cumulative changes to the view.	This view will become more enclosed as the proposed new hedgerows will have established to create a strong field	assessment of the Site in but assumes retention of
mud on roads, and the visual intrusion		structure and screen views of the solar panels. Existing	vegetation and builds upo
of plant and machinery on site. At the	The Effects set out below for Year 1 include secondary mitigation which will have been	hedges will have been managed to grow out to 5m and	proposed primary and se
early stages of the construction stage,	carried out, but will have had limited physical or visual impact at this stage:	proposed hedgerow trees will begin to reach some height,	mitigation that had been
ground and lower-level activities such	carried out, but with have had innited physical of visual impact at this stage.	reinforcing the vertical structure locally. In the close-range	established as the future
as the construction of the solar panel	Shelterbelt	context, the hedgerows will screen solar panels with mid	baseline. Effects are those
areas and associated infrastructure and	A shelterbelt is proposed to the western boundary of fields D2 and D5 mitigating views	and longer distance views appearing as a layered well-treed	from activities for the dur
inverters would be partly screened due	into the Site from Fleets Lane to the southwest.	landscape with a backdrop of strong woodland features to	the decommissioning incl
to the presence of the foreground		some views with more distant horizons of hedgerow trees.	site traffic, noise and vibra
hedgerows bordering Ingham Road.	Existing hedges		from decommissioning ac
During the latter part of the	Existing hedges to the north and south of field D3 are to be managed to a height of 5m	Overall, in terms of mitigation for the Cottam 1 South Site,	dust generation and site r
construction stage, views would	with the additional of informally spaced hedgerows trees augmenting the total tree	due to the open character of this location within the	
become available of the elevated	cover locally on the settlement edges and helping to mitigate views into the Site from	Unwooded Vales Character Area 4a, the aims should be to	Following decommissioni
activities, but the hedgerows bordering	Ingham Road in the immediate setting and over the wider Site. An enhanced hedgerow to the south of field D2 mitigates views from Fleets Lane to the west.	plan new tree planting around key settlements and other suitable locations, but to avoid large areas of woodland and	land is likely to be returned arable production. The Si
Ingham Road and within the surrounding field systems would give	hedgerow to the south of held D2 mitigates views from Fleets Lane to the west.	instead trees should be typically grouped in small	however benefit from the
some partial screening such that these	New hedges	plantations/copses or as individual trees within hedgerows.	significantly enhanced tre
activities would be confined to a filtered	A new hedge is proposed to the northern boundary of field D2 where none currently	The creation of new hedgerows and permanent pasture	hedgerow planting that h
section of the view.	exists to mitigate views from the north of the Site. Additional Tree planting within the	along watercourses is also a priority, enhancing visibility of	carried out and has begu
section of the view.	proposed hedge will help to augment the existing landscape and add to the general	streams and dykes, whilst increasing the occurrence of	mature to create a much
Other works would be undertaken in	tree cover in the area, whilst joining up with existing vegetation in field D3 to the east.	semi- natural habitats. Although the remaining hedgerow	and robust landscape, ret
connection with the construction	a ce cover in the area, whilst joining up with existing vegetation in held b5 to the east.	network is generally strong, there is nevertheless evidence	and enhancing the overal
including fencing, gates, boundary	A further new hedge is proposed running broadly north south to the eastern boundary	of decline in a number of areas, with gaps and few	character and providing
treatment and other means of	and abutting a ditch line which breaks up the field. Additional hedgerow planting will	hedgerow trees.	considerable biodiversity
enclosure and works for the provision	break up views of the Site from the west and help to strengthen the overall field		over the years. Bird mitiga
of security and monitoring measures	pattern locally.	Between Years 1 and 15, the following beneficial effects will	fields are likely to be retai
such as CCTV and the laying down of	Turtle Dove mitigation	be achieved in terms of Visual Receptors:	the potential may exist to
internal tracks. There would also be		 Grassland reversion around field boundaries and 	grass margins to preserve
landscape and biodiversity mitigation	Grassland mixes	PRoW	varied land use and main
works, including planting and the	A tussock mix is proposed to the boundaries of existing and proposed hedges with	 Increased woodland/vegetation cover 	long-term improvements
improvement of the foreground	flower rich pollinator mixes proposed on south and west facing hedge bases.	 A more varied landscape 	biodiversity in the local ar
hedgerows.	Wildflower meadow mix is to be seeded beneath panels.	 Improved (more natural) management of exiting 	of which will benefit visua
		vegetation	receptors.
These short-lived construction activities	Adverse effects:	 Less expanse of intensively managed arable land 	
would obstruct a significant proportion	 Panels and structures across the landscape 	 A less exposed and windswept landscape 	With secondary mitigation
of the view and become a dominant	 Increased hard standing areas 	 Water quality improvements 	considered, the negative
feature. There would be a considerable	 Increased traffic locally 	 Potential animal grazing 	of the physical decommis
change to the arable land use, but the	 Some minor light pollution within open countryside 	 Reinstatement of historic field patterns 	will be balanced out by th
surrounding field boundaries and the	 Substation, Battery storage and other associated infrastructure structures 	 Bird mitigation fields 	term landscape and visua
associated tree cover would remain	visible above existing vegetation	 Significantly improved biodiversity 	of this mitigation.
intact. There would not be a			
fundamental change to the immediate		Growth of existing and proposed vegetation is assumed to	
north of this location and in the wider landscape to the west.		be:	
		Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m	
Construction Access		max at Year 15.	



	All throughout the construction phase the viewpoint will be affected due to access routes off Ingham Road into the Cottam 1 South Site.		New hedgerows: 0.6m at Year 1 and 3.5m at Ye Existing hedgerows: 0.9m at Year 1 and 5m at Y
	Cable Route Corridor Viewpoint is outside of the 0.5km study area and there would be no view of this route.		Shrubs: 0.9m at Year 1 and 5m at Year 15.
	Substation This viewpoint is outside the 2km study area and there would be no view of the Substation at Cottam 1.		
Magnitude	Medium	High	Medium
Level of Effect	Adverse & Short Term	Adverse & Long Term	Adverse & Long Term
Significance of Effect	Moderate Significant	Moderate-Major Significant	Moderate Significant

Year 15.	
t Year 15.	
	Low
	Adverse & Short Term
	Minor Not Significant



Type of

of Effect

Significance No Change

Effect

Viewpoint VP13 - Fleets Lane, Stow Pasture

In-Combination Effects [Cumulative Sites] Cumulative Effects [Cumulative Developments] In Summary In Summary There would be no intervisibility between the Cottam 1 The Cumulative Effects upon viewpoint 13 of the Cumulative Developments is Negligible at year 1 of operation and Negligible at year 15 with mitigation. This is due to Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, the limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Developments and proximity to the visual receptor. A combination of due to distance and intervening vegetation. Therefore, existing vegetation, Embedded and Secondary Mitigation proposed as well as existing topography would limit any cumulative visual effects. The closest Development to there no in combination visual effects are anticipated. Viewpoint 13 is Tillbridge Solar site, located approximately Tillbridge Solar site, therefore no cumulative visual effects are anticipated. Fabric of the Landscape There would not be the removal of or changes in individual elements or features of the landscape within the character area. There would be the introduction of new elements and features comprising the solar panel areas and the substation area within the character area Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the cumulative developments would not be experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedgerows, and tree cover between the Site/Sites. The intervening settlements and built form would also curtail cumulative visibility. There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the following figures: **Overall Landscape Character and Visual Amenity** Construction: Very Low Operation (Year 1): Very Low No Change Magnitude Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low

Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9] The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type or area different from another. The strategic major road network is defined by important historic routes and in contrast, the east west minor road network links several historic and distinctive smaller string of settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are often tranquil and hedged to both sides with wide grassed verges and they have a major role in helping to define the quality of the landscape and reducing the visibility across the area. Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of historic settlement with farms, nucleated villages, and small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised for adding intimacy and interest to the landscape. These relevant characteristics of the landscape and land use have some ability to accommodate change without undue adverse effects. The cumulative visibility for the Cottam 1 Site/Sites would not alter the overall character of the landscape and its communications and infrastructure features. Moreover, these features are often set within a wellvegetated context or associated with built form that plays a positive role in reducing the overall cumulative effects. Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term No Change Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Adverse & Long Term Decommissioning: Neutral & Short Term Construction: Negligible Not Significant

Operation (Year 1): Negligible **Not Significant**

Operation (Year 15): Negligible **Not Significant** Decommissioning: Negligible Not Significant

Operation (Year 1): with only Embedded Mitigation: Negligible Not Significant





Viewpoint VP15 – Squire's Bridge

Viewpoint Baseline:

The view is located on Ingham Road at Squire's Bridge where the road crosses the River Till, looking south towards the northern extent of the Cottam 1 South Site and north towards the southern extent of the Cottam 1 North Site.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a low-lying almost flat landscape within the wider context of a broad vale, which is very conspicuous in this view. The land use is mainly productive arable farmland with many of the large fields under single crop. There is some deciduous woodland including a large, irregular woodland block known as Normanby Gorse that is just visible to the north (centre of view), woodland around the settlement of Coates and poplar shelterbelts which also punctuate the landscape. The pattern of drainage is a key feature at this location and the River Till is notable to the west (left of the view) as it forms a straight canalized section at Squire's Bridge and then takes a meandering course along the eastern edge of the Site/Sites. The watercourse winds through the landscape and is hardly discernable except for a minor tracing of alder and willow trees. In terms of man-made elements, Squire's Bridge with its associated concrete parapet, box piers and scaffold railings create an industrial appearance. These bridge crossings are typical of this landscape and the lack of tree cover immediately around them (and along the banks of the River Till) to mitigate flood attenuation is also a typical feature, but this assists in providing open views across the arable fields in all directions.

Subjective: The viewpoint depicts an exposed, large-scale landscape, that is open in nature due to the absence of hedgerow trees and woodland cover in the foreground. In terms of variety, although the landscape is uniform and mostly consistent, it has some interest in terms of the bridge crossing that lends a distinctive 'sense of place' and 'all round' views. These views also extend as far as the Limestone Scarps and Dipslopes Character Area 6a where the woodlands at Cammeringham and Brattleby form a distinctive feature on the horizon. In terms of texture and colour, the fields are under single crop, and this then gives a monochrome appearance.

Overall: The viewpoint is influenced by the presence of the River Till that passes beneath Squire's Bridge as a local bridge crossing. The watercourse is distinguished by the presence of its canalized section, and lack of tree cover in what is an otherwise open landscape with a strong presence of woodland in the distance. The riparian woodland that follows the meandering course of the River Till is also a distinctive feature as well as the wide grass verges on Ingham Road. The intensive levels of management within this arable farmland add decline to the natural qualities of the view, but the overall impression is that of a simple, calm, and muted landscape.

Receptors:

This viewpoint is representative of views available to users travelling on Ingham Road. This section of the road leads from Stow in the west towards Ingham in the east and is host to a variety of users including cyclists, horse riders and walkers.

Description of View:

The foreground of the view comprises two large flat agricultural fields divided by the green lane as it leads towards the bridge crossing over the River Till. Further agricultural fields are not visible beyond this since this local collection of fields has well-established and dense hedgerows. The middle and long distance therefore yields no visibility across the agricultural fields. To the right-hand side of the view, there is a framework of hedged fields and to the left-hand side of the view there is the same field networks and extended views towards residential properties at Stow Pasture. The remainder of the horizon is made up of hedgerows and woodlands where visibility towards the middle and long distance is confined to gaps in the hedgerows and field entrances. There are some vertical elements in the view, including mature hedgerow trees and these are notable elements in the context of this close-range and enclosed landscape.





Receptor susceptibility to change	Value of view	Sensitivity	Embedded N
In terms of forces for change for VP15, hedgerow	<u>Scenic:</u> Views towards the Limestone Scarps and Dipslopes Character Area 6a	<u>Range of Features:</u> The location comprises the	Embedded Mitig
trees are scarce in this location within the	part of key views across the area. The views from Ingham Road capture the	local road network that forms an east west	construction, op
Unwooded Vales Character Area 4a and are limited	woodland along the scarp slope defining the ridgeline at Ingham Cliff and	connection between Ingham and Stow. This is	decommissionir
to oak and ash, with willow along watercourses.	Cammeringham.	a local 'node' where the minor road network	Mitigation is als
The flowing tributaries of the River Till have formed		crosses the River Till and gives a distinctive	include the follo
small valleys which are barely evident due to the	<u><i>Cultural:</i></u> The landscape shows evidence of Roman roads and network of	grain to the landscape where the roadside	include the folic
lack of riparian vegetation. These watercourses are	minor enclosure roads and lanes that cross the Unwooded Vales Character	hedgerows, mature trees and riparian	Panels to be set
not readily distinguished in the landscape due to	Area 4a. The course of Ingham Road is a part of this network.	vegetation create a small level of visual	
the lack of waterside trees and riparian habitats.		containment and interest at this location.	Panels to be set
The shift away from mixed farming has impacted	<i>Natural:</i> There is a diverse character with pasture, arable, woodland and		property bound
upon areas of pasture and grassland habitats,	hedgerows that create an intricate and textured landscape. In some places	Importance of View: This is part of the local	property bound
which has made changes to local character and	such as these bridge crossing over the River Till, there are 'all round' views	road network at a location at a junction with a	Panels to be set
biodiversity.	capturing this combination of features.	bridleway where the distribution of public	minimum of 8m
biodiversity.		rights of way (PRoW) is limited giving a	
Overall , the susceptibility for VP15 is conditioned	<u>Recreation and Enjoyment:</u> The Scarps and Dipslopes are valued for	reliance on the local lanes for informal	Panels to be set
by the need to protect hedgerow trees and	recreation which often focuses on the locations where the crests of ridges	recreation. This being an east-west road	
ensuring that new development is complimentary	allow views across the area. Views within the Unwooded Vales Character	connection at a bridge crossing which is	Existing hedges
to individual trees and those along watercourses.	Area 4a from these local bridges that cross the River Till are also important	otherwise devoid of a range of features raises	managed to a h
The access network within the area also has poor	locally.	the level of importance of the view.	to grow out to a
connections, particularly to the water courses and		the level of importance of the view.	boundaries with
river corridors where most of the health,	<u>Local Distinctiveness and Sense of Place:</u> The landscape has a 'strong sense of	Number of Receptors: This location captures a	appropriate, rar
recreation, geodiversity benefits need to be	place' with a subtle regimented character that is reinforced by the geometric	limited range of receptors and is primarily a	hedges.
relinquished to enhance and promote	patterns of fields. Locations such as Squire's Bridge crossings (where the	draw for local residents using the road	neuges.
opportunities. These relevant characteristics of the	regimented landscape character is softened by the meandering	network to travel east west by car. The	Lighting will be
landscape therefore have a high susceptibility to	watercourses) are important in views across the area.	location is unlikely to capture some visitors	battery banks o
change without undue adverse effects given there		from a wider area as there is no opportunity	required. Lightin
is scope to restore hedgerow and tree cover and to	<u>Health and Wellbeing:</u> The Scarps and Dipslopes provide a rural landscape	to park and walk from here. This is not a	vehicle and pers
further open up recreation opportunities along	that has remained largely intact but the landscape within the Vales is also	recognised travel destination in the district.	50W, installed a
water courses.	intact and can be experienced from the east west minor road network that		prevent light sp
water courses.	crosses the area.		will be manually
			perimeter fenci
	Important Spatial Function: The landscape benefits from its low elevation, and		perimeter ienci
	the views from these bridge crossing in the lowlands towards the elevated		The visual effect
	areas, which act as a strong backdrop are important.		
	areas, which act as a strong backurop are important.		account equate (Year 1) and this
	Overall the value of Viewpoint VD1E is shaped by the large scale arable land		been carried ou
	Overall , the value of Viewpoint VP15 is shaped by the large-scale arable land		
	use that creates a strong sense of identity at this location. There are other features such as the low elevation and the views towards the scarp slope.		impact at this Er
	The 'all-round' views from Squire's Bridge that captures other features such		
	as woodland and hedgerows (that create an intricate and textured landscape) are also important.		
	ומותאבמאבי מוב מואט וווואטו נמות.		
High	Medium	Medium to High	Not Applicable

Mitigation

itigation would be taken into account at the operation (Year 1 and Year 15) and ning stages of the Scheme. This Embedded also referred to as primary mitigation and would llowing measures:

set a minimum of 15m from adjacent PRoW.

set a minimum of 50m from adjacent residential ndaries.

set minimum of 20m from major watercourses and 8m from minor watercourses.

set a minimum of 3m from Site boundaries.

es are to be allowed to grow out and will be height of 5m. Hedgerow trees will be encouraged add further thickening and growth to the field vith the addition of new hedgerow trees as randomly spaced along the length of existing

be limited to downlights within substations and only and used when maintenance or security is nting will be PIR operated and will be calibrated to ersonnel movements. All visible lighting would be l at a maximum height of 4m with cowls fitted to spillage. Lighting required within panelled areas ally operated. There will be no lighting on ncing.

ects **with only** the Embedded Mitigation taken into te to those effects set out for the operation stage his includes secondary mitigation which will have out but will have had limited physical or visual Embedded Mitigation stage.



V

Construction	Operation (Year 1)	Operation Magnitude (Year 15)	Decommissioning
Activities considered includes, site preparation	The foreground of the view would change from two	Secondary mitigation such as planting, and grass seeding would be taken into	A similar process to that
/ enabling works, construction, and	large agricultural fields to two areas of panels, but they	account at this stage to include the following changes to the landscape:	construction stage, but v
commissioning with effects such as	would be screened by the existing foreground		Scheme being no longer
construction traffic, noise and vibration from	hedgerows. Further agricultural fields are not visible	This view will become more enclosed 25 the proposed new bedgerows will have	This is an assessment of
construction activities, dust generation, site	beyond and so this would not change in the view. The	This view will become more enclosed as the proposed new hedgerows will have	winter but assumes rete
runoff, mud on roads, and the visual intrusion	framework of hedged fields would remain as well as	established to create a strong field structure and screen views of the solar panels.	existing vegetation and
of plant and machinery on site. At the early	the extended views towards residential properties at	Existing hedges will have been managed to grow out to 5m and proposed	the proposed primary a
stages of the construction stage, ground, and	Stow Pasture. The remainder of the horizon made up	hedgerow trees will begin to reach some height, reinforcing the vertical structure	mitigation that had been
lower-level activities such as the construction	of woodlands would remain visible above the panels,	locally. In the close-range, the hedgerows will screen the solar panels with mid	as the future baseline. E
of the solar panel areas and associated	but this experience would be confined to gaps in the	and longer distance views appearing as a layered well-treed landscape with a	those arising from activ
infrastructure and inverters would be partly	hedgerows and field entrances.	backdrop of strong woodland features to some views with more distant horizons	duration of the decomm
screened due to the presence of the	neugerows and neid entrances.	of hedgerow trees and some areas of woodland. The open character of the River	including traffic, noise a
foreground hedgerows bordering Ingham	The Effects set out below for Year 1 include secondary	Till at this point will be maintained.	from decommissioning
Road. During the latter part of the	mitigation which will have been carried out, but will		
	÷	Overall , in terms of mitigation for the Cottam 1 South Site, many of the rural	dust generation and site
construction stage, views would become available of the elevated activities, but the	have had limited physical or visual impact at this stage:	villages have not seen widespread expansion but development pressures	Eollowing docommission
	Evisting bodges	continue with the demand for housing, commerce and industry creating visual	Following decommission is likely to be returned t
hedgerows bordering Ingham Road and within	Existing hedges	intrusion and extending the urban fringe. For development associated with the	-
the surrounding field systems would give	Existing hedges to the north and south of field D4 and	rural villages, specific mechanisms include Village Design Statements, and tree	production. The Site wil
some partial layering such that these	to the south of field D3 are to be enhanced with	planting around settlement fringes to help integrate new development into the	benefit from the signific
activities would be confined to a filtered	additional hedgerow trees to increase the level of tree	landscape. Due to the open character of this location within the Unwooded Vales	enhanced tree and hed
section of the view.	cover locally and to reinforce the natural and historical	Character Area 4a, the aims should be to plan new tree planting around key	planting that has been o
	field patterns. The eastern boundary hedgerow of D4	settlements and other suitable locations, but to avoid large areas of woodland	and has begun to matur
Other works would be undertaken in	that sits next to the River Till will be retained.	and instead trees should be typically grouped in small plantations/copses or as	much stronger and robu
connection with the construction including		individual trees within hedgerows.	landscape, retaining and
fencing, gates, boundary treatment and other	New hedges		the overall character an
means of enclosure and works for the	A new hedge is proposed to the north of field D3	Between Years 1 and 15, the following beneficial effects will be achieved in terms	considerable biodiversit
provision of security and monitoring measures	where none exists to break up the existing large field.	of Visual Receptors:	over the years. Bird mit
such as CCTV and the laying down of internal	And reduce views south towards the immediate Site	 Grassland reversion around field boundaries and PRoW 	are likely to be retained
tracks. There would also be landscape and	and that further to the south. This is a sensitive	 Increased woodland/vegetation cover 	potential may exist to re
biodiversity mitigation works, including	location due to the open views from Ingham Road and	 A more varied landscape 	margins to preserve sor
planting and the improvement of the	residential properties which has given rise to the	 Improved (more natural) management of exiting vegetation 	land use and maintain l
foreground hedgerows.	proposal to remove solar panels on field D4. With field	 Less expanse of intensively managed arable land 	improvements in biodiv
	D4, the southern field boundary hedgerow will be	 A less exposed and windswept landscape 	local area, all of which w
These short-lived construction activities would	reinforced with hedgerow trees.	 Water quality improvements 	visual receptors.
obstruct a significant proportion of the view		 Potential animal grazing 	
and become a dominant feature. There would	Grassland mixes	 Reinstatement of historic field patterns 	With secondary mitigation
be a considerable change to the arable land	A tussock mix is proposed to the boundaries of	 Bird mitigation fields 	considered, the negative
use, but the surrounding field boundaries and	existing and proposed hedges with flower rich	 Significantly improved biodiversity 	the physical decommiss
the associated tree cover would remain intact.	pollinator mixes proposed on south and west facing	Spinicancy improved biodiversity	balanced out by the lon
There would not be a fundamental change to	hedge bases. Wildflower meadow mix is to be seeded	Growth of existing and proposed vegetation is assumed to be:	landscape and visual eff
the immediate east of this location and in the	beneath panels.	Grower of existing and proposed vegetation is assumed to be.	mitigation.
wider landscape to the east.		Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at Year 15.	
	Adverse effects:	woodianartiees and shellerbeits. 2.311 max at real 1, 7.311 max at real 13.	
Construction Access	 Panels and structures across the landscape 	New hedgerows: 0.6m at Year 1 and 3.5m at Year 15.	
All throughout the construction stage the	 Increased hard standing areas 	new neugerows, v.oni at rear i dilu s.sili at rear i s.	
viewpoint will be affected due to Ingham Road	 Increased traffic locally 	Evicting bodgorows: 0.0m at Voar 1 and Em at Voar 15	
having a point of access into the Cottam 1	 Some minor light pollution within open 	Existing hedgerows: 0.9m at Year 1 and 5m at Year 15.	
North Site. The access route is through a local	countryside	Chruber 0.0m at Voar 1 and Em at Voar 15	
track near Low Farm as it connects to fields	 Substation, Battery storage and other 	Shrubs: 0.9m at Year 1 and 5m at Year 15.	
C26 and C25.	associated infrastructure structures visible		
	above existing vegetation		
	<u> </u>		1



	Construction Access There would be no view of any construction access from this viewpoint.		
	Cable Route Corridor Viewpoint is outside of the 0.5km study area and there would be no view of this route. Substation This viewpoint is outside the 2km study area and there would be no view of the Substation at Cottam 1.		
Magnituda	Medium	lliab	Madium
Magnitude	Medium	High	Medium
Type of Effect	Adverse & Short Term	Adverse & Long Term	Adverse & Long Term
Significance of Effect	Moderate - Major Significant	Major-Moderate Significant	Moderate Significant

Low
Adverse & Short Term
Minor Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	In Summary There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and intervening vegetation. Therefore, there no in combination visual effects are anticipated.	In Summary The Cumulative Effects upon viewpoint 15 of the Cumulative Developments is Negligible at year 1 of operation and N to the limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Developments a combination of existing vegetation, Embedded and Secondary Mitigation proposed as well as existing topography wic closest Cumulative Development to Viewpoint 15 is the West Burton Solar site, located approximately 3.33km to the effects are anticipated. Eabric of the Landscape There would not be the removal of or changes in individual elements or features of the landscape within the charact. There would be the introduction of new elements and features comprising the solar panel areas and the substation of experts of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the cue experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedge The intervening settlements and built form would also curtail cumulative visibility. There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 Sile Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b Mest Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmen
		the Cottam 1 Site/Sites would not alter the overall character of the landscape and its communications and infrastruct often set within a well-vegetated context or associated with built form that plays a positive role in reducing the overa Construction: Very Low Operation (Year 1): Very Low
Magnitude	No Change	Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

> Negligible at year 15 with mitigation. This is due and proximity to the visual receptor. A would limit any cumulative visual effects. The e southeast, therefore no cumulative visual

cter area. n area within the character area

cumulative developments would not be gerows, and tree cover between the Site/Sites.

I Site/Sites and Gate Burton Energy Park, figures:

r area different from another. The strategic major al historic and distinctive smaller string of and hedged to both sides with wide grassed s the area.

ic settlement with farms, nucleated villages, and ding intimacy and interest to the landscape. ndue adverse effects. The cumulative visibility for ucture features. Moreover, these features are rall cumulative effects.



Viewpoint VP19 - Bridge over River Till

Viewpoint Baseline:

The view is located on a local green lane where the lane crosses River Till, looking southeast towards Cottam 1 South Site and northeast towards the Cottam 1 North Site.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising a low-lying almost flat landscape within the wider context of a broad vale, which is only just conspicuous in this view. The land use is mainly productive arable farmland with many of the large fields under single crop. There are some deciduous woodlands including a large, irregular woodland block known as Normanby Gorse that is visible to the northeast (left of view) and tall tree cover along the green lane to the south (right of view) is also a distinctive feature that includes mature ash trees. The pattern of drainage is a key feature at this location and the River Till is notable in the foreground where it forms a deep, straight canalized section and then takes a sharply meandering course through the most western extent of the Site/Sites. The watercourse winds through the landscape and benefits from a strong tracing of alder and willow trees and other riparian vegetation. In terms of man-made elements, the bridge with its associated concrete soffit, steel frame parapet and steel box side sections create an industrial appearance. These bridge crossings are typical of this landscape and the lack of tree cover immediately around them (and along the banks of the River Till) to mitigate flood attenuation is also a typical feature, but this assists in providing open views across the arable fields in all directions.

Subjective: The viewpoint depicts an exposed, large-scale landscape, that is partly open in nature but with some hedgerow trees and woodland cover in the foreground. In terms of variety, the landscape is interesting with tree-lined lanes, mature ash trees, arable fields, field trees and deciduous woodland blocks. There is a feeling of calm and a sense of isolation, and the bridge crossing lends a distinctive 'sense of place' even though it imparts an industrial character. The views from this location extend as far southwest as the Floodplain Valleys Character Area 3a where the Trent power industry is just visible. In terms of texture and colour, although the fields are under single crop giving a monochrome appearance, the presence of the bridge crossing, mature trees and the green lane add interest.

Overall: The viewpoint is influenced by the presence of the River Till that passes beneath this local bridge. The watercourse is canalized but the tree cover on the green lane and the strong presence of Normanby Gorse enhance the quality of the view. The riparian woodland that follows the meandering course of the River Till is also a distinctive feature as well as the tussocky grassland on the steeply inclined banks of the watercourse. There are intensive levels of management within this arable farmland, but the overall impression is that of a quiet and pleasantly attractive landscape.

Receptors:

This viewpoint is representative of views available to users of the local green lane network. This section of the lane leads from Normanby Road in the west, past the flat top houses, towards the local bridge over the River Till. The lane turns south to meet with Ingham Road or travels straight ahead past Normanby Gorse to the small settlement of Coates and Hall Farm. The lane is host to a variety of users including cyclists, horse riders and walkers.

Description of View:

The foreground of the view comprises two large flat agricultural fields divided by the River Till. Further agricultural fields are visible beyond this since this local collection of fields has very few well-established and dense hedgerows. The middle and long distance therefore yields extensive visibility across the open agricultural fields. To the right-hand side of the view, there is Ingham Road and the associated residential dwellings at Stow Pasture. To the left-hand side of the view there is the River Till and woodland associated with Thorpe le Fallows including Thorpe Wood and Brattleby Gorse. The remainder of the horizon is made up of expansive agricultural fields and woodlands where visibility towards the middle and long distance is open and expansive. There are some vertical elements in the view, including telegraph poles and cables and some mature hedgerow trees and shelterbelts, but these are not notable elements in the context of this expansive and wide-reaching landscape.



	Approximate Extent of Development	
THAT AND THE PARTY OF THE PARTY		- Harrison Aller Harrison

Receptor susceptibility to change	Value of view	Sensitivity	Embedded N
In terms of forces for change for VP19, the woodland and hedgerow network is vulnerable and the main aim is to enhance these features through the planting of small woodlands, tree belts, hedgerow trees and new hedgerows to benefit landscape character. Creating grass margins in arable fields is also a key priority, including increasing the amount of flower rich areas, hedgerows, and species rich grasslands. Planting new hedgerows to restore historic field patterns and creating habitat linkages is also appropriate to counteract the threat to the landscape character and biodiversity. The skylines, key views, watercourses, and river corridors are also key features that are particularly vulnerable to landscape change. Overall , the susceptibility for VP19 is conditioned by the sensitivity of the rural roads and minor tracks, lanes and farm roads that cross the landscape. Driving north to south across the area is relatively straightforward as the A156 runs fairly true to the River Trent and the B1241 follows the almost meandering course of the River Till. Most of the developed settlements are near these roads, however narrow country lanes link east west and this direction of travel is slightly more challenging yielding them as quiet destinations within the Unwooded Vales Character Area 4a. These relevant characteristics of the landscape therefore have a high susceptibility to change without undue adverse effects given there is scope to protect the character and diversity of the road networks through conservation and enhancement of the local lanes and recognition of the value that the strategic routes provide in connections across the region.	 <u>Scenic</u>: There are strong variations in character and scenic appeal across the differing parts of the Unwooded Vales Character Area 4a. This diversity is a key element of views where they are enclosed, open or partially framed by other features. At this bridge location over the River Till, views are partially famed by the bordering hedgerows and small woodlands. <u>Cultural</u>: The landscape within the Till Vale provides a culture of 'soft tourism' in the form of walking and cycling often as a part of short breaks. The scope to appreciate the landscape from the PRoW network, green lanes and bridge crossings is a part of this culture. <u>Natural</u>: The subtle variations in landform and landscape pattern are a feature that merits recognition. The expansive fields of the Till Vale form part of this pattern and are evident from this bridge crossing over the River Till. <u>Recreation and Enjoyment</u>: There is little direct linkage between the settlements and so the green land the bridge crossing over the River Till provides a linkage with villages such as Willingham by Stow and Stow. <u>Local Distinctiveness and Sense of Place</u>: There is a strong relationship between landscape character and the watercourses where many views derive their sense of place from distinctive local landmarks and features around their edges. This bridge crossing is influenced by the strong presence of Normanby Gorse that enhances the quality of the view. <u>Health and Wellbeing</u>: The district has relatively few tourist 'attractions' and many visitors just simply enjoy the scenic walks, including the historic churches, the Till Vale and the Lincolnshire Cliff. The green lane network forms a part of this activity. <u>Important Spatial Function</u>: The 'nodes' of the Till Vale watercourses (bridges and crossing points) provide important opportunities for views and for appreciating the wider landscape context. Overall, the value of Viewpoint VP19 is shaped b	Range of Features: The location comprises the local farm track network that forms an east west connection. This is a local 'node' where the local track crosses the River Till and gives a distinctive grain to the landscape where the roadside hedgerows, mature trees and riparian vegetation create a small level of visual containment and interest at this location. Importance of View: This is part of the local network of lanes at a location where the distribution of public rights of way (PRoW) is limited giving a reliance on these local lanes for informal recreation. This being an eastwest road connection at a bridge crossing which is otherwise devoid of a range of features raises the level of importance of the view. Number of Receptors: This location captures a limited range of receptors and is primarily a draw for those needing access to the isolated farmsteads. The location is unlikely to capture visitors from a wider area as there is no opportunity to park and walk from here. This is not a recognised travel destination in the district.	Embedded Mitig construction, op decommissionin Mitigation is also include the follow Panels to be set Panels to be set property bounda Panels to be set minimum of 8m Panels to be set Existing hedges a managed to a he to grow out to ac boundaries with appropriate, ran hedges. Lighting will be li battery banks or required. Lightin vehicle and pers 50W, installed at prevent light spil will be manually perimeter fencion The visual effects account equate to (Year 1) and this been carried out impact at this En
High	Medium	Medium to High	Not Applicable



Mitigation

tigation would be taken into account at the operation (Year 1 and Year 15) and ing stages of the Scheme. This Embedded lso referred to as primary mitigation and would lowing measures:

et a minimum of 15m from adjacent PRoW.

et a minimum of 50m from adjacent residential daries.

et minimum of 20m from major watercourses and m from minor watercourses.

et a minimum of 3m from Site boundaries.

s are to be allowed to grow out and will be height of 5m. Hedgerow trees will be encouraged add further thickening and growth to the field th the addition of new hedgerow trees as andomly spaced along the length of existing

e limited to downlights within substations and only and used when maintenance or security is ting will be PIR operated and will be calibrated to rsonnel movements. All visible lighting would be at a maximum height of 4m with cowls fitted to pillage. Lighting required within panelled areas ly operated. There will be no lighting on cing.

cts **with only** the Embedded Mitigation taken into e to those effects set out for the operation stage is includes secondary mitigation which will have ut but will have had limited physical or visual Embedded Mitigation stage.



Construction	Operation (Year 1)	Operation (Year 15)	Decommissioning
Activities considered includes, site preparation	The foreground of the view would change from two large agricultural fields to two	With secondary mitigation such as planting and grass	A similar process to tha
/ enabling works, construction, and	areas of panels to each side of the River Till. The further agricultural fields beyond	seeding being taken into account at the operational	construction stage, but
commissioning with effects such as	would be screened by the panels in the foreground. The middle and long distance	stage (Year 15) the following changes to the	Scheme being no longe
construction traffic, noise and vibration from	therefore yields extensive visibility across the open agricultural fields. Ingham Road	landscape would occur and the visual effects are set	operational. This is an
construction activities, dust generation, site	and the associated residential dwellings at Stow Pasture would remain in the view but	out below.	assessment of the Site
runoff, mud on roads, and the visual intrusion	not in the same context as the panels as they would be set back at this section. The		but assumes retention
of plant and machinery on site. At the early	River Till and woodland associated with Thorpe le Fallows including Thorpe Wood and	This view will become more enclosed as the	vegetation and builds u
stages of the construction stage, ground, and	Brattleby Gorse would still remain features of the view but seen in context with the	proposed scattered trees and shelterbelt will have	proposed primary and
lower-level activities such as the construction	panels. The vertical elements in the view, including telegraph poles and cables could	established to create a strong field boundary	mitigation that had be
of the solar panel areas and associated	add some minor cumulative changes to the view.	structure and screen views of the solar	established as the futu
infrastructure and inverters would not be	add some minor cumulative changes to the view.	panels. Existing hedges will have been managed to	baseline. Effects are th
screened due to the absence of the	The effects set out below for Year 1 include secondary mitigation which will have been	grow out to 5m reinforcing the vertical structure	from activities for the
foreground hedgerows bordering local lane.	carried out, but will have had limited physical or visual impact at this stage:	locally. In the close-range context, the hedgerows	the decommissioning
During the latter part of the construction	carried out, but will have had inflited physical of visual impact at this stage.	will screen the solar panels with mid and longer	site traffic, noise and v
•	Coattarad trap halt	· · ·	
stage, views would become available of the	Scattered tree belt	distance views appearing as a layered well-treed landscape with a backdrop of Normanby Gorse to	from decommissioning
elevated activities, but the hedgerows within	A scattered tree belt is proposed beyond the tall herb buffer to the River Till. This 5m wide belt of scattered trees will run to the north and east of field E1 around the	the northeast and more distant tree lines to the	dust generation and si
the surrounding field systems would give			Fellowing deservation:
some partial layering such that these activities	proposed panels to screen views from the River Till and from the green lane to the	south with the riparian tree cover around the River	Following decommissi
would be confined to a filtered section of the	north. To the east of the River Till another belt of trees is proposed around the	Till as a distinctive feature.	land is likely to be retu
view.	developed area running north/south and then towards the east, mitigating views of the		arable production. The
	Site from the south and creating a strong buffer to the Riparian landscape.	Overall, in terms of mitigation for the Cottam 1 North	however benefit from
Other works would be undertaken in		Site, due to the sensitivity of the rural lanes and	significantly enhanced
connection with the construction including	Shelterbelt	tracks, the hedgerows should be protected to ensure	hedgerow planting the
fencing, gates, boundary treatment and other	A shelterbelt is proposed along the eastern boundary of the PRoW which runs	they continue to provide effective green	carried out and has be
means of enclosure and works for the	north/south creating a pleasant and enclosed route whilst mitigating views of the	infrastructure corridors. The approach roads to the	mature to create a mu
provision of security and monitoring measures	Scheme to the east. Shelterbelt planting should be introduced to the western	smaller settlements are a key feature that add to the	and robust landscape,
such as CCTV and the laying down of internal	boundary of field E1, this will mitigate views from the PRoW that runs south to Ingham	identity of the local landscape and lines of trees are	and enhancing the ove
tracks. There would also be landscape and	Road.	often characteristic in these locations. Tree planting	character and providir
biodiversity mitigation works, including		should be confined to hedgerows (i.e., not on verges)	considerable biodivers
planting and the improvement of the	Existing hedges	on all historic enclosure roads and tracks.	over the years. Bird m
foreground hedgerows.	The existing hedge to the north of field E2 is to be enhanced and managed to grow out		fields are likely to be r
	to 5m with the addition of irregularly spaced native trees to help mitigate views from	Between Years 1 and 15, the following beneficial	the potential may exis
These short-lived construction activities would	the lane. Reinforce hedgerow to the north of the field E1 to mitigate views from the	effects will be achieved in terms of Visual Receptors:	grass margins to prese
obstruct a significant proportion of the view	unnamed road.	 Grassland reversion around field 	varied land use and m
and become a dominant feature. There would		boundaries and PRoW	long-term improveme
be a considerable change to the arable land	Turtle Dove mitigation	 Increased woodland/vegetation cover 	biodiversity in the loca
use, but the surrounding field boundaries and	A large field (F1,F2 and F7) of Turtle Dove habitat is proposed to the south of the River	 A more varied landscape 	of which will benefit v
the associated tree cover would remain intact.	Till northwest of this viewpoint with a 5m buffer of existing groundcover vegetation.	 Improved (more natural) management of 	receptors.
There would not be a fundamental change to	Some open views will be retained across to the west with existing boundary and	exiting vegetation	
the immediate northeast and southwest of	riparian vegetation retained.	 Less expanse of intensively managed arable 	With secondary mitigation
this location and in the wider landscape to the		land	considered, the negati
northeast and southwest.	Grassland mixes	 A less exposed and windswept landscape 	of the physical decom
	A tall herb mix buffer of min. 30m and 50m wide in places is proposed either side of	 Water quality improvements 	will be balanced out b
Construction Access	the River Till to retain the open feature and provide suitable riparian habitat around	 Potential animal grazing 	term landscape and vi
All throughout the construction phase the	this waterway.	 Reinstatement of historic field patterns 	of this mitigation.
viewpoint will be affected due to access routes		 Bird mitigation fields 	_
off Ingham Road into the Cottam 1 South Site.	North of the River Till in fields F3 and F6, a minimum 30m buffer will comprise predominantly tall herb mix with a tussock mix beyond and around the existing ditch	 Significantly improved biodiversity 	
Cable Route Corridor	and hedge line running north.	Growth of existing and proposed vegetation is	
Viewpoint is outside of the 0.5km study area		assumed to be:	
and there would be no view of this route.	Elsewhere, a flower rich pollinator mix is proposed around field boundaries, with		
	wildflower meadow planting under the proposed paneled areas.		



	Substation This viewpoint is outside the 2km study area and there would be no view of the Substation at Cottam 1.	 Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	 Woodland/trees and shelterbelts: 2.5m 1, 7.5m max at Year 15. New hedgerows: 0.6m at Year 1 and 3.5 15. Existing hedgerows: 0.9m at Year 1 and 15. Shrubs: 0.9m at Year 1 and 5m at Year 1
Magnitude	Medium	High	Medium
Level of Effect	Adverse & Short Term	Adverse & Long Term	Adverse & Long Term
Significance of Effect	Moderate-Major Significant	Major-Moderate Significant	Moderate - Major Significant

5m at Year d 5m at Year 15. Low Adverse & Short Term		Minor-Moderate Not Significant
d 5m at Year 15.		Adverse & Short Term
d 5m at Year		Low
	15.	
5m at Year	d 5m at Year	
	5m at Year	
n max at Year	n max at Year	



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	<u>In Summary</u> There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and intervening vegetation. Therefore, there no in combination visual	In Summary The Cumulative Effects upon viewpoint 19 of the Cumulative Developments is Negligible at year 1 of operation due to the limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Devel combination of existing vegetation, Embedded and Secondary Mitigation proposed as well as existing topograp
	effects are anticipated.	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or features of the landscape within the ch
		There would be the introduction of new elements and features comprising the solar panel areas and the subst
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, Site/Sites. The intervening settlements and built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cott Tillbridge Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the follow
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2. Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9]
		The landscape is shaped by the wide range of local and strategic road networks, which make one landscape ty major road network is defined by important historic routes and in contrast, the east west minor road network string of settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are o grassed verges and they have a major role in helping to define the quality of the landscape and reducing the vi
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of hi and small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognise landscape. These relevant characteristics of the landscape and land use have some ability to accommodate ch cumulative visibility for the Cottam 1 Site/Sites would not alter the overall character of the landscape and its co Moreover, these features are often set within a well-vegetated context or associated with built form that plays effects.
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Adverse & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

> on and Negligible at year 15 with mitigation. This is velopments and proximity to the visual receptor. A raphy would limit any cumulative visual effects.

character area.

ostation area within the character area

th the cumulative developments would not be ds, hedgerows, and tree cover between the

otton 1 Site/Sites and Gate Burton Energy Park, lowing figures:

6] 5.2.8] .9]

type or area different from another. The strategic rk links several historic and distinctive smaller e often tranquil and hedged to both sides with wide visibility across the area.

historic settlement with farms, nucleated villages, ised for adding intimacy and interest to the change without undue adverse effects. The communications and infrastructure features. ys a positive role in reducing the overall cumulative



Viewpoint Baseline:

The view is located on the B1242 (Normanby Road), looking east directly onto the western extent of the Cottam 1 North Site.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising a low-lying almost flat landscape within the wider context of a broad vale, which is evident in this view. The land use is mainly productive arable farmland with many of the large fields under single crop. There is some deciduous woodland including a large, irregular woodland block known as Normanby Gorse that is visible to the northeast (center of view) and tall tree cover associated with West Farm to the west (left of view) and East Farm (right of view) is also a distinctive feature. The mature tree cover along the green lane that leads to the settlement of Coates is also a notable feature, and the woodland around Hall Farm also stands out in the landscape. The open wide views to the east towards the Limestone Scarps and Dipslopes Character Area 6a are a key feature at this location. The view encompasses the River Till noted by the strong tracing of alder and willow trees and other riparian vegetation. In terms of man-made elements, the busy Normanby Road is intrusive and traffic speeds detract from the appreciation of the landscape since this is an open and straight section of road. The view is open since the field hedgerows are low cut and the road is relatively higher than the bordering arable landscape as it travels along a narrow spur of land projecting south from the settlement of Willingham by Stow. There is also the collection of 'flat-topped' houses that are typical to this locality, with a further collection of the same houses located on Ingham Road close at the junction with the green lane.

Subjective: The viewpoint depicts channeled and focused views over a wide arable landscape with regular field systems only disrupted by the sharply meandering course of the River Till and its associated vegetation. In terms of variety, the landscape is interesting with tree-lined green lanes, mature ash trees, arable fields, and deciduous woodland blocks. There is a sense of intactness in the view and this location along the B1242 has a distinctive 'sense of place' even though it is a busy section of road. In terms of texture and colour, the fields are under single crop giving a monochrome appearance, but the presence of mature trees, strong woodland blocks and robust hedgerows add interest to their monotony. The viewpoint depicts an exposed, large-scale landscape, that is open in nature and invigorating.

Overall: The view is influenced by the presence of the busy road, but this is surpassed by the invigorating nature of the views east towards the limestone capped ridgeline encompassing Ingham and Ingham Cliff. The foreground presence of the green lane and its mature tree cover enhance the quality of the view, and the riparian woodland and tree cover that follows the course of the River Till is also a distinctive feature. The overall impression is that of an intact and invigorating landscape with far-reaching views.

Receptors:

This viewpoint is representative of views available to users of Normanby Road. This section of the road leads from Stow in the south, past the flat top houses, towards the East Farm and West Farm. The lane is host to a variety of users including cyclists, horse riders, walkers and residents of East Farm and West Farm.

Description of View:

The foreground of the view comprises a large flat agricultural field divided by the deep-channeled course of the River Till. Further agricultural fields are not visible beyond this since this local collection of fields has very well-established and dense hedgerows. The middle and long distance therefore yields limited visibility across the agricultural fields. To the right-hand side of the view, there is the local farm track that leads to Coates and to the left-hand side of the view, the local farm track continues to meet with the B1241 (Normanby Road). The remainder of the horizon is made up of hedgerows, agricultural fields, and woodlands where visibility towards the middle and long distance is limited due to the strong hedgerow network. There are some vertical elements in the view, including telegraph poles and cables, but these are not notable elements in the context of this enclosed and well-treed landscape.



Approximate Extent of Development

Receptor susceptibility to change	Value of view	Sensitivity	Em
In terms of forces for change for VP20, the woodlands in and around settlements are important to their setting particularly on the approach roads. The aim should therefore be to plan new woodland in the most suitable locations especially where woodland would help create a mixed pattern of land use. Overall , the susceptibility for VP20 is conditioned by the presence of the north south road network that is part of the gateways to settlements along its length. The A156 is a major route that divides the Trent flood plain along with other north south routes such as the B1241. There is however scope to protect and enhance the natural character of the minor east west local road network to improve connectivity between the Till Vale and the Trent across major routes such as the A156 (Gainsborough Road). Minor roads that lead to the Trent from the A156 could be a key priority to build on connectivity. These relevant characteristics of the landscape therefore have a medium susceptibility to change without undue adverse effects due to the scope for improving biodiversity connectivity across the landscape.	 <u>Scenic</u>: The broadleaved woollands, copses and networks of hedgerows provide important habitats for farmland species. The network of woodlands to the west of the River Till and south of Normanby by Stow are notable features in the context of East Farm and West Farm. <u>Cultural</u>: Very little semi-natural habitat remains across the area due to intensive agriculture. The smaller scale field systems within the context of East Farm and West Farm are important features in retaining habitat linkages due the concentrated framework of hedgerows. <u>Natural</u>: The vegetation of the River Till is key in supporting some habitats and riparian woodland. These woodlands and their associated habitats are now less widespread in the locality and so where they appear in views across the area, they are an important natural quality. <u>Recreation and Enjoyment</u>: This is mainly confined to the road networks including the busy B1241 (Normandy Road) due to lack of PRoW. <u>Local Distinctiveness and Sense of Place</u>: The River Till displays many meanders in the section to the east of Normanby by Stow that gives the area its distinctiveness and sense of place. Where this meandering feature is connected to views across the area this is a key consideration. <u>Health and Wellbeing</u>: The River Till is a key asset and there are road networks that connect to the river corridor that can be promoted for health and well-bring. This section of the busy B1241 is connected to the bridge crossing over the River Till via the green lane that passes to the south of the residential properties know as Flat Tops. <u>Important Spatial Function</u>: Within the Unwooded Vales Character Area 4a, the open arable fields and contrasting woodland blocks add to the spatial function of the area. Where they are present in publicly visible locations (especially in the context of the backdrop of the Scarps and Dipslopes Character Area 6a) the views are important. Overall, the v	Range of Features: The location comprises the secondary road network that forms a north south connection between Sturton by Stow and Willingham by Stow. This is a local section of road where there are extended views that capture the course of the River Till that gives a distinctive grain to the landscape. The roadside hedgerows, mature trees and riparian vegetation create some level of visual containment and interest at this location. Importance of View: This is part of the secondary road network at a location where there are extended views and features of interest, therefore raising the importance of the view. Number of Receptors: This location is primarily a draw for local residents using the road network to travel north south by car. The location is also likely to capture some visitors from a wider area as this is the secondary road network. This is not a recognised travel destination in the district. Medium	Eml at tl and Eml miti mea Pan Pan resi Pan vat wat Pan tou Exis will thic the ran bou Exis will thic the ran the Miti effe this bee or v
mediani	Weddin	meanan	1001



mbedded Mitigation

mbedded Mitigation would be taken into account the construction, operation (Year 1 and Year 15) nd decommissioning stages of the Scheme. This mbedded Mitigation is also referred to as primary nitigation and would include the following neasures:

anels to be set a minimum of 15m from adjacent RoW.

anels to be set a minimum of 50m from adjacent esidential property boundaries.

anels to be set minimum of 20m from major atercourses and minimum of 8m from minor atercourses.

anels to be set a minimum of 3m from Site oundaries.

xisting hedges are to be allowed to grow out and ill be managed to a height of 5m. Hedgerow trees ill be encouraged to grow out to add further nickening and growth to the field boundaries with ne addition of new hedgerow trees as appropriate, andomly spaced along the length of existing edges.

ighting will be limited to downlights within substations and attery banks only and used when maintenance or security is equired. Lighting will be PIR operated and will be alibrated to vehicle and personnel movements. All visible ghting would be 50W, installed at a maximum height of m with cowls fitted to prevent light spillage. Lighting equired within panelled areas will be manually operated. here will be no lighting on perimeter fencing.

he visual effects **with only** the Embedded litigation taken into account equate to those ffects set out for the operation stage (Year 1) and nis includes secondary mitigation which will have een carried out but will have had limited physical r visual impact at this Embedded Mitigation stage.

lot Applicable



Construction	Operation (Year 1)	Operation (Year 15)	Decommissioning
Activities considered includes, site	The foreground of the view would change from a large agricultural field to an area of	With secondary mitigation such as planting and grass	A similar process to that of
preparation / enabling works, construction,	panels sets to each side of the deep-channeled course of the River Till. Further agricultural	seeding being taken into account at the operational	construction stage, but with
and commissioning with effects such as	fields beyond would be screened by the panels in the foreground. The local farm track	stage (Year 15) the following changes to the	Scheme being no longer
construction traffic, noise and vibration	that leads in two directions to Coates and the B1241 (Normanby Road) would remain a	landscape would occur and the visual effects are set	operational. This is an
from construction activities, dust	feature of the view but in the context of the panels. The remainder of the horizon made	out below.	assessment of the Site in w
generation, site runoff, mud on roads, and	up of woodlands would remain as a feature of the view above the panels. The vertical		but assumes retention of e
the visual intrusion of plant and machinery	elements in the view, including telegraph poles and cables could add some minor	This view will become more enclosed since the	vegetation and builds upor
on site. At the early stages of the	cumulative changes to the view.	proposed scattered trees and shelterbelt will have	proposed primary and sec
construction stage, ground, and lower-level		established to create a strong field structure and	mitigation that had been
activities such as the construction of the	The effects set out below for Year 1 include secondary mitigation which will have been	screen views of the solar panels in the mid distance	established as the future
solar panel areas and associated	carried out, but will have had limited physical or visual impact at this stage:	beyond the River Till to the east. Existing hedges	baseline. Effects are those
infrastructure and inverters would not be	carried out, but will have had inflited physical of visual impact at this stage.	around the Site will have been managed to grow out	from activities for the dura
	Casttarad trap halt		
screened due to the low height of the	<u>Scattered tree belt</u>	to 5m reinforcing the vertical structure locally. In the	the decommissioning inclu
foreground hedgerows bordering the	Scattered tree belts some 1100m to the southeast of this viewpoint may be visible in	close-range context, the existing hedgerows will	site traffic, noise and vibra
B1241. During the latter part of the	places along this route once fully established.	screen the solar panels with mid and longer distance	from decommissioning ac
construction stage, views would become		views appearing as a layered well-treed landscape	dust generation and site r
available of the elevated activities, and	Shelterbelt	with a backdrop of Normanby Gorse to the northeast	
although the hedgerows within the	Shelterbelt planting to the west of field E1 will help to further screen the Scheme from the	and more distant tree lines to the south with the	Following decommissionin
surrounding field systems would give some	west.	riparian tree cover around the River Till a distinctive	land is likely to be returne
partial layering these activities would still		feature.	arable production. The Sit
occupy an extensive proportion of the	Existing hedges		however benefit from the
view.	Existing hedges are more informal in this area but provide sufficient cover locally to	Overall , in terms of mitigation for the Cottam 1	significantly enhanced tree
	protect views.	North Site, consideration should be given to the	hedgerow planting that ha
Other works would be undertaken in		management of existing trees and woodland, which	carried out and has begur
connection with the construction including	The eastern boundary of field F5 is to be enhanced and allowed to grow out with the	is a sensitive element of the Unwooded Vales	mature to create a much
fencing, gates, boundary treatment and	addition of hedgerow trees, mitigating views from the east and creating another layer of	Character Area 4a. Enhancing biodiversity value and	and robust landscape, ret
other means of enclosure and works for	vegetation when viewed from the west across the riparian landscape.	age structure through new planting and the creation	and enhancing the overal
the provision of security and monitoring	5	of woodland edge habitats is therefore encouraged,	character and providing
measures such as CCTV and the laying	Views further northeast, although predominantly screened from view will be mitigated by	particularly on approach to settlements. An increase	considerable biodiversity
down of internal tracks. There would also	new and enhanced hedgerow planting to fields G1 and G4.	in grassland reversion should also be encouraged,	over the years. Bird mitiga
be landscape and biodiversity mitigation		increasing the occurrence of semi-natural habitats.	fields are likely to be retai
works, including planting and the	Native Shrub Planting		the potential may exist to
improvement of the foreground	A 20m wide block of native shrub planting is proposed to the east of East Farm beyond the	Between Years 1 and 15, the following beneficial	grass margins to preserve
hedgerows.	existing hedgerow creating a buffer between this and the Turtle Dove habitat beyond.	effects will be achieved in terms of Visual Receptors:	varied land use and maint
neugerows.		 Grassland reversion around field 	long-term improvements
These short-lived construction activities	Turtle Dove mitigation	boundaries and PRoW	biodiversity in the local ar
would obstruct a significant proportion of	Views east across the Site require little structural mitigation with existing vegetation and	 Increased woodland/vegetation cover 	of which will benefit visua
the view and become a dominant feature.		•	
	the longer-range views towards the site screening most views. Views across to the River	 A more varied landscape 	receptors.
There would be a considerable change to	Till are important and will be retained through the provision of Turtle Dove habitat	 Improved (more natural) management of 	Maria and a second second second
the arable land use, but the surrounding	creation in fields F1, F2 and F7 retaining the predominantly open nature of these fields. A	exiting vegetation	With secondary mitigation
field boundaries and the associated tree	5m buffer of existing groundcover vegetation is to be retained adjacent to the River Till.	 Less expanse of intensively managed arable 	considered, the negative e
cover would remain intact. There would		land	of the physical decommiss
not be a fundamental change to the	Elsewhere, a flower rich pollinator mix is proposed around field boundaries, with	 A less exposed and windswept landscape 	will be balanced out by th
immediate north, south and west of this	wildflower meadow planting under the proposed paneled areas.	 Water quality improvements 	term landscape and visua
location and in the wider landscape to the		 Potential animal grazing 	of this mitigation.
west would not fundamentally change.	Grassland mixes	 Reinstatement of historic field patterns 	
	A tall herb mix buffer of min. 30m and 50m wide in places is proposed either side of the	 Bird mitigation fields 	
Construction Access	River Till to retain the open feature and provide suitable riparian habitat around this	 Significantly improved biodiversity 	
This viewpoint will be affected by the road			
access onto Normanby Road to the west	waterway.	Growth of existing and proposed vegetation is	
through field F2.		assumed to be:	



	Cable Route Corridor	North of the River Till in fields F3 and F6, a minimum 30m buffer will comprise	Woodland/trees and shelterbelts: 2.5m
	Viewpoint is outside of the 0.5km study area and there would be no view of this	predominantly tall herb mix with a tussock mix beyond and around the existing ditch and hedgeline running north.	1, 7.5m max at Year 15.
	route.	Adverse effects:	New hedgerows: 0.6m at Year 1 and 3.5 15.
	Substation This viewpoint is within the 2km study area. There are minor potential views to Cottam 1 substation.	 Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	Existing hedgerows: 0.9m at Year 1 and 15. Shrubs: 0.9m at Year 1 and 5m at Year 1
Magnitude	Medium	Medium	Low - Medium
Level of Effect	Adverse & Short Term	Adverse & Long Term	Neutral & Long Term
Significance of Effect	Moderate Significant	Moderate Significant	Minor Not Significant

	Negligible Not Significant
	Neutral & Short Term
	Low
15.	
d 5m at Year	
5m at Year	
n max at Year	



Viewpoint VP20 - Normanby Road **In-Combination Effects Cumulative Effects [Cumulative Developments]** [Cumulative Sites] In Summary In Summary The Cumulative Effects upon viewpoint 20 of the Cumulative Developments is Negligible at year 1 of operation and Negligible at year 15 with mitigation. This is due to the limited impact Between the Cottam 1 Site/Sites and upon the view as a result of the segregated nature of the Sites and Cumulative Developments and proximity to the visual receptor. A combination of existing vegetation, Embedded and the Cottam 2 Site, there would be no Secondary Mitigation proposed as well as existing topography would limit any cumulative visual effects. The closest Cumulative Development, Gate Burton Energy Farm, is located 1.1km northwest of viewpoint, however, due to the thick hedgerow and strong vegetation combined with the built form associated with West Farm it is anticipated there would be no cumulative visibility due to distance, the intervening settlement of Stow and visual effects. additional intervening hedgerows and tree cover, included established mature Fabric of the Landscape trees bordering each side of the green There would not be the removal of or changes in individual elements or features of the landscape within the character area. lane. There would be the introduction of new elements and features comprising the solar panel areas and the substation area within the character area Overall there would be no intervisibility Aesthetic Aspects of the Landscape between the Cottam 1 Site/Sites, Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the cumulative developments would not be experienced across the majority Cottam 2 Site, and Cottam 3a and 3b of the 5km study area. This is due to the distance, the intervening woodlands, hedgerows, and tree cover between the Site/Sites. The intervening settlements and built form would also Sites, due to distance and intervening curtail cumulative visibility. vegetation. Therefore, there no in combination visual effects are There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West anticipated. Burton Solar Park. This cumulative visibility is set out in further detail within the following figures: Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9] The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type or area different from another. The strategic major road network is defined by important historic routes and in contrast, the east west minor road network links several historic and distinctive smaller string of settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are often tranquil and hedged to both sides with wide grassed verges and they have a major role in helping to define the quality of the landscape and reducing the visibility across the area. Overall Landscape Character and Visual Amenity Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of historic settlement with farms, nucleated villages, and small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised for adding intimacy and interest to the landscape. These relevant characteristics of the landscape and land use have some ability to accommodate change without undue adverse effects. The cumulative visibility for the Cottam 1 Site/Sites would not alter the overall character of the landscape and its communications and infrastructure features. Moreover, these features are often set within a well-vegetated context or associated with built form that plays a positive role in reducing the overall cumulative effects. Construction: Very Low Operation (Year 1): Very Low Not Applicable Magnitude Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Low Decommissioning: Very Low Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Type of Not Applicable Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Effect Operation (Year 15): Adverse & Long Term Decommissioning: Neutral & Short Term Construction: Negligible **Not Significant** Operation (Year 1): Negligible **Not Significant** Significance Not Applicable Operation (Year 1): with only Embedded Mitigation: Negligible Not Significant of Effect Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant



Viewpoint VP21 – Stow/83/1

Viewpoint Baseline:

The view is located on the PRoW, footpath (Stow/83/1), looking directly north over the Cottam 1 North Site and directly south over the Cottam 1 North Site with the Cottam 1 South Site beyond.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising a low-lying, gently rolling arable landscape within the wider context of a broad vale, which adds to the sense of scale of this view. The land use is mainly productive arable farmland with many of the large fields under single crop. There are plantation woodlands including Larch Plantation that forms a distinctive geometric pattern and is silhouetted on the horizon to the north (centre of view). There are other geometric blocks including New Plantation to the west (left of view) and Fox Covert at Grange Farm to the south. These woodlands combine to form a strong feature and a feeling of enclosure due to their localized concentration on the gently rolling landform. In terms of man-made elements, there are occasional farmsteads including Greystones Farm that is just visible on the horizon (right of view) and Glebe Farm that are both located on Willingham Road to the southwest of the settlement of Fillingham. The tall, but intermittent hedgerow to the south side of the footpath also gives a sense of enclosure and visual containment to this location.

Subjective: The viewpoint depicts a large-scale, gently undulating, open landscape, being exposed at close-range and in the mid distance due to the absence of hedgerows. In terms of variety, the combination of landscape features includes farm buildings, plantation woodland, tall hedgerows, occasional hedgerow trees and arable fields that present a simple, well-balanced composition, but the increased field sizes add some discordancy. In terms of texture and colour, this is an intensively managed land use that is mainly muted in colour, but the gently undulating topography adds some interest.

Overall: The view is influenced by the open arable fields and the woodlands on the horizon that form a significant component and add balance to the landscape. The location offers some intimacy despite the open nature to the north due to the lower elevation of the view, the bordering hedgerow to the south and the small woodland thicket (to the east) just to the northwest of Low Farm on Long Lane. The horizon closes down the view since the landform rises to a high point on Willingham Road at approximately 20m AOD. The overall experience is interesting and very pleasant, with some depth to views and strong contrasting features due to the presence of the plantation woodlands on the horizon and varied landform. This is also an isolated location with a distinct absence of settlement, built form or other man-made features.

Receptors:

This viewpoint is representative of views available to walkers using the footpath (Stow/83/1). This section of footpath leads from Long Lane (at the right-angled bend with Low Farm) leading west past Grange Farm and Hall Farm at Coates to eventually join with Ingham Road.

Description of View:

The foreground of the view comprises a large gently sloping agricultural field with no hedgerow to the front part. Further agricultural fields are just visible beyond even though this local collection of fields has very well-established and dense hedgerows. The middle and long distance therefore yields some visibility across the agricultural fields towards Larch Plantation. To the right-hand side of the view, there is the local collection of agricultural fields set in the context of a small woodland and to the left-hand side of the view there is a similar collection of agricultural fields. The remainder of the horizon is made up of hedgerows, agricultural fields, and woodlands where visibility towards the middle and long distance is evident even though there is a strong hedgerow network. There are very few vertical elements in the view in the context.



		Approximate Extent of Dev	elopment		
Receptor susceptibility to change	Value of view		Sensitivity	I	Embedded Mi

Receptor susceptionity to change		Sensitivity	Empedded W
In terms of forces for change for VP21, the existing rural landscape features are sensitive, in particular the network of hedgerows since the most widespread change has been in agricultural intensification and the change from pastoral to arable cropping that has resulted in the loss of hedges, and consequently, increase in field size. The loss of pasture is particularly evident around settlements, where grazing animals and smaller field sizes contribute to the setting and structure of several villages. Overall, the susceptibility for VP21 is conditioned by the flat, open landscape and whilst the aim is to plan new tree planting around key settlements, large- scale woodland does not form a significant component of this landscape, and in considering its open and expansive character, extensive new woodland planting would be generally inappropriate. These relevant characteristics of the landscape therefore have a high susceptibility to change without undue adverse effect. However, there is significant benefit with appropriate tree planting that could be used in and around settlements to increase the occurrence of semi-natural habitats and maintain the perception of a 'well-treed' landscape.	 Scenic: There are locations where panoramas are framed by larger areas of woodland or woodland is present on the horizon. Some panoramas include undulating landform, which accentuates the presence of the woodland. This feature is typical along the footpath (Stow/83/1). <i>Cultural</i>: The landscape has small villages, hamlets and farms that are evenly distributed across the area. This includes the settlement of Coates and Yawthorpe and their outlying farmsteads including Greystones Farm and Glebe Farm that feature in the views from footpath (Stow/83/1). <i>Natural</i>: Sizable areas of wet woodlands are also notable along the watercourses and tributaries associated with the River Till. Many of these woodlands form geometric shapes such as Coates Gorse, which borders the small watercourse to the west of Low Farm. <i>Recreation and Enjoyment</i>: The Unwooded Vales Character Area 4a is valued for recreation which often focuses on the PRoW network with views towards the ridgeline. Other PRoW networks tend to have a north south focus such as Stow/83/1). <i>Local Distinctiveness and Sense of Place</i>: The landscape has a 'strong sense of place' endorsed by the strong agricultural character. Wide areas retain a sense of rural tranquility and intactness away from the main road network. These areas can only often be reached by footpaths such as Stow/83/1. <i>Health and Wellbeing</i>: There is a limited network of PRoW meaning that the river floodplain can be the main focus for recreation. The footpath (Stow/83/1) has views towards Coates Gorse and other riparian vegetation which borders the meandering watercourse to the west of Low Farm. <i>Important Spatial Function</i>: Many village place names provide some evidence of 'time depth' with several woodlands being named after a local village such as Coates Gorse, indicating it once belonged to the community of Coates. Overall, the value of Viewpoint VP21 is shaped by the distinctive character of	Range of Features: The location comprises the public footpath network that forms an east west connection between Ingham and Coates. This is a short section of footpath where there are extended views that capture Ingham Road to the south and its associated tree cover. The hedgerows, mature trees, woodland and riparian vegetation create some level of visual containment and interest at this location. Importance of View: This is part of the footpath network at a location where there are extended views and features of interest, therefore raising the importance of the view. Number of Receptors: This location is primarily a draw for local residents using the footpath network The location is unlikely to capture some visitors from a wider area as this is not a recognised travel destination in the district.	Embedded Mitig construction, op decommissionin Mitigation is also include the follow Panels to be set Panels to be set property bounda Panels to be set minimum of 8m Panels to be set Existing hedges managed to a he to grow out to ac boundaries with appropriate, ran hedges. Lighting will be li battery banks or required. Lightin vehicle and pers 50W, installed at prevent light spi will be manually perimeter fencir The visual effect account equates (Year 1) and this been carried out impact at this En
High	Medium	Medium to High	Not Applicable



Mitigation

igation would be taken into account at the operation (Year 1 and Year 15) and ing stages of the Scheme. This Embedded lso referred to as primary mitigation and would lowing measures:

et a minimum of 15m from adjacent PRoW.

et a minimum of 50m from adjacent residential daries.

et minimum of 20m from major watercourses and m from minor watercourses.

et a minimum of 3m from Site boundaries.

s are to be allowed to grow out and will be height of 5m. Hedgerow trees will be encouraged add further thickening and growth to the field th the addition of new hedgerow trees as andomly spaced along the length of existing

e limited to downlights within substations and only and used when maintenance or security is ing will be PIR operated and will be calibrated to rsonnel movements. All visible lighting would be at a maximum height of 4m with cowls fitted to pillage. Lighting required within panelled areas ly operated. There will be no lighting on cing.

cts **with only** the Embedded Mitigation taken into e to those effects set out for the operation stage is includes secondary mitigation which will have ut but will have had limited physical or visual Embedded Mitigation stage.



Viewpoint VP21 – Stow/83/1



SOLAR PROJECT			
	Construction AccessThere would be no view of any construction access from this viewpoint.Cable Route CorridorViewpoint is outside of the 0.5km study area and there would be no view of this route.SubstationThis viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 1.	 Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	Woodland/trees and shelterbelts: 2.5m max at Ye max at Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Yea Existing hedgerows: 0.9m at Year 1 and 5m at Yea Shrubs: 0.9m at Year 1 and 5m at Year 15.
Magnitude	Medium	High	Low
Level of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term
Significance of Effect	Moderate – Major Significant	Major - Moderate Significant	Minor Not Significant

nax at Year 1, 7.5m	
n at Year 15.	
im at Year 15.	
5.	
	Very Low
	Neutral & Short Term
	Negligible Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	<u>In Summary</u> There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and intervening vegetation. Therefore, there no in combination visual effects are anticipated.	In Summary The Cumulative Effects upon viewpoint 21 of the Cumulative Developments is Negligible at year 1 of operation and Neg the limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Developments and p existing vegetation Embedded and Secondary Mitigation proposed as well as existing topography would limit any cumu Viewpoint 21 is Tillbridge Solar, located approximately 3km from the viewpoint and no cumulative visual effects are and
		<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or features of the landscape within the character
		There would be the introduction of new elements and features comprising the solar panel areas and the substation are
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the cum across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedgerows, and tree settlements and built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 Site Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the following figures:
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9]
		The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type or are road network is defined by important historic routes and in contrast, the east west minor road network links several hi settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are often tranquil and and they have a major role in helping to define the quality of the landscape and reducing the visibility across the area.
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of historic se small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised for adding relevant characteristics of the landscape and land use have some ability to accommodate change without undue adver Cottam 1 Site/Sites would not alter the overall character of the landscape and its communications and infrastructure fe within a well-vegetated context or associated with built form that plays a positive role in reducing the overall cumulative
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Adverse & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

> Negligible at year 15 with mitigation. This is due to d proximity to the visual receptor. A combination of mulative visual effects. The closest Development to anticipated.

ter area.

area within the character area

umulative developments would not be experienced ee cover between the Site/Sites. The intervening

Site/Sites and Gate Burton Energy Park, Tillbridge

area different from another. The strategic major historic and distinctive smaller string of ind hedged to both sides with wide grassed verges a.

settlement with farms, nucleated villages, and ing intimacy and interest to the landscape. These verse effects. The cumulative visibility for the e features. Moreover, these features are often set tive effects.



Viewpoint VP32 - Fill/86/1

Viewpoint Baseline:

The view is located on PRoW, bridleway (Fill/86/1), looking directly west onto the Cottam 1 North Site and southwest towards the Cottam 1 South Site.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a very gently undulating, low-lying landscape within the wider context of a rolling vale lowland. This landscape extends west from the foot of the limestone capped scarp slope which is host to the Limestone Scarps and Dipslopes Character Area 6a. The landform at this location extends to a local spur at Greystones Farm Glebe Farm on Willingham Road and this rising land closes down views towards the north. Greystones Farm and Glebe Farm are visible on the skyline along with their associated woodland cover. The footpath follows a north south alignment to reflect the field boundary and there are open views since the fields to each side have no boundary hedgerows and just a simple ditch with ruderal weed growth. The Larch Plantation that sits on the southern side of Willingham Road and to the east of Side Farm is only just visible on the horizon to the west (left of view) where the landform is at a lower elevation since this local spur of land also extends southwest from Greystones Farm and closes down views towards this direction. In terms of man-made features, the footpath is dominant in the landscape, otherwise there are little else in terms of built influence. New plantation is also visible on the distant horizon along with woodland associated with the settlement of Coates and the scattered trees in the hedgerows are also a prominent feature.

Subjective: The viewpoint depicts a large-scale, gently undulating, open landscape, being exposed at close-range and in the mid distance due to the absence of hedgerows. In terms of variety, the combination of landscape features includes farm buildings, plantation woodland, occasional hedgerow trees and arable fields that present a simple, well-balanced composition, but the increased field sizes add some discordancy. In terms of texture and colour, this is an intensively managed land use that is mainly of muted tones, but the gently undulating topography and the horizon woodland adds some interest and sense of scale.

Overall: The view is influenced by the open arable fields and the woodlands on the horizon that form a significant component and add balance to the landscape. The location offers no intimacy due to the higher elevation of the view, the lack of field hedgerows and the intensive arable land use. The horizon closes down the view since the landform rises to a high point on Willingham Road at approximately 20m AOD. The overall experience is interesting and very pleasant, with some depth to views and strong contrasting features due to the presence of the plantation woodlands on the horizon and varied landform. This is an isolated location with a distinct absence of settlement, built form or other man-made features.

Receptors:

This viewpoint is representative of views available to walkers using the bridleway (Fill/86/1). This section of bridleway leads from Short Lane (at the settlement of Ingham) to the junction with footpath (Ingh/17/1) then in a diagonal direction and then heading then north to eventually join with Willingham Road.

Description of View:

The foreground of the view comprises a large gently sloping agricultural field with no hedgerows to the front part. Further agricultural fields are visible beyond since this local collection of fields has very few well-established hedgerows. The middle and long distance therefore yields some visibility across the agricultural fields towards Larch Plantation and New Plantation. To the right-hand side of the view, there is the local collection of agricultural fields set in the context of a Willingham Road and to the left-hand side of the view there is a similar collection of agricultural fields that have very little extended visibility. The remainder of the horizon is made up of hedgerows, agricultural fields, and woodlands where visibility towards the middle and long distance is evident even though there is a strong hedgerow network. There are very few vertical elements in the view.



t.	A LATEF	1990	S.F.	Approximate	Extent of Develo	opment
		AAR P	- internet	to and the state of the state o	- 14	
A Martin Contraction						

Receptor susceptibility to change	Value of view	Sensitivity	Embedded Mitigation
In terms of forces for change for VP32, the small woodlands are sensitive elements of the landscape. The pressures are centered around existing woodlands that are often small and isolated and suffer from lack of management and there should be consideration for new planting schemes to take full advantage of opportunities to enhance the Unwooded Vales Character Area 4a, particularly along the PRoW network. Overall , the susceptibility for VP32 is conditioned by the susceptibility of the Limestone Scarps and Dipslopes that rises above the Trent Vale and forms a prominent and distinctive landscape feature, and where there is a visual relationship with the adjoining Till Vale. The Roman roads are also a key consideration created to link London with York. Superimposed on the north south axis of the Roman road is a less dominant but nonetheless distinctive pattern of east west routes and field boundaries that add geometric character. These relevant characteristics of the landscape therefore have a high susceptibility to change without undue adverse effects. The aims should also ensure there is a positive relationship between Limestone Scarps and Dipslopes Character Area 4a to ensure new planting does not negatively impact upon the open character between these two adjoining areas, especially where open visibility is an important feature locally.	 <u>Scenic:</u> The PRoW network such as bridleway (Fill/86/1), appeals to the visual senses due to absence of settlement and there is a remote, tranquil character to this location away from the busy road network. <u>Cultural</u>: The landscape shows evidence of generally little settlement, with only the isolated farmsteads at Glebe Farm and Greystones Farm. The prevalent use brick in these farmsteads adds visual unity to the landscape. <u>Natural</u>: There are extensive expanses of agricultural landscape, which are carefully managed, resulting in very few areas of semi natural habitat. Agricultural reservoirs are a key feature, and some are shrouded in tree cover such as the U-pond to the north of Short Lane at Ingham. Where present, this woodland gives added significance to views such as from bridleway (Fill/86/1), <u>Recreation and Enjoyment</u>: The bridleway network has a local identity, but connections are limited and often severed by the road network in most places. This location shows that Bridleway (Fill/86/1) forms part of a wider framework to the west of Fillingham and Ingham, extending as far as Glentworth. <u>Local Distinctiveness and Sense of Place</u>: The landscape has a limited 'sense of place' due to its productive and utilitarian character, however bridleway (Fill/86/1) is open along some of its route with few hedgerows, which creates expansive views, and this is the local distinctiveness. <u>Health and Wellbeing</u>: The Unwooded Vales Character Area 4a provides limited areas for recreation due to the distinct lack of PROW, but this location linking with Fill/86/1 is well-provided for. <u>Important Spatial Function</u>: The landscape benefits from the high level of visual unity from the extensive arable land use and sparse settlement to interrupt the skyline. Overall, the value of Viewpoint VP32 is shaped by its a geometric modern landscape of planned enclosure and modern field systems. There is some time depth associated	Range of Features: The location comprises the public bridleway network to the west of the settlement of Fillingham. This is an open location 'all-round', due to the absence of field hedgerows. There is a sparse range of features except for long views to the west and east that capture the open arable fields and their associated woodland cover including the Larch Plantation that sits on the southern side of Willingham Road and to the east of Side Farm. Importance of View: This is an open location on the bridleway network which passes between Ingham and Glentworth. The bridleway network is sparse in this locality, which raises the level of importance of the view. Number of Receptors: This is the public bridleway network that connects the settlements of Ingham and Glentworth (with a detour via the local road network). Being in close proximity to Filllingham and Fillingham Castle, this may extend the number of receptors from local users to those from a wider area. Since the network is disjointed this may also not attract riders from the wider area.	Embedded Mitigation would be taker (Year 1 and Year 15) and decommissi Mitigation is also referred to as prim measures: Shelterbelt vegetation should be intr C17 and to the western boundary of Add new hedgerows to the boundari mitigate views into the site and reduc should be introduced to the eastern Panels are to be set back 15m from t proposed new hedge and the Site bo the new vegetation and to allow for t Panels to be set minimum of 20m from minor watercourses. Panels to set back 20m from adjacen Site boundary fencing to be set back to allow for proposed thickening and Existing hedges are to be allowed to Hedgerow trees will be encouraged t to the field boundaries with the addir randomly spaced along the length of Lighting will be limited to downlights used when maintenance or security i be calibrated to vehicle and personn- installed at a maximum height of 4m Lighting required within panelled are lighting on perimeter fencing. The visual effects with only the Emb those effects set out for the operatio mitigation which will have been carrie impact at this Embedded Mitigation set
High	Medium	Medium to High	Not Applicable



en into account at the construction, operation ssioning stages of the Scheme. This Embedded imary mitigation and would include the following

troduced the northern boundary of fields C14 and of C14 to link Larch Plantation to New Plantation.

ries separating C27, C28, C29 and C30 to further uce the impacts of the panels. Shelterbelt planting n boundary of the Site.

the adjacent PRoW with 5m between the boundary fencing to allow for sufficient growth of the managed outgrowing of existing hedges.

rom major watercourses and minimum of 8m from

ent PRoW.

ck 5m from adjacent existing/proposed hedgerows nd growth.

p grow out and will be managed to a height of 5m. to grow out to add further thickening and growth lition of new hedgerow trees as appropriate, of existing hedges.

ts within substations and battery banks only and is required. Lighting will be PIR operated and will nel movements. All visible lighting would be 50W, m with cowls fitted to prevent light spillage. reas will be manually operated. There will be no

nbedded Mitigation taken into account equate to ion stage (Year 1) and this includes secondary ried out but will have had limited physical or visual stage.



Viewnoint VP32 - Fill/86/1

nt VP32 – Fill/86/1				
Construction	Operation (Year 1)	Operation Magnitude (Year 15)	Decommissioning	
Activities considered includes, site	The foreground of the view would change from a large gently sloping agricultural field to	With secondary mitigation such as planting and grass	A similar process to that of	
preparation / enabling works, construction,	an area of panels. Further agricultural fields beyond would be screened by panels in the	seeding being taken into account at the operational	construction stage, but wit	
and commissioning with effects such as	foreground. The views towards Larch Plantation and New Plantation would remain except	stage (Year 15) the following changes to the	Scheme being no longer	
construction traffic, noise and vibration from	in the context of the new panels. The remainder of the horizon is made up of woodlands	landscape would occur and the visual effects are set	operational. This is an	
construction activities, dust generation, site	would remain in the view but set in the context of the new panels. There are very few	out below.	assessment of the Site in v	
runoff, mud on roads, and the visual	vertical elements so no minor cumulative changes to this element of the view are		but assumes retention of	
intrusion of plant and machinery on site. At	predicted.	This view will become significantly more enclosed	existing vegetation and bu	
the early stages of the construction stage,		and views towards the western boundary of the	upon the proposed prima	
ground, and lower-level activities such as the	The effects set out below for Year 1 include secondary mitigation which will have been	Site/Sites will be screened in the close-range views	secondary mitigation that	
construction of the solar panel areas and	carried out, but will have had limited physical or visual impact at this stage:	through the planting of the proposed native hedges	been established as the f	
associated infrastructure and inverters		which will be managed to a height of 5m. In the	baseline. Effects are those	
would not be screened due to the absence	Native scattered tree blocks	middle distance, new and augmented hedgerows will	arising from activities for	
of the foreground hedgerows bordering the	To the north of field C28 and along the eastern boundary of C23 down to C24, a belt of	provide a series of strong field boundaries both	duration of the	
public footpath. During the latter part of the	native scattered trees will form a strong feature and provide visual interest and variation	formally strengthening the existing and historical	decommissioning includi	
construction stage, views would become	along this part of the Site, mitigating views from the east and the southeast.	field pattern and also in creating a multi-layered	traffic, noise and vibratio	
available of the elevated activities, and		landscape. Views of the longer distance (were	decommissioning activitie	
although the hedgerows within the	Shelterbelt planting	hedgerows to not block these), will be of a layered,	dust generation and site	
	Shelterbelt planting is proposed to the northern boundaries of C14 and C17 with	well treed landscape with a backdrop of wooded		
partial layering, these activities would still	additional planting to the western boundary of C14 to link Larch Plantation to New	vegetation in places on the horizon. Both new and	Following decommission	
occupy an extensive proportion of the view.	Plantation creating both visual and ecological links. Shelterbelt vegetation should be	existing vegetation will have established and begun	land is likely to be return	
	introduced the northern boundary of fields C14 and C17 and to the western boundary of	to mature creating a strong structure to the	arable production. The S	
Other works would be undertaken in	C14 to link Larch Plantation to New Plantation. Shelterbelt planting should be introduced	landscape and reducing the exposed feel of the area	however benefit from th	
connection with the construction including	to the eastern boundary of C23, C24 and C25 to mitigate views from the PRoW to the	whilst retaining its overall character.	significantly enhanced tr	
fencing, gates, boundary treatment and	development sites. Shelterbelt planting running generally west/east across the Site		hedgerow planting that h	
other means of enclosure and works for the	adjacent to Larch Plantation will link this woodland with the surrounding landscape both	Overall , in terms of mitigation for the Cottam 1	been carried out and has	
provision of security and monitoring	visually and in terms of creating valuable ecological networks.	North Site, consideration should be given to the	to mature to create a mu	
measures such as CCTV and the laying down		management existing trees and woodland,	stronger and robust land	
	New Hedgerows	encouraging new planting to ensure a varied	retaining and enhancing	
landscape and biodiversity mitigation works,	A proposed new hedgerow with irregularly spaced hedgerow trees is proposed to the	structure, whilst removing invasive species. The	overall character and pro	
including planting and the improvement of	eastern boundary of the Site at this viewpoint to the east of fields C29 and 30. Proposed	restoration of hedgerows should also be given	considerable biodiversity	
the foreground hedgerows.	new hedges will follow existing ditch/tree lines to field boundaries running north/south,	priority, creating a stronger field pattern and also to	benefits over the years. I	
These shout lived as structure activities	between fields C20, 22 and 27 helping to reinforce the field structure and create visual	bring opportunities to restore grassland and areas of	mitigation fields are likely	
These short-lived construction activities	links as well as breaking up the overall bulk of the panelled area. A new hedgerow to the	pasture.	retained and the potenti-	
would obstruct a significant proportion of	north of C27 and 29 will mitigate views from further north. Add new hedgerows to the		exist to retain grass marg	
the view and become a dominant feature.	boundaries separating C27, C28, C29 and C30 to further mitigate views into the site and	Between Years 1 and 15, the following beneficial	preserve some varied lar	
There would be a considerable change to the arable land use, but the surrounding field	reduce the impacts of the panels.	effects will be achieved in terms of Visual Receptors: – Grassland reversion around field	and maintain long-term improvements in biodive	
boundaries and the associated tree cover	Existing hedgerows	boundaries and PRoW	the local area, all of whic	
would remain intact. There would not be a	Where existing hedgerows exist across the Site running broadly north/south, these will be	 Increased woodland/vegetation cover 	benefit visual receptors.	
fundamental change to the immediate	enhanced and planted with irregularly spaced native hedgerow trees to break up the	 A more varied landscape 	benefit visual receptors.	
landscape to the north, south and east of	somewhat open and exposed landscape. Reinforcement of existing hedgerows will	 Improved (more natural) management of 	With secondary mitigation	
this location and the wider landscape to the	strengthen the overall character and create more of a well-treed scene locally and from	exiting vegetation	considered, the negative	
	further afield.	 Less expanse of intensively managed arable 	of the physical	
not fundamentally change.		land	decommissioning will be	
not fundamentally change.	Construction (Minute	 A less exposed and windswept landscape 	balanced out by the long	
Construction Access	Grassland Mixes	 A less exposed and windswept landscape Water quality improvements 	landscape and visual effe	
There would be no view of any construction	Planting along the PRoW (bridleway) is to be a tall herb mix providing a scenic walk/ride	 Potential animal grazing 	this mitigation.	
access from this viewpoint.	along this section of the route. This mix flows round to the west and along the southern	 Reinstatement of historic field patterns 	Guiden	
	border of fields C22, 27 and 30, providing a good open buffer around the existing ditch	 Bird mitigation fields 		
Cable Route/s	and small pond.	 Significantly improved biodiversity 		
Viewpoint is outside of the 0.5km study area				
and there would be no view of this route.				



SOLAR PROJECT			
	Substation This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 1.	 Flower rich pollinator mixes and tussock mixes are proposed around existing and proposed hedgerows elsewhere within the Site with pollinator mixes concentrated on the south and west facing hedgerow verges. Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	Growth of existing and proposed vege assumed to be: Woodland/trees and shelterbelts: 2.50 1, 7.5m max at Year 15. New hedgerows: 0.6m at Year 1 and 3 15. Existing hedgerows: 0.9m at Year 1 and 15. Shrubs: 0.9m at Year 1 and 5m at Year
Magnitude	High	High	Medium
Level of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term
Significance of Effect	Moderate-Major Significant	Major Significant	Moderate Significant

	Negligible Not Significant
	Neutral & Short Term
	Very Low
ar 15.	
nd 5m at Year	
3.5m at Year	
5m max at Year	
etation is	



	In-Combination Effects [Cumulative	
	Sites]	Cumulative Effects [Cumulative Developments]
	<u>In Summary</u> There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and intervening vegetation. Therefore, there no in combination visual effects are anticipated.	<u>In Summary</u> The Cumulative Effects upon viewpoint 32 of the Cumulative Developments is Negligible at year 1 of operation and Negligible limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Developments and proximity to vegetation, Embedded and Secondary Mitigation proposed as well as existing topography would limit any cumulative visual e Viewpoint 32 is Tillbridge Solar, located approximately 1.9km from the viewpoint however due to the densely planted vegetation visible and therefore has no potential intervisibility.
		<u>Fabric of the Landscape</u> There would not be the removal of or changes in individual elements or features of the landscape within the character area. There would be the introduction of new elements and features comprising the solar panel areas and the substation area wit
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the cumulative across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedgerows, and tree cover settlements and built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 Site/Sites and West Burton Solar Park. This cumulative visibility is set out in further detail within the following figures:
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9]
		The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type or area difference of the area. Overall, the prevailing road network is formed by narrow lanes that are often tranquil and hedged to both sides with role in helping to define the quality of the landscape and reducing the visibility across the area.
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of historic settleme hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised for adding intimacy ar characteristics of the landscape and land use have some ability to accommodate change without undue adverse effects. The would not alter the overall character of the landscape and its communications and infrastructure features. Moreover, these context or associated with built form that plays a positive role in reducing the overall cumulative effects.
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Adverse & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

> ble at year 15 with mitigation. This is due to the to the visual receptor. A combination of existing al effects. The closest Cumulative Development to etation surrounding Willingham Road the site is not

ea. vithin the character area

tive developments would not be experienced ver between the Site/Sites. The intervening

tes and Gate Burton Energy Park, Tillbridge Solar

lifferent from another. The strategic major road d distinctive smaller string of settlements across with wide grassed verges and they have a major

ment with farms, nucleated villages, and small and interest to the landscape. These relevant he cumulative visibility for the Cottam 1 Site/Sites se features are often set within a well-vegetated



Viewpoint VP36 - Fill/767/1

Viewpoint Baseline:

The view is located along the route of PRoW, bridleway (Fill/767/1), looking in all directions towards and directly over the Cottam 1 North Site and south towards the Cottam South Site. The view is also looking northwest towards the Cottam 2 Site/Sites.

Objective: This viewpoint offers views of an almost flat, low-lying landscape within the wider context of a rolling lowland that extends well beyond the foot of the limestone capped scarp slope. There are extended views where the boundary vegetation of the Site/Sites is evident in the context of the open fields. The landform at this location falls to a low point and this helps in shielding the field in views from Willingham Road to the south. The footpath follows a 'dog-leg' alignment to reflect the field boundary and is shielded by the hedgerows that have grown tall and although gappy in parts it helps to provide enclosure and intimacy. The Larch Plantation that sits on the southern side of Willingham Road to the east of Side Farm is also clearly visible on the horizon where the landform is at a higher elevation than the bridleway. The large-scale agricultural buildings associated with North Farm are also visible to the west (left of view) along with the large woodland block where the land rises and extends to meet the woodland. The track is also a prominent feature in the landscape as it leads from the bridleway to serve North Farm.

Subjective: The viewpoint depicts a medium-scale landscape where the undulations in topography display a strong landscape pattern with the layering of hedgerows being a prominent feature. The landscape features are balanced with simple additions of farm buildings interspersed with tree cover. The landscape is managed and muted in colour, but overall, the view is not distinctive or 'out of the ordinary'.

Overall: The view is typical in character to the wider open and arable land use where the tall and outgrown hedgerows add some intimacy along the route of the bridleway. There is a sense of security and a safe quality to the landscape. Overall, the experience is bland but pleasant.

Receptors:

This viewpoint is representative of views available to walkers and horse riders along the bridleway (Fill/767/1) that leads from Glentworth Grange and Kexby Road in the north to meet with Willingham Road in the south

A similar view provided by Viewpoints VP35 and LCC-C-G.

Description of View:

The foreground of the view comprises a large agricultural field with hedgerows to the front part. Further agricultural fields are visible beyond even though this local collection of fields has a number well-established and dense hedgerows. The middle and long distance therefore yields some visibility across the agricultural fields towards Larch Plantation, New Plantation and Fillingham Low Wood. To the right-hand side of the view, there is the local collection of agricultural fields set in the context of the bridleway (Fill/85/1) and to the left-hand side of the view there is a similar collection of agricultural fields that have very little extended visibility due to the presence of the local tributary of the River Till. The remainder of the horizon is made up of hedgerows, agricultural fields and woodlands where visibility towards the middle and long distance is evident even though there is a strong hedgerow network. There are very few vertical elements in the view in the context.





Receptor susceptibility to change	Value of view	Sensitivity	Embedded Mit
In terms of forces for change for VP36, the existing rural landscape features are sensitive, in particular the existing hedgerows since the most widespread change has been in agricultural intensification and the change from pastoral to arable cropping that has resulted in the loss of hedges, and consequently, an increase in field size. The loss of pasture is particularly evident around settlements, where grazing animals and smaller field sizes contribute to the setting and structure of several villages. Many of the rural villages have not seen widespread expansion but development pressures continue with the demand for housing, commerce and industry creating visual intrusion and extending the urban fringe. Overall, the susceptibility for VP36 is conditioned by the flat, open landscape and whilst the aim is to plan new tree planting around key settlements, woodland does not form a significant component of this part of the Unwooded Vales Character Area 4a. In considering the open and expansive character of the landscape, extensive new woodland planting would be generally inappropriate. These relevant characteristics of the landscape therefore have a high susceptibility to change without undue adverse effects. However, there is significant benefit with appropriate tree planting that could be used in and around settlements to increase the occurrence of semi-natural habitats and maintain the perception of a 'well-treed' landscape.	 <u>Scenic</u>. This region represents a major east-west link, connecting Lincolnshire with the North of England and the minor road network offers views over a local landscape that is, in parts, scenic with pleasant views. The network of PROW such as this bridleway (Fill/767/1) are important. <u>Culturali</u>. The close proximity to Gainsborough as a major historic crossing on the River Trent to the west and the strategic location of Roman roads on the limestone capped scarp slope to the east give rise to a number of historic settlements in the intervening landscape. This includes Fillingham and associated Fillingham Conservation Area and Fillingham Castle registered park and garden (List Entry:10009) to the east. <u>Naturali</u>. The local roads are valuable wildlife corridors since they are often narrow country lanes with grass verges, hedgerows to both sides and high levels of tranquility. <u>Recreation and Enjoyment</u>. The 'east west' travel direction of local lanes often links the older settlements moving in a more random pattern following minor roads. These roads such as Willingham Road, Fillingham Lane and Kexby Road are popular for recreation as narrow country lanes. <u>Local Distinctiveness and Sense of Place</u>: The landscape associated with Fillingham Lane and Willingham Road that derive their 'sense of place' from the woodland blocks that contrast with the intensive arable landscape. <u>Health and Wellbeing</u>. Main roads are significant features in this landscape but the minor road networks and their connecting PROW, including bridleways are often refuges of tranquility bringing benefits for health and wellbeing. <u>Important Spatial Function</u>: The local roads play an important role in wayfinding by linking several historic and distinctive smaller string of settlements with the PROW network. Overall, the value of Viewpoint VP36 is shaped by the bridleway network that links to the local roads (that gain access to smaller vi	 Range of Features: The location comprises the public bridleway network to the west of the settlement of Fillingham. This is an open location, but the footpath follows a 'dog-leg' alignment to reflect the field patterns and the location is shielded by the hedgerows that have grown tall and although gappy in parts it helps to provide enclosure and intimacy. The landscape features are balanced with simple additions of farm buildings interspersed with tree cover bordering the open arable fields. There is associated woodland cover including the Larch Plantation that sits on the southern side of Willingham Road and to the east of Side Farm. Importance of View: This is an open location on the bridleway network which passes between Ingham and Glentworth. The bridleway network is sparse within this locality, which raises the level of importance of the view. Number of Receptors: This is the public bridleway network that connects the settlements of Ingham and Glentworth (with a detour via the local road network). Being in close proximity to Fillingham and Fillingham Castle, this may extend the number of receptors from local users to those from a wider area. Since the network is disjointed this may also not attract riders from the wider area. 	Embedded Mitigat construction, oper decommissioning Mitigation is also n include the followi Panels to be set ba Site boundary fend existing/proposed and growth. Panels to be set m minimum of 8m fr Site boundary fend hedgerows to allow Panels to be set an Hedge planting to Proposed and exiss Lighting will be lim battery banks only required. Lighting vehicle and persor 50W, installed at a prevent light spilla be manually opera fencing. The visual effects w account equate to (Year 1) and this in been carried out b impact at this Emb
High	Medium	Medium to High	Not applicable

litigation

ation would be taken into account at the eration (Year 1 and Year 15) and ng stages of the Scheme. This Embedded o referred to as primary mitigation and would wing measures:

back 50m from adjacent residential dwellings.

back 10m from adjacent ditches.

encing to be set back 5m from adjacent ed hedgerows to allow for proposed thickening

minimum of 20m from major watercourses and from minor watercourses.

encing to be set back 5m from adjacent existing low for proposed thickening and growth.

a minimum of 3m from Site boundaries.

to be 10m from the existing PRoW.

xisting hedgerows to be managed at 5m.

imited to downlights within substations and nly and used when maintenance or security is ng will be PIR operated and will be calibrated to onnel movements. All visible lighting would be a maximum height of 4m with cowls fitted to llage. Lighting required within panelled areas will erated. There will be no lighting on perimeter

s **with only** the Embedded Mitigation taken into to those effects set out for the operation stage includes secondary mitigation which will have t but will have had limited physical or visual mbedded Mitigation stage.



Viewpoint VP36 - Fill/767/1

Construction	Operation (Year 1)	Operation (Year 15)	Decommissioning
Activities considered includes, site	The foreground of the view would change from a large agricultural field to an area	Secondary mitigation such as planting, and grass seeding	A similar process to that
preparation / enabling works, construction,	of panels but the hedgerows to the front part would help screen some of the views.	would be taken into account at this stage to include the	construction stage, but w
and commissioning with effects such as	Further agricultural fields beyond would be screened by the panels in the	following changes to the landscape:	the Scheme being no lor
construction traffic, noise and vibration from	foreground. Views towards Larch Plantation, New Plantation and Fillingham Low		operational. This is an
construction activities, dust generation, site	Wood would remain but they would be set in the context of the new panels. The	This view will become significantly more enclosed and views	assessment of the Site ir
runoff, mud on roads, and the visual	presence of the local tributary of the River Till and its associated riparian vegetation	will be of a well treed landscape with vegetated links around	winter but assumes
intrusion of plant and machinery on site. At	would remain as a feature of the view. The remainder of the horizon made up of	Fillingham Low Wood breaking up the open skyline. Close	retention of existing
the early stages of the construction stage,	woodlands would remain as a feature of the view. There are very few vertical	range views will comprise a flower meadow and shelterbelt	vegetation and builds up
ground, and lower-level activities such as the	elements so no minor cumulative changes to this element of the view are	with an open field of turtle dove mitigation planting to the west	the proposed primary a
construction of the solar panel areas and	predicted.	of North Farm. Shelterbelt planting to the north and scattered	secondary mitigation the
associated infrastructure and inverters		tree belt to the northeast will have established and will begin to	had been established as
would not be fully screened due to the	The effects set out below for Year 1 include secondary mitigation which will have	provide strong vegetated layers across the landscape merging	future baseline. Effects a
gappy nature of the foreground hedgerows	been carried out, but will have had limited physical or visual impact at this stage:	into existing woodland blocks with some woodland cover on	those arising from activit
bordering the public bridleway. During the	been earned out, but winnave nad innited physical of visual impact at this stage.	the horizon. To the northeast, across several fields in the mid-	for the duration of the
latter part of the construction stage, views	Native scattered tree blocks	distance, enhanced blocks of scattered trees will soften views,	decommissioning includ
would become available of the elevated	A block of native scattered trees is proposed to the northwest of North Farm on the	screen Site/Sites and will augment the level of tree cover	site traffic, noise and
	northern boundary of field A3 mitigating views from the south, bounding the		vibration from
activities, and although the hedgerows		locally, blending into the wooded horizon in places. The	
within the surrounding field systems would	proposed Turtle Dove mitigation field, and linking to the adjacent Fillingham Low	proposals include improvements to the hedge to the field in	decommissioning activit
give some partial layering, these activities	Wood. Another line of scattered trees is proposed to the western boundary of B1	immediate view to break up the effects the panels might have	dust generation and site
would still occupy an extensive proportion of	with a block of panels to the northeast of this viewpoint. This block sits adjacent to	on the skyline. The aim is to reinforce this hedgerow with trees	runoff.
the view.	the ditch with a 50m section of proposed flower rich pollinator mix to the west up	to mitigate views from riders on the bridleway.	
	to the field boundary where this thin field strip is divided from B2 by the ditch and		Following decommission
Other works would be undertaken in	bounded on the west by an existing hedge.	Overall, in terms of mitigation for the Cottam 1 North Site,	the land is likely to be
connection with the construction including		consideration should be given to plan new tree planting	returned to arable
fencing, gates, boundary treatment and	Shelterbelt planting	around key settlements and other suitable locations such as	production. The Site will
other means of enclosure and works for the	A 10m shelterbelt is proposed to the north of North Farm to mitigate views of the	PRoW that provide connections between these settlements.	however benefit from th
provision of security and monitoring	panels from this property and from views from the south and southeast along the	Trees should be typically grouped in small plantations/copses	significantly enhanced tr
measures such as CCTV and the laying down	PRoW.	or as individual trees within hedgerows. The creation of new	and hedgerow planting
of internal tracks. There would also be		hedgerows and permanent pasture along watercourses is also	has been carried out an
landscape and biodiversity mitigation works,	New Hedgerows	a priority, enhancing visibility of steams and dykes, whilst	has begun to mature to
including planting and the improvement of	A new hedgerow with hedgerow trees is proposed to the south of fields B2 and B3	increasing the occurrence of semi- natural habitats. Although	create a much stronger
the foreground hedgerows.	mitigating views looking northeast from the PRoW and Willingham Road to the	the remaining hedgerow network in strong, there is evidence	robust landscape, retain
	southwest. New hedgerows with irregular spaced hedgerows trees are proposed to	of decline, with gaps and few hedgerow trees.	and enhancing the over
These short-lived construction activities	the eastern boundary of field A4 and to the western boundary reaching up to the		character and providing
would obstruct a significant proportion of	proposed scattered tree block. A new hedgerow is to cut across the southern	Between Years 1 and 15, the following beneficial effects will be	considerable biodiversit
the view and become a dominant feature.	section of field A4, creating vegetated links across this field and further mitigating	achieved in terms of Visual Receptors:	benefits over the years.
There would be a considerable change to the	potential views to the north.	 Grassland reversion around field boundaries and 	mitigation fields are like
arable land use, but the surrounding field		PRoW	be retained and the
boundaries and the associated tree cover	Existing hedgerows	 Increased woodland/vegetation cover 	potential may exist to re
would remain intact. There would not be a	Existing hedgerows to the north of B2,3 and 4 and to the east of B4 are to be	 A more varied landscape 	grass margins to preser
fundamental change to the immediate	enhanced with the addition of irregularly spaced hedgerow trees and infilled as	 Improved (more natural) management of exiting 	some varied land use ar
north, south and west of this location and	necessary. An existing gappy hedge to the south out field A2 is to be enhanced and	vegetation	maintain long-term
the wider landscape to the north would also	infilled.	 Less expanse of intensively managed arable land 	improvements in
not fundamentally change.		 A less exposed and windswept landscape 	biodiversity in the local a
	Turtle Dove mitigation	 Water quality improvements 	all of which will benefit
Construction Access	Field A3 is to be established as turtle dove habitat.	 Potential animal grazing 	visual receptors
There would be no view of any construction		 Reinstatement of historic field patterns 	
access from this viewpoint.	Grassland and Shrub Mixes	 Bird mitigation fields 	With secondary mitigation
	A tall herb mix is proposed along the boundary with the ditch adjacent to field B1.	 – Bird mitigation fields – Significantly improved biodiversity 	considered, the negative
Cable Route Corridor	Field B1 itself is to be seeded with a flower rich pollinator mix, as is a section of the	Significancy improved biodiversity	effects of the physical
		Growth of existing and proposed vegetation is assumed to her	
Viewpoint is outside of the 0.5km study area	A4 to the north of North Farm, taking the proposed shelterbelt a minimum of 40m	Growth of existing and proposed vegetation is assumed to be:	decommissioning will be
and there would be no view of this route.	to the north of the dwelling. Further flower rich mixes are proposed to the eastern		balanced out by the long

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.3: Viewpoint Analysis & Evaluation – Views Significant [Reference: EN010133/APP/C6.3.8.3.2.3.20] January 2023



	Substation This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 1.	 and northern extents of this block, whilst tussock mixes abut existing and proposed hedgerows around fields A1 and A2. A 10m margin of tall herb mix is proposed either side of the ditch which runs south of field A1. A shrub mix is proposed to the east of Fillingham Low Wood with a tussock mix to the field boundary. Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	Woodland/trees and shelterbelts: 2.5m max at max at Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Ye Existing hedgerows: 0.9m at Year 1 and 5m at Y Shrubs: 0.9m at Year 1 and 5m at Year 15.
Magnitude	Medium	High - Medium	Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term
Significance of Effect	Moderate – Major Significant	Moderate Significant	Minor Not Significant

ax at Year 1, 7.5m	term landscape and visual effects of this mitigation.
n at Year 15.	
m at Year 15.	
	Very Low
	Neutral & Short Term
	Negligible Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
		Camara and Camara a conceleration
	<u>In Summary</u> There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and intervening vegetation. Therefore, there no in combination visual effects are anticipated.	In Summary The Cumulative Effects upon viewpoint 36 of the Cumulative Developments is Negligible at year 1 of mitigation. The closest Cumulative Development to Viewpoint 36 is Tillbridge Solar, located approxin would be any cumulative visual effects from this viewpoint due to the intervening hedgerow directly
		<i><u>Fabric of the Landscape</u></i> There would not be the removal of or changes in individual elements or features of the landscape with
		There would be the introduction of new elements and features comprising the solar panel areas and
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visi not be experienced across the majority of the 5km study area. This is due to the distance, the interver between the Site/Sites. The intervening settlements and built form would also curtail cumulative visil
		There are local patches of cumulative visibility which may be focus of likely significant effects, betwee Energy Park, Tillbridge Solar and West Burton Solar Park. This cumulative visibility is set out in furthe
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4 Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3]
		The landscape is shaped by the wide range of local and strategic road networks, which make one lar strategic major road network is defined by important historic routes and in contrast, the east west m distinctive smaller string of settlements across the area. Overall, the prevailing road network is form hedged to both sides with wide grassed verges and they have a major role in helping to define the q across the area.
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infrastructure is shaped by evid nucleated villages, and small hamlets such as Thorpe le Fallows and Coates, which are features value intimacy and interest to the landscape. These relevant characteristics of the landscape and land use without undue adverse effects. The cumulative visibility for the Cottam 1 Site/Sites would not alter th communications and infrastructure features. Moreover, these features are often set within a well-ve- that plays a positive role in reducing the overall cumulative effects.
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

> of operation and Negligible at year 15 with ximately 0.8km however it is not anticipated there tly north of the view.

within the character area.

nd the substation area within the character area

isibility with the cumulative developments would vening woodlands, hedgerows, and tree cover isibility.

veen the Cotton 1 Site/Sites and Gate Burton her detail within the following figures:

5.4.8.15.2.6] [C6.4.8.15.2.8] 5.3.4.15.2.9]

andscape type or area different from another. The minor road network links several historic and med by narrow lanes that are often tranquil and quality of the landscape and reducing the visibility

vidence of historic settlement with farms, ue that are not highly recognised for adding se have some ability to accommodate change the overall character of the landscape and its vegetated context or associated with built form





Viewpoint VP37 – Junction of Gypsy Lane and Willingham Road

Viewpoint Baseline:

The view is located at the junction with Gypsy Lane and Willingham Road, looking east and south directly over the Cottam 1 North Site with the Cottam 1 South Site beyond to the south.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a slightly undulating, low-lying landscape within the wider context of a broad vale, which is conspicuous at this location. The land use is mainly productive arable farmland with many large fields under single crop. There are some local variations in landform where the land rises to the west to a high point of approximately 20m AOD around Willingham by Stow and Kexby. To the north, the land rises to a local high point of approximately 15m AOD at Heaton's Wood and to the south there is a gentle fall towards the River Till, which takes a meandering course to the north of Normanby by Stow and to the east of Coates. Towards the east, the landform is generally flat at 10m AOD then rising gently towards the foot of the scarp slope from where the landscape then rises sharply towards the settlements of Fillingham and Ingham. In terms of enclosure, there are numerous woodland blocks that form strong geometric shapes in the landscape and collectively provide a dominant wooded horizon, particularly towards the east of the view. These woodlands include Fillingham Low Wood, New Plantation and Larch Plantation. To the west and north, the view is enclosed by the gently rising landform and the settlements, whereas to the south the landscape is more open with views extending over the River Till Vale. Towards the east the geometric woodland blocks close down some visibility. In terms of man-made features, there are isolated farmsteads at Turpin Farm, Side Farm and North Farm and there are also residential properties at Moor Bridge, otherwise little else exists in terms of built influence. Occasional groups of conifer trees have a domestic character and the overhead wires that pass along the road network are also detractors. Willingham Road is prominent in the landscape and the 'S' curve in the road (where it becomes Fillingham Lane) offers an interesting view towards the east that captures the Limestone Scarps and Dipslopes Character Area 6a showing the strong woodlands at Fillingham.

Subjective: The viewpoint depicts a medium to large-scale, partially open landscape. In terms of variety, the combination of landscape features includes farm buildings, plantation woodland, occasional hedgerows and arable fields that present a simple, well-balanced composition. In terms of texture and colour, this is an intensively managed land use that is mainly muted but the strong presence of geometric woodlands adds some interest and sense of enclosure. Grass verges are also a feature of these local lanes that add a 'sense of place' and distinctive character, and the hedgerows have a good range of native species including hawthorn, elder, ash and dog rose. The 'S' bend in the road also adds intimacy to the landscape.

Overall: The view is influenced by the woodlands on the horizon towards the east that form a significant component and add balance to the landscape. This location offers some intimacy since this is a local lane with little traffic and there is no major settlement to disrupt the tranquility. The field hedgerows are cut back, and the arable land use is intensively managed, however the mature ash trees within the hedgerows are a strong feature. The overall experience is pleasant, with some depth to views and strong contrasting features due to the presence of the plantation woodlands on the horizon and the slight undulations in topography. This is an isolated, remote location with a distinct absence of settlement, built form or other manmade features

Receptors:

This viewpoint is representative of views available to walkers and horse riders travelling between the settlements of Willingham by Stow in the west and Fillingham in the east.

Description of View:

The foreground of the view comprises the 's' bend in the road marks the junction of Fillingham Lane and Willingham Road with large agricultural fields and hedgerows to each side. Further agricultural fields are not visible beyond since this local collection of fields has a number well-established and dense hedgerows, small woodlands, and shelterbelts. The middle and long distance therefore yields limited visibility across the agricultural fields. To the right-hand side of the view, there is the local collection of agricultural fields divided by Gypsy Lane and its tall hedgerows and to the left-hand side of the view there is a similar collection of agricultural fields that have very little extended visibility due to the presence of a good hedgerow network. The remainder of the horizon is made up of hedgerows, agricultural fields, and woodlands where visibility towards the middle and long distance is hardly evident due to the strong hedgerow network. There are some vertical elements in the view, including telegraph poles and associated cables at close range, and these are notable elements in the context of the enclosed landscape at this location.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.3: Viewpoint Analysis & Evaluation – Views Significant [Reference: EN010133/APP/C6.3.8.3.2.3.21] January 2023





Receptor susceptibility to change	Value of view	Sensitivity	Embedded N
In terms of forces for change for VP37, small woodlands are a distinctive component of this landscape. There are regular patterns of enclosure with modern arable fields where hedgerows have been removed, but due to the abundance of small woodland blocks this helps reinforce a sense of enclosure in this part of the Unwooded Vales Character Area 4a. The restoration of hedgerows therefore should be given priority to strengthen the field pattern and enhance linkages between woodlands. Overall, the susceptibility for VP37 is conditioned by the agricultural intensification and farm amalgamation that is resulting in the loss or damage of many typical landscape features, including traditional patterns of field boundaries, remnants of ridge and furrow, and grasslands. The loss of grazing fields around the edges of villages is also leading to a more homogenous landscape and the reinforcement of small woodland blocks and hedgerows will help add a subtle diversity to the landscape pattern. These relevant characteristics of the landscape therefore have a medium susceptibility to change without undue adverse effects.	Scenic: There is a string of small, nucleated settlements on the limestone capped scarp slope that add to the sequence of views, especially towards landmark churches and woodlands associated with the Grade II Listed registered park and garden at Fillingham Castle. The 'S' bends on the east west minor road network helps with the appreciation of these views towards the scarp slope. Cultural: Where the farmhouses are set back from the roads, lines of trees such as horse chestnuts form distinctive features and where the farmhouse directly front the highway they are framed to each side with oak and polar species which stand out in the landscape. Conifer species are also seen with the large-scale agricultural buildings. This characteristic is particularly noticeable along Fillingham Lane and Willingham Road. Natural: The quiet rural lanes provide opportunities for wildlife corridors across the area, especially where they join with minor farm tracks and green lanes. Recreation and Enjoyment: There are no PRoW and recreation is provided by numerous small country lanes. Local Distinctiveness and Sense of Place: The 'sense of place' is marked by the 'S' bend in the road, which is a distinctive feature of the east west road network. Health and Wellbeing: Willingham Road and Fillingham Lane is a quiet backwater relative to the B1241 to the west and A15 to the east. Important Spatial Function: The long eastward views to the limestone capped scarp slope are key to the spatial qualities of the area. Overall, the value of Viewpoint VP37 is shaped by the nature of the predominantly rural and sparsely settled area with dispersed farms. The east west local networ	Range of Features: The location comprises the local road network between the settlements of Willingham by Stow and Fillingham. This is a part open location, but the road follows a 'dog-leg' alignment to reflect the field patterns and the location is part shielded by the hedgerows that have grown tall and although gappy in parts it helps to provide enclosure and intimacy at this location. In terms of variety, the combination of landscape features includes farm buildings, plantation woodland, occasional hedgerow trees, hedgerows and arable fields that present a simple, well-balanced composition. Importance of View: This is a part open location on the local road network which passes between Willingham by Stow and Fillingham. The strategic major road network is defined by important historic routes (north south) and the local road network also links (east west) several historic and distinctive settlements across the area. The viewpoint forms part of this east west road network. Number of Receptors: This is the local road network that connects the settlements of Willingham by Stow and Fillingham. Being part of the east west road network, this may extend the number of receptors from local users to those from a wider area.	Embedded Mitig construction, op decommissionin Mitigation is als include the follo Site boundary for hedgerows to a Panels to be set minimum of 8m Panels to be set Existing hedges managed to a h to grow out to a boundaries with appropriate, ran hedges. Lighting will be battery banks o required. Lightin vehicle and pers 50W, installed a prevent light sp be manually op fencing. The visual effect account equate (Year 1) and this been carried out impact at this En
Medium	Medium	Medium	Not Applicable

Mitigation

itigation would be taken into account at the operation (Year 1 and Year 15) and ning stages of the Scheme. This Embedded also referred to as primary mitigation and would llowing measures:

fencing to be set back 5m from adjacent existing allow for proposed thickening and growth.

set minimum of 20m from major watercourses and 8m from minor watercourses.

set a minimum of 3m from Site boundaries.

es are to be allowed to grow out and will be a height of 5m. Hedgerow trees will be encouraged add further thickening and growth to the field ith the addition of new hedgerow trees as randomly spaced along the length of existing

e limited to downlights within substations and s only and used when maintenance or security is nting will be PIR operated and will be calibrated to ersonnel movements. All visible lighting would be at a maximum height of 4m with cowls fitted to spillage. Lighting required within panelled areas will operated. There will be no lighting on perimeter

ects **with only** the Embedded Mitigation taken into te to those effects set out for the operation stage his includes secondary mitigation which will have out but will have had limited physical or visual Embedded Mitigation stage.



Construction	Operation (Year 1)	Operation (Year 15)	Decomr
Activities considered includes, site	The foreground of the view would retain the 's' bend in the road marking the junction of Fillingham	With secondary mitigation such as planting and	A similar p
preparation / enabling works, construction,	Lane and Willingham Road but the large agricultural fields to each side would change to an area of	grass seeding being taken into account at the	of constru
and commissioning with effects such as	panels. Further agricultural fields beyond would be screened by the panels. The local collection of	operational stage (Year 15) the following	but with t
construction traffic, noise and vibration	agricultural fields divided by Gypsy Lane and its tall hedgerows would not change in the view. The	changes to the landscape would occur and the	being no
from construction activities, dust	remainder of the horizon made up of woodlands would be set in the context of the new panels to the	visual effects are set out below.	operation
generation, site runoff, mud on roads, and	northeast and south of this location. The vertical elements in the view, including telegraph poles and		assessme
the visual intrusion of plant and machinery	associated cables would add some minor cumulative changes to the view.	The view will become significantly more	winter bu
on site. At the early stages of the		enclosed since the proposed scattered trees	retention
construction stage, ground, and lower-level	The effects set out below for Year 1 include secondary mitigation which will have been carried out, but	and shelterbelt will have established to create a	vegetatior
activities such as the construction of the	will have had limited physical or visual impact at this stage:	strong field structure and screen views of the	upon the
solar panel areas and associated		panels in the mid distance. Existing hedges	primary a
infrastructure and inverters would not be	Scattered tree belt	around the Site will have been managed to	mitigation
fully screened due to the gappy nature of	A scattered tree belt is proposed within field C3 to the northeast of this viewpoint linking an existing	grow out to 5m reinforcing the vertical structure	establishe
the foreground hedgerows bordering the	lone tree to the hedgerow to the north. Another belt links a tree in field C4 to the eastern boundary of	locally. In the close-range, the existing	baseline. I
Gypsy Lane and Willingham Road. During	this field.	hedgerows will screen the panels with mid and	those aris
the latter part of the construction stage,		longer distance views appearing as a layered	activities f
views would become available of the	Shelterbelt	well-treed landscape with a backdrop of local	of the dec
elevated activities, and although the	A 5m shelterbelt is proposed to the north and west of Turnpin's Bungalows and to the south and west	and distant woodland. Roadside verges along	including
hedgerows within the surrounding field	of Turnpin Farm to mitigate views of the Scheme from these properties. A long shelterbelt will run	Willingham Road will have established to create	noise and
systems would give some partial layering,	west/east to the north of field C5 adjacent to the existing waterway creating a strong break across this	a more natural and visually pleasing route.	decommis
these activities would still occupy an	large field and adding height and variation to the views across the Site.		activities,
extensive proportion of the view.		Overall , in terms of mitigation for the Cottam 1	generatio
	Existing hedges	North Site, there are few public rights of way	runoff.
Other works would be undertaken in	Existing hedgerows along the Willingham Road are to be managed to grow out with the addition of	(PRoW) across the landscape and	
connection with the construction including	irregularly spaced hedgerow trees as appropriate to increase the tree cover locally and provide height	considerations should therefore be given to	Following
fencing, gates, boundary treatment and	and further screening whilst retaining the overall character of this road.	improving the network of local lanes for	decommis
other means of enclosure and works for the		recreation. This is a landscape of long views	land is like
provision of security and monitoring	New hedges	towards the west of the power stations and	returned
measures such as CCTV and the laying down	A new hedgerow to two sections of the northern boundary of field C3 are proposed where none exists	towards the east of the string of settlements	productio
of internal tracks. There would also be	mitigating views of the Site from the wider landscape to the north and joining the existing hedgerow.	that line the limestone capped scarp slope and	however b
landscape and biodiversity mitigation works,	Further east, new field hedges to the west and east of field C9 will strengthen the field pattern locally		the signifi
including planting and the improvement of	whilst also further mitigating views from Turpin's Farm and bungalows as well as views from the east	where these views are captured from the local	enhanced
the foreground hedgerows.	along Willingham Road. A new hedgerow to the west of field C2 will mitigate views and help to further	road network then this feature should be	hedgerow
the foreground nedgerows.	strengthen the field structure locally, providing additional height with proposed hedgerow trees. A new	enhanced.	has been
These short-lived construction activities	hedge is proposed to the southern boundary of field C5 and the eastern boundary of C6 which will		has begur
would obstruct a significant proportion of	reinforce field pattern and break up the bulk of the panelled area.	Between Years 1 and 15, the following beneficial	create a m
the view and become a dominant feature.		effects will be achieved in terms of Visual	and robus
There would be a considerable change to		Receptors:	retaining a
the arable land use, but the surrounding	Successional scrub	 Grassland reversion around field 	the overal
field boundaries and the associated tree	A belt of successional scrub is proposed to the western boundary of field C3 adjacent to existing	boundaries and PRoW	providing
cover would remain intact. There would not	vegetation on this western boundary of the Site. A strong buffer of successional scrub is proposed to	 Increased woodland/vegetation cover 	
	run north/south and east either side of existing vegetation within fields C2,5 and 6 providing a layered	 A more varied landscape 	biodiversi
be a fundamental change to the immediate	visual effect and additional habitat links.	 Improved (more natural) management 	the years.
northwest of this location and the wider		of exiting vegetation	fields are
landscape to the northwest would also not	<u>Grassland mixes</u>	 Less expanse of intensively managed 	retained a
fundamentally change.	A 10m tall herb mix buffer is to line each side of the existing watercourse running across the Site.	arable land	potential
Construction A	Elsewhere within the field boundaries, flower rich pollinator mixes are to be used with tussock mixes	 A less exposed and windswept 	retain gra
Construction Access	used adjacent to existing and proposed vegetation in places.	landscape	preserves
There would be no view of any construction		 Water quality improvements 	land use a
access from this viewpoint.	Margin verge habitat	 Potential animal grazing 	long-term
	To the north of the Willingham Road adjacent to the viewpoint, an enhanced roadside margin habitat	 Reinstatement of historic field patterns 	in biodive
Cable Route Corridor	is proposed to mitigate the erosion of good quality roadside verges in this area to create a more	 Bird mitigation fields 	area, all of
	visually pleasing and natural view.	 Significantly improved biodiversity 	benefit vis



SOLAR PROJECT				
	Viewpoint is within the 0.5km study area and there would be potential views north towards this route. Substation This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 1.	 Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	Growth of existing and proposed vegetation is assumed to be: Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Year 15. Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15.	With secondary mitigation considered, the negative effects of the physical decommissioning will be balanced out by the long term landscape and visual effects of this mitigation.
Magnitude	Medium	High	Low	Very Low
Level of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term	Neutral & Short Term
Significance of Effect	Moderate Significant	Moderate-Major Significant	Minor Not Significant	Negligible Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	In Summary There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and intervening vegetation. Therefore, there no in combination visual effects are anticipated.	In Summary The Cumulative Effects upon viewpoint 37 of the Cumulative Developments is Negligible at year 1 of op mitigation. It is anticipated there would be no cumulative visual effects due to extensive vegetative cov cumulative visual effects. <u>Fabric of the Landscape</u> There would not be the removal of or changes in individual elements or features of the landscape with There would be the introduction of new elements and features comprising the solar panel areas and the solar panel areas areas and the solar panel areas and the solar panel areas areas and the solar panel areas and the solar panel areas areas and the solar panel areas
		Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibil be experienced across the majority of the 5km study area. This is due to the distance, the intervening v the Site/Sites. The intervening settlements and built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely significant effects, between Park, Tillbridge Solar and West Burton Solar Park. This cumulative visibility is set out in further detail wi
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4]
		The landscape is shaped by the wide range of local and strategic road networks, which make one lands strategic major road network is defined by important historic routes and in contrast, the east west min distinctive smaller string of settlements across the area. Overall, the prevailing road network is formed hedged to both sides with wide grassed verges and they have a major role in helping to define the qua across the area.
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infrastructure is shaped by evider villages, and small hamlets such as Thorpe le Fallows and Coates, which are features value that are not interest to the landscape. These relevant characteristics of the landscape and land use have some abil adverse effects. The cumulative visibility for the Cottam 1 Site/Sites would not alter the overall character infrastructure features. Moreover, these features are often set within a well-vegetated context or asso in reducing the overall cumulative effects.
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

operation and Negligible at year 15 with over along Willingham Road which would limit any

ithin the character area.

I the substation area within the character area

bility with the cumulative developments would not g woodlands, hedgerows, and tree cover between

en the Cotton 1 Site/Sites and Gate Burton Energy within the following figures:

.8.15.2.6] 6.4.8.15.2.8] 3.4.15.2.9]

dscape type or area different from another. The ninor road network links several historic and ed by narrow lanes that are often tranquil and uality of the landscape and reducing the visibility

dence of historic settlement with farms, nucleated not highly recognised for adding intimacy and bility to accommodate change without undue cter of the landscape and its communications and sociated with built form that plays a positive role



Viewpoint VP39 – Junction of Cot Garth Lane and Stone Pit Lane

Viewpoint Baseline:

The view is located at the junction of Cot Garth Lane and Stone Pit Lane, looking south directly over the Cottam 1 North Site with the Cottam 1 South Site beyond to the south. This is also looking east over the Cottam 1 North Site.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a slightly undulating, low-lying landscape within the wider context of a broad vale, which is conspicuous at this location. The land use is mainly productive arable farmland with many large fields under single crop. There are some local variations in landform where the land rises to the west to a high point of approximately 20m AOD at the settlement of Willingham by Stow. To the north, the land rises to a local high point of approximately 15m AOD on Fillingham Lane and to the south there is a gentle fall towards the River Till, which takes a meandering course to the north of Normanby by Stow. Towards the east, the landform is generally flat at 10m AOD then rises gently towards the foot of the scarp slope from where the landscape then rises sharply to form the scarp slope at Ingham. In terms of enclosure, there are numerous woodland blocks that form strong geometric shapes in the landscape and collectively provide a dominant wooded horizon, particularly towards the east of the view. These woodlands include New Plantation, Larch Planation, Fox Covert, Normanby Gorse and a shelterbelt at Moor Bridge. To the west and north, the view is enclosed by the gently rising landform and the settlement edge, whereas to the south the landscape is more open with views extending over the River Till Vale. Towards the east the geometric woodland blocks close down some visibility. In terms of man-made features, there are isolated farmsteads at Poplar Farm, Magin Moor Farm and Turpin Farm on Fillingham Lane and Lowfield Farm and Moor Farm on Moor Lane. There are also residential properties at Moor Bridge and Turpin's Bungalows, otherwise little else exists in terms of built influence. Stone Pit Lane is a prominent feature as it is a straight route that connects to Fillingham Lane in the north leading to a 'no through' road in the south and joining with Cot Garth Lane.

Subjective: The viewpoint depicts a medium-scale, partially open landscape. In terms of variety, the hedgerows are a strong feature and well cut back with regular hedgerow trees. There is also a local collection of ancient enclosure field systems to the south of Cot Garth Lane that are bounded by a strong network of hedgerows with some distinctive hedgerow trees including ash and oak. The hedgerows are present on both sides of these lanes and there are wide grass verges that present some consistency and overall intimacy to the view. In terms of texture and colour, the foreground has stockpiled materials, including tyres and hardcore, which is a detractor and mast poles are visible in the immediate foreground giving an almost garish, discordant quality and unsettling quality to the view.

Overall: The view is influenced by the presence of the local lane network with strong hedgerows and regular pattern of trees within them. This location offers some intimacy since this is a local lane network with little traffic and no major settlement to disrupt the tranquility. The field hedgerows are cut back, and the arable land use is intensively managed, but the presence of woodland in the distance is an interesting feature. The intensive levels of management and the stockpiling of materials add decline to the natural gualities of the view. The overall experience is pleasant as this is a guiet location with a distinct absence of settlement and disturbance.

Receptors:

This viewpoint is representative of views available to motorists, residents, walkers, and horse riders using these local lanes at the southeastern edge of Willingham by Stow.

Description of View:

The foreground of the view comprises Stone Pit Lane at the junction with Cot Garth Lane with large agricultural fields and hedgerows to each side. Further agricultural fields are not visible beyond since this local collection of fields has a number well-established and dense hedgerows with some mature trees. The middle and long distance therefore yields limited visibility across the agricultural fields. To the right-hand side of the view, there Stone Pit Lane dividing the local collection of agricultural fields and its tall hedgerows and to the left-hand side of the view there is a similar collection of agricultural fields to each side of Stone Pit Lane. The remainder of the horizon is made up of hedgerows, agricultural fields, and woodlands where visibility towards the middle and long distance is hardly evident due to the strong hedgerow network. There are some vertical elements in the view, including telegraph poles and associated cables at close range, and these are notable elements in the context of the enclosed landscape at this location.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.3: Viewpoint Analysis & Evaluation – Views Significant [Reference: EN010133/APP/C6.3.8.3.2.3.22] January 2023





Receptor susceptibility to change	Value of view	Sensitivity	Embedded Mit
In terms of forces for change for VP39, the existing rural landscape features are sensitive along the network of local lanes, in particular the hedgerows since the most widespread change has been in agricultural intensification and the change from pastoral to arable cropping that has resulted in the loss of hedges, and consequently, an increase in field size. The loss of pasture is particularly evident around settlements, where grazing animals and smaller field sizes contribute to the setting and structure of several villages. Overall , the susceptibility for VP39 is conditioned by the flat, open landscape and the loss of field structure around settlements. Whilst the aim is to plan new tree planting around key settlements, woodland does not always form a significant component of this landscape, and in considering its open and expansive character, extensive new woodland planting would be generally inappropriate. The relevant characteristics of the landscape therefore have a medium susceptibility to change without undue adverse effects. However, there is significant benefit with appropriate tree planting that could be used in and around settlements to increase the occurrence of semi-natural habitats and maintain the perception of a 'well-treed' landscape.	 <u>Scenic:</u> The quiet rural lanes provide opportunities to experience scenic views across the area, especially where they are part of a 'back lane' system to settlements such as Stone Pit Lane. <u>Cultural:</u> There several Grade II listed buildings within Willingham by Stow and there is a small collection of ancient enclosure fields to the south of Cot Garth Lane that give some 'time depth' to this location. <u>Natural:</u> The junction of Cot Garth Lane and Stone Lane is a quiet backwater relative to the other local lanes and although the hedgerows are a strong feature, they are well cut back which denudes their natural character. <u>Recreation and Enjoyment:</u> This is a landscape of long views particularly from the edges of settlements; however, views are shortened this location by the intervening landform. <u>Local Distinctiveness and Sense of Place:</u> There are strong hedgerows present on both sides of these lanes and wide grass verges that present some consistency and distinctive qualities to the location. <u>Health and Wellbeing:</u> The public right of way (PRoW) network is mainly located to the north of Willingham by Stow and so the appreciation of the landscape is dependent on local lanes and back lanes to the south of the settlement. <u>Important Spatial Function:</u> Smaller settlements and their road networks provide an important spatial function, where they mainly comprise villages, farmsteads, and isolated residential dwellings. Overall, the value of Viewpoint VP39 is shaped by the nature of the predominantly rural and quiet rural lanes where they join. This is in contrast with the busy B1241 and despite being so close, there is an overall calm character to this location. There are strong hedgerows to both sides of the landscape is focused on these two lanes since there are no PRoW to this edge of the settlement, however the fly-tipping and stock-piled materials detract from the quality of the view. 	Range of Features: The location comprises the local road network at the edge of a settlement. This is a part open location that is part shielded by the hedgerows that have grown tall and although gappy in parts it helps to provide enclosure and intimacy at this location. In terms of variety, the hedgerows are a strong feature and well cut back with regular hedgerow trees. There is also a local collection of ancient enclosure field systems to the south of Cot Garth Lane that are bounded by a strong network of hedgerows with some distinctive hedgerow trees including ash and oak. Importance of View: This is a part open location on the local road network. This location offers some intimacy since this is a local lane network with little traffic and no major settlement to disrupt the tranquility and this raises the importance of the view. Number of Receptors: This is the local road network that is likely to attract local users as opposed to visitors from a wider area.	Embedded Mitigat construction, oper decommissioning Mitigation is also include the followi Panels to be set m minimum of 8m fr Site boundary fend hedgerows to allow Panels to be set a Existing hedges ar managed to a heig to grow out to add boundaries with th appropriate, rando hedges. Lighting will be lim battery banks only required. Lighting vehicle and persor 50W, installed at a prevent light spilla be manually opera fencing. The visual effects of account equate to (Year 1) and this in been carried out b impact at this Emb
Medium	Medium	Medium	Not Appropriate

litigation

ation would be taken into account at the eration (Year 1 and Year 15) and ng stages of the Scheme. This Embedded o referred to as primary mitigation and would wing measures:

minimum of 20m from major watercourses and from minor watercourses.

encing to be set back 5m from adjacent existing low for proposed thickening and growth.

a minimum of 3m from Site boundaries.

are to be allowed to grow out and will be eight of 5m. Hedgerow trees will be encouraged dd further thickening and growth to the field the addition of new hedgerow trees as domly spaced along the length of existing

imited to downlights within substations and nly and used when maintenance or security is ng will be PIR operated and will be calibrated to sonnel movements. All visible lighting would be a maximum height of 4m with cowls fitted to llage. Lighting required within panelled areas will erated. There will be no lighting on perimeter

s **with only** the Embedded Mitigation taken into to those effects set out for the operation stage includes secondary mitigation which will have t but will have had limited physical or visual nbedded Mitigation stage.



Construction	Operation (Year 1)	Operation (Year 15)	Decommission
Activities considered includes, site preparation /	The foreground of Stone Pit Lane at the junction with Cot Garth Lane	Secondary mitigation such as planting, and grass seeding	A similar process to
enabling works, construction, and commissioning	would remain a feature of the view but with the large agricultural fields	would be taken into account at this stage to include the	construction stage,
with effects such as construction traffic, noise and	would change to an area of panels. Further agricultural fields beyond	following changes to the landscape:	Scheme being no lo
vibration from construction activities, dust	would be screened by the panels. The setting of Stone Pit Lane would		operational. This is
generation, site runoff, mud on roads, and the	change from a local collection of agricultural fields to be set in the context	The view will become significantly may an closed since the	assessment of the
visual intrusion of plant and machinery on site. At	of new panels to the east side, but the existing tall hedgerows would help	The view will become significantly more enclosed since the	but assumes retent
the early stages of the construction stage, ground,	with screening. The remainder of the horizon is made up of woodlands	proposed new hedgerows will have established to create a	vegetation and buil
and lower-level activities such as the construction	would be set in the context of the new panels. The vertical elements in the	strong field structure and screen views of the panels.	proposed primary a
	view, including telegraph poles and associated cables would add some	Existing hedges will have been managed to grow out to 5m	mitigation that had
of the solar panel areas and associated		and proposed hedgerow trees will begin to reach some	0
infrastructure and inverters would be partly	minor cumulative changes.	height, reinforcing the vertical structure locally. In the	established as the f
screened by the foreground hedgerows bordering		close-range, the hedgerows will screen the panels with mid	baseline. Effects are
Cot Garth Lane and Stone Pit Lane. During the	The effects set out below for Year 1 include secondary mitigation which will	and longer distance views appearing as a layered well-treed	from activities for t
latter part of the construction stage, views would	have been carried out, but will have had limited physical or visual impact at	landscape. With mid-range views there would be relatively	the decommissioni
become available of the elevated activities, and	this stage:	good levels of tree cover over the local landscape but with	site traffic, noise an
although the hedgerows to the foreground and		very limited long-distance views.	from decommission
within the surrounding field systems would give	Shelterbelt		dust generation and
some partial layering, these activities would still	A shelterbelt is proposed to the southern boundary of fields G1 and G3	Overall, in terms of mitigation for Cottam 1 North, many of	
occupy an extensive proportion of the view.	mitigating views across the Site to the southeast and further breaking up	the rural villages have not seen widespread expansion but	Following decommi
	the Site/Sites.	development pressures continue form the commuting	land is likely to be r
Other works would be undertaken in connection		distance to Lincoln with the demand for housing, commerce	arable production.
with the construction including fencing, gates,	Existing hedges	and industry creating visual intrusion and extending	however benefit fro
boundary treatment and other means of enclosure	The existing northern and western field boundaries to fields G1 and G2	settlement fringes. For development associated with the	significantly enhand
and works for the provision of security and	require some enhancement where these are low managed hedges with	rural villages, specific mechanisms include Village Design	hedgerow planting
monitoring measures such as CCTV and the laying	limited hedgerow trees to further mitigate views from the gap in	Statements, and tree planting around settlement edges to	carried out and has
down of internal tracks. There would also be			mature to create a
landscape and biodiversity mitigation works,	hedgerow at Stone Pit Lane. These hedges are to be allowed to grow	help improve their setting in the wider landscape	and robust landsca
including planting and the improvement of the	out and managed to a height of 5m with the addition of hedgerow trees to		and enhancing the
foreground hedgerows.	enhance the character locally and to add further height and screening	Between Years 1 and 15, the following beneficial effects will	character and prov
loreground neugerows.	from the north and west at Stonepit Lane and from the village of	be achieved in terms of Visual Receptors:	considerable biodiv
These short-lived construction activities would	Willingham by Stow.	 Grassland reversion around field boundaries and 	over the years. Bird
		PRoW	fields are likely to b
obstruct a significant proportion of the view and	The eastern boundary of field G4 is to be enhanced with additional tree	 Increased woodland/vegetation cover 	,
become a dominant feature. There would be a	planting and by allowing the hedgerow to grow out to a height of 5m.	 A more varied landscape 	the potential may e
considerable change to the arable land use, but the		 Improved (more natural) management of exiting 	grass margins to pr
surrounding field boundaries and the associated	Views further east of the Cottam 1 Site/Sites will also be screened by these	vegetation	varied land use and
tree cover would remain intact. There would not be	enhanced hedgerows.	 Less expanse of intensively managed arable land 	long-term improve
a fundamental change to the immediate south, east		 A less exposed and windswept landscape 	biodiversity in the l
and west of this location and in the wider landscape	New hedges	 Water quality improvements 	of which will benefi
to the east and west would not fundamentally	A new hedge is proposed to the western boundary of G4 in addition to the	 Potential animal grazing 	receptors.
change.	existing hedge on this boundary. Additional new hedge planting to the	 Reinstatement of historic field patterns 	
	southern boundary will infill where none currently exists with the	 Bird mitigation fields 	With secondary mit
Construction Access	remainder of the existing hedge being enhanced as necessary.	 Significantly improved biodiversity 	considered, the neg
There would be no view of any construction access			of the physical dec
from this viewpoint.	Grassland mixes	Growth of existing and proposed vegetation is assumed to	will be balanced ou
	A minimum 10m buffer is to be provided around existing ditches which are	be:	term landscape and
Cable Route Corridor	to be seeded with a tall herb mix.		of this mitigation.
Viewpoint is outside of the 0.5km study area and		Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m	
there would be no view of this route.		max at Year 15.	
	Flower rich pollinator mix is to be used within 10m of existing services.		
Substation	This is also proposed around other field boundaries which are	New bodgerows, 0 Groat Veer 1 and 2 Frank Very 15	
This viewpoint is within the 2km study area and	predominantly south or west facing or relatively open.	New hedgerows: 0.6m at Year 1 and 3.5m at Year 15.	
there would be relatively close views of the			
		Existing hedgerows: 0.9m at Year 1 and 5m at Year 15.	1

Environmental S	tatement
Appendix 8.3.2.3:	Viewpoir
[Refe	rence: EN



	Substation at Cottam 1 beyond the panelled area in the foreground.	Elsewhere around the Site, both tussock and flower rich pollinator mixes are to be used at the base of all existing and proposed hedges around field boundaries creating a rich tapestry of vegetation. Adverse effects: - Panels and structures across the landscape - Increased hard standing areas - Increased traffic locally - Some minor light pollution within open countryside - Substation, Battery storage and other associated infrastructure structures visible above existing vegetation	Shrubs: 0.9m at Year 1 and 5m at Year 15.
Magnitude	Medium - High	High	Medium - High
Level of Effect	Adverse & Short Term	Adverse & Long Term	Adverse & Long Term
Significance of Effect	Moderate-Major Significant	Major Significant	Moderate – Major Significant

In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
<u>In Summary</u> There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and intervening vegetation. Therefore, there no in combination visual effects are anticipated.	In Summary The Cumulative Effects upon viewpoint 39 of the Cumulative Developments is Negligible at year 1 of operation and Negligible at limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Developments and proximity to the vegetation, Embedded and Secondary Mitigation proposed as well as existing topography would limit any cumulative visual effects closest Cumulative Development Gate Burton Solar Site however no cumulative visual effects are anticipated due to a combina- side of Stone Pit Lane, built form associated with Woods Farm and the settlement of Willingham by Stow.
	<i><u>Fabric of the Landscape</u></i> There would not be the removal of or changes in individual elements or features of the landscape within the character area.
	There would be the introduction of new elements and features comprising the solar panel areas and the substation area within
	<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the cumulative of the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility.
	There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 Site/Sites a and West Burton Solar Park. This cumulative visibility is set out in further detail within the following figures:
	Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9]
	The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type or area different network is defined by important historic routes and in contrast, the east west minor road network links several historic and dis area. Overall, the prevailing road network is formed by narrow lanes that are often tranquil and hedged to both sides with wide helping to define the quality of the landscape and reducing the visibility across the area.
	Overall Landscape Character and Visual Amenity

nt Landscape and Visual Impact Assessment wint Analysis & Evaluation – Views Significant N010133/APP/C6.3.8.3.2.3.22] January 2023

Low
Adverse & Short Term
Minor Not Significant

e at year 15 with mitigation. This is due to the to the visual receptor. A combination of existing effects. Viewpoint 39 is located 1.6km to the ination of dense hedgerow cover to the western

thin the character area

e developments would not be experienced across een the Site/Sites. The intervening settlements and

es and Gate Burton Energy Park, Tillbridge Solar

ferent from another. The strategic major road distinctive smaller string of settlements across the *i*ide grassed verges and they have a major role in



		Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of historic settlement hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised for adding intimacy and characteristics of the landscape and land use have some ability to accommodate change without undue adverse effects. The of would not alter the overall character of the landscape and its communications and infrastructure features. Moreover, these for context or associated with built form that plays a positive role in reducing the overall cumulative effects.
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Level of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

> ment with farms, nucleated villages, and small and interest to the landscape. These relevant e cumulative visibility for the Cottam 1 Site/Sites e features are often set within a well-vegetated



Viewpoint VP49 - East Lane

The view is located on East Lane, looking north directly over the Cottam 2 Site with the Cottam 3b Site beyond. The view is also looking south towards the Cottam 1 North Site.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a slightly undulating, low-lying landscape within the wider context of a broad vale, which is conspicuous at this location. The land use is mainly productive arable farmland with many large fields under single crop. There are some local variations in landform where the land rises to the west (left of view) just beyond Corringham to form a narrow spur known as Windy Ridge (at Mill Farm Windmill). To the north, the land falls towards the watercourses of Corringham Beck and Aisby Beck and to the south there is a gentle rise towards the A631 and Springthorpe Road (at Corringham Windmill). The landform also rises towards the east (right of view) to the small settlement of Yawthorpe and Yawthorpe Fox Covert (rising from 18m AOD to 25m AOD). In terms of enclosure, there are very few woodland blocks or shelterbelts in the wider landscape other than Yawthorpe Fox Covert to the east and Wharton Wood towards the west. At closer proximity, there are a smaller woodland blocks, plantations and coverts around Home Farm, Ancliff Farm, Park Farm and Taskers Farm at Yawthorpe. To the north, east and south there are mainly open views and to the west the settlement of Corringham closes down the visibility. In terms of man-made features, there is only Corringham Grange Farm and The Cottage within the central part of the Site/Sites (outside the RLB), otherwise the settlement is centered on Aisby to the north, Springthorpe to the south, Corringham to the west and Yawthorpe to the east. East lane is a prominent feature particularly at the junction with Corringham Grange Farm and The Cottage access (and the track to the south of Brown's Holt).

Subjective: The viewpoint depicts a large-scale, exposed landscape. In terms of variety, the hedgerows are a strong feature, but well cut back with few hedgerow trees. The hedgerows are present on both sides of the lanes and there are narrow grass verges that presents a simple consistency and softer character overall. In terms of texture and colour, the hedgerows are low cut and have a highly managed appearance and little texture, and there are muted and calm tones due to the simplicity of the landscape and general absence of features. Mast poles are however prominent and in combination with the farmsteads there is some interest. The views tend to be ordinary and almost bland in the immediate context of the Site/Sites, whereas the distant horizon reveals the Limestone Scarps and Dipslopes Character Area 6a in the east comprising woodland cover at Willhoughton Cliff, Willhoughton and Hemswell.

Overall: The view is influenced by the presence of East Lane, which is a detractor. The location offers some interesting features locally, but with more invigorating views out towards the surrounding landscape, which is large scale and exposed. The tree cover is limited, the hedgerows are cut back, and the arable land use is intensively managed, but the presence of far-reaching views adds some stimulus. The overall experience is that of an ordinary location with an unsettled feeling due to the lack of enclosure and intimacy. There are however interesting and pleasant distant views that provide a more balanced context and feelings of calm and that detract from the unsettling nature of the immediate location.

Receptors:

This viewpoint is representative of views available to walkers, horse riders, motorists and residents using these local lanes at the eastern edge of Corringham.

Description of View:

The foreground of the view comprises East Lane with large agricultural fields and hedgerows beyond this. Further agricultural fields are not visible beyond since this local collection of fields has a number well-established and dense hedgerows. The middle and long distance therefore yields limited visibility across the agricultural fields. To the right-hand side of the view, there is East Lane dividing the local collection of agricultural fields with its low-cut hedgerows and to the left-hand side of the view there is a similar collection of agricultural fields to each side of East Lane. The remainder of the horizon is made up of the collection of residential dwellings comprising Corringham Grange Farm and The Cottage, hedgerows, agricultural fields, and woodlands where visibility towards the middle and long distance is hardly evident due to the strong hedgerow network. There are some vertical elements in the view, including telegraph poles and associated cables at close range, and these are notable elements in the context of the enclosed landscape at this location.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.3: Viewpoint Analysis & Evaluation – Views Significant [Reference: EN010133/APP/C6.3.8.3.2.3.23] January 2023





Receptor susceptibility to change	Value of view	Sensitivity	Embedded Mi
In terms of forces for change for VP49, the open and character of the landscape is a key sensitivity particularly around the edges of settlements and tree planting can help with integration and help contribute to the overall perception of a well treed landscape from these locations. The powerful River Trent and its tributaries and other water courses within its flood plain also provide a strong functional feature running through the landscape, which contribute strongly to the 'sense of place' particular at locations adjacent to settlements where landscape features are already scarce. Overall , the susceptibility for VP49 is conditioned by the impact of settlement on the edges of the wider, flat and low-lying landscape where features are scarce. There are however also significant benefits to be gained from a range of landscape and biodiversity interventions such as tree planting and hedgerow improvement projects. The relevant characteristics of the landscape therefore have a medium susceptibility to change without undue adverse effects.	Scenic: The slightly undulating, low-lying landscape is the key feature of the area, but the distant horizon reveals woodland cover at Willhoughton Cliff, Willhoughton and Hemswell Cultural: There are many tranquil places along the local lanes to the north and northeast of Corringham for people to enjoy both for recreation and for local residents, but the close proximity of this location brings some noise and disturbance to the view. Natural: Woodland cover is low and because of the history of the land for agriculture, the area has retained little semi-natural habitat. The hedgerows to either side of East Lane provide the main habitats for farmland species and are substitute woodland habitats that provide linkages across the landscape. Recreation and Enjoyment: Recreation is provided by numerous lanes such as East Lane since there is a limited public right of way (PRoW) network in the area. Local Distinctiveness and Sense of Place: This is a predominantly rural and sparsely settled area with small villages and dispersed farms. This location is in close proximity to the linear settlement of Corringham and the busy A63, which dilutes the 'sense of place' and imparts very little in terms of local distinctiveness. Health and Wellbeing: The interest of this area is the network of rural lanes in combination with the watercourses, however Corringham Beck is not readily accessible to the public due to the absence of bridge crossings or 'nodes'. Important Spatial Function: This area supports gently undulating and low-lying landform with low ridges dividing shallow, broad river valleys. This location however is influenced by straight roads, the close-cut hedgerows with few trees and the geometric field patterns. Overall, the value of Viewpoint VP49 is shape	Range of Features: The location comprises the local road network at the edge of a settlement. This is an open location due to the low-cut hedgerows that helps to provide extended views at this location. In terms of variety, the hedgerows are a strong feature, but well cut back with few hedgerow trees. The hedgerows are present on both sides of the lanes and there are narrow grass verges that presents a simple consistency and softer character overall. Importance of View: This is a part open location on the local road network. This location offers some recreation value since this is a local lane network but there is traffic with easy access to the A631. There being no major settlement to disrupt the tranquility, this raises the importance of the view. Number of Receptors: This is the local road network that is likely to attract local users as opposed to visitors from a wider area. Medium Medium	Embedded Mitiga construction, ope decommissioning Mitigation is also include the follow Embedded mitiga include the follow Allow for panels to Grange Farm to b Road. Panels to be set a Site boundary fer hedgerows to allow Panels to be set a Existing hedges a managed to a he to grow out to ad boundaries with appropriate, rand hedges. Lighting will be lin battery banks on required. Lighting vehicle and perso 50W, installed at prevent light spill be manually oper fencing. The visual effects account equate t (Year 1) and this been carried out impact at this Em
		1	

Mitigation

gation would be taken into account at the peration (Year 1 and Year 15) and ing stages of the Scheme. This Embedded so referred to as primary mitigation and would owing measures:

igation would be taken into account at this stage to owing measures:

s to the east of track that leads to Corringham be set back to reduce visibility from Mill Mere

minimum of 20m from major watercourses and n from minor watercourses.

fencing to be set back 5m from adjacent existing llow for proposed thickening and growth.

t a minimum of 3m from Site boundaries.

are to be allowed to grow out and will be neight of 5m. Hedgerow trees will be encouraged add further thickening and growth to the field h the addition of new hedgerow trees as ndomly spaced along the length of existing

limited to downlights within substations and only and used when maintenance or security is ng will be PIR operated and will be calibrated to sonnel movements. All visible lighting would be at a maximum height of 4m with cowls fitted to billage. Lighting required within panelled areas will perated. There will be no lighting on perimeter


ts **with only** the Embedded Mitigation taken into to those effects set out for the operation stage is includes secondary mitigation which will have ut but will have had limited physical or visual mbedded Mitigation stage.



unaint VD40 East

Viewpoint VP	point VP49 – East Lane			
	Construction	Operation (Year 1)	Operation (Year 15)	Decommissioning
-	Activities considered includes, site	The foreground of the view comprising East Lane would remain but set in the	With secondary mitigation such as planting and grass seeding	A similar process to that of
	preparation / enabling works, construction,	context panels instead of the large agricultural fields. The existing hedgerows	being taken into account at the operational stage (Year 15) the	construction stage, but with
	and commissioning with effects such as	would help soften the views. Further agricultural fields would be screened by the	following changes to the landscape would occur and the visual	the Scheme being no longer
	construction traffic, noise and vibration from	panels. The remainder of the horizon made up of the collection of residential	effects are set out below.	operational. This is an
	construction activities, dust generation, site	dwellings comprising Corringham Grange Farm and The Cottage would set above	The view will become more englaged since the new and	assessment of the Site in
	runoff, mud on roads, and the visual	the panels. The vertical elements in the view, including telegraph poles and associated cables would add some minor cumulative changes to the view.	The view will become more enclosed since the new and	winter but assumes retention of existing
	intrusion of plant and machinery on site. At the early stages of the construction stage,	associated cables would add some minor cumulative changes to the view.	existing hedgerows will have established and will provide a dense screen to an eventual height of 5m with hedgerow trees	vegetation and builds upon
	ground, and lower-level activities such as the	The effects set out below for Year 1 include secondary mitigation which will have	providing interest, form and height across the open landscape	the proposed primary and
	construction of the solar panel areas and	been carried out, but will have had limited physical or visual impact at this stage:	whilst areas to the south will remain more open and exposed.	secondary mitigation that
	associated infrastructure and inverters		Shelterbelt planting to the west of the Site/Sites will have	had been established as the
	would be partly screened by the foreground	Existing hedgerows	matured to create a dense buffer to this boundary. Shrub	future baseline. Effects are
	hedgerows bordering East Lane and Field	Existing hedgerows along East Lane are low cut and will be managed to grow out to	planting within the Site, although not visible from the road, will	those arising from activities
	Farm Lane. During the latter part of the	a height of 5m. These will also be enhanced with irregular spaced hedgerow trees	break up the panel areas and provide biodiversity benefits. The	for the duration of the
	construction stage, views would become	along their length to the south of the Site at Cottam 2 to create a more well-treed	close-range views will be of dense hedgerows with hedgerow	decommissioning including
	available of the elevated activities, and	landscape where it currently lacks vertical structure. These enhanced hedges and	trees, whilst the mid distance will be a layered vegetated	site traffic, noise and
	although the hedgerows to the foreground	trees will help to break up the views from all directions and provide visual interest	landscape with existing trees sitting above the maturing	vibration from
	and within the surrounding field systems	and some shelter from the somewhat exposed landscape at this point. Within the	vegetation. Occasional long-distance views of blocks of	decommissioning activities,
	would give some partial layering, these	Site, existing hedgelines are to be augmented with additional trees spaced	woodland will be visible making up the distant horizon.	dust generation and site
	activities would still occupy an extensive	intermittently with infill hedge planting as necessary to further strengthen the field		runoff.
	proportion of the view.	pattern and break up the bulk of the panels areas. Site fencing will sit within the	Overall , in terms of mitigation for the Cottam 2 Site,	Fully the last states to the
		existing hedgerows a minimum of 5m to allow for growth.	considerations should be given to planning for new tree	Following decommissioning,
	Other works would be undertaken in	Chaltarhalt	planting around key settlements such as Corringham and other suitable locations such as local lanes that connect between	the land is likely to be returned to arable
	connection with the construction including fencing, gates, boundary treatment and	<u>Shelterbelt</u> A 5m wide shelter belt is proposed to the western boundary of the Site further west	these settlements. Trees should be typically grouped in small	production. The Site will
	other means of enclosure and works for the	along East Lane. This belt will screen views from the village of Corringham as well	plantations/copses or as individual trees within hedgerows.	however benefit from the
	provision of security and monitoring	as break up the landscape to some degree. A new shelterbelt is proposed to the	The creation of new hedgerows and permanent pasture along	significantly enhanced tree
	measures such as CCTV and the laying down	east of The Cottage (north of Corringham Grange Farm) screening views across the	watercourses is also a priority, enhancing visibility of streams	and hedgerow planting that
	of internal tracks. There would also be	Site and further breaking up the landscape and creating some enclosure and	and dykes, whilst increasing the occurrence of semi- natural	has been carried out and
	landscape and biodiversity mitigation works,	intimacy.	habitats. Although the remaining hedgerow network is	has begun to mature to
	including planting and the improvement of		generally strong, there is nevertheless evidence of decline in a	create a much stronger and
	the foreground hedgerows.	Native shrub Planting	number of areas, with gaps and few hedgerow trees.	robust landscape, retaining
		Where an existing area of scrub with some trees to the northeast of the viewpoint		and enhancing the overall
	These short-lived construction activities	exists within the proposed panelled area, this will be enhanced by native shrub	Between Years 1 and 15, the following beneficial effects will be	character and providing
	would obstruct a significant proportion of	planting to reinforce this feature, provide added height, and create a varied habitat.	achieved in terms of Visual Receptors:	considerable biodiversity
	the view and become a dominant feature.	Site fencing will sit within the existing hedgerows a minimum of 5m to allow for	 Grassland reversion around field boundaries and 	benefits over the years. Bird
	There would be a considerable change to the	growth.	PRoW	mitigation fields are likely to
	arable land use, but the surrounding field		 Increased woodland/vegetation cover 	be retained and the
	boundaries and the associated tree cover	New Hedging	 A more varied landscape 	potential may exist to retain
	would remain intact. There would not be a	A native hedge with irregular spaced hedgerow trees is proposed around	 Improved (more natural) management of exiting 	grass margins to preserve
	fundamental change to the immediate south and west of this location and the wider	Corringham Grange Farm, reinforcing the character of the area, obscuring views of panels and fencing from this dwelling and will further enhance the tree and hedge	vegetation Less expanse of intensively managed arable land 	some varied land use and maintain long-term
	landscape to the south would also not	cover locally to increase the overall quantity and variation of vegetation. Any more	 A less exposed and windswept landscape 	improvements in
	fundamentally change.	distant views of the Cottam 3a and 3b Sites will be mitigated with this intervening	 Water quality improvements 	biodiversity in the local area,
	indumentally change.	planting.	 Potential animal grazing 	all of which will benefit
	Construction Access	pronten Br	 Reinstatement of historic field patterns 	visual receptors.
	Throughout the construction phase, this	Grassland mixes	 Bird mitigation fields 	
	viewpoint would be affected by the	Tussock mixes are line the base of new and existing hedges and shelterbelts as well	 Significantly improved biodiversity 	With secondary mitigation
	construction access point off East Lane	as the proposed shrub planting to the northeast of this viewpoint with wildflower		considered, the negative
	between fields H2 and H5 creating additional	grassland mixes beneath the panels. Within the Site, adjacent to existing ditches,	Growth of existing and proposed vegetation is assumed to be:	effects of the physical
	traffic.	both flower rich pollinator mixes and tall herb mixes provide suitable habitats		decommissioning will be
		adjacent to these features and provide additional visual interest within the Site.		balanced out by the long

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.3: Viewpoint Analysis & Evaluation – Views Significant [Reference: EN010133/APP/C6.3.8.3.2.3.23] January 2023



Cottam
SOLAR PROJECT

	Cable Route Corridor		Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m	term landscape and visual
	Viewpoint is outside of the 0.5km study area	Adverse effects:	max at Year 15.	effects of this mitigation.
	and there would be no view of this route.	 Panels and structures across the landscape 	New hedgerows: 0.6m at Year 1 and 3.5m at Year 15.	
	Substation	 Increased hard standing areas Increased traffic locally 	New nedgerows. 0.011 at real 1 and 3.511 at real 15.	
	This viewpoint is within the 2km study area and a glimpsed view of the Substation at	 Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures 	Existing hedgerows: 0.9m at Year 1 and 5m at Year 15.	
	Cottam 2 may be possible beyond the panelled area.	visible above existing vegetation	Shrubs: 0.9m at Year 1 and 5m at Year 15.	
Magnitude	Medium	High	Medium	Very Low
Level of				
Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term	Neutral & Short Term
Significance of Effect	Moderate Significant	Major - Moderate Significant	Moderate Significant	Negligible Not Significant



viewponit vP	49 – East Lane	
	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	<u>In Summary</u> There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and intervening vegetation. Therefore, there no in combination visual effects are anticipated.	In Summary The Cumulative Effects upon viewpoint 49 of the Cumulative Developments is Negligible at year 1 of operation due to the limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Deve combination of existing vegetation, Embedded and Secondary Mitigation proposed as well as existing topogra closest Development to Viewpoint 49 is Tillbridge Solar, located approximately 1.3km to the viewpoint and due vegetation surrounding A631, the development will not be visible in view and therefore no cumulative visual e
		approximately 1.3km to the closest Tillbridge Solar Site. Due to the distance, interveing field hedgerows and ve not be visible in view and therefore has no potential intervisibility.
		<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or features of the landscape within the c
		There would be the introduction of new elements and features comprising the solar panel areas and the subst
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.2 [C6.4.8.15.2.2] which shows that with the Cottam 2 Site, cumulative visibility with the c experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, Site/Sites. The intervening settlements and built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely significant effects, between the Convisibility is set out in further detail within the following figures:
		Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the Unwooded Vales is shaped by the strong agricultural presence, with wide areas recontrast, the low levels of woodland cover create a relatively open and expansive landscape comprising an areas settlement, linked by a series of minor roads east to west and a more strategic road network north to south. The have some ability to accommodate change without undue adverse effects. The minor patches of cumulative viet the overall character of the landscape within the Unwooded Vales Character Area.
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Level of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

ion and Negligible at year 15 with mitigation. This is velopments and proximity to the visual receptor. A graphy would limit any cumulative visual effects. The due to the distance, intervening field hedgerows and l effects are anticipated.

vegetation surrounding A631, the development will

character area.

bstation area within the character area.

e cumulative developments would not be ds, hedgerows, and tree cover between the

Cottam 2 and Tillbridge Solar. This cumulative

5.2.8]

retaining a strong sense of rural tranquility. In arable land use within a scattered pattern of These relevant characteristics of the landscape e visibility for the Cottam 1 Site/Sites would not alter



Viewpoint VP56 - Pilh/20/1

Viewpoint Baseline:

The view is located on PRoW, footpath Pilh/20/1, looking southeast towards the Cottam 2 Site and northeast towards the Cottam 3b Site. The view is also looking south towards the Cottam 1 North Site.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a slightly undulating, low-lying landscape within the wider context of a broad vale, which is hardly conspicuous at this location. The land use is mainly productive arable farmland with many large fields under single crop, but there are smaller pastoral fields of private planned enclosure to the south (left) of the view. There are some local variations in landform where the land rises to the west (left of view) just beyond Station Road to form a narrow spur around Todd Lane, extending from Corringham Scroggs (recreational woodland). To the north, the land rises towards Kirton Road at approximately 22m AOD and to the south there is also a gentle rise to the southwest of Glebe Farm at approximately 20m AOD. The landform also rises towards the east (right of view) towards Bonsdale Farm and the medieval village of Dunstall which rises to approximately 25m AOD. In terms of enclosure, there are very few woodland blocks or shelterbelts in the wider landscape other than Wharton Wood to the east Yawthorpe Fox Covert to the west. At closer proximity, there is some woodland around the settlement of Pilham and around Home Farm, Grebe Farm and Green Lane. The views are mainly enclosed at this location with most of the visibility extending towards the southeast. In terms of man-made features, there is only Glebe Farm, otherwise the settlement is centered on Pilham to the south.

Subjective: The viewpoint depicts a medium to small-scale, enclosed, and intimate landscape. In terms of variety, the hedgerows are a strong feature, with several distinctive hedgerow trees. The hedgerows are present on both sides of the footpath and the route is a green lane that presents a softer character overall. In terms of texture and colour, the hedgerows have a variety of species and are grown out in parts with an interesting texture, and there are colourful tones due to the presence of the mature trees. Mast poles are however prominent and in combination with the farmsteads there is some interest. The views tend to be pleasant and interesting in the immediate context of the Site/Sites, and the distant horizon also reveals the Limestone Scarps and Dipslopes Character Area 6a in the east comprising woodland cover at Willhoughton and Will Houghton Cliff.

Overall: The view is influenced by the skyline that is disrupted by tree clumps and mast poles. The footpath is enclosed by strong hedgerows and hedgerow trees dotted informally and with high canopies giving an open and safe feeling to the route. The existing vegetation bordering the mainline railway also occupies the background of the view and there is a dense shelterbelt vegetation which provides effective screening of Site/Sites, however the wind turbine on the Site/Sites is visible from this viewpoint. The location offers some interesting features locally, but with more invigorating views out towards the surrounding landscape, which is large scale and exposed. The overall experience is that of a very pleasant location with a strong feeling of enclosure and intimacy.

Receptors:

This viewpoint is representative of views available to walkers, motorists, and residents on the northeastern edge of Pilham.

Description of View:

The foreground of the view comprises the public footpath (Pilh/20/1) with tall hedgerows and pastoral fields to each side. Further pastoral and agricultural fields are not visible beyond since this local collection of fields has a number well-established and dense hedgerows with a high number of mature trees. The middle and long distance therefore yields limited visibility across the pastoral and agricultural fields. To the right-hand side of the view, there is the local collection of pastoral fields with tall hedgerows and trees and to the left-hand side of the view there is a similar collection of fields in the context of the residential property known as Glebe Farm. The remainder of the horizon is made up of hedgerows and tree cover where visibility towards the middle and long distance is hardly evident due to the strong hedgerow network. There are some vertical elements in the view, including telegraph poles and associated cables at mid distance, but these are notable elements in the context of the wider landscape.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.3: Viewpoint Analysis & Evaluation – Views Significant [Reference: EN010133/APP/C6.3.8.3.2.3.24] January 2023





ed Mitigation

d Mitigation would be taken into account at the ion, operation (Year 1 and Year 15) and ssioning stages of the Scheme. This Embedded is also referred to as primary mitigation and lude the following measures:

dary fencing to be set back 5m from adjacent edgerows to allow for proposed thickening and

be set a minimum of 3m from Site boundaries.

er meadow mix to be sown beneath proposed

be set minimum of 20m from major watercourses num of 8m from minor watercourses.

anting to be 5m from the existing PRoW. Panels to ck 15m from PRoW.

edges are to be allowed to grow out and will be to a height of 5m. Hedgerow trees will be ed to grow out to add further thickening and growth d boundaries with the addition of new hedgerow ppropriate, randomly spaced along the length of edges.

vill be limited to downlights within substations and anks only and used when maintenance or security is Lighting will be PIR operated and will be calibrated and personnel movements. All visible lighting 50W, installed at a maximum height of 4m with ed to prevent light spillage. Lighting required within areas will be manually operated. There will be no perimeter fencing.

effects **with only** the Embedded Mitigation taken unt equate to those effects set out for the operation ar 1) and this includes secondary mitigation which been carried out but will have had limited physical mpact at this Embedded Mitigation stage.

cable



Construction	Operation (Year 1)	Operation (Year 15)	Decommissioni
Activities considered includes, site preparation / enabling	The foreground of the view comprising the public footpath	Secondary mitigation such as planting, and grass seeding would be taken	A similar process to
works, construction, and commissioning with effects such as	(Pilh/20/1) would not change but it would be set in context	into account at this stage to include the following changes to the	construction stage, b
construction traffic, noise and vibration from construction	with the new panels to the north side. The existing tall	landscape:	the Scheme being n
activities, dust generation, site runoff, mud on roads, and the	hedgerows to each side would however screen the majority		operational. This is
visual intrusion of plant and machinery on site. At the early	of the new panels. Further pastoral and agricultural fields	The view will become more enclosed since the proposed new hedgerows	assessment of the S
stages of the construction stage, ground, and lower-level	are already not visible beyond and so this would not be a	will have established to create a strong field structure and screen views	winter but assumes
activities such as the construction of the solar panel areas	change to the view. To the right-hand side of the view, the	of the panels. Existing hedges will have been managed to grow out to 5m	retention of existing
and associated infrastructure and inverters would be partly	local collection of pastoral fields would not be changed by	and proposed hedgerow trees will begin to reach some height,	vegetation and buil
screened by the foreground hedgerows bordering the public	the context of the panels but the similar collection of fields	reinforcing the vertical structure locally. In the close-range, the new and	the proposed prim
footpath. During the latter part of the construction stage,	in the context of the residential property known as Glebe	enhanced hedgerows will screen the panels with mid and longer distance	secondary mitigation
views would become available of the elevated activities, and	Farm would see changes to their setting by the introduction	views appearing as a layered well-treed landscape with a mid-range view	had been establish
although the hedgerows and mature tree cover to the	of the new panels. The vertical elements in the view,	of the railway line vegetation. There are no long-distance views.	future baseline. Eff
foreground and within the surrounding field systems would	including telegraph poles and associated cables may add		those arising from
give some partial layering, these activities would still occupy	some minor cumulative changes.	Overall, in terms of mitigation for the Cottam 3b Site, consideration	for the duration of
an extensive proportion of the view.		should be given to enhanced planting along the road and public footpath	decommissioning i
	The effects set out below for Year 1 include secondary	and bridleway networks particularly at the gateways to settlements,	site traffic, noise ar
Other works would be undertaken in connection with the	mitigation which will have been carried out, but will have	whilst respecting the long views both towards the east and the west	vibration from
construction including fencing, gates, boundary treatment	had limited physical or visual impact at this stage:	across the area. This planting will also enhance the visitor experience	decommissioning
and other means of enclosure and works for the provision of		particularly where in close proximity to the AGLV at Laughton Forest. The	dust generation an
security and monitoring measures such as CCTV and the	New hedges	planting could be adopted both along the unnamed roads and the	runoff.
laying down of internal tracks. There would also be	A new hedge is proposed to the western boundary of field	strategic road network to provide a more varied and interesting	
landscape and biodiversity mitigation works, including	J1 where views from Glebe Farm are open to the Site of 3b.	landscape and enhance the feeling of travelling from open to more	Following decomm
planting and the improvement of the foreground hedgerows.	This will mitigate views from the west and, together with	enclosed areas.	the land is likely to
	further hedge enhancement within the Site will strengthen		returned to arable
These short-lived construction activities would obstruct a	the historical field pattern and character.	Between Years 1 and 15, the following beneficial effects will be achieved	production. The Sit
significant proportion of the view and become a dominant		in terms of Visual Receptors:	however benefit fr
feature. There would be a considerable change to the arable	Existing hedges	 Grassland reversion around field boundaries and PRoW 	significantly enhan
land use, but the surrounding field boundaries and the	Existing hedges running north/south across the Site	 Increased woodland/vegetation cover 	and hedgerow plan
associated tree cover would remain intact. There would not	between fields J1,2,3 5 and 6 are variable and require	 A more varied landscape 	has been carried o
be a fundamental change to the immediate north, south and	enhancement. Infilling with new sections of hedgerow is	 Improved (more natural) management of exiting vegetation 	has begun to matu
west of this location and the wider landscape to the west and	required where these are missing and the enhancement of	 Less expanse of intensively managed arable land 	create a much stro
south would also not fundamentally change.	existing hedgerows will be achieved by managing the	 A less exposed and windswept landscape 	robust landscape,
	hedges to a height of 5m and incorporating irregularly	 Water quality improvements 	and enhancing the
Construction Access	spaced hedgerow trees to create height and further	 Potential animal grazing 	character and prov
Throughout the construction stage, the viewpoint will be	mitigate views from both the east and the west. Field	 Reinstatement of historic field patterns 	considerable biodi
affected due to the proximity to the access point in to Cottam	boundary planting and enhancement will also break up	 Bird mitigation fields 	benefits over the y
3b via field J1.	views of the Scheme from the railway line to the north as	 Significantly improved biodiversity 	mitigation fields ar
	well as enhancing the local character area. The new		be retained and th
Cable Route Corridor	hedgerow to sit adjacent to the PRoW will connect with the	Growth of existing and proposed vegetation is assumed to be:	potential may exist
Viewpoint is outside of the 0.5km study area and there would	existing vegetation to the south of fields J1 and J2.		grass margins to p
be no view of this route.		Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at Year	some varied land u
	<u>Grassland mixes</u>	15.	maintain long-term
Substation	A tussock grassland mix is proposed to the field boundaries		improvements in
This viewpoint is within the 2km study area and there may be	and within the proposed new PRoW hedged route, creating	New hedgerows: 0.6m at Year 1 and 3.5m at Year 15.	biodiversity in the
very limited views of the Substation at Cottam 3b.	a visually interesting and natural walk.		all of which will ber
		Existing hedgerows: 0.9m at Year 1 and 5m at Year 15.	visual receptors.
	Further afield, any more distant views of the Cottam 2 Site	Existing neugerows, orannal real i and sin al teal 15.	
	and Cottam 1 Site/Sites will be mitigated by the enhanced	Shrubs: 0.9m at Year 1 and 5m at Year 15.	With secondary mi
	÷ ,	אוועטא. טאוו מרדפמר דמווע אוו מרדפמר דאווע אוו מרדפמר דאוויט.	considered, the ne
	hedgerow and tree planting along both the road and the		effects of the physi
	PRoW.		decommissioning v



SOLAR PROJECT					
		 Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 		balanced out by the long term landscape and visual effects of this mitigation.	
Magnitude	Medium	High	Medium	Very Low	
Level of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term	Neutral & Short Term	
Significance of Effect	Moderate-Major Significant	Major Significant	Moderate Not Significant	Negligible Not Significant	



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	<u>In Summary</u> There would be no intervisibility between the Cottam 1 Site, or Cottam 2 Sites, due to distance and intervening vegetation. Therefore, there no in combination visual effects are anticipated.	In Summary The Cumulative Effects upon viewpoint 56 of the Cumulative Development year 15 with mitigation. This is due to the limited impact upon the view as Cumulative Developments and proximity to the visual receptor. A combin
	There would be no intervisibility between the Cottam 2 and Cottam 3a and 3b Sites due to distance, the intervening settlement of Aisby, and additional intervening hedgerows and tree cover. The intervening vegetation along the mainline railway would also provide additional screening and separation between the Cottam 2 Site and Cottam 3a Site.	Secondary Mitigation proposed as well as existing topography would limi The closest Development to Viewpoint 56 is Tillbridge Solar, located appr form associated with Pilham and Corringham combined no cumulative vi
	Between the Cottam 3b and Cottam 3a Sites, the changes would not be readily noticeable. In the context of the Cottam 3b Site, the Cottam 3a Site occupies only a very small portion of the view due to the intervening vegetation along the mainline railway and foreground hedgerows and tree cover and would not result in no change to the view's composition. There would be a small change to existing landscape	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or f area.
	elements beyond the railway line by the addition of the area of panels in place of an airfield at the Cottam 3a Site, but the detectable impacts do not alter the baseline of the receptor materially.	There would be the introduction of new elements and features comprisin within the character area.
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.2 [C6.4.8.15.2.2] which shows that with the Cottam developments would not be experienced across the majority of the 5km s intervening woodlands, hedgerows, and tree cover between the Site/Sites would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of like Tillbridge Solar. This cumulative visibility is set out in further detail within
		Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develo
		Overall Landscape Character of the Unwooded Vales Overall, the character of the Unwooded Vales is shaped by the strong age strong sense of rural tranquility. In contrast, the low levels of woodland of landscape comprising an arable land use within a scattered pattern of se west and a more strategic road network north to south. These relevant of to accommodate change without undue adverse effects. The minor patch Site/Sites would not alter the overall character of the landscape within the
	Construction: Low-Medium	Construction: Low
Magnitude	Operation (Year 1): Low-Medium Operation (Year 1): with only Embedded Mitigation: Low-Medium Operation (Year 15): Low-Medium	Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low
	Decommissioning: Low-Medium	Decommissioning: Low
	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term
Level of Effect	Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term	Operation (Year 1): with only Embedded Mitigation: Adverse & Long Terr Operation (Year 15): Beneficial & Long Term
	Decommissioning: Neutral & Short Term	Decommissioning: Neutral & Short Term
	Construction: Minor-Moderate Not Significant Operation (Year 1): Minor-Moderate Not Significant	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant
Significance	Operation (Year 1): with only Embedded Mitigation: Minor-Moderate Not Significant	Operation (Year 1): with only Embedded Mitigation: Minor Not Significa
of Effect	Operation (Year 15): Minor-Moderate Not Significant	Operation (Year 15): Minor Not Significant
	Decommissioning: Minor-Moderate Not Significant	Decommissioning: Minor Not Significant

ents is Minor at year 1 of operation and Minor at as a result of the segregated nature of the Sites and pination of existing vegetation, Embedded and mit any cumulative visual effects.

proximately 3.2km to the viewpoint and due to built visual effects are anticipated.

features of the landscape within the character

sing the solar panel areas and the substation area

m 2 Site, cumulative visibility with the cumulative m study area. This is due to the distance, the tes. The intervening settlements and built form

kely significant effects, between the Cottam 2 and in the following figures:

elopments Augmented ZTV [C6.4.8.15.2.8]

gricultural presence, with wide areas retaining a l cover create a relatively open and expansive settlement, linked by a series of minor roads east to t characteristics of the landscape have some ability ches of cumulative visibility for the Cottam 1 the Unwooded Vales Character Area.

erm

cant



Viewpoint VP58 – Junction of Pilh/20/1 and Bonsdale Lane

Viewpoint Baseline:

The view is located on PRoW, footpath Pilh/20/1 at the junction with Bonsdale Lane, looking west directly over the Cottam 3b Site and northwest towards the Cottam 3a Site. The view is also looking south towards the Cottam 2 Site with Cottam 1 North Site beyond.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a very slightly undulating, low-lying landscape within the wider context of a broad vale, which is conspicuous at this location. The land use is mainly productive arable farmland with many large fields under single crop. There are some local variations in landform where the land rises to the west just beyond Station Road and Pilham to form a narrow spur around Todd Lane, extending from Corringham Scroggs (recreational woodland). To the north, the land rises towards Kirton Road at approximately 22m AOD and to the south there is also a gentle rise to the southwest of Glebe Farm at approximately 20m AOD. The landform also rises towards the east (right of view) towards Bonsdale Farm and the medieval village of Dunstall which rises to approximately 25m AOD. In terms of enclosure, there are very few woodland blocks or shelterbelts in the wider landscape other than Wharton Wood to the east Yawthorpe Fox Covert to the west. At closer proximity, there is some woodland around the settlement of Pilham and around Bonsdale Farm, Southorpe Farm, Home Farm, Glebe Farm and Green Lane. The views are mainly open at this location with most of the visibility extending towards the west, south and east. In terms of man-made features, there is Bonsdale Farm and the mainline railway and Blyton Level Crossing.

Subjective: The viewpoint depicts a medium to large-scale, open, and balanced landscape. In terms of variety, the hedgerows are a strong feature, with several distinctive hedgerow trees and there is also woodland cover to the east side of the lane at Bonsdale Farm, which extends as a feature from the ancient enclosure field systems and the deserted village of Dunstall. The hedgerows on both sides of Bonsdale Lane are low-cut allowing open and expansive views towards the south. In terms of texture and colour, the vegetation along the railway line supports a wider variety of species than the low-cut hedgerows and is grown out in parts with an interesting texture, and there are also colourful tones due to the presence of the mature trees and woodland at Bonsdale Farm. Mast poles are however prominent. The views tend to be pleasant and interesting in the immediate context of the Site/Sites, and the distant horizon also reveals the Limestone Scarps and Dipslopes Character Area 6a in the east comprising woodland cover at Willhoughton and Willhoughton Cliff. There are also extended views towards Laughton Common showing a wooded horizon, which forms part of the Wooded Vales Character Area 4a.

Overall: The view is influenced by the open nature of the location. Bonsdale Lane is defined by strong hedgerows and hedgerow trees dotted informally and with the adjoining woodlands and shelterbelt at Bonsdale Farm this gives a comfortable and pleasant feeling to the location. The existing vegetation bordering the mainline railway also occupies the background of the view and there is a dense shelterbelt vegetation within the field systems to the north of the railway lines, which provides effective screening in this direction. The wind turbine on the Site/Sites is visible from this viewpoint. The location offers some interesting features locally, but with more invigorating views out towards the surrounding landscape, which is open and exposed. The overall experience is that of a very pleasant location with a strong feeling of vigour and inspiration.

Receptors:

This viewpoint is representative of views available to walkers, motorists, and residents using the PRoW and Bonsdale Lane on the eastern edge of Pilham.

Description of View:

The foreground of the view comprises the public footpath at the junction with Bonsdale Lane with a large flat arable field in the foreground and hedgerows to each side. Further agricultural fields are not visible beyond since this local collection of fields has several well-established and dense hedgerows with a high proportion of mature trees and the landscape is flat. The middle and long distance therefore only yields visibility across the agricultural fields towards the distant backdrop of Laughton Wood. To the right-hand side of the view, there is Bonsdale Lane with the local collection of agricultural fields to each side and extended views towards the Blyton Level Crossing. To the left-hand side of the view there is a similar collection of fields divided by Bonsdale Lane with extended views across an open and expansive landscape. The remainder of the horizon is made up of farm buildings, hedgerows, and tree cover where visibility towards the middle and long distance is hardly evident due to the strong hedgerow network and shelterbelts. There are some vertical elements in the view, including telegraph poles and associated cables at close range, and these are notable elements in the context of their close proximity.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.3: Viewpoint Analysis & Evaluation – Views Significant [Reference: EN010133/APP/C6.3.8.3.2.3.25] January 2023



Receptor susceptibility to change	Value of view	Sensitivity	Embedde
In terms of forces for change for VP58, the small woodlands are a key feature of this part of the Unwooded Vales Character Area 4a. Objectives should ensure that restoration and extension of existing woodland and new planting schemes take full advantage of opportunities to enhance the visual relationship with the scarp slope in the adjoining Limestone Scarps and Dipslopes Character Area 6a. The pressures are therefore centered around existing woodlands that are often small and isolated and suffer from lack of management. Pressure from arable cultivation has also resulted in field enlargement, removing field boundaries, and creating a more open landscape. Overall , the susceptibility for VP58 is conditioned by the escarpment, known locally as the Lincolnshire Edge or Cliff, that rises above the Trent Vale and forms a prominent and distinctive landscape feature in some views from this part of the Unwooded Vales Character Area 4a. The road systems are also a key consideration with the north south axis of the Roman roads being less dominant but nonetheless distinctive pattern of east west routes and field boundaries that add geometric character are important features. The relevant characteristics of the landscape therefore have a high susceptibility to change without undue adverse effects.	 <u>Scenic</u>: It is an area that shows a north south local road network as a feature of this small part of the Unwooded Vales Character Area 4a. Elsewhere, the routes are typically east-west aligned to reflect the historic connections across the Vale between the Trent floodplain and the limestone capped scarp slope in the east. <u>Cultural</u>: The strong relationship with the River Trent provides a dynamic landscape with a rich network of history and ancient enclosure associated with the medieval village of Dunstall to the east of Bonsdale Farm. <u>Natural</u>: There is scope to build upon existing areas that hold significant wildlife value and explore potential to create new habitats. The strong linear shelterbelt to the west of Bonsdale Farm provides scope for improvement and habitat connectivity. <u>Recreation and Enjoyment</u>: Senses of intimacy and comfort are likely to be associated with this location due to the presence of the strong shelterbelt to the west of Bonsdale Farm and the vegetation along the mainline railway. <u>Local Distinctiveness and Sense of Place</u>: There are some local variations in landform and strong belts of tree at Bonsdale Farm and along the mainline railway. <u>Health and Wellbeing</u>: The sense of enjoyment that helps promote health and wellbeing stems from these local lanes, especially where they connect with the PRoW network, such as footpath Pilh/20/1. <u>Important Spatial Function</u>: The spatial function is provided by the medium to large-scale open landscape that is interspersed with strong woodland blocks and shelterbelts. Overall, the value of Viewpoint VP58 is shaped by the north south local road networks that departs from the typical eastwest alignment within the Unwooded Vales Character Area 4a. There is a rich network of history to this location and ancient enclosure associated with the medieval village of Dunstall. These features hold positive value when defining 'sense of place'. <td>Range of Features: The location comprises the public footpath network at the edge of a settlement that connects with the network of local lanes. This is an open location due to the hedgerows that are well cut back, which helps to provide extended views towards the south and east. In terms of variety, the hedgerows are a strong feature, with several distinctive hedgerow trees and there is also woodland cover to the east side of the lane at Bonsdale Farm, which extends as a strong feature from the ancient enclosure field systems and the deserted village of Dunstall. Importance of View: This is an open location on the public footpath network where it joins with the local road network. There being no major settlement to disrupt the tranquility, this raises the importance of the view. The views tend to be pleasant and interesting, and the distant horizon also reveals the Limestone Scarps and Dipslopes Character Area 6a in the east comprising woodland cover at Willhoughton and Willhoughton Cliff. There are also extended views towards Laughton Common showing a wooded horizon, which forms part of the Wooded Vales Character Area 4a. Number of Receptors: This is the public footpath network that is likely to attract local users. Overall, the footpath network is sparse in this locality, and this is an attractive route, which raises the importance of the view.</td><td>Embedded I construction decommissi Mitigation i would inclue Site bounda existing hed growth. Panels to be and minimu Hedge plant be set back Existing hed managed to encouraged growth to th hedgerow tu length of ex Lighting will battery ban is required. calibrated to lighting wou with cowls f within pane be no lightin The visual e into accourn operation st mitigation w</td>	Range of Features: The location comprises the public footpath network at the edge of a settlement that connects with the network of local lanes. This is an open location due to the hedgerows that are well cut back, which helps to provide extended views towards the south and east. In terms of variety, the hedgerows are a strong feature, with several distinctive hedgerow trees and there is also woodland cover to the east side of the lane at Bonsdale Farm, which extends as a strong feature from the ancient enclosure field systems and the deserted village of Dunstall. Importance of View: This is an open location on the public footpath network where it joins with the local road network. There being no major settlement to disrupt the tranquility, this raises the importance of the view. The views tend to be pleasant and interesting, and the distant horizon also reveals the Limestone Scarps and Dipslopes Character Area 6a in the east comprising woodland cover at Willhoughton and Willhoughton Cliff. There are also extended views towards Laughton Common showing a wooded horizon, which forms part of the Wooded Vales Character Area 4a. Number of Receptors: This is the public footpath network that is likely to attract local users. Overall, the footpath network is sparse in this locality, and this is an attractive route, which raises the importance of the view.	Embedded I construction decommissi Mitigation i would inclue Site bounda existing hed growth. Panels to be and minimu Hedge plant be set back Existing hed managed to encouraged growth to th hedgerow tu length of ex Lighting will battery ban is required. calibrated to lighting wou with cowls f within pane be no lightin The visual e into accourn operation st mitigation w
High	Medium	Medium to High	Not Applicat



ed Mitigation

Mitigation would be taken into account at the on, operation (Year 1 and Year 15) and sioning stages of the Scheme. This Embedded is also referred to as primary mitigation and ude the following measures:

lary fencing to be set back 5m from adjacent edgerows to allow for proposed thickening and

be set a minimum of 3m from Site boundaries.

be set minimum of 20m from major watercourses num of 8m from minor watercourses.

nting to be 5m from the existing PRoW. Panels to k 15m from PRoW.

edges are to be allowed to grow out and will be to a height of 5m. Hedgerow trees will be ed to grow out to add further thickening and the field boundaries with the addition of new trees as appropriate, randomly spaced along the existing hedges.

ill be limited to downlights within substations and nks only and used when maintenance or security . Lighting will be PIR operated and will be to vehicle and personnel movements. All visible ould be 50W, installed at a maximum height of 4m fitted to prevent light spillage. Lighting required elled areas will be manually operated. There will ting on perimeter fencing.

effects **with only** the Embedded Mitigation taken nt equate to those effects set out for the stage (Year 1) and this includes secondary which will have been carried out but will have had ysical or visual impact at this Embedded Mitigation



Construction	Operation (Year 1)	Operation (Year 15)	Decommissioni
Activities considered includes, site	The foreground of the view would retain the public footpath at the junction with	With secondary mitigation such as planting and grass seeding being	A similar process to t
preparation / enabling works, construction,	Bonsdale Lane, but the large arable field would change to panels. The	taken into account at the operational stage (Year 15) the following	construction stage, b
· · ·			-
and commissioning with effects such as	hedgerows to each side would however help with screening in the foreground.	changes to the landscape would occur and the visual effects are set	with the Scheme be
construction traffic, noise and vibration from	Further agricultural fields are already not visible beyond and so this situation	out below.	longer operational.
construction activities, dust generation, site	would not change, and the distant backdrop of Laughton Wood would remain.		an assessment of th
runoff, mud on roads, and the visual	Bonsdale Lane with the local collection of agricultural fields to each side and	The view will become more enclosed since the proposed new	in winter but assum
intrusion of plant and machinery on site. At	extended views towards the Blyton Level Crossing would remain but in the	hedgerows will have established to create a strong field structure	retention of existin
the early stages of the construction stage,	context of new panels to the left of the view but set behind the exiting	and screen views of the panels. Existing hedges will have been	vegetation and bui
ground, and lower-level activities such as the	hedgerow. The remainder of the horizon is made up of tree cover and	managed to grow out to 5m and proposed hedgerow trees will	upon the proposed
construction of the solar panel areas and	shelterbelts would remain visible above the new panels. The vertical elements	begin to reach some height, reinforcing the vertical structure locally.	primary and secon
associated infrastructure and inverters	in the view, including telegraph poles and associated cables would add some	In the close-range, the new and enhanced hedgerows will screen the	mitigation that had
would be partly screened by the foreground	minor cumulative change to the view.	panels with mid and longer distance views appearing as a layered	established as the
hedgerows bordering Green Lane and		well-treed landscape. There is also a mid-range view of the railway	baseline. Effects ar
Pilham Lane. During the latter part of the	The effects set out below for Year 1 include secondary mitigation which will have	line vegetation and a backdrop of strong woodland features at	arising from activiti
construction stage, views would become	been carried out, but will have had limited physical or visual impact at this stage:	Laughton Woods to some views with more distant horizons of	the duration of the
available of the elevated activities, and		woodland and hedgerow trees.	decommissioning
although the hedgerows to the foreground	Shelterbelt		including site traffi
and within the surrounding field systems	A shelterbelt is proposed to part of the the northern boundary of field J6,	Overall , in terms of mitigation for the Cottam 3b Site, consideration	and vibration from
would give some partial layering, these	creating a strong structure to this field boundary and further height to the local	could be given to enhanced planting along the road networks at the	decommissioning
activities would still occupy an extensive	landscape.	gateways to settlements, whilst enhancing the long views both	activities, dust gene
proportion of the view.		towards the east and the west across the area. This planting will also	and site runoff.
	Existing hedges	enhance the visitor experience particularly where on route to the	
Other works would be undertaken in	Existing hedges within the Site, are to be enhanced, being allowed to grow out	AGLV at Laughton Forest to the northwest of this location. The	Following
connection with the construction including	and managed at 5m whilst new tree planting will create visual interest and	planting could be adopted both along the unnamed roads and the	decommissioning,
fencing, gates, boundary treatment and	height along these boundaries. Enhancement will further mitigate views into	strategic road network to provide a more varied and interesting	is likely to be return
other means of enclosure and works for the	the Site from the Bonsdale Lane and the PRoW. Where the unnamed road	landscape to highlight the changes when travelling from open to	arable production.
provision of security and monitoring	meets the PRoW (footpath), the existing hedgerow is very low with no hedgerow	more enclosed areas. These local lanes are less busy and the more	will however benef
measures such as CCTV and the laying down	trees. It is to be allowed to grow out and to be enhanced with the addition of	tranquil, since they are less accessible than the east west routes that	the significantly en
of internal tracks. There would also be	irregularly spaced native tree species along the western boundary of the	are intrinsically linked. These lanes offer many locations to capture	tree and hedgerow
landscape and biodiversity mitigation works,	unmade road to break up the rather bleak landscape at this point. The existing	views across the landscape and show significant potential to	planting that has b
including planting and the improvement of	hedgerow to the south of the PRoW is also devoid of trees and creates very little	develop sustainable mitigation strategies.	carried out and has
the foreground hedgerows.	interest to either road users on this road or to pedestrians using the PRoW	develop sustainable mitigation strategies.	
the foreground nedgerows.		Potwoon Voors 1 and 15, the following heneficial effects will be	to mature to create
These short-lived construction activities	network. The existing route offers an open, inhospitable walk likely to be cold	Between Years 1 and 15, the following beneficial effects will be achieved in terms of Visual Receptors:	much stronger and
	and windy at times. Tree cover and hedges managed to a greater height will		landscape, retainin
would obstruct a significant proportion of	provide relief from the elements and create a more varied visual experience.	 Grassland reversion around field boundaries and PRoW 	enhancing the over
the view and become a dominant feature.		 Increased woodland/vegetation cover 	character and prov
There would be a considerable change to the	New hedges	 A more varied landscape 	considerable biodiv
arable land use, but the surrounding field	At present the existing route of the PRoW heading west from this viewpoint is	 Improved (more natural) management of exiting vegetation 	benefits over the y
boundaries and the associated tree cover	exposed and somewhat windswept. A new hedge with hedgerow trees is	 Less expanse of intensively managed arable land 	Bird mitigation field
would remain intact. There would not be a	proposed to the north of the PRoW on the southern boundaries of fields J1, 2, 3	 A less exposed and windswept landscape 	likely to be retained
fundamental change to the immediate	and 6 creating a much more enclosed and intimate walk, whilst also mitigating	 Water quality improvements 	the potential may e
north, south and east of this location and the	views of the Scheme from the south, southwest and southeast. Hedges are	 Potential animal grazing 	retain grass margir
wider landscape to the east and south would	spaced to create a wide walkway of 10m. New hedges are proposed running	 Reinstatement of historic field patterns 	preserve some var
also not fundamentally change.	north/south where existing hedgelines are degraded, breaking up the overall	 Bird mitigation fields 	use and maintain lo
	site and strengthening the character of the existing field pattern.	 Significantly improved biodiversity 	term improvement
Construction Access			biodiversity in the l
There would be no view of any construction	Successional scrub	Growth of existing and proposed vegetation is assumed to be:	area, all of which w
access from this viewpoint.	Successional scrub is to the planted to the northern boundaries of fields J1,2,3		benefit visual recep
-	and 5 at the base of the existing vegetation along the railway line, creating both	Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at	
Cable Route Corridor	visual and ecological benefit with low maintenance planting.	Year 15.	With secondary mit
			considered, the neg
	Grassland mixes	New hedgerows: 0.6m at Year 1 and 3.5m at Year 15.	effects of the physic



Significance of Effect	Moderate-Major Significant	Major Significant	Moderate-Major Significant
Level of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term
Magnitude	Medium	High	Medium
	Viewpoint is within the 0.5km study area and there would be minor views to the southwest of this route. Substation This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 2 or 3a and 3b beyond the proposed panelled area.	 A tussock grassland mix is proposed to the field boundaries and within the proposed new PRoW hedged route, creating a visually interesting and natural walk. Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	Existing hedgerows: 0.9m at Year 1 and 5m at Year Shrubs: 0.9m at Year 1 and 5m at Year 15.

it Year 15.	decommissioning will be balanced out by the long term landscape and visual effects of this mitigation.
	Very Low
	Adverse & Short Term
	Negligible Not Significant



Viewpoint VP58 – Junction of Pilh/20/1 and Bonsdale Lane

	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	In Summary There would be no intervisibility between the Cottam 3b Site, Cottam 1 Site/Sites and Cottam 2 Site, due to distance, the intervening settlements of Aisby, Corringham and Yawthorpe and additional intervening hedgerows and tree cover.	In Summary The Cumulative Effects upon viewpoint 58 of the Cumulative Developments is Min with mitigation. This is due to the limited impact upon the view as a result of the s Developments and proximity to the visual receptor. The closest Cumulative Develo located approximately 3.6km from the view and no cumulative visual effects are a
	Between the Cottam 3b and 3a Sites, the changes would not be readily noticeable. In the context of the Cottam 3b Site, the Cottam 3a Site occupies only a very small portion of the view due to the intervening vegetation along the mainline railway and foreground hedgerows and tree cover and would not result in a change to the view's composition. There would be a small change to existing landscape elements beyond the railway line by the addition of the area of panels in place of an airfield at the Cottam 3a Site, but the detectable impacts do not alter the baseline of the receptor materially.	<u>Fabric of the Landscape</u> There would not be the removal of or changes in individual elements or features of There would be the introduction of new elements and features comprising the sole <u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with the Cottam 3s and 3 developments would not be experienced across the majority of the 5km study are woodlands, hedgerows, and tree cover between the Site/Sites. The intervening set cumulative visibility between these Site/Sites. There are local patches of cumulative visibility which may be focus of likely signific Tillbridge Solar. This cumulative visibility is set out in further detail within the follo Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments of the set
		Overall Landscape Character and Visual Amenity Overall, the character of the Unwooded Vales is shaped by the strong agricultural sense of rural tranquility. In contrast, the low levels of woodland cover create a rel comprising an arable land use within a scattered pattern of settlement, linked by a strategic road network north to south. These relevant characteristics of the lands without undue adverse effects. The cumulative visibility for the Cottam 3b Site wo landscape within the Unwooded Vales Character Area 4a.
Magnitude	Construction: Low-Medium Operation (Year 1): Low-Medium Operation (Year 1): with only Embedded Mitigation: Low-Medium Operation (Year 15): Low-Medium Decommissioning: Low-Medium	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low
Type of Effect	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Construction: Minor-Moderate Not Significant Operation (Year 1): Minor-Moderate Not Significant Operation (Year 1): with only Embedded Mitigation: Minor-Moderate Not Significant Operation (Year 15): Minor-Moderate Not Significant Decommissioning: Minor-Moderate Not Significant	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significant Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.3: Viewpoint Analysis & Evaluation – Views Significant [Reference: EN010133/APP/C6.3.8.3.2.3.25] January 2023

1 A finor at year 1 of operation and Minor at year 15 e segregated nature of the Sites and Cumulative elopment to Viewpoint 58 is Tillbridge Solar, anticipated due to proximity.

s of the landscape within the character area.

solar panel areas and the substation area.

d 3b Sites, cumulative visibility with the cumulative area. This is due to the distance, the intervening settlements and built form would also curtail

ficant effects, between the Cottam 3a Site and llowing figures:

ts Augmented ZTV [C6.4.8.15.2.8]

al presence, with wide areas retaining a strong relatively open and expansive landscape y a series of minor roads east to west and a more dscape have some ability to accommodate change vould not alter the overall character of the



Viewpoint VP59 – Blyton Level Crossing

Viewpoint Baseline:

The view is located on Blyton Level Crossing, looking southwest directly over the Cottam 3b Site and northwest over the Cottam 3a Site. The view is also looking south towards the Cottam 2 Site with the Cottam 1 North Site beyond.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a very slightly undulating, low-lying landscape within the wider context of a broad vale, which is very conspicuous at this location. The land use is mainly productive arable farmland with many large fields under single crop. There are some local variations in landform where the land rises to the west just beyond Station Road and Pilham to form a narrow spur around Todd Lane, extending from Corringham Scroggs (recreational woodland). To the north, the land rises towards Kirton Road at approximately 22m AOD and to the south there is also a gentle rise to the southwest of Glebe Farm at approximately 20m AOD. The landform also rises towards the east (right of view) towards Bonsdale Farm and the medieval village of Dunstall which rises to approximately 25m AOD. In terms of enclosure, there are very few woodland blocks or shelterbelts in the wider landscape other than Wharton Wood to the east and Yawthorpe Fox Covert to the west. At closer proximity, there is some woodland around the settlement of Pilham and around Bonsdale Farm, Southorpe Farm, Glebe Farm and Green Lane. The views are mainly open at this location with most of the visibility extending towards the west, south and east. In terms of man-made features, there is Bonsdale Farm to the south, Top Farm to the west and Southorpe Farm to the northeast, and the mainline railway and Blyton Level Crossing bring strong urban influences.

Subjective: The viewpoint depicts a medium to large-scale, open, and balanced landscape. In terms of variety, the hedgerows are a strong feature, with several distinctive hedgerow trees and there is also woodland cover to the east side of the lane at Bonsdale Farm and north side of the railway at Southorpe Farm. There is also a strong line of mature tree and scrub cover along both sides of the mainline railway and further strong hedgerows and tree cover within the small collection of fields to the northeast of Top Farm. The hedgerows are on both sides of the unnamed road and are low-cut allowing open and expansive views towards the south. In terms of texture and colour, the vegetation along the railway supports a wider variety of species than the low-cut hedgerows and is grown out in parts with an interesting texture, and there are also colourful tones due to the presence of the mature trees and woodland at Bonsdale Farm. Mast poles are however prominent. The views tend to be pleasant and interesting in the immediate context of the Site/Sites, and the distant horizon also reveals the Limestone Scarps and Dipslopes Character Area 6a in the east comprising woodland cover at Willhoughton and Willhoughton Cliff. There are also extended views towards Laughton Common showing a wooded horizon, which forms part of the Wooded Vales Character Area 4a.

Overall: The view is influenced by the open nature of the location. The unnamed road is defined by strong hedgerows and hedgerow trees dotted informally and with the adjoining woodlands and shelterbelt at Bonsdale Farm this gives a comfortable and pleasant feeling to the route. The existing vegetation bordering the mainline railway also occupies the majority of the view and there is dense shelterbelt vegetation between the field systems to the north of the railway line which provides effective screening in this direction. The wind turbine on the Site/Sites is visible from this viewpoint. The viewpoint offers some interesting but detracting features locally, that are evident in sharp contrast with the more invigorating views out towards the surrounding landscape, which is open and exposed. The overall experience is that of a pleasant location with strong feelings of vigour and inspiration. The railway line is discordant in this otherwise balanced landscape.

Receptors:

This viewpoint is representative of views available to walkers, motorists using the unnamed road network to the eastern edge of Pilham, and train passengers on the mainline railway.

Description of View:

The foreground of the view comprises the Blyton Level Crossing and mainline railway within the context of a large flat arable field in the foreground and hedgerows to each side. Further agricultural fields are only just visible beyond since this local collection of fields has a number well-established and dense hedgerows with a high proportion of mature trees and the landscape is flat. The middle and long distance therefore yields some visibility across the agricultural fields towards the distant backdrop of Laughton Wood. To the right-hand side of the view, there is Bonsdale Lane as it crosses the Blyton Level Crossing and where there is a small woodland copse. To the left-hand side of the view there is a similar collection of fields divided by Bonsdale Lane with extended views across an open and expansive landscape. The remainder of the horizon is made up of the dense vegetation to each side of the mainline railway, farm buildings, hedgerows, and tree cover. There are some vertical elements in the view, including the mainline railway infrastructure, telegraph poles and associated cables at close range, and these are notable elements in the context of their close proximity to the receptor.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.3: Viewpoint Analysis & Evaluation – Views Significant [Reference: EN010133/APP/C6.3.8.3.2.3.26] January 2023





taken into account at the construction, operation missioning stages of the Scheme. This Embedded s primary mitigation and would include the

boundary of the Cottam 3b Site. Reinforce allowing for it to grow out especially in

e boundary to mitigate views from the railway and

s set 5m from the railway line with scrub planting this feature for maintenance purposes.

m the railway line and underplanted with a

Om from major watercourses and minimum of 8m

back 5m from adjacent existing hedgerows to allow owth.

3m from Site boundaries.

ed to grow out and will be managed to a height of couraged to grow out to add further thickening and with the addition of new hedgerow trees as along the length of existing hedges.

lights within substations and battery banks only r security is required. Lighting will be PIR operated and personnel movements. All visible lighting aximum height of 4m with cowls fitted to prevent within panelled areas will be manually operated. imeter fencing.

e Embedded Mitigation taken into account equate to eration stage (Year 1) and this includes secondary carried out but will have had limited physical or Mitigation stage.



Construction	Operation (Year 1)	Operation (Year 15)
Activities considered includes, site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site	The foreground of the view comprising the Blyton Level Crossing and mainline railway would be set within the context of new panels instead of a large arable field which would add a small cumulative change to the view. Further agricultural fields just visible beyond would also be screened by the new panels, but the distant backdrop of Laughton Wood would remain. The setting	With secondary mitigation such as planting and gra taken into account at the operational stage (Year 1 changes to the landscape would occur and the visu out below.
runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened by the foreground hedgerows bordering Pilham Lane. During the latter part of the construction stage, views would	of Bonsdale Lane as it crosses the Blyton Level Crossing and where there is a small woodland copse would not change. The remainder of the horizon made up of the dense vegetation to each side of the mainline railway, and tree cover would be evident above the new panels. The vertical elements in the view, including the mainline railway infrastructure, telegraph poles and associated cables would add minor cumulative changes to the view. The effects set out below for Year 1 include secondary mitigation which will have been carried out, but will have had limited physical or visual impact at this stage:	The view will become more enclosed since the scen relatively well treed one with existing hedges havin some extent and proposed hedges with hedgerow established and begun to mature. The overall char retained whilst views of detracting features such as and overhead cables being predominantly obscure Views to the south, north and east will remain ope further to the north and west will be enhanced thr appropriate additional characteristic planting.
and although the hedgerows to the foreground and within the surrounding field	Shelterbelt A shelter belt is to be planted, running east/west between Areas 1 and 3 of the Cottam 3b Site to the west.	Overall , in terms of mitigation for the Cottam 3b S could be given to new tree planting around key set suitable locations that provide linkages between the Trees should be typically grouped in small plantation individual trees within hedgerows. The creation of
Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be	Existing hedges Existing hedgerows along this unnamed road will be enhanced and infilled, with intermittent hedgerow trees, adding to height and interest, and will be allowed to grow out to a height of 5m. A grass tussock mix will run to the base on this hedgerow creating a varied and layered habitat. These enhanced hedgerows will run the length of the eastern boundary of the Site along the unnamed road.	and permanent pasture along watercourses is also enhancing visibility of streams and dykes, whilst in occurrence of semi- natural habitats. Although the hedgerow network is generally strong, there is new of decline in a number of areas, with gaps and few The distinctive open character of the landscape is a consideration. Priority should also be given to man characteristic habitats, such as dykes and drainage
landscape and biodiversity mitigation works, including planting and the improvement of the	Several existing hedgerows divide the Site into smaller rectilinear fields and these boundaries will be enhanced with infill planting as necessary, intermittent tree planting along their existing lines and where no hedgerows exist, new hedgerows will help to further delineate the field boundaries, create	planting of natural vegetation in these locations. Between Years 1 and 15, the following beneficial ef achieved in terms of Visual Receptors:
obstruct a significant proportion of the view and become a dominant feature. There would be a considerable change to the arable land use, but the surrounding field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the immediate north, east and south of this location and the wider landscape to the east would also not fundamentally change.	 exist, new nedgerows will help to further delineate the held boundaries, create a stronger field pattern, and break up the overall bulk of the paneled area. Views northwest towards the Cottam 3a Site will be mitigated by enhanced tree and hedge planting to the north of Kirton Road, reducing longer distance views across the Site. <u>New hedges</u> A proposed native hedgerow including irregular hedgerow tees is to be planted to the eastern extent of this field boundary to enhance the existing native hedgerow and break up the bulk of panels within this area. This will provide further screening from the northeast and the south. 	 Grassland reversion around field boundar Increased woodland/vegetation cover A more varied landscape Improved (more natural) management of Less expanse of intensively managed arab A less exposed and windswept landscape Water quality improvements Potential animal grazing Reinstatement of historic field patterns Bird mitigation fields Significantly improved biodiversity
access from this viewpoint.	<u>Successional scrub</u> Proposed successional scrub planting along the northern boundary of the Cottam 3b Site and adjacent to the railway line will augment the existing lines	Growth of existing and proposed vegetation is assu Woodland/trees and shelterbelts: 2.5m max at Yea
<u>Cable Route Corridor</u> Viewpoint is outside of the 0.5km study area and there would be no view of this route.	of vegetation and help soften views into the Site from both the railway and the unnamed road which heads towards Aisby.	Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Year
	Grassland mixes	

grass seeding being r 15) the following visual effects are set

scene will be a iving grown out to ow trees having haracter will be as the railway line ured from most views. pen whilst views through limited and

b Site, consideration settlements and other these settlements. ations/copses or as of new hedgerows lso a priority, increasing the he remaining nevertheless evidence ew hedgerow trees. is also an important nanaging more age ditches, and the

effects will be

daries and PRoW

of exiting vegetation rable land pe

assumed to be:

Year 1, 7.5m max at

ar 15.

'ear 15.

Decommissioning

A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.

Following

decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local



	This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 2 and 3a and 3b.	 Tussock mixes are proposed to all field boundaries and wildflower grassland mix beneath panelled areas will create a varied and biodiverse series of habitats for a large range of species and provide visual interest where minor views into the Site exist. Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	Shrubs: 0.9m at Year 1 and 5m at Year 15.	area, all of which will benefit visual receptors. With secondary mitigation considered, the negative effects of the physical decommissioning will be balanced out by the long term landscape and visual effects of this mitigation.
Magnitude	Medium	High	Medium	Low
Level of Effect	Adverse & Short Term	Adverse & Long Term	Adverse & Long Term	Adverse & Short Term
Significance of Effect	Moderate Significant	Moderate-Major Significant	Moderate Significant	Minor Not Significant



Viewpoint VP59 – Blyton Level Crossing

	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	In Summary. There would be no intervisibility between the Cottam 3b Site, Cottam 1, due to distance. Between the Cottam 3b and 3a Sites, the changes would not be readily noticeable. In the context of the Cottam 3b Site, the Cottam 3a Site occupies only a very small portion of the view due to the intervening vegetation along the mainline railway and foreground hedgerows and tree cover and would not result in a change to the view's composition. There would be a small change to existing landscape elements beyond the railway line by the addition of the area of panels in place of an airfield at the Cottam 3a Site, but the detectable impacts do not alter the baseline of the receptor materially.	In Summary The Cumulative Effects upon viewpoint 59 of the Cumulative Development year 15 with mitigation. This is due to the limited impact upon the view as and Cumulative Developments and proximity to the visual receptor. A consecondary Mitigation proposed as well as existing topography would limit Cumulative Development to Viewpoint 59 is Tillbridge Solar, located appreumulative visual effects are anticipated due to proximity. <i>Eabric of the Landscape</i> There would not be the removal of or changes in individual elements or farea. There would be the introduction of new elements and features comprisint <i>Aesthetic Aspects of the Landscape</i> Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with the Cottam cumulative developments would not be experienced across the majority distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility between these Site/Sites There are local patches of cumulative visibility which may be focus of like and Tillbridge Solar. This cumulative visibility is set out in further detail w Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develop <i>Overall Landscape Character and Visual Amenity</i> Overall, the character of the Unwooded Vales is shaped by the strong agr strong sense of rural tranquility. In contrast, the low levels of woodland c landscape comprising an arable land use within a scattered pattern of set to west and a more strategic road network north to south. These relevar ability to accommodate change without undue adverse effects
Magnitude	Construction: Low-Medium Operation (Year 1): Low-Medium Operation (Year 1): with only Embedded Mitigation: Low-Medium Operation (Year 15): Low-Medium Decommissioning: Low-Medium	alter the overall character of the landscape within the Unwooded Vales C Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low
Level of Effect	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Terr Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Construction: Minor-Moderate Not Significant Operation (Year 1): Minor-Moderate Not Significant Operation (Year 1): with only Embedded Mitigation: Minor-Moderate Not Significant Operation (Year 15): Minor-Moderate Not Significant Decommissioning: Minor-Moderate Not Significant	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significa Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.3: Viewpoint Analysis & Evaluation – Views Significant [Reference: EN010133/APP/C6.3.8.3.2.3.26] January 2023

ents is Minor at year 1 of operation and Minor at as a result of the segregated nature of the Sites combination of existing vegetation, Embedded and mit any cumulative visual effects. The closest proximately 4.3km from the view therefore no

features of the landscape within the character

sing the solar panel areas and the substation area.

am 3a and 3b Sites, cumulative visibility with the ty of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and tes.

kely significant effects, between the Cottam 3a Site within the following figures:

elopments Augmented ZTV [C6.4.8.15.2.8]

gricultural presence, with wide areas retaining a l cover create a relatively open and expansive settlement, linked by a series of minor roads east ant characteristics of the landscape have some nulative visibility for the Cottam 3b Site would not Character Area 4a.

erm

cant



Viewpoint VP60 - B1025 (Kirton Road)

Viewpoint Baseline:

The view is located on the B1025 (Kirton Road) at the entrance to the Blyton Park Driving Centre, looking northwest directly over the Cottam 3a Site and southwest towards the Cottam 3b Site, with the Cottam 2 Site beyond.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a very slightly undulating, plateau landscape within the wider context of a broad vale, which is very conspicuous at this location. The land use is mainly productive arable farmland with many large fields under single crop but with former airfields on these plateau locations. Beyond the plateau there are some local variations in landform where the land falls to the west just beyond the A159 at Laughton Common and Laughton Woods (recreational woodland). To the north, the land rises towards Scotton at approximately 20m AOD, but there are also small variations in landform between to take account of several watercourses including Northorpe Beck and its tributaries. To the south the landform extends from the plateau as generally flat until there is a gentle rise to the settlement of Aisby at approximately 20m AOD. The landform also rises towards the east (right of view) towards Northorpe and Northorpe Hall at approximately 25m AOD. The landform then continues to rise in the east towards the limestone capped scarp slope where the settlement of Kirton in Lindsay occupies higher elevation at approximately 60m AOD. In terms of enclosure, there are several woodland blocks or shelterbelts in the wider landscape including woodland at Northorpe Hall to the east and the expansive Laughton Woods to the west and north of the Site/Sites. To the south, the vegetation along the mainline railway and the tall shelterbelts in the field systems to the northeast of Top Farm are the prominent feature. The woodland associated with the burial site to the north of the Site/Sites also closes down views in this direction. At closer proximity, there is some woodland around the settlement of Blyton and around Blyton Grange, Grange Farm, Top Farm and Southorpe Farm which adds some enclosure. The views are mainly open at this location with most of the visibility extending towards the west, north and east, with limited visibility to the south. In terms of man-made features, the former airfield has a significant influence as various sections have been divided up for other uses such as a motorsport racetrack owned by the Blyton Park Driving Centre. Other built influences include Grange Farm and Top Farm to the south and Blyton Grange and Bluebell Farm to the northwest with their large-scale agricultural buildings. The close proximity of the settlement of Blyton is also a significant built influence.

Subjective: The viewpoint depicts a large-scale, expansive, and open landscape. In terms of variety, the Blyton Park Driving Centre is the main feature and the low-cut hedgerows along the Kirton Road frontage allow open visibility across the landscape in all directions. There is a strong line of mature tree and scrub cover along both sides of the mainline railway and further strong hedgerows and tree cover within the small collection of fields to the northeast of Top Farm, which is a distinctive feature to the south side of Kirton Road. In terms of texture and colour, the vegetation along the railway supports a wider variety of species than the low-cut hedgerows and is grown out in parts with an interesting texture on the skyline, and there are also colourful tones due to the presence of the Blyton Park Driving Centre. Masts, poles, and wind turbines on the Site/Sites are also prominent. The views tend to be bland and unsettling in the immediate context of the Site/Sites due the open exposed context and the discordant uses within the airfield. The distant horizon however reveals extended views towards Laughton Woods and Laughton Common showing a wooded horizon, which forms part of the Wooded Vales Character Area 4a.

Overall: The view is influenced by the open nature of the location and the presence of the Blyton Park Driving Centre and its associated hanger, access roads and parking areas. Although Kirton Road is defined by strong hedgerows they are low-cut and the hedgerow trees are weak and this gives an uncomfortable feeling to the route, especially given that it is a long straight road with fast moving traffic and no footways, with only narrow grass verges. The existing vegetation bordering the mainline railway is the appealing feature of the view along with the dense shelterbelt vegetation between the field systems which provides effective screening in this direction. The wind turbine on the Site/Sites is prominent from this viewpoint, but the low scrub in the foreground helps to mitigate its presence. The viewpoint offers some interesting but highly detracting features locally, that are evident in sharp contrast to the more invigorating views out towards the surrounding landscape of Laughton Woods and Laughton Common as a strong wooded horizon. The overall experience is that of an unsettling location with overwhelming feelings of insecurity. The distant electricity pylons and the sporadic buildings, signage and gateway fencing in the foreground also add to the discordancy and uncomfortable nature of the view.

Receptors:

This viewpoint is representative of views available to motorists and cyclists travelling along Kirton Road between the settlements of Blyton in the west and Northorpe in the east.

Description of View:

The foreground of the view comprises a large flat agricultural field within the context of the Blyton Park Racing Centre, which lies beyond and a foreground hedgerow. Further agricultural fields are only just visible beyond this since the landscape is flat and this local collection of fields are expansive and vast. The middle and long distance therefore vields extended visibility across these agricultural fields towards the distant backdrop of Laughton Wood. To the right-hand side of the view, there is Kirton Road as it heads towards the junction with Bonsdale Lane where is a small woodland copse. To the left-hand side of the view there is a similar collection of fields divided by Kirton Lane with extended views towards the settlement of Blyton. The remainder of the horizon is made up of large-scale arable fields mixed with smaller fields of pasture where hedgerows are well established, and the mainline vegetation is also a key feature. There are some vertical elements in the view, including the wind turbine at the Blyton Park Racing Centre, the mainline railway infrastructure, telegraph poles and associated cables, but these are not notable elements due to the abundance of tree cover associated with the mainline railway and small-scale field systems.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.3: Viewpoint Analysis & Evaluation – Views Significant [Reference: EN010133/APP/C6.3.8.3.2.3.27] January 2023





Receptor susceptibility to change	Value of view	Sensitivity	Embedded Mitiga
In terms of forces for change for V60, there are aims to protect existing rural landscape features, in particular the restoration of hedgerows since the most widespread change has been in agricultural intensification and the change from pastoral to arable cropping that has resulted in the loss of hedges, and consequently, an increase in field size. The loss of pasture is particularly evident around settlements, where grazing animals and smaller field sizes contribute to the setting and structure of several villages. Overall, the susceptibility for VP60 is conditioned by the flat, open landscape and whilst the aim is to plan new tree planting around key settlements, woodland does not form a significant component of this landscape, and in considering its open and expansive character, extensive new woodland planting would be generally inappropriate. However, there is significant benefit with appropriate tree planting that could be used in and around settlements to increase the occurrence of semi-natural habitats and maintain the perception of a 'well-treed' landscape. The relevant characteristics of the landscape therefore have a medium to low ability to accommodate change without undue adverse effects.	 <u>Scenic:</u> Clear views are a key feature of the area. The views are mainly open at this location with most of the visibility extending towards the west, north and east, with limited visibility to the south. <u>Cultural:</u> The wider landscape setting of the settlements promotes the importance of the landscape and form strong visual relationships between adjoining Area of Greater Landscape Value (AGLV). This is particularly evident at Blyton where the north-western edge creates strong relationships with Laughton Woods. <u>Natural:</u> The views tend to be bland and unsettling in the immediate context of the Site/Sites due the open exposed context and the discordant uses within the airfield, which detract from the natural qualities of the landscape. <u>Recreation and Enjoyment:</u> The Blyton Park Driving Centre is the key recreational resource, but its relationship with the landscape setting of Blyton is marred by the discordant uses. <u>Local Distinctiveness and Sense of Place:</u> The lack of individual field boundary oak/ash trees is a key feature of the location. Even the relatively nondescript occasional trees seen in isolation make a crucial contribution to local landscape character. <u>Health and Wellbeing:</u> The villages within the Scarps and Dipslopes Character Area 6a at the crest of the scarp slope such as Blyborough, Willoughton and Hemswell benefit from attractive settings due to the presence of woodland cover associated with the historic halls and associated parklands. Whereas the settlements such as Blyton are influenced by the former airfields and busy road networks in the Wooded Vales Character Area 4b. <u>Important Spatial Function:</u> There are different landscape patterns that typify the differing landscape character and its contribution to spatial function, and this is particularly noticeable where the baseline views change dramatically between the south and the northeastern extents of the Site/Sites. Clear views are a key featu	<u>Range of Features:</u> The location comprises the local road network where passes by a local recreation facility at the edge of a settlement. This is an open location due to the hedgerows that are well cut back, which helps to provide extended views. In terms of variety, the Blyton Park Driving Centre is the main feature and the low-cut hedgerows along the Kirton Road frontage allow open visibility across the landscape in all directions. There is a strong line of mature tree and scrub cover along both sides of the mainline railway and further strong hedgerows and tree cover within the small collection of fields to the northeast of Top Farm, which is a distinctive feature to the south side of Kirton Road. <u>Importance of View:</u> This is an open location on the local road network. The views tend to be discordant, and the distant horizon hardly reveals the Limestone Scarps and Dipslopes Character Area 6a. <u>Number of Receptors</u> : This is the local road network that attracts local users but is also likely to attract users from the wider area due to the presence of the Blyton Park Driving Centre. Overall, this is an ordinary location, which dilutes the importance of the view.	Embedded Mitigation y operation (Year 1 and 1 Scheme. This Embedded mitigation and would i Site boundary fencing hedgerows to allow for Panels to be set minim minimum of 8m from 1 Site boundary fencing hedgerows to allow for Panels to be set a mini Wildflower meadow m Hedge planting to be 1 Existing hedges are to height of 5m. Hedgerof further thickening and of new hedgerow trees length of existing hedge Lighting will be limited banks only and used w Lighting will be PIR ope personnel movements maximum height of 4m Lighting required withi There will be no lightin The visual effects with account equate to thos and this includes seco out but will have had li Embedded Mitigation s
Medium	Medium	Medium	Not Applicable

gation

n would be taken into account at the construction, d Year 15) and decommissioning stages of the dded Mitigation is also referred to as primary d include the following measures:

ng to be set back 5m from adjacent existing for proposed thickening and growth.

imum of 20m from major watercourses and m minor watercourses.

ng to be set back 5m from adjacent existing for proposed thickening and growth.

inimum of 3m from Site boundaries.

mix to be sown beneath proposed panels.

10m from the existing PRoW.

to be allowed to grow out and will be managed to a erow trees will be encouraged to grow out to add nd growth to the field boundaries with the addition ees as appropriate, randomly spaced along the dges.

ed to downlights within substations and battery when maintenance or security is required. perated and will be calibrated to vehicle and nts. All visible lighting would be 50W, installed at a 4m with cowls fitted to prevent light spillage. thin panelled areas will be manually operated. ting on perimeter fencing.

th only the Embedded Mitigation taken into nose effects set out for the operation stage (Year 1) condary mitigation which will have been carried l limited physical or visual impact at this n stage.



Viewpoint VP60 – B1025 (Kirton Road)

/iewpoint VP60 – B1025 (Kirton Road)				
Construction	Operation (Year 1)	Operation (Year 15)	Decommissioning	
Activities considered includes, site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened by the foreground hedgerows bordering Kirton Road. During the latter part of the	The foreground of the view would change from a large flat agricultural field to an area of panels and within the context of the Blyton Park Racing Centre, that would add minor cumulative changes to the view. Further agricultural fields beyond would also be screened by the new panels but the distant backdrop of Laughton Wood would remain. The setting of Kirton Road as it heads towards the junction with Bonsdale Lane where there is a small woodland copse would also be set in the context of the new panels. The mainline railway vegetation is also a key feature of the view, but its setting would not be directly affected by the new panels. The vertical elements in the view, including the wind turbine at the Blyton Park Racing Centre, the mainline railway infrastructure, telegraph poles and associated cables would add minor cumulative changes to the view.	With secondary mitigation such as planting and grass seeding being taken into account at the operational stage (Year 15) the following changes to the landscape would occur and the visual effects are set out below. The view will become more enclosed since the proposed new hedgerows will have established to create a strong field structure and screen views of the panels. Existing hedges will have been managed to grow out to 5m and proposed hedgerow trees will begin to reach some height, reinforcing the vertical structure locally. In the close-range context, the hedgerows will screen the panels with mid and longer	A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been	
construction stage, views would become available of the elevated activities, and although the hedgerows to the foreground and within the surrounding field systems would give some partial	The effects set out below for Year 1 include secondary mitigation which will have been carried out, but will have had limited physical or visual impact at this stage: <u>Existing hedges</u>	distance views appearing as a layered, relatively well-treed landscape around the airfield with a backdrop of strong woodland features at Laughton Woods to the north west.	established as the future baseline. Effects are those arising from activities for the duration	
layering, these activities would still occupy an extensive proportion of the view. Other works would be undertaken in connection	The existing hedge to the south of field K12 is to be enhanced and allowed to grow out and managed to a height of 5m. Additional tree planting is proposed along this hedgeline creating a natural screen and additional height to this area and mitigating views into the Site to the west from this viewpoint and the Kirton	Overall , in terms of mitigation for the Cottam 3a Site, consideration should take account that many of the rural villages have not seen widespread expansion but	of the decommissioning including site traffic, noise and vibration from decommissioning	
with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying	Road. This buffer also acts to mitigate views of the whole Site of 3a from views from the south and is to be further enhanced with successional scrub.	development pressures continue within commuting distance of Lincoln with the demand for housing, commerce and industry creating visual intrusion and extending the urban fringe. For development associated with the rural villages, specific mechanisms include Village Design Statements, and	activities, dust generation and site runoff.	
down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows.	A 10m wide buffer of successional scrub is proposed between the existing hedgerow to be enhanced and the development on the southern extents of field K12, further enhancing the ecological value, visual interest and screening value of this southern boundary of the Site.	tree planting around settlement fringes to help integrate new development into the landscape.	Following decommissioning, the land is likely to be returned to arable	
These short-lived construction activities would obstruct a significant proportion of the view and become a dominant feature. There would be a considerable change to the airfield land use, but the surrounding field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the immediate south, east and west of this location and the wider landscape to the east would also not fundamentally change.	New hedges New hedging to the west of the driving centre track will mitigate views into the Site as well as breaking up the landscape when viewed from the south. Hedgerow trees will provide height and interest to this area. A new hedge is to run the length of the northern boundary of field K7 where none exists, breaking up the overall landscape and the bulk of the developed area whilst retaining the character. These proposed hedgerows will reinforce the historical field pattern and create a more varied landscape at this point where boundaries have been degraded to create the airfield landscape. New hedgerows the eastern boundaries of fields K8 and K9 will reinforce the vegetation and tree cover locally and break up views across the airfield landscape.	 Between Years 1 and 15, the following beneficial effects will be achieved in terms of Visual Receptors: Grassland reversion around field boundaries and PRoW Increased woodland/vegetation cover A more varied landscape Improved (more natural) management of exiting vegetation Less expanse of intensively managed arable land A less exposed and windswept landscape Water quality improvements Potential animal grazing Reinstatement of historic field patterns 	production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable	
Construction Access All throughout the construction stage the viewpoint will be affected due to Kirton Road B1205 having 2 points of access into the Cottam 3a Site/Sites. The first access point is through Kirton Road as it connects to fields K3 and K4. The second access	<u>Turtle Dove mitigation</u> Turtle Dove habitat is proposed to the west of Blyton Park entrance in field K12, where an existing hedgerow exists to the southern boundary and some additional trees to the east.	 Bird mitigation fields Significantly improved biodiversity Growth of existing and proposed vegetation is assumed to be: 	biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to	
point is through Kirton Road as it connects to field K12. These two access points will make Kirton Road busy during the construction stages and will affect the view.	<u>Grassland mixes</u> A mix of Tussock grass and flower rich pollinator mixes are to be used around the boundaries of the fields with wildflower meadow mix beneath the panelled areas and under existing overhead power lines.	Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Year 15.	preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will	
Cable Route Corridor	Adverse effects:	Existing hedgerows: 0.9m at Year 1 and 5m at Year 15.	benefit visual receptors.	

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.3: Viewpoint Analysis & Evaluation – Views Significant [Reference: EN010133/APP/C6.3.8.3.2.3.27] January 2023



	Viewpoint is outside of the 0.5km study area on the outer extents and there may be limited views to the southwest of this route. <u>Substation</u> This viewpoint is within the 2km study area and there are potential views of the Cottam 3a substation to the northwest.	 Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	Shrubs: 0.9m at Year 1 and 5m at Year 15.	With secondary mitigation considered, the negative effects of the physical decommissioning will be balanced out by the long term landscape and visual effects of this mitigation.
Magnitude	High	High	Medium	Low
Level of Effect	Adverse & Short Term	Adverse & Long Term	Adverse & Long Term	Adverse & Short Term
Significance of Effect	Moderate-Major Significant	Moderate-Major Significant	Moderate Significant	Minor Not Significant



Viewpoint VP60 - B1025 (Kirton Road) In-Combination Effects [Cumulative Sites] **Cumulative Effects [Cumulative Developments]** In Summary The Cumulative Effects upon viewpoint 60 of the Cumulative Developments is Minor at year 1 of operation and Minor at year 15 with mitigation. This is due to the limited impact upon the view as a result of the segregated nature of the Sites There would be no intervisibility between the Cottam 3a Site, Cottam 1 or Cottam 2 due to proximity. and Cumulative Developments and proximity to the visual receptor. A combination of existing vegetation, Embedded and Secondary Mitigation proposed as well as existing topography would limit any cumulative visual effects. The closest The changes between the Cottam 3a and 3b Sites, would not be readily noticeable. In the context of the Cumulative Development to Viewpoint 59 is Tillbridge Solar, located approximately 4.7km from the view therefore no Cottam 3a Site, the Cottam 3b Site occupies only a very small portion of the view due to the intervening cumulative visual effects are anticipated due to proximity. vegetation along the mainline railway, the foreground hedgerows and tree cover and the interveningbuilt form at Top Farm and Grange farm and would not result in a change to the view's composition. Fabric of the Landscape There would be a small change to existing landscape elements beyond the railway line by the addition There would not be the removal of or changes in individual elements or features of the landscape within the character of the area of panels in place of the arable fields at the Cottam 3b Site, but the detectable impacts do area. not alter the baseline of the receptor materially. There would be the introduction of new elements and features comprising the solar panel areas and the substation area. Aesthetic Aspects of the Landscape Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with the Cottam 3a and 3b Sites, cumulative visibility with the cumulative developments would not be experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedgerows, and tree cover between the Site/Sites. The intervening settlements and built form would also curtail cumulative visibility between these Site/Sites. There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cottam 3a Site and Tillbridge Solar. This cumulative visibility is set out in further detail within the following figures: Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] **Overall Landscape Character and Visual Amenity** Overall, the character of the Unwooded Vales is shaped by the strong agricultural presence, with wide areas retaining a strong sense of rural tranquility. In contrast, the low levels of woodland cover create a relatively open and expansive landscape comprising an arable land use within a scattered pattern of settlement, linked by a series of minor roads east to west and a more strategic road network north to south. These relevant characteristics of the landscape have some ability to accommodate change without undue adverse effects. The cumulative visibility for the Cottam 3b Site would not alter the overall character of the landscape within the Unwooded Vales Character Area 4a. Construction: Low-Medium Construction: Low Operation (Year 1): Low-Medium Operation (Year 1): Low Magnitude Operation (Year 1): with only Embedded Mitigation: Low-Medium Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low-Medium Operation (Year 15): Low Decommissioning: Low-Medium Decommissioning: Low Construction: Adverse & Short Term Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): Adverse & Long Term Level of Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Effect Operation (Year 15): Beneficial & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term Decommissioning: Neutral & Short Term Construction: Minor-Moderate Not Significant Construction: Minor **Not Significant** Operation (Year 1): Minor-Moderate **Not Significant** Operation (Year 1): Minor Not Significant Significance Operation (Year 1): with only Embedded Mitigation: Minor-Moderate Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significant of Effect Operation (Year 15): Minor-Moderate **Not Significant** Operation (Year 15): Minor Not Significant Decommissioning: Minor-Moderate Not Significant Decommissioning: Minor Not Significant



Viewpoint VP61 - B1025 (Kirton Road)

Viewpoint Baseline:

The view is located on the B1025 (Kirton Road) to the west of the Blyton Park Driving Centre, looking directly west over the Cottam 3a Site and southwest towards the Cottam 3b Site with the Cottam 2b Site beyond.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a very slightly undulating, plateau landscape within the wider context of a broad vale, which is very conspicuous at this location. The land use is mainly productive arable farmland with many large fields under single crop but with former airfields on these plateau locations. Beyond the plateau there are some local variations in landform where the land falls to the west just beyond the A159 at Laughton Common and Laughton Woods (recreational woodland). To the north, the land rises towards Scotton at approximately 20m AOD, but there are also small variations in landform between to take account of several watercourses including Northorpe Beck and its tributaries. To the south the landform extends from the plateau as generally flat until there is a gentle rise to the settlement of Aisby at approximately 20m AOD. The landform also rises towards the east (right of view) towards Northorpe and Northorpe Hall at approximately 25m AOD. The landform then continues to rise in the east towards the limestone capped scarp slope where the settlement of Kirton in Lindsay occupies higher elevation at approximately 60m AOD. In terms of enclosure, there are several woodland blocks or shelterbelts in the wider landscape including woodland at Northorpe Hall to the east and the expansive Laughton Woods to the west and north of the Site/Sites. To the south, the vegetation along the mainline railway and the tall shelterbelts in the field systems to the northeast of Top Farm are the prominent feature. The woodland associated with the burial site to the north of the Site/Sites also closes down views in this direction. At closer proximity, there is some woodland around the settlement of Blyton and around Blyton Grange, Grange Farm, Top Farm and Southorpe Farm which adds some enclosure. The views are mainly open at this location with most of the visibility extending towards the west, north and east, with limited visibility to the south. In terms of man-made features, the former airfield has a significant influence as various sections have been divided up for other uses such as a motorsport racetrack owned by the Blyton Park Driving Centre. Other built influences include Grange Farm and Top Farm to the south and Blyton Grange and Bluebell Farm to the northwest with their large-scale agricultural buildings.

Subjective: The viewpoint depicts a large-scale, expansive, and open landscape. In terms of variety, the Blyton Park Driving Centre is the main feature and the low-cut hedgerows along the Kirton Road frontage allow open visibility across the landscape, except for the immediate southwest where a small thicket at the 'S' bend in the road closes down views. There is a strong line of mature tree and scrub cover along both sides of the mainline railway, which is a strong feature to the south side of Kirton Road. In terms of texture and colour, the vegetation along the railway supports a wider variety of species than the low-cut hedgerows and is grown out in parts with an interesting texture on the skyline, and there are also colourful tones due to the presence of the Blyton Park Driving Centre. Masts, poles, and wind turbines on the Site/Sites are also prominent. The views tend to be interesting and pleasant in the immediate context of the Site/Sites due the open exposed context, the presence of the adjacent thicket on both sides of the road and the extended views towards the east. The distant horizon reveals extended views towards the west comprising Laughton Woods and Laughton Common showing a wooded horizon, which forms part of the Wooded Vales Character Area 4a. There are also extended views towards the east that capture an open and attractive arable landscape with strong hedgerows and tree cover and little in the way of built influence.

Overall: The view is influenced by the open nature of the location and although the presence of the Blyton Park Driving Centre is a detractor, the extended views towards the east and the west are the overriding feature. Kirton Road (at this section) continues to be defined by strong hedgerows that are low-cut but there is a marked contrast since the hedgerow trees are stronger with some tree clumps. This strong tree cover gives a more comfortable feeling to the route at this location, especially given that the road is winding, with notable tussocky grass verges. The existing vegetation bordering the mainline railway remains the appealing feature of the view. The wind turbine on the Site/Sites, the hanger and other masts and poles are prominent from this viewpoint, but the tree, scrub and hedgerow cover in the foreground helps to mitigate their presence. The viewpoint offers some interesting features locally, that are evident in the context of the more invigorating views out towards the surrounding landscape of Laughton Woods and Laughton Common. The clusters of deciduous woodland to the northeast of the Site/Sites are also an appealing feature. The overall experience is that of an interesting location with overwhelming feelings of vigour due to the pleasant outlook in all directions and the balance and harmony of this arable landscape.

Receptors:

This viewpoint is representative of views available to motorists and cyclists travelling along Kirton Road between the settlements of Blyton in the west and Northorpe in the east.

Description of View:

The foreground of the view comprises a large flat agricultural field within the context of the Blyton Park Racing Centre, which lies beyond and a foreground hedgerow. Further agricultural fields are visible beyond this since the landscape is flat and this local collection of fields are expansive and vast. The middle and long distance therefore yields extended visibility across these agricultural fields towards the distant backdrop of Laughton Wood. To the right-hand side of the view, there is Kirton Road as it winds towards Northorpe where there is groups and individual trees along its verges. To the left-hand side of the view there is a similar small group of trees divided by Kirton Lane as it makes a small turn and closes down visibility in this direction. The remainder of the horizon is made up of large-scale arable fields where hedgerows are well established. There are vertical elements in the view, including power lines, the wind turbine at the Blyton Park Racing Centre, the mainline railway infrastructure, telegraph poles and associated cables, and these are notable elements due to the locally open nature of this location.





Receptor susceptibility to change	Value of view	Sensitivity	Embedded
In terms of forces for change for VP61, the small woodland blocks and copses are a significant component of the landscape, and the aim should be to protect their distinctive character and how they relate to the landscape context of the settlements. The restoration of hedgerows should also be given priority to strengthen the field pattern and enhance linkages between these small woodland blocks. The impact on the setting of village churches is also particularly important as these are distinctive local landmarks. There are regular patterns of enclosure and modern arable fields where hedgerows have been removed, but due to the abundance of large woodland blocks this helps reinforce a sense of enclosure. Overall, the susceptibility for VP61 is conditioned by the agricultural intensification and farm amalgamation that is resulting in the loss or damage of many typical landscape features, including small woodland blocks, traditional patterns of field boundaries, remnants of ridge and furrow, and grasslands. The loss of grazing fields around the edges of villages is also leading to a more homogenous landscape. The relevant characteristics of the landscape therefore have a medium susceptibility to change without undue adverse effects.	 <u>Scenic:</u> Clear views are a key feature of the area. The distant horizon reveals extended views towards the west comprising Laughton Woods and Laughton Common showing a wooded horizon, which forms part of the Wooded Vales Character Area 4a. There are also extended views towards the east that capture an open and attractive arable landscape with strong hedgerows and tree cover and little in the way of built influence. <u>Cultural:</u> The wider landscape setting of the settlements promote the importance of the landscape and form strong visual relationships with landscape to the east of the area around Northorpe. <u>Natural:</u> This strong tree cover gives a more comfortable feeling to the route at this location, especially given that the road is winding, with notable tussocky grass verges. <u>Recreation and Enjoyment:</u> The view is influenced by the open nature of the location and although the presence of the Blyton Park Driving Centre is a detractor, the extended views towards the east and the west are the overriding feature, which enhance the enjoyment of the landscape. <u>Local Distinctiveness and Sense of Place</u>: There are colourful tones due to the presence of the Blyton Park Driving Centre is a detractor, the extended views towards the cation. <u>Health and Wellbeing</u>: There are several woodland blocks or shelterbelts in the wider landscape including woodland at Northorpe and Northorpe Hall to the east and the expansive Laughton Woods to the west and north enhance the feelings of well-being. <u>Important Spatial Function</u>: The baseline views change dramatically between the south and the northeastern extents of the Site/Sites. At this location the view is influenced by the strong east west visibility. Overall, the value of Viewpoint VP61 is shaped by the airbase, but there is a noticeable difference where the baseline views change dramatically between the south and the northeastern extents of the Site/Sites. Clear views a	Range of Features: The location comprises the local road network where passes by a local recreation facility at the edge of a settlement. This is a part open location due to the hedgerows that are well cut back, which helps to provide extended views, but the small woodland to the south helps to add some interest to this location. In terms of variety, the Blyton Park Driving Centre is the main feature and the low-cut hedgerows along the Kirton Road frontage allow open visibility across the landscape, except for the immediate southwest where a small thicket at the 'S' bend in the road closes down views. There is a strong line of mature tree and scrub cover along both sides of the mainline railway, which is a strong feature to the south side of Kirton Road. Importance of View: This is a part open location on the local road network. The views tend to be attractive (but discordant where they capture the features at the Blyton Park Driving Centre). The distant horizon reveals the Limestone Scarps and Dipslopes Character Area 6a which adds interest to the view. Number of Receptors: This is the local road network that attracts local users but is also likely to attract users from the wider area due to the presence of the Blyton Park Driving Centre). The distant horizon core the soure also likely to attract users from the wider area due to the presence of the Blyton Park Driving Centre. Overall, this is a fairly attractive location, which raises the importance of the view.	Embedded M construction decommissio Mitigation is would includ Panels to be and minimum Existing over with a flower Open views a farmland wil Site boundar existing hedg growth. Panels to be Existing hedg growth. Panels to be Existing hedg growth to the hedgerow tre length of exis Lighting will battery bank is required. L calibrated to lighting woul with cowls fit within panell be no lighting The visual eff into account operation sta mitigation will limited physi
Medium	Medium	Medium	Not Applicab

Approximate Extent of Development

ed Mitigation

Mitigation would be taken into account at the on, operation (Year 1 and Year 15) and sioning stages of the Scheme. This Embedded is also referred to as primary mitigation and Ide the following measures:

e set minimum of 20m from major watercourses um of 8m from minor watercourses.

erhead cables to have a 10m buffer to be planted er-rich pollinator mix.

across the relatively well treed non-wooded *i*ll be retained to the east, south and north.

ary fencing to be set back 5m from adjacent dgerows to allow for proposed thickening and

e set a minimum of 3m from Site boundaries.

dges are to be allowed to grow out and will be o a height of 5m. Hedgerow trees will be d to grow out to add further thickening and he field boundaries with the addition of new trees as appropriate, randomly spaced along the xisting hedges.

I be limited to downlights within substations and ks only and used when maintenance or security Lighting will be PIR operated and will be to vehicle and personnel movements. All visible uld be 50W, installed at a maximum height of 4m fitted to prevent light spillage. Lighting required elled areas will be manually operated. There will ng on perimeter fencing.

effects **with only** the Embedded Mitigation taken nt equate to those effects set out for the stage (Year 1) and this includes secondary which will have been carried out but will have had vsical or visual impact at this Embedded Mitigation



Construction	Operation (Year 1)	Operation (Year 15)
	The foreground of the view would change from a large agricultural field to an area of panels, and within the context of the Blyton Park Racing Centre that would add	With secondary mitigation such as planting ar being taken into account at the operational st
commissioning with effects such as construction traffic, noise and vibration from	minor cumulative changes to the view. Further agricultural fields beyond would be screened from view by the panels and the distant backdrop of Laughton Wood may	following changes to the landscape would occ effects are set out below.
	be lost. The setting of Kirton Road as it winds towards Northorpe with groups and individual trees along its verges would not be directly affected by the new panels.	Views south towards the Cottam 3b Site and 0
stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated	The similar small group of trees divided by Kirton Lane as it makes a small turn would however be affected by the presence of the new panels. The vertical elements in the view, including power lines, the wind turbine at the Blyton Park Racing Centre, the mainline railway infrastructure, telegraph poles and associated	predominantly screened from this viewpoint l planting on and around the Aisby junction wit vegetation along the railway line acting as an and therefore no further mitigation is require
infrastructure and inverters would be partly screened by the foreground hedgerows	cables would add minor cumulative changes to the view.	For the Cottam 3a Site, views to the west of th
bordering Kirton Road. During the latter part	The effects set out below for Year 1 include secondary mitigation which will have been carried out, but will have had limited physical or visual impact at this stage:	screened in the close-range through the plant enhancement of existing hedges which will be height of 5m. In the middle distance, new and
foreground and within the surrounding field	<u>Existing hedges</u> Existing low-cut hedges to the north, south and east of this field to be augmented with additional hedge planting and irregularly spaced hedgerow trees with the	hedgerows will provide a series of good qualit formally strengthening the existing and histor and creating a multi-layered landscape. View
these activities would still occupy an extensive proportion of the view.	existing hedges allowed to grow out to a height of 5m. The further enclosure of this field will provide valuable screening to the Site beyond to the west, whilst providing a relatively intimate area for turtle dove and other species. Existing views	distance, (were hedgerows to not block these layered, well treed landscape with a backdrop vegetation in places on the horizon. Both new
Other works would be undertaken in	of the Blyton Park Driving Centre and wind turbines will be obscured from view. The	vegetation will have established and begun to
fencing, gates, boundary treatment and other	existing hedge to the east of the Blyton Park circuit to be allowed to grow out to provide additional screening across the Site and provide ecological benefits through the Site with wide margins of tussock mix adjacent to this hedge and	strong structure to the landscape and reducin of the area whilst retaining its overall characte
provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including	buildings to the south. The existing hedge to the east of the Blyton Park circuit to be allowed to grow out to provide additional screening across the Site and provide ecological benefits through the Site with wide margins of tussock mix adjacent to this hedge and buildings to the south. Existing and proposed hedgerows and trees will help mitigate views to the west from Kirton Road when travelling north/south.	Overall, with the Cottam 3a Site, consideration place tree cover in the most suitable locations settlements to help create a mixed pattern of Consideration should also be given to the ma existing trees and small woodland blocks, enh biodiversity value and age structure through
These short-lived construction activities would obstruct a significant proportion of the view	<u>Turtle Dove mitigation</u> At this point, Field K18 (eastern part), which forms the closest view to the Site, turtle dove mitigation planting is proposed with early feeding resources to provide a	the creation of woodland edge habitats. An in reversion should also be encouraged, increas of semi-natural habitats.
	suitable habitat with no panels within this field area, retaining an open field with panels set some 200m to the west. Looking to the southwest of this view, additional	Between Years 1 and 15, the following benefic
use, but the surrounding field boundaries and the associated tree cover would remain intact.	turtle dove habitat will be created to the west of the Southwest of this view, additional where the openness of the landscape will be retained but where more outgrown hedgerows exist towards the junction with the road to Aisby.	achieved in terms of Visual Receptors: – Grassland reversion around field bou – Increased woodland/vegetation cove
the immediate north, south and east of this	Successional Scrub	 A more varied landscape Improved (more natural) management
would also not fundamentally change.	Planting to the east of field K18 to include a strong buffer of enhanced hedgerow planting with irregularly spaced hedgerow trees as well as successional scrub	vegetation – Less expanse of intensively managed
This viewpoint would be affected by two	planting to the west of this boundary within the Site. Views into the Site from further north along Kirton Road will be screened as will other prominent structures when looking to the west. The road will be somewhat more enclosed in nature with	 A less exposed and windswept lands Water quality improvements Potential animal grazing
Kirton Road. One into Blyton Park Racetrack (field K12) and one into field K3/K4.	outgrown and additional planting but will retain open views to the east. The existing hedge to the east of the Blyton Park circuit to be allowed to grow out to provide additional screening across the Site and provide ecological benefits through the Site	 Reinstatement of historic field patter Bird mitigation fields Significantly improved biodiversity
Cable Route Corridor	with wide margins of tussock mix adjacent to this hedge and buildings to the south.	
Viewpoint is outside of the 0.5km study area and there would be no view of this route.	Grassland mixes	Growth of existing and proposed vegetation is

and grass seeding stage (Year 15) the occur and the visual

d Cottam 2 Site are nt by existing dense with further in additional buffer red at this point.

the Site will be anting of the be managed to a and augmented ality boundaries both torical field pattern ews of the longer se), will be of a op of wooded ew and existing to mature creating a cing the exposed feel cter.

ion could be given to ons in and around of land use. nanagement of nhancing their h new planting and increase in grassland asing the occurrence

eficial effects will be

oundaries and PRoW ver

nent of exiting

ed arable land dscape

erns

n is assumed to be:

Decommissioning

A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.

Following

decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.



	Substation This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 3a and 3b.	 Tall herb mixes are proposed 10m either side of existing ditches with flower rich pollinator mix to be planted under existing service cables and around the western field boundary to field K17. Elsewhere, within the eastern part of the Cottam 3a Site a tussock mix is proposed around existing and proposed hedgerows. Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	 Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Year 15. Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15. 	With secondary mitigation considered, the negative effects of the physical decommissioning will be balanced out by the long term landscape and visual effects of this mitigation.
Magnitude	Medium	High	Low	Very Low
Level of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term	Neutral & Short Term
Significance of Effect	Moderate Significant	Moderate-Major Significant	Minor Significant	Negligible Not Significant



isibility between the Cottam 3b Site, Cottam 1, due to distance.
the readily noticeable between the Cottam 3a and 3b Sites. In the context of bottam 3b Site occupies only a very small portion of the view due to the ong the mainline railway, the foreground hedgerows and tree cover and the Top Farm and Grange farm and would not result in a change to the view's Id be a small change to existing landscape elements beyond the railway line by of panels in place of the arable fields at the Cottam 3b Site, but the detectable baseline of the receptor materially.

Viewpoint VP61 – B1025 (Kirton Road)

	<u></u>
The Cu	mulative Effects upon viewpoint 61 of the Cumulative Developme
year 15	with mitigation. This is due to the limited impact upon the view
and Cu	mulative Developments and proximity to the visual receptor. A c
Second	lary Mitigation proposed as well as existing topography would lin
Cumula	ative Development to Viewpoint 59 is Tillbridge Solar, located app
cumula	ative visual effects are anticipated due to proximity.

Cumulative Effects [Cumulative Developments]

Fabric of the Landscape

<u>In Summary</u>

There would not be the removal of or changes in individual elements or features of the landscape within the character area.

inere wo	ouid be	e the in	troduction	ornew	elements	and	reatures	comp

Aesthetic Aspects of the Landscape

Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with the Cotta
cumulative developments would not be experienced across the majorit
distance, the intervening woodlands, hedgerows, and tree cover betwee
built form would also curtail cumulative visibility between these Site/Site

There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cottam 3a Site and Tillbridge Solar. This cumulative visibility is set out in further detail within the following figures:

Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8]

Overall Landscape Character and Visual Amenity

		Overall Landscape Character and Visual Amenity
		Overall, the character of the Unwooded Vales is shaped by the strong ag
		strong sense of rural tranquility. In contrast, the low levels of woodland
		landscape comprising an arable land use within a scattered pattern of s
		to west and a more strategic road network north to south. These releva
		ability to accommodate change without undue adverse effects. The cum
		alter the overall character of the landscape within the Unwooded Vales
	Construction: Low-Medium	Construction: Low
	Operation (Year 1): Low-Medium	Operation (Year 1): Low
Magnitude	Operation (Year 1): with only Embedded Mitigation: Low-Medium	Operation (Year 1): with only Embedded Mitigation: Low
	Operation (Year 15): Low-Medium	Operation (Year 15): Low
	Decommissioning: Low-Medium	Decommissioning: Low
	Construction: Adverse & Short Term	Construction: Adverse & Short Term
Level of	Operation (Year 1): Adverse & Long Term	Operation (Year 1): Adverse & Long Term
	Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term	Operation (Year 1): with only Embedded Mitigation: Adverse & Long Ten
Effect	Operation (Year 15): Beneficial & Long Term	Operation (Year 15): Beneficial & Long Term
	Decommissioning: Neutral & Short Term	Decommissioning: Neutral & Short Term
	Construction: Minor-Moderate Not Significant	Construction: Minor Not Significant
Significance	Operation (Year 1): Minor-Moderate Not Significant	Operation (Year 1): Minor Not Significant
-	Operation (Year 1): with only Embedded Mitigation: Minor-Moderate Not Significant	Operation (Year 1): with only Embedded Mitigation: Minor Not Signific
of Effect	Operation (Year 15): Minor-Moderate Not Significant	Operation (Year 15): Minor Not Significant
	Decommissioning: Minor-Moderate Not Significant	Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.3: Viewpoint Analysis & Evaluation – Views Significant [Reference: EN010133/APP/C6.3.8.3.2.3.28] January 2023

vpoint 61 of the Cumulative Developments is Minor at year 1 of operation and Minor at as a result of the segregated nature of the Sites combination of existing vegetation, Embedded and mit any cumulative visual effects. The closest proximately 4.7km from the view therefore no

There would be the introduction of new elements and features comprising the solar panel areas and the substation area.

am 3a and 3b Sites, cumulative visibility with the ity of the 5km study area. This is due to the een the Site/Sites. The intervening settlements and ites.

agricultural presence, with wide areas retaining a nd cover create a relatively open and expansive settlement, linked by a series of minor roads east vant characteristics of the landscape have some umulative visibility for the Cottam 3b Site would not s Character Area 4a.

erm

icant



Viewpoint VP62 - B1025 (Kirton Road)

Viewpoint Baseline:

The view is located on the B1025 (Kirton Road) just east of the junction with Station Road, looking northeast towards the Cottam 3a Site and southwest towards the Cottam 3b Site. The view is also looking south towards the Cottam 2 Site with the Cottam 1 North Site beyond.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a very slightly undulating, plateau landscape within the wider context of a broad vale, which is not that conspicuous at this location. The land use is mainly productive arable farmland with many large fields under single crop but with former airfields on these plateau locations and the settlement of Blyton to the west. Beyond the plateau there are some local variations in landform where the land falls to the west just beyond the A159 at Laughton Common and Laughton Woods (recreational woodland). To the north, the land rises towards Scotton at approximately 20m AOD, but there are also small variations in landform between to take account of several watercourses including Northorpe Beck and its tributaries. To the south the landform extends from the plateau as generally flat until there is a gentle rise to the settlement of Aisby at approximately 20m AOD. The landform also rises towards the east (right of view) towards Northorpe and Northorpe Hall at approximately 25m AOD. The landform then continues to rise in the east towards the limestone capped scarp slope where the settlement of Kirton in Lindsay occupies higher elevation at approximately 60m AOD. In terms of enclosure, there are several woodland blocks or shelterbelts in the wider landscape including woodland at Northorpe and Northorpe Hall to the east and the expansive Laughton Woods to the west and north of the Site/Sites. To the south, the vegetation along the mainline railway and the tall shelterbelts in the field systems to the northeast of Top Farm are the prominent feature. The woodland associated with the burial site to the north of the Site/Sites also closes down views in this direction. At closer proximity, there is some woodland around the settlement of Blyton and around Blyton Grange Farm, Top Farm and Southorpe Farm which adds some enclosure. The views are mainly open at this location with most of the visibility extending towards the east, with limited visibility to the west, south and north due to the built form of Blyton and associated tree and woodland cover. In terms of manmade features, the residential properties of Blyton have a significant influence at this location.

Subjective: The viewpoint depicts a medium-scale, partially open landscape. In terms of variety, the residential properties are the main feature and the low-cut hedgerows along the Kirton Road frontage allow open visibility across the landscape. towards the east and southeast. There is a strong line of mature tree and scrub cover along both sides of the mainline railway but the further hedgerows and tree cover within the small collection of fields to the northeast of Top Farm fall below the horizon. In terms of texture and colour, the vegetation along the railway supports a wider variety of species than the low-cut hedgerows and is grown out in parts with an interesting texture on the skyline, and there are also colourful tones due to the presence of the residential properties of Blyton. Masts, poles, and electricity pylons are also prominent features. The views are interesting and pleasant in the immediate context of the Site/Sites due the open context and the extended views along Kirton Road that show a strong visual relationship between the green heart (internal field systems) of Blyton to the east of the war memorial.

Overall: The view is influenced by the open nature of the location and the visual relationship between the heart of the settlement at the war memorial and this location. Although Kirton Road is defined by strong hedgerows, they are low-cut, but the hedgerow trees are strong and this gives some visual comfort to the route (given that it is a long straight road with fast moving traffic and no footways, with only narrow grass verges). The existing vegetation bordering the mainline railway is the appealing feature of the view along with the views to the heart of the settlement. The small woodland block to the west boundary of the Site/Sites is prominent from this viewpoint on the horizon and the nearby conifer shelter belt just falls below the horizon behind the intervening hedgerows. The viewpoint offers some interesting and attractive features locally, including intervisibility between the heart of the village and the landscape to the east. The overall experience is that of a pleasant location with overwhelming feelings of familiarity and comfort.

Receptors:

This viewpoint is representative of views available to motorists and cyclists travelling along Kirton Road between the settlements of Blyton in the west and Northorpe in the east. The viewpoint is also available to the residential receptors at the eastern edge of Blyton.

Description of View:

The foreground of the view comprises Kirton Road in the immediate context of agricultural fields and the Blyton Park Racing Centre, which lies beyond. Further agricultural fields are not visible beyond this since the landscape is flat, this local collection of fields are expansive and vast where the intervening hedgerows close down visibility. The middle and long distance therefore yields limited visibility across these agricultural fields and the Blyton Park Driving Centre. To the right-hand side of the view, there is Kirton Road as it takes a straight course and to the left-hand side of the view there is Kirton Road with groups and individual trees along its verges. The remainder of the horizon is made up of large-scale arable fields where hedgerows are well established but middle and distant views are not possible. There are vertical elements in the view, including power lines, the wind turbine at the Blyton Park Racing Centre, the mainline railway infrastructure, telegraph poles and associated cables, and these are not notable elements due to the groups and individual trees lining Kirton Road.





Receptor susceptibility to	Value of view	Sensitivity	Embedded Mitigation
change			
In terms of forces for change for	<u>Scenic:</u> Local views towards the east are a key feature. The view is	Range of Features: The location	Embedded Mitigation would be taken into
VP62, due to the flat, featureless	influenced by the open nature of the location and the visual relationship	comprises the local road network at	and Year 15) and decommissioning stages
topography of the area,	between the heart of the settlement at the war memorial and this	the gateway and the edge of a	referred to as primary mitigation and wou
specifically lack of hedgerows, the	viewpoint.	settlement. This is a part open	
implications of agricultural intensification are evident.		location due to the hedgerows that	Panels to be set back up to 20m fr
Improvements to drainage	<u><i>Cultural:</i></u> The wider landscape setting of the settlements is hardly evident in	are well cut back, which helps to provide extended views, but the	fencing to be set north of the exist
features and hedgerows as a	this view or the visual relationships between adjoining Area of Greater	vegetation bordering the mainline	
result of intensive agriculture are	Landscape Value (AGLV).	railway helps to close down views at	Site boundary fencing to be set ba
therefore a key force for change.	Natural. The views tend to be interacting and comfortable due the	this location. In terms of variety, the	hedgerows to allow for proposed t
Fast growing energy crops are	<u><i>Natural:</i></u> The views tend to be interesting and comfortable due the relationship with the edge of settlement. The discordant uses within the	residential properties are the main	licagerous to anow for proposed (
also creating an impact on the	airfield, which detract from the natural qualities of the landscape are	feature and the low-cut hedgerows	
landscape.	hardly evident from this location.	along the Kirton Road frontage allow	Panels to be set a minimum of 3m
·- I ·		open visibility across the landscape	
Overall, the susceptibility for	<u>Recreation and Enjoyment:</u> The Blyton Park Driving Centre is the key	towards the east and southeast.	Maintain the open character of the
VP62 is conditioned by the	recreational resource, but its relationship with the landscape setting of	There is a strong line of mature tree	across the open farmland.
implications of arable	Blyton is marred by the discordant uses.	and scrub cover along both sides of	
intensification and the sparse	biyton is marred by the discondulit dses.	the mainline railway but the further	Danala to be get minimum of 20m
woodland and tree cover, which is	Local Distinctiveness and Sense of Place: The presence of individual field	hedgerows and tree cover within the	Panels to be set minimum of 20m
generally lacking in appropriate	boundary oak/ash trees is a key feature of the location as a significant	small collection of fields to the	of 8m from minor watercourses.
management. Unless carefully	group. Even the relatively nondescript occasional trees seen in isolation	northeast of Top Farm fall below the	
sited, new planting can introduce	make a crucial contribution to this location.	horizon.	Site boundary fencing to be set ba
inappropriate and visually			to allow for proposed thickening a
intrusive elements in the flat and	Health and Wellbeing: Although Kirton Road is defined by strong hedgerows	Importance of View: This is a part	
open landscape. The proliferation	they are low-cut, but the hedgerow trees are strong and this gives some	open location on the local road	Develote he est a minimum of 2m
of new large scale agricultural	visual comfort and feeling of well-being to the route (given that it is a long	network. The views tend to be	Panels to be set a minimum of 3m
buildings and general increase in	straight road with fast moving traffic and no footways, with only narrow	attractive and offer some interesting	
farm size can also introduce visual	grass verges).	and attractive features locally,	Existing hedges are to be allowed to grow
intrusions and may be difficult to		including intervisibility between the	Hedgerow trees will be encouraged to gro
mitigate due to the sparse	Important Spatial Function: There are different landscape patterns that	heart of the village and the landscape	the field boundaries with the addition of r
woodland cover and conditions	typify the differing landscape character and its contribution to spatial	to the east. The overall experience is that of a pleasant location with	spaced along the length of existing hedge
over planting. The relevant	function. This is particularly noticeable where the baseline views change	overwhelming feelings of familiarity	Lighting will be limited to downlights withi
characteristics of the landscape therefore have a medium	dramatically between the settlement and just outside its boundary where	and comfort, which raises the	when maintenance or security is required
susceptibility to change without	the strong vegetation along the mainline railway has a strong influence.	importance of the view.	calibrated to vehicle and personnel mover
undue adverse effects.		importance of the view.	at a maximum height of 4m with cowls fitt
	Overall, the value of Viewpoint VP62 is shaped by the strong hedgerow	Number of Receptors: This is the local	within panelled areas will be manually ope
	and mature tree cover that is prominent to the north side of Kirton Road.	road network that attracts local users	fencing.
	The former airbase uses are not evident from this location and the	but is also likely to attract users from	
	landscape setting of Blyton is not adversely influenced by its presence.	the wider area since this is a	The visual effects with only the Embedde
	There is a noticeable difference where the baseline views change	secondary road with connections to	effects set out for the operation stage (Ye
	dramatically between the edge of settlement and the outlying landscape	Kirton in Lindsey. Overall, this is a	which will have been carried out but will h
	where the vegetation along the mainline railway has an influence.	gateway to the settlement, which	Embedded Mitigation stage.
		raises the importance of the view.	
Medium	Medium	Medium	Not Applicable

> nto account at the construction, operation (Year 1 ges of the Scheme. This Embedded Mitigation is also ould include the following measures:

from the Kirton Road with proposed Site isting roadside vegetation.

back 5m from adjacent existing/proposed d thickening and growth.

m from Site boundaries.

he area by retaining views to the south

m from major watercourses and minimum

back 5m from adjacent existing hedgerows and growth.

m from Site boundaries.

w out and will be managed to a height of 5m. row out to add further thickening and growth to f new hedgerow trees as appropriate, randomly ges.

thin substations and battery banks only and used ed. Lighting will be PIR operated and will be vements. All visible lighting would be 50W, installed fitted to prevent light spillage. Lighting required operated. There will be no lighting on perimeter

ded Mitigation taken into account equate to those Year 1) and this includes secondary mitigation l have had limited physical or visual impact at this



Viewpoint VD62 P1025 (Virton Pood)

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.3: Viewpoint Analysis & Evaluation – Views Significant [Reference: EN010133/APP/C6.3.8.3.2.3.29] January 2023

A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.

Decommissioning

Following

decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.



	two access points will make Kirton Road busy during the construction stages and will affect the view. Cable Route Corridor This Viewpoint is outside the 0.5km study area located on the outer limits. There would very limited views of this route to the southeast. Substation This viewpoint is within the 2km study area but there would be no view of the Substation	 Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Year 15. Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15.	With secondary mitigation considered, the negative effects of the physical decommissioning will be balanced out by the long term landscape and visual effects of this mitigation.
Magnitude	at Cottam 1.	Low	Low	Very Low
Level of Effect	Adverse & Short Term	Adverse & Long Term	Adverse & Long Term	Neutral & Short Term
Significance of Effect	Moderate Significant	Minor – Negligible Not Significant	Minor- Negligible Not Significant	Negligible Not Significant



viewpoint vi	P62 – B1025 (Kirton Road)	
	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	In Summary	<u>In Summary</u> The Cumulative Effects upon viewpoint 62 of the Cumulative Developmen
	There would be no intervisibility between the Cottam 3a Site, Cottam 1or Cottam 2, due to distance.	year 15 with mitigation. This is due to the limited impact upon the view as and Cumulative Developments and proximity to the visual receptor. A con
	There would be no inter visibility between the Cottam 3a Site and Cottam 2 Site, due to distance, the intervening vegetation along the mainline railway and additional intervening settlement of Pilham and Aisby, hedgerows and tree cover.	Secondary Mitigation proposed as well as existing topography would limit Cumulative Development to Viewpoint 62 is Tillbridge Solar, located appro cumulative visual effects are anticipated due to proximity.
	Between the Cottam 3a and 3b Sites, the changes would not be readily noticeable. In the context of the Cottam 3a Site, the Cottam 3b Site occupies only a very small portion of the view due to the intervening vegetation along the mainline railway, the foreground hedgerows and tree cover and the intervening-built form at Top Farm and Grange farm and would not result in a change to the view's composition.	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or fe area.
	There would be a small change to existing landscape elements beyond the railway line by the addition of the area of panels in place of the arable fields at the Cottam 3b Site, but the detectable impacts do	There would be the introduction of new elements and features comprising
	not alter the baseline of the receptor materially.	<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with the Cottam cumulative developments would not be experienced across the majority of distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility between these Site/Sites.
		There are local patches of cumulative visibility which may be focus of likely and Tillbridge Solar. This cumulative visibility is set out in further detail wit
		Figure 8.15.2.8 Cottam 1, 2, 3 a and 3b Tillbridge Solar Cumulative Develo
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the Unwooded Vales is shaped by the strong agri strong sense of rural tranquility. In contrast, the low levels of woodland co landscape comprising an arable land use within a scattered pattern of set to west and a more strategic road network north to south. These relevant ability to accommodate change without undue adverse effects. The cumul alter the overall character of the landscape within the Unwooded Vales Ch
	Construction: Low-Medium	Construction: Low
Magnitude	Operation (Year 1): Low-Medium Operation (Year 1): with only Embedded Mitigation: Low-Medium Operation (Year 15): Low-Medium Decommissioning: Low-Medium	Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low
Type of Effect	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term
Significance of Effect	Decommissioning: Neutral & Short Term Construction: Minor-Moderate Not Significant Operation (Year 1): Minor-Moderate Not Significant Operation (Year 1): with only Embedded Mitigation: Minor-Moderate Not Significant Operation (Year 15): Minor-Moderate Not Significant	Decommissioning: Neutral & Short Term Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significant Operation (Year 1): Minor Not Significant

ents is Minor at year 1 of operation and Minor at as a result of the segregated nature of the Sites ombination of existing vegetation, Embedded and nit any cumulative visual effects. The closest proximately 4.2km from the view therefore no

features of the landscape within the character

ing the solar panel areas and the substation area.

m 3a and 3b Site, cumulative visibility with the of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and es.

ely significant effects, between the Cottam 3a Site within the following figures:

elopments Augmented ZTV [C6.4.8.15.2.8]

gricultural presence, with wide areas retaining a cover create a relatively open and expansive ettlement, linked by a series of minor roads east ant characteristics of the landscape have some nulative visibility for the Cottam 3b Site would not Character Area 4a.

rm

ant



Viewpoint VP63 - A159 (Laughton Road)

Viewpoint Baseline:

The view is located on the A159 (Laughton Road), looking east directly over the Cottam 3a Site and southeast towards the Cottam 3b Site with the Cottam 2 Site beyond.

Objective: This viewpoint offers views looking from the Wooded Vales Character Area 4b looking towards (and at the boundary with) the Unwooded Vales Character Area 4a. The view is towards a very slightly undulating, plateau landscape where the Wooded Vales landscape is conspicuous at this location. The land use is mainly productive arable farmland with many large fields under single crop but with a former airfield on the plateau location, and the settlement of Blyton to the south. Beyond the plateau there are some local variations in landform where the land falls to the west just beyond the A159 at Laughton Common and Laughton Woods (recreational woodland). To the north, the land rises towards Scotton at approximately 20m AOD, but there are also small variations in landform between to take account of several watercourses including Northorpe Beck and its tributaries. To the south the landform extends from the plateau as generally flat until there is a gentle rise to the settlement of Aisby at approximately 20m AOD. The landform also rises towards the east (right of view) towards Northorpe Hall at approximately 25m AOD. The landform then continues to rise in the east towards the limestone capped scarp slope where the settlement of Kirton in Lindsay occupies higher elevation at approximately 60m AOD. In terms of enclosure, there are several woodland blocks or shelterbelts in the wider landscape including woodland at Northorpe and Northorpe Hall to the east and the expansive Laughton Woods to the west and north of the Site/Sites. To the south, the vegetation along the mainline railway and the tall shelterbelts in the field systems to the northeast of Top Farm are the prominent feature. The woodland associated with the burial site to the north of the Site/Sites also closes down views in this direction. At closer proximity, there is some woodland around the settlement of Blyton and around Blyton Grange and Bluebell Farm, which adds some structure to the landscape. The views are partially open at this location with most of the visibility extending west towards Laughton Common and southwest towards the northern landscape setting of Blyton. Visibility towards to the north and south is restricted by the A159 with some limited visibility to the east due to the local rise in landform and associated tree and woodland cover at Blyton Grange and Bluebell Farm. In terms of man-made features, the busy A159 has a significant influence at this location.

Subjective: The viewpoint depicts a medium-scale, partially open landscape. In terms of variety, the close proximity to the woodland at Laughton Common is the main feature and the low-cut hedgerows along the A159 allow open visibility across the landscape towards the east where the conifer shelterbelts on the east boundary of the Site/Sites is just visible on the horizon. In terms of texture and colour, the vegetation along the A 159 and the extended view towards Blyton adds interest. There are also colourful tones due to the presence of the road junction and its associated signage and road markings. Masts, poles, and electricity pylons are also features on the distant horizon to the east and at close range to the south. The views are bland and unsettling in the immediate context of the Site/Sites due the presence of the A159 but the extended views towards the west show a strong visual relationship with the Wooded Vales at Laughton. Agricultural buildings at Blue Bell Farm are also evident but partially concealed by the intervening hedgerows and the hedgerow trees.

Overall: The view is influenced by the semi-open nature of the location and the visual relationship with the Wooded Vales at Laughton to the west. The A159 is defined by strong hedgerows which are low-cut where the hedgerow trees give some pleasant visual interest to the route (given that it is fast moving traffic and no footways). The small woodland block to the west boundary of the Site/Sites is evident from this viewpoint on the horizon along with the nearby conifer shelter belt. The viewpoint offers bland and unsettling features locally, but the wider context encapsulates the landscape to the east comprising the Wooded Vales at Laughton. The overall experience is that of a busy location with overwhelming feelings of discomfort due the presence of the A159, but the Laughton Woods and the northern edges of Blyton are distinctive features that raise the overall quality of the view and add some 'sense of place'.

Receptors:

This viewpoint is representative of views available to walkers, motorists and residents travelling along the A159 between the settlement of Blyton and Laughton. The viewpoint is also available to the residential and recreational receptors at the junction with Blyton Road.

Description of View:

The foreground of the view comprises the A159 (Laughton Road) in the immediate context of agricultural fields and the Blyton Park Racing Centre, which lies beyond. Further agricultural fields are not visible beyond this since the landscape is flat, and this local collection of fields are expansive and vast where the intervening hedgerows close down visibility. The middle and long distance therefore yields no visibility across these agricultural fields towards the Blyton Park Driving Centre. To the right-hand side of the view, there is Laughton Road as it takes a winding course towards Blyton and to the left-hand side of the view there is Laughton Road takes on a further bend where groups and individual trees along its verges close down vies in this direction. The remainder of the horizon is made up hedgerows that are well established and so middle and distant views are not possible. There are vertical elements in the view, including traffic signage, telegraph poles and associated cables, and these are notable elements due to the open nature of this section of Laughton Road.



	SAX SAC	Contraction of the second	Approx	imate Extent of D	evelopment
		a de la dela		A AVE	N/L

Receptor susceptibility to change	Value of view	Sensitivity	Embedded
In terms of forces for change for VP63, there are aims to protect existing rural landscape features, in particular the restoration of hedgerows since the most widespread change has been in agricultural intensification and the change from pastoral to arable cropping that has resulted in the loss of hedges, and consequently, an increase in field size. The loss of pasture is particularly evident around settlements, where grazing animals and smaller field sizes contribute to the setting and structure of several villages. Overall , the susceptibility for VP63 is conditioned by the gently undulating, open landscape and whilst the aim is to plan new tree planting around key settlements, woodland does not form a significant component of this landscape to the east of Blyton. In considering its open and expansive character, extensive new woodland planting would be generally inappropriate other than improvements to the small woodland blocks. However, there is significant benefit with appropriate tree planting that could be used in and around settlements to increase the occurrence of semi-natural habitats and maintain the perception of a 'well-treed' landscape. The relevant characteristics of the landscape therefore have a medium susceptibility to change without undue adverse effects.	 <u>Scenic:</u> Clear views are a key feature of the area. The distant horizon to the west reveals extended views towards the west comprising Laughton Woods and Laughton Common showing a wooded horizon, which forms part of the Wooded Vales Character Area 4a. <u>Cultural:</u> The wider landscape setting of the settlement of Blyton promotes the importance of the landscape and form strong visual relationships with the Area of Greater Landscape Value (AGLV) at Laughton Woods. <u>Natural:</u> The roadside tree cover gives a more comfortable feeling at this location, especially given that the road is busy with high volumes of traffic and a road junction which is highly discordant feature of the view. <u>Recreation and Enjoyment:</u> The view is influenced by the open nature of the location, but the presence of the Blyton Park Driving Centre is not evident. As such, the extended views towards the west at the AGLV of Laughton Woods. The contribution of the AGLV to the landscape setting of Blyton is the overriding feature, which enhances the enjoyment of the location. <u>Lacal Distinctiveness and Sense of Place:</u> There are colourful tones due to the presence of the road junction with signs and road markings. The 'sense of place' is denuded by the prominence of the junction and the busy road. <u>Health and Wellbeing:</u> The expansive and dramatic presence of Laughton Woods to the west and north of this location enhances the feelings of well-being. <u>Important Spatial Function;</u> The overall experience is that of a busy location with overwhelming feelings of discomfort due the presence of the busy A159 and the proximity to a large road junction with associated signage and road markings. Clear views are a key feature of this location that extend both east towards the AGLV at Laughton Woods. The contribution of the AGLV at Laughton Woods. The enjoyment of the location. 	Range of Features: The location comprises the local road network at the gateway and the edge of a settlement. This is a part open location due to the hedgerows that are well cut back, which helps to provide extended views. In terms of variety, the close proximity to the woodland at Laughton Common is the main feature and the low-cut hedgerows along the A159 allow open visibility across the landscape towards the east where the conifer shelterbelts on the east boundary of the Site/Sites is just visible on the horizon. Importance of View: This is a part open location on the junction of the local road network and the primary road network. The views tend to be attractive and offer some interesting and attractive features locally, but the presence of the busy road is a significant detractor, which deflects from the importance of the view. <u>Number of Receptors</u> : This is the strategic road network that attracts local users and users from the wider area since. Overall, this is a gateway to the settlement and the local road provides access to a caravan and camping park, which raises the importance of the view.	Embedded M construction, decommission Mitigation is would include Panels to be and minimum Site boundar existing hedg growth. Panels to be Wildflower m panels. Panels to be Existing hedg managed to a encouraged t growth to the hedgerow tre length of exis Lighting will k battery banks is required. L calibrated to lighting woul- with cowls fit within panell be no lighting The visual eff into account operation sta mitigation wh limited physic
Medium	Medium	Medium	Not Applicab



ed Mitigation

Mitigation would be taken into account at the on, operation (Year 1 and Year 15) and sioning stages of the Scheme. This Embedded is also referred to as primary mitigation and Ide the following measures:

e set minimum of 20m from major watercourses um of 8m from minor watercourses.

ary fencing to be set back 5m from adjacent dgerows to allow for proposed thickening and

e set a minimum of 3m from Site boundaries.

meadow mix to be sown beneath proposed

e set back 20m from roads.

dges are to be allowed to grow out and will be to a height of 5m. Hedgerow trees will be d to grow out to add further thickening and he field boundaries with the addition of new trees as appropriate, randomly spaced along the xisting hedges.

I be limited to downlights within substations and iks only and used when maintenance or security . Lighting will be PIR operated and will be to vehicle and personnel movements. All visible uld be 50W, installed at a maximum height of 4m fitted to prevent light spillage. Lighting required elled areas will be manually operated. There will ing on perimeter fencing.

effects **with only** the Embedded Mitigation taken nt equate to those effects set out for the stage (Year 1) and this includes secondary which will have been carried out but will have had vsical or visual impact at this Embedded Mitigation



Viewpoint VP63 - A159 (Laughton Road) Construction **Operation (Year 1)** Mitigation (Year 15) Activities considered includes, site preparation / The foreground of the view of the A159 (Laughton Road) would not change but With secondary mitigation such as planting enabling works, construction, and the immediate context of agricultural fields would become an area of panels, and being taken into account at the operationa the following changes to the landscape wou commissioning with effects such as construction this would bring minor cumulative changes to the view. Further agricultural fields are not visible beyond and so this element of the view would not change. The visual effects are set out below. traffic, noise and vibration from construction activities, dust generation, site runoff, mud on setting Laughton Road as it takes a winding course towards Blyton would The view will become more enclosed since roads, and the visual intrusion of plant and experience views of the new panels in the same context. There are also vertical machinery on site. At the early stages of the elements in the view, including traffic signage, telegraph poles and associated hedgerows will have established to create construction stage, ground, and lower-level cables, and these would add further cumulative changes due to the open nature structure and screen views of the Scheme. activities such as the construction of the solar of this section of Laughton Road. The existing hedgerows and trees fronting the will have been managed to grow out to 5m panel areas and associated infrastructure and area of new panels and Laughton Road would provide some intermediary hedgerow trees will begin to reach some he inverters would be partly screened by the screening. the vertical structure locally. In the close-ra foreground hedgerows bordering Laughton vegetation and proposed/enhanced hedge Road. During the latter part of the construction The effects set out below for Year 1 include secondary mitigation which will have the Site/Sites with mid and longer distance stage, views would become available of the been carried out, but will have had limited physical or visual impact at this stage: as a layered well-treed landscape with a ba elevated activities, and although the hedgerows woodland features to some views. to the foreground and within the surrounding Scattered tree belt field systems would give some partial layering, A 5m tree belt is proposed to the southern boundary of field K1 running **Overall**, with the Cottam 3a Site, pressure these activities would still occupy an extensive east/west and adjoining existing vegetation within fields K2 and K3. This belt will landscape from arable cultivation has resul proportion of the view. help to mitigate views of the wider Site to the south and southeast as well as enlargement, removing boundaries, and cr reducing views to the north from the Kirton Road. open setting to existing airfields. Within this Other works would be undertaken in Roman roads are a key feature, but they ar connection with the construction including Existing hedges threat from lack of management and inapp fencing, gates, boundary treatment and other Existing hedges to the east of field K! are to be enhanced and managed to grow that stands out in the open landscape. Airf means of enclosure and works for the provision out to a height of 5 m with the addition of irregularly spaced hedgerow trees to feature, and the aim should be to ensure th of security and monitoring measures such as follow the character of the area. This will provide further screening from the west development limits visual intrusion and the surrounding landscape features in the cont CCTV and the laying down of internal tracks. of the wider Site and screening from Blyton Grange to the west. The existing hedge to the western extent of field K1 is to be reinforced to mitigate views of the airfields. There would also be landscape and biodiversity mitigation works, including planting and the Scheme from the west and from the Laughton Road. This hedge will be allowed improvement of the foreground hedgerows. to grow out to 5m, and the addition of irregularly spaced hedgerow trees will Between Years 1 and 15, the following bene further increase the vegetative cover and provide additional visual interest along be achieved in terms of Visual Receptors: These short-lived construction activities would this route and from further west. Grassland reversion around field b obstruct a significant proportion of the view and PRoW become a dominant feature. There would be a Increased woodland/vegetation co New hedges _ considerable change to the airfield land use, but A new hedge is proposed to the northern boundary of field K1 where none exists. A more varied landscape the surrounding field boundaries and the This will lie some 3.5m south of the existing ditch further mitigating views south Improved (more natural) manager _ associated tree cover would remain intact. from the road and Bluebell Farm. Existing trees provide reasonable cover here vegetation There would not be a fundamental change to and the addition of proposed hedgerow trees will help to augment the tree cover _ Less expanse of intensively manage the immediate north, south and west of this locally and enclose this road somewhat. Further east, a new hedgerow is A less exposed and windswept lan location and the wider landscape to the west proposed to the east of Blyton Grange to the western boundary of field K5. This Water quality improvements would also not fundamentally change. will mitigate views from this dwelling as well as strengthening the field pattern Potential animal grazing _ locally and will create a further layer of vegetation with hedgerow trees Reinstatement of historic field path _ Construction Access potentially visible in places from views from the west breaking up the main bulk _ Bird mitigation fields There would be no view of any construction of the panelled area. Significantly improved biodiversity access from this viewpoint. New hedges are proposed to the eastern boundary of field K4 and the western and northern boundaries of K7 screening views of the Site whilst consolidating Growth of existing and proposed vegetatio the structure of the existing field boundaries. Cable Route/s be: Viewpoint is outside of the 0.5km study area and there would be no view of this route. Grassland mixes Woodland/trees and shelterbelts: 2.5m ma A tussock mix is proposed to the boundaries of field K1 with flower rich pollinator max at Year 15. mixes proposed beneath existing power lines that cross the Site. Wildflower **Substation** meadow mix is to be seeded beneath panels. New hedgerows: 0.6m at Year 1 and 3.5m

al stage (Year 15)construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing retention of existing ackdrop of stronge in the wider a in the wider a in the wider areating a more is open setting, the re also under propriate planting fields are a key that any new e loss of thetxt of theseconstruction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities, dust generation and site runoff.Following decommissioning activities, dust generation and site runoff.Following decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has beegun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.		
al stage (Year 15)construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing . Existing hedges n and proposed neight, reinforcing range, the existing erows will screen eviews appearing ackdrop of strongconstruction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing wegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.e loss of hat any new e loss of thetx of theseFollowing decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.		Decommissioning
build occur and the a strong fieldthe Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site rrunoff.in the wider uited in field reating a more is open setting, the re also under propriate planting fields are a key that any new efficial effects will boundaries and overFollowing decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.	g and grass seeding	
operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.in the wider ackdrop of strongFollowing decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting the land scape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are and the segnificantly enhanced tree and hedgerow planting that has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.	al stage (Year 15)	construction stage, but with
a step opposed new a strong fieldassessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.in the wider is open setting, the realso under propriate planting fields are a key that any new e loss of thetext of theseFollowing decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.	ould occur and the	• •
the proposed new a strong fieldwinter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.in the wider alted in field reating a more is open setting, the re also under propriate planting fields are a key that any new e loss of thet to f theseFollowing decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.ax at Year 15.With secondary mitigation considered, the negative effects of the physical decommissioning will be		
a strong fieldretention of existing. Existing hedgesretention of existing. existing hedgesvegetation and builds upon. in de vistingsecondary mitigation that. in the widerhad been established as the. in the widerfuture baseline. Effects are. in the widerthose arising from activities. in the widerfor the duration of the. decommissioning includingsite traffic, noise and. in the widervibration from. decommissioning activities,. dust generation and site. runoff.reating a more. is open setting, there also underpropriate plantingfields are a key. hat any newe loss of. thetx of these. boundaries and. over. ment of exiting. ged arable land. duscape. on is assumed to. ax at Year 1, 7.5m. at Year 15.		
 Existing hedges and proposed height, reinforcing range, the existing erows will screen eviews appearing ackdrop of strong and enhancing the use and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors. wax at Year 1, 7.5m With secondary mitigation considered, the negative effects of the physical decommissioning will be 		
and proposed height, reinforcing range, the existing erows will screen e views appearing ackdrop of strongthe proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site rrunoff.in the wider alted in field realso under propriate planting fields are a key that any new e loss of thetx of theseFollowing decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.with secondary mitigation considered, the negative effects of the physical decommissioning will be	-	0
neight, reinforcing range, the existing erows will screen e views appearing ackdrop of strongsecondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.in the wider in the wider atted in field reating a more is open setting, the re also under propriate planting fields are a key that any new e loss of thetx to f theseFollowing decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.with secondary mitigation considered, the negative effects of the physical decommissioning will be		•
range, the existing erows will screen e views appearing ackdrop of stronghad been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.e in the wider ulted in field reating a more is open setting, the re also under propriate planting fields are a key that any new e loss of thetx to f theseFollowing decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.ax at Year 1, 7.5mWith secondary mitigation considered, the negative effects of the physical decommissioning will be		
Proves will screen a views appearing ackdrop of strongfuture baseline. Effects are those arising from activities for the duration of the decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.e in the wider ulted in field reating a more is open setting, the re also under propriate planting fields are a key that any new e loss of ttext of theseFollowing decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.ax at Year 1, 7.5mWith secondary mitigation considered, the negative effects of the physical decommissioning will be	• •	
a views appearing ackdrop of strongthose arising from activities for the duration of the decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.e lass under propriate planting fields are a key that any new e loss of metext of theseFollowing decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.ax at Year 1, 7.5mWith secondary mitigation considered, the negative effects of the physical decommissioning will be	• •	
ackdrop of strongfor the duration of the decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.reating a more is open setting, the re also under propriate planting fields are a key that any new e loss of ntext of theseFollowing decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.ax at Year 1, 7.5mWith secondary mitigation considered, the negative effects of the physical decommissioning will be		
decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.reating a more is open setting, the re also under propriate planting fields are a key that any new e loss of ttext of theseFollowing decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing ment of exiting ged arable land ndscapeged arable land ndscapemitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.ax at Year 1, 7.5mWith secondary mitigation considered, the negative effects of the physical decommissioning will be		0
site traffic, noise and vibration from decommissioning activities, dust generation and site runoff. Following decommissioning, tields are a key that any new e loss of ttext of these boundaries and over ment of exiting ged arable land mdscape tterns y bon is assumed to at Year 1, 7.5m some varied and the secondary mitigation considered, the negative e fects of the physical decommissioning activities, dust generation and site runoff. Following decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.	ackurop of strong	
in the widervibration fromulted in fielddecommissioning activities, dust generation and sitereating a moredust generation and siteis open setting, the re also underFollowing decommissioning, the land is likely to bepropriate planting fields are a keyFollowing decommissioning, the land is likely to bethat any new e loss ofproduction. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.ax at Year 1, 7.5mWith secondary mitigation considered, the negative effects of the physical decommissioning will be		
alted in fielddecommissioning activities, dust generation and site runoff.reating a moredust generation and site runoff.re also underFollowing decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.ax at Year 1, 7.5mWith secondary mitigation considered, the negative effects of the physical decommissioning will be	in the wider	-
reating a more is open setting, the re also under propriate planting fields are a key that any new e loss of ntext of theseCollowing decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining overoverand enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.yWith secondary mitigation considered, the negative effects of the physical decommissioning will be		
 is open setting, the re also under propriate planting fields are a key that any new e loss of these bitext of these boundaries and cover and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors. ax at Year 1, 7.5m 		
re also under propriate planting fields are a key that any new e loss of ntext of these boundaries and over ent of exiting ged arable land ndscape tterns y bon is assumed to at Year 1, 7.5m production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors. At Year 15.	-	•
propriate planting fields are a key that any new e loss of ntext of theseFollowing decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.ax at Year 1, 7.5mWith secondary mitigation considered, the negative effects of the physical decommissioning will be		
fields are a key that any new e loss of itext of thesethe land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the 		Following decommissioning,
that any newreturned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.with secondary mitigation considered, the negative effects of the physical decommissioning will be		
e loss of intext of theseproduction. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.with secondary mitigation considered, the negative effects of the physical decommissioning will be		-
significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.with secondary mitigation considered, the negative effects of the physical decommissioning will be	e loss of	production. The Site will
and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.with secondary mitigation considered, the negative effects of the physical decommissioning will be	ntext of these	however benefit from the
heficial effects willhas been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.with secondary mitigation considered, the negative effects of the physical decommissioning will be		significantly enhanced tree
boundaries andhas begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.ax at Year 1, 7.5mWith secondary mitigation considered, the negative effects of the physical decommissioning will be		and hedgerow planting that
boundaries andcreate a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.ax at Year 1, 7.5mWith secondary mitigation considered, the negative effects of the physical decommissioning will be	neficial effects will	has been carried out and
overrobust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.ax at Year 1, 7.5mWith secondary mitigation considered, the negative effects of the physical decommissioning will be		-
overand enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.ax at Year 1, 7.5mWith secondary mitigation considered, the negative effects of the physical decommissioning will be	boundaries and	•
ment of exitingcharacter and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.at Year 1, 7.5mWith secondary mitigation considered, the negative effects of the physical decommissioning will be		
ment of exitingconsiderable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.ax at Year 1, 7.5mWith secondary mitigation considered, the negative effects of the physical decommissioning will be	over	-
benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors. ax at Year 1, 7.5m With secondary mitigation considered, the negative effects of the physical decommissioning will be		
ged arable land indscapemitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.ax at Year 1, 7.5mWith secondary mitigation considered, the negative effects of the physical decommissioning will be	ment of exiting	-
be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors. ax at Year 1, 7.5m With secondary mitigation considered, the negative effects of the physical decommissioning will be	and analyle law d	2
tternspotential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.ax at Year 1, 7.5mWith secondary mitigation considered, the negative effects of the physical decommissioning will be	-	•
grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.ax at Year 1, 7.5mWith secondary mitigation considered, the negative effects of the physical decommissioning will be	luscape	
tternssome varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.ax at Year 1, 7.5mWith secondary mitigation considered, the negative effects of the physical decommissioning will be		
y maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors. with secondary mitigation considered, the negative effects of the physical decommissioning will be	ttorns	• •
y improvements in biodiversity in the local area, all of which will benefit visual receptors. ax at Year 1, 7.5m With secondary mitigation considered, the negative effects of the physical decommissioning will be		
biodiversity in the local area, all of which will benefit visual receptors. With secondary mitigation considered, the negative effects of the physical decommissioning will be	V	_
on is assumed toall of which will benefit visual receptors.ax at Year 1, 7.5mWith secondary mitigation considered, the negative effects of the physical decommissioning will be	y	
ax at Year 1, 7.5m With secondary mitigation considered, the negative effects of the physical decommissioning will be	on is assumed to	
at Year 15. considered, the negative effects of the physical decommissioning will be		
at Year 15. effects of the physical decommissioning will be	ax at Year 1, 7.5m	With secondary mitigation
at Year 15. decommissioning will be		•
balanced out by the long	at Year 15.	-
		balanced out by the long



			-	- 5 5
	This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 1.	 Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15.	term landscape and visual effects of this mitigation.
Magnitude	Medium	High	Medium	Very Low
Level of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term	Neutral & Short Term
Significance of Effect	Moderate Significant	Major Significant	Moderate Significant	Negligible Not Significant



of Effect

Viewpoint VP63 - A159 (Laughton Road) In-Combination Effects [Cumulative Sites] **Cumulative Effects [Cumulative Developments]** In Summary <u>In Summary</u> There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b The Cumulative Effects upon viewpoint 63 of the Cumulative Developments is Negligible at year 1 of operation and Sites, due to distance and intervening vegetation. Therefore, there no in combination visual effects are Negligible at year 15 with mitigation. This is due to the limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Developments and proximity to the visual receptor. A combination of existing vegetation, anticipated. Embedded and Secondary Mitigation proposed as well as existing topography would limit any cumulative visual effects. Fabric of the Landscape There would not be the removal of or changes in individual elements or features of the landscape within the character area. There would be the introduction of new elements and features comprising the solar panel areas and the substation area. Aesthetic Aspects of the Landscape Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with the Cottam 3a and 3b Sites, cumulative visibility with the cumulative developments would not be experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedgerows, and tree cover between the Site/Sites. The intervening settlements and built form would also curtail cumulative visibility between these Site/Sites. There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cottam 3a Site and Tillbridge Solar. This cumulative visibility is set out in further detail within the following figures: Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Overall Landscape Character and Visual Amenity Overall, the character of the Unwooded Vales is shaped by the strong agricultural presence, with wide areas retaining a strong sense of rural tranquility. In contrast, the low levels of woodland cover create a relatively open and expansive landscape comprising an arable land use within a scattered pattern of settlement, linked by a series of minor roads east to west and a more strategic road network north to south. These relevant characteristics of the landscape have some ability to accommodate change without undue adverse effects. The cumulative visibility for the Cottam 3b Site would not alter the overall character of the landscape within the Unwooded Vales Character Area 4a. Construction: Very Low Operation (Year 1): Very Low No Change Magnitude Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Type of No Change Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Effect Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term Construction: Negligible Not Significant Operation (Year 1): Negligible **Not Significant** Significance No Change

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.3: Viewpoint Analysis & Evaluation – Views Significant [Reference: EN010133/APP/C6.3.8.3.2.3.30] January 2023

Operation (Year 1): with only Embedded Mitigation: Negligible Not Significant

Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant



Viewpoint: LCC - C - A - Ingham Road

Receptor Baseline:

This viewpoint is located on Ingham Road, looking southeast over the Cottam 1 South Site and northeast over the Cottam 1 North Site.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a low-lying, flat landscape where the wider context of a broad vale is fully evident due to the low hedgerows in the foreground. The land use is mainly productive arable farmland but with a local collection of smaller scale fields associated with the settlement of Stow to the east and Stow Pasture to the west. This framework of the smaller scale fields are generally concentrated in a 'ladder like' arrangement to the north of Ingham Road. These smaller scale fields are distinguished in views from Ingham Road by the tree cover in the field boundary hedgerows and deciduous woodlands are evident on the horizon to the north, such as Normanby Gorse. In terms of man-made elements, the main influences are the residential properties fronting the north side of Ingham Road, but the flat-topped houses are not visible at this location. (Other flat-topped houses are located nearby just to the northwest of this green lane off Normanby Road to the south of East Farm at Normanby by Stow). Ingham Road crosses the area in an east west direction with a clear straight alignment and meets with Fleets Lane at right angles. Fleets Lane is also prominent in the landscape but is not evident in this view.

Subjective: The viewpoint depicts a medium to large-scale, open landscape divided by arable fields and some pasture. In terms of variety, the combination of features is limited to low hedgerows with few trees. There are some distinctive tree clumps to the northwestern of this location associated with the tributaries and land drains of the River Till and similar tree groups to the south associated with the various land drains that feed the River Till. In terms of variety, the landscape is simple but balanced and well-managed giving the impression of an invigorating view. In terms of colour and texture, some colour is evident within the bordering hedgerows and the tree cover is varied, which also adds interest. The hedgerows are however mostly closely cut which creates a highly managed context within an otherwise attractive and interesting landscape.

Overall: The view is pleasant and typical to the character of the east west lanes (with grass verges) in this locality. There is a strong feeling of openness and somewhat bland context to the view. The overall experience of this view is pleasant but also lacking in vigour due to the straight alignment of the road framed by hedgerows to each side. The bordering fields however are softer and add some sense of intimacy, even though many are under a single crop. This location also gives a good appreciation of the wider landscape from the settlement edge and Ingham Road is a prominent element of the view with regular traffic as it connects Stow settlement to Ingham settlement. This is an attractive entrance to the settlement where the relationship with the wider landscape gives the location a 'sense of place'.

Receptors:

The viewpoint is representative of views for users of Ingham Road when travelling east west between Stow and Ingham.

Description of View:

The foreground of the view comprises of the immediate context of Ingham Road with arable fields in the foreground with no hedgerow boundary. Further agricultural fields are only just visible beyond since the landscape is low-lying and almost flat. This collection of fields are expansive and views are wide reaching since the intervening hedgerows are low cut with very few trees. The middle and long distance therefore yields some visibility. To the right-hand side of the view, there are further agricultural fields where the small rectangular woodland (unnamed) to the west of Fleets Lane stands out in the landscape as a prominent feature due to the open expansive nature of the agricultural land use. To the left-hand side of the view, there are residential properties bordering the west side of Ingham Road. The distant horizon is made up of the higher land forming the Limestone Scarps and Dipslopes Character Area 6a with woodlands and scattered trees in the foreground. The roadside telegraph poles are wires are the vertical elements in the view.



SOLAR PROJECT		[rerence: ENG
Receptor susceptibility to change	Value of view	Sensitivity	Embedde
In terms of forces for change for LCC-C-A, poor hedgerow condition is commonplace across the area with hedgerows often excessively trimmed and gappy and that few surviving trees are in poor condition. There has also been a steady decline in permanent pasture and conversion to arable uses around the edges of settlements. Agricultural intensification and farm amalgamation is leading to a more homogenous landscape. Where woodlands survive, such as Normanby Gorse, Thorpe Wood and Brattleby Gorse, they are important features in the views across the area and providing relief within the agricultural setting. Overall , the susceptibility for LCC-C-A is conditioned by the need to conserve rural settlement pattern and ensure that new development is complimentary to intrinsic local character. Hedgerow quality is the key aspect of the existing character, where they are often tightly trimmed, gappy and species-poor. However, there are significant opportunities to restore and manage hedgerows, where they have been lost and enhance tree cover. The relevant characteristics of the landscape therefore have some ability to accommodate change without undue adverse effects given there is scope to restore the hedgerows and their associated habitats and landscape features that have been lost through agricultural intensification. The relevant characteristics of the landscape therefore have a medium susceptibility to change without undue adverse effects.	 <u>Scenic</u>: Agriculture is the dominant land use, with most of the land being used for growing arable crops. The landscape reveals views of an open nature beneath vast skies that are often extensive and uninterrupted. <u>Cultural</u>: A predominantly rural and sparsely settled area with small villages and dispersed farms and residential dwellings linked by long straight roads (such as Ingham Road) and a network of minor tracks (such as the green lane) which connect with the River Till and its tributaries. <u>Natural</u>: Very little semi-natural habitat remains across the area, apart from habitat associated with the River Till and its tributaries, and green lanes which link to this asset are an important feature of the landscape. <u>Recreation and Enjoyment</u>: The public right of way (PROW) network is limited apart from a few north south routes that connect between the long straight roads running east to west across the area. Where local green lanes can supplement this network, this should be recognized. <u>Local Distinctiveness and Sense of Place</u>: A regular pattern of medium to large fields are enclosed by hawthorn hedges. Where the recreational network gives a strong sense of identity to views. <u>Health and Wellbeing</u>: Access to these remote areas is mainly confined to the long, straight roads since PRoW connections are limited across the area, but where green lanes exist, they are important. <u>Important Spatial Function</u>: The predominance of large-scale agriculture and limited settlement and development provides an important and bridleway network are important to this spatial function, but the green lanes sine Jotapt and bridleway network are important to this spatial function, but the sense of place' in parts. The presence of green lanes helps to enhance this 'sense of place' and provide extended access to other features such as the River Till and its associated habitats. 	Range of Features: This location comprises the local lane network that forms an east-west connection between the north-south major road network. This is an open location with low-cut hedgerows in the context of the settlement edge with a limited range of features other than the backdrop of woodland cover including the riparian vegetation along the course of the River TIII and the distant woodland at Thorpe Wood and Brattleby Gorse. Importance of View: This is part of a local lane network at a location where the views capture a good appreciation of the surrounding countryside. This being a local lane with grass verges and tall hedgerows in parts however does raise the level of importance of the view. Number of Receptors: This location captures road users and is primarily a draw for local residents. The location is unlikely to capture a high number of visitors from a wider area as there is little opportunity to park on the narrow lanes or incentive/inspiration to walk from here. Medium Medium	Embedded M construction decommission Mitigation is would includ Panels to be Panels to be property bou Panels to be and minimu Panels to be Existing hed to the field b trees as app existing hed Lighting will battery bank required. Lig to vehicle an would be 50 cowls fitted to panelled are lighting on p The visual ef into account stage (Year 1 will have bee or visual imp

led Mitigation

d Mitigation would be taken into account at the on, operation (Year 1 and Year 15) and ssioning stages of the Scheme. This Embedded is also referred to as primary mitigation and ude the following measures:

be set a minimum of 15m from adjacent PRoW.

be set a minimum of 50m from adjacent residential poundaries.

be set minimum of 20m from major watercourses num of 8m from minor watercourses.

be set a minimum of 3m from Site boundaries.

edges are to be allowed to grow out and will be to a height of 5m. Hedgerow trees will be ed to grow out to add further thickening and growth d boundaries with the addition of new hedgerow ppropriate, randomly spaced along the length of edges.

will be limited to downlights within substations and anks only and used when maintenance or security is Lighting will be PIR operated and will be calibrated and personnel movements. All visible lighting 50W, installed at a maximum height of 4m with ed to prevent light spillage. Lighting required within areas will be manually operated. There will be no in perimeter fencing.

effects **with only** the Embedded Mitigation taken nt equate to those effects set out for the operation r 1) and this includes secondary mitigation which been carried out but will have had limited physical npact at this Embedded Mitigation stage.



Construction	Operation (Year 1)	Operation (Year 15)	Decommissioning
Activities considered includes, site	The foreground of the view would not change in the immediate context of Ingham Road and remain as arable	With secondary mitigation such	A similar process to that of
preparation / enabling works,	fields with no hedgerow boundary. Further agricultural fields are only just visible beyond and since the	as planting and grass seeding	stage, but with the Scheme
construction, and commissioning	landscape is low-lying and almost flat, the panel areas would appear as a slight detectable change to the view.	being taken into account at the	longer operational. This is
with effects such as construction	This collection of fields are expansive and views are wide reaching and since the intervening hedgerows are low	operational stage (Year 15) the	assessment of the Site in w
traffic, noise and vibration from	cut with very few trees, the new areas of panels would appear as a slight change to the view's composition. The	following changes to the	assumes retention of exist
construction activities, dust	middle and long distance yields some visibility, but the intervening hedgerows are likely to close down the	landscape would occur and the	and builds upon the propo
generation, site runoff, mud on	presence of the panel areas. To the right-hand side of the view, there are further agricultural fields where the	visual effects are set out below.	and secondary mitigation
roads, and the visual intrusion of	small rectangular woodland (unnamed) to the west of Fleets Lane stands out in the landscape as a prominent		established as the future b
plant and machinery on site.	feature due to the open expansive nature of the agricultural land use and the new area of panels would hardly	The view will not become any	Effects are those arising from
	be visible beyond this feature. To the left-hand side of the view, there are residential properties bordering the	more enclosed than the current	for the duration of the dec
At the early stages of the	west side of Ingham Road and this would close down views of the panel areas towards the north. The distant	situation. This viewpoint lies	including site traffic, noise
construction stage, ground and	horizon is made up of the higher land forming the Limestone Scarps and Dipslopes Character Area 6a with	close to the village of Stow with	from decommissioning act
lower-level activities such as the	woodlands and scattered trees in the foreground and this would remain as a feature of the view. The roadside	development set back from the	generation and site runoff.
construction of the solar panel	telegraph poles are wires are the vertical elements in the view, but they are unlikely to add any cumulative	Ingham Road looking northeast	
areas and associated	changes to the view in combination with the panel areas.	and southwest. Looking	Following decommissionin
infrastructure and inverters would		northeast from this viewpoint	likely to be returned to ara
be screened due to the presence	The effects set out below for Year 1 include secondary mitigation which will have been carried out, but will have	towards the Cottam 1 West Site,	production. The Site will he
of the intervening hedgerows	had limited physical or visual impact at this stage:	a number of scattered tree belts	benefit from the significant
dividing the collection of fields		are proposed around the River	tree and hedgerow plantin
that border Ingham Road and the	Scattered tree belt	Till setting the proposed Scheme	been carried out and has b
distance from the receptor. During	Looking northeast from this viewpoint towards the Cottam 1 West Site, a number of scattered tree belts are	back 50m from the watercourse.	mature to create a much s
the latter part of the construction	proposed around the River Till setting the proposed Scheme back 50m from the watercourse.	A shelterbelt is proposed to the	robust landscape, retaining
stage, views would become		western boundary of field E1 to	enhancing the overall char
available of the elevated activities	Belts are proposed within fields E1, E2 and to the eastern extents of D4. These tree belts will provide height and	augment the existing vegetation	providing considerable bio
above the hedgerows, but the	interest across the landscape whilst helping to define the route of the river with the addition of some riparian	on this boundary to mitigate	benefits over the years. Bir
riparian vegetation bordering the River Till would provide some	vegetation. These belts will act as a buffer to, and screen views of the panels from the watercourse.	views of the Scheme from the west and from Ingham Road.	fields are likely to be retain potential may exist to retain
background context. These	Shelterbelt		margins to preserve some
activities would be confined to a	A shelterbelt is proposed to the western boundary of field E1 to augment the existing vegetation on this	Overall , in terms of mitigation	use and maintain long-terr
small portion of the view due to	boundary to mitigate views of the Scheme from the west and from Ingham Road.	for Cottam 1 South, initiatives	improvements in biodivers
the distance from the receptor		would look to enhance the river	area, all of which will bene
and the layering provided by the	Existing hedges	systems and their floodplains for	receptors.
intervening hedgerows. There	Existing vegetation around fields F2 and F7 is to be retained, helping to screen Site/Sites beyond the river Till.	their ecological importance and	With an and the still of the
would be a small change to	Elsowhere existing bodgerows that require enhancement will be grown out and managed to a beight of 5m with	contribution to biodiversity. The	With secondary mitigation the negative effects of the
existing landscape elements, but the impacts would be slight and	Elsewhere existing hedgerows that require enhancement will be grown out and managed to a height of 5m with the introduction of irregularly spaced hedgerow trees along their length to increase tree cover locally, help to	aim is to protect belts of waterside trees and riparian	decommissioning will be b
would not alter the baseline	mitigate views into the development areas and strengthen both the character area and the historic field	habitats to distinguish	by the long term landscape
materially that it would be readily	patterns.	watercourses. The planting of	effects of this mitigation.
noticeable.		trees and replacing lost	
	Enhanced hedges are to be introduced to the western and southern boundaries of field E5 and E6 as well as the	hedgerows in flood plains to	
Other works would be undertaken	northern boundary of field E2.	improve landscape character and	
in connection with the		attenuate flood flows is also	
construction including fencing,	To the south of the Ingham Road, enhanced hedgerows will be provided to the northern and southern	promoted.	
gates, boundary treatment and	boundaries of Field D3 and the southern boundary of D2.	F	
other means of enclosure and	, , , , , , , , , , , , , , , , , , ,	Between Years 1 and 15, the	
works for the provision of security	New hedges	following beneficial effects will be	
and monitoring measures such as	New hedgerows are proposed as necessary where none exist to help to mitigate view of the Scheme and will	achieved in terms of Visual	
CCTV and the laying down of	me managed to a height of 5m and contain native hedgerow trees.	Receptors:	
internal tracks. There would also		– Grassland reversion	
be landscape and biodiversity	A new hedge will be provided to the northern boundary of field D2 and one between fields D2 and D3 adjacent	around field boundaries	
mitigation works, including	to the existing vegetation	and PRoW	



Significance of Effect	Minor Not Significant	Minor Not Significant	Negligible Not Significant
Type of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term
Magnitude	Low	Low	Very Low
	planting and the improvement of the foreground hedgerows These short-lived construction activities would not obstruct a significant proportion of the view or become a dominant feature. There would be a minor change to the arable land use, but the field boundaries and the associated tree cover would remain intact to conceal the works to a localised area. Construction Access All throughout the construction phase the viewpoint will be affected due to access routes off Ingham Road into the Cottam 1 South Site. Cable Route/s Viewpoint is outside of the 0.5km study area and there would be no view of this route. Substation This viewpoint is within the 2km study area. Cottam 1 substation is likely to be visible to the north of this viewpoint above existing vegetation.	Turtle Dove mitigation A large area of Turtle Dove habitat is to be provided in fields F1, 2 and 7 as well as further east in field E6. Grassland mixes A 20-30m margin of tall herb mix will be provided either side of the River Till with existing groundcover vegetation being retained to the river edges as appropriate. Fields D2 and D3 and fields D7 and D9 are to be restored to provide floodplain meadow incorporating suitable species. Elsewhere, a tussock mix will be sown adjacent to existing and proposed vegetation with a flower rich pollinator mix provided on south and west facing boundaries and other areas as appropriate. Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	 Increased woodland/vegetation cover A more varied lands Improved (more nand management of exinvegetation Less expanse of intensively manage arable land A less exposed and windswept landscape Water quality improvements Potential animal grading Reinstatement of historic field pattern Bird mitigation field Significantly improve biodiversity Growth of existing and proping vegetation is assumed to be Woodland/trees and shelter 2.5m max at Year 1, 7.5m ming Year 15. New hedgerows: 0.6m at Year 15. Existing hedgerows: 0.9m and Year 1 and 5m at Year 1 and at Year 15.

tion	
dscape natural) exiting	
ged	
id ape	
grazing	
erns elds oved	
oposed be:	
erbelts: max at	
Year 1	
at	
d 5m	
	Low
	Neutral & Short Term
:	Negligible Not Significant



Viewpoint: LCC - C - A - Ingham Road

In-Combination Effects Cumulative Effects [Cumulative Developments] [Cumulative Sites] In Summary In Summary It is anticipated there would be there would The Cumulative Effects upon viewpoint LCC-C-A of the substation and Cumulative Developments is Negligible at year 1 of operation and Negligible at year 15 with mitigation. This is be no intervisibility between the Cottom due to the limited impact upon the view as a result of the segregated nature of the Sites and proximity of the receptor to the Sites. Embedded and Secondary Mitigation proposed Sites, due to distance, the intervening would screen the panels and therefore the effects upon the view are reduced in combination. settlement of Upton. Glentworth and Heapham, hedgerows and tree cover. Fabric of the Landscape There would not be the removal of or changes in individual elements or features of the landscape within the character area. There would be the introduction of new elements and features comprising the solar panel areas and the substation area within the character area Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the cumulative developments would not be experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedgerows, and tree cover between the Site/Sites. The intervening settlements and built form would also curtail cumulative visibility. There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the following figures: Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9] The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type or area different from another. The strategic major road network is defined by important historic routes and in contrast, the east west minor road network links several historic and distinctive smaller string of settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are often tranquil and hedged to both sides with wide grassed verges and they have a major role in helping to define the quality of the landscape and reducing the visibility across the area. **Overall Landscape Character and Visual Amenity** Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of historic settlement with farms, nucleated villages, and small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised for adding intimacy and interest to the landscape. These relevant characteristics of the landscape and land use have some ability to accommodate change without undue adverse effects. The cumulative visibility for the Cottam 1 Site/Sites would not alter the overall character of the landscape and its communications and infrastructure features. Moreover, these features are often set within a well-vegetated context or associated with built form that plays a positive role in reducing the overall cumulative effects. Construction: Very Low Operation (Year 1): Very Low Magnitude No Change Operation (Year 1) with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Type of Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term No Change Effect Operation (Year 15): Adverse & Long Term Decommissioning: Neutral & Short Term Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Significance No Change Operation (Year 1) with only Embedded Mitigation: Negligible Not Significant of Effect Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant



Viewpoint: LCC-C-C - Stur/73/1

Receptor Baseline:

This viewpoint is situated on PRoW, footpath (Stur/73/1) looking east towards the Cottam 1 South Site and northeast towards the Cottam 1 North Site.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a low-lying almost flat landscape within the wider context of a broad vale, which is very conspicuous in this view. There are also views across this vale towards the Limestone Scarps and Dipslopes Character Area 6a, where the landform rises sharply to capture the ridgeline at Cammeringham and Brattleby. The landform also rises gently in the west (left of view) towards the settlement edge of Sturton by Stow (rising from 15m AOD to 20m AOD). The land use is predominantly arable with some deciduous woodlands and shelterbelts in the far distance, such as those to the east of Fleets Lane at Brattleby Thorns and Cammeringham. Tree clumps and hedgerow trees are also dominant in the view and contrast heavily with the open arable landscape. In terms of man-made features, there is the settlement edge of Sturton by Stow, otherwise there is very little built influence. Within the outlying landscape, settlement is very sparse comprising scattered farmsteads at Furze Hill, Lower Furze Hill and The Grange. There are also isolated dwellings known as Fleets Cottages which stand out as a strong built influence in the foreground of the view.

Subjective: The view depicts a large-scale landscape, that is mostly exposed but with some areas of enclosure due the strong hedgerow network with mixed species comprising spindle and hawthorn. There are far-reaching views towards the limestone scarp slope. There are also rare views towards the Lincoln Cliff and the Lincoln Minster due to the relatively higher elevation at this point (approximately 15m AOD). There are also direct views towards the limestone capped ridgeline at Cammeringham and Brattleby where the woodland cover is a strong feature on the horizon. In terms of variety, the combination of landscape features includes farmsteads, deciduous and coniferous woodland, strong hedgerows, poplar shelterbelts and hedgerow trees that present a varied and harmonious composition. In terms of texture, the arable fields are highly managed with a muted colour combination giving an impression of an interesting landscape with woodland cover being the dominant component on the horizon. This view is balanced in terms of interest by the far reaching, views towards the limestone scarp slope at Cammeringham and Brattleby.

Overall: The view is influenced by the intensive arable landscape where the presence of hedgerows helps reduce the scale. This is a quiet location (even though it is in close proximity to Sturton by Stow). The local road network passes across the landscape with some right-angled bends in the foreground context of the distant ridgeline. The viewpoint depicts a large-scale landscape that is divided by a strong hedgerow network, which helps to decrease the sense of scale. This is a quiet spot, and the overall experience is a pleasant and invigorating given the proximity to the settlement of Sturton by Stow. The overall experience within this viewpoint is interesting and very pleasant due to the presence of the vast expanse of landscape.

Receptors:

This viewpoint is representative of views for walkers using the footpath (Stur/73/1) that runs between the settlement of Sturton by Stow in the west and Fleet's Lane in the east.

Description of View:

The foreground of the view comprises of large very gently sloping agricultural fields divided by Fleets Lane (that passes north south) with further agricultural fields that are visible beyond this as far as the course of the River Till. The collection of fields are defined by hedgerows, but they are low and gappy with few hedgerow trees. In the middle distance there is Fleets Cottages then to the left there is further riparian vegetation cover bordering the River Till visible amongst hedgerows and hedgerow trees along with woodland at Coates. To the right-hand side of the view there are woodlands comprising Thorpe Wood and Brattleby Thorns. The remainder of the horizon is made up of woodlands at Brattleby and Cammeringham, trees, hedgerows, and farm buildings in the middle and long distance. There are some vertical elements in the view, including telegraph poles and associated cables in the distance, but these are very minor elements in the context of the wider landscape and the dark wooded backdrop.

Environmental Statemen
Appendix 8.3.2.4: Viewpoint A
[Deference:]

Receptor susceptibility to change

Value of view

Sensitivity

Landscape and Visual Impact Assessment nalysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.2] January 2023

Embedded Mitigation



In terms of forces for change for LCC-C-C, the landscape	Scenic: The major roads and the network of minor lanes	Range of Features: The location comprises the public footpath	Embedded
has a strong rural character, but tranquility levels are	within the Unwooded Vales Character Area 4a as strong	network at the edge of the settlement that forms a connection	constructio
being disturbed by development pressures from the	functional feature running through the landscape, which	to the network of local lanes. Views from these outlying	decommiss
larger scale settlements and major routes across the	contribute strongly to scenic factors. Fleets Lane is a key	footpaths towards the landscape setting of the settlements	Mitigation
area. Tranquility is however associated with the winding	part of this network.	provide the cultural context to views such views towards Fleets	would inclu
lanes and landscape-scale projects such as the Trent		Lane where the roadside hedgerows and riparian vegetation	
Vale Landscape Partnership which can help by offering	<u><i>Cultural:</i></u> This network of minor lanes link supports the	beyond create a good level of visual containment and interest.	Panels to b
increased recreational and educational opportunities	linking of the string of small, nucleated settlements along		
within these areas.	the B1241 such as Sturton by Stow, Stow, Normanby by	Importance of View: This is part of the local footpath network	Panels to b
	Stow, and Willingham by Stow. Views from these minor	within a settlement where the PRoW network is abundant	
Overall , the susceptibility for LCC-C-C is conditioned by	lanes towards the landscape setting of the settlements	giving a good level of connectivity with the outlying local lanes	property bo
the limited network of footpaths and bridleways and the	provide the cultural context to views from roads such as	for informal recreation. This being a section of footpath that is	
availability of the rural roads and minor tracks for	Fleets Lane.	open, and which passes from higher elevations at the	Panels to b
extended access. The relevant characteristics therefore		settlement edge raises the level of importance of the view.	and minimu
have a high to medium susceptibility to change without		settiement euge ruises the level of importance of the view.	
undue adverse effects. There is however scope to	<u>Natural:</u> These minor lanes provide attractive destinations	<u>Number of Receptors</u> : This location captures a limited range of	Panels to b
increase recreation opportunities including where there	as narrow country lanes often with hedgerows on both	receptors and is primarily a draw for local residents. The	
are natural features and historical elements to draw	sides or ditches that enhance the rural quality of the area.	location is unlikely to capture a high number of visitors from a	Existing hee
interest from residents and tourists.		wider area as there is little opportunity to park on the narrow	managed to
	<u>Recreation and Enjoyment:</u> The east-west travel direction	lanes and walk from here.	encourageo
	often links the older settlements moving in a more		to the field
	random pattern following minor roads. These roads gain		trees as ap
	access to smaller villages and are popular for recreation.		existing he
	Local Distinctiveness and Sense of Place: This is a		Lighting wil
	predominantly rural and sparsely settled area with small		battery bar
	villages and dispersed farms linked by quiet lanes such as		required. Li
	Fleets Lane that connect across the landscape to the		to vehicle a
	wider strategic road network linking the cities of		would be 5
	Nottingham and Lincoln.		cowls fitted
			panelled ar
	Health and Wellbeing: The local roads (that gain access to		lighting on
	smaller villages) are popular for recreation since they		0 0
	provide attractive destinations as narrow country lanes		The visual e
	often with high levels of tranquility and isolation.		into accour
			stage (Year
	Important Spatial Function: The bypassing of original village		will have be
	changes the spatial function of the landscape these minor		or visual im
	routes such as Fleets Lane play an important role.		
	Overall , the value of Viewpoint LCC-C-C is shaped by the		
	wide range of features which makes one landscape type		
	or area different from another. The strategic major road		
	network is defined by important historic routes and in		
	contrast, the minor road network links several historic		
	and distinctive smaller string of settlements across the		
	area. Overall, the prevailing road network is formed by		
	narrow lanes such as Fleets Lane that are often tranquil		
High to Madium	with wide grassed verges.	High to Modium	Not Applica
High to Medium	Medium	High to Medium	Not Applica

ed Mitigation would be taken into account at the ion, operation (Year 1 and Year 15) and issioning stages of the Scheme. This Embedded is also referred to as primary mitigation and clude the following measures:

be set a minimum of 15m from adjacent PRoW.

be set a minimum of 50m from adjacent residential boundaries.

be set minimum of 20m from major watercourses mum of 8m from minor watercourses.

be set a minimum of 3m from Site boundaries.

nedges are to be allowed to grow out and will be to a height of 5m. Hedgerow trees will be ed to grow out to add further thickening and growth ld boundaries with the addition of new hedgerow appropriate, randomly spaced along the length of nedges.

will be limited to downlights within substations and anks only and used when maintenance or security is Lighting will be PIR operated and will be calibrated and personnel movements. All visible lighting 50W, installed at a maximum height of 4m with ed to prevent light spillage. Lighting required within areas will be manually operated. There will be no n perimeter fencing.

effects with only the Embedded Mitigation taken unt equate to those effects set out for the operation ar 1) and this includes secondary mitigation which been carried out but will have had limited physical impact at this Embedded Mitigation stage.

cable



int: LCC-C-C - Stur/73/1			
Construction	Operation (Year 1)	Operation (Year 15)	
Activities considered includes, site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site	The foreground of the view will not change from the large very gently sloping agricultural fields. Fleets Lane (that passes north south) would still remain as a feature of the view with further agricultural fields that are visible beyond this as far as the course of the River Till that would remain free of panels. In the middle distance there is Fleets Cottages then to the left there is further	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage to include the following changes to the landscape:	
runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would result in a small change to the existing landscape elements due to the distance from the receptor. During the latter part of the construction stage, views would become	riparian vegetation cover bordering the River Till visible amongst hedgerows and hedgerow trees along with woodland at Coates and these would remain as features in the view. To the right-hand side of the view there are woodlands comprising Thorpe Wood and Brattleby Thorns, which would not alter and the remainder of the horizon comprising woodlands at Brattleby and Cammeringham, trees, hedgerows, and farm buildings in the middle and long distance would also remain as a feature. The effects set out below for Year 1 include secondary mitigation which will have been carried out, but will have had limited physical or visual impact at	The view will not become any more enclosed since the planting mitigation will be implemented on the east side of Fleets Lane. The aim should be to plan new woodland in the most suitable locations. This may include in and around settlements, where woodland would help integrate new development into the landscape and in more intimate low-lying areas, where woodland would help create a mixed pattern of land use, especially when viewed at a	
available of the elevated activities above the hedgerow, but the distance, the layering of the intervening hedgerows and riparian vegetation bordering the River Till would provide some screening such that these activities would not be readily noticeable.	this stage: <u>Scattered tree belt</u> Looking northeast from this viewpoint towards the Cottam 1 North Site, a number of scattered tree belts are proposed around the River Till setting the proposed Scheme back 50m from the watercourse.	distance. Consideration would also be given to the management of existing trees and woodland, enhancing biodiversity value and age structure through new planting and the creation of woodland edge habitats. An increase in grassland reversion would also be	
Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal	Belts are proposed within fields E1, E2 and to the eastern extents of E5. These tree belts will provide height and interest across the landscape whilst helping to define the route of the river with the addition of some riparian vegetation. These belts will act as a buffer to, and screen views of the panels from the watercourse and provide additional flood risk mitigation.	encouraged, increasing the occurrence of semi- natural habitats. Overall, in terms of mitigation for the Cottam 1 Site/Sites, due to the limited network of public rights of way (PRoW) across the area the aim is to enhance the river corridors and their flood	
tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows	Directly east, further belts are proposed to the east of fields D7 and D9 within the floodplain and to the west of field D10 again providing defining features along the River Till and contributing to the flood risk mitigation in this area.	plains for their recreational importance and the Trent is the main river providing a valuable link. The Trent Valley Way in particular, provides a long-distance route. The other notable river is the upper parts of the Witham of which the	
These short-lived construction activities would obstruct a small proportion of the view and would not result in a change to the view's composition. There would be a slight change to the arable land use since the field boundaries and the associated tree cover would remain intact and provide layering and	A shelterbelt is proposed to the western boundary of field E1 to augment the existing vegetation on this boundary to mitigate views of the Scheme from the west and from Ingham Road. Existing hedges Existing vegetation around fields F2 and F7 is to be retained, helping to screen Site/Sites beyond the river Till.	River Till is a tributary. The aims are to extend the non-road network, especially where it can link people to woodlands and river corridors. Trees and hedgerows make an important contribution and improvements on approaches to villages could improve the identity of the local landscape for the benefit of recreation.	
screening from this distance. <u>Construction Access</u> There would be no view of any construction access from this viewpoint.	Elsewhere existing hedgerows that require enhancement will be grown out and managed to a height of 5m with the introduction of irregularly spaced hedgerow trees along their length to increase tree cover locally, help to mitigate views into the development areas and strengthen both the character area and the historic field patterns.	Between Years 1 and 15, the following beneficial effects will be achieved in terms of Visual Receptors: – Grassland reversion around field boundaries and PRoW	
Cable Route/s Viewpoint is outside of the 0.5km study area and there would be no view of this route.	Enhanced hedges are to be introduced to the western and southern boundaries of field E5 and E6 as well as the northern boundary of field E2.	 Increased woodland/vegetation cover A more varied landscape Improved (more natural) management of exiting vegetation 	
<u>Substation</u>	Reinforce hedgerow to the western boundary of fields D5, D6 and D7 and allow for it to grow out.	 Less expanse of intensively managed arable land 	

	Burner at a traction
	Decommissioning
	A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.
	Following decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.
-	negative effects of the physical decommissioning will be balanced out by the long term landscape and visual effects of this mitigation.



SOLAR PROJECT				010155/APP/C0.5.6.5.2.4.2] January 2025
	This viewpoint is within the 2km study area but there would be only a potentially very minor distant view of the Substation at Cottam 1.	To the south of the Ingham Road, enhanced hedgerows will be provided to the northern and southern boundaries of Field D3 and the southern boundary of D2. <u>New hedgerows are proposed as necessary where none exist to help to mitigate view of the Scheme and will me managed to a height of 5m and contain native hedgerow trees.</u> A new hedge will be provided to the northern boundary of field D2 and one between fields D2 and D3 adjacent to the existing vegetation and the ditch, fully enclosing this small block. <u>Turtle Dove mitigation</u> A large area of Turtle Dove habitat is to be provided in fields F1, 2 and 7 as well as further east in field E6. <u>Grassland mixes</u> A 20-30m margin of tall herb mix will be provided either side of the River Till with existing groundcover vegetation being retained to the river edges as appropriate. Fields D2 and D3 and fields D7 and D9 are to be restored to provide floodplain meadow incorporating suitable species. Elsewhere, a tussock mix will be sown adjacent to existing and proposed vegetation with a flower rich pollinator mix provided on south and west facing boundaries and other areas as appropriate. Adverse effects: Panels and structures across the landscape Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation	 A less exposed and windswept landscape Water quality improvements Potential animal grazing Reinstatement of historic field patterns Bird mitigation fields Significantly improved biodiversity Growth of existing and proposed vegetation is assumed to be: Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Year 15. Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15.	
Magnitude	Low	Low-Medium	Low	Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term	Neutral & Short Term
Significance of Effect	Minor Not Significant	Minor-Moderate Not Significant	Minor Not Significant	Negligible Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	In-combination Effects [cumulative sites]	In Summary: The Cumulative Effects upon viewpoint LCC-C-C of the Cumulative Developments is Negligible at year 1 of oper This is due to the limited impact upon the view as a result of the segregated nature of the Sites and Cumulative receptor. Existing vegetation and Embedded and Secondary Mitigation proposed would screen the panels and in combination. <i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or features of the landscape within the of the vegetation of new elements and features comprising the solar panel areas and the substantiation. <i>Aesthetic Aspects of the Landscape</i> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands Site/Sites. The intervening settlements and built form would also curtail cumulative visibility. There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cot Tillbridge Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the folloc Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.9] The landscape is shaped by the wide range of local and strategic road networks, which make one landscape ty major road network is defined by important historic routes and in contrast, the east west minor road network string of settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are grassed verges and
		cumulative visibility for the Cottam 1 Site/Sites would not alter the overall character of the landscape and its construction: Very Low
Magnitude	No Change	Operation (Year 1): Very Low Operation (Year 1) with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1) with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

peration and Negligible at year 15 with mitigation. tive Developments and proximity to the visual nd therefore the effects upon the view are reduced

e character area.

bstation area within the character area

ith the cumulative developments would not be ds, hedgerows, and tree cover between the

Cotton 1 Site/Sites and Gate Burton Energy Park, llowing figures:

.6] 5.2.8] .9]

type or area different from another. The strategic rk links several historic and distinctive smaller e often tranquil and hedged to both sides with wide e visibility across the area.

f historic settlement with farms, nucleated villages, nised for adding intimacy and interest to the change without undue adverse effects. The s communications and infrastructure features. ays a positive role in reducing the overall cumulative





Viewpoint: LCC-C-E – ProW Ingh/27/2

Receptor Baseline:

This viewpoint is located on PRoW, footpath (Ingh/27/2) at the junction with Stow Road, looking west towards both the Cottam 1 North Site and Cottam 1 South Site.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a very gently rolling landscape at the foot of the scarp slope. The wider context of the broad lower-lying valley is fully visible at this location due to the low hedgerows and distinct lack of woodland and tree cover. There are also extensive west facing views towards Floodplain Valleys Character Area 3a, where the Trent power industry valley is clearly evident in the context of the wider floodplain. The land use is predominantly arable, and large scale with a limited number of features other than the vast and expansive views. In terms of variety, there are some strong hedgerows, but they are low-cut and very intermittent between the expansive arable fields. There are very few hedgerow trees, however extended views towards the horizon to the south capture the woodlands to the west of Cammeringham. These woodlands include Poplar Wood, Long Covert, Cammeringham Long Covert and woodland associated with Brattleby Hall. In terms of man-made influences, the viewpoint is located to the southwest of the settlement of Ingham where the built form is just evident within the view. Other man-made influences include the presence of Stow Lane, which has a long straight alignment and forms a discordant feature. The view also extends north to capture the windmill at the edge of Ingham as it stands out on the skyline.

Subjective: The viewpoint depicts a large-scale, open landscape at the edge of the settlement where the absence of hedgerows and tree cover allow extensive and panoramic views towards the Trent floodplain. Woodlands located around Brattleby Hall and the settlement of Brattleby are also visible on the far horizon to the south (left of view) and include both deciduous and coniferous species that add some containment to the view, otherwise there are very few features on interest. The nature of view is a busy location due to the long, straight road and fast-moving traffic.

Overall: The view is typical in character to the string of settlements that follow the scarp slope where the experience is pleasant, and where the open arable landscape is a dominant feature with distant views towards the west. The vast, exposed landscape is the main feature of this view and hedgerows and hedgerow trees close to the road helps break down the vast arable fields in places. The overall experience is interesting, pleasant, and invigorating.

Receptors:

This view is representative of views available to walkers, motorists and residents travelling between Ingham and Stow. The view is also representative of users of the footpath network to the southwest of the settlement of Ingham where a wider network of footpaths is available around the edge of the village.

Description of View:

The foreground of the view comprises of Stow Lane in the immediate context of large scale and expansive agricultural fields with a limited network of hedgerows. Further agricultural fields are visible beyond this since the landscape is gently undulating, and this local collection of fields are expansive and vast where the intervening hedgerows are absent allowing extended visibility. The middle and long distance therefore yields good visibility. To the right-hand side of the view, there is a tall road-side hedgerow, further, a collection of agricultural fields that are smaller in scale and divided by hedgerows and tree cover. To the left-hand side of the view there is a further collection of large-scale fields with a local collection of small woodlands comprising Long Covert, Cammeringham Low Covert, Brattleby Gorse and Poplar Wood. The remainder of the horizon is made up of an open skyline with few vertical elements and there are distant views towards the River Trent and its associated power industry.



Receptor susceptibility to change	Value of view	Sensitivity	Embeddee
In terms of forces for change for LCC-C-E, the main sensitivity is focused on the ancient enclosures that has been weakened by modern agricultural practices. The settlement pattern that defines the contrast between the small compact villages and larger market towns remains largely intact, but their landscape settings are risk of demise from expansion and development. Overall, the susceptibility for LCC-C-E is conditioned by string of historic settlements that are aligned approximately north to south and the Trent floodplain where there are surviving ancient enclosures characterised by small field sizes. The mixed farming heritage is also fundamental in retaining landscape character and should be managed to ensure the area continues to reflect its long history of agricultural land use. The relevant characteristics of the landscape therefore have some ability to accommodate change without undue adverse effects given there is scope to protect the character and diversity of the farming heritage of the area despite the erosion of traditional character and ecosystems through post-war agricultural intensification.	 <u>Scenic</u>: The roads and their associated tree belts combine to give a subtle grain to the landscape. The approaches to edges of settlements such as Ingham benefit from this this tree as a 'gateway feature' is a distinctive part of their setting. <u>Cultural</u>: The landscape shows evidence of historic settlement with farms and nucleated villages and small hamlets. In terms of variety, there are some strong hedgerows, but they are low-cut and very intermittent between the expansive arable fields. <u>Natural</u>: There are extensive expanses of semi-natural habitat and rivers and streams that are an important landscape feature such as the River Till and its associated tributaries. <u>Recreation and Enjoyment</u>: The Unwooded Vales are valued for recreation which often focuses on the locations where panoramic views are possible from elevated locations from rising land at the edges of the Vales such as Ingham. <u>Local Distinctiveness and Sense of Place</u>: The landscape has a 'strong sense of place' with major landform features flanking the lower lying areas creating broad scale visual containment along the ridgeline to the east. <u>Health and Wellbeing</u>: The Unwooded Vales provide a very limited network of PRoW leading to the dependence on the more routes that criss-cross the area in all directions, linked by a series of narrow tracks that lead to isolated farmsteads, and which often create 'no-through roads' in the landscape. <u>Important Spatial Function</u>: The landscape benefits from an expansive landscape. Wide panoramic views are also possible from the low hills and ridges that form watersheds between watercourses. This contrasts with the lower lying areas where intact hedgerows and belts of riverside trees truncate views. Overall, the value of LLC-C-E is shaped by the strong agricultural character and presence of the far-reaching views, with wide areas retaining a strong sense of openness. Woodland cover does not form a sign	Range of Features: This location comprises an edge of settlement context. This is a part enclosed location with some built development to the northeast and a good network of hedgerows that are outgrown with mature trees and some fields are in pastoral use. There is a typical range of features associated with bordering farmland and which subtly channel views towards the outlying landscape. Importance of View: This is the local footpath network that provides good connectivity east west between lngham and the small settlement of Coates. There being a good network of public footpaths in this location dilutes the level of importance of the view. Number of Receptors: This is a public footpath network, which forms an almost continuous north south and east west framework to the western edge of the settlement. The route is likely to capture local walkers. There may possibly be some users form a wider area since the Unwooded Vales is valued for recreation however this often focuses on the locations where panoramic views are possible from elevated locations from rising land at the edges of the Vales.	Embedded N construction decommission Mitigation is include the f Panels to be Panels to be property bou Panels to be and minimu Panels to be Existing hed managed to encouraged to the field b trees as app existing hed Lighting will battery bank required. Lig to vehicle an would be 50 cowls fitted to panelled are lighting on p The visual ef into account stage (Year 1 will have bee or visual imp
Medium to High	Medium	Medium to High	Not Applicab

led Mitigation

d Mitigation would be taken into account at the on, operation (Year 1 and Year 15) and ssioning stages of the Scheme. This Embedded is also referred to as primary mitigation and would e following measures:

be set a minimum of 15m from adjacent PRoW.

be set a minimum of 50m from adjacent residential poundaries.

be set minimum of 20m from major watercourses num of 8m from minor watercourses.

be set a minimum of 3m from Site boundaries.

edges are to be allowed to grow out and will be to a height of 5m. Hedgerow trees will be ed to grow out to add further thickening and growth d boundaries with the addition of new hedgerow opropriate, randomly spaced along the length of edges.

ill be limited to downlights within substations and nks only and used when maintenance or security is Lighting will be PIR operated and will be calibrated and personnel movements. All visible lighting 50W, installed at a maximum height of 4m with d to prevent light spillage. Lighting required within ireas will be manually operated. There will be no a perimeter fencing.

effects **with only** the Embedded Mitigation taken nt equate to those effects set out for the operation r 1) and this includes secondary mitigation which been carried out but will have had limited physical npact at this Embedded Mitigation stage.



Viewpoint: LCC-C-E – ProW Ingh/27/2

preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration form construction actives, send vibration form construction actives, send vibration form construction actives, send vibration form construction actives, send vibration for the side and long disting diverse the intervening heighers was and advised intervision of the sider and vibration for the side in the side activities with a since advised intervision of the sider panel areas and associated infrastructure and inverters is would be screened due to the distance from the Statistic and the intervision ground the source of the sider panel areas and associated infrastructure and inverters is would be screened due to the distance from the Statistic and the intervision from the Statistic and the intervision inducting feeding, gates, boundary treading notices be lendscape a dominant feature. There would how a small change to existing landscape elements, but the improvement of the dominant feature. There would be a soluble undertaken in connection with the construction and works for the provision of security and dominict feature. There would be be lendscape at dominant feature. There would be a lend therment of due to the field boundaries and the associated infil there over and provide due to the existing lendscape element of the scattered native trees along the southen boundary to field K1 where it abust the laughton foad where additional hedgerows and and to the south provided to the western boundary of field K1 where it abust the laughton foad where additional hedgerows and and to the there are dominant feature. There would be a south and due to the areas the field boundaries and the associated the cover would be a south and due to the areas dominant feature. There would be a south and south the associated the field boundaries an	Construction	Operation (Year 1)	Operatio
preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration form construction actives, tower of hedgerows and this would here inder enabling extended visibility and the middle and long distance also yields good visibility and the middle and long distance also yields good visibility and the would not change. The left-hand side of trades and expansive and vast where the intervening barbace and wields good visibility and this would not change. The left-hand side of the explore agricultural fields that are smaller in scale and divide by hedgerows are agricultural fields that are smaller in scale and divide by hedgerows are agricultural fields that are smaller in scale and divide by hedgerows are agricultural fields that are smaller in scale and divide by hedgerows are agricultural fields that are smaller in scale and divide by hedgerows are agricultural fields that are smaller in scale and divide by hedgerows are agricultural fields that are smaller in scale and divide by hedgerows are agricultural fields that are smaller in scale and divide by hedgerows are agricultural fields that are smaller in scale and divide by hedgerows are and works for the scale rapid article is second by hedgerow work and works for the distance. There would be a small change to existing landscape elements, but the intervent of the weeks for the provision of security and monitoring measures such as construction active to the scale and weeks and the axet secure and provide at the scale and weeks and the axet scattered native trees. 	Activities considered includes, site	The foreground of the view comprises Stow Lane in the immediate	With second
effects such as construction traffic, nots dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be screened due to the distance from the Site/Site and the interventing topography. During the latter part of the construction activities, would be screened due to the distance from the Site/Site and the interventing topography. During the latter part of the construction activities, would be samall change to existing landscape elements, but the impacts would be a small change to existing landscape elements, but the impacts would be a small change to existing landscape elements, but the impacts would be a small change to existing landscape elements, but the impacts would be a small change to existing landscape elements, but the impacts would be a small change to existing landscape elements, but the impacts would be a small change to existing landscape elements, but the impacts would be a small change to existing landscape elements, but the impacts would ab to slight and would not atter the baseline materially that it would be readily noticeable. Sattered native trees landscape elements, but the impacts would ab to be landscape and biodiversity mitigation works, including proportion of the provision of socurus and works for the provision of socurus and divide socurus as sociated to the western boundary of field K1 where it shous the langstof the westere boundary of field K1 where it shous the langstor the	preparation / enabling works,	context of large scale and expansive agricultural fields with a limited	seeding beir
and vibration from construction activities, using generation, siter unoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be screened due to the distance from the Site/Sites and the intervening toppography. During the latter panel from the Site/Sites and the intervening toppography. During the latter panel from the Site/Sites and the intervening toppography. During the latter panel from the Site/Sites and the intervening toppography. During the latter panel from the Site/Sites and the intervening toppography. During the latter panel from the Site/Sites and the intervening toppography. During the latter panel activities due to the distance. There would be site and change. The effects set out below for Year 1 include secondary mitigation which will have been carried out, but will have had limited physical or visual indisance there solar societ and there are and site into solar panel societ and there are and solar mass associated power industry and works for the provision of security and monitoring measures such as CCTV and the laying down of niternal tracks. There would a bis he landscape and biodiversity mitigation works, including planting and the improvement of the foraground hedgerows. Scattered native trees Veews from the B1205 Kirton Road looking north will be mitigated by the appropriate tree planting relative trees along the souther boundary to field Ki songe sognet and would not obterve and works active infill tree cover and provide a diftional height as well as increasing the proportion of the view or become a doninant feature. There would has be addited as a diftional enhancement planting will be provided to the western boundary of field Ki where it abuts the Laugiton days where the aninor change to the associated the works. There would has	construction, and commissioning with	network of hedgerows and this would not change. Further agricultural	(Year 15) the
dust generation, site runoff, mud on yields good visibility and this would not hange. To the left-hand side of The view, here is a tall rods/side hedgerow further collection of managed and nachinery on site, At the early sages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and isde of the view the local collection of small woodlands comprising long cover, Baratley Gorse and Poplar Wood visibility and the view. There remained or the horizon is made up of an open skyline with few vertical elements and there are from the Site/Sites and the intervening to pography. During the latter part of the avoid of the view ards the River Therat and its associated power industry and this would not talter the baseline materially that it would be readily noticeable. The effects set out below for Year 1 include secondary mitigation which were cover and this would not talter the baseline materially that it would be readily noticeable. The effects set out below for Year 1 include secondary mitigation which were compared and the imposed scattered native trees along the southern boundary to field K1 were cover and hold were pared and the imposed scattered and the trees along the southern boundary to field K1 where the instigation works, including fencing gates, boundary threat mate trees. Overall, i These short-lived construction activities would he adjerow trees along kirton Road biodersity mitigation works, including fencing were stating degreew trees along kirton Road were additional hedgerow trees and the associated tree cover would remain in tacts to construction activities to the advice the			occur and th
roads, and the visual intrusion of plantinterviewinterviewinterviewinterviewinterviewand machiney on site. At the early stages of the construction of the solar panel areas and associated infrastructure and inverters would be screened due to the distance from the Site/Sites and the intervening topography. During the latter part of the construction stage, views are unlikely to become available of the elevated activities due to the distance. There would be sight and would not after the baseline materially that it would be including fincing, gates, boundary treatment and other means of endosure and works for the provision of security and monitoring measures such as CCTV and the improvement of the foreground hedgerowsInterview treatment and seasociated the eview the isacce from the size of advance treatment and other means of endosure and works for the provision of security and monitoring measures such as CCTV and the improvement of the foreground hedgerowsInterview the impact security and monitoring measures such as CCTV and the improvement of the foreground hedgerowsInterview the impact security and monitoring measures such as CCTV and the improvement of the foreground hedgerowsInterview the impact security and monitoring measures such as CCTV and the improvement of the foreground hedgerowsInterview the impact security and monitoring measures such as contingene the index to the advance. There would also be landscape and biodiversity mitigation works, including glanting and the improvement of the foreground hedgerows. Including glanting and the improvement of the foreground hedgerows. Including glanting and the improvement of the foreground hedgerows. Including the field boundaris and the associat			
and machinery on site. At the early stages of the construction steps ground and lower-level activities such as the construction of the solar panel areas and successional stratucture and inverters would be screened due to the distance from the Site/Sites and the invervening topography. During the latter part of the activities due to the distance. There would be a small change to existing landscape elements, but the impacts would be inverters would be undertaken in connection with the construction including fencing, gates, boundary treatment and there mass of reduction at the sublichy close to the built-up area of Blyton in line with character assessment objectives.Overall, i would be motive the site in the rest of the site in the east.These short-lived construction activities would be not he diversity mitigation works, including planting and the improvement of the biodiversity mitigation works, including planting and the improvement of the rearding that would not obstruct a significant proportion of the east of this would per undergrow and hedgerows. Proposed scattered native trees along kerson the east of this would and to do the east construction activities would not obstruct a significant proportion of the wide or become a dominant feature. There would be a minor change to the associated tree cover would remain intact to concert the field boundaries and the associated tree cover would remain intact to concert the field boundaries and the associated tree cover would remain intact to concert the field boundaries and the associated tree cover would remain intact to concert the field boundaries and the associated tree cover would remain intact to concert the field boundaries and the associated tree cover would remain intact to concert the field boundaries and the associated tree cover would per on inte	-		The view wil
stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be some available of the elevent of distance from the Site/Sites and the intervening topography. During the latter part of the construction stage, views are unlikely to become available of the elevented activities due to the distance. There would be asignt and change to existing landscape elements, but the impacts would be slight and would not after the baseline maternally that it would be readily noticeable.The ender the field baseline the stage is land this would not after the baseline maternally that it would be readily noticeable.The ender the field baseline the stage is landscape elements, but the impacts state the baseline maternally that it would be readily noticeable.The ender the field baseline maternally that it would be readily noticeable.Overall, it due to the under and the improvement of the foreground hedgerows.Overall, it and head the mater associated it would be a minor change to the surrounding the allowed to grow out and be adiqued to grow out and be adiqued to grow out and be adigued where adional hedgerow trees will agend where would iter adverse adional, the adigued where adional hedgerow trees will agend where would allow and the associated the cover would fere analise interve and would on a time array is appropriate tree adional, with anade the reading in		÷	hedgerows t
and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be screened due to the distance from the SiteSites and the intervening topography. During the latter part of the construction stage, views are unlikely to become available of the elevated activities due to the distance. There would be a small change to existing landscape elements, but the impacts would be a small change to existing landscape elements, but the impacts would be analerlaily that it would be readily noticeable.side of the view the local collection of small woodlands comprising Long Covert. Carmeting Man. Low Covert. Frattleyb Gorse and Polarity wood would remain as a feature of the view. The remail and there are distant view to the view of the solar part of made up of an open skyline with few vertical elements and there are treadily noticeable.establisht that the vood the work for the provision of attert the field set out below for Year 1 include secondary mitigation which will have been carried out, but will have been distance.establisht that the coll tree cover and provide to the site of the view. The remail woodlands comprising Long covert. There would hor alter the baseline materially that it would be readily noticeable.establisht that the construction the field sace and biodiversity mitigation work, including planting and the improvement of the fordamental change to the surrounding the field boundaries and the associated tree cover and provision of security planting and the improvement of the survement heast of the view. There would head and use, but the field boundaries and the associated tree cover and provide to the wiser. There would head and the the survemaing fundamental change to the associated tree cover and due to the sace is become a domin		· · · · · · · · · · · · · · · · · · ·	managed to
construction of the solar panel areas and associated infrastructure and inverters would be screened due to the distance from the Site/Sites and the intervening topography. During the latter part of the construction stage, views are unlikely to become available of the elevated activities due to the distance. There would be a small change to existing landscape elements, but the impacts would be slight and would not alter the baseline materially that it would be readily noticeable.Covert. Cammeringham Low Covert. Brettley Gorse and Poplar Wood establisht made up of an open skyline with few vertical elements and there are distant views towards the River Trent and its associated power industry and this would not charge.good cover establisht made up of an open skyline with few vertical elements and there are distant views towards the River Trent and its associated power industry and this would not alter the propored scattered native trees.good cover estatered not hange to existing upropriate tree planing relatively close to the built-up area of Blytoni time would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. There would he associated the works. There would be a fundamental change to the arsolicated the works. There would he associated the works. There would he and the associated the works. There would he as and the associated the works. There would here are fundamental change to the arsolicated the works. There would here are fundamental change to the arsolicated the works. There w			be evident a
associated infrastructure and inverters would be created due to the distance from the Site/Sites and the intervening topography. During the latter part of the construction stage, views are unlikely to become available of the elevated activities due to the distance. There would be a small change to existing landscape elements, but the impacts would be a small change to existing landscape elements, but the impacts would be a small change to existing landscape elements, but the impacts would be a small change to existing landscape elements, but the impacts would be a small change to existing landscape elements, but the impacts would be a small change to existing landscape elements, but the impacts would be a small change to existing landscape elements, but the impacts would be a small change to existing landscape elements, but the impacts would be associated intervention including feacing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCIV and the laip down of internal tracks. There would also be landscape and biodiversity witigation works, including planting and the improvement of the foreground hedgerowswould not bare the stating vegetation the view or become a dominant feature. There would be as sociated the works. There would he associated the works. There would be associated the works. There would be no view of any construction access from this viewpoint and from dwellings further east along furth oraces from this viewpoint and from dwellings further west along dation diverses. Adjacent to the road and up to the small, wooded area, the existing hedge will also be actively of a and weak of the erast. Construction access from this viewpoint and from dwellings further west along further east along furth oraces, along furth oraces, along furtho			
would be screened due to the distance from the Site/Sites and the intervening topography. During the latter part of the construction stage, views are unlikely to become available of the elevated activities due to the distance. There would be sight and would not alter the baseline materially that twould be readily noticeable.made up of an open skyline with Rever Trent and its associated power industry and this would not charge.that there fore scattered nutlew become available of the elevated activities due to the distance. There would be sight and would not alter the baseline materially that it would be readily noticeable.that the effects set out below for Year 1 include secondary mitigation with impact at this stage:the effects set out below for Year 1 include secondary mitigation with will have been carried out, but will have head limited physical or visual impact at this stage:the effects set out below for Year 1 include secondary mitigation with with a wo Scattered native trees so Views from the B1205 Kirton Road looking north will be mitigated by the proposed scattered native trees some to southern boundary to field K1 with a wo Scattered native trees some systems to blectives.Overall i the intervent the frent tracks. Existing vegetation the having down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows.the siste fore and provide additional height of som where the with and the argoe struct a significant proportion of the view or become a dominant feature. There would be a find amental change to the surrounding to the north, south and east of the area.that the effects set out below for Year 1 includes genow there additional heidgerow trees solid allonal height of som where			-
from the Site/Sites and the intervening topography. During the latter part of the construction stage, views are unlikely to become available of the elevated activities due to the distance. There would be a simal change to existing landscape elements, but the impacts would be a simal change to existing landscape elements, but the impacts would be a simal change to existing landscape alements, but the induces Scattered native trees.distant view towards the River Trent and its associated power industry and this would not change.therefore scattered scattered native trees along the souther boundary to field K1 some 500m distant. This will provide a strong structural buffer and appropriate tree planing relatively close to the built-up area of Blyton in line with heracter assessment objectives.Overall, i due to th and the improvement of the foreground hedgerowsThese short-lived construction atimat change to the arable land use the field boundaries and the associated the recover would remain intact to concell the field boundaries and the associated the recover would remain intact to concell the field boundaries and the associated the recover would remain intact to concell the field boundaries and the associated the recover would remain intact to concell the recover would remain intact to concell the read and up to the small, wooded area, the existing bledger will also be reinforced by irreguiving spaced native hedgerow trees stang hedges will be allowed to grow out and be managed to a height of 5m where the wide road verge allows. Views to the east will be mitigated where the land falls away al title over the site in the east. the field boundaries and the associated the works. There would be no view of any construction access from this viewpoint.Delements, built here for the woork become a dominan			
topography. During the latter part of the construction stage, views are unlikely to become available of the elevated activities due to th distance. There would be a small change to existing landscape elements, but the impacts would be slight and would not alter the baseline materially that it would be readily noticeable.and this would not change.Scattered native trees would be slight and would not alter the baseline materially that it would be readily noticeable.Scattered native trees tree cover the superiment the construction including ferning, gates, boundary treatment and other means of enclosura and works for the provision of security and monitoring measures such as Scattered the readily noticerable.and this would not change.Scattered native trees the southern boundary to field K1 appropriate tree planting relatively close to the built-up area of Blyton in the tree trees.Overall, i due to thi and their appropriate tree planting relatively close to the built-up area of Blyton in the tree trees.Overall, i due to thi and their appropriate tree planting relatively close to the built-up area of Blyton in the reavoid also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows.Scattered native trees the ecological value and range of species to the existing block of vegetation and hedgerows. Proposed Site fencing will site morth of the existing hedges will be allowed to grow out and be managed to a height of 5m where the undare all the surroundings to the north, south and east of the araope to morth/south to the westering branding usiting over existing hedges will be ere for the value and true tree suil agement and uning over existing indegrow trees to mitigate event. There would hot be a minor change			
construction stage, views are unlikely to become available of the elevated activities due to the distance. There would be a small change to existing landscape elements, but the impacts would be slight and would not alter the baseline materially that it would be adily noticeable.The effects set out below for Year 1 include secondary mitigation which will have been carried out, but will have had limited physical or visual impact at this stage:enhanced tree cover vegetation will have been carried out, but will have had limited physical or visual impact at this stage:enhanced tree cover vegetation will have been carried out, but will have had limited physical or visual impact at this stage:enhanced tree cover vegetation will have been carried out, but will have had limited physical or visual impact at this stage:enhanced tree cover vegetation and hourd staget by the proposed scattered native trees along the southern boundary to field K1 with carcer assessment objectives.one overal, i due to th across the the Treet Vall route. This will and onoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. Fropsordion of the view or become a dominant feature. There would be a minor change to the arable land use, but the field boundaries and the associated the works. There would not be a minor thange to the surroundings to the north, south and east of the area.Existing vegetation the works. There would not be a minor change to the surroundings to the north, south and east of the area.Event the field boundaries and the associated the reading up to the sansility baced analty effegrow. There would ho	•		
become available of the elevated activities due to the distance. There would be a small change to existing landscape elements, but the impacts would be sight and would not alter the baseline materially that it would be readily noticeable.The effects set out below for Year 1 include secondary mitigation which will have been carried out, but will have had limited physical or visual impact at this stage:There would be a small change to existing proposed scattered native trees along the southern boundary to field K1 some 500m distant. This will provide a strong structural buffer and appropriate tree planting relatively close to the built-up area of Blyton in line with character assessment objectives.Overall, i due to the and their the Trent Vali route. The Existing vegetationThese short-lived construction activities would not obstruct a significant proportion of the view or become a dominant feature. There would net associated the eavould not to be a minor change to the associated the envolud not be a sourd so the anable land use, but the field boundaries and the associated the works. There would not be a the oud and also be and the associated the cover would remain intact to concell the north, south and east of the area.These would not be a successional scrub planting. Successional scrub planting, weight and would be no view of any construction access from this viewpoint.The elevated have have have have have have have have			
activities due to the distance. There would be a small change to existing landscape elements, but the impacts would be slight and would not alter the baseline materially that it would be readily noticeable.will have been carried out, but will have had limited physical or visual impact at this stage:vegetation vith a wo Overall, i due to the proposed scattered native trees along the southern boundary to field K1 some 500m distant. This will provide a strong structural buffer and appropriate tree planting relatively close to the built-up area of Blyton in line with character assessment objectives.Overall, i due to the and the inprovide a strong structural buffer and appropriate tree planting relatively close to the built-up area of Blyton in line with character assessment objectives.Overall, i due to the and the inprovide a strong structural buffer and appropriate tree planting relatively close to the built-up area of Blyton in line with character assessment objectives.Vergetation the rent Vali route. The Witham O with a woThere would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerowsExisting vegetation. Existing vegetation to the northeast of this viewpoint along Kirton Road will be addictional height as well as increasing the degrow trees will agement the local tree cover and existing hedges will be allowed to grow out and be managed to a height of 5m where the uland falls away a little over the Site in the east.Between i deather e i the road and use, but the field boundaries and the associated the works. There would not to be a the works. There would not to be as of the area.Scattered native trees along the oastift is widest, will run north/south to the western boundary of	Ū ,	The effects set out below for Vear 1 include secondary mitigation which	
would be a small change to existing landscape elements, but the impacts would be slight and would not later the baseline materially that it would be readily noticeable.impact at this stage:with a woOther works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and monks for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerowsExisting vegetation Existing vegetation to the northeast of this viewpoint along Kirton Road will be augmented with irregular spaced native hedgerow trees species to nah dedgerows. Proposed Site fencing will sit Bm north of the existing product a significant proportion to the cover and provide additional height as well as increasing the ecological value and range of species to the existing block of vegetation and hedgerows. Proposed Site fencing will be provided to the western build not obstruct a significant the field boundaries and the associated the ecorew would not to the ar minor change to the arable land use, but the field boundaries and the associated the morks. There would not be a fundamental change to the surroundings to the north, south and east of the area.Additional enhancement planting. Successional scrub planting extending to 35m wide at its widest, will run north due to the works. There would hor to area.With a wo Overall, i due to the would not bet weeters be almosce and provide additional height as well as i			
landscape elements, but the impacts would be slight and would not alter the baseline materially that it would be readily noticeable.Scattered native trees. Scattered native trees along the southern boundary to field K1 some 500m distant. This will provide a strong structural buffer and appropriate tree planting relatively close to the built-up area of Blyton in line with character assessment objectives.Overall, i active trees.Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerowsExisting vegetation. Existing vegetation to the northeast of this viewpoint along kirton Road and hedgerows. Proposed Site fencing will site 8m outh or the existing planting and the improvement of the foreground hedgerowsDefence would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerowsExisting vegetation to the northeast of this viewpoint along kirton Road and hedgerow trees will augment the local tree cover and existing hedges will be allowed to grow out and be managed to a height of 5m where the wide road true again far allows and the associal successional scrub planting. Successional scrub planting. Successional scrub planting. Successional scrub planting. Successional scrub planting weight of 5m where sto mitigated winer to enforced by irregularly spaced native hedgerow trees to mitigate views east from this viewpoint and from dwellings further west along Kirton Road. Site fencing will sit to the east of this scrub planting of will store the strue planting weig			-
would be slight and would not alter the baseline materially that it would be readily noticeable.Scattered native trees Views from the B1205 Kirton Road looking north will be mitigated by the proposed scattered native trees along the southern boundary to field K1 some 500m distant. This will provide a strong structural buffer and appropriate tree planting relatively close to the built-up area of Blyton in line with character assessment objectives.Overall, i due to the and their rates will be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerowsScattered native trees tree outil also be landscape and boundary of field K1 where it abuts the Laughton Road where additional engine out obstruct a significant proportion of the view or become a dominant feature. There would be associated tree cover would remain intact to concent the field boundaries and the associated tree cover would remain intact to concent the works. There would not be a fundamental change to the surroundings to the north, south and east of the area.Scattered native trees to more the surroundings to the north, south and east of the area.Overall, i due to the visiting vegation and income the source of			with a wood
baseline materially that it would be readily noticeable.Views from the B1205 Kirton Road looking north will be mitigated by the proposed scattered native trees along the southern boundary to field K1 and the improvement of the foreground hedgerowsdue to the and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerowsViews from the B1205 Kirton Road looking north will be mitigated by the proposed scattered native trees along the southern boundary to field K1 and works for the provision of security treatment and other means of enclosure and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerowsViews from the B1205 Kirton Road looking north will be mitigated by the proposed scattered native trees solong that. This will provide a strong block of vegetation to hedgerow trees species to the field boundaries and the associated the works. There would be a fundamental change to the associated the works. There would as to fit he area.Views from the B1205 Kirton Road the discusted water the Site in the east.due to the and the fit out. The the field boundaries and the associated the works. There would be a fundamental change to the surroundings to the north, south and east of the area.Views from the B1205 Kirton Road looking north will be mitigated where the land falls away a little over the Site in the east.due to the and the site over the Site in the east.due to the and the difference surgestation and trunning over existing underground services. Adjacent to the road and up to the small, wooded area, the existing hedger will also be enforced by irregularly spaced native		Scattered native trees	Overall in t
readily noticeable.proposed scattered native trees along the southern boundary to field K1 some 500m distant. This will provide a strong structural buffer and appropriate tree planting relatively close to the built-up area of Blyton in line with character assessment objectives.across the and their the Trentof the rows of any construction activitiesproposed scattered native trees along the southern boundary to field K1 some 500m distant. This will provide a strong structural buffer and appropriate tree planting relatively close to the built-up area of Blyton in line with character assessment objectives.across the and their the Trent Vall route. The Witham o extend the will be augmented with irregular spaced native hedgerow trees species to infill tree cover and provide additional height as well as increasing the ecological value and range of species to the existing block of vegetation and hedgerows. Proposed Site fencing will site morth of the existing planting and the improvement of the foreground hedgerowsBetween' boundary of field K1 where it abuts the local tree cover and existing hedges will be allowed to grow out and be managed to a height of 5m where the wide road verge allows. Unex south and east of the area.Between' be achiev wide road verge allows. Unex south and east of the area.Construction Access There would be no view of any construction access from this viewpointConstruction access from this viewpointSuccessional scrub planting.Let out the existing hedges will also be reinforced by irregulary spaced native hedgerow trees to mitigate views east from this viewpoint and from dwellings further west along Kirton Road wild to be souther additional hedgerow trees souther additional hedgerow trees southere additional hedgerow trees southere addi	-		
Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerowssome 500m distant. This will provide a strong structural buffer and appropriate tree planting relatively close to the built-up area of Blyton in line with character assessment objectives.and their tree tree planting relatively close to the built-up area of Blyton in line with character assessment objectives.and their tree tree planting relatively close to the built-up area of Blyton in line with character assessment objectives.and their tree tree planting relatively close to the built-up area of Blyton in line with character assessment objectives.and their tree tree planting relatively close to the built-up area of Blyton in line with character assessment objectives.and their tree tree planting relatively close to the built-up area of Blyton in line with character assessment objectives.and their tree tree planting relatively close to the built-up area of Blyton in line with character assessment objectives.and their tree tree planting relatively close to the built-up area of Blyton in line with character assessment objectives.and their tree tree tree planting relatively close to the built-up area of Blyton in line with character assessment objectives.These short-lived construction activities would not obstruct a significant proportion of the view or become a dominant feature. There would be a fundamental change to the associated the works. There would he a succeased to the north, sou	-	· · · ·	across the a
Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerowsappropriate tree planting relatively close to the built-up area of Blyton in line with character assessment objectives.the Trent Vail Trent Vail UnitsThese short-lived construction activities would not obstruct a significant proportion of the view or become a domiant feature. There would be a minor change to the arable land use, but the field boundaries and the associated tree cover would remain intact to conceal the works. There would not be a fundamental change to the surroundings to the north, south and east of the area.Additional enhancement planting east of the view of any construction access from this viewpoint.Between the coad and up to the surroundings vegetation with panels carb of size of the ass.Between the coad and up to the surroundings will be north, south and east of the area.Between the coad and up to the surroundings will also be reinforced by irregularly spaced native hedgerow trees to mitigate views east from this viewpoint and from dwellings further west along Kirton Road, ab uffer ofBetween the coad and up to the surful planting will sit to the east of this scrub planting neight will also be evisible from the west. Further east along Kirton Road, a buffer of		•	and their flo
connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerowsLine with character assessment objectives.Trent Vall route. The Witham o extend th proportion of the view or become a dominant feature. There would be a minor change to the arable land use, but the field boundaries and the associated tree cover would nemain intact to conceal the works. There would not be a fundamental change to the surroundings to the north, south and east of the arase.Ine with character assessment objectives.Trent Vall route. The Withe augmented with irregular spaced native hedgerow trees species to infill tree cover and provide additional height as well as increasing the ecological value and range of species to the existing block of vegetation and hedgerows. Proposed Site fencing will sit 8m north of the existing roadside vegetation with panels set 20m from this roadside.Trent Vall route. The Witham o extend th particularAdditional enhancement planting will be provided to the western boundary of field K1 where it abuts the Laughton Road where additional hedgerow trees will augment the local tree cover and existing hedges will e all wide road verge allows. Views to the east will be mitigated where the land falls away a little over the Site in the east.Trent Wall route. The Witham o extend the manot of the western be allowed to grow out and be managed to a height of 5m wide at its widest, will run north/south to the western boundary of field K3 adjoining existing wegetation and running over exis	Other works would be undertaken in	· •	the Trent is t
including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerowsExisting vegetation.route. The Witham o extend th mopoten and hedgerows. Proposed Site fencing will site 8m onth of the existing planting and the improvement of the foreground hedgerowsroute. The extend th and hedgerows. Proposed Site fencing will site 8m onth of the existing roadside vegetation with panels set 20m from this roadside.route. The would not obstruct a significant proportion of the view or become a dominant feature. There would be a field boundaries and the associated tree cover would remain intact to conceal the works. There would not be a fundamental change to the surroundings to the north, south and east of the area.Successional scrub planting, successional scrub planting, extending to 35m wide at its widest, will run north/south to the western boundary of field K3 adjoining existing wegetation and running over existing underground services. Adjacent to the road and up to the small, wooded area, the existing hedge will also be reinforced by irregularly spaced native hedgerow trees to mitigate views east form this viewpoint and from dwellings further west along Kirton Road, a builfer of wisible from the west. Further east of this scrue planting, and will not be visible from the west. Further east of this scrue planting, and will not be visible from the west. Further east of this scrue planting and will not be scrue planting and the associated the road and up to the small, wooded area, the existing hedge will also be reinforced by irregularly spaced native hedgerow trees to mi	connection with the construction		Trent Valley
and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerowsExisting vegetation to the northeast of this viewpoint along Kirton Road will be augmented with irregular spaced native hedgerow trees species to hedgerow trees and provide additional height as well as increasing the ecological value and range of species to the existing block of vegetation and hedgerows. Proposed Site fencing will sit 8m north of the existing roadside vegetation with panels set 20m from this roadside.extend th people to hedgerow improvem improvem indicative proportion of the view or become a dominant feature. There would be a minor change to the arable land use, but the field boundaries and the associated tree cover would remain intact to conceal the works. There would not be a fundamental change to the surroundings to the north, south and east of the area.Between the construction Access Successional scrub planting. Successional scrub planting, extending to 35m wide at its widest, will run north/south to the western boundary of field K3 adjoining existing uegetation and running over existing underground services. Adjacent to the road and up to the small, wooded area, the existing hedge will also be reinforced by irregularly spaced native hedgerow trees to mitigate views east from this viewpoint.existing vegetation existing vegetation the west. Further east along Kirton Road, a buffer ofexisting vegetation existing vegetation	including fencing, gates, boundary		route. The o
and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerowswill be augmented with irregular spaced native hedgerow trees species to infill tree cover and provide additional height as well as increasing the ecological value and range of species to the existing block of vegetation and hedgerows. Proposed Site fencing will is 8m north of the existing roadside vegetation with panels set 20m from this roadside.people to hedgerow improvement identity of particularThese short-lived construction activities would not obstruct a significant proportion of the view or become a dominant feature. There would be a minor change to the arable land use, but the field boundaries and the associated tree cover would remain intact to concela the works. There would not be a fundamental change to the surroundings to the north, south and east of the area.Additional enhancement planting will be mitaget where the land falls away a little over the Site in the east.Between ' be achieve wide road verge allows. Views to the east will be mitigated where the land falls away a little over the Site in the east.Between ' be achieve wide road verge allows. Views to the east will be mitigated where the land falls away a little over the Site in the east.<	treatment and other means of enclosure	Existing vegetation	Witham of w
and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerowsinfill tree cover and provide additional height as well as increasing the ecological value and range of species to the existing block of vegetation and hedgerows. Proposed Site fencing will sit 8m north of the existing roadside vegetation with panels set 20m from this roadside.hedgerow improvem identity of particularThese short-lived construction activities would not obstruct a significan proportion of the view or become a dominant feature. There would be a minor change to the arable land use, but the field boundaries and the associated tree cover would remain intact to conceal the works. There would not be a fundamental change to the surroundings to the north, south and east of the area.infill tree cover and provide additional height as well as increasing the ecological value and range of species to the existing block of vegetation and hedgerows. Proposed Site fencing will be provided to the western boundary of field K1 where it abuts the Laughton Road where additional hedgerow trees will augment the local tree cover and existing hedges will be allowed to grow out and be managed to a height of 5m where the wide road verge allows. Views to the east.Between the ecola tree cover and existing hedges will ecola tree cover would remain intact to conceal the works. There would not be a fundamental change to the surroundings to the north, south and east of the area.Successional scrub planting, extending to 35m wide at its widest, will run orth/south to the western boundary of field K3 adjoining existing vegetation and running over existing underground services. Adjacent to the road and up to the small, wooded area, the existing hedge will	and works for the provision of security	Existing vegetation to the northeast of this viewpoint along Kirton Road	extend the n
There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerowsecological value and range of species to the existing block of vegetation and hedgerows. Proposed Site fencing will sit 8m north of the existing roadside vegetation with panels set 20m from this roadside.improvem identity or particularThese short-lived construction activities would not obstruct a significant proportion of the view or become a dominant feature. There would be a minor change to the arable land use, but the field boundaries and the associated tree cover would remain intact to conceal the works. There would not be a fundamental change to the surroundings to the north, south and east of the area.ecological value and range of species to the existing block of vegetation and hedgerows. Proposed Site fencing will sit 8m north of the existing noadside vegetation with panels set 20m from this roadside.improvem identity or particularConstruction Access There would be no view of any construction access from this viewpoint.ecological value and range of species to the existing block of vegetation and hedgerows. Proposed Site fencing will so the east of this scrub plantingBetween the be allowed to grow out and be managed to a height of 5m where the wide road verge allows. Views to the east will be mitigated where the land falls away a little over the Site in the east.Between the view or become a doing a stating hedge will or successional scrub planting, extending to 35m wide at its widest, will run north/south to the western boundary of field K3 adjoining existing vegetation and running over existing undergrow trees to mitigate views east from this viewpoint and from dwellings further west along Kirton Road. Site fencing will sit to th	÷	will be augmented with irregular spaced native hedgerow trees species to	people to we
biodiversity mitigation works, including planting and the improvement of the foreground hedgerowsand hedgerows. Proposed Site fencing will sit 8m north of the existing roadside vegetation with panels set 20m from this roadside.identity or particularThese short-lived construction activities would not obstruct a significant proportion of the view or become a dominant feature. There would be a minor change to the arable land use, but the field boundaries and the associated tree cover would remain intact to conceal the works. There would not be a fundamental change to the surroundings to the north, south and east of the area.Additional enhancement planting will be mitigated where the wide road verge allows. Views to the east will be mitigated where the successional scrub planting.Between the be achiew hedgerow trees will augment the local tree cover and existing hedges will be allowed to grow out and be managed to a height of 5m where the wide road verge allows. Views to the east will be mitigated where the land falls away a little over the Site in the east.Between the be achiew hedgerow trees will augment the local tree cover and existing hedges will be allowed to grow out and be managed to a height of 5m where the wide road verge allows. Views to the east will be mitigated where the land falls away a little over the Site in the east.Image: Successional scrub planting wegetation and running over existing underground services. Adjacent to the road and up to the small, wooded area, the existing hedge will also be reinforced by irregularly spaced native hedgerow trees to migate views east from this viewpoint and from dwellings further west along Kirton west along Kirton Road, a buffer ofImage: Successional scrub planting scrub planting and will not be west form the west. Further east along Kirton		infill tree cover and provide additional height as well as increasing the	hedgerows r
planting and the improvement of the foreground hedgerowsroadside vegetation with panels set 20m from this roadside.particularThese short-lived construction activities would not obstruct a significant proportion of the view or become a dominant feature. There would be a minor change to the arable land use, but the field boundaries and the associated tree cover would remain intact to conceal the works. There would not be a fundamental change to the surroundings to the north, south and east of the area.Additional enhancement planting will be provided to the western boundary of field K1 where it abuts the Laughton Road where additional hedgerow trees will augment the local tree cover and existing hedges will be allowed to grow out and be managed to a height of 5m where the wide road verge allows. Views to the east will be mitigated where the land falls away a little over the Site in the east.Between the be achieve hedgerow trees will augment the local tree cover and existing hedges will be allowed to grow out and be managed to a height of 5m where the wide road verge allows. Views to the east will be mitigated where the land falls away a little over the Site in the eastSuccessional scrub planting to the north, south and east of the area.Successional scrub planting, extending to 35m wide at its widest, will run north/south to the western boundary of field K3 adjoining existing vegetation and running over existing underground services. Adjacent to the road and up to the small, wooded area, the existing hedge will also be reinforced by irregularly spaced native hedgerow trees to mitigate views east from this viewpoint and from dwellings further west along Kirton Road. Site fencing will sit to the east of this scrub planting and will not be visible from the west. Further east along Kirton Road			improvemer
foreground hedgerowsAdditional enhancement planting will be provided to the western boundary of field K1 where it abuts the Laughton Road where additional hedgerow trees will augment the local tree cover and existing hedges will be allowed to grow out and be managed to a height of 5m where the wide road verge allows. Views to the east will be mitigated where the land falls away a little over the Site in the east.Between the be achieve the digerow trees will augment the local tree cover and existing hedges will be allowed to grow out and be managed to a height of 5m where the wide road verge allows. Views to the east will be mitigated where the land falls away a little over the Site in the east.Between the the achieve the allowed to grow out and be managed to a height of 5m where the wide road verge allows. Views to the east will be mitigated where the land falls away a little over the Site in the east.Between the the achieve the allowed to grow out and be managed to a height of 5m where the wide road verge allows. Views to the east will be mitigated where the land falls away a little over the Site in the east.Between the the achieve the allowed to grow out and be managed to a height of 5m where the wide road verge allows. Views to the east will be mitigated where the land falls away a little over the Site in the east.Between the the achieve the allowed to grow out and be managed to a height of 5m where the wide road verge allows. Views to the east will be mitigated where the land falls away a little over the Site in the east.Between the the allowed to grow out and be managed to a height of 5m where the wide road verge allows. Views to the east will be mitigated where the land falls away a little over the Site in the east.Between the the allowed to grow out and be managed to a height of 5m where the wide			identity of th
Additional enhancement planting will be provided to the western boundary of field K1 where it abuts the Laughton Road where additional hedgerow trees will augment the local tree cover and existing hedges will be allowed to grow out and be managed to a height of 5m where the wide road verge allows. Views to the east will be mitigated where the land falls away a little over the Site in the east.Between be achieve the digerow trees will augment the local tree cover and existing hedges will be allowed to grow out and be managed to a height of 5m where the wide road verge allows. Views to the east will be mitigated where the land falls away a little over the Site in the east.Between to be achieve the achieve the achieve the oad verge allows. Views to the east will be mitigated where the land falls away a little over the Site in the east.Between to the achieve the achieve the achieve the surroundings to the north, south and east of the area.Between to the achieve the digerow trees will augment the local tree cover and existing hedges will to allowed to grow out and be managed to a height of 5m where the wide road verge allows. Views to the east will be mitigated where the land falls away a little over the Site in the east.Between to the the achieve the achieve the achieve the achieve the achieve the surroundings to the north, south and east of the area.Between the achieve the achieve <td>1 0</td> <td>roadside vegetation with panels set 20m from this roadside.</td> <td>particularly</td>	1 0	roadside vegetation with panels set 20m from this roadside.	particularly
These short-lived construction activities would not obstruct a significant proportion of the view or become a dominant feature. There would be a 	foreground hedgerows		
would not obstruct a significant proportion of the view or become a dominant feature. There would be a minor change to the arable land use, but the field boundaries and the associated tree cover would remain intact to conceal fundamental change to the surroundings to the north, south and east of the area.hedgerow trees will augment the local tree cover and existing hedges will be allowed to grow out and be managed to a height of 5m where the wide road verge allows. Views to the east will be mitigated where the land falls away a little over the Site in the eastSuccessional scrub planting to the north, south and east of the area.Successional scrub planting, extending to 35m wide at its widest, will run north/south to the western boundary of field K3 adjoining existing vegetation and running over existing underground services. Adjacent to the road and up to the small, wooded area, the existing hedge will also be reinforced by irregularly spaced native hedgerow trees to mitigate views east from this viewpoint and from dwellings further west along Kirton Road. Site fencing will sit to the east of this scrub planting and will not be visible from the west. Further east along Kirton Road, a buffer of	The second state of the se		Between Yea
proportion of the view or become a dominant feature. There would be a minor change to the arable land use, but the field boundaries and the associated tree cover would remain intact to conceal the works. There would not be a fundamental change to the surroundings to the north, south and east of the area.be allowed to grow out and be managed to a height of 5m where the wide road verge allows. Views to the east will be mitigated where the land falls away a little over the Site in the east.ImSuccessional scrub planting to the north, south and east of the area.Successional scrub planting, extending to 35m wide at its widest, will run north/south to the western boundary of field K3 adjoining existing vegetation and running over existing underground services. Adjacent to the road and up to the small, wooded area, the existing hedge will also be reinforced by irregularly spaced native hedgerow trees to mitigate views east from this viewpoint and from dwellings further west along Kirton Road. Site fencing will sit to the east of this scrub planting and will not be visible from the west. Further east along Kirton Road, a buffer of			
dominant feature. There would be a minor change to the arable land use, but the field boundaries and the associatedwide road verge allows. Views to the east will be mitigated where the land falls away a little over the Site in the eastInthe field boundaries and the associated tree cover would remain intact to conceal fundamental change to the surroundings to the north, south and east of the area.Successional scrub planting, extending to 35m wide at its widest, will run north/south to the western boundary of field K3 adjoining existing vegetation and running over existing underground services. Adjacent to the road and up to the small, wooded area, the existing hedge will also be reinforced by irregularly spaced native hedgerow trees to mitigate views east from this viewpoint and from dwellings further west along Kirton-InConstruction access from this viewpointNNorth/south to the west. Further east along Kirton Road, a buffer of	-		Gru
minor change to the arable land use, but the field boundaries and the associated tree cover would remain intact to conceal the works. There would not be a fundamental change to the surroundings to the north, south and east of the area.Inde trock the ge diversit there take the best fundamental change to the surroundings vegetation and running over existing underground services. Adjacent to the road and up to the small, wooded area, the existing hedge will also be reinforced by irregularly spaced native hedgerow trees to mitigate views east from this viewpoint and from dwellings further west along Kirton-AConstruction Access There would be no view of any construction access from this viewpointInde falls away a little over the Site in the eastAMinor to date targe diversition of the areaSuccessional scrub plantingSuccessional scrub planting over existing underground services. Adjacent to the road and up to the small, wooded area, the existing hedge will also be reinforced by irregularly spaced native hedgerow trees to mitigate views east from this viewpoint and from dwellings further west along Kirton visible from the west. Further east along Kirton Road, a buffer of		o o o	PRo
the field boundaries and the associated tree cover would remain intact to conceal the works. There would not be a fundamental change to the surroundings to the north, south and east of the area.Successional scrub planting Successional scrub planting, extending to 35m wide at its widest, will run north/south to the western boundary of field K3 adjoining existing vegetation and running over existing underground services. Adjacent to the road and up to the small, wooded area, the existing hedge will also be reinforced by irregularly spaced native hedgerow trees to mitigate views east from this viewpoint and from dwellings further west along Kirton-InKernelKernelSuccessional scrub planting vegetation and running over existing underground services. Adjacent to the road and up to the small, wooded area, the existing hedge will also be east from this viewpoint and from dwellings further west along Kirton Road. Site fencing will sit to the east of this scrub planting and will not be visible from the west. Further east along Kirton Road, a buffer of-In			– Incr
tree cover would remain intact to conceal the works. There would not be a fundamental change to the surroundings to the north, south and east of the area.Successional scrub planting successional scrub planting, extending to 35m wide at its widest, will run north/south to the western boundary of field K3 adjoining existing vegetation and running over existing underground services. Adjacent to the road and up to the small, wooded area, the existing hedge will also be reinforced by irregularly spaced native hedgerow trees to mitigate views east from this viewpoint and from dwellings further west along KirtonPConstruction access from this viewpoint.Road. Site fencing will sit to the east of this scrub planting and will not be visible from the west. Further east along Kirton Road, a buffer ofSuccessional scrub planting vegetationSuccessional scrub planting vegetation		and fails away a little over the Site in the east.	– Am
the works. There would not be a fundamental change to the surroundings to the north, south and east of the area.Successional scrub planting, extending to 35m wide at its widest, will run north/south to the western boundary of field K3 adjoining existing vegetation and running over existing underground services. Adjacent to the road and up to the small, wooded area, the existing hedge will also be reinforced by irregularly spaced native hedgerow trees to mitigate views east from this viewpoint and from dwellings further west along KirtonPConstruction access from this viewpoint.Road. Site fencing will sit to the east of this scrub planting and will not be visible from the west. Further east along Kirton Road, a buffer ofSuccessional scrub planting		Successional scrub planting	– Imp
fundamental change to the surroundings to the north, south and east of the area.north/south to the western boundary of field K3 adjoining existing vegetation and running over existing underground services. Adjacent to the road and up to the small, wooded area, the existing hedge will also be reinforced by irregularly spaced native hedgerow trees to mitigate views east from this viewpoint and from dwellings further west along Kirton visible from the west. Further east along Kirton Road, a buffer of-A			veg – Less
to the north, south and east of the area.vegetation and running over existing underground services. Adjacent to the road and up to the small, wooded area, the existing hedge will also be reinforced by irregularly spaced native hedgerow trees to mitigate views east from this viewpoint and from dwellings further west along Kirton 			– Less
Construction Access There would be no view of any construction access from this viewpoint.the road and up to the small, wooded area, the existing hedge will also be reinforced by irregularly spaced native hedgerow trees to mitigate views east from this viewpoint and from dwellings further west along Kirton Road. Site fencing will sit to the east of this scrub planting and will not be visible from the west. Further east along Kirton Road, a buffer of-P			– Wat
Construction Accessreinforced by irregularly spaced native hedgerow trees to mitigate views-There would be no view of any construction access from this viewpoint.east from this viewpoint and from dwellings further west along Kirton-Road. Site fencing will sit to the east of this scrub planting and will not be visible from the west. Further east along Kirton Road, a buffer of-			– Pote
There would be no view of any construction access from this viewpoint.east from this viewpoint and from dwellings further west along Kirton–ERoad. Site fencing will sit to the east of this scrub planting and will not be visible from the west. Further east along Kirton Road, a buffer of–E	Construction Access		– Reir
construction access from this viewpoint.Road. Site fencing will sit to the east of this scrub planting and will not be visible from the west. Further east along Kirton Road, a buffer of			– Birc
visible from the west. Further east along Kirton Road, a buffer of	-		– Sigr
Ladie Koute/s successional scrub planting, together with a proposed native hedge with	Cable Route/s	successional scrub planting, together with a proposed native hedge with	

on (Year 15)

ndary mitigation such as planting and grass eing taken into account at the operational stage he following changes to the landscape would the visual effects are set out below.

vill remain open and although the existing to the boundary of the Site/Sites will have beer to outgrow to a height of 5m, the changes will no at this distance. New planting will have d with scattered trees beginning to provide som and proposed hedges and scrub planting will d, but again at a distance from the receptor such nanges would be small. Close range views will not change, but mid-distant views of scrub and rees will help break up the immediate views wit hedgerows across the Site helping to increase the Longer distance views will be of layered of existing and proposed hedgerows with trees oded horizon.

n terms of mitigation for the Cottam 1 Site/Sites, limited network of public rights of way (PRoW) area the aim is to enhance the river corridors lood plains for their recreational importance an s the main river providing a valuable link. The ey Way in particular, provides a long-distance other notable river is the upper parts of the which the River Till is a tributary. The aims are e non-road network, especially where it can link woodlands and river corridors. Trees and make an important contribution and ents on approaches to villages could improve th the local landscape for the benefit of recreation y where associated with the PRoW network.

ears 1 and 15, the following beneficial effects wi ed in terms of Visual Receptors:

- rassland reversion around field boundaries and RoW
- creased woodland/vegetation cover
- more varied landscape
- nproved (more natural) management of exiting egetation
- ess expanse of intensively managed arable land
- less exposed and windswept landscape
- later quality improvements
- otential animal grazing
- einstatement of historic field patterns
- ird mitigation fields
- gnificantly improved biodiversity

	Decommissioning
en not be ch	A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.
ith the s nd	Following decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.
he n, vill	With secondary mitigation considered, the negative effects of the physical decommissioning will be balanced out by the long term landscape and visual effects of this mitigation.
d	
1	



	Viewpoint is outside of the 0.5km study area and there would be no view of this route. Substation This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 1.	hedgerow trees will augment this roadside boundary where existing vegetation is more sparce, reducing overall views of the Site from the south and west and where panels sit a little closer to the roadside. Further along Kirton Road to the east, an existing roadway will be utilized running north from the road into the Site. <u>Existing hedgerows</u> Existing gaps within the roadside hedgerows to be infilled with mixed native hedgerow species. Looking south towards Cotham 3b and 2, the roadside vegetation will be retained as existing in order to maintain the open character of the views to the south. Grassland mixes Panels will sit over a proposed wildflower grassland mix, whilst a min. 10m buffer zone around existing overhead cables will be seeded with a flower-rich pollinator mix which will also extend around proposed access/Site roads. New hedgerows To the eastern and western boundaries of the existing buildings on the runway, mixed native hedgerows with irregular spaced hedgerow trees will augment the existing cover, provide height and help to soften both the airfield buildings and the panels from view. Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	Growth of existing and proposed vegetation is assumed to be: Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Year 15. Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15.	
Magnitude	Low	Low	Very Low	Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Neutral & Long Term	Neutral & Short Term
Significance of Effect	Minor Not Significant	Minor Not Significant	Negligible Not Significant	Negligible Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	In-Combination Effects [Cumulative Sites] In Summary There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and existing intervening vegetation cover. Therefore, there no in combination visual effects are anticipated.	Cumulative Effects [Cumulative Developments] In Summary The Cumulative Effects upon viewpoint LCC-C-E of the Cumulative Developments is Negligible at year 1 of operation and 1 the limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Developments and procand Embedded and Secondary Mitigation proposed would screen the panels and therefore the effects upon the view are Eabric of the Landscape There would not be the removal of or changes in individual elements or features of the landscape within the character ar There would be the introduction of new elements and features comprising the solar panel areas and the substation area Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the cumula across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedgerows, and tree consettlements and built form would also curtail cumulative visibility. There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 Site/S and West Burton Solar Park. This cumulative visibility is set out in further detail within the following figures: Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, and 3b West Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.9] The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type or aread the area. Overall, the prevailing road network is
		Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of historic settle hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised for adding intimace characteristics of the landscape and land use have some ability to accommodate change without undue adverse effects. The would not alter the overall character of the landscape and its communications and infrastructure features. Moreover, the context or associated with built form that plays a positive role in reducing the overall cumulative effects.
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1) with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1) with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

d Negligible at year 15 with mitigation. This is due to roximity to the visual receptor. Existing vegetation re reduced in combination.

area.

ea within the character area

ulative developments would not be experienced cover between the Site/Sites. The intervening

e/Sites and Gate Burton Energy Park, Tillbridge Solar

ea different from another. The strategic major road and distinctive smaller string of settlements across les with wide grassed verges and they have a major

ttlement with farms, nucleated villages, and small acy and interest to the landscape. These relevant . The cumulative visibility for the Cottam 1 Site/Sites hese features are often set within a well-vegetated



Viewpoint: LCC-C-F - ProW Ingh/24/1

Receptor Baseline:

This viewpoint is located on PRoW, bridleway (Ingh/24/1) looking west over the Cottam 1 North Site and southwest over the Cottam 1 South Site.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a low-lying almost flat landscape within the wider context of a rolling lowland at the foot of the limestone capped scarp slope. The land use is mainly productive arable farmland with many large fields under single crop. There is deciduous woodland towards the west that stands out on the horizon as a collective group, which includes Larch Plantation and New Plantation. Hedgerows enclose the fields and provide additional layering to the landscape which is crossed by farm tracks that are also prominent in the context of the adjoining hedgerows. To the north and south, the topography is varied and mainly undulating at the foot of the scarp slope with levels ranging between 20m and 30m AOD. To the west the land falls the low-lying vale at an approximate elevation of 10m to 15m AOD. To the east, the landform rises towards the settlement of Ingham to reach approximately 35m AOD. In terms of man-made elements, there is limited settlement with very few isolated farmsteads other than Greystones Farm on Willingham Road to the northwest. Other settlement is confined to the settlement of Fillingham in the north and Ingham in the south, otherwise there are very few built influences in this location.

Subjective: The viewpoint depicts a large-scale landscape that is open where only the areas of woodland cover to the west help to break down the scale of the landscape. New plantation and Larch Planation are present in views towards the west and Fox Covert to the southwest also. In terms of variety, the view provides a combination of features including strong hedgerows, deciduous woodland, tree clumps and hedgerow trees that give a well-balanced context to the view. In terms of colour and texture, the landscape is well-managed with muted tones that give an overall bland impression. This is a calm landscape that is simple and well-balanced with few features, however the long views towards the east capture the limestone capped ridge where the woodland at Fillingham Castle is a distinctive feature. The far-reaching views towards the west take account of the Trent floodplain and enhance the scale of the landscape.

Overall: The view is typical in character to the wider rolling arable landscape, which is interesting and pleasant where hedgerows and woodland add interest. The enclosed nature is only attributed to woodland cover as there are few other features to break up the landscape. There are strong contrasts in parts where wide-open views are possible that provide a greater sense of scale and these contrast with areas of intimacy that often occur close to the edges of settlements. The Bridleway is well used and the proximity to the land drain gives the route a distinctive 'sense of place'. The overall experience within this viewpoint is interesting and pleasant.

Receptors:

This viewpoint is representative of views for horse riders and walkers using the bridleway (Ingh/24/1) that runs between Willingham Road in the north and Short Lane in the south, where it connects with the settlement of Ingham.

Description of View:

The foreground of the view comprises a large gently sloping agricultural field with no hedgerows to the front part. Further agricultural fields are visible beyond since this local collection of fields has very few well-established hedgerows. The middle and long distance therefore yields some visibility across the agricultural fields towards Larch Plantation and New Plantation. To the right-hand side of the view, there is the local collection of agricultural fields set in the context of a Willingham Road and to the left-hand side of the view there is a similar collection of agricultural fields that have very little extended visibility. The remainder of the horizon is made up of hedgerows, agricultural fields, and woodlands where visibility towards the middle and long distance is evident even though there is a strong hedgerow network. There are very few vertical elements in the view.



SOLAR PROJECT				
Receptor susceptibility to change	Value of view	Sensitivity	Embedded	
In terms of forces for change for LCC-C-F, there are continuing aims to plan for small new woodlands, ensuring new planting schemes take full advantage of opportunities to enhance the Unwooded Vales. The aims should also be to ensure there is consideration of the relationship between Limestone Scarps and Dipslopes and Unwooded Vales to ensure new planting does not negatively impact upon the open character of the adjoining Landscape Character Type. The pressures are centered around existing woodlands that are often small and isolated and suffer from lack of management. Overall , the susceptibility for LCC-C-F is conditioned by the susceptibility of the Limestone Scarps and Dipslopes that rises above the Trent Vale and forms a prominent and distinctive landscape feature. The Roman roads are also a key consideration created to link London with York. Superimposed on the north south axis of the Roman road is a less dominant but nonetheless distinctive pattern of east west routes and field boundaries that add geometric character. The relevant characteristics of the landscape therefore have a moderate ability to accommodate change without undue adverse effects.	Scenic: The PRoW network such as bridleway (Ingh/24/1), appeals to the visual senses due to absence of settlement and there is a remote, tranquil character to this location away from the busy road network. Cultural: The landscape shows evidence of generally little settlement, with only the isolated farmsteads at Glebe Farm and Greystones Farm that are served by Willingham Road. The prevalent use brick in these farmsteads adds visual unity to the landscape. Natural: There are extensive expanses of agricultural landscape, which are carefully managed, resulting in very few areas of semi natural habitat. Agricultural reservoirs are a key feature, and some are shrouded in tree cover such as the U-pond to the north of Short Lane at Ingham. Where present, this woodland gives added significance to views. Recreation and Enjoyment: The bridleway network has a local identity, but connections are limited and often severed by the road network in most places. This location shows that Bridleway (Ingh/24/1) forms part of a wider framework to the west of Fillingham and lngham, extending as far as Glentworth. Local Distinctiveness and Sense of Place: The landscape has a limited 'sense of place' due to its productive and utilitarian character, however this bridleway (Ingh/24/1) is open along some of its route with few hedgerows, which creates expansive views and this is the local distinctiveness of the route. Health and Wellbeing: The landscape benefits from the high level of visual unity from the extensive arable land use and sparse settlement to interrupt the skyline. Overall, the value of Viewpoint LCC-C-F is shaped by its a geometric modern landscape of planned enclosure and modern field systems. There is s	Range of Features: This location comprises the public bridleway network to the northwest of the edge of the settlement of Fillingham. This is an open location where there is an absence of hedgerows. There is a limited range of features confined to woodland cover and the minor tributary of the River Till. Importance of View: This is an open location on the public bridleway network that connects in an almost north south direction between Ingham and Willingham Road, which slightly raises the level of importance of the view. The view is influenced by the presence of the combination of features, but they are only experienced in the distant context of the Unwooded Vales Character Area 4a. Number of Receptors: This is the public bridleway network that almost connects the settlements of Ingham and Glentworth via Fillingham. This route is likely to appeal more to local users than those from a wider area. Medium to High	Embedded N construction decommissio Mitigation is would includ Panels to be Panels to be property bou Panels to be and minimum Panels to be Existing hedg managed to encouraged to the field b trees as appl existing hedg Lighting will battery bank required. Lig to vehicle an would be 50 cowls fitted t panelled are lighting on p The visual ef into account stage (Year 1 will have bee or visual imp	

led Mitigation

d Mitigation would be taken into account at the on, operation (Year 1 and Year 15) and ssioning stages of the Scheme. This Embedded is also referred to as primary mitigation and ude the following measures:

be set a minimum of 15m from adjacent PRoW.

be set a minimum of 50m from adjacent residential poundaries.

be set minimum of 20m from major watercourses num of 8m from minor watercourses.

be set a minimum of 3m from Site boundaries.

edges are to be allowed to grow out and will be to a height of 5m. Hedgerow trees will be ed to grow out to add further thickening and growth d boundaries with the addition of new hedgerow opropriate, randomly spaced along the length of edges.

ill be limited to downlights within substations and nks only and used when maintenance or security is Lighting will be PIR operated and will be calibrated and personnel movements. All visible lighting 50W, installed at a maximum height of 4m with d to prevent light spillage. Lighting required within ireas will be manually operated. There will be no a perimeter fencing.

effects **with only** the Embedded Mitigation taken nt equate to those effects set out for the operation r 1) and this includes secondary mitigation which been carried out but will have had limited physical mpact at this Embedded Mitigation stage.



Construction	Operation (Year 1)	Operation (Year 15)	Decommissioning
Activities considered includes, site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened due to the presence of foreground hedgerow bordering the Site/Sites. During the latter part of the construction stage, views would become available of the elevated activities above the	Operation (Year 1) The foreground of the view comprises a large gently sloping agricultural field with no hedgerows to the front part and this would not change, thus retaining the open character of the view. Further agricultural fields are visible beyond since this local collection of fields has very few well-established hedgerows and they would remain visible but with the panel areas occupying a narrow section of the view. The middle and long distance also yields some visibility across the agricultural fields towards Larch Plantation and New Plantation and this would not change. To the right-hand side of the view, there is the local collection of agricultural fields set in the context of a Willingham Road and this would not alter. To the left-hand side of the view there is a similar collection of agricultural fields that have very little extended visibility, but they would not change. The remainder of the horizon is made up of hedgerows, agricultural fields and woodlands where visibility towards the middle and long distance is evident even though there is a strong hedgerow network that would help with layering and the integration of the panels into the landscape. The effects set out below for Year 1 include secondary mitigation which will have been carried out, but will have had limited physical or visual impact at this stage: Native scattered tree blocks To the north of field C28 and along the eastern boundary of C23 down to C24, a belt of native scattered trees will form a strong feature and provide visual interest and variation	Operation (Year 15) With secondary mitigation such as planting and grass seeding being taken into account at the operational stage (Year 15) the following changes to the landscape would occur and the visual effects are set out below. At Year 15, views to the west of the Site will be screened in the mid-range through the planting of the proposed native hedges, shelterbelts and enhancement of existing boundaries which will be managed to a height of 5m, both formally strengthening the existing and historical field pattern and creating a multi-layered landscape. Scattered tree blocks to the west will reinforce the route of existing watercourses and provide a strong buffer to the eastern boundary of the closest area of panels. Views of the longer distance, where hedgerows to not block these, will be of a layered, well treed lands cape with a backdrop of wooded vegetation in places on the horizon. Both new and existing vegetation	A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissionin includes site traffic, noise and vibration from decommissioning activities, dust generation and site runoff. Following decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to
the elevated activities above the hedgerow, but the foreground vegetation would provide some screening such that these activities would be confined to a narrower section of the view.	along this part of the Site, mitigating views from the east and the southeast. <u>Shelterbelt planting</u> Shelterbelt planting is proposed to the northern boundaries of C14 and C17 with additional planting to the western boundary of C14 to link Larch Plantation to New Plantation creating both visual and ecological links.	on the horizon. Both new and existing vegetation will have established and begun to mature creating a strong structure to the landscape and reducing the exposed feel of the area whilst retaining its overall character. Between Years 1 and 15, the following beneficial	been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the
Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the	Introduce shelterbelt planting to the eastern boundary of fields C23, C24 and C25 to further mitigate any possible view from the bridleway. Shelterbelt planting running generally west/east across the Site adjacent to Larch	 effects will be achieved in terms of Visual Receptors: Grassland reversion around field boundaries and PRoW Increased woodland/vegetation cover A more varied landscape 	potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the loc area, all of which will benefit visual
provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows	 Plantation will link this woodland with the surrounding landscape both visually and in terms of creating valuable ecological networks. A further block of shelterbelt planting is proposed to the eastern boundaries of C24 and C25 to mitigate views from the east and from the village of Ingham. New Hedgerows A proposed new hedgerow with irregularly spaced hedgerow trees is proposed to the eastern boundary of the Site at this viewpoint to the east of fields C29 and 30. Proposed 	 Improved (more natural) management of exiting vegetation Less expanse of intensively managed arable land A less exposed and windswept landscape Water quality improvements Potential animal grazing Reinstatement of historic field patterns Bird mitigation fields 	receptors. With secondary mitigation considered, the negative effects of the physical decommissioning will be balanced out by the long term landscape and visual effects of this mitigation.
These short-lived construction activities would obstruct a significant proportion of the view and become a dominant feature. There would be a considerable	new hedges will follow existing ditch/tree lines to field boundaries running north/south, between fields C20,22 and 27 helping to reinforce the field structure and create visual links as well as breaking up the overall bulk of the panelled area. A new hedgerow to the north of C27 and 29 will mitigate views from further north.	 Significantly improved biodiversity Growth of existing and proposed vegetation is assumed to be: 	
change to the arable land use, but the field boundaries and the associated tree cover would remain	Provide new hedgerow to the eastern boundaries of fields C29 and C30 to mitigate views from the bridleway.	Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at Year 15.	
intact. There would not be a fundamental change to the surroundings to the south and east of Thorpe Lane.	Existing hedgerows Where existing hedgerows exist across the Site running broadly north/south, these will be enhanced and planted with irregularly spaced native hedgerow trees to break up the somewhat open and exposed landscape. Reinforcement of existing hedgerows will	New hedgerows: 0.6m at Year 1 and 3.5m at Year 15.	



	Construction Access There would be no view of any construction access from this viewpoint. Cable Route/S Viewpoint is outside of the 0.5km study area and there would be no view of this route. Substation This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 1.	 strengthen the overall character and create more of a well-treed scene locally and from further afield. <u>Grassland Mixes</u> Planting along the PRoW (bridleway) is to be a tall herb mix providing a scenic walk/ride along this section of the route. This mix flows round to the west and along the southern border of fields C22, 27 and 30, providing a good open buffer around the existing ditch and small pond. Flower rich pollinator mixes and tussock mixes are proposed around existing and proposed hedgerows elsewhere within the Site with pollinator mixes concentrated on the south and west facing hedgerow verges. Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15.	
Magnitude	Low	Low	Very Low	Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Neutral & Long Term	Neutral & Short Term
Significance of Effect	Minor Not Significant	Minor Not Significant	Negligible Not Significant	Negligible Not Significant



Viewpoint: L	CC-C-F – ProW Ingh/24/1	
	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	<u>In Summary</u> There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and existing intervening vegetation cover. Therefore, there no in combination visual effects are anticipated.	In Summary The Cumulative Effects upon viewpoint LCC-C-F of the Cumulative Developments is Negligible at year 1 of operation is due to the limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Develop Existing vegetation and Embedded and Secondary Mitigation proposed would screen the panels and therefore the combination.
		<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or features of the landscape within the chara
		There would be the introduction of new elements and features comprising the solar panel areas and the substation
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hed. The intervening settlements and built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton Tillbridge Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the following
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9]
		The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type o major road network is defined by important historic routes and in contrast, the east west minor road network links settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are often tranquil verges and they have a major role in helping to define the quality of the landscape and reducing the visibility across
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of histor small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised for ad These relevant characteristics of the landscape and land use have some ability to accommodate change without un for the Cottam 1 Site/Sites would not alter the overall character of the landscape and its communications and infra are often set within a well-vegetated context or associated with built form that plays a positive role in reducing the
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1) with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1) with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

ation and Negligible at year 15 with mitigation. This elopments and proximity to the visual receptor. e the effects upon the view are reduced in

naracter area.

ation area within the character area

the cumulative developments would not be hedgerows, and tree cover between the Site/Sites.

ton 1 Site/Sites and Gate Burton Energy Park, wing figures:

pe or area different from another. The strategic inks several historic and distinctive smaller string of quil and hedged to both sides with wide grassed cross the area.

istoric settlement with farms, nucleated villages, and r adding intimacy and interest to the landscape. ut undue adverse effects. The cumulative visibility nfrastructure features. Moreover, these features the overall cumulative effects.



Viewpoint: LCC-C-K - Fillingham Lane

Receptor Baseline:

This viewpoint is located on Fillingham Lane, looking south over the Cottam 1 North Site with the Cottam 1 South Site beyond. The viewpoint is also looking east over the Cottam 1 North Site.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a low-lying almost flat landscape within the wider context of a rolling lowland. Fillingham Lane is a prominent feature in the view as it is a major route that connects Fillingham with Willingham by Stow. The land use is mainly productive arable farmland with many of the large fields under single crop. There is some deciduous woodland such as Normanby Gorse to the southeast, and tree and woodland cover at the edge of the settlement of Willingham by Stow. There are clear and uninterrupted views to the northeast (left of view) towards Heaton's Wood, Top Wood, Big Wood, and Oak Wood. Views to the south are limited due to the hedgerows to the south of Fillingham Lane. Normanby Gorse is also visible on the horizon to the south. Isolated trees are notable in the foreground of the view and also to the south of Fillingham Lane with a few running along Stone Pit Lane. In terms of man-made elements, Fillingham Lane is prominent as a typical east west road running across the landscape, otherwise there are some residential properties along Fillingham Lane, including The Cottage and Carisbrook. The bridge crossing with the River Till tributary has green balustrade railings with concrete piers and is also a detractor in the view.

Subjective: The viewpoint depicts an exposed, large-scale landscape that is open in nature, but at close range there are some small-scale field systems with some tree cover at the edge of the settlement. In terms of variety, the landscape is uniform and mostly consistent and there are wide grass verges that separate the road from the hedgerows. There are also individual ash trees within the hedgerows that add to the character. This is a simple landscape that is balanced with strong hedgerows and some tree cover on the horizon including poplar shelterbelts and small coverts. In terms of texture and colour, the vegetation is well-managed and has muted tones. The proximity to the road network and settlement at Willingham by Stow (right of view) provides some sense of security and familiarity.

Overall: The viewpoint is influenced by the presence of Fillingham Lane, which is a long straight road. There is a local bridge crossing a tributary of the River Till, which is set with a small group of ash trees that provides a distinctive 'sense of place'. The experience is interesting and pleasant and there is intimacy at this location due to the close proximity to the settlement edge. There are also distant glimpsed views towards the Scarps and Dipslopes Character Area 6a where the woodlands at Ingham Cliff crown the horizon.

Receptors:

This viewpoint is representative of views available to users of Fillingham Lane travelling from Willingham by Stow in the west to Fillingham in the east.

Description of View:

The foreground of the view comprises Fillingham Lane set in the context of an agricultural landscape with hedgerows to each side. Further agricultural fields are hardly visible beyond since this local collection of fields has a number well-established and dense hedgerows with some mature trees and there are also intermittent residential properties and farmsteads to each side of the lane that close down views towards the outlying landscape. The middle and long distance therefore yields limited visibility across the agricultural fields. To the right-hand side of the view, there are strong hedgerows and tree cover dividing a collection of elongated agricultural fields. To the left-hand side of the view, there is a similar collection of agricultural fields, but the presence of larger scale fields impacts on their presence. The remainder of the horizon is made up of hedgerows, agricultural fields, and woodlands where visibility towards the middle and long distance is hardly evident. due to the strong hedgerow network and foreground properties.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.5] January 2023



SOLAR PROJECT		E	erence. EN
Receptor susceptibility to change	Value of view	Sensitivity	Embedde
In terms of forces for change for LCC-C-K, urban expansion on the edge of the main settlements has eroded the predominantly rural character. While the power stations and sugar beet factory provide a sense of place, their scale is very dominant. This is especially relevant to the coal powered power stations that stand in the flat low-lying landscape. Other major industrial	<u>Scenic</u> : Agriculture is the dominant land use, with most of the land being used for growing cereals, oilseeds, and other arable crops. The landscape reveals views of an open nature beneath vast skies that are often extensive and uninterrupted, but some views are enclosed where farm buildings prevail. <u>Cultural</u> : A predominantly rural and sparsely settled area with small villages	<u>Range of Features:</u> This location comprises the local road network at the point where the route exits the settlement. This is an open location where the low-cut hedgerows, small woodland blocks and riparian vegetation lining the minor tributary of the River Till add some structure to the landscape and help	Embedded construction decommissi Mitigation i would inclue Panels to be
developments are focused along the Trent flood plain corridor including industrial estates, sewage treatment works and active sand and gravel extraction sites. The aim should be to manage and further enhance access via the network of quiet lanes, villages, footpaths, and watercourses. Extension of the non-road network, especially where it can link people to the river corridors	and dispersed farms and residential dwellings linked by long straight roads (such as Fillingham Lane). <u>Natural</u> : Very little semi-natural habitat remains across the area, apart from habitat associated with the River Till and its tributaries, and green lanes which link to this asset are an important feature of the landscape.	close down visibility. The hedgerows, the woodland cover, the riparian vegetation, and the scattered farmsteads are the range of features in the view. <u>Importance of View</u> : This is an open location at a point where the local road exits the	Panels to be property bo Panels to be and minimu
Overall, the susceptibility for LCC-C-K is conditioned by the aim is to ensure new developments are well-integrated with well designed, green infrastructure and	<u>Recreation and Enjoyment:</u> The public right of way (PRoW) network is limited apart from a few north south routes that connect between the long straight roads running east to west across the area. <u>Local Distinctiveness and Sense of Place</u> : A regular pattern of medium to	settlement, which slightly raises the level of importance of the view. The view is influenced by the presence of the combination of features, and they are experienced in both the close-range and distant context of the Unwooded Vales	Panels to be Existing hed managed to encouraged to the field l
resist new development that threatens tranquility. The aim is also to conserve the strongly nucleated character by encouraging new development to take place within the existing curtilage of settlements. Enhancing and promoting access to river corridors for recreation and health benefits. The relevant characteristics of the landscape therefore have some ability to accommodate	large fields are enclosed by hawthorn hedges. Where the recreational network gives access to appreciate this feature this gives a strong sense of identity to views. <u>Health and Wellbeing</u> : Access to these remote areas is mainly confined to the long, straight roads since PRoW connections are limited across the area.	Character Area 4a. <u>Number of Receptors</u> : This is the local network that has connections between small settlements. This route is likely to appeal to a limited range of receptors, possibly confined to local users. The strategic major road	trees as app existing her Lighting wil battery ban required. Li to vehicle a
change without undue adverse effects given the sensitivity of the rural roads and minor farm tracks. The edges of the villages, the sequence of views to the churches and the avenues and lines of trees on the approaches to farms are also sensitive features. The balance between clustered villages and their adjacent,	<u>Important Spatial Function</u> : The predominance of large-scale agriculture and limited settlement and development provides an important spatial function, but the footpath and bridleway network are important to this spatial function.	network is defined by important historic routes (north south) and the strategic minor road network also links several historic and distinctive smaller string of settlements (east west) across the area. This local lane could enhance these connections for recreation and	would be 50 cowls fitted panelled are lighting on p
outlying farmsteads is an important characteristic.	Overall , the value of Viewpoint LCC-C-K is shaped by this area being extensively farmed over a long period, where very little semi-natural habitat remains, and the agricultural intensification has diminished the 'sense of place' in parts. The presence of patches of smaller scale field systems helps to enhance the 'sense of place'. Medium to High	access in the wider context of the Till Vale.	into accoun stage (Year will have be or visual im

led Mitigation

ed Mitigation would be taken into account at the cion, operation (Year 1 and Year 15) and issioning stages of the Scheme. This Embedded n is also referred to as primary mitigation and clude the following measures:

be set a minimum of 15m from adjacent PRoW.

be set a minimum of 50m from adjacent residential boundaries.

be set minimum of 20m from major watercourses mum of 8m from minor watercourses.

be set a minimum of 3m from Site boundaries.

nedges are to be allowed to grow out and will be I to a height of 5m. Hedgerow trees will be ged to grow out to add further thickening and growth Id boundaries with the addition of new hedgerow appropriate, randomly spaced along the length of nedges.

will be limited to downlights within substations and anks only and used when maintenance or security is Lighting will be PIR operated and will be calibrated and personnel movements. All visible lighting 50W, installed at a maximum height of 4m with ed to prevent light spillage. Lighting required within areas will be manually operated. There will be no n perimeter fencing.

Il effects **with only** the Embedded Mitigation taken unt equate to those effects set out for the operation ar 1) and this includes secondary mitigation which been carried out but will have had limited physical impact at this Embedded Mitigation stage.

icable



Construction	Operation (Year 1)	Operation (Year 15)	Decommi
 / enabling works, construction, and commissioning with effects such as construction ratific, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened due to the presence of foreground hedgerow bordering Thorpe Lane. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerow, but the riparian vegetation bordering the River Till would provide some screening such that these activities would be confined to a narrower section of the view. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows These short-lived construction activities would be a considerable change to the arable land use, but the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the south and east of Thorpe Lane. Cable Route/S Viewpoint is outside of the 0.5km study area and there would be no view of this route. 	The foreground of the view comprising Fillingham Lane set in the context of an agricultural landscape with hedgerows to each side would not change. Further agricultural fields are hardly visible beyond since this local collection of fields has a number well- established and dense hedgerows and this feature would not change. To the right-hand side of the view, there are strong hedgerows and tree cover dividing a collection of elongated agricultural fields, which would not be affected by the panel areas. To the left-hand side of the view there is a similar collection of agricultural fields, and this would not be affected. The remainder of the horizon to the north is made up of hedgerows, agricultural fields, and woodlands where visibility towards the middle and long distance is hardly evident due to the strong hedgerow network and foreground properties and this would not alter. The effects set out below for Year 1 include secondary mitigation which will have been carried out, but will have had limited physical or visual impact at this stage: Scattered Tree Belts Looking further east and north east, a number of small belts of scattered trees are proposed to incorporate lone field trees into the landscape. A small block to the northwest of field C1 augments the existing trees in this location. Shelterbelt A shelterbelt is proposed to the southern boundary of fields G1 and G3 mitigating views across the Site to the southeast and further breaking up the Scheme. Existing hedges The existing northern and western field boundaries to fields G1 and G2 require some enhancement where these are low managed hedges with limited hedgerow trees. These hedges are to be allowed to grow out and managed to a height of 5m with the addition of hedgerow trees to enhance the character locally and to add further height and screening from the north and west at Stonepit Lane and from the village of Willingham by Stow. Reinforce hedgerow to the north of fields G1 and G2 to mitigate views from Fillingham Lane and properties to the east of Wi	 With secondary mitigation such as planting and grass seeding being taken into account at the operational stage (Year 15) the following changes to the landscape would occur and the visual effects are set out below. At Year 15, the proposed new hedgerows will have established to create a strong field structure and screen views of theSite/Sites. Existing hedges will have been managed to grow out to 5m and proposed hedgerow trees will begin to reach some height, reinforcing the vertical structure locally. In the close-range, the hedgerows will screen the Scheme with mid and longer distance views appearing as a layered well-treed landscape with mid-range views comprising relatively good levels of tree cover over the local landscape but with very limited long-distance views. This viewpoint is located relatively near the built-up area of Willingham by Stow to the northwest of the Cottam 1 Site/Sites set back a little from the Cottam 1 West Site on the Fillingham Lane overlooking arable fields in the foreground. Between Years 1 and 15, the following beneficial effects will be achieved in terms of Visual Receptors: Grassland reversion around field boundaries and PRoW Increased woodland/vegetation cover A more varied landscape Improved (more natural) management of exiting vegetation Less expanse of intensively managed arable land A less expoased and windswept landscape Water quality improvements Potential animal grazing Reinstatement of historic field patterns Bird mitigation fields Significantly improved biodiversity Growth of existing and proposed vegetation is assumed to be: Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at Year 15. Kwe hedgerows: 0.6m at Year 1 and 3.5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15. 	A similar pro Scheme bein of the Site in vegetation a secondary in future basel the duration noise and vi generation a Following de to arable pro significantly been carried stronger and overall char benefits over retained and to preserve improvement will benefit w With second of the physic long term la

nissioning

process to that of construction stage, but with the eing no longer operational. This is an assessment e in winter but assumes retention of existing in and builds upon the proposed primary and y mitigation that had been established as the seline. Effects are those arising from activities for on of the decommissioning including site traffic, vibration from decommissioning activities, dust n and site runoff.

decommissioning, the land is likely to be returned production. The Site will however benefit from the tly enhanced tree and hedgerow planting that has ied out and has begun to mature to create a much and robust landscape, retaining and enhancing the aracter and providing considerable biodiversity over the years. Bird mitigation fields are likely to be and the potential may exist to retain grass margins we some varied land use and maintain long-term ments in biodiversity in the local area, all of which it visual receptors.

ndary mitigation considered, the negative effects vsical decommissioning will be balanced out by the landscape and visual effects of this mitigation.



This viewpoint is within the 2km study area and has a direct view of Cottam 1 substation in the mid-distance. Views further east of the Cottam 1 Site/Siteswill also be screened by these enhanced hedgerows. New hedges New hedges	
A new hedge is proposed to the western boundary of G4 in addition to the existing hedge on this boundary. Additional new hedge planting to the southern boundary will infill where none currently exists with the remainder of the existing hedge being enhanced as necessary.	
A new hedge is proposed to the west of field C1 mitigating views east of a small section of panels to the west of a band of trees which help to obscure the majority of the Site further east.	
Grassland mixes A minimum 10m buffer is to be provided around existing ditches which are to be seeded with a tall herb mix.	
Flower rich pollinator mix is to be used within 10m of existing services. This is also proposed around other field boundaries which are predominantly south or west facing or relatively open where they will thrive.	
Elsewhere around the Site, both tussock and flower rich pollinator mixes are to be used at the base of all existing and proposed hedges around field boundaries creating a rich tapestry of vegetation.	
Adverse effects: - Panels and structures across the landscape - Increased hard standing areas - Increased traffic locally - Some minor light pollution within open countryside - Substation, Battery storage and other associated infrastructure structures visible above existing vegetation	
Magnitude Low Medium Medium	Low
Type of Effect Adverse & Short Term Adverse & Long Term Adverse & Long Term	Adverse & S
Significance of Effect Minor Not Significant Moderate Significant Moderate Significant	Minor Not S

Short Term

t Significant



Viewpoint: LCC-C-K - Fillingham Lane **In-Combination Effects Cumulative Effects [Cumulative Developments]** [Cumulative Sites] In Summary In Summary There would be no intervisibility between The Cumulative Effects upon viewpoint LCC-C-K of the Cumulative Developments is Negligible at year 1 of operation and Negligible at year 15 with mitigation. This is due to the limited the Cottam 1 Site/Sites, Cottam 2 Site, impact upon the view as a result of the segregated nature of the Sites and Cumulative Developments and proximity to the visual receptor. Existing vegetation and Embedded and Secondary Mitigation proposed would screen the panels and therefore the effects upon the view are reduced in combination. and Cottam 3a and 3b Sites, due to distance and existing intervening Fabric of the Landscape vegetation cover. Therefore, there no in combination visual effects are There would not be the removal of or changes in individual elements or features of the landscape within the character area. anticipated. There would be the introduction of new elements and features comprising the solar panel areas and the substation area within the character area Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the cumulative developments would not be experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedgerows, and tree cover between the Site/Sites. The intervening settlements and built form would also curtail cumulative visibility. There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the following figures: Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9] The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type or area different from another. The strategic major road network is defined by important historic routes and in contrast, the east west minor road network links several historic and distinctive smaller string of settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are often tranquil and hedged to both sides with wide grassed verges and they have a major role in helping to define the quality of the landscape and reducing the visibility across the area. **Overall Landscape Character and Visual Amenity** Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of historic settlement with farms, nucleated villages, and small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised for adding intimacy and interest to the landscape. These relevant characteristics of the landscape and land use have some ability to accommodate change without undue adverse effects. The cumulative visibility for the Cottam 1 Site/Sites would not alter the overall character of the landscape and its communications and infrastructure features. Moreover, these features are often set within a well-vegetated context or associated with built form that plays a positive role in reducing the overall cumulative effects. Construction: Very Low Operation (Year 1): Very Low Magnitude No Change Operation (Year 1) with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Type of Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term No Change Effect Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term Construction: Negligible Not Significant Operation (Year 1): Negligible **Not Significant** Significance No Change Operation (Year 1) with only Embedded Mitigation: Negligible Not Significant of Effect Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.5] January 2023



Viewpoint: LCC-C-M - Kexby Road

Receptor Baseline:

The view is located along Kexby Road, looking southwest towards the northern extent of the Cottam 1 North Site with the Cottam 1 South Site beyond. The view is also looking northwest towards the Cottam 2 Site.

Objective: This viewpoint offers views of a very gently rolling landscape within the context of a broad valley that is almost conspicuous at this location. The land use is predominantly arable with mixed woodland comprising Nursery Plantation to the east, and to the south woodland cover on the far horizon at Fillingham Grange and The Lake, and Fillingham is a strong dark feature. The views towards the far horizon are curtailed by the landform in the foreground. Tree clumps are also a feature along the hedgerow boundaries, which enhance the existing woodlands and give the impression of a more intimate landscape. In terms of man-made elements, there is little built influence since the landscape is sparsely populated with only a few isolated dwellings and grange houses.

Subjective: The viewpoint depicts a medium to large-scale, partially open landscape, with views closed down by a wooded horizon. The intensive arable land use opens visibility, but the landform and strong hedgerows with tree clumps help to dissipate the scale. In terms of variety, the combination of features includes woodland, tree clumps and hedgerows that present a simple landscape with very limited interest. In terms of texture, this is a highly managed arable land use with a muted colour combination and very few far-reaching views.

Overall: The views from the road focus on the large, open arable fields where the intervening woodland and settlement at Fillingham closes down views towards the south. The immediate view is typical of the local landscape character, but the farreaching open views offer more interest. The overall experience is pleasant but with some bland foreground features.

Receptors:

This viewpoint is representative of views available to users of Kexby Road. This section of the road is used by walkers and horse riders and leads from Spitals Farm and Westlands Farm in the west to join the B1398 in the east at Glentworth. There are no meaningful views towards the Site/Sites due to distance, topography, and intervening layering of woodlands, hedgerows, and tree clumps. There are no meaningful views towards the Site/Sites due to distance, topography, and intervening hedgerows.

Description of View:

The foreground of the view comprises of Kexby Road set in the context of an open and expansive agricultural landscape with hedgerows to only one side of the road. Further agricultural fields are visible beyond since this local collection of fields has very few well-established or mature trees. There are also no intermittent residential properties and farmsteads to close down views towards the outlying landscape. The middle and long distance therefore yields open visibility across the agricultural fields towards the south and southwest. To the right-hand side of the view, there is a field hedgerow with woodland and tree cover that breaks down the agricultural fields. To the left-hand side of the view there is a similar collection of large-scale agricultural fields. The remainder of the horizon is made up of limited hedgerows, agricultural fields and woodlands where visibility towards the middle and long distance is hardly evident apart from the River Trent and its associated power industry.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.7] January 2023



In service function of the landscape and ollos of hedgeroxe. However, there is an opportunity to encreating Lucascher the Link parts, service whore of signal and the minor read network of finising local lanes are also importan- ting rowments to woodland edge species. Overall , the susceptibility for VP35 is conditioned budge and the source of the landscape has to finise the coll and budge and the minor read network of linking local lanes are also importan- tion to the source of the landscape has to finise the coll and budge and the minor read network of linking local lanes are also importan- tion to the source of the landscape has to finise the coll and budge and the source of the landscape has to finise to coll and budge and the source of the landscape has to finise to coll and budge and the source of the landscape has to finise to coll and budge and the source of the landscape has to finise to coll and budge and the source of the landscape has to finise the coll and budge and the source of the landscape has to finise to coll and budge and the source of the landscape has to finise to coll and the source of the landscape has to finise the coll and the source of the landscape has to finise and the source of the landscape has to finise the landscape has the source of the landscape has the instance of the landscape has the landscape has the source of the landscape has the source of the landscape has the landscape has the source of the landscape has the landscape ha	SOLAR PROJECT			
Intergetives, Hever is an opportunity to the rimor of interves, there is an opportunity to the rimor of advectory or al local landscape that is in changing the rimor of interves over al local landscape. Small wordland blocks and riparian explorition to full interves of the save source is a source interves. The second landscape shall wordland blocks and riparian explorition to full upon the save special is in changing the rest over allocal landscape shall wordland blocks and riparian explorition to full upon these of the save special is in changing the rest over allocal landscape shall wordland blocks and reparian explorition to full upon these of the save special is in the save special explores of the save spe				Embedde
isolation. Many of these roads, such as Kexby Road, also have open sections with no hedgerows and views.	In terms of forces for change for VP35, there is homogenization of the landscape and loss of hedgerows. However, there is an opportunity to reinforce landscape character and build in more diversity across the area especially in terms of improvements to hedgerows but also in changing the proportion of conifer to broadleaved woodland and improvements to woodland edge species. Overall , the susceptibility for VP35 is conditioned by the striking differences across the varying elements of the AGLV and that these can be appreciated across the landscape. There is an opportunity to use landscape mitigation to build upon these differences and bolster this landscape diversity. Particular areas for focus include the proportion of pasture to arable fields in particular those around the edges of settlements which are particularly important to their setting and form a subtle relationship. Within this AGLV, views are generally contained by tall hedgerows, woodlands, and tree groups, giving the landscape very limited capacity to accommodate change. The relevant characteristics therefore have a limited susceptibility to accommodate change without undue adverse effects. There are however robust hedgerows with smaller fields and	Scenic: This region represents a major east-west link, connecting Lincolnshire with the North of England and the minor road network offers views over a local landscape that is, in parts, scenic with pleasant views. The network of linking local lanes are also important places to capture views. Cultural: The close proximity to Gainsborough as a major historic crossing on the River Trent to the west and the strategic location of Roman roads on the limestone capped scarp slope to the east give rise to a number of historic settlements in the intervening landscape. This includes Glentworth and Glentworth Conservation Area to the east. Natural: The local roads are valuable wildlife corridors since they are often narrow country lanes with grass verges, hedgerows to both sides and high levels of tranquility. Recreation and Enjoyment: The east west travel direction of local lanes often links the older settlements moving in a more random pattern following minor roads. These roads such as Kexby Road are popular for recreation since they provide attractive destinations as narrow country lanes. Local Distinctiveness and Sense of Place: The landscape associated with Kexby Road derives the 'sense of place' from the woodland blocks that contrast with the intensive arable landscape. These woodland blocks feature at 'right-angled' bends in the road and include Big Wood and Heaton's Wood. Health and Wellbeing: Main roads are significant features in this landscape, but the minor road networks and their connecting bridleways are often refuges of tranquility bringing benefits for health and wellbeing. Important Spatial Function: The local roads play an important role in wayfinding by linking several	Range of Features:This location comprises the local road networkat the point where it forms a gateway to the settlement. This is anopen location where the low-cut hedgerows allow expansive viewsacross the arable landscape. Small woodland blocks and riparianvegetation lining the small tributaries of the River Till also addsome structure to the landscape but do little to close downvisibility. The hedgerows, the woodland cover, the riparianvegetation, and the scattered farmsteads are the range of featuresin the view. The powerful River Trent and its tributaries and otherwater courses within its flood plain provide a strong functionalfeature running through the landscape, which contribute stronglyto the 'sense of place' where the local tributaries support riparianvegetation.Importance of View:This is an open location at a point where thelocal road network forms a gateway to the settlement. This locallane connects Kexby with Glentworth and plays a part in the eastwest connections across the area, which slightly raises the level ofimportance of the view. The view is influenced by the presence ofthe settlements of Kexby and Glentworth. This route is likely toappeal both to local users and those from a wider area as it formspart of the east west connecting local lanes. The strategic majorroad network is defined by important historic routes (north south)and the strategic minor road network (east west) also links anumber of historic and distinctive smaller string of settlements	Embedded Constructio decommiss Mitigation would inclue Panels to b Panels to b Panels to b Panels to b Panels to b Panels to b Panels to b Existing hee managed to encouraged to the field trees as app existing hee Lighting will battery ban required. Lit to vehicle a would be 55 cowls fitted panelled ar lighting on The visual e into accour stage (Year will have be or visual im
Medium to High I Medium I Medium I Medium to High I Not Apr	Medium to High	Medium	Medium to High	Not Applicat

led Mitigation

d Mitigation would be taken into account at the on, operation (Year 1 and Year 15) and ssioning stages of the Scheme. This Embedded is also referred to as primary mitigation and ude the following measures:

be set a minimum of 15m from adjacent PRoW.

be set a minimum of 50m from adjacent residential ooundaries.

be set minimum of 20m from major watercourses num of 8m from minor watercourses.

pe set a minimum of 3m from Site boundaries.

edges are to be allowed to grow out and will be to a height of 5m. Hedgerow trees will be ed to grow out to add further thickening and growth I boundaries with the addition of new hedgerow ppropriate, randomly spaced along the length of edges.

ill be limited to downlights within substations and nks only and used when maintenance or security is Lighting will be PIR operated and will be calibrated and personnel movements. All visible lighting 50W, installed at a maximum height of 4m with ed to prevent light spillage. Lighting required within reas will be manually operated. There will be no perimeter fencing.

effects **with only** the Embedded Mitigation taken Int equate to those effects set out for the operation r 1) and this includes secondary mitigation which een carried out but will have had limited physical mpact at this Embedded Mitigation stage.



Viewpoint: I CC-C-M - Keyby Poad

CC-C-M – Kexby Road			
Construction	Operation (Year 1)	Operation (Year 15)	Decomm
Activities considered includes, site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened due to the presence of foreground hedgerow bordering Thorpe Lane. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerow, but the riparian vegetation bordering the River Till would provide some screening such that these activities would be confined to a narrower section of the view.	The foreground of the view comprises Kexby Road set in the context of an open and expansive agricultural landscape with hedgerows to only one side of the road. Further agricultural fields are visible beyond since this local collection of fields has very few well- established or mature trees. There are also no intermittent residential properties and farmsteads to close down views towards the outlying landscape. The middle and long distance therefore yields open visibility across the agricultural fields towards the south and southwest. To the right-hand side of the view, there is a field hedgerow with woodland and tree cover that breaks down the agricultural fields. To the left-hand side of the view there is a similar collection of large-scale agricultural fields. The remainder of the horizon is made up of limited hedgerows, agricultural fields and woodlands where visibility towards the middle and long distance is hardly evident apart from the River Trent and its associated power industry. The effects set out below for Year 1 include secondary mitigation which will have been carried out, but will have had limited physical or visual impact at this stage:	With secondary mitigation such as planting and grass seeding being taken into account at the operational stage (Year 15) the following changes to the landscape would occur and the visual effects are set out below. At Year 15, views southwest towards the Site will be screened in the close-mid-range through the enhancement of existing low hedges which will be managed to a height of 5m. The addition of hedgerow trees will further mitigate views. In the middle distance, new and augmented hedgerows will provide a series of good quality hedgerows both formally strengthening the existing and historical field pattern and creating a multi- layered landscape, but views down towards the valley are predominantly obscured from this viewpoint. Views of the longer distance, where hedgerows do not block these, will be of a layered, well treed landscape with a backdrop of wooded vegetation in places on the horizon. Both new and existing vegetation will have established and begun to mature creating a strong structure to the landscape and reducing the exposed feel of the area whilst retaining its overall open character. This exposed area will appear less vast in places, whilst open views across the valley will also be retained.	A similar pro Scheme bein of the Site in vegetation a secondary n future based the duration noise and vi generation a Following de to arable pro significantly been carried stronger and overall chart benefits over retained and to preserve improvement will benefit v
	Scattered tree belt A strong belt of scattered trees is proposed to the east of field B1, providing a solid feature in this somewhat exposed landscape. This buffer of riparian vegetation adjacent to the watercourse will add height and structure to the landscape and enhance this natural ditchline. This will also help to mitigate views further		
hese short-lived construction activities would bstruct a significant proportion of the view nd become a dominant feature. There would e a considerable change to the arable land se, but the field boundaries and the ssociated tree cover would remain intact. here would not be a fundamental change to ne surroundings to the south and east of horpe Lane.	west and to some degree to the south. A block of scattered trees is also proposed to the norther boundary of field A3 adjacent to a field of bird mitigation to the south. This will provide a strong block of trees which will flow into the views of Fillingham Low Wood when viewed from the north on Kexby Road. <u>Shelterbelt</u> Shelterbelt planting the north of North Farm will further enhance the woodland cover in this area and	Overall: The aim for Cottam 1 should be to plan new woodland in the most suitable locations. This may include in and around settlements, where woodland would help integrate new development into the landscape and in more intimate low-lying areas, where woodland would help create a mixed pattern of land use. Consideration should also be given to the management of existing trees and woodland, enhancing biodiversity value and age structure through new planting and the creation of woodland edge habitats. An increase in grassland reversion should also be encouraged, increasing the	
Viewpoint will not be affected by construction traffic due to the distance between the viewpoint and the proposed construction access. Cable Route Corridor Viewpoint is outside of 0.5km study area.	Existing hedges Existing hedges to the north of fields B2, B3 and B4 are low cut and would benefit from enhancement to ensure that Site/Sites is screened from this view, although the land falls away to the west and predominantly obscures views, even with low cut	 be encouraged, increasing the occurrence of semi-natural habitats. Between Years 1 and 15, the following beneficial effects will be achieved in terms of Visual Receptors: Grassland reversion around field boundaries and PRoW Increased woodland/vegetation cover A more varied landscape 	

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.7] January 2023

nissioning

process to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the seline. Effects are those arising from activities for on of the decommissioning including site traffic, vibration from decommissioning activities, dust n and site runoff.

decommissioning, the land is likely to be returned production. The Site will however benefit from the tly enhanced tree and hedgerow planting that has ied out and has begun to mature to create a much and robust landscape, retaining and enhancing the aracter and providing considerable biodiversity ver the years. Bird mitigation fields are likely to be and the potential may exist to retain grass margins ve some varied land use and maintain long-term nents in biodiversity in the local area, all of which it visual receptors.

ndary mitigation considered, the negative effects vsical decommissioning will be balanced out by the landscape and visual effects of this mitigation.



SOLAR PROJECT			[Ref	erence. Liv
	This viewpoint is within the 2km study area and there is likely to be a distant view of the Substation at Cottam 1 between this view and the Power Station.	 places. Hedgerow trees will enhance the view from this road. The eastern boundary of field B4 will also be enhanced, and existing hedges will be allowed to grow out. The addition of irregularly spaced hedgerow trees will help to soften this rather exposed landscape and create a more varied scene where this location is rather devoid of height. The inclusion of trees will also add height to boundaries helping to mitigate potential views by horse riders. <u>New hedges</u> A new hedge is proposed to the south of fields B2 and B3, mitigating views from the south and providing further screening to the remainder of the Cottam North Site. The addition of hedgerow trees will enhance the character locally and help to strengthen the historical field pattern locally. Further west, a new hedge with hedgerow trees is proposed to the eastern boundary of fields A1 and A4, mitigating any views from the northeast of this block of panels and those further southwest. Grassland mixes Two 10m belts of tall herb mix are proposed around the existing ditches that run north/south through fields B1 and B3/4. This provides a buffer to the watercourses and creates added mosaic of vegetation where no hedge exists. Flower rich pollinator mixes are used around the existing track, around all field margins in this area as well as a large block in field B1 creating a strong visual base layer and ecological benefits within the surrounding agricultural landscape. Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased hard standing areas Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	 Improved (more natural) management of exiting vegetation Less expanse of intensively managed arable land A less exposed and windswept landscape Water quality improvements Potential animal grazing Reinstatement of historic field patterns Bird mitigation fields Significantly improved biodiversity Growth of existing and proposed vegetation is assumed to be: Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Year 15. Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15. 	
Magnitude	Low	Low	Very Low	Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Neutral & Long Term	Neutral & S
Significance of Effect	Minor Not Significant	Minor Not Significant	Negligible Not Significant	Negligible I

& Short Term

le Not Significant



Viewpoint: LCC-C-M - Kexby Road

In-Combination Effects Cumulative Effects [Cumulative Developments] [Cumulative Sites] In Summary In Summary There would be no intervisibility The Cumulative Effects upon viewpoint LCC-C-M of the Cumulative Developments is Negligible at year 1 of operation and Negligible at year 15 with mitigation. This is due to the limited between the Cottam 1 Site/Sites, impact upon the view as a result of the segregated nature of the Sites and Cumulative Developments and proximity to the visual receptor. Existing vegetation and Embedded and Secondary Mitigation proposed would screen the panels and therefore the effects upon the view are reduced in combination. Cottam 2 Site, and Cottam 3a and 3b Sites, due to the intervening vegetation along the mainline railway Fabric of the Landscape There would not be the removal of or changes in individual elements or features of the landscape within the character area. and additional intervening settlement, hedgerows, and tree cover. Therefore, there no in combination visual effects There would be the introduction of new elements and features comprising the solar panel areas and the substation area within the character area are anticipated. Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the cumulative developments would not be experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedgerows, and tree cover between the Site/Sites. The intervening settlements and built form would also curtail cumulative visibility. There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the following figures: Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9] The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type or area different from another. The strategic major road network is defined by important historic routes and in contrast, the east west minor road network links several historic and distinctive smaller string of settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are often tranquil and hedged to both sides with wide grassed verges and they have a major role in helping to define the quality of the landscape and reducing the visibility across the area. **Overall Landscape Character and Visual Amenity** Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of historic settlement with farms, nucleated villages, and small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised for adding intimacy and interest to the landscape. These relevant characteristics of the landscape and land use have some ability to accommodate change without undue adverse effects. The cumulative visibility for the Cottam 1 Site/Sites would not alter the overall character of the landscape and its communications and infrastructure features. Moreover, these features are often set within a well-vegetated context or associated with built form that plays a positive role in reducing the overall cumulative effects. Construction: Very Low Operation (Year 1): Very Low Magnitude No Change Operation (Year 1) with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Type of No Change Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Effect Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term Construction: Negligible **Not Significant** Operation (Year 1): Negligible **Not Significant** Significance No Change Operation (Year 1) with only Embedded Mitigation: Negligible Not Significant of Effect Operation (Year 15): Very Low Not Significant Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.7] January 2023



Viewpoint: LCC-C-N – Glentworth Road

Receptor Baseline:

The view is located on Glentworth Road close to the junction with Gypsy Lane, looking southwest towards the northern extent of the Cottam 1 North Site with the Cottam 1 South Site beyond. The view is also looking north towards the Cottam 2 Site.

Objective: This viewpoint offers views over a very gently rolling landscape within the wider context of a broad valley that is only partly conspicuous at this location. The land use is predominantly arable with mixed woodland visible to the southeast (left of view) comprising Turpin Wood and Fillingham Low Wood, and to the south woodland cover on the horizon at Moor Bridge is a strong feature. The views towards these strong woodland blocks are a key feature within the landscape. In terms of man-made elements, there is little built influence since the area is sparsely populated and the road network only comprises the 'dog-leg' alignment of Glentworth Road that links Glentworth in the east with Kexby in the west. There is also Gypsy Lane, which is a local track that passes over Gypsy Lane Bridge.

Subjective: The viewpoint depicts a medium-scale, partially enclosed landscape, intimate in parts with strong blocks of woodland, and with far reaching views towards the distant horizon as far as Fillingham Castle and Fillingham Park in the east. In terms of variety, the combination of features includes isolated farm buildings, deciduous woodland, plantation woodland, hedgerows and hedgerow trees that present a highly appealing and well-balanced composition, with very few detractors. In terms of texture, this is a well-managed arable land use with a good depth of colour giving the impression of a very interesting landscape.

Overall: The views towards the woodland blocks and the 'dog-leg' bends in Glentworth Road are a distinctive feature. The presence of tall, foreground hedgerows close down visibility and there are also several hedgerow trees including ash that diminish the sense of scale and add intimacy to these roads. There are also wide, grass verges that add further stimulus to the landscape. The immediate view is typical of the local landscape character that well-wooded and attractive with wide grass verges and the far-reaching open views are consistent with the wider landform characteristics of the area. The overall experience is very pleasant with some interesting and invigorating features.

Receptors:

This viewpoint is representative of views available to users of Glentworth Road, that leads from Glentworth in the east to join the settlement of Willingham by Stow in the west. There are no meaningful views towards the Site/Sites, due to distance, topography and intervening layering of hedgerows and woodland blocks.

Description of View:

The foreground of the view comprises of Glenworth Road set in the context of an open and expansive arable landscape with hedgerows to each side of the road. Further agricultural fields are visible beyond since this local collection of fields has very few well-established or mature trees. There are also no intermittent residential properties and farmsteads (apart from isolated farm buildings) to close down views towards the outlying landscape. The middle and long distance therefore yields open visibility across the agricultural fields in all directions. To the right-hand side of the view, there is a field hedgerow with an open arable field and then distant woodland. To the left, larger blocks of tree cover break down the agricultural fields and help close down views across the landscape.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.8] January 2023



Receptor susceptibility to change	Value of view	Sensitivity	Embedde
Receptor susceptibility to change In terms of forces for change for LCC-C-N, there is homogenization of the landscape and loss of hedgerows. However, there is an opportunity to reinforce landscape character and build in more diversity across the area especially in terms of improvements to hedgerows but also in changing the proportion of conifer to broadleaved woodland and improvements to woodland edge species. Overall, the susceptibility for LCC-C-N is conditioned by the striking differences across the varying elements of the AGLV and that these can be appreciated across the landscape. There is an opportunity to use landscape mitigation to build upon these differences and bolster this landscape diversity. Particular areas for focus include the proportion of pasture to arable fields in particularly important to their setting and form a subtle relationship. Within this AGLV, views are generally contained by tall hedgerows, woodlands, and tree groups, giving the landscape very limited capacity to accommodate change. The relevant characteristics therefore have a limited susceptibility to accommodate change with smaller fields and many trees in these locations that assist with mitigation.	Value of view Scenic: This region represents a major east-west link, connecting Lincolnshire with the North of England and the minor road network offers views over a local landscape that is, in parts, scenic with pleasant views. The network of linking local lanes (especially where they link with bridleways) are also important places to capture views. Cultural: The close proximity to Gainsborough as a major historic crossing on the River Trent to the west and the strategic location of Roman roads on the limestone capped scarp slope to the east give rise to a number of historic settlements in the intervening landscape. This includes Glentworth and Glentworth Conservation Area to the northeast. Natural: The local roads are valuable wildlife corridors since they are often narrow country lanes with grass verges, hedgerows to both sides and high levels of tranquility. Recreation and Enjoyment: The east west travel direction of local lanes often links the older settlements moving in a more random pattern following minor roads. These roads such as Kexby Road are popular for recreation since they provide attractive destinations as narrow country lanes. Local Distinctiveness and Sense of Place: The landscape associated with Kexby Road derives the 'sense of place' from the woodland blocks that contrast with the intensive arable landscape. Health and Wellbeing: Main roads are significant features in this landscape, but the minor road networks and their roopsecting bridleways are often refuge of tranquily.	Sensitivity Range of Features: This location comprises the local road network at the point where it makes a 'dog-leg' turn. This is an open location where the tall hedgerows, small woodland blocks and riparian vegetation lining the small tributary of the River Till add some structure to the landscape and close down some visibility. The hedgerows, the woodland cover and the scattered farmsteads are the range of features in the view. The powerful River Trent and its tributaries and other water courses within its flood plain provide a strong functional feature running through the landscape, which contribute strongly to the 'sense of place' where the local tributaries support riparian vegetation. Importance of View: This is an open location at a point where the road takes a 'dog-leg' turn, which slightly raises the level of importance of the view. The view is influenced by the presence of the combination of features but the low-cut hedgerows along this section of the road enhance the open visibility across the area. Number of Receptors: This is the local road network that connects the settlements of Kexby, Upton and Glentworth. This route is likely to appeal to local users and those from a wider area as it forms an east-west connection between the north-south routes. The strategic major road network is defined by important historic routes (north south) and the strategic minor road network also links several historic and distinctive smaller string of settlements (east west) across the area.	Embedded constructio decommiss Mitigation i would inclu Panels to be property be Panels to be and minimu Panels to be and minimu Panels to be and minimu Panels to be couraged to the field trees as app existing hee Lighting will battery ban required. Li to vehicle a would be 50 cowls fitted paneled ar lighting on The visual e
-	<u>Local Distinctiveness and Sense of Place</u> : The landscape associated with Kexby Road derives the 'sense of place' from the woodland blocks that contrast with the intensive arable landscape. <u>Health and Wellbeing</u> : Main roads are significant features	important historic routes (north south) and the strategic minor road network also links several historic and distinctive smaller	required. Li to vehicle a would be 50 cowls fitted panelled ar lighting on
	In this landscape, but the minor road networks and their connecting bridleways are often refuges of tranquility bringing benefits for health and wellbeing. <u>Important Spatial Function:</u> The local roads play an important role in wayfinding by linking several historic and distinctive smaller string of settlements with the PRoW network.		into accoun stage (Year will have be or visual im
	Overall , the value of Viewpoint LCC-C-N is shaped by the local roads (that gain access to smaller villages) which are popular for informal recreation. These local roads provide attractive destinations as narrow country lanes often with good levels of tranquility and isolation. Many of these roads, such as Kexby Road, also have open sections with no hedgerows that allow views across the landscape.		
Medium	Medium	Medium	Not Applica

led Mitigation

d Mitigation would be taken into account at the on, operation (Year 1 and Year 15) and ssioning stages of the Scheme. This Embedded is also referred to as primary mitigation and lude the following measures:

be set a minimum of 15m from adjacent PRoW.

be set a minimum of 50m from adjacent residential ooundaries.

be set minimum of 20m from major watercourses num of 8m from minor watercourses.

be set a minimum of 3m from Site boundaries.

edges are to be allowed to grow out and will be to a height of 5m. Hedgerow trees will be ed to grow out to add further thickening and growth d boundaries with the addition of new hedgerow ppropriate, randomly spaced along the length of edges.

ill be limited to downlights within substations and anks only and used when maintenance or security is Lighting will be PIR operated and will be calibrated and personnel movements. All visible lighting 50W, installed at a maximum height of 4m with ed to prevent light spillage. Lighting required within areas will be manually operated. There will be no perimeter fencing.

effects **with only** the Embedded Mitigation taken Int equate to those effects set out for the operation ar 1) and this includes secondary mitigation which been carried out but will have had limited physical mpact at this Embedded Mitigation stage.

able



Construction	Operation (Year 1)	Operation (Year 15)	Decomm
Activities considered includes, site preparation	The foreground of the view would not change and	With secondary mitigation such as planting and grass	A similar pr
/ enabling works, construction, and	comprise Glenworth Road set in the context of an	seeding being taken into account at the operational stage	Scheme bei
commissioning with effects such as	open and expansive arable landscape with hedgerows	(Year 15) the following changes to the landscape would	of the Site ir
construction traffic, noise and vibration from	to each side of the road. Further agricultural fields are	occur and the visual effects are set out below.	vegetation a
construction activities, dust generation, site	visible beyond and this would not change where the		secondary r
runoff, mud on roads, and the visual intrusion	fields are expansive and the well-established or	At Year 15, views southwest towards the Site will be	future base
of plant and machinery on site. At the early	mature trees do not play a significant role. The middle	screened in the close-mid-range through the provision of	the duration
stages of the construction stage, ground, and	and long distance would continue to yield open	new hedgerows which will be managed to a height of 5m.	noise and vi
lower-level activities such as the construction	visibility across the agricultural fields in all directions.	The addition of hedgerow trees will further mitigate views.	generation a
of the solar panel areas and associated	To the right-hand side of the view, there is a field	Views of the longer distance, where hedgerows to not	
infrastructure and inverters would be partly	hedgerow with an open arable field and then distant	block these, will be of a layered, well treed landscape with	Following de
screened due to the presence of foreground	woodland, which would not change. To the left, larger	a backdrop of wooded vegetation in places on the	to arable pr
hedgerow bordering Thorpe Lane. During the	blocks of tree cover break down the agricultural fields	horizon. Both new and existing vegetation will have	significantly
latter part of the construction stage, views	and help close down views across the landscape and	established and begun to mature, creating a strong	been carried
would become available of the elevated	this would help mitigate the presence of the panel	structure to the landscape with many field boundaries	stronger an
activities above the hedgerow, but the riparian	areas in the landscape.	augmented and new vegetation flowing into the existing	overall char
vegetation bordering the River Till would		woodland across the scene.	benefits ove
provide some screening such that these	The effects set out below for Year 1 include secondary		retained and
activities would be confined to a narrower	mitigation which will have been carried out, but will	Overall: The aim for Cottam 1 should be to plan new	to preserve
section of the view.	have had limited physical or visual impact at this stage:	woodland in the most suitable locations. This may include	improveme
		in and around settlements, where woodland would help	will benefit
Other works would be undertaken in	Scattered tree belt	integrate new development into the landscape and in	
connection with the construction including	A belt of scattered trees will run north/south from the	more intimate low-lying areas, where woodland would	With second
fencing, gates, boundary treatment and other	northern boundary of field C3 connecting a lone field	help create a mixed pattern of land use. Consideration	of the physi
means of enclosure and works for the	tree.	should also be given to the management of existing trees	long term la
provision of security and monitoring measures		and woodland, enhancing biodiversity value and age	
such as CCTV and the laying down of internal	Shelterbelt	structure through new planting and the creation of	
tracks. There would also be landscape and	Shelterbelt planting across the Site running broadly	woodland edge habitats. An increase in grassland	
biodiversity mitigation works, including	east/west will provide a strong boundary definition	reversion should also be encouraged, increasing the	
planting and the improvement of the	along the existing watercourse with riparian	occurrence of semi-natural habitats.	
foreground hedgerows	vegetation linking existing blocks and reducing views		
	across the Site to the south/north.	Between Years 1 and 15, the following beneficial effects	
These short-lived construction activities would		will be achieved in terms of Visual Receptors:	
obstruct a significant proportion of the view	Existing hedges	 Grassland reversion around field boundaries and 	
and become a dominant feature. There would	Enhanced hedgerows are proposed to fields C15 and	PRoW	
be a considerable change to the arable land	C18 with the addition of hedgerow trees. These	 Increased woodland/vegetation cover 	
use, but the field boundaries and the	boundaries are to be allowed to grow out and	 A more varied landscape 	
associated tree cover would remain intact.	managed at 5m to further mitigate more distant views	 Improved (more natural) management of exiting 	
There would not be a fundamental change to	of the Site to the southwest.	vegetation	
the surroundings to the south and east of		 Less expanse of intensively managed arable land 	
Thorpe Lane.	Enhanced vegetation either side of Willingham Road	 A less exposed and windswept landscape 	
	will help to strengthen these boundaries and reduced	 Water quality improvements 	
Construction Access	views south across the Site, especially to horse riders.	 Potential animal grazing 	
Viewpoint will not be affected by construction		 Reinstatement of historic field patterns 	
traffic due to the distance between the	The northern boundary of field A1 is to be augmented	 Bird mitigation fields 	
viewpoint and the proposed construction	with the existing hedge infilled as necessary and to be	 Significantly improved biodiversity 	
access.	allowed to grow out and managed to a height of 5m.		
	Proposed hedgerow trees will be added as necessary	Growth of existing and proposed vegetation is assumed to	
Cable Route Corridor	to mitigate views and to help link the blocks of	be:	
Viewpoint is within 0.5km study area and will	woodland, further enhancing the local character.		
experience effects at construction stage.		Woodland/trees and shelterbelts: 2.5m max at Year 1,	
	New hedges	7.5m max at Year 15.	

nissioning

process to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the seline. Effects are those arising from activities for on of the decommissioning including site traffic, vibration from decommissioning activities, dust n and site runoff.

decommissioning, the land is likely to be returned production. The Site will however benefit from the tly enhanced tree and hedgerow planting that has ied out and has begun to mature to create a much and robust landscape, retaining and enhancing the aracter and providing considerable biodiversity ver the years. Bird mitigation fields are likely to be and the potential may exist to retain grass margins ve some varied land use and maintain long-term nents in biodiversity in the local area, all of which it visual receptors.

ndary mitigation considered, the negative effects vsical decommissioning will be balanced out by the landscape and visual effects of this mitigation.



SOLAR PROJECT			[Ref	CICICC. LIN
	Substation This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 1.	 New hedges to parts of the northern boundary of field C3 where these are missing along the boundary. Field C9 also requires a new hedgerow to the northern boundary with these hedgerows containing irregularly spaced native hedgerow trees to augment the tree cover locally and enhance the overall character whilst providing further screening to the Site beyond New boundaries to the east and part of the west are proposed to further enhance the field structure in this area, mitigate views around Turpin's Bungalows and increase the tree cover locally. Successive scrub Blocks of successive scrub are proposed around the boundaries of the woodland blocks and vegetation adjacent to Gypsy Lane, (fields C3 and C5) creating a strong layered effect to this vegetation and integrating it into the grassland beyond. Grassland mixes Adjacent to existing hedgerows and proposed blocks of scattered trees, a tussock grass mix is proposed with a wildflower grass mix under the proposed around ther south and west facing field boundaries as well as a 40m buffers around Turpin's Bungalows. Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	New hedgerows: 0.6m at Year 1 and 3.5m at Year 15. Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15.	
Magnitude	Low	Low	Very Low	Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Neutral & Long Term	Neutral & S
Significance of Effect	Minor Not Significant	Minor Not Significant	Negligible Not Significant	Negligible N

& Short Term

e Not Significant



	In-Combination Effects [Cumulative	Cumulative Effects [Cumulative Developments]
	Sites]	Cumulative Ellects [Cumulative Developments]
	In Summary	In Summary
	There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and existing intervening vegetation cover. Therefore, there no in combination visual effects are anticipated.	The Cumulative Effects upon viewpoint LCC-C-N of the Cumulative Developments is Negligible at year 1 of operation and Negligible limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Developments and proximity to the viewelded and Secondary Mitigation proposed would screen the panels and therefore the effects upon the view are reduced in constrained of the Landscape There would not be the removal of or changes in individual elements or features of the landscape within the character area.
		There would be the introduction of new elements and features comprising the solar panel areas and the substation area within the
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the cumulative deve majority of the 5km study area. This is due to the distance, the intervening woodlands, hedgerows, and tree cover between the Site
		form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 Site/Sites and 0 West Burton Solar Park. This cumulative visibility is set out in further detail within the following figures:
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9]
		The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type or area different is defined by important historic routes and in contrast, the east west minor road network links several historic and distinctive smal the prevailing road network is formed by narrow lanes that are often tranquil and hedged to both sides with wide grassed verges a the quality of the landscape and reducing the visibility across the area.
		Overall Landscape Character and Visual Amenity
		Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of historic settlement with such as Thorpe le Fallows and Coates, which are features value that are not highly recognised for adding intimacy and interest to the landscape and land use have some ability to accommodate change without undue adverse effects. The cumulative visibility for overall character of the landscape and its communications and infrastructure features. Moreover, these features are often set with built form that plays a positive role in reducing the overall cumulative effects.
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1) with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1) with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

ble at year 15 with mitigation. This is due to the ne visual receptor. Existing vegetation and combination.

the character area

evelopments would not be experienced across the Site/Sites. The intervening settlements and built

d Gate Burton Energy Park, Tillbridge Solar and

nt from another. The strategic major road network naller string of settlements across the area. Overall, es and they have a major role in helping to define

with farms, nucleated villages, and small hamlets the landscape. These relevant characteristics of for the Cottam 1 Site/Sites would not alter the within a well-vegetated context or associated with



Viewpoint: LCC-C-P – Corringham Beck

Receptor Baseline:

This viewpoint is located on the unnamed road to the northeast of Corringham, looking directly east over the Cottam 2 Site and south towards the Cottam 1 North Site. The view is also looking north towards the Cottam 3b Site.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising the low-lying, almost flat landscape within the wider context of a rolling broad valley, which is conspicuous in this view. The land use is mainly productive arable farmland with many large fields under single crop. There is deciduous woodland concentrated around Hall Farm and Old Hall to the southwest and further tree cover along Corringham Beck. The topography is mainly flat with some variation to the west of Corringham where the landscape rises towards Mill Farm and its associated windmill at approximately 23m AOD. To the southeast, the landform rises in a similar way to form the setting for Corringham Windmill at approximately 20m AOD. In terms of man-made elements, there are views towards Corringham Grange Farm and The Cottage, which are within the Site/Sites (outside RLB). There are also residential properties at Hall Farm and Old Hall giving the location a settled appearance. Masts and poles are also evident in the view.

Subjective: The viewpoint depicts a medium to small-scale, open landscape, being exposed due to the large field sizes and the limited hedgerow network. In terms of variety, the combination of features includes farmsteads, residential properties, low cut hedgerows, deciduous woodland blocks and hedgerow trees. In terms of colour and texture, the open arable landscape is broken up by hedgerows and tree clumps which adds interest.

Overall: The unnamed road is a feature in the context of its grass verges, and the wider outlook is interesting with views extending east towards the limestone capped scarp slopes. Where there are distant views towards the skyline, they are often punctured by telegraph poles which appear dominant and consistent on the horizon. There is limited tree cover around Aisby to the north and therefore the residential properties stand out in the landscape. The overall experience is a calm and intact landscape, but the presence of poles and other man-made features exert a detracting influence. This is a quiet location with very little passing traffic.

Receptors:

The viewpoint is representative of views for users of the unnamed road to the east of Corringham.

Description of View:

The foreground of the view comprises Field Farm Lane set in the context of an open and expansive arable landscape with hedgerows to each side of the road. Further agricultural fields are visible beyond since this local collection of fields has very few well-established or mature trees. There are also no intermittent residential properties and farmsteads with large scale farm buildings that close down views towards the settlement of Corringham. The middle and long distance therefore yields open visibility across the agricultural fields in all directions. To the right-hand side of the view, there is a field hedgerow with an open arable field and then distant woodland at Corringham Scroggs. To the left, there is some intermittent tree cover along Fields Farm Lane that helps break down the views across the landscape at this particular location and gives a local feeling of enclosure, otherwise the location is exposed.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.9] January 2023





Receptor susceptibility to change	Value of view	Sensitivity	Embeddeo
In terms of forces for change for LCC-C-P, there are aims to protect the open and unsettled character of the landscape from inappropriate development and that tree planting around settlement fringes can help with integration and help contribute to the overall perception of a well treed landscape. The changes from flood risk and engineered solutions are also changing the landscape, but there is potential for landscape restoration projects to assist with mitigation of this change. The potential for river landscape to change is also a key consideration, but there is potential to introduce positive landscape interventions such as biodiversity and nature conservation initiatives. The impact on long distance views from surrounding towns and villages is also a key consideration. Overall, the susceptibility for LCC-C-P is conditioned by the impact of settlement on the edges of the river floodplain, the interventions associated with flood risk, the shifting of river channels, sand and gravel extraction and power and energy infrastructure. There are however also significant benefits to be gained from a range of landscape and biodiversity interventions such as restoration projects.	 <u>Scenic</u>: The road network such as those to the east of Corringham appeals to the visual senses due to adjacent farmsteads at Hall Farm and Old Hall and their tree cover. There is a remote character to this location away from the centre of the village. <u>Cultural</u>: The landscape shows evidence of generally little settlement, other than Corringham. <u>Natural</u>: There are extensive expanses of agricultural landscape, which are carefully managed, resulting in very few areas of semi natural habitat. <u>Recreation and Enjoyment</u>: The footpath network has a local identity, but connections are limited and often severed by the road network in most places. This location shows that footpath (Corr/22/1) forms part of a framework of Corringham but with limited connections to the outlying landscape. <u>Local Distinctiveness and Sense of Place</u>: The landscape has a limited 'sense of place' due to its productive and utilitarian character, however footpath (Corr/22/1) is open along some of its route with few hedgerows, which creates expansive views, and this is the local distinctiveness. <u>Health and Wellbeing</u>: The Unwooded Vales Character Area 4a provides limited areas for recreation due to the distinct lack of PRoW, and this location linking with Corr/22/1 is not well-provided for. <u>Important Spatial Function</u>: The landscape benefits from the high level of visual unity from the extensive arable land use and sparse settlement to interrupt the skyline. Overall, the value of Viewpoint LCC-C-P is shaped by its a geometric modern field systems. There is some time depth associated with the presence of the isolated farmsteads, and the remote tranquil character is a feature of the view, otherwise the landscape presents a simple palette of land uses and features. 	Range of Features: This location comprises the local road network at the edge of a small settlement. This is an open location where the low-cut hedgerows, built form and woodland cover at Hall Farm and Old Hall are evident but otherwise there is a limited range of features in the view. Importance of View: This is an intimate location on the local road network at the edge of a small settlement, which dilutes the level of importance of the view. The view also has a combination of features and the sequence of views across the area towards woodlands that form the approaches to settlements are locally important features. Number of Receptors: This is the local road network at the edge of a small settlement. This route is likely to appeal to local users and those from a wider area may be limited due to this being a small settlement and minor roads.	Embedded M construction, decommission Mitigation is would includ Panels to be Panels to be property bou Panels to be and minimum Panels to be Existing hedge managed to be encouraged to to the field be trees as appr existing hedge Lighting will H battery bank required. Light to vehicle and would be 50N cowls fitted to panelled aread lighting on per The visual effi into account stage (Year 1 will have bee or visual imp
Medium	Medium	Medium	Not Applicab

ed Mitigation

Mitigation would be taken into account at the n, operation (Year 1 and Year 15) and sioning stages of the Scheme. This Embedded is also referred to as primary mitigation and Ide the following measures:

e set a minimum of 15m from adjacent PRoW.

e set a minimum of 50m from adjacent residential oundaries.

e set minimum of 20m from major watercourses um of 8m from minor watercourses.

e set a minimum of 3m from Site boundaries.

dges are to be allowed to grow out and will be o a height of 5m. Hedgerow trees will be l to grow out to add further thickening and growth boundaries with the addition of new hedgerow propriate, randomly spaced along the length of dges.

l be limited to downlights within substations and nks only and used when maintenance or security is ighting will be PIR operated and will be calibrated nd personnel movements. All visible lighting 0W, installed at a maximum height of 4m with l to prevent light spillage. Lighting required within reas will be manually operated. There will be no perimeter fencing.

effects **with only** the Embedded Mitigation taken nt equate to those effects set out for the operation 1) and this includes secondary mitigation which een carried out but will have had limited physical pact at this Embedded Mitigation stage.

able



Viewpoint: LCC-C-P – Corringham Beck Construction **Operation (Year 1) Operation (Year 15)** Activities considered includes, site preparation The foreground of the view comprises Field Farm Lane set in the With secondary mitigation such as planting and grass s / enabling works, construction, and context of an open and expansive arable landscape with hedgerows to being taken into account at the operational stage (Year commissioning with effects such as each side of the road. Further agricultural fields are visible beyond following changes to the landscape would occur and th construction traffic, noise and vibration from since this local collection of fields has very few well-established or effects are set out below. construction activities, dust generation, site mature trees. There are also no intermittent residential properties and By Year 15, the close-mid range views will be enhanced runoff, mud on roads, and the visual intrusion farmsteads with large scale farm buildings that close down views of plant and machinery on site. At the early towards the settlement of Corringham. The middle and long distance addition of trees and hedges with existing hedgerows a stages of the construction stage, ground, and therefore yields open visibility across the agricultural fields in all to grow out and be managed at 5m. Planting will have directions. To the right-hand side of the view, there is a field hedgerow established and will soften the views locally creating a lower-level activities such as the construction of the solar panel areas and associated with an open arable field and then distant woodland at Corringham exposed feel to this area. In the distance, the ridge bey infrastructure and inverters would be partly Scroggs. To the left, there is some intermittent tree cover along Fields valley will sit above proposed and existing planting creating screened due to the presence of foreground Farm Lane that helps break down the views across the landscape at this strong layered effect across the landscape with a hedgerow bordering Thorpe Lane. During the particular location and gives a local feeling of enclosure, otherwise the predominantly wooded horizon where views exist. latter part of the construction stage, views location is exposed. would become available of the elevated This is a relatively close-range view of Cottam 2's weste activities above the hedgerow, but the riparian The effects set out below for Year 1 include secondary mitigation which boundary. vegetation bordering the River Till would will have been carried out, but will have had limited physical or visual provide some screening such that these impact at this stage: Overall: The potential for river landscape and its tribut activities would be confined to a narrower change is a key consideration for mitigation for the Cot section of the view. Scattered tree belt Site, but there is potential to introduce positive landsca A scattered tree belt is proposed to the northern boundary of field H1 interventions such as biodiversity and nature conservat Other works would be undertaken in adjacent to The Cottage reducing views southeast from the unnamed initiatives. The impact on long distance views from sur connection with the construction including road near Corringham Beck. This belt will also provide additional towns and villages is also a key consideration. fencing, gates, boundary treatment and other height and structure to this area which is currently somewhat exposed means of enclosure and works for the to the east with low cut existing hedgerows. Between Years 1 and 15, the following beneficial effects provision of security and monitoring achieved in terms of Visual Receptors: A further strong belt of riparian species trees is proposed to the Grassland reversion around field boundaries a measures such as CCTV and the laying down of internal tracks. There would also be western boundary of Yawthorpe Beck to the east of the Cottam 2 Site. PRoW landscape and biodiversity mitigation works, Although this may not be visible from this viewpoint, being within the Increased woodland/vegetation cover _ including planting and the improvement of the valley, the increased tree cover will enhance the character of the area A more varied landscape _ Improved (more natural) management of exitin foreground hedgerows locally and provide a strong buffer and ecological benefit to the beck along this stretch. vegetation These short-lived construction activities would Less expanse of intensively managed arable la _ obstruct a significant proportion of the view A less exposed and windswept landscape **Shelterbelt** _ and become a dominant feature. There would A 5m shelterbelt is proposed to the western boundary of the Cottam 2 Water quality improvements _ be a considerable change to the arable land Site, infilling where existing vegetation is missing. This will provide a _ Potential animal grazing use, but the field boundaries and the _ Reinstatement of historic field patterns strong boundary and defined field patter, mitigate views and integrate associated tree cover would remain intact. existing disparate vegetation, creating height where the landscape is _ Bird mitigation fields There would not be a fundamental change to somewhat exposed in places. Significantly improved biodiversity the surroundings to the south and east of Thorpe Lane. A shelterbelt to the east of The Cottage and Corringham Grange Farm is Growth of existing and proposed vegetation is assumed proposed to mitigate views east from these properties into the panelled Woodland/trees and shelterbelts: 2.5m max at Year 1, Construction Access areas. The viewpoint will not be affected by max at Year 15. Existing hedgerows construction traffic in the foreground due to the distance between the viewpoint and the Existing hedgerows to the entrance to The Cottage are to be enhanced, New hedgerows: 0.6m at Year 1 and 3.5m at Year 15. proposed construction access. In the far being allowed to grow out, with hedgerow trees added. distance towards Corringham Grange Farm Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. tall vehicles will be in view. Further hedgerow enhancement is proposed to the northern, eastern Shrubs: 0.9m at Year 1 and 5m at Year 15. and western boundaries of field H8, strengthening the field pattern and Cable Route Corridor providing some added height and structure to these boundaries and further breaking up the blocks of panels.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.9] January 2023

	Decommissioning
seeding r 15) the he visual	A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of
d by the allowed e less eyond the eating a	existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.
ataries to ottam 2 ape ation rrounding	Following decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much
ts will be and	stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to
ing and	retain grass margins to preserve some varied land use and maintain long- term improvements in biodiversity in the local area, all of which will benefit
	visual receptors. With Mitigation, the negative effects of the physical decommissioning will be balanced out by the long term landscape and visual effects of this mitigation.
ed to be:	mugation.
, 7.5m	
j.	



	Viewpoint is within 0.5km study area and will experience effects at construction stage. Substation This viewpoint is within the 2km study area. Cottam 1 substation is likely to be visible to the north of this viewpoint above existing vegetation.	 Existing hedgerows are to be enhanced to the south of field H6 allowing this to grow out and be managed to a height of 5m. Additional hedgerow trees are to be provided to create a strong field boundary adjoining an area of proposed planting around an existing pond. Reinforce hedgerow with tree planting at the western and northern boundary of fields H3, H1 and H6 to mitigate views from the Beck and from Corringham. Native Shrub Planting To the south of field H6, the existing pond, ditch and some lone field trees are to be incorporated into a block of native shrub planting in this area creating ecological enhancement whilst integrating disparate landscape features into the overall scene. New hedges New hedgerows with hedgerow trees are proposed around Corringham Grange Farm and The Cottage, mitigating views into the panelled areas and creating a strong buffer to the Scheme. Grassland mixes A flower rich pollinator mix is proposed around the two properties with a meadow set out between the two and an area to the south of Corringham Grange Farm creating a 50 buffer to the ponelled area. Elsewhere, tussock mixes are to be provided to the boundaries of existing and proposed vegetation with the flower rich pollinator mix proposed to south and westerly facing vegetation as well as beneath existing overhead power lines as appropriate. Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 		
Magnitude	Low	Low	Very Low	Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Neutral & Long Term	Neutral & Short Term
Significance of Effect	Minor Not Significant	Minor Not Significant	Negligible Not Significant	Negligible Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	<u>In Summary</u> There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and existing intervening vegetation cover. Therefore, there no in combination visual effects are anticipated.	<u>In Summary</u> The Cumulative Effects upon viewpoint LCC-C-P of the Cumulative Developments is Minor at year 1 o This is due to the limited impact upon the view as a result of the segregated nature of the Sites and C visual receptor. Existing vegetation and Embedded and Secondary Mitigation proposed would screen view are reduced in combination.
		<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or features of the landscape wi
		There would be the introduction of new elements and features comprising the solar panel areas and
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.2 [C6.4.8.15.2.2] which shows that with the Cottam 2 Site, cumulative visibility v experienced across the majority of the 5km study area. This is due to the distance, the intervening we Site/Sites. The intervening settlements and built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely significant effects, betwee cumulative visibility is set out in further detail within the following figures:
		Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6
		<u>Overall Landscape Character of the Unwooded Vales</u> Overall, the character of the Unwooded Vales is shaped by the strong agricultural presence, with wid tranquility. In contrast, the low levels of woodland cover create a relatively open and expansive lands scattered pattern of settlement, linked by a series of minor roads east to west and a more strategic r characteristics of the landscape have some ability to accommodate change without undue adverse e for the Cottam 1 Site/Sites would not alter the overall character of the landscape within the Unwoode
Magnitude	No Change	Construction: Low Operation (Year 1): Low Operation (Year 1) with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1) with only Embedded Mitigation: Minor Not Significant Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant

l of operation and Minor at year 15 with mitigation. d Cumulative Developments and proximity to the een the panels and therefore the effects upon the

within the character area.

nd the substation area within the character area.

y with the cumulative developments would not be woodlands, hedgerows, and tree cover between the

veen the Cottam 2 and Tillbridge Solar. This

[C6.4.8.15.2.8]

vide areas retaining a strong sense of rural adscape comprising an arable land use within a c road network north to south. These relevant e effects. The minor patches of cumulative visibility oded Vales Character Area.



Viewpoint VP1 - Tillbridge Lane

Viewpoint Baseline:

The view is located on Tillbridge Lane at the junction with the B1398 at the Tillbridge Lane Viewpoint and picnic area. The view is looking northwest towards the eastern extent of the Cottam 1 South Site in the foreground with the Cottam 1 North Site beyond.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a low-lying almost flat landscape within the wider context of a broad vale, which is very conspicuous in this view. The view is looking from the Limestone Scarps and Dipslopes Character Area 6a, which then extends as far west as the Wooded Vales Character Area 4b and the Floodplain Valleys Character Area 3a. The land use is mainly productive arable farmland with many of the large fields under single crop. There is deciduous woodland including North Carlton Covert and Scampton Gorse visible in the foreground with other riparian woodland along the course of the River Till as a strong feature on the valley floor. The low-cut hedgerow field boundary to the northwest boundary of the vantage point allows direct views across the open landscape, and the tall trees to each side helps to frame the view. The pattern of open arable fields and strong woodland blocks is a key feature of the view, and the River Till and associated tributaries are also notable due to the riparian vegetation. The river forms a meandering course along the eastern edge of the Site/Sites heading towards Sturton by Stow, and this feature makes a key contribution to the landscape pattern by adding informality to what is a generally geometric (almost formal) arrangement of field patterns and roads. In terms of man-made elements, masts, poles, and electricity pylons are evident in the fore ground and the distance. There is also a contrasting range of settlements (small villages, hamlets, and larger market towns) scattered individual farmsteads and residential dwellings which are mostly shrouded in tree cover, all which add to the pattern of the landscape. Regular geometric blocks of woodland also dominate the views (at Brattleby in particular) and add to the formal qualities of the landscape pattern. Deciduous woodland is clearly visible in the distance and the middle ground has several tree clumps in the central part of the Vale. Elsewhere, the settlement of Willingham by Stow, Stow and Sturton by Stow support woodland and tree cover around their boundaries. The reservoir to the south of Scampton is visible in the foreground of the view with the southern edge of Scampton settlement just being visible.

Subjective: The viewpoint depicts an exposed large-scale landscape, that is extensive due to the nature of the location as a vantage point or vista, which allows panoramic views across the area. In terms of variety, the landscape is uniform and mostly consistent, and the pattern of settlements and woodland cover also adds interest and balance. In terms of texture and colour, the fields are under single crop, and this gives a monochrome appearance to the view, but the woodlands and settlements add colour. The Trent power industry on the far horizon also adds interest to the view. There is an overriding impression of this being a landscape of a vast scale, with far-reaching views that are very pleasant and invigorating. The view has a calm and invigorating quality.

Overall: The view is influenced by the presence of the combination of features in the wider context of the broad vale. The tributary of the River Till is one of the key features due to the presence of localized concentrations of riparian tree cover. The woodland blocks add to this riparian vegetation, giving an overall combination of a heavily wooded landscape. The overall experience is invigorating and very pleasant.

Receptors:

This viewpoint is a dedicated location to appreciate panoramic views at a local well-used location that are available across four East Midlands Regional Landscape Character Areas (3a, 4a, 4b and 6a). The viewpoint provides views for specific observers coming to enjoy the vista, walkers, horse riders and motorists and is known as the Tillbridge Lane Viewpoint'.

Description of View:

The foreground of the view comprises a mixed species hedgerows framing an arable field that slopes towards the west. There is a wide grass verge to the front of the hedgerow that borders the parking area. The presence of the hedgerow breaks up the middle ground of view leaving the distant horizon as the main feature. The foreground is also framed by deciduous trees to each side and the parking spaces are also placed within intermittent tree cover such that views towards the rear of the viewpoint are more filtered than those to the front (west part). In the far distance the landscape forms a flat, low-lying presence where deciduous woodlands such as North Carlton Covert and Scampton Gorse stand out in contrast to the open arable fields. The view mainly highlights the productive arable landscape with large fields and contrasting woodlands visible amongst hedgerows and hedgerows add to the overall wooded context of the landscape due to the elevation of the view. To the right-hand side of the view, the tall hedgerow bordering the parking area close down views in that direction and likewise to the left of the view. The remainder of the horizon is made up of large skies with few vertical features other than the power industry of the River Trent floodplain in the far distance.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.12] January 2023





Receptor susceptibility to change	Value of view	Sensitivity	Embedded
In terms of forces for change for VP1, the flood plains are distinctive features in the context of the River Trent towards the west on the horizon, however, the rivers themselves, such as the River Till are not visually prominent in the wider landscape and are often hidden from view by levees or lack of riparian vegetation. There are also issues with water quality on much of the River Till, caused by run-off from agricultural land, physical modification of the river channel, and discharges from sewage treatment works. Overall, the susceptibility for VP4 is conditioned by by the watercourses where they flow largely unnoticed through the landscape marked only by a fringe of scattered trees and riparian vegetation. However, there is an opportunity to reconnect the rivers with their flood plains and restore and create a mosaic of wetland and flood plain habitats including grazing marsh, pastures, fens, reedbeds, wet woodland and eutrophic standing waters. The relevant characteristics of the landscape therefore have a high susceptibility to change without undue adverse effects given there is scope to manage the link and extend existing habitats and make more space for the natural development of the watercourses and their associated topographical features.	 <u>Scenic</u>: This location offers views over the Unwooded Vales Character Area 4a that comprises a very gently rolling landscape with the foot of the scarp slope in the foreground. This viewpoint provides a rare opportunity to capture views across an expansive landscape from the higher landform fringing the Vales within the Scarps and Dipslope Character Area 6a. <u>Cultural</u>: The landscape shows evidence of historic settlement with farms and nucleated villages and small hamlets. There is a variety of settlement scales and the contrast between the larger market towns such as Gainsborough and the smaller settlements such as Thorpe le Fallows. <u>Natural</u>: The extensive expanses of semi-natural habitat, rivers, and streams are an important landscape feature such as the River Till where the course can be observed within the Unwooded Vales Character Area 4a, by tracing sinuous belts of riparian habit and riverside trees, which cut across the strong geometric landscape. <u>Recreation and Enjoyment</u>: Whilst the landform of the Unwooded Vales Character Area 4a is typically low and subdued, the contrast with the rising landform at the junction with the A1500 (Tillbridge Lane) and (B1398) provides an ideal location where panoramic views are afforded as far as the Floodplain Valleys Character Area 3a. <u>Local Distinctiveness and Sense of Place</u>: This public vantage has a 'strong sense of place' since it is the key destination along the ridgeline, which attracts locals and visitors from wider destinations to appreciate the landscape. <u>Health and Wellbeing</u>: The Unwooded Vales Character Area 4a provides a very limited network of PRoW but there is a concentration of footpaths that lead towards the Tillbridge Lane Viewpoint. These footpaths are mainly located around the settlements of Scampton, North Carlton and Aisthorpe provide connectivity with the landscape of the Till Vale. The linkages include footpath Scmp/35/1 which passes between the A1500 and the se	Range of Features: The location comprises a small car park at the junction of Middle Street and Tillbridge Lane. Although a busy crossing point of two roads, this is a refuge for passing motorists and cyclists to stop and take rest from their travels. The area is set within a small woodland with grassland and picnic benches. Importance of View: This is a well- recognised vantage point where parking and picnic facilities are specifically made available for passers by to stop and enjoy the view. Number of Receptors: This location captures a wide range of receptors due to its location at a busy road junction. The view offers expansive views and is a draw for both locals and visitors to the area. High	Embedded M construction decommission Mitigation is would includ Panels to be Panels to be residential p Panels to be and minimul Panels to be Existing hed managed to encouraged growth to th hedgerow tr length of exi Lighting will battery bank is required. I calibrated to lighting wou with cowls fi within panel be no lightin The visual ef into account operation st mitigation w limited phys stage.
5	5		

ed Mitigation

Mitigation would be taken into account at the on, operation (Year 1 and Year 15) and sioning stages of the Scheme. This Embedded is also referred to as primary mitigation and ude the following measures:

be set a minimum of 15m from adjacent PRoW.

be set a minimum of 50m from adjacent l property boundaries.

be set minimum of 20m from major watercourses num of 8m from minor watercourses.

be set a minimum of 3m from Site boundaries.

edges are to be allowed to grow out and will be to a height of 5m. Hedgerow trees will be ed to grow out to add further thickening and the field boundaries with the addition of new trees as appropriate, randomly spaced along the existing hedges.

ill be limited to downlights within substations and nks only and used when maintenance or security d. Lighting will be PIR operated and will be to vehicle and personnel movements. All visible ould be 50W, installed at a maximum height of 4m fitted to prevent light spillage. Lighting required elled areas will be manually operated. There will ing on perimeter fencing.

effects **with only** the Embedded Mitigation taken nt equate to those effects set out for the stage (Year 1) and this includes secondary which will have been carried out but will have had ysical or visual impact at this Embedded Mitigation



Viewpoint VI	Viewpoint VP1 – Tillbridge Lane				
	Construction	Operation (Year 1)	Operation (Year 15)	Decomm	
	Activities considered includes, site preparation / enabling works, construction, and commissioning with effects such as construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened due to the presence of foreground hedgerow bordering the viewpoint and the distance would also conceal the presence of the panels. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerow, but the riparian vegetation bordering the River Till would provide some screening such that these activities would be confined to a narrower section of the view. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows These short-lived construction activities would not the view or become a dominant feature. There would not be a considerable change to the arable land use, and the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings from this viewpoint. Construction Access Viewpoint will not be affected by construction traffic due to the distance between the viewpoint and the proposed construction access.	The foreground of the view would not alter since the presence of the hedgerow leaves the distant horizon as the main feature. The foreground deciduous trees to each side of the view also closes down visibility and intermittent tree cover within the car park filters the views from this location. In the far distance the flat, low-lying landscape would remain as a feature of the view where deciduous woodlands such as North Carlton Covert and Scampton Gorse stand out in contrast to the open arable fields. The view would continue to highlight the productive arable landscape. The remainder of the horizon is made up of large skies with few vertical elements other than the power industry of the River Trent floodplain in the far distance and this would not change with the introduction of the panel areas. The effects set out below for Year 1 include secondary mitigation which will have been carried out, but will have had limited physical or visual impact at this stage: Scattered tree belt A proposed scattered tree belt is proposed to the western boundary of D22 either side of the existing hedgerow screening views of the more western extents of the Site whilst mitigating views to the east from The Lodge'. Shelterbelt Longer distance views are to be mitigated by the proposed 5m shelterbelt planting adjacent to Thorpe Lane and existing roadside hedgerow. Existing hedgerow surrounding fields D21 and D22 and to the north of field D1 9are to be enhanced with the addition of irregularly spaced hedgerow trees and infilled as necessary to create a layered well-treed landscape and further strengthening the existing field pattern in this area, broken up by existing ditches does not require additional hedge planting.	 With secondary mitigation such as planting and grass seeding being taken into account at the operational stage (Year 15) the following changes to the landscape would occur and the visual effects are set out below. Views to the north and west of the Site will be screened in the close-range through the shelterbelt planting and the enhancement of existing hedges which will be managed to a height of 5m in the middle distance. These augmented hedgerows will provide a series of good quality hedgerows both formally strengthening the existing and historical field pattern and creating a multilayered landscape. Views of the longer distance, where hedgerows to not block these, will be of a layered, well treed landscape with a backdrop of some wooded vegetation in places on the horizon. Both new and existing vegetation will have established and begun to mature, creating a much stronger structure to the landscape, and retaining its overall character of the area. Overall, in terms of mitigation for the Cottam 1 Site/Sites, due to the limited network of public rights of way (PRoW) across the area the aim is to enhance the river corridors and their flood plains for their recreational importance and the Trent is the main river providing a valuable link. The Trent Valley Way in particular, provides a long-distance route. The other notable river is the upper parts of the Witham of which the River Till is a tributary. The aims are to extend the non-road network, especially where it can link people to woodlands and river corridors. Trees and hedgerows make an important contribution and improvements on approaches to villages could improve the identity of the local landscape for the benefit of recreation. Between Years 1 and 15, the following beneficial effects will be achieved in terms of Visual Receptors: Grassland reversion around field boundaries and PRoW Increased woodland/vegetation cover A more varied la	A similar pro Scheme bein of the Site in vegetation a secondary m future basel the duratior noise and vi generation a Following de to arable pro significantly been carried stronger and overall char- benefits over retained and to preserve improvement will benefit v With second of the physi long-term la	
	experience effects at construction stage.	Grassland mixes	 Significantly improved biodiversity 		

nissioning

process to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the seline. Effects are those arising from activities for ion of the decommissioning including site traffic, vibration from decommissioning activities, dust n and site runoff.

decommissioning, the land is likely to be returned production. The Site will however benefit from the tly enhanced tree and hedgerow planting that has ied out and has begun to mature to create a much and robust landscape, retaining and enhancing the aracter and providing considerable biodiversity over the years. Bird mitigation fields are likely to be and the potential may exist to retain grass margins ve some varied land use and maintain long-term nents in biodiversity in the local area, all of which fit visual receptors.

ndary mitigation considered, the negative effects vsical decommissioning will be balanced out by the landscape and visual effects of this mitigation.



Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N
Level of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sh
Magnitude	Very Low	Very Low	Low	Very Low
	and there would be no view of the Substation at Cottam 1.	 panels. Areas of flower rich pollinator mix are proposed around other field boundaries as well as a 10m buffer around existing overhead power lines within field D18 and beyond. Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Year 15. Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15.	
	<u>Substation</u> This viewpoint is outside the 2km study area	Adjacent to existing hedgerows and proposed blocks of scattered trees, a tussock grass mix is proposed with a wildflower grass mix under the proposed	Growth of existing and proposed vegetation is assumed to be:	

Short Term

Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	<u>In Summary</u> There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and existing intervening vegetation cover. Therefore, there no in combination visual effects are anticipated.	<u>In Summary</u> The Cumulative Effects upon viewpoint 1 of the Cumulative Developments is Negligible at year 1 of operat This is due to the limited impact upon the view as a result of the segregated nature of the Sites and Cumu receptor. Existing vegetation and Embedded and Secondary Mitigation proposed would screen the panels reduced in combination.
		<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or features of the landscape within t
		There would be the introduction of new elements and features comprising the solar panel areas and the
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility experienced across the majority of the 5km study area. This is due to the distance, the intervening woodla Site/Sites. The intervening settlements and built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely significant effects, between the Park, Tillbridge Solar and West Burton Solar Park. This cumulative visibility is set out in further detail withi
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15 Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8. Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15
		The landscape is shaped by the wide range of local and strategic road networks, which make one landscap strategic major road network is defined by important historic routes and in contrast, the east west minor distinctive smaller string of settlements across the area. Overall, the prevailing road network is formed by to both sides with wide grassed verges and they have a major role in helping to define the quality of the la area.
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infrastructure is shaped by evidence villages, and small hamlets such as Thorpe le Fallows and Coates, which are features value that are not his to the landscape. These relevant characteristics of the landscape and land use have some ability to accon The cumulative visibility for the Cottam 1 Site/Sites would not alter the overall character of the landscape features. Moreover, these features are often set within a well-vegetated context or associated with built for overall cumulative effects.
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1) with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1) with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

ration and Negligible at year 15 with mitigation. mulative Developments and proximity to the visual hels and therefore the effects upon the view are

in the character area.

ne substation area within the character area

ity with the cumulative developments would not be dlands, hedgerows, and tree cover between the

the Cotton 1 Site/Sites and Gate Burton Energy ithin the following figures:

.15.2.6] .8.15.2.8] .15.2.9]

cape type or area different from another. The or road network links several historic and by narrow lanes that are often tranquil and hedged e landscape and reducing the visibility across the

nce of historic settlement with farms, nucleated highly recognised for adding intimacy and interest commodate change without undue adverse effects. pe and its communications and infrastructure ilt form that plays a positive role in reducing the





Viewpoint VP8 - Stur/80/1

The view is located on PRoW footpath (Stur/80/) looking northeast with the southwestern extent of the Cottam 1 South Site in the foreground and with the Cottam 2 North Site beyond.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a low-lying almost flat landscape within the wider context of a broad vale, which is conspicuous in this view. The land use is mainly productive arable farmland with many of the large fields under single crop. There is deciduous woodland including Thorpe Wood that is only just visible on the distant horizon. The lack of a hedgerow field boundary to each side of the PRoW allows direct views across the open fields towards the north. The pattern of drainage is a key feature at this location where the River Till is notable to the east (right of the view) as it forms a meandering course passing along the boundary and across the Site/Sites. This watercourse crosses beneath the Thorpe Lane just to the east at a local bridge and then takes a meandering course towards the south to pass under Tillbridge Road. The watercourse winds though the landscape and is only just discernable by its tracing of alder and willow trees that soften the skyline. In terms of man-made elements, masts and poles are evident in the distance following the route of Thorpe Lane to the east (right of view) in the foreground residential properties at Fleets Cottage to the east (right of view) add interest in the landscape with scattered farmsteads at Lower Furze Hill and Furze Hill in the distance. The church tower at Brattleby also features to the east (right of view) on the distant horizon. The landscape also feature occasional poplar shelterbelts and occasional ash trees are a feature of the hedgerows. There are also far-reaching views towards the limestone capped ridgeline towards Brattleby and Ingham.

Subjective: The viewpoint depicts an exposed large-scale landscape, that is extensive due to the low-cut hedgerows. In terms of variety, although the landscape is uniform and mostly consistent, it has interest and balance due to the woodland blocks and ash trees within the hedgerows that are strong vertical features. In terms of texture and colour, the fields are mostly under single crop, and this gives a monochrome appearance to the view, however there is an overriding impression of this being an interesting landscape.

Overall: The view is influenced by the presence of the River Till that passes beneath the Thorpe Lane at a local bridge. The watercourse is distinguished by the presence of rusty pastures and localized concentrations of riparian tree cover that soften the skyline in what is an otherwise open and featureless landscape. There are intensive levels of management within this arable landscape that add some decline to the natural qualities of the view, but interesting features remain adding to the overall character. The overall impression are views over a simple calm landscape at a local vantage point on the public footpath network just off Thorpe Lane.

Receptors:

This viewpoint is representative of views for walkers travelling between Fleets Road and Thorpe Bridge.

Description of View:

The foreground of the view is set at the junction of Fleets Lane and Fleets Road where there is a gap in the existing hedgerow that borders the junction and frames views. There is a wide grass verge to the front of the hedgerow. The hedgerow is low-cut, and its presence therefore does not influence the views across the open arable field. In the middle ground, further agricultural fields are visible where dividing hedgerows and small woodland blocks are evident in contrast to the open arable fields. The distant horizon is vast and open with higher landform at Brattleby and Cammeringham that frames the horizon. To the distance tall hedgerows and strong mature trees and woodlands such as Thorpe Wood is also evident in the view. To the right of the view, Fleets Road and its grass verges is a prominent feature and the lack of tree cover within the hedgerows allow extended views along the lane. To the left of the view, Fleets Lane meets with Fleets Road and also have extended views along their length due to lack of hedgerow trees.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.13] January 2023





Receptor susceptibility to change	Value of view	Sensitivity	Embed
In terms of forces for change for VP08, there is	<u>Scenic:</u> This location is the focus of east west local lanes where Fleets Road and Thorpe	<u>Range of Features:</u> The location	Embedde
pressure for built development in villages within	Lane merge in a dog-leg' alignment to form the 'node' provides an opportunity to capture	comprises a short section of public	construct
commuting distance of Lincoln and some of the	views across the landscape from the PRoW footpath (Stur/80/).	footpath that forms a connection	decommi
most sensitive parts of the landscape can be the		between a junction of local lanes at the	Mitigatio
well-edges to the small settlements. Where PRoW	<u><i>Cultural:</i></u> There is evidence of historic settlement with farms and nucleated villages and	edge of a settlement. This is a local	would inc
access is available at these edges of settlements,	small hamlets such as Thorpe le Fallows to the east and Sturton by Stow to the west with	'node' where the minor road network	
along local lanes, then these routes can be	its Grade II listed Church of St Hugh of Avalon. The east west routes that connect these	gives a subtle grain to the landscape	Panels to
susceptible to change especially where they offer	settlements are part of the historic grain of the landscape.	where the roadside hedgerows and	
views between the settlements and the wider		riparian vegetation create a small level	Panels to
landscape. In terms of visual context, this location	<i>Natural:</i> The extensive expanses of semi-natural habitat, rivers, and streams are an	of visual containment.	residentia
is open with low hedgerows and limited tree cover,	important landscape feature such as the River Till where the course can be observed to		
which raises the level of susceptibility to change.	the west by tracing sinuous belts of riparian habit and riverside trees.	<u>Importance of View:</u> This is part of the	Panels to
······································		local footpath network at a location	watercou
Overall , the susceptibility for VP08 is conditioned	<i>Recreation and Enjoyment:</i> Whilst the landform of the Unwooded Vales Character Area 4a is	where the PRoW network is limited	watercou
by the need to retain the character of the PRoW	typically low and subdued, rising landform often provides locations where glimpses of	giving a reliance on the local lanes for	
network within the context of the smaller	neighbouring elevated land are sufficient to add to the recreation and enjoyment of the	informal recreation. This being a short	Panels to
settlements, and especially where these routes	area. These locations occur around Thorpe le Fallows and along Thorpe Lane.	section of footpath in a landscape	
also form part of the network of local lanes. This is		which is otherwise devoid of footpath	Existing h
an open location which offers wide views. The	Local Distinctiveness and Sense of Place: The landscape has a 'strong sense of place' with	connections raises the level of	managed
relevant characteristics of the landscape therefore	major landform features flanking the lower lying areas creating a broad scale visual	importance of the view.	encourag
have limited ability to accommodate change	containment along the ridgeline to the east at Cammeringham, Ingham and Fillingham.		growth to
without undue adverse effects.		Number of Receptors: This location	hedgerow
	<u>Health and Wellbeing:</u> The Unwooded Vales Character Area 4a provides a very limited	captures a limited range of receptors	the lengt
	network of PRoW with a dependence on the more direct arterial routes that run east to	and is primarily a draw for local	
	west across the area such as Thorpe Lane. Where footpaths exist, they are a valuable	residents. The location is unlikely to	Lighting v
	resource for health and well-being.	capture a high number of visitors from	and batte
		a wider area as there is little	security is
	Important Spatial Function: Despite the low levels of woodland cover, the landscape	opportunity to park on the narrow	be calibra
	benefits from high levels of visual containment. However, at this location there are low	lanes and walk from here.	visible lig
	hedgerows with very few trees allowing uninterrupted views across the low-lying		height of
	landscape.		Lighting r
			operated
	Overall , the value of Viewpoint VP08 is shaped by this local confluence of roads at the		operatea
	junction between Thorpe Lane and Fleets Road, that provides a local point of interest and		The views
	the opportunity to capture views to higher landform fringing the Vales. These 'nodes'		The visua taken inte
	support intact hedgerows and belts of riverside trees, but there is little other vegetation to		
	give a feeling of intimacy, enclosure and 'sense of place'.		operation
			mitigation
			had limite
Llich to Modium	Madium	Lich to Modium	Mitigation
High to Medium	Medium	High to Medium	Not Appli

dded Mitigation

ded Mitigation would be taken into account at the uction, operation (Year 1 and Year 15) and missioning stages of the Scheme. This Embedded tion is also referred to as primary mitigation and include the following measures:

to be set a minimum of 15m from adjacent PRoW.

to be set a minimum of 50m from adjacent ntial property boundaries.

to be set minimum of 20m from major courses and minimum of 8m from minor ourses.

to be set a minimum of 3m from Site boundaries.

g hedges are to be allowed to grow out and will be ged to a height of 5m. Hedgerow trees will be raged to grow out to add further thickening and to the field boundaries with the addition of new row trees as appropriate, randomly spaced along igth of existing hedges.

g will be limited to downlights within substations attery banks only and used when maintenance or y is required. Lighting will be PIR operated and will brated to vehicle and personnel movements. All lighting would be 50W, installed at a maximum of 4m with cowls fitted to prevent light spillage. g required within panelled areas will be manually ed. There will be no lighting on perimeter fencing.

ual effects **with only** the Embedded Mitigation nto account equate to those effects set out for the ion stage (Year 1) and this includes secondary ion which will have been carried out but will have nited physical or visual impact at this Embedded ion stage. plicable



Viewpoint VP8 - Stur/20/1

point VP8 – Stur/80/1			
Construction	Operation (Year 1)	Operation (Year 15)	Decom
Activities considered includes, site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be screened due to the presence of intervening	The foreground of the view where there is a gap in the existing hedgerow would not change. The wide grass verge to the front of the hedgerow would also remain a feature of the view. The views across the open arable field would also not change. In the middle ground, further agricultural fields are visible, but the dividing hedgerows and small woodland blocks would conceal the presence of the panel areas in the open arable fields due to the layering effect of the vegetation. The distant horizon would remain as a feature with higher landform at Brattleby and Cammeringham continuing to frame the horizon. To the distance tall hedgerows and strong mature trees and woodlands such as Thorpe Wood would also remain as a feature of the view.	With secondary mitigation such as planting and grass seeding being taken into account at the operational stage (Year 15) the following changes to the landscape would occur and the visual effects are set out below. Views to the north and east will be significantly more enclosed creating a more varied and interesting route along this section of the PRoW. The	A similar p the Schem assessme existing ve primary a establishe arising fro decommis vibration f generation Following
hedgerows and woodland cover. During the latter part of the construction stage, views would become available of the elevated	been carried out, but will have had limited physical or visual impact at this stage: Scattered tree belt	close-range views to the north will be mitigated by a strong shelterbelt screening the proposed Scheme	returned t benefit fro hedgerow
activities above the hedgerows, but the distance and the riparian vegetation bordering the River Till would provide some screening such that these activities would be confined to a narrower section of the view.	A strong belt of scattered trees is proposed to the eastern boundary of the River Till, set adjacent to but a minimum of 20m from the watercourse. This belt will significantly enhance this open and exposed area whilst creating a strong ecological corridor and mitigating views into the Site from Thorpe Road and views from the west. This belt is to run north from Thorpe Road to the north of field D10 where it joins existing vegetation at this point.	whilst scattered trees planting in a belt along the River Till will add considerable structure to the area. By year 15, this vegetation will be well established with hedgerows maintained to 5m and intermittent	begun to landscape and provid years. Bird the poten preserve
Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures	The tree belt will break to cross the river and will then follow along its western edge in field D9 creating an overall belt of trees of some 1000m running north/south.	tree cover creating a more diverse landscape across the longer distance views with a partially wooded horizon over the valley.	improvem which will With seco effects of
such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows	A block of scattered trees is proposed to the eastern extent of Fleets Cottages which lies in field D8 mitigating views to the east. <u>Shelterbelt</u> A shelterbelt is proposed to the south of field D9 which will mitigate views into this part of the Site from the PRoW and other roads to the south.	Overall , in terms of mitigation for the Cottam 1 Site/Sites, due to the limited network of public rights of way (PRoW) across the area the aim is to enhance the river corridors and their flood plains for their	out by the mitigation
These short-lived construction activities would obstruct a narrow proportion of the view and would not be a dominant feature due to the layering provided by the existing trees and woodland cover. There would be no noticeable change to the arable land use, since the field boundaries and the associated	This shelterbelt will join the scattered tree line adjacent to the River Till and create a much more defined landscape where this is currently very open. <u>Existing hedges</u> An existing hedgeline to the east of Fleets Cottages is to be enhanced with irregularly spaced hedgeline trees and infilled as necessary to mitigate views	recreational importance and the Trent is the main river providing a valuable link. The Trent Valley Way in particular, provides a long- distance route. The other notable river is the upper parts of the Witham of which the River Till is a	
tree cover would remain intact. There would not be a fundamental change to the surroundings to north, west and east of this location.	from this property and views from the south and southwest. The existing hedgerow to the north of this field will further break up the bulk of the panels as well as reinforce the historical field patterns. Existing hedges to the north, west and south of field D7 are also to be enhanced	tributary. The aims are to extend the non-road network, especially where it can link people to woodlands and river corridors. Trees and hedgerows make an	
Construction Access All throughout the construction stage the viewpoint will be affected due to Thorpe Lane having a point of access into the Cottam 1 South Site through field D10.	breaking up views to the north and strengthening the historic field pattern. Further north field boundaries to fields D2 and D3 are also enhanced. <u>New Hedges</u> New hedgerows are proposed around field D3 where none exist to the north and to the east adjacent to the existing ditch.	important contribution and improvements on approaches to villages could improve the identity of the local landscape for the benefit of recreation.	
Cable Route Corridor	Grassland mixes	There is an opportunity for new tree/scrub planting (goat willow,	

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.13] January 2023

nmissioning

ar process to that of construction stage, but with neme being no longer operational. This is an ment of the Site in winter but assumes retention of vegetation and builds upon the proposed and secondary mitigation that had been shed as the future baseline. Effects are those from activities for the duration of the missioning including site traffic, noise and on from decommissioning activities, dust tion and site runoff.

ing decommissioning, the land is likely to be ed to arable production. The Site will however from the significantly enhanced tree and ow planting that has been carried out and has to mature to create a much stronger and robust ape, retaining and enhancing the overall character oviding considerable biodiversity benefits over the Bird mitigation fields are likely to be retained and tential may exist to retain grass margins to ve some varied land use and maintain long-term ements in biodiversity in the local area, all of will benefit visual receptors.

econdary mitigation considered, the negative of the physical decommissioning will be balanced the long-term landscape and visual effects of this ion.



SOLAR PROJECT			[Keielei	ICE, LINU
Magnitudo	Viewpoint is outside of the 0.5km study area. Substation This viewpoint is within the 2km study area however Cottam 1 Substation would not be visible.	A minimum 10m buffer either side of the existing waterways is to be seeded with a tall herb mix to create visual interest and ecological benefits around these waterways. A large block of tall herb mix is proposed to the eastern extent of D10 creating a strong buffer adjacent to the River Till. A tussock mix is proposed to the base of existing and proposed hedgerows along Thorpe Road, linking up with a block of tussock mix north of the War Memorial Site. A tussock mix will border existing hedgerows with flower rich pollinator mix to the southern aspects of hedgelines in fields D9 and surrounding D10. Adverse effects: - Panels and structures across the landscape - Increased hard standing areas - Increased traffic locally - Some minor light pollution within open countryside - Substation, Battery storage and other associated infrastructure structures visible above existing vegetation	 hawthorn, alder, and alder buckthorn) along rivers, streams and ditches to increase their presence in the landscape. Between Years 1 and 15, the following beneficial effects will be achieved in terms of Visual Receptors: Grassland reversion around field boundaries and PRoW Increased woodland/vegetation cover A more varied landscape Improved (more natural) management of exiting vegetation Less expanse of intensively managed arable land A less exposed and windswept landscape Water quality improvements Potential animal grazing Reinstatement of historic field patterns Bird mitigation fields Significantly improved biodiversity Growth of existing and proposed vegetation is assumed to be: Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Year 15. Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. 	
Magnitude	Low	Low	Low	Low
Level of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term	Neutral 8
Significance of Effect	Minor Not Significant	Minor Not Significant	Minor Not Significant	Negligibl

al & Short Term

gible Not Significant



viewpoint Vi	28 – Stur/80/1	
	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	<u>In Summary</u> There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and existing intervening vegetation cover. Therefore, there no in combination visual effects are anticipated.	In Summary The Cumulative Effects upon viewpoint 8 of the Cumulative Developments is Negligible at year 1 of operation an due to the limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Develo Existing vegetation and Embedded and Secondary Mitigation proposed would screen the panels and therefore t combination.
		<i><u>Fabric of the Landscape</u></i> There would not be the removal of or changes in individual elements or features of the landscape within the cha
		There would be the introduction of new elements and features comprising the solar panel areas and the substa
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, he The intervening settlements and built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotto Tillbridge Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the following
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9]
		The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type major road network is defined by important historic routes and in contrast, the east west minor road network lin of settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are often tra grassed verges and they have a major role in helping to define the quality of the landscape and reducing the visit
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of hist and small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised landscape. These relevant characteristics of the landscape and land use have some ability to accommodate cha cumulative visibility for the Cottam 1 Site/Sites would not alter the overall character of the landscape and its con Moreover, these features are often set within a well-vegetated context or associated with built form that plays a effects.
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1) with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1) with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

and Negligible at year 15 with mitigation. This is elopments and proximity to the visual receptor. re the effects upon the view are reduced in

character area.

station area within the character area

h the cumulative developments would not be s, hedgerows, and tree cover between the Site/Sites.

otton 1 Site/Sites and Gate Burton Energy Park, lowing figures:

2.8]

ype or area different from another. The strategic k links several historic and distinctive smaller string tranquil and hedged to both sides with wide visibility across the area.

historic settlement with farms, nucleated villages, sed for adding intimacy and interest to the change without undue adverse effects. The communications and infrastructure features. s a positive role in reducing the overall cumulative



Viewpoint VP14 - Ingham Road

Viewpoint Baseline:

The view is located just off Ingham Road on a local green lane, looking south towards the northern extent of the Cottam 1 South Site and north towards the western extent of the Cottam 1 North Site.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a low-lying, flat landscape where the wider context of a broad vale is hardly evident due to the tall hedgerows in the foreground. These tall hedgerows also help to reduce the sense of scale and add intimacy at this location. The land use is mainly productive arable farmland but with a local collection of smaller scale fields associated with the settlement of Stow to the east and Stow Pasture to the west. This local green lane forms part of this framework of the smaller scale field system that is generally concentrated in a 'ladder like' arrangement to the north of Ingham Road. These smaller scale fields are only distinguished in views from Ingham Road by the tree cover in the field boundary hedgerows. In terms of man-made elements, the main influences are the residential properties fronting the north side of Ingham Road including the flat-topped houses that are a typical feature of this landscape. Other flat-topped houses are located nearby just to the northwest of this green lane off Normanby Road to the south of East Farm at Normanby by Stow. Some of the residential properties along Ingham Road have large-scale agricultural buildings which adds to the built form, but these properties are mainly located to the south of the view behind the tall hedgerows. Ingham Road crosses the area in an east west direction with a clear straight alignment and meets with Fleets Lane at right angles. Fleets Lane is also prominent in the landscape but is not evident in the view. Mast poles are also visible from this location through gaps in the hedgerow standing out on the immediate horizon (right of view).

Subjective: The viewpoint depicts a medium to large-scale, enclosed landscape divided by arable fields and some pasture. In terms of variety, the combination of features is limited to tall hedgerows with few trees. There are some distinctive tree clumps to the northwestern of this location associated with the tributaries and land drains of the River Till but their presence is hardly evident due to the foreground hedgerows. In terms of variety, the landscape is simple but balanced and wellmanaged giving the impression of an ordinary landscape. In terms of colour and texture, some colour is evident within the bordering hedgerows which adds interest. The hedgerows are however mostly closely cut which creates a sterile context to an otherwise attractive landscape.

Overall: The view is pleasant and typical to the character of the green lanes in this locality, where there are tall dense hedgerows with a strong feeling of intimacy and enclosure. There are a number of extended gaps in these hedgerows that allow for direct, but framed views across the arable landscape adding some interest. The overall experience of this view is pleasant but also bland due to the straight direction framed by hedgerows to each side, creating a 'tunnel like' experience. The bordering fields however are softer and add some sense of intimacy, which helps to mitigate the lack of appreciation of the wider landscape.

Receptors:

This viewpoint is representative of views for walkers using the local green network for passive recreation. This is not a PRoW or permissive path. This green lane extends from Ingham Road in the south to connect with a further green lane to the north at a local bridge crossing over the River Till.

Description of View:

The foreground of the view is set in the context of a local green lane that is bordered to each side by tall hedgerows. There are very few gaps within the hedgerows and so the location is enclosed with very limited extended visibility other than along the green lane itself towards the north. The hedgerows are dense and their presence masks the presence of the arable fields that lie beyond. Middle ground views are only glimpsed at the end of the lane and distant views are not experienced from this location. To the right of the view, there is a local collection of grassland fields divided by tall hedgerows and mature tree cover, but they are hardly evident due to the presence of the dense hedgerow. To the left of the view, there is a series of large-scale arable fields but they are also concealed behind the hedgerow.



Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.14] January 2023



Receptor susceptibility to change	Value of view	Sensitivity	Embedded N
In terms of forces for change for VP14, there is pressure on footpath networks especially those in close proximity to settlements within commuting distance of Lincoln. Access to the PROW network is already limited in this location and the connections are scarce, and this is a green lane. In terms of visual context, this location is enclosed by tall hedgerows and ribbon development along Ingham Lane. The opportunity to capture views of the skylines, woodlands, watercourses and river corridors (which are key features of this locality) is not available, and this location is therefore not particularly vulnerable to landscape change. Overall , the susceptibility for VP14 is conditioned by the sensitivity of the rural roads and minor tracks and green lanes which connect between them. This is an enclosed location which offers limited views. The relevant characteristics of the landscape therefore have some ability to accommodate change without undue adverse effects.	 <u>Scenic</u>: Agriculture is the dominant land use, with most of the land being used for growing cereals, oilseeds and other arable crops. The landscape reveals views of an open nature beneath vast skies that are often extensive and uninterrupted, but some views are enclosed and accessed via a green lane network. <u>Cultural</u>: A predominantly rural and sparsely settled area with small villages and dispersed farms and residential dwellings linked by long straight roads (such as Ingham Road) and a network of minor tracks (such as the green lane) which connect with the River Till and its tributaries. <u>Natural</u>: Very little semi-natural habitat remains across the area, apart from habitat associated with the River Till and its tributaries, and green lanes which link to this asset are an important feature of the landscape. <u>Recreation and Enjoyment</u>: The public right of way (PRoW) network is limited apart from a few north south routes that connect between the long straight roads running east to west across the area. Where local green lanes can supplement this network, this should be recognized. <u>Local Distinctiveness and Sense of Place</u>: A regular pattern of medium to large fields are enclosed by hawthorn hedges. Where the recreational network gives access to appreciate this feature this gives a strong sense of identity to views. <u>Health and Wellbeing</u>: Access to these remote areas is mainly confined to the long, straight roads since PRoW connections are limited across the area, but where green lanes and footpath and bridleway network are important to this spatial function. Overall, the value of Viewpoint VP14 is shaped by this area being extensively farmed over a long period, where very little semi-natural habitat remains and the agricultural intensification has diminished the 'sense of place' and provide extended access to other features such as the River Till and its associated habitats. 	Range of Features: This location comprises a green lane that forms a north-south connection between the east-west minor road network and a local farm track. This is an enclosed location bordered by high hedgerows in the context of built from with a limited range of features. Importance of View: This is part of a local green lane network at a location where the views capture little appreciation of the surrounding countryside. This being a green lane however does raise the level of importance of the view. Number of Receptors: This location captures a limited range of receptors and is primarily a draw for local residents. The location is unlikely to capture a high number of visitors from a wider area as there is little opportunity to park on the narrow lanes or incentive/inspiration to walk from here.	Embedded Miti, construction, op decommissioni Mitigation is als include the follo Panels to be set property bound Panels to be set minimum of 8m Panels to be set managed to a h to grow out to a boundaries with appropriate, rathedges. Lighting will be battery banks of required. Lighti vehicle and per 50W, installed a prevent light sp will be manually perimeter fenci The visual effect account equate (Year 1) and this been carried ou impact at this E
Medium	Medium to High	Medium to High	Not Applicable

Mitigation

itigation would be taken into account at the operation (Year 1 and Year 15) and ning stages of the Scheme. This Embedded also referred to as primary mitigation and would llowing measures:

set a minimum of 15m from adjacent PRoW.

set a minimum of 50m from adjacent residential ndaries.

set minimum of 20m from major watercourses and 8m from minor watercourses.

set a minimum of 3m from Site boundaries.

es are to be allowed to grow out and will be a height of 5m. Hedgerow trees will be encouraged add further thickening and growth to the field vith the addition of new hedgerow trees as andomly spaced along the length of existing

e limited to downlights within substations and only and used when maintenance or security is ting will be PIR operated and will be calibrated to ersonnel movements. All visible lighting would be l at a maximum height of 4m with cowls fitted to spillage. Lighting required within panelled areas Illy operated. There will be no lighting on cing.

ects **with only** the Embedded Mitigation taken into te to those effects set out for the operation stage his includes secondary mitigation which will have out but will have had limited physical or visual Embedded Mitigation stage.



View

VP14 – Ingham Road					
Construction	Operation (Year 1)	Operation (Year 15)	Decommissioning		
Activities considered includes, site	The foreground of the view would not change and continue to be set	With secondary mitigation such as planting and grass seeding	A similar process to that of construction		
preparation / enabling works, construction,	in the context of a local green lane that is bordered to each side by tall	being taken into account at the operational stage (Year 15)	stage, but with the Scheme being no lor		
and commissioning with effects such as	hedgerows. There are very few gaps within the hedgerows and so the	the following changes to the landscape would occur and the	operational. This is an assessment of th		
construction traffic, noise and vibration	presence of any panels would not be evident from this location. The	visual effects are set out below.	in winter but assumes retention of exis		
from construction activities, dust	hedgerows are dense and their presence masks the presence of the		vegetation and builds upon the propos		
generation, site runoff, mud on roads, and	arable fields that lie beyond. Middle ground views would remain as	Views of Thorpe Wood may be evident where visibility permit	primary and secondary mitigation that		
the visual intrusion of plant and machinery	being glimpsed at the end of the lane and distant views are not	in the distance looking southeast with other local woodland	been established as the future baseline		
on site. At the early stages of the	experienced from this location so they would not alter. To the right of	sitting over the horizon. To the northeast, the general cover	Effects are those arising from activities		
construction stage, ground and lower-level	the view, the local collection of grassland fields divided by tall	will be increased with mid-range views of the Site's southern	the duration of the decommissioning		
activities such as the construction of the	hedgerows and mature tree cover would remain as being hardly	vegetation and some distant woodlands beyond making up	including, site traffic, noise and vibratio		
solar panel areas and associated	evident due to the presence of the dense hedgerow. To the left of the	the horizon. The mitigation would allow hedgerow trees to	from decommissioning activities, dust		
infrastructure and inverters would be	view, the series of large-scale arable fields would remain as being	grow out to give the environment a natural feel and have a	generation and site runoff.		
screened due to the presence of the	concealed behind the hedgerow.	softer edge facing the green lane.			
intervening hedgerows. During the latter	The effects set out below for Veer 1 include secondary mitigation	Querall in terms of mitigation for the Cattam 1 Site/Sites	Following decommissioning, the land is		
part of the construction stage, views would become available of the elevated activities	The effects set out below for Year 1 include secondary mitigation	Overall, in terms of mitigation for the Cottam 1 Site/Sites,	to be returned to arable production. The		
	which will have been carried out, but will have had limited physical or visual impact at this stage:	due to the limited network of public rights of way (PRoW) across the area the aim is to enhance the river corridors and	will however benefit from the significate enhanced tree and hedgerow planting		
above the hedgerows, but the riparian vegetation bordering the River Till would	visual impact at this stage.	their flood plains for their recreational importance and the	has been carried out and has begun to		
provide some screening such that these	<u>Scattered tree belt</u>	Trent is the main river providing a valuable link. The main aim	mature to create a much stronger and		
activities would be confined to a narrow	Looking northeast from this viewpoint towards the Cottam 1 West	is also to enhance the woodland and hedgerow network	landscape, retaining and enhancing th		
section of the view.	Site, a number of scattered tree belts are proposed around the River	through the planting of small woodlands, tree belts,	overall character and providing consid		
section of the view.	Till setting the proposed Scheme back 50m from the watercourse.	hedgerow trees and new hedgerows to benefit landscape	biodiversity benefits over the years. Bi		
Other works would be undertaken in		character. Creating grass margins in arable fields is also a key	mitigation fields are likely to be retained		
connection with the construction including	Belts are proposed within fields E1, E2 and to the eastern extents of	priority, including increasing the amount of flower rich areas,	the potential may exist to retain grass		
fencing, gates, boundary treatment and	D4. These tree belts will provide height and interest across the	hedgerows and species rich grasslands. Planting new	margins to preserve some varied land		
other means of enclosure and works for	landscape whilst helping to define the route of the river with the	hedgerows to restore historic field patterns and creating	and maintain long-term improvement		
the provision of security and monitoring	addition of some riparian vegetation. These belts will act as a buffer	habitat linkages is also appropriate to counteract the threat	biodiversity in the local area, all of whi		
measures such as CCTV and the laying	to, and screen views of the panels from the watercourse.	to the landscape character and biodiversity.	benefit visual receptors.		
down of internal tracks. There would also					
be landscape and biodiversity mitigation	<u>Shelterbelt</u>	Between Years 1 and 15, the following beneficial effects will	With secondary mitigation considered		
works, including planting and the	A shelterbelt is proposed to the western boundary of field E1 to	be achieved in terms of Visual Receptors:	negative effects of the physical		
improvement of the foreground	augment the existing vegetation on this boundary to mitigate views of	 Grassland reversion around field boundaries and 	decommissioning will be balanced out		
hedgerows	the Scheme from the west and from Ingham Road.	PRoW	long term landscape and visual effects		
		 Increased woodland/vegetation cover 	mitigation.		
These short-lived construction activities	Existing hedges	 A more varied landscape 			
would obstruct a small portion of the view	Existing vegetation around fields F2 and F7 is to be retained, helping	 Improved (more natural) management of exiting 			
and would not result in a change to the	to screen Site/Sites beyond the river Till.	vegetation			
views's composition. There would be a small change to the arable land use, but	Elsewhere existing hedgerows that require enhancement will be	 Less expanse of intensively managed arable land A less exposed and windswept landscape 			
the field boundaries and the associated	grown out and managed to a height of 5m with the introduction of	 A less exposed and windswept landscape Water quality improvements 			
tree cover would remain intact such that	irregularly spaced hedgerow trees along their length to increase tree	 Potential animal grazing 			
alterations to the baseline would not be	cover locally, help to mitigate views into the Site/Sites and strengthen	 Reinstatement of historic field patterns 			
readily noticeable from this location. There	both the character area and the historic field patterns.	 Bird mitigation fields 			
would not be a fundamental change to the		 Significantly improved biodiversity 			
surroundings to the west of Ingham Road.	Enhanced hedges are to be introduced to the western and southern				
	boundaries of field E5 and E6 as well as the northern boundary of	Growth of existing and proposed vegetation is assumed to			
Construction Access	field E2.	be:			
All throughout the construction stage the					
viewpoint will be affected due to the local	To the south of the Ingham Road, enhanced hedgerows will be	Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m			
road just off of Ingham Road providing	provided to the northern and southern boundaries of Field D3 and	max at Year 15.			
access for construction vehicles into fields	the southern boundary of D2.				
E3 and E4.		New hedgerows: 0.6m at Year 1 and 3.5m at Year 15.			

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.14] January 2023



	Cable Route Corridor Viewpoint is outside of the 0.5km study area. Substation This viewpoint is within the 2km study area. There are potential views of Cottam 1 substation beyond Normanby Gorse woodland.	 New hedges New hedgerows are proposed as necessary where none exist to help to mitigate view of the Scheme and will me managed to a height of 5m and contain native hedgerow trees. A new hedge will be provided to the northern boundary of field D2 and one between fields D2 and D3 adjacent to the existing vegetation and the ditch, fully enclosing this small block. <u>Turtle Dove mitigation</u> A large area of Turtle Dove habitat is to be provided in fields F1, 2 and 7 as well as further east in field E6. <u>Grassland mixes</u> A 20-30m margin of tall herb mix will be provided either side of the River Till with existing groundcover vegetation being retained to the river edges as appropriate. Fields D2 and D3 and fields D7 and D9 are to be restored to provide floodplain meadow incorporating suitable species. Elsewhere, a tussock mix will be sown adjacent to existing and proposed vegetation with a flower rich pollinator mix provided on south and west facing boundaries and other areas as appropriate. Adverse effects: Panels and structures across the landscape Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15.	
Magnitude	Low	Low	Low	Very Low
Level of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term	Neutral & Short Term
Significance of Effect	Minor Not Significant	Minor Not Significant	Minor Not Significant	Negligible Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	In Summary There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and existing intervening vegetation cover. Therefore, there no in combination visual effects are anticipated.	In Summary The Cumulative Effects upon viewpoint 14 of the Cumulative Developments is Negligible at year 1 of operation and N the limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Developments and vegetation and Embedded and Secondary Mitigation proposed would screen the panels and therefore the effects up <i>Eabric of the Landscape</i> There would not be the removal of or changes in individual elements or features of the landscape within the character There would be the introduction of new elements and features comprising the solar panel areas and the substation a Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C64.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the cu experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedge intervening settlements and built form would also curtail cumulative visibility. There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 S Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the following figures: Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type or a road network is defined by important hist
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of historic small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised for addin relevant characteristics of the landscape and land use have some ability to accommodate change without undue adv Cottam 1 Site/Sites would not alter the overall character of the landscape and its communications and infrastructure within a well-vegetated context or associated with built form that plays a positive role in reducing the overall cumulat
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1) with only Embedded Mitigation: Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

l Negligible at year 15 with mitigation. This is due to nd proximity to the visual receptor. Existing upon the view are reduced in combination.

icter area.

n area within the character area

cumulative developments would not be Igerows, and tree cover between the Site/Sites. The

Site/Sites and Gate Burton Energy Park, Tillbridge

r area different from another. The strategic major al historic and distinctive smaller string of and hedged to both sides with wide grassed verges rea.

ric settlement with farms, nucleated villages, and Iding intimacy and interest to the landscape. These dverse effects. The cumulative visibility for the re features. Moreover, these features are often set lative effects.



Viewpoint VP16 – Bridleway Camm/31/1 and Ingham Road, Furze Hill

Viewpoint Baseline:

The view is located at the junction with PRoW, bridleway Camm/31/1 and Ingham Road Furze Hill, looking south towards the Cottam South 1 Site and north towards the Cottam I North Site.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a low-lying almost flat landscape within the wider context of a broad vale, which is very conspicuous in this view. The land use is mainly productive arable farmland with many of the large fields under single crop. There is some deciduous woodland including a large, irregular woodland block to the west of Cammeringham known as Cammeringham Low Covert, Brattleby Gorse and Thorpe Wood that are just visible to the southeast (left of view), woodland around the settlement of Thorpe le Fallows and poplar shelterbelts also punctuate the landscape. The pattern of drainage is a feature at this location and the tributaries of the River Till takes a meandering course along the eastern edge and across the Site/Sites. The watercourse winds though the landscape and is hardly discernable except for a minor tracing of alder and willow trees. In terms of man-made elements, Squire's Bridge with its associated concrete parapet, box piers and scaffold railings create an industrial appearance. These bridge crossings are typical of this landscape and the lack of tree cover immediately around them (and along the banks of the River Till) to mitigate flood attenuation is also a typical feature, but this assists in providing open views across the arable fields in all directions. The agricultural and farmstead buildings at Furze Hill and Lower Furze Hill are just evident in the foreground and there are distant views towards the settlement of Stow and Sturton by Stow across the flat landscape.

Subjective: The viewpoint depicts an exposed, large-scale landscape, that is open in nature due to the absence of hedgerow trees and woodland cover in the foreground. In terms of variety, the landscape is uniform and mostly consistent, it also lacks interest other than the bridge crossings that lends a distinctive 'sense of place' along the otherwise straight and often repetitive road network. These views also extend as far as the Limestone Scarps and Dipslopes Character Area 6a where the woodlands at Cammeringham and Brattleby form a distinctive feature on the horizon. In terms of texture and colour, the fields are under single crop, and this gives a monochrome appearance.

Overall: The viewpoint is influenced by the presence of the long straight alignment of Ingham Road. The River Till is just to the west of this viewpoint, where it passes beneath Squire's Bridge as a local bridge crossing and notable feature that breaks the monotony of Ingham Road. The watercourse is distinguished by the presence of its tree cover in what is an otherwise open landscape with a strong presence of woodland in the distance. The riparian woodland that follows the meandering course of the River Till is the distinctive feature as well as the wide grass verges on Ingham Road. The intensive levels of management within this arable farmland add decline to the natural qualities of the view, but the overall impression is that of a simple, calm and muted landscape with some interesting features.

Receptors:

This viewpoint is representative of views available to walkers, motorists and residents travelling from Stow, Ingham, and Cammeringham along Ingham Road. The viewpoint is also representative of users of the bridleway (Camm/31/1) that heads south from Ingham Road in a 'dog-leg' alignment to meet with Thorpe Lane in the south.

Description of View:

The foreground of the view is set in the context of Ingham Road that is bordered to each side by agricultural land. There is also Furze Hill, which is a residential property and farmstead set to the south side of Ingham Road. Ingham Road passes in an east-west direction between Stow and Ingham. There are some gaps in the hedgerows, and they are low cut allowing extended visibility towards the north, but visibility towards the south is curtailed by the presence of the farmstead and associated agricultural buildings. Middle ground views follow the alignment of Ingham Road and lead the eye towards the small settlement of Stow Pasture and its associated vegetation. To the right of the view, the shelterbelt and woodlands associated with Coates are strong features and close down visibility in this direction. To the left of the view, the landscape is punctuated by the tree planting along the course of the River Till, otherwise the landscape is lacking in woodland other than the hedgerows that support some individual tree cover.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.15] January 2023





Receptor susceptibility to change	Value of view	Sensitivity	Embedded
Receptor susceptibility to change In terms of forces for change for VP16, there is pressure on bridleway networks especially those in quiet locations that offer optimum conditions for riding. Access to the bridleway network is already limited in this location and the connections are scarce. In terms of visual context there is built development, and this is a junction with the local road network that runs east west connecting two settlements with regular passing traffic. This location is therefore not particularly vulnerable to change. Overall, the susceptibility for VP16 is conditioned by access to a bridleway network within an area that already has poor connections. This is a part open location which offers open views towards the west and southwest, but in the context of built interventions and passing traffic. The relevant characteristics of the landscape therefore some ability to accommodate change without undue adverse effects.	Value of view Scenic: Views towards the Limestone Scarps and Dipslopes Character Area 6a are part of key views across the area. Views from Ingham Road capture the woodland along the scarp slope defining the ridgeline at Ingham Cliff and Cammeringham. Cultural: The landscape shows evidence of Roman roads and network of minor enclosure roads and lanes that cross the Unwooded Vales Character Area 4a. The course of Ingham Road is a part of this network. Natural: There is a diverse character with arable, woodland, shelterbelts, tree clumps and hedgerows that create an intricate and textured landscape. From bridleway Camm/31/1 there are 'all round' views capturing this combination of features. The woodland at Coates Hall and Hall Farm is a distinctive feature of the view. Recreation and Enjoyment: The Scarps and Dipslopes are valued for recreation which often focuses on the locations where the crests of ridges allow views across the area. Views within the Unwooded Vales Character Area 4a however often focus the confluences of PRoW and the local lanes or 'nodes' that cross the landscape, which are also important locally. Local Distinctiveness and Sense of Place; The landscape has a 'strong sense of place' with a subtle regimented character that is reinforced by the geometric patterns of fields. At locations where the regimented landscape character is softened by the meandering watercourses, they are important in views across the area. Health and Wellbeing: The Scarps and Dipslopes provide a rural landscape that has remained largely intact but the landscape within the Vales is also intact and can be experienced from the PRoW network and local lanes that come together. <t< td=""><td>Sensitivity Range of Features: This location comprises the junction of a bridleway with the local road network. This is a part open location within the context of built form, but with an interesting collection of features such as woodland at Coates and hedgerows (that create an intricate and textured landscape). Importance of View: This is part of a local bridleway network at a location where the views capture some appreciation of the surrounding countryside, but in the context of man-made interventions. This being a bridleway where connections are scarce (and at a location where the rider is likely to be walking and not trotting the horse) does however raise the level of importance of the view. The course of Ingham Road is also a part of the network of local lanes, along with Thorpe Lane, Fillingham Lane and Willingham Road that cross the landscape east to west. Number of Receptors: This location captures a limited range of receptors and is primarily a draw for local riders and occasional walkers. The location is unlikely to capture a high number of visitors from a wider area as there is limited incentive/inspiration/facilitation to walk or ride from here.</td><td>(Year 1) and th</td></t<>	Sensitivity Range of Features: This location comprises the junction of a bridleway with the local road network. This is a part open location within the context of built form, but with an interesting collection of features such as woodland at Coates and hedgerows (that create an intricate and textured landscape). Importance of View: This is part of a local bridleway network at a location where the views capture some appreciation of the surrounding countryside, but in the context of man-made interventions. This being a bridleway where connections are scarce (and at a location where the rider is likely to be walking and not trotting the horse) does however raise the level of importance of the view. The course of Ingham Road is also a part of the network of local lanes, along with Thorpe Lane, Fillingham Lane and Willingham Road that cross the landscape east to west. Number of Receptors: This location captures a limited range of receptors and is primarily a draw for local riders and occasional walkers. The location is unlikely to capture a high number of visitors from a wider area as there is limited incentive/inspiration/facilitation to walk or ride from here.	(Year 1) and th
	the views from these PRoW in the lowlands towards the elevated areas are		(Year 1) and thi been carried of impact at this E
	use that creates a strong sense of identity. There are other features such as the low elevation and the views towards the scarp slope. The 'all-round' views from this location captures other features such as woodland at Coates and hedgerows are also important.		
Medium	Medium	Medium to High	Not Applicable

d Mitigation

Aitigation would be taken into account at the , operation (Year 1 and Year 15) and oning stages of the Scheme. This Embedded also referred to as primary mitigation and would ollowing measures:

set a minimum of 15m from adjacent PRoW.

set a minimum of 50m from adjacent residential undaries.

set minimum of 20m from major watercourses and 8m from minor watercourses.

set a minimum of 3m from Site boundaries.

ges are to be allowed to grow out and will be a height of 5m. Hedgerow trees will be encouraged to add further thickening and growth to the field with the addition of new hedgerow trees as randomly spaced along the length of existing

be limited to downlights within substations and s only and used when maintenance or security is hting will be PIR operated and will be calibrated to personnel movements. All visible lighting would be ed at a maximum height of 4m with cowls fitted to spillage. Lighting required within panelled areas ally operated. There will be no lighting on ncing.

fects **with only** the Embedded Mitigation taken into ate to those effects set out for the operation stage this includes secondary mitigation which will have l out but will have had limited physical or visual s Embedded Mitigation stage.



Viewpoint VP16 – Bridleway Camm/31/1 and Ingham Road, Furze Hill

Construction	Operation (Year 1)	Operation (Year 15)	Decommi
Activities considered includes, site preparation / enabling works, construction, and commissioning with effects such as construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened due to the presence of foreground hedgerow bordering lngham Road. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerow, but the riparian vegetation bordering the River Till would provide some screening such that these activities would be confined to a narrower section of the view. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows These short-lived construction activities would be a considerable change to the arable land use, but the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the south of Thorpe Lane. Construction Access All throughout the construction stage the viewpoint will be affected due to Ingham Road having a point of access into the Cottam 1 North Site. The access route is through a local track near Low Farm as it connects to fields C26 and C25. Cable Route Corridor Viewpoint is outside of the 0.5km study area.	The foreground of the view would continue to be set in the context of Ingham Road that is bordered to each side by agricultural land. There are some gaps in the hedgerows, and they are low cut allowing extended visibility towards the north where the presence of the panels would be set to the northeast beyond the course of the River Till and so would occupy only a small portion of the view and would therefore not result in in a change to the views composition. The visibility towards the south is curtailed by the presence of the farmstead and associated agricultural buildings and this would not change. Middle ground views would continue to follow the alignment of Ingham Road, and this would not change since the panels are set back from Ingham Road. To the right of the view, the shelterbelt and woodlands associated with Coates would remain as strong features. To the left of the view, the landscape is punctuated by the tree planting along the course of the River Till and the hedgerows support some individual tree cover which would help the panels sit comfortably in the landscape. The panels would therefore occupy a small portion of the view and the impacts would be detectable but not readily alter the baseline. The effects set out below for Year 1 include secondary mitigation which will have been carried out, but will have had limited physical or visual impact at this stage: Scattered tree belt is proposed to the northwest of this viewpoint, offsetting the Scheme 20m from the existing watercourse in field E5 and increasing the tree cover locally. Existing hedges Existing hedges to the north and south of field D4 and to the south of field D3 are to be enhanced with additional hedgerow trees to increase the level of tree cover locally and to reinforce the natural and historical field patterns. To the southeast of this viewpoint northern and western boundary of D24 are to be enhanced, being allowed to grow out to a height of 5m with additional hedgerow trees added to reinforce the character and mitigate views from the	 With secondary mitigation such as planting and grass seeding being taken into account at the operational stage (Year 15) the following changes to the landscape would occur and the visual effects are set out below. Views to the southwest are blocked the proposed new hedgerows will have established to create a strong field structure and screen views of the Scheme. Existing hedges will have been managed to grow out to 5m and proposed hedgerow trees will begin to reach some height, reinforcing the vertical structure locally. In the close-range, the hedgerows will screen Site/Sites with mid and longer distance views appearing as a layered well-treed landscape with a backdrop of strong woodland features to some views with more distant horizons of hedgerow trees and some areas of woodland. The open character of the River Till at this point will be maintained with occasional areas of enclosure. Overall, in terms of mitigation for the Cottam 1 Site/Sites, hedgerow trees are scarce and limited to oak and ash, with willow along watercourses. The flowing tributaries of the River Till have formed small valleys which are barily evident due to the lack of riparian vegetation. The shift away from mixed farming has impacted upon areas of pasture and grassland habitats, which has had an impact upon local character and biodiversity. The watercourses are not readily distinguished in the landscape due to the lack of waterside trees and riparian habitats and so they would be a main focus for mitigation. Between Years 1 and 15, the following beneficial effects will be achieved in terms of Visual Receptors: Grassland reversion around field boundaries and PRoW Increased woodland/vegetation cover A more varied landscape Water quality improvements Potential animal grazing Reinstatement of historic field patterns Bird mitigation fiel	A similar pro Scheme beir of the Site in vegetation a secondary m future basel the duration noise and vi generation a Following de to arable pro significantly been carried stronger and overall chara benefits ove retained and to preserve improvemen will benefit w With second of the physic long term la

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.15] January 2023

nissioning

process to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the seline. Effects are those arising from activities for on of the decommissioning including site traffic, vibration from decommissioning activities, dust n and site runoff.

decommissioning, the land is likely to be returned production. The Site will however benefit from the tly enhanced tree and hedgerow planting that has ied out and has begun to mature to create a much and robust landscape, retaining and enhancing the aracter and providing considerable biodiversity ver the years. Bird mitigation fields are likely to be and the potential may exist to retain grass margins ve some varied land use and maintain long-term nents in biodiversity in the local area, all of which it visual receptors.

ndary mitigation considered, the negative effects vsical decommissioning will be balanced out by the landscape and visual effects of this mitigation.



	Substation This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 1.	To the northeast, the southern boundaries of fields E5 and E6 are to be enhanced to mitigate views from the south and southeast. <u>New hedges</u> A new hedge is proposed to the north of field D3 where none exists to break up the existing large field. And reduce views south towards the immediate Site and that further to the south. <u>Grassland mixes</u> A tussock mix is proposed to the boundaries of existing and proposed hedges with flower rich pollinator mixes proposed on south and west facing hedge bases. Wildflower meadow mix is to be seeded beneath panels.	New hedgerows: 0.6m at Year 1 and 3.5m at Year 15. Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15.	
		 To the east of field E5, a tall herb mix is proposed adjacent to the watercourse to create a strong buffer to the river at this point. Field E6 is to be seeded with a bird mitigation mix. To the southwest, fields D2 and D3 and fields D7 and D9 are to revert to floodplain meadow Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 		
Magnitude	Low	Very Low	Very Low	Very Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term	Neutral & S
Significance of Effect	Minor Not Significant	Negligible Not Significant	Negligible Not Significant	Negligible

& Short Term

Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	<u>In Summary</u> There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and existing intervening vegetation cover. Therefore, there no in combination visual effects are anticipated.	In Summary The Cumulative Effects upon viewpoint 16 of the Cumulative Developments is Negligible at year 1 of operation due to the limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Developments is vegetation and Embedded and Secondary Mitigation proposed would screen the panels and therefore combination.
		<i><u>Fabric of the Landscape</u></i> There would not be the removal of or changes in individual elements or features of the landscape within the ch
		There would be the introduction of new elements and features comprising the solar panel areas and the substa
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with t experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, h Site/Sites. The intervening settlements and built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotto Tillbridge Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the follow
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9]
		The landscape is shaped by the wide range of local and strategic road networks, which make one landscape typ major road network is defined by important historic routes and in contrast, the east west minor road network li string of settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are of grassed verges and they have a major role in helping to define the quality of the landscape and reducing the vis
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of his and small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognise landscape. These relevant characteristics of the landscape and land use have some ability to accommodate cha cumulative visibility for the Cottam 1 Site/Sites would not alter the overall character of the landscape and its con Moreover, these features are often set within a well-vegetated context or associated with built form that plays a effects.
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1) with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1) with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

on and Negligible at year 15 with mitigation. This is velopments and proximity to the visual receptor. re the effects upon the view are reduced in

character area.

station area within the character area

h the cumulative developments would not be s, hedgerows, and tree cover between the

otton 1 Site/Sites and Gate Burton Energy Park, lowing figures:

.2.8] 91

ype or area different from another. The strategic links several historic and distinctive smaller e often tranquil and hedged to both sides with wide visibility across the area.

historic settlement with farms, nucleated villages, ised for adding intimacy and interest to the change without undue adverse effects. The communications and infrastructure features. s a positive role in reducing the overall cumulative



Viewpoint VP17 – Stow/83/1

The view is located on PRoW, footpath (Stow/83/1), looking south towards the Cottam 1 South Site and north towards the Cottam 1 North Site.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a low-lying almost flat landscape within the wider context of a broad vale, which is very conspicuous in this view. The land use is mainly productive arable farmland witVh many of the large fields under single crop. There is some deciduous woodland including a large, irregular woodland block known as Normanby Gorse that is just visible to the west (left of view), woodland around the settlement of Coates and poplar shelterbelts also punctuate the landscape. The pattern of drainage is a key feature at this location and the River Till is notable to the west (left of the view) as it takes a meandering course through the landscape heading west towards the settlement of Normanby by Stow. The watercourse winds though the landscape and is hardly discernable except for a minor tracing of alder and willow trees. In terms of man-made elements, Squire's Bridge with its associated concrete parapet, box piers and scaffold railings create an industrial appearance. These bridge crossings are typical of this landscape and the lack of tree cover immediately around them (and along the banks of the River Till) to mitigate flood attenuation is also a typical feature, but this assists in providing open views across these bridge locations. Ingham road itself is not visible in this view due to the flat, low-lying nature of the landscape at this point, and the intervening field cropping. A poplar shelterbelt is also evident in the immediate context of the view closely following the alignment of the River Till drain. Furze Hill Farm (Red brick) also stands out in the landscape.

Subjective: The viewpoint depicts an exposed, large-scale landscape, that is open in nature due to the absence of hedgerow trees and woodland cover in the foreground. In terms of variety, although the landscape is uniform and mostly consistent, it lacks interest other than the bridge crossing that lends a distinctive 'sense of place' and 'all round' views. These views also extend as far as the Limestone Scarps and Dipslopes Character Area 6a where the woodlands at Cammeringham and Brattleby form a distinctive feature on the horizon. In terms of texture and colour, the fields are under single crop, and this gives a monochrome appearance, but there are contrasts between the dark woodland blocks and the open, arable fields.

Overall: The viewpoint is influenced by the presence of the River Till that passes beneath Squire's Bridge as a local bridge crossing. The watercourse is distinguished by the presence of its canalized section, and lack of tree cover in what is an otherwise open landscape with a strong presence of woodland in the distance. The riparian woodland that follows the meandering course of the River Till is also a distinctive feature as well as the wide grass verges on Ingham Road. The intensive levels of management within this arable farmland add decline to the natural qualities of the view, but the overall impression is that of a simple, calm, and muted landscape with some pleasant views.

Receptors:

This viewpoint is representative of views available to walkers along the PRoW, public footpath (Stow/83/1) travelling from Hall Farm at Coates towards Ingham Road.

Description of View:

The foreground of the view is set in the context of the public footpath that leads from the small settlement of Coates and that is bordered to each side by arable land use. Ingham Road passes in an east west direction just to the south of the view. The views are 'all-round' and open since there are no hedgerows to each side of the footpath and the hedgerows to each side of Ingham Road are also low cut allowing extended visibility towards the south across the extensive arable landscape. Foreground views follow the alignment of the footpath as far as Ingham Road where middle-distance views then extend across the open arable landscape with woodlands and shelterbelts on the far distant horizon. To the right of the view, the course of the River Till and associated shelterbelt vegetation are the key features with extended views towards the small settlement of Stow Pasture. To the left of the view, there is middle ground visibility as far as the residential property known as Furze Hill and then extended views as far as the ridgeline and woodland at Ingham Cliff.

Approximate Extent of Development St. H. A. and Bridgela

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.16] January 2023





aims to protect existing runal landscape features, and possibles Character Area 6 and commenting works the west as far as the Wood Wide Character Area 6 and Cammening ward Wide Character Area 6 and Cammening ward wood and and forms part of the head particulation of the wider landscape. This is and oper location where the exist af a farge scale anable landscape. This is and a cammening ward wood and and forms part of the head particulation of the wider landscape. This is part of the local footpath network of the locate is particulative wester work of a large scale anable landscape. This is part of the local footpath network of the locate is particulative wester work of a large scale anable landscape. This is part of the local footpath network of the locate is particulative the settement as classified analysis of scale and sc	Receptor susceptibility to change	Value of view	Sensitivity	Embedded N
High Medium Not App	aims to protect existing rural landscape features, in particular the restoration of hedgerows since the most widespread change has been agricultural intensification and the change from pastoral to arable cropping that has resulted in the loss of hedges, and consequently, increase in field size. The loss of pasture around historic settlements such as Coates is particularly evident, where grazing animals and smaller field sizes contribute to their setting and structure. In terms of visual context, this is an open location within a large arable field and few hedgerows, and within the wider context of a historic settlement. This location is therefore vulnerable to change. Overall , the susceptibility for VP17 is conditioned by the flat, open landscape and the loss of field boundaries in the context of historic settlement. This is an open location with very little in the way of landscape structure. The relevant characteristics of the landscape therefore have a limited ability to accommodate change without undue adverse effects.	Limestone Scarps and Dipslopes Character Area 6a and towards the west as far as the Wooded Vales Character Area 6a. These views capture the woodland at Ingham Cliff and Cammeringham and woodland that forms part of Blyton, Laughton Common and Loughton Woods. <i>Cultural:</i> The landscape shows evidence of medieval settlement at Coates (List Entry 1016979) which includes earthwork remains. The woodland cover surrounding the settlement is a key feature. Squire's Bridge with its associated concrete parapet, box piers and scaffold railings are a feature. These bridge crossings are typical of this landscape. <i>Natural:</i> There is a diverse character with hedgerows, woodland, polar shelterbelts, tree clumps, isolated trees, and hedgerow trees, that create an intricate and textured landscape. From footpath (Stow/83/1), there are 'all round' views capturing this combination of features. <i>Recreation and Enjoyment:</i> The Scarps and Dipslopes are valued for recreation which often focuses on the locations where the crests of ridges allow views across the area. Views within the Unwooded Vales Character Area 4a from the PRoW network that pass in close proximity to the River Till are important locally. <i>Local Distinctiveness and Sense of Place:</i> The landscape has a 'strong sense of place' with a subtle regimented character reinforced by the geometric patterns of fields. Where the regimented landscape character is softened by the meandering watercourses, this is important locally. <i>Health and Wellbeing:</i> The landscape within the Vales is intact and can be experienced from the east west minor road network that crosses the area where views towards the scarp can be gained. <i>Important Spatial Function:</i> The landscape benefits from its low elevation, and the views from the PRoW network in the lowlands towards the elevated areas are important locally. <i>Meantering and the views from the PRoW network in the</i> lowlands towards the elevated areas are important locally.	network within an expansive arable landscape. This is an open location where the appreciation of the wider landscape can be captured but with a limited number of features other than the adjoining shelterbelt and woodland around the settlement of Coates. <i>Importance of View:</i> This is part of the local footpath network, but in the context of a large-scale arable landscape. This being a public footpath in close proximity to the network of watercourses in the area raises the level of importance of the view. The course of the River Till is gently meandering at this location with very few interesting features, but with significant scope for improvement to the structure of its riparian vegetation.	Embedded Miti construction, op decommissioni Mitigation is als include the follo Panels to be set property bound Panels to be set minimum of 8m Panels to be set Existing hedges managed to a h to grow out to a boundaries with appropriate, rat hedges. Lighting will be battery banks of required. Lighti vehicle and per 50W, installed a prevent light sp will be manually perimeter fenci The visual effect account equate (Year 1) and this been carried out impact at this E

Mitigation

tigation would be taken into account at the operation (Year 1 and Year 15) and ning stages of the Scheme. This Embedded also referred to as primary mitigation and would llowing measures:

set a minimum of 15m from adjacent PRoW.

et a minimum of 50m from adjacent residential ndaries.

et minimum of 20m from major watercourses and Im from minor watercourses.

set a minimum of 3m from Site boundaries.

es are to be allowed to grow out and will be height of 5m. Hedgerow trees will be encouraged add further thickening and growth to the field vith the addition of new hedgerow trees as andomly spaced along the length of existing

e limited to downlights within substations and only and used when maintenance or security is ting will be PIR operated and will be calibrated to ersonnel movements. All visible lighting would be l at a maximum height of 4m with cowls fitted to spillage. Lighting required within panelled areas Illy operated. There will be no lighting on cing.

ects **with only** the Embedded Mitigation taken into te to those effects set out for the operation stage his includes secondary mitigation which will have out but will have had limited physical or visual Embedded Mitigation stage.



Viewpoint VD17 Stow/92/1

Construction	Operation (Year 1)	Operation (Year 15)	Decomm
Activities considered includes, site preparation	The foreground that is bordered to each side by arable	With secondary mitigation such as planting and grass	A similar pr
	land use would not change. The views are 'all-round'	seeding being taken into account at the operational stage	Scheme bei
	and open since there are no hedgerows to each side of	(Year 15) the following changes to the landscape would	of the Site ir
•	the footpath and this would not change. The	occur and the visual effects are set out below.	vegetation a
	hedgerows to each side of Ingham Road are also low	At Year 15, the proposed new scattered tree belts and	secondary n
	cut allowing extended visibility towards the south	enhanced hedgerows will have established to create a	future base
	across the extensive arable landscape, but they would	strong field structure and screen views of theScheme.	the duratior
	provide some screening in the foreground and help	Existing hedges will have been managed to grow out to	noise and vi
	shield the presence of any panels to the south. The	5m and proposed hedgerow trees will begin to reach	generation
of the solar panel areas and associated	middle-distance views then extend across the open	some height, reinforcing the vertical structure locally. In	_
infrastructure and inverters would be partly	arable landscape with woodlands and shelterbelts on	the close-range, the hedgerows will screen Site/Sites with	Following de
screened due to the presence of foreground	the far distant horizon where the panel areas are	mid and longer distance views appearing as a layered	to arable pr
hedgerows and the distance. During the latter	located. This woodland and hedgerows would help the	well-treed landscape with a backdrop of strong woodland	significantly
part of the construction stage, views would	panels sit comfortable in the landscape. To the right of	features to some views with more distant horizons of	been carried
become available of the elevated activities	the view, the course of the River Till and associated	hedgerow trees and some areas of woodland. The open	stronger an
	shelterbelt vegetation would remain as the key	character of the River Till at this point will be maintained	overall char
vegetation bordering the River Till and the	features but extended views towards the small	with occasional areas of enclosure.	benefits ove
distance would provide some screening such	settlement of Stow Pasture would experience a small		retained and
that these activities would be confined to a	change to the view and change to the existing	Overall , in terms of mitigation for the Cottam 1 Site/Sites,	to preserve
narrower section of the view.	landscape elements. To the left of the view, there is	hedgerow trees are scarce and limited to oak and ash,	improveme
	middle ground visibility as far as the residential	with willow along watercourses. The flowing tributaries of	will benefit
	property known as Furze Hill and then extended views	the River Till have formed small valleys which are barely	
<u> </u>	as far as the ridgeline and woodland at Ingham Cliff	evident due to the lack of riparian vegetation. The shift	With second
	which would not alter.	away from mixed farming has impacted upon areas of	of the physi
means of enclosure and works for the		pasture and grassland habitats, which has had an impact	long term la
	The effects set out below for Year 1 include secondary	upon local character and biodiversity. The watercourses	
	mitigation which will have been carried out, but will	are not readily distinguished in the landscape due to the	
	have had limited physical or visual impact at this stage:	lack of waterside trees and riparian habitats and so they	
biodiversity mitigation works, including		would be a main focus for mitigation.	
planting and the improvement of the			
0 0	Scattered tree belt	Between Years 1 and 15, the following beneficial effects	
	A scattered tree belt is proposed to the southeast of	will be achieved in terms of Visual Receptors:	
	this viewpoint, offsetting Site/Sites 20m from the	 Grassland reversion around field boundaries and 	
	existing watercourse in field E5 and increasing the tree	PRoW	
	cover locally.	 Increased woodland/vegetation cover A more varied landscape 	
change to the arable land use, but the field boundaries and the associated tree cover	Further shelterbelts are proposed to the southern	 A more value landscape Improved (more natural) management of exiting 	
	extent of field E1 and the northern extent of field E2,	vegetation	
	again creating a 20m buffer between the Scheme and	 Less expanse of intensively managed arable land 	
	the River Till.	 A less exposed and windswept landscape 	
change to the surroundings to the south and	the River Thi.	 A less exposed and windswept landscape Water quality improvements 	
•	Existing hedges	 Potential animal grazing 	
	Existing hedges to the north and south of field D4 and	 Reinstatement of historic field patterns 	
	to the south of field D3 are to be enhanced with	 Bird mitigation fields 	
	additional hedgerow trees to increase the level of tree	 Significantly improved biodiversity 	
	cover locally and to reinforce the natural and historical	Significantly improved biodiversity	
	field patterns.	Growth of existing and proposed vegetation is assumed to	
access.	neia patterno.	be:	
	To the southeast of this viewpoint northern and		
	western hedgerows to field D26 and the western	Woodland/trees and shelterbelts: 2.5m max at Year 1,	
	boundary of D24 are to be enhanced, being allowed to	7.5m max at Year 15.	

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.16] January 2023

missioning

process to that of construction stage, but with the being no longer operational. This is an assessment e in winter but assumes retention of existing on and builds upon the proposed primary and y mitigation that had been established as the seline. Effects are those arising from activities for ion of the decommissioning including site traffic, l vibration from decommissioning activities, dust on and site runoff.

decommissioning, the land is likely to be returned production. The Site will however benefit from the ntly enhanced tree and hedgerow planting that has ried out and has begun to mature to create a much and robust landscape, retaining and enhancing the naracter and providing considerable biodiversity over the years. Bird mitigation fields are likely to be and the potential may exist to retain grass margins ve some varied land use and maintain long-term nents in biodiversity in the local area, all of which fit visual receptors.

ondary mitigation considered, the negative effects ysical decommissioning will be balanced out by the landscape and visual effects of this mitigation.





Significance of Effect	Minor Not Significant	Minor Not Significant	Negligible Not Significant	Negligible N
Type of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term	Neutral & Sl
Magnitude	Low	Low	Very Low	Very Low
	substation would be visible due to intervening screening vegetation.	E5 and E6 are to be enhanced to mitigate views from the south and southeast whilst further defining the local field pattern. <u>New hedges</u> A new hedge is proposed to the north of field D3 where none exists to break up the existing large field. And reduce views south towards the immediate Site and that further to the south. <u>Grassland mixes</u> A tussock mix is proposed to the boundaries of existing and proposed hedges with flower rich pollinator mixes proposed on south and west facing hedge bases. Wildflower meadow mix is to be seeded beneath panels. To the east of field E5, a tall herb mix is proposed adjacent to the watercourse to create a strong buffer to the river at this point. Field E6 is to be seeded with a bird mitigation mix. To the southwest, fields D2 and D3 and fields D7 and D9 are to revert to floodplain meadow. Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation		
	<u>Substation</u> This viewpoint is within the 2km study area however it is not anticipated Cottam 1	trees added to reinforce the character and mitigate views from the north along Ingham Road and from the northwest along the PRoW. To the southheast, the southern boundaries of fields	New hedgerows: 0.6m at Year 1 and 3.5m at Year 15. Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15.	

k Short Term

Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	<u>In Summary</u> There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and existing intervening vegetation cover.	In Summary The Cumulative Effects upon viewpoint 17 of the Cumulative Developments is Negligible at year 1 of operation and Neg the limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Developments and p vegetation and Embedded and Secondary Mitigation proposed would screen the panels and therefore the effects upon
	Therefore, there no in combination visual effects are anticipated.	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or features of the landscape within the character
		There would be the introduction of new elements and features comprising the solar panel areas and the substation are
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the cumu across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedgerows, and tree settlements and built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 Site Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the following figures:
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9]
		The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type or are road network is defined by important historic routes and in contrast, the east west minor road network links several his settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are often tranquil and and they have a major role in helping to define the quality of the landscape and reducing the visibility across the area.
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of historic se small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised for adding relevant characteristics of the landscape and land use have some ability to accommodate change without undue adver Cottam 1 Site/Sites would not alter the overall character of the landscape and its communications and infrastructure fe within a well-vegetated context or associated with built form that plays a positive role in reducing the overall cumulative
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1) with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1) with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

egligible at year 15 with mitigation. This is due to proximity to the visual receptor. Existing on the view are reduced in combination.

er area.

area within the character area

mulative developments would not be experienced ee cover between the Site/Sites. The intervening

ite/Sites and Gate Burton Energy Park, Tillbridge

rea different from another. The strategic major historic and distinctive smaller string of nd hedged to both sides with wide grassed verges

settlement with farms, nucleated villages, and ng intimacy and interest to the landscape. These erse effects. The cumulative visibility for the features. Moreover, these features are often set ive effects.



Viewpoint VP18 – St Edith's Church and Coates Hall

Viewpoint Baseline:

The view is located at St Edith's Church and Coates Hall, looking south towards the Cottam 1 South Site and north towards Cottam North Site.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a low-lying almost flat landscape within the wider context of a broad vale, which is conspicuous in this view. The land use is mainly productive arable farmland with many of the large fields under single crop. There is some deciduous woodland including a large, irregular woodland block to the southeast (left of view) including woodland at Cammeringham Low Covert and Brattleby Gorse. There are also poplar shelterbelts immediately to the west (right of view). The pattern of drainage is hardly evident as the River Till is only just notable to the south of the view where it takes a meandering course towards Normanby by Stow. The watercourse winds though the landscape and is hardly discernable except for a minor tracing of alder and willow trees. In terms of man-made elements, the listed buildings of Coates Hall and St Edith's Church are the main built elements of this location along with the large-scale agricultural buildings associated with the farmstead. Other built elements include the farmsteads at Furze Hill and Lower Furze Hill to the south. Visibility towards other farmsteads in the east is shielded by intervening woodland blocks including Coates Gorse just to the west of Coates Farm,

Subjective: The viewpoint depicts an exposed, large-scale landscape, that is open in nature due to the absence of hedgerow trees and woodland cover in the foreground. In terms of variety, the landscape is uniform and mostly consistent, and it lacks interest other than the bridge crossings that lends a distinctive 'sense of place'. These views extend as far as the Limestone Scarps and Dipslopes Character Area 6a where the woodlands at Cammeringham and Brattleby form a distinctive feature on the horizon. In terms of texture and colour, the fields are under single crop, and this gives a monochrome appearance, however the woodland blocks add contrast and interest to the view.

Overall: The viewpoint is influenced by the presence of the listed buildings at St Edith's Church and Coates Hall. The River Till that passes beneath Squire's Bridge but is hardly evident in the landscape due to lack of tree cover in this open landscape. There is however a strong presence of woodland in the distance that adds balance and interest to the view. The intensive levels of management within this arable farmland add decline to the natural qualities of the view, but the overall impression is that of a simple, calm and attractive landscape with pleasant views.

Receptors:

The viewpoint is representative of views for residents living at Hall Farm and Coates Hall and for visitors to St Edith's Church.

Description of View:

The foreground of the view is set in the context of St Edith's Church and Coates Hall within the small settlement of Coates. The location is bordered to each side by built form and existing vegetation. Ingham Road passes in an east west direction just to the south of the view. The views are focused and framed by the hedgerows to each side of the church grounds allowing extended visibility towards the south across the extensive arable landscape. Foreground views pass across the open arable field as far as Ingham Road where middle-distance is framed by the slight rise in landform at the small settlement of Thorpe le Fallows. There are also woodlands and shelterbelts on the far distant horizon. To the right of the view, the course of the River Till and associated shelterbelt vegetation are the key features with extended views towards the small settlement of Stow Pasture. To the left and right of the view, the existing vegetation within the church grounds closes down any visibility.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.17] January 2023



	Approximate Extent of Development	

Receptor susceptibility to change	Value of view	Sensitivity	Embedded M
In terms of forces for change for VP18, the landscape	<u>Scenic:</u> Views towards the Limestone Scarps and Dipslopes Character Area 6a part	<u>Range of Features:</u> This location	Embedded Mitiga
has a strong rural character, but tranquility levels are	of key views across the area but the listed buildings of Coates Hall and St Edith's	comprises the small settlement of	construction, ope
being disturbed by development pressures from the	Church are the main built elements of this location along with the large-scale	Coates within a wider, low-lying almost	decommissioning
larger scale settlements and major routes across the	agricultural buildings associated with the farmstead.	flat landscape. This is a part open	Mitigation is also
area. Tranquility is however associated with the		location where the appreciation of the	include the follow
winding lanes and landscape-scale projects such as	<i><u>Cultural:</u></i> The landscape comprises the Coates medieval settlement and moated	wider landscape is frame by vegetation	
the Trent Vale Landscape Partnership can help by	site (List Entry: 1016979). There are the remains of the medieval village, together	to each side of the view. There is a	Panels to be set a
offering increased recreational and educational	with surviving parts of its open fields and surviving earthworks. These features	limited number of features other than	
opportunities within these areas.	represent the remains of a moated manorial complex, which formerly extended	the immediate listed buildings and	Panels to be set a
	over the area now occupied by Coates Hall and Hall Farm.	then distant views of woodland blocks	property bounda
Overall, the susceptibility for VP18 is conditioned by		on the horizon within the wider setting	
the limited network of footpaths and bridleways and	Natural: There is a diverse character with hedgerows, woodland and hedgerow	to the settlement of Coates.	Panels to be set r
the availability of the rural roads and minor tracks	trees that create an intricate and textured landscape. In some places there are 'all		minimum of 8m
for extended access. The relevant characteristics	round' views capturing this combination of features, but at Coates the views are	Importance of View: This is within the	
therefore have some scope to accommodate change	enclosed and intimate capturing the listed buildings.	church grounds, within the context of a	Panels to be set a
without undue adverse effects. There is however		small settlement. This being a listed	
scope to increase recreation opportunities including	Recreation and Enjoyment: The Scarps and Dipslopes are valued for recreation	building and a place of interest tourists	Existing hedges a
where there are natural features and historical	which often focuses on the locations where the crests of ridges allow views across	with a strong sense of identity., this	managed to a he
elements to draw interest from residents and	the area. Views within the Unwooded Vales Character Area 4a from these historic	raises the level of importance of the	to grow out to ad
tourists.	settlements are important locally.	view.	boundaries with
			appropriate, rand
	Local Distinctiveness and Sense of Place: The landscape has a 'strong sense of place'	Number of Receptors: This location	hedges.
	with a subtle regimented character that is reinforced by the geometric patterns of	captures a limited range of receptors	
	fields. Locations where the regimented character is interrupted by sporadic	and is primarily a draw for visitors to	Lighting will be li
	settlement shrouded in tree cover are important 'nodes in the landscape.	the church and occasional walkers that	battery banks on
		may deflect from the public footpath	required. Lighting
	<u>Health and Wellbeing</u> : The Scarps and Dipslopes provide a rural landscape that has	(Stow/83/1). The location is also likely	vehicle and perso
	remained largely intact and the landscape within the Vales is also intact but with	to capture some visitors from a wider	50W, installed at
	agricultural intensification having an influence. There are locations where a time	area due to the presence of the	prevent light spil
	depth is important to landscape character such as the former medieval	medieval settlement of Coates.	will be manually
	settlements.		perimeter fencing
	Important Spatial Function: The landscape benefits from its low elevation, and the		The visual effects
	towards the elevated areas are an important spatial function.		account equate t
			(Year 1) and this
	Overall , the value of Viewpoint VP18 is shaped by the large-scale arable land use		been carried out
	that creates a strong sense of identity. The extended views towards the scarp		impact at this Em
	slope forms part of the landscape setting to these historic settlements. The 'all-		
	round' views locally that capture other features such as woodland and hedgerows		
	are also important.		



Mitigation

igation would be taken into account at the operation (Year 1 and Year 15) and ing stages of the Scheme. This Embedded lso referred to as primary mitigation and would lowing measures:

et a minimum of 15m from adjacent PRoW.

et a minimum of 50m from adjacent residential daries.

et minimum of 20m from major watercourses and m from minor watercourses.

et a minimum of 3m from Site boundaries.

s are to be allowed to grow out and will be height of 5m. Hedgerow trees will be encouraged add further thickening and growth to the field th the addition of new hedgerow trees as andomly spaced along the length of existing

e limited to downlights within substations and only and used when maintenance or security is ing will be PIR operated and will be calibrated to rsonnel movements. All visible lighting would be at a maximum height of 4m with cowls fitted to pillage. Lighting required within panelled areas ly operated. There will be no lighting on ing.

cts **with only** the Embedded Mitigation taken into e to those effects set out for the operation stage is includes secondary mitigation which will have ut but will have had limited physical or visual Embedded Mitigation stage.



Construction	Operation (Year 1)	Operation (Year 15)	De
Activities considered includes, site preparation	The foreground of the view set in the context of St Edith's	With secondary mitigation such as planting and	A si
/ enabling works, construction, and	Church and Coates Hall within the small settlement of Coates	grass seeding being taken into account at the	Sch
commissioning with effects such as	would not change. The location is bordered to each side by	operational stage (Year 15) the following changes	of t
construction traffic, noise and vibration from	built form and existing vegetation and so the presence of the	to the landscape would occur and the visual	veg
	panels would be hidden from view. Ingham Road passes in an	effects are set out below.	se
runoff, mud on roads, and the visual intrusion	east west direction just to the south of the view and there will		fut
of plant and machinery on site. At the early	be a slight change to the view beyond the road where the	At Year 15, the proposed new scattered tree belts	th
stages of the construction stage, ground, and	panels are located to the west side of the course of the River	and enhanced hedgerows will have established to	n
lower-level activities such as the construction	Till. The views are focused and framed by the hedgerows to	create a strong field structure and screen views of	ge
of the solar panel areas and associated	each side of the church grounds allowing extended visibility	the Scheme. Existing hedges will have been	
infrastructure and inverters would be	towards the south across the extensive arable landscape and	managed to grow out to 5m and proposed	Fo
screened due to the presence of the existing	the panels would not result in a change to this composition.	hedgerow trees will begin to reach some height,	to
	Foreground views pass across the open arable field as far as	reinforcing the vertical structure locally. In the	si
	Ingham Road where middle-distance is framed by the slight	close-range, the hedgerows will screen Site/Sites	be
	rise in landform at the small settlement of Thorpe le Fallows	with mid and longer distance views appearing as	st
	and the panels would occupy a small portion of the view and	a layered well-treed landscape with a backdrop of	0\
÷	would not result in a change to the view's composition. To the	strong woodland features to some views to the	be
	right of the view, the course of the River Till and associated	southeast with more distant horizons of	re
	shelterbelt vegetation are the key features with extended views	hedgerow trees and some areas of woodland in	to
	towards the small settlement of Stow Pasture, but these are	all directions. The open character of the River Till	ir
	oblique views, and any presence of the panels would occupy a	at this point will be maintained with occasional	w
-	small portion of this view. To the left of the view, there would	areas of enclosure.	
	be no change since the existing vegetation within the church		V
	grounds and the distance closes down any visibility.	Overall , in terms of mitigation for the Cottam 1	0
such as CCTV and the laying down of internal	8. • • • • • • • • • • • • • • • • • • •	Site/Sites, there is significant benefit with	lo
	The effects set out below for Year 1 include secondary	appropriate tree planting that could be used in	
	mitigation which will have been carried out, but will have had	and around settlements to increase the	
, , , , , , , , , , , , , , , , , , , ,	limited physical or visual impact at this stage:	occurrence of semi-natural habitats and maintain	
foreground hedgerows		the perception of a 'well-treed' landscape.	
	Scattered tree belt		
	A scattered tree belt is proposed to the southeast of this	Between Years 1 and 15, the following beneficial	
	viewpoint, offsetting the Scheme 20m from the existing	effects will be achieved in terms of Visual	
	watercourse in field E5 and increasing the tree cover locally.	Receptors:	
arable land use, but the field boundaries and	,	 Grassland reversion around field 	
	Further shelterbelts are proposed to the southern extent of	boundaries and PRoW	
	field E1 and the northern extent of field E2, again creating a	 Increased woodland/vegetation cover 	
	20m buffer between Site/Sites and the River Till.	 A more varied landscape 	
fundamental change to the surroundings to		– Improved (more natural) management of	
the south and east of this location.	Existing hedges	exiting vegetation	
	Existing hedges to the north and south of field D4 and to the	 Less expanse of intensively managed 	
	south of field D3 are to be enhanced with additional hedgerow	arable land	
	trees to increase the level of tree cover locally and to reinforce	 A less exposed and windswept landscape 	
	the natural and historical field patterns.	 Water quality improvements 	
viewpoint and the proposed construction	1	 Potential animal grazing 	
	To the southeast of this viewpoint northern and western	 Reinstatement of historic field patterns 	
	hedgerows to field D26 and the western boundary of D24 are	 Bird mitigation fields 	
	to be enhanced, being allowed to grow out to a height of 5m	 Significantly improved biodiversity 	
	with additional hedgerow trees added to reinforce the		
	character and mitigate views from the north along Ingham	Growth of existing and proposed vegetation is	
	Road and from the northwest along the PRoW.	assumed to be:	

nissioning

process to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the seline. Effects are those arising from activities for on of the decommissioning including site traffic, vibration from decommissioning activities, dust n and site runoff.

decommissioning, the land is likely to be returned production. The Site will however benefit from the tly enhanced tree and hedgerow planting that has ied out and has begun to mature to create a much and robust landscape, retaining and enhancing the aracter and providing considerable biodiversity ver the years. Bird mitigation fields are likely to be and the potential may exist to retain grass margins ve some varied land use and maintain long-term nents in biodiversity in the local area, all of which it visual receptors.

ndary mitigation considered, the negative effects vsical decommissioning will be balanced out by the landscape and visual effects of this mitigation.



Significance of Effect	Negligible Not Significant	Negligible Not Significant	Negligible Not Significant	Negligible
Type of Effect	Adverse & Short Term	Neutral & Long Term	Neutral & Long Term	Neutral & S
Magnitude	Very Low	Very Low	Very Low	Very Low
SOLAR PROJECT	This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 1.	To the southeast, the southern boundaries of fields E5 and E6 are to be enhanced to mitigate views from the south and southeast whilst further defining the local field pattern. <u>New hedges</u> A new hedge is proposed to the north of field D3 where none exists to break up the existing large field. And reduce views south towards the immediate Site and that further to the south. A new hedgerow with hedgerow trees is proposed to the northern boundary of field D27 to the southeast of this viewpoint. Hedgerow trees within this hedgerow will strengthen the field pattern and create a layered effect against the backdrop of Thorpe Wood, Brattleby Gorse and Corringham Low Wood beyond. <u>Grassland mixes</u> A tussock mix is proposed to the boundaries of existing and proposed hedges with flower rich pollinator mixes proposed on south and west facing hedge bases. Wildflower meadow mix is to be seeded beneath panels. To the east of field E5, a tall herb mix is proposed adjacent to the watercourse to create a strong buffer to the river at this point. Field E6 is to be seeded with a bird mitigation mix. To the southwest, fields D2 and D3 and fields D7 and D9 are to revert to floodplain meadow. Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation	Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Year 15. Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15.	

& Short Term

le Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	<u>In Summary</u> There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and existing intervening vegetation cover.	In Summary The Cumulative Effects upon viewpoint 18 of the Cumulative Developments is Negligible at year 1 of operation and Neg the limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Developments and pr vegetation and Embedded and Secondary Mitigation proposed would screen the panels and therefore the effects upon
	Therefore, there no in combination visual effects are anticipated.	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or features of the landscape within the character a
		There would be the introduction of new elements and features comprising the solar panel areas and the substation are
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the cumu across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedgerows, and tree settlements and built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 Site Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the following figures:
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9]
		The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type or are road network is defined by important historic routes and in contrast, the east west minor road network links several his settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are often tranquil and and they have a major role in helping to define the quality of the landscape and reducing the visibility across the area.
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of historic set small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised for adding relevant characteristics of the landscape and land use have some ability to accommodate change without undue advers Cottam 1 Site/Sites would not alter the overall character of the landscape and its communications and infrastructure fea- within a well-vegetated context or associated with built form that plays a positive role in reducing the overall cumulative
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1) with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1) with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

egligible at year 15 with mitigation. This is due to proximity to the visual receptor. Existing on the view are reduced in combination.

er area.

area within the character area

mulative developments would not be experienced ee cover between the Site/Sites. The intervening

ite/Sites and Gate Burton Energy Park, Tillbridge

rea different from another. The strategic major historic and distinctive smaller string of nd hedged to both sides with wide grassed verges

settlement with farms, nucleated villages, and ng intimacy and interest to the landscape. These erse effects. The cumulative visibility for the features. Moreover, these features are often set ive effects.



The view is located on PRoW, footpath (Ingh/27/5) looking northwest towards the Cottam 1 North Site and southwest towards the Cottam 1 South Site.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a low-lying, gently rolling arable landscape within the wider context of a broad vale, which adds to the sense of scale of this view. The land use is mainly productive arable farmland with many of the large fields under single crop. There is plantation woodland including Coates Gorse and New Plantation that forms a distinctive geometric pattern and is silhouetted on the horizon to the north (left of view). There are other geometric blocks including Cammeringham Low Covert, Long Covert and Brattleby Gorse to the south (far left of view). These woodlands combine to form a strong feature and a feeling of enclosure due to their localized concentration on the very gently rolling landform. In terms of man-made elements, there are occasional farmsteads including Low Farm that is just visible on the horizon (right of view). To the west (left of view) the settlement of Coates includes Grange Farm, Hall Farm, Coates Hall and Presswood Cottages. Shelterbelt vegetation is also evident to the west at Coates Hall. The horizon to the north closes views since the landform rises to a high point on Long Lane at approximately 20m AOD rising to approximately 30m AOD at the settlement edge of Ingham. Tree clumps are also visible in the horizon lining Ingham Road. Elsewhere, the bordering hedgerow to the south along Ingham Road and the small woodland thicket (Coates Gorse) and other riparian woodland help to frame views.

Subjective: The viewpoint depicts a large-scale, gently undulating, open landscape, being exposed at close-range and in the mid distance due to the absence of hedgerows. In terms of variety, the combination of landscape features includes farm buildings, plantation woodland, tall hedgerows, tree clumps, occasional hedgerow trees and arable fields. The view presents a simple, well-balanced composition, but the increased field sizes add some discordancy and feelings of this being an ordinary landscape. In terms of texture and colour, this is an intensively managed land use that is mainly muted in colour, but the woodland blocks add some textural interest. The view is influenced by the open arable fields and the woodlands on the horizon. The location offers some intimacy despite the open nature to the north and the strong line of trees that extend to the west into the adjoining open, arable field are distinctive.

Overall: The overall experience is interesting and very pleasant, with some depth to views and strong contrasting features. This is an isolated location with a distinct absence of settlement, built form or other man-made features. The overall experience of the view is interesting and pleasant.

Receptors:

This viewpoint is representative of views available to walkers using the PRoW (Ingh/2/5) leading from Long Lane in the north towards Ingham Road in the south.

Description of View:

The foreground of the view is set in the context of the public footpath that leads from the settlement of Ingham towards Coates. The location is bordered to each side by open arable fields which are lacking in boundary hedgerows. Stow Lane passes in an east west direction just to the south of the view. The views are focused and framed by the short row of mature trees just to the northwest of this location. Foreground views pass across the open arable field as far as Stow Road where middle-distance is framed by the collection of small woodlands to the west of Brattleby. To the right of the view, there is extended visibility but the slight change in landform curtails the views as far as the settlement of Coates. To the left of the view, visibility extends as far as the ridgeline and woodlands at Ingham Cliff on the far horizon.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.18] January 2023



Approximate Extent of Development	

Receptor susceptibility to change	Value of view	Sensitivity	Embedded M
In terms of forces for change for VP22, aims to protect existing rural landscape features, in particular the restoration of hedgerows since the most widespread change has been in agricultural intensification and the change from pastoral to arable cropping that has resulted in the loss of hedges, and consequently, increase in field size. The loss of pasture is particularly evident around settlements, where grazing animals and smaller field sizes contribute to the setting and structure of several villages. Overall , the susceptibility for VP22 is conditioned by the flat, open landscape and whilst the aim is to plan new tree planting around key settlements, woodland does not form a significant component of this landscape, and in considering its open and expansive character, extensive new woodland planting would be generally inappropriate. However, there is significant benefit with appropriate tree planting that could be used in and around settlements to increase the occurrence of semi- natural habitats and maintain the perception of a 'well-treed' landscape. The relevant characteristics of the landscape therefore have a moderate ability to accommodate change without undue adverse effect.	 <u>Scenic</u>: There are locations where panoramas are framed by larger areas of woodland or woodland is present on the horizon. Some panoramas include undulating landform, which accentuates the presence of the woodland. This feature is typical along the footpath (Ingh/27/5). <u>Cultural</u>: The landscape has small villages, hamlets, and farms and this includes the settlement of Coates and Yawthorpe and their outlying farmsteads including Low Farm and Blackthorn Hill that feature in the views from footpath (Stow/83/1). <u>Natural</u>: Sizable areas of wet woodlands are also notable along the watercourses and tributaries associated with the River Till. Many of these woodlands form geometric shapes such as Coates Gorse, which borders the small watercourse to the west of Low Farm. <u>Recreation and Enjoyment</u>: The Unwooded Vales Character Area 4a is valued for recreation which often focuses on the PRoW network with views towards the ridgeline. Other PRoW networks tend to have a north south focus and with an east west 'dog-leg' such as Ingh/27/5 that give 'all-round' views across the area. <u>Local Distinctiveness and Sense of Place</u>: The landscape has a 'strong sense of place' endorsed by the strong agricultural character. Wide areas retain a sense of rural tranquility and intactness away from the main road network. These areas can only often be reached by footpaths such as Ingh/27/5. <u>Health and Wellbeing</u>: There is a limited network of PRoW meaning that the river floodplain can be the main focus for recreation. The footpath (Ingh/27/5) has views towards Coates Gorse and other riparian vegetation which borders the meandering watercourse to the west of Low Farm. <u>Important Spatial Function</u>: Many village place names provide some evidence of 'time depth' with several woodlands being named after a local village such as Coates Gorse, indicating it once belonged to the community of Coates. Overall, the value of Viewpoint VP22 is sh	Range of Features: This location comprises the public footpath network within a wider arable landscape. This is an open location where the appreciation of the landscape can be experienced in 'all-round' views. There is a limited number of features other than the immediate network of hedgerows and small woodland blocks on the horizon. Importance of View: This is the local public footpath network located just off the local east west pattern of lanes. This footpath forming part of a well-connected network of footpaths and bridleways to the west of the settlement of Ingham offers views that are commonplace, which lowers the importance of the view. Number of Receptors: This location captures view for walkers and is likely to be a draw for users from the local settlement of Ingham. The location may capture walkers from the wider area, but this is not a long-distance route and connectivity to string of settlements along the ridgeline (or east west settlements) is poor.	Embedded Mitig construction, op decommissionin Mitigation is als include the follor Panels to be set Panels to be set property bound Panels to be set minimum of 8m Panels to be set Existing hedges managed to a h to grow out to a boundaries with appropriate, ran hedges. Lighting will be I battery banks o required. Lightin vehicle and pers 50W, installed a prevent light spi will be manually perimeter fencin The visual effect account equate (Year 1) and this been carried ou impact at this En
High to Medium	Medium	High to Medium	Not Applicable



Mitigation

tigation would be taken into account at the operation (Year 1 and Year 15) and ning stages of the Scheme. This Embedded also referred to as primary mitigation and would llowing measures:

set a minimum of 15m from adjacent PRoW.

et a minimum of 50m from adjacent residential ndaries.

et minimum of 20m from major watercourses and 3m from minor watercourses.

set a minimum of 3m from Site boundaries.

es are to be allowed to grow out and will be height of 5m. Hedgerow trees will be encouraged add further thickening and growth to the field ith the addition of new hedgerow trees as andomly spaced along the length of existing

e limited to downlights within substations and only and used when maintenance or security is ting will be PIR operated and will be calibrated to ersonnel movements. All visible lighting would be l at a maximum height of 4m with cowls fitted to spillage. Lighting required within panelled areas Illy operated. There will be no lighting on cing.

ects **with only** the Embedded Mitigation taken into te to those effects set out for the operation stage his includes secondary mitigation which will have out but will have had limited physical or visual Embedded Mitigation stage.





Viewpoint VP22 - Ingh/27/5

Construction	Operation (Year 1)	Operation (Year 15)
Activities considered includes, site	The foreground of the view is set in the context of the public footpath that	With secondary mitigation such as plar
preparation / enabling works, construction,	leads from the settlement of Ingham towards Coates would not change. The	grass seeding being taken into accoun
and commissioning with effects such as	location is bordered to each side by open arable fields, and this would not	operational stage (Year 15) the followi
construction traffic, noise and vibration from	alter. Stow Lane passes in an east west direction just to the south of the view	to the landscape would occur and the
construction activities, dust generation, site	where the panels would occupy a small portion of the view. The views are	effects are set out below.
runoff, mud on roads, and the visual intrusion	focused and framed by the short row of mature trees just to the northwest	enects are set out below.
	· · ·	At Year 1E, the mid range view to the
of plant and machinery on site. At the early	of this location and this would not change. Foreground views pass across the	At Year 15, the mid-range view to the
stages of the construction stage, ground, and	open arable field as far as Stow Road where middle-distance is framed by	be of a field with low cover but strong
lower-level activities such as the construction	the collection of small woodlands to the west of Brattleby and the panel	boundaries to encourage Turtle Dove
of the solar panel areas and associated	areas would form a small portion of this view, but not change its	bird populations. To the north, the en
infrastructure and inverters would be partly	composition. To the right of the view, there is extended visibility but the	hedgerow planting and shelterbelts ha
screened due to the presence of foreground	slight change in landform curtails the views as far as the settlement of	become well established in the mid di
features and the distance. During the latter	Coates and this would not change. To the left of the view, visibility extends as	mitigate views of the panels and creat
part of the construction stage, views would	far as the ridgeline and woodlands at Ingham Cliff on the far horizon, which	multi-interest view with a strong back
become available of the elevated activities, but	would remain as a feature of the view.	woodland on the distant horizon. Bloc
the riparian vegetation bordering the River Till		proposed native scattered trees on the
and its tributaries would provide some	The effects set out below for Year 1 include secondary mitigation which will	the Site will help to add interest to the
screening such that these activities would be	have been carried out, but will have had limited physical or visual impact at	mitigate views further northeast. To the
confined to a narrow section of the view	this stage:	enhanced tree cover and hedgerows w
resulting in a small change.	ů – – – – – – – – – – – – – – – – – – –	established and begun to mature to give
0	Scattered tree belt	range views of well managed hedgerow
Other works would be undertaken in	Belts of scattered trees are proposed to the north around the northern	hedgerow trees. Further south, the sc
connection with the construction including	boundary of fieldC28 and the eastern boundary of field C23 adjacent to the	a wooded horizon in places with longe
fencing, gates, boundary treatment and other	existing watercourse further mitigating views to the north and providing a	views obscured by topography.
means of enclosure and works for the	strong feature around the watercourse as well as a suitable buffer between	
provision of security and monitoring measures	this and the Scheme.	This viewpoint is in mid-close proximit
such as CCTV and the laying down of internal		Site at Cottam 1 South looking south a
tracks. There would also be landscape and	Shelterbelt	southwest. Mid-range views of Cottam
biodiversity mitigation works, including	To the north, the southern field boundary to C25 is to be enhanced with the	may be possible.
planting and the improvement of the	addition of a 5m wide shelterbelt of native trees. This boundary, sitting	Thay be possible.
foreground hedgerows	beyond bird mitigation to the south will help mitigate views of the Cottam 1	
loreground nedgerows	North Site from the south.	Overall , in terms of mitigation for the
These short-lived construction activities would	North Site nom the south.	Site/Sites, there is significant benefit w
		appropriate tree planting that could be
obstruct a small portion of the view and would	A further block of shelterbelt planting is proposed to the eastern boundaries	and around settlements to increase th
not result in a change to the view's	of C24 and C25 to mitigate views from the east and from the village of	occurrence of semi-natural habitats ar
composition. There would be a change to the	Ingham.	the perception of a 'well-treed' landsca
arable land use, but the field boundaries and		
the associated tree cover would remain intact	Existing hedges	Between Years 1 and 15, the following
and help integrate the panels into their	To the south of this viewpoint, where the Site is in close proximity, the	effects will be achieved in terms of Visi
setting. There would not be a fundamental	existing northern boundary hedges of D30 and D34 are to be enhanced.	Receptors:
change to the surroundings to the east and	These will be allowed to grow out and managed to a height of 5m whilst	 Grassland reversion around fi
west of thus location.	additional tree planting within the hedgerow will further mitigate views into	boundaries and PRoW
	the Scheme from the Ingham Road and PRoW beyond to the north.	 Increased woodland/vegetatic
Construction Access		 A more varied landscape
All throughout the construction stage the	Existing hedges to the south of these fields are also to be enhanced breaking	– Improved (more natural) man
viewpoint will be affected due to Ingham Road	up the bulk of the panels and creating a stronger boundary to the track that	exiting vegetation
having a point of access into the Cottam 1	runs west from Corringham with the addition of hedgerow trees to	 Less expanse of intensively m
North Site. The access route is through a local	strengthen the character locally, mitigate views for horse riders and create	arable land
track near Low Farm as it connects to fields	additional visual interest along this route.	 A less exposed and windswep
C26 and C25.	č	 Water quality improvements
	To the west of field D30, further hedgerow enhancement will help mitigate	 Potential animal grazing
	views further west from this viewpoint and the Ingham Road.	• •
	0	 Reinstatement of historic field

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.18] January 2023

Decommissioning

A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.

Following decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.

With secondary mitigation considered, the negative effects of the physical decommissioning will be balanced out by the long term landscape and visual effects of this mitigation.



		Ι		
	Cable Route Corridor		 Bird mitigation fields 	
	Viewpoint is outside of the 0.5km study area.	Reinforce hedgerow at the eastern boundary of field C26 to mitigate views	 Significantly improved biodiversity 	
		from the PRoW. Introduce shelterbelt planting along the eastern boundary		
	Substation	of fields C23, C24 and C25.	Growth of existing and proposed vegetation is	
	This viewpoint is within the 2km study area		assumed to be:	
	but there would be no view of the Substation	New hedges		
	at Cottam 1.	A new hedgerow is proposed to the northern boundary of field D27 where	Woodland/trees and shelterbelts: 2.5m max at	
		none currently exists. The addition of hedgerow trees will help this	Year 1, 7.5m max at Year 15.	
		boundary to integrate into the adjoining landscape and strengthen the field		
		pattern locally.	New hedgerows: 0.6m at Year 1 and 3.5m at Year	
			15.	
		Turtle Dove/bird mitigation		
		A large field (C26) is to be provided for bird mitigation with low planting and	Existing hedgerows: 0.9m at Year 1 and 5m at	
		bare patches to promote nesting and feeding. This field has a relatively	Year 15.	
		strong eastern boundary and a small area of woodland to the south helping		
		to mitigate views of the Site from the south.	Shrubs: 0.9m at Year 1 and 5m at Year 15.	
		Grassland mixes		
		Adjacent to existing hedgerows and proposed blocks of scattered trees, a		
		tussock grass mix is proposed with a wildflower grass mix under the		
		proposed panels. Areas of flower rich pollinator mix are proposed around		
		other, predominantly south and west facing field boundaries as well as a		
		10m buffer around existing overhead power lines cables.		
		A tall herb mix is to be provided adjacent to existing watercourses in fields		
		D28 and D34 creating a minimum 8m buffer to these minor watercourses.		
		Adverse effects:		
		 Panels and structures across the landscape 		
		 Increased hard standing areas 		
		 Increased traffic locally 		
		 Some minor light pollution within open countryside 		
		 Substation, Battery storage and other associated infrastructure 		
		structures visible above existing vegetation		
Magnitude	Very Low	Very Low	Medium	Low
_				
Type of	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term	Neutral & Short Term
Effect			-	
Significance	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Minor Not Significant
of Effect	Reprove Rec Significant		Miller Modelate Hot significant	



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	<u>In Summary</u> There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and existing intervening vegetation cover. Therefore, there no in	In Summary The Cumulative Effects upon viewpoint 22 of the Cumulative Developments is Negligible at year 1 of operation due to the limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Devel
	combination visual effects are anticipated.	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or features of the landscape within the cl
		There would be the introduction of new elements and features comprising the solar panel areas and the subst
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, Site/Sites. The intervening settlements and built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cot Tillbridge Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the follow
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.9] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9]
		The landscape is shaped by the wide range of local and strategic road networks, which make one landscape ty major road network is defined by important historic routes and in contrast, the east west minor road network string of settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are or grassed verges and they have a major role in helping to define the quality of the landscape and reducing the vertex.
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of he and small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognise landscape. These relevant characteristics of the landscape and land use have some ability to accommodate ch cumulative visibility for the Cottam 1 Site/Sites would not alter the overall character of the landscape and its co Moreover, these features are often set within a well-vegetated context or associated with built form that plays effects.
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1) with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1) with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

ion and Negligible at year 15 with mitigation. This is velopments and proximity to the visual receptor.

character area.

bstation area within the character area

ith the cumulative developments would not be ds, hedgerows, and tree cover between the

Cotton 1 Site/Sites and Gate Burton Energy Park, llowing figures:

.6] 5.2.8] .9]

type or area different from another. The strategic rk links several historic and distinctive smaller e often tranquil and hedged to both sides with wide visibility across the area.

f historic settlement with farms, nucleated villages, nised for adding intimacy and interest to the change without undue adverse effects. The communications and infrastructure features. ays a positive role in reducing the overall cumulative



Viewpoint VP23 - Ingh/27/5 and Ingham Road

Viewpoint Baseline:

The view is located at the junction with PRoW Public Footpath Ingh/27/5 and Ingham Road looking directly south over the Cottam 1 South Site and north towards the Cottam 1 North Site.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a low-lying, gently rolling arable landscape within the wider context of a broad vale, which adds to the sense of scale of this view. The land use is mainly productive arable farmland with many of the large fields under single crop. There is plantation woodland including Coates Gorse and other small woodlands that forms a distinctive group to the north (left of view). There are other geometric blocks of woodland to the south including Thorpe Wood, Cammeringham Low Covert and Brattleby Gorse to the west (left of view). These woodlands combine to form a strong feature and a feeling of enclosure due to their localized concentration on the gently rolling landform. In terms of man-made elements, there are occasional farmsteads including Low Farm that is just visible on the horizon (right of view) and Blackthorn Hill to the south.

Subjective: The viewpoint depicts a medium scale, gently undulating, partially enclosed landscape, being intimate at close-range but more open and exposed in the mid distance due to the absence of hedgerows. In terms of variety, the combination of landscape features includes isolated farm buildings, plantation woodland, tall hedgerows, occasional hedgerow trees and arable fields that present a simple, well-balanced landscape, but the increased field sizes add some discordancy. In terms of texture and colour, this is an intensively managed land use that is mainly muted in colour, but the gently undulating topography adds some interest.

Overall: The view is influenced by the open arable fields and the woodlands on the horizon that form a significant component and add balance to the landscape. The location offers some intimacy despite the open nature to the north due to the bordering hedgerows to each side of Ingham Road and the small woodland thicket (to the east) associated with the tributary of the River Till. The horizon closes down the view since the landform rises to a high point on Long Lane at approximately 20m AOD rising to 30m AOD at the edge of the settlement of Ingham. The overall experience is interesting and very pleasant, with some depth to views and strong contrasting features, and due to the presence of the plantation woodlands on the horizon and varied landform. Overall, Ingham Road is a strong feature in the view as it connects the settlements of Ingham in the east to Stow in the west, however the grass verges are a distinctive feature.

Receptors:

This viewpoint is representative of views available to walkers using PRoW (Ingh/27/5), and motorists and residents travelling along Ingham Road.

Description of View:

The foreground of the view is set in the context of the public footpath that leads from the settlement of Ingham towards Coates and joins with Stow Lane. The location is bordered to each side by open arable fields which are lacking in boundary hedgerows. Stow Lane passes in an east west direction at this location of the view. The views are focused and framed by the presence of Stow Lane, which leads the views towards the west as far as Squire's Bridge and Stow Pasture and then leads view east as far as rising land just to the west of the settlement of Ingham. Foreground views pass across Stow Lane and then extend across the open arable field as far as the middle-distance which is framed by the collection of small woodlands to the west of Brattleby. To the right and left of the view, there is extended visibility along Stow Lane that leads to distant views in the west that capture the power industry associated with the River Trent on the horizon.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.19] January 2023





Receptor susceptibility to change	Value of view	Sensitivity	Embedded N
In terms of forces for change for VP23, changes in	<u>Scenic:</u> Views are often framed by large areas of woodland but access to footpaths	Range of Features: This location	Embedded Mitig
soils structure and water table levels through	is limited. Views experienced at the junction between the PRoW network and the	comprises the public footpath	construction, op
agricultural activity has modified habitats. However,	east west local lanes that capture these woodlands are important.	network within a wider arable	decommissionin
the woodlands that are least modified in the area		landscape. This is an open location	Mitigation is als
are formed on the historic heath at Morton and	<u>Cultural:</u> The landscape shows evidence of small villages, hamlets and farms	where the appreciation of the landscape can be experienced in 'all-	include the follo
Laughton Commons. Other factors causing change to habitats has been animal grazing, although cessation has been leading to a succession from	sparsely distributed within the landscape. This includes settlement of Coates with the Grade I listed Church of St Edith. Views towards church towers at Ingham and Cammeringham are also important.	round' views. There is a limited number of features other than the	Panels to be set
heathland to woodland. Sycamore regeneration,		immediate network of hedgerows	Panels to be set
aged tree stock and tree disease are also key factors in terms of landscape change and the high volume of	<u>Natural</u> : There are large areas of native woodland juxtaposed with regular plantations and shelterbelts. These are evident in views towards the south where	and small woodland blocks on the horizon. These woodlands also	property bounda
dog walkers is also a consideration.	Cammeringham Low Covert, Long Covert, Brattleby Gorse and Polar Wood form an	extend east to crown the scarp slope	Panels to be set
U U U U U U U U U U U U U U U U U U U	interesting group.	at Fillingham, Ingham and Brattleby.	minimum of 8m
Overall , the susceptibility for VP23 is conditioned by			
changes to the underlying geology and drainage	<u>Recreation and Enjoyment:</u> The Unwooded Vales Character Area 4a is often enjoyed		Panels to be set
patterns by intensive agriculture. The presence of	from the bordering areas such as the Limestone Scarp and Dipslopes Character	Importance of View: This is the local	
the north south road network also severs habitat	Area 6a to the east and the Wooded Vales Character Area 4b to the west. The focus	public footpath network that joins	Existing hedges
connectivity between the Trent's flood plain and the	for enjoyment within the Unwooded Vales is therefore often the journey from east	with the local east west pattern of lanes. This footpath forming part of a	managed to a he
Till Vale to the east. The A156 is a major route that divides the Trent flood plain. The relevant	to west.	well-connected network of footpaths	to grow out to a boundaries with
characteristics of the landscape therefore have some		and bridleways to the west of the	appropriate, ran
ability to accommodate change without undue	Local Distinctiveness and Sense of Place: The landscape has a 'strong sense of place'	settlement of Ingham offers views	hedges.
adverse effects. There is scope to protect and	endorsed by the strong woodland groups, with some areas retaining a sense of	that are commonplace, which lowers	neuges.
enhance the natural character of the minor east	tranquility and remoteness, notably the central parts away from the east west road	the importance of the view.	Lighting will be li
west local road network to improve connectivity	network.		battery banks or
between the Till Vale and the Trent across major	Uselth and Wellheing, There is a limited network of DDoW, but this is companyated	Number of Receptors: This location	required. Lightin
routes such as the A156 (Gainsborough Road). Minor	<u><i>Health and Wellbeing:</i></u> There is a limited network of PRoW, but this is compensated by the local lanes as the main focus for experiencing the health and well-being	captures view for walkers and is likely	vehicle and pers
roads that lead to the Trent from the A156 could be	qualities of the landscape.	to be a draw for users from the local	50W, installed at
a key priority to build on connectivity.		settlement of Ingham. The location	prevent light spi
	Important Spatial Function: The landscape benefits from the woodland group that	may capture walkers from the wider	will be manually
	occupies the landscape to the south of Ingham Road.	area, but this is not a long-distance route and connectivity to string of	perimeter fencir
	Overall , the value of Viewpoint VP23 is shaped by the presence of the woodland	settlements along the ridgeline (or	The visual effect
	group to the south of Ingham Lane that has a presence on the skyline and in the	east west settlements) is poor.	account equate
	foreground of views. The landscape also possesses a framework of tributaries and		(Year 1) and this
	drainage dykes that feed the River Till to the south and where these support		been carried out
	riparian vegetation, they are an important feature locally. In recent decades, the		impact at this En
	prominence of arable farming between these woodlands and watercourses is		
	impacting on landscape character and views across the area.		
High to Medium	Medium	High to Medium	Not Applicable

Approximate Extent of Development

Mitigation

tigation would be taken into account at the operation (Year 1 and Year 15) and ning stages of the Scheme. This Embedded also referred to as primary mitigation and would llowing measures:

set a minimum of 15m from adjacent PRoW.

et a minimum of 50m from adjacent residential ndaries.

et minimum of 20m from major watercourses and 8m from minor watercourses.

set a minimum of 3m from Site boundaries.

es are to be allowed to grow out and will be height of 5m. Hedgerow trees will be encouraged add further thickening and growth to the field ith the addition of new hedgerow trees as andomly spaced along the length of existing

e limited to downlights within substations and only and used when maintenance or security is ting will be PIR operated and will be calibrated to ersonnel movements. All visible lighting would be l at a maximum height of 4m with cowls fitted to spillage. Lighting required within panelled areas Illy operated. There will be no lighting on cing.

ects **with only** the Embedded Mitigation taken into te to those effects set out for the operation stage his includes secondary mitigation which will have out but will have had limited physical or visual Embedded Mitigation stage.



Viewpoint VP23 – Ingh/27/5 and Ingham Road

Construction

Activities considered includes, site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened due to the presence of foreground hedgerow bordering Stow Lane. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerow, but the hedgerows bordering Stow Lane would provide some screening such that these activities would be confined to a narrower section of the view.

Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows

These short-lived construction activities would obstruct a small portion of the view but would not become a dominant feature. There would be a considerable change to the arable land use, but the field boundaries and the associated tree cover would remain intact and help with screening in the foreground. There would not be a fundamental change to the surroundings to the east and west of this location.

Construction Access

All throughout the construction stage the viewpoint will be affected due to Ingham Road having a point of access into the Cottam 1 North Site. The access route is through a local track near Low Farm as it connects to fields C26 and C25.

The foreground of the view is set in the context of the public footpath that leads from the settlement of Ingham towards Coates and joins with Stow Lane would not change. The location is bordered to each side by open arable fields which are lacking in boundary hedgerows, and this would not change. Stow Lane passes in an east west direction at this location of the view and the views beyond this would change to show the presence of panels. The views are focused and framed by the presence of Stow Lane, which leads the views towards the west as far as Squire's Bridge and Stow Pasture and then leads view east as far as rising land just to the west of the settlement of Ingham and this would not change. Foreground views pass across Stow Lane and then extend across the open arable field as far as the middledistance which is framed by the collection of small woodlands to the west of Brattleby and this would change to an area of panels but set back from this location behind hedgerows and intervening small woodland. To the right and left of the view, there is extended visibility along Stow Lane that leads to distant views in the west that capture the power industry associated with the River Trent on the horizon and this would not change.

The effects set out below for Year 1 include secondary mitigation which will have been carried out, but will have had limited physical or visual impact at this stage:

Scattered tree belt

Operation (Year 1)

Belts of scattered trees are proposed to the north around the northern boundary of fieldC28 and the eastern boundary of field C23 adjacent to the existing watercourse further mitigating views to the north and providing a strong feature around the watercourse as well as a suitable buffer between this and the Scheme.

Shelterbelt

To the north, the southern field boundary to C25 is to be enhanced with the addition of a 5m wide shelterbelt of native trees. This boundary, sitting beyond bird mitigation to the south will help mitigate views of the Cottam 1 North Site from the south.

A further block of shelterbelt planting is proposed to the eastern boundaries of C24 and C25 to mitigate views from the east and from the village of Ingham.

Existing hedges

To the south of this viewpoint, where the Site is in close proximity, the existing northern boundary hedges of D30 and D34 are to be enhanced. These will be allowed to grow out and managed to a height of 5m whilst additional tree planting within the hedgerow will further mitigate views into the Schme from the Ingham Road and PRoW beyond to the north.

Existing hedges to the south of these fields are also to be enhanced breaking up the bulk of the panels and creating a stronger boundary to the track that runs west from Corringham with the addition of hedgerow trees to strengthen the character locally, mitigate views for horse riders and create additional visual interest along this route.

	1
Operation (Year 15)	Decommissioning
 With secondary mitigation such as planting and grass seeding being taken into account at the operational stage (Year 15) the following changes to the landscape would occur and the visual effects are set out below. At Year 15, the mid-range view to the north will be of a field with low cover but strong field boundaries to encourage Turtle Dove and other bird populations. To the north, the enhanced hedgerow planting and shelterbelts having become well established in the mid distance will mitigate views of the panels and create a layered, multi-interest view with a strong backdrop of woodland on the distant horizon. Blocks of proposed native scattered trees on the east of the Site will help to add interest to the view and mitigate views further northeast. To the south, enhanced tree cover and hedgerows will have established and begun to mature to give close range views of well managed hedgerows with hedgerow trees. Further south, the scene offers a wooded horizon in places with longer distance views obscured by topography. This viewpoint is in close proximity to the Site at the Cottam 1 South Site looking south and southwest. Mid-range views of the Cottam 1 North Site may be possible. Between Years 1 and 15, the following beneficial effects will be achieved in terms of Visual Receptors: Grassland reversion around field boundaries and PRoW Increased woodland/vegetation cover A more varied landscape Improved (more natural) managed arable land A less exposed and windswept landscape Water quality improvements Potential animal grazing Reinstatement of historic field patterns Bird mitigation fields Significantly improved biodiversity 	A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site runoff. Following decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors. With secondary mitigation considered, the negative effects of the physical decommissioning will be balanced out by the long term landscape and visual effects of this mitigation.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.19] January 2023



	Cable Route Corridor Viewpoint is outside of the 0.5km study area. Substation This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 1.	To the west of field D30, further hedgerow enhancement will help mitigate views further west from this viewpoint and the Ingham Road. New hedges A new hedgerow is proposed to the northern boundary of field D27 where none currently exists. The addition of hedgerow trees will help this boundary to integrate into the adjoining landscape and strengthen the field pattern locally. Turtle Dove/bird mitigation A large field (C26) is to be provided for bird mitigation with low planting and bare patches to promote nesting and feeding. This field has a relatively strong eastern boundary and a small area of woodland to the south helping to mitigate views of the Site from the south. Grassland mixes Adjacent to existing hedgerows and proposed blocks of scattered trees, a tussock grass mix is proposed with a wildflower grass mix under the proposed panels. Areas of flower rich pollinator mix are proposed around other, predominantly south and west facing field boundaries as well as a 10m buffer around existing overhead power lines cables. A tall herb mix is to be provided adjacent to existing watercourses in fields D28 and D34 creating a minimum 8m buffer to these minor watercourses. Adverse effects: Panels and structures across the landscape Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation		
Magnitude	Low	Medium	Medium	Very Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term	Neutral & Short Term
Significance of Effect	Minor-Moderate Not Significant	Moderate Significant	Moderate Significant	Negligible Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	<u>In Summary</u> There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to	<u>In Summary</u> The Cumulative Effects upon viewpoint 23 of the Cumulative Developments is Negligible at year 1 of operation and N to the limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Developments a
	distance and existing intervening vegetation cover. Therefore, there no in combination visual effects are anticipated.	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or features of the landscape within the character
		There would be the introduction of new elements and features comprising the solar panel areas and the substation
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the cu experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedge The intervening settlements and built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 S Tillbridge Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the following fi
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9]
		The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type or a road network is defined by important historic routes and in contrast, the east west minor road network links several settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are often tranquil at verges and they have a major role in helping to define the quality of the landscape and reducing the visibility across the
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of historic small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised for addi These relevant characteristics of the landscape and land use have some ability to accommodate change without und the Cottam 1 Site/Sites would not alter the overall character of the landscape and its communications and infrastruc- often set within a well-vegetated context or associated with built form that plays a positive role in reducing the overal
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1) with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1) with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

Negligible at year 15 with mitigation. This is due and proximity to the visual receptor.

acter area.

on area within the character area

e cumulative developments would not be dgerows, and tree cover between the Site/Sites.

1 Site/Sites and Gate Burton Energy Park, figures:

or area different from another. The strategic major ral historic and distinctive smaller string of l and hedged to both sides with wide grassed ss the area.

ric settlement with farms, nucleated villages, and dding intimacy and interest to the landscape. ndue adverse effects. The cumulative visibility for ucture features. Moreover, these features are erall cumulative effects.



Viewpoint VP29 - Ingh/17/2 just off B1398

Viewpoint Baseline:

The view is located on PRoW, footpath (Ingh/17/2) just off the B1398, looking west towards the Cottam North 1 Site and southwest towards the Cottam 1 South Site.

Objective: This viewpoint offers views from within the Limestone Scarps and Dipslopes Character Area 6a, towards the west over the Unwooded Vales Character Area 4a. The landscape comprises of limestone capped scarp slope that extends towards a rolling lowland towards the west of Ingham. In terms of landform, the land falls away from the viewpoint from approximately 65m AOD towards the Vales, which varies between 20 to 25m AOD within the landscape to the south of Greystones Farm. The land use is predominantly productive arable farm with many of the large fields under single crop. There is deciduous woodland that stands out on the horizon and comprises Hare's Wood and Fox Covert and Pale Wood at Fillingham Park. Hedgerows enclose the fields and provide additional layering to the landscape which is crossed by farm tracks that are also prominent in the context of the adjoining hedgerows. In terms of landform, the land falls sharply to the west towards the Lincolnshire Rescue Kennels and then continues as an area of gentle undulations towards Coates where New Plantation, and woodland around the small settlement of Coates closes down views across the area. In terms of man-made features, there is the busy B1398 (Middle Street) where farmsteads are mainly located to the west of this road and include Park Farm and Cliff House. Other built influences include residential properties at Hillside Cottages and the settlement of Fillingham to the northwest (right of view) and Ingham to the southeast (left of view). The pattern of open arable fields and strong woodland blocks is a key feature of the view. In terms of man-made elements, mast, poles and electricity pylons are evident in the foreground and the distance. There is also a contrasting range of settlements (small villages and hamlets and larger market towns) individual farmsteads and residential dwellings which are mostly shrouded in tree cover, but which add to the pattern of the landscape. Regular geometric blocks of woodland also dominate the views (to the west of Cammeringham in particular) and add to the formal qualities of the landscape pattern. Deciduous woodland is clearly visible in the distance and the middle ground has several tree clumps in the central part of the Vale. Elsewhere, the settlement of Willingham by Stow, Stow and Sturton by Stow support woodland and tree cover around their boundaries.

Subjective: The viewpoint depicts a large-scale landscape, being exposed at mid-range and distant locations due to the open nature of the view. The arable landscape to each side of Middle Street has a distinct absence of hedgerows. Fox Covert, Pale Wood, Round Planation and Hares Wood close down views towards the north, whereas in contrast the views towards the south are open due to a distinct lack of woodlands along the scarp at this location. The view provides a complex range of features that give an overall impression of an invigorating landscape. Fast-moving traffic is a significant detractor, and the close proximity of the road is unsettling. Hedgerows are a prominent feature on the rim of the scarp slope as they provide cover between land parcels, and this tends to dominate the foreground of the views.

Overall: The view is typical in character to the wider rolling arable landscape, which is invigorating and very pleasant where hedgerows and woodland add interest to the strong network of arable fields. The view is influenced by the presence of the combination of features in the wider context of the broad vale. There is an overriding impression of this being a landscape of a vast scale, with far-reaching views that are very pleasant and invigorating.

Receptors:

This viewpoint is representative of views available to walkers using the PRoW (Ingh/17/2) and motorists using the B1398 (Middle Street).

Description of View:

The foreground of the view comprises an arable field that slopes towards the west. There is a wide grass verge to the front of the hedgerow that borders the B1398 and no hedgerow leaving open visibility across the field. The middle ground reveals further arable fields leaving the distant horizon as the main feature. The foreground is also framed by deciduous trees and the agricultural buildings placed within intermittent tree cover but otherwise views are open and expansive. In the far distance, the landscape forms a flat, low-lying presence where deciduous woodlands stand out in contrast to the open arable fields. The view mainly highlights the productive arable landscape with large fields and contrasting woodlands visible amongst hedgerows and hedgerow trees. The hedgerows add to the overall wooded context of the landscape due to the elevation of the view. To the right-hand side of the view, there is open visibility and to the left of the view the agricultural buildings close down the visibility and add some features of interest to the view. The remainder of the horizon is made up of large skies with few vertical features other than the power industry of the River Trent floodplain in the far distance.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.22] January 2023





Receptor susceptibility to change	Value of view	Sensitivity	Embe
In terms of forces for change for VP29, the settlement pattern is a key sensitivity. The contrast between the small compact villages and larger market towns remains largely intact, but the expansion around their edges and the associated impact on landscape character is a key issue. Other sensitivities are focused on the ancient enclosures that has been weakened by modern agricultural practices. Overall , the susceptibility for VP29 is conditioned by collection of historic settlements that date from medieval and some with stone and bronze age origins where there are visible surviving earthworks and ridge and furrow. The mixed farming heritage is also fundamental in retaining landscape character and should be managed to ensure the area continues to reflect its long history of agricultural land use. The relevant characteristics of the landscape therefore have a moderate to high ability to accommodate change without undue adverse effects given there is scope to protect the character and diversity of the farming heritage through appropriate landscape maintenance and management interventions.	 <u>Scenic</u>: Extensive panoramas are possible at the crest of the ridgeline. These views are framed by large areas of woodland in the foreground with the power industry of the Trent floodplain in the far distance. <u>Cultural</u>: There are small villages, hamlets and farms that are evenly distributed across the view. This includes the string of settlements on the ridgeline such as Fillingham, Ingham, and Cammeringham at this section of the scarp slope. <u>Natural</u>: There are large areas of ancient and species-rich native woodland juxtaposed with regular blocks of coniferous plantations. The deciduous woodland stands out on the horizon and comprises Hare's Wood and Fox Covert and Pale Wood at Fillingham Park. <u>Recreation and Enjoyment</u>: In terms of landform, the landscape falls sharply to the west towards the Lincolnshire Rescue Kennels and then continues as an area of gentle undulations that add to the recreation and enjoyment of the area. <u>Local Distinctiveness and Sense of Place</u>: The B1398 (Middle Street) is a busy road with fast moving traffic which denudes the 'sense of place'. There is also a contrasting range of settlements (small villages and hamlets and larger market towns) individual farmsteads and residential dwellings which are mostly shrouded in tree cover, but which add to the pattern of the landscape and 'sense of place'. <u>Health and Wellbeing</u>: These publicly accessible locations along the scarp slope provide views over the surrounding landscape. <u>Important Spatial Function</u>: The pattern of open arable fields and strong woodland blocks is a key feature of the view. In terms of man-made elements, mast, poles, and electricity pylons are evident in the fore ground and the distance. Overall, the value of Viewpoint VP29 is shaped by the rising landform that allows opportunity for extensive views from the edges of the scarp slope over the Unwooded Vales. The landscape possesses a strong framework of woodla	Range of Features: This location comprises a higher elevation within The Ridge Area of Great Landscape Value (AGLV) overlooking the Till Vale. This is an open location with little built development and limited tree and woodland cover. Hedgerows are also absent from field boundaries in parts. There is a scant range of features other than the distant views over the Till Vale towards the Trent floodplain in the west. Importance of View: This is an elevated location within the AGLV, which raises the level of importance of the view. This location is the junction with the public footpath network and a busy secondary road that passes north south across the area and is strategic as a link between the string of settlements on the ridge line. The Limestone Scarps and Dipslopes Character Area 6a is valued for recreation which can include the long views west towards the Wooded Vales Character Area 4b. Although wider areas retain a sense of rural tranquility and intactness, this location adjacent to the B1398 (Middle Street) is a busy location. Number of Receptors: This is the public footpath network that forms an east west route between the A1500 (Ermine Street) and the Till Vale. Connections further to the east towards the dip slope are however severed by this strategic road network, which may restrict the number of receptors to local users as opposed to those from a wider area.	Embed the cor decom Embed mitigat Panels PRoW. Panels resider Panels waterco Waterco Panels bounda Existing be mar encour growth hedger the len Lighting and ba security will be All visik maxim light sp will be perime The vis taken in the ope second but will this Em
Medium	Medium to High	Medium to High	Not app

edded Mitigation

edded Mitigation would be taken into account at onstruction, operation (Year 1 and Year 15) and mmissioning stages of the Scheme. This edded Mitigation is also referred to as primary ation and would include the following measures:

ls to be set a minimum of 15m from adjacent

ls to be set a minimum of 50m from adjacent ential property boundaries.

ls to be set minimum of 20m from major rcourses and minimum of 8m from minor rcourses.

ls to be set a minimum of 3m from Site daries.

ng hedges are to be allowed to grow out and will anaged to a height of 5m. Hedgerow trees will be uraged to grow out to add further thickening and th to the field boundaries with the addition of new erow trees as appropriate, randomly spaced along ength of existing hedges.

ing will be limited to downlights within substations battery banks only and used when maintenance or ity is required. Lighting will be PIR operated and e calibrated to vehicle and personnel movements. sible lighting would be 50W, installed at a mum height of 4m with cowls fitted to prevent spillage. Lighting required within panelled areas e manually operated. There will be no lighting on neter fencing.

isual effects **with only** the Embedded Mitigation into account equate to those effects set out for peration stage (Year 1) and this includes ndary mitigation which will have been carried out ill have had limited physical or visual impact at mbedded Mitigation stage.

pplicable



Construction
Activities considered includes, site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be screened due to the presence of foreground topography and distance. During the latter part of the construction stage, views would hardly be available of the elevated activities due to distance and the layering of the hedgerow and tree cover, such that these activities would be confined to a narrow section of the view. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation work, including planting and the improvement of the foreground hedgerows These short-lived construction activities would obstruct a small portion of the view and not become a dominant feature. There would be a change to the arable land use, but the field boundaries and the associated tree cover would remain intact and help with the assimilation of the panels. There would not be a fundamental change to the surroundings to the south and east of Thorpe Lane. Construction Access Viewpoint will not be affected by construction traffic due to the distance between the viewpoint and the proposed construction access.

nissioning

process to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the seline. Effects are those arising from activities for on of the decommissioning including to include , noise and vibration from decommissioning dust generation and site runoff.

decommissioning, the land is likely to be returned production. The Site will however benefit from the tly enhanced tree and hedgerow planting that has ied out and has begun to mature to create a much and robust landscape, retaining and enhancing the aracter and providing considerable biodiversity ver the years. Bird mitigation fields are likely to be nd the potential may exist to retain grass margins ve some varied land use and maintain long-term nents in biodiversity in the local area, all of which t visual receptors.

ndary mitigation considered, the negative effects sical decommissioning will be balanced out by the landscape and visual effects of this mitigation.



SOLAR PROJECT			[Refe	Tence, LINO
	This viewpoint is outside the 2km study area and there would be no view of the Substation at Cottam 1.	A proposed new hedgerow with irregularly spaced hedgerow trees is proposed to the eastern boundary of the Site at this viewpoint to the east of fields C29 and 30. Proposed new hedges will follow existing ditch/tree lines to field boundaries running north/south, between fields C20,22 and 27 helping to reinforce the field structure and create visual links as well as breaking up the overall bulk of the panelled area. A new hedgerow to the north of C27 and 29 will mitigate views from further north. <u>Existing hedgerows</u> Where existing hedgerows exist across the Site running broadly north/south, these will be enhanced and planted with irregularly spaced native hedgerow trees to break up the somewhat open and exposed landscape. Reinforcement of existing hedgerows will strengthen the overall character and create more of a well-treed scene locally and from further afield. <u>Grassland Mixes</u> Planting along the PRoW (bridleway) is to be a tall herb mix providing a scenic walk/ride along this section of the route. This mix flows round to the west and along the southern border of fields C22, 27 and 30, providing a good open buffer around the existing ditch and small pond. Flower rich pollinator mixes and tussock mixes are proposed around existing and proposed hedgerows elsewhere within the Site with pollinator mixes concentrated on the south and west facing hedgerow verges. Adverse effects: Panels and structures across the landscape Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other	New hedgerows: 0.6m at Year 1 and 3.5m at Year 15. Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15.	
Magnituda	Madium	associated infrastructure structures visible above existing vegetation	Madium	Vender
Magnitude Level of	Medium	Medium	Medium	Very Low
Effect	Adverse & Short Term	Adverse & Long Term	Adverse & Long Term	Neutral & Sl
Significance of Effect	Moderate Significant	Moderate Significant	Moderate Significant	Negligible N

& Short Term

Not Significant



Viewpoint VP29 – Ingh/17/2 just off B1398

	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	<u>In Summary</u> There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and existing intervening vegetation cover. Therefore, there no in combination visual effects are anticipated.	<u>In Summary</u> The Cumulative Effects upon viewpoint 29 of the Cumulative Developments is Negligible at year mitigation. This is due to the limited impact upon the view as a result of the segregated nature proximity to the visual receptor.
		<i><u>Fabric of the Landscape</u></i> There would not be the removal of or changes in individual elements or features of the landsc
		There would be the introduction of new elements and features comprising the solar panel are area
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulat would not be experienced across the majority of the 5km study area. This is due to the distance tree cover between the Site/Sites. The intervening settlements and built form would also curta
		There are local patches of cumulative visibility which may be focus of likely significant effects, Energy Park, Tillbridge Solar and West Burton Solar Park. This cumulative visibility is set out in
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZT Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZT
		The landscape is shaped by the wide range of local and strategic road networks, which make of another. The strategic major road network is defined by important historic routes and in contriseveral historic and distinctive smaller string of settlements across the area. Overall, the prevating that are often tranquil and hedged to both sides with wide grassed verges and they have a malandscape and reducing the visibility across the area.
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infrastructure is shaped nucleated villages, and small hamlets such as Thorpe le Fallows and Coates, which are feature intimacy and interest to the landscape. These relevant characteristics of the landscape and la change without undue adverse effects. The cumulative visibility for the Cottam 1 Site/Sites wo landscape and its communications and infrastructure features. Moreover, these features are associated with built form that plays a positive role in reducing the overall cumulative effects.
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1) with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1) with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.22] January 2023

year 1 of operation and Negligible at year 15 with ure of the Sites and Cumulative Developments and

scape within the character area.

areas and the substation area within the character

lative visibility with the cumulative developments ance, the intervening woodlands, hedgerows, and rtail cumulative visibility.

s, between the Cotton 1 Site/Sites and Gate Burton in further detail within the following figures:

ZTV [C6.4.8.15.2.6] ed ZTV [C6.4.8.15.2.8] ZTV [C6.3.4.15.2.9]

e one landscape type or area different from ntrast, the east west minor road network links evailing road network is formed by narrow lanes major role in helping to define the quality of the

ed by evidence of historic settlement with farms, res value that are not highly recognised for adding land use have some ability to accommodate vould not alter the overall character of the re often set within a well-vegetated context or s.





Viewpoint VP30 – Junction of High Steet and the B1398

Viewpoint Baseline:

The view is located at the junction of High Street and the B1398, looking west towards the Cottam 1 North Site and southwest towards the Cottam 1 South Site.

Objective: This viewpoint offers views from within the Limestone Scarps and Dipslopes Character Area 6a, towards the west over the Unwooded Vales Character Area 4a. The landscape comprises of limestone capped scarp slope that extends towards a rolling lowland towards the west of Ingham. In terms of landform, the land falls away from the viewpoint from approximately 65m AOD towards the Vales, which varies between 20 to 25m AOD within the landscape to the south of Greystones Farm. The land use is predominantly productive arable farm with many of the large fields under single crop. There is deciduous woodland that stands out on the horizon and comprises Hare's Wood and Fox Covert and Pale Wood at Fillingham Park. Hedgerows enclose the fields and provide additional layering to the landscape which is crossed by farm tracks that are also prominent in the context of the adjoining hedgerows. In terms of landform, the land falls sharply to the west towards the Lincolnshire Rescue Kennels and then continues as an area of gentle undulations towards Coates where New Plantation, and woodland around the small settlement of Coates closes down views across the area. In terms of man-made features, there is the busy B1398 (Middle Street) where farmsteads are mainly located to the west of this road and include Park Farm and Cliff House. Other built influences include residential properties at Hillside Cottages and the settlement of Fillingham to the northwest (right of view) and Ingham to the southeast (left of view). The pattern of open arable fields and strong woodland blocks is a key feature of the view. In terms of man-made elements, mast, poles, and electricity pylons are evident in the foreground and the distance. There is also a contrasting range of settlements (small villages and hamlets and larger market towns) individual farmsteads and residential dwellings which are mostly shrouded in tree cover, but which add to the pattern of the landscape. Regular geometric blocks of woodland also dominate the views (to the west of Cammeringham in particular) and add to the formal qualities of the landscape pattern. Deciduous woodland is clearly visible in the distance and the middle ground has several tree clumps in the central part of the Vale. Elsewhere, the settlement of Willingham by Stow, Stow and Sturton by Stow support woodland and tree cover around their boundaries. A large block of woodland Manor Farm is also just visible to the northwest (right of view) and the elevation of the viewpoint reveals a better appreciation of fields patterns and contrasting woodland blocks from this location. The tree cover along High Street is also a strong feature and provides some intimacy at this location, but mast and poles dominate the skyline towards the settlement of Fillingham.

Subjective: The viewpoint depicts a large-scale landscape, being exposed at mid-range and distant locations due to the open nature of the view. The arable landscape to each side of Middle Street has a distinct absence of hedgerows. Fox Covert, Pale Wood, Round Planation and Hares Wood close down views towards the north, whereas in contrast the views towards the south are open due to a distinct lack of woodlands along the scarp at this location. The view provides a complex range of features that give an overall impression of an invigorating landscape. Fast-moving traffic is a significant detractor, and the close proximity of the road is unsettling. Hedgerows are a prominent feature on the rim of the scarp slope as they provide cover between land parcels, and this tends to dominate the foreground of the views. Fillingham Woods is located to the north (right of view) and closes down any views to the north. The view looks onto Fillingham settlement that is in the middle ground of the view with Hillside Cottages located to the foreground of the view. In the far distance, the glimpses of the Trent power industry add great interest and a sense of industrial context to the view.

Overall: The view is typical in character to the wider rolling arable landscape, which is invigorating and very pleasant where hedgerows and woodland add interest to the strong network of arable fields. The view is influenced by the presence of the combination of features in the wider context of the broad vale. There is an overriding impression of this being a landscape of a vast scale, with far-reaching views that are very pleasant and invigorating. The fast-moving traffic is a detractor at this location, however.

Receptors:

This viewpoint is representative of views available to walkers, motorists, and residents along the eastern edge of the settlement of Fillingham.

Description of View:

The foreground of the view comprises junction of High Street and the B1398 with an arable field that slopes towards the west. There is a wide grass verge to the boundary with the highway, but no field hedgerow bordering the B1398 leaving open visibility across the arable field in the foreground. The woodland at Oak Walk closes down any further visibility towards the west and northwest from this location. The middle ground reveals further arable fields leaving the distant horizon as the main feature. The foreground is also framed by the residential dwellings at the eastern end of High Street, but otherwise views are open and expansive. In the far distance, the landscape forms a flat, low-lying presence where deciduous woodlands stand out in contrast to the open arable fields. The view mainly highlights the productive arable landscape with large fields and contrasting woodlands visible amongst hedgerows and hedgerows add to the overall wooded context of the landscape due to the elevation of the view.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.23] January 2023



		Approximate Extent of Development	
		A second se	
	The I AND THE		

Receptor susceptibility to	Value of view	Sensitivity	Embedded M
change			
In terms of forces for change for VP30, the	<u>Scenic:</u> The Trent floodplain is the key feature of this panoramic view	Range of Features: This location comprises a higher	Embedded Mitiga
landscape has a strong rural character, but	and power industry on the banks of the River Trent in distant views	elevation within The Ridge Area of Great Landscape Value	construction, ope
tranquility levels are being disturbed by	contributes to the overarching scenic quality.	(AGLV) overlooking the Till Vale. This is a part open location	decommissioning
development pressures from the larger		with some built development and strong woodland cover to	Mitigation is also
scale settlements and major routes across	<i><u>Cultural</u></i> : There are many tranquil places for people to enjoy the area	the north and east. Hedgerows are also absent from field	include the follow
the area. Tranquility is however associated	both for recreation and for local residents. For example, Fillingham	boundaries in parts. There is an interesting range of	
with the winding lanes and landscape-	Castle registered park and garden is Grade II listed where the castle is	features in the foreground that help frame the distant views	Panels to be set a
scale projects such as the Trent Vale	surrounded by gardens and pleasure grounds. The woodland	over the Till Vale towards the Trent floodplain. The land dips	
Landscape Partnership which can help by	associated with the castle is a key feature in the context of the view.	sharply away to the broad low-lying vales of the River Till.	Panels to be set a
offering increased recreational and			property bounda
educational opportunities within these	Natural: Woodland cover is low across the Unwooded Vales Character	Importance of View: This is an elevated location within the	
areas.	Area 4a because of the history of the land use for agriculture. The	AGLV and in close proximity to the Fillingham Conservation	Panels to be set r
	area has therefore retained little semi-natural habitat. The hedgerows	Area and Fillingham Castle Grade II Registered Park and	minimum of 8m f
Overall, the susceptibility for VP30 is	which feature in the view provide the main habitats for farmland	Garden, which raises the level of importance of the view.	
conditioned by the limited network of	species and are almost substitute woodland.	The Limestone Scarps and Dipslopes Character Area 6a is	Panels to be set a
footpaths and bridleways and the		valued for recreation which can include the long views west	
availability of the rural roads and minor	Recreation and Enjoyment: The PRoW network extends across the	towards the Wooded Vales Character Area 4b. Although	Existing hedges a
tracks for extended access. The relevant	ridgeline and footpath Fill/89/1 extends through the grounds of	wider areas retain a sense of rural tranquility and	managed to a hei
characteristics therefore have some scope	Fillingham Castle to meet with the B1398 (Middle Street) at the	intactness, this location adjacent to the B1398 (Middle	to grow out to ad
to accommodate change without undue	junction of High Street. The tree cover along High Street is also a	Street) is a busy location. The view is however influenced by	boundaries with t
adverse effects. There is however scope to	strong feature and provides some intimacy at this location, but mast	the presence of the combination of features in the wider	appropriate, rand
increase recreation opportunities	and poles dominate the skyline towards the settlement of Fillingham.	context of the broad vale.	hedges.
including where there are natural features			
and historical elements to draw interest	Local Distinctiveness and Sense of Place: This is a predominantly rural	<u>Number of Receptors</u> : This is the junction of the secondary	Lighting will be lir
from residents and tourists.	and sparsely settled area with small villages and dispersed farms,	and local road network where the local road ascends the	battery banks on
	however the ridgeline is a busy location in close proximity to the	ridgeline to capture the long views west. This is also the	required. Lighting
	B1398 that dilutes the 'sense of place'.	junction of the public footpath network that forms an east	vehicle and perso
		west route between the A1500 (Ermine Street) and the Till	50W, installed at
	Health and Wellbeing: The view is invigorating and very pleasant	Vale. Connections further to the east towards the dip slope	prevent light spill
	where hedgerows and woodland add interest to the strong network	and the settlement of Normandy-by-Spital are more	be manually oper
	of arable fields.	abundant, which may extend the number of receptors from	fencing.
		local users to those from a wider area.	Ĭ
	Important Spatial Function: There is an overriding impression of this		The visual effects
	being a landscape of a vast scale, with far-reaching views that are very		account equate to
	pleasant.		(Year 1) and this
			been carried out
	Overall , the value of Viewpoint VP30 is shaped by far reaching views		impact at this Em
	over the Unwooded Vales Character Area 4a, where the views extend		1
	as far as the River Trent and the Floodplain Valleys Character Area 3a.		
High	High	High	Not Applicable
	· ···O··		



Mitigation

igation would be taken into account at the peration (Year 1 and Year 15) and ing stages of the Scheme. This Embedded so referred to as primary mitigation and would owing measures:

t a minimum of 15m from adjacent PRoW.

t a minimum of 50m from adjacent residential daries.

t minimum of 20m from major watercourses and n from minor watercourses.

t a minimum of 3m from Site boundaries.

are to be allowed to grow out and will be neight of 5m. Hedgerow trees will be encouraged add further thickening and growth to the field h the addition of new hedgerow trees as ndomly spaced along the length of existing

limited to downlights within substations and only and used when maintenance or security is ing will be PIR operated and will be calibrated to rsonnel movements. All visible lighting would be at a maximum height of 4m with cowls fitted to billage. Lighting required within panelled areas will perated. There will be no lighting on perimeter

cts **with only** the Embedded Mitigation taken into e to those effects set out for the operation stage is includes secondary mitigation which will have ut but will have had limited physical or visual Embedded Mitigation stage.



Construction	Operation (Year 1)	Operation (Year 15)
Construction Activities considered includes, site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened due to the presence of foreground hedgerow bordering Thorpe Lane. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerow, but the riparian vegetation bordering the River Till would provide some screening such that these activities would be confined to a narrower section of the view. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows These short-lived construction activities would be a considerable change to the arable land use, but the field boundaries and the associated tree cover would remain intact. The construction for the view	Operation (Year 1) The foreground of the view comprising the junction of High Street and the B1398 with an arable field that slopes towards the west would not change. There is a wide grass verge to the boundary with the highway, but no field hedgerow bordering the B1398 leaving open visibility across the arable field in the foreground, and this would remain open. The woodland at Oak Walk closes down any further visibility towards the west and northwest from this location and helps to conceal the presence of the panels within Cottam 1 North in the landscape. With Cottam 1 South the presence of the panels are screened by the intervening settlement of Fillingham and Ingham. The middle ground reveals further arable fields leaving the distant horizon as the main feature where the presence of the panels would occupy a small portion of the view and therefore would not result in a change to the views composition. In the far distance, the landscape that forms a flat, low-lying presence would not alter and the deciduous woodlands would continue to stand out in contrast to the open arable fields. The view mainly highlights the productive arable landscape with large fields and contrasting woodlands visible amongst hedgerows and hedgerow trees and the introduction of the panels would occupy a small portion of the view due to the screening woodlands in the foreground and the intervening hedgerows and tree cover beyond. The effects set out below for Year 1 include secondary mitigation which will have been carried out, but will have had limited physical or visual impact at this stage: Scattered tree belt A large belt of scattered trees is proposed to run around the northern boundary of field C28 and the eastern boundary of field C23 adjacent to the existing waterway creating a strong buffer of mixed riparian species along its length. This will screen views from t	 Operation (Year 15) With secondary mitigation such as planting and grass seeding being taken into account at the operational stage (Year 15) the following changes to the landscape would occur and the visual effects are set out below. At Year 15, this long-range view will have altered relatively little with occasional glimpses over the Site along the route looking down towards the valley. Existing vegetation will have matured somewhat, and new vegetation will have established but will not be mature. Proposed trees will help to screen any views into the Site and break up the overall view whilst creating a multi-layered landscape. Overall, in terms of mitigation for the Cottam 1 Site/Sites the aim should be to manage existing trees and woodland, encouraging new planting to ensure a varied structure, whilst removing invasive species. The restoration of hedgerows and stone walls should be given priority, creating a stronger field pattern and helping to integrate new development into the landscape. In eaim is also to also bring opportunities to restore grassland and areas of pasture. In view of the range of geological and geomorphological features, such as the limestone villages, it is important that practices are in place for their care, maintenance and management, and the promotion of their educational and interpretational interest.
There would not be a fundamental change to the surroundings to the south and east of Thorpe Lane.	mitigate views south of the main part of the Site from the Willingham Road and to strengthen the field boundaries locally. Further shelterbelts are proposed in fields C15 and C18 breaking up the views	beneficial effects will be achieved in terms of Visual Receptors: – Grassland reversion around field boundaries and PRoW
Construction Access	across to the west and enhancing the watercourse in these fields.	 Increased woodland/vegetation
The viewpoint will not be affected by		cover
construction traffic due to the distance	Existing hedges	 A more varied landscape Improved (more patural)
between the viewpoint and the proposed construction access.	Existing hedges along the Willingham Road will be enhanced as necessary, with the eastern boundary to field C19 being augmented with hedgerow trees and allowed to grow out to 5m.	 Improved (more natural) management of exiting vegetation Less expanse of intensively
<u>Cable Route Corridor</u> Viewpoint is outside of the 0.5km study area.	Across the Site running broadly north south, the existing low hedges will be enhanced, allowed to grow out and be managed at a height of 5m and will be	managed arable land – A less exposed and windswept landscape – Water quality improvements

	Decommissioning
Da	A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.
II	Following decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may
ł	exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area,
g	all of which will benefit visual receptors. With secondary mitigation considered, the negative effects of the physical decommissioning will be balanced out by the
,	long term landscape and visual effects of this mitigation.
,	
า	



SOLAR PROJECT			[Reference: ENU
	Substation This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 1.	augmented with the addition of hedgerow trees to strengthen the field pattern and further mitigate views across the Site. New.hedges A new shelterbelt is proposed to the northern boundary of fields C27 and C29 where the Site is set back from the field boundary and the property to the north on Willingham Road. This hedge/Site boundary is set back a minimum of 50m from the boundary of this dwelling mitigating views and creating a wide buffer to provide a suitable setting to the dwelling. Where field boundaries are missing or gappy within the Site; again, running broadly north/south, these will be infilled with new hedgerows to strengthen the field pattern and local character and mitigate views. New hedges are also proposed to the eastern and western boundaries of fields C27 and C30 with the ditch line between the two being reinforced where existing specimen trees exist. This will mitigate views from the east and reinforce the historical field pattern. A new hedgerow to the southern extents of fields B2 and B3 will mitigate views north into this block of panels where the Site boundary extends across an existing field and currently no hedgerow exists. Irregular spaced native trees along this new field boundary will enhance the local character and create added height to this area. <u>Successional Scrub</u> A tall herb mix is proposed around existing watercourses, with a general width of 5- 10m depending upon the size of each ditch and its current surroundings. Tussock mixes are proposed to most field boundaries to create a natural edge to existing and proposed hedgerows with a flower rich pollinator mix used where appropriate on south/west facing field boundaries and around existing services. Adverse effects: P Anels and structures across the landscape I Increased hard standing areas I Increased traffic locally Substation, Battery storage and other associated infrastructure structures visible above existing vegetation	 Potential animal grazing Reinstatement of historic field patterns Bird mitigation fields Significantly improved biodiversity Growth of existing and proposed vegetation is assumed to be: Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Year 15. Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15
Magnitude	Very Low	Very Low	Low
Level of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor Not Significant

Very Low	
Neutral & Short Term	
Negligible Not Significant	



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	<u>In Summary</u> There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and existing intervening vegetation cover. Therefore, there no in combination visual	In Summary The Cumulative Effects upon viewpoint 30 of the Cumulative Developments is Negligible at year 1 of opera This is due to the limited impact upon the view as a result of the segregated nature of the Sites and Cumu receptor.
	effects are anticipated.	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or features of the landscape within t
		There would be the introduction of new elements and features comprising the solar panel areas and the s
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility of experienced across the majority of the 5km study area. This is due to the distance, the intervening woodla Site/Sites. The intervening settlements and built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely significant effects, between the Park, Tillbridge Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15. Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15. Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.
		The landscape is shaped by the wide range of local and strategic road networks, which make one landscap strategic major road network is defined by important historic routes and in contrast, the east west minor in distinctive smaller string of settlements across the area. Overall, the prevailing road network is formed by to both sides with wide grassed verges and they have a major role in helping to define the quality of the la area.
		Overall Landscape Character and Visual Amenity
		Overall, the character of the landscape and the communications and infrastructure is shaped by evidence villages, and small hamlets such as Thorpe le Fallows and Coates, which are features value that are not hig to the landscape. These relevant characteristics of the landscape and land use have some ability to accome The cumulative visibility for the Cottam 1 Site/Sites would not alter the overall character of the landscape are often set within a well-vegetated context or associated with built for overall cumulative effects.
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1) with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1) with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

eration and Negligible at year 15 with mitigation. nulative Developments and proximity to the visual

the character area.

substation area within the character area

ty with the cumulative developments would not be dlands, hedgerows, and tree cover between the

he Cotton 1 Site/Sites and Gate Burton Energy thin the following figures:

15.2.6] .8.15.2.8] 15.2.9]

cape type or area different from another. The or road network links several historic and by narrow lanes that are often tranquil and hedged e landscape and reducing the visibility across the

ce of historic settlement with farms, nucleated highly recognised for adding intimacy and interest ommodate change without undue adverse effects. e and its communications and infrastructure t form that plays a positive role in reducing the



Viewpoint VP33 - Fill/86/1 off Willingham Road

Viewpoint Baseline:

The view is located on PRoW, bridleway (Fill/86/1) off Willingham Road, looking southwest almost directly over the Cottam 1 North Site and southwest towards the Cottam 1 South Site.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a very gently undulating, low-lying landscape within the wider context of a rolling vale lowland. This landscape extends west from the foot of the limestone capped scarp slope which is host to the Limestone Scarps and Dipslopes Character Area 6a. The landform at this location extends to a local spur at Greystones Farm Glebe Farm on Willingham Road and this rising land closes down views towards the north. Greystones Farm and Glebe Farm are visible on the skyline along with their associated woodland cover. The footpath follows a north south alignment to reflect the field boundary and there are open views since the fields to each side have no boundary hedgerows and just a simple ditch with ruderal weed growth. The Larch Plantation that sits on the southern side of Willingham Road and to the east of Side Farm is only just visible on the horizon to the west (left of view) where the landform is at a lower elevation since this local spur of land also extends southwest from Greystones Farm and closes down views towards this direction. In terms of man-made features, the footpath is dominant in the landscape, otherwise there are little else in terms of built influence. New plantation is also visible on the distant horizon along with woodland associated with the settlement of Coates and the scattered trees in the hedgerows are also a prominent feature.

Subjective: The viewpoint depicts a large-scale, gently undulating, open landscape, being exposed at close-range and in the mid distance due to the absence of hedgerows. In terms of variety, the combination of landscape features includes farm buildings, plantation woodland, occasional hedgerow trees, tree clumps and arable fields that present a simple, well-balanced composition, but the increased field sizes add some discordancy. In terms of texture and colour, this is an intensively managed land use that is mainly of muted tones, but the gently undulating topography and the horizon woodland adds some interest and sense of scale. Overall, the landscape is simple but balanced.

Overall: The view is influenced by the open arable fields and the woodlands on the horizon that form a significant component and add balance to the landscape. The location offers no intimacy due to the higher elevation of the view, the lack of field hedgerows and the intensive arable land use. The horizon closes down the view since the landform rises to a high point on Willingham Road at approximately 20m AOD. The overall experience is interesting and very pleasant, with some depth to views and strong contrasting features due to the presence of the plantation woodlands on the horizon and varied landform. This is an isolated location with a distinct absence of settlement, built form or other man-made features giving an interesting and pleasant nature to the view.

Receptors:

This viewpoint is representative of views available to walkers and horse riders using the PRoW (Fill/86/1) and motorists travelling between Glentworth, Fillingham and Ingham along Willingham Road.

Description of View:

The foreground of the view is set at bridleway (Fill/86/1) off Willingham Road. The foreground of the view remains open on both sides of the bridleway however distinctive hedgerow can be seen to the centre of the view running south along the bridleway. In the middle ground of the view hedgerow boundaries can be seen to the right side of the view breaking up the vast agricultural fields into smaller sections. In the far distance individual and clumps of trees along with woodlands such as Larch Plantation and New Plantation can be seen dominating the horizon to the west (right of view). To the right side of the view, built form associated with Greystones Farm can be seen to the middle ground. To the left side of the view woodlands such as Hare's Wood along with a woodland associated with a U-pond (north of Ingham) can be seen in the distant horizon to the east.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.25] January 2023





Receptor susceptibility to change	Value of view	Sensitivity	Embedded Mi
Receptor susceptibility to change In terms of forces for change for VP33, there are continuing aims to plan for small new woodlands, ensuring new planting schemes take full advantage of opportunities to enhance the Unwooded Vales. The aims should also be to ensure there is consideration of the relationship between Limestone Scarps and Dipslopes and Unwooded Vales to ensure new planting does not negatively impact upon the open character of the adjoining Landscape Character Type. The pressures are centered around existing woodlands that are often small and isolated and suffer from lack of management. Overall, the susceptibility for VP33 is conditioned by the susceptibility of the Limestone Scarps and Dipslopes that rises above the Trent Vale and forms a prominent and distinctive landscape feature. The Roman roads are also a key consideration created to link London with York. Superimposed on the north south axis of the Roman road is a less dominant but nonetheless distinctive pattern of east west routes and field boundaries that add geometric character. The relevant characteristics of the landscape therefore have a moderate ability to accommodate change without undue adverse effects.	 Value of view Scenic: The long views out to the east towards the limestone capped scarp slope and the small villages of local sandstone are the main contributors to the scenic quality views in this direction. Cultural: There is evidence of Roman influence through the roads and tracks, and the east west roads across the area between the scarp slope and the Trent floodplain. The medieval settlement at Coates is a key feature of this landscape due to its woodland cover which forms a scattered group with other woodlands at Fox Covert, New Plantation and Larch Plantation. Natural: The grass verges are a feature of Willingham Road, which although long and straight and these routes offer key biodiversity corridors across the landscape along with the wetland habitats associated with the tightly woven tributaries of the River Till. Recreation and Enjoyment: The area is lacking in public rights of way (PRoW) connections but the local roads such as Willingham Road provide a sense of escapism and inspiration especially where there are long views towards the east at the junction with the PRoW network. Local Distinctiveness and Sense of Place: The local distinctiveness is provided by the large-scale landscape with its west facing scarp known as the 'Cliff'. Health and Wellbeing: This is evident through the sense of isolation associated with the east west roads and long views and distant woodlands on the horizon such as Larch Plantation to the west. Important Spatial Function: The spatial function is defined by the exposed landscape of the limestone plateau that is occasionally broken by small plantation woodlands often sheltering dispersed farmsteads and large-scale agricultural buildings. Overall, the value of Viewpoint VP33 is shaped by Willingham Road that provides a sense of escapism and inspiration, especially where there are long views towards the east and the scarp slope at Fillingham where Hare's Wood	Sensitivity Range of Features: This location comprises the public bridleway network at the edge of the settlement of Fillingham. This is a part open location where the tall hedgerows and small woodland blocks close down some visibility. There is a limited range of features confined to hedgerows, woodland cover, and the east west local road network. Importance of View: This is a part open location on the east west local road network at a point where two bridleways almost join in a north south direction, which slightly raises the level of importance of the view. The view is influenced by the presence of the combination of features, but they are only experienced in the close-range context of the Unwooded Vales Character Area 4a. Number of Receptors: This is the public bridleway network that almost connects the settlements of Ingham and Glentworth. This route is likely to appeal more to local users than those from a wider area.	Embedded Mitiga construction, ope decommissioning Mitigation is also include the follow Panels to be set a Panels to be set a property boundar Panels to be set m minimum of 8m fi Panels to be set a Existing hedges an managed to a heig to grow out to add boundaries with t appropriate, rand hedges. Lighting will be lin battery banks only required. Lighting vehicle and perso 50W, installed at a prevent light spilla be manually oper fencing. The visual effects account equate to (Year 1) and this i been carried out h impact at this Eml
Medium	Medium	Medium to High	Not Applicable

Mitigation

gation would be taken into account at the peration (Year 1 and Year 15) and ing stages of the Scheme. This Embedded so referred to as primary mitigation and would owing measures:

a minimum of 15m from adjacent PRoW.

a minimum of 50m from adjacent residential daries.

minimum of 20m from major watercourses and from minor watercourses.

a minimum of 3m from Site boundaries.

are to be allowed to grow out and will be neight of 5m. Hedgerow trees will be encouraged add further thickening and growth to the field h the addition of new hedgerow trees as ndomly spaced along the length of existing

limited to downlights within substations and only and used when maintenance or security is ng will be PIR operated and will be calibrated to sonnel movements. All visible lighting would be at a maximum height of 4m with cowls fitted to illage. Lighting required within panelled areas will perated. There will be no lighting on perimeter

ts **with only** the Embedded Mitigation taken into to those effects set out for the operation stage s includes secondary mitigation which will have ut but will have had limited physical or visual mbedded Mitigation stage.



Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down ofshort sections of tree belt are to link lone field trees to the boundary tree belt are to link lone field trees to the boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down ofshort sections of tree belt are to link lone field trees to the boundary of tree belt are to link lone field trees to the boundary of this dwelling mitigating views andSite/Sites, due to the exposed location of Rid AGLV, the aim is to retain as many trees as possible and plant native trees particularly where it forms a continuous line at the foot of the north on Willingham Road. This hedge/Site boundary is set back a minimum of 50m from the boundary of this dwelling mitigating views andSite/Sites, due to the exposed location of Rid AGLV, the aim is to retain as many trees as possible and plant native trees particularly where it forms a continuous line at the foot of the steep slopes at the junction with the Till Vale. The aim is also to keep routes at the lower elevations and follow natural breaks or slope. The development and management of slope. The development and management of	Construction	Operation (Year 1)	Operation (Year 15)
preparation / enabling works, construction, and commissionly with defices such as construction traffic, noise and vibration from construction, with where with elegence with a second and the wise with and matchines, dust generation, site rundif, und on rods, and the visual interimdivaliand to fumps of trees abeen to the right side of the view und on rods, and the visual interimdivaliand to fumps of trees abeen to the right side of the view. Unling the districts of the source and second to the view works and associated infrastructure and screen and associated infrastructure and they for view. To the right side of the view, built from social associated view word and such as tark? Word along with a woodland such as tark? they for view. To the regist side of the view, built from social associated view word and such as tark? Word along with a woodland such as tark? to the presence of foreground hedgerow breids are social to the socie of the reground the differs set to the low of the reach some height, reinforcing in the effects set to be low of the reach some height, reinforcing in the set activities showed as some screen and the reach some height of view.Fore woodland such as tark? to a narrow rescion of the view. Unif or the cotam tark is age: Stating hedges with awed and mitted physical or visual impact at the state word and state head second and the state word with woodland focures to some views with more distant horizon to the cotam tark is age: Construction state, word with a woodland second as a layered the rescing as the costruction inciding fercing, gates, boundary treasment and order means of the costruction from cost head as the second and the rescing with woodland features to the cotam tark is the cost with the rescing with woodland features to the source as a layered the state is state as the head words of the cost treasment	Activities considered includes, site	The foreground of the view is set at bridleway (Fill/86/1) off Willingham Road.	With secondary mitigation such as planting and
construction, and commissioning with referss such a construction traft.however distinctive hedgerow can be seen to the currer of the view number sections. In the far stage trade in a face of the view hedgerow bundaries can be seen to the night side of the view hourd and the view hedgerow bundaries can be seen to the night side of the view hourd and the view hedgerow bundaries can be seen to the night side of the view hourd and the view hedgerow bundaries can be seen to the night side of the view hedgerow bundaries can be seen to the night side of the view hedgerow bundaries can be seen to the night side of the view hedgerow bundaries can be seen to the night side of the view hedgerow bundaries can be seen to the night side of the view hedgerow bundaries can be seen to the night side of the view hedgerow bundaries can be seen to the night side of the view hedgerow bundaries can be seen to the night side of the view hedgerow bundaries can be seen to the night side of the view hedgerow bundaries the seen to the night side of the view hedgerow bundaries can be seen to the night side of the view hedgerow bundaries the seen to the night side of the view hedgerow bundaries the seen to the night side of the view hedgerow bundaries the singer bundary of field C23 adjacent to the seen and be parties accessing the view parent sa sa layered that these activities would be confined trainan stardy trees. Subtracting the hedgerow bundaries the singer bundary of field C23 adjacent to the seposed location of this trees the night side with a works for the provision that were set and end there to bundary of field C23 adjacent to the seposed location of the view hedgerow with need secondary mitigation works for the provision that were views for the bundaries locally. The view parent bas the secondary with see seposed to the northern bundary of field C23 adjacent to the second field were the second secondary mitigation works for the provise of the view and there and the di		• • • •	
effects such as construction traffic, noise and what on rork on structions adwides, dust generation, site rundfi, advides, dust generat		•	
noise and vibration from construction activities, duit generation, site non- activities, duit generation, site non- distance individual and clumps of trees along with woodlands such as the horizon to the west (right of ivew). To the right side of the view, built form associated infrastructure as the construction and New Plantation can be seen to the middle ground. To the elfet side of the view woodland such as Hare's Wood along with a woodland associated infrastructure to the presence of foreground heyderow word in fight of ivew). To the right side of the view, built form associated infrastructure to calk as the construction of the solar panel as the construction of the solar panel activities would be parity screend due to the presence of foreground heyderow word in gharm) can be seen to the middle ground. To the elfst side of the view, woodland sociated screen screen views of the Scheme. Long the latter part of the construction stage, views would become available of the leivated activities would be confired to the screen screen views from the east into the Site and will act as buffer to views from the west ing the flatt rese ball A large bell of scattered trees is proposed to run around the northern boundary of field C23 and the eastern boundary of field C23 adjacent with site treatment and other means of endosure ad works for the provision of security and monitoring measures such act tree balls and scatters ball for the boundary of field C23 adjacent the site for the views endot wellage of the leivated and scattered trees is proposed to the northern boundary of field SC23 adjacent the site reas of anticipating views and were is forms as lock keep roundary of field SC23 adjacent the site reas of anticipating views and were is forms as lock keep roundary of field SC23 adjacent the site reas of anticipating views and solar activities would be confirmed the outwer to wiew			
activities, dust generation, site runoff, mud on roads, and the visual intervention breaking up the vast agricultural fields into smaller sections. In the field and the construction of the construction of the construction of the solar panel areas and associated intrastructure as used to the right side of the view, built for associated with set (right of view). To the right side of the view, built form associated with wex (right of view). To the right side of the view, built form associated with set (right of view). To the right side of the view, built form associated with have established to create a strong field used (right of view). To the right side of the view, built form associated intrastructure as a strong field used (right of view). To the right side of the view, built form associated intrastructure locally. In the close-range, the effects set out below for Year 1 include secondary mitigation which will have been carried out, but will have had limited physical or visual impact at this stage: View rout 5 m and proposed hedgerow with and proposed hedgerow with mid a have established to create a strong field used to an and proposed hedgerow with mid and proposed hedgerow with mid and longer distance views appearing as a layered this stage: The effects set out below for Year 1 include secondary mitigation which will hedgerow will be avoid so the servent activities above the hedgerow, but the trat the sace sing of the set into the Site and will act as a buffer to views from the east into the Site and will act as a buffer to views from the east into the Site and will act as a buffer to views from the set into the site and will act as a buffer to views from the set into the site and will act as a buffer to views from the set into the site and will act as a buffer to views from the set into the site boundary of field C22 and connection with the field boundaries locally. Shetterchell trats. There would a boidverist			•
mud on roads, and the visual intrusiondistance individual and clumps of trees along with woodland such as Larch early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated with early stages of the construction at the site construction of the solar panel areas and associated with early stages of the construction activities such as the construction of the solar panel a U-pond (north of ingham) can be seen to the left side of the werk would and such as Hare's Wood along with a woodland associated with existing hedges will have been managed to survices around help parity screen due to the cast such as Hare's Wood along with a woodland associated with existing hedges will have been managed to a U-pond (north of ingham) can be seen to the left side of the werk would be parity screen due to the stage view would become available of the elevated tactives atow below for Year 1 include secondary of field C23 and the eastern boundary of field C23 and the costmas tength to twess from the village of ingham ikn to the southeast. This will screen views from the village of ingham ikn to the southeast. This will screen views from the village of ingham ikn to the southeast. This will screen views from the village of ingham ikn to the southeast. This will screen views from the village of ingham ikn to the southeast. The wood along will have been arreid to the torth stage bet of scruting and other means of treatment and other means of the steps sclead and is to keep rours and to any of field C24 and the eastern boundary of field C21 and the southeast. The wood along will an any tree sep articularly were scruting and the the steps sclead and is the cost and the southeast. The were is the sclead sclead will at cas a buffer to views from the views and boundary to field C21 and the secure southeasto			visual checks are set out below.
of plantand machinery on site. At the early stages of the construction stage, restruction and power level activities such as the construction of the solar panel is woodland states woodland such aw woodland states woodland states woodland states woodland states woodland states woodland states woodland states woodland states woodland states woodland states woodland states woodland states woodland states woodland states 	•		At Year 15, the proposed new hedgerows will
early stages of the construction stage, ground, and lower level activities such areas and associated infrastructure and areas and associated infrastructure and areas and associated infrastructure and areas and associated infrastructure and a U-pond (north of lingham) can be seen to the distant horizon to the east. Interfastructure locally. In the close-range, to the presence of foreground hedgerow bordering Thorpe Lane. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerow, would become available of the elevated to the asset on below for Year 1 include secondary of field C23 and the eastern boundary of field C23 and the southeast. Further these activities would be confined to a narrower section of the view. bounder to views from the east into the Site and will are a to a bouffer to views from the east into the Site and will are a to a bouffer to views from the east into the Site and will are a to a bouffer to views from the east into the Site and will are a to a bouffer to views from the east into the Site and will are a to the southeast. Further encorection with the construction site bits proposed to the northern boundary of field C24 and works for the provision of security and there mens of such as actCPX and the laying down of internal tracks. There would as to keep routes as the bouffer to provise as probable setting to the divelling, and scape and biodiversity mitigation works, including planting and the begrows would be construction activities and a to strengthen the field boundaries locally. These short-lived construction activities and begrows to the northern b			
ground, and lower-level activities such as the construction of the solute as the construction of the solute activities above the hedgerow, but the till would provide some scening such that see the the scene of the ground the dependence to the scattered tree bitCharge belt of scattered tree bit to scattered tree bit to an arrower section of the solute scattered tree bitCharge belt of scattered tree bit to scattered tree bit to scattered tree bit to any scat		•	Ţ.
 as the construction of the solar panel verse module party screened due to the presence of foreground height refrocting to the source of the reground height refrocting to the source of the reground heave been carried out, but will have head limited physical or visual impact to the source of the elevated activities would be confined to the headgerow but the test and there parts of the confined to the the elevated activities would be confined to the the elevated activities would be confined to the the elevated activities would be confined to the test and there means of internal tracks. There would also build provide some screening such the construction of the view. Charter durate the test to the provision of the view. Charter durate the test to the provision of the view. Charter durate the test to the provision of the view. Charter durate the test to the provision of the view. Charter durate the test to the provision of the view. Charter durate the test to the provision of the view. Charter durate the test to the provision of the view. Charter durate the test to the provision of the view. Charter durate the provision of the view. Charter durate the test to the provision of the view. Charter durate the test test test test the test test			
areas and associated infrastructure and inverters would be partly screened due to the presence of foreground have been carried out, but will have had limited physical or visual impact the effects set out below for Year 1 include secondary mitigation which will have been carried out, but will have had limited physical or visual impact the effects set out below for Year 1 include secondary mitigation which will have been carried out, but will have had limited physical or visual impact the effects set out below for Year 1 include secondary mitigation become available of the elevend activities above the hedgerow, but the the steps to some views with more that these activities would be confined to a narrower section of the view.will begin to reach some height, reintoricing to woodland features to some views appearing as a layered woodland of field C28 and the eastern boundary of field C23 adjacen to the stort sections of tree belt are to link lone field trees to the boundary of field C23 adjacen to the stort sections of tree bet are to link lone field trees to the boundary of field Sc27 and the north on Willingham Road. This hedge/Site boundary of field Sc27 and the north on Willingham Road. This hedge/Site boundary of field Sc27 and the north on Willingham Road. This hedge/Site boundary of the dwelling.Will begin to reach some height, reintoricing to woodland features to the cotan the steps stort be cotan and management to hedvelopment and management of the north on Willingham Road. This hedge/Site boundary of field Sc27 and the north ow Willingham Road. This hedge/Site boundary of the dwelling.Will begin to reach some height certain a same yrea stort section as the foort the steps store start be foort the north ow Willingham Road. This hedge/Site boundary of field Sc27 and the north ow Willingham Road and to strengthen the field boundary of field Sc27 an	-		
 Inverters would be partly screened due to the presence of foreground hedgerow bordering Thorpe Lane. Dung the later part of the construction stage, view would become available of the elevated activities about be would become available of the elevated activities about be confined that these activities would be confined that these activities would be confined that these activities would be confined to a narrower section of the view. Cattered tree belt A large belt of scattered trees is proposed to run around the northern boundary of field C28 and the eastern boundary of field C23 adjacent to the suiting waterway creating a strong buffer of mixed riparian species along tis length. This will screen views from the east into the Site and will at a a buffer to views from the adjace of ingham I km to the southast. Further short sections of the view. Shelterbelt A new shelterbelt is proposed to the northern boundary of field C28 and the leastern boundary of field C28 and will as a buffer to views from the field boundary of fields C27 and connection with the construction including fencing, gates, boundary treatment and other means of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows These short-lived construction activities would obstruct a significant proportion of the view and become a dominant feature. There would also but the surroundings to the south and to straight alignments at angles to would not be southered hedgerows These short-lived construction activities would obstruct a significant proportion the surroundings to the south and east of the view and become a dominant feature. There would be considerable charge to the arable land use, but the issting hedges in and and us strengthen the field boundaries to the site form the Willingham Road. Further shelterbelts are proposed in fields C15 and C18 breaking up the views across		-	
to the presence of foreground hedgerow bordering Thorpe Lane. During the latter part of the construction stage, views would become available of the elveted activities above the hedgerow, but the dent provide some screening such that these activities would be confined that here a cativities would be confined that here a cativities would be confined that here activities would be confined the context would be confined the context would be confined that here activities would be confined the context would be undertaken in connection with the construction including fencing, gates, boundary of security and monitoring measures such as CCTV and the laying down of interrout larks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerowsThe effects set out below to the south her file to an arrow would on the reground here associated treating and the improvement of the foreground hedgerowshedgerows will screen SiteSites with mid and the cottam 1 North SiteThese short-lived construction activities would obstruct a significant proportion the would obstruct a significant proportion the autivity device to the arable land use, but change to the arable land use, but hedgerows to the would and to strengthen the field boundaries locally.hedgerows will screen Site Site Site Site Site Site Site Site		a U-pond (north of Ingham) can be seen in the distant horizon to the east.	
hedgerow bordering Thorpe Lane.have been carried out, but will have had limited physical or visual impact at this stage:longer distance views appearing as a layered woldand features to some views with more our outdoal distance views appearing as a layered 			,
During the latter part of the construction stage, views would become available of the elevated activities above the hedgerow, but the iparian vegetation bordering the River Till would provide some screening such that these activities would be confined to a narrower section of the view.this stage: Scattered trees is proposed to run around the northern boundary of field C28 and the eastern boundary of field C28 and woll act as a buffer to views from the water to link lone field trees to the boundary of field C28 and the eastern boundary of field C28 and woll act as a buffer to views from the willage of Ingham Ikm to the southeast. Further short sections of tree belt are to link lone field trees to the boundary of security and monitoring measures such as CCTV and the laying down of interval tracks. There would abo bo landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerowsShelterbelt is proposed to the northern boundary of field C21 and C18 breatment and other means of entorus would abo builtower ity mitigation works, including planting and the improvement of the foreground hedgerowsShelterbelt is proposed to the northern boundary of field C21 to the north own Villingham Road. This hedgerSite boundary of the Site from the Willingham Road and to strengthen the field boundaries locally.Weilt read landscape with a backdrop of stro woold and the existing measures store at a site of the site is set as a the burst area of the offert.These short-lived construction activities would obstruct a significant proportion the would abstruct as and the associated tree cover would remain intact. There would obstruct a significant proportion the surroundings to the south and esati cortain a weight end the deser of and case and lowed to grow out to 5m.Weill tr			
construction stage, views would become available of the elevated activities above the hedgerow, but the riparian vegetation bordering the River that these activities would be confined that these activities would be confined that these activities would be confined to a narrower section of the view.Sector and the astern boundary of field C23 adjacent to the existing waterway creating as strong buffer of mixed riparian species along its length. This will screen views from the east into the Site and will act as buffer to views from the village of Ingham Ikm to the southeast. Further short sections of tree belt are to link lone field trees to the boundary vegetation further west.Would and features to some views with more distant horizons of hedgerow trees.Other works would be undertaken in connection with the construction including flencing, gates, boundary treatment and other means of enclosure and bworks for the provision of security and monitoring measures such as CCTV and the laying down of the north on Willingham Road. This hedge/Site boundary of field C21 and the southers boundary of field C21 and the southers boundary of field C21 and the southers boundary of field C21 is help mitigate views sout of the main part of the Site from the Willingham Road and to strengthen the field boundaries locally.Overall, in terms of mitigation for the cotter to the natural grain in the land. Where waterway ereating a wide buffer to provide a suitable setting to the dwelling, nature a significant proportion of the view and become a dominant feature. There would be a considerable tree south and easociated tree cover would remain intact. There would nost the associated tree to areal lead use, but the stisting hedges and the surger and allowed to grow out to 5m.Would and features to some views with more distist to a significant	0		
become available of the elevated activities above the hedgerow, but the riparian vegation bordering the River boundary of field C23 and the eastern boundary of field C23 adjacent to the boundary of field C23 adjacent to the source section of the view.distant horizons of hedgerow trees.View advector to a narrower section of the view.Stattered trees belt are to link lone field trees to the boundary of field C23 adjacent to the source sections of the view.distant horizons of hedgerow trees.Other works would be undertaken in including fencing, gates, boundary of secturity and monitoring measures of acturity and monitoring measures hedgerowsShelterbelt spossible and plant native trees particularly where it forms a containous line at the foot the surround insto the source adminitum of Som from the boundary of field SC15 and C18 breaking uviews and treatment and the arable land use, but the feld boundaries and the eastern boundary to field C15 and C18 breaking uviews and to strengthen the field boundaries locally.Overall, in terms of midgation for the Cottar StreEffettelt StreEffetteltThese short-lived construction of the view and become a dominant feature. There would be a considerable field boundaries to the southern boundary of field C15 and C18 breaking up the views across to the west and enhancing the watercourse in these fields.Addit we hedgerow trees.Nould would not be a fundamental change of the view and become a dominant feed boundaries to the south and east the aurite adjuint in the lead to of field C27 and C29.Addit the eastern boundary of field C15 and C18 breaking up the views across to the west and enhancing the watercourse in these fields.These short-lived construction activities field boundaries to the south and east t	•	this stage:	
activities above the hedgerow, but the riparian vegetation bordering the River Trian vegetation bordering the River This weight these activities would be confined to a narrower section of the view.A large belt of scattered trees is proposed to run around the northern boundary of field C23 add the eastern boundary of field C23 add the eastern boundary of that these activities would be confined to a narrower section of the view.This veight of scattered trees is proposed to run around the northern boundary of field C23 add the eastern boundary of the scattered trees is proposed to the southeast. Further short sections of tree belt are to link lone field trees to the boundary of the to views from the viallage of lingham that to the southeast.This veight of scattered trees is the scattered trees is proposed to the northern boundary of field C23 add the east into the Site and will ards a bourder of microtan attive trees particularly where it forms a continuous line at the foot of the stee piopes at the junction with the Till vegetation further west.Other works would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerowsA find weight for the provised a suitable setting to the dwelling. A find weight be unders to the southers to cally.New set and enhancing the watercourse in these fields. Statting hedges at the linght degrade and plant rune should ary to field C19 being augmented with the degrow statts halfway along the existing field, airrod should a landscape as a touristA find weight be augmented with the addition of hedgerow trees to strengthen the field boundaries for allowed to grow out and be managed at a height of field C21 and C21. A to managed at a height of field C21 and C21. A to managed at a height of field C21 and C21. A to managed at a			
riparian vegetation bordering the River Till would provide some screening such that these activities would be confined that these activities would be confined tensting waterway creating a strong buffer of mixed riparian species along its length. This will screen wessfrom the east into the Site and will acts a buffer to views from the east into the Site and will acts a to a narrower section of the view.This viewpoint looks south southwest over a large area of the Cottan 1 North SiteOther works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of encisure and works for the provision such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerowsShelterbelt is proposed to the northern boundary of field C23 adjacent to the swiss testions of tree belt are to link lone field boundary and the proposed to the northern boundary of field C27 and the north on Willingham Road. This hedge/Site boundary is set back minimum of 50m from the boundary of the Site from the Willingham Road and to strengthen the field boundaries locally.This viewpoint looks south southwest over a large area of the Cottan 1 North SiteViews across to the veew and become a dominant feature. There would be a considerable (ree cover would remain intet. There would not be a fundamental change to the surroundings to the south and east of Thorpe Lane.Shelterbelt is proposed to filed C15 and C18 breaking up the views across to the west and enhancing the watercourse in these fileds.This viewpoint looks south southwest over a large area of the Cottan 1 North Site Site Sites, due to the south neit A filed boundaries to the south and east or the ye			distant horizons of hedgerow trees.
Till would provide some screening such that these activities would be confined to a narrower section of the view.existing waterway creating a strong buffer of mixed riparian species along its large area of the Cottam 1 North Site large area of the Cottam 1 North SiteOther works would be undertaken in connection with the construction including fencing, gates, boundary of security and monitoring measures such as CCTV and the laying down of intermal tracks. There would also be landscape and biodiversity mitigation works, including planting and the help mitigate views south of the main part of the Site for the Welling. A 5m wide shelterbelt is proposed to the southern boundary of field C21 to help mitigate views south of the main part of the Site for the view and become a dominant feature. There would be a considerable change to the arable land use, but the field boundaries and the associated ree cover would remain intert. There would not be a fundamental change to the south and be associated free cover would remain intert. There would not be a fundamental change to the south and heassociated fre	•	- · · ·	
that these activities would be confined to a narrower section of the view.length. This will screen views from the east into the Site and will act as a buffer to views from the village of ingham 1km to the southeast. Further short sections of tree belt are to link lone field trees to the boundary vegetation further west.Overall, in terms of mitigation for the Cottar Site/Sites, due to the exposed location of Rid AGLV, the aim is to retain as many trees as possible and plant native trees particularly where it forms a continuous line at the foot the stere slopes at the junction with the Till C29 where the Site is set back from the field boundary of field C27 and C29 where the Site is set back from the field boundary of the dwelling, landscape and biodiversity mitigation for the foreground hedgerowsA sm wide shelterbelt is proposed to the southen boundary of field C11 help mitigate views south of the main part of the Site from the Willingham Road and to strengthen the field boundaries locally.Overall, in terms of mitigation for the Cottar Site/Site, due to the exposed location of Rid AGLV, the aim is to retain as many trees as possible and plant native trees particularly where it forms a continuous line at the foot the stere slopes at the junction with the Till C29 where the Site is set back from the Willingham Road and to strengthen the field boundaries locally.Overall, in terms of mitigation for the Catar Site/Site, due to the exposed location of Rid AGLV, the aim is also to keep routes at the lower elevations and followersity mitigation are anticolary and the purptient as and biodiversity mitigation and will be allowed to grow out not the site from the Willingham Road and to strengthen the field boundaries locally.Overall, in terms of mitigation for the Catar Site/Site, due to the exposed locations any interesend 			
to a narrower section of the view.buffer to views from the village of lngham 1km to the southeast. Further short sections of tree belt are to link lone field trees to the boundary vegetation further west.Overall, in terms of mitigation for the Cottar Site/Sites, due to the exposed location of Rid AGLV, the aim is to retain as many trees as possible and plant native trees particularly where it forms a continuous line at the foot to a new shelterbelt is proposed to the northern boundary of fields C27 and C29 where the Site is set back from the field boundary and the property to the north on Willingham Road. This hedge/Site boundary is set back a minimum of 50m from the boundary of the dwelling.Overall, in terms of mitigation for the Cottar Site/Sites, due to the exposed location of Rid AGLV, the aim is also to keep routes at the footpaths for short distance (2-3 mile) walks open up local areas of landscape within thes locations. Any interventions at these junction should avoid straight alignments at angles to the law withs serves to the west and enhancing the watercourse in these fields.Overall, in terms of mitigation for the Cottar Site/Sites, due to the exposed location of Rid AGLV, the aim is also to keep routes at the lower elevations and follow natural breaks o go up local areas of landscape within thes locations. Any interventions at these junction should avoid straight alignments at angles to the autural grain in the land. Where waterwa are enclosed by steep embankments there should be a considerable change to the arable land use, but the field boundaries and the associated tree over would remain intact. There would not be a fundamental change to the surroundings to the south and east of Thorpe Lane.Audia new hedgerow to the northern bound ary their presence in land landscape as a touristExistin			large area of the Cottam 1 North Site
Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the ingerowsSite/Sites, due to the exposed location of Rid AGLV, the aim is to retain as many trees as possible and plant native trees particularly where it forms a continuous line at the foot of the step slopes at the junction with the Till Vale. The aim is also to keep routes at the of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the help mitigate views south of the main part of the Site from the Willingham Road and to strengthen the field boundaries locally.Site/Sites, due to the exposed location of Rid AGLV, the aim is to retain as many trees as upossible and plant native trees particularly where it forms a continuous line at the foot of the orth on Willingham Road. This hedge/Site boundary is set back a minimum of 50m from the boundary of this dwelling mitigating views and to retain as a wile buffer to provide a suitable setting to the dwelling. A 5m wide shelterbelt is proposed to the southern boundary of field C21 the help mitigate views south of the main part of the Site from the Willingham Road and to strengthen the field boundaries locally.Site/Sites, due to the exposed location of Rid AGLV, the aim is to retain as many trees as upossible and plant native trees particularly would obstruct a significant proportion of the view and become adominant trees and allowed to grow out to 5m.Site/Sites, due to the exposed location of Rid AGLV, the aim is to retain as many trees as torad	that these activities would be confined	length. This will screen views from the east into the Site and will act as a	
Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the help mitigate views south of the main part of the Site from the Willingham Road and to strengthen the field boundaries locally.AGLV, the aim is to retain as many trees as possible and plant native trees particularly where it forms a continuous line at the foot to the step slopes at the junction with the Till Vale. The aim is also to keep routes at the lower elevations and follow natural breaks of slope. The development and management c reating a wide buffer to provide a suitable setting to the dwelling. reating a wide buffer to provide a suitable setting to the dwelling. A 5m wide shelterbelt is proposed to the southern boundary of field C21 to help mitigate views south of the main part of the Site from the Willingham Road and to strengthen the field boundaries locally.AGLV, the aim is to retain as many trees as possible and plant native trees particularly where eit forms a continuous line water. slope. The development and management c slope. The development and management c slope. The development and management c slope. The development and management c slope areas of landscape within these locations. Any interventions at these junction should avoid straight alignments at angles to the natural grain in the land. Where waterwa are enclosed by stepe embankments three should be a considerable tree cover would nean initat. Three would not be a fundamental change to the surroundings to the south and easo of Thorpe Lane.Kest forms a containeus line degrees the site forms at outit the augmented with the addition of	to a narrower section of the view.	buffer to views from the village of Ingham 1km to the southeast. Further	Overall, in terms of mitigation for the Cottam 1
connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be hedgerowsShelterbelt is proposed to the northern boundary of field SC27 and C29 where the Site is set back from the field boundary and the property to the north on Willingham Road. This hedge/Site boundary is set back a minimum of 50m from the boundary of this dwelling mitigating views and landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerowspossible and plant native trees particularly where it forms a continuous line at the foot of the surth on Willingham Road. This hedge/Site boundary is set back a minimum of 50m from the boundary of this dwelling mitigating views and the north on Willingham Road. This hedge/Site boundary of field C21 to help mitigate views south of the main part of the Site from the Willingham Road and to strengthen the field boundaries locally.possible and plant native trees particularly where it forms a continuous line at the foot of the surth on Willingham Road will be enhanced as necessary, with the eastern boundary to field C19 being augmented with hedgerow tree cover would net be a fundamental change to the surroundings to the south and east of Thorpe Lane.possible and plant native trees particularly where it forms a continuous line at the foot of the surform and the soundary to field D10 be agnetication with the addition of hedgerow trees to strengthen the fieldconnectionShelterbelt is proposed to the northern boundary to field C19 being augmented with the addition of hedgerow trees to strengthen the fieldpossible and plant native trees particulary where it forms a continuous line at		short sections of tree belt are to link lone field trees to the boundary	Site/Sites, due to the exposed location of Ridge
including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerowsShelterbelt is proposed to the northern boundary of field C21 to help mitigate views south of the main part of the Site from the Willingham Road and to strengthen the field boundaries locally.where it forms a continuous line at the fort of the set polyces at the junction with the Till Vale. The aim is also to keep routes at the lower elevations and follow natural breaks o slope. The development and management of the north on Willingham Road. This hedge/Site boundary of field C21 to help mitigate views south of the main part of the Site from the Willingham Road and to strengthen the field boundaries locally.where it forms a continuous line at the fold to the surger polyces at the junction with the Till Vale. The aim is also to keep routes at the lower elevations and follow natural breaks o slope. The development and management of the otations. Any interventions at these junction should avoid straight alignments at angles to the natural grain in the land. Where waterwa are enclosed by steep embankments there should be a priority to open up their presend in land landscape as a touristThese short-lived construction activities feld boundaries and the associated the associated the associated the surroundings to the south and east of Thorpe Lane.Shelterbelt is proposed to the south and east of field C21 being augmented with the addition of hedgerow trees to strengthen the field be augmented with the addition of hedgerow trees to strengthen the field be augmented with the addition of hedgerow	Other works would be undertaken in	vegetation further west.	AGLV, the aim is to retain as many trees as
treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerowsA new shelterbelt is proposed to the northern boundary of fields C21 and C29 where the Site is set back from the field boundary is set back a to moltaring measures the north on Willingham Road. This hedge/Site boundary is set back a creating a wide buffer to provide a suitable setting to the dwelling.the steep slopes at the junction with the Till Vale. The aim is also to keep routes at the lower elevations and follow natural breaks or slope. The development and management c help mitigate views south of the main part of the Site from the Willingham Road and to strengthen the field boundaries locally.the steep slopes at the junction with the Till Vale. The aim is also to keep routes at the lower elevations and follow natural breaks or slope. The development and management c footpaths for short distance (2-3 mile) walks open up local areas of landscape within these locations. Any interventions at these junction should avoid straight alignments at angles to the natural grain in the land. Where waterwa are enclosed by steep embankments there should be a priority to open up their presence in land landscape as a touristExisting hedges tree cover would remain intact. There would not be a fundamental change to the surroundings to the south and east of Thorpe Lane.Existing hedges texisting hedges along the Willingham Road will be enhanced as necessary, with the eastern boundary to field C19 being augmented with hedgerow trees and allowed to grow out to 5m.Add a new hedgerow to the northern boundary of field C27 and C29.<	connection with the construction		possible and plant native trees particularly
enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerowsC29 where the Site is set back from the field boundary and the property to the north on Willingham Road. This hedge/Site boundary is set back a minimum of 50m from the boundary of this dwelling mitigating views and creating a wide buffer to provide a suitable setting to the dwelling.Vale. The aim is also to keep routes at the lower elevations and follow natural breaks of sopen up local areas of landscape within these incations. Any interventions at these junction should abstruct a significant proportion of the view and become a dominant feature. There would neb as considerable change to the arable land use, but the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the south and east of Thorpe Lane.C29 where the Site is set back from the field boundary and the property to the north on Willingham Road. This hedge/Site boundary is set back a minimum of 50m from the boundaries locally.Vale. The aim is also to keep routes at the lower elevations and follow natural breaks of sopen up local areas of landscape within these in locations. Any interventions at these junction should avoid straight alignments at angles to the natural grain in the land. Where waterwat are enclosed by steep embankments there should be a priority to open up their present with the eastern boundary to field C19 being augmented with hedgerow trees and allowed to grow out to 5m.Vale. The aim is also to keep routes at the lower elevations and follow natural breaks of field 21to the natural grain in the land. Where	including fencing, gates, boundary	<u>Shelterbelt</u>	where it forms a continuous line at the foot of
of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerowsthe north on Willingham Road. This hedge/Site boundary is set back a minimum of 50m from the boundary of this dwelling mitigating views and creating a wide buffer to provide a suitable setting to the dwelling.lower elevations and follow natural breaks or slope. The development and management of footpaths for short distance (2-3 mile) walks open up local areas of landscape within these locations. Any interventions at these junction should avoid straight alignments at angles to the natural grain in the land. Where waterwar are enclosed by steep embankments there should be a considerable the suroundings to the asouth and east of Thorpe Lane.lower elevations and follow natural breaks or slope. The development and management of footpaths for short distance (2-3 mile) walks open up local areas of landscape within these locations. Any interventions at these junction should be a considerable tree cover would remain intact. There would not be a fundamental change to the surroundings to the south and east of Thorpe Lane.lower elevations and follow natural breaks or slope. The development and management of to the surroundings to the south and east of the reason allowed to grow out to 5m.of Thorpe Lane.Affect to provide a suitable setting to the gap between C27, cand and Willingham Road.Add in hedgerows to the boundaries that separate fields C27, C29 and C30 to further	treatment and other means of	A new shelterbelt is proposed to the northern boundary of fields C27 and	the steep slopes at the junction with the Till
such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerowsminimum of 50m from the boundary of this dwelling mitigating views and creating a wide buffer to provide a suitable setting to the dwelling.slope. The development and management of footpaths for short distance (2-3 mile) walks open up local areas of landscape within these locations. Any interventions at these junction should avoid straight alignments at angles to the natural grain in the land. Where waterwa are enclosed by steep embankments there should be a considerable change to the arable land use, but the field boundaries and the associated tree cover would net as a fundamental change to the surroundings to the south and eeast of Thorpe Lane.Existing hedges text in allowed to grow out and be managed at a height of 5m and will be augmented with the addition of hedgerow trees to strengthen the fieldSlope. The development and management of footpaths for short distance (2-3 mile) walks open up local areas of landscape within these locations. Any interventions at these junction should avoid straight alignments at angles to the natural grain in the land. Where waterwa are enclosed by steep embankments there should be a priority to open up their presence in land landscape as a touristExisting hedges to the south and east of Thorpe Lane.Existing hedges the augmented with the addition of hedgerow trees to strengthen the fieldAdd a new hedgerow to the northern boundaries the starting hedgerows the sate of the scheme or starts halfway along the existing field, introd woodland planting to the gap between C27, cap and Willingham Road.	enclosure and works for the provision	C29 where the Site is set back from the field boundary and the property to	Vale. The aim is also to keep routes at the
internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerowscreating a wide buffer to provide a suitable setting to the dwelling.footpaths for short distance (2-3 mile) walks open up local areas of landscape within these locations. Any interventions at these junction should avoid straight alignments at angles to the pmitigate views south of the main part of the Site from the Willingham Road and to strengthen the field boundaries locally.footpaths for short distance (2-3 mile) walks open up local areas of landscape within these locations. Any interventions at these junction should avoid straight alignments at angles to the natural grain in the land. Where waterware are enclosed by steep embankments there eshould be a considerable change to the arable land use, but the field boundaries and the associated tree cover would not be a fundamental change to the surroundings to the south and east of Thorpe Lane.Existing hedges locations. Any interventions at these junction should avoid straight alignments at angles to the natural grain in the land. Where waterware are enclosed by steep embankments there eshould be a considerable kisting hedges along the Willingham Road will be enhanced as necessary, with the eastern boundary to field C19 being augmented with hedgerow trees and allowed to grow out to 5m.Add a new hedgerow to the northern bound of fieldC27 and C29. As the northeastern corner of the Scheme or starts halfway along the existing field, introd woodland planting to the gap between C27, the and Willingham Road. Add in hedgerows to the boundaries that separate fields C27, C29 and C30 to further	of security and monitoring measures	the north on Willingham Road. This hedge/Site boundary is set back a	lower elevations and follow natural breaks of
internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerowscreating a wide buffer to provide a suitable setting to the dwelling.footpaths for short distance (2-3 mile) walks open up local areas of landscape within these locations. Any interventions at these junction should avoid straight alignments at engles to the pmitigate views south of the main part of the Site from the Willingham Road and to strengthen the field boundaries locally.footpaths for short distance (2-3 mile) walks open up local areas of landscape within these locations. Any interventions at these junction should avoid straight alignments at engles to the natural grain in the land. Where waterwac are enclosed by steep embankments there eshould be a considerable change to the arable land use, but the field boundaries and the associated tree cover would not be a fundamental change to the surroundings to the south and east of Thorpe Lane.Existing hedges locations. Any interventions at these junction should avoid straight alignments at engles of the natural grain in the land. Where waterwac are enclosed by steep embankments there eshould be a considerable kisting hedges along the Willingham Road will be enhanced as necessary, with the eastern boundary to field C19 being augmented with hedgerow trees and allowed to grow out to 5m.Add a new hedgerow to the northern bound of fieldC27 and C29. As the northeastern corner of the Scheme or starts halfway along the existing field, introd woodland planting to the gap between C27, to and Willingham Road. Add in hedgerows to the boundaries that separate fields C27, C29 and C30 to further	such as CCTV and the laying down of	minimum of 50m from the boundary of this dwelling mitigating views and	slope. The development and management of
landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerowsA 5m wide shelterbelt is proposed to the southern boundary of field C21 to help mitigate views south of the main part of the Site from the Willingham Road and to strengthen the field boundaries locally.open up local areas of landscape within these locations. Any interventions at these junction should avoid straight alignments at angles to the natural grain in the land. Where waterwa are enclosed by steep embankments there should be a priority to open up their presend views across to the west and enhancing the watercourse in these fields.These short-lived construction activities would obstruct a significant proportion of the view and become a dominant feature. There would be a considerable change to the arable land use, but the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the south and east of Thorpe Lane.Further shelterbelts are proposed in fields C15 and C18 breaking up the views across to the west and enhancing the watercourse in these fields.Add a new hedgerow to the northern bound of fieldC27 and C29.Add a new hedgerow to the northern boundary to field C19 being augmented with hedgerow the surroundings to the south and east of Thorpe Lane.Across the Site running broadly north south, the existing low hedges will be enhanced, allowed to grow out and be managed at a height of 5m and will be augmented with the addition of hedgerow trees to strengthen the fieldAdd in hedgerows to the boundaries that separate fields C27, C29 and C30 to further	00		footpaths for short distance (2-3 mile) walks wil
works, including planting and the improvement of the foreground hedgerowsA 5m wide shelterbelt is proposed to the southern boundary of field C21 to help mitigate views south of the main part of the Site from the Willingham Road and to strengthen the field boundaries locally.locations. Any interventions at these junction should avoid straight alignments at angles to the natural grain in the land. Where waterwa are enclosed by steep embankments there should be a priority to open up their presend in land landscape as a touristThese short-lived construction activities would obstruct a significant proportion of the view and become a dominant feature. There would be a considerable change to the arable land use, but the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the south and east of Thorpe Lane.A 5m wide shelterbelt is proposed to the southern boundary of field C1 to help mitigate views south of the main part of the Site from the Willingham Road C19 being augmented with he dadition of hedgerow trees to strengthen the fieldIocations. Any interventions at these junction should avoid straight alignments at angles to the natural grain in the land. Where waterwa are enclosed by steep embankments there should be a priority to open up their presence in land landscape as a touristExisting hedges tree cover would remain intact. There would not be a fundamental change to the surroundings to the south and east of Thorpe Lane.Existing hedges along the Willingham Road will be enhanced as necessary, with the eastern boundary to field C19 being augmented with hedgerow trees and allowed to grow out and be managed at a height of 5m and will be augmented with the addition of hedgerow trees to strengthen the fieldAdd a			
improvement of the foreground hedgerowshelp mitigate views south of the main part of the Site from the Willingham Road and to strengthen the field boundaries locally.should avoid straight alignments at angles to the natural grain in the land. Where waterwa are enclosed by steep embankments there should be a priority to open up their presend in land landscape as a touristThese short-lived construction activities would obstruct a significant proportion of the view and become a dominant feature. There would be a considerable change to the arable land use, but the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the south and east of Thorpe Lane.Further shelterbelts are proposed in fields C15 and C18 breaking up the views across to the west and enhancing the watercourse in these fields.should avoid straight alignments at angles to the natural grain in the land. Where waterwa are enclosed by steep embankments there should be a priority to open up their presend in land landscape as a touristExisting hedges tree cover would remain intact. There would not be a fundamental change to the surroundings to the south and east of Thorpe Lane.Existing hedges along the Willingham Road will be enhanced as necessary, with the eastern boundary to field C19 being augmented with hedgerow trees and allowed to grow out to 5m.Add a new hedgerow to the northern boundary of fieldC27 and C29.Across the Site running broadly north south, the existing low hedges will be enhanced, allowed to grow out and be managed at a height of 5m and will be augmented with the addition of hedgerow trees to strengthen the fieldAdd in hedgerows to the boundaries that separate fields C27, C29 and C30 to further </td <td></td> <td>A 5m wide shelterbelt is proposed to the southern boundary of field C21 to</td> <td></td>		A 5m wide shelterbelt is proposed to the southern boundary of field C21 to	
hedgerowsRoad and to strengthen the field boundaries locally.the natural grain in the land. Where waterwas are enclosed by steep embankments there should be a priority to open up their presend in land landscape as a touristThese short-lived construction activities would obstruct a significant proportion of the view and become a dominant feature. There would be a considerable change to the arable land use, but the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the south and east of Thorpe Lane.Existing hedges Existing hedges along the water of the addition of hedgerow trees to strengthen the fieldAdd a new hedgerow to the northern bound of fieldC27 and C29. As the northeastern corner of the Scheme or starts halfway along the existing field, introd woodland planting to the gap between C27, or and Willingham Road. Add in hedgerows to the boundaries that separate fieldS C27, C29 and C30 to further	01		
These short-lived construction activities would obstruct a significant proportion of the view and become a dominant feature. There would be a considerable change to the arable land use, but the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the south and east of Thorpe Lane.Further shelterbelts are proposed in fields C15 and C18 breaking up the views across to the west and enhancing the watercourse in these fields.are enclosed by steep embankments there should be a priority to open up their presend in land landscape as a touristExisting hedges the arable land use, but the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the south and east of Thorpe Lane.Existing hedges the surroundings to the south and east of Thorpe Lane.Across the Site running broadly north south, the existing low hedges will be enhanced, allowed to grow out and be managed at a height of 5m and will be augmented with the addition of hedgerow trees to strengthen the fieldAdd in hedgerows to the boundaries that separate fields C27, C29 and C30 to further			
These short-lived construction activities would obstruct a significant proportion of the view and become a dominant feature. There would be a considerable change to the arable land use, but the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the south and east of Thorpe Lane.Further shelterbelts are proposed in fields C15 and C18 breaking up the views across to the west and enhancing the watercourse in these fields.should be a priority to open up their present in land landscape as a touristKarter Shelterbelts are proposed in fields C15 and C18 breaking up the views across to the west and enhancing the watercourse in these fields.should be a priority to open up their present in land landscape as a touristKarter Shelterbelts are proposed in fields C15 and C18 breaking up the views across to the west and enhancing the watercourse in these fields.should be a priority to open up their present in land landscape as a touristKarter Shelterbelts are proposed in fields C15 and C18 breaking up the views across to the west and enhancing the watercourse in these fields.Add a new hedgerow to the northern boundar of fieldC27 and C29.Karter Shelterbelts are proposed in fields C19 being augmented with hedgerow trees and allowed to grow out to 5m.Add a new hedgerow to the south and east of Thorpe Lane.Karter Shelterbelts are proposed in fields C19 being augmented with the addition of hedgerow trees to strengthen the fieldAdd a new hedgerow to the south and east of fieldC27 and C29.Karter Shelterbelts are proposed to grow out and be managed at a height of 5m and will be augmented with the addition of hedgerow trees to strengthen the fieldAdd in hedgerows to the boundaries t		,	•
would obstruct a significant proportion of the view and become a dominant feature. There would be a considerable change to the arable land use, but the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the south and east of Thorpe Lane.views across to the west and enhancing the watercourse in these fields.in land landscape as a touristAcross the Site running broadly north south, the existing low hedges will be augmented with the addition of hedgerow trees to strengthen the fieldAdd a new hedgerow to the northern bound of fieldC27 and C29. As the northeastern corner of the Scheme or starts halfway along the existing field, introd woodland planting to the gap between C27, or and Willingham Road. Add in hedgerows to the boundaries that separate fields C27, C29 and C30 to further	These short-lived construction activities	Further shelterbelts are proposed in fields C15 and C18 breaking up the	
of the view and become a dominant feature. There would be a considerable change to the arable land use, but the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the south and east of Thorpe Lane.Existing hedges along the Willingham Road will be enhanced as necessary, with the eastern boundary to field C19 being augmented with hedgerow trees and allowed to grow out to 5m.Add a new hedgerow to the northern bound of fieldC27 and C29. As the northeastern corner of the Scheme or starts halfway along the existing field, introd woodland planting to the gap between C27, or and Willingham Road. Add in hedgerows to the boundaries that separate fields C27, C29 and C30 to further			
feature. There would be a considerable change to the arable land use, but the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the south and east of Thorpe Lane.Existing hedges along the Willingham Road will be enhanced as necessary, with the eastern boundary to field C19 being augmented with hedgerow trees and allowed to grow out to 5m.Add a new hedgerow to the northern boundar of fieldC27 and C29. As the northeastern corner of the Scheme or starts halfway along the existing field, introd woodland planting to the gap between C27, or and Willingham Road.do a new hedgerow to the northern boundary to field C19 being augmented with hedgerow trees and allowed to grow out to 5m.Add a new hedgerow to the northern boundar of fieldC27 and C29. As the northeastern corner of the Scheme or starts halfway along the existing field, introd woodland planting to the gap between C27, or and Willingham Road. Add in hedgerows to the boundaries that separate fields C27, C29 and C30 to further	0 1 1		
change to the arable land use, but the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the south and east of Thorpe Lane.Existing hedges along the Willingham Road will be enhanced as necessary, with the eastern boundary to field C19 being augmented with hedgerow trees and allowed to grow out to 5m.Integration to the integration of the integration to the integration of integration to the integration of the integration of the integration to the integration of the integratio		Existing hedges	Add a new bedgerow to the porthern boundary
field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the south and eastwith the eastern boundary to field C19 being augmented with hedgerow trees and allowed to grow out to 5m.As the northeastern corner of the Scheme or starts halfway along the existing field, introd woodland planting to the gap between C27, or and Willingham Road.of Thorpe Lane.Across the Site running broadly north south, the existing low hedges will be enhanced, allowed to grow out and be managed at a height of 5m and will be augmented with the addition of hedgerow trees to strengthen the fieldAs the northeastern corner of the Scheme or starts halfway along the existing field, introd woodland planting to the gap between C27, or and Willingham Road.			
tree cover would remain intact. There would not be a fundamental change to the surroundings to the south and east of Thorpe Lane. trees and allowed to grow out to 5m. trees and allowed to grow out to 5m. Across the Site running broadly north south, the existing low hedges will be enhanced, allowed to grow out and be managed at a height of 5m and will be augmented with the addition of hedgerow trees to strengthen the field			
would not be a fundamental change to the surroundings to the south and east of Thorpe Lane.Across the Site running broadly north south, the existing low hedges will be enhanced, allowed to grow out and be managed at a height of 5m and will be augmented with the addition of hedgerow trees to strengthen the fieldwoodland planting to the gap between C27, or and Willingham Road. Add in hedgerows to the boundaries that separate fields C27, C29 and C30 to further			-
the surroundings to the south and east of Thorpe Lane.Across the Site running broadly north south, the existing low hedges will be enhanced, allowed to grow out and be managed at a height of 5m and will be augmented with the addition of hedgerow trees to strengthen the fieldand Willingham Road. Add in hedgerows to the boundaries that separate fields C27, C29 and C30 to further			
of Thorpe Lane.enhanced, allowed to grow out and be managed at a height of 5m and will be augmented with the addition of hedgerow trees to strengthen the fieldAdd in hedgerows to the boundaries that separate fields C27, C29 and C30 to further	_	Across the Site running broadly north south the existing low bedges will be	
be augmented with the addition of hedgerow trees to strengthen the field separate fields C27, C29 and C30 to further	<u> </u>		
	or morpe Lane.		
Construction Access pattern and further mugate views across the site. I mitigate views from the PRoW and Willingham	Construction Access		
		pattern and further mitigate views across the Site.	0
All throughout the construction stage Road			Road
the viewpoint will be affected due to New hedges Willingham Road having 3 points of Image: Comparison of the second seco		<u>New nedges</u>	

ommissioning

ilar process to that of construction stage, but with cheme being no longer operational. This is an ssment of the Site in winter but assumes retention isting vegetation and builds upon the proposed ary and secondary mitigation that had been lished as the future baseline. Effects are those g from activities for the duration of the mmissioning including site traffic, noise and tion from decommissioning activities, dust ration and site runoff.

wing decommissioning, the land is likely to be ned to arable production. The Site will however fit from the significantly enhanced tree and erow planting that has been carried out and has in to mature to create a much stronger and robust cape, retaining and enhancing the overall acter and providing considerable biodiversity fits over the years. Bird mitigation fields are likely retained and the potential may exist to retain margins to preserve some varied land use and tain long-term improvements in biodiversity in the area, all of which will benefit visual receptors.

secondary mitigation considered, the negative ts of the physical decommissioning will be nced out by the long term landscape and visual ts of this mitigation.



SOLAR PROJECT			[Reference	Ce. EINU
	access into the Cottam 1 North Site. The first point of access is close to Glebe Farm as it leads to field B2. The second point of access is close to North Farm as it leads to fields A2 and A4. The third point of access is close to Turnpins Bungalows as it provides access to fields C3 and C4. Cable Route Corridor Viewpoint is outside of the 0.5km study area. Substation/s This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 1.	A new shelterbelt is proposed to the northern boundary of fields C27 and C29 where the Site is set back from the field boundary and the property to the north on Willingham Road. This hedge/Site boundary is set back a minimum of 50m from the boundary of this dwelling mitigating views and creating a wide buffer to provide a suitable setting to the dwelling. Where field boundaries are missing or gappy within the Site; again, running broadly north/south, these will be infilled with new hedgerows to strengthen the field pattern and local character and mitigate views. New hedges are also proposed to the eastern and western boundaries of fields C27 and C30 with the ditch line between the two being reinforced where existing specimen trees exist. This will mitigate views from the east and reinforce the historical field pattern. A new hedgerow to the southern extents of fields B2 and B3 will mitigate views north into this block of panels where the Site boundary extends across an existing field and currently no hedgerow exists. Irregular spaced native trees along this new field boundary will enhance the local character and create added height to this area. <u>Successional Scrub</u> Around Larch Plantation within the Site, successional scrub is proposed in order to create a buffer around the woodland and to provide both visual and ecological benefit with the woodland edge being layered towards the meadow mixes beyond. <u>Grassland mixes</u> A tall herb mix is proposed around existing watercourses, with a general width of 5-10m depending upon the size of each ditch and its current surroundings. Tussock mixes are proposed to most field boundaries to create a natural edge to existing and proposed hedgerows with a flower rich pollinator mix used where appropriate on south/west facing field boundaries and around existing services. Adverse effects: P Panels and structures across the landscape Increased traffic locally Some minor light pollution within open countryside Increased traffic locally Some minor light pollution within open count	 Between Years 1 and 15, the following beneficial effects will be achieved in terms of Visual Receptors: Grassland reversion around field boundaries and PRoW Increased woodland/vegetation cover A more varied landscape Improved (more natural) management of exiting vegetation Less expanse of intensively managed arable land A less exposed and windswept landscape Water quality improvements Potential animal grazing Reinstatement of historic field patterns Bird mitigation fields Significantly improved biodiversity Growth of existing and proposed vegetation is assumed to be: Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Year 15. Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15. 	
Magnitude	Low	Medium	Low	Very Lo
Level of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term	Neutra
Significance of Effect	Minor-Moderate Not Significant	Moderate Significant	Minor Not Significant	Negligi

/ Low

itral & Short Term

ligible Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	in-combination Effects [cumulative Sites]	cumulative Effects [cumulative Developments]
	<u>In Summary</u> There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and existing intervening vegetation cover. Therefore, there no in combination visual effects are anticipated.	In Summary The Cumulative Effects upon viewpoint 33 of the Cumulative Developments is Negligible at year 1 of operation is due to the limited impact upon the view as a result of the segregated nature of the Sites and Cumulative D receptor.
		<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or features of the landscape within the
		There would be the introduction of new elements and features comprising the solar panel areas and the sub
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility wit experienced across the majority of the 5km study area. This is due to the distance, the intervening woodland Site/Sites. The intervening settlements and built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely significant effects, between the Co Tillbridge Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the follo
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6 Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.9 Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9]
		The landscape is shaped by the wide range of local and strategic road networks, which make one landscape major road network is defined by important historic routes and in contrast, the east west minor road network string of settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are wide grassed verges and they have a major role in helping to define the quality of the landscape and reducin
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of villages, and small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highl the landscape. These relevant characteristics of the landscape and land use have some ability to accommod cumulative visibility for the Cottam 1 Site/Sites would not alter the overall character of the landscape and its Moreover, these features are often set within a well-vegetated context or associated with built form that play cumulative effects.
ıde	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1) with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
ance t	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1) with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.25] January 2023

ation and Negligible at year 15 with mitigation. This e Developments and proximity to the visual

he character area.

substation area within the character area

with the cumulative developments would not be inds, hedgerows, and tree cover between the

e Cotton 1 Site/Sites and Gate Burton Energy Park, following figures:

2.6] 15.2.8] .2.9]

be type or area different from another. The strategic vork links several historic and distinctive smaller are often tranquil and hedged to both sides with cing the visibility across the area.

of historic settlement with farms, nucleated shly recognised for adding intimacy and interest to odate change without undue adverse effects. The its communications and infrastructure features. lays a positive role in reducing the overall



Viewpoint VP34 – Fill/85/2

Viewpoint Baseline:

The view is located along the route of PRoW bridleway (Fill/85/2), looking in all directions towards the Cottam 1 North Site and south towards the Cottam 1 South Site. The view is also looking northwest towards the Cottam 2 Site.

Objective: This viewpoint offers views of an almost flat, low-lying landscape within the wider context of a rolling lowland that extends well beyond the foot of the limestone capped scarp slope. There are extended views where the boundary vegetation of the Site/Sites is evident in the context of the open field. The landform at this location falls to a low point and this helps is shielding the field in views from Willingham Road to the south. The footpath follows a 'dog-leg' alignment to reflect the field boundary and is shielded by the hedgerows that have grown tall and although gappy in parts it helps to provide enclosure and intimacy. The Larch Plantation that sits on the southern side of Willingham Road to the east of Side Farm is also clearly visible on the horizon where the landform is at a higher elevation than the bridleway.

Subjective: The viewpoint depicts a medium-scale landscape where the undulations in topography display a strong landscape pattern with the layering of hedgerows being a prominent feature. The landscape features are balanced with simple additions of farm buildings interspersed with tree cover. The landscape is managed and muted in colour, but overall, the view is not distinctive or 'out of the ordinary'.

Overall: The view is typical in character to the wider open and arable land use where the tall and outgrown hedgerows add some intimacy along the route of the bridleway. There is a sense of security and a safe quality to the landscape. Overall, the experience is bland but pleasant.

Receptors:

This viewpoint is representative of views available to walkers and horse riders along the bridleway (Fill/85/2) travelling between the settlements of Glentworth in the north and Willingham by Stow in the south.

A similar view is provided by Viewpoint VP35.

Description of View:

To the foreground of the view comprises of flat arable landscape with tall hedgerows sheltering the PRoW on its north and east side. The viewpoint looks to the southwest from PRoW Fill/85/2 towards Larch Plantation which stands out in the distance and is a key attractor in the flat landscape. The left and right side of the view tall hedgerows border the arable land, the gaps in the hedgerow provide for fleeting and small views into the surrounding arable landscape. There are a few mast poles adding vertical interest into the landscape. The view is enclosed and influenced by the surrounding hedgerows.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.26] January 2023



	Approximate Exter	nt of Development		ALL AND	
			2-11		

Receptor susceptibility to change	Value of view	Sensitivity	Embedde
In terms of forces for change for VP34, the productive cropping from large farmsteads gives a prevalence of large rectilinear fields bound by tightly cropped hedgerows. Active and re-used airfields along with communication masts and wind turbines are dominant features. Woodland plantations are scarce and should be managed to ensure their long- term survival as landscape features, increasing the context of native broadleaves where possible. Overall , the susceptibility of the VP34 is conditioned by the lack of woodlands that only occur as small plantations with occasional sheltering copses. The long straight roads cross the area, but few have wide verges to support habitat networks, and many are through routes such as Kirton Road where traffic is fast moving providing an inhibited experience for visitors to the area. However, there is an opportunity to restore and introduce hedges in key locations to restore field patterns. The relevant characteristics of the landscape therefore have some ability to accommodate change without undue adverse effects given there is scope to manage the long-term survival of woodlands and protect wide grass verges as habitat linkages across the area.	 <u>Scenic</u>. This region represents a major east-west link, connecting Lincolnshire with the North of England and the minor road network offers views over a local landscape that is, in parts, scenic with pleasant views. The network of PRoW such as this bridleway (Fill/85/2) are important linking places to capture these views. <u>Cultural</u>. The close proximity to Gainsborough as a major historic crossing on the River Trent to the west and the strategic location of Roman roads on the limestone capped scarp slope to the east give rise to a number of historic settlements in the intervening landscape. This includes Fillingham and associated Fillingham Conservation Area and Fillingham Castle registered park and garden (List Entry:10009) to the east. <u>Natural</u>. The local roads are valuable wildlife corridors since they are often narrow country lanes with grass verges, hedgerows to both sides and high levels of tranquility. <u>Recreation and Enjoyment</u>: The 'east west' travel direction of local lanes often links the older settlements moving in a more random pattern following minor roads. These roads such as Willingham Road, Fillingham Lane and Kexby Road that are popular for recreation as narrow country lanes. <u>Local Distinctiveness and Sense of Place</u>: The landscape associated with Fillingham Lane, and Willingham Road derive their 'sense of place' from the woodland blocks that contrast with the intensive arable landscape. <u>Health and Wellbeing</u>: Main roads are significant features in this landscape, but the minor road networks and their connecting PRoW are often refuges of tranquility bringing benefits for health and wellbeing. <u>Important Spatial Function</u>: The local roads play an important role in wayfinding by linking several historic and distinctive smaller string of settlements with the PRoW network. Overall, the value of Viewpoint VP34 is shaped by the bridleway network and local roads (that gain access to smaller v	Range of Features: This location comprises the public bridleway network at the edge of the settlement of Fillingham. This is a part open location where the tall hedgerows, small woodland blocks and riparian vegetation lining the small tributary of the River Till close down some visibility. There is an intimate range of features confined at close range to a small bridge crossing over the small watercourse, the hedgerows, the woodland cover, and the scattered farmsteads. The powerful River Trent and its tributaries and other water courses within its flood plain provide a strong functional feature running through the landscape, some which contribute to the 'sense of place' locally. Importance of View: This is a part open location at a small bridge crossing over a local watercourse, which slightly raises the level of importance of the view. The view is influenced by the presence of the combination of features, but they are only experienced in the close-range context of the Unwooded Vales Character Area 4a. The hedgerows along these roads form an important element of views across the area, especially where they breach the skyline such as the hedge along Willingham Road. Number of Receptors: This is the public bridleway network that almost connects the settlements of Ingham and Glentworth. This route is likely to appeal more to local users than those from a wider area.	Embedded construction decommiss Mitigation would incluin Panels to b Panels to b Panels to b Panels to b watercours Watercours Panels to b Existing he managed t encouraged growth to t hedgerow t length of exist Lighting wi and battery security is to be calibrate visible light height of 4 Lighting recoperated. T The visual of taken into a operation s mitigation to had limited
Medium	Inculuit	High	Not applica



ded Mitigation

ed Mitigation would be taken into account at the tion, operation (Year 1 and Year 15) and issioning stages of the Scheme. This Embedded n is also referred to as primary mitigation and clude the following measures:

be set a minimum of 15m from adjacent PRoW.

be set a minimum of 50m from adjacent ial property boundaries.

be set minimum of 20m from major urses and minimum of 8m from minor urses.

be set a minimum of 3m from Site boundaries.

edges are to be allowed to grow out and will be to a height of 5m. Hedgerow trees will be ged to grow out to add further thickening and the field boundaries with the addition of new w trees as appropriate, randomly spaced along the existing hedges.

will be limited to downlights within substations ery banks only and used when maintenance or is required. Lighting will be PIR operated and will ated to vehicle and personnel movements. All hting would be 50W, installed at a maximum ⁴ 4m with cowls fitted to prevent light spillage. required within panelled areas will be manually There will be no lighting on perimeter fencing.

al effects **with only** the Embedded Mitigation to account equate to those effects set out for the n stage (Year 1) and this includes secondary on which will have been carried out but will have ed physical or visual impact at this Embedded n stage.

icable



Viewpoint VP34 – Fill/85/2

Construction	Operation (Year 1)	Operation (Year 15)
Activities considered includes, site	The foreground of the view comprises a mixed species hedgerows framing an arable field	With secondary mitigation such as
preparation / enabling works,	that slopes towards the west. There is a wide grass verge to the front of the hedgerow that	and grass seeding being taken into
construction, and commissioning	borders the parking area. The presence of the hedgerow breaks up the middle ground of view	account at the operational stage (
with effects such as construction	leaving the distant horizon as the main feature. The foreground is also framed by deciduous	the following changes to the lands
traffic, noise and vibration from	trees to each side and the parking spaces are also placed within intermittent tree cover such	would occur and the visual effects
-		out below.
construction activities, dust	that views towards the rear of the viewpoint are more filtered than those to the front (west	out below.
generation, site runoff, mud on roads, and the visual intrusion of	part). In the far distance the landscape forms a flat, low-lying presence where deciduous	At Veer 15 the prepaged power and
	woodlands such as North Carlton Covert and Scampton Gorse stand out in contrast to the open arable fields. The view mainly highlights the productive arable landscape with large	At Year 15, the proposed new hed will have established to create a st
plant and machinery on site. At the early stages of the	fields and contrasting woodlands visible amongst hedgerows and hedgerow trees. The	field structure and screen views of
	hedgerows add to the overall wooded context of the landscape due to the elevation of the	Scheme. Existing hedges will have
construction stage, ground, and	- · ·	• •
lower-level activities such as the	view. To the right-hand side of the view, the tall hedgerow bordering the parking area close down views in that direction and likewise to the left of the view. The remainder of the horizon	managed to grow out to 5m and p
construction of the solar panel		hedgerow trees will begin to reach
areas and associated	is made up of large skies with few vertical features other than the power industry of the River	height, reinforcing the vertical stru
infrastructure and inverters would	Trent floodplain in the far distance.	locally. In the close-mid-range, the
be partly screened due to the	The effects act with a low for Very 1 is already as a second array with a time which will have been a serviced.	hedgerows will screen Site/Sites w
presence of foreground hedgerow	The effects set out below for Year 1 include secondary mitigation which will have been carried	and longer distance views appeari
bordering Thorpe Lane. During the	out, but will have had limited physical or visual impact at this stage:	layered well-treed landscape with
latter part of the construction		backdrop of strong wooded horizo
stage, views would become	Scattered tree belt	
available of the elevated activities	A large belt of scattered trees is proposed to run around the northern boundary of field C28	This viewpoint looks south southw
above the hedgerow, but the	and the eastern boundary of field C23 adjacent to the existing waterway creating a strong	a large area of the Cottam 1 North
riparian vegetation bordering the	buffer of mixed riparian species along its length. This will screen views from the east into the	well as north to a smaller section of
River Till would provide some	Site and will act as a buffer to views from the village of Ingham 1km to the southeast. Further	Scheme north of the viewpoint.
screening such that these activities would be confined to a narrower	short sections of tree belt are to link lone field trees to the boundary vegetation further west.	
	To the parth of this visure interview contained tree holts are prepared to the contained	Overall, in terms of mitigation for
section of the view.	To the north of this viewpoint, further scattered tree belts are proposed to the eastern	Cottam 1 Site/Sites, due to the exp
Other works would be undertaken	boundary of field B1 adjacent to the watercourse and to the north of field A3 helping to	location of Ridge AGLV, the aim is
in connection with the	mitigate views of the Sites north and northeast as well as strengthening the character of the	as many trees as possible and pla
	area locally and enhancing the overall level of tree cover.	trees particularly where it forms a
construction including fencing, gates, boundary treatment and	Chalterhalt	continuous line at the foot of the s
other means of enclosure and	Shelterbelt A 5m wide shelterbelt is proposed to the southern boundary of field C21 to help mitigate	slopes at the junction with the Till
works for the provision of security	views south of the main part of the Site from the Willingham Road and to strengthen the field	The aim is also to keep routes at t
and monitoring measures such as	boundaries locally.	elevations and follow natural brea
CCTV and the laying down of	boundaries locally.	slope. The development and man
internal tracks. There would also	Further shelterbelts are proposed in fields C15 and C18 breaking up the views across to the	of footpaths for short distance (2-
be landscape and biodiversity	west and enhancing the route of the watercourse in these fields.	walks will open up local areas of la
mitigation works, including		within these locations. Any interve
planting and the improvement of	A shelterbelt is proposed across field A4 adjacent to north farm to create a strong buffer 15m	these junctions should avoid straig
the foreground hedgerows	north of the property boundary with panels offset 50m. This, together with the scattered tree	alignments at angles to the natura
the foreground nedgerows	belt to the west help to form a band of tall vegetation linking visually with Fillingham Low	the land. Where waterways are en
These short-lived construction	Wood.	by steep embankments there sho
activities would obstruct a		priority to open up their presence
significant proportion of the view	Existing hedges	landscape as a tourist 'attraction'.
and become a dominant feature.	Existing hedges along the Willingham Road will be enhanced as necessary, with the eastern	
There would be a considerable	boundary to field C19 being augmented with hedgerow trees and allowed to grow out to 5m.	Between Years 1 and 15, the follow
change to the arable land use, but		beneficial effects will be achieved
the field boundaries and the	Across the Site running broadly north south, the existing low hedges will be enhanced,	of Visual Receptors:
associated tree cover would	allowed to grow out and be managed at a height of 5m and will be augmented with the	 Grassland reversion arou
remain intact. There would not be	addition of hedgerow trees to strengthen the field pattern and further mitigate views across	boundaries and PRoW
a fundamental change to the	the Site.	 Increased woodland/vege

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.26] January 2023

Decommissioning

A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.

Following decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors.

With secondary mitigation considered, the negative effects of the physical decommissioning will be balanced out by the long term landscape and visual effects of this mitigation.



Significance of Effect	Minor Not Significant	Minor Not Significant	Negligible Not Significant	
Level of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term	
Magnitude	Low	Low	Very Low	
	of access is close to Glebe Farm as it leads to field B2. The second point of access is close to North Farm as it leads to fields A2 and A4. The third point of access is close to Turpin's Bungalows as it provides access to fields C3 and C4. Cable Route Corridor Viewpoint is outside of the 0.5km study area. Substation/s This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 1.	 character. New hedges are also proposed to the eastern and western boundaries of fields C27 and C30 with the ditch line between the two being reinforced where existing specimen trees exist. This will mitigate views from the east and reinforce the historical field pattern. A new hedgerow to the southern extents of fields B2 and B3 will mitigate views north into this block of panels where the Site boundary extends across an existing field and currently no hedgerow exists. Irregular spaced native trees along this new field boundary will enhance the local character and create added height to this area. Fields A1 and A4 are to be bounded on the east by a new hedge with hedgerow trees to mitigate views from the east and south east. Successional Scrub Around Larch Plantation within the Site, successional scrub is proposed in order to create a buffer around the woodland and to provide both visual and ecological benefit with the woodland edge being layered towards the meadow mixes beyond. Grassland mixes A tall herb mix is proposed around existing watercourses, with a general width of 5-10m depending upon the size of each ditch and its current surroundings. Tussock mixes are proposed to most field boundaries to create a natural edge to existing and proposed hedgerows with a flower rich pollinator mix used where appropriate on south/west facing field boundaries and around existing services. Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	 Reinstatement of historic field patterns Bird mitigation fields Significantly improved biodiversity Growth of existing and proposed vegetation is assumed to be: Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Year 15. Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15. Very Low	
SOLAR PROJECT	surroundings to the south and east of Thorpe Lane. Construction Access All throughout the construction stage the viewpoint will be affected due to Willingham Road having 3 points of access into the Cottam 1 North Site. The first point	<u>New hedges</u> A new hedgerow is proposed to the northern boundary of fields C27 and C29 where the Site is set back from the field boundary and the property to the north on Willingham Road. This hedge/Site boundary is set back a minimum of 50m from the boundary of this dwelling mitigating views and creating a wide buffer to provide a suitable setting to the dwelling. Where field boundaries are missing or gappy within the Site; again, running broadly	 A more varied landscape Improved (more natural) management of exiting vegetation Less expanse of intensively managed arable land A less exposed and windswept landscape Water quality improvements 	

Very Low

Neutral & Short Term

Negligible Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	<u>In Summary</u> There would be no intervisibility between the Cottam 1	<u>In Summary</u> The Cumulative Effects upon viewpoint 34 of the Cumulative Developments is Negligible at year 1 of operation and Negli
	Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and existing intervening vegetation	limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Developments and proxim
	cover. Therefore, there no in combination visual effects are anticipated.	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or features of the landscape within the character a
		There would be the introduction of new elements and features comprising the solar panel areas and the substation area
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the cumul across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedgerows, and tree c settlements and built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 Site/ Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the following figures:
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9]
		The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type or area network is defined by important historic routes and in contrast, the east west minor road network links several historic a across the area. Overall, the prevailing road network is formed by narrow lanes that are often tranquil and hedged to be a major role in helping to define the quality of the landscape and reducing the visibility across the area.
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of historic sette hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised for adding intimal characteristics of the landscape and land use have some ability to accommodate change without undue adverse effects. Site/Sites would not alter the overall character of the landscape and its communications and infrastructure features. More vegetated context or associated with built form that plays a positive role in reducing the overall cumulative effects.
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1) with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1) with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

egligible at year 15 with mitigation. This is due to the kimity to the visual receptor.

area.

rea within the character area

nulative developments would not be experienced e cover between the Site/Sites. The intervening

te/Sites and Gate Burton Energy Park, Tillbridge

rea different from another. The strategic major road c and distinctive smaller string of settlements both sides with wide grassed verges and they have

ettlement with farms, nucleated villages, and small nacy and interest to the landscape. These relevant ts. The cumulative visibility for the Cottam 1 Moreover, these features are often set within a well-



Viewpoint VP35 – Junction of Fill/85/1, Fill/85/2, and Fill/767/1

Viewpoint Baseline:

The view is located on public right of way (PRoW), bridleway (Fill/85/1, Fill/85/2, and Fill/6/1) looking 'all-round' over the Cottam North 1 Site and southwest towards the Cottam 1 South Site beyond.

Objective: This viewpoint offers views of an almost flat, low-lying landscape within the wider context of a rolling lowland that extends well beyond the foot of the limestone capped scarp slope. There are extended views where the boundary vegetation of the Site/Sites is evident in the context of the open arable fields. The landform at this location falls to a low point of approximately 15m AOD and this helps is shielding the location in views from Willingham Road to the south. The bridleway follows a 'dog-leg' alignment to generally reflect the field boundaries and is shielded by the hedgerows that have grown tall and although gappy in parts they still help to provide enclosure and intimacy. There is good woodland cover to the west and northwest of the view including Larch Plantation that sits on the southern side of Willingham Road to the east of Side Farm that is clearly visible on the horizon where the landform is at a higher elevation than the bridleway. There is also a further woodland block known as Larch Plantation that is located to the northwest of the view at Spitals Farm. These plantations and woodlands provide enclosure in views from the north and the west to this location. In terms of man-made elements, there is little influence of bult form other than isolated farmsteads at North Farm, Fillingham Grange and Glebe Farm. Mast poles are evident in the distance to the east towards North Farm (right of view).

Subjective: The viewpoint depicts a medium-scale, partially enclosed landscape where the undulations in topography help display the landscape pattern of hedgerows and geometric woodland blocks. The layering of hedgerows is a prominent feature in this location, which helps to close down views and add intimacy. In terms of variety, there hedgerows, deciduous woodland, tree clumps and hedgerow trees which form a balanced composition with occasional interruptions of farm buildings interspersed with tree cover, that help give a more complex nature to the view. In terms of colour and texture, the landscape is managed and muted and guite ordinary apart from the strong dark woodland blocks that contrast with the muted open fields. There few hedgerow trees to break up the skyline and so the woodland blocks form important features on the horizon. Overall, the view is not distinctive or 'out of the ordinary'.

Overall: The view is typical in character to the wider open and arable land use where the tall and outgrown hedgerows add some intimacy along the route of the bridleways. This intimacy is then contrasted with open parts where there are gaps in the hedgerows and views are extended towards woodland plantations framing the horizon, such as Larch Plantation. There are distant views towards Glentworth towards the northeast forming part of the Scarps and Dipslope Character Area 6a. There is a sense of security and a safe quality to the landscape. Overall, the experience is pleasant as the slightly rolling landform adds to the character and increases the scale. There is an overall bland context to the views due to the intensive arable land use, but the sense of isolation and tranquility is an appealing feature.

Receptors:

This viewpoint is representative of views available to horse riders and walkers using the bridleway network (Fill/85/1, Fill/85/2, and Fill/6/1) that passes north south between Glentworth Grange and Willingham Road.

Description of View:

The foreground of the view comprises of open arable landscape broken up by thick, well-established hedgerows and hedgerow trees. The viewpoint looks to the northeast towards Cotam 1 North Site/Sites. The view in this direction is undisturbed as the arable fields in the immediate foreground are open and bordered by the PRoW and thick hedgerows. To the far distance of the view the land can be seen rising, bring views of local unnamed woodlands and nursery plantation. To the left of view the PRoW curves west and goes in the direction of North Farm before turning south and leading to Willingham Road. The PRoW is bordered to the north by thick hedgerow vegetation. To the right of view the arable land is open with distinctive scrub surrounding a local drain cutting across the field.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.27] January 2023





Receptor susceptibility to change	Value of view	Sensitivity	Emb
In terms of forces for change for VP35, the watercourses and their tributaries are often impinged from following natural courses. There are constraints around introducing structural diversity into the river habitats, where geomorphological processes should be allowed to occur, thus also reducing the energy of flood flows and increasing flood storage capacity. The increasing demand for water resources in an area of low rainfall may limit agriculture, and/or impact on water quality and freshwater habitats. Overall , the susceptibility of VP35 is potentially conditioned by climate change may bring drier summers, and which would exacerbate the low summer flows of the rivers in this area. This would impact on water quality and freshwater habitats, as well as reducing the availability of water. The relevant characteristics of the landscape therefore have some ability to accommodate change without undue adverse effects given there is scope to incorporate measures into cultivation to improve the structural condition of soils, for example by increasing the area of permanent grassland. The construction of reservoirs on farms to supply water for irrigation could be designed to enhance biodiversity and make a positive contribution to the landscape.	 Scenic: This region represents a major east-west link, connecting Lincolnshire with the North of England and the minor road network offers views over a local landscape that is, in parts, scenic with pleasant views. The network of PRoW such as bridleway (Fill/85/1, Fill/85/2 and Fill/6/1) linking are important places to capture these views. Cultural: The close proximity to Gainsborough as a major historic crossing on the River Trent to the west and the strategic location of Roman roads on the limestone capped scarp slope to the east give rise to a number of historic settlements in the intervening landscape. This includes Coates medieval settlement and moated site (List Entry: 1016979) to the southwest. Natural: The local roads are valuable wildlife corridors since they are often narrow country lanes with grass verges, hedgerows to both sides and high levels of tranquility. Recreation and Enjoyment: The east west travel direction of local lanes often links the older settlements moving in a more random pattern following minor roads. These roads such as Willingham Road and Fillingham Lane, and Willingham Road derive their 'sense of place' from the woodland blocks that contrast with the intensive arable landscape. Lacal Distinctiveness and Sense of Place; The landscape associated with Fillingham Lane, and Willingham Road and their connecting PRoW are often refuges of tranquility bringing benefits for health and wellbeing. Important Spatial Function: The local roads play an important role in wayfinding by linking several historic and distinctive smaller string of settlements with the PRoW network. Overall, the value of Viewpoint VP35 is shaped by the bridleway network and the local roads (that gain access to smaller villages) which are popular for informal recreation. The PRoW connects to these local roads since they provide attractive destinations as narrow country lanes often with good levels of tranquility and isolation.<td>Range of Features: This location comprises the public bridleway network at the point where three routes converge. This is an open location where the tall hedgerows, small woodland blocks and riparian vegetation lining the small tributary of the River Till add some structure to the landscape but do little to close down visibility. The hedgerows, the woodland cover and the scattered farmsteads are the range of features in the view. Importance of View: This is an open location at a point where three bridleways converge, which slightly raises the level of importance of the view. The view is influenced by the presence of the combination of features, but they are only experienced in the close-range context of the Unwooded Vales Character Area 4a. The hedgerows along these roads form an important element of views across the area, especially where they breach the skyline such as the hedge along Willingham Road. Number of Receptors: This is the public bridleway network that almost connects the settlements of lngham and Glentworth. This route is likely to appeal more to local users than those from a wider area. The strategic major road network is defined by important historic routes (north south) and the strategic minor road network also links several historic and distinctive smaller string of settlements (east west) across the area. This bridleway network enhances these connections for recreation and access in the wider context of the Till Vale.</td><td>Embe the cc decor Embe mitiga Panel PRoW Panel reside Panel water Water Panel bound Existin be ma be en and g of new space Lighti subst. maint PIR op perso 50W, fitted panel be no The vitaken the op secon but w</td>	Range of Features: This location comprises the public bridleway network at the point where three routes converge. This is an open location where the tall hedgerows, small woodland blocks and riparian vegetation lining the small tributary of the River Till add some structure to the landscape but do little to close down visibility. The hedgerows, the woodland cover and the scattered farmsteads are the range of features in the view. Importance of View: This is an open location at a point where three bridleways converge, which slightly raises the level of importance of the view. The view is influenced by the presence of the combination of features, but they are only experienced in the close-range context of the Unwooded Vales Character Area 4a. The hedgerows along these roads form an important element of views across the area, especially where they breach the skyline such as the hedge along Willingham Road. Number of Receptors: This is the public bridleway network that almost connects the settlements of lngham and Glentworth. This route is likely to appeal more to local users than those from a wider area. The strategic major road network is defined by important historic routes (north south) and the strategic minor road network also links several historic and distinctive smaller string of settlements (east west) across the area. This bridleway network enhances these connections for recreation and access in the wider context of the Till Vale.	Embe the cc decor Embe mitiga Panel PRoW Panel reside Panel water Water Panel bound Existin be ma be en and g of new space Lighti subst. maint PIR op perso 50W, fitted panel be no The vitaken the op secon but w
High	Medium	Medium-High	Not A

bedded Mitigation

bedded Mitigation would be taken into account at construction, operation (Year 1 and Year 15) and ommissioning stages of the Scheme. This bedded Mitigation is also referred to as primary igation and would include the following measures:

els to be set a minimum of 15m from adjacent w.

els to be set a minimum of 50m from adjacent dential property boundaries.

els to be set minimum of 20m from major tercourses and minimum of 8m from minor ercourses.

els to be set a minimum of 3m from Site indaries.

sting hedges are to be allowed to grow out and will managed to a height of 5m. Hedgerow trees will encouraged to grow out to add further thickening l growth to the field boundaries with the addition new hedgerow trees as appropriate, randomly ced along the length of existing hedges.

nting will be limited to downlights within stations and battery banks only and used when intenance or security is required. Lighting will be operated and will be calibrated to vehicle and sonnel movements. All visible lighting would be V, installed at a maximum height of 4m with cowls ed to prevent light spillage. Lighting required within elled areas will be manually operated. There will no lighting on perimeter fencing.

visual effects with only the Embedded Mitigation en into account equate to those effects set out for operation stage (Year 1) and this includes ondary mitigation which will have been carried out will have had limited physical or visual impact at Embedded Mitigation stage.

Applicable



Construction	Operation (Year 1)	Operation (Year 15)	Decommissioning
Activities considered includes, site	Description of View:	With secondary mitigation such as planting	A similar process to that of
preparation / enabling works,	The foreground of the view comprises a mixed species hedgerows framing an arable field that	and grass seeding being taken into account at	construction stage, but with the
construction, and commissioning with	slopes towards the west. There is a wide grass verge to the front of the hedgerow that borders	the operational stage (Year 15) the following	Scheme being no longer operat
effects such as construction traffic,	the parking area. The presence of the hedgerow breaks up the middle ground of view leaving the	changes to the landscape would occur and the	This is an assessment of the Sit
noise and vibration from construction	distant horizon as the main feature. The foreground is also framed by deciduous trees to each	visual effects are set out below.	winter but assumes retention of
activities, dust generation, site runoff,	side and the parking spaces are also placed within intermittent tree cover such that views		existing vegetation and builds
mud on roads, and the visual	towards the rear of the viewpoint are more filtered than those to the front (west part). In the far	At Year 15, the proposed new hedgerows will	the proposed primary and seco
intrusion of plant and machinery on	distance the landscape forms a flat, low-lying presence where deciduous woodlands such as	have established to create a strong field	mitigation that had been estab
site. At the early stages of the	North Carlton Covert and Scampton Gorse stand out in contrast to the open arable fields. The	structure and screen views of the Scheme.	as the future baseline. Effects
construction stage, ground, and	view mainly highlights the productive arable landscape with large fields and contrasting	Existing hedges will have been managed to	those arising from activities fo
lower-level activities such as the	woodlands visible amongst hedgerows and hedgerow trees. The hedgerows add to the overall	grow out to 5m and proposed hedgerow trees	duration of the decommission
construction of the solar panel areas	wooded context of the landscape due to the elevation of the view. To the right-hand side of the	will begin to reach some height, reinforcing	including site traffic, noise and
and associated infrastructure and	view, the tall hedgerow bordering the parking area close down views in that direction and	the vertical structure locally. In the close-mid-	vibration from decommissioni
inverters would be partly screened	likewise to the left of the view. The remainder of the horizon is made up of large skies with few	range, the hedgerows will screen Site/Sites	activities, dust generation and
due to the presence of foreground	vertical features other than the power industry of the River Trent floodplain in the far distance.	with mid and longer distance views appearing	runoff.
hedgerow bordering Thorpe Lane.	vertical reactives other than the power industry of the tiver ment hoodplain in the far distance.	as a layered well-treed landscape with a	runon.
During the latter part of the	The effects set out below for Year 1 include secondary mitigation which will have been carried	backdrop of strong wooded horizon.	Following decommissioning, th
construction stage, views would	out, but will have had limited physical or visual impact at this stage:	backurop of strong wooded horizon.	is likely to be returned to arab
become available of the elevated	out, but will have had influed physical of visual impact at this stage.	This viewpoint looks south southwest over a	production. The Site will howe
	Scattered tree belt		
activities above the hedgerow, but the	A large belt of scattered trees is proposed to run around the northern boundary of field C28 and	large area of the Cottam 1 North Site as well as north to a smaller section of the Scheme	benefit from the significantly enhanced tree and hedgerow
riparian vegetation bordering the			that has been carried out and
River Till would provide some	the eastern boundary of field C23 adjacent to the existing waterway creating a strong buffer of	north of the viewpoint.	
screening such that these activities would be confined to a narrower	mixed riparian species along its length. This will screen views from the east into the Site and will		begun to mature to create a n
	act as a buffer to views from the village of Ingham 1km to the southeast. Further short sections	Overall , in terms of mitigation for the Cottam	stronger and robust landscape
section of the view.	of tree belt are to link lone field trees to the boundary vegetation further west.	1 Site/Sites, due to the exposed location of	retaining and enhancing the or
		Ridge AGLV, the aim is to retain as many trees	character and providing considered by a second seco
Other works would be undertaken in	To the north of this viewpoint, further scattered tree belts are proposed to the eastern boundary	as possible and plant native trees particularly	biodiversity benefits over the
connection with the construction	of field B1 adjacent to the watercourse and to the north of field A3 helping to mitigate views of	where it forms a continuous line at the foot of	Bird mitigation fields are likely
including fencing, gates, boundary	the Sites north and northeast as well as strengthening the character of the area locally and	the steep slopes at the junction with the Till	retained and the potential ma
treatment and other means of	enhancing the overall level of tree cover.	Vale. The aim is also to keep routes at the	retain grass margins to preser
enclosure and works for the provision		lower elevations and follow natural breaks of	varied land use and maintain
of security and monitoring measures	Shelterbelt	slope. The development and management of	term improvements in biodive
such as CCTV and the laying down of	A 5m wide shelterbelt is proposed to the southern boundary of field C21 to help mitigate views	footpaths for short distance (2-3 mile) walks	the local area, all of which will
internal tracks. There would also be	south of the main part of the Site from the Willingham Road and to strengthen the field	will open up local areas of landscape within	visual receptors.
landscape and biodiversity mitigation	boundaries locally.	these locations. Any interventions at these	
works, including planting and the		junctions should avoid straight alignments at	With secondary mitigation cor
improvement of the foreground	Further shelterbelts are proposed in fields C15 and C18 breaking up the views across to the west	angles to the natural grain in the land. Where	the negative effects of the phy
hedgerows	and enhancing the route of the watercourse in these fields.	waterways are enclosed by steep	decommissioning will be balar
		embankments there should be a priority to	by the long term landscape an
These short-lived construction	A shelterbelt is proposed across field A4 adjacent to north farm to create a strong buffer 15m	open up their presence in land landscape as a	effects of this mitigation.
activities would obstruct a significant	north of the property boundary. This, together with the scattered tree belt to the west help to	tourist 'attraction'.	
proportion of the view and become a	form a band of tall vegetation linking visually with Fillingham Low Wood.		
dominant feature. There would be a		Between Years 1 and 15, the following	
considerable change to the arable	Existing hedges	beneficial effects will be achieved in terms of	
land use, but the field boundaries and	Existing hedges along the Willingham Road will be enhanced as necessary, with the eastern	Visual Receptors:	
the associated tree cover would	boundary to field C19 being augmented with hedgerow trees and allowed to grow out to 5m.	 Grassland reversion around field 	
remain intact. There would not be a		boundaries and PRoW	
fundamental change to the	Across the Site running broadly north south, the existing low hedges will be enhanced, allowed to	 Increased woodland/vegetation cover 	
surroundings to the south and east of	grow out and be managed at a height of 5m and will be augmented with the addition of	 A more varied landscape 	
Thorpe Lane.	hedgerow trees to strengthen the field pattern and further mitigate views across the Site.	 Improved (more natural) 	
		management of exiting vegetation	



SOLAR PROJECT			[Reference: ENUT
	All throughout the construction stage the viewpoint will be affected due to Willingham Road having 3 points of access into the Site/Sites. The first point of access is close to Glebe Farm as it leads to field B2. The second point of access is close to North Farm as it leads to fields A2 and A4. The third point of access is close to Turnpins Bungalows as it provides access to fields C3 and C4. Cable Route Corridor Viewpoint is outside of the 0.5km study area. Substation/s This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 1.	Irregularly spaced trees within enhanced existing and new hedgerows will mitigate views of the Site(s) for riders using the bridleway. New hedges A new hedgerow is proposed to the northern boundary of fields C27 and C29 where the Site is set back from the field boundary and the property to the north on Willingham Road. This hedge/Site boundary is set back a minimum of 50m from the boundary of this dwelling mitigating views and creating a wide buffer to provide a suitable setting to the dwelling. Where field boundaries are missing or gappy within the Site; again, running broadly north/south, these will be infilled with new hedgerows to strengthen the field patter and local character. New hedges are also proposed to the eastern and western boundaries of fields C27 and C30 with the ditch line between the two being reinforced where existing specimen trees exist. This will mitigate views from the east and reinforce the historical field pattern. A new hedgerow to the southern extents of fields B2 and B3 will mitigate views north into this block of panels where the Site boundary extends across an existing field and currently no hedgerow exists. Irregular spaced native trees along this new field boundary will enhance the local character and create added height to this area. Fields A1 and A4 are to be bounded on the east by a new hedge with hedgerow trees to mitigate views from the east and southeast. Successional Scrub Around Larch Plantation within the Site, successional scrub is proposed in order to create a buffer around the woodland and to provide both visual and ecological benefit with the woodland edge being layered towards the meadow mixes beyond. Grassland mixes A tall herb mix is proposed to most field boundaries to create a natural edge to existing and proposed hedgerows with a flower rich pollinator mix used where appropriate on south/west facing field boundaries and around existing services. Adverse effects: P Anels and structures across the landscape I Increased hard standing areas I Increased hard standin	 Less expanse of intensively mar arable land A less exposed and windswept landscape Water quality improvements Potential animal grazing Reinstatement of historic field patterns Bird mitigation fields Significantly improved biodivers
Magnitude	Low	Medium	Low
Level of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term
Significance of Effect	Minor Not Significant	Moderate Significant	Minor Not Significant

nanaged	
pt	
pe	
d	
ersity	
2	
	Very Low
	Neutral & Short Term
	Negligible Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	In Cummany	
	<u>In Summary</u> There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and existing intervening vegetation cover. Therefore,	<u>In Summary</u> The Cumulative Effects upon viewpoint 35 of the Cumulative Developments is Negligible at year 1 of operation and N to the limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Developments a
	there no in combination visual effects are anticipated.	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or features of the landscape within the character
		There would be the introduction of new elements and features comprising the solar panel areas and the substation
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the cu experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedge The intervening settlements and built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 S Tillbridge Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the following fi
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6]Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8]Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9]
		The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type or a road network is defined by important historic routes and in contrast, the east west minor road network links several settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are often tranquil a verges and they have a major role in helping to define the quality of the landscape and reducing the visibility across the
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of historic small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised for addi These relevant characteristics of the landscape and land use have some ability to accommodate change without und the Cottam 1 Site/Sites would not alter the overall character of the landscape and its communications and infrastruc- often set within a well-vegetated context or associated with built form that plays a positive role in reducing the overal
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1) with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1) with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

Negligible at year 15 with mitigation. This is due and proximity to the visual receptor.

acter area.

on area within the character area

cumulative developments would not be dgerows, and tree cover between the Site/Sites.

1 Site/Sites and Gate Burton Energy Park, figures:

or area different from another. The strategic major ral historic and distinctive smaller string of and hedged to both sides with wide grassed ss the area.

ric settlement with farms, nucleated villages, and dding intimacy and interest to the landscape. ndue adverse effects. The cumulative visibility for ucture features. Moreover, these features are erall cumulative effects.



Viewpoint VP38 – South Lane

The view is located on South Lane, looking south and west directly over, and east towards the Cottam 1 North Site. This is also looking south towards the Cottam 1 South Site.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a slightly undulating, low-lying landscape within the wider context of a broad vale, which is conspicuous at this location. The land use is mainly productive arable farmland with many large fields under single crop. There are some local variations in landform where the land rises to the west to a high point of approximately 20m AOD around Willingham by Stow and Kexby. To the north, the land rises to a local high point of approximately 15m AOD at Heaton's Wood and to the south there is a gentle fall towards the River Till, which takes a meandering course to the north of Normanby by Stow and to the east of Coates. Towards the east, the landform is generally flat at 10m AOD then rising gently towards the foot of the scarp slope from where the landscape then rises sharply towards the settlements of Fillingham and Ingham. In terms of enclosure, there are numerous woodland blocks that form strong geometric shapes in the landscape and collectively provide a dominant wooded horizon, particularly towards the east of the view. These woodlands include Fillingham Low Wood, New Plantation and Larch Plantation. To the west and north, the view is enclosed by the gently rising landform and the settlements, whereas to the south the landscape is more open with views extending over the River Till Vale. In terms of man-made features, there are isolated farmsteads at Lowfield Farm and Moor Farm on South Lane and Slate House Farm, Magin Moor Farm and Poplar Farm on Fillingham Lane. There are also residential properties at Moor Bridge, otherwise little else exists in terms of built influence. Occasional groups of conifer trees have a domestic character and the overhead wires that pass along the road network are also detractors. Both Fillingham Lane and South Lane are prominent in the landscape due to their formal, straight alignment. The tall, bordering hedgerows closes down visibility in general, but the gaps allow extended views towards the east that capture the Limestone Scarps and Dipslopes Character Area 6a showing the strong woodlands at Fillingham and Ingham.

Subjective: The viewpoint depicts a large-scale, open landscape that is vast. In terms of variety, the combination of landscape features includes farm buildings, plantation woodland, tree clumps, occasional hedgerow trees, hedgerows and arable fields that present a simple, well-balanced composition. In terms of texture and colour, this is an intensively managed land use that is mainly muted but the strong presence of geometric woodlands adds some interest. Grass verges are also a feature of these local lanes that add a 'sense of place', and the hedgerows have a good range of native species including hawthorn, elder, ash and dog rose that bring some colour into the landscape. The extended views through gaps in the tall hedgerows also add surprise and delight to views, especially where they capture the distant scarp slope, church towers or the Trent power industry to the west.

Overall: The view is influenced by the woodlands on the horizon towards the east that form a significant component and add balance to the landscape. This location offers some intimacy since this is a local lane with little traffic and there is no major settlement to disrupt the tranquility. The field hedgerows are cut back, and the arable land use is intensively managed. The mature ash trees within the hedgerows are also a strong feature. The overall experience is pleasant, with some depth to views and strong contrasting features due to the presence of the plantation woodlands on the horizon and the slight undulations in topography. This is an isolated, remote location with a distinct absence of settlement, built form or other manmade features.

Receptors:

This viewpoint is representative of views available to motorists, cyclists, walkers, horse riders and residents passing along South Lane from Fillingham Lane.


Description of View:

The foreground of the view comprises of South Lane facing southwest towards Cottam1 West Site. There is a wide grass verge to the front of the hedgerow that border South Lane. The presence of the hedgerow is strong as it breaks up the views to the surrounding arable land and dominates the foreground. To the left of view, the land slopes up bringing the arable land into view. The land is broken up by hedgerows and hedgerow trees standing tall into the horizon. To the right of view, South Lane travels north with strong hedgerows on either side and a few hedgerow trees to the western boundary hedgerow. The view is intimate and short with little to no views further than the tall hedgerows in the foreground.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.28] January 2023



Approximate Extent of Development



Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.28] January 2023



Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include the following measures:

Panels to be set a minimum of 15m from adjacent PRoW.

Panels to be set a minimum of 50m from adjacent residential

Panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses.

Panels to be set a minimum of 3m from Site boundaries.

Existing hedges are to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter

The visual effects **with only** the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.



Viewpoint VP38 - South Lane

Construction	Operation (Year 1)	Operation (Year 15)	Decommis
Activities considered includes, site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened due to the presence of foreground hedgerow bordering Thorpe Lane. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerow, but the riparian vegetation bordering the River Till would provide some screening such that these activities would be confined to a narrower section of the view. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows These short-lived construction activities would obstruct a significant proportion of the view and become a dominant feature. There would be a considerable change to the arable land use, but the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the south and east of Thorpe Lane. Construction Access All throughout the construction stage the viewpoint will be affected due to South Lane having a point of access into the Cottam 1 North Site. The access point is between Lowfield Farm and Moor Farm as it connects to fields G2 and G3. Cable Route Corridor	Description of View: The foreground of the view comprises a mixed species hedgerows framing an arable field that slopes towards the west. There is a wide grass verge to the front of the hedgerow that borders the parking area. The presence of the hedgerow breaks up the middle ground of view leaving the distant horizon as the main feature. The foreground is also framed by deciduous trees to each side and the parking spaces are also placed within intermittent tree cover such that views towards the rear of the viewpoint are more filtered than those to the front (west part). In the far distance the landscape forms a flat, low-lying presence where deciduous woodlands such as North Carlton Covert and Scampton Gorse stand out in contrast to the open arable fields. The view mainly highlights the productive arable landscape with large fields and contrasting woodlands visible amongst hedgerows and hedgerow trees. The hedgerows add to the overall wooded context of the landscape due to the elevation of the view. To the right-hand side of the view, the tall hedgerow bordering the parking area close down views in that direction and likewise to the left of the view. The remainder of the horizon is made up of large skies with few vertical features other than the power industry of the River Trent floodplain in the far distance. The effects set out below for Year 1 include secondary mitigation which will have been carried out, but will have had limited physical or visual impact at this stage: <u>Scattered tree belt</u> A small belt of scattered trees is proposed adjacent to the everall bulk of vegetation in this location. A scattered tree belt is proposed within field C3 to the northeast of this viewpoint linking an existing lone tree to the hedgerow to the north. Another belt links a tree in field C4 to the eastern boundary of this field. <u>Shelterbelt</u> A Sm shelterbelt will run west/east to the north of field C5 adjacent to the existing waterway creating a	 With secondary mitigation such as planting and grass seeding being taken into account at the operational stage (Year 15) the following changes to the landscape would occur and the visual effects are set out below. At Year 15, the proposed scattered trees and shelterbelt will have established to create a strong field structure and screen views of the Scheme in the close-mid distance. Existing hedges around the Site will have been managed to grow out to 5m reinforcing the vertical structure locally. In the close-range, the existing hedgerows will screen Site/Sites with mid and longer distance views appearing as a layered well-treed landscape with a backdrop of distant tree cover to the west with woodland cover more pronounced to the east. Overall, in terms of mitigation for the Cottam 1 Site/Sites, due to the exposed location of Ridge AGLV, the aim is to retain as many trees as possible and plant native trees particularly where it forms a continuous line at the foot of the steep slopes at the junction with the Till Vale. The aim is is also to keep routes at the lower elevations and follow natural breaks of slope. The development and management of footpaths for short distance (2-3 mile) walks will open up local areas of landscape within these locations. Any interventions at these junctions should avoid straight alignments at angles to the natural grain in the land. Where waterways are enclosed by steep embankments there should be a priority to open up their presence in land landscape as a tourist 'attraction'. Between Years 1 and 15, the following beneficial effects will be achieved in terms of Visual Receptors: Grassland reversion around field boundaries and PRoW Increased woodland/vegetation cover A more varied landscape Water quality improvements Potential animal grazing Reinstatement of historic field patterns Bird mitigation fields Significantly improved biodiversity Growth of exist	A similar pro Scheme bein of the Site in vegetation an secondary m future baseli the duration noise and vik generation a Following de to arable pro significantly of been carried stronger and overall chara benefits over retained and to preserve s improvemen will benefit v With seconda of the physic long term lar

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.28] January 2023

nissioning

process to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning including site traffic, vibration from decommissioning activities, dust and site runoff.

decommissioning, the land is likely to be returned production. The Site will however benefit from the ly enhanced tree and hedgerow planting that has ied out and has begun to mature to create a much nd robust landscape, retaining and enhancing the aracter and providing considerable biodiversity ver the years. Bird mitigation fields are likely to be nd the potential may exist to retain grass margins ve some varied land use and maintain long-term ents in biodiversity in the local area, all of which visual receptors.

ndary mitigation considered, the negative effects sical decommissioning will be balanced out by the landscape and visual effects of this mitigation.



SOLAR PROJECT		[Reference
Viewpoint is within 0.5km study area and will experience effects at construction stage.	strong break across this large field and adding height and variation to the views across the Site.	New hedgerows: 0.6m at Year 1 and 3.5m at Year 15.
Substation This viewpoint is within the 2km study area and Cottam 1 Substation may be visible in the distant view.	Another long shelterbelt will run to the south of G1 and G3 running broadly east/west across this block, strengthening the existing field pattern and breaking up the views from all directions.	Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15.
	Existing hedges Existing hedgerows to the northeast and east of field G4 are to be enhanced, infilling gaps as necessary and providing additional hedgerow trees to add height. The hedges are to be allowed to grow out and be maintained to a height of 5m.	
	<u>New hedges</u> A new hedgerow is proposed to the eastern boundaries of fields G2 and G3 to mitigate views from the east.	
	A new hedgerow to the west of field C2 will mitigate views from the west and north and help to further strengthen the field structure locally, providing additional height with proposed hedgerow trees.	
	A new hedge is proposed to the southern boundary of field C5 and the eastern boundary of C6 which will further reinforce the field pattern and break up the bulk of the panelled area.	
	Successional scrub A belt of successional scrub is proposed to the western boundary of field C3 adjacent to existing vegetation on this western boundary of the Site.	
	A strong buffer of successional scrub is proposed to run north/south and east either side of existing vegetation within fields C2,5 and 6 providing a layered visual effect and creating a natural buffer to this woodland block and increasing its overall mass.	
	<u>Grassland mixes</u> A 10m tall herb mix buffer is to line each side of the existing watercourse running across the Site.	
	Elsewhere within the field boundaries, flower rich pollinator mixes are to be used with tussock mixes used adjacent to existing and proposed vegetation in places.	
	 Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside 	



		 Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 		
Magnitude	Low	Low	Low	Very Low
Level of Effect	Adverse & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sł
Significance of Effect	Minor Not Significant	Minor Not Significant	Minor Not Significant	Negligible N

Short Term

Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]	
	m-combination Lifects [cumulative sites]		
	In Summary	In Summary	
	There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and existing intervening vegetation cover.	The Cumulative Effects upon viewpoint 38 of the Cumulative Developments is Negligible at year 1 of operation and Neg the limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Developments and p	
	Therefore, there no in combination visual effects are anticipated.	<i><u>Fabric of the Landscape</u></i> There would not be the removal of or changes in individual elements or features of the landscape within the character	
		There would be the introduction of new elements and features comprising the solar panel areas and the substation are	
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the cumu across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedgerows, and tree settlements and built form would also curtail cumulative visibility.	
		There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 Site Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the following figures:	
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9]	
		The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type or are road network is defined by important historic routes and in contrast, the east west minor road network links several his settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are often tranquil and and they have a major role in helping to define the quality of the landscape and reducing the visibility across the area.	
		Overall Landscape Character and Visual Amenity Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of historic se small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised for adding relevant characteristics of the landscape and land use have some ability to accommodate change without undue adver Cottam 1 Site/Sites would not alter the overall character of the landscape and its communications and infrastructure fe within a well-vegetated context or associated with built form that plays a positive role in reducing the overall cumulativ	
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1) with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low	
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term	
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1) with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant	

legligible at year 15 with mitigation. This is due to proximity to the visual receptor.

er area.

area within the character area

umulative developments would not be experienced ee cover between the Site/Sites. The intervening

ite/Sites and Gate Burton Energy Park, Tillbridge

area different from another. The strategic major historic and distinctive smaller string of nd hedged to both sides with wide grassed verges

settlement with farms, nucleated villages, and ng intimacy and interest to the landscape. These erse effects. The cumulative visibility for the features. Moreover, these features are often set ive effects.



Viewpoint VP41 - Gltw/85/1 just off Kexby Road

Viewpoint Baseline:

The view is located on the PRoW, bridleway (Gltw/85/1) at the junction with Kexby Road, looking south towards the Cottam 1 North Site with Cottam 1 South Site beyond.

Objective: This viewpoint offers views over a very gently rolling landscape within the wider context of a broad valley that is fully conspicuous at this location. The land use is predominantly arable with mixed woodland visible to the southwest (left of view) comprising of Larch Plantation and Fillingham Low Wood, and to the south woodland cover on the horizon at Cammeringham and Brattleby is a strong dark feature. These views towards the far horizon (and the woodland that crowns the limestone capped ridgeline which follows the Roman road at Ermine Street) are a key feature within the landscape to the south Kexby Road. In terms of man-made elements, there is little built influence since the area is sparsely populated and the road network only comprises of the two east west roads (Kexby Road and Willingham Road) that link Willingham by Stow in the west with Glentworth and Fillingham in the east.

Subjective: The viewpoint depicts a large-scale, open landscape, being exposed and with far reaching views towards the distant horizon as far as Thorpe le Fallows. In terms of variety, the combination of features includes isolated farm buildings, deciduous woodland, plantation woodland, hedgerows and hedgerow trees that present a simple and well-balanced composition, with very few detractors other than the intensive arable land use that erodes the character. In terms of texture, this is a highly managed arable land use with a muted colour combination giving the impression of an ordinary landscape, however the far-reaching views to the south add an invigorating quality overall.

Overall: the bridleway is a prominent feature in the landscape as it heads south from Kexby Road with clear, far-reaching views. The lack of foreground hedgerow opens visibility and there are also very few intervening hedgerows that increases the sense of scale. The immediate view is typical of the local landscape character and the far-reaching open views are consistent with the wider landform characteristics of the area. The overall experience is pleasant but with some bland foreground features.

Receptors:

This viewpoint is representative of views available to PRoW users along bridleway Gltw/85/1. This section of the bridleway is used by walkers and horse riders and leads from Kexby Road in the north to join Willingham Road in the south. The view is also experienced by motorists and residents using Kexby Road. There are no meaningful views towards the Site/Sites, due to distance, topography, and intervening layering of hedgerows.

Description of View:

The view comprises of junction of PRoW Gltw/85/1 with Kexby Road. There is a wide grass verge to either side of Kexby road. The view is open and undisturbed with little to no hedgerows or tall vegetation to add interest to the view. In the far distance of the view woodlands of Larch Plantation, New Plantation and woodlands associated with 'The Lake' north of Fillingham stand out in the horizon bringing structure to the view. Isolated trees bring stimulation to the view. To the left of view, built form associated with Glentworth Grange stands tall and brings structure to the otherwise open and bland landscape. To the right of view, Low Farm and Spitals farm can be seen with woodlands such as Ash Holt and Larch plantation can be seen standing tall in the horizon.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.29] January 2023





Receptor susceptibility to change	Value of view	Sensitivity	Embe
In terms of forces for change for VP41, there is	<u>Scenic:</u> This region represents a major east-west link, connecting	<u>Range of Features:</u> This location comprises the public	Embeo
homogenization of the landscape and loss of	Lincolnshire with the North of England and the minor road network	bridleway network at the point where it joins with a local	the co
hedgerows. However, there is an opportunity to	offers views over a local landscape that is, in parts, scenic with pleasant	lane. This is an open location where the tall hedgerows,	decom
reinforce landscape character and build in more	views. The network of linking local lanes (especially where they link with	small woodland blocks and riparian vegetation lining the	Embeo
diversity across the area especially in terms of	bridleways) are also important places to capture views.	small tributary of the River Till add some structure to the	mitiga
improvements to hedgerows but also in changing		landscape but do little to close down visibility. The	0
the proportion of conifer to broadleaved woodland	<i><u>Cultural:</u></i> The close proximity to Gainsborough as a major historic crossing	hedgerows, the woodland cover and the scattered	Panels
and improvements to woodland edge species.	on the River Trent to the west and the strategic location of Roman roads	farmsteads are the range of features in the view. The	PRoW
	on the limestone capped scarp slope to the east give rise to a number of	powerful River Trent and its tributaries and other water	
Overall, the susceptibility of VP41 is conditioned	historic settlements in the intervening landscape. This includes	courses within its flood plain provide a strong functional	Panels
by the striking differences across the varying	Glentworth and Glentworth Conservation Area to the east.	feature running through the landscape, which contribute	reside
elements of the AGLV and that these can be		strongly to the 'sense of place' where the local tributaries	
appreciated across the landscape. There is an	Natural: The local roads are valuable wildlife corridors since they are	support riparian vegetation.	Panels
opportunity to use landscape mitigation to build	often narrow country lanes with grass verges, hedgerows to both sides		watero
upon these differences and bolster this landscape	and high levels of tranquility.	Importance of View: This is an open location at a point	water
diversity. Particular areas for focus include the		where a bridleway converges with a local lane, that plays a	
proportion of pasture to arable fields in particular	<u>Recreation and Enjoyment:</u> The east west travel direction of local lanes	part in connecting the bridleway network between	Panels
those around the edges of settlements which are	often links the older settlements moving in a more random pattern	Ingham and Glentworth, which slightly raises the level of	bound
particularly important to their setting and form a	following minor roads. These roads such as Kexby Road are popular for	importance of the view. The view is influenced by the	
subtle relationship. Within this AGLV, views are	recreation since they provide attractive destinations as narrow country	presence of the combination of features but the absence	Existin
generally contained by tall hedgerows, woodlands,	lanes.	of hedgerows along this section of the road enhance the	be ma
and tree groups, giving the landscape very limited		open visibility across the area.	encou
capacity to accommodate change. The relevant	Local Distinctiveness and Sense of Place: The landscape associated with		growth
characteristics therefore have a limited	Kexby Road derives the 'sense of place' from the woodland blocks that	<u>Number of Receptors</u> : This is the public bridleway network	hedge
susceptibility to accommodate change without	contrast with the intensive arable landscape. These woodland blocks	that almost connects the settlements of Ingham and	the ler
undue adverse effects. There is however robust	feature at 'right-angled' bends in the road and include Big Wood and	Glentworth. This route is likely to appeal more to local	
hedgerows with smaller fields and many trees in	Heaton's Wood.	users than those from a wider area. The strategic major	Lightir
these locations that assist with mitigation.		road network is defined by important historic routes	and ba
	Health and Wellbeing: Main roads are significant features in this	(north south) and the strategic minor road network also	securi
	landscape, but the minor road networks and their connecting bridleways	links several historic and distinctive smaller string of	will be
	are often refuges of tranquility bringing benefits for health and wellbeing.	settlements (east west) across the area. This bridleway	All visi
		network enhances these connections for recreation and	maxim
	Important Spatial Function: The local roads play an important role in	access in the wider context of the Till Vale.	light s
	wayfinding by linking several historic and distinctive smaller string of		will be
	settlements with the PRoW network.		perime
	Overall , the value of Viewpoint VP41 is shaped by the bridleway network		The vis
	and the local roads (that gain access to smaller villages) which are		taken
	popular for informal recreation. These local roads provide attractive		the op
	destinations as narrow country lanes often with good levels of tranquility		secono
	and isolation. Many of these roads, such as Kexby Road, also have open		but wi
	sections with no hedgerows that allow views across the landscape.		this En
High to Medium	Medium	High to Medium	Not Ap

bedded Mitigation

bedded Mitigation would be taken into account at construction, operation (Year 1 and Year 15) and ommissioning stages of the Scheme. This bedded Mitigation is also referred to as primary gation and would include the following measures:

els to be set a minimum of 15m from adjacent W.

els to be set a minimum of 50m from adjacent dential property boundaries.

els to be set minimum of 20m from major ercourses and minimum of 8m from minor ercourses.

els to be set a minimum of 3m from Site ndaries.

ting hedges are to be allowed to grow out and will nanaged to a height of 5m. Hedgerow trees will be ouraged to grow out to add further thickening and wth to the field boundaries with the addition of new gerow trees as appropriate, randomly spaced along length of existing hedges.

ting will be limited to downlights within substations battery banks only and used when maintenance or urity is required. Lighting will be PIR operated and be calibrated to vehicle and personnel movements. isible lighting would be 50W, installed at a imum height of 4m with cowls fitted to prevent spillage. Lighting required within panelled areas be manually operated. There will be no lighting on meter fencing.

visual effects **with only** the Embedded Mitigation en into account equate to those effects set out for operation stage (Year 1) and this includes ondary mitigation which will have been carried out will have had limited physical or visual impact at Embedded Mitigation stage.

Not Applicable



Viewpoint VP41 - Gltw/85/1 just off Kexby Road Construction **Operation (Year 1) Operation (Year 15)** Activities considered includes, site preparation The foreground of the view comprises a mixed species hedgerows / enabling works, construction, and framing an arable field that slopes towards the west. There is a wide commissioning with effects such as grass verge to the front of the hedgerow that borders the parking construction traffic, noise and vibration from area. The presence of the hedgerow breaks up the middle ground of view leaving the distant horizon as the main feature. The foreground construction activities, dust generation, site runoff, mud on roads, and the visual intrusion is also framed by deciduous trees to each side and the parking spaces of plant and machinery on site. At the early are also placed within intermittent tree cover such that views towards stages of the construction stage, ground, and the rear of the viewpoint are more filtered than those to the front lower-level activities such as the construction (west part). In the far distance the landscape forms a flat, low-lying of the solar panel areas and associated presence where deciduous woodlands such as North Carlton Covert infrastructure and inverters would be partly and Scampton Gorse stand out in contrast to the open arable fields. screened due to the presence of foreground The view mainly highlights the productive arable landscape with large hedgerow bordering Thorpe Lane. During the fields and contrasting woodlands visible amongst hedgerows and latter part of the construction stage, views hedgerow trees. The hedgerows add to the overall wooded context of would become available of the elevated the landscape due to the elevation of the view. To the right-hand side activities above the hedgerow, but the riparian of the view, the tall hedgerow bordering the parking area close down vegetation bordering the River Till would views in that direction and likewise to the left of the view. The provide some screening such that these remainder of the horizon is made up of large skies with few vertical activities would be confined to a narrower features other than the power industry of the River Trent floodplain in section of the view. the far distance. Other works would be undertaken in The effects set out below for Year 1 include secondary mitigation connection with the construction including which will have been carried out, but will have had limited physical or fencing, gates, boundary treatment and other visual impact at this stage: means of enclosure and works for the provision of security and monitoring measures Scattered tree belt such as CCTV and the laying down of internal A strong belt of scattered trees is proposed to the east of field B1, providing a solid feature in this somewhat exposed landscape. This tracks. There would also be landscape and biodiversity mitigation works, including buffer of riparian vegetation adjacent to the watercourse will add planting and the improvement of the height and structure to the landscape and enhance this natural ditchline. This will also help to mitigate views from the north on foreground hedgerows Kexby Road. These short-lived construction activities would obstruct a significant proportion of the view A block of scattered trees is also proposed to the northern boundary and become a dominant feature. There would of field A3 adjacent to a field of bird mitigation to the south. This will be a considerable change to the arable land provide a strong block of trees which will flow into the views of use, but the field boundaries and the Fillingham Low Wood when viewed from the north on Kexby Road. associated tree cover would remain intact. There would not be a fundamental change to **Shelterbelt** the surroundings to the south and east of Shelterbelt planting the north of North Farm will further enhance the Thorpe Lane. woodland cover in this area and help to mitigate views to the south. Existing hedges Construction Access Viewpoint will not be affected by construction Existing hedges to the north of fields B2, B3 and B4 are low cut and would benefit from enhancement to ensure that the Scheme is traffic due to the distance between the viewpoint and the construction access. screened from this view, although the land falls away to the west and predominantly obscures views, even with low cut hedges, there are Cable Route Corridor views of the ground level in some places. Hedgerow trees will Viewpoint is outside of the 0.5km study area. enhance the view from this road. Substation/s The eastern boundary of field B4 will also be enhanced, and existing hedges will be allowed to grow out. The addition of irregularly spaced

With secondary mitigation such as planting and grass seeding being taken into account at the operational stag (Year 15) the following changes to the landscape would occur and the visual effects are set out below.

At Year 15, views southwest towards the Site will be screened in the close-mid-range through the enhanceme of existing low hedges which will be managed to a heigh 5m. The addition of hedgerow trees will further mitigate views. In the middle distance, new and augmented hedgerows will provide a series of good quality hedgerow both formally strengthening the existing and historical fi pattern and creating a multi-layered landscape. Views of the longer distance, where hedgerows do not block thes will be of a layered, well treed landscape with a backdrop wooded vegetation in places on the horizon. Both new a existing vegetation will have established and begun to mature creating a strong structure to the landscape and reducing the exposed feel of the area whilst retaining its overall open character. This exposed area will appear le vast in places, whilst open views across the valley will als be retained.

Mid-distance views towards the Site of Cottam 1 North a south with the Cottam 2 Site to the northwest with slight undulating landscape down to the valley with intervening field boundaries visible. The viewpoint sits on an expose area with long distance views to the west with shorter views east.

Overall, in terms of mitigation for the Cottam 1 Site/Site due to the limited network of public rights of way (PRoW across the area the aim is to enhance the river corridors and their flood plains for their recreational importance a the Trent is the main river providing a valuable link. The Trent Valley Way in particular, provides a long-distance route. The other notable river is the upper parts of the Witham of which the River Till is a tributary. The aims are extend the non-road network, especially where it can lin people to woodlands and river corridors. Trees and hedgerows make an important contribution and improvements on approaches to villages could improve identity of the local landscape for the benefit of recreation

Suggestion to add screening hedge to the field in immediate view to break up impacts that the proposed panels might have on the skyline. Reinforce this hedgerd with trees to mitigate views from riders using The lack of hedgerows along these roads form an impor element in allowing open views across the area, especial where the landform is slightly elevated.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.29] January 2023

	Decommissioning
ge	A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the
ient nt of e ows field of	proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.
se, op of and d s ess so	Following decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits
and itly ig ied iews	over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long- term improvements in biodiversity in the local area, all of which will benefit visual receptors.
es, V) s and	With secondary mitigation covered, the negative effects of the physical decommissioning will be balanced out by the long term landscape and visual effects of this mitigation.
re to nk	
e the ion.	
ow	
rtant ally	



SOLAR PROJECT			
	This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 1.	 hedgerow trees will help to soften this rather exposed landscape and create a more varied scene where this location is rather devoid of height. The inclusion of trees will also add height to boundaries helping to mitigate potential views by horse riders. <u>New hedges</u> A new hedge is proposed to the south of fields B2 and B3, mitigating views from the north and providing further screening to the remainder of the Cottam North Site. The addition of hedgerow trees will enhance the character locally and help to strengthen the historical field pattern locally. Further west, a new hedge with hedgerow trees is proposed to the eastern boundary of fields A1 and A4, mitigating any views from the northeast of this block of panels and those further southwest. Grassland mixes Two 10m belts of tall herb mix are proposed around the existing ditches that run north/south through fields B1 and B3/4. This provides a buffer to the watercourses and creates added mosaic of vegetation where no hedge exists. Flower rich pollinator mixes are used around the existing track, around all field margins in this area as well as a large block in field B1 creating a strong visual base layer and ecological benefits within the surrounding agricultural landscape. Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased hard standing areas Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	 Between Years 1 and 15, the following beneficial effects v be achieved in terms of Visual Receptors: Grassland reversion around field boundaries and PRoW Increased woodland/vegetation cover A more varied landscape Improved (more natural) management of exiting vegetation Less expanse of intensively managed arable land A less exposed and windswept landscape Water quality improvements Potential animal grazing Reinstatement of historic field patterns Bird mitigation fields Significantly improved biodiversity Growth of existing and proposed vegetation is assumed t be: Woodland/trees and shelterbelts: 2.5m max at Year 1, 7. max at Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Year 15. Existing hedgerows: 0.9m at Year 1 and 5m at Year 15.
Magnitude Level of	Very Low	Very Low	Low
Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor Not Significant

will	
nd	
g	
nd	
to	
'.5m	
	Very Low
	Neutral & Short Term
	Negligible Not Significant



Viewpoint VP41 – Gltw/85/1 just off Kexby Road

	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	In Summary There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and existing intervening vegetation cover. Therefore, there no in combination visual effects are anticipated.	<u>In Summary</u> The Cumulative Effects upon viewpoint 41 of the Cumulative Developments is Negligible at year 1 of operation and due to the limited impact upon the view as a result of the segregated nature of the Sites and Cumulative Develop <u>Fabric of the Landscape</u>
		There would not be the removal of or changes in individual elements or features of the landscape within the cha There would be the introduction of new elements and features comprising the solar panel areas and the substat
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with th experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, he The intervening settlements and built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton Tillbridge Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the following
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9]
		The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type major road network is defined by important historic routes and in contrast, the east west minor road network lin of settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are often trar grassed verges and they have a major role in helping to define the quality of the landscape and reducing the visil
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of hist and small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised landscape. These relevant characteristics of the landscape and land use have some ability to accommodate char cumulative visibility for the Cottam 1 Site/Sites would not alter the overall character of the landscape and its com Moreover, these features are often set within a well-vegetated context or associated with built form that plays a
		effects. Construction: Very Low
Magnitude	No Change	Operation (Year 1): Very Low Operation (Year 1) with only Embedded Mitigation: Very Low Operation (Year 15): Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term
		Decommissioning: Neutral & Short Term Construction: Negligible Not Significant
Significance of Effect	No Change	Operation (Year 1): Negligible Not Significant Operation (Year 1) with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Minor Not Significant
		Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.29] January 2023

and Negligible at year 15 with mitigation. This is lopments and proximity to the visual receptor.

haracter area.

tation area within the character area

the cumulative developments would not be , hedgerows, and tree cover between the Site/Sites.

ton 1 Site/Sites and Gate Burton Energy Park, wing figures:

.8]

pe or area different from another. The strategic links several historic and distinctive smaller string ranquil and hedged to both sides with wide isibility across the area.

istoric settlement with farms, nucleated villages, ed for adding intimacy and interest to the nange without undue adverse effects. The ommunications and infrastructure features. a positive role in reducing the overall cumulative



Viewpoint VP44 – Junction off School Lane and Chapel Lane

Viewpoint Baseline:

The view is located at the junction with School Lane and Chapel Lane, looking north towards the southern extent of the Cottam 2 Site and south towards the Cottam 1 North Site

Objective: This viewpoint offers views of a flat, low-lying landscape within the context of a broad valley that is quite conspicuous at this location due to the open nature of the landscape. The land use is predominantly arable with only a few blocks of woodland comprising small conifer plantations and shelterbelts. In terms of man-made features, there are residential buildings fronting Chapel Lane to the south (right of view) and School Lane to the north (left of view).

Subjective: The viewpoint depicts a large-scale, open landscape, being exposed due to lack of woodlands and tree cover. The hedgerows are dense and tall with few gaps and grass verges are a feature of the road network. In terms of variety, the combination of features includes residential dwellings at the edge of Springthorpe and the minor road network that is lined by grass verges and strong hedgerows with very few detractors other than the intensive arable land use that erodes the open character of the landscape. In terms of texture, this is a highly managed landscape with mown grass verges, trimmed hedgerows and domestic influences such as sheds and outbuildings. The colours are mixed and somewhat muted with the road network being the most prominent feature giving the impression of an invigorating landscape and bland setting to the settlement.

Overall: The local road network is the most prominent feature that runs east west and connects the settlement of Springthorpe with Springthorpe Grange. The view has a calm nature owing to the low levels of passing traffic. The immediate view is typical of the local landscape character and the close proximity of Springthorpe provides 'sense of place' and belonging. The overall experience is but pleasant, but lacking vigour.

Receptors:

This viewpoint is representative of views available to users of Chapel Lane and School Lane. This section of road is used by walkers, horse riders, and residents. There are no meaningful views towards the Site/Sites due to distance and intervening hedgerows.

Description of View:

The foreground of the view comprises of views to School Lane at junction with Church Road with views to the northeast towards Cottam 2 Site through gap in the hedgerow. There is a wide grass verge that borders school lane with hedgerows to either side of the road. The foreground of the view is open and dominated by flat arable fields bordered with strong hedgerows. To the middle and background of the view, unnamed woodlands to the northeast of Springthorpe stand out in the view and stand tall in the horizon alongside built form associated with Corringham Grange Farm to the far distance. The Corringham windmill is also visible in the distance. To the left of view facing west, settlement of Springthorpe is prominent in the view. To the right of view facing east, School Lane and the Rectory stand out in the view. Telegraph poles can be seen throughout the view.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.30] January 2023



	Approximate Extent of Development	

Receptor susceptibility to change	Value of view	Sensitivity	Embedded Mi
In terms of forces for change for VP44, aims are to protect existing rural landscape features, in particular the restoration of hedgerows since the most widespread change has been in agricultural intensification and the change from pastoral to arable cropping that has resulted in the loss of hedges, and consequently, an increase in field size. The loss of pasture is particularly evident around settlements, where grazing animals and smaller field sizes contribute to the setting and structure of several villages. Many of the rural villages have not seen widespread expansion but development pressures continue with the demand for housing, commerce and industry creating visual intrusion and extending the urban fringe. Overall, the susceptibility for VP44 is conditioned by the flat, open landscape and whilst the aim is to plan new tree planting around key settlements, woodland does not form a significant component of this landscape, and in considering its open and expansive character, extensive new woodland planting would be generally inappropriate. However, there is significant benefit with appropriate tree planting that could be used in and around settlements to increase the occurrence of semi- natural habitats and maintain the perception of a 'well-treed' landscape. The relevant characteristics of the landscape therefore have a moderate ability to accommodate change without undue adverse effects.	 <u>Scenic:</u> The location offers some interesting features locally, but with more invigorating views out towards the surrounding landscape, which is large scale and exposed. <u>Cultural:</u> The view features the Grade II listed Corringham Windmill (List Entry: 1359417) that is a tower mill or early C19 in red brick to the north. To the west, there is the Grade I listed Church of St Lawrence and George (List Entry: 1146616). <u>Natural:</u> To the north, the land falls towards the watercourses of Corringham Beck and Aisby Beck and to the south towards the minor tributaries of the River Till, which is are important features. <u>Recreation and Enjoyment:</u> The local road network provides access for recreation; however, the mown grass verges detract from the natural character of the area. <u>Local Distinctiveness and Sense of Place:</u> The presence of the east west road network creates a local distinctiveness, but the 'sense of place' is diminished where these networks are busy such as the A631. There is also a strong north south road network, which enhances the grain of the landscape. <u>Health and Wellbeing:</u> The natural character of the hedgerows and small woodland copses enhance a strong feeling of health and wellbeing, but the busy road network detracts from this. <u>Important Spatial Function:</u> This slightly undulating, low-lying landscape within the wider context of a broad vale where the road network plays a significant influence. Overall, the value of VP44 is shaped by the agricultural activity that has modified landscape. However, the woodlands and hedgerows provide some structure to the otherwise flat, low-lying landform. The natural character of the local road network is also a key feature. Springthorpe supports a minor road network that is lined by grass verges and strong hedgerows with very few detractors other than the intensive arable land use. 	Range of Features: This location comprises a local settlement. This is a part open location where the tall hedgerows and built form add some structure to the view and help close down visibility. The hedgerows, the distant woodland cover and the scattered farmsteads are evident but otherwise there is a limited range of features in the view. Importance of View: This is an open location at the edge of a small settlement where a local lane that plays a part in connecting settlements and for informal recreation, which slightly raises the level of importance of the view. The view has a limited combination of features and the absence of hedgerows along this section of the road allow open visibility across the area. Number of Receptors: This is the local road network that almost connects the settlement of Springhtorpe to the A631 (Harpswell Lane). This route is likely to appeal to local users than those from a wider area. The strategic major road network is defined by important historic routes (north south) and the strategic minor road network also links several historic and distinctive smaller string of settlements (east west) across the area. This local road network enhances these connections for recreation and access in the wider context of the Till Vale.	Embedded Mitiga construction, ope decommissioning Mitigation is also include the follow Panels to be set a Panels to be set a property boundar Panels to be set a Panels to be set a Panels to be set a Existing hedges a managed to a hei to grow out to ad boundaries with t appropriate, rand hedges. Lighting will be lir battery banks onl required. Lighting vehicle and perso 50W, installed at a prevent light spill be manually oper fencing. The visual effects account equate to (Year 1) and this been carried out impact at this Em
Medium to Low	Medium	Medium	Not Applicable



Mitigation

gation would be taken into account at the peration (Year 1 and Year 15) and ing stages of the Scheme. This Embedded so referred to as primary mitigation and would owing measures:

t a minimum of 15m from adjacent PRoW.

t a minimum of 50m from adjacent residential daries.

minimum of 20m from major watercourses and n from minor watercourses.

a minimum of 3m from Site boundaries.

are to be allowed to grow out and will be neight of 5m. Hedgerow trees will be encouraged add further thickening and growth to the field h the addition of new hedgerow trees as ndomly spaced along the length of existing

limited to downlights within substations and only and used when maintenance or security is ing will be PIR operated and will be calibrated to rsonnel movements. All visible lighting would be at a maximum height of 4m with cowls fitted to billage. Lighting required within panelled areas will perated. There will be no lighting on perimeter

cts **with only** the Embedded Mitigation taken into to those effects set out for the operation stage is includes secondary mitigation which will have ut but will have had limited physical or visual mbedded Mitigation stage.



Viewpoint VP44 – Junction off School Lane and Chapel Lane				
Construction Magnitude of Ch	nge Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decommis of Change	
Activities considered includes, site prep / enabling works, construction, and commissioning with effects such as construction activities, dust generation, runoff, mud on roads, and the visual int of plant and machinery on site. At the e stages of the construction stage, ground lower-level activities such as the constru- of the solar panel areas and associated infrastructure and inverters would be screened due to the presence of foregre hedgerow and distance. During the latter of the construction stage, views would become available, but the distance wou provide screening such that these activi would be confined to a narrow section of view. Other works would be undertaken in connection with the construction includ fencing, gates, boundary treatment and means of enclosure and works for the provision of security and monitoring me such as CCTV and the laying down of int tracks. There would also be landscape a biodiversity mitigation works, including planting and the improvement of the foreground hedgerows These short-lived construction activities obstruct a small portion of the view and become a dominant feature. There would change to the arable land use, but the fi boundaries and the associated tree cov would remain intact and help with mitig There would not be a fundamental char the surroundings to the north, south an and west of this location. Construction Access The viewpoint will not be affected by construction traffic due to the distance between the viewpoint and the propose construction access. Cable Route Corridor Viewpoint is outside of the 0.5km study	 hedgerows framing an arable field that slopes towards the west. There is a wide grass verge to the front of the hedgerow that borders the parking area. The presence of the hedgerow breaks up the middle ground of view leaving the distant horizon as the main feature. The foreground is also framed by deciduous trees to each side and the parking spaces are also placed within intermittent tree cover such that views towards the rear of the viewpoint are more filtered than those to the front (west part). In the far distance the landscape forms a flat, low-lying presence where deciduous woodlands such as North Carlton Covert and Scampton Gorse stand out in contrast to the open arable fields. The view mainly highlights the productive arable landscape with large fields and contrasting woodlands visible amongst hedgerows and hedgerow trees. The hedgerows add to the overall wooded context of the landscape due to the elevation of the view. To the right-hand side of the view, the tall hedgerow bordering the parking area close down views in that direction and likewise to the left of the view. The remainder of the horizon is made up of large skies with few vertical features other than the power industry of the River Trent floodplain in the far distance. The effects set out below for Year 1 include secondary mitigation which will have been carried out, but will have had limited physical or visual impact at this stage: Scattered tree belt A proposed scattered tree belt is proposed to the western boundary of D22 either side of the existing hedgerow screening views of the more western extents of the Site whilst mitigating views to the east from The Lodge'. Shelterbelt Longer distance views are to be mitigated by the proposed 5m shelterbelt planting adjacent to Thorpe Lane and existing roadside hedgerow. 	 Secondary mitigation such as planting, and grass seeding would be taken into account at this stage to include the following changes to the landscape: Views are distant and obscured by intervening vegetation, however augmented hedgerow boundaries on the southern extents of the Cottam 2 Site with hedgerow trees added will help to create a multi layered landscape in the distance whilst retaining the open views locally. Overall, in terms of mitigation for the Cottam 2 Site, due to the limited network of public rights of way (PRoW) across the area the aim is to enhance the local road networks for their recreational importance. The aims are to extend the non-road network, especially where it can link people to woodlands and river corridors. Trees and hedgerows make an important contribution and improvements on approaches to villages could improve the identity of the local landscape for the benefit of recreation. Between Years 1 and 15, the following beneficial effects will be achieved in terms of Visual Receptors: Grassland reversion around field boundaries and PRoW Increased woodland/vegetation cover A more varied landscape Improved (more natural) management of exiting vegetation Less expanse of intensively managed arable land A less exposed and windswept landscape Water quality improvements Potential animal grazing Reinstatement of historic field patterns Bird mitigation fields Significantly improved biodiversity 	A similar prod Scheme being of the Site in a vegetation an secondary mi future baselin the duration and roise and vib generation an Following dec to arable pro- significantly e been carried stronger and overall charac benefits over retained and to preserve so improvement will benefit vi With seconda of the physica long term lan	

issioning Magnitude e

rocess to that of construction stage, but with the ing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning including site traffic, vibration from decommissioning activities, dust and site runoff.

lecommissioning, the land is likely to be returned roduction. The Site will however benefit from the y enhanced tree and hedgerow planting that has ed out and has begun to mature to create a much nd robust landscape, retaining and enhancing the racter and providing considerable biodiversity ver the years. Bird mitigation fields are likely to be nd the potential may exist to retain grass margins some varied land use and maintain long-term ents in biodiversity in the local area, all of which visual receptors.

dary mitigation considered, the negative effects sical decommissioning will be balanced out by the andscape and visual effects of this mitigation.



SOLAR PROJECT			[INCIN	erence. Livo
	This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 2.	 the addition of irregularly spaced hedgerow trees and infilled as necessary to create a layered well-treed landscape and further strengthening the existing field pattern in this area and creating some additional height across the local views. <u>New hedges</u> The relatively small-scale field pattern in this area, broken up by existing ditches does not require additional hedge planting. <u>Grassland mixes</u> Adjacent to existing hedgerows and proposed blocks of scattered trees, a tussock grass mix is proposed with a wildflower grass mix under the proposed panels. Areas of flower rich pollinator mix are proposed around other field boundaries as well as a 10m buffer around existing overhead power lines within field D18 and beyond. Adverse effects: Panels and structures across the landscape Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 		
Magnitude	Very Low	Very Low	Low	Very Low
Level of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term	Neutral & Sh
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor Not Significant	Negligible N

Short Term

Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	<u>In Summary</u> There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and existing intervening vegetation cover. Therefore, there no in combination visual effects are anticipated.	<u>In Summary</u> The Cumulative Effects upon viewpoint 44 of the Cumulative Developments is Minor at year 1 of operation due to the limited impact upon the view as a result of the segregated nature of the Sites and Cumulative E receptor.
		<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or features of the landscape within t
		There would be the introduction of new elements and features comprising the solar panel areas and the s
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.2 [C6.4.8.15.2.2] which shows that with the Cottam 2 Site, cumulative visibility with t experienced across the majority of the 5km study area. This is due to the distance, the intervening woodla Site/Sites. The intervening settlements and built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely significant effects, between the visibility is set out in further detail within the following figures:
		Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.
		<u>Overall Landscape Character of the Unwooded Vales</u> Overall, the character of the Unwooded Vales is shaped by the strong agricultural presence, with wide are contrast, the low levels of woodland cover create a relatively open and expansive landscape comprising ar settlement, linked by a series of minor roads east to west and a more strategic road network north to sou landscape have some ability to accommodate change without undue adverse effects. The minor patches of would not alter the overall character of the landscape within the Unwooded Vales Character Area.
Magnitude	No Change	Construction: Low Operation (Year 1): Low Operation (Year 1) with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1) with only Embedded Mitigation: Minor Not Significant Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant

ion and Minor at year 15 with mitigation. This is e Developments and proximity to the visual n the character area.

e substation area within the character area.

h the cumulative developments would not be dlands, hedgerows, and tree cover between the

the Cottam 2 and Tillbridge Solar. This cumulative

.8.15.2.8]

reas retaining a strong sense of rural tranquility. In an arable land use within a scattered pattern of outh. These relevant characteristics of the s of cumulative visibility for the Cottam 1 Site/Sites



Viewpoint VP45 - A361

Viewpoint Baseline:

The view is located at the junction with the A361 (Harpswell Lane) and Templefield Road, looking northwest towards the southern extent of the Cottam 2 Site and south towards the Cottam 1 North Site.

Objective: This viewpoint offers views of a gently undulating landscape within the context of a broader rolling valley that is conspicuous at this location. The land use is predominantly arable with deciduous woodland visible on the horizon to the north. These are a variety of woodland blocks that comprise of small woodlands around the settlement of Yawthorpe and the broadly triangular plantation at Yawthorpe Fox Covert. In terms of man-made elements, there are residential dwellings at Moorlands Magin Moor to the west (left of view), otherwise the immediate area is sparsely settled comprising isolated dwellings and the small hamlet of Yawthorpe.

Subjective: The viewpoint depicts a large-scale, open landscape, being exposed due to the large field sizes and lack of hedgerows and tree cover. In terms of variety, the combination of features includes isolated dwellings, Yawthorpe Fox Covert, tree clumps, hedgerows and hedgerow trees, and the gently rising landform where Yawthorpe occupies higher ground. In terms of texture, this is an intensely managed landscape with an arable dominance and a combination of colours through crop variety.

Overall: The A361 is a prominent feature where foreground hedgerows provide some visual relief from the intensive arable fields. The immediate view is typical of local landscape character, but woodland at Yawthorpe Fox Covert and riparian trees lining Yawthorpe Beck add some vigour and interest to the view. The woodland around Yawthorpe also compliments the landscape setting of Home Farm on the horizon, which is an attractive feature. The overall experience provides a balanced landscape with some distractions from the A361.

Receptors:

This viewpoint is representative of views available to motorists using the A361 that leads from Corringham in the west to Hemswell in the east. There are no meaningful views towards the Site/Sites due to distance, topography, and intervening hedgerows.

Description of View:

The foreground of the view comprises of junction of local unnamed road and A631 where there is a gap in the hedgerow of unnamed road looking northwest towards Cottam 2 Site. There is a wide grass verge to the either side of the local road and A631. The foreground offers clear views due to the gap in the hedgerow. The vast majority of the foreground and middle ground comprises of productive arable landscape that is bordered by strong hedgerow on all sides. To the distance of the view, built form and trees associated with Magin Mooor Cottages can be seen to the west. To the north woodland to the southwest of Yawthorpe and the settlement of Yawthorpe stands out in the horizon. Vegetation surrounding Yawthorpe Beck stands out in the middle ground as it cuts across the arable field to the north. To the left of view the A631 stand out in the landscape and contrasts heavily with the surrounding hedgerows and arable fields. To the right of the view the unnamed local stand out with clear views to the east due to the lack of hedgerows. Telegraph poles stand tall in the foreground of the view.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.31] January 2023



Approximate Extent of Development	

Receptor susceptibility to change	Value of view	Sensitivity	Embedded Mit
In terms of forces for change for VP45, there are aims to promote some new woodland planting as this is a component of the landscape. The aim should be to also protect the distinctive character of the settlements and consider the visual impact of any new development. The restoration of hedgerows should also be given priority to strengthen the field pattern and enhance linkages between woodlands. The impact on the setting of village churches is also particularly important as these are distinctive local landmarks. There are regular patterns of enclosure and modern arable fields where hedgerows have been removed, but due to the abundance of large woodland blocks this helps reinforce a sense of enclosure. Overall , the susceptibility for VP45 is conditioned by the agricultural intensification and farm amalgamation that is resulting in the loss or damage of many typical landscape features, including traditional patterns of field boundaries, remnants of ridge and furrow, and grasslands. The loss of grazing fields around the edges of villages that is leading to a more homogenous landscape.	 Scenic: The small settlements such as Yawthorpe have distinctive landscape elements which contribute to the special identity of the surrounding landscape. This includes their approaches and well-integrated wooded edges and views towards these settlements from the outlying landscape. Cultural: These are a variety of woodland blocks including the small copses to the northeast of the settlement of Yawthorpe and around Willhoughton Grange. The nearest listed buildings are within the settlement of Corringham, including the Grade I listed Church of St Lawrence (List Entry: 1064162). The Grade II listed Corringham Windmill stands just to the north of Corringham Road. Natural: The landscape feels exposed in parts, but the combination of the blocks of woodlands such as Yawthorpe Covert and mature hedgerow trees provide a strong sense of enclosure and structure within the landscape. The woodlands within this landscape pattern are important as natural features. Recreation and Enjoyment: This landscape setting to the settlement of Yawthorpe is important as an invigorating backdrop for recreation and enjoyment, particularly for those travelling along the A631 to the south. Local Distinctiveness and Sense of Place: Roads and minor farm tracks are features of this landscape where hedgerows are absent, and views are expansive. This attribute contributes to local distinctiveness and 'sense of place'. Health and Wellbeing: The tranquility associated with the minor tracks that lead to these small settlements such as Yawthorpe is important for health and well-being. Important Spatial Function: These local roads can offer long westward views to the power stations on the River Trent, and eastward views to the scarp face of Lincoln 'Cliff', particularly along the A631. Overall, the value of Viewpoint VP45 is shaped by the limited network of footpaths and bridleways giving rise to the importance of these local lanes and farm tracks	Range of Features: This location comprises the junction of the local road network with the strategic east west road connections between Gainsborough and Market Rasen. This is an open location where the tall hedgerows add some structure to the view, but the busy road network is a key detractor. The hedgerows, the distant woodland cover and the scattered farmsteads are evident but otherwise there is a limited range of features in the view. Importance of View: This is an open location at the junction of a local and major road, which dilutes the level of importance of the view. The view also has a limited combination of features and the low-cut hedgerows along this section of the road allow open visibility across the area. Number of Receptors: This is the strategic road network that connects the settlements of Gainsborough and Market Rasen. this rout is likely to appeal to both local users and those from a wider area.	Embedded Mitigat construction, oper decommissioning Mitigation is also include the followi Panels to be set a Panels to be set a property boundari Panels to be set m minimum of 8m fr Panels to be set a Existing hedges ar managed to a heig to grow out to add boundaries with th appropriate, rando hedges. Lighting will be lim battery banks only required. Lighting vehicle and persor 50W, installed at a prevent light spilla be manually operation fencing. The visual effects of account equate to (Year 1) and this in been carried out b impact at this Emb
Low	Medium to Low	Medium to Low	Not Applicable



litigation

ation would be taken into account at the eration (Year 1 and Year 15) and ng stages of the Scheme. This Embedded o referred to as primary mitigation and would wing measures:

a minimum of 15m from adjacent PRoW.

a minimum of 50m from adjacent residential aries.

minimum of 20m from major watercourses and from minor watercourses.

a minimum of 3m from Site boundaries.

are to be allowed to grow out and will be eight of 5m. Hedgerow trees will be encouraged dd further thickening and growth to the field the addition of new hedgerow trees as domly spaced along the length of existing

imited to downlights within substations and nly and used when maintenance or security is ng will be PIR operated and will be calibrated to sonnel movements. All visible lighting would be t a maximum height of 4m with cowls fitted to llage. Lighting required within panelled areas will erated. There will be no lighting on perimeter

s **with only** the Embedded Mitigation taken into to those effects set out for the operation stage includes secondary mitigation which will have t but will have had limited physical or visual nbedded Mitigation stage.



Viewpoint VP45 – A361

Construction	Operation (Year 1)	Operation (Year 15)	Decommiss
Activities considered includes, site preparation	The foreground of the view comprising a mixed	With secondary mitigation such as planting and grass	A similar proce
/ enabling works, construction, and	species hedgerows framing an arable field would not	seeding being taken into account at the operational stage	Scheme being
commissioning with effects such as	change. The presence of the hedgerow breaks up the	(Year 15) the following changes to the landscape would	of the Site in w
construction traffic, noise and vibration from	middle ground of view leaving the distant horizon as	occur and the visual effects are set out below.	vegetation and
construction activities, dust generation, site	the main feature, and this would help obscure the		secondary mit
runoff, mud on roads, and the visual intrusion	presence of the panels. In the far distance the	By Year 15, these scattered trees will have established but	future baseline
of plant and machinery on site. At the early	landscape forms an area of higher ground where	will not be fully mature and will only be partially visible (if	the duration of
stages of the construction stage, ground, and	deciduous woodlands at Yawthorpe stands out in	at all) beyond intervening vegetation in the mid-long	noise and vibra
lower-level activities such as the construction	contrast to the open arable fields and this would	distance. The long-distance views will remain with some	generation and
of the solar panel areas and associated	remain as a feature. The woodlands add to the overall	blocks of woodland on the horizon.	
infrastructure and inverters would be	wooded context of the landscape due to the elevation		Following deco
screened due to the presence of foreground	of the view and this would not change.	The aim should be to plan new woodland in the most	to arable prod
hedgerow and distance. During the latter part		suitable locations. This may include in and around	significantly er
of the construction stage, views would	The effects set out below for Year 1 include secondary	settlements, where woodland would help integrate new	been carried o
become available of the elevated activities	mitigation which will have been carried out, but will	development into the landscape and in more intimate	stronger and r
above the hedgerow, but the distance would	have had limited physical or visual impact at this stage:	low-lying areas, where woodland would help create a	overall charact
curtail visibility such that these activities would	Contract land	mixed pattern of land use. Consideration should also be	benefits over t
be confined to a narrow section of the view.	<u>Scattered tree belt</u>	given to the management of existing trees and woodland,	retained and t
Other works would be undertaken in	A scattered tree belt is proposed to the eastern	enhancing biodiversity value and age structure through	to preserve so
Other works would be undertaken in	extents of the Cottam 2 Site adjacent to the Yawthorpe	new planting and the creation of woodland edge habitats.	improvements
connection with the construction including fencing, gates, boundary treatment and other	Beck which will provide additional tree cover beyond intervening hedgerows and scattered trees	An increase in grassland reversion should also be encouraged, increasing the occurrence of semi-natural	will benefit vis
means of enclosure and works for the	intervening neugerows and scattered trees	habitats.	With secondar
provision of security and monitoring measures	Contract land		of the physical
such as CCTV and the laying down of internal	<u>Scattered tree belt</u>	Overall , in terms of mitigation for the Cottam 1 Site/Sites,	long term land
tracks. There would also be landscape and	A proposed scattered tree belt is proposed to the	due to the limited network of public rights of way (PRoW)	
biodiversity mitigation works, including	western boundary of D22 either side of the existing hedgerow screening views of the more western	across the area the aim is to enhance the local road	
planting and the improvement of the	extents of the Site whilst mitigating views to the east	networks for their recreational importance The aims are	
foreground hedgerows	from 'The Lodge'.	to extend the non-road network, especially where it can	
	from the Lodge.	link people to woodlands and river corridors. Trees and	
These short-lived construction activities would	Shelterbelt	hedgerows make an important contribution and	
obstruct a small proportion of the view and	Longer distance views are to be mitigated by the	improvements on approaches to villages could improve	
not become a dominant feature. There would	proposed 5m shelterbelt planting adjacent to Thorpe	the identity of the local landscape for the benefit of	
be a change to the arable land use, but the	Lane and existing roadside hedgerow.	recreation.	
field boundaries and the associated tree cover			
would remain intact and assist with mitigation.	Existing hedges	Between Years 1 and 15, the following beneficial effects	
There would not be a fundamental change to	The existing riparian vegetation to the eastern	will be achieved in terms of Visual Receptors:	
the surroundings to the north, south and east	boundary is to be retained, mitigating views from	 Grassland reversion around field boundaries and 	
of this location.	further east of the Site.	PRoW	
		 Increased woodland/vegetation cover 	
Construction Access	Existing hedgerows surrounding fields D21 and D22	 A more varied landscape 	
Viewpoint will not be affected by construction	and to the north of field D1 9are to be enhanced with	 Improved (more natural) management of exiting 	
traffic due to the distance between the	the addition of irregularly spaced hedgerow trees and	vegetation	
viewpoint and the proposed construction	infilled as necessary to create a layered well-treed	 Less expanse of intensively managed arable land 	
access.	landscape and further strengthening the existing field	 A less exposed and windswept landscape 	
	pattern in this area and creating some additional	 Water quality improvements 	
Cable Route Corridor	height across the local views.	 Potential animal grazing 	
Viewpoint is outside of the 0.5km study area.		 Reinstatement of historic field patterns 	
Culture tion (a	New hedges	 Bird mitigation fields 	
<u>Substation/s</u>	The relatively small-scale field pattern in this area,	 Significantly improved biodiversity 	
	broken up by existing ditches does not require		
	additional hedge planting.		1

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.31] January 2023

ssioning

ocess to that of construction stage, but with the ng no longer operational. This is an assessment n winter but assumes retention of existing and builds upon the proposed primary and nitigation that had been established as the ine. Effects are those arising from activities for of the decommissioning including site traffic, bration from decommissioning activities, dust and site runoff.

ecommissioning, the land is likely to be returned oduction. The Site will however benefit from the enhanced tree and hedgerow planting that has l out and has begun to mature to create a much l robust landscape, retaining and enhancing the acter and providing considerable biodiversity er the years. Bird mitigation fields are likely to be I the potential may exist to retain grass margins some varied land use and maintain long-term nts in biodiversity in the local area, all of which visual receptors.

dary mitigation considered, the negative effects cal decommissioning will be balanced out by the ndscape and visual effects of this mitigation.



	This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 2.	<u>Grassland mixes</u> Adjacent to existing hedgerows and proposed blocks of scattered trees, a tussock grass mix is proposed	Growth of existing and proposed vegetation is assumed to be: Woodland/trees and shelterbelts: 2.5m max at Year 1,	
		with a wildflower grass mix under the proposed panels. Areas of flower rich pollinator mix are proposed around other field boundaries as well as a	7.5m max at Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Year 15.	
		10m buffer around existing overhead power lines within field D18 and beyond.	Existing hedgerows: 0.9m at Year 1 and 5m at Year 15.	
		 Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	Shrubs: 0.9m at Year 1 and 5m at Year 15.	
Magnitude	Very Low	Very Low	Low	Very Low
Level of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term	Neutral & Sh
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor Not Significant	Negligible N

Short Term

Not Significant



Viewpoint VF	245 - A361	
	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	<u>In Summary</u> There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and existing intervening vegetation cover. Therefore, there no in combination visual effects are anticipated.	<u>In Summary</u> The Viewpoint is located within the northern extent of Tillbridge and therefore Cumulative visual effects are anticipa 2 from this location are considered negligible therefore the cumulative visual effects are considered to be Minor. The result of the segregated nature of the Sites and Cumulative Developments and proximity to the visual receptor.
		<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or features of the landscape within the charac
		There would be the introduction of new elements and features comprising the solar panel areas and the substation
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.2 [C6.4.8.15.2.2] which shows that with the Cottam 2 Site, cumulative visibility with the cumula across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedgerows, and to settlements and built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cottam 2 set out in further detail within the following figures:
		Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8]
		<u>Overall Landscape Character of the Unwooded Vales</u> Overall, the character of the Unwooded Vales is shaped by the strong agricultural presence, with wide areas retaining the low levels of woodland cover create a relatively open and expansive landscape comprising an arable land use we a series of minor roads east to west and a more strategic road network north to south. These relevant characteristic accommodate change without undue adverse effects. The minor patches of cumulative visibility for the Cottam 1 Sin the landscape within the Unwooded Vales Character Area.
Magnitude	No Change	Construction: Low Operation (Year 1): Low Operation (Year 1) with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1) with only Embedded Mitigation: Minor Not Significant Operation (Year 15): Minor Not Significant
		Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.31] January 2023

ipated however the views of the closets Site Cottam This is due to the limited impact upon the view as a

racter area.

on area within the character area.

nulative developments would not be experienced tree cover between the Site/Sites. The intervening

n 2 and Tillbridge Solar. This cumulative visibility is

ning a strong sense of rural tranquility. In contrast, e within a scattered pattern of settlement, linked by stics of the landscape have some ability to Site/Sites would not alter the overall character of



Viewpoint VP46 - Corringham Windmill

Viewpoint Baseline:

The view is located on the A631 at the field entrance to Corringham Windmill, looking north towards the Cottam 2 Site and south towards the Cottam 1 North Site.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a slightly undulating, low-lying landscape within the wider context of a broad vale, which is conspicuous at this location. The land use is mainly productive arable farmland with many large fields under single crop. There are some local variations in landform where the land rises to the west (left of view) just beyond Corringham to form a narrow spur known as Windy Ridge (at Mill Farm Windmill). To the north, the land falls towards the watercourses of Corringham Beck and to the south there is a local plateau that extends across the A631 towards the Sewage Works on Springthorpe Road. The landform also rises towards the east (right of view) towards the small settlement of Yawthorpe and Yawthorpe Fox Covert (rising from 18m AOD). In terms of enclosure, there are very few woodland blocks or shelterbelts in the wider landscape other than Yawthorpe Fox Covert to the east and Wharton Wood towards the west. At closer proximity, there are no woodland blocks and low-cut hedgerows and as a result there are mainly open views, apart from to the west where the settlement of Corringham closes down the visibility. In terms of man-made features, there is only Corringham Grange Farm and The Cottage within the central part of the Site/Sites (outside the RLB), otherwise the settlement is centered on Aisby to the north, Springthorpe to the south, Corringham to the west and Yawthorpe to the east. The A631 is a prominent feature particularly given its long, straight alignment and fast-moving traffic.

Subjective: The viewpoint depicts a large-scale, exposed landscape. In terms of variety, the hedgerows are well cut back with few hedgerow trees. There are narrow grass verges that present a simple consistency to the A631. In terms of texture and colour, the hedgerows are low cut and have a highly managed appearance so there is little texture and muted, calm tones due to the simplicity of the landscape and general absence of features. Shelterbelt vegetation (Poplar) and woodland cover at Hall Farm and Old Hall is evident on the horizon, which adds some interest to the view. Mast poles and electricity pylons are prominent. The views are vast but tend to be ordinary and almost bland in the immediate context of the Site/Sites, whereas the distant horizon reveals the Limestone Scarps and Dipslopes Character Area 6a in the east comprising woodland cover at Willhoughton Cliff, Willhoughton and Hemswell.

Overall: The view is influenced by the presence of the A631, which is a detractor. The location offers some interesting features locally, but with more invigorating views out towards the surrounding landscape, which is large scale and exposed. The tree cover is limited, the hedgerows are cut back, and the arable land use is intensively managed, but the presence of far-reaching views adds some stimulus. The overall experience is that of an ordinary location with an unsettled feeling due to the lack of enclosure and intimacy, and the busy road. There are however interesting and pleasant distant views that provide a more balanced context due to the woodlands on the horizon. The windmill adds a sense of consistency to the view, but the building is not seen in context with other windmills such as Mill Farm to the west of Corringham and Hewitt's Windmill at Heapham.

Receptors:

This viewpoint is representative of views available to pedestrian and vehicle users of the A631, and those visiting to appreciate the presence of the windmill.

Description of View:

The foreground of the view is set at a gap in the hedgerow along the A631, looking northeast. There is a wide grass verge to the front of the hedgerows on either side of the road. The hedgerows are low-cut, offering extensive views to the north (left of view) and south (right of view) across open, arable fields. In the arable field adjacent to the A631, Corringham Windmill stands as a prominent feature. To the left of view (facing north), the view is cut short by field hedgerows but in the far distance the roofscape of Corringham Grange Farm can just be viewed. The views to the northeast, beyond the windmill, are open and flat and the landscape is only broken up in the far distance by strong hedgerows and shelterbelts. Views to the southeast and south (right of view), remain open. This section of the view is broken up by the foreground hedgerow but the distant woodlands to the east of Sturgate Airfield are just silhouettes in the horizon.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.32] January 2023



M. Warth March

Approximate Extent of Development

Receptor susceptibility to change	Value of view	Sensitivity	Embedded Mit
In terms of forces for change for VP46, there are aims to protect existing rural landscape features, in particular the restoration of hedgerows since the most widespread change has been in agricultural intensification and the change from pastoral to arable cropping that has resulted in the loss of hedges, and consequently, an increase in field size. The loss of pasture is particularly evident around settlements, where grazing animals and smaller field sizes contribute to the setting and structure of several villages. Overall, the susceptibility for VP46 is conditioned by the flat, open landscape and whilst the aim is to plan new tree planting around key settlements, woodland does not form a significant component of this landscape, and in considering its open and expansive character, extensive new woodland planting would be generally inappropriate. However, there is significant benefit with appropriate tree planting that could be used in and around settlements to increase the occurrence of semi- natural habitats and maintain the perception of a 'well-treed' landscape. The relevant characteristics of the landscape therefore have a moderate ability to accommodate change without undue adverse effects.	 <u>Scenic:</u> The location offers some interesting features locally, but with more invigorating views out towards the surrounding landscape, which is large scale and exposed. <u>Cultural:</u> The view features the Grade II listed Corringham Windmill (List Entry: 1359417) that is a tower mill or early C19 in red brick. <u>Natural:</u> Because of the fertilizer inputs, the main surviving areas of semi-natural habitat tend to be limited. To the north, the land falls towards the watercourses of Corringham Beck and Aisby Beck, which is an important feature. <u>Recreation and Enjoyment:</u> The local road network provides access for recreation; however, the mown grass verges detract from the natural character of the area. <u>Local Distinctiveness and Sense of Place:</u> The presence of the east west road network creates a local distinctiveness, but the 'sense of place' is diminished where these networks are busy such as the A631. <u>Health and Wellbeing:</u> The natural character of the hedgerows and small woodland copses enhance a strong feeling of health and wellbeing, but the busy road network detracts from this. <u>Important Spatial Function:</u> This slightly undulating, low-lying landscape within the wider context of a broad vale where the road network plays a significant influence. Overall, the value of VP46 is shaped by the agricultural activity that has modified landscape. However, the woodlands and hedgerows provide some structure to the otherwise flat, low-lying landform. The natural character of the local road network is also a key feature, but the major route network is a major constraint in terms of building on the character of the area. 	Range of Features: This location comprises the strategic road network with east west connections between Gainsborough and Market Rasen. This is an open location where the low-cut hedgerows allow open views across the area. The busy road network is a key detractor. The hedgerows, the distant woodland cover and the scattered farmsteads are evident but otherwise there is a limited range of features in the view other than the Grade II listed Corringham Windmill (List Entry: 1359417) that is a tower mill or early C19 in red brick. Importance of View: This is an open location on the major road network, which dilutes the level of importance of the view. The view also has a limited combination of features and the low-cut hedgerows along this section of the road allow open visibility across the area. The Grade II listed Corringham Windmill is the key feature. Number of Receptors: This is the strategic road network that connects the settlements of Gainsborough and Market Rasen. This route is likely to appeal to both local users and those from a wider area and the listed windmill may attract some visitor interest.	Embedded Mitigation construction, opera decommissioning s Mitigation is also re- include the followin Panels to be set a m Panels to be set a m property boundaries Panels to be set a m minimum of 8m from Panels to be set a m Existing hedges are managed to a heigh to grow out to add boundaries with the appropriate, rando hedges. Lighting will be limi battery banks only required. Lighting w vehicle and person 50W, installed at a m prevent light spillag be manually operat fencing. The visual effects w account equate to to (Year 1) and this in been carried out bu impact at this Embe
Medium	Medium	Medium	Not Applicable

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.32] January 2023



itigation

ation would be taken into account at the eration (Year 1 and Year 15) and g stages of the Scheme. This Embedded referred to as primary mitigation and would ving measures:

a minimum of 15m from adjacent PRoW.

a minimum of 50m from adjacent residential ries.

minimum of 20m from major watercourses and from minor watercourses.

a minimum of 3m from Site boundaries.

are to be allowed to grow out and will be ight of 5m. Hedgerow trees will be encouraged dd further thickening and growth to the field the addition of new hedgerow trees as domly spaced along the length of existing

mited to downlights within substations and ly and used when maintenance or security is g will be PIR operated and will be calibrated to onnel movements. All visible lighting would be a maximum height of 4m with cowls fitted to llage. Lighting required within panelled areas will rated. There will be no lighting on perimeter

with only the Embedded Mitigation taken into to those effects set out for the operation stage includes secondary mitigation which will have t but will have had limited physical or visual bedded Mitigation stage.



Construction	Operation (Year 1)	Operation (Year 15)	Decommissioning
Activities considered includes, site preparation /	The foreground of the view would not change. The hedgerows are low-cut,	With cocondamy mitigation such as planting and grass	A similar process to that of construction
enabling works, construction, and commissioning	offering extensive views to the north (left of view) and this would remain as	With secondary mitigation such as planting and grass seeding being taken into account at the operational	but with the Scheme being no longer
with effects such as construction traffic, noise and			
	open arable fields. The Corringham Windmill would also remain as a	stage (Year 15) the following changes to the landscape would occur and the visual effects are set out below.	operational. This is an assessment of the
vibration from construction activities, dust	prominent feature and would not be affected by the presence of the panels	would occur and the visual effects are set out below.	in winter but assumes retention of exist
generation, site runoff, mud on roads, and the	beyond. In the far distance the roofscape of Corringham Grange Farm can		vegetation and builds upon the propose
visual intrusion of plant and machinery on site. At	just be viewed and thepanel areas would be set in context with this building	By Year 15, existing and proposed vegetation will have	primary and secondary mitigation that l
the early stages of the construction stage, ground,	but would hardly be visible due to the intervening layering of the hedgerows.	established and begun to mature, creating strong field	been established as the future baseline
and lower-level activities such as the construction of	The views to the northeast, beyond the windmill, are open and flat and the	boundary delineation, addition height across the	Effects are those arising from activities
the solar panel areas and associated infrastructure	landscape is only broken up in the far distance by strong hedgerows and	landscape and strong buffers to the proposed	duration of the decommissioning includ
and inverters would be screened due to the	shelterbelts and this would not change.	development. Close-range views will be of the	site traffic, noise and vibration from
presence of foreground hedgerows. During the		windmill within a stronger backdrop of vegetation	decommissioning activities, dust genera
latter part of the construction stage, views would	The effects set out below for Year 1 include secondary mitigation which will	whilst mid-range views will be of a well treed	and site runoff.
become available of the elevated activities above	have been carried out, but will have had limited physical or visual impact at	landscape beyond the open and exposed area	
the hedgerows, but the distance and the	this stage:	adjacent to Corringham Road. New vegetation will	Following decommissioning, the land is
intervening vegetation would confine the works to a		have integrated into the existing landscape around	to be returned to arable production. Th
narrow section of the view.	Shelterbelt	Corringham Grange Farm to create a layered	will however benefit from the significar
	A block of shelterbelt planting is prosed around an existing small block of	landscape with occasional long-distance views of a	enhanced tree and hedgerow planting
Other works would be undertaken in connection	vegetation to the east of field H5, creating an appropriate block of woodland	partially wooded horizon.	has been carried out and has begun to
with the construction including fencing, gates,	within the open landscape, creating visual height and interest.	, ,	mature to create a much stronger and
boundary treatment and other means of enclosure		The aim should be to plan new woodland in the most	landscape, retaining and enhancing the
and works for the provision of security and	Shelterbelt planting to the western and southern boundaries of fields H1	suitable locations. This may include in and around	overall character and providing conside
monitoring measures such as CCTV and the laying	and H2 will both increase the height and vegetated cover locally and better	settlements, where woodland would help integrate	biodiversity benefits over the years. Bir
down of internal tracks. There would also be	define the historic field pattern whilst helping to screen views of the Site	new development into the landscape and in more	mitigation fields are likely to be retained
landscape and biodiversity mitigation works,	from the south and west.	intimate low-lying areas, where woodland would help	the potential may exist to retain grass
including planting and the improvement of the	nom the south and west.	create a mixed pattern of land use. Consideration	to preserve some varied land use and
foreground hedgerows	Existing hedges	should also be given to the management of existing	maintain long-term improvements in
	The southern boundary hedges to fields H2 and H5 are to be enhanced to	trees and woodland, enhancing biodiversity value and	biodiversity in the local area, all of which
These short-lived construction activities would	mitigate views into the Site from the A631 Corringham Road and helping to	÷ ,	benefit visual receptors.
obstruct a small portion of the view and not	0 1 0	age structure through new planting and the creation	
become a dominant feature. There would be a	enhance the setting of Corringham Mill in the foreground.	of woodland edge habitats. An increase in grassland	With secondary mitigation considered,
change to the arable land use, but the field		reversion should also be encouraged, increasing the	negative effects of the physical
boundaries and the associated tree cover would	New hedges	occurrence of semi-natural habitats.	decommissioning will be balanced out
remain intact and assist with mitigation. There	A new hedgerow, with hedgerow trees to the south, west and east of		long term landscape and visual effects
would not be a fundamental change to the	Corringham Grange Farm will augment the existing vegetation in the area,	Overall , in terms of mitigation for the Cottam 2 Site,	mitigation.
surroundings to the south of this location.	define the boundary of the dwelling/farm and provide a strong buffer to the	due to the limited network of public rights of way	
surroundings to the south of this location.	panelled areas adjacent to the farm and The Cottage beyond.	(PRoW) across the area the aim is to enhance the local	
Construction Access		road networks for their recreational importance The	
The viewpoint will not be affected by construction	Grassland mixes	aims are to extend the non-road network, especially	
traffic due to the distance between the viewpoint	A 50m buffer is to be provided to the South of Corringham Grange Farm,	where it can link people to woodlands and river	
	seeded with flower rich pollinator mix to create a pleasant setting to the	corridors. Trees and hedgerows make an important	
and the proposed construction access.	dwelling as well as a buffer to the proposed Scheme. Elsewhere, the flower	contribution and improvements on approaches to	
Cable Deute Couridan	rich pollinator mix is to be used under existing overhead cables, between	villages could improve the identity of the local	
Cable Route Corridor	Corringham Grange and The Cottage and to the south and west facing	landscape for the benefit of recreation.	
Viewpoint is within 0.5km study area and will	hedgerow boundaries adjacent to both new and existing vegetation.		
experience effects at construction stage.		Between Years 1 and 15, the following beneficial	
	Adverse effects:	effects will be achieved in terms of Visual Receptors:	
Substation/s	Panels and structures across the landscape	 Grassland reversion around field boundaries 	
This viewpoint is within the 2km study area but	Increased hard standing areas	and PRoW	
there would be no view of the Substation at Cottam	Increased traffic locally	 Increased woodland/vegetation cover 	
2 due to the distance and intervening vegetation.	Some minor light pollution within open countryside	 A more varied landscape 	
	Substation, Battery storage and other associated infrastructure structures	 Improved (more natural) management of 	
	visible above existing vegetation	exiting vegetation	

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.32] January 2023

S MULLING
Cottam
SOLAR PROJECT

Magnitude Very Low Low Type of Adverse & Short Term Adverse & Long Term	
mitigation has been applied. The Effects set out below include secondary mitigation which will have been carried out, but will have had limited physical or visual impact at this stage. - A less exposed and - Water quality improv Bird mitigation which will have been carried out, but will have had limited physical or visual impact at this stage. - Reinstatement of hi - Bird mitigation field - Significantly improv Growth of existing and prop assumed to be: Woodland/trees and shelter 7.5m max at Year 15. New hedgerows: 0.6m at Ye Existing hedgerows: 0.9m at Year 1 and Shrubs: 0.9m at Year 1 and S	
mitigation has been applied. The Effects set out below include secondary - A less exposed and mitigation which will have been carried out, but will have had limited - Potential animal gra physical or visual impact at this stage. - Potential animal gra Bird mitigation field - Significantly improv Growth of existing and prop assumed to be: - Voodland/trees and shelter 7.5m max at Year 15. New hedgerows: 0.6m at Ye Existing hedgerows: 0.9m at	
equate to those effects at the beginning of Year 1 before secondary land	ements ing toric field pattern d biodiversity sed vegetation is elts: 2.5m max at r 1 and 3.5m at Y Year 1 and 5m at
The residual effects at the Operational Phase at Year 15 without Mitigation – Less expanse of integrate to those effects at the beginning of Year 1 before secondary	

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.32] January 2023

managed arable	
ept landscape s	
ld patterns	
versity	
getation is	
5m max at Year 1,	
3.5m at Year 15.	
and 5m at Year 15.	
ear 15	
	Very Low
	Neutral & Short Term
	Negligible Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	In Summary There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and existing intervening vegetation cover. Therefore, there no in combination visual effects are anticipated.	In Summary The Viewpoint is located within 200m of the northern extent of the cumulative solar development Tillbridg anticipated however the views of the closets Site Cottam 2 from this location are considered minor therefor minor. This is due to the limited impact upon the view as a result of the segregated nature of the Sites and receptor. Fabric of the Landscape There would not be the removal of or changes in individual elements or features of the landscape within th There would be the introduction of new elements and features comprising the solar panel areas and the si Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.2 [C6.4.8.15.2.2] which shows that with the Cottam 2 Site, cumulative visibility with th across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedgero settlements and built form would also curtail cumulative visibility. There are local patches of cumulative visibility which may be focus of likely significant effects, between the set out in further detail within the following figures: Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.1 Overall, the character of the Unwooded Vales Overall, the character of the Unwooded Vales Overall, the character of the Unwooded Vales is shaped by the strong agricultural presence, with wide area the low levels of woodland cover create a relatively open and expansive landscape comprising an arable la series of minor roads east to west and a more strategic road network north to south. These relevant chara accommodate change without undue adverse effects. The minor patches of cumulative visibility for the Co the landscape within the Unwooded Vales Character Area.<
Magnitude	No Change	Construction: Low Operation (Year 1): Low Operation (Year 1) with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1) with only Embedded Mitigation: Minor Not Significant Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.32] January 2023

dge Solar and therefore Cumulative visual effects are efore the cumulative visual effects are considered to be nd Cumulative Developments and proximity to the visual

the character area.

e substation area within the character area.

the cumulative developments would not be experienced rows, and tree cover between the Site/Sites. The intervening

he Cottam 2 and Tillbridge Solar. This cumulative visibility is

8.15.2.8]

reas retaining a strong sense of rural tranquility. In contrast, land use within a scattered pattern of settlement, linked by a aracteristics of the landscape have some ability to Cottam 1 Site/Sites would not alter the overall character of



Viewpoint VP48 - East Lane

Viewpoint Baseline:

The view is located on East Lane where it takes a right-angled turn onto an un-named road, looking east over the Cottam 2 Site, north towards the Cottam 3b Site and south towards the Cottam 1 North Site.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a slightly undulating, low-lying landscape within the wider context of a broad vale, which is hardly conspicuous at this location. The land use is mainly productive arable farmland with many large fields under single crop. There are some local variations in landform where the land rises to the west (left of view) just beyond Corringham to form a narrow spur known as Windy Ridge (Mill Farm Windmill). To the north, the land falls towards the watercourses of Corringham Beck and Aisby Beck and to the south there is a gentle rise towards the A631 and Springthorpe Road (Corringham Windmill). The landform also rises towards the east (centre of view) towards the small settlement of Yawthorpe and Yawthorpe Fox Covert (rising from 18m AOD to 25m AOD). In terms of enclosure, there are very few woodland blocks or shelterbelts in the wider landscape other than Yawthorpe Fox Covert to the east and Wharton Wood towards the west. At closer proximity, there is vegetation at the edge of the settlement bordering East Lane which is mainly associated with Hall Farm and The Old Hall. There are also smaller woodland blocks, plantations and coverts around Home Farm, Ancliff Farm, Park Farm and Taskers Farm at Yawthorpe to the east. To the north and east there are mainly open views and to the west and south the settlement of Corringham (and associated vegetation) closes down the visibility. In terms of man-made features, there are new residential properties (left of view) at North close just off East Lane and properties to the south of East Lane. Otherwise, there is only Corringham Grange Farm and The Cottage within the central part of the Site/Sites (outside the RLB). Other settlement is centered on Aisby to the north, Springthorpe to the south, Corringham to the west and Yawthorpe to the east. East lane is a prominent feature particularly at the right-angled turn where it heads north towards Aisby.

Subjective: The viewpoint depicts the immediate edge of settlement in the wider context of a large-scale, exposed landscape. In terms of variety, the hedgerows are a strong feature, but well cut back with few hedgerow trees. The hedgerows are present on both sides of the lanes and there are narrow grass verges that presents a simple consistency and softer character overall. In terms of texture and colour, the hedgerows are low cut and have a highly managed appearance and little texture, but there is a colourful character due to the presence of the new residential properties at North Close. Mast poles are however prominent and in combination with the lane and new dwellings there is a notable man-made influence. The view tends to be ordinary overall, but the extended visibility in two directions (north south and east west) reveals a more open character, interest, and stimulus to this location.

Overall: The view is influenced by the presence of the new residential properties at North Close, which is a detractor to the rural character of the view. The location offers some interesting features locally, but with more interesting views out towards the north along the un-named road and east along East Lane. The tree cover is limited, the hedgerows are cut back, and the arable land use is intensively managed, but the presence of the arable landscape in the same context as the new residential properties adds some stimulus to the view. The overall experience is that of an ordinary location due to the lack of features and distant visibility.

Receptors:

This viewpoint is representative of views available to walkers, horse riders, motorists and residents using these local lanes at the eastern edge of Corringham.

Description of View:

The foreground of the view is set at the junction of East Lane and Field Farm Lane that leads directly to Aisby. There is a wide grass verge to the front of the hedgerow on either side of East Lane. The hedgerow is low cut and well maintained and its presence therefore does not influence the views across the open arable fields towards the northeast. Field Farm Lane leads to Aisby and rises gradually with the landform. To the right of the view, East Lane extends further east as far as the access track that serves Corringham Grange Farm and The Cottage. The roofscape of Corringham Grange Farm is visible just over the hedgerow to the northeast (right of view). To the left of view the eastern edge of the settlement of Corringham is a notable feature out where the built form contrasts with vegetation at this edge of the settlement.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.34] January 2023





Receptor susceptibility to change	Value of view	Sensitivity	Embedded M
In terms of forces for change for VP48, there are	<u>Scenic:</u> Despite the importance of nucleated settlements in this area, they are	<u>Range of Features:</u> This location	Embedded Mitig
aims to protect the open and unsettled character of	frequently hidden from view by tall hedgerows that border the local lanes. The	comprises the junction of the local	construction, op
the landscape from inappropriate development and	setting of settlements of Corringham has a raw edge at this point on East Lane due	road network at the edge of a small	decommissionin
that tree planting around settlement fringes can help	to the new residential dwellings.	settlement. This is an enclosed	Mitigation is also
with integration and help contribute to the overall		location where the tall hedgerows	include the follow
perception of a well treed landscape. The changes	<i><u>Cultural</u></i> : The church spires and towers of the settlements form a prominent	and built form limit views across the	
from flood risk and engineered solutions are also	landmark on the skyline along with the large farmsteads. At this location, the	area. The hedgerows and woodland	Panels to be set
changing the landscape, but there is potential for	woodlands and tree cover associated with The Old Hall and Hall Farm form part of	cover at Hall Farm and Old Hall are	
landscape restoration projects to assist with	the context of the view.	evident but otherwise there is a	Panels to be set
mitigation of this change. The potential for river		limited range of features in the view.	property bounda
landscape to change is also a key consideration, but	<i><u>Natural:</u></i> The quiet rural lanes provide opportunities for wildlife corridors across the		
there is potential to introduce positive landscape	area especially where they are associated with the waters course such as with East	Importance of View: This is an	Panels to be set
interventions such as biodiversity and nature	Lane and Corringham Beck.	enclosed location on the local road	minimum of 8m
conservation initiatives. The impact on long distance		network at the edge of a small	
views from surrounding towns and villages is also a	<u>Recreation and Enjoyment:</u> This is a landscape of long views and some of the local	settlement, which dilutes the level of	Panels to be set
key consideration.	lanes provide a quiet backwater from where to appreciate them. Some local lanes,	importance of the view. The view also	
	such as East Lane, focus their views on short range features at the edge of	has a limited combination of features	Existing hedges a
Overall , the susceptibility for VP48 is conditioned by	settlements, which are also important to landscape character.	and the tall hedgerows along this	managed to a he
the impact of settlement on the edges of the river		section of the road close down	to grow out to ac
floodplain, the interventions associated with flood	Local Distinctiveness and Sense of Place: Smaller settlements provide an important	visibility across the area. The	boundaries with
risk, the shifting of river channels, sand and gravel	spatial function, where the land drains and minor roads show a marked change in	sequence of views across the area	appropriate, ran
extraction and power and energy infrastructure.	the landscape. Where Corringham Beck forms a junction with East Lane this	towards woodlands and tree cover	hedges.
There are however also significant benefits to be	provides a 'sense of place'.	within the hedgerows that form the	0
gained from a range of landscape and biodiversity		approaches to settlements are	Lighting will be li
interventions such as restoration projects.	<u>Health and Wellbeing:</u> Recreation is provided by numerous small country lanes and	however locally important features.	battery banks or
	there are few public rights of way (PRoW) which connect these lanes. Footpath		required. Lightin
	(Corr/22/1) that passes to the west of Hall Farm and Old Hall provides scope for	<u>Number of Receptors</u> : This is the local	vehicle and pers
	circular a route in conjunction with East Lane.	road network at the edge of a small	50W, installed at
		settlement. This route is likely to	prevent light spil
	Important Spatial Function: Where the farmhouses are set back from the roads, they	appeal to local users and those from	will be manually
	form a distinctive group of buildings and associated tree cover. This is particularly	a wider area may be limited due to	perimeter fencin
	noticeable at Hall Farm and Old Hall.	this being a small settlement and	
		minor roads.	The visual effects
	Overall , the value of Viewpoint VP48 is shaped by the woodlands and tree cover	minor rouds.	account equate t
	associated with The Old Hall and Hall Farm form part of the context of the view.		(Year 1) and this
	Some local lanes, such as East Lane, focus their views on short range features at the		been carried out
	edge of settlements, which are also important to landscape character. Footpath		impact at this En
	(Corr/22/1) that passes to the west of Hall Farm and Old Hall provides scope for		
	circular a route in conjunction with East Lane.		
Medium	Medium	Medium	Not Applicable
Medium	Medium	Wealull	Not Applicable

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.34] January 2023

Mitigation

igation would be taken into account at the operation (Year 1 and Year 15) and ing stages of the Scheme. This Embedded lso referred to as primary mitigation and would lowing measures:

et a minimum of 15m from adjacent PRoW.

et a minimum of 50m from adjacent residential daries.

et minimum of 20m from major watercourses and m from minor watercourses.

et a minimum of 3m from Site boundaries.

s are to be allowed to grow out and will be height of 5m. Hedgerow trees will be encouraged add further thickening and growth to the field th the addition of new hedgerow trees as andomly spaced along the length of existing

e limited to downlights within substations and only and used when maintenance or security is ting will be PIR operated and will be calibrated to rsonnel movements. All visible lighting would be at a maximum height of 4m with cowls fitted to pillage. Lighting required within panelled areas ly operated. There will be no lighting on cing.

cts **with only** the Embedded Mitigation taken into e to those effects set out for the operation stage is includes secondary mitigation which will have ut but will have had limited physical or visual Embedded Mitigation stage.



Viewpoint VP48 – East Lane

Construction	Operation (Year 1)	Operation (Year 15)	Decommissioning
Activities considered includes, site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the constructure and inverters would be partly screened due to the presence of foreground hedgerow bordering Thorpe Lane. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerow, but the riparian vegetation bordering the River Till would provide some screening such that these activities would be confined to a narrower section of the view. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows These short-lived construction activities would obstruct a significant proportion of the view and become a dominant feature. There would be a considerable change to the arable land use, but the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the south and east of Thorpe Lane. Construction Accesss All throughout the construction stage the viewpoint will be affected due to East Lane leading towards the local track that connects to Cottam 2 Site at field H5. The vehicles going into the Site will not be visible due to the tall hedgerow on East Lane blocking views into the Scheme. Cable Route Corridor Viewpoint is outside of the 0.5km study area.	The foreground of the view as set at the junction of East Lane and Field Farm Lane would not charge. There is a wide grass verge to the front of the hedgerow on either side of East Lane and this would remain as a feature of the view. The hedgerow is low cut and well maintained and its presence therefore does not influence the right of the view, East Lane extends further east as far as the access track that serves Corringham Grange Farm and The Cottage and this would change to show the presence of panel areas to the north side of the lane. The roofscape of Corringham Grange Farm is visible just over the hedgerow to the northeast (right of view) and this would be lost and replaced by the presence of the panel areas rising above the existing hedgerows. To the left of view the eastern edge of the settlement of Corringham is a notable feature and this would not change. The effects set out below for Year 1 include secondary mitigation which will have been carried out, but will have had limited physical or visual impact at this stage: Scattered tree belt A scattered tree belt is proposed to the northern boundary of field H1 adjacent to The Cottage reducing views southeast from the unnamed road near Corringham Beck. This belt will also provide additional height and structure to this area which is currently somewhat exposed to the east with low cut existing hedgerows. A further strong belt of riparian species trees is proposed to the western boundary of Yawthorp Beck to the east of the Cottam 2 Site. Although this may not be visible from this viewpoint, being within the valley, the increased tree cover will enhance the character of the area locally and provide a strong buffer and ecological benefit to the beck along this stretch. Shelterbelt A Sm shelterbelt is proposed to the western boundary of the Cottam 2 Site, infilling where existing vegetation is missing. This will provide a strong boundary and defined field pattern, mitigate views and integrate existing disparate vegetation, creating height where the landscape i	 With secondary mitigation such as planting and grass seeding being taken into account at the operational stage (Year 15) the following changes to the landscape would occur and the visual effects are set out below. By Year 15, the close-mid range views will be enhanced by the addition of a 5m wide woodland buffer to the western boundary of the Site. Planting will have established and begun to mature and will help to screenSite/Sites. In the distance, the ridge beyond the valley will sit above proposed and existing planting creating a strong layered effect across the landscape with a predominantly wooded horizon where views exist. This is a relatively close-range view of Cottam 2's western boundary. Overall, in terms of mitigation for the Cottam 2 Site, due to the limited network of public rights of way (PRoW) across the area the aim is to enhance the local road network for their recreational importance. The aims are to extend the non-road network, especially where it can link people to woodlands and river corridors. Trees and hedgerows make an important contribution and improvements on approaches to villages could improve the identity of the local landscape for the benefit of recreation. Between Years 1 and 15, the following beneficial effects will be achieved in terms of Visual Receptors: Grassland reversion around field boundaries and PRoW Increased woodland/vegetation cover A more varied landscape Water quality improvements Potential animal grazing Reinstatement of historic field patterns Bird mitigation fields Significantly improved biodiversity Growth of existing and proposed vegetation is assumed to be: Woodland/trees and shelterbelts: 2.5m max at Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15. 	A similar process to that of construction stage, but with the Scheme being no longer operational This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upor the proposed primary and secondary mitigation that had beer established as the future baseline. Effects are those arising from activities for the duration of the decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site runoff. Following decommissioning, the lar is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation field are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors. With secondary mitigation considered, the negative effects of the physical decommissioning will b balanced out by the long term landscape and visual effects of this mitigation.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.34] January 2023



SOLAR PROJECT			[Reference, ENOTOT33/APP/C0.3	.0.3.2.4.34] January 2023
	This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 2.	pattern and providing some added height and structure to these boundaries and further breaking up the blocks of panels.Existing hedgerows are to be enhanced to the south of field H6 allowing this to grow out and be managed to a height of 5m.Additional hedgerow trees are to be provided to create a strong field boundary adjoining an area of proposed planting around an existing pond.		
		New hedges New hedgerows with hedgerow trees are proposed around Corringham Grange Farm and The Cottage, mitigating views into the panelled areas and creating a strong buffer to the Scheme. <u>Turtle Dove mitigation</u> <u>Grassland mixes</u>		
		A flower rich pollinator mix is proposed around the two properties with a meadow set out between the two and an area to the south of Corringham Grange Farm creating a 50 buffer to the panelled area. Elsewhere, tussock mixes are to be provided to the boundaries of		
		existing and proposed vegetation with the flower rich pollinator mix proposed to south and westerly facing vegetation as well as beneath existing overhead power lines as appropriate Adverse effects: - Panels and structures across the landscape		
		 Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation The residual effects at the Operational Phase at Year 15 without Mitigation equate to those effects at the beginning of Year 1 before secondary mitigation has been applied. The Effects set out below include secondary mitigation which will have been carried out, but will have had limited physical or visual impact at this stage. 		
Magnitude	Low	Very Low	Very Low	Very Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial Long Term	Neutral & Short Term
Significance of Effect	Minor Not Significant	Negligible Not Significant	Negligible Not Significant	Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.34] January 2023



	In Combination Efforts [Computative Cites]	Cumulative Effects [Cumulative Developments]
	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	<u>In Summary</u> There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and existing intervening vegetation cover. Therefore, there no in combination visual effects are anticipated.	In Summary The Cumulative Effects upon viewpoint 48 of the Cumulative Development year 15 with mitigation. This is due to the limited impact upon the view as and Cumulative Developments and proximity to the visual receptor. Exist Mitigation proposed would screen the panels and therefore the effects upon
		<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or f area.
		There would be the introduction of new elements and features comprisin within the character area.
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.2 [C6.4.8.15.2.2] which shows that with the Cottam developments would not be experienced across the majority of the 5km intervening woodlands, hedgerows, and tree cover between the Site/Sites would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of like Tillbridge Solar. This cumulative visibility is set out in further detail within
		Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develo
		Overall Landscape Character of the Unwooded Vales Overall, the character of the Unwooded Vales is shaped by the strong age strong sense of rural tranquility. In contrast, the low levels of woodland of landscape comprising an arable land use within a scattered pattern of se to west and a more strategic road network north to south. These relevan ability to accommodate change without undue adverse effects. The mino Site/Sites would not alter the overall character of the landscape within th
Magnitude	No Change	Construction: Low Operation (Year 1): Low Operation (Year 1) with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Tern Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1) with only Embedded Mitigation: Minor Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.34] January 2023

ents is Minor at year 1 of operation and Minor at as a result of the segregated nature of the Sites isting vegetation and Embedded and Secondary upon the view are reduced in combination.

features of the landscape within the character

sing the solar panel areas and the substation area

am 2 Site, cumulative visibility with the cumulative m study area. This is due to the distance, the tes. The intervening settlements and built form

kely significant effects, between the Cottam 2 and in the following figures:

elopments Augmented ZTV [C6.4.8.15.2.8]

gricultural presence, with wide areas retaining a l cover create a relatively open and expansive settlement, linked by a series of minor roads east ant characteristics of the landscape have some nor patches of cumulative visibility for the Cottam 1 the Unwooded Vales Character Area.

rm

ant



Viewpoint VP50 - Yawthorpe

Viewpoint Baseline:

The view is located within the settlement of Yawthorpe, looking west towards the Cottam 2 Site and south towards the Cottam 1 North Site. The view is also looking northwest towards the Cottam 3b Site.

Objective: This viewpoint offers views of a gently undulating landscape within the context of a broader rolling valley that is conspicuous at this location due to the higher landform (approximately 20m to 25m AOD) at this junction. The land use is predominantly arable with the large deciduous woodlands of Yawthorpe Fox Covert in the immediate context of the view. These are a variety of other woodland blocks including the small copses to the northeast of the settlement of Yawthorpe around Willhoughton Grange. In terms of man-made elements, there are the farmstead and agricultural buildings within Yawthorpe, including Home Far, Ancliff Farm, Taskers Farm and Park Farm. There are also residential dwellings at Moorlands Magin Moor to the south, otherwise the immediate area is sparsely settled.

Subjective: The viewpoint depicts a large-scale, open landscape, being exposed due to the large field sizes and lack of hedgerows and tree cover. In terms of variety, the combination of features includes isolated dwellings, Yawthorpe Fox Covert, tree clumps, hedgerows and hedgerow trees, and the gently rising landform where Yawthorpe occupies higher ground and commands views over the landscape to the south. In terms of texture, this is an intensely managed landscape with an arable dominance and a combination of colours owing to crop variety and the various woodland blocks. The woodland on the distant horizon at Brown's Holt is also a feature in the view.

Overall: The background noise from the A361 is prominent, but the immediate view is typical of local landscape character being large scale and arable dominant. The woodland at Yawthorpe Fox Covert and riparian trees lining Yawthorpe Beck add some vigour and interest to the view. The woodland around Yawthorpe also compliments the landscape setting of Home Farm, which is an attractive feature. The overall experience provides a balanced landscape with some distractions from the A361, but the views are very pleasant and invigorating overall.

Receptors:

This viewpoint is representative of views available to walkers, horse riders, motorists, and residents within the settlement of Yawthorpe.

Description of View:

The foreground of the view is set in the context of a Yawthorpe Lane to the south of the settlement of Yawthorpe. To the west side of the route, there is a wide grass verge as frontage to the hedgerow. The hedgerow is low-cut, and its presence therefore does not influence the views across the open arable fields beyond. An unnamed woodland block sits to the foreground of the view, which lies adjacent to Yawthorpe Beck. This woodland provides visual interest in an otherwise flat landscape. In the middle ground, further agricultural fields are visible to the west (centre of view) and to the southeast (right of view), where dividing hedgerows and small woodland blocks are evident in contrast to the open arable fields. The distant horizon is vast and open with the land remaining flat all across the view. To the right of view, built from associated with Taskers Farm, Ancliff Farm, Home Farm and Park Farm are in the immediate foreground and middle ground of view. To the middle, beyond the hedgerow looking west, silhouettes of woodlands such as Birch Wood and Wharton Wood (northeast of Gainsborough) are just visible in the distant horizon. To the left of view the local route can be seen leading south where it forms a junction with Gainsborough Road.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.35] January 2023





Receptor susceptibility to change	Value of view	Sensitivity	Embe
In terms of forces for change for VP50, the management of the oak/birch woodlands are at risk from unsound management and their biodiversity interest could be improved by encouraging natural regeneration of native broadleaved species where possible. Th open character of the limestone plateau is also at risk and any redevelopment of the airfields should take account of this feature including protecting any features of historic interest. The condition of the Coversand Heathlands have also deteriorated through a lack of grazing. Overall , the susceptibility of VP50 is conditioned by the areas of broadleaved woodland that is important to landscape character, but often small and fragmented and bolstered by the intervening shelterbelts and hedgerow networks. Expanding, buffering and connecting the fragmented semi- natural habitats would improve their condition and make them more resilient. There is scope for extending access and interpretation of these many features to improve understanding and increase enjoyment of them. The relevant characteristics of the landscape therefore have some ability to accommodate change without undue adverse effects. There is scope to maintain the sense of place and the diversity of the settlements and landscape features through expanding more interpretation and access through good green infrastructure links.	 <u>Scenic:</u> The small settlements such as Yawthorpe have distinctive landscape elements which contribute to the special identity of the surrounding landscape and its value to the PRoW network. This includes their approaches and well-integrated wooded edges. <u>Cultural:</u> These are a variety of woodland blocks including the small copses to the northeast of the settlement of Yawthorpe around Willhoughton Grange. The nearest listed buildings are within the settlement of Corringham, including the Grade I listed Church of St Lawrence (List Entry: 1064162). The Grade II listed Church of St Lawrence (List Entry: 1064162). The Grade II listed Church of St Lawrence (List Entry: 1064162). The Grade II listed St Sawthorpe Covert and mature hedgerow trees provide a strong sense of enclosure and structure within the landscape. The woodlands such as Yawthorpe Covert and mature hedgerow trees provide a strong sense of enclosure and structure within the landscape. The woodlands within this landscape pattern are important as natural features. <u>Recreation and Enjoyment:</u> This landscape setting to the settlement of Yawthorpe is important as an invigorating backdrop for recreation and enjoyment, particularly for those travelling along the A631 to the south. <u>Lacal Distinctiveness and Sense of Place</u>. Roads and minor farm tracks are features of this landscape where hedgerows are absent, and views are expansive. This attribute contributes to local distinctiveness and 'sense of place'. <u>Health and Wellbeing</u>. The tranquility associated with the minor tracks that lead to these small settlements such as Yawthorpe is important for health and well-being. <u>Important Spatial Function</u>: These minor tracks and local roads can offer long westward views to the power stations on the River Trent, and eastward views to the scarp face of Lincoln 'Cliff', particularly along the A631. Overall, the value of Viewpoint VP50 is shaped by the limited network of footp	Range of Features: This location comprises the local access road leading to a small settlement. This is an open location where the lack of hedgerows allows for extended visibility and an appreciation of the wider landscape. The built form within the settlement and small blocks of woodland at the edges help to frame views across the area. The variety of woodland blocks including the small copses to the northeast of the settlement of Yawthorpe around Willhoughton Grange are the key features of the view, otherwise there is a limited range of features. Importance of View: This is an open location on the local road network at the edge of a small settlement, which dilutes the level of importance of the view. The view also has a limited combination of features but the lack of hedgerows along this section of the road extend visibility across the area. The sequence of views across the area towards woodlands and tree cover within the hedgerows that form the approaches to settlements are however locally important features. Number of Receptors: This is the local road network at the edge of a small settlement and minor roads.	Embed the com decom Embed mitigati Panels PRoW. Panels residen Panels waterco Vaterco Panels bounda Existing be man encour growth hedger the leng Lighting and bat security will be perime The visi taken in the ope second but will this Em

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.35] January 2023

edded Mitigation

edded Mitigation would be taken into account at onstruction, operation (Year 1 and Year 15) and mmissioning stages of the Scheme. This edded Mitigation is also referred to as primary ation and would include the following measures:

ls to be set a minimum of 15m from adjacent

ls to be set a minimum of 50m from adjacent ential property boundaries.

ls to be set minimum of 20m from major rcourses and minimum of 8m from minor rcourses.

ls to be set a minimum of 3m from Site daries.

ng hedges are to be allowed to grow out and will anaged to a height of 5m. Hedgerow trees will be uraged to grow out to add further thickening and th to the field boundaries with the addition of new erow trees as appropriate, randomly spaced along ength of existing hedges.

ing will be limited to downlights within substations battery banks only and used when maintenance or ity is required. Lighting will be PIR operated and e calibrated to vehicle and personnel movements. sible lighting would be 50W, installed at a mum height of 4m with cowls fitted to prevent spillage. Lighting required within panelled areas e manually operated. There will be no lighting on neter fencing.

visual effects **with only** the Embedded Mitigation into account equate to those effects set out for peration stage (Year 1) and this includes ndary mitigation which will have been carried out vill have had limited physical or visual impact at mbedded Mitigation stage.

Applicable



View

P50 – Yawthorpe				
Construction	Operation (Year 1)	Operation (Year 15)	Decommissioning	
enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be screened due to the distance and intervening hedgerows. During the	The foreground of the view as set in the context of a Yawthorpe Lane would not change. An unnamed woodland block sits to the foreground of the view, and this would remain as a feature of the view. In the middle ground, further agricultural fields are visible to the west where the panels will be placed between the dividing hedgerows and small woodland blocks. The distant horizon is vast and open with the land remaining flat all across the view and this would remain as a feature of the view. To the middle, beyond the hedgerow looking west, silhouettes of woodlands such as Birch Wood and Wharton Wood (northeast of Gainsborough) are just visible in the distant horizon, and this would not change. To the left of view the local route can be seen	With secondary mitigation such as planting and grass seeding being taken into account at the operational stage (Year 15) the following changes to the landscape would occur and the visual effects are set out below.At Year 15, existing and proposed planting will have fully established and will have begun to mature creating a tapestry of layered vegetation within the landscape from this viewpoint. Hedgerow trees will have established but will not have matured but will provide some additional height to the scene and integrate the Schemeinto the landscape and adding to the relatively well treed mid-distance views. Longer-distance views will be of a well treed horizon where views through intervening vegetation exist.	A similar process to that of construction stage, but with the Scheme being no longer operatio This is an assessment of the Site i winter but assumes retention of existing vegetation and builds upo the proposed primary and secondary mitigation that had be established as the future baseline Effects are those arising from activities for the duration of the decommissioning including site	
become available of the elevated activities above the hedgerows, but the distance would curtail any effects to a narrow section of the view.	leading south where it forms a junction with Gainsborough Road and this feature would not be affected by the panel areas. The effects set out below for Year 1 include secondary	The aim should be to plan new woodland in the most suitable locations. This may include in and around settlements, where woodland would help integrate new development into the landscape and in more intimate low- lying areas, where woodland would help create a mixed pattern of land use.	traffic, noise and vibration from decommissioning activities, dust generation and site runoff.	
with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be	mitigation which will have been carried out, but will have had limited physical or visual impact at this stage: <u>Scattered Tree Belt</u> A strong belt of riparian species trees is proposed to the western boundary of Yawthorpe Beck to the east of the Cottam	Consideration should also be given to the management of existing trees and woodland, enhancing biodiversity value and age structure through new planting and the creation of woodland edge habitats. An increase in grassland reversion should also be encouraged, increasing the occurrence of semi-natural habitats.	Following decommissioning, the is likely to be returned to arable production. The Site will howeve benefit from the significantly enhanced tree and hedgerow planting that has been carried ou	
including planting and the improvement of the foreground hedgerows	2 Site. As well as mitigating views into the Site from Yawthorpe, the increased tree cover will enhance the character of the area locally and provide a strong buffer and ecological benefit to the beck along this stretch.	Overall , in terms of mitigation for the Cottam 2 Site, due to the presence of mature trees within the hedgerows, the aims are to provide enhanced planting within the hedgerows to reinforce the lower parts of the hedgerow, whilst mitigating views across the area.	and has begun to mature to creat much stronger and robust landscape, retaining and enhance the overall character and provid considerable biodiversity benefit	
obstruct a small proportion of the view and not become a dominant feature. There would be a change to the arable land use, but the field boundaries and the associated tree cover would remain intact, and this would not result in a change to the view's composition. There would not be a fundamental change to the surroundings to the south and east of this location.	Shelterbelt A small block of existing vegetation within the southeastern part of the Site is to be enhanced with shelterbelt planting to provide a small woodland appropriate to the setting and local character. Existing hedges Strong enhancement of hedges across the Site, in particular around H8 running both north/south and east/west, further help to break up the bulk of the panelled area and strengthen	 Between Years 1 and 15, the following beneficial effects will be achieved in terms of Visual Receptors: Grassland reversion around field boundaries and PRoW Increased woodland/vegetation cover A more varied landscape Improved (more natural) management of exiting vegetation Less expanse of intensively managed arable land A less exposed and windswept landscape Water quality improvements 	over the years. Bird mitigation fir are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in local area, all of which will benefivisual receptors.	
	the field pattern locally enhancing the overall character. Existing vegetation on the southern boundaries of fields H5 and H11 will further mitigate views from Yawthorpe with these hedges infilled and allowed to grow out to be managed at a height of 5m. Additional hedgerow trees will augment these intermittently treed boundaries helping to mitigate views of the Site beyond to the west and creating a strong layered effect.	 Potential animal grazing Reinstatement of historic field patterns Bird mitigation fields Significantly improved biodiversity Growth of existing and proposed vegetation is assumed to be: Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at Year 15.	With secondary mitigation considered, the negative effects the physical decommissioning w balanced out by the long term landscape and visual effects of th mitigation.	
	<u>Grassland mixes</u> A tall herb mix is proposed adjacent to the Yawthorpe Beck and	New hedgerows: 0.6m at Year 1 and 3.5m at Year 15.		
	this, together with the adjacent tree belt provide a 20m buffer to this watercourse. Additional areas of tall herb mix are proposed across the Site adjacent to existing watercourses setting panels back some 15m from these more minor	Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15.		

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.35] January 2023



SOLAR PROJECT			
	Construction Access The viewpoint will not be affected by construction traffic in the foreground due to the distance between the viewpoint and the proposed construction access. Due to the flat nature of the landscape the construction traffic will be visible in the far distance.	Elsewhere, a flower rich pollinator mix is proposed around existing underground services that run to the southeast of the Cottam 2 Site as well as to south and west facing hedgerows as appropriate. The remainder of the field boundaries are to be seeded with a tussock mix adjacent to new and existing vegetation	
	Cable Route Corridor Viewpoint is outside of the 0.5km study area. Substation/s This viewpoint is within the 2km study area and there are likely to be views of the Substation at Cottam 2 in the mid-distance directly to the west.	 Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation 	
Magnitude	Very Low	Low	Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term
Significance of Effect	Negligible Not Significant	Minor - Moderate Not Significant	Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.35] January 2023

Very Low
Neutral & Short Term
Negligible Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	In Summary There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and existing intervening vegetation cover. Therefore, there no in combination visual effects are anticipated.	In Summary The Cumulative Effects upon viewpoint 50 of the Cumulative Developments is Minor at year 1 of This is due to the limited impact upon the view as a result of the segregated nature of the Sites the visual receptor. Existing vegetation and Embedded and Secondary Mitigation proposed wor upon the view are reduced in combination. <i>Eabric of the Landscape</i> There would not be the removal of or changes in individual elements or features of the landscap There would be the introduction of new elements and features comprising the solar panel area area. <i>Aesthetic Aspects of the Landscape</i> Refer to Figure 8.15.2.2 [C6.4.8.15.2.2] which shows that with the Cottam 2 Site, cumulative visil be experienced across the majority of the 5km study area. This is due to the distance, the intervbetween the Site/Sites. The intervening settlements and built form would also curtail cumulativ There are local patches of cumulative visibility which may be focus of likely significant effects, b cumulative visibility is set out in further detail within the following figures: Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented Z <i>Overall Landscape Character of the Unwooded Vales</i> Overall, the character of the Unwooded Vales is shaped by the strong agricultural presence, wit tranquility. In contrast, the low levels of woodland cover create a relatively open and expansive scattered pattern of settlement, linked by a series of minor roads east to west and a more strat characteristics of the landscape have some ability to accommodate change without undue adve
Magnitude	No Change	visibility for the Cottam 1 Site/Sites would not alter the overall character of the landscape within Construction: Low Operation (Year 1): Low Operation (Year 1) with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1) with only Embedded Mitigation: Minor Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.35] January 2023

of operation and Minor at year 15 with mitigation. es and Cumulative Developments and proximity to ould screen the panels and therefore the effects

cape within the character area.

eas and the substation area within the character

sibility with the cumulative developments would not ervening woodlands, hedgerows, and tree cover ive visibility.

between the Cottam 2 and Tillbridge Solar. This

ZTV [C6.4.8.15.2.8]

with wide areas retaining a strong sense of rural ve landscape comprising an arable land use within a ategic road network north to south. These relevant verse effects. The minor patches of cumulative nin the Unwooded Vales Character Area



Viewpoint VP54 - Bonsdale Lane just north of Corringham Beck

Viewpoint Baseline:

The view is located on Bonsdale Lane just north of Corringham Beck, looking southeast directly over the Cottam 2 Site with the Cottam 1 North Site beyond. The view is also looking north towards the Cottam 3b Site.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a slightly undulating, low-lying landscape within the wider context of a broad vale, which is conspicuous at this location. The land use is mainly productive arable farmland with many large fields under single crop. There are some local variations in landform where the land rises to the west (left of view) just beyond Corringham to form a narrow spur known as Windy Ridge (at Mill Farm Windmill). To the north, the land falls towards the watercourse of Aisby Beck and to the south there is a gentle rise towards the A631 and Springthorpe Road (at Corringham Windmill). The landform also rises towards the east (right of view) towards the small settlement of Yawthorpe and Yawthorpe Fox Covert (rising from 18m AOD to 25m AOD). In terms of enclosure, there are very few woodland blocks or shelterbelts in the wider landscape other than Yawthorpe Fox Covert to the east and Wharton Wood towards the west. At closer proximity, there are a smaller woodland blocks, plantations and coverts around Hall Farm and Old Hall to the south and the woodland around the small settlement of Aisby to the north. To the east, west and south there are mainly open views and to the north Aisby closes down the visibility. In terms of man-made features, there is Corringham Grange Farm and The Cottage within the central part of the Site/Sites (outside the RLB) and Hall Farm and Old Hall Farm to the south. Within the settlement of Aisby to the north there are several properties centered on Aisby House Farm and Moscar Farm. Bonsdale Lane is a prominent feature particularly as this is a straight road in the context of an intensive arable landscape.

Subjective: The viewpoint depicts a large-scale, exposed landscape. In terms of variety, the hedgerows are a strong feature, but they are well cut back with few hedgerow trees. The hedgerows are present on both sides of the lane and there are grass verges that present a simple consistency and soft character to the view. The riparian vegetation along Corringham Beck is also a key feature of this view. In terms of texture and colour, the hedgerows are low cut and have a highly managed appearance and little texture, and there are muted and calm tones due to the simplicity of the landscape and general absence of features. Mast poles are prominent, however. The views tend to be interesting and almost invigorating given that the distant horizon reveals the landscape of the Limestone Scarps and Dipslopes Character Area 6a comprising woodland cover at Willhoughton Cliff, Willhoughton and Hemswell.

Overall: The view is influenced by the presence of Bonsdale Lane, which is a detractor. The location offers some interesting features locally such as the riparian vegetation along Corringham Beck, but with more invigorating views out towards the surrounding landscape, which is large scale and exposed. The tree cover is limited, the hedgerows are cut back, and the arable land use is intensively managed, but the presence of far-reaching views adds some stimulus. The overall experience is that of an interesting and pleasant location with a safe and comfortable feeling due to the open nature. There are however fewer interesting features in the immediate context that draw down the quality of the more distant views.

Receptors:

This viewpoint is representative of views available to walkers, horse riders, motorists and residents using these local lanes at the northeastern edge of Corringham.

Description of View:

The foreground of the view is set in the context of a local lane that heads from Aisby turning north towards Bondsale Farm at the junction with Pilham Lane. There is a wide grass verge to each side of the lane fronting the hedgerow, with large scale arable fields beyond. The hedgerow is low cut and therefore allows views in all directions. In the middle ground, further agricultural fields are visible beyond the arable field in the foreground and these fields are divided by hedgerows. Strong mature trees and woodlands are also visible within the context of these hedgerows. This existing vegetation all serves to break up the open and extensive views across the landscape. To the left of view (east), the local lane takes an immediate rightangled turns north where the roofscape of Bonsdale Farm and the medieval village of Dunstall are just visible on the distant horizon. To the right of view the local lane extends west where a few hedgerow trees line the road. To the north of the route (right of view) roofscapes for Aisby House Farm and Moscar Farm can also be seen in the distant horizon. In the far distance to the west (right of view) silhouettes of Wharton Wood and Birch wood (northeast of Gainsborough) are just visible on the horizon.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.36] January 2023





Receptor susceptibility to change	Value of view	Sensitivity	Embed
In terms of forces for change for VP54, access to historic	<u>Scenic:</u> The area supports an extensive network of rivers, dykes and	Range of Features: This location comprises the	Embedde
sites is limited, along with interpretation to raise	ditches, which have little visual presence in the landscape since they are	local access road network connecting the small	construct
awareness and improve understanding and enjoyment of	contained by high floodbanks and lack significant riparian vegetation. The	settlements of Corringham and Kirton in Lindsey.	decomm
local history. The deserted medieval villages are	vegetation along Corringham Beck is evident in this view.	This is an open location where the low-cut	Mitigatio
particularly sensitive but also testimony to subsequent		hedgerows allow for extended visibility and an	would inc
change during the medieval period when farming	<u>Cultural:</u> Parts of the landscape have remained unchanged, and this is	appreciation of the wider landscape. The riparian	
developed to the perimeter of the Cliff Edge.	particularly noticeable for some of the rural lanes where hedgerows are	woodland along the small tributary of the River	Panels to
	bordered by traditional meadowlands. The field systems to each side of	Till and the small blocks of woodland towards the	
Overall , the susceptibility of VP54 is conditioned by the	Coringham Beck are smaller in scale but are not traditional meadowlands	northeast of Yawthorpe help to frame views	Panels to
presence of several ground features, especially on the	or areas of ancient enclosure.	across the area. The variety of woodland blocks	residentia
plateau, that includes prehistoric burial mounds, Roman		and the riparian vegetation are the key features	
artefacts and abandoned medieval villages. The relevant	Natural: The watercourses have been hugely modified for flood	of the view, otherwise there is a limited range of	Panels to
characteristics therefore have a limited capacity to	management and navigational purposes. The alignment of Corringham	features.	watercou
accommodate change without undue adverse effects.	Beck has a straight alignment is to follow the local lane network and		watercou
However, there is scope for protecting these features and	sections across the open fields have been improved. In most areas the	Importance of View: This is an open location on	
providing interpretation to bring them to the attention of	watercourses form a deep wide channel with little in-stream habitat, but	the local road network that provides a linkage	Panels to
a wider audience.	Corringham Beck has some riparian vegetation in this view.	between small settlements across the area, which	
a waer addience.		dilutes the level of importance of the view. The	Existing h
	<u>Recreation and Enjoyment:</u> The public right of way (PRoW) network is	view also has a limited combination of features	managed
	limited with many areas that are hard to access, making it difficult for	but the low-cut hedgerows along this section of	encourag
	people to enjoy the landscape. The local lanes are also rigid with tight	the road extend visibility across the area. The	growth to
	hedgerows and uninviting straight alignments.	sequence of views across the area towards	hedgerov
	nedgerows and animaling straight digintents.	woodlands and tree cover within the hedgerows	the lengt
	Local Distinctiveness and Sense of Place: The landscape supports a	that form the approaches to settlements are	0
	peaceful, undisturbed rural character where the meandering river	however locally important features.	Lighting v
	channels hold remnant patches of riparian vegetation, such as this		and batte
	section of Corringham Beck.	<u>Number of Receptors</u> : This is the local road	security is
	section of confingnant beck.	network that provides linkages between small	be calibra
		settlements across the area. This route is likely to	visible lig
	<u>Health and Wellbeing:</u> The landscape has retained a relatively remote and	appeal to local users and those from a wider area	height of
	undeveloped character. This character is enhanced by the stretches of	may be limited due to this being small	Lighting r
	riparian vegetation and strong hedgerows with tall trees.	settlements and minor roads.	operated
	Important Costial Functions The watercourses themselves are not a visually		
	Important Spatial Function: The watercourses themselves are not a visually		The visua
	dominant feature but their riparian vegetation is the important spatial function.		taken inte
	Tunction.		operation
			mitigatio
	Overall , the value of Viewpoint VP54 is shaped by a low-lying flat		had limite
	agricultural landscape characterised by the intensive practices that have		Mitigatio
	led to the loss of key landscape features. Surviving features include		Ŭ
	stretches of riparian vegetation along Corringham Beck and some strong		
	hedgerows with tall trees that evoke feelings of intimacy at this location.		
Medium	Medium	Medium	Not Appli

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.36] January 2023

dded Mitigation

ded Mitigation would be taken into account at the uction, operation (Year 1 and Year 15) and missioning stages of the Scheme. This Embedded ion is also referred to as primary mitigation and include the following measures:

to be set a minimum of 15m from adjacent PRoW.

to be set a minimum of 50m from adjacent ntial property boundaries.

to be set minimum of 20m from major courses and minimum of 8m from minor ourses.

to be set a minimum of 3m from Site boundaries.

g hedges are to be allowed to grow out and will be ed to a height of 5m. Hedgerow trees will be aged to grow out to add further thickening and to the field boundaries with the addition of new ow trees as appropriate, randomly spaced along gth of existing hedges.

g will be limited to downlights within substations ttery banks only and used when maintenance or y is required. Lighting will be PIR operated and will prated to vehicle and personnel movements. All lighting would be 50W, installed at a maximum of 4m with cowls fitted to prevent light spillage. g required within panelled areas will be manually ed. There will be no lighting on perimeter fencing.

ual effects **with only** the Embedded Mitigation nto account equate to those effects set out for the ion stage (Year 1) and this includes secondary ion which will have been carried out but will have nited physical or visual impact at this Embedded ion stage.

plicable



Viewpoint VP55 – Pilha

Construction	Operation (Year 1)	Operation (Year 15)	Decommissioning
Activities considered includes, site preparation /	The foreground of the view set in the context of a local lane would	With secondary mitigation such as planting and grass seeding	A similar process to that o
enabling works, construction, and commissioning	not change. There is a wide grass verge to each side of the lane	being taken into account at the operational stage (Year 15) the	construction stage, but w
with effects such as construction traffic, noise and	fronting the hedgerow, with large scale arable fields beyond and	following changes to the landscape would occur and the visual	Scheme being no longer
vibration from construction activities, dust	those fields in the foreground (as far as Corringham Beck) would	effects are set out below.	operational. This is an ass
generation, site runoff, mud on roads, and the	not change. The hedgerow is low cut and therefore allows views in		of the Site in winter but a
visual intrusion of plant and machinery on site. At	all directions and this would not change. In the middle ground,	By Year 15, the close-mid range views will be enhanced by the	retention of existing vege
the early stages of the construction stage, ground,	further agricultural fields are visible beyond the arable field in the	addition of trees and hedges with existing hedgerows allowed to	and builds upon the prop
and lower-level activities such as the construction	foreground and these fields would become an area of panels, but	grow out and be managed at 5m. Planting will have established	primary and secondary m
of the solar panel areas and associated	the dividing hedgerows would help with the layering of the	and have begun to mature and will soften the views and	that had been established
infrastructure and inverters would be partly	landscape and help the panels blend into this setting. Strong	enhancing the overall tree cover locally. In the distance, the	future baseline. Effects ar
screened due to the presence of foreground	mature trees and woodlands are also visible within the context of	proposed and existing planting will enhance the strong layered	arising from activities for
hedgerow bordering the local lane and the	these hedgerows, and they would also assist with integration. This	effect across the landscape with a wooded horizon where views	duration of the decommis
hedgerow to the arable field beyond. During the	existing vegetation all serves to break up the open and extensive	exist.	including site traffic, noise
latter part of the construction stage, views would	views across the landscape and help the panels become part of	exist.	vibration from decommis
become available of the elevated activities above	this landscape. In the far distance to the west (right of view)	The aim should be to plan new woodland in the most suitable	activities, dust generation
the hedgerows, but the hedgerows would provide	silhouettes of Wharton Wood and Birch wood (northeast of	locations. This may include in and around settlements, where	runoff.
some screening such that these activities would be	Gainsborough) are just visible on the horizon and this would not	-	1 di lotti
confined to a narrow section of the view.	change.	woodland would help integrate new development into the landscape and in more intimate low-lying areas, where woodland	Following decommissioni
			land is likely to be returned
Other works would be undertaken in connection	The effects set out below for Year 1 include secondary mitigation	would help create a mixed pattern of land use. Consideration	arable production. The Si
with the construction including fencing, gates,	which will have been carried out, but will have had limited physical	should also be given to the management of existing trees and	however benefit from the
boundary treatment and other means of enclosure	or visual impact at this stage:	woodland, enhancing biodiversity value and age structure through	significantly enhanced tre
and works for the provision of security and	or visual impact at this stage.	new planting and the creation of woodland edge habitats. An	hedgerow planting that h
monitoring measures such as CCTV and the laying	Scattered tree belt	increase in grassland reversion should also be encouraged,	carried out and has begu
down of internal tracks. There would also be	A scattered tree belt is proposed to the northern boundary of field	increasing the occurrence of semi-natural habitats.	mature to create a much
landscape and biodiversity mitigation works,	H1 adjacent to The Cottage reducing views south from Bonsdale	Querry II in terms of militarian family of Catherry 2 City, due to the	and robust landscape, ref
including planting and the improvement of the	Lane near Corringham Beck. This belt will also provide additional	Overall , in terms of mitigation for the Cottam 2 Site, due to the	and enhancing the overal
foreground hedgerows	height and structure to this area which is currently somewhat	limited network of public rights of way (PRoW) across the area the	character and providing
loreground nedgerows	exposed to the east with low cut existing hedgerows.	aim is to enhance the local roads for their recreational	considerable biodiversity
These short-lived construction activities would	exposed to the cust with low cut existing nedgerows.	importance. The aims are to extend the non-road network,	over the years. Bird mitig
obstruct a small proportion of the view and not	A further strong belt of riparian species trees is proposed to the	especially where it can link people to woodlands and river corridors. Trees and hedgerows make an important contribution	fields are likely to be reta
become a dominant feature. There would be a	western boundary of Yawthorpe Beck to the east of the Cottam 2		the potential may exist to
change to the arable land use, but the field	Site. The increased tree cover will enhance the character of the	and improvements on approaches to villages could improve the identity of the local landscape for the benefit of recreation along	grass margins to preserve
boundaries and the associated tree cover would	area locally and provide a strong buffer and ecological benefit to		varied land use and main
remain intact and assist with mitigation. There	the beck along this stretch and further defining the watercourse.	these routes. These routes could allow for some trees to establish	long-term improvements
would not be a fundamental change to the		in the hedgerows to give more structure to the landscape.	biodiversity in the local ar
surroundings to the north and west of this location.	Shelterbelt	Between Years 1 and 15, the following beneficial effects will be	which will benefit visual re
	A 5m shelterbelt is proposed to the western boundary of the	achieved in terms of Visual Receptors:	
	Cottam 2 Site, infilling where existing vegetation is missing. This	 Grassland reversion around field boundaries and PRoW 	With secondary mitigation
	will provide a strong boundary and defined field patter, mitigate	 Grassiand reversion around held boundaries and r Kow Increased woodland/vegetation cover 	considered, the negative
	views, and integrate existing disparate vegetation, creating height	 A more varied landscape 	the physical decommission
	where the landscape is somewhat exposed in places.	 A more value landscape Improved (more natural) management of exiting 	be balanced out by the lo
			landscape and visual effe
	A shelterbelt to the east of The Cottage and Corringham Grange	vegetation	this mitigation.
	Farm is proposed to mitigate views east from these properties into	 Less expanse of intensively managed arable land A less exposed and windswept landscape 	
	the panelled areas.		
		 Water quality improvements Detential animal grazing 	
	Existing hedgerows	 Potential animal grazing Deinstatement of bistoris field patterns 	
	Existing hedgerows to the entrance to The Cottage are to be	 Reinstatement of historic field patterns Pird mitigation fields 	
	enhanced, being allowed to grow out, with hedgerow trees added.	 Bird mitigation fields Significantly improved biodiversity 	
		 Significantly improved biodiversity 	
			1

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.36] January 2023



Significance of Effect	Minor Not Significant	Minor Not Significant	Minor Not Significant	Negligible Not Significant
Type of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term	Neutral & Short Term
Magnitude	Low	Low	Low	Very Low
	Construction Access The viewpoint will not be affected be affected in the immediate foreground by construction traffic due to the distance between the viewpoint and the proposed construction access. In the far distance tall construction vehicles will be visible in the horizon as they head into the Cottam 2 Site at field H5. Cable Route Corridor Viewpoint is within 0.5km study area and will experience effects at construction stage. Substation/s This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 2 or 3b.	Further hedgerow enhancement is proposed to the northern, and western boundaries of field H6, strengthening the field pattern and providing some added height and structure to these boundaries and further mitigating views into the Site from the northwest. Existing hedgerows are to be enhanced to the south of field H6 allowing this to grow out and be managed to a height of 5m. Additional hedgerow trees are to be provided to create a strong field boundary adjoining an area of proposed planting around an existing pond. <u>Native Shrub Planting</u> To the south of field H6, the existing pond, ditch and some lone field trees are to be incorporated into a block of native shrub planting in this area creating ecological enhancement whilst integrating disparate landscape features into the overall scene. <u>New hedges</u> New hedgerows with hedgerow trees are proposed around Corringham Grange Farm and The Cottage, mitigating views into the panelled areas and creating a strong buffer to theSite/Sites. <u>Grassland mixes</u> A flower rich pollinator mix is proposed around the two properties with a meadow set out between the two and an area to the south of Corringham Grange Farm creating a 50 buffer to the panelled area. Elsewhere, tussock mixes are to be provided to the boundaries of existing and proposed vegetation with the flower rich pollinator mix proposed to south and westerly facing vegetation as well as beneath existing overhead power lines as appropriate Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation	Growth of existing and proposed vegetation is assumed to be: Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Year 15. Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15.	

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.36] January 2023



Viewpoint VP	254 – Bonsdale Lane just north of Corringham Beck	
	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	In Summary	<u>In Summary</u> The Cumulative Effects upon viewpoint 54 of the Cumulative Development
	Between the Cottam 2 and Cottam 3a and 3b Sites, there would be no inter visibility due to distance, the intervening settlement of Aisby, and additional intervening hedgerows and tree cover. The intervening vegetation along the mainline railway would also provide additional screening and separation between Cottam 2 and Cottam 3a Site/Sites.	year 15 with mitigation. This is due to the limited impact upon the view as and Cumulative Developments and proximity to the visual receptor. Exist Mitigation proposed would screen the panels and therefore the effects u
	Between Cottam 3b and Cottam 3a Site/Sites, the changes would not be readily noticeable. In the context of the Cottam 3b Site, the Cottam 3a Site occupies only a very small portion of the view due to the intervening vegetation along the mainline railway and foreground hedgerows and tree cover and	<u>Fabric of the Landscape</u> There would not be the removal of or changes in individual elements or f area.
	would not result in no change to the view's composition. There would be a small change to existing landscape elements beyond the railway line by the addition of the area of panels in place of an airfield at the Cottam 3a Site, but the detectable impacts do not alter the baseline of the receptor materially.	There would be the introduction of new elements and features comprisin within the character area.
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.2 [C6.4.8.15.2.2] which shows that with the Cottam developments would not be experienced across the majority of the 5km intervening woodlands, hedgerows, and tree cover between the Site/Sites would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of like Tillbridge Solar. This cumulative visibility is set out in further detail within
		Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develo
		<u>Overall Landscape Character of the Unwooded Vales</u> Overall, the character of the Unwooded Vales is shaped by the strong age strong sense of rural tranquility. In contrast, the low levels of woodland of landscape comprising an arable land use within a scattered pattern of se to west and a more strategic road network north to south. These relevan ability to accommodate change without undue adverse effects. The mino Site/Sites would not alter the overall character of the landscape within th
Magnitude	Construction: Low-Medium Operation (Year 1): Low-Medium Operation (Year 1) with only Embedded Mitigation: Low-Medium Operation (Year 15): Low-Medium	Construction: Low Operation (Year 1): Low Operation (Year 1) with only Embedded Mitigation: Low Operation (Year 15): Very Low
Type of Effect	Decommissioning: Low-Medium Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term	Decommissioning: Low Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Construction: Minor-Moderate Not Significant Operation (Year 1): Minor-Moderate Not Significant Operation (Year 1) with only Embedded Mitigation: Minor-Moderate Not Significant Operation (Year 15): Minor-Moderate Not Significant Decommissioning: Minor-Moderate Not Significant	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1) with only Embedded Mitigation: Minor Not Significan Operation (Year 15): Negligible Not Significant Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.36] January 2023

nents is Minor at year 1 of operation and Minor at as a result of the segregated nature of the Sites kisting vegetation and Embedded and Secondary s upon the view are reduced in combination.

or features of the landscape within the character

ising the solar panel areas and the substation area

am 2 Site, cumulative visibility with the cumulative m study area. This is due to the distance, the ites. The intervening settlements and built form

ikely significant effects, between the Cottam 2 and hin the following figures:

elopments Augmented ZTV [C6.4.8.15.2.8]

agricultural presence, with wide areas retaining a l cover create a relatively open and expansive settlement, linked by a series of minor roads east vant characteristics of the landscape have some inor patches of cumulative visibility for the Cottam 1 the Unwooded Vales Character Area.

erm

cant



Viewpoint VP55 – Pilham Lane

The view is located along on Pilham Lane, Pilham looking southeast towards the Cottam 2 Site and northeast towards the Cottam 3b Site. The view is also looking south towards the Cottam 1 North Site.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a slightly undulating, low-lying landscape within the wider context of a broad vale, which is hardly conspicuous at this location. The land use is mainly productive arable farmland with many large fields under single crop, but there are smaller pastoral fields of private planned enclosure to the south (left) of the view. There are some local variations in landform where the land rises to the west (left of view) just beyond Pilham Lane to form a narrow spur around Todd Lane Farm, extending from Corringham Scroggs (recreational woodland) towards the north. To the north, the land rises towards Glebe Farm at approximately 20m AOD to form a localized hill and to the south there is also a gentle rise towards Gilby at approximately 20m AOD. The landform also rises towards the east (right of view) towards Bonsdale Farm and the medieval village of Dunstall which rises to approximately 25m AOD. In terms of enclosure, there are very few woodland blocks or shelterbelts in the wider landscape other than Wharton Wood to the east Yawthorpe Fox Covert to the west. At closer proximity, there is some woodland around the settlement of Pilham and around Home Farm, Hollyoak Farm and Pilham Lane. The views are mainly enclosed at this location with most of the visibility extending towards the southeast. In terms of man-made features, there is the settlement of Pilham, otherwise Pilham Lane, Home Farm and development associated with Pilham Hall.

Subjective: The viewpoint depicts a medium to small-scale, enclosed, and intimate landscape. In terms of variety, the hedgerows, tree cover along Pilham Lane are a strong feature. The hedgerows are present on both sides of the lane and the route is single track lane that presents a rural character overall. In terms of texture and colour, the hedgerows are low, but the variety of tree cover presents provides an interesting texture and colourful tones. Mast poles are however prominent. The views tend to be pleasant and interesting in the immediate context of the Site/Sites and the distant horizon is hardly evident due to the strong cover along Pilham Lane.

Overall: The view is influenced by the rural character of Pilham Lane due to the single-track road and the wider grass verges to each side. The edge of the settlement is also a feature in the view due to the attractive buildings, which although not listed are constructed natural materials and distinctive to local character. The lane is enclosed by strong hedgerows and hedgerow trees with high canopies giving an open and safe feeling to the route. The location offers some interesting features, but there are no invigorating views out towards the surrounding landscape. The overall experience is that of a very pleasant location with a strong feeling of enclosure and intimacy.

Receptors:

This viewpoint is representative of views available to walkers, motorists, and residents on the northeastern edge of Pilham along Pilham Lane.

Description of View:

The foreground of the view is set in the context of Pilham Lane as it departs from the eastern edge of the settlement of Pilham. The foreground of the view shows Pilham Lane framed by hedgerows to the northern boundary (left of view) where there is a metal field gate within the hedgerow that provides access into an open grassland field. There are views across this field towards the horizon picked out by the mature tree cover that lines the route of public footpath (Pilh/20/1). There is a wide grass verge between the front of the hedgerow and Pilham Lane and the hedgerow is unmanaged with frequent gaps but is reinforced at the higher level with mature deciduous trees. The presence of the mature trees limits the views towards the northeast, including the Cottam 3b Site. On the horizon, across the grassland field, built form is just visible comprising the properties of Home Farm and Glebe Farm (to the northeast of this location). Views into the far distance are cut short by tall trees and hedgerows lining the public footpath that cuts across the front of Glebe Farm (left of view). Mast poles stand tall in the horizon and form a detracting feature in the landscape. To the right of view as Pilham lane meanders east, hedgerow trees line the road creating an intimate and pleasant route.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.37] January 2023





Receptor susceptibility to change	Value of view	Sensitivity	Emb
In terms of forces for change for VP55, there is homogenization of the landscape and loss of hedgerows. However, there is an opportunity to reinforce landscape character and build in more diversity across the landscape especially in terms of retaining as many trees as possible and planting native trees to help screen and accommodate built development. There is also scope to build in landscape mitigation, particularly where the Ridge AGLV forms a continuous line at the foot of the steep slope and where the Gainsborough AGLV has an enclosed intimate character that meets with the more open character of the Till Vale. Overall , the susceptibility of VP55 is conditioned by the striking differences across the varying elements of the AGLV and that these can be appreciated across the landscape from both the higher land of the ridge and the adjoining Till Vale. Particular areas for focus include the proportion of pasture to arable fields in particularly important to landscape setting and form a subtle relationship. Within this AGLV, views are generally contained by tall hedgerows, woodlands, and tree groups, giving the landscape a very limited capacity to accommodate change. The relevant characteristics therefore have a limited susceptibility to accommodate change without undue adverse effects.	 Scenic: The fragmented woodlands and tall hedgerow trees are distinctive as visual features in the landscape. The vegetation bordering the mainline railway is also a strong feature in views across the area. Cultural: The land use is mainly productive arable farmland with many large fields under single crop, but there are smaller pastoral fields of private planned enclosure to the south within the context of the view which creates a mosaic to the northern part of the settlement. Natural: The network of hedgerows within the farmland are punctuated by very distinctive mature trees which give the impression of a strong wooded setting to Pilham within the landscape to the north. Recreation and Enjoyment: The area offers locations to appreciate the wider setting of Pilham for recreation and enjoyment through the local lane network including Pilham Lane, which extends east towards Bonsdale Farm. Local Distinctiveness and Sense of Place: The hedgerows and tree cover along Pilham Lane are a strong feature with hedgerows present on both sides of the lane. The route is single track lane that presents a rural character overall and a strong 'sense of place'. Health and Wellbeing: Pilham Lane is a route for walkers, cyclists and horse riders as a key location to boost health and well-being. Important Spatial Function: The wide road verges add to the structural and spatial diversity of the lane and the tall poplar trees are distinctive features in combination with the cottages and farm buildings. Overall, the value of Viewpoint VP55 is shaped by the vegetation bordering the mainline railway to the north. There are also smaller pastoral fields to the south that have strong hedgerows with mature tree cover. To the west the historic settlement of Pilham provides a sense of history to the view. To the east, Pilham Lane extends into the wider landscape where there is a sequence of attractive views back towards the settlement ove	Range of Features: This location comprises the local access road network at the outer edges of a small settlement. This is an enclosed location where the tall hedgerows and mature tree cover along Green Lane helps to frame views across the area. The mature tree cover and tall hedgerows are the key features of the view, otherwise there is a limited range of features. Importance of View: This is an enclosed location on the local road network at the edge of a small settlement, which dilutes the level of importance of the view. The view also has a limited combination of features and the tall hedgerows and mature tree cover help to close down views along this section of the road. The sequence of views across the area towards woodlands and tree cover within the hedgerows that form the approaches to settlements are however locally important features. The mature tree cover adds a distinctive feature to the view. Number of Receptors: This is the local road network at the edge of a small settlement. This route is likely to appeal to local users and those from a wider area may be limited due to this being a small settlement and minor roads.	Ember the co decor Ember mitiga Panel PRoW Panel reside Panel bound Existin be ma be en and g of new space Lighti subst maint PIR op perso 50W, fitted panel be no The v taken the op
Medium	Medium	Medium	Not A

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.37] January 2023

bedded Mitigation

bedded Mitigation would be taken into account at construction, operation (Year 1 and Year 15) and commissioning stages of the Scheme. This bedded Mitigation is also referred to as primary igation and would include the following measures:

els to be set a minimum of 15m from adjacent oW.

els to be set a minimum of 50m from adjacent idential property boundaries.

els to be set minimum of 20m from major ercourses and minimum of 8m from minor ercourses.

els to be set a minimum of 3m from Site indaries.

sting hedges are to be allowed to grow out and will managed to a height of 5m. Hedgerow trees will encouraged to grow out to add further thickening growth to the field boundaries with the addition new hedgerow trees as appropriate, randomly ced along the length of existing hedges.

nting will be limited to downlights within stations and battery banks only and used when intenance or security is required. Lighting will be operated and will be calibrated to vehicle and sonnel movements. All visible lighting would be V, installed at a maximum height of 4m with cowls ed to prevent light spillage. Lighting required within elled areas will be manually operated. There will no lighting on perimeter fencing.

visual effects **with only** the Embedded Mitigation en into account equate to those effects set out for operation stage (Year 1) and this includes ondary mitigation which will have been carried out will have had limited physical or visual impact at Embedded Mitigation stage.

Applicable



Viewpoint VP55 Dilham Lar

Construction	Operation (Year 1)	Operation (Year 15)	Decommi
Activities considered includes, site preparation / enabling works, construction, and commissioning with effects such as construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be screened due to the presence of foreground hedgerow and the tree cover bordering the public footpath (Pilh/20/1). During the latter part of the construction stage, views would become available of the elevated activities above the vegetation lining the public footpath, such that these activities would be confined to a narrow section of the view. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows These short-lived construction activities would obstruct a small proportion of the view and not result in a change to the view's composition. There would be a change to the arable land use in the fields beyond the foreground grassland field to the left of the view, but the field boundaries and the associated tree cover would remain intact and help provide mitigation. There would not be a fundamental change to the surroundings to the south of this location.	The foreground of the view set in the context of Pilham Lane as it departs from the eastern edge of the settlement of Pilham would not change. The open grassland field (where there is a metal field gate within the hedgerow) will remain unchanged as an open grassland field. There are views across this field towards the horizon picked out by the mature tree cover that lines the route of public footpath (Pilh/20/1) and this will not change. The hedgerow to the north side of Pilham Lane is unmanaged and although there are frequent gaps the higher level with mature deciduous trees provide cover and screening. The presence of the mature trees limits the views towards the northeast, including the Cottam 3b Site. On the horizon, across the grassland field, built form is just visible comprising the properties of Home Farm and Glebe Farm (to the northeast of this location). Views into the far distance are cut short by tall trees and hedgerows lining the public footpath that cuts across the front of Glebe Farm (left of view). Mast poles stand tall in the horizon and form a detracting feature in the landscape. To the right of view as Pilham lane meanders east, hedgerow trees line the road creating an intimate and pleasant route. The effects set out below for Year 1 include secondary mitigation which will have been carried out, but will have had limited physical or visual impact at this stage: <u>New hedges</u> A new hedge is proposed to the western boundary of field J1 where views from Glebe Farm are open to the Site of 3b. This will mitigate views from the west and, together with further hedge enhancement within the Site will strengthen the historical field pattern and character. The new hedgerow to sit adjacent to the PRoW will connect with the existing vegetation to the south of fields J1 and J2 with this continuing through the Site to the south of fields J3 ,5 and 6.	 With secondary mitigation such as planting and grass seeding being taken into account at the operational stage (Year 15) the following changes to the landscape would occur and the visual effects are set out below. At Year 15, the proposed new hedgerows will have established to create a strong field structure and screen views of theScheme. Existing hedges will have been managed to grow out to 5m and proposed hedgerow trees will begin to reach some height, reinforcing the vertical structure locally. In the close-range, the new and enhanced hedgerows will screen Site/Sites with mid and longer distance views appearing as a layered well-treed landscape with a mid-range view of the railway line vegetation. There are no long-distance views due to the topography at this viewpoint. Overall, in terms of mitigation for the Cottam 3a and 3b Sites due to the presence of mature trees within the hedgerows, the aims are to provide enhanced planting within the hedgerows to reinforce the lower parts of the hedgerow, whilst mitigating views across the area. Between Years 1 and 15, the following beneficial effects will be achieved in terms of Visual Receptors: Grassland reversion around field boundaries and PRoW Increased woodland/vegetation cover A more varied landscape Improved (more natural) management of exiting vegetation Less expoase of intensively managed arable land A less exposed and windswept landscape Water quality improvements Potential animal grazing Reinstatement of historic field patterns Bird mitigation fields Significantly improved biodiversity 	A similar pro Scheme bein of the Site in vegetation ar secondary m future baselin the duration noise and vib generation a Following det to arable pro significantly of been carried stronger and overall chara benefits over retained and to preserve s improvemen will benefit vi With seconda of the physic long term lar
<u>Construction Access</u> Viewpoint will not be affected by construction traffic due to the view being blocked by	A new hedgerow with trees is also proposed to the eastern boundary of field J4 mitigating views from further east along Green Lane.	Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Year 15.	
vegetation and built form to the proposed construction access.	Existing hedges Existing hedges running north/south across the Site between fields J1,2,3 5 and 6 are variable and require	Existing hedgerows: 0.9m at Year 1 and 5m at Year 15.	
<u>Cable Route Corridor</u> Viewpoint is outside of the 0.5km study area.	enhancement. Infilling with new sections of hedgerow is required where these are missing, and the enhancement of existing hedgerows will be achieved	Shrubs: 0.9m at Year 1 and 5m at Year 15.	

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.37] January 2023

nissioning

rocess to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning including site traffic, vibration from decommissioning activities, dust and site runoff

decommissioning, the land is likely to be returned production. The Site will however benefit from the ly enhanced tree and hedgerow planting that has ed out and has begun to mature to create a much nd robust landscape, retaining and enhancing the aracter and providing considerable biodiversity ver the years. Bird mitigation fields are likely to be nd the potential may exist to retain grass margins e some varied land use and maintain long-term ents in biodiversity in the local area, all of which visual receptors.

ndary mitigation considered, the negative effects sical decommissioning will be balanced out by the landscape and visual effects of this mitigation.



SOLAR PROJECT			L	
	Substation/s This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 3a and 3b.	by managing the hedges to a height of 5m and incorporating irregularly spaced hedgerow trees to create height and further mitigate views from both the east and the west. Field boundary planting and enhancement will also break up views of the Scheme from the south. The western and southern boundary of field J4 is to be enhanced, being infilled as necessary, allowed to grow out and managed to a height of 5m with the addition of hedgerow trees as necessary. This will mitigate views into the Site from the south and strengthen the local character. <u>Grassland mixes</u> A tussock grassland mix is proposed to the field boundaries and within the proposed new PRoW hedged route, creating a visually interesting and natural walk. A block of tussock mix is also proposed outside the field boundary to the south of field B4. Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation		
Magnitude	Very Low	Very Low	Very Low	Very Low
Type of Effect	Adverse & Short Term	Neutral & Long Term	Neutral & Long Term	Neutral & Sl
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Negligible Not Significant	Negligible N

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.37] January 2023

& Short Term

e Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	In Summary	<u>In Summary</u> The Cumulative Effects upon viewpoint 55 of the Cumulative Developme
	Between the Cottam 2 and Cottam 3a and 3b Sites, there would be no inter visibility due to distance, the intervening settlement of Aisby, and additional intervening hedgerows and tree cover. The intervening vegetation along the mainline railway would also provide additional screening and separation between Cottam 2 and Cottam 3a Site/Sites.	at year 15 with mitigation. This is due to the limited impact upon the view and Cumulative Developments and proximity to the visual receptor. Exist Mitigation proposed would screen the panels and therefore the effects u
	Between the Cottam 3b and Cottam 3a Sites, the changes would not be readily noticeable. In the context of the Cottam 3b Site, the Cottam 3a Site occupies only a very small portion of the view due to the intervening vegetation along the mainline railway and foreground hedgerows and tree cover and would not result in no change to the view's composition. There would be a small change to existing	Fabric of the LandscapeThere would not be the removal of or changes in individual elements or f area.There would be the introduction of new elements and features comprisin
	landscape elements beyond the railway line by the addition of the area of panels in place of an airfield at the Cottam 3a Site, but the detectable impacts do not alter the baseline of the receptor materially.	within the character area. <u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.2 [C6.4.8.15.2.2] which shows that with the Cottam developments would not be experienced across the majority of the 5km intervening woodlands, hedgerows, and tree cover between the Site/Site would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of like Tillbridge Solar. This cumulative visibility is set out in further detail within Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develo
		<u>Overall Landscape Character of the Unwooded Vales</u> Overall, the character of the Unwooded Vales is shaped by the strong age strong sense of rural tranquility. In contrast, the low levels of woodland of landscape comprising an arable land use within a scattered pattern of se to west and a more strategic road network north to south. These relevan ability to accommodate change without undue adverse effects. The mino Site/Sites would not alter the overall character of the landscape within th
Magnitude	Construction: Low-Medium Operation (Year 1): Low-Medium Operation (Year 1) with only Embedded Mitigation: Low-Medium Operation (Year 15): Low-Medium Decommissioning: Low-Medium	Construction: Low Operation (Year 1): Low Operation (Year 1) with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low
Type of Effect	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Construction: Minor-Moderate Not Significant Operation (Year 1): Minor-Moderate Not Significant Operation (Year 1) with only Embedded Mitigation: Minor-Moderate Not Significant Operation (Year 15): Minor-Moderate Not Significant Decommissioning: Minor-Moderate Not Significant	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1) with only Embedded Mitigation: Minor Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.37] January 2023

ents is Minor at year 1 of operation and Negligible ew as a result of the segregated nature of the Sites isting vegetation and Embedded and Secondary upon the view are reduced in combination.

r features of the landscape within the character

sing the solar panel areas and the substation area

m 2 Site, cumulative visibility with the cumulative n study area. This is due to the distance, the tes. The intervening settlements and built form

kely significant effects, between the Cottam 2 and in the following figures:

elopments Augmented ZTV [C6.4.8.15.2.8]

gricultural presence, with wide areas retaining a l cover create a relatively open and expansive settlement, linked by a series of minor roads east ant characteristics of the landscape have some nor patches of cumulative visibility for the Cottam 1 the Unwooded Vales Character Area.

rm

ant



Viewpoint VP57 - Bonsdale Farm

The view is located on Pilham Lane, near Bonsdale Farm, looking northwest almost directly over the Cottam 3b Site and southeast towards the Cottam 2 Site, with Cottam 1 North Site beyond.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a very slightly undulating, low-lying landscape within the wider context of a broad vale, which is conspicuous at this location. The land use is mainly productive arable farmland with many large fields under single crop. There are some local variations in landform where the land rises to the west just beyond Station Road and Pilham to form a narrow spur around Todd Lane, extending from Corringham Scroggs (recreational woodland). To the north, the land rises towards Kirton Road at approximately 23m AOD and to the south there is a gentle fall towards Aisby Beck at approximately 17m AOD. The landform also rises towards the east (right of view) towards the medieval village of Dunstall which rises to approximately 25m AOD and towards Blyborough Covert beyond. In terms of enclosure, there are several woodland blocks and shelterbelts in the wider landscape including Wharton Wood to the east Yawthorpe Fox Covert to the west. At closer proximity, there is some woodland around Bonsdale Farm that comprises a dense shelterbelt to the east that extends north towards the mainline railway. The views are mainly open at this location with the visibility extending in all directions. In terms of man-made features, there is Bonsdale Farm and the presence of the junction where the straight network of lanes (including the unnamed road) converges as a strong influence.

Subjective: The viewpoint depicts a large-scale, open, and harmonious landscape. In terms of variety, the hedgerows are a strong feature, with several tree groups and there is also woodland cover to the east side of the lane at Bonsdale Farm, which forms part of a landscape of ancient enclosure field systems. The hedgerows on both sides of the unnamed road are low-cut allowing open and expansive views in all directions. In terms of texture and colour, there are colourful tones due to the presence of the mature trees and woodland and the close proximity of Bonsdale Farm. Mast poles are also prominent. The views are pleasant and interesting in the immediate context of the Site/Sites, and the distant horizon also reveals extended views towards the Limestone Scarps and Dipslopes Character Area 6a comprising woodland cover at Willhoughton, Willhoughton, Willhoughton Cliff and Blyborough. There are also extended views towards Laughton Common to the west showing a wooded horizon, which forms part of the Wooded Vales Character Area 4a. The vegetation along Aisby Beck and around the small settlement of Aisby is also a distinctive feature within the wider view. In the far distance trees around Blyton Level crossing are also distinctive.

Overall: The view is influenced by the open and exposed nature of the location. The unnamed road is defined by strong hedgerows and hedgerow trees dotted informally and with the adjoining woodlands and shelterbelt at Bonsdale Farm this gives a comfortable and pleasant feeling to the location. The location offers some interesting features locally, but with more invigorating views out towards the surrounding landscape, comprising of both eastward and westward views. The landscape is open and exposed, but the overall experience is that of a very pleasant location with invigorating views.

Receptors:

This viewpoint is representative of views available walkers, motorists using Green Lane, Pilham Lane and the unnamed road. Receptors also include residents at Bonsdale Farm.

Description of View:

The foreground of the view is set at the junction of Green Lane and Pilham Lane near Bonsdale Farm. Pilham Lane runs North to South (extending from right of view to the left) and Green Lane extends west from this junction (middle of view). There is a wide grass verge to the front of the hedgerow bordering the highway. The hedgerow is low cut and does not influence views across the open arable fields, as a result there are views that extend across the open fields towards the mainline railway. In the middle ground, further agricultural fields are just visible, and their presence is enhanced by the dividing hedgerows and small woodland blocks that stand out in contrast to the open arable fields. The distant views reveal a vast horizon, however the rising landform to the north (right of view) limits views as far as the railway line. Other surrounding vegetation such as the shelterbelt to the north of Bonsdale Farm also limit views in this direction. To the centre of the view distant views of hedgerows and trees close down visibility towards the settlement of Pilham. To the left of view the Pilham Lane can be seen meandering south and distant roofscape of the Aisby House Farm is also visible in the far horizon. Bonsdale Farm and its associated woodland are a prominent feature in the landscape and the lack of tree cover allows for extended views along this local route.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.38] January 2023





Receptor susceptibility to change	Value of view	Sensitivity	Embedde
In terms of forces for change for VP57, there is rapid	Scenic: The attractiveness of the landscape is typified by the strong minor	Range of Features: This location comprises the	Embedded N
change in some areas, for example the woodland in	road network, which is wide and sinuous in parts with prominent grass	local access road network linking the small	construction
Laughton Woods has been substantially felled in the past.	verges. The network also reflects the strong east to west alignment of the	settlements of Aisby and Corringham with	decommissio
However new planting has been designed to include a	field patterns. Minor north south roads also occur in the landscape to the	Kirton in Lindsey. This is an open location	Mitigation is
mixture of conifers and native deciduous species. Since	south of Pilham which allow views across the scenic landscape.	where the low-cut hedgerows allow extended	would includ
most of the distinctive landscape patterns and features		visibility and promote appreciation of the	
such as skylines, river corridors and pastures are historic	<u>Cultural:</u> The collection of medieval deserted settlements to the south of	wider landscape. The tree and shrub belt	Panels to be
remnants, they are particularly vulnerable to landscape	Pilham form part of a pattern that populate the Till Vale reflecting former	bordering the mainline railway and the	
change. Also with the former airbases, local aviation	routes of east west migration across the area.	shelterbelt bordering Bonsdale Farm are key	Panels to be
landmarks (control towers, hangers, runway alignment		characteristics in views across the area,	residential p
etc.) are important features of the history of the area.	<u>Natural:</u> Strong hedgerows are evident with a good coverage of mature	otherwise there is a limited range of features.	Developments
	trees and sinuous belts of woodland and shrubs define the local lanes,		Panels to be
Overall , the susceptibility of VP57 is conditioned by the	particularly in association with farmsteads such as Bonsdale Farm.	Importance of View: This is an open location	and minimu
rapid change to the area's woodlands but that with new	Descertion and Evisyments The transmiller presidential evolities are strong in	on the local road network linking between small settlements, which dilutes the level of	Denels to be
planting they can take on a different appearance over time. The improvement of the presence of airbases in the	<u>Recreation and Enjoyment:</u> The tranquil experiential qualities are strong in many places and the sense of history is experienced through the		Panels to be
landscape requires a restoration of their structure which	medieval settlement pattern of small compact villages.	importance of the view. The view also has a limited combination of features. The low-cut	Existing hedg
integrates with the scale and character of the surrounding	medieval settlement pattern of small compact villages.	hedgerows allow some extended visibility	managed to
farmland and field patterns. The West Lindsey's airbases	<u>Local Distinctiveness and Sense of Place:</u> This is focused on the winding	across the area, but the shelterbelt to the	encouraged
currently have a strong and generally negative influence	route of Pilham Lane that stands out in contrast to the other more formal	west of Bonsdale Farm and vegetation along	growth to the
on local landscape character. The cost of developing	east west and north south routes that are typical to this landscape.	the mainline railway help to close down views	hedgerow tr
these sites in this rural location is relatively high. These air	cust west and north south routes that are typical to this landscupe.	along this section of the road. The sequence	length of exi
bases represent a substantial under used land resource	<u>Health and Wellbeing:</u> Rural tranquility remains a strong feature as the	of views across the area towards woodlands	lenger of ext
which has landscape potential. The relevant	area is generally traversed by a smaller more informal historic road	and tree cover within the hedgerows that	Lighting will
characteristics therefore have a very limited susceptibility	network.	form the approaches to settlements are	battery bank
to accommodate change without undue adverse effects.		however locally important features.	is required. L
There is scope to change the areas of woodland and	Important Spatial Function: The view is influenced by the open and		calibrated to
improve the land use of the former airfields.	exposed nature of the location. The unnamed road is defined by strong,	<u>Number of Receptors</u> : This is the local road	lighting wou
	low-cut hedgerows with very few hedgerow trees. The adjoining	network that links between small settlements	with cowls fi
	woodlands and shelterbelt at Bonsdale Farm are prominent.	across the area. This route is likely to appeal	within panel
		to local users and those from a wider area	be no lightin
	Overall , the value of Viewpoint 57 is shaped by the framed views	may be limited due to this being small	C .
	towards the north which capture the distinctive belt of vegetation	settlements and minor roads.	The visual ef
	associated with Bonsdale Farm. To the south the view is influenced by		into account
	the large-scale invigorating landscape and to the east Bonsdale Farm and		operation st
	associated outbuildings is the key feature of the view. Towards the west,		mitigation w
	there are attractive views of Pilham shrouded in tree cover. Large scale		limited phys
	nature of the site could be made more intimate with the introduction of		stage.
	new planting.		
Medium	Medium	Medium	Not Applicab

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.38] January 2023

ed Mitigation

Mitigation would be taken into account at the on, operation (Year 1 and Year 15) and sioning stages of the Scheme. This Embedded is also referred to as primary mitigation and ude the following measures:

be set a minimum of 15m from adjacent PRoW.

be set a minimum of 50m from adjacent l property boundaries.

be set minimum of 20m from major watercourses num of 8m from minor watercourses.

be set a minimum of 3m from Site boundaries.

edges are to be allowed to grow out and will be to a height of 5m. Hedgerow trees will be ed to grow out to add further thickening and the field boundaries with the addition of new trees as appropriate, randomly spaced along the existing hedges.

ill be limited to downlights within substations and nks only and used when maintenance or security . Lighting will be PIR operated and will be to vehicle and personnel movements. All visible ould be 50W, installed at a maximum height of 4m fitted to prevent light spillage. Lighting required elled areas will be manually operated. There will ting on perimeter fencing.

effects **with only** the Embedded Mitigation taken nt equate to those effects set out for the stage (Year 1) and this includes secondary which will have been carried out but will have had ysical or visual impact at this Embedded Mitigation

able



Viewpoint VP57 – Bonsdale Farm

Viewpoint VP5	/iewpoint VP57 – Bonsdale Farm						
C	Construction	Operation (Year 1)	Operation (Year 15)	Decommissioning			
A particular of the second sec	Activities considered includes, site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened due to the presence of foreground hedgerow bordering Pilham ane and Green Lane. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerow, but these activities would be confined to a narrow section of the view due to the presence of the foreground hedgerows. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the mprovement of the foreground hedgerows. These short-lived construction activities would obstruct a small portion of the view and not become a dominant feature. There would be a change to the arable land use, but the field boundaries and the associated tree cover would remain intact and help with the assimilation of the panels at this location. There would not be a fundamental change to the surroundings to the south, east and west of this location. Construction Accesss The viewpoint will not be affected by construction traffic due to the distance	The foreground of the view would remain as a large arable field with a bordering hedgerow extending from Pilham Lane to meet with Green Lane. The fields beyond this arable field in the foreground would become an area of panels extending as far as the mainline railway. The existing hedgerow would now have become established to provide some screening of the panels in the foreground field and intervening hedgerows would also add structure and layering to the fields with panels beyond. The distant views of a vast horizon would be evident above the panels. Other surrounding vegetation such as the shelterbelt to the north of Bonsdale Farm would also remain as a feature of the view. The effects set out below for Year 1 include secondary mitigation which will have been carried out, but will have had limited physical or visual impact at this stage: Shelterbelt A shelterbelt is proposed to part of the northern boundary of field J6, creating a strong structure to this field boundary and further height to the local landscape. This may not be visible beyond intervening vegetation over the brow. Existing hedges within the Site, are to be enhanced, being allowed to grow out and managed at 5m whilst new tree planting will create visual interest and height along these boundaries. Enhancement will further mitigate views into the Site from the Bonsdale Lane and the PRoW. The existing route offers an open, inhospitable walk likely to be cold and windy at times. Tree cover and hedges managed to a greater height will provide relief from the elements and create a more varied visual experience. From the Pilham Road, the horizon will be well treed with randomly spaced native hedgerow trees breaking up the skyline. Existing hedgerow to the south of the PRoW heading east/west is exposed and somewhat windswept. A new hedge with hedgerow trees is proposed to the north of the PRoW on the south of the PRoW heading east/west is exposed and somewhat windswept. A new hedge with hedgerow trees is proposed to the north of the PRoW on the souther	 With secondary mitigation such as planting and grass seeding being taken into account at the operational stage (Year 15) the following changes to the landscape would occur and the visual effects are set out below. At Year 15, to the southern boundary of the Cottam 3b Site, the proposed new hedgerows will have established to create a strong field structure and screen views of the development. Existing hedges will have been managed to grow out to 5m and proposed hedgerow trees will begin to reach some height, reinforcing the vertical structure locally. The view is mid-range with only the southern boundary vegetation visible on the skyline. The open nature of the surrounding landscape will be retained. Overall, the mitigation for the Cottam 2 Site aims to promote enhanced planting, whilst mitigating views generally, strengthen the local character. The planting is designed to provide a significantly enhanced visual and perceptual pedestrian experience along the PRoW network across this landscape. Hedgerows are also allowed to grow out and strengthen their boundaries and relationship with the Road and to fit with planting along the railway line. Between Years 1 and 15, the following beneficial effects will be achieved in terms of Visual Receptors: Grassland reversion around field boundaries and PROW Increased woodland/vegetation cover A more varied landscape Improved (more natural) management of exiting vegetation Less expanse of intensively managed arable land A less exposed and windswept landscape Water quality improvenents Potential animal grazing Reinstatement of historic field patterns Bird mitigation fields Significantly improved biodiversity Growth of existing and proposed vegetation is assumed to be: Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at Year 15. 	 Decommissioning A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site runoff. Following decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long-term improvements in biodiversity in the local area, all of which will benefit visual receptors. With secondary mitigation considered, the negative effects of the physical decommissioning will be balanced out by the long term landscape and visual effects of this mitigation. 			
с	between the viewpoint and the proposed construction access. Cable Route Corridor	its length will mitigate views from the Pilham Road, Bonsdale Lane and Bonsdale Farm, whilst strengthening the historic field pattern locally.	Existing hedgerows: 0.9m at Year 1 and 5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15.				
<u>_</u>							

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.38] January 2023



SOLAR PROJECT			
	Viewpoint is within 0.5km study area and will experience effects at construction stage. Substation/s This viewpoint is within the 2km study area and there would be mid-range views of the Substation at 3b but no view of the Substation at Cottam 2.	Successional scrub is to the planted to the northern boundaries of fields J1,2,3 and 5 at the base of the existing vegetation along the railway line, and although not visible from this viewpoint will add both visual and ecological benefit with low maintenance planting. <u>Grassland mixes</u> A tussock grassland mix is proposed to the field boundaries and within the proposed new PRoW hedged route, creating a visually interesting and natural Adverse effects: – Panels and structures across the landscape – Increased hard standing areas – Increased traffic locally – Some minor light pollution within open countryside – Substation, Battery storage and other associated infrastructure structures visible above existing vegetation	
Magnitude	Low	Low	Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term
Significance of Effect	Minor Not Significant	Moderate-Minor Not Significant	Minor-Moderate Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.38] January 2023

Very Low
Neutral & Short Term
Negligible Not Significant



Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.38] January 2023

	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	<u>In Summary</u> There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and existing intervening vegetation cover. Therefore, there no in combination visual effects are anticipated.	In Summary The Cumulative Effects upon viewpoint 57 of the Cumulative Developments is Minor at year 1 of operatio due to the limited impact upon the view as a result of the segregated nature of the Sites and Cumulative I receptor. Existing vegetation and Embedded and Secondary Mitigation proposed would screen the panels reduced in combination.
		<i><u>Fabric of the Landscape</u></i> There would not be the removal of or changes in individual elements or features of the landscape within
		There would be the introduction of new elements and features comprising the solar panel areas and the
		Aesthetic Aspects of the Landscape Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with the Cottam 3a and 3b Sites, cumulative visi not be experienced across the majority of the 5km study area. This is due to the distance, the intervening the Site/Sites. The intervening settlements and built form would also curtail cumulative visibility between
		There are local patches of cumulative visibility which may be focus of likely significant effects, between th cumulative visibility is set out in further detail within the following figures:
		Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the Unwooded Vales is shaped by the strong agricultural presence, with wide are contrast, the low levels of woodland cover create a relatively open and expansive landscape comprising a settlement, linked by a series of minor roads east to west and a more strategic road network north to sou landscape have some ability to accommodate change without undue adverse effects. The cumulative visi overall character of the landscape within the Unwooded Vales Character Area 4a.
Magnitude	No Change	Construction: Low Operation (Year 1): Low Operation (Year 1) with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1) with only Embedded Mitigation: Minor Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Minor Not Significant

tion and Minor at year 15 with mitigation. This is we Developments and proximity to the visual hels and therefore the effects upon the view are

in the character area.

he substation area.

visibility with the cumulative developments would ing woodlands, hedgerows, and tree cover between en these Site/Sites.

the Cottam 3a Site and Tillbridge Solar. This

4.8.15.2.8]

areas retaining a strong sense of rural tranquility. In g an arable land use within a scattered pattern of south. These relevant characteristics of the risibility for the Cottam 3b Site would not alter the



Viewpoint VP66 - Nthp/504/1

The view is located PRoW, Byway Open to All Traffic (BOAT) Nthp/504/1, looking southwest towards the Cottam 3a Site with the Cottam 3b Site and Cottam 2 Site beyond.

Objective: This viewpoint offers views over the Unwooded Vale Character Area 4a, which comprises of a gently rolling landscape within the wider context of the Wooded Vales Character Area 4b associated with Laughton Forest and Laughton Common. The land use predominantly arable interspersed with plantation woodland including Dallison Plantation that stands tall at the southwest corner of the view (right of view). This plantation mirrors the other coniferous woodland blocks in the area. In terms of man-made elements, there are very few detractors with plantation woodland being a consistent feature, however the electricity pylons in the far distance add discordancy to an otherwise harmonious landscape. The agricultural buildings and farmstead at Mount Pleasant Farm are also just visible in the view and mast poles are also visible above the horizon, creating a regular pattern.

Subjective: The viewpoint depicts a large-scale open landscape, comprising predominantly arable farmland interspersed with woodland areas where the views extend to distant horizons comprising long eastward and westward facing views. The open landscape is dominated by large scale woodland blocks that frame views, often to distant horizons as far as Northorpe and Kirton in Lindsey. In terms of variety, the views depict the stark contrast between the open arable fields (often without hedgerows) and the more enclosed parts adjacent to the areas of dense woodland where the landform falls away creating parts of local intimacy and enclosure. There are also isolated trees within hedgerows and small areas of riparian woodland along Northorpe Beck, and the woodland at Respect Green Burial Park is also just visible on the skyline.

Overall: The arable landscape is a plain feature but the contrasts with the woodlands and shelterbelts add interest and vibrancy to the views. The close proximity of the PRoW to these woodlands adds to the feelings of intimacy where they are adjacent and share characteristics. The views towards the west comprise a large-scale landscape in contrast to views towards the east where Northorpe Beck meanders across the landscape giving rise to varied topography and riparian woodland, which add a distinctive quality to these views. Overall, the location depicts a balanced landscape with a strong sense of isolation and solitude away from nearby settlement. Although the landscape of Laughton Woods is hardly evident on the horizon, this BOAT is important as north south connectivity in the context of these woodlands. Laughton Woods is a rare and unusual feature within this part of Lincolnshire and a focus for both formal and informal recreation. The overall experience is a very pleasant and invigorating location offering views of a rolling landscape that leads into a broad valley with east and west extended views that each depict a differing character.

Receptors:

This viewpoint is representative of views available to PRoW users along the BOAT (Nthp/504/1), which is an important recreation route in the landscape to the east of Laughton Woods.

Description of View:

The foreground of the view is set in the context a large-scale arable landscape. The landform is shown rising towards the south (centre of view) extending into the far distance. To the centre-left of view (south-east) a small area of deciduous woodland to the north of Grange Farm is a notable feature and curtails visibility in thus direction. A haystack (as part of Grange Farm) can just be seen to the southeast (centre-left of view) to the right of the woodland on the horizon. In the far distance mast poles can be seen as they head west across the landscape. To the right of view (west) woodland that borders Northorpe Beck as it meanders further west is evident in the view. To the far horizon (right of view), the hedgerow and shelterbelt associated with Mount Pleasant Farm are just about visible due to the land flattening locally in this direction. Views from this location are limited and enclosed due to the rising nature of the landform, abruptly stopping any views to the southeast.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.39] January 2023



	Proximate Extent of Development		
Receptor susceptibility to change	Value of view	Sensitivity	Embedded Mit
In terms of forces for change for VP66, the landscape has a strong rural character, but tranquility levels are being disturbed by development pressures from the larger scale settlements and major routes across the area. Tranquility is however associated with the winding lanes and landscape- scale projects such as the Trent Vale Landscape Partnership which can help by offering increased recreational and educational opportunities within these areas. Overall , the susceptibility of VP66 is conditioned by the limited network of footpaths and bridleways and the availability of the rural roads and minor tracks for extended access. The relevant characteristics therefore have some scope to accommodate change without undue adverse effects. There is however a possibility to increase recreation opportunities including where there are natural features and historical elements to draw interest from residents and tourists.	 <u>Scenic</u>: The viewpoint depicts a large-scale open landscape, comprising predominantly arable farmland. There is no strong relationship between this location and the nearby settlement or local landmarks and features. <u>Cultural</u>: The open landscape is dominated by a large-scale arable land use that that is intensive. There are views to distant horizons as far as Northorpe and Kirton in Lindsey which have cultural associations, otherwise there are no known cultural references associated with this location. <u>Natural</u>: The nature conservation interests of the area are constrained by the intensive agriculture with few hedgerows and hedgerow trees. <u>Recreation and Enjoyment</u>: Many visitors to the area have the scenic drives and walks to appreciate the landscape, including the historic churches, and the long views between the Till Vale and the Lincolnshire Cliff. The presence of a BOAT provides additional ways to experience the landscape. <u>Local Distinctiveness and Sense of Place</u>: This is a landscape of long views, particularly to the east comprising the scarp face of the Lincolnshire Cliff which features in many combinations/directions. To the west, the views towards the power stations are curtailed by the settlement of Gainsborough, its relative rising of land and associated woodland. <u>Health and Wellbeing</u>: The landscape accommodates a variety of land uses to boost health and well-being and features such as a BOAT are key to this. <u>Important Spatial Function</u>: The arable landscape is a bland feature but the contrasts with the woodlands and shelterbelts add interest and vibrancy to the views and give the area its spatial function. Overall, the value of Viewpoint VP66 is shaped by the blandness of the open arable landscape. There is uplift to the location by virtue of extended views to distance horizons. The landscape accommodates a variety of land uses to boost health and well-being and features such as a BOAT	Range of Features: This location comprises the public rights of way (PRoW) network. This is an open location where the absence of hedgerows allow extended visibility across the wide arable landscape. The tree and shrub belt bordering the mainline railway and the shelterbelt bordering Bonsdale Farm are key characteristics in views across the area, otherwise there is a limited range of features. Importance of View: This is an open location in the wide arable landscape with a very limited combination of features. The absence of hedgerows allow extensive visibility across the area. Number of Receptors: This is the PRoW network that links between small settlements across the area. This route is likely to appeal to local users and those from a wider area may be limited due to this being small settlements and minor local roads.	Embedded Mitigati construction, opera stages of the Scher as primary mitigati Panels to be set a r Panels to be set a r property boundari Panels to be set a r Panels to be set a r Panels to be set a r Existing hedges are to a height of 5m. to add further thick the addition of new spaced along the le Lighting will be lim banks only and use Lighting will be PIR personnel moveme a maximum height Lighting required v There will be no lig The visual effects v account equate to (Year 1) and this in been carried out b at this Embedded I
Medium to High	Medium	Medium to High	Not Applicable

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.39] January 2023



itigation

ation would be taken into account at the eration (Year 1 and Year 15) and decommissioning eme. This Embedded Mitigation is also referred to ation and would include the following measures:

minimum of 15m from adjacent PRoW.

minimum of 50m from adjacent residential ries.

minimum of 20m from major watercourses and from minor watercourses.

minimum of 3m from Site boundaries.

re to be allowed to grow out and will be managed Hedgerow trees will be encouraged to grow out ickening and growth to the field boundaries with ew hedgerow trees as appropriate, randomly length of existing hedges.

mited to downlights within substations and battery sed when maintenance or security is required. IR operated and will be calibrated to vehicle and nents. All visible lighting would be 50W, installed at ht of 4m with cowls fitted to prevent light spillage. within panelled areas will be manually operated. ighting on perimeter fencing.

with only the Embedded Mitigation taken into o those effects set out for the operation stage includes secondary mitigation which will have but will have had limited physical or visual impact Mitigation stage.



Viewpoint VP66 – Nthp/504/1

	Construction	Operation (Year 1)	Operation (Year 15)	Decommissioning
	Activities considered includes, site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be screened due to the sloping nature of the landform. During the latter part of the construction stage, the rising landform and the riparian vegetation bordering the River Till would provide some screening such that these activities would be confined and not seen from this view. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows These short-lived construction activities would not be evident within the view. There would not be a fundamental change to the surroundings to the southeast of Nthp/504/1. Construction Access Viewpoint will not be affected by construction traffic due to the distance between the viewpoint and the proposed construction access. Cable Route Corridor Viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 3a or 3b.	The foreground of the view is a large productive agricultural landscape that is rising to the south and stretches itself into the far distance of this field and this will not change and remain agricultural. To the left of view, woodlands to the north of Grange Farm would continue to stand tall and limit views towards the southeast. Built form as part of Grange Farm can be seen to the to the south (left of view, right of woodland) as it stands tall into the horizon, and this would remain as a minor feature of the view. Views from this location are limited and enclosed due to the rising nature of the landform, abruptly stopping any views to the southeast. The Cottam 3a Site sits beyond the brow of a small hill, but overhead cables adjacent to the northeastern boundary of the Site are evident on the open skyline. The effects set out below for Year 1 include secondary mitigation which will have been carried out, but will have had limited physical or visual impact at this stage: Existing hedges Existing hedges to be enhanced with the addition of hedgerow trees. Some of these may be visible along the skyline in places from views along the BOAT. New hedgerows are proposed to the northern boundary and a stretch of norther eastern boundary adjacent to the existing power cables and set back from this. New irregularly spaced native hedgerow trees may be seen along the hedgerow from this viewpoint, softening the open skyline and integrating the power cables into the landscape. Adverse effects: Panels and structures across the landscape Increased hard standing areas Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation	 With secondary mitigation such as planting and grass seeding being taken into account at the operational stage (Year 15) the following changes to the landscape would occur and the visual effects are set out below. By Year 15, vegetation will have established and begun to mature. Some glimpses of hedgerow trees may be visible on the skyline breaking up the view and strengthening the character locally within this open landscape. Between Years 1 and 15, the following beneficial effects will be achieved in terms of Visual Receptors: Grassland reversion around field boundaries and PRoW Increased woodland/vegetation cover A more varied landscape Improved (more natural) management of exiting vegetation Less expanse of intensively managed arable land A less exposed and windswept landscape Water quality improvements Potential animal grazing Reinstatement of historic field patterns Bird mitigation fields Significantly improved biodiversity Growth of existing and proposed vegetation is assumed to be: Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15. 	A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site runoff. Following decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long- term improvements in biodiversity in the local area, all of which will benefit visual receptors. With secondary mitigation considered, the negative effects of the physical decommissioning will be balanced out by the long term landscape and visual effects of this mitigation.
Magnitude	Very Low	Low	Low	Very Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term	Neutral & Short Term
Significance of Effect	Negligible Not Significant	Minor Not Significant	Minor Not Significant	Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.39] January 2023



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	In Summary There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and existing intervening vegetation cover. Therefore, there no in combination visual effects are anticipated.	In Summary The Cumulative Effects upon viewpoint 66 of the Cumulative Development Negligible at year 15 with mitigation. This is due to the limited impact upor of the Sites and Cumulative Developments and proximity to the visual red Secondary Mitigation proposed would screen the panels and therefore the combination. Eabric of the Landscape There would not be the removal of or changes in individual elements or f area. There would be the introduction of new elements and features comprising
		 <u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with the Cottam developments would not be experienced across the majority of the 5km s intervening woodlands, hedgerows, and tree cover between the Site/Sites would also curtail cumulative visibility between these Site/Sites. There are local patches of cumulative visibility which may be focus of likel and Tillbridge Solar. This cumulative visibility is set out in further detail with Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Development
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the Unwooded Vales is shaped by the strong agristrong sense of rural tranquility. In contrast, the low levels of woodland constrained and scape comprising an arable land use within a scattered pattern of set to west and a more strategic road network north to south. These relevant ability to accommodate change without undue adverse effects. The cumunalter the overall character of the landscape within the Unwooded Vales Character of
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1) with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1) with only Embedded Mitigation: Negligible Not Signif Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.39] January 2023

ents is Negligible at year 1 of operation and oon the view as a result of the segregated nature eceptor. Existing vegetation and Embedded and the effects upon the view are reduced in

features of the landscape within the character

ing the solar panel areas and the substation area.

am 3 Site, cumulative visibility with the cumulative study area. This is due to the distance, the tes. The intervening settlements and built form

kely significant effects, between the Cottam 3a Site within the following figures:

elopments Augmented ZTV [C6.4.8.15.2.8]

gricultural presence, with wide areas retaining a l cover create a relatively open and expansive settlement, linked by a series of minor roads east ant characteristics of the landscape have some nulative visibility for the Cottam 3b Site would not Character Area 4a.

m

nificant



Viewpoint VP67 - Monson Road

Viewpoint Baseline:

The view is located along Monson Road, Northorpe, looking southwest towards the Cottam 3a Site and Cottam 3b Site, with the Cottam 2 Site beyond.

Objective: This viewpoint offers views over the Unwooded Vales Character Area 4a, comprising of a plateau landscape within the context of a wider rolling and Wooded Vale to the west of Northorpe and Kirton in Lindsey. The land use is settlement edge looks out towards a predominantly arable interspersed with several small woodland blocks and some hedgerows. The topography is varied with the settlement of Northorpe occupying and area of locally higher ground at approximately 20m AOD. The landscape extends west towards Grange Farm where the topography generally remains at 20m AOD. To the north, the landform falls towards Northorpe Beck and to the south the land is generally 20m AOD then rising towards the medieval village of Southorpe which rises to around 25m AOD. Overall, views to the north and west are open in contrast to the south where the mainline railway and rising landform closes down views and to the east the settlement of Northorpe impedes visibility. In terms of man-made features, Monson Road is dominant along with the residential properties at the edge of the settlement.

Subjective: The viewpoint depicts a large-scale, landscape that is open and exposed due to the lack of hedgerows and intensive arable fields. The main area of woodland is located to the west of the settlement of Northorpe and mainly associated with Northorpe Hall and parkland known as The Park. Further tree cover is associated with Northorpe Beck, otherwise the landscape is largely devoid of tree cover. In terms of variety, the combination of features is limited to occasional hedgerows, small woodland blocks, riparian vegetation along the watercourse and tree cover within Northorpe itself. The woodlands add some interest in terms of their regular, geometric plantation, otherwise the open arable fields add little benefit to the view. In terms of texture, this is an almost bland landscape with very few distinctive features other than the large plantation and the hedgerows between the large-scale field systems. Monson Road is also set below the field level, and this adds some intimacy to the intimacy to the view, enhanced by winding alignment of the road as it skirts Northorpe Hall to the west.

Overall: This is a very open, simple landscape that supports intensive agriculture with a distinct lack of hedgerows and tree cover. The deciduous woodland blocks and woodland associated with Northorpe Hall, and The Park are the neatest attractive features which add balance and a sense of familiarity. The overall feeling is a pleasant and interesting location at the edge of the settlement with wide open views, but there are very few individual features of interest.

Receptors:

This viewpoint is representative of views available to walkers and motorists travelling on Monson Road and for residents along the southern edge of the settlement of Northorpe.

Description of View:

The foreground of the view is set in the context of Monson Road and comprises a narrow grass verge forming the boundary between the road and the arable field beyond. The landform is shown as gently rising up to the south (left of view) and also sloping down to the north (right of view). The view shows a highway footpath bordering the eastern side of Monson Road (right and left of view). There is extended visibility along the Monson Road to the north (left of view) as it opens towards the centre of the settlement of Northorpe. In contrast, the visibility along Northorpe Road to the south (left of view) is curtailed as the road rises and takes a slight bend before leaving the settlement. To the middle ground directly to the west of the Northorpe Road is an expansive arable field with no hedgerow divisions. There is however an area of woodland to the western boundary for the field (right of view) which stands out on the horizon. To the north (right of view) there is a small watercourse which separates the arable field from the residential properties. The watercourse is lined with riparian vegetation which joins with the large woodland on the horizon to give a well-treed context to the view. In the far distance the landform rises to reveal further agricultural fields in the context of the large woodland block that stands tall on the skyline. Monson Road continues towards the south to form a junction with the B1205 and Southorpe Lane.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.40] January 2023





Receptor susceptibility to change	Value of view	Sensitivity	Embedded
In terms of forces for change for VP67, large urban expansions can be expected on the edges of Gainsborough as an area for growth. Other proposals for development including industrial developments could increase traffic levels. The landscape to the north-east of Gainsborough is noted for its distinct absence of large-scale features. This is possibly due to the presence of Laughton Forest and other areas to the south-west that are well-wooded (Wharton Wood and Birch Wood) with the market town of Gainsborough beyond. The area is also host to the Laughton Area of Greater Landscape Value (AGLV). The impacts on the road networks that cross this area from an increase in traffic could be a major consideration. Overall , the susceptibility of VP67 is potentially conditioned by the sensitivity of the villages/hamlets and that the area is relatively sparsely populated with a network of local lanes throughout the surrounding countryside. However, there is an opportunity to protect and enhance the character of these settlements to ensure that these features continue to be perceived as 'islands' of buildings and trees in the flat landscape where churches are landmarks. The relevant characteristics of the landscape therefore have some ability to accommodate change without undue adverse effects given there is scope to protect the setting of the settlements with additional tree planting and other landscape mitigation such as planting within fields.	 <u>Scenic</u>: Nucleated settlement patterns follow major routes with spring line villages along the foot of the Lincolnshire Cliff with some estates and parklands such as Northorpe. <u>Cultural</u>: The main area of woodland is located to the west of the settlement of Northorpe and mainly perceived as an association with Northorpe Hall and parkland known as The Park. <u>Natural</u>: As well as woodlands around Northorpe Hall and The Park, further tree cover is associated with Northorpe Beck, otherwise the landscape is largely devoid of hedgerows and tree cover. <u>Recreation and Enjoyment</u>: The parklands and estates are important historic features including their ancient woodlands and veteran trees that enhance the settings to settlements. The settlement of Northorpe is host to extensive parkland and pleasure grounds at Northorpe Hall. <u>Local Distinctiveness and Sense of Place</u>: The 'sense of place' and inspiration is mainly derived from accessible viewpoints within the settlements that enjoy the extended views over their associated landscape setting. <u>Health and Wellbeing</u>: Panoramic views out over the landscape to the west can be enjoyed from a few locations in Northorpe and these are mainly focused along Monson Road. <u>Important Spatial Function</u>: The spatial character of the area is provided by the large-scale arable landscape, which features geometric woodland blocks as a backdrop in some views. Overall, the value of Viewpoint VP67 is shaped by the presence of the open and expansive arable landscape, in close proximity to the edge of Northorpe. This landscape, on the park and Northorpe Hall is an interesting combination of features to appear in views across the area. 	Range of Features: This location comprises the local road network within a small settlement. This is a part open location where the absence of hedgerows allows extended visibility across the arable landscape from the edge of the settlement. The main area of woodland is located to the west of the settlement of Northorpe and mainly perceived as an association with Northorpe Hall and parkland known as The Park and is the key characteristic in views across the area, otherwise there is a limited range of features. Importance of View: This is a part open location with framed views across an arable landscape with a very limited combination of features. The absence of hedgerows allows extensive visibility across the area. Number of Receptors: This is the local road network that links between small settlements and the local road network across the area. This route is likely to appeal to local users and those from a wider area may be limited due to this being small settlements and minor local roads.	Embedded W construction, decommissic Mitigation is would include Panels to be Panels to be residential pr Panels to be and minimur Panels to be Existing hedg managed to a encouraged t growth to the hedgerow tre length of exis Lighting will B battery banks is required. L calibrated to lighting woul with cowls fit within panell be no lighting The visual eff into account operation sta mitigation wh limited physis stage.
Medium	Medium	Medium	Not Applicab

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.40] January 2023

ed Mitigation

Mitigation would be taken into account at the on, operation (Year 1 and Year 15) and sioning stages of the Scheme. This Embedded is also referred to as primary mitigation and ude the following measures:

be set a minimum of 15m from adjacent PRoW.

be set a minimum of 50m from adjacent l property boundaries.

be set minimum of 20m from major watercourses um of 8m from minor watercourses.

be set a minimum of 3m from Site boundaries.

edges are to be allowed to grow out and will be to a height of 5m. Hedgerow trees will be ed to grow out to add further thickening and the field boundaries with the addition of new trees as appropriate, randomly spaced along the existing hedges.

ill be limited to downlights within substations and nks only and used when maintenance or security . Lighting will be PIR operated and will be to vehicle and personnel movements. All visible ould be 50W, installed at a maximum height of 4m fitted to prevent light spillage. Lighting required elled areas will be manually operated. There will ting on perimeter fencing.

effects **with only** the Embedded Mitigation taken nt equate to those effects set out for the stage (Year 1) and this includes secondary which will have been carried out but will have had ysical or visual impact at this Embedded Mitigation

able



Viewpoint VP67 – Monson Road

Viewpoint VP	267 – Monson Road			
	Construction	Operation (Year 1)	Operation (Year 15)	Decommissioning
	Activities considered includes, site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be screened due to the presence of the trees and woodland in the distance associated with Grange Farm and the rising landform. During the latter part of the construction stage, views would not be available of the elevated activities above the existing woodland. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows These short-lived construction activities would not be evident within the view. There would be no change to the arable land use from the construction and the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the west of Monson Road. Construction Access Viewpoint will not be affected by construction traffic due to the distance between the viewpoint and the proposed construction access. Cable Route Corridor Viewpoint is outside of the 0.5km study area.	The foreground of the view would not change in the context with Monson Road and the arable field beyond. The views would still capture the landform as gently rising up to the south (left of view) and also sloping down to the north (right of view). The extended visibility along the Monson Road to the north would continue to be a feature of the view in contrast to the road as it rises and takes a slight bend before leaving the settlement. To the middle ground directly to the west of the Northorpe Road is an expansive arable field with no hedgerow divisions and this would not change. The panels would be set within the landscape beyond the area of woodland which stands out on the horizon and so would not appear in the view due to the rising landform and the distance to the receptor. The trees on the horizon are those associated with Grange Farm driveway and the Site is not evident beyond this. Tree planting to the eastern boundaries of the Cottam 3a Site is unlikely to be visible from this viewpoint. The effects set out below for Year 1 include secondary mitigation which will have been carried out, but will have had limited physical or visual impact at this stage: <u>Existing hedges</u> Existing hedges Existing hedges to the northeastern corner of the Cottam 3a Site are to be enhanced with the addition of hedgerow trees. Some of these may be visible along the skyline in places from views along the BOAT. <u>New hedgerows are proposed to the northern boundary and a stretch</u> of norther eastern boundary adjacent to the existing power cables and set back from this. New irregularly spaced native hedgerow trees may be seen along the hedgerow from this viewpoint, softening the open skyline and integrating the power cables into the landscape. Adverse effects: Panels and structures across the landscape Increased traffic locally Some minor light pollution within open countryside Substation, Battery storage and other associated infrastructure structures visible above existing vegetation	 With secondary mitigation such as planting and grass seeding being taken into account at the operational stage (Year 15) the following changes to the landscape would occur and the visual effects are set out below. By Year 15, vegetation will have established and begun to mature. Some glimpses of hedgerow trees may be visible on the skyline breaking up the view and strengthening the character locally at the edge of the settlement. Between Years 1 and 15, the following beneficial effects will be achieved in terms of Visual Receptors: Grassland reversion around field boundaries and PRoW Increased woodland/vegetation cover A more varied landscape Improved (more natural) management of exiting vegetation Less expanse of intensively managed arable land A less exposed and windswept landscape Water quality improvements Potential animal grazing Reinstatement of historic field patterns Bird mitigation fields Significantly improved biodiversity Growth of existing and proposed vegetation is assumed to be: Woodland/trees and shelterbelts: 2.5m max at Year 1, 7.5m max at Year 15. New hedgerows: 0.6m at Year 1 and 3.5m at Year 15. Shrubs: 0.9m at Year 1 and 5m at Year 15. 	A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning including site traffic, noise and vibration from decommissioning activities, dust generation and site runoff. Following decommissioning, the land is likely to be returned to arable production. The Site will however benefit from the significantly enhanced tree and hedgerow planting that has been carried out and has begun to mature to create a much stronger and robust landscape, retaining and enhancing the overall character and providing considerable biodiversity benefits over the years. Bird mitigation fields are likely to be retained and the potential may exist to retain grass margins to preserve some varied land use and maintain long- term improvements in biodiversity in the local area, all of which will benefit visual receptors. With secondary mitigation considered, the negative effects of the physical decommissioning will be balanced out by the long term landscape and visual effects of this mitigation.
Magnitude	Very Low	Very Low	Low	Very Low
Type of Effect	Neutral & Short Term	Neutral & Short Term	Beneficial & Long Term	Neutral & Short Term
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor Not Significant	Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.40] January 2023



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	In Summary There would be no intervisibility between the Cottam 1 Site/Sites, Cottam 2 Site, and Cottam 3a and 3b Sites, due to distance and existing intervening vegetation cover. Therefore, there no in combination visual effects are anticipated.	In Summary The Cumulative Effects upon viewpoint 67of the Cumulative Development year 15 with mitigation. This is due to the limited impact upon the view as and Cumulative Developments and proximity to the visual receptor. Existi Mitigation proposed would screen the panels and therefore the effects up Fabric of the Landscape There would not be the removal of or changes in individual elements or for area. There would be the introduction of new elements and features comprisin Aesthetic Aspects of the Landscape Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with the Cottamm cumulative developments would not be experienced across the majority of distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility between these Site/Sites There are local patches of cumulative visibility which may be focus of likel Siteand Tillbridge Solar. This cumulative visibility is set out in further detail Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develo Overall Landscape Character and Visual Amenity Overall, the character of the Unwooded Vales is shaped by the strong agr strong sense of rural tranquility. In contrast, the low levels of woodland col landscape comprising an arable land use within a scattered pattern of set <
Magnitude	No Change	 ability to accommodate change without undue adverse effects. The cumu alter the overall character of the landscape within the Unwooded Vales Ch Construction: Very Low Operation (Year 1): Very Low Operation (Year 1) with only Embedded Mitigation: Very Low Operation (Year 15): Very Low
Type of Effect	No Change	Decommissioning: Very Low Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1) with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1) with only Embedded Mitigation: Negligible Not Signifi Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.2.4: Viewpoint Analysis & Evaluation – Views Not Significant [Reference: EN010133/APP/C6.3.8.3.2.4.40] January 2023

nts is Minor at year 1 of operation and Minor at as a result of the segregated nature of the Sites ting vegetation and Embedded and Secondary upon the view are reduced in combination.

features of the landscape within the character

ng the solar panel areas and the substation area.

m 3a and 3b Sites, cumulative visibility with the of the 5km study area. This is due to the n the Site/Sites. The intervening settlements and es.

ely significant effects, between the Cottam 3a ail within the following figures:

opments Augmented ZTV [C6.4.8.15.2.8]

ricultural presence, with wide areas retaining a cover create a relatively open and expansive ettlement, linked by a series of minor roads east nt characteristics of the landscape have some ulative visibility for the Cottam 3b Site would not Character Area 4a

ificant

Reference	Name	Туре	Easting	Northing	Site	Distance to Site (m)	Potential Cumulative Yes/No	Potential Cumulative (List which Sites)	Relevant Viewpoint/s	Receptor Baseline	Primary Mitigation (Embedded)	Secondary Mitigation	Significant Effects	
R03	Mount Pleasant Farm	Singular building	487362	397469	Cottam 3a	551		n/a	VP66	Farmstead with agricultural buildings and business premises (Lawn Mower Shop). Main dwelling with north facing aspect looking towards Dallison Plantation and east aspect looking towards Northorpe. Collection of outbuildings to west and south aspect. Mature tree cover bordering north, south and west boundary of curtilage. Open aspect to east boundary looking towards Northorpe and partially open aspect to south boundary looking towards Cottam 3a Site/Sites.	Not applicable	Not applicable	No	Unlikely visibility toward enclosed aspect of the p intervening hedegrows further curtail visibility.
R07	Grange Farm	Singular building	488323	397048	Cottam 3a	627	N	n/a	VP66	Farmstead with agricultural buildings and business premises (Brush and Clippers Dog Grooming). Main dwelling with south facing aspect looking towards adjacent business premises with Blenheim Farm (R11) beyond. Collection of outbuildings to west and north aspect. Mature tree cover bordering south boundary of curtilage. Open asect to the east curtilage looking towards Northorpe.	Not applicable	Not applicable	No	No visibility towards Co to property curtilage. Th provide additional layer out.
R08	Dring Lane	Singular building	486496	396934	Cottam 3a	689	N	n/a	LCC-C-T	Respect Green Burial Park with collection of agricultural buildings, including access tracks and storage sheds. Burial park and agricultura buildings are located towards the northern end of the curtilage and both are inward facing with no open aspect. There is mature tree cover and tall hedgerows to all boundaries.	l Not applicable	Not applicable	No	No visibility towards Co aspect to property curti hedegrows provide add visibility. Scope out.
R09	Cold Harbour	Singular building	487218	396468	Cottam 3a	63	N	n/a	VP60	Blyton Park Racing Centre with parking and access tracks. Main administrative building is a large scale storage shed with no clearly defined aspect or outlook. The immediate curtilage to the shed has ar open aspect towards the north,west and east and a partially open aspect towards the south. There is a collection of outbuildings (R10) to the south of the shed, with a mature belt of scrub and tree cover beyond.	Panels set back from boundary of curtilage.	New planting bordering the west and east and part planting to the north boundaries of the immediate curtilage.	No	Open visibility towards east and part north bou in Year 1 and close dow (R10) curtail visibility to
R10	Cold Harbour	Singular building	487221	396321	Cottam 3a	86	N	n/a	VP60	Collection of outbuildings with parking and access tracks with no clearly defined aspect or outlook. The immediate curtilage to the outbuildings have a partailly open aspect towards the north and the Blyton Park Driving Centre (R09) and an open aspect towards the south with a mature belt of scrub and tree cover beyond. There is an open aspect towards the west and east.	Panels set back from boundary of curtilage.	New planting bordering the west, east and south boundaries and part planting to the north boundaries of the immediate curtilage.	No	Open visibility towards (east, south and part no visibility in Year 1 and cl Centre (RO9) curtails vis
R11	Blenheim Farm	Singular building	487958	396141	Cottam 3a	134	N	n/a	VP61	Farmstead with large collection of agricultural buildings and business premises (Blenheim Farm). Main dwelling is situated just off the B1205 (Kirton Road) with south facing aspect looking towards the road. There is also an open aspect to the east looking towards Northorpe Hall and Northorpe (R06) and to the north towards Grange Farm (R07). The large collection of agricultural buildings are located tr west of (and some distance from) the main dwelling. Woodland and mature tree cover borders the north, south and west boundary of the agricultural buildings and the south boundary of the dwelling house.	D	Not applicable	No	No visibility towards Co and mature tree cover a house and the interveni
R13	Blue Bell Farm	Group of buildings	486158	395918	Cottam 3a	97	N	n/a	VP63	Farmstead (Blyton Grange) with extensive collection of outbuildings, agricultural buildings, access tracks, parking and storage areas. Main dwelling has south and east facing aspect with additional outbuildings that are north and east facing. There are woodlands and hedgerows to the north, west and east boundaries. There is a partially open aspect to the south with some garden planting and a wall, but with a further tall conifer hedegrow beyond.	Panels set back from boundary of curtilage.	New planting bordering the west, east and south boundaries of the immediate curtilage.	No	Open visibility towards (east and south boundar Year 1 and close down v boundary of the curtilag
R13	Blue Bell Farm	Group of buildings	486158	395918	High voltage cable corridor and access	938.379286				Sewage works with single track access off Blyton Road to the east. Sit				No visibility towards Co
R15	Sewage Works	Singular building	485355	395850	Cottam 3a	411	N	n/a	LCC-C-U	surrounded by tree cover on all sides with additional internal areas of woodland and mature tree cover along the access track. No open aspect or outlook.		Not applicable	No	and tree cover around t mature tree cover along and tree cover between
R18	Southorpe Farm	Singular building	488574	395262	Cottam 3a	540	N	3b	VP59	Farmstead with outbuildings and agricultural buildings with access track from Bonsall Lane to the west. Main dwelling has a south, west and east facing aspect with additional outbuildings to the north. There are woodlands and hedgerows to the south, west and east boundaries of the garden curtilage with further woodland and tree cover bordering the mainline railway to the south.	Not applicable	Not applicable	No	No visibility towards Co tree cover around the b mature tree and woodla hedgerow to the east si
R18	Southorpe Farm	Singular building	488574	395262	Cottam 3b	632	N	3a	VP59	Farmstead with outbuildings and agricultural buildings with access track from Bonsall Lane to the west. Main dwelling has a south, west and east facing aspect with additional outbuildings to the north. There are woodlands and hedgerows to the south, west and east boundaries of the garden curtilage with further woodland and tree cover bordering the mainline railway to the south.	Not applicable	Not applicable	No	No visibility towards Co tree cover around the b mature tree and woodla hedgerow to the east si
R19	Unnamed	Group of buildings	486493	395259	Cottam 3a	62	N	3b	LCC-C-T	Large-scale agricultural buildings with access track from Kirton Road to the south. No residential dwelling and the agricultural buildings have a southwest main frontage and entrance. There are hedgerows to the south, west and part-east boundaries of the site.	Not applicable	Not applicable	No	Agricultural building. Sc
R19	Unnamed	Group of buildings	486493	395259	Cottam 3b	752	N	За	LCC-C-T	Large-scale agricultural buildings with access track from Kirton Road to the south. No residential dwelling and the agricultural buildings have a southwest main frontage and entrance. There are hedgerows to the south, west and part-east boundaries of the site.	Not applicable	Not applicable	No	Agricultural building. Sc
R19	Unnamed	Group of buildings	486493	395259	High voltage cable corridor and access	243.168471							1	1

	Significant Effects	Notes
	No	Unlikely visibility towards Cottam 3a Site/Sites or 3b Sites due to the partially enclosed aspect of the property curtilage. The flat, low lying landform and intervening hedegrows provide additional layering in the landscape and further curtail visibility. Scope out.
	No	No visibility towards Cottam 3a or Cottam 3b Site/Sites, due to closed aspect to property curtilage. The flat, low lying landform and intervening hedegrows provide additional layering in the landscape and further curtail visibility. Scope out.
	No	No visibility towards Cottam 3a or Cotttam 3b Site/Sites, due to fully closed aspect to property curtilage. The flat, low lying landform and intervening hedegrows provide additional layering in the landscape and further curtail visibility. Scope out.
9	No	Open visibility towards Cottam 3a Site/Sites but new planting along the west, east and part north boundaries of the immediate curtilage will curtial visibility in Year 1 and close down visibility in Year 15. The collection of outbuildings (R10) curtail visibility towards the south.
2	No	Open visibility towards Cottam 3a Site/Sites but new planting along the west, east, south and part north boundaries of the immediate curtilage will curtial visibility in Year 1 and close down visibility in Year 15. The Blyton Park Driving Centre (R09) curtails visibility towards the north.
	No	No visibility towards Cottam 3a or 3b Site/Sites due to the existing woodland and mature tree cover along the west and south boundaries of the dwelling house and the intervening agricultural buildings. Scope out.
2	No	Open visibility towards Cottam 3a Site/Sites but new planting along the west, east and south boundaries of the immediate curtilage will curtial visibility in Year 1 and close down visibility in Year 15. The mature tree cover to the east boundary of the curtilage further curtails visibility.
	No	No visibility towards Cottam 3a or 3b Site/Sites due to the existing woodland and tree cover around the boundaries of the Sewage works site and additonal mature tree cover along the access track. There is also intervening hedgerows and tree cover between the sewage works and Laughton Road. Scope out.
	No	No visibility towards Cottam 3a Site/Sites due to the existing woodland and tree cover around the boundaries of the garden curtilage and additonal mature tree and woodland cover along the mainline railway. There is also a tall hedgerow to the east side of Bonsall Lane. Scope out.
	No	No visibility towards Cottam 3b Site/Sites due to the existing woodland and tree cover around the boundaries of the garden curtilage and additonal mature tree and woodland cover along the mainline railway. There is also a tall hedgerow to the east side of Bonsall Lane. Scope out.
	No	Agricultural building. Scope out
	No	Agricultural building. Scope out

R20	The Fields Farm	Group of buildings	486694	395003	Cottam 3a	168	N	3b	LCC-C-T	Farmstead with two dwellings comprising 'The Fields' to the north and 'The Cottage' to the south. There are agricultural buildings with hard standing and access tracks to the south of 'The Cottage' known as 'The Fields Farm'. There is a strong hedgerow to the west boundary of the garden curtilages and strong hedge to the north side of Kirton Lane. There is further woodland and tree cover bordering the mainline railway to the south. 'The Cottage' has open aspect to the north, south and east, but the agricultural buildings at 'Fields Farm' close down any visibility to the south along with the tree cover along the mainline railway, intervening field boundaries and the hedrgwos along Kirton Road .	Panels set back from boundary of Kirton Road frontage.	New planting bordering the south boundary of the 3a Site/Sites fronting Kirton Road to supplement the existing hedgerow.
	The Fields Farm	Group of buildings	486694		Cottam 3b	447		3a	LCC-C-T	Farmstead with three dwellings comprising 'The Fields' to the north, then 'The Cottage', then 'The Fields Farm' to the south of the site. There are agricultural buildings with hard standing and access tracks to the south of 'The Fields Farm'. There is a strong hedgerow to the west boundary of the garden curtilages and strong hedge to the north side of Kirton Lane. There is further woodland and tree cover bordering the mainline railway to the south. 'The Fields' has open, but oblique views from the first floor windows of the front aspect of the property, but ground floor views are curtailed by the front boundary hedgerow and the hedgerow to the north side of Kirton Road.	Not applicable	Not applicable
	The Fields Farm Grange Farm	Group of buildings	486694		High voltage cable corridor and access	265		3b	LCC-C-T	Farmstead with single dwelling to the south of the site with its main aspect facing towards the southeast. There are agricultural buildings to the northwest of the dwelling and a strong hedgerow to the northeast boundary of the garden curtilage. There are also mature trees and shrubs to the south, west and east boundaries of the garder curtilage and there is further woodland and tree cover bordering the mainline railway to the south. The fields also support a strong hedgerow network and hedgerows to both sides of Kirton Road. The dwelling has open, but oblique views from the first floor windows, bui ground floor views are curtailed by the garden boundary vegetation.	n Not applicable t	Not applicable
	Grange Farm	Singular building	486585		Cottam 3b	365	N	3a	LCC-C-T	Farmstead with single dwelling to the south of the site with its main aspect facing towards the southeast. There are agricultural buildings to the northwest of the dwelling and a strong hedgerow to the northeast boundary of the garden curtilage. There are also mature trees and shrubs to the south, west and east boundaries of the garder curtilage and there is further woodland and tree cover bordering the mainline railway to the south. The fields also support a strong hedgerow network and hedgerows to both sides of Kirton Road.The dwelling has open, but oblique views from the first floor windows, but ground floor views are curtailed by the garden boundary vegetation.	Not applicable	Not applicable
R21	Grange Farm Top Farm	Singular building Singular building	486585 487455		High voltage cable corridor and access	302.61679	N	3b	VP59	Farmstead with single dwelling to the north of the garden curtilage with its main aspect facing towards the south. There are agricultural buildings to the northwest of the dwelling and a tall, strong hedgerow to this boundary. There are also mature trees and shrubs to the south west and east boundaries of the garden curtilage and there is further woodland and tree cover bordering both sides of the mainline railway to the south. The surrounding fields also support a strong hedgerow network with some tree cover. The dwelling has open views from the first floor windows, but ground floor views are curtailed by the garder boundary vegetation.	Panels set back from boundary of Kirton Road frontage.	New planting bordering the south boundary of the 3a Site/Sites fronting Kirton Road to supplement the existing hedgerow.
R22 R22	Top Farm Top Farm	Singular building Singular building	487455 487455		Cottam 3b High voltage cable corridor and access	95 399.766794		3a	VP59	Farmstead with single dwelling to the north of the garden curtilage with its main aspect facing towards the south. There are agricultural buildings to the northwest of the dwelling and a tall, strong hedgerow to this boundary. There are also mature trees and shrubs to the south west and east boundaries of the garden curtilage and there is further woodland and tree cover bordering both sides of the mainline railway to the south. The dwelling has open views from the first floor windows, but ground floor views are curtailed by the garden boundary vegetation.	, Panels set back from boundary of mainline	Existing vegetation along mainline railway already forms a strong and a robust screen.
	Top Farm	Singular building	487455		High voltage cable corridor and access	783.547134		<u> </u>				
R23	Blyton	Town or Village	485327	394814	Cottam 3a	807	N	3b		Residential dwellings towards the eastern edge of the settlement of Blyton, which include those to the east side of Station Road, those to either side of Kirton Road and the dwellings at Meadow View and Irwin Road. The landscape supports a good network of tree and hedgerow cover, including the vegetation to both sides of the mainline railway and the riparian vegetation bordering the Laughton Highland Drain, which form a significant screen. There are also intervening fields with a strong hedgerow network and occasional tree cover.	Panels set back from west boundary of Cottam 3a Site/Sites.	New planting bordering the west boundary of the 3a Site/Sites to supplement the existing hedgerows and tree belts.
R25	Glebe Farm	Singular building	486517	394187	Cottam 3a	948	N	3b	VP56	Residential dwelling located to the northeast of the settlement of Pilham served by an access track off Station Road. The track is also a public footpath (Pilh/20/1). The dwelling is located to the northwest of the garden curtilage with outbuildings occupying the eastern part of the plot. The main outlook and aspect from the property is east west with a north facing gabled addition. The garden curtilage is fully enclosed with mature tree cover on all boundaries and theer is an adjoining field hedgerow to the east of the property.	Not applicable	Not applicable
R25	Glebe Farm	Singular building	486517	394187	Cottam 3b	161	N	3a	VP56	Residential dwelling located to the northeast of the settlement of Pilham served by an access track off Station Road. The track is also a public footpath (Pilh/20/1). The dwelling is located to the northwest of the garden curtilage with outbuildings occupying the eastern part of the plot. The main outlook and aspect from the property is east west with a north facing gabled addition. The garden curtiage is fully enclosed with mature tree cover on all boundaries and theer is an adjoining field hedgerow to the east of the property.	Panels set back from west boundary of Cottam 3b Site/Sites.	New planting bordering the west boundary of the 3b Site/Sites to include a new tree belt.

ie	No	Oblique visibility from upper floor of windows of 'The Fields' towards Cottam 3a Site/Sites. Limited and oblique visibility from 'The Cottage' due to boundary hedgerows fronting Kirton Road and the land falling towards the south.New planting along the south boundary of the 3a Site/Sites fronting Kirton Road will curtial visibility in Year 1 and close down views in Year 15.
	No	No visibility towards Cottam 3b Site/Sites due to intervening hedgerows and tree cover and strong woodland and tree cover along the mainline railway. Scope out.
	No	Unlikely visibility towards Cottam 3a Site/Sites due to intervening hedgerows within the field network to the south of Kirton Road. There is also tree cover along Kirton Road. Views are also oblique and the landform falls away from the 3a Site/Sites towards Grange Farm. Scope out.
	No	Unlikely visibility towards Cottam 3b Site/Sites due to intervening hedgerows within the field network to the south of Kirton Road. There is also dense tree cover along the mainline railway. Scope out.
ie	No	Limited visibility towards Cottam 3a Site/Sites due to intervening hedgerows within the field network to the south of Kirton Road. There is also tree cover along Kirton Road. The landform also falls away from the 3a Site/Sites towards Top Farm.
st	No	Limited visibility towards Cottam 3b Site/Sites due to intervening dense tree cover along both sides of the mainline railway. Top Farm is also set back to the north part of the garden curtilage and the panels are set beck back from the mainline railway frontage to the south.
_		
ie he ee	No	Limited visibility due to the exisitng strong boundary vegetation to the west side of the Cottam 3a Site/Sites, inlcuding tree belts, hedgerows and small geometric blocks of trees. New planting will curtail visibility in Year 1 and close down visibility in Year 15.
	No	No visibility towards Cottam 3a Site/Sites due to intervening hedgerows within the field network to the north and south of the mainline railway. There is also tree cover to each side of the mainline railway and riparian tree cover along Laughton Highland Drain. Scope out.
ie /	No	Limited visibility due to the provision of new strong boundary vegetation to the west side of the Cottam 3a Site/Sites, inlcuding a tree belts, which will curtail visbility in Year 1 and close down visibility in Year 15.

	1							-				-
R25 R25	Glebe Farm Glebe Farm	Singular building Singular building	486517 486517	394187 High voltage cable corridor and access 394187 High voltage cable corridor and access	667.889799 780.693387							
R26	Bonsdale Farm	Group of buildings	488188	394067 Cottam 3b	321	N	n/a	VP57	Farmstead with three dwellings and large scale agricultural buildings, parking, storage and outbuildings. The dwellings comprise 'Tawny House', 'Highfield' and 'Bonsdale Farm' and all have their aspects facing south towards the Cottam 2 Site/Sites. The agricultural buildings fully occupy the plot to north of the dwellings and close down any visibility in this direction towards the Cottam 3b Site/Sites. There are also mature trees and shrubs to the garden curtilage of 'Tawny House' and there is further woodland and tree cover bordering Bonsall Lane. The surrounding fields to the south also support a strong hedgerow network with some tree cover.	Not applicable	No	No visibility towards C buildings to the north to the northwest. The network with some tr and the Cottam 2 Site
R26	Bonsdale Farm	Group of buildings	488188	394067 High voltage cable corridor and access	470.964749				Decidential due litere means of the black means interior of the section of the			
R28	Pilham	Group of buildings	486237	393807 Cottam 3b	586	N	n/a	VP55	Residential dwellings grouped to the north side of the settlement of Pilham between Firs Farm. Station Farm Hollyoak House and Home Farm. At this location, the landscape supports significant groups of tree cover, including rows of mature trees within hedgerows and a strong tree and hedgerow network bordering the public footpath (Pilh/20/1) that passes to the south of Glebe Farm.	Not applicable	No	No visibility towards Co hedgerow cover to the sides of the public foo
R30	Dunstall	Singular building	488955	393735 Cottam 2	733	N	n/a	VP57	Agricultural building. Not applicable	Not applicable	No	Agricultural building v
R31	Gilby	Singular building	486367	393319 Cottam 3b	927	N	n/a	VP52	Farmstead with a large scale agricultural building, barns and outbuildings and a farmhouse to the south of the plot. There is also a further small group of dwellings to the north known as 'Gilby Cottages'. There are mature trees and shrubs to the garden curtilage of the farmhouse and the surrounding fields to the north, south and east also support a strong hedgerow network with some tree cover.	Not applicable	No	No visibility towards C Aisby. The surroundin strong hedgerow netv
R32	Aisby	Group of buildings	487251	392968 Cottam 2	890	N	n/a	VP53	Collection of farmsteads and residential dwellings, including Netherdene Farm, Dale Farm, Swallow House, Aisby House Farm and Moscar Farm. The building group is set back from Bonsall Lane and there is a strong woodland block to the southeast of Moscar Farm.	Not applicable	No	No visibility towards C the southeast of Moso east also support a str
R32	Aisby	Group of buildings	487251	392968 High voltage cable corridor and access	199.951625							Visibility in all direction
R33	The Cottage	Singular building	488028	392155 Cottam 2	53	N	n/a	VP49	Two storey dwelling situated to the north of Coringham Grange Farm within an elongated plot. The main aspect of the dwelling is facing south over lawned gardens with some tree cover to the west and south (closer to the property). There are field hedgerows to the north comprising a double hedgerow (running east west) and a further hedegrow running north south to the west of the access track that serves both this property and Corringham Grange Farm. Panels set back from all boundaries of the 'The Cottage' and 'Corringham Grange Farm'.	New planting bordering the north, south, west and east boundary of both 'The Cottage' and 'Corringham Grange Farm' to include a new tree belts, hedgerows and hedgerow trees.	No	where the windows ar short area of panels w views would be mainly of panel 'set back'. Vie the bordering field hee Grange. Planting mitig at Year 15.
R33	The Cottage	Singular building	488028	392155 High voltage cable corridor and access	294.977304							
R34	Yawthorpe	Group of buildings	489643	391971 Cottam 2	549	N	n/a	VP50	Collection of farmsteads, including Ancliffe Farm, Home Farm, Taskers Farm and Park Farm. The building group is set back behind a strong woodland block to the south of Taskers Farm. Riparian vegetation along Yawthorpe Beck and intervening hedgerows and topography close down views.	Not applicable	No	No visibility towards C the south of Taskers Fa strong hedgerow netw Yawthorpe Beck is a st
R35	Hall Farm & Old Farm	Group of buildings	487315	391967 Cottam 2	401	N	n/a	LCC-C-P	Farm is located to the southwest of the plot with a south facing boundary of Cottam 2	st New scattered tree planting along Corringham Beck and y enhancement to hedgerows within field boundary to the south of the beck as far as East Lane.	No	Visibility towards Cott windows to front elev Site/Sites. Views from bordering hedgerows curtail views at Year 1
R35	Hall Farm & Old Farm	Group of buildings	487315	391967 High voltage cable corridor and access	765.448652							
R36	Corringham Grange Farm	Singular building	488025	391878 Cottam 2	71	N	n/a	VP49	Two storey dwelling situated to the south of 'The Cottage' within a broadly rectangular plot. The main aspect of the dwelling is facing south over lawned gardens with some tree cover to the west and southeast (closer to the property) and further tree cover and hedgerows defining the domestic curtilage to the west, south and east. There are field hedgerows to the southeast comprising a double hedgerow (running north south) defining the access track that serves both this property and 'The Cottage' and a further hedgerow running east west to the south of the property. To the north, the majority of the plot is occupied by large-scale agricultural buildings and to the east there is a small area of woodland.	New planting bordering the north, south, west and east boundary of both 'Corringham Grange Farm' and 'The Cottage' to include a new tree belts, hedgerows and hedgerow trees.		Visibility to the south, first floor, where the w would be a short area woodlands at Old Hall. would close down view mainly curtailed by the Planting mitigation wo 15.
R36	Corringham Grange Farm	Singular building	488025	391878 High voltage cable corridor and access	572.568033							
R36	Corringham Grange Farm Corringham	Singular building Town or Village	488025 487056	391878 High voltage cable corridor and access	960.823077	N	n/a	VP48	Residential properties at the eastern edge of the settlement of Corringham fronting East Lane. The dwellings are set to each side of the road frontage with their main aspects facing north south. Properties to the south side are well 'set back' from the lane frontage behind mature front gardens. There is a dense shelterbelt to the north side of East Lane and a small block of woodland to the south side of thr lane that both close down views towards the Site/Sites.	Not applicable	No	No visibility towards Co and shelterbelt at the o properties also have a front gardens. Scope o
R39	Corringham Windmill	Singular building	487942	390966 Cottam 2	443	N	n/a	VP46	Derelict building Not applicable	Not applicable	No	Derelict building. Scop
R39 R40	Corringham Windmill Magin Moor Cottages	Singular building Singular building	487942 489619	390966 High voltage cable corridor and access 390823 Cottam 2	413.717256	N	n/a	VP45	Detached, two-storey dwelling just off the A631 to the south of the settlement of Yawthorpe and west of Hemswell Grange. The property is north south facing with the rear elevation looking over the agricultural landscape towards the wooded horizon at Yawthorpe. There is substantial tree cover within the rear garden around the north, west and east boundaries.	Not applicable	No	No visibility towards C property, the distance north,west and south l
R40 R44	Magin Moor Cottages Grange Cottage	Singular building Singular building	489619 489287	390823 High voltage cable corridor and access 390133 High voltage cable corridor and access	590.590408 338.514687		<u> </u>					
R45	Springthorpe Grange	Group of buildings	489440	390089 High voltage cable corridor and access	477.009723							
R46	Unnamed	Singular building	488168	389996 High voltage cable corridor and access	518.396548							
R50	Low Field Farm	Singular building	490468	387334 High voltage cable corridor and access	300.87881			1				

pplicable	No	No visibility towards Cottam 3b Site/Sites due to intervening agricultural buildings to the north and the woodland and tree cover bordering Bonsall Lane to the northwest. The surrounding fields also support a strong hedgerow network with some tree cover and close down any views towards the south and the Cottam 2 Site/Sites. Scope out.
pplicable	No	No visibility towards Cottam 3b Site/Sites due to intervening tree and hedgerow cover to the north of Pilham. The strong tree cover bordering both sides of the public foopath (Pilh/20/1) also closes down visibility. Scope out.
pplicable	No	Agricultural building with no residential visibility. Scope out.
ipplicable	No	No visibility towards Cottam 3b Site/Sites due to the intervening settlement of Aisby. The surrounding fields to the north, south and east also support a strong hedgerow network with some tree cover. Scope out.
pplicable	No	No visibility towards Cottam 2 Site/Sites due to the strong woodland block to the southeast of Moscar Farm. The surrounding fields to the north, south and east also support a strong hedgerow network with some tree cover. Scope out.
planting bordering the , south,west and east dary of both 'The ge' and 'Corringham ge Farm' to include a tree belts, hedgerows iedgerow trees.	No	Visibility in all directions towards the Cottam 2 Site/Sites from the first floor, where the windows are north south focused. To the north there would be a short area of panels with Corringham Beck in the background. To the south views would be mainly focussed on the Corringham Grange curtilage and area of panel'set back'. Views from the ground floor would be mainly curtailed by the bordering field hedgerows and by the close proximity of Corringham Grange. Planting mitigation would curtail views at Year 1 and close down views at Year 15.
pplicable	No	No visibility towards Cottam 2 Site/Sites due to the strong woodland block to the south of Taskers Farm. The surrounding fields to the west also support a strong hedgerow network with some tree cover and riparian vegetation along Yawthorpe Beck is a strong feature. Scope out.
scattered tree planting ; Corringham Beck and ncement to hedgerows n field boundary to the n of the beck as far as Lane.	No	Visibility towards Cottam 2 Site/Sites for Keeper's Cottage from upper floor windows to front elevation of property looking east directly towards the Site/Sites. Views from ground floor windows would be curtailed by the bordering hedgerows to each side of Bonsall Lane. Planting mitigation would curtail views at Year 1 and close down views at Year 15.
	-	
planting bordering the n, south, west and east dary of both ingham Grange Farm' The Cottage' to include v tree belts, hedgerows nedgerow trees.	No	Visibility to the south, west and east towards the Cottam 2 Site/Sites from the first floor, where the windows are mainly south focused. To the south there would be a short area of panels with East Lane beyond. To the west, there would also be a short area of panels with views mainly focussed on the woodlands at Old Hall. To the west, there is a large area of woodland that would close down views at close range. Views from the ground floor would be mainly curtailed by the bordering field hedgerows and the curtilage planting. Planting mitigation would curtail views at Year 1 and close down views at Year 15.
pplicable	No	No visibility towards Cottam 2 Site/Sites due to the strong woodland blocks and shelterbelt at the eastern edge of the settlement. The residential properties also have a north south aspect and are set back behind mature front gardens. Scope out.
policable	No	Daralict huilding. Scope out
pplicable	No	Derelict building. Scope out.
pplicable	No	No visibility towards Cottam 2 Site/Sites due to the north south aspect of the property, the distance and the strong tree cover within the rear garden to the north,west and south boundaries. Scope out.

R51	Westlands Farm	Singular building	491711	387312	Cottam 1	843	N	n/a	VP41	Farmstead with single dwelling and large scale agricultural buildings. The dwelling comprises a collection of barns arranged a four side foldyard and all have their aspects facing in all directions. The agricultural buildings fully occupy the plot to north of the dwellings and close down any visibility in this direction towards the Cottam 2 Site/Sites. There are also mature trees and large woodland blocks that fully enclose the grounds to the property.	Not applicable	Not applicable
R52	Low Farm	Singular building	492043	387210	Cottam 1	764	N	n/a	VP41	Farmstead with single dwelling and large scale agricultural buildings. The dwelling comprises a collection of barns arranged a four side foldyard and all have their aspects facing in all directions. The agricultural buildings fully occupy the plot to north of the dwellings and close down any visibility in this direction towards the Cottam 2 Site/Sites. There are also mature trees and large woodland blocks that fully enclose the grounds to the property.	Not applicable	Not applicable
R53	Glentworth Grange	Singular building	492386	387197	Cottam 1	568	N	n/a	VP41	Detached dwellling with adjacent barns to the west converted to residential use. There open views over Kexby Road towards the south from the main dwelling and similar views from the barn conversions. The hedgerows to the south side of Kexby Road are low-cut with few trees that allow views south out over the arable fields towards Cottan 1 North.	Panels set back from boundaries of the Site/Sites.	Tree planting and hedgerows to north boundary of the Site/Sites.
R54	Spitals Farm	Singular building	491995	387126	Cottam 1	673	N	n/a	VP41	Detached, single dwelling in large grounds. The dwelling comprises a collection of barns arranged a three side foldyard and all have their aspects facing in three directions. The agricultural buildings occupy the plot to northeast of the dwellings There are also mature trees and large woodland blocks that fully enclose the grounds to the property to the south.	Not applicable	Not applicable
R60	Glebe Farm	Singular building	493132		Cottam 1	88		n/a	VP23	Farmstead with single dwelling on a long, narrow plot off Willingham Road and with large scale agricultural buildings and some barn conversions. The main dwelling has a north south aspect with the front elevation facing over Willingham Road. The agricultural buildings occupy the plot to north of the main dwelling and close down any visibility in this direction. There is a further property (Greystones Farm) to the south side of Willingham Road which closes down views towards the south.	Panels set back from north boundary of Cottam 1 Site/Sites.	New planting bordering the north, boundary of the Site/Sites to include new tree belts, hedgerows and hedgerow trees.
R60 R61	Glebe Farm Greystones Farm	Singular building Singular building	493132 492980		Cottam 1 internal cable corridor	<u>220.209772</u> 50		n/a	VP32, VP33 and LLC-C-G	Detached, single dwelling on a long, narrow plot bordering Willingham Road with a large scale agricultural building to the west. The main dwelling has a north south aspect with the front elevation facing over Willingham Road. The agricultural building occupies the plot to west of the main dwelling and closes down any visibility in this direction. There is a mature tree cover to the south side side of the plot, which closes down views in this direction.	Panels set back from north boundary of Cottam 1 Site/Sites.	New planting bordering the north, boundary of the Cottam 1 Site/Sites to include new tree belts, hedgerows and hedgerow trees.
R61 R62	Greystones Farm Turpin Farm	Singular building Singular building	492980 491217	385138	Cottam 1 internal cable corridor Cottam 1	29	N	n/a	LCC-C-I	Turpin Farm to the south side of Willingham Road and further collection of dwellings to the north side of Willingham Road, known as Turpin's Bungalow. Turpin Farm comprises agricultural and stable buildings with no evidence of residential occupancy. Turpins Bungalow comprises a terrace of single storey dwellings separated from the road frontage by a short ditch and low-cut hedgerow. There is also a further two storey double fronted (handsome) brick dwelling set back from the road frontage behind a belt of mature trees with outbuildings to the rear.	Panels set back from boundary with Turpins Bungalow and Turpins Farm.	New planting bordering the north, south, east and west of the Cottam 1 North Site/Sites set back from boundary withTurpin's Bungalow and Turpin Farm. Planting to the north side of Willingham Road.
R62	Turpin Farm	Singular building	491217		Cottam 1 internal cable corridor	728.219799						
R62	Turpin Farm North Farm	Singular building Group of buildings Group of buildings	491217 491896 491896		High voltage cable corridor and access Cottam 1 Cottam 1 internal cable corridor	795.413068				North Farm comprises a main dwelling and a small collection of outbuildings that are both served by a single access track off Willingham Road. The main dwelling is a two-storey house that is located towards the northern part of a rectangular plot. The collectior of outbuildings is located to the west of the main house and they help to close down visibility in this direction. The main dwelling has a north south orientation, with the pricipal elevation facing south over a lawned plot. This lawned plot is bordered by a low hedgerow to the west where it shares a boundary with the access track and a taller hedgerow (and trees) to the south boundary that is shared with Willingham Road. These bordering hedgerows helps to curtial visibility towards the south and west from the lawned part of the plot. There is an area of deciduous woodland to the north and secondary elevation of the plot, which also provides screening in this direction. An orchard is located to the east of the main dwelling, which also helps to close down views. The main areas of open visibility are located to the south and northeast of the property. The main focus of visibility is experienced from from the first floor principal bedroom of the main dwelling.	Removal of field parcel to the northwest of the plot (which is the rear elevation of the nronerty) This is where	New shelterbelt planting and scattered trees to the northwest of the property where the field parcel is removed. New planting within the hedgerows to the south of the property to mitigate views from the first floor principal bedroom windows.
INC: 3 V	INVI UL FALIII	or oup of buildings	491896	36564/		33.111104			ł	Side Farm is a farmstead with single dwelling towards the southern		
R63A						1	1		1	end of the plot. A large scale agricultural building and stable block (or	1	
R63A R63B	Side Farm	Group of buildings	491670	385067	Cottam 1	33		n/a	LCC-C-I	long barn) to the northern part of the plot. The dwelling has a north south orientation, with the main elevation facing south over lawned gardens enclosed by mature tree cover to the west and south boundaries. The agricultural building closes down any visibility towards the north and there are also mature trees along the watercousre to the south, which is a tributary of the River Till. There is an open aspect from the dwelling towards the east. North Farm lies to the north of Side Farm with visibility towards Cottam 1 North Site/Sites.	Panels set back from boundary of Side Farm, in particular towards the east.	New planting bordering the north, south, east and west of the Cottam 1 North Site/Sites set back from boundary with Side Farm.
	Side Farm Side Farm	Group of buildings Group of buildings	491670 491670		Cottam 1 Cottam 1 internal cable corridor	33 396.991937		n/a	LCC-C-I	south orientation, with the main elevation facing south over lawned gardens enclosed by mature tree cover to the west and south boundaries. The agricultural building closes down any visibility towards the north and there are also mature trees along the watercousre to the south, which is a tributary of the River Till. There is an open aspect from the dwelling towards the east. North Farm lies to the north of Side Farm with visibility towards Cottam 1 North	boundary of Side Farm, in particular towards the east.	north, south, east and west of the Cottam 1 North Site/Sites set back from

	No	No visibility towards Cottam 1 North Site/Sites due to the property grounds being fully enclosed with large woodland blocks. Scope out.
	No	No visibility towards Cottam 1 North Site/Sites due to the property grounds being fully enclosed with large woodland blocks. Scope out.
5.	No	Visibility to the south towards the Cottam 1 Site/Sites from the first floor of the main dwelling, where the windows are mainly south focused. Views from the ground floor would be mainly curtailed by the hedgerow bordering field hedgerows to Kexby Road frontage. Planting mitigation would curtail views at Year 1 and close down views at Year 15.
	No	No visibility towards Cottam 1 North Site/Sites due to the property grounds being fully enclosed with tree planting and with being set back from the road frontage. Scope out.
he	No	Limited visibility south towards Cottam 1 North Site/Sites due to the partially open views above hedgerows bordering Kexby Road. Greystones Farm to the north closes down some views in this direction. Planting mitigation would curtail views at Year 1 and close down views at Year 15.
he v	No	Limited visibility to the south towards Cottam 1 North Site/Sites, but the large agricultural building and planting along the south boundary blocks some visibility in this direction. Planting mitigation would curtail views at Year 1 and close down views at Year 15.
he st m. of	No	Limited visibility to the north towards Cottam 1 North Site/Sites from the detached two storey dwelling due to the mature tree cover to the north, west and south of the property. The outbuildings to the south also close down visibility towards the east. The single storey terrace have partially enclosed views towards the north over the Cottam 1 North Site/Sites, due to the tree cover within the rear gardens. The terrace also has views towards the south across Willingham Road over Cottam 1 North. Planting mitigation would curtail views at Year 1 and close down views at Year 15.
and y irst	No	North Farm: Visibility from North Farm to the south towards Cottam 1 North Site/Sites. The existing hedgerows would be supplemented with new planting along the boundaries of the field margins to provide additional layering in the landscape. This planting would help curtial views at Year 1 and almost close down views at Year 15 in the summer months.
he ist	No	Side Farm: Visibility from Side Farm to the north towards Cottam 1 North Site/Sites, but some views are filtered due to the intervening agricultural building and stable block. The mature tree cover closes down views towards the west and planting along the watercourse to the south helps to break down visibility. There are open views towards the east. Planting mitigation would curtail views at Year 1 and close down views at Year 15. With North Farm, there is open visibility towards the south, but intervening hedegrows help with layering and close down views.
-		

R64	Slate House Farm	Singular building	489302	384909	Cottam 1	460 N	n/a	VP38 and LCC C-J	Farmstead with single dwelling towards the northern end of the plot almost adjacent to Fillingham Lane. There are large scale agricultural buildings to the southern part of the plot, which close down views in this direction. The dwelling has a north south orientation, with the main elevation facing over a small front garden to Filligham Lane and a further small garden enclosed with mature woodland tot he rear. There are also a field boundary hedgerows to the east and west (in the landscape to the south) which also help to close down visibility in this direction.	Not applicable	Not applicable	No	No visibility towards Cot being fully enclosed with buildings. Scope out.
R64	Slate House Farm	Singular building	489302	384909	High voltage cable corridor and access	571.978348							
R65	Lowfield Farm	Singular building	489867		Cottam 1	146 N	n/a	VP38	Farmstead with single dwelling occupying a long, narrow plot just off South Lane. The dwelling is located towards the western end of the plot and there are other outbuildings and barns to the south. The dwelling has a east west orientation, with the main front elevation facing west over mature tree cover and the east facing elevation looking out across a long narrow garden enclosed with mature tree cover and hedgerows. The woodland closes down any visibility towards the west, but there is a partially open aspect from the dwelling towards the east.	Panels set back from boundary of Lowfield Farm, in particular towards the west.	New planting bordering the north, south, east and west of the Cottam 1 North Site/Sites set back from boundary with Lowfield Farm.	No	Limited visibility to the e mature tree cover in the towards the west and fu break down visibility to curtail views both east a
R65	Lowfield Farm	Singular building	489867		High voltage cable corridor and access	35.804299							
R65	Lowfield Farm	Singular building	489867 487518		High voltage cable corridor and access	853.412874 919 N	n/a	VP39, VP40 and LCC-C-K	Residential dwellings grouped towards the east side of the settlement, comprising four areas around Grange Lane, The Paddocks, Cot Garth Lane and Grange Farm. With Grange Lane, the dwellings are set to the rear of The pPaddocks and behind properties on Cot Garth Lane. With The Paddocks, these properties are mainly situated east west, but set back behind long rear gardens. Properties along Cot Garth Lane have a north south orientation and are set behind generous front gardens. Grange Farm is located to the southeast of the settlement also facing south just to the west of the River Till.	Not applicable	Not applicable	No	No visibility towards Cot grounds, including long cover. The strong riparia agricultural buildings at out.
R67	Moor Farm	Singular building	489888		Cottam 1	80 N	n/a	VP38	Farmstead occupying a long, wide plot with a single dwelling just off South Lane. The dwelling is located towards the western end of the plot overlooking South Lane and there are other outbuildings and barns to the east and south. The dwelling has an outlook on three sides with the northern boundary enclosed with mature tree cover and hedgerows. The tree cover in the front garden closes down any visibility towards the west but there is a partially open aspect. There are some mature trees to the west side of South Lane, but the hedgerows are generally open and low-cut.	Panels set back from boundary of Moor Farm, in particular towards the west.	New planting bordering the west of the Cottam 1 North Site/Sites set back from boundary with Moor Farm.	No	Limited visibility to the The mature tree cover i views towards the west helps to break down vis towards the west. Plan and west at Year 1 and
R67	Moor Farm	Singular building	489888		High voltage cable corridor and access	13.724693							
R67	Moor Farm Grange Farm	Singular building	489888 491421		High voltage cable corridor and access	703.385232 605 N	n/a	VP18	Farmstead occupying a broadly rectangular plot to both sides of the access track with a single dwelling, extensive collection of elongated barns and large-scale agricultural buildings. The dwelling is located towards the northwest part of the plot facing south towards the access track, where there are other outbuildings and barns to the south and east of this. The dwelling has an outlook on four sides with the north and west boundary of the curtilage enclosed with a tall shelterbelt, mature tree cover and hedgerows.	Not applicable	Not applicable	No	No visibility towards Cot large-scale agricultural b property is also enclosec the north and west bour
R70	Grange Farm	Singular building	491421	383499	Cottam 1 internal cable corridor	857.254712							
R71	Low Farm	Singular building	493169	383321	Cottam 1	546 N	n/a	VP22	Farmstead occupying an elongated plot to the west side of Long Lane, with two residential dwellings comprising 'The Farmhouse' and 'Low Farm'. There is also a collection of large-scale agricultural buildings to the south of the plot located between the two dwellings. The Farmhouse is located towards the northern end of the plot with an 'all round' aspect, but with an open focus towards the west. Low Farm is located to the south of the plot surrounded by mature tree and hedgerow cover with agricultural buildings to the north and west. A tributary of the River Till passes north south in a meandering alignment to the west of this location and as clothed in riparian vegetation.		Not applicable	No	Limited visibility toward riparian vegetation borc agricultural buildings, ar Scope out.
R71	Low Farm	Singular building	493169	383321	Cottam 1 internal cable corridor	956.856037							
R72	Hall Farm	Singular building	490818	383139	Cottam 1	628 N	n/a	VP18	Farmstead occupying a broadly rectangular plot to both sides of the access track, with three residential dwellings comprising 'Hall Farm Cottages', 'Coates Hall' and the 'Groom' residence. There is also a collection of large-scale agricultural buildings to the northwest of the plot located to the west of Hall Farm Cottages. Hall Farm Cottages has an open outlook towards the east and the 'Groom' residence has an open outlook towards the north over Hall Farm Cottages. Coates Hall is fully enclosed with mature woodland and tree cover with an outlook to the east towards the 'Groom' residence. The Grade I listed St Edith's Church is located to the west of Coates Hall.	Not applicable	Not applicable	No	Limited visibility toward large-scale agricultural l garden curtilages and th the west of the plot. Sco
									Farmstead occupying an irregular rectangular plot to the east side of				
R73	East Farm East Farm	Singular building	488232		Cottam 1 High voltage cable corridor and access	40 N 49.665635	n/a	VP20	the B1241 (Normanby Road), with the residential dwelling occupying the southern part of the plot, right at the eastern edge. There is a collection of large-scale agricultural buildings and long barns to the south of the property. The dwelling has an open aspect to the north directly overlooking a large grassland field, but with garden curtilage towards the west and south. There is a tall dense hedgerow to the immediate east boundary of the property.	Panels set back from west boundary of the Cottam 1 North Site/Sites where it forms the boundary with East Farm.	New planting bordering the west of the Cottam 1 North	No	Visibility to the east tow and tree cover to the im down views. Planting m at Year 1 and close dow

2	Not applicable	No	No visibility towards Cottam 1 North Site/Sites due to the property grounds being fully enclosed with tree cover and hedgerow cover and agricultural buildings. Scope out.
ck from owfield cular vest.	New planting bordering the north, south, east and west of the Cottam 1 North Site/Sites set back from boundary with Lowfield Farm.	No	Limited visibility to the east and west towards Cottam 1 North Site/Sites . The mature tree cover in the front garden of the property closes down some views towards the west and further tree cover within the garden to the rear helps to break down visibility towards the east. Planting mitigation would further curtail views both east and west at Year 1 and close down views at Year 15.
2	Not applicable	No	No visibility towards Cottam 1 North Site/Sites due to the extensive property grounds, including long front and rear gardens being fully enclosed with tree cover. The strong riparian vegetation bordering the River Till and large scale agricultural buildings at Grange Farm also provide additional screeening. Scope out.
ck from Aoor Farm, owards the	New planting bordering the west of the Cottam 1 North Site/Sites set back from boundary with Moor Farm.	No	Limited visibility to the north and south towards Cottam 1 North Site/Sites. The mature tree cover in the front garden of the property closes down some views towards the west and further tree cover within the garden to the rear helps to break down visibility towards the east. There is some open visibility towards the west. Planting mitigation would further curtail views both east and west at Year 1 and close down views at Year 15.
2	Not applicable	No	No visibility towards Cottam 1 North Site/Sites due to the extensive area of large-scale agricultural buildings, including a large collection of barns. The property is also enclosed by strong hedgerows, woodland and tree cover to the north and west boundaries of its garden curtilage. Scope out.
2	Not applicable	No	Limited visibility towards Cottam 1 North Site/Sites due to the distance, the riparian vegetation bordering the tributary of the River Till, the large-scale agricultural buildings, and the mature tree cover within the garden curtilages. Scope out.
2	Not applicable	No	Limited visibility towards Cottam 1 North Site/Sites due to the distance, the large-scale agricultural buildings, mature woodland and tree cover within the garden curtilages and the presence of the Grade I listed St Edith's Church to the west of the plot. Scope out.
ck from west he Cottam 1 es where it undary with	New planting bordering the west of the Cottam 1 North Site/Sites where it forms the boundary with East Farm.	No	Visibility to the east towards Cottam 1 North Site/Sites. The mature hedgerow and tree cover to the immediate east boundary of the property curtilage closes down views. Planting mitigation would further curtail views towards the east at Year 1 and close down views at Year 15.

R74	West Farm	Singular building	488181		Cottam 1	54	N	n/a	VP20	Farmstead occupying a rectangular plot to the west side of the B1241 (Normanby Road), with the residential dwelling occupying the northern part of the plot. There is a collection of outbuildings and long barns to the north of the residential dwelling. The dwelling has an open aspect to the south, directly overlooking a large garden with mature trees. There is an open park railing and gated railing entrance to the immediate east boundary of the property bordering the west side of the B1241 (Normanby Road) where open, but oblique visibility is gained across towards the east.	Panels set back from west boundary of the Cottam 1 North Site/Sites where it forms the boundary with the B1241 (Normanby Road) and with East Farm to the west side of the road.	New planting bordering the west of the Cottam 1 North Site/Sites where it forms the boundary with the B1241 (Normanby Road) and with East Farm to the west side o the road.
R74 R74	West Farm West Farm	Singular building Singular building	488181 488181		High voltage cable corridor and access High voltage cable corridor and access	16.437023 674.03646						
R75	Furze Hill	Singular building	490840	382413	Cottam 1	406	N	n/a	VP16	Farmstead occupying an almost triangular plot to the south side of Ingham Road, with the residential dwelling occupying the northwest part of the plot, right at the boundary with Ingham Road. There is a collection of large-scale agricultural buildings and long barns to the south of the property. The dwelling has an open aspect to the north with the front elevation directly overlooking Ingham Road, but with garden curtilage towards the east. There is a tall dense hedgerow with mature tree cover to the immediate east boundary of the property. The River Till meanders through the landscape to the west with raised levees to both sides and with some riparian vegetation. There is also an electricity sub station directly to the west of the dwelling at the farm entrance.		Not applicable
R75 R76	Furze Hill Stow Pasture	Singular building	490840	382326	Cottam 1 internal cable corridor	917.131057	N	n/a	VP13	Collection of residential dwellings and farmsteads fronting Ingham Road with a north south aspect. The properties comprise nos. 19 to 25 (Flat Topped Houses), No 27 Ingham Road which is a detached dwelling with stables and riding arena, No 29 Ingham Road which is a detached cottage, No. 31 Ingham Road which is a cream rendered detached dwelling with outbuildings and 'The Pastures'. The open aspect of some properties (19 to 25 and The Pastures') may yield some oblique visibility towards the south from ground floor windows towards the Cottam South Site/Sites. There may also be views north from first floor windows to the rear of the properties over the Cottam 1 North Site/Sites.	Panels set back from south and north boundary of the Cottam 1 North Site/Sites and Cottam 1 South Site/Sites where they form the boundary with these properties at Stow Pasture to either side of Ingham Road.	New planting bordering the south and north boundary of the Cottam 1 North and the Cottam 1 South Site/Sites where they form the boundary with these properties at Stow Pasture to either side of Ingham Road.
R76 R76	Stow Pasture Stow Pasture	Group of buildings Group of buildings	489824 489824		Cottam 1 internal cable corridor Cottam 1 internal cable corridor	29.810407 385.745753						
R78	Stow	Town or Village	488192	381994	Cottam 1	742	N	n/a	LCC-C-A and LCC-C-B	Collection of residential dwellings towards the east of Stow at South Drive and School Lane and frontong Ingham Road. Other properties comprise detached dwellings fronting Ingham Road including Ashtrees, Charolands, Tarn Howes and also Creek Hill Close to the south. There are woodland areas and good tree cover that provides screening to the edge of the settlement.	Not applicable	Not applicable
R78	Stow Highfield Farm	Town or Village	488192		High voltage cable corridor and access	547.039162 569.705145					 	
R79 R80 R80	The Grange	Singular building Singular building Singular building	487145 491482 491482	381126	High voltage cable corridor and access Cottam 1 Cottam 1 internal cable corridor	803.654073	N	n/a	VP11	Farmstead occupying a small rectangular plot to the north side of Thorpe Lane, with the residential dwelling occupying the east part of the plot, right at the boundary with the public bridleway. There is a collection of large-scale agricultural buildings to the west of the property. This is a derelict building.	Not applicable	Not applicable
R82	Thorpe Lane Farm	Singular building	491482		Cottam 1	574	N	n/a	VP4	Farmstead occupying a large rectangular plot to the north side of Ingham Road, with the residential dwelling occupying the central part of the plot. The dwelling has an open aspect in all directions. There are tall dense hedgerows with mature tree cover to all boundaries of the property.	Not applicable	Not applicable
R84	Clandon House	Group of buildings	491273		Cottam 1	153	N	n/a	VP5	Collection of residential dwellings comprising Clandon House, Clandon Barn, Westop Cottages, Thorpe House, Cottage and East Cottage. Westop Cottages, Clandon House and Clandon Barn are have a north south orientation, witht their rear elevations facing towards the Cottam 1 South Site/Sites. Thorpe House, Thorpe le Fallows Farm, Cottage and East Cottage all face north towards Thopre Lane and look over Westop Cottages, Clandon House and Clandon Barn.	where they form the boundary with these properties at Thorpe le	New planting bordering the south boundary of the Cottam 1 South Site/Sites where they forms the boundary with these properties at Thorpe le Fallows to the north side of Thorpe Lane.
R84	Clandon House	Group of buildings	491273	380604	Cottam 1 internal cable corridor	892.137595				Collection of residential description for stand and the second	<u> </u>	
R87	Lancaster Farm	Group of buildings	490004	379986	Cottam 1	633	N	n/a	VP8	Collection of residential dwellings fronting the A1500 Tillbridge Lane. Lancaster Farm is located to the south side of Tillbridge Lane and comprises a dwelling to the northwest of the plot,located immediately adjacent to the A1500. To the east there are large-scale agricultural buildings, which occupy the majority of the plot. There is also dense tree and shrub cover bordering Tillbridge Lane. Other properties to the north side of Tillbridge Lane include Ivy Cottage and Aunsby House, which are orientated north south with long rear gardens and a good level of boundary vegetation. Thorpe Lane also has a strong hedgerow to its west side, which helps curtail views towards the north.	Not applicable	Not applicable
R88	Tillbridge Farm	Singular building	490973		Cottam 1	966			VP3	Farmstead to the south side of the A1500 (Till Bridge Lane with large scale agricultural buildings. There are business premises to the north side of the A1500, including Gelder Group and Redline BSS. The River Til is located to the west and supports some tree cover. There is also strong tree cover surrounding the plots on both sides of Till Bridge Lane.	Not applicable	Not applicable
R91	Manor Farm	Group of buildings	486241		High voltage cable corridor and access	52						
R92 R93	West View Farm Home Farm	Singular building Singular building	485905 485837		High voltage cable corridor and access High voltage cable corridor and access	354 298					<u> </u>	+
R93 R93	Home Farm	Singular building	485837 485837		Shared cable corridor and access	934					<u> </u>	+
R94	Unnamed	Group of buildings	485690	381438	High voltage cable corridor and access	417						
	Unnamed	Group of buildings	485690	381438	Shared cable corridor and access	693						+
R94		Consum of L. H. H.	105									
R94 R95	Ardsley Cottage	Group of buildings	485667 485667		High voltage cable corridor and access	368						
R94		Group of buildings Group of buildings Group of buildings	485667 485667 485137	381499	High voltage cable corridor and access Shared cable corridor and access High voltage cable corridor and access	368 649 31						
R94 R95 R95	Ardsley Cottage Ardsley Cottage	Group of buildings	485667	381499 381699 381699	Shared cable corridor and access	649						

e h he of	No	Visibility to the east towards Cottam 1 North Site/Sites. The open park railing and gates to the immediate east boundary of the property curtilage bordering the B1241 (Normanby Road) allows views across its bounds. Planting mitigation would curtail views towards the east at Year 1 and help to close down views at Year 15.
	No	Very limited visibility towards Cottam 1 North Site/Sites due to the distance, the intervening sub station, the raised levee bordering the River Till and the strong field boundary beyond. Scope out.
ie n	No	Some visibility to the north and south towards the Cottam 1 North and Cottam 1 South Site/Sites Site/Sites. Planting mitigation would curtail views towards the north and south at Year 1 and help to close down views at Year 15.
_		
	No	Very limited visibility towards Cottam 1 North Site/Sites due to the distance, the intervening woodlands and the strong field boundaries beyond. Scope out.
	No	Derelict building. Scope out.
	No	No visibility towards Cottam 1 North Site/Sites due to the distance, the intervening woodlands and the strong field boundaries beyond. Scope out.
e of	No	Visibility to the north towards the Cottam 1 North Site/Sites Site/Sites. Planting mitigation would curtail views at Year 1 and help to close down views at Year 15.
	No	No visibility towards Cottam 1 North Site/Sites due to the distance, the intervening woodlands and the strong field boundaries beyond. Scope out.
	No	No visibility towards Cottam 1 North Site/Sites due to the distance, the intervening woodlands and the strong field boundaries beyond. Scope out.

P07	Poplar Farm	Singular building	484639	281520	High voltage cable corridor and access	430	
1037						430	
R97	Poplar Farm	Singular building	484639	381529	Shared cable corridor and access	38	
R98	Marton	Town or Village	484101	381893	Abnormal loads access	135	
R98	Marton	Town or Village	484101	381893	High voltage cable corridor and access	958	
R98	Marton	Town or Village	484101	381893	Shared cable corridor and access	282	
R99	Brampton Grange	Singular building	484348	380978	High voltage cable corridor and access	987	
R99	Brampton Grange	Singular building	484348	380978	Shared cable corridor and access	286	
R100	Unnamed	Group of buildings	484139	381191	Abnormal loads access	795	
R100	Unnamed	Group of buildings	484139	381191	Shared cable corridor and access	65	
R101	Coates Farm	Group of buildings	482000	381317	Shared cable corridor and access	442	
R102	Cottam	Town or Village	481859	380027	Shared cable corridor and access	77	
R103	Cow Pastures	Singular building	480610	380664	Shared cable corridor and access	311	
R104	Westbrecks Farm	Group of buildings	480168	380034	Abnormal loads access	1,000	
R104	Westbrecks Farm	Group of buildings	480168	380034	Shared cable corridor and access	227	
R105	East End Farm	Group of buildings	480283	378562	Shared cable corridor and access	472	

Viewpoint	Location	Bumble Bee Farm	Field Farm	Gate Burton Energy Farm	High Marnham Solar	Tillbridge Solar	West Burton	Potential Intervisibility	Potential Intervisibility Justification
R07	Mount Pleasant Farm Grange Farm								Already Scoped Out Already Scoped Out
R08	Dring Lane								Already Scoped Out Cottam 3a and 3b are not visibile therefore no potential
R09	Cold Harbour								cumulative intervisibility.
	Cold Harbour	N	Ν	Y	N	Y	Ν		Cottam 3a and 3b are not visibile therefore no potential cumulative intervisibility.
	Blenheim Farm Blue Bell Farm	N	Ν	Ν	N	Y	Ν		Already Scoped Out Cottam 3a and 3b are not visibile therefore no potential cumulative intervisibility.
	Blue Bell Farm	N	Ν	N	N	Y	Ν		Cottam 3a and 3b are not visibile therefore no potential cumulative intervisibility.
	Sewage Works Southorpe Farm								Already Scoped Out Already Scoped Out
	Southorpe Farm	, v	N		N	, v	N.		Already Scoped Out
R19	Unnamed	Y	N	Y	N	Y	Y		Cottam 3a and 3b are not visibile therefore no potential cumulative intervisibility.
R19	Unnamed	Y	N	Y	N	Y	Y		Cottam 3a and 3b are not visibile therefore no potential cumulative intervisibility.
R19	Unnamed	Y	Ν	Y	N	Y	Y		Cottam 3a and 3b are not visibile therefore no potential cumulative intervisibility.
R20	The Fields Farm	N	N	Y	N	Y	N		Cottam 3a and 3b are not visibile therefore no potential cumulative intervisibility.
R20	The Fields Farm	N	Ν	Y	N	Y	N		Cottam 3a and 3b are not visibile therefore no potential cumulative intervisibility.
	The Fields Farm	N	Ν	Y	N	Y	Ν		Cottam 3a and 3b are not visibile therefore no potential cumulative intervisibility.
	Grange Farm Grange Farm								Already Scoped Out Already Scoped Out
	Grange Farm	N	N	Y	N	Y	Y		Already Scoped Out Already Scoped Out Cottam 3a and 3b are not visibile therefore no potential
R22	Top Farm					•			cumulative intervisibility.
R22	Top Farm	N	Ν	Y	N	Y	Y		Cottam 3a and 3b are not visibile therefore no potential cumulative intervisibility.
R22	Top Farm	N	Ν	Y	N	Y	Y		Cottam 3a and 3b are not visibile therefore no potential cumulative intervisibility.
R22	Top Farm	N	Ν	Y	N	Y	Y		Cottam 3a and 3b are not visibile therefore no potential cumulative intervisibility.
R23	Blyton	N	Ν	Y	N	Y	Y		Cottam 3a and 3b are not visibile therefore no potential cumulative intervisibility.
R25	Glebe Farm	N	Ν	N	N	Y	Ν		Cottam 3a and 3b are not visibile therefore no potential cumulative intervisibility.
R25	Glebe Farm	Ν	Ν	N	Ν	Y	Ν		Cottam 3a and 3b are not visibile therefore no potential cumulative intervisibility.
R25	Glebe Farm	N	Ν	N	Ν	Y	Ν		Cottam 3a and 3b are not visibile therefore no potential cumulative intervisibility.
R25	Glebe Farm	N	Ν	N	Ν	Y	Ν		Cottam 3a and 3b are not visibile therefore no potential cumulative intervisibility.
	Bonsdale Farm								Already Scoped Out
R28	Bonsdale Farm Pilham								Already Scoped Out Already Scoped Out
	Dunstall Gilby								Already Scoped Out Already Scoped Out
R32	Aisby Aisby								Already Scoped Out Already Scoped Out
	The Cottage	N	N	Y	N	Y	N		Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor R33 at The Cottage, the receptor is approximately 6.8 km to Gate Burton Energy Farm and therefore has no potential intervisibility. Similarly, the receptor is approximately 1.7 km away from the closest Tillbridge Solar site. However, built form associated with Corringham closes down views to the development and existing vegetation associated with A631 limits views into the development sites. No views of cumulative developments - Scope Out.
R33	The Cottage								Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor R33 at The Cottage, the receptor is approximately 6.8 km to Gate Burton Energy Farm and therefore has no potential intervisibility. Similarly, the receptor is approximately 1.7 km away from the closest Tillbridge Solar site. However, built form associated with Corringham closes down views to the development and existing vegetation associated with A631 limits views into the development sites. No views of cumulative developments - Scope Out.
R34	Yawthorpe	N	N	Y	N	Y	Y		Already Scoped Out Cottam 1 is not visibile therefore no potential
R35	Hall Farm & Old Farm								cumulative intervisibility.
R35	Hall Farm & Old Farm	N	Ν	Y	Ν	Y	Y		Cottam 1 is not visibile therefore no potential cumulative intervisibility.

R36	Corringham Grange Farm	Ν	Ν	Y	Ν	Y	Ν	Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specifi topgraphy the area of theoretical visibility could be zero. Specifically with receptor R36 at Corringham Grange Farm, the receptor is approximately 6.5 km to Gate Burton Energy Farm and therefore has no potential intervisibility. Similarly, the receptor is approximately 1.5 km away from the closest Tillbridge Solar site however, built form associated with Corringham closes down views to the development and existing vegetation associated with A631 limits views into the developments - Scope Out
R36	Corringham Grange Farm	Ν	Ν	Y	Ν	Y	Ν	Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specifi topgraphy the area of theoretical visibility could be zero. Specifically with receptor R36 at Corringham Grange Farm, the receptor is approximately 6.5 km to Gate Burton Energy Farm and therefore has no potential intervisibility. Similarly, the receptor is approximately 1.5 km away from the closest Tillbridge Solar site however, built form associated with Corringham closes down views to the development and existing vegetation associated with A631 limits views into the developments - Scope Out
R36	Corringham Grange Farm	Ν	Ν	Y	Ν	Y	Ν	Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specifi topgraphy the area of theoretical visibility could be zero. Specifically with receptor R36 at Corringham Grange Farm, the receptor is approximately 6.5 km to Gate Burton Energy Farm and therefore has no potential intervisibility. Similarly, the receptor is approximately 1.5 km away from the closest Tillbridge Solar site however, built form associated with Corringham closes down views to the development and existing vegetation associated with A631 limits views into the developments - Scope Out
R38 R39	Corringham Corringham Windmill							Already Scoped Out Already Scoped Out
R39 R39	Corringham Windmill							Already Scoped Out
R40	Magin Moor Cottages							Already Scoped Out
R40	Magin Moor Cottages							Already Scoped Out
R44	Grange Cottage							Already Scoped Out
R45	Springthorpe Grange							Already Scoped Out
R46 R50	Unnamed Low Field Farm							Already Scoped Out Already Scoped Out
R50 R51	Westlands Farm							Already Scoped Out Already Scoped Out
R52	Low Farm							Already Scoped Out
R53	Glentworth Grange							Already Scoped Out
R54	Spitals Farm							Already Scoped Out
R60	Glebe Farm	N	N	Y	N	Y	Y	Cottam 1 is not visibile therefore no potential
R60	Glebe Farm	N	N	Y	N	Y	Y	cumulative intervisibility. Cottam 1 is not visibile therefore no potential cumulative intervisibility.
R61	Greystones Farm	N	N	Y	N	Y	Y	cumulative intervisibility. Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specifi topgraphy the area of theoretical visibility could be zero. Specifically with receptor R61 at Greystones Farm, the receptor is approximately 5.8 km to Gate Burton Energy Farm and approximately 7.2 km away from the West Burton Site and therefore has no potential intervisibility. Similarly, the receptor is approximately 1.5 km away from the closest Tillbridge Solar site however, dense vegetation assoicated with tributaries in nearby fields closes down views and densely populated hedgerow situated in front of receptor R61 limits views into the development site. No views of cumulative developments - Scope Out.

								· · · · · · · · · · · · · · · · · · ·
R61	Greystones Farm	N	Ν	Y	Ν	Y	Y	Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor R61 at Greystones Farm, the receptor is approximately 5.8 km to Gate Burton Energy Farm and approximately 7.2 km away from the West Burton Site and therefore has no potential intervisibility. Similarly, the receptor is approximately 1.5 km away from the closest Tillbridge Solar site however, dense vegetation assoicated with tributaries in nearby fields closes down views and densely populated hedgerow situated in front of receptor R61 limits views into the development site. No views of cumulative developments - Scope Out.
R62	Turpin Farm	N	N	Y	N	Y	Y	Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor R62 at Turpin Farm, the receptor is approximately 5.8 km to West Burton and 4 km to Gate Burton Energy Farm and therefore has no potential intervisibility. Similarly, the receptor is approximately 1.3 km away from the closest Tillbridge Solar site. However, existing vegetation associated with Willingham Road as well as Fillingham Low Wood closes down views into the development sites. No views of cumulative developments - Scope Out.
R62	Turpin Farm	N	Ν	Y	Ν	Y	Y	Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor R62 at Turpin Farm, the receptor is approximately 5.8 km to West Burton and 4 km to Gate Burton Energy Farm and therefore has no potential intervisibility. Similarly, the receptor is approximately 1.3 km away from the closest Tillbridge Solar site. However, existing vegetation associated with Willingham Road as well as Fillingham Low Wood closes down views into the development sites. No views of cumulative developments - Scope Out.
R62	Turpin Farm	N	Ν	Y	Ν	Y	Y	Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor R62 at Turpin Farm, the receptor is approximately 5.8 km to West Burton and 4 km to Gate Burton Energy Farm and therefore has no potential intervisibility. Similarly, the receptor is approximately 1.3 km away from the closest Tillbridge Solar site. However, existing vegetation associated with Willingham Road as well as Fillingham Low Wood closes down views into the development sites. No views of cumulative developments - Scope Out.
R63A	North Farm	N	Ŷ	Ŷ	Ν	Ŷ	Y	Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor R63A at North Farm, the receptor is approximately 14.6 km to Field Farm, 6.5 km to West Burton and 5.4 km to Gate Burton Energy Farm and therefore has no potential intervisibility. Similarly, the receptor is approximately 0.9 km away from the closest Tillbridge Solar site. However, dense vegetation associated with nearby fields closes down views and densely populated hedgerow situated in front of receptor R63A limits views into the development site. No views of cumulative developments - Scope Out.

R63A	North Farm	Ν	Ŷ	Y	N	Y	Y	Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor R63A at North Farm, the receptor is approximately 14.6 km to Field Farm, 6.5 km to West Burton and 5.4 km to Gate Burton Energy Farm and therefore has no potential intervisibility. Similarly, the receptor is approximately 0.9 km away from the closest Tillbridge Solar site. However, dense vegetation associated with nearby fields closes down views and densely populated hedgerow situated in front of receptor R63A limits views into the development site. No views of cumulative developments - Scope Out.
R63B	Side Farm	Ν	Ν	Y	N	Y	Y	Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor R36B at Side Farm, the receptor is approximately 5.9 km to West Burton and 4.7 km to Gate Burton Energy Farm and therefore has no potential intervisibility. Similarly, the receptor is approximately 1.4 km away from the closest Tillbridge Solar site. However, dense vegetation associated with nearby fields and existing vegetation associated with Willingham Road closes down views into the development sites. No views of cumulative developments - Scope Out.
R63B	Side Farm	Ν	Ν	Ŷ	N	Ŷ	Y	Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor R36B at Side Farm, the receptor is approximately 5.9 km to West Burton and 4.7 km to Gate Burton Energy Farm and therefore has no potential intervisibility. Similarly, the receptor is approximately 1.4 km away from the closest Tillbridge Solar site. However, dense vegetation associated with nearby fields and existing vegetation associated with Willingham Road closes down views into the development sites. No views of cumulative developments - Scope Out.
R64	Slate House Farm							Already Scoped Out
R64	Slate House Farm	Ν	N	Y	N	Y	Y	Already Scoped Out Cottam 1 is not visibile therefore no potential
R65	Lowfield Farm	Ν	N	Y	N	Y	Y	cumulative intervisibility. Cottam 1 is not visibile therefore no potential
R65 R65	Lowfield Farm	Ν	N	Y	N	Y	Y	cumulative intervisibility. Cottam 1 is not visibile therefore no potential
	Willingham by Stow	A.						cumulative intervisibility. Already Scoped Out
R67	Moor Farm	Ν	Ν	Y	N	Y	Y	Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor R67 at Moor Farm, the receptor is approximately 5.3 km to West Burton and therefore has no potential intervisibility. Similarly, the receptor is approximately 2.8 km to Gate Burton Energy Farm however dense vegetation associated with nearby fields, tributaries and existing vegetation associated with Stone Lane, South Pits Lane and Stow Lane close down views to development sites. Receptor R67 is also approximately 1.5 km away from the closest Tillbridge Solar site. However, dense vegetation associated with nearby fields, tributaries and Fillingham Low Wood closes down views to the developments - Scope Out.

R67	Moor Farm	N	Ν	Y	Ν	Y	Y		Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor R67 at Moor Farm, the receptor is approximately 5.3 km to West Burton and therefore has no potential intervisibility. Similarly, the receptor is approximately 2.8 km to Gate Burton Energy Farm however dense vegetation associated with nearby fields, tributaries and existing vegetation associated with Stone Lane, South Pits Lane and Stow Lane close down views to development sites. Receptor R67 is also approximately 1.5 km away from the closest Tillbridge Solar site. However, dense vegetation associated with nearby fields, tributaries and Fillingham Low Wood closes down views to the development. No views of cumulative developments - Scope Out.
R67	Moor Farm	N	N	Y	N	Y	Y		Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor R67 at Moor Farm, the receptor is approximately 5.3 km to West Burton and therefore has no potential intervisibility. Similarly, the receptor is approximately 2.8 km to Gate Burton Energy Farm however dense vegetation associated with nearby fields, tributaries and existing vegetation associated with Stone Lane, South Pits Lane and Stow Lane close down views to development sites. Receptor R67 is also approximately 1.5 km away from the closest Tillbridge Solar site. However, dense vegetation associated with nearby fields, tributaries and Fillingham Low Wood closes down views to the development. No views of cumulative developments - Scope Out.
R70	Grange Farm								Already Scoped Out
R70 R71	Grange Farm Low Farm								Already Scoped Out
R71	Low Farm Low Farm								Already Scoped Out Already Scoped Out
R72	Hall Farm								Already Scoped Out
R73 R73	East Farm East Farm								Already Scoped Out Already Scoped Out
R73	East Farm								Already Scoped Out
R74	West Farm								Already Scoped Out
R74 R74	West Farm West Farm								Already Scoped Out Already Scoped Out
R75	Furze Hill								Already Scoped Out
R75 R76	Furze Hill Stow Pasture								Already Scoped Out Already Scoped Out
R76	Stow Pasture								Already Scoped Out
R76	Stow Pasture								Already Scoped Out
R78 R78	Stow Stow	<u> </u>					<u> </u>		Already Scoped Out Already Scoped Out
R79	Highfield Farm								Already Scoped Out
R80	The Grange								Already Scoped Out
R80 R82	The Grange Thorpe Lane Farm								Already Scoped Out Already Scoped Out
R84	Clandon House								Already Scoped Out
R84 R87	Clandon House Lancaster Farm								Already Scoped Out Already Scoped Out
R88	Tillbridge Farm								Already Scoped Out
R91 R92	Manor Farm West View Farm								Already Scoped Out Already Scoped Out
R93	Home Farm								Already Scoped Out
R93 R94	Home Farm								Already Scoped Out
R94 R94	Unnamed Unnamed								Already Scoped Out Already Scoped Out
R95	Ardsley Cottage								Already Scoped Out
R95 R96	Ardsley Cottage								Already Scoped Out Already Scoped Out
R96	Marton Grange								Already Scoped Out
R97	Marton Grange Marton Grange								Already Scoped Out
	Marton Grange Poplar Farm								
R97 R97	Marton Grange Poplar Farm Poplar Farm								Already Scoped Out Already Scoped Out
R97 R98	Marton Grange Poplar Farm Poplar Farm Poplar Farm Marton								Already Scoped Out Already Scoped Out
R97 R98 R98	Marton Grange Poplar Farm Poplar Farm Poplar Farm Marton Marton								Already Scoped Out Already Scoped Out Already Scoped Out
R97 R98 R98 R98	Marton Grange Poplar Farm Poplar Farm Poplar Farm Marton Marton Marton								Already Scoped Out Already Scoped Out Already Scoped Out Already Scoped Out
R97 R98 R98 R98 R99 R99 R99	Marton Grange Poplar Farm Poplar Farm Marton Marton Marton Brampton Grange Brampton Grange								Already Scoped Out Already Scoped Out Already Scoped Out Already Scoped Out Already Scoped Out Already Scoped Out Already Scoped Out
R97 R98 R98 R98 R99 R99 R99 R100	Marton Grange Poplar Farm Poplar Farm Poplar Farm Marton Marton Brampton Grange Brampton Grange Unnamed								Already Scoped Out Already Scoped Out
R97 R98 R98 R98 R99 R99 R100 R100 R100 R101	Marton Grange Poplar Farm Poplar Farm Marton Marton Marton Brampton Grange Brampton Grange								Already Scoped Out Already Scoped Out Already Scoped Out Already Scoped Out Already Scoped Out Already Scoped Out Already Scoped Out
R97 R98 R98 R99 R99 R100 R100 R100 R101 R102	Marton Grange Poplar Farm Poplar Farm Marton Marton Marton Brampton Grange Brampton Grange Unnamed Unnamed Coates Farm Cottam								Already Scoped Out Already Scoped Out
R97 R98 R98 R99 R99 R99 R100 R100 R101	Marton Grange Poplar Farm Poplar Farm Marton Marton Brampton Grange Brampton Grange Unnamed Unnamed Coates Farm								Already Scoped Out Already Scoped Out
R97 R98 R98 R99 R99 R100 R100 R101 R101 R102 R103	Marton Grange Poplar Farm Poplar Farm Marton Marton Marton Brampton Grange Brampton Grange Unnamed Unnamed Coates Farm Cottam Cow Pastures								Already Scoped Out Already Scoped Out



Residential Receptor - R33 / The Cottage

Baseline Context:

Two story dwelling situated to the north of Corringham Grange Farm within an elongated plot. The main aspect of the dwelling is facing south over lawned gardens with some tree cover to the west and south (closer to the property). There are field hedgerows to the north comprising a double hedgerow (running east west) and a further hedgerow running north south to the west of the access track that serves both this property and Corringham Grange Farm.

Type: Singular building

Distance to Cottam Sites: 53m to Cottam 2

Closest settlement: Corringham at about 85m southwest

Nearest Viewpoint/s: VP48, VP49 and VP54

Description of Receptor:

The principal ground floor windows face south over lawned gardens across an area of trees and shrubs. The secondary ground floor north facing windows look towards the rear garden, garage and outbuildings with a track and field hedgerow beyond. The east and west gables have no principal outlook with the main focus being towards a parking area and a very narrow side section to the garden.

The principal first floor windows face south over lawned gardens across areas of trees and shrubs and then over the surrounding arable fields. The first floor north facing windows look over the rear garden, garage and outbuildings with a track, field hedgerow and then the arable landscape beyond. The east and west gables have no principal outlook from the first floor.

The views are influenced by the presence of the south facing lawned garden, which is the main focus, being an attractive outlook and a long sunny plot. The other views offer some interesting features locally, but the more invigorating views towards the east and west are not available due to lack of windows and outlook. Tree cover is present within the garden area and mainly located to the south and west of the dwelling. The surrounding arable land use is intensively managed with few features, but the presence of far-reaching views to the south adds some interest.

Overall, the views from the first-floor principle south facing elevation are likely to capture the main visual interest over the surrounding landscape towards Springthorpe and Heapham, but Corringham Grange Farm would occupy the foreground of the view. The ground floor principal windows are likely to capture immediate south facing views into the garden of the property.

Sensitivity: High

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors – Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.1] January 2023



Residential Rece	eptor – R33	3 / The Cottage
-------------------------	-------------	-----------------

Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Cha at Year 15)
the presence of Corringham Grange Farm would foreshorten these views and provide some filtering of the works. There is also an area that would be absent from future panels between the southern end of the garden to The Cottage and the northern end of the plot to Corringham Grange Farm. The north facing first floor windows would also experience a narrow and framed section of construction due to the small Site area on this aspect. The changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be evident from the first-floor outlook, but the ground floor would benefit from the intervening hedgerows and tree and shrub cover within the garden. During the latter part of the construction stage, views would become available of the elevated activities above the garden hedgerows. Due to the presence of tree cover in the garden, the works would benefit from screening such that these activities would be experienced over a filtered proportion of the view.	The principal first floor south facing windows would experience views over the area of panels, but their presence would be filtered by the influence of Corringham Grange Farm in the foreground and panels are also absent from area between The Cottage and Corringham Grange Farm. The principal ground floor south facing windows would experience limited views of the panels due to the intervening garden and associated trees and shrubs. The first floor north facing windows look over the rear garden and the garage and this is likely to filter the views of the panels. The area of panels to the north is a shorter expanse compared to the other areas to the east and west. The ground floor north facing windows look towards the rear garden and the garage and are unlikely to experience views of the panels. The east and west gables have no principal outlook and so views of the panels are unlikely. The experience of the views over the south facing lawned garden, are unlikely to be significantly affected, remaining as an attractive outlook and a long sunny plot. The presence of far-reaching views over the surrounding landscape towards Springthorpe and Heapham would be significantly affected with the panel areas in the foreground, the views towards the panel areas between the two properties. Views towards the new substation would be at a tight oblique angle where the foreground is occupied by the presence of existing tree cover.	The first detailed designs were produ in tandem with consultation with residential property owners where th was requested by the owner. This consultation included both site and do based work to determine any direct impacts and suitable mitigation meas Specific mitigation measures applicab R33 are set out below: The requirement for mitigation relate visibility to the north, south, west, and over the Cottam 2 Site from the first fo of the property, where the windows a mainly south focused. To the north and east aspect of the property, there would be the addition native shelter belt/woodland planting woodland planting is likely to reach a maximum height of 7.5m at Year 15. To the west aspect of the property, the would be a proposed native hedge wit irregularly spaced hedgerow trees. Th hedgerow planting is likely to reach a maximum height of 3.5m at Year 15 a will ultimately be allowed to grow out 5m. To the south aspect of the property, t would be an area of proposed flower pollinator mix grassland. There would be a proposed native hedge with irregularly spaced hedgerow trees. Th hedgerow planting is likely to reach a maximum height of 3.5m at Year 15 a will ultimately be allowed to grow out 5m.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors – Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.1] January 2023

Decommissioning Magnitude of Change

A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning to include site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.



	This residential receptor is within the 2km Study Areas for the Cottam 2 substation. There will be views of the substation site to southeast across the field.			
Magnitude	Medium	Medium	Low	L
Type of Effect	Adverse & Short Term	Adverse & Long Term	Neutral & Long Term	N
Significance of Effect	Moderate-Major Significant	Moderate-Major Significant	Minor-Moderate Not Significant	N

In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
The residential receptor will be affected by the close proximity of the access trac towards the field H5 at the Cottam 2 Site. The receptor is also within the 500m C	
Study Area. There is no Intervisibility between the Cottam 1, 2 and 3a and 3b Sites and there combination effects between the Sites.	fore no in-
In terms of the combined effects of dust and noise and visual effects, there woul construction works from this viewpoint, but no visibility of the construction acces Corridor and even though the viewpoint is within the 2km Study Area for the Cot there would be no intervisibility at this location.,	ss, the Cable Route developments would not be experienced across the majority of the 5km stud
There is potential for significant effects at the construction stage from the activit preparation / enabling works, construction, and commissioning with effects such	as construction Tillbridge Solar. This cumulative visibility is set out in further detail within the
traffic, noise and vibration from construction activities, dust generation, site rune and the visual intrusion of plant and machinery on site.	off, mud on roads, Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developme
Sequential Frequent Visibility Not Applicable. Sequential Occasional Visibility The south facing (first floor outlook) would be significantly affected by the Cottar right at the construction and operation stages, but the presence of Corringham of foreshorten these views and provide some filtering of the works. There is also ar absent from future panels between the southern end of the garden to The Cotta end of the plot to Corringham Grange Farm. The north facing first floor windows experience a narrow and framed section of construction and operation stages d area on this aspect.	Grange Farm would would not alter the overall character of the landscape within the Unwooded V area that would be ge and the northern would also
<i>In Combination</i> From the south facing elevation (first floor outlook) only one site (Cottam 2) wou observers arc of vision at the same time without moving their head, despite ther cumulative sites (Cottam 3a and 3b) that would potentially be within the observe	e being two other
No cumulative effects.	
In succession	

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors – Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.1] January 2023

Low

Neutral & Short Term

Minor Not Significant

atures of the landscape within the character area.

the solar panel areas and the substation area

Site, cumulative visibility with the cumulative udy area. This is due to the distance, the The intervening settlements and built form would

significant effects, between the Cottam 2 and he following figures:

ments Augmented ZTV [C6.4.8.15.2.8]

cultural presence, with wide areas retaining a ver create a relatively open and expansive lement, linked by a series of minor roads east to aracteristics of the landscape have some ability to of cumulative visibility for the Cottam 1 Site/Sites d Vales Character Area.



	Within a short time lapse, when moving to the north facing elevation (first floor outlook) of the property, two cumulative sites (Cottam 3a and 3b) would be within the observers arc of vision, but they would not be experienced in combination with the Cottam 2 Site/Sites due to the distance, the intervening settlement of Aisby and hedgerow trees bordering the fields and the minor road network. The collection of small woodlands (including Top Wood, Big Wood and Oak Wood) are also likely to curtail a significant level of visibility in this direction in addition to the other hedgerows and tree cover within the landscape.	
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Significan Operation (Year 15): Minor Not Significant Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors – Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.1] January 2023

ificant



Residential Receptor – R36 / Corringham Grange Farm

Baseline Context:

Two story dwelling situated to the south of 'The Cottage' within a broadly rectangular plot. The main aspect of the dwelling is facing south over lawned gardens with some tree cover to the west and southeast (closer to the property) and further tree cover and hedgerows defining the domestic curtilage to the west, south and east. There are field hedgerows to the southeast comprising a double hedgerow (running north south) defining the access track that serves both this property and 'The Cottage' and a further hedgerow running east west to the south of the property. To the north, the majority of the plot is occupied by large-scale agricultural buildings and to the east there is a small area of woodland.

Type: Singular building

Distance to Cottam Sites: 71m to Cottam 2

Closest settlement: Corringham at about 70m west

Nearest Viewpoint: VP48, VP49 and VP54

Description of Receptor:

The principal ground floor windows face south over lawned gardens towards the southern boundary hedge framed by an area of trees and shrubs to each side. The secondary ground floor north facing windows look towards a collection of large-scale agricultural buildings. The east gable at ground floor has an outlook over the parking court and the west gable has an outlook over a wide side section to the garden with a collection of trees and shrubs.

The principal first floor windows face south over lawned gardens across the southern boundary hedgerow framed by an area of trees and shrubs to each side and then the views extend over the surrounding arable fields. The first floor north facing windows look over the collection of large-scale agricultural buildings. The east gable at first floor has an outlook over the parking court and then towards the arable landscape beyond. The west gable has an outlook over a wide side section to the garden with a collection of trees and shrubs, and then towards the arable landscape beyond.

The views are influenced by the presence of the south facing lawned garden, which is the main focus, being an attractive outlook and a long sunny plot. The other views offer some interesting features locally, but the more invigorating views towards the east and west are screened and filtered by intervening trees and woodland to the immediate east and west of the property. Tree cover is present within the garden area and mainly located to the east and west of the dwelling. The surrounding arable land use is intensively managed with few features, but the presence of far-reaching views to the east, west and south adds some interest.

Overall, the views form the first-floor principle south facing elevation are likely to capture the main visual interest over the surrounding landscape towards Springthorpe and Heapham, and Corringham Windmill could form a feature of the view. The ground floor principal windows are likely to capture immediate south facing views into the garden of the property. The location offers some interesting features locally, but with more invigorating views out towards the surrounding landscape, which is large scale and exposed. The tree cover is limited, the hedgerows are cut back, and the arable land use is intensively managed, but the presence of far-reaching views adds some stimulus.

Sensitivity: High

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors - Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.2] January 2023



Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)
The south facing first floor outlook would be significantly affected, b the presence of intervening hedgerows and vegetation within the ront garden would help provide some filtering of the works. The north facing first floor windows would also experience a narrow section of construction due to the small Site area on this aspect compared to the eastern aspect. The changes would include the construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of pla and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the substation, solar panel areas and associated infrastructure and inverters would be evident from the first-floor outlook, but the grou floor would benefit from the intervening hedgerows and tree and shrub cover within the garden, and also the area of small woodland outside the garden to the east of the access track that serves the property. During the latter part of the construction stage, views wou become available of the elevated activities above the garden hedgerows. Due to the presence of tree cover in the garden, the works would benefit from screening such that these activities would be experienced over a filtered proportion of the view. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. Ther would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a proportior of the view framed by the first-floor windows and be a notable feature. There would be a change to the arable land use, but the fiel boundaries and the associated tree cover would remain intact. The interv	 experience views over the area of panels, but their presence would be filtered by the influence of garden planting in the foreground. There would also be oblique views towards the substation, but this is likely to be mitigated by the presence of the foreground trees and woodland just outside the garden area. The principal ground floor south facing windows would experience limited views of the panels and substation due to the intervening garden and associated trees and shrubs and the southern boundary hedgerow. The first floor north facing windows look over the large-scale agricultural buildings and this is likely to screen the views of the panels. The ground floor north facing windows look towards the large-scale agricultural buildings and are unlikely to experience views of the panels. The east and west gables have intervening garden buildings and tree and shrub cover and so views of the panels are unlikely. The experience of the ground floor views over the south facing lawned garden, are unlikely to be significantly affected, remaining as an attractive outlook and a long sunny plot. The presence of farreaching views over the surrounding landscape towards Springthorpe and Heapham would be significantly affected with the panel areas in the foreground and the new substation to the east of the property. The views towards the panel areas would be 	The first detailed designs were produced in tandem with consultation with residential property owners where this was requested by the owner. This consultation included both site and desk-based work to determine any direct impacts and suitable mitigation measures. Specific mitigation measures applicable to R36 are set out below: The requirement for mitigation relates to visibility to the south, west and east over the Cottam 2 Site from the first floor of the property, where the windows are mainly south focused. To the north aspect of the property, there would be the addition of a proposed native hedge with irregularly spaced hedgerow trees. This hedgerow planting is likely to reach a maximum height of 3.5m at Year 15 and will ultimately be allowed to grow out to 5m. To the south of the property, there would be a short area of panels with East Lane beyond. The mitigation would include for an area of grassland and a proposed native hedge with irregularly spaced hedgerow trees. This hedgerow planting is likely to reach a maximum height of 3.5m at Year 15 and will ultimately be allowed to grow out to 5m. To the east of the property, existing hedgerows, trees, and woodland would be retained. There would also be an area of proposed native shrub planting to the southwest of the new substation to supplement the area of existing vegetation. To the west of the property, there would be a short area of panels with views mainly focused on the woodlands at Old Hall and Hall Farm. The mitigation would include for an area of new grassland and a proposed native hedge with irregularly spaced hedgerow trees. This hedgerow planting is likely to reach a maximum height of 3.5m at Year 15 and will ultimately be allowed to grow out to 5m. All planting areas would be offset to a maximum of 50m from the property boundary.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors – Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.2] January 2023

Decommissioning Magnitude of Change

A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning to include site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.



Significance of Effect	Moderate-Major Significant	Moderate-Major Significant	Minor-Moderate Not Significant
Type of Effect	Adverse & Short Term	Adverse & Long Term	Adverse & Long Term
Magnitude	Medium	Medium	Low
	area. <u>Substation/s</u> Residential receptor is within the 2km study area for the Cottam 2 substation. There are potential views of the substation site, especially in winter months when the vegetation to the immediate east of the receptor has no foliage.		
	access track that connects towards field H5 at Cottam 2 Site. Cable Route Corridor Residential receptor is outside of the 500m cable route corridor study		
	Construction Access Throughout the construction stage the Residential receptor will be affected due to the close proximity of the receptor and the proposed		

In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
Sequential Frequent Visibility Not Applicable. Sequential Occasional Visibility The south facing (first floor outlook) would be significantly affected by the Cottam 2 Site in its own right at the construction and operation stages, but the presence of intervening hedgerows and vegetation within the front garden would help provide some filtering of the works. The north facing first floor windows would also experience a narrow section of construction due to the small Site area on this aspect compared to the eastern aspect. In Combination From the south facing elevation (first floor outlook) only one site (Cottam 2) would be within the observers arc of vision at the same time without moving their head. No cumulative effects. In succession Within a short time lapse, when moving to the north facing elevation (first floor outlook) of the property, two cumulative sites (Cottam 3a and 3b) would be within the observers arc of vision, but they would not be experienced in combination with the Cottam 2 Site due to the distance, the intervening presence of The Cottage, the settlement of Aisby beyond and hedgerow trees bordering the fields and the minor road network. The mature tree cover bordering Green Lane to the east of Pilham is also likely to curtail a significant level of visibility in this direction in addition to the other hedgerows and tree cover within the landscape.	There would be the introduction of new elements and features comprisi area within the character area. <u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.2 [C6.4.8.15.2.2] which shows that with the Cottam

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors – Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.2] January 2023

Low
Neutral & Short Term
Minor Not Significant

or features of the landscape within the character
rising the solar panel areas and the substation
am 2 Site, cumulative visibility with the cumulative of study area. This is due to the distance, the Sites. The intervening settlements and built form
likely significant effects, between the Cottam 2 and hin the following figures:
velopments Augmented ZTV [C6.4.8.15.2.8]
agricultural presence, with wide areas retaining a nd cover create a relatively open and expansive f settlement, linked by a series of minor roads east evant characteristics of the landscape have some ninor patches of cumulative visibility for the Cottam nin the Unwooded Vales Character Area.



		Construction: Very Low
		Operation (Year 1): Very Low
Magnitude	No Change	Operation (Year 1): with only Embedded Mitigation: Very Low
-		Operation (Year 15): Low
		Decommissioning: Very Low
		Construction: Adverse & Short Term
Type of		Operation (Year 1): Adverse & Long Term
	No Change	Operation (Year 1): with only Embedded Mitigation: Adverse & Long Te
Effect		Operation (Year 15): Beneficial & Long Term
		Decommissioning: Neutral & Short Term
		Construction: Negligible Not Significant
Significance		Operation (Year 1): Negligible Not Significant
	No Change	Operation (Year 1): with only Embedded Mitigation: Negligible Not Sig
of Effect		Operation (Year 15): Minor Not Significant
		Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors – Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.2] January 2023

Term

Significant



Residential Receptor - R61 / Greystones Farm

Baseline Context:

Detached, single dwelling on a long, narrow plot bordering Willingham Road with a large-scale agricultural building to the west. The main dwelling has a north south aspect with the front elevation facing over Willingham Road. The agricultural building occupies the plot to west of the main dwelling and closes down any visibility in this direction. There is a mature tree cover to the south side of the plot, which closes down views in this direction.

Type: Singular building

Distance to Cottam Sites: 50m to Cottam 1

Closest settlement: Fillingham at about 1.6km east

Nearest Viewpoint: VP32, VP33 and LCC-C-G

Description of Receptor:

The principal ground floor windows face north and south over lawned gardens towards the boundary hedgerow framed by a dense area of trees and shrubs that occupy the majority of the garden. The east gable on the ground floor north faces towards a large-scale agricultural building with intervening tree cover. The east gable at ground floor has an immediate outlook over the boundary hedgerow to the garden.

The principal first floor windows face north and south over lawned gardens across the boundary vegetation framed by an area of trees and shrubs. The views extend from the property over the surrounding arable fields to the south and east. The first floor north facing windows look over the garden area and then Willingham Road. The east gable at first floor has an outlook over the hedgerow bordering the garden and then towards the arable landscape beyond. The west gable has an outlook over the large-scale agricultural building with a collection of mature trees and shrubs in the garden area, and then towards the arable landscape beyond.

The views are influenced by the presence of the north and south facing lawned gardens with a generous concentration of mature tree and shrub cover, which is the main focus, being a broadly rectangular plot. The other views offer some interesting features locally, but the more invigorating views towards the west are screened and filtered by intervening trees and woodland to the immediate west of the property. Tree cover is present within the garden area and located to all aspects of the dwelling. The surrounding arable land use is intensively managed with few features, but the presence of far-reaching views to the east and south adds some interest to the outlook from the property.

Overall, the views from the first-floor principle south facing elevation are likely to capture the main visual interest over the surrounding landscape towards Ingham across an open arable field. The ground floor principal windows are likely to capture immediate south and north facing views into the garden of the property and be curtailed by the presence of the intervening mature tree and shrub cover. The location offers some interesting features locally, but with more invigorating views out towards the surrounding landscape, which is large scale and exposed with few woodlands and tree cover. The tree cover is limited, the hedgerows are cut back, and the arable land use is intensively managed, but the presence of far-reaching views adds some stimulus with woodlands on the horizon that add balance to the landscape. The location offers some intimacy (despite the open nature of the arable landscape) due to the bordering hedgerows to each side of Willingham Road and the small woodland thickets. The horizon closes down the view since the landform rises to a high point on Long Lane at approximately 20m AOD rising to 30m AOD at the edge of the settlement of Ingham.

Sensitivity: High

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors – Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.3] January 2023



Residential Receptor – R61 / Greystones Farm

Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decommi of Change
The south facing first floor outlook would be significantly affected, but the presence of intervening hedgerows and vegetation within the surrounding garden would help provide some filtering of the works. The changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be evident from the first-floor outlook, but the ground floor would benefit from the intervening tree and shrub cover within the garden, and also the area of small woodland to the west of the property and the large-scale agricultural building. During the latter part of the construction stage, views would become available of the elevated activities above the garden hedgerows. Due to the presence of tree cover in the garden, the works would benefit from screening such that these activities would be experienced over a filtered proportion of the view. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows.	The principal first floor south facing windows would experience views over the area of panels, but their presence would be filtered by the influence of garden planting in the foreground. The principal ground floor south facing windows would experience limited views of the panels due to the intervening garden and associated trees and shrubs and the boundary hedgerow to the garden, which is tall and dense. The first floor north facing windows look over the garden area and Willingham Road and there will be no views of the panels. The ground floor north facing windows look towards the garden area with no views of the panels. The west gables have intervening garden tree and shrub cover and the large-scale agricultural buildings and so views of the panels are unlikely. The experience of the ground floor views over the north and south facing lawned gardens, are unlikely to be significantly affected, remaining as an attractive outlook and well- vegetated plot. The presence of far-reaching views over the surrounding landscape with lngham in the distance would be significantly affected with the panel areas in the foreground but the presence of existing tree cover within the garden area would help curtail views.	The first detailed designs were produced in tandem with consultation with residential property owners where this was requested by the owner. This consultation included both site and desk-based work to determine any direct impacts and suitable mitigation measures. Specific mitigation measures applicable to R61 are set out below: The requirement for mitigation relates to visibility to the south over Cottam 1 North Site from the first floor of the property, where the windows are mainly south focused. The large agricultural building and planting along the south boundary of the garden curtails some visibility in this direction. To the north aspect of the property, there would be no mitigation as there are no panels in this direction. To the south of the property, the mitigation would include for an area of grassland and a proposed native hedge with irregularly spaced hedgerow trees. This hedgerow planting is likely to reach a maximum height of 3.5m at Year 15 and will ultimately be allowed to grow out to 5m. To the east of the property, the mitigation would include for an area of grassland and a proposed native hedge with irregularly spaced hedgerow trees. This hedgerow planting is likely to reach a maximum height of 3.5m at Year 15 and will ultimately be allowed to grow out to 5m. To the east of the property, the mitigation would include for an area of grassland and a proposed native hedge with irregularly spaced hedgerow trees. This hedgerow planting is likely to reach a maximum height of 3.5m at Year 15 and will ultimately be allowed to grow out to 5m. To the west of the property, there would be no mitigation since the intervening mature tree cover and large-scale agricultural building would screen views of the panel areas.	A similar pro Scheme beir of the Site in vegetation a secondary m future basel the duration noise and vi generation a

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors – Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.3] January 2023

nissioning Magnitude e

rocess to that of construction stage, but with the ing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.



Significance of Effect	Moderate-Major Significant	Moderate-Major Significant	Minor-Moderate Not Significant	Minor Not S
Type of Effect	Adverse & Short Term	Adverse & Long Term	Neutral & Long Term	Neutral & Sl
Magnitude	Medium	Medium	Low	Low
	Residential receptor is outside of the 2km study areas for the substations.			

	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	<u>Sequential Frequent Visibility</u> Not Applicable	<u>Fabric of the Landscape</u> There would not be the removal of or changes in individual element
	<u>Sequential Occasional Visibility</u> The south facing (first floor) outlook would be significantly affected by the Cottam 1 North Site in its own right	character area. There would be the introduction of new elements and features com
	at the construction and operation stages, but the presence of intervening hedgerows and vegetation within the surrounding garden would help provide some filtering of the works.	area within the character area
	In Combination	<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Co
	From the south facing elevation (first floor outlook) only one site (Cottam 1 North) would be within the observers arc of vision at the same time without moving their head.	cumulative developments would not be experienced across the maj distance, the intervening woodlands, hedgerows, and tree cover bet and built form would also curtail cumulative visibility.
	No cumulative effects.	
	<i>In succession</i> Within a short time lapse, when moving to the north facing elevation (first floor outlook) only one site (Cottam 1 North) would be within the observers arc of vision at the same time without moving their head.	There are local patches of cumulative visibility which may be focus of Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Bu out in further detail within the following figures:
	No Cumulative Effects	Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Deve Figure 8.15.2.8 Cottam 1, 2, 3a and Tillbridge Solar Cumulative Deve Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Dev
		The landscape is shaped by the wide range of local and strategic roa area different from another. The strategic major road network is der contrast, the east west minor road network links several historic and the area. Overall, the prevailing road network is formed by narrow la sides with wide grassed verges and they have a major role in helping
		reducing the visibility across the area.
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and settlement with farms, nucleated villages, and small hamlets such as features value that are not highly recognised for adding intimacy an
		characteristics of the landscape and land use have some ability to a effects. The cumulative visibility for the Cottam 1 Site/Sites would no its communications and infrastructure features. Moreover, these fe context or associated with built form that plays a positive role in red
		Construction: Very Low
ude	No Change	Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low
		Operation (Year 15): Low

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors – Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.3] January 2023

Short Term

: Significant

nts or features of the landscape within the

mprising the solar panel areas and the substation

Cottam 1 Site/Sites, cumulative visibility with the ajority of the 5km study area. This is due to the etween the Site/Sites. The intervening settlements

s of likely significant effects, between the Cotton 1 Burton Solar Park. This cumulative visibility is set

evelopments Augmented ZTV [C6.4.8.15.2.6] velopments Augmented ZTV [C6.4.8.15.2.8] evelopments Augmented ZTV [C6.3.4.15.2.9]

oad networks, which make one landscape type or lefined by important historic routes and in nd distinctive smaller string of settlements across lanes that are often tranquil and hedged to both ing to define the quality of the landscape and

nd infrastructure is shaped by evidence of historic as Thorpe le Fallows and Coates, which are and interest to the landscape. These relevant accommodate change without undue adverse not alter the overall character of the landscape and features are often set within a well-vegetated educing the overall cumulative effects



Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Lon Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Operation (Year 15): Minor Not Significant Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors – Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.3] January 2023

ong Term

lot Significant



Residential Receptor - R62 / Turpin Farm

Baseline Context:

Turpin Farm is located to the south side of Willingham Road and further collection of dwellings to the north side of Willingham Road, known as Turpin's Bungalow. Turpin Farm co no evidence of residential occupancy. Turpin's Bungalow comprises a terrace of single-story dwellings separated from the road frontage by a short ditch and low-cut hedgerow. fronted (handsome) brick dwelling set back from the road frontage behind a belt of mature trees with outbuildings to the rear.

Type: Group of buildings

Distance to Cottam Sites: 29m to Cottam 1

Closest settlement: Coates at about 2km south

Nearest Viewpoint: VP37, LCC-C-J and LCC-C-I.

Description of Receptor:

Bungalows

The principal ground floor windows face in all directions over a large garden with mature tree cover. The house is set at the end of the drive with garages and outbuildings to the windows face across the rear garden towards a collection of sheds and tree and shrub cover, then with agricultural land beyond. The east gable on the ground floor faces toward has an immediate outlook over the drive/parking area and then towards arable fields.

There are no first-floor windows.

Two-Storey Dwelling

The principal ground floor windows face in all directions towards gardens which are framed by a dense area of trees and shrubs that occupy the majority of the garden. The hou with garages and outbuildings to the northeast in the context of a vegetable garden.

The principal first floor windows face in all directions over gardens framed by an area of trees and shrubs. The views extend from the property over the surrounding arable fields south north facing windows look over the garden area and also Willingham Road with the arable landscape beyond.

The views from both the bungalows and the two-storey dwelling are influenced by the presence of the gardens and the generous concentration of mature tree and shrub cover v Tree cover is present within the garden area and located to all aspects of the two-storey dwelling, apart from to the east where the views are more open. The surrounding arable features, but the presence of the local concentration of woodland adds some interest to the outlook from the property.

Overall, the views from the first-floor windows of the two-storey dwelling to the east are likely to capture the main visual interest over the surrounding landscape since the remain tree cover. The ground floor windows of both the bungalows and the two-storey properties are likely to capture immediate views into the gardens of the properties and be curtai tree and shrub cover. The location offers some interesting features locally, but the more invigorating views out towards the surrounding landscape are limited due to the presence offers some intimacy (despite the open nature of the arable landscape) due to the bordering hedgerows to each side of Willingham Road and the small woodland thickets. The h landform rises to a high point on Coates Lane and tree cover around the settlement of Coates also closes down visibility. Within the wider landscape, the field hedgerows are cut managed, however the mature ash trees within the hedgerows are a strong feature.

Sensitivity: High

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set a minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors – Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.4] January 2023

omprises agricultural and stable buildings with There is also a further two-story double	
northeast. The secondary ground floor ds a small area woodland and the west gable	
se is situated at the end of a long access drive	
s to the east, whereas the first floor west,	
within the garden of the two-storey property. Iand use is intensively managed with few	
inder of the outlook is enclosed by the mature iled by the presence of the intervening mature ce of woodlands and tree cover. The location orizon closes down the view since the back, and the arable land use is intensively	



Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Construction Magnitude of Change	Operation Magnitude of Change	Mitigation	Decomn
	(Year 1)	(Operation Magnitude of Change at Year 15)	of Chang
The east facing first floor outlook from the two-storey dwelling would be significantly affected, but the presence of intervening tree cover within the surrounding garden would help provide some filtering of the works. The changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the constructure and inverters would be evident from the first-floor outlook, but the ground floor would benefit from the intervening tree and shrub cover within the garden. During the latter part of the construction stage, views would become available of the elevated activities above the garden vegetation at both the bungalows and two-storey property. Due to the presence of tree cover in the garden, the works would benefit from screening such that these activities would be experienced over a filtered proportion of the view. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a small proportion of the view framed by the first-floor windows from the two-storey property to the east but would not be a prominent feature. There would be a change to the arable land use, but the field boundaries and the associated tree cover would remain intact. The intervening garden to the east and the presence of the	The principal first floor east facing windows of the two-storey dwelling would experience views over the area of panels, but their presence would be filtered by the influence of garden planting in the foreground. The principal ground floor south facing windows of both the bungalow and two- storey property would experience limited views of the panels due to the intervening garden and associated trees and shrubs. The first floor north facing windows of the two-storey property look over the garden area and there is likely to be some views of the panels above and through the tree cover. The ground floor of the bungalow and the two-storey dwelling (north facing windows) look towards the garden area with no views of the panels. The west gable of the bungalows has no intervening garden tree and shrub cover and so views of the panels are likely. The experience of the ground floor views of both the bungalow and the two-storey property are unlikely to be significantly affected, apart from the views towards the west from the bungalows. The presence of far-reaching views over the surrounding landscape with Ingham in the distance would not be significantly affected.	The first detailed designs were produced in tandem with consultation with residential property owners where this was requested by the owner. This consultation included both site and desk-based work to determine any direct impacts and suitable mitigation measures. Specific mitigation measures applicable to R62 are set out below: The requirement for mitigation relates to visibility in all directions towards the Cottam 1 North Site. The main area of visibility is likely to be associated with the detached two-storey dwelling towards the east. Due to the mature tree cover to the north, west and south of the property and the outbuildings this helps curtail the majority of the views from this property. The bungalows have partially enclosed views towards the north over the Cottam 1 North Site, due to the tree cover within the rear gardens and views towards the south across Willingham Road over the Cottam 1 North Site are also curtailed by the roadside hedgerows. To the north aspect of both the bungalows and the twostorey dwelling, there would be the addition of an area of grassland and native shelter belt/woodland planting. This woodland planting is likely to reach a maximum height of 7.5m at Year 15. To the south of the bungalows and the two-storey dwelling there would be no mitigation proposed sine there is already a dense collection of mature trees and hedgerows. To the south of Turpin Farm, the mitigation would include for the addition of native shelter belt/woodland planting. This woodland planting is likely to 7.5m at Year 15. To the east of the two-storey property, the mitigation would include for an area of grassland and a proposed native hedge with irregularly spaced hedgerow trees. This hedgerow planting is likely to reach a maximum height of 7.5m at Year 15.	A similar pr Scheme be of the Site i vegetation secondary f future base the duratio noise and v generation

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors - Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.4] January 2023

missioning Magnitude nge

process to that of construction stage, but with the being no longer operational. This is an assessment e in winter but assumes retention of existing on and builds upon the proposed primary and ry mitigation that had been established as the aseline. Effects are those arising from activities for ion of the decommissioning to include site traffic, l vibration from decommissioning activities, dust on and site runoff.



Significance of Effect	Moderate-Major Significant	Moderate-Major Significant	Minor-Moderate Not Significant	Minor Not S
Type of Effect	Adverse & Short Term	Adverse & Long Term	Neutral & Long Term	Neutral & Sl
Magnitude	Medium	Medium	Low	Low
	mature trees would also assist with mitigation. There would be a fundamental change to the surroundings to the north, south, east, and west of the property. Construction Access All throughout the construction stage the residential receptor will be affected due to Willingham Road having 3 points of access into the Cottam 1 North Site. The first point of access is close to Glebe Farm as it leads to field B2. The second point of access is close to North Farm as it leads to fields A2 and A4. The third point of access is close to Turpin's Farm Bungalow as it provides access to fields C3 and C4. Cable Route Corridor Residential receptor 62 is outside of the 500m cable route study corridor study area. Substation/s The residential receptor is outside the 2km study areas for the substations.		 3.5m at Year 15 and will ultimately be allowed to grow out to 5m. To the west of the bungalows, there would be the addition of native shelter belt/woodland planting. This woodland planting is likely to reach a maximum height of 7.5m at Year 15. All planting areas would be offset to a maximum of 50m from the property boundary. 	

Reside	Residential Receptor – R62 / Turpin Farm		
	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]	
	Sequential Frequent Visibility	Fabric of the Landscape	
	Not Applicable	There would not be the removal of or changes in individual elements or the second seco	
		area.	
	Sequential Occasional Visibility		
	The east facing (first floor) outlook from the two-storey dwelling would be significantly affected by the	There would be the introduction of new elements and features comprisi	
	Cottam 1 Site in its own right at the construction and operation stages, but the presence of intervening	within the character area	
	tree cover within the surrounding garden would help provide some filtering of the works. The ground		
	floor of the bungalow looks towards the garden area with no views of the operation stage (the works) or	Aesthetic Aspects of the Landscape	
	the area of panels (construction stage).	Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam	
		cumulative developments would not be experienced across the majority	
	In Combination	distance, the intervening woodlands, hedgerows, and tree cover between	
	From the east facing elevation (first floor) outlook from the two-storey dwelling only one site (Cottam 1	built form would also curtail cumulative visibility.	
	North) would be within the observers arc of vision at the same time without moving their head. From the west facing elevation (ground floor) of the bungalow only one site (Cottam 1) would also be within	There are local patches of cumulative visibility which may be focus of like	
	the observers arc of vision.	Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton	
		further detail within the following figures:	
	No cumulative effects.		
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developr	
	In succession	Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develo	
	Within a short time lapse, when moving to the north, south and west facing elevation (first floor) outlook	Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Develop	
	of the two-storey dwelling only one site (Cottam 1 North) would be within the observers arc of vision at		
	the same time without moving their head. From the north and south facing elevation (ground floor) of	The landscape is shaped by the wide range of local and strategic road ne	
	the bungalow only one site (Cottam 1) would also be within the observers arc of vision.	different from another. The strategic major road network is defined by ir	

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors – Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.4] January 2023

Short Term

t Significant

or features of the landscape within the character ising the solar panel areas and the substation area am 1 Site/Sites, cumulative visibility with the ity of the 5km study area. This is due to the een the Site/Sites. The intervening settlements and ikely significant effects, between the Cotton 1 on Solar Park. This cumulative visibility is set out in opments Augmented ZTV [C6.4.8.15.2.6] elopments Augmented ZTV [C6.4.8.15.2.8] opments Augmented ZTV [C6.3.4.15.2.9]

networks, which make one landscape type or area / important historic routes and in contrast, the east



		Appendix 8.3.3.
Cottam		[Reference]
	No Cumulative Effects	west minor road network links several historic and distinctive se prevailing road network is formed by narrow lanes that are ofte verges and they have a major role in helping to define the qualit area.
		Overall Landscape Character and Visual Amenity Overall, the character of the landscape and the communications settlement with farms, nucleated villages, and small hamlets suc value that are not highly recognised for adding intimacy and inte the landscape and land use have some ability to accommodate visibility for the Cottam 1 Site/Sites would not alter the overall ch infrastructure features. Moreover, these features are often set form that plays a positive role in reducing the overall cumulative
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible I Operation (Year 15): Minor Not Significant Decommissioning: Negligible Not Significant



Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors – Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.4] January 2023

c and distinctive smaller string of settlements across the area. Overall, the lanes that are often tranquil and hedged to both sides with wide grassed to define the quality of the landscape and reducing the visibility across the

e communications and infrastructure is shaped by evidence of historic I small hamlets such as Thorpe le Fallows and Coates, which are features ng intimacy and interest to the landscape. These relevant characteristics of to accommodate change without undue adverse effects. The cumulative alter the overall character of the landscape and its communications and cures are often set within a well-vegetated context or associated with built overall cumulative effects

igation: Adverse & Long Term

igation: Negligible Not Significant



Residential Receptor - R63a / North Farm

Baseline Context:

North Farm comprises a two-storey main dwelling with a small collection of outbuildings situated to the west of the main dwelling, that are all served by a single access track off Willingham Road. The main dwelling and outbuildings are located towards the northern part of a large, broadly rectangular plot. The main dwelling is set at the end of the long access drive and there are two small ponds located to the southwest of the rectangular plot. The collection of outbuildings to the west of the main house help to close down visibility in views towards the west. The main dwelling has a north south orientation, with the principal elevation facing south over a rectangular, lawned garden. This lawned garden is bordered by a low hedgerow to the west where it shares a boundary with the access track from Willingham Road. There is a taller hedgerow (and scattered trees) to the south boundary of the lawned garden that is a shared boundary with Willingham Road. These bordering hedgerows to the lawned area help to curtail visibility towards the south and west from the lawned part of the garden and from the ground floor south facing windows of the main house. There is also an area of deciduous woodland to the northern-most part of the plot behind the main house, which also provides screening in this direction. Further tree cover includes an orchard that is located to the east of the main dwelling, which also helps to curtail some visibility in this direction from the property curtilage. The main areas of open visibility are focused towards the south and the northeast of the property where there are lower concentrations of existing vegetation. The main focus of visibility is experienced from the first-floor principal bedroom and secondary bedrooms of the main dwelling that face south.

Type: Singular building

Distance to Cottam Sites: 46m to Cottam 1

Closest settlement: Fillingham at about 2.6km east

Nearest Viewpoint/s: VP35, VP36 and LCC-C-H

Description of Receptor:

The principal ground floor windows face south looking across the lawned gardens towards Willingham Road and then towards the agricultural fields beyond that are divided by a strong network of hedgerows. The secondary ground floor windows face north across a small lawned rear garden towards a small paddock bordered by a hedgerow, then with an area of deciduous woodland beyond. The windows in the west gable on the ground floor face towards a lawned area of garden and then towards the access drive and the collection of agricultural buildings beyond (with a small area of mature tree cover to the south of these outbuildings). The windows in the east gable have a similar outlook to the west gable with views over lawned gardens and with some visibility curtailed by the deciduous woodland to the northeast, then with views towards the arable fields towards the east and southeast.

The principal first floor windows face south looking over the lawned gardens towards Willingham Road and then towards the agricultural fields beyond. The secondary ground floor windows face north over a lawned rear garden towards a small paddock bordered by a hedgerow, then with an area of deciduous woodland beyond. The windows in the west gable on the first-floor face over a lawned area of garden and then with extended visibility towards the access drive and the collection of agricultural buildings beyond (with an area of mature tree cover to the south of these outbuildings). The windows in the east gable on the first floor have a similar outlook over lawned gardens with some visibility curtailed by the small area of woodland to the south of the outbuildings, then with views towards the arable fields beyond.

The views are influenced by the presence of the large lawned gardens to the south of the property that are bordered by well-established hedgerows to three sides and the generous area of deciduous woodland to the north also provides significant influence over the views from the property. Tree cover is present within the hedgerows to the boundaries of the lawned garden area and around the two ponds to the southwest corner of the plot. The surrounding arable land use is intensively managed with a good network of hedgerows, and the presence of the local concentration of deciduous woodland adds some interest to the outlook from the property.

Overall, the views from the first-floor windows of the two-storey main dwelling towards the south are likely to capture the main visual interest over the surrounding landscape since the outlook to the north is influenced by the presence of the deciduous woodland. The ground floor windows of the main house capture immediate views over the lawned gardens, but any immediate views beyond the property curtilage are curtailed by the presence of the intervening hedgerows that define the lawned gardens to the plot. The location offers some interesting features within the immediate context of the main dwellings, but with the more invigorating views out towards the surrounding landscape to the south and with the views towards the north being limited due to the presence of woodlands and tree cover. Within the wider landscape, the field hedgerows provide a very strong framework and help break up the presence of the open, arable fields in the landscape. Even though the arable land use is intensively managed, the hedgerows and the mature ash trees within the hedgerows are a strong feature and add to the wooded perception of the landscape.

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors – Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.5] January 2023



Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decommissioning Magnitude of Change
The south facing first floor outlook from the two-storey main dwelling would be significantly affected by the construction works, but the presence of tree and hedgerow cover within the intervening field systems would help provide some filtering of the views and alleviate the impacts to a moderate degree. The changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be evident from the first floor south facing outlook from the main house, but the ground floor would benefit from the intervening tree and shrub cover within the garden and the hedgerows in the outlying field to screen views. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerows. The works would be experienced over a wide	The principal first floor south facing windows of the two-storey dwelling would experience views over the area of panels, but their presence would be filtered by the influence of the intervening hedgerows and tree cover between the field parcels. The principal ground floor south facing windows would experience limited views of the panels due to the intervening garden and associated trees and shrubs. The hedgerows bordering Willingham Road and the field boundary hedgerows beyond would also curtail visibility in this direction. The secondary ground floor north facing windows would experience no views of the panels due to the	The first detailed designs were produced in tandem with consultation with residential property owners where this was requested by the owner. This consultation included both site and desk-based work to determine any direct impacts and suitable mitigation measures. Specific mitigation measures applicable to R63A are set out below: The requirement for mitigation relates to visibility in all directions towards the Cottam 1 North Site. The main area of visibility is likely to be associated with the views towards the south from the main dwelling house. Due to the mature tree cover to the north and east of the property and the outbuildings towards the west, this helps curtail the majority of the visibility towards the west, east and north.	A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existin vegetation and builds upon the proposed primary and secondar mitigation that had been established as the future baseline. Effects are those arisin from activities for the duration of the decommissioning to include site traffic, noise and vibration from decommissioning activities dust generation and site runoff.
proportion of the view, but the activities would be screened by intervening hedgerows and tree cover. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure	intervening garden and area of deciduous woodland. The secondary first floor north facing windows look over the garden area and the deciduous woodland and there is likely to be no views of the panels.	To the north aspect of the main house, there would be the addition of an area of grassland with native shelter belt/woodland planting beyond. This woodland planting is likely to reach a maximum height of 7.5m at Year 15.	
and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows.	The ground floor and first floor windows of the west gable of the main house look across intervening lawned gardens with tree and shrub cover. There are also intervening arable fields with a strong hedgerow	To the south aspect of the main house, there would be mitigation to the south side of Willingham Road to comprise the reinforcement of existing hedgerows with regularly spaced trees. The mitigation would also	
These short-lived construction activities would obstruct a wide proportion of the view experienced from the first-floor windows from the two-storey property towards the south, but the works would not be a prominent feature since the intervening hedgerows and tree cover would assist with the screening and separation of views from the property. There would be a	network and so views of the panels are unlikely. The ground floor and first floor windows of the east gable of the main house look across intervening lawned gardens with tree and shrub cover. There are	include for the addition of native shelter belt/woodland planting along the watercourse to the north of Larch Plantation. This woodland planting is likely to reach a maximum height of 7.5m at Year 15.	
change to the arable land use, but the field boundaries and the associated tree cover would remain intact as strong features in the landscape.	also intervening arable fields with a strong hedgerow network and so views of the panels are unlikely.	To the east of the main house, the mitigation would include the retention of existing hedgerows and scattered tree planting along the tributary of the River	
Construction Access All throughout the construction stage the residential receptor will be affected due to Willingham Road having 3 points of access into the Cottam 1 North	The experience of the ground floor views of the main house are unlikely to be significantly affected. The first-floor views from the south elevation are likely to	Till to the east.	

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors – Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.5] January 2023

	Site. The first point of access is close to Glebe Farm as it leads to field B2. The second point of access is close to North Farm as it leads to fields A2 and A4.	be significantly affected by the presence of the panels due to the availability of views over the	To the west of the main house, there would addition of a field of bird mitigation and a p
	The third point of access is close to Turpin's Farm Bungalow as it provides access to fields C3 and C4.	surrounding landscape with Ingham in the far distance.	native hedge with irregularly spaced hedger This hedgerow planting is likely to reach a m height of 3.5m at Year 15 and will ultimately
	Cable Route Corridor		to grow out to 5m.
	Residential Receptor 63A is outside the 500m cable corridor route study		
	area.		All planting areas would be offset to a maximum from the property boundary.
	Substation/s		
	The residential receptor is outside the 2km study areas for the		
	substations.		
Magnitude	Medium	Medium	Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Adverse & Long Term
Significance of Effect	Moderate-Major Significant	Moderate-Major Significant	Minor-Moderate Not Significant

Residential Receptor – R63A / North Farm		
In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]	
<u>Sequential Frequent Visibility</u> Not Applicable. <u>Sequential Occasional Visibility</u> The south facing (first floor) outlook from the two-storey dwelling would be significantly affected by	Fabric of the Landscape There would not be the removal of or changes in individual elements or features of the landscape within the character area. There would be the introduction of new elements and features comprising the solar panel areas and the substation	
Cottam 1 in its own right at the construction and operation stages, but the presence of tree and hedgerow cover within the intervening field systems would help provide some filtering of the works.	Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the	
From the south facing elevation (first floor) outlook from the two-storey dwelling only one site (Cottam 1 North) would be within the observers arc of vision at the same time without moving their head.	cumulative developments would not be experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedgerows, and tree cover between the Site/Sites. The intervening settlements and built form would also curtail cumulative visibility.	
No cumulative effects. <i>In succession</i> Within a short time lapse, when moving to the north, west and east facing elevations (first floor)	There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the following figures:	
outlook of the two-storey dwelling only one site (Cottam 1 North) would be within the observers arc of vision at the same time without moving their head. No Cumulative Effects	Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9]	
	The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type or area different from another. The strategic major road network is defined by important historic routes and in contrast, the east west minor road network links several historic and distinctive smaller string of settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are often tranquil and hedged to both sides with wide grassed verges and they have a major role in helping to define the quality of the landscape and reducing the visibility across the area.	
	<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of historic settlement with farms, nucleated villages, and small hamlets such as Thorpe le Fallows and Coates, which	

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors – Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.5] January 2023

	Minor Not Significant
	Neutral & Short Term
	Low
kimum of 50m	
d be the proposed erow trees. maximum ly be allowed	

ents or features of the landscape within the
omprising the solar panel areas and the substation
Cottam 1 Site/Sites, cumulative visibility with the najority of the 5km study area. This is due to the between the Site/Sites. The intervening v.
us of likely significant effects, between the Cotton 1 Burton Solar Park. This cumulative visibility is set
Developments Augmented ZTV [C6.4.8.15.2.6] e Developments Augmented ZTV [C6.4.8.15.2.8] Developments Augmented ZTV [C6.3.4.15.2.9]
road networks, which make one landscape type or defined by important historic routes and in and distinctive smaller string of settlements across w lanes that are often tranquil and hedged to both ping to define the quality of the landscape and



		are features value that are not highly recognised for adding intima characteristics of the landscape and land use have some ability to effects. The cumulative visibility for the Cottam 1 Site/Sites would and its communications and infrastructure features. Moreover, th context or associated with built form that plays a positive role in re
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Lo Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible No Operation (Year 15): Minor Not Significant Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors – Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.5] January 2023

> macy and interest to the landscape. These relevant to accommodate change without undue adverse Id not alter the overall character of the landscape these features are often set within a well-vegetated n reducing the overall cumulative effects.

Long Term

Not Significant



Residential Receptor - R63b / Side Farm

Baseline Context:

Side Farm is a farmstead with single dwelling towards the southern end of the plot. A large-scale agricultural building and stable block (or long barn) are situated to the northern part of the plot. The main dwelling has a north south orientation, with the main elevation facing south over lawned gardens enclosed by mature tree cover to the west and south boundaries. The agricultural building closes down any visibility towards the north and there are also mature trees along the watercourse to the south, which is a local tributary of the River Till. There is an open aspect from the dwelling towards the east.

Type: Singular building

Distance to Cottam Sites: 11m to Cottam 1

Closest settlement: Coates at about 2.1km south

Nearest Viewpoint: VP37, LCC-C-J and LCC-C-J

Description of Receptor:

The principal ground floor windows face south looking across the lawned gardens towards the local tributary of the River Till. The secondary ground floor windows face north looking across a small yard and parking area, then with a small internal paddock and a large-scale agricultural building beyond. The west gable on the ground floor faces towards a small area of woodland. The east gable has an outlook over a small lawned garden and a small paddock, then with a series of agricultural fields beyond.

The principal first floor windows face south looking over the lawned gardens towards the local tributary of the River Till and then with agricultural fields beyond. The secondary first floor windows face north looking over a small yard and parking area, then with a small internal paddock and a large-scale agricultural building beyond. The west gable on the ground floor faces over a small area of woodland and then with the collection of agricultural fields beyond. The east gable has an outlook over a small lawned garden and a small paddock, then with a series of agricultural fields beyond.

The views are influenced by the presence of the lawned gardens and small paddocks that surround the plot. Tree cover is present to the boundaries of the lawned garden area around two sides and this is a strong feature in the context of the wider landscape that is generally devoid of tree cover. The surrounding arable land use is intensively managed with few features, but the presence of the local concentration of the woodland known as Larch Plantation adds some interest to the outlook from the property. The large-scale agricultural building is also a prominent feature.

Overall, the views from the first-floor windows of the two-storey dwelling to the south are likely to capture the main visual interest over the surrounding landscape since the outlook to the north is influenced by the presence of the large-scale agricultural building. The ground floor windows of the main house capture immediate views over the lawned gardens. The location offers some interesting features locally, but invigorating views out towards the surrounding landscape to the south are curtailed by the presence of woodlands and tree cover around the plot. Within the wider landscape, there is a distinct absence of field hedgerows to provide a strong framework as the arable land use is intensively managed and so the woodlands on the horizon towards the east form a significant component and add balance to the landscape. The mature ash trees within the hedgerows are however a strong feature.

Sensitivity: High

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set a minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors – Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.6] January 2023



Residential Receptor – R63B / Side Farm

Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Yea 15)
The south facing first floor outlook from the two-storey dwelling would be significantly affected, but the presence of tree and hedgerow cover within the boundary of the garden area would help provide some filtering of the works. The changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be evident from the first-floor outlook, but the ground floor would benefit from the intervening tree and shrub cover within the garden and the presence of Larch Plantation to screen views. During the latter part of the construction stage, views would become available of the elevated activities would be experienced over a wide proportion of the view, but the activities would be screened by intervening hedgerows and tree cover. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a wide proportion of the view framed by the first-floor windows from the two-storey property to the south and would be a prominent feature since the intervening tree cover would not fully assist with the screening and separation from the property. Construction Access All throughout the construction stage the residential receptor will be affected due to Willingham Road having 3 points of access into the Cottan 1 North Site. The	The principal first floor south facing windows of the two-storey dwelling would experience views over the area of panels, and their presence would hardly be filtered since the influence of the intervening hedgerows and tree cover between the field parcels is limited. The principal ground floor south facing windows would experience limited views of the panels due to the intervening garden and associated trees and shrubs. The first floor south facing windows look over the garden area and the hedgerows and there is likely to be views of the panels. The secondary ground floor north facing windows would experience no views of the panels due to the intervening large scale agricultural building and long barns. The secondary first floor north facing windows look over the garden area and the large-scale agricultural buildings and long barns and there is likely to be some views of the panels, but at an oblique angle. The ground floor and first floor windows of the west gable of the main house directly looks the boundary tree and shrub cover and so views of the panels are unlikely. The experience of the ground floor views of the main house are unlikely to be significantly affected. The first-floor views from the south elevation are likely to be significantly affected where presence of far-reaching views over the surrounding landscape with Coates in the far distance would be significantly affected.	The first detailed designs were produced in tander with consultation with residential property owners where this was requested by the owner. This consultation included both site and desk-based we to determine any direct impacts and suitable mitigation measures. Specific mitigation measures applicable to R63B are set out below: The requirement for mitigation relates to visibility towards the Cottam 1 North Site. The main area of visibility is likely to be associated with the views towards the south. Due to the mature tree cover to the south and west of the property this helps the majority of visibility in this direction at ground floo level. Views are also curtailed by the intervening large-scale agricultural building and stable block o long barn. The mature tree cover closes down view towards the west and planting along the watercou to the south helps to break down visibility. There a open views towards the east. To the north aspect of the main house, there woul be no mitigation since the large scale and agricultural building closes down visibility. To the south aspect of the main house, the existing tree belt would provide sufficient screening at clos range. Within intervening fields there would be ne native hedgerows with irregularly spaced hedgero trees. This hedgerow planting is likely to reach a maximum height of 3.5m at Year 15 and will ultimately be allowed to grow out to 5m. To the east of the main house, the provision of nat shelter belt/woodland planting along the watercourse to the north of Larch Plantation. This woodland planting is likely to reach a maximum height of 7.5m at Year 15. To the west of the main house, the existing tree be would provide sufficient screening at close range. There would also be the provision of native shelter belt/woodland planting along the watercourse to to north of Larch Plantation. This woodland planting likely to reach a maximum height of 7.5m at Year 1 All planting areas would be offset to a maximum o 50m from the property boundary

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors – Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.6] January 2023

ar	Decommissioning Magnitude of Change
n ork	A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning to include site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.
r	
vs rse re	
d	
v v v	
ive	
lt	
he s 5.	
f	



	The residential receptor is outside the 2km study area for the substations.			
Magnitude	Medium-	Medium-	Low	Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Neutral & Long Term	Neutral & Short Term
Significance of Effect	Moderate-Major Significant	Moderate-Major Significant	Minor-Moderate Not Significant	Minor Not Significant

	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	<u>Sequential Frequent Visibility</u> Not Applicable.	<u>Fabric of the Landscape</u> There would not be the removal of or changes in individual element character area.
	 <u>Sequential Occasional Visibility</u> The south facing (first floor) outlook from the two-storey dwelling would be significantly affected by Cottam 1 in its own right at the construction and operation stages, but the presence of tree and hedgerow cover within the boundary of the garden area would help provide some filtering of the works. <i>In Combination</i> From the south facing elevation (first floor) outlook from the two-storey dwelling only one site (Cottam 1 North) would be within the observers arc of vision at the same time without moving their head. 	There would be the introduction of new elements and features con area within the character area <u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the C cumulative developments would not be experienced across the m distance, the intervening woodlands, hedgerows, and tree cover b settlements and built form would also curtail cumulative visibility.
	No cumulative effects.	There are local patches of cumulative visibility which may be focus Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West E out in further detail within the following figures:
	<i>In succession</i> Within a short time lapse, when moving to the north, west and east facing elevations (first floor) outlook of the two-storey dwelling only one site (Cottam 1 North) would be within the observers arc of vision at the same time without moving their head.	Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative De Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative De
	No Cumulative Effects	The landscape is shaped by the wide range of local and strategic rarea different from another. The strategic major road network is contrast, the east west minor road network links several historic a the area. Overall, the prevailing road network is formed by narrow sides with wide grassed verges and they have a major role in help reducing the visibility across the area.
		Overall Landscape Character and Visual Amenity Overall, the character of the landscape and the communications a historic settlement with farms, nucleated villages, and small hamle are features value that are not highly recognised for adding intima characteristics of the landscape and land use have some ability to effects. The cumulative visibility for the Cottam 1 Site/Sites would be and its communications and infrastructure features. Moreover, the context or associated with built form that plays a positive role in re-
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors – Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.6] January 2023

ents or features of the landscape within the
omprising the solar panel areas and the substation
Cottam 1 Site/Sites, cumulative visibility with the najority of the 5km study area. This is due to the between the Site/Sites. The intervening
is of likely significant effects, between the Cotton 1 Burton Solar Park. This cumulative visibility is set
evelopments Augmented ZTV [C6.4.8.15.2.6] e Developments Augmented ZTV [C6.4.8.15.2.8] Developments Augmented ZTV [C6.3.4.15.2.9]
road networks, which make one landscape type or defined by important historic routes and in and distinctive smaller string of settlements across w lanes that are often tranquil and hedged to both bing to define the quality of the landscape and
and infrastructure is shaped by evidence of lets such as Thorpe le Fallows and Coates, which hacy and interest to the landscape. These relevant o accommodate change without undue adverse I not alter the overall character of the landscape these features are often set within a well-vegetated reducing the overall cumulative effects.



		Operation (Year 1): with only Embedded Mitigation: Very Low
		Operation (Year 15): Low
		Decommissioning: Very Low
		Construction: Adverse & Short Term
		Operation (Year 1): Adverse & Long Term
Type of Effect	No Change	Operation (Year 1): with only Embedded Mitigation: Adverse & Lor
		Operation (Year 15): Beneficial & Long Term
		Decommissioning: Neutral & Short Term
		Construction: Negligible Not Significant
Significance of		Operation (Year 1): Negligible Not Significant
Effect	No Change	Operation (Year 1): with only Embedded Mitigation: Negligible No
		Operation (Year 15): Minor Not Significant
		Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors – Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.6] January 2023

Long Term

Not Significant



Residential Receptor – R67 / Moor Farm

Baseline Context:

Farmstead occupying a long, wide plot with a single dwelling just off South Lane at its southern-most end. The dwelling is located towards the western end of the plot overlooking South Lane and there are other outbuildings and barns to the east and south of this. The dwelling has an outlook on three sides with the northern boundary enclosed with mature tree cover and hedgerows. The tree cover in the front garden closes down any visibility towards the west but there is a partially open aspect. There are some mature trees to the west side of South Lane, but the hedgerows are generally open and low-cut.

Type: Singular building

Distance to Cottam Sites: 80m to Cottam 1

Closest settlement: Coates at about 1.4km south

Nearest Viewpoint: VP38, LCC-C-J and LCC-C-K.

Description of Receptor:

The principal ground floor windows face west looking across a grassed area towards South Lane. There are also windows looking south looking towards a large-scale agricultural building. The secondary ground floor windows face north looking towards a dense tall hedgerow, then with arable fields beyond. The east gable is attached to outbuildings and a large-scale agricultural building with no outlook.

The principal first floor windows face west looking across a grassed area towards South Lane and open arable fields beyond. The first-floor windows are also south looking towards a large-scale agricultural building and a small area of woodland bordering South Lane beyond. The secondary ground floor windows face north looking over a dense tall hedgerow, then with arable fields beyond. The east gable is attached to outbuildings and a large-scale agricultural building with no outlook.

The views are influenced by the presence of the large-scale agricultural buildings that dominate the plot to the east and the south. Tree cover is present to the boundaries of South Lane just to the south of the property and this is a strong feature in the context of the wider landscape that is generally devoid of tree cover. The surrounding arable land use is intensively managed with few features, but the presence of the local concentration of the tree cover along South Lane and the tree cover adjoining the local tributary of the River Till is a strong feature.

Overall, the views from the first-floor windows of the two-storey dwelling to the north and west are likely to capture the main visual interest over the surrounding landscape since the outlook to the south and east is influenced by the presence of the large-scale agricultural buildings. The ground floor windows of the main house capture immediate views over the gardens and agricultural buildings, but there may be some views towards the west due to the absence of hedgerows to both sides of South Lane at this location. The location offers some interesting features locally, but invigorating views out towards the surrounding landscape to the south are curtailed by the presence of woodlands and buildings around the plot. Within the wider landscape, there is a distinct absence of field hedgerows to provide a strong framework as the arable land use is intensively managed and so the shelterbelts on the horizon towards the east form a significant component and add balance to the landscape. The mature ash trees within the hedgerows are however a strong feature. This location offers some intimacy since this is a local lane with little traffic and there is no major settlement to disrupt the tranquility.

Sensitivity: High

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors – Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.7] January 2023



Residential Receptor – R67 / Moor Farm

Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decommis of Change
The west facing first floor outlook from the two-storey dwelling would be significantly affected, due to the absence of tree and hedgerow cover within the boundary of the garden area to provide screening of the works. The changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be evident from the first-floor outlook, and the ground floor would not benefit from the intervening tree and shrub cover. During the latter part of the construction stage, views would become available of the elevated activities across the open arable fields. The works would be experienced over a wide proportion of the view, but the activities would be set across an open field. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the sesociated tree cover would remain intact as strong features in the landscape. There would not be a fundamental change to the surroundings to the north, of the property. Construction Access Point He sesolential receptor will be affected due to South Lane having a point of access into the Cottam 1 North site/Sites. The access point is between Lowfield Farm and Moor Farm as it connects to fields G2 and G3. Cable Route Corridor	The principal first floor west facing windows of the two-storey dwelling would experience views over the area of panels, and their presence would hardly be filtered by the absence of the intervening hedgerows and tree cover. The principal ground floor south facing windows would experience no views of the panels due to the intervening tree cover and large-scale agricultural buildings. The first floor south facing windows look over the large-scale agricultural buildings and the tree cover to South Lane and there is unlikely to be views of the panels. The secondary ground floor west facing windows would experience views of the panels due to the lack of intervening tree cover. The secondary ground floor west facing windows look over South Lane would have likely views of the panels, but at an oblique angle and with an arable field in the foreground. The ground floor and first floor windows of the west gable of the main house directly looks across South Lane where there are no hedgerows or tree cover and so views of the panels are likely.	The first detailed designs were produced in tandem with consultation with residential property owners where this was requested by the owner. This consultation included both site and desk- based work to determine any direct impacts and suitable mitigation measures. Specific mitigation measures applicable to R67 are set out below: The requirement for mitigation relates to visibility towards Cottam 1 North Site. The mature tree cover in the south part garden of the property closes down some views towards the south and the large-scale agricultural buildings helps to break down visibility also. There is some open visibility towards the west. To the north aspect of the main house, there would be no mitigation since there are no panels in this direction at close range. To the south aspect of the main house, the existing tree belt would provide sufficient screening at close range. Within intervening fields there would be new native hedgerows with irregularly spaced hedgerow trees. This hedgerow planting is likely to reach a maximum height of 3.5m at Year 15 and will ultimately be allowed to grow out to 5m. To the east aspect of the main house, there would be no mitigation since there are no panels in this direction at close range.	A similar proc Scheme being of the Site in w vegetation an secondary mit future baselin the duration of noise and vibu generation an

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors – Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.7] January 2023

issioning Magnitude

ocess to that of construction stage, but with the ng no longer operational. This is an assessment n winter but assumes retention of existing and builds upon the proposed primary and nitigation that had been established as the line. Effects are those arising from activities for n of the decommissioning to include site traffic, ibration from decommissioning activities, dust and site runoff.



			All planting areas would be offset to a maximum of 50m from the property boundary	
Magnitude	Medium	Medium	Low	Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Neutral & Long Term	Neutral & S
Significance of Effect	Moderate-Major Significant	Moderate-Major Significant	Minor-Moderate Not Significant	Minor Not S

	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
1	Sequential Frequent Visibility	<u>Fabric of the Landscape</u>
	Not Applicable.	There would not be the removal of or changes in individual elemer character area.
	Sequential Occasional Visibility	
	The west facing (first floor) outlook from the two-storey dwelling would be significantly affected by Cottam 1 in its own right during the construction and operation stages, due to the absence of tree and hedgerow cover within the boundary of the garden area to provide screening of the works.	There would be the introduction of new elements and features con area within the character area
	within the boundary of the garden area to provide screening of the works.	Aesthetic Aspects of the Landscape
	In Combination	Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the C
	From the west facing elevation (first floor) outlook from the two-storey dwelling only one site (Cottam 1 North) would be within the observers arc of vision at the same time without moving their head.	cumulative developments would not be experienced across the ma distance, the intervening woodlands, hedgerows, and tree cover be settlements and built form would also curtail cumulative visibility.
	No cumulative effects.	
		There are local patches of cumulative visibility which may be focus
	<i>In succession</i> Within a short time lapse, when moving to the south, west and east facing elevations (first floor) outlook of the	Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West B out in further detail within the following figures:
	two-storey dwelling only one site (Cottam 1 North) would be within the observers arc of vision at the same	
	time without moving their head. No cumulative effects.	Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Dev Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Dev Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Dev
	No cumulative effects.	The constant of the contractive be
		The landscape is shaped by the wide range of local and strategic ro area different from another. The strategic major road network is do contrast, the east west minor road network links several historic ar the area. Overall, the prevailing road network is formed by narrow sides with wide grassed verges and they have a major role in helpin reducing the visibility across the area.
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications ar
		historic settlement with farms, nucleated villages, and small hamle
		are features value that are not highly recognised for adding intima characteristics of the landscape and land use have some ability to a
		effects. The cumulative visibility for the Cottam 1 Site/Sites would r
		and its communications and infrastructure features. Moreover, th
		context or associated with built form that plays a positive role in re
		Construction: Very Low
9	No Change	Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low
		Operation (Year 15): Low

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors – Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.7] January 2023

Short Term

t Significant

nents or features of the landscape within the

comprising the solar panel areas and the substation

Cottam 1 Site/Sites, cumulative visibility with the majority of the 5km study area. This is due to the between the Site/Sites. The intervening v.

us of likely significant effects, between the Cotton 1 Burton Solar Park. This cumulative visibility is set

Developments Augmented ZTV [C6.4.8.15.2.6] ve Developments Augmented ZTV [C6.4.8.15.2.8] Developments Augmented ZTV [C6.3.4.15.2.9]

road networks, which make one landscape type or s defined by important historic routes and in and distinctive smaller string of settlements across ow lanes that are often tranquil and hedged to both lping to define the quality of the landscape and

and infrastructure is shaped by evidence of nlets such as Thorpe le Fallows and Coates, which macy and interest to the landscape. These relevant to accommodate change without undue adverse d not alter the overall character of the landscape these features are often set within a well-vegetated reducing the overall cumulative effects



		Decommissioning: Very Low
-		Construction: Adverse & Short Term
Type of		Operation (Year 1): Adverse & Long Term
	No Change	Operation (Year 1): with only Embedded Mitigation: Adverse & Lor
Effect		Operation (Year 15): Beneficial & Long Term
		Decommissioning: Neutral & Short Term
Significance of Effect		Construction: Negligible Not Significant
		Operation (Year 1): Negligible Not Significant
	No Change	Operation (Year 1): with only Embedded Mitigation: Negligible Not
		Operation (Year 15): Minor Not Significant
		Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors – Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.7] January 2023

Long Term

Not Significant



Residential Receptor - R73 / East Farm

Baseline Context:

Farmstead occupying an irregular rectangular plot to the east side of the B1241 (Normanby Road), with the residential dwelling occupying the southern part of the plot, right at the eastern edge. There is a collection of largescale agricultural buildings and long barns to the south of the property. The dwelling has an open aspect to the north directly overlooking a large grassland field, but with garden curtilage towards the west and south. There is a tall dense hedgerow to the immediate east boundary of the property.

Type: Singular building

Distance to Cottam Sites: 40m to Cottam 1

Closest settlement: Om to Normanby by Stow

Nearest Viewpoint: VP19, VP20 and LCC-C-A

Description of Receptor:

The principal ground floor windows face north looking across a grassland field towards a minor tributary of the River Till. There are also secondary ground floor windows looking south over a lawned garden with a small pond and then with a large-scale agricultural building. The west gable of the property at ground floor faces towards a large orchard that extends towards the B1241(Normanby Road) and the east facing gable looks directly into a tall boundary hedgerow.

The principal first floor windows face north looking over a grassland field towards a minor tributary of the River Till with the main River Till beyond and its associated waterside meadows. There are also secondary first floor windows looking south over a lawned garden with the small pond and then with a large-scale agricultural building beyond. The west gable of the property at first floor looks across the large orchard towards the B1241(Normanby Road) with large scale arable fields beyond. The east facing gable looks directly over the tall boundary hedgerow towards the River Till and the agricultural landscape beyond.

The views are influenced by the presence of the large meadow to the north, the orchard, and the large-scale agricultural buildings to the south. The tall hedgerow to the east is also a prominent feature. The surrounding arable land use is well managed with some interesting features, and the presence of the local concentration of the tree cover along the green lane and the tree cover adjoining the local tributary of the River Till is a strong feature in the landscape.

Overall, the views form the first-floor windows of the two-storey dwelling to the north, west and east are likely to capture the main visual interest over the surrounding landscape since the outlook to the south is influenced by the presence of the large-scale agricultural buildings. The ground floor windows of the main house capture immediate views over the gardens, the orchard, and agricultural buildings. The location offers some interesting features locally, but invigorating views out towards the surrounding landscape to the south and east are curtailed by the presence of woodlands and buildings around the plot. Within the wider landscape, there is a distinct presence of field hedgerows to provide a strong framework that form a significant component and add balance to the landscape. The mature ash trees within the hedgerows are also a strong feature. This location offers some intimacy although this is a busy road with passing traffic there is enclosure and intimacy provided the presence of the tributary and the orchard planting. The view is influenced by the presence of the busy road, but this is surpassed by the invigorating nature of the views east towards the limestone capped ridgeline encompassing Ingham and Ingham Cliff. The foreground presence of the green lane and its mature tree cover enhance the quality of the view, and the riparian woodland and tree cover that follows the course of the River Till is also a distinctive feature. The overall impression is that of an intact and invigorating landscape with far-reaching views.

Sensitivity: High

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set a minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors – Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.8] January 2023



Residential Receptor – R73 / East Farm

	Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Y
	The east facing first floor outlook from the two-storey dwelling would be significantly affected, due to the absence of tree and hedgerow cover within the boundary of the garden area to provide screening of the works. The changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be evident from the first-floor outlook, but the ground floor would benefit from the intervening hedgerow cover. During the latter part of the construction stage, views would not be available of the elevated activities due to the presence of the tall hedgerow to the east. The works would be experienced over a wide proportion of the view, but the activities would be set across an open field with intervening hedgerows and the course of the River Till to break up the effects. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a wide proportion of the view framed by the first-floor windows from the two-storey property to the east and would be a prominent feature since there is no intervening tree cover to assist with the screening and separation from the property. There would be a fundamental change to the surroundings to the north and west of the property. Construction Access All throughout the construction stage th	The principal first floor east facing windows of the two- storey dwelling would experience views over the area of panels, and their presence would hardly be filtered by the absence of the intervening hedgerows and tree cover. The principal ground floor east facing windows would experience no views of the panels due to the intervening hedgerow cover. The first floor south facing windows look over the large- scale agricultural buildings and the tree cover to the green lane and there is unlikely to be views of the panels. The ground floor south facing windows would experience no views of the panels due to the intervening agricultural buildings.	The first detailed designs were produced in tande consultation with residential property owners wh was requested by the owner. This consultation in both site and desk-based work to determine any impacts and suitable mitigation measures. Specif mitigation measures applicable to R73 are set our The requirement for mitigation relates to visibility east towards the Cottam 1 North Site. The matur hedgerow and tree cover to the immediate east b of the property curtilage closes down some views To the north aspect of the main house, there wou mitigation since there are no panels in this direct To the south aspect of the main house, there wou area of proposed bird mitigation and the area wor kept free of panels. To the east aspect of the main house, there woul wide belt of native shrub planting. This planting is reach a maximum height of 3.5m at Year 15 and o ultimately be allowed to grow out to 5m. Beyond planting the field would be an area of proposed b mitigation and would be kept free of panels. To the north aspect of the main house, there woul wide belt of native shrub planting. This planting is reach a maximum height of 3.5m at Year 15 and o ultimately be allowed to grow out to 5m. Beyond planting the field would be an area of proposed b mitigation and would be kept free of panels. To the north aspect of the main house, there woul mitigation since there are no panels in this direct All planting areas would be offset to a maximum from the property boundary.
Magnitude	Medium	Medium	Low
Type of	Adverse & Short Term	Adverse & Long Term	Neutral & Long Term
Effect			
Significance of Effect	Moderate-Major Significant	Moderate-Major Significant	Minor-Moderate Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors – Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.8] January 2023

	Decommissioning
Year 15)	Magnitude
	of Change
dem with /here this included y direct iffic ut below: ity to the ure boundary vs. buld be no ction. buld an yould be	A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning to include site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.
uld be a is likely to d will d this bird	
ould be no ction.	
n of 50m	
	Low
	Neutral & Short Term
	Minor Not Significant



Residential Recepto	or – R73 / East Farm	
	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	Sequential Frequent Visibility	Fabric of the Landscape
	Not Applicable.	There would not be the removal of or changes in individual elements or fea
	<u>Sequential Occasional Visibility</u> The east facing first floor outlook from the two-storey dwelling would be significantly affected by Cottam 1 in its own right by the construction and operation stages, due to the absence of	There would be the introduction of new elements and features comprising within the character area
	tree and hedgerow cover within the boundary of the garden area to provide screening of the works.	Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 cumulative developments would not be experienced across the majority of
	<i>In Combination</i> From the east facing elevation (first floor) outlook from the two-storey dwelling only one site (Cottam 1 North) would be within the observers arc of vision at the same time without	the intervening woodlands, hedgerows, and tree cover between the Site/Sit would also curtail cumulative visibility.
	moving their head.	There are local patches of cumulative visibility which may be focus of likely Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton So further detail within the following figures:
	<i>In succession</i> Within a short time lapse, when moving to the south, north and west facing elevations (first floor) outlook of the two-storey dwelling only one site (Cottam 1 North) would be within the	Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developme Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developme Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developme
	observers arc of vision at the same time without moving their head. No cumulative effects.	The landscape is shaped by the wide range of local and strategic road netw different from another. The strategic major road network is defined by imp west minor road network links several historic and distinctive smaller string prevailing road network is formed by narrow lanes that are often tranquil a verges and they have a major role in helping to define the quality of the lan area.
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infrass settlement with farms, nucleated villages, and small hamlets such as Thorp that are not highly recognised for adding intimacy and interest to the lands landscape and land use have some ability to accommodate change without for the Cottam 1 Site/Sites would not alter the overall character of the lands features. Moreover, these features are often set within a well-vegetated co positive role in reducing the overall cumulative effects
Magnitude	No Change	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Low Decommissioning: Very Low
Type of Effect	No Change	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	No Change	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Signific Operation (Year 15): Minor Not Significant Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.2: Residential Receptors – Residential Significant [Reference: EN010133/APP/C6.3.8.3.3.2.8] January 2023

features of the landscape within the character area.
ng the solar panel areas and the substation area
n 1 Site/Sites, cumulative visibility with the of the 5km study area. This is due to the distance, /Sites. The intervening settlements and built form
ely significant effects, between the Cotton 1 Solar Park. This cumulative visibility is set out in
ments Augmented ZTV [C6.4.8.15.2.6] opments Augmented ZTV [C6.4.8.15.2.8] ments Augmented ZTV [C6.3.4.15.2.9]
etworks, which make one landscape type or area mportant historic routes and in contrast, the east ring of settlements across the area. Overall, the il and hedged to both sides with wide grassed landscape and reducing the visibility across the
rastructure is shaped by evidence of historic orpe le Fallows and Coates, which are features value ndscape. These relevant characteristics of the out undue adverse effects. The cumulative visibility ndscape and its communications and infrastructure context or associated with built form that plays a
m
ificant



Residential Receptor - R09 - Cold Harbour

Receptor Baseline:

This view is Blyton Park Racing Centre with parking and access tracks. Main administrative building is a large-scale storage shed with no clearly defined aspect or outlook. The immediate curtilage to the shed has an open aspect towards the north, west and east and a partially open aspect towards the south. There is a collection of outbuildings (R10) to the south of the shed, with a mature belt of scrub and tree cover beyond.

Type: Singular building

Distance to Cottam Sites: 36m to Cottam 3a

Closest settlement: Northorpe at about 1.3km east

Description of Receptor:

Non-residential receptor. The views from this receptor are low level, being pedestrians/workers and drivers. Surrounding views include the racetrack to the west, additional buildings to the south and southeast with a burial ground beyond the racetrack to the northeast.

Nearest Viewpoint: VP60

The view is located on the B1025 (Kirton Road) at the entrance to the Blyton Park Driving Centre, looking northwest directly over the Cottam 3a Site and southwest towards the Cottam 3b Site, with the Cottam 2 Site beyond.

The view is influenced by the open nature of the location and the presence of the Blyton Park Driving Centre and its associated hanger, access roads and parking areas. Although Kirton Road is defined by strong hedgerows they are low-cut and the hedgerow trees are weak and this gives an uncomfortable feeling to the route, especially given that it is a long straight road with fast moving traffic and no footways, with only narrow grass verges. The existing vegetation bordering the mainline railway is the appealing feature of the view along with the dense shelterbelt vegetation between the field systems which provides effective screening in this direction. The wind turbine on the Site/Sites is prominent from this viewpoint, but the low scrub in the foreground helps to mitigate its presence. The viewpoint offers some interesting but highly detracting features locally, that are evident in sharp contrast to the more invigorating views out towards the surrounding landscape of Laughton Woods and Laughton Common as a strong wooded horizon. The overall experience is that of an unsettling location with overwhelming feelings of insecurity. The distant electricity pylons and the sporadic buildings, signage and gateway fencing in the foreground also add to the discordancy and uncomfortable nature of the view. **Embedded Mitigation:**

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.1] January 2023



Construction	Operation (Year 1)	Operation (Year 15)	Decommiss
Views of the construction will be predominantly available to the southwest and east at the closest distance with views to the south somewhat screened by existing buildings. Views further southwest are beyond the intervening panelled areas. Views are already somewhat degraded by the existence of the racetrack and associated infrastructure and remnant airfield structures. The changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground and lower-level activities such as the construction of the substation, solar panel areas and associated infrastructure and inverters would be evident. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerows. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction activities Would be evident in the close-mid range views. There would be a change to the arable land use, but the field boundaries and the associated tree cover would remain intact. Their would be a change to the arable land use around this receptor, but the field boundaries and the associated tree cover would remain intact. Their mediate surroundings to this building would not alter and there would be no fundamental change to the surroundings to the northwest.	There are no first-floor windows to this building which is not a dwelling, but an administrative building housed in the barn. There are no ground floor windows to this building, but the curtilage has an open aspect to the north, west and east and a partially open aspect to the south. To the southwest a new hedgerow is proposed around field K8. To the east a new hedgerow is proposed around field K13 and K14. To the south, the existing buildings will predominantly screen views of the development beyond. Although the experience of the views to the ground floor areas are to be affected by the development, the sensitivity is lower than a residential dwelling and the viewpoint is already strongly influenced by the nature of the business activity in this area, with noise, traffic, dust etc within close proximity within the Racetrack. By Year 1 views of the development will be curtailed to some degree as implemented mitigation will be immature and will have limited physical and visual impact by this point. Lighting Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.	The first detailed designs were produced in tandem with consultation with residential property owners where this was requested by the owner. This consultation included both site and desk-based work to determine any direct impacts and suitable mitigation measures. Specific mitigation measures applicable to R09 are set out below: The requirement for mitigation relates to visibility to the north, southwest, south and east. A new hedgerow around the Site to the east and to the southwest of this building (fields K13, 14 and K8) will mitigate views from this facility. The new hedgerows are likely to have reached a height of 3.5m at Year 15 with the proposed hedgerow trees, irregularly spaced along these hedgerows reaching a height of 7.5m. Views south are predominantly curtailed by existing buildings (R10) and existing vegetation. This is relating to visibility to the north, west, south and east. All planting areas would be offset to a maximum of 50m from the property boundary. By Year 15, views into the Site will be closed down and the substation will be screened by the proposed Mitigation with this receptor being more enclosed in nature from what is currently an exposed site. The assessment process has considered the visual amenity of this residential property and has taken into account views anticipated from both the ground and first floors. Where significant effects have been identified for Year 1 these have been found to be less than significant at Year 15 due to the proposed landscape mitigation both from ground and first floors. At Year 15 in the consideration that a separate Residential Visual Amenity Assessment (RVAA) may be required, the findings for this receptor therefore show that the proposed landscape mitigation will screen views from the ground floor principal rooms and as such an RVAA is therefore not considered to be necessary.	A similar proce construction s the Scheme be operational. Th assessment of winter but ass retention of ex- vegetation and the proposed secondary mit had been esta future baseling those arising f for the duration decommission site traffic, noi vibration from decommission dust generation runoff. Without Seco Mitigation hav applied throug scheme, the o the views/lance following deco would be the of hedgerows wh been allowed the and will have fit assumed that retained. With Mitigati negative effect physical decor will be balance long-term lance visual effects of mitigation.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.1] January 2023



Level of Effect Significance	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term
Magnitude	to limited intervening vegetation.	Very Low	Low
	Cold Harbour and the proposed construction access. Cable Route Corridor The residential receptor is outside of the 500m cable route corridor study area. Substation/s The residential receptor is within the 2km study area for the Cottam 3a substation and the substation is potentially visible to the south due		

In	-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
No	o Intervisibility	Fabric of the Landscape There would not be the removal of or changes in individual elements or for area.
		There would be the introduction of new elements and features comprisin
		Aesthetic Aspects of the Landscape Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with the Cottam cumulative developments would not be experienced across the majority of distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility between these Site/Sites
		There are local patches of cumulative visibility which may be focus of likel and Tillbridge Solar. This cumulative visibility is set out in further detail wi
		Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develo
		Overall Landscape Character and Visual Amenity

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.1] January 2023

Very Low
Neutral & Short Term
Negligible Not Significant

r features of the landscape within the character
sing the solar panel areas and the substation area.
am 3a and 3b Sites, cumulative visibility with the y of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and es.
kely significant effects, between the Cottam 3a Site within the following figures:
elopments Augmented ZTV [C6.4.8.15.2.8]



		Overall, the character of the Unwooded Vales is shaped by the strong ag strong sense of rural tranquility. In contrast, the low levels of woodland of landscape comprising an arable land use within a scattered pattern of se to west and a more strategic road network north to south. These relevan ability to accommodate change without undue adverse effects. The cumu alter the overall character of the landscape within the Unwooded Vales C
Magnitude	Not Applicable	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Tern Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significa Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.1] January 2023

agricultural presence, with wide areas retaining a d cover create a relatively open and expansive settlement, linked by a series of minor roads east vant characteristics of the landscape have some mulative visibility for the Cottam 3b Site would not s Character Area 4a.

erm

icant



Residential Receptor - R10 - Cold Harbour

Receptor Baseline:

Collection of outbuildings with parking and access tracks with no clearly defined aspect or outlook. The immediate curtilage to the outbuildings has a partially open aspect towards the north and the Blyton Park Driving Centre (R09) and an open aspect towards the south with a mature belt of scrub and tree cover beyond. There is an open aspect towards the west and east.

Type: Singular building

Distance to Cottam Sites: 86m to Cottam 3a

Closest settlement: Northorpe at about 1.3km east

Description of Receptor:

Non-residential receptor. The views from this receptor are low level, being pedestrians/workers and drivers. Surrounding views include the racetrack to the northwest, additional buildings to the north and southeast with a burial ground beyond the racetrack to the northeast.

Nearest Viewpoint: VP60

The view is located on the B1025 (Kirton Road) at the entrance to the Blyton Park Driving Centre, looking northwest directly over the Cottam 3a Site and southwest towards the Cottam 3b Site, with the Cottam 2 Site beyond.

The view is influenced by the open nature of the location and the presence of the Blyton Park Driving Centre and its associated hanger, access roads and parking areas. Although Kirton Road is defined by strong hedgerows they are low-cut and the hedgerow trees are weak and this gives an uncomfortable feeling to the route, especially given that it is a long straight road with fast moving traffic and no footways, with only narrow grass verges. The existing vegetation bordering the mainline railway is the appealing feature of the view along with the dense shelterbelt vegetation between the field systems which provides effective screening in this direction. The wind turbine on the Site/Sites is prominent from this viewpoint, but the low scrub in the foreground helps to mitigate its presence. The viewpoint offers some interesting but highly detracting features locally, that are evident in sharp contrast to the more invigorating views out towards the surrounding landscape of Laughton Woods and Laughton Common as a strong wooded horizon. The overall experience is that of an unsettling location with overwhelming feelings of insecurity. The distant electricity pylons and the sporadic buildings, signage and gateway fencing in the foreground also add to the discordancy and uncomfortable nature of the view.

Sensitivity: High

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.2] January 2023



Residential Receptor – R10 / Cold Harbour

Construction	Operation (Year 1)	Operation (Year 15)
Views of the construction will		The Cost data lind design cover and have the term data with several testing with
be predominantly available to	There are no first-floor windows to these	The first detailed designs were produced in tandem with consultation with residential property owners where this was requested by the owner. This
the southwest, south and east	building which is not a dwelling, but a	consultation included both site and desk-based work to determine any direct
at the closest distance with	collection of industrial buildings associated	impacts and suitable mitigation measures. Specific mitigation measures applic
views further southwest are	with the racetrack.	to R10 are set out below:
somewhat screened beyond		
the intervening panelled areas.	There are no ground floor windows to this	The requirement for mitigation relates to visibility to the north, west, south an
01	building, but the curtilage has an open	east.
Views are already somewhat	aspect to the north, south and east and a	
degraded by the existence of		A new hedgerow around the Site to the east, southeast and to the southwest
the racetrack and associated	partially open aspect to the west where	building (fields K13, 14, 16 and K8) will mitigate views from this facility. The ne
infrastructure and remnant	some vegetation exists adjacent to the	hedgerows are likely to have reached a height of 3.5m at Year 15 with the pro
airfield structures.	buildings.	hedgerow trees, irregularly spaced along these hedgerows reaching a height o
		7.5m.
The changes would include the	To the southwest a new hedgerow is proposed around	
construction activities during	field K8.	Panels are to be set back from the boundaries being 8m beyond proposed
site preparation / enabling		hedgerows.
works, construction, and	To the east a new hedgerow is proposed around field	By Year 1 views will be curtailed, whilst by Year 15, views into the Site will be c
commissioning with effects such as construction traffic,	K13 and K14.	down.
noise and vibration from	Although the experience of the views to the ground	down.
construction activities, dust	floor areas are to be affected by the development, the	The assessment process has considered the visual amenity of this residential
generation, site runoff, mud on	sensitivity is lower than a residential dwelling and the	property and has taken into account views anticipated from both the ground
roads, and the visual intrusion	viewpoint is already strongly influenced by the nature of the business activity in this area, with noise, traffic,	first floors. Where significant effects have been identified for Year 1 these have
of plant and machinery on site.	dust etc within close proximity within the Racetrack.	been found to be less than significant at Year 15 due to the proposed landsca
At the early stages of the	dust etc within close proximity within the Nacetrack.	mitigation both from ground and first floors. At Year 15 in the consideration t
construction stage, ground and	By Year 1 views of the development will be curtailed to	separate Residential Visual Amenity Assessment (RVAA) may be required, the
lower-level activities such as	some degree as implemented mitigation will be	findings for this receptor therefore show that the proposed landscape mitiga
the construction of the	immature and will have limited physical and visual	will screen views from the ground floor principal rooms and aa such an RVAA
substation, solar panel areas	impact by this point.	therefore not considered to be necessary.
and associated infrastructure		
and inverters would be	Lighting	
evident. During the latter part	Lighting will be limited to downlights within	
of the construction stage, views	substations and battery banks only and used when	
would become available of the elevated activities above the	maintenance or security is required. Lighting will be	
hedgerows.	PIR operated and will be calibrated to vehicle and	
neugerows.	personnel movements. All visible lighting would be	
Other works would be	50W, installed at a maximum height of 4m with cowls	
undertaken in connection with	fitted to prevent light spillage. Lighting required within	
the construction including	panelled areas will be manually operated. There will be	
fencing, gates, boundary	no lighting on perimeter fencing.	
treatment and other means of		
enclosure and works for the		
provision of security and		
monitoring measures such as		
CCTV and the laying down of		
internal tracks. There would		
also be landscape and		
biodiversity mitigation works,		
including planting and the		

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.2] January 2023

Decommissioning

A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning to include site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.

Without Secondary Mitigation having been applied throughout the scheme, the only change to the views/landscape following decommissioning would be the existing hedgerows which will have been allowed to grow out and will have been managed to a height of 5m. It is assumed that these will be retained.

With Mitigation, the negative effects of the physical decommissioning will be balanced out by the long-term landscape and visual effects of this mitigation.



Significance	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	1
Level of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	1
Magnitude	Very Low	Very Low	Low	١
Magnitude	Cable Route Corridor The residential receptor is ooutside the 500m cable route corridor study area. Substations The residential receptor is within the 2km study area for the Cottam 3a substation.	Venul ovu		
	<u>Construction Access</u> The residential receptor will not be affected by construction traffic due to the distance between Cold Harbour and the proposed construction access.			
	improvement of the foreground hedgerows. These short-lived construction activities Would be evident in the close-mid range views. There would be a change to the arable land use, but the field boundaries and the associated tree cover would remain intact. There would be a change to the arable land use around this receptor, but the field boundaries and the associated tree cover would remain intact. The immediate surroundings to this building would not alter and there would be no fundamental change to the surroundings to the northwest.			

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.2] January 2023

Very Low

Neutral & Short Term

Negligible Not Significant



Residential Receptor – R10 / Cold Harbour

	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	No Intervisibility	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or fe area.
		There would be the introduction of new elements and features comprisin
		Aesthetic Aspects of the Landscape Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with the Cottam cumulative developments would not be experienced across the majority of distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility between these Site/Sites
		There are local patches of cumulative visibility which may be focus of likel and Tillbridge Solar. This cumulative visibility is set out in further detail wi
		Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develo
		Overall Landscape Character and Visual Amenity Overall, the character of the Unwooded Vales is shaped by the strong agristrong sense of rural tranquility. In contrast, the low levels of woodland contrasting an arable land use within a scattered pattern of set to west and a more strategic road network north to south. These relevant ability to accommodate change without undue adverse effects. The cumunalter the overall character of the landscape within the Unwooded Vales Character of the landscape within t
Magnitude	Not Applicable	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Tern Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significant Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.2] January 2023

features of the landscape within the character

sing the solar panel areas and the substation area.

am 3a and 3b Sites, cumulative visibility with the y of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and es.

kely significant effects, between the Cottam 3a Site within the following figures:

elopments Augmented ZTV [C6.4.8.15.2.8]

gricultural presence, with wide areas retaining a l cover create a relatively open and expansive settlement, linked by a series of minor roads east ant characteristics of the landscape have some nulative visibility for the Cottam 3b Site would not Character Area 4a.

rm

cant



Residential Receptor - R13 / Blue Bell Farm

Receptor Baseline:

Farmstead (Blyton Grange) with extensive collection of outbuildings, agricultural buildings, access tracks, parking, and storage areas. Main dwelling has south and east faced aspect with additional outbuildings that are north and east facing. There are woodlands and hedgerows to the north, west and east boundaries. There is a partially open aspect to the south with some garden planting and a wall, but with a further tall conifer hedgerow beyond.

Type: Group of buildings

Distance to Cottam Sites: 97m to Cottam 3a

Closest settlement: Blyton at about 60m southwest

Description of Receptor:

This group of buildings comprises Blyton Grange and Blue Bell Farm. The dwelling at Blyton Grange lies adjacent to field K5. Farm buildings sit further west and south. Bluebell farm lies further west adjacent to the Laughton Road and its adjacent to the driveway which heads south from the Laughton Road. A strong hedgerow lies to the east of the site at Bluebell Farm. Boundaries around the buildings and dwelling at Blyton Grange are variable with some strong hedgerows and other open areas that require mitigation.

Nearest Viewpoint: VP63

The view is located on the A159 (Laughton Road), looking east directly over the Cottam 3a Site and southeast towards the Cottam 3b Site with the Cottam 2 Site beyond. The view is influenced by the semi-open nature of the location and the visual relationship with the Wooded Vales at Laughton to the west. The A159 is defined by strong hedgerows which are low-cut where the hedgerow trees give some pleasant visual interest to the route (given that it is fast moving traffic and no footways). The small woodland block to the west boundary of the Site/Sites is evident from this viewpoint on the horizon along with the nearby conifer shelter belt. The viewpoint offers bland and unsettling features locally, but the wider context encapsulates the landscape to the east comprising the Wooded Vales at Laughton. The overall experience is that of a busy location with overwhelming feelings of discomfort due the presence of the A159, but the Laughton Woods and the northern edges of Blyton are distinctive features that raise the overall quality of the view and add some 'sense of place'.

Sensitivity: High

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors - Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.3] January 2023



Construction	Operation (Year 1)	Operation (Year 15)	D
The south and east facing first	The property has views over the Site to the south, east	The first detailed designs were produced in tandem with consultation with	Α
floor outlooks would be	and west. There are no views to site to the north. This	residential property owners where this was requested by the owner. This	w
significantly affected by	property is on the northwestern extents of Cottam 3a	consultation included both site and desk-based work to determine any direct	is
development but the existing	with only one field (K1) to the west.	impacts and suitable mitigation measures. Specific mitigation measures applicable	re
vegetation is likely to screen	The principal first floor south facing windows would	to R13 are set out below:	th
some views to the east and the	experience views over the area of panels but these		th
southeast whilst views to the	would be set back from the boundary by 50m and	The requirement for mitigation relates to visibility to the south and east.	Ef
southwest are currently	would be seen within the context of the existing		du
degraded by	agricultural /industrial buildings to the south and	There will be a new hedgerow to the south of Bluebell Farm within field K1. New	tra
5	southwest.	hedgerows will also exist to the eastern boundary of Blyton Grange and an existing	ac
and hardstanding/storage		field boundary to the east of field K1 will be enhanced and allowed to grow out and	
areas. There are no views to	Views from the east facing first floor windows will be	managed to a height of 5m. Additional hedgerow trees planted within this hedge	W
the north.	partially filtered by the existing garden vegetation and	will have grown to a height of some 7.5m whilst the new hedging is likely to have	ap
	a further 50m buffer from this boundary. More open	reached 3.5m.	to
-	views exist to the southeast where the property		W
J	overlooks the farmland beyond the curtilage of the	By Year 15, the views into the Site will be closed down with agricultural buildings	be
site preparation / enabling	property.	still visible amongst hedges and hedgerow trees.	m
works, construction, and			th
commissioning with effects	To the north, the views will not be affected.	A belt of scattered trees to the south of fields K1 ad K2 will add to the tree cover	
such as construction traffic,		locally.	W
noise and vibration from	To the west, the panelled area will be visible beyond		pł
construction activities, dust	the intervening hedgerows and the farmyard to the	Panels will be set back 50m from the boundaries and will be a minimum of 8m from	th
generation, site runoff, mud on	east of field K1.	adjacent vegetation.	m
roads, and the visual intrusion			
of plant and machinery on site.	Close range views to the southeast, east and south	The assessment process has considered the visual amenity of this residential	
At the early stages of the	would comprise an area of grassland with the new	property and has taken into account views anticipated from both the ground and	
	hedgerows to fields K5 a minimum of 50m beyond.	first floors. Where significant effects have been identified for Year 1 these have	
lower-level activities such as	This hedgerow will be immature at this point.	been found to be less than significant at Year 15 due to the proposed landscape	
the construction of the	The second second second second second second second second	mitigation both from ground and first floors. At Year 15 in the consideration that a	
substation, solar panel areas	There will be views to the substation to the southeast	separate Residential Visual Amenity Assessment (RVAA) may be required, the	
and associated infrastructure	over the former airfield where field boundaries have	findings for this receptor therefore show that the proposed landscape mitigation	
	been lost.	will screen views from the ground floor principal rooms and aa such an RVAA is	
from the first-floor outlook, but	Lighting	therefore not considered to be necessary.	
the ground floor would benefit from the intervening	Lighting Lighting will be limited to downlights within		
-	substations and battery banks only and used when		
5	maintenance or security is required. Lighting will be		
also an established hedge to	PIR operated and will be calibrated to vehicle and		
the southeast of the dwelling	personnel movements. All visible lighting would be		
and further hedges to the west	50W, installed at a maximum height of 4m with cowls		
of the farmyard area.	fitted to prevent light spillage. Lighting required within		
During the latter part of the	panelled areas will be manually operated. There will be		
	no lighting on perimeter fencing.		
would become available of the	no igning on permeter rending.		
elevated activities above the			
garden hedgerows. Due to the			
presence of tree cover in the			
east of the garden, the works			
would benefit from screening,			

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3] January 2023

Decommissioning

A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning to include site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.

Without Secondary Mitigation having been applied throughout the scheme, the only change to the views/landscape following decommissioning would be the existing hedgerows which will have been allowed to grow out and will have been managed to a height of 5m. It is assumed that these will be retained.

With Mitigation, the negative effects of the physical decommissioning will be balanced out by the long-term landscape and visual effects of this mitigation.



be experienced over a filtered	
proportion of the view.	
Other works would be	
undertaken in connection with	
the construction including	
fencing, gates, boundary	
treatment and other means of	
enclosure and works for the	
provision of security and	
monitoring measures such as	
CCTV and the laying down of	
internal tracks. There would	
also be landscape and	
biodiversity mitigation works,	
including planting and the	
improvement of the	
foreground hedgerows.	
These short-lived construction	
activities would obstruct a	
proportion of the view framed	
by the first-floor windows and	
be a notable feature. There	
would be a change to the	
arable land use, but the field	
boundaries and the associated	
tree cover would remain intact.	
The intervening garden to the	
south, the large-scale	
agricultural buildings to the	
southwest and south would	
also assist with mitigation.	
There would not be a	
fundamental change to the	
surroundings to the north of	
the property and a limited	
change to the west	
Construction Access	
All throughout the construction	
stage the residential receptor	
will be affected due to Kirton	
Road B1205 having 2 points of	
access into the Cottam 3a Site.	
The first access point is	
through Kirton Road as it	
connects to fields K3 and K4.	
The second access point is	
through Kirton Road as it	
connects to field K12. These	
two access points will make	
Kirton Road busy during the	
construction stages and will	
affect the view.	

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.3] January 2023



Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	N
Level of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	N
Magnitude	Very Low	Very Low	Low	V
	Cable Route Corridor The Residential receptor is outside of the 500m cable route corridor study area and there would be no views of this route. Substation/s Residential receptor is within the 2km study area and there would be mid-distance views of the substation at Cottam 3a.			

	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]		
	No Intervisibility	Fabric of the Landscape		
		There would not be the removal of or changes in individual elements or features of the lands		
		There would be the introduction of new elements and features comprising the solar panel are		
		Aesthetic Aspects of the Landscape		
		Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with the Cottam 3a and 3b Sites, cur developments would not be experienced across the majority of the 5km study area. This is du hedgerows, and tree cover between the Site/Sites. The intervening settlements and built form these Site/Sites.		
		There are local patches of cumulative visibility which may be focus of likely significant effects, This cumulative visibility is set out in further detail within the following figures:		
		Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented		
		Overall Landscape Character and Visual Amenity		
		Overall, the character of the Unwooded Vales is shaped by the strong agricultural presence, we tranquility. In contrast, the low levels of woodland cover create a relatively open and expansive within a scattered pattern of settlement, linked by a series of minor roads east to west and a These relevant characteristics of the landscape have some ability to accommodate change within the visibility for the Cottam 3b Site would not alter the overall character of the landscape within the visibility for the Cottam 3b Site would not alter the overall character of the landscape within the visibility for the Cottam 3b Site would not alter the overall character of the landscape within the visibility for the Cottam 3b Site would not alter the overall character of the landscape within the visibility for the Cottam 3b Site would not alter the overall character of the landscape within the visibility for the Cottam 3b Site would not alter the overall character of the landscape within the visibility for the Cottam 3b Site would not alter the overall character of the landscape within the visibility for the Cottam 3b Site would not alter the overall character of the landscape within the visibility for the Cottam 3b Site would not alter the visibility for the Cottam 3b Site would not alter the visibility for the Cottam 3b Site would not alter the visibility for the cottam 3b Site would not alter the visibility for the cottam 3b Site would not alter the visibility for the cottam 3b Site would not alter the visibility for the cottam 3b Site would not alter the visibility for the cottam 3b Site would not alter the visibility for the cottam 3b Site would not alter the visibility for the cottam 3b Site would not alter the visibility for the cottam 3b Site would not alter the visibility for the cottam 3b Site would not alter the visibility for the cottam 3b Site would not alter the visibility for the cottam 3b Site would not alter the visibility for the cottam 3b Site would not alter the visibility for the cottam 3b Site would not alter		
Magazituda	Not Applicable	Construction: Low Operation (Year 1): Low		
Magnitude		Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low		
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term		
Effect		Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term		

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3] January 2023

Very Low

Neutral & Short Term

Negligible Not Significant

dscape within the character area.

areas and the substation area.

umulative visibility with the cumulative due to the distance, the intervening woodlands, rm would also curtail cumulative visibility between

s, between the Cottam 3a Site and Tillbridge Solar.

ed ZTV [C6.4.8.15.2.8]

, with wide areas retaining a strong sense of rural sive landscape comprising an arable land use a more strategic road network north to south. without undue adverse effects. The cumulative the Unwooded Vales Character Area 4a.



Significance of Effect		Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significant Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant
---------------------------	--	--

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.3] January 2023



Residential Receptor - R19 / Cottam 3b

Receptor Baseline:

Large-scale agricultural buildings with access track from Kirton Road to the south. No residential dwelling and the agricultural buildings have a southwest main frontage and entrance. There are hedgerows to the south, west and part-east boundaries of the site.

Type: Group of buildings

Distance to Cottam Sites: 752m to Cottam 3b

Closest settlement: Blyton at about 60m west

Description of Receptor:

Large-scale agricultural buildings with no residential dwelling forming part of the old airfield landscape. Pedestrian/farm machinery use with views out at predominantly 1.5 - 2.2m.

Nearest Viewpoint: LCC-C-T

The view is located Kirton Road, looking northeast directly over the Cottam 3a Site and southeast towards the Cottam 3b Site. The view is also looking south towards the Cottam 2 Site with the Cottam 1 North Site beyond. The view is influenced by the open nature of the location and the visual relationship between the heart of the settlement at the war memorial and this location. Although Kirton Road is defined by strong hedgerows they are low-cut, but the hedgerow trees are strong and this gives some visual comfort to the route (given that it is a long straight road with fast moving traffic and no footways, with only narrow grass verges). The existing vegetation bordering the mainline railway is the appealing feature of the view along with the views to the heart of the settlement. The small woodland block to the west boundary of the Site/Sites is prominent from this viewpoint on the horizon and the nearby conifer shelter belt just falls below the horizon behind the intervening hedgerows. The viewpoint offers some interesting and attractive features locally, including intervisibility between the heart of the village and the landscape to the east. The overall experience is that of a pleasant location with overwhelming feelings of familiarity and comfort.

Sensitivity: High

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.4] January 2023



R

tial R	eceptor – R19 / Cottam3b			
	Construction	Operation (Year 1)	Operation (Year 15)	Decommissioning
	Views of the construction will be available to the north, east and west in the closest distance with views to the south screened by existing predominantly evergreen vegetation. Views further southwest are beyond the intervening panelled areas. Views are already somewhat degraded by the existence of the racetrack and associated infrastructure and remnant airfield structures.	There are no first-floor windows to these buildings which are not a dwelling but agricultural barns. There are no ground floor windows to these buildings, but the curtilage has an open aspect to the north, west and	The first detailed designs were produced in tandem with consultation with residential property owners where this was requested by the owner. This consultation included both site and desk-based work to determine any direct impacts and suitable mitigation measures. Specific mitigation measures applicable to R19 are set out below:	A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retentior of existing vegetation and
	The changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground and lower-level activities such as the construction of the substation, solar panel	east. The southern and southwestern boundaries are screened by tall existing vegetation. Although the experience of the views to the ground floor areas are to be	The requirement for mitigation relates the north, west and east over the Cottam 3a Site from this building. Existing strong and tall coniferous hedges exist to the southern boundaries and to part of the eastern and western extents.	builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the
	areas and associated infrastructure and inverters would be evident. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerows. Other works would be undertaken in connection with the construction including fencing,	affected by the development, the sensitivity is lower than a residential dwelling and the viewpoint is already strongly influenced by the nature of the business activity in this area, with	A new hedgerow to the east and west there would be new native hedgerows with irregularly spaced hedgerow trees on the boundaries of the Site and adjoining the existing vegetation to the southern part of site on which this group of farm buildings sits.	duration of the decommissioning to include site traffic, noise and vibrati from decommissioning activities, dust generation an
	gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows.	noise, traffic, dust etc within close proximity within the Racetrack. By Year 1 views of the development will be curtailed to some degree as	These hedgerows are likely to reach a maximum height of 3.5m at Year 15 and will ultimately be allowed to grow out to 5m. The hedgerow trees are likely to reach a height of 7.5m.	site runoff. Without Secondary Mitigati having been applied throughout the scheme, the
	These short-lived construction activities Would be evident in the close-mid range views. There would be a change to the arable land use, but the field boundaries and the associated tree cover would remain intact. There would be a change to the arable land use around this receptor, but the field boundaries and the associated tree cover would remain intact. The immediate surroundings to this building would not alter and there would be no fundamental change to the surroundings to the northwest.	implemented mitigation will be immature and will have limited physical and visual impact by this point. <u>Lighting</u> Lighting will be limited to downlights	No planting is required to the south adjacent to Kirton Road, with existing evergreen vegetation screening views of the Cottam 3b Site. Panels set back from the boundary of the agricultural site.	only change to the views/landscape following decommissioning would be the existing hedgerows white will have been allowed to grow out and will have been
	<u>Construction Access</u> There would be no view of any construction access from this viewpoint, however the Kirton Road would be busier due to the two site accesses to the west and east of this receptor.	within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All	The assessment process has considered the visual amenity of this residential property and has taken into account views anticipated from both the ground and first floors. Where significant effects have been identified for	managed to a height of 5m. is assumed that these will b retained. With Mitigation, the negat
	Cable Route Corridor This Residential receptor is inside the 500m cable route corridor study area but views would be limited by existing vegetation to the south east of the receptor.	visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be	Year 1 these have been found to be less than significant at Year 15 due to the proposed landscape mitigation both from ground and first floors. At Year 15 in the consideration that a separate Residential Visual Amenity	effects of the physical decommissioning will be balanced out by the long-ten landscape and visual effects
	Substation/s This Residential receptor is within the 2km study areas for both Cottam 3a substation and Cottam 3b substation. There would be views across to the southeast of Cottam 3a substation.	manually operated. There will be no lighting on perimeter fencing.	Assessment (RVAA) may be required, the findings for this receptor therefore show that the proposed landscape mitigation will screen views from the ground floor principal rooms and aa such an RVAA is therefore not considered to be necessary.	this mitigation.
ude	Very Low	Very Low	Low	Very Low
,	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Short Term
ince	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.4] January 2023



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	No Intervisibility	<u>Fabric of the Landscape</u> There would not be the removal of or changes in individual elements or fe area.
		There would be the introduction of new elements and features comprisin
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with the Cottam cumulative developments would not be experienced across the majority of distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility between these Site/Sites
		There are local patches of cumulative visibility which may be focus of likel and Tillbridge Solar. This cumulative visibility is set out in further detail wi
		Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develo
		Overall Landscape Character and Visual Amenity Overall, the character of the Unwooded Vales is shaped by the strong agr strong sense of rural tranquility. In contrast, the low levels of woodland co landscape comprising an arable land use within a scattered pattern of set to west and a more strategic road network north to south. These relevan ability to accommodate change without undue adverse effects. The cumu alter the overall character of the landscape within the Unwooded Vales Cl
Magnitude	Not Applicable	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Tern Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significant Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.4] January 2023

r features of the landscape within the character
sing the solar panel areas and the substation area.
am 3a and 3b Sites, cumulative visibility with the ty of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and tes.
kely significant effects, between the Cottam 3a Site within the following figures:
elopments Augmented ZTV [C6.4.8.15.2.8]
agricultural presence, with wide areas retaining a d cover create a relatively open and expansive settlement, linked by a series of minor roads east rant characteristics of the landscape have some mulative visibility for the Cottam 3b Site would not

Character Area 4a.

erm

cant



Residential Receptor - R20 / The Fields Farm

Receptor Baseline:

Farmstead with two dwellings comprising 'The Fields' to the north and 'The Cottage' to the south. There are agricultural buildings with hard standing and access tracks to the south of 'The Cottage' known as 'The Fields Farm'. There is a strong hedgerow to the west boundary of the garden curtilages and strong hedge to the north side of Kirton Lane. There is further woodland and tree cover bordering the mainline railway to the south. 'The Cottage' has open aspect to the north, south and east, but the agricultural buildings at 'Fields Farm' close down any visibility to the south along with the tree cover along the mainline railway, intervening field boundaries and the hedgerows along Kirton Road.

Type: Group of buildings

Distance to Cottam Sites: 168m to Cottam 3a

Closest settlement: Blyton at about 60m west

Description of Receptor:

Principal ground floor windows of the Fields face north over the garden towards a low hedged boundary to Kirton Road. There is a taller native hedge to the northern boundary of the Kirton Road on the southern boundary of the agricultural buildings with conifer hedging beyond. Beyond, the conifer hedge adjacent to the agricultural building to the north of Kirton Road partially block views, obscuring views to the north and northeast, whilst a low hedge allows views directly over the Site of Cottam 3a. The principal first floor windows also look north over the Site to the north/northeast.

The Cottage sits to the south of Field Cottage set back from the Kirton Road, looking north over a garden area towards Field Cottage. The farm buildings sit further south. There is a low native hedge to the western boundary of these buildings with more sparce planting to the east. There is a low hedge along the southern extents of the Kirton Road. There are limited oblique views to the northwest from both of these properties due to the existing vegetation and landform.

Nearest Viewpoint: LCC-C-T

The view is located Kirton Road, looking northeast directly over the Cottam 3a Site and southeast towards the Cottam 3b Site. The view is also looking south towards the Cottam 2 Site/Sites with the Cottam 1 North Site beyond.

The view is influenced by the open nature of the location and the visual relationship between the heart of the settlement at the war memorial and this location. Although Kirton Road is defined by strong hedgerows they are low-cut, but the hedgerow trees are strong and this gives some visual comfort to the route (given that it is a long straight road with fast moving traffic and no footways, with only narrow grass verges). The existing vegetation bordering the mainline railway is the appealing feature of the view along with the views to the heart of the settlement. The small woodland block to the west boundary of the Site/Sites is prominent from this viewpoint on the horizon and the nearby conifer shelter belt just falls below the horizon behind the intervening hedgerows. The viewpoint offers some interesting and attractive features locally, including intervisibility between the heart of the village and the landscape to the east. The overall experience is that of a pleasant location with overwhelming feelings of familiarity and comfort.

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.5] January 2023



	Construction	Operation (Year 1)	Operation (Year 15)	Decommissioning
			operation (real 15)	Decommissioning
	The changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the substation, solar panel areas and associated infrastructure and inverters would be evident. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerows. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. Construction Access There would be views of the construction access from this viewpoint and the Kirton Road would become busier due to the two Site construction access points to the east and the west of this receptor. Cable Route Corridor Residential receptor is within the 500m cable route corridor study area and there would be views of this route during construction. Substation/s This Residential receptor is within the 2km study areas for Cottam 3a substation and Cottam 3b substation. There are potential views northeast to Cottam 3a substation.	Lighting Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.	The first detailed designs were produced in tandem with consultation with residential property owners where this was requested by the owner. This consultation included both site and desk-based work to determine any direct impacts and suitable mitigation measures. Specific mitigation measures applicable to R20 are set out below: The requirement for mitigation relates to visibility to the northeast and east over the Cottam 3a Site from the first floor of the property, where the windows are mainly north focused. Oblique visibility from upper floor of windows of 'The Fields' towards Cottam 3a Site will be mitigated by enhancement of the existing low hedgerow to the north of the Kirton Road with irregularly spaced hedgerow trees. Hedges are likely to have reached a height of 5m with hedgerow trees reaching 7.5m by Year 15. A 10m wide successional scrub belt will sit to the north of the enhanced hedgerow and is likely to have reached a height of 3.5m creating a strong buffer and taking panels 50m from the northern boundary of 'The Fields'. Limited and oblique visibility from 'The Cottage' due to boundary hedgerows fronting Kirton Road and the land falling towards the south. New planting along the south boundary of the 3a Site/Sites fronting Kirton Road will curtail visibility in Year 1 and close down views in Year 15. The assessment process has considered the visual amenity of this residential property and has taken into account views anticipated from both the ground and first floors. Where significant effects have been identified for Year 1 these have been found to be less than significant at Year 15 due to the proposed landscape mitigation both from ground and first floors. At Year 15 in the consideration that a separate Residential Visual Amenity Assessment (RVAA) may be required, the findings for this receptor therefore show that the proposed landscape mitigation will screen views from the ground floor principal rooms and aa such an RVAA is therefore not considered to be necessary.	A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning to include site traffic, noise and vibration from decommissioning activities, dust generation and site runoff. Without Secondary Mitigation having been applied throughout the scheme, the only change to the views/landscape following decommissioning would be the existing hedgerows which will have been allowed to grow out and will have been managed to a height of 5m. It is assumed that these will be retained. With Mitigation , the negative effects of the physical decommissioning will be balanced out by the long-term landscape and visual effects of this mitigation.
Magnitude	Very Low	Very Low	Low	Very Low
Level of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Short Term
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.5] January 2023



Residential Receptor – R20 / The Fields Farm			
	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]	
	No.Intervisibility	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or feat area.	
		There would be the introduction of new elements and features comprising t	
		Aesthetic Aspects of the Landscape Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with the Cottam 3a cumulative developments would not be experienced across the majority of distance, the intervening woodlands, hedgerows, and tree cover between the built form would also curtail cumulative visibility between these Site/Sites.	
		There are local patches of cumulative visibility which may be focus of likely s and Tillbridge Solar. This cumulative visibility is set out in further detail with	
		Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developm	
		Overall Landscape Character and Visual Amenity Overall, the character of the Unwooded Vales is shaped by the strong agricul strong sense of rural tranquility. In contrast, the low levels of woodland cover landscape comprising an arable land use within a scattered pattern of settle to west and a more strategic road network north to south. These relevant of ability to accommodate change without undue adverse effects. The cumulat alter the overall character of the landscape within the Unwooded Vales Char	
Magnitude	Not Applicable	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low	
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term	
Significance of Effect	Not Applicable	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significant Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant	

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.5] January 2023

eatures of the landscape within the character

g the solar panel areas and the substation area.

3a and 3b Sites, cumulative visibility with the of the 5km study area. This is due to the the Site/Sites. The intervening settlements and

significant effects, between the Cottam 3a Site hin the following figures:

oments Augmented ZTV [C6.4.8.15.2.8]

cultural presence, with wide areas retaining a over create a relatively open and expansive tlement, linked by a series of minor roads east characteristics of the landscape have some lative visibility for the Cottam 3b Site would not haracter Area 4a.



Residential Receptor – R22 / Top Farm – Cottam 3a

Receptor Baseline:

Farmstead with single dwelling to the north of the garden curtilage with its main aspect facing towards the south. There are agricultural buildings to the northwest of the dwelling and a tall, strong hedgerow to this boundary. There are also mature trees and shrubs to the south, west and east boundaries of the garden curtilage and there is further woodland and tree cover bordering both sides of the mainline railway to the south. The surrounding fields also support a strong hedgerow network with some tree cover. The dwelling has open views from the first-floor windows, but ground floor views are curtailed by the garden boundary vegetation.

Type: Singular building

Distance to Cottam Sites: 277m to Cottam 3a

Closest settlement: Blyton at about 1.4km west

Description of Receptor:

The principal first floor windows face south over lawned gardens across areas of trees and shrubs. The first floor north facing windows look over the driveway and storage area with field boundaries close by and then the arable landscape beyond.

Overall, the views from the first-floor principal elevations are likely to capture the main visual interest over the surrounding enclosed garden looking towards the railway line and the surrounding landscape to the north and the ground floor principal windows are likely to capture immediate south facing views into the garden of the property.

Nearest Viewpoint: VP59

The view is located on Blyton Level Crossing, looking southwest directly over the Cottam 3b Site and northwest over the Cottam 3a Site. The view is also looking south towards the Cottam 2 Site with Cottam 1 North Site beyond.

The view is influenced by the open nature of the location. The unnamed road is defined by strong hedgerows and hedgerow trees dotted informally and with the adjoining woodlands and shelterbelt at Bonsdale Farm this gives a comfortable and pleasant feeling to the route. The existing vegetation bordering the mainline railway also occupies the majority of the view and there is dense shelterbelt vegetation between the field systems to the north of the railway line which provides effective screening in this direction. The wind turbine on the Site/Sites is visible from this viewpoint. The viewpoint offers some interesting but detracting features locally, that are evident in sharp contrast with the more invigorating views out towards the surrounding landscape, which is open and exposed. The overall experience is that of a pleasant location with strong feelings of vigour and inspiration. The railway line is discordant in this otherwise balanced landscape.

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.6] January 2023



Residential R	dential Receptor – R22 / Top Farm – Cottam 3a					
	Construction	Operation (Year 1)	Operation (Year 15)	Decommissioning		
	The changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground and lower-level activities such as the construction of the substation, solar panel areas and associated infrastructure and inverters would be evident. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerows. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. Construction Access There would be possible views of the construction access from this viewpoint to the northeast and the Kirton Road would become busier due to the two Site construction access points to the east and the west of this receptor. Cable Route Corridor Residential receptor is within the 500m cable route corridor study area and there would be views of this route during construction. Substation/s This Residential receptor is within the 2km study areas for the Cottam 3a substation and the Cottam 3b substation. There are potential views north to Cottam 3a substation.	Lighting Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.	The first detailed designs were produced in tandem with consultation with residential property owners where this was requested by the owner. This consultation included both site and desk-based work to determine any direct impacts and suitable mitigation measures. Specific mitigation measures applicable to R22 are set out below: The requirement for mitigation relates to visibility to the north, towards the Cottam 3a Site from the first floor of the property. Intervening vegetation to the north helps to screen views, but there will be an enhanced hedgerow to the north of the Kirton Road with irregularly spaced hedgerow trees. Hedges are likely to have reached a height of 5m with hedgerow trees reaching 7.5m by Year 15. A 10m wide successional scrub belt will sit to the north of the enhanced hedgerow and is likely to have reached a height of 3.5m. Further northeast, adjacent to the entrance to Blyton Park Racetrack, a bird mitigation field will sit behind and existing hedgerow to the north of the Kirton Road. Views to the northwest are obscured by existing vegetation and landform. By Year 15, all views will be obscured by the proposed vegetation. The assessment process has considered the visual amenity of this residential property and has taken into account views anticipated from both the ground and first floors. Where significant effects have been identified for Year 1 these have been found to be less than significant at Year 15 due to the proposed landscape mitigation both from ground and first floors. At Year 15 in the consideration that a separate Residential Visual Amenity Assessment (RVAA) may be required, the findings for this receptor therefore show that the proposed landscape mitigation will screen views from the ground floor principal rooms and aa such an RVAA is therefore not considered to be necessary.	A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning to include site traffic, noise and vibration from decommissioning activities, dust generation and site runoff. Without Secondary Mitigation having been applied throughout the scheme, the only change to the views/landscape following decommissioning would be the existing hedgerows which will have been allowed to grow out and will have been managed to a height of 5m. It is assumed that these will be retained. With Mitigation , the negative effects of the physical decommissioning will be balanced out by the long-term landscape and visual effects of this mitigation.		
Magnitude	Very Low	Very Low	Low	Very Low		
Level of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Short Term		
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible Not Significant		

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.6] January 2023



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	No Intervisibility	<u>Fabric of the Landscape</u> There would not be the removal of or changes in individual elements or farea.
		There would be the introduction of new elements and features comprisin
		Aesthetic Aspects of the Landscape Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with the Cottam cumulative developments would not be experienced across the majority distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility between these Site/Sites
		There are local patches of cumulative visibility which may be focus of likel and Tillbridge Solar. This cumulative visibility is set out in further detail wi
		Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develop <u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the Unwooded Vales is shaped by the strong agr strong sense of rural tranquility. In contrast, the low levels of woodland co landscape comprising an arable land use within a scattered pattern of set to west and a more strategic road network north to south. These relevant ability to accommodate change without undue adverse effects. The cumu alter the overall character of the landscape within the Unwooded Vales C
Magnitude	Not Applicable	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significan Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.6] January 2023

r	features	of th	e landsca	pe with	hin the	character

ing the solar panel areas and the substation area.

am 3a and 3b Sites, cumulative visibility with the y of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and es.

kely significant effects, between the Cottam 3a Site within the following figures:

elopments Augmented ZTV [C6.4.8.15.2.8]

gricultural presence, with wide areas retaining a l cover create a relatively open and expansive settlement, linked by a series of minor roads east ant characteristics of the landscape have some nulative visibility for the Cottam 3b Site would not Character Area 4a.

rm

cant



Residential Receptor – R22 / Top Farm – Cottam 3b

Receptor Baseline:

Farmstead with single dwelling to the north of the garden curtilage with its main aspect facing towards the south. There are agricultural buildings to the northwest of the dwelling and a tall, strong hedgerow to this boundary. There are also mature trees and shrubs to the south, west and east boundaries of the garden curtilage and there is further woodland and tree cover bordering both sides of the mainline railway to the south. The dwelling has open views from the first-floor windows, but ground floor views are curtailed by the garden boundary vegetation.

Type: Singular building

Distance to Cottam Sites: 95m to Cottam 3b

Closest settlement: Blyton at about 1.4km west

Nearest Viewpoint: VP59

The view is located on Blyton Level Crossing, looking southwest directly over the Cottam 3b Site and northwest over the Cottam 3a Site. The view is also looking south towards the Cottam 2 Site with the Cottam 1 North Site beyond.

The view is influenced by the open nature of the location. The unnamed road is defined by strong hedgerows and hedgerow trees dotted informally and with the adjoining woodlands and shelterbelt at Bonsdale Farm this gives a comfortable and pleasant feeling to the route. The existing vegetation bordering the mainline railway also occupies the majority of the view and there is dense shelterbelt vegetation between the field systems to the north of the railway line which provides effective screening in this direction. The wind turbine on the Site/Sites is visible from this viewpoint. The viewpoint offers some interesting but detracting features locally, that are evident in sharp contrast with the more invigorating views out towards the surrounding landscape, which is open and exposed. The overall experience is that of a pleasant location with strong feelings of vigour and inspiration. The railway line is discordant in this otherwise balanced landscape.

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors - Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.7] January 2023



Residential Receptor – R22 / Top Farm – Cottam 3b

ential Receptor – R22 / Top Farm – Cottam 3b				
	Construction	Operation (Year 1)	Operation (Year 15)	Decommissioning
	The changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground and lower-level activities such as the construction of the substation, solar panel areas and associated infrastructure and inverters would be evident. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerows. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. Construction Access There would be no view of the construction access to Cottam 3b from this viewpoint. Cable Route Corridor Viewpoint is within the 500m cable route corridor study area and there would be views of this route during construction. Substation/S This viewpoint is within the 2km study areas for Cottam 3a substation and Cottam 3b substation. There are no views south to Cottam 3b substation.	Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.	The first detailed designs were produced in tandem with consultation with residential property owners where this was requested by the owner. This consultation included both site and desk- based work to determine any direct impacts and suitable mitigation measures. Specific mitigation measures applicable to R22 are set out below: The requirement for mitigation relates to visibility to the south, towards the Cottam 3b Site from the first floor of the property. Intervening dense vegetation to the south both within the curtilage of the property and along the railway line screen views, but there will be enhanced successional scrub planting to the south of the railway with panels set back from the mainline railway frontage to the south. The 10m wide successional scrub belt is likely to have reached a height of 3.5m. The assessment process has considered the visual amenity of this residential property and has taken into account views anticipated from both the ground and first floors. Where significant effects have been identified for Year 1 these have been found to be less than significant at Year 15 due to the proposed landscape mitigation both from ground and first floors. At Year 15 in the consideration that a separate Residential Visual Amenity Assessment (RVAA) may be required, the findings for this receptor therefore show that the proposed landscape mitigation will screen views from the ground floor principal rooms and aa such an RVAA is therefore not considered to be necessary.	A similar process to that of construction stage, but with the Scheme being no longer operationa This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondar mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning to include site traffic, noise and vibration from decommissioning activities, dust generation and site runoff. Without Secondary Mitigation having been applied throughout the scheme, the only change to the views/landscape following decommissioning would be the existing hedgerows which will have been allowed to grow out and will have been managed to a height of 5m. It is assumed that these will be retained. With Mitigation, the negative effect of the physical decommissioning will be balanced out by the long-term landscape and visual effects of this mitigation.
tude	Very Low	Very Low	Low	Very Low
of	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Short Term
cance ct	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.7] January 2023



Residential Receptor – R22 / Top Farm – Cottam 3b				
	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]		
	No Intervisibility	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or feature area.		
		There would be the introduction of new elements and features comprising the		
		Aesthetic Aspects of the Landscape Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with the Cottam 3a cumulative developments would not be experienced across the majority of t distance, the intervening woodlands, hedgerows, and tree cover between the built form would also curtail cumulative visibility between these Site/Sites. There are local patches of cumulative visibility which may be focus of likely si and Tillbridge Solar. This cumulative visibility is set out in further detail within		
		Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developm		
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the Unwooded Vales is shaped by the strong agricul strong sense of rural tranquility. In contrast, the low levels of woodland cove landscape comprising an arable land use within a scattered pattern of settler to west and a more strategic road network north to south. These relevant ch ability to accommodate change without undue adverse effects. The cumulati alter the overall character of the landscape within the Unwooded Vales Char		
Magnitude	Not Applicable	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low		
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term		
Significance of Effect	Not Applicable	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significant Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant		

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.7] January 2023

atures of the landscape within the character

the solar panel areas and the substation area.

Ba and 3b Sites, cumulative visibility with the the 5km study area. This is due to the the Site/Sites. The intervening settlements and

significant effects, between the Cottam 3a Site hin the following figures:

ments Augmented ZTV [C6.4.8.15.2.8]

cultural presence, with wide areas retaining a ver create a relatively open and expansive lement, linked by a series of minor roads east characteristics of the landscape have some ative visibility for the Cottam 3b Site would not aracter Area 4a.



Residential Receptor – R23 / Blyton

Receptor Baseline:

Residential dwellings towards the eastern edge of the settlement of Blyton, which include those to the east side of Station Road, those to either side of Kirton Road and the dwellings at Meadow View and Irwin Road. The landscape supports a good network of tree and hedgerow cover, including the vegetation to both sides of the mainline railway and the riparian vegetation bordering the Laughton Highland Drain, which form a significant screen. There are also intervening fields with a strong hedgerow network and occasional tree cover.

Type: Town or Village

Distance to Cottam Sites: 807m to Cottam 3a

Description of Receptor:

Dwellings to the east of Irwin Road look east across to the Site towards K3, 4 and 7 whilst those north of the road look directly north towards fields K1 and K2 with limited garden boundary vegetation. These properties face varying directions with most principal views looking towards the access roads with only 2 houses on Irwin Road having views directly north. Again, dwellings to the north of Meadow Rise vary in their perspective with two facing north/south.

Dwellings along the Kirton Road look north/south onto the Kirton Road with occasional gable end windows which may look out towards the east. Dwellings along Station Road have east/west perspectives with rear garden views looking east across their own and adjacent garden boundaries.

Nearest Viewpoint: VP62 / LCC-C-R / LCC-C-S

VP62 - B1025 (Kirton Road): The view is located on the B1025 (Kirton Road) just east of the junction with Station Road, looking northeast towards the Cottam 3a Site and southwest towards the Cottam 3b Site. The view is also looking south towards the Cottam 2 Site with the Cottam 1 North Site beyond.

The view is influenced by the open nature of the location and the visual relationship between the heart of the settlement at the war memorial and this location. Although Kirton Road is defined by strong hedgerows they are low-cut, but the hedgerow trees are strong and this gives some visual comfort to the route (given that it is a long straight road with fast moving traffic and no footways, with only narrow grass verges). The existing vegetation bordering the mainline railway is the appealing feature of the view along with the views to the heart of the settlement. The small woodland block to the west boundary of the Site/Sites is prominent from this viewpoint on the horizon and the nearby conifer shelter belt just falls below the horizon behind the intervening hedgerows. The viewpoint offers some interesting and attractive features locally, including intervisibility between the heart of the village and the landscape to the east. The overall experience is that of a pleasant location with overwhelming feelings of familiarity and comfort.

LCC-C-R – A159: The view is located along the A159 (Gainsborough Road) at the bridge crossing over the mainline railway, looking northeast towards the Cottam 3b Site. The open, arable landscape gives a harsh appearance to the view, but the deciduous woodland blocks and vegetation along the railway line are also very prominent and attractive features in the landscape. This is an interesting view that is far-reaching with a complex mixture of elements including the prominent vegetation cover to each side of the railway line.

LCC-C-S – ProW Blyt/24/2: This is an enclosed landscape that supports numerous hedgerows with strong tree cover all which gives an attractive appearance to the view. The deciduous woodland blocks and vegetation along the railway line are also very prominent and attractive features in this landscape. This is an interesting view that is enclosed and intimate with a complex mixture of attractive features including the prominent vegetation cover to each side of the railway line.

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.8] January 2023



Construction	Operation (Year 1)	Operation (Year 15)
Construction The changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground and lower-level activities such as the construction of the substation, solar panel areas and associated infrastructure and inverters would be evident. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerows. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the	Lighting Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.	 Operation (Year 15) The first detailed designs were produced in tandem with consultation with residential property owners where this was requested by the owner. This consultation included both site and desk-based work to determine any direct impacts and suitable mitigation measures. Specific mitigation measures appl to R23 are set out below: The requirement for mitigation relates to visibility to the north and east over Cottam 3a Site from the first floors of properties to the eastern extents of th village of Blyton. The existing hedgerow to the west of the Site within fields K3 and K4 is to be enhanced with the addition of irregularly spaced native hedgerow trees. The existing hedge is likely to have reached a height of 5m with hedgerow trees reaching 7.5m in height. Beyond this, a belt of successional scrub (30m wide southern extents) will have reached a height of 3.5m creating a strong buffer setting panels well back from the boundary. To the north (and on the southern boundary of field K1 and K2) the 5m wide scattered tree belt will have reached a height of 7.5m with the existing hedge creating the dense subcanopy layer. Panels are set back from these boundary of the Cottam 3a Site. Existing and proposed planting will curtail visibility in year 1 and close down visibility in Year 15. Views towards the Cottam 3b Site are obscured by intervening field boundar vegetation and dense vegetation along the railway line. The assessment process has considered the visual amenity of this residentia property and has taken into account views anticipated from both the ground first floors. At Year 15 un the consideration separate Residential Visual Amenity Assessment (RVAA) may be required, the findings for this receptor therefore show that the proposed landsce mitigation both from ground and first floors. At Year 15 in the consideration separate Residential Visual Amenity Assessment (RVAA) may be required, the findings for this receptor there

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.8] January 2023

Decommissioning

A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning to include site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.

Without Secondary Mitigation having been applied throughout the scheme, the only change to the views/landscape following decommissioning would be the existing hedgerows which will have been allowed to grow out and will have been managed to a height of 5m. It is assumed that these will be retained.



	Cable Route Corridor This residential receptor is outside the 500m cable route corridor study area			
	Substations This residential receptor is within the 2km study areas for the Cottan 3a substation and the Cottam 3b substation.			
Magnitude	Very Low	Very Low	Low	V
Level of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	N
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Ν

	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	No Intervisibility	<u>Fabric of the Landscape</u>
		There would not be the removal of or changes in individual elements or farea.
		There would be the introduction of new elements and features comprisin
		Aesthetic Aspects of the Landscape Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with the Cottam cumulative developments would not be experienced across the majority of distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility between these Site/Sites
		There are local patches of cumulative visibility which may be focus of likel and Tillbridge Solar. This cumulative visibility is set out in further detail wi
		Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develo
		Overall Landscape Character and Visual Amenity Overall, the character of the Unwooded Vales is shaped by the strong agr strong sense of rural tranquility. In contrast, the low levels of woodland co landscape comprising an arable land use within a scattered pattern of set to west and a more strategic road network north to south. These relevan ability to accommodate change without undue adverse effects. The cumu alter the overall character of the landscape within the Unwooded Vales Cl
Magnitude	Not Applicable	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low
		Decommissioning: Low

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.8] January 2023

Very Low

Neutral & Short Term

Negligible Not Significant

r features of the landscape within the character

ing the solar panel areas and the substation area.

am 3a and 3b Sites, cumulative visibility with the y of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and es.

kely significant effects, between the Cottam 3a Site within the following figures:

elopments Augmented ZTV [C6.4.8.15.2.8]

gricultural presence, with wide areas retaining a l cover create a relatively open and expansive settlement, linked by a series of minor roads east ant characteristics of the landscape have some nulative visibility for the Cottam 3b Site would not Character Area 4a



Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Tern Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significa Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.8] January 2023

erm

icant



Residential Receptor - R25 / Glebe Farm

Receptor Baseline:

Residential dwelling located to the northeast of the settlement of Pilham served by an access track off Station Road. The track is also a public footpath (Pilh/20/1). The dwelling is located to the northwest of the garden curtilage with outbuildings occupying the eastern part of the plot. The main outlook and aspect from the property is east west with a north facing gabled addition. The garden curtilage is fully enclosed with mature tree cover on all boundaries and there is an adjoining field hedgerow to the east of the property.

Type: Singular building

Distance to Cottam Sites: 161m to Cottam 3b

Closest settlement: Pilham at about 30m southwest

Nearest Viewpoint: VP56

The view is located on PRoW, footpath Pilh/20/1, looking southeast towards the Cottam 2 Site and northeast towards the Cottam 3b Site. The view is also looking south towards the Cottam 1 North Site. The view is influenced by the skyline that is disrupted by tree clumps and mast poles. The footpath is enclosed by strong hedgerows and hedgerow trees dotted informally and with high canopies giving an open and safe feeling to the route. The existing vegetation bordering the mainline railway also occupies the background of the view and there is a dense shelterbelt vegetation which provides effective screening of Site/Sites, however the wind turbine on the Site/Sites is visible from this viewpoint. The location offers some interesting features locally, but with more invigorating views out towards the surrounding landscape, which is large scale and exposed.

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.9] January 2023



Construction	Operation (Year 1)	Operation (Year 15)
The changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the substation, solar panel areas and associated infrastructure and inverters would be evident. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerows. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. Construction access road off the Pilham Road, and this route would become busy during construction. Cable Route Corridor Viewpoint is outside the 500m cable route corridor	Lighting Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.	The first detailed designs were produced in tandem with consultation with residential property owners where this was requested by the owner. This consultation included both site and desk-based work to determine any direct impacts and suitable mitigation measures. Specific mitigation measures applicable to R25 are set out below: The requirement for mitigation relates to visibility to the xxx There will be a new hedgerow to the east of the Site of Cottam 3b which will take the development some 130m east of this dwelling. Existing north/south hedgerows around the Site also help to mitigate views across to the east. The new hedgerow is likely to have reached a height of 3.5m by Year 15, whilst hedgerow trees planted within it will be some 7.5m high. Existing enhanced hedgerows across the Site (running north/south) will have been allowed to grow out and will have been managed at 5m high with additional tree species introduced reaching 7.5m. A further 5m belt of successional scrub to the south of the railway line will further help to screen views of this feature, having reached an approximate height of 3.5m by Year 15. The assessment process has considered the visual amenity of this residential property and has taken into account views anticipated from both the ground and first floors. Where significant effects have been identified for Year 1 these have been found to be less than significant at Year 15 in the consideration that a separate Residential Visual Amenity Assessment (RVAA) may be required, the findings for this receptor therefore show that the proposed landscape mitigation will screen views from the ground flor principal rooms and aa such an RVAA is therefore not considered to be necessary.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.9] January 2023

Decommissioning

A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning to include site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.

Without Secondary Mitigation having been applied throughout the scheme, the only change to the views/landscape following decommissioning would be the existing hedgerows which will have been allowed to grow out and will have been managed to a height of 5m. It is assumed that these will be retained.



Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	N
Level of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	N
Magnitude	Very Low	Very Low	Low	V
	study area and there would be no view of this route. Substation/s This viewpoint is within the 2km study area but there would be no view of the Substation at Cottam 3b due to the intervening vegetation.			

	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	No Intervisibility	<u>Fabric of the Landscape</u> There would not be the removal of or changes in individual elements or f area.
		There would be the introduction of new elements and features comprisin
		Aesthetic Aspects of the Landscape Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with the Cottam cumulative developments would not be experienced across the majority of distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility between these Site/Sites
		There are local patches of cumulative visibility which may be focus of likel and Tillbridge Solar. This cumulative visibility is set out in further detail wi
		Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develo
		Overall Landscape Character and Visual Amenity Overall, the character of the Unwooded Vales is shaped by the strong agr strong sense of rural tranquility. In contrast, the low levels of woodland co landscape comprising an arable land use within a scattered pattern of set to west and a more strategic road network north to south. These relevan ability to accommodate change without undue adverse effects. The cumu alter the overall character of the landscape within the Unwooded Vales Cl
Magnitude	Not Applicable	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.9] January 2023

Very Low

Neutral & Short Term

Negligible Not Significant

r features of the landscape within the character

sing the solar panel areas and the substation area.

am 3a and 3b Sites, cumulative visibility with the ty of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and es.

kely significant effects, between the Cottam 3a Site within the following figures:

elopments Augmented ZTV [C6.4.8.15.2.8]

gricultural presence, with wide areas retaining a l cover create a relatively open and expansive settlement, linked by a series of minor roads east ant characteristics of the landscape have some nulative visibility for the Cottam 3b Site would not Character Area 4a.



Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Tern Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significa Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.9] January 2023

erm

icant



Residential Receptor - R35 / Hall Farm & Old Farm

Receptor Baseline:

Hall Farm, Old Farm and Keeper's Cottage are all located to the north of the settlement of Corringham just to west of Bonsall Road. Hall Farm is located to the southwest of the plot with a south facing aspect that overlooks the woodland at Old Hall. There are large-scale agricultural buildings to the east of the plot with parking areas and hard standing. Keeper's Cottage is a two-story property, which overlooks Bonsall Road with its main elevation facing east towards Corringham Beck. Old Hall is located to the south of Hall Farm and is shrouded in tree cover all round its curtilage.

Type: Group of buildings

Distance to Cottam Sites: 400m to Cottam 2

Closest settlement: Corringham at about 30m south

Description of Receptor:

Corringham Old Hall looks principally east/west but sits within a heavily wooded curtilage with access off Bonsall Road adjacent to Corringham Beck. There are unlikely to be any views out across to the east from this property. Keepers Cottage sits adjacent to the road and faces east with the principal garden aspects looking south and east. The garden is enclosed on all sides by low-cut hedges and contains some trees. The dwelling at Hall Farm sits behind large agricultural buildings which lie behind Keeper's Cottage with no apparent views out to the east.

Nearest Viewpoint: LCC-C-P

This viewpoint is located on the unnamed road to the northeast of Corringham, looking directly east over the Cottam 2 Site and south towards the Cottam 1 North Site. The view is also looking north towards the Cottam 3b Site.

The unnamed road is a feature in the context of its grass verges, and the wider outlook is interesting with views extending east towards the limestone capped scarp slopes. Where there are distant views towards the skyline, they are often punctured by telegraph poles which appear dominant and consistent on the horizon. There is limited tree cover around Aisby to the north and therefore the residential properties stand out in the landscape. The overall experience is a calm and intact landscape, but the presence of poles and other man-made features exert a detracting influence. This is a quiet location with very little passing traffic.

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.10] January 2023



Residential Receptor – R35 / Hall Farm	& Old Farm		
Construction	Operation (Year 1)	Operation (Year 15)	D
 The changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground and lower-level activities such as the construction of the substation, solar panel areas and associated infrastructure and inverters would be evident. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerows. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. Construction Access This residential receptor sits to the west of the construction access road off the Pilham Road and this route would become busy during construction. 	Lighting Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be SOW, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.	The first detailed designs were produced in tandem with consultation with residential property owners where this was requested by the owner. This consultation included both site and desk-based work to determine any direct impacts and suitable mitigation measures. Specific mitigation measures applicable to R35 are set out below: The requirement for mitigation relates to visibility to the east over the Cottam 2 Site from the first-floor windows at Keeper's Cottage. Ground floor views will be curtailed by existing vegetation either side of Bonsall Road. There will be shelterbelt planting to the western boundary of the Cottam 2 Site. At Year 1 this will be immature and by Year 15 these trees will have established and begun to mature and are likely to have reached a height of 7.5m. This will also predominantly obscure views of Corringham Grange Farm from the west. A scattered tree belt will be seen to the northeast of these buildings which, due to its orientation will appear as a solid block of trees which are likely to have reached a height of 5m with hedgerow trees having reached some 7.5m high. Panels will be set back from the Site boundary and away from Corringham Beck and East Lane.	A wii is retht the formula of the fo

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.10] January 2023

Decommissioning

A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning to include site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.

Without Secondary Mitigation having been applied throughout the scheme, the only change to the views/landscape following decommissioning would be the existing hedgerows which will have been allowed to grow out and will have been managed to a height of 5m. It is assumed that these will be retained.



Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	N
Level of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	N
Magnitude	Very Low	Very Low	Low	V
	route corridor study area and there would be no view of this route. Substation/s This viewpoint is within the 2km study area for Cottam 2 substation but there would be no view of the substation due to the intervening vegetation and built form.			

Residential Receptor - R35 / Hall Farm & Old Farm **In-Combination Effects [Cumulative Sites] Cumulative Effects [Cumulative Developments]** Fabric of the Landscape No Intervisibility There would not be the removal of or changes in individual elements or features of the landscape within the character area. There would be the introduction of new elements and features comprising the solar panel areas and the substation area within the character area. Aesthetic Aspects of the Landscape Refer to Figure **8.15.2.2** [C6.4.8.15.2.2] which shows that with the Cottam 2 Site, cumulative visibility with the cumulative developments would not be experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedgerows, and tree cover between the Site/Sites. The intervening settlements and built form would also curtail cumulative visibility. There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cottam 2 and Tillbridge Solar. This cumulative visibility is set out in further detail within the following figures: Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Overall Landscape Character of the Unwooded Vales Overall, the character of the Unwooded Vales is shaped by the strong agricultural presence, with wide areas retaining a strong sense of rural tranquility. In contrast, the low levels of woodland cover create a relatively open and expansive landscape comprising an arable land use within a scattered pattern of settlement, linked by a series of minor roads east to west and a more strategic road network north to south. These relevant characteristics of the landscape have some ability to accommodate change without undue adverse effects. The minor patches of cumulative visibility for the Cottam 1 Site/Sites would not alter the overall character of the landscape within the Unwooded Vales Character Area. Construction: Low Operation (Year 1): Low Magnitude Not Applicable Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.10] January 2023

Very Low

Neutral & Short Term

Negligible Not Significant



SOLAR PROJECT		
		Construction: Adverse & Short Term
Type of		Operation (Year 1): Adverse & Long Term
	Not Applicable	Operation (Year 1): with only Embedded Mitigation: Adverse & Long Terr
Effect		Operation (Year 15): Neutral & Long Term
		Decommissioning: Neutral & Short Term
		Construction: Minor Not Significant
Significance	NetApplicable	Operation (Year 1): Minor Not Significant
-	Not Applicable	Operation (Year 1): with only Embedded Mitigation: Minor Not Significa
of Effect		Operation (Year 15): Minor Not Significant
		Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.10] January 2023

erm

icant



Residential Receptor - R60 / Glebe Farm

Receptor Baseline:

Farmstead with single dwelling on a long, narrow plot off Willingham Road and with large scale agricultural buildings and some barn conversions. The main dwelling has a north south aspect with the front elevation facing over Willingham Road. The agricultural buildings occupy the plot to north of the main dwelling and close down any visibility in this direction. There is a further property (Greystones Farm) to the south side of Willingham Road which closes down views towards the south.

Type: Singular building

Distance to Cottam Sites: 88m to Cottam 1

Closest settlement: Fillingham at about 1.4km east

Description of Receptor:

First floor views across fields beyond the Willingham Road are the principal outlook to the south. The property is bounded by a low-cut hedge adjacent to the Willingham Road with a number of mature Yew trees within the garden curtilage.

Nearest Viewpoint: VP23

The view is located at the junction with PRoW Ingh/27/5 and Ingham Road looking directly south over the Cottam 1 South Site and north towards the Cottam 1 North Site. The view is influenced by the open arable fields and the woodlands on the horizon that form a significant component and add balance to the landscape. The location offers some intimacy despite the open nature to the north due to the bordering hedgerows to each side of Ingham Road and the small woodland thicket (to the east) associated with the tributary of the River Till. The horizon closes down the view since the landform rises to a high point on Long Lane at approximately 20m AOD rising to 30m AOD at the edge of the settlement of Ingham. The overall experience is interesting and very pleasant, with some depth to views and strong contrasting features, and due to the presence of the plantation woodlands on the horizon and varied landform. Overall, Ingham Road is a strong feature in the view as it connects the settlements of Ingham in the east to Stow in the west, however the grass verges are a distinctive feature.

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.11] January 2023



Residential Receptor – R60 / Glebe Farm

Construction	Operation (Year 1)	Operation (Year 15)
The changes would include the	Lighting	The first detailed designs were produced in tandem with consultation with
construction activities during	Lighting will be limited to downlights within	residential property owners where this was requested by the owner. This
site preparation / enabling	substations and battery banks only and used when	consultation included both site and desk-based work to determine any dir
works, construction, and commissioning with effects	maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and	impacts and suitable mitigation measures. Specific mitigation measures ap to R60 are set out below:
such as construction traffic,		to Rou are set out below:
noise and vibration from	personnel movements. All visible lighting would be	The very inement for mitigation relates to visibility to the south wast and
construction activities, dust	50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within	The requirement for mitigation relates to visibility to the south, west and r the Cottam 1 North Site from the first floor of the property, where the win
generation, site runoff, mud on	panelled areas will be manually operated. There will be	mainly south focused.
roads, and the visual intrusion	no lighting on perimeter fencing.	mainly south locused.
of plant and machinery on site.	no ignung on perimeter reneing.	To the south, there will be a 5m shelterbelt of trees directly opposite this c
At the early stages of the		which are likely to have reached a height of 7.5m by Year 15. This shelter
construction stage, ground and		back some 140m south of the Willingham Road, taking development away
lower-level activities such as		property and Greystones Cottage which lies to the south of the road.
the construction of the		property and dreystones cottage which hes to the south of the road.
substation, solar panel areas		New hedgerows running broadly north/south within this part of the Site w
and associated infrastructure		additional tree cover locally and will help to break up the panelled areas in
and inverters would be		long term.
evident. During the latter part		
of the construction stage, views		Existing vegetation and Greystones Cottage help to obscure views further
would become available of the		southwest, but a shelterbelt running broadly east/west and joining Larch P
elevated activities above the		will have grown to some 7.5m by Year 15 and will close down views of the
hedgerows.		part of the Cottam 1 Site/Sites.
-		
Other works would be		Views north are obscured by existing agricultural buildings. Views from the
undertaken in connection with		buildings or within the Site will be screened by a new hedgerow to the sou
the construction including		fields B2 and B3 where this is likely to have reached a height of 3.5m with
fencing, gates, boundary		hedgerow trees within it being around 7.5m in height.
treatment and other means of		
enclosure and works for the		The assessment process has considered the visual amenity of this residen
provision of security and		property and has taken into account views anticipated from both the grou
monitoring measures such as		first floors. Where significant effects have been identified for Year 1 these
CCTV and the laying down of		been found to be less than significant at Year 15 due to the proposed land
internal tracks. There would		mitigation both from ground and first floors. At Year 15 in the consideration
also be landscape and		separate Residential Visual Amenity Assessment (RVAA) may be required,
biodiversity mitigation works,		findings for this receptor therefore show that the proposed landscape mit
including planting and the		will screen views from the ground floor principal rooms and aa such an RV
improvement of the		therefore not considered to be necessary.
foreground hedgerows.		
Construction Access		
This receptor sits to the		
north of the Willingham		
Road which provides		
·		
construction access to		
the Site(s) at Cottam 1		
and this route would		
become busy during		
construction.		

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors - Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.11] January 2023

Decommissioning

A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning to include site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.

Without Secondary Mitigation having been applied throughout the scheme, the only change to the views/landscape following decommissioning would be the existing hedgerows which will have been allowed to grow out and will have been managed to a height of 5m. It is assumed that these will be retained.



Effect	Very Low Neutral & Short Term	Very Low Neutral & Long Term	Low Beneficial & Long Term	V N
Significance	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	N

Residential Receptor – R60 / Glebe Farm

In-Com	bination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
No Inter	visibility	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or featur
		There would be the introduction of new elements and features comprising the the character area
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site developments would not be experienced across the majority of the 5km study woodlands, hedgerows, and tree cover between the Site/Sites. The intervening cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely sig and Gate Burton Energy Park, Tillbridge Solar and West Burton Solar Park. This within the following figures:
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Development Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments
		The landscape is shaped by the wide range of local and strategic road network different from another. The strategic major road network is defined by import minor road network links several historic and distinctive smaller string of settle road network is formed by narrow lanes that are often tranquil and hedged to have a major role in helping to define the quality of the landscape and reducin

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.11] January 2023

Very Low

Neutral & Short Term

Negligible Not Significant

tures of the landscape within the character area.

the solar panel areas and the substation area within

Site/Sites, cumulative visibility with the cumulative dy area. This is due to the distance, the intervening ing settlements and built form would also curtail

significant effects, between the Cotton 1 Site/Sites This cumulative visibility is set out in further detail

nts Augmented ZTV [C6.4.8.15.2.6] nents Augmented ZTV [C6.4.8.15.2.8] ents Augmented ZTV [C6.3.4.15.2.9]

orks, which make one landscape type or area ortant historic routes and in contrast, the east west ettlements across the area. Overall, the prevailing I to both sides with wide grassed verges and they cing the visibility across the area.



		Overall Landscape Character and Visual Amenity Overall, the character of the landscape and the communications and infrastru settlement with farms, nucleated villages, and small hamlets such as Thorpe le that are not highly recognised for adding intimacy and interest to the landscape landscape and land use have some ability to accommodate change without un the Cottam 1 Site/Sites would not alter the overall character of the landscape a features. Moreover, these features are often set within a well-vegetated conter positive role in reducing the overall cumulative effects.
Magnitude	Not Applicable	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Low Decommissioning: Very Low
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Significar Operation (Year 15): Minor Not Significant Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.11] January 2023

tructure is shaped by evidence of historic e le Fallows and Coates, which are features value cape. These relevant characteristics of the undue adverse effects. The cumulative visibility for be and its communications and infrastructure ntext or associated with built form that plays a

ant



Residential Receptor - R65 / Lowfield Farm

Baseline Context:

Farmstead with single dwelling occupying a long, narrow plot just off South Lane. The dwelling is located towards the western end of the plot and there are other outbuildings and barns to the south. The dwelling has an east west orientation, with the main front elevation facing west over mature tree cover and the east facing elevation looking out across a long narrow garden enclosed with mature tree cover and hedgerows. The woodland closes down any visibility towards the west, but there is a partially open aspect from the dwelling towards the east.

Type: Singular building

Distance to Cottam Sites: 146m to Cottam 1

Closest settlement: Coates at about 1.6km south

Description of Receptor:

Lowfield Farm is set back from the road, its driveway coming directly off South Lane with open views west only visible along this driveway and elsewhere being obscured by existing mature vegetation.

Nearest Viewpoint: VP38

The view is located on South Lane, looking south and west directly over, and east towards the Cottam 1 North Site. This is also looking south towards the Cottam 1 South Site. The view is influenced by the woodlands on the horizon towards the east that form a significant component and add balance to the landscape. This location offers some intimacy since this is a local lane with little traffic and there is no major settlement to disrupt the tranquility. The field hedgerows are cut back, and the arable land use is intensively managed. The mature ash trees within the hedgerows are also a strong feature. The overall experience is pleasant, with some depth to views and strong contrasting features due to the presence of the plantation woodlands on the horizon and the slight undulations in topography. This is an isolated, remote location with a distinct absence of settlement, built form or other man-made features.

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.12] January 2023



Construction	Operation (Year 1)	Operation (Year 15)
The changes would include the	Lighting	The first detailed designs were produced in tandem with consultation wit
construction activities during	Lighting will be limited to downlights within	residential property owners where this was requested by the owner. This
site preparation / enabling	substations and battery banks only and used when	consultation included both site and desk-based work to determine any d
works, construction, and	maintenance or security is required. Lighting will be	impacts and suitable mitigation measures. Specific mitigation measures
commissioning with effects	PIR operated and will be calibrated to vehicle and	to R65 are set out below:
such as construction traffic,	personnel movements. All visible lighting would be	
noise and vibration from	50W, installed at a maximum height of 4m with cowls	The requirement for mitigation relates to visibility to the west over the 0
construction activities, dust	fitted to prevent light spillage. Lighting required within	North Site (western sites).
generation, site runoff, mud on	panelled areas will be manually operated. There will be	
roads, and the visual intrusion	no lighting on perimeter fencing.	To the west, a new hedge sits 100m from South Lane directly opposite l
of plant and machinery on site.	no ignalig on perimeter renaing.	Farm.
		Falli.
At the early stages of the		This hadronomia libely to have use shed a haight of 2 for hy Mary F also
construction stage, ground and		This hedgerow is likely to have reached a height of 3.5m by Year 5, close
lower-level activities such as		views into the Site. Additional hedgerow trees are likely to be some 7.5
the construction of the		creating further visual interest and adding to the screening.
substation, solar panel areas		
and associated infrastructure		Looking southwest, the existing hedge will have been allowed to grow of
and inverters would be		have been maintained at a height of 5m. Additional hedgerow trees, pl
evident. During the latter part		irregularly as appropriate, are likely to be some 7.5m high.
of the construction stage, views		
would become available of the		Shelterbelt planting further south between fields G3 and G4 will close of
elevated activities above the		of the Site further to the southwest.
hedgerows.		
		An existing weak and low hedge to the north of field G1 and G2 and to
Other works would be		the property will help to enclose the Site and provide visual benefits ac
undertaken in connection with		wider landscape.
the construction including		
fencing, gates, boundary		Mature tree cover to the rear of this property to the east, whilst a new
treatment and other means of		western boundary of field C2 will have grown up to a height of 3.5m wi
enclosure and works for the		trees sitting at some 7.5m against a backdrop of the woodland block be
provision of security and		
monitoring measures such as		The assessment process has considered the visual amenity of this resid
CCTV and the laying down of		property and has taken into account views anticipated from both the g
internal tracks. There would		first floors. Where significant effects have been identified for Year 1 the
also be landscape and		been found to be less than significant at Year 15 due to the proposed la
biodiversity mitigation works,		mitigation both from ground and first floors. At Year 15 in the consider
including planting and the		separate Residential Visual Amenity Assessment (RVAA) may be require
improvement of the		findings for this receptor therefore show that the proposed landscape
foreground hedgerows.		will screen views from the ground floor principal rooms and aa such an
0		therefore not considered to be necessary.
Construction Access		
This receptor sits on South		
Lane where access to the		
substation and Cottam 1 West		
Sites exists. This route would		
become busy during the		
construction phase. Another		
access to the west is also to be		
used reducing the overall		
impact.		

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.12] January 2023

Decommissioning

A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning to include site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.

Without Secondary Mitigation having been applied throughout the scheme, the only change to the views/landscape following decommissioning would be the existing hedgerows which will have been allowed to grow out and will have been managed to a height of 5m. It is assumed that these will be retained.



Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	N
Level of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	N
Magnitude	Very Low	Very Low	Low	Ve
	Cable Route Corridor This receptor is within the 500m study area and there would be views of the cable route during construction. Substation/s This viewpoint is within the 2km study area and close to the substation and battery bank storage area at Cottam 1 and there would be views of this area.			

Residentia	al Receptor – R65 / Lowfield Farm	
	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	No Intervisibility	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or features of
		There would be the introduction of new elements and features comprising the sola character area
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Site developments would not be experienced across the majority of the 5km study area woodlands, hedgerows, and tree cover between the Site/Sites. The intervening sett cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely significate Gate Burton Energy Park, Tillbridge Solar and West Burton Solar Park. This cumulate following figures:
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Aug Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Au Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Aug
		The landscape is shaped by the wide range of local and strategic road networks, wh from another. The strategic major road network is defined by important historic rou network links several historic and distinctive smaller string of settlements across th formed by narrow lanes that are often tranquil and hedged to both sides with wide helping to define the quality of the landscape and reducing the visibility across the

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.12] January 2023

Very Low

Neutral & Short Term

Negligible Not Significant

of the landscape within the character area.

lar panel areas and the substation area within the

ites, cumulative visibility with the cumulative ea. This is due to the distance, the intervening ttlements and built form would also curtail

cant effects, between the Cotton 1 Site/Sites and ative visibility is set out in further detail within the

igmented ZTV [C6.4.8.15.2.6] Augmented ZTV [C6.4.8.15.2.8] Igmented ZTV [C6.3.4.15.2.9]

which make one landscape type or area different outes and in contrast, the east west minor road the area. Overall, the prevailing road network is de grassed verges and they have a major role in e area.



		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infrastructure farms, nucleated villages, and small hamlets such as Thorpe le Fallows and Coates, recognised for adding intimacy and interest to the landscape. These relevant chara some ability to accommodate change without undue adverse effects. The cumulativa alter the overall character of the landscape and its communications and infrastructure set within a well-vegetated context or associated with built form that plays a positive
Magnitude	Not Applicable	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Low Decommissioning: Very Low
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Minor Not Significant Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.12] January 2023

re is shaped by evidence of historic settlement with s, which are features value that are not highly aracteristics of the landscape and land use have tive visibility for the Cottam 1 Site/Sites would not ucture features. Moreover, these features are often tive role in reducing the overall cumulative effects.



Residential Receptor - R74 / West Farm

Receptor Baseline:

Farmstead occupying a rectangular plot to the west side of the B1241 (Normanby Road), with the residential dwelling occupying the northern part of the plot. There is a collection of outbuildings and long barns to the north of the residential dwelling. The dwelling has an open aspect to the south, directly overlooking a large garden with mature trees. There is an open park railing and gated railing entrance to the immediate east boundary of the property bordering the west side of the B1241 (Normanby Road) where open, but oblique visibility is gained across towards the east.

Type: Singular building

Distance to Cottam Sites: 54m to Cottam 1

Closest settlement: On Normanby by Stow

Description of Receptor:

The eastern gable of West Farm contains several ground floor and first floor windows looking east over the Site. Open views of the Site will be visible from these first-floor windows with some more limited visibility from the ground floor where the hedge to the south of Normanby Road breaks up views. Both ground and first floor windows to the principal elevation look over the garden area to the south with views to the north comprising traditional updated farm buildings. Views west are over the garden area, a traditional farm building and the arable landscape beyond.

Overall, the view is influenced by a mix of arable landscape elements with traditional and more large-scale modern agricultural buildings within the immediate visibility. Views towards the River Till show some riparian vegetation in the mid distance.

Nearest Viewpoint: VP20

The view is located on the B1242 (Normanby Road), looking east directly onto the western extent of the Cottam 1 North Site.

The view is influenced by the presence of the busy road, but this is surpassed by the invigorating nature of the views east towards the limestone capped ridgeline encompassing Ingham and Ingham Cliff. The foreground presence of the green lane and its mature tree cover enhance the quality of the view, and the riparian woodland and tree cover that follows the course of the River Till is also a distinctive feature. The overall impression is that of an intact and invigorating landscape with far-reaching views.

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors - Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.13] January 2023



Residential Receptor – R74 / West Farm

Construction	Operation (Year 1)	Operation (Year 15)
The shares would include the	Lighting	The first detailed designs were preduced in tenders with some lastice with
The changes would include the construction activities during	Lighting Lighting will be limited to downlights within	The first detailed designs were produced in tandem with consultation with residential property owners where this was requested by the owner. This
site preparation / enabling	substations and battery banks only and used when	consultation included both site and desk-based work to determine any dire
works, construction, and		impacts and suitable mitigation measures. Specific mitigation measures ap
	maintenance or security is required. Lighting will be	to R74 are set out below:
commissioning with effects	PIR operated and will be calibrated to vehicle and	to R74 are set out below:
such as construction traffic,	personnel movements. All visible lighting would be	
noise and vibration from	50W, installed at a maximum height of 4m with cowls	The requirement for mitigation relates to visibility to the east towards Cott
construction activities, dust	fitted to prevent light spillage. Lighting required within	North Site (western extents). The open estate fencing to the boundary prov
generation, site runoff, mud on	panelled areas will be manually operated. There will be	open views to the east.
roads, and the visual intrusion	no lighting on perimeter fencing.	
of plant and machinery on site.		To the north aspect of the main house, there would be no mitigation since
At the early stages of the		are no panels in this direction.
construction stage, ground and		
lower-level activities such as		To the south aspect of the main house, there would an area of proposed bi
the construction of the		mitigation and the area would be kept free of panels.
substation, solar panel areas		
and associated infrastructure		To the east aspect of the main house, there would be a hedge on the easte
and inverters would be		boundary of Normanby Road. This hedgerow will be allowed to grow out to
evident. During the latter part		Beyond this planting the field would be an area of proposed bird mitigation
of the construction stage, views		would be kept free of panels. Beyond this, the existing vegetation adjacent
would become available of the		River Till will have matured and filled out and panels would sit beyond the l
elevated activities above the		and a buffer of low riparian herb vegetation.
hedgerows.		
		To the west aspect of the main house, there would be no mitigation since t
Other works would be		no panels in this direction.
undertaken in connection with		
the construction including		All panelled areas would be offset to a maximum of 50m from the property
fencing, gates, boundary		boundary.
treatment and other means of		boundary.
enclosure and works for the		
		The assessment process has considered the visual amenity of this resident
provision of security and		property and has taken into account views anticipated from both the grour
monitoring measures such as		first floors. Where significant effects have been identified for Year 1 these h
CCTV and the laying down of		been found to be less than significant at Year 15 due to the proposed lands
internal tracks. There would		mitigation both from ground and first floors. At Year 15 in the consideration
also be landscape and		separate Residential Visual Amenity Assessment (RVAA) may be required, the
biodiversity mitigation works,		findings for this receptor therefore show that the proposed landscape mitig
including planting and the		will screen views from the ground floor principal rooms and aa such an RVA
improvement of the		therefore not considered to be necessary.
foreground hedgerows.		
Construction Access		
There would be no view of		
the construction access to		
Cottam 1 from this		
viewpoint.		
Cable Route Corridor		
Residential receptor is within		
the 500m cable route corridor		
study area		
···· , -···		

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors - Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.13] January 2023

Decommissioning

A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning to include site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.

Without Secondary Mitigation having been applied throughout the scheme, the only change to the views/landscape following decommissioning would be the existing hedgerows which will have been allowed to grow out and will have been managed to a height of 5m. It is assumed that these will be retained.



	Substation/s: Residential receptor is within 2km study area of Cottam 1 North substation.			
Magnitude	Very Low	Very Low	Low	V
Level of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	N
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Ν

Residential Receptor – R74 / West Farm

In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
No Intervisibility	Fabric of the Landscape There would not be the removal of or changes in individual elements or farea. There would be the introduction of new elements and features comprisin within the character area Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam developments would not be experienced across the majority of the 5km intervening woodlands, hedgerows, and tree cover between the Site/Sites would also curtail cumulative visibility. There are local patches of cumulative visibility which may be focus of like Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton further detail within the following figures: Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Development
	Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develop Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Develop The landscape is shaped by the wide range of local and strategic road nee different from another. The strategic major road network is defined by in west minor road network links several historic and distinctive smaller stri prevailing road network is formed by narrow lanes that are often tranqui verges and they have a major role in helping to define the quality of the la area.
	<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infra settlement with farms, nucleated villages, and small hamlets such as Tho value that are not highly recognised for adding intimacy and interest to the the landscape and land use have some ability to accommodate change we visibility for the Cottam 1 Site/Sites would not alter the overall character of infrastructure features. Moreover, these features are often set within a we form that plays a positive role in reducing the overall cumulative effects.
Magnitude Not Applicable	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors - Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.13] January 2023

Very Low

Neutral & Short Term

Negligible Not Significant

features of the landscape within the character

sing the solar panel areas and the substation area

m 1 Site, cumulative visibility with the cumulative m study area. This is due to the distance, the tes. The intervening settlements and built form

kely significant effects, between the Cotton 1 n Solar Park. This cumulative visibility is set out in

pments Augmented ZTV [C6.4.8.15.2.6] elopments Augmented ZTV [C6.4.8.15.2.8] pments Augmented ZTV [C6.3.4.15.2.9]

networks, which make one landscape type or area important historic routes and in contrast, the east tring of settlements across the area. Overall, the uil and hedged to both sides with wide grassed e landscape and reducing the visibility across the

frastructure is shaped by evidence of historic orpe le Fallows and Coates, which are features the landscape. These relevant characteristics of without undue adverse effects. The cumulative r of the landscape and its communications and well-vegetated context or associated with built



		Operation (Year 15): Low
		Decommissioning: Very Low
		Construction: Adverse & Short Term
Type of	Not Applicable	Operation (Year 1): Adverse & Long Term
	Not Applicable	Operation (Year 1): with only Embedded Mitigation: Adverse & Long Ter
Effect		Operation (Year 15): Beneficial & Long Term
		Decommissioning: Neutral & Short Term
		Construction: Negligible Not Significant
Significance	Not Applicable	Operation (Year 1): Negligible Not Significant
U	Not Applicable	Operation (Year 1): with only Embedded Mitigation: Negligible Not Sign
of Effect		Operation (Year 15): Minor Not Significant
		Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.13] January 2023

erm

gnificant



Residential Receptor - R76 / Stow Pasture

Receptor Baseline:

Collection of residential dwellings and farmsteads fronting Ingham Road with a north south aspect. The properties comprise nos. 19 to 25 (Flat Topped Houses), No 27 Ingham Road which is a detached dwelling with stables and riding arena, No. 29 Ingham Road, which is a detached cottage, No. 31 Ingham Road which is a cream rendered detached dwelling with outbuildings and 'The Pastures'. The open aspect of some properties (19 to 25 and The Pastures) may yield some oblique visibility towards the south from ground floor windows towards the Cottam South Site. There may also be views north from first floor windows to the rear of the properties over the Cottam 1 North Site.

Type: Group of buildings

Distance to Cottam Sites: 44m to Cottam 1

Closest settlement: Stow at about 1.3km west

Description of Receptor:

No. 33 Ingham Road has a principal elevation looking south and has a low hedge to the road boundary. Views out to the south are from ground and first floor windows. A dense hedge lines the southern boundary of the Ingham Road with an arable field beyond and a dense field boundary to its southern extent. The main garden to this property is to the west and north with paddocks to the east.

No. 31 Ingham Road has a principal elevation looking south. The property sits back beyond a panelled fence with mature vegetation along this boundary but open views from the main elevation looking south. There are buildings to the north of the property with trees to the east and a small, well treed paddock beyond to further east. To the south, a dense hedge lines the southern boundary of the Ingham Road with mature hedgerows around the field opposite.

No. 29 Ingham Road sits opposite Fleets Lane. The principal elevation is to the south and the main garden area to the north. There are mature trees and hedges on the southern boundary and views out are limited. There are hedges along the southern extents of Ingham Road and lining Fleets Lane opposite. The landscape beyond is of agricultural fields and mature hedgerows.

No. 27 Ingham Road has a mature boundary hedge to the south, closing down views from ground floor elevations. First floor dormer windows on the principal elevation look south over the Ingham Road. There are buildings and equestrian facilities to the east of this dwelling and further buildings to the west. The main garden and paddocks lie to the north.

Nos. 19-25 are flat roofed properties with low formal hedges to their principal southern elevations. Gardens lie to the north, south, east, and west, of this block of houses. Both ground floor and first floor principal windows look out over the Ingham Road to the landscape beyond.

Nearest Viewpoint: VP13

The view is located along Fleets Lane at the small settlement of Stow Pasture, looking towards the southern extent of the Cottam 1 Site/Sites. The view is pleasant and typical to local character with single track lanes, tall hedgerows, and strong vertical elements such as telegraph poles. The strong hedgerows surrounding Fleets Lane have some gaps that provide for occasional views across the area. The overall experience of this view is interesting with an overriding sense of safety and security.

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.14] January 2023



Construction	Operation (Year 1)	Operation (Year 15)
The changes would include the	Lighting	The first detailed designs were produced in tandem with consultation with
construction activities during	Lighting will be limited to downlights within	residential property owners where this was requested by the owner. This
site preparation / enabling	substations and battery banks only and used when	consultation included both site and desk-based work to determine any direct
works, construction, and	maintenance or security is required. Lighting will be	impacts and suitable mitigation measures. Specific mitigation measures applica
commissioning with effects	PIR operated and will be calibrated to vehicle and	to R76 are set out below:
such as construction traffic,	personnel movements. All visible lighting would be	
noise and vibration from	50W, installed at a maximum height of 4m with cowls	The requirement for mitigation relates to visibility to the south towards Cottam
construction activities, dust	fitted to prevent light spillage. Lighting required within	South Site and north to Cottam 1 North Site.
generation, site runoff, mud on	panelled areas will be manually operated. There will be	
roads, and the visual intrusion	no lighting on perimeter fencing.	Enhanced hedges to the north and south of 33 Ingham Road will have grown of
of plant and machinery on site.		and will have been managed to a height of 5m with hedgerow trees reaching s
At the early stages of the		7.5m. Beyond the hedge to the north, a field of bird mitigation will contain no
construction stage, ground and		panels.
lower-level activities such as		
the construction of the		A new hedge to the south of No. 29 and 31 Ingham Road is likely to have reach
substation, solar panel areas		height of 3.5m with hedgerow trees reaching some 7.5m. Development is set
and associated infrastructure		from the Ingham Road.
and inverters would be		
evident. During the latter part		There will be a block of shelterbelt planting along Fleets Lane which is likely to
of the construction stage, views		reached a height of 7.5m precluding views of the Site from the west/northwes
would become available of the		along Ingham Road. There will be a further new hedge running broadly
elevated activities above the		north/south across the Site which will break up views from the northeast with
hedgerows.		hedgerow having grown to some 3.5m high and hedgerow trees reaching som
		7.5m at Year 15.
Other works would be		A shall a large dia secolar secolar 27 di secolar si Selara se di Selara se
undertaken in connection with		A shelterbelt to the northwest of No. 27 along the existing track is likely to hav
the construction including		reached a height of 7.5m, whilst scattered tree planting adjacent to the River T
fencing, gates, boundary treatment and other means of		the north will have reached a height of some 7.5m.
enclosure and works for the		There is no mitigation to the east or west of these properties as no panels exis
provision of security and		There is no mitigation to the east of west of these properties as no pariets exis
monitoring measures such as		The according to proceed by considered the visual amonity of this residential
CCTV and the laying down of		The assessment process has considered the visual amenity of this residential property and has taken into account views anticipated from both the ground a
internal tracks. There would		first floors. Where significant effects have been identified for Year 1 these hav
also be landscape and		been found to be less than significant at Year 15 due to the proposed landsca
biodiversity mitigation works,		mitigation both from ground and first floors. At Year 15 in the consideration th
including planting and the		separate Residential Visual Amenity Assessment (RVAA) may be required, the
improvement of the		findings for this receptor therefore show that the proposed landscape mitigat
foreground hedgerows.		will screen views from the ground floor principal rooms and aa such an RVAA
Construction Access		therefore not considered to be necessary.
Construction Access		
All throughout the construction stage the residential receptor		
- ·		
will be affected due to Ingham Road having a point of access		
into the Cottam 1 North Site.		
The access route is through a		
local track near Low Farm as it		
connects to fields C26 and C25.		
Cable Route Corridor		

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.14] January 2023

Decommissioning

A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning to include site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.

Without Secondary Mitigation having been applied throughout the scheme, the only change to the views/landscape following decommissioning would be the existing hedgerows which will have been allowed to grow out and will have been managed to a height of 5m. It is assumed that these will be retained.



	Residential receptor is outside of the 500m cable route corridor study area Substation/s Residential receptor is within the 2km study area for Cottam 1 North substation.			
Magnitude	Very Low	Very Low	Low	٧
Level of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	٢
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	٢

ential Receptor – R76 / Stow Pasture	
In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
No Intervisibility	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or fe area.
	There would be the introduction of new elements and features comprisin within the character area
	Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam cumulative developments would not be experienced across the majority of distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility.
	There are local patches of cumulative visibility which may be focus of likel Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton S further detail within the following figures:
	Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developm Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develop Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developm
	The landscape is shaped by the wide range of local and strategic road net different from another. The strategic major road network is defined by im west minor road network links several historic and distinctive smaller strin prevailing road network is formed by narrow lanes that are often tranquil verges and they have a major role in helping to define the quality of the la area.
	<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infra settlement with farms, nucleated villages, and small hamlets such as Thor value that are not highly recognised for adding intimacy and interest to the the landscape and land use have some ability to accommodate change wi visibility for the Cottam 1 Site/Sites would not alter the overall character of

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.14] January 2023

Very Low

Neutral & Short Term

Negligible Not Significant

features of the landscape within the character

ing the solar panel areas and the substation area

m 1 Site/Sites, cumulative visibility with the y of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and

kely significant effects, between the Cotton 1 n Solar Park. This cumulative visibility is set out in

pments Augmented ZTV [C6.4.8.15.2.6] elopments Augmented ZTV [C6.4.8.15.2.8] pments Augmented ZTV [C6.3.4.15.2.9]

networks, which make one landscape type or area important historic routes and in contrast, the east tring of settlements across the area. Overall, the uil and hedged to both sides with wide grassed e landscape and reducing the visibility across the

frastructure is shaped by evidence of historic norpe le Fallows and Coates, which are features the landscape. These relevant characteristics of without undue adverse effects. The cumulative of the landscape and its communications and



Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.14] January 2023

		infrastructure features. Moreover, these features are often set within a we
		form that plays a positive role in reducing the overall cumulative effects
		Construction: Very Low
	Not Applicable	Operation (Year 1): Very Low
Magnitude	Not Applicable	Operation (Year 1): with only Embedded Mitigation: Very Low
•		Operation (Year 15): Low
		Decommissioning: Very Low
		Construction: Adverse & Short Term
Type of	Not Applicable	Operation (Year 1): Adverse & Long Term
	Not Applicable	Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term
Effect		Operation (Year 15): Beneficial & Long Term
		Decommissioning: Neutral & Short Term
		Construction: Negligible Not Significant
Significance	Not Applicable	Operation (Year 1): Negligible Not Significant
0	Not Applicable	Operation (Year 1): with only Embedded Mitigation: Negligible Not Signific
of Effect		Operation (Year 15): Minor Not Significant
		Decommissioning: Negligible Not Significant

Term	
ignificant	



Residential Receptor – R84 / Clandon House

Receptor Baseline:

Collection of residential dwellings comprising Clandon House, Clandon Barn, Westop Cottages, Thorpe House, Cottage, and East Cottage. Westop Cottages, Clandon House and Clandon Barn have a north south orientation, with their rear elevations facing towards the Cottam 1 South Site. Thorpe House, Thorpe le Fallows Farm, Cottage, and East Cottage all face north towards Thopre Lane and look over Westop Cottages, Clandon House and Clandon Barn.

Type: Group of buildings

Distance to Cottam Sites: 153m to Cottam 1

Closest settlement: On Thorpe in the Fallows

Description of Receptor:

The principal elevation to Westrop Cottages lies to the south overlooking Thorpe Road. Gardens and meadow lie to the north with the War Memorial sitting directly north of these properties and beyond existing boundary vegetation.

The principal elevation to Clandon House lies to the south overlooking Thorpe Road and southwest over Thorpe Le Fallows Farm with the main garden area to the north and barns to the east.

The principal elevation to Clandon Barn, a single storey dwelling, lies to the south overlooking farmland beyond the Thorpe Road with a small, enclosed garden area and mature evergreen hedging to the north precluding views north.

Nearest Viewpoint: VP5

The view is located on the PRoW, bridleway TLFe/31/2, looking north with the southern extent of the Cottam 1 South Site in the foreground.

The view is influenced by the open arable fields and the woodlands on the horizon that form a significant component and add balance to the landscape. The location offers some intimacy despite the close proximity to the residential property (The Lodge) to the south. There is a gap between the woodland on the horizon that extends the view towards the distant ridge line where the Scampton Airfeld is just visible. The overall experience is interesting and very pleasant, with some depth to views and strong contrasting features.

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.15] January 2023



Residential Receptor – R84 / Clandon House Operation (Year 1) Construction **Operation (Year 15)** Decommissioning The changes would include the Lighting The first detailed designs were produced in tandem with consultation with construction activities during Lighting will be limited to downlights within residential property owners where this was requested by the owner. This site preparation / enabling substations and battery banks only and used when consultation included both site and desk-based work to determine any direct works, construction, and maintenance or security is required. Lighting will be impacts and suitable mitigation measures. Specific mitigation measures applicable PIR operated and will be calibrated to vehicle and commissioning with effects to R84 are set out below: such as construction traffic, personnel movements. All visible lighting would be noise and vibration from 50W, installed at a maximum height of 4m with cowls The requirement for mitigation relates to visibility to the north and will be towards construction activities, dust fitted to prevent light spillage. Lighting required within Cottam 1 South Site. No principal elevations of properties to the north of Thorpe generation, site runoff, mud on panelled areas will be manually operated. There will be Lane face this direction. roads, and the visual intrusion no lighting on perimeter fencing. of plant and machinery on site. A new hedgerow to the north of the War Memorial Site will have established and is likely to have reached a height of 3.5m with hedgerow trees reaching some 7.5m. At the early stages of the This will break up views in Year 1 and will close down views north by Year 15. construction stage, ground and lower-level activities such as To the west of the meadow adjacent to Westrop Cottages, there will be a shelterbelt the construction of the substation, solar panel areas screening views of the development. This shelterbelt is likely to have reached a and associated infrastructure height of 7.5m. these will be retained. and inverters would be evident. During the latter part Vegetation is set back a minimum of 50m from the boundary of these dwellings. of the construction stage, views would become available of the Between Clandon House and Clandon Barn (to the north) there will be a block of elevated activities above the scattered trees which will have reached a height of some 7.5m closing down views hedgerows. northeast from Clandon Barn by Year 15. A further belt to the east will close down mitigation. views looking east whilst a shelterbelt along the Thorpe Road further east will Other works would be screen views from the west having reached a height of some 7.5m. To the north of undertaken in connection with Clandon Barn, the enhanced hedgerow will have been allowed to grow out and is the construction including likely to have reached a height and be managed at 5m. Hedgerow trees will have fencing, gates, boundary reached a height of some 7.5m by Year 15. treatment and other means of enclosure and works for the There is no mitigation to the south as this lies outside of the Site. provision of security and The assessment process has considered the visual amenity of this residential monitoring measures such as CCTV and the laying down of property and has taken into account views anticipated from both the ground and first floors. Where significant effects have been identified for Year 1 these have internal tracks. There would been found to be less than significant at Year 15 due to the proposed landscape also be landscape and biodiversity mitigation works, mitigation both from ground and first floors. At Year 15 in the consideration that a including planting and the separate Residential Visual Amenity Assessment (RVAA) may be required, the findings for this receptor therefore show that the proposed landscape mitigation improvement of the will screen views from the ground floor principal rooms and aa such an RVAA is foreground hedgerows. therefore not considered to be necessary. Construction Access All throughout the construction stage the residential receptor will be affected due to Thorpe Lane having a point of access into the Cottam 1 South Site through field D10.

Cable Route Corridor

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.15] January 2023

> A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning to include site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.

Without Secondary Mitigation having been applied throughout the scheme, the only change to the views/landscape following decommissioning would be the existing hedgerows which will have been allowed to grow out and will have been managed to a height of 5m. It is assumed that



Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Ν
Level of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Ν
Magnitude	Very Low	Very Low	Low	V
	Residential receptor is outside of the 500m cable route corridor study area. Substation/s Residential receptor is outside of the 2km study area of Cottam 1 North substation.			

In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
No Intervisibility	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or fe area.
	There would be the introduction of new elements and features comprising within the character area
	<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam of cumulative developments would not be experienced across the majority of distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility.
	There are local patches of cumulative visibility which may be focus of likely Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton S further detail within the following figures:
	Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developm Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develop Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developm
	The landscape is shaped by the wide range of local and strategic road network different from another. The strategic major road network is defined by im west minor road network links several historic and distinctive smaller strir prevailing road network is formed by narrow lanes that are often tranquil verges and they have a major role in helping to define the quality of the latarea.
	Overall Landscape Character and Visual Amenity Overall, the character of the landscape and the communications and infra settlement with farms, nucleated villages, and small hamlets such as Thor value that are not highly recognised for adding intimacy and interest to th the landscape and land use have some ability to accommodate change wir visibility for the Cottam 1 Site/Sites would not alter the overall character or

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.15] January 2023

Very Low

Neutral & Short Term

Negligible Not Significant

features of the landscape within the character

ing the solar panel areas and the substation area

m 1 Site/Sites, cumulative visibility with the y of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and

ely significant effects, between the Cotton 1 n Solar Park. This cumulative visibility is set out in

pments Augmented ZTV [C6.4.8.15.2.6] lopments Augmented ZTV [C6.4.8.15.2.8] oments Augmented ZTV [C6.3.4.15.2.9]

etworks, which make one landscape type or area important historic routes and in contrast, the east ring of settlements across the area. Overall, the uil and hedged to both sides with wide grassed landscape and reducing the visibility across the

frastructure is shaped by evidence of historic orpe le Fallows and Coates, which are features the landscape. These relevant characteristics of without undue adverse effects. The cumulative of the landscape and its communications and



		infrastructure features. Moreover, these features are often set within a w form that plays a positive role in reducing the overall cumulative effects
Magnitude	Not Applicable	Construction: Very Low Operation (Year 1): Very Low Operation (Year 15): Low Decommissioning: Very Low
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 15): Minor Not Significant Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.3.3: Residential Receptors – Residential Not Significant [Reference: EN010133/APP/C6.3.8.3.3.3.15] January 2023

a well-vegetated context or associated with built

Reference	Name	Site	Distance to Site (m)	Potential Cumulative Yes/No	Potential Cumulative (List which Sites)	Relevant Viewpoint/s (nearest)	Receptor Baseline	Primary Mitigation (Embedded)	Secondary Mitigation	Significant Effects	Notes
T004	Lane to Mount Pleasant Farm off C229, Scotton	Cottam 3a	483	Ν	n/a	VP65 and VP66	Local track access to Mount Pleasant Farm leading from the C229 (Laughton Road), Scotton. The track follows an almost north south alignment running parallel with the east boundary of Dallison Plantation, then taking a 'dog-leg' turn towards Mount Pleasant Farm at the junction with Northorpe Beck. Open aspect towards the east at north section of track, looking towards Northorpe and Scotton. The southern section of the track has 'all-round' visibility at close range.	Not applicable	Not applicable	No	Unlikely visibility towards Cottam 3a Site/Sites due to the flat, low-lying landform. Intervening woodland blocks and hedgerows also curtial visibility.
тоо6	Park Lane, Laughton near Gainsborough	Cottam 3a	812	Ν	n/a	VP64	Local track access to Park House Farm leading from the A159 (Laughton Road), near Gainsborough. The track follows a north south alignment, then taking a 'right-angled' bend at the junction with the tributary drain of Northorpe Beck. The track then heads east towards Mount Pleasant Farm. Open aspect along the full route with 'all-round' visibility at close range.	Not applicable	Not applicable	No	Unlikely visibility towards Cottam 3a Site/Sites due to the flat, low-lying landform, intervening woodland blocks and hedgerows. Woodland cover at the Respect Green Burial Park also curtials visibility along with the intervening farmsteads at Bluebell Farm and Blyton Grange, which close down visibility towards the Site/Sites.
то10	Unnamed Road, Laughton near Gainsborough	Cottam 3a	144	N	n/a	VP66	Local track access passing between Grange Farm and Mount Pleasant Farm, near Gainsborough. The track follows a 'dog- leg' alignment to the south of Northorpe Beck, running in an almost east west direction. The track then continues (as an unnamed road) towards Park House Farm at Laughton, near Gainsborough. Open aspect along the full route with 'all- round' visibility at close range.	Panels set back from boundary of Cottam 3a Site/Sites.	New planting bordering the north and northeast boundaries of the Cottom 3a Site/Sites.	No	Some visibility towards Cottam 3a Site/Sites due to the flat, low-lying landform and lack of intervening woodland blocks and hedgerows. New planting along the north and north east boundaries of the Site/Sites will curtial visibility in Year 1 and close down visibility in Year 15.
T011	Unnamed Road, Laughton near Gainsborough	Cottam 3a	649	N	n/a	LCC-C-V	Local track access passing between Mount Pleasant Farm and Dring Lane, near Gainsborough. The track passes in an east west direction and then takes a 'right-angled' turn south towards Dring Lane. Open aspect along the full route with 'all- round' visibility at close range due to absence of both roadside and field hedgerows.	Not applicable	Not applicable	No	Unlikely visibility towards Cottam 3a Site/Sites due to the flat, low-lying landform and the intervening woodland at the Respect Green Burial Park. The intervening farmsteads at Bluebell Farm and Blyton Grange are also likely to close down visibility towards the Site/Sites.
T012	Dring Lane, Laughton near Gainsborough	Cottam 3a	447	Ν	n/a	LCC-C-V	Minor, local lane passing between the A159 (Laughton Road) near Gainsborough and the Green Respect Burial Park. The track passes in an east west direction across a large-scale, arable landscape. Open aspect along the full route with 'all- round' visibility at close range due to absence of both roadside and field hedgerows.	Panels set back from boundary of Cottam 3a Site/Sites.	New planting bordering the north and northwest boundaries of the Cottam 3a Site/Sites.	No	Some visibility towards Cottam 3a Site/Sites due to the flat, low-lying landform and lack of intervening woodland blocks and hedgerows. New planting along the north and north west boundaries of the Site/Sites will curtial visibility in Year 1 and close down visibility in Year 15.
T013	Gainsborough Road, Laughton near Gainsborough (A159)	Cottam 3a	69	Ν	n/a	VP63, VP64 and LCC-C-V	The A159 (Gainsborough Road) near Laughton Gainsborough that heads from Scotter in the north, passing to the east of Laughton then with a slight bend in the road, it passes towards Blyton in the south.	Panels set back from boundary of Cottam 3a Site/Sites.	New planting bordering the north and northwest boundaries of the Cottam 3a Site/Sites.	No	Very limited visibility towards Cottam 3a Site/Sites due to the presence of hedgerows and tree belts to the east side of the A159. The intervening farmsteads at Bluebell Farm and Blyton Grange are also likely to close down visibility. New planting along the north and north west boundaries of the Site/Sites will curtial visibility in Year 1 and close down visibility in Year 15.

T014	Blyton Road, Laughton near Gainsborough	Cottam 3a	30	Y	Зb	VP63	Blyton Road, passing between Laughton Road, Blyton and Laughton in an almost north south alignment. The road is partially enclosed along its length due to the bordering woodland blocks, vergeside hedgerows and riparian vegetation along Laughton Highland Drain. There is also undulating topography which provides additional enclosure to the road.	Panels set back from boundary of Cottam 3a Site/Sites.	New planting bordering the west boundaries of the Cottam 3a Site/Sites.	Νο	Very minor visibility towards the Cottam 3a Site/Sites except right at the junction with the A159 (Laughton Road) where there are direct views across the junction towards the Site/Sites. The intervening farmsteads at Bluebell Farm and Blyton Grange are also likely to close down visibility in this direction. New planting along the west boundaries of the Site/Sites will curtial visibility in Year 1 and close down visibility in Year 15.
T015	Lane to Grange Farm off B1205, Northorpe near Scotter	Cottam 3a	398	Ν	n/a	VP61 and VP66	Local track access passing between Blenheim Farm and Grange Farm, Northorpe near Scotter. The track passes in a north south direction and takes a slight 'dog-leg' turn at the crossing with a minor tributary of Northorpe Beck. Open aspect along the southern part of the route with 'all-round' visibility at close range due to absence of both roadside and field hedgerows. Northern section of the track is more enclosed at close range, due to topography and vegetation cover. The intervening agricultural buildings at Blenheim Farm also provide intervening screening.	Not applicable	Not applicable	No	Unlikely visibility towards Cottam 3a Site/Sites due to the flat, low-lying landform, the intervening hedgerows and riparian vegetation cover along a local tributary of Northorpe Beck. The intervening agricultural buildings are also likely to close down visibility towards the Site/Sites at the southern section of the track.
T016	B1205 Kirton Road to C228 Monson Road, Northorpe near Scotter	Cottam 3a	5	Y	Зb	VP59, VP60 and VP61	Kirton Road, passing between Monson Road, Northorpe and the settlement of Blyton in an almost northeast southwest alignment. The road then takes a wide 'dog-leg' turn between Blenheim Farm and Blyton Level Crossing at the eastern edge of the Site/Sites. The road is partially open along its length due to the absence of bordering woodland blocks and vergeside hedgerows.	Panels set back from boundary of Cottam 3a Site/Sites.	New planting bordering the west and south boundaries of the Cottam 3a Site/Sites.	Yes	Open visibility towards Cottam 3a Site/Sites due to the flat, low-lying landform and the absence of intervening hedgerows and woodland cover. New planting along the north and east boundaries of the Site/Sites will curtial visibility in Year 1 and help close down some visibility in Year 15.
T016	B1205 Kirton Road to C228 Monson Road, Northorpe near Scotter	Cottam 3b	370	Y	3a	VP59, VP60 and VP61	Kirton Road, passing between Monson Road, Northorpe and the settlement of Blyton in an almost northeast southwest alignment. The road then takes a wide 'dog-leg' turn between Blenheim Farm and Blyton Level Crossing at the eastern edge of the Site/Sites. The road is partially open along its length due to the absence of bordering woodland blocks and vergeside hedgerows.	Not applicable	Not applicable	No	Unlikely visibility towards Cottam 3b Site/Sites due to the flat, low-lying landform and the intervening hedgerows and riparian vegetation cover along a local tributary of Laughton Highland Drain. The intervening vegetation along the mainline railway is also likely to close down visibility towards the Site/Sites.
т016	B1205 Kirton Road to C228 Monson Road, Northorpe near Scotter	High voltage cable corridor and access	847.966028								
T018	Laughton Road, Blyton (A159)	Cottam 3a	13	Y	3b	VP63	Blyton Road, passing between the junction with Station Road in an almost north south alignment. The road is mostly open along its length due to the absence bordering woodland blocks. Vergeside hedgerows are well-managed and there is also undulating topography which provides additional elevation to the road at this section.	Panels set back from west boundary of Cottam 3a Site/Sites where they share a boundary with the A159 (Laughton Road).	New planting bordering the north and northwest boundaries of the Cottam 3a Site/Sites.	No	Very minor visibility towards the Cottam 3a Site/Sites but mostly right at the junction with the A159 (Blyton Road) where there are direct views across the junction towards the Site/Sites. The intervening farmsteads at Bluebell Farm and Blyton Grange are also likely to close down visibility at this location. New planting along the west boundaries of the Site/Sites will curtial visibility in Year 1 and close down visibility in Year 15.
T018	Laughton Road, Blyton (A159)	High voltage cable corridor and access	994.366036								

T019	Kirton Road, Blyton	Cottam 3a	0	Y	3b	VP59, VP60 and VP62	Kirton Road, passing between the settlement of Blyton and Northorpe in an almost east west alignment. The road then takes a wide 'dog-leg' turn between Blenheim Farm and Blyton Level Crossing at the eastern edge of the Site/Sites. The road is partially open along its length due to the absence of bordering woodland blocks and vergeside hedgerows.	Panels set back from southern boundary of Cottam 3a Site/Sites.	New planting bordering the east and south boundaries of the Cottam 3a Site/Sites.	Yes	Open visibility towards Cottam 3a Site/Sites due to the low height of intervening hedgerows and distinct lack of woodland and tree cover. New planting along the south and east boundaries of the Site/Sites will curtial visibility in Year 1 and help close down some visibility in Year 15.
T019	Kirton Road, Blyton	Cottam 3b	348	Y	За	VP59, VP60 and VP62	Kirton Road, passing between the settlement of Blyton and Northorpe in an almost east west alignment. The road then takes a wide 'dog-leg' turn between Blenheim Farm and Blyton Level Crossing at the eastern edge of the Cottam 3a Site/Sites. The road is partially open along its length due to the absence of bordering woodland blocks and vergeside hedgerows.	Not applicable	Not applicable	No	Unlikely visibility towards Cottam 3b Site/Sites due to the flat, low-lying landform and the intervening hedgerows and tree cover that divides the pattern of small fields to the south of Kirton Road. The intervening vegetation along the mainline railway is also likely to close down visibility towards the Site/Sites.
т019	Kirton Road, Blyton	High voltage cable corridor and access	0								
T021	Bonsdale Lane, Blyton	Cottam 3a	113	Y	3b	VP5, VP58, VP59 and VP61	Bonsdale Lane is located to the east of Blyton and this section of the lane extends from Bonsdale Farm at the junction with Green Lane to meet with Kirton Road to the north of the mainline railway. The lane takes a north south alignment and is partially open along its western edge where its forms a boundary with Cottam 3b Site/Sites.	Not applicable	Not applicable	No	Unlikely visibility towards Cottam 3a Site/Sites due to intervening vegetation along the mainline railway. The flat, low-lying landform and the intervening hedgerows and tree cover that divides the pattern of small fields to the south side of Kirton Road is also likely to close down visibility towards the Site/Sites.
T021	Bonsdale Lane, Blyton	Cottam 3b	2	Y	За	VP57, VP58, VP59 and VP61	Bonsdale Lane is located to the east of Blyton where this section of the lane extends from Bonsdale Farm at the junction with Green Lane to meet with Kirton Road to the north of the mainline railway. The lane takes a north south alignment and is partially open along its western edge where its forms a boundary with Cottam 3b Site/Sites.	Panels set back from eastern boundary of Cottam 3b Site/Sites.	New planting bordering the south and east boundaries of the Cottam 3b Site/Sites.	Yes	Open visibility towards Cottam 3b Site/Sites due to the low height of intervening hedgerows and distinct lack of woodland and tree cover. New planting along the south and east boundaries of the Site/Sites will curtial visibility in Year 1 and help close down some visibility in Year 15.
T021	Bonsdale Lane, Blyton	High voltage cable corridor and access	496.594239								
T021	Bonsdale Lane, Blyton	High voltage cable corridor and access	824.125511								1
то22	High Street, Blyton (A159)	Cottam 3a	361	Y	3b	VP62	High Street passes through Blyton and extends from the junction with Carr Lane in the south of the settlement to meet at the 'T' unction with Station Road in the north. The street takes a meandering southwest to northeast alignment and is fully enclosed on both sides by built form.	Not applicable	Not applicable	No	No visibility towards Cottam 3a Site/Sites due to intervening built form along High Street.
т022	High Street, Blyton (A159)	High voltage cable corridor and access	995.638269								
T023	Station Road, Blyton	Cottam 3a	138	Y	Зb	LCC-C-S	Station Road passes to the south of Blyton and extends between Pilham Lane in the south to meet with the junction of Kirton Road in the north. The road takes an almost north south alignment with a slight adjustment where its crosses the mainline railway.	Not applicable	Not applicable	No	Unlikely visibility towards Cottam 3a Site/Sites due to intervening vegetation cover along the mainline railway. The flat, low-lying landform and the intervening hedgerows and tree cover that divides the pattern of small fields (to the south side of Kirton Road and east side of Station Road) is also likely to close down visibility towards the Site/Sites.

T023 T023	Station Road, Blyton Station Road, Blyton	Cottam 3b High voltage cable	514	γ	3a	LCC-C-S	Station Road passes to the south of Blyton and extends between Pilham Lane in the south to meet with the junction of Kirton Road in the north. The road takes an almost north south alignment with a slight adjustment where its crosses the mainline railway.	Not applicable	Not applicable	No	Unlikely visibility towards Cottam 3b Site/Sites due to intervening vegetation cover along the mainline railway. The flat, low-lying landform and the intervening hedgerows and tree cover that divides the pattern of small fields (to the south side of Kirton Road and east side of Station Road) is also likely to close down visibility towards the Site/Sites.
T025	Pilham Lane, Bonsdale	corridor and access	943	Y	3b	VP57	Bonsdale Lane is located to the southeast of Blyton and extends from the junction with Kirton Road in the north where the lane then heads south past Bonsdale Farm. The road then continues over Aisby Beck takes a 'right-angled' turn to head west and then meets with Pilham Lane in the southwest. This section of the lane extends from the southeast corner of the Cottam 3b Site/Sites and heads as far as the 'right-angled' turn.	Not applicable	Not applicable	No	Unlikely visibility towards Cottam 3a Site/Sites due to the foreground hedgerows to the west side of Bonsdale Lane, the intervening field hedgerows to each side of Green Lane and the strong vegetation cover along the mainline railway. The flat, low-lying landform is also likely to close down visibility towards the Site/Sites.
T025	Pilham Lane, Bonsdale	Cottam 3b	4	Y	3a	VP57	Bonsdale Lane is located to the southeast of Blyton and extends from the junction with Kirton Road in the north where the lane then heads south past Bonsdale Farm. The road then continues over Aisby Beck takes a 'right-angled' turn to head west and then meets with Pilham Lane in the southwest. This section of the lane extends from the southeast corner of the Cottam 3b Site/Sites and heads as far as the 'right-angled' turn.	Panels set back from south and east boundary of Cottam 3b Site/Sites where they share a boundary (and are in close proximity to) this section of Bonsdale Lane.	boundaries of the Cottam 3a	No	Some visibility towards the Cottam 3b Site/Sites but mostly to the south where there are oblique views from Bonsdale Lane. The hedgerow bordering the west side of Bonsdale Lane and the intervening field hedgerows to each side of Green Lane are also likely to close down visibility at this location. New planting along the east and south boundaries of the Cottam 3b Site/Sites will curtial visibility in Year 1 and close down visibility in Year 15.
T025	Pilham Lane, Bonsdale	High voltage cable	254.235397								
T028	Green Lane, Pilham	corridor and access	140	Ν	n/a	VP57	Green Lane is located to the southeast of Blyton and extends from the junction with Bondsdale Lane (to the south of Bonsdale Farm) towards Pilham to meet with Pilham Lane at the junction with the Church of All Saints.	Panels set back from southern boundaries of Cottam 3b Site/Sites.	New planting bordering the south and boundaries of the Cottam 3b Site/Sites.	No	Some visibility towards the Cottam 3b Site/Sites. The hedgerow bordering the north side of Green Lane and the intervening field hedgerows to the north of the lane are likely to close down visibility. The very slight undulations in landform is also likely to curtail views. New planting along the south boundaries of the Cottam 3b Site/Sites will curtial visibility in Year 1 and close down visibility in Year 15.
T028	Green Lane, Pilham	High voltage cable corridor and access	0								
T028	Green Lane, Pilham	High voltage cable corridor and access	673.278141								
то29	Pilham Lane, Blyton	Cottam 3b	537	Ν	n/a	LCC-C-R	Pilham Lane is located to the south of Blyton and to the west of the small settlement of Pilham. The lane extends from Pilham at the junction with Pilham Lane and then heads west towards Wharton where it forms a junction with the A159 to the north of Manor Farm.		Not applicable	No	No visibility towards Cottam 3b Site/Sites due to the foreground woodland blocks that almost fully enclose the western edge of the settlement of Pilham.

T032	Road to Dunstall, Aisby near Gainsborough	Cottam 2	517	Y	3b	VP54	The road is located to the southeast of Blyton and to the south of Bonsdale Farm, and extends from Bonsdale Lane in the west as far as the Deserted Village of Dunstall (List Entry: 14996) in the east.	Not applicable	Not applicable	No	Limited visibility towards Cottam 2 Site/Sites due to the foreground riparian vegetation along Corringham Beck and the intervening field hedgerows with some hedgerow trees. The flat-low-lying landform is also likely to curtail views.
T032	Road to Dunstall, Aisby near Gainsborough	Cottam 3b	748	Y	2	VP54	The road is located to the southeast of Blyton and to the south of Bonsdale Farm, and extends from Bonsdale Lane in the west as far as the Deserted Village of Dunstall (List Entry: 14996) in the east.	Not applicable	Not applicable	No	No visibility towards Cottam 3b Site/Sites due to the foreground woodland blocks, the intervening field hedgerows and the built form at Bonsdale Farm. The flat-low- lying landform is also likely to curtail views.
т032	Road to Dunstall, Aisby near Gainsborough	High voltage cable corridor and access	288.635917								
T034	Pilham Lane, Aisby near Gainsborough	Cottam 2	203	Y	3b	VP54	Pilham Lane is located to the north of Corringham and to the southwest of the small settlement of Aisby. The lane extends from the 'right-angled' turn (on Piham Lane) the east and then extends towards the west as far as Pilham Lane.	Panels set back from northwest boundaries of Cottam 2 Site/Sites.	New planting bordering the northwest boundaries (which share a boundary with Corringham Beck) of the Cottam 2 Site/Sites.	No	Some visibility towards the Cottam 2 Site/Sites. The hedgerow bordering the south side of Pilham Lane and the intervening field hedgerows to the south of the lane are likely to close down visibility. The riparian vegetation bordering Corringham Beck and the flat, low-lying landform is also likely to curtail views. New planting along the northwest boundaries of the Cottam 2 Site/Sites will curtial visibility in Year 1 and close down visibility in Year 15.
T034	Pilham Lane, Aisby near Gainsborough	Cottam 3b	372	Y	2	VP54	Pilham Lane is located to the north of Corringham and to the southwest of the small settlement of Aisby. The lane extends from the 'right-angled' turn (on Piham Lane) the east and then extends towards the west as far as Pilham Lane.	Not applicable	Not applicable	No	No visibility towards Cottam 3b Site/Sites due to the foreground woodland blocks and the built form of Aisby. The intervening field hedgerows, the riparian vegetation bordering Aisby Beck and the flat-low-lying landform is also likely to curtail views.
T034	Pilham Lane, Aisby near Gainsborough	High voltage cable corridor and access	0								
т035	Access to Northfield Farm, Pilham	High voltage cable corridor and access	963.690482								
T036	Pilham Lane, Pilham	Cottam 3b	537	Ν	n/a	VP52	Pilham Lane extends from Pilham in the north as far south as Corringham to join with the A631 (Corringham Road) just to the southwest of Corringham.	Not applicable	Not applicable	No	No visibility towards Cottam 3b Site/Sites due to the foreground hedgerows, intervening woodland blocks and the built form of Pilham, Aisby and the Gilby Medieval Settlement (List Entry: 11695). The intervening field hedgerows to the east of the lane, the riparian vegetation bordering Aisby Beck and the flat-low-lying landform is also likely to curtail views.
т036	Pilham Lane, Pilham	High voltage cable corridor and access	963.278206								
L	1				1	1	1	0	1	0	1

T037	Yawthorpe Lane, Willoughton	Cottam 2	423	Ν	n/a	VP5	Yawthorpe Lane is located to the north of the A631 (Corringham Road) between the settlements of Corringham in the west and Hemswell in the east. The lane extends from Gainsborough Road, Willhoughton in the south as far north as the Deserted Village of Dunstall (where there is no further access at this point).	Panels set back from northeast boundaries of Cottam 2 Site/Sites.	New planting bordering the northeast boundaries (which share a boundary with Yawthorpe Beck) of the Cottam 2 Site/Sites.	No	Some visibility towards the Cottam 2 Site/Sites. There are no hedgerows bordering the west side of Yawthorpe Lane, but the intervening field hedgerows to the west of the lane are likely to close down some visibility. The riparian vegetation bordering the Yawthorpe Beck and the very gently undulating landform is also likely to curtail views. New planting along the northeast boundaries of the Cottam 2 Site/Sites will curtial visibility in Year 1 and close down visibility in Year 15.
тозв	Field Farm Lane, Corringham	Cottam 2	256	Ν	n/a	LCC-C-P	Field Farm Lane is located to the north of Corringham, west of Yawthorpe and to the south of the small settlement of Aisby. The lane extends from Corrringham in the south at the junction with East Lane and meets with Pilham Lane in the north at the small settlement of Aisby.	Panels set back from west boundaries of Cottam 2 Site/Sites.	New planting bordering the west boundaries (which share a boundary with Corringham Beck) of the Cottam 2 Site/Sites.	No	Some visibility towards the Cottam 2 Site/Sites. There are hedgerows bordering the east side of Field Farm Lane, and the intervening field hedgerows to the east of the lane are also likely to close down some visibility. The riparian vegetation bordering the Corringham Beck and the flat, low-lying landform is also likely to curtail views. New planting along the west boundaries of the Cottam 2 Site/Sites will curtial visibility in Year 1 and close down visibility in Year 15.
T038	Field Farm Lane, Corringham	High voltage cable	0								
то40	Access to Corringham Grange, Corringham	corridor and access	0	Ν	n/a	VP49	Local access track that serves the residential properties known as Corringham Grange Farm and The Cottage. The track extends from East Lane in the south (at the point where it makes a 'right'angled' turn towards the A631, Corringham Road) and extends as far north as The Cottage, where there is no further access.	Panels set back from all boundaries of the Cottam 2b Site/Sites.	New planting along all boundaries of the Cottam 2 Site/Sites.	Yes	Open visibility towards Cottam 2 Site/Sites due to the low height of intervening hedgerows and distinct lack of woodland and tree cover. New planting along all the boundaries of the Site/Sites will curtial visibility in Year 1 and help close down some visibility in Year 15.
T040	Access to Corringham Grange, Corringham	High voltage cable corridor and access	267.424302								
T040	Access to Corringham Grange, Corringham	High voltage cable corridor and access	701.483629								
T041	Gainsborough Road, Willoughton	High voltage cable corridor and access	795.882603								
T042	East Lane, Corringham	Corridor and access	357	Ν	n/a	VP48	East Lane is located within the settlement of Corringham, leading from the centre (junction with Middle Street) towards its eastern extremities. This is a short section of lane with residential properties fronting both sides.	Not applicable	Not applicable	No	No visibility towards Cottam 2 Site/Sites due to the built form within the settlement and to each side of East Lane. The foreground woodland, trees, field hedgerows and the flat- low-lying landform is also likely to curtail views.
т043	Mill Mere Road, Corringham	Cottam 2	632	Ν	n/a	VP47	Mill Mere Lane is located within the settlement of Corringham, leading from the centre (junction with Middle Street) towards its western extremities. This is a short section of lane with residential properties fronting both sides within the settlement then becoming open countryside and heading west towards the junction with Pilham Lane at Mill Farm.	Not applicable	Not applicable	No	No visibility towards Cottam 2 Site/Sites due to the built form within the settlement and to each side of Mill Mere Lane. The intervening woodland blocks, field hedgerows and the very slightly undualting landform is also likely to curtail views.

T045	From East Lane to A631, Corringham	Cottam 2	0	Ν	n/a	VP49	East Lane is located to the east of the settlement of Corringham and to the west of the settlement of Hemswell.The lane leads from the 'right-angled' turn in the lane to the north, then heads south to meet with the A631 (Corringham Land). This is a short section of lane with an open arable landscape to each side. Panels set bac from southerr boundaries of Cottam 2 Site/Sites.	New planting bordering the southern boundaries (which share a boundary with a spur of a local access track) of the Cottam 2 Site/Sites.	Open visibility towards Cottam 2 Site/Sites due to the low height of intervening hedgerows and distinct lack of woodland and tree cover. New planting along the southern boundaries of the Site/Sites will curtial visibility in Year 1 and help close down some visibility in Year 15.
T045	From East Lane to A631, Corringham	High voltage cable corridor and access	186.037636						
T045	From East Lane to A631, Corringham	High voltage cable corridor and access	858.421508						
T046	Middle Street, Corringham	Cottam 2	632	Ν	n/a	VP48	Middle Street is located within the settlement of Corringham leading north south through its centre. This is a short section of road with residential properties to each side.	Not applicable	No visibility towards Cottam 2 Site/Sites due to the built form to each side of Middle Street. Beyond the settlement edge, the intervening field hedgerows, field trees and the flat-low-lying landform is also likely to curtail views.
T048	Springthorpe Road, Corringham	Cottam 2	777	N	n/a	VP44	Springthorpe Road is located off the A631 (Corringham Road) between the settlements of Corringham and Springthorpe. This a short section of road, which heads south from the A631, passing the sewage works to join with Hill Road just to the east of Staplegate House.	Not applicable	No visibility towards Cottam 2 Site/Sites due to the intervening field hedgerows, field trees, vegetation cover bordering the A631 and the flat low-lying landform.
T048	Springthorpe Road, Corringham	High voltage cable corridor and access	963.68381						
T049	Grange Lane, Springthorpe	Cottam 2	753	N	n/a	VP45	Grange Lane is located off the A631 (Harpswell Lane) between the settlements of Springthorpe and Harpswell. This a short section of road, which heads south from the A631, to meet at the 'T' junction with School Lane, just to the north of Springthorpe Grange.	Not applicable	No visibility towards Cottam 2 Site/Sites due to the intervening field hedgerows, field trees, vegetation cover bordering the A631 and the flat low-lying landform.
T049	Grange Lane, Springthorpe	High voltage cable	341.935546						
T051	School Lane, Springthorpe	corridor and access High voltage cable corridor and access	0						
т053	Chapel Lane, Springthorpe	High voltage cable corridor and access	970.289327						
T055	Unnamed Road, Springthorpe	High voltage cable corridor and access	989.362737						
т056	Bratt Field Middle Road, Springthorpe	High voltage cable corridor and access	437.824369						
T059	Northlands Road, Glentworth	Cottam 1	581	Ν	n/a	LCC-C-M	Northlands Road is located to the north and west of the settlement of Glentworth. This road heads northwest from the settlement towards Homeyard Farm, where it takes a 'right-angled' turn, then heading west passing Northlands Cottages. The road then takes a further 'right-angled' turn heading south to meet with Kexby Road. Panels set bac from northerr boundaries of Cottam 1 Nort Site/Sites.	bordering the northern boundaries of	Some open visibility towards the Cottam 1 North Site/Sites. There are no hedgerows bordering the south side of Northlands Road at this location and the lack intervening field hedgerows leaves this as an open view. The slightly undulating landform is likely to curtail some views. New planting along the northern boundaries of the Cottam 1 North Site/Sites will curtial visibility in Year 1 and close down visibility in Year 15.
T063	Cow Lane, Upton	High voltage cable corridor and access	0						
ļ					1	1		1	

T064	Kexby Road, Glentworth	Cottam 1	474	Ν	n/a	VP41, LCC-M and LCC-C_N	Kexby Road is located to the west of the settlement of Glentworth and to the northwest of the Settlement of Fillingham. This road heads in almost east west direction (in a 'dog-leg' alignment) heading from Glentworth and extending as far west Cow Lane where it then joins with Glentworth Road. To the south of the road the landscape supports a number of woodland blocks including Oak Wood, Larch Plantation, Turpin Wood, Ash Holt and Fillingham Low Wood.	Panels set back from northern boundaries of Cottam 1 North Site/Sites.	New planting bordering the northern boundaries of the Cottam 1 North Site/Sites.	No	Some open visibility towards the Cottam 1 North Site/Sites. There are no hedgerows bordering the south side of Northlands Road at some locations and the lack intervening field hedgerows leaves this as a partially open view. The numerous woodland blocks and the slightly undulating landform is likely to curtail some views. New planting along the northern boundaries of the Cottam 1 North Site/Sites will curtial visibility in Year 1 and close down visibility in Year 15.
т064	Kexby Road, Glentworth	High voltage cable	0								
т066	Glentworth Road, Kexby	corridor and access	759	N	n/a	LCC-C-O	Glentworth Road is located to the east of the settlement of Kexby and to the southeast of the settlement of Upton. This road heads south from Heaton's Wood to meet with Gypsy Lane, where it takes a 'right-angled' turn and then heads west passing Low Farm and Low Farm Cottages as far as the settlement of Kexby.	Not applicable	Not applicable	No	No visibility towards Cottam 1 North Site/Sites due to the intervening woodland blocks, field hedgerows, field trees and the flat-low-lying landform.
т066	Glentworth Road, Kexby	High voltage cable corridor and access	0.387099								
T072	Access to Fillingham Grange, Fillingham	Cottam 1	0	N	n/a	VP34	This local track is located to the west of the settlement of Fillingham and serves as access to Fillingham Grange. The track heads from its junction with Willingham Road in the south to meet with Kexby Road in the north and runs in a north south direction, taking a 'dog-leg' turn past Fillingham Grange.	Panels set back from all boundaries of Cottam 1 North Site/Sites where they border this local track.	New planting bordering the boundaries of the Cottam 1 North Site/Sites where they border this local track.		Open visibility towards Cottam 1 North Site/Sites due to the low height of intervening hedgerows and distinct lack of woodland and tree cover. New planting along the boundaries (where they border this local track) of the Site/Sites will curtial visibility in Year 1 and help close down some visibility in Year 15.
T072	Access to Fillingham Grange, Fillingham	Cottam 1 internal cable corridor	0								
T072	Access to Fillingham Grange, Fillingham	Cottam 1 internal cable corridor	902.241972								
т074	Willingham Road, Fillingham	Cottam 1	0			VP31, VP33, VP37, LCC-CG, LCC-C-H and LCC-C-I	Willingham Road is located to the west of the settlement of Fillingham and to the northwest of the settlement of Ingham. This road heads west from Fillingham at Church Farm as far as Gypsy Lane where it then joins with Fillingham Lane in the west. The road broadly takes an east west alignment with some wide 'dog-leg' turns	Panels set back from all boundaries of Cottam 1 North Site/Sites where they border Willingham Road.	New planting bordering the boundaries of the Cottam 1 North Site/Sites, paticularly where it shares a boundary with Willingham Road.		Open visibility towards Cottam 1 North Site/Sites due to the low height of intervening hedgerows and distinct lack of woodland and tree cover. New planting along the boundaries (where they border Willingham Road) of the Site/Sites will curtial visibility in Year 1 and help close down some visibility in Year 15.
T074	Willingham Road, Fillingham	Cottam 1 internal	5.942175								
		cable corridor Cottam 1 internal	6.756606								
T074	Willingham Road, Fillingham	cable corrider									
T074 T074	Willingham Road, Fillingham Willingham Road, Fillingham	cable corridor High voltage cable corridor and access	200.825425								

то75	Fillingham Lane, Willingham	Cottam 1	0	Ν	n/a	VP37, VP4. LCC-C-K and LCC-C-J	Fillingham Lane is located to the east of the settlement of Willingham by Stow and to the northeast of the settlement of Normanby by Stow. This lane heads east from Willingham by Stow as far as Gypsy Lane where it then joins with Willingham Road in the east. The lane broadly takes an east west alignment with some minor curves.	they border	New planting bordering the boundaries of the Cottam 1 North Site/Sites, particularly where it shares a boundary with Fillingham Lane.	No	Some open visibility towards the Cottam 1 North Site/Sites. There are low hedgerows bordering Fillingham Lane at some locations, but the intervening field hedgerows help to close down views in some parts. The smaller scale field systems (with good hedgerows) and the very slightly undulating landform is also likely to curtail some views. New planting along the boundaries of the Cottam 1 North Site/Sites, especially where it shares a boundary with Fillingham Lane will curtial views in Year 1 and close down visibility in Year 15.
T075	Fillingham Lane, Willingham	High voltage cable corridor and access	202.023616								
T075	Fillingham Lane, Willingham	High voltage cable corridor and access	432.861848								
то77	Unnamed Road, Ingham	Cottam 1	607	N	n/a	VP26	This unnamed road is located to the south of the settlement of Fillingham and to the north of the settlement of Ingham, where it takes a north south direction across the open, arable landscape.	from the east boundaries of Cottam 1 North	New planting bordering the east boundaries of the Cottam 1 North Site/Sites.	No	Some open visibility towards the Cottam 1 North Site/Sites. There are low hedgerows bordering the road at some locations, but the intervening field hedgerows help to close down views towards the west (particularly at the northern section of the road where it meets with Willingham Road). New planting along the east boundaries of the Cottam 1 North Site/Sites will curtial views in Year 1 and close down visibility in Year 15.
т078	South Lane, Willingham	Cottam 1	65	Ν	n/a	VP38	South Lane is located to the east of the settlement of Willingham by Stow and to the northeast of Normanby by Stow. The road heads south from Fillingham Lane where it forms a 'T' junction at Magin Moor Farm and Poplar Farm. This is a straight road heading south as far as Moor Farm with no further access.	from the north and east boundaries of the Cottam 1 North	bordering the north and east	No	Some open visibility towards the Cottam 1 North Site/Sites. There are low hedgerows bordering the road at some locations, but the intervening field hedgerows help to close down views towards the west (particularly at the northern section of the road where it meets with Willingham Road). New planting along the east boundaries of the Cottam 1 North Site/Sites will curtial views in Year 1 and close down visibility in Year 15.
T078	South Lane, Willingham	High voltage cable corridor and access	0								
T078	South Lane, Willingham	High voltage cable corridor and access	685.661362								
T078	South Lane, Willingham	High voltage cable corridor and access	858.495323								
то79	High Street, Willingham	Cottam 1	729	Ν	n/a	VP4	High Street is located within the settlement of Willingham by Stow at its northern edge just to the south of Green Farm. The road joins with Stow Road in the west and then heads east to meet with Fillingham Lane at the point where a minor tributary of the River Till passes beneath the road.	Not applicable	Not applicable	No	No visibility towards Cottam 1 North Site/Sites due to the intervening settlement of Willingham by Stow, the sewage works, Grange Farm and the intervening flat-low- lying landform.

T082	Grange Lane, Willingham by Stow	Cottam 1	739	Ν	n/a	VP39	Grange Lane is located within the settlement of Willingham by Stow at its central part. This a short section of lane that joins with High Street in the north and to Stow Road in the southwest of the settlement.	Not applicable	Not applicable	No	No visibility towards Cottam 1 North Site/Sites due to the intervening settlement of Willingham by Stow, the sewage works, Grange Farm and the intervening flat-low- lying landform.
T083	Cot Garth Lane	Cottam 1	37	Ν	n/a	VP39	Cot Garth Lane is located within the settlement of Willingham by Stow at its southern edge. This is a straight section of lane that passes across from the B1241 (Stow Road) in the west to meet with Stone Pit Lane in the east. The lane crosses a minor tributary of the River Till to the west of Woods Farm such that the western section of the lane has limited visibility towards the Site/Sites.	Panels set back from the west boundaries of the Cottam 1 North Site/Sites, where it shares a boundary with Stone Pit Lane	boundaries of the Cottam 1	No	Some open visibility towards the Cottam 1 North Site/Sites. There are low hedgerows bordering Cot Garth Lane and Stone Pit Lane and the riparian vegetation along the minor tributary of the River Till (and the hedgerow trees) help to close down views towards the east (particularly at the western section of the road where it meets with Stow Road). New planting along the west boundaries of the Cottam 1 North Site/Sites (where it shares a boundary with Stone Pit Lane) will curtial views in Year 1 and close down visibility in Year 15.
T083	Cot Garth Lane	High voltage cable corridor and access	907.096355								
T084	Unnamed Road, Coates by Stow	Cottam 1	0	Ν	n/a	VP18	Unnamed road to the north of the small settlement of Coates and east of the settlement of Willingham by Stow. This is a north south aligned section of road with some wide 'dog-legs' that skirt to follow field boundaries and water courses. The lane passes from the small settlement of Coates in the south to meet with Willingham Road in the north and provides access to Turpin Farm and Grange Farm. The southern section of the road is distanced form the Cottom 1 North Site/Sites by intervening hedgerows and woodland cover, but the northern section passes directly through the Site/Sites.	boundaries of the Cottam 1 North	the Cottam 1 North Site/Sites where it shares	No	Some open visibility towards the Cottam 1 North Site/Sites, but this is mainly experienced from the northern section of the unnamed road. There are low hedgerows bordering arable fields and the riparian vegetation along the minor tributaries of the River Till help to close down viewsat the southern section of the unnamed road. New planting along the boundaries of the Cottam 1 North Site/Sites (where it shares a boundary with the unnamed road) will curtial views in Year 1 and close down visibility in Year 15.
T084	Unnamed Road, Coates by Stow	Cottam 1 internal cable corridor	709.350376								
T084	Unnamed Road, Coates by Stow	Cottam 1 internal	869.498798								
T084	Unnamed Road, Coates by Stow	High voltage cable	717.051024								
T084	Unnamed Road, Coates by Stow	High voltage cable	893.940116								
T085	Stone Pit Lane, Willingham by Stow	Cottam 1	5	N	n/a	VP39		Panels set back from the west boundaries of the Cottam 1 North Site/Sites, where it shares a boundary with Stone Pit Lane	New planting bordering the west boundaries of the Cottam 1 North Site/Sites where it shares a boundary with Stone Pit Lane.	No	Some open visibility towards the Cottam 1 North Site/Sites. There are low hedgerows bordering Cot Garth Lane and Stone Pit Lane and the riparian vegetation along the minor tributary of the River Till (and the hedgerow trees) help to close down views towards the northeast. New planting along the west boundaries of the Cottam 1 North Site/Sites (where it shares a boundary with Stone Pit Lane) will curtial views in Year 1 and close down visibility in Year 15.

T085	Stone Pit Lane, Willingham by Stow	High voltage cable	184.80779								
T085	Stone Pit Lane, Willingham by Stow	corridor and access High voltage cable	685.873904								
т086	Short Lane, Ingham	corridor and access	876	N	n/a	VP28	Short Lane is located to the northwest of the settlement of Ingham where it forms a 'T' junction with West End. The lane follows a straight north south alignment and shares its pathway with the public bridleway (Ingh/24/2) which then meets with the intersection of public footpath (Ingh/17/1) in the north.	Not applicable	Not applicable	No	No visibility towards Cottam 1 North Site/Sites due to distance, intervening hedgerows and hedgerow trees, and the prevailing flat- low-lying landform.
T087	Stow Road, Willingham	Cottam 1	136	Ν	n/a	VP2	Stow Road is located to the south of the settlement of Willingham by Stow and to the north of the settlement of Normanby by Stow. The road leaves Normanby by Stow close to East Farm where there is a crossing with a local tributary of the River Till. There is a further tributary of the River Till that weaves north towards Willingham by Stow running almost parallel to Stow Road.	Not applicable	Not applicable	No	No visibility towards Cottam 1 North Site/Sites due to the proliferation of tributaries of the River Till, that offer dense tracings of riparian vegetation along their length. The intervening riparian vegetation, small-scale field systems, hedgerows, hedgerow trees and the prevailing flat-low-lying landform all help to close down visibility towards the Site/Sites.
т087	Stow Road, Willingham	High voltage cable corridor and access	156.458684								
T087	Stow Road, Willingham	High voltage cable corridor and access	638.700687								
T091	Long Lane, Ingham	Cottam 1	549	N	n/a	VP26	Long Lane is located to the northwest of the settlement of Ingham and is a single track lane that serves Low Farm. The lane follows a straight east west alignment, then taking a 'right-angled' turn at the junction with public foopath (Ingh/26/3) before heading south to towards Low Farm.	Not applicable	Not applicable	No	No visibility towards Cottam 1 North and Cottam 1 South Site/Sites due to distance, the vegetation lining the tributaries of the River Till, the intervening hedgerows and hedgerow trees, and the slightly undulating and low-lying landform.
т091	Long Lane, Ingham	Cottam 1 internal cable corridor	985.156299								
Т092	Marton Road, Willingham	Cottam 1	971	N	n/a	VP2	Marton Road is located to the southwest of Willingham by Stow and to the east of the collection of farmsteads, including Sandebus Farm, Park Farm and High Pastrure Farm. The road leaves Willingham by Stow at the junction with Stow Road and then heads south where it then takes a 'right- angled' turn at the junction with public bridleway (Stow/7/1). The road then heads west to meet with Willingham Road, just to the west of Sandbus Farm.	Not applicable	Not applicable	No	No visibility towards Cottam 1 North and Cottam 1 South Site/Sites due to distance, the intervening settlements of Normanby by Stow and Stow, the vegetation lining the tributaries of the River Till, the intervening hedgerows and hedgerow trees, and the slightly undulating and low- lying landform.
T092	Marton Road, Willingham	High voltage cable corridor and access	496.632372								
Т094	Track between South Lane and Coates Lane, Willingham	Cottam 1	178	Ν	n/a	VP18	The track is located to the west of the small settlement of Coates, passing to the east of a large irregular woodland block known as Normanby Gorse. The track takes a meandering alignment in a north south direction from Coates in the south to meet with South Lane in the north.	Panels set back from the boundaries of the Cottam 1 North Site/Sites, where it shares a boundary with the track.	North Site/Sites		Some open visibility towards the Cottam 1 North Site/Sites, but mostly contained within the northern section of the route. The strong presence of Normanby Gorse curtials the majority of views towards the west, northwest and southwest. New planting along the boundaries of the Cottam 1 North Site/Sites (where it shares a boundary with the track) will curtial views in Year 1 and close down some visibility in Year 15.
т094	Track between South Lane and Coates Lane, Willingham	Cottam 1 internal cable corridor	509.004083								
т094	Track between South Lane and Coates Lane, Willingham	High voltage cable corridor and access	497.823596								

T004	Treak between Couth Lang and Costor Lang, Williams	High voltage cable	F 4 4 0 C 7 O 4 C								
T094	Track between South Lane and Coates Lane, Willingham	corridor and access	544.067012				Coates Lane is located to the east of Normanby by Stow and	Panels set back	New planting bordering the		Some open visibility towards the Cottam 1 North Site/Sites, but mostly contained within the western section of the route. The strong presence of
T096	Coates Lane, Coates by Stow	Cottam 1	0	Ν	n/a	VP17	passes through the small settlement of Coates. The lane exits Coates at Grange Farm and passes west to meet with the green lane and bridge crossing over the River Till. The lane follows an east west alignment with a 'dog-leg' section to the west of Hall Farm.	from the boundaries of the Cottam 1 North Site/Sites, where it shares a boundary with the track.	boundaries of the Cottam 1 North Site/Sites	No	Normanby Gorse curtials the majority of views towards the north. New planting along the boundaries of the Cottam 1 North Site/Sites (where it shares a boundary with the track) will curtial views in Year 1 and close down some visibility in Year 15.
т096	Coates Lane, Coates by Stow	Cottam 1 internal cable corridor	250.62561								
т096	Coates Lane, Coates by Stow	Cottam 1 internal cable corridor	946.918726								
т096	Coates Lane, Coates by Stow	High voltage cable corridor and access	540.277851								
T097	Normanby Road, Normanby by Stow	Cottam 1	4	Ν	n/a	VP2	Normanby Road is located to the north of Stow where it exits the settlement at the junction with Church Road. The road takes a slight meandering alignment passing residential properties and farmsteads known as Flat Tops, West Farm and East Farm, before taking a straight route and then entering Willingham by Stow.	Panels set back from the boundaries of the Cottam 1 North Site/Sites, where the road passes the section at East Farm, West Farm and Flat Tops.	New planting bordering the boundaries of the Cottam 1 North Site/Sites where it shares a boundary with the section of road at East Farm, West Farm and Flat Tops.	No	Some open visibility towards the Cottam 1 North Site/Sites, but mostly concentrated within the section of the route that passes East Farm, West Farm and Flat Tops. The presence of the River Till and its riparian vegetation curtials the majority of views towards the northeast and east. New planting along the boundaries of the Cottam 1 North Site/Sites (where it shares a boundary with this section of road) will curtial views in Year 1 and close down some visibility in Year 15.
Т097	Normanby Road, Normanby by Stow	High voltage cable corridor and access	0								
Т097	Normanby Road, Normanby by Stow	High voltage cable corridor and access	594.396858								
T098	Unnamed Road, Stow	Cottam 1	0	Ν	n/a	VP18	The unnamed road is located to the east of the settlement of Normanby by Stow and to the south of the settlement of Coates. The road heads from a 'T' junction with Ingham Road and then continues north in a straight alignment to meet with Coates Lane just to the south of Grange Farm. There are two rectangular woodland blocks to the east of the road that help to close down views towards the east.	Not applicable	Not applicable	No	No visibility towards Cottam 1 North and Cottam 1 South Site/Sites due to distance, the intervening rectangular woodland blocks, the vegetation lining the River Till and its tributaries, the intervening hedgerows and hedgerow trees, and the slightly undulating and low- lying landform.
т098	Unnamed Road, Stow	Cottam 1 internal cable corridor	581.742893								
T099	Coates Lane, Stow	Cottam 1	0	Ν	n/a	VP19	Coates Lane is located to the east of the settlement of Normanby by Stow. This section of the lane passes from the junction with green lane and bridge crossing over the River Till and then heads west to meet with Normanby Road at the junction with the residential properties known as Flat Tops.	Panels set back from the boundaries of the Cottam 1 North Site/Sites, where there is a shared boundary with Coates Lane.	North Site/Sites	Yes	Some open visibility towards the Cottam 1 North Site/Sites. The strong presence of roadside hedgerows curtials the majority of views towards the north. New planting along the boundaries of the Cottam 1 North Site/Sites (where it shares a boundary with Coates Lane) will curtial views in Year 1 and close down some visibility in Year 15.
т099	Coates Lane, Stow	Cottam 1 internal cable corridor	252.228836								
т099	Coates Lane, Stow	High voltage cable corridor and access	272.622439								

	1			I				1	1	1	1
т099	Coates Lane, Stow	High voltage cable corridor and access	549.549347								
T100	Willingham Road, Marton	High voltage cable corridor and access	761.791749								
Т100	Willingham Road, Marton	Shared cable corridor and access	903.584062								
T104	Unnamed Road, Stow	Cottam 1	323	N	n/a	VP16	The unnamed road is located to the south of the small settlement of Coates and to the east of the settlement of Stow. The road heads from a 'T' junction with Ingham Road and then continues north in a straight alignment to meet with Coates Lane just to the west of Hall Farm. The River Till and a minor tributary pass to the west of the road in a meandering north south alignment and are clothed in riparian vegetation, which closes down views towards the west. There is also a polar shelterbelt to the northeast of Squire's Bridge.	Not applicable	Not applicable	No	No visibility towards Cottam 1 North due to the poplar shelterbelt and the vegetation lining the River Till and its tributaries. The slightly undulating and low-lying landform also helps to curtial visibility towards the south from this route.
T104	Unnamed Road, Stow	Cottam 1 internal cable corridor	787.548008								
T104	Unnamed Road, Stow	Cottam 1 internal cable corridor	956.440137								
T105	Stow Lane, Ingham	Cottam 1	0	Ν	n/a	VP16 and VP23	Stow Lane is located to the south of Ingham and to the north of Cammeringham where it follows a straight east west alignment. The lane forms a 'T' junction with the B1398 (Lincoln Road) in the east and then continues west to join with Ingham Road at Furze Hill.	Panels set back from the boundaries of the Cottam 1 North Site/Sites, where the lane passes close at Blackthorr Hill.	the Cottam 1 North Site/Sites where the lane	No	Limited visibility towards Cottam 1 North Site/Sites due to the distance and the vegetation lining the River Till and its tributaries. The slightly undulating and low-lying landform combined with the hedgerows and tree cover also helps with curtailing views towards the north and south from the lane. The lane passes close to a short section of the Site/Sites at its western end before crossing a minor tributary of the River Till at Blackthorn Hill, but the distance and layering of hedgerows helps to curtail visibility. New planting along the boundaries of the Cottam 1 North Site/Sites (where it shares a boundary with this section of Stow Lane) will curtial views in Year 1 and close down some visibility in Year 15.
T105	Stow Lane, Ingham	Cottam 1 internal cable corridor	0								
T106	Normanby Road, Stow	Cottam 1	8	N	n/a	VP2	Normanby Road is located to the northwest of the settlement of Stow where it exits the northern edge to meet with Church Road. This is a short section of road which has a slightly meandering alignment with agricultural fields to each side. There is a strong network of hedgerows with an abundance of mature trees to each side of the road.	Not applicable	Not applicable	No	No visibility towards Cottam 1 North due to the distance, the intervening small-scale field systems with a strong hedgerow network and mature trees.
T106	Normanby Road, Stow	High voltage cable corridor and access	272.622439								
Т106	Normanby Road, Stow	High voltage cable corridor and access	832.324886								

T107	Ingham Road, Stow	Cottam 1	0	Ν	n/a	VP15 and VP16 and LCC-C-A	Ingham Road is located to the east of the settlement of Stow and takes an east west route to join with Stow Lane at the small settlement of Furze Hill. The road has a straight alignment and passes through the small settlement of Stow Pasture. It is bordered by small to medium scale field systems to each side with a strong hedgerow network and occasional blocks of trees.	Panels set back from the boundaries of the Cottam 1 North Site/Sites, where the lane passes close to the small settlement of Stow Pasture.	New planting bordering the boundaries of the Cottam 1 North Site/Sites where the lane passes close to the small settlement of Stow Pasture.	No	Limited visibility towards Cottam 1 North due to the slightly undulating and low- lying landform combined with the hedgerows and tree cover that helps with curtailing views. The road passes close to a short section of the Site/Sites at its eastern end near to Squire's Bridge, but the distance and layering of hedgerows helps to curtail visibility. New planting along the boundaries of the Cottam 1 North Site/Sites (where it shares a boundary with this section of Ingham Road) will curtial views in Year 1 and close down some visibility in Year 15.
T107	Ingham Road, Stow	Cottam 1 internal cable corridor	0								
T107	Ingham Road, Stow	Cottam 1 internal cable corridor	334.344237								
T107	Ingham Road, Stow	Cottam 1 internal cable corridor	582.242372								
T107	Ingham Road, Stow	High voltage cable corridor and access	580.961998								
T108	Church Road, Stow	Cottam 1	252	N	n/a	VP15 and VP16 and LCC-C-A	Church Road is located to the northwest of the settlement of Stow where it exits the northern edge to meet with Normanby Road. This is a short section of road which has a 'dog-leg' alignment. There are agricultural fields to each side of the northern part of the route and residential properties to the south.	Not applicable	Not applicable	No	No visibility towards Cottam 1 North due to the distance, the intervening built form and small-scale field systems with a strong hedgerow network and mature trees.
T108	Church Road, Stow	High voltage cable corridor and access	451.201679								
Т109	Unnamed Road, Stow	Cottam 1 Cottam 1 internal	0	Ν	n/a	VP12	This unnamed road is located to the south of the settlement of Coates, where it exits Ingham Road and takes a meandering alignment through the arable fields and then bends back to rejoin Ingham Road at the junction with Stow Lane. The road shares its route with a public bridleway (Camm/31/1) which passes Furze Hill and Lower Furze Hill at which point the bridleway continues east along the unnamed road and then south towards Thorpe Wood.	the linnamed road	bordering the boundaries of the Cottam 1 South Site/Sites where the	No	Limited visibility towards Cottam 1 South Site/Sites due to the distance, slightly undulating and low-lying landform combined with the hedgerows and tree cover that helps with curtailing views. The road passes close to a short section of the Site/Sites at its northeastern end near to Lower Furze Hill, but the layering of hedgerows helps to curtail visibility. New planting along the boundaries of the Cottam 1 South Site/Sites (where it shares a boundary with this section of road) will curtial views in Year 1 and close down some visibility in Year 15.
Т109	Unnamed Road, Stow	cable corridor	495.272701								
T109	Unnamed Road, Stow	Cottam 1 internal cable corridor	953.49381								

T110	Blackthorn Lane, Cammeringham	Cottam 1	0	Ν	n/a	LCC-C-D	Blackthorn Lane is located to the west of Cammeringham. The lane passes in a long straight alignment east west from the B1398 in Cammeringham passing residential properties at Blackthorn Hill as far as Cold Harbour and Furze Hill.	Panels set back from the boundaries of the Cottam 1 South Site/Sites, where Blackthorn Lane passes through the Site/Sites at the western end of the lane.	the Cottam 1 South Site/Sites, where Blackthorn Lane passes through	Yes	Some visibility towards Cottam 1 South at the western end of the lane where it passes through the Site/Sites. The low- lying landform combined with the hedgerows helps with curtailing views. New planting along the boundaries of the Cottam 1 South Site/Sites (where it shares a boundary with this section of Blackthorn Lane) will curtial views in Year 1 and help close down some visibility in Year 15.
T110	Blackthorn Lane, Cammeringham	Cottam 1 internal cable corridor	240.629313								
T112	School Lane, Stow	Cottam 1	636	Ν	n/a	VP2	School Lane is located within the settlement of Stow at its eastern edge. The lane has residential properties to each side. The lane passes in a north south alignment linking Ingham Road with Church Road.	Not applicable	Not applicable	No	No visibility towards Cottam 1 North and South Site/Sites, due to the distance, the intervening built form and small-scale field systems with a strong hedgerow network and mature trees.
T112	School Lane, Stow	High voltage cable corridor and access	693.662651								
T113	Furze Hill, Stow	Cottam 1	203	N	n/a	VP12	Furze Hill is located to the south of Ingham Road and to the east of the residential property and farmstead known as Lower Furze Hill. The route shares its path with bridleway (Camm/31/1) where it heads south passing Thorpe Wood as far as the residential property known as The Grange.	Panels set back from the boundaries of the Cottam 1 North Site/Sites, where the route passes close to the Site/Sites to the north of Thorpe Wood.	the Cottam 1 South Site/Sites, where the route passes close to the Site/Sites to	No	Some visibility towards Cottam 1 South Site/Sites at the northern end of the lane to the north of Thorpe Wood. The low-lying landform combined with the hedgerows helps with curtailing views. New planting along the boundaries of the Cottam 1 South Site/Sites (where it lies close to the boundary with this section of the route) will curtial views in Year 1 and help close down some visibility in Year 15.
T113	Furze Hill, Stow	Cottam 1 internal cable corridor	683.699196								
T113	Furze Hill, Stow	Cottam 1 internal cable corridor	802.726701								
T113	Furze Hill, Stow	Cottam 1 internal cable corridor	875.368185								
T114	Church Lane, Stow	Cottam 1	762	Ν	n/a	LCC-C-A	Church Road is located to the southwest of the settlement of Stow where it exits the southern edge to meet with Stow Park Road. This is a short section of road which has a 'dog- leg' alignment. There is built form to each side of the road.	Not applicable	Not applicable	No	No visibility towards Cottam 1 North and South Site/Sites, due to the distance and the intervening built form.
T114	Church Lane, Stow	High voltage cable corridor and access	477.9166								
T116	Sturton Road, Stow	Cottam 1	797	Ν	n/a	LCC-C-B	Sturton Road is located to the south of the settlement of Stow where it exits the settlement at the junction with Stow Park Road. The road takes a meandering alignment to join with Stow Road at the settlement of Sturton by Stow. The road is open between the two settlements with agricultural land to each side after passing to the south of Old Rectory Farm.	Not applicable	Not applicable	No	No visibility towards Cottam 1 South Site/Sites, due to the distance and the intervening built form. The low-lying landform combined with the intervening hedgerows also close down visibility at this location.
T116	Sturton Road, Stow	High voltage cable corridor and access	568.081408								
T117	Unnamed Road, Stow	High voltage cable corridor and access	102.386274								

T118	Stow Park Road, Stow	Cottam 1 High voltage cable	797	N	n/a	LCC-C-A	Stow Park Road is located to the southwest of the settlement of Stow where it exits the settlement to link with the A15 (Till Bridge Lane). The road is open to each side with agricultural land and only a small ribbon development between Highfield Farm and Danes Farm.	Not applicable	Not applicable	No	No visibility towards Cottam 1 South Site/Sites, due to the distance and the intervening built form at Stow. The low- lying landform combined with the intervening hedgerows also close down visibility at this location.
T118	Stow Park Road, Stow	corridor and access	0								Some visibility towards Cottam
T119	Fleets Lane, Sturton by Stow	Cottam 1	0	Ν	n/a	VP1	Fleets Lane is located to the east of the settlements of Stow and Sturton by Stow where it passes in a north south direction between Ingham Road and Fleets Road. The lane follows an almost straight alignment with a few shallow turns to take account of smaller-scale field patterns to the south of the route. The lane is bordered by hedgerows to each side that are low cut in some parts and which allow views across their bounds.	Panels set back from the boundaries of the Cottam 1 South Site/Sites, where Fleets Lane shares a boundary.	New planting bordering the boundaries of the Cottam 1 South Site/Sites, where Fleets Lane shares a boundary.	Yes	1 South Site/Sites at the northern end of the lane where the boundary is shared with Fleets's Lane. The low- lying landform combined with the hedgerows helps with curtailing views. New planting along the boundaries of the Cottam 1 South Site/Sites (where it lies close to the boundary with this section of the route) will curtial views in Year 1 and help close down some visibility in Year 15.
T119	Fleets Lane, Sturton by Stow	Cottam 1 internal cable corridor	4.941172								
T119	Fleets Lane, Sturton by Stow	Cottam 1 internal cable corridor	125.160751								
T119	Fleets Lane, Sturton by Stow	Cottam 1 internal cable corridor	698.60787								
т120	Unnamed Road, Stow	Cottam 1	0	Ν	n/a	VP11	The unnamed road is located to the west of Thorpe Wood and to the north of the settlement of Thorpe le Fallows. The road is a very short section that passes in a north south direction.	Not applicable	Not applicable	No	Limited visibility towards Cottam 1 South Site/Sites, due to the intervening hedgerows and the strong presence of Thorpe Wood. The low-lying landform combined with the intervening hedgerows helps close down visibility at this location.
T120	Unnamed Road, Stow	Cottam 1 internal cable corridor	768.150643								
T121	Unnamed Road, Brattleby	Cottam 1	6	Ν	n/a	LCC-C-D	The unnamed road is located to the west of Cammeringham and to the north of Thorpe Lane. The road follows an almost straight alignment that passes in a north south direction. There are a number of woodlands within the immediate landscape, including Brattleby Gorse, South Spinney and Beck Spinney.	Not applicable	Not applicable	No	Very little visibility towards Cottam 1 South due to the presence of large woodland blocks that form strong features in the landscape and close down views across the area.
T121	Unnamed Road, Brattleby	Cottam 1 internal cable corridor	870.412883								
т122	Unnamed Road, Stow	Cottam 1	0	Ν	n/a	VP11	This section of road is located to the north and west of Thorpe le Fallows and passes in an east west direction where it then takes a 'right-angled' turn to head south and meet with Thorpe Lane to the west of the War Memorial.	Panels set back from the boundaries of the Cottam 1 South Site/Sites, where unnamed road shares a boundary.	South Site/Sites, where the unnamed road	Yes	Some visibility towards Cottam 1 South Site/Sites where the unnamed road passes through and along the northern boundary of the Site/Sites. New planting along the boundaries of the Cottam 1 South Site/Sites (where it lies close to the boundary with this section of the route) will curtial views in Year 1 and help close down some visibility in Year 15.
T122	Unnamed Road, Stow	Cottam 1 internal cable corridor	375.894452								
T123	Stow Road, Sturton by Stow	High voltage cable	811.5464								

T125	Thorpe Lane, Brattleby	Cottam 1	3	Ν	n/a	VP4	Thorpe Lane is located to the north of the A15 Till Bridge Road, where it follows an east west alignment passing between the settlements of Sturton by Stow and Brattleby. The lane follows an east west route with a 'dog-leg' section where it joins with Lowfields that serves the settlement of Aisthorpe.	Panels set back from the boundaries of the Cottam 1 South Site/Sites, where Thorpe Lane shares a boundary at the western end of the route.	South Site/Sites, where the Thorpe Lane shares a	No	Some visibility towards Cottam 1 South Site/Sites where the Thorpe Lane shares a boundary with the Site/Sites. New planting along the boundaries of the Cottam 1 South Site/Sites (where it lies close to the boundary with this section of the route) will curtial views in Year 1 and help close down some visibility in Year 15.
T127	Thorpe Lane, Thorpe in the Fallows	Cottam 1	0	Ν	n/a	VP7	Thorpe Lane is located to the north of the A15 Till Bridge Road, where it follows an east west alignment passing between the settlements of Sturton by Stow and Brattleby. The lane follows an east west route with a 'dog-leg' section where it joins with Lowfields that serves the settlement of Aisthorpe.	Panels set back from the boundaries of the Cottam 1 South Site/Sites, where Thorpe Lane shares a boundary.	South Site/Sites, where the Thorpe Lane	No	Some visibility towards Cottam 1 South Site/Sites where the Thorpe Lane shares a boundary with the Site/Sites. New planting along the boundaries of the Cottam 1 South Site/Sites (where it lies close to the boundary with this section of the route) will curtial views in Year 1 and help close down some visibility in Year 15.
T127	Thorpe Lane, Thorpe in the Fallows	Cottam 1 internal cable corridor	632.752999								
T127	Thorpe Lane, Thorpe in the Fallows	Cottam 1 internal	991.290352								
T128	Marton Road, Sturton by Stow (A1500)	cable corridor High voltage cable	854.211395								
T129	Fleets Road, Sturton by Stow	corridor and access	134	Ν	n/a	VP9	Fleet's Road is located to the east of the settlement of Sturton by Stow where it exits the settlement to join with Thorpe Lane. This is a short section of road that takes an almost east west alignment with bordering hedgerows and some tree cover to each side.	Not applicable	Not applicable	No	No visibility towards Cottam 1 South Site/Sites due to the intervening hedgerows that combined with the low-lying landform helps to close down views across the area.
Т129	Fleets Road, Sturton by Stow	Cottam 1 internal cable corridor	984.675723								
T129	Fleets Road, Sturton by Stow	Cottam 1 internal	992.638315								
T131	Thorpe Lane, Sturton by Stow	Cottam 1	140	Ν	n/a	VP8	Fleet's Road is located to the east of the settlement of Sturton by Stow where it forms a junction with the A15 (Till Bridge Lane) and then meets with Fleet's Road. This is a short section of road that takes an almost north south alignment with bordering hedgerows and some tree cover to each side.	Not applicable	Not applicable	No	No visibility towards Cottam 1 South Site/Sites due to the intervening hedgerows that combined with the low-lying landform helps to close down views across the area.
T131	Thorpe Lane, Sturton by Stow	Cottam 1 internal	987.555511								
T132	Lowfields, Aisthorpe	Cable corridor	602	N	n/a	VP4	Lowfields is located to the north of the A15 Till Bridge Road, where it follows an east west alignment passing between the settlements of Sturton by Stow and Aisthorpe. The lane follows an east west route with a 'dog-leg' section where it joins with Thorpe Lane that serves the settlement of Brattleby.	Not applicable	Not applicable	No	No visibility towards Cottam 1 South Site/Sites due to the intervening hedgerows that combined with the low-lying landform helps to close down views across the area.
T133	Tillbridge Road, Sturton by Stow (A1500)	Cottam 1	590	Ν	n/a	VP3	Till Bridge Road is located to the south of Thorpe le Fallows, where it follows an almost east west alignment between the settlement of Sturton by Stow and the A15 (Ermine Street).	Not applicable	Not applicable	No	No visibility towards Cottam 1 South Site/Sites due to the intervening hedgerows that combined with the low-lying landform helps to close down views across the area.
Т134	Lincoln Lane, Thorpe in the Fallows	Cottam 1	98	Ν	n/a	VP4	Lincoln Lane passes from Till Bridge Road and heads north to meet with Lowfields, Aisthorpe. The road follows an almost north south direction.	Not applicable	Not applicable	No	No visibility towards Cottam 1 South Site/Sites due to the intervening hedgerows that combined with the low-lying landform helps to close down views across the area.
T135	Tillbridge Lane, Sturton by Stow (A1500)	Cottam 1	592	N	n/a	VP3	Till Bridge Road is located to the south of Thorpe le Fallows, where it follows an almost east west alignment between the settlement of Sturton by Stow and the A15 (Ermine Street).	Not applicable	Not applicable	No	No visibility towards Cottam 1 South Site/Sites due to the intervening hedgerows that combined with the low-lying landform helps to close down views across the area.

T138	Main Street, Bransby	Cottam 1	691	N	n/a	VP3	Till Bridge Road is located to the south of Thorpe le Fallows, where it follows an almost east west alignment between the settlement of Sturton by Stow and the A15 (Ermine Street). Till Bridge Road is located to the south of Thorpe le Fallows,		Not applicable	No	No visibility towards Cottam 1 South Site/Sites due to the intervening hedgerows that combined with the low-lying landform helps to close down views across the area. No visibility towards Cottam 1 South Site/Sites due to the intervening hedgerows that
Т139	Tillbridge Lane, Scampton (A1500)	Cottam 1	892	Ν	n/a	VP2	where it follows an almost east west alignment between the settlement of Sturton by Stow and the A15 (Ermine Street).	Not applicable	Not applicable	No	combined with the low-lying landform helps to close down views across the area.
T141	Access track to Manor Farm	High voltage cable co	0	Ν	n/a			Not applicable	Not applicable	No	
T142	Tillbridge Lane, Stow	High voltage cable co	0	Ν	n/a			Not applicable	Not applicable	No	
T142	Tillbridge Lane, Stow	Shared cable corridor	826	Ν	n/a			Not applicable	Not applicable	No	
T143	Stow Park Road, Stow Park	High voltage cable co	0	Ν	n/a			Not applicable	Not applicable	No	
T143	Stow Park Road, Stow Park	Shared cable corridor	47	Ν	n/a			Not applicable	Not applicable	No	
T144	Stow Park Road, Marton	Abnormal loads acces	0	Ν	n/a			Not applicable	Not applicable	No	
T144	Stow Park Road, Marton	High voltage cable co	0	Ν	n/a			Not applicable	Not applicable	No	
T144	Stow Park Road, Marton	Shared cable corridor	0	Ν	n/a			Not applicable	Not applicable	No	
T145	Littleborough Lane, Marton	Abnormal loads acces	5	Ν	n/a			Not applicable	Not applicable	No	
T145	Littleborough Lane, Marton	Shared cable corridor	421	Ν	n/a			Not applicable	Not applicable	No	
T146	High Street, Marton	Abnormal loads acces	0	Ν	n/a			Not applicable	Not applicable	No	
T146	High Street, Marton	High voltage cable co	999	Ν	n/a			Not applicable	Not applicable	No	
T146	High Street, Marton	Shared cable corridor	0	Ν	n/a			Not applicable	Not applicable	No	
T147	Trent Port Road, Marton	Abnormal loads acces	181	Ν	n/a			Not applicable	Not applicable	No	
T147	Trent Port Road, Marton	Shared cable corridor	179	Ν	n/a			Not applicable	Not applicable	No	
T148	Lea Road, Brampton	Abnormal loads acces	911	Ν	n/a			Not applicable	Not applicable	No	
T148	Lea Road, Brampton	Shared cable corridor	0	Ν	n/a			Not applicable	Not applicable	No	
T149	Coates Road, Coates	Shared cable corridor	178	Ν	n/a			Not applicable	Not applicable	No	
T150	Headstead Bank, Cottam	Shared cable corridor	0	Ν	n/a			Not applicable	Not applicable	No	
T151	Town Street	Shared cable corridor	0	Ν	n/a			Not applicable	Not applicable	No	
T152	Marsh Lane, Cottam	Shared cable corridor	0	Ν	n/a			Not applicable	Not applicable	No	
T153	Broad Lane, Cottam	Shared cable corridor	2	Ν	n/a			Not applicable	Not applicable	No	
T154	Overcoat Lane, Cottam	Shared cable corridor	0	Ν	n/a			Not applicable	Not applicable	No	
T155	Wells Lane, Cottam	Shared cable corridor	0	Ν	n/a			Not applicable	Not applicable	No	
T156	Outgang Road, Cottam	Shared cable corridor	65	Ν	n/a			Not applicable	Not applicable	No	
T157	Outgang Lane, Cottam	Abnormal loads acces	523	Ν	n/a			Not applicable	Not applicable	No	
T157	Outgang Lane, Cottam	Shared cable corridor	0	Ν	n/a			Not applicable	Not applicable	No	
T158	Cow Pasture Lane, South Leverton	Shared cable corridor	0	Ν	n/a			Not applicable	Not applicable	No	
T159	Westbrecks Lane, South Leverton	Abnormal loads acces	824	Ν	n/a			Not applicable	Not applicable	No	
T159	Westbrecks Lane, South Leverton	Shared cable corridor	196	Ν	n/a			Not applicable	Not applicable	No	
T160	Torksey Ferry Road. Rampton	Shared cable corridor	0	Ν	n/a			Not applicable	Not applicable	No	
T161	Nightleys Road, Rampton	Shared cable corridor	0	Ν	n/a			Not applicable	Not applicable	No	
T162	Shortleys Road, Rampton	Shared cable corridor	0	Ν	n/a			Not applicable	Not applicable	No	
T163	Railway, Blyton	Cottam 3A option are	388								
T163	Railway, Blyton	Cottam 3A option are	333								
T163	Railway, Blyton	Cottam 3B option are	7								
T163	Railway, Blyton	Cottam 3B option are	1								
T163	Railway, Blyton	High voltage cable co	0								
T164	Railway, Stow Park Road	High voltage cable co	0								
T164	Railway, Stow Park Road	Shared cable corridor	406								
T165	Railway, Cottam Power Station	Shared cable corridor	0								

Viewpoint	Location	Bumble Bee Farm	Field Farm	Gate Burton Energy Farm	High Marnham Solar	Tillbridge Solar	West Burton	Potential Intervisibility	Potential Intervisibility Justification
T004	Lane to Mount Pleasant Farm off C229, Scotton								Already Scoped Out
T006	Park Lane, Laughton near Gainsborough								Already Scoped Out
Т010	Unnamed Road, Laughton near Gainsborough	N	Ν	N	N	Y	N		Cottam 3a and 3b are not visibile therefore no potential cumulative intervisibility.
T011	Unnamed Road, Laughton near Gainsborough								Already Scoped Out
T012	Dring Lane, Laughton near Gainsborough	Y	Ν	Y	N	Y	N		Cottam 3a and 3b are not visibile therefore no potential cumulative intervisibility.
T013	Gainsborough Road, Laughton near Gainsborough (A159)	Y	Y	N	N	N	N		Cottam 3a and 3b are not visibile therefore no potential cumulative intervisibility.
T014	Blyton Road, Laughton near Gainsborough	Y	Y	N	N	Y	N		Cottam 3a and 3b are not visibile therefore no potential cumulative intervisibility.
T015	Lane to Grange Farm off B1205, Northorpe near Scotter								Already Scoped Out
т016	B1205 Kirton Road to C228 Monson Road, Northorpe near Scotter	Y	Ν	Y	N	Y	Ν		Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor T016 (B1205 Kirton Road to C228 Monson Road, Northorpe near Scotter), the receptor is approximately 12.3 km to Bumble Bee Farm, 10.5 km from Gate Burton Energy Farm and 5.4 km from Tillbridge Solar site and therefore has no potential intervisibility. No views of cumulative developments - Scope Out.

T016	B1205 Kirton Road to C228 Monson Road, Northorpe near Scotter	Y	Ν	Y	Ν	Y	Ν	
T016	B1205 Kirton Road to C228 Monson Road, Northorpe near Scotter	Y	Ν	Y	Ν	Y	Ν	
T018	Laughton Road, Blyton (A159)	N	N	N	Ν	Y	N	
T018	Laughton Road, Blyton (A159)	N	N	N	Ν	Y	N	
Т019	Kirton Road, Blyton	N	Ν	Y	Ν	Y	Ν	

Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor T016 (B1205 Kirton Road to C228 Monson Road, Northorpe near Scotter), the receptor is approximately 12.3 km to Bumble Bee Farm, 10.5 km from Gate Burton Energy Farm and 5.4 km from Tillbridge Solar site and therefore has no potential intervisibility. No views of cumulative developments - Scope Out.
Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor T016 (B1205 Kirton Road to C228 Monson Road, Northorpe near Scotter), the receptor is approximately 12.3 km to Bumble Bee Farm, 10.5 km from Gate Burton Energy Farm and 5.4 km from Tillbridge Solar site and therefore has no potential intervisibility. No views of cumulative developments - Scope Out.
Cottam 3a and 3b are not visibile therefore no potential cumulative intervisibility.
Cottam 3a and 3b are not visibile therefore no potential cumulative intervisibility.
Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor T019 (Kirton Road, Blyton), the receptor is approximately 9.1 km to Gate Burton Energy Farm and 4.2 km to Tillbridge Solar site and therefore has no potential intervisibility. No views of cumulative developments - Scope Out.

			1					
T019	Kirton Road, Blyton	N	Ν	Y	N	Y	Ν	
T019	Kirton Road, Blyton	Ν	Ν	Y	Ν	Y	Ν	
T021	Bonsdale Lane, Blyton	Ζ	Ν	Y	Ν	Y	Ν	

Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor T019 (Kirton Road, Blyton), the receptor is approximately 9.1 km to Gate Burton Energy Farm and 4.2 km to Tillbridge Solar site and therefore has no potential intervisibility. No views of cumulative developments - Scope Out.

Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor T019 (Kirton Road, Blyton), the receptor is approximately 9.1 km to Gate Burton Energy Farm and 4.2 km to Tillbridge Solar site and therefore has no potential intervisibility. No views of cumulative developments - Scope Out.

Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor T021 (Bonsdale Lane, Blyton), the receptor is approximately 8.8 km to Gate Burton Energy Farm and 3.6 km to Tillbridge Solar Site and therefore has no potential intervisibility. No views of cumulative developments -Scope Out.

T021	Bonsdale Lane, Blyton	Ν	Ν	Y	Ν	Y	Ν	Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor T021 (Bonsdale Lane, Blyton), the receptor is approximately 8.8 km to Gate Burton Energy Farm and 3.6 km to Tillbridge Solar Site and therefore has no potential intervisibility. No views of cumulative developments - Scope Out.
T021	Bonsdale Lane, Blyton	Ν	Ν	Y	Ν	Ŷ	Ν	Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor T021 (Bonsdale Lane, Blyton), the receptor is approximately 8.8 km to Gate Burton Energy Farm and 3.6 km to Tillbridge Solar Site and therefore has no potential intervisibility. No views of cumulative developments - Scope Out.
T021	Bonsdale Lane, Blyton	Ν	Ν	Υ	Ν	Υ	Ν	Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor T021 (Bonsdale Lane, Blyton), the receptor is approximately 8.8 km to Gate Burton Energy Farm and 3.6 km to Tillbridge Solar Site and therefore has no potential intervisibility. No views of cumulative developments - Scope Out.
T022	High Street, Blyton (A159)							Already Scoped Out
T022	High Street, Blyton (A159)							Already Scoped Out
Т023	Station Road, Blyton							Already Scoped Out
Т023	Station Road, Blyton							Already Scoped Out
т023	Station Road, Blyton							Already Scoped Out

T025	Pilham Lane, Bonsdale	N	N	Y	N	Y	N	Cottam 3a and 3b are not visibile therefore no potential cumulative intervisibility.
T025	Pilham Lane, Bonsdale	N	N	Y	N	Y	N	Cottam 2, 3a and 3b are not visibile therefore no potential cumulative intervisibility.
T025	Pilham Lane, Bonsdale	N	N	Y	N	Y	N	Cottam 2, 3a and 3b are not visibile therefore no potential cumulative intervisibility.
T028	Green Lane, Pilham	N	N	Y	N	Y	N	Cottam 2, 3a and 3b are not visibile therefore no potential cumulative intervisibility.
T028	Green Lane, Pilham	N	N	Y	N	Y	N	Cottam 2, 3a and 3b are not visibile therefore no potential cumulative intervisibility.
T028	Green Lane, Pilham	Ν	N	Y	N	Y	N	Cottam 2, 3a and 3b are not visibile therefore no potential cumulative intervisibility.
T029	Pilham Lane, Blyton							Already Scoped Out
T023	Road to Dunstall, Aisby near Gainsborough							Already Scoped Out
T032	Road to Dunstall, Aisby near Gainsborough							Already Scoped Out
T032	Road to Dunstall, Aisby near Gainsborough							Already Scoped Out
T034	Pilham Lane, Aisby near Gainsborough	N	N	Y	N	N	N	Cottam 2, 3a and 3b are not visibile therefore no potential cumulative intervisibility.
T034	Pilham Lane, Aisby near Gainsborough	Ν	N	Y	N	N	N	Cottam 2, 3a and 3b are not visibile therefore no potential cumulative intervisibility.
T034	Pilham Lane, Aisby near Gainsborough	N	N	Y	N	N	N	Cottam 2, 3a and 3b are not visibile therefore no potential cumulative intervisibility.
T035	Access to Northfield Farm, Pilham							Already Scoped Out
T036	Pilham Lane, Pilham				1	1		Already Scoped Out
T036	Pilham Lane, Pilham							Already Scoped Out
T037	Yawthorpe Lane, Willoughton	N	Y	Y	N	Y	N	Cottam 2, 3a and 3b are not visibile therefore no potential cumulative intervisibility.
T038	Field Farm Lane, Corringham	Ν	N	Y	N	Y	Y	Cottam 2, 3a and 3b are not visibile therefore no potential cumulative intervisibility.
Т038	Field Farm Lane, Corringham	N	N	Y	N	Y	Y	Cottam 2, 3a and 3b are not visibile therefore no potential cumulative intervisibility.

		•						
		Ν	Ν	Y	N	Y	N	
т040	Access to Corringham Grange, Corringham							
		N	NI	N/	NI	X	NI	
		N	Ν	Y	N	Y	N	
т040	Access to Corringham Grange, Corringham							

Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor T040 (Access to Corringham Grange, Corringham), the receptor is approximately 6.2 km to Gate Burton Energy Farm and therefore has no potential intervisibility. Similarly, the receptor is approximately 1.2 km away from the closest Tillbridge Solar site. However, dense vegetation associated with nearby fields and existing vegetation associated with the A631 limits views into the development sites. No views of cumulative developments - Scope Out.

Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor T040 (Access to Corringham Grange, Corringham), the receptor is approximately 6.2 km to Gate Burton Energy Farm and therefore has no potential intervisibility. Similarly, the receptor is approximately 1.2 km away from the closest Tillbridge Solar site. However, dense vegetation associated with nearby fields and existing vegetation associated with the A631 limits views into the development sites. No views of cumulative developments - Scope Out.

т040	Access to Corringham Grange, Corringham	N	Ν	Y	N	Y	N	Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor T040 (Access to Corringham Grange, Corringham), the receptor is approximately 6.2 km to Gate Burton Energy Farm and therefore has no potential intervisibility. Similarly, the receptor is approximately 1.2 km away from the closest Tillbridge Solar site. However, dense vegetation associated with nearby fields and existing vegetation associated with the A631 limits views into the development sites. No views of cumulative developments - Scope Out.
T041	Gainsborough Road, Willoughton							Already Scoped Out
T042	East Lane, Corringham							Already Scoped Out
T043	Mill Mere Road, Corringham							Already Scoped Out
T045	From East Lane to A631, Corringham	N	Ν	Y	Ν	Y	Ν	Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor T045 (From East Lane to A631, Corringham), the receptor is approximately 5.6 km to Gate Burton Energy Farm and therefore has no potential intervisibility. Similarly, the receptor is approximately 0.9 km away from the closest Tillbridge Solar site. However, built form associated with Corringham closes down views to the development and existing vegetation associated with A631 limits views into the development sites. No views of cumulative developments - Scope Out.

		Ν	Ν	Y	Ν	Y	Ν	
Т045	From East Lane to A631, Corringham							
		N	N	Y	N	Y	N	
		IN	IN IN	T	IN	T	IN	
T045	From East Lane to A631, Corringham							
Т046	Middle Street, Corringham							
T048	Springthorpe Road, Corringham							
T048	Springthorpe Road, Corringham							
T049	Grange Lane, Springthorpe							
Т049	Grange Lane, Springthorpe							
T051	School Lane, Springthorpe							
Т053	Chapel Lane, Springthorpe							
Т055	Unnamed Road, Springthorpe							
Т056	Bratt Field Middle Road, Springthorpe							
		Ν	Y	Y	Y	Y	Y	
т059	Northlands Road, Glentworth							

Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor T045 (From East Lane to A631, Corringham), the receptor is approximately 5.6 km to Gate Burton Energy Farm and therefore has no potential intervisibility. Similarly, the receptor is approximately 0.9 km away from the closest Tillbridge Solar site. However, built form associated with Corringham closes down views to the development and existing vegetation associated with A631 limits views into the development sites. No views of cumulative developments - Scope Out. Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor T045 (From East Lane to A631, Corringham), the receptor is approximately 5.6 km to Gate Burton Energy Farm and therefore has no potential intervisibility. Similarly, the receptor is approximately 0.9 km away from the closest Tillbridge Solar site. However, built form associated with Corringham closes down views to the development and existing vegetation associated with A631 limits views into the development sites. No views of cumulative developments - Scope Out. Already Scoped Out Cottam 1 is not visibile therefore no potential cumulative intervisibility.

T063	Cow Lane, Upton							Already Scoped Out
T064	Kexby Road, Glentworth	N	Y	Y	Y	Y	Y	Cottam 1 is not visibile therefore no potential cumulative intervisibility.
T064	Kexby Road, Glentworth	N	Y	Y	Y	Y	Y	Cottam 1 is not visibile therefore no potential cumulative intervisibility.
T066	Glentworth Road, Kexby							Already Scoped Out
T066	Glentworth Road, Kexby							Already Scoped Out
Т072	Access to Fillingham Grange, Fillingham	N	Y	Y	N	Y	Y	Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor T072 (Access to Fillingham Grange, Fillingham), the receptor is approximately 15.5 km to Field Farm, 6.2 km to West Burton and 5.9 km to Gate Burton Energy Farm and therefore has no potential intervisibility. Similarly, the receptor is approximately 1.8 km away from the closest Tillbridge Solar site. However, vegetation assoicated with nearby fields closes down views to the development. No views of cumulative developments - Scope Out.
т072	Access to Fillingham Grange, Fillingham	N	Y	Y	N	Y	Y	Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor T072 (Access to Fillingham Grange, Fillingham), the receptor is approximately 15.5 km to Field Farm, 6.2 km to West Burton and 5.9 km to Gate Burton Energy Farm and therefore has no potential intervisibility. Similarly, the receptor is approximately 1.8 km away from the closest Tillbridge Solar site. However, vegetation assoicated with nearby fields closes down views to the development. No views of cumulative developments - Scope Out.

1072 Access to Fillingham Grange, Fillingham 1073 Main Stande, Fillingham 1074 Willingham Road, fillingham									
Y Y N Y Y			N	Y	Y	N	Y	Y	
Y Y N Y Y									
Y Y N Y Y									
Y Y N Y Y									
Y Y N Y Y									
Y Y N Y Y									
Y Y N Y Y									
Y Y N Y Y									
Y Y N Y Y									
	т072	Access to Fillingham Grange, Fillingham							
T074 Willingham Road, Fillingham			Y	Y	Y	N	Y	Y	
T074 Willingham Road, Fillingham									
T074 Willingham Road, Fillingham									
T074 Willingham Road, Fillingham									
T074 Willingham Road, Fillingham									
T074 Willingham Road, Fillingham									
T074 Willingham Road, Fillingham									
T074 Willingham Road, Fillingham									
T074 Willingham Road, Fillingham Image: Comparison of the second seco									
	т074	Willingham Road, Fillingham							

Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor T072 (Access to Fillingham Grange, Fillingham), the receptor is approximately 15.5 km to Field Farm, 6.2 km to West Burton and 5.9 km to Gate Burton Energy Farm and therefore has no potential intervisibility. Similarly, the receptor is approximately 1.8 km away from the closest Tillbridge Solar site. However, vegetation assoicated with nearby fields closes down views to the development. No views of cumulative developments - Scope Out.

Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor T074 (Willingham Road, Fillingham), the receptor is approximately 13.2 km to Field Farm, 12.1 km to Bumble Bee Farm, 5.4 km to West Burton and 3.7 km to Gate Burton Energy Farm and therefore has no potential intervisibility. Similarly, the receptor is approximately 1.4 km away from the closest Tillbridge Solar site. However, vegetation associated with nearby fields closes down views to the development. No views of cumulative developments - Scope Out.

		n	1	1	1	1	1	1
		Y	Y	Y	Ν	Y	Y	
т074	Willingham Road, Fillingham							
		Y	Y	Y	N	Y	Y	
Т074	Willingham Road, Fillingham							
1074								

Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor T074 (Willingham Road, Fillingham), the receptor is approximately 13.2 km to Field Farm, 12.1 km to Bumble Bee Farm, 5.4 km to West Burton and 3.7 km to Gate Burton Energy Farm and therefore has no potential intervisibility. Similarly, the receptor is approximately 1.4 km away from the closest Tillbridge Solar site. However, vegetation associated with nearby fields closes down views to the development. No views of cumulative developments - Scope Out.

Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor T074 (Willingham Road, Fillingham), the receptor is approximately 13.2 km to Field Farm, 12.1 km to Bumble Bee Farm, 5.4 km to West Burton and 3.7 km to Gate Burton Energy Farm and therefore has no potential intervisibility. Similarly, the receptor is approximately 1.4 km away from the closest Tillbridge Solar site. However, vegetation associated with nearby fields closes down views to the development. No views of cumulative developments - Scope Out.

			-			-		
Т074	Willingham Road, Fillingham	Y	Y	Υ	Ν	Y	Y	
Т074	Willingham Road, Fillingham	Y	Y	Y	Ν	Y	Y	
т075	Fillingham Lane, Willingham	N	N	Y	Ν	Y	Y	
T075	Fillingham Lane, Willingham	N	N	Y	Ν	Y	Y	
T075	Fillingham Lane, Willingham	N	N	Y	Ν	Y	Y	
Т077	Unnamed Road, Ingham	Y	Y	Y	Y	Y	Y	

	Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor T074 (Willingham Road, Fillingham), the receptor is approximately 13.2 km to Field Farm, 12.1 km to Bumble Bee Farm, 5.4 km to West Burton and 3.7 km to Gate Burton Energy Farm and therefore has no potential intervisibility. Similarly, the receptor is approximately 1.4 km away from the closest Tillbridge Solar site. However, vegetation associated with nearby fields closes down views to the development. No views of cumulative developments - Scope Out.
	Though the cumulative developments cover a significant surface area and therefore have
	significant surface area and therefore have extensive zones of theoretical visibility, with the
	case of ground-mounted solar panels it should be
	noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be
	zero. Specifically with receptor T074 (Willingham
	Road, Fillingham), the receptor is approximately 13.2 km to Field Farm, 12.1 km to Bumble Bee Farm,
	5.4 km to West Burton and 3.7 km to Gate Burton
	Energy Farm and therefore has no potential intervisibility. Similarly, the receptor is
	approximately 1.4 km away from the closest
	Tillbridge Solar site. However, vegetation associated with nearby fields closes down views to the
	development. No views of cumulative developments
	- Scope Out.
_	
-	Cottam 1 is not visibile therefore no potential cumulative intervisibility.
	Cottam 1 is not visibile therefore no potential cumulative intervisibility.
	Cottam 1 is not visibile therefore no potential
	cumulative intervisibility.
	Cottam 1 is not visibile therefore no potential
	cumulative intervisibility.

		N	N	Ŷ	N	Y	Y	Cottam 1 is not visibile therefore no potential
Т078	South Lane, Willingham	IN IN						cumulative intervisibility.
T078	South Lane, Willingham	N	N	Y	N	Y	Y	Cottam 1 is not visibile therefore no potential cumulative intervisibility.
Т078	South Lane, Willingham	N	Ν	Y	Ν	Y	Y	Cottam 1 is not visibile therefore no potential cumulative intervisibility.
Т078	South Lane, Willingham	N	N	Y	N	Y	Y	Cottam 1 is not visibile therefore no potential cumulative intervisibility.
T079	High Street, Willingham							Already Scoped Out
T082	Grange Lane, Willingham by Stow							Already Scoped Out
т083	Cot Garth Lane	N	N	Y	N	Y	N	Cottam 1 is not visibile therefore no potential cumulative intervisibility.
Т083	Cot Garth Lane	N	N	Y	N	Y	N	Cottam 1 is not visibile therefore no potential cumulative intervisibility.
T084	Unnamed Road, Coates by Stow	N	Y	Y	N	Y	N	Cottam 1 is not visibile therefore no potential cumulative intervisibility.
T084	Unnamed Road, Coates by Stow	N	Y	Y	N	Y	N	Cottam 1 is not visibile therefore no potential cumulative intervisibility.
Т084	Unnamed Road, Coates by Stow	N	Y	Y	N	Y	N	Cottam 1 is not visibile therefore no potential cumulative intervisibility.
Т084	Unnamed Road, Coates by Stow	N	Y	Y	N	Y	N	Cottam 1 is not visibile therefore no potential cumulative intervisibility.
Т084	Unnamed Road, Coates by Stow	N	Y	Y	N	Y	N	Cottam 1 is not visibile therefore no potential cumulative intervisibility.
Т085	Stone Pit Lane, Willingham by Stow	N	N	Y	N	Y	Y	Cottam 1 is not visibile therefore no potential cumulative intervisibility.
Т085	Stone Pit Lane, Willingham by Stow	Ν	Ν	Y	Ν	Y	Y	Cottam 1 is not visibile therefore no potential cumulative intervisibility.
т085	Stone Pit Lane, Willingham by Stow	N	Ν	Y	N	Y	Y	Cottam 1 is not visibile therefore no potential cumulative intervisibility.
T086	Short Lane, Ingham							Already Scoped Out
T087	Stow Road, Willingham							Already Scoped Out
T087	Stow Road, Willingham							Already Scoped Out
T087	Stow Road, Willingham							Already Scoped Out
T091	Long Lane, Ingham							Already Scoped Out
T091	Long Lane, Ingham							Already Scoped Out
Т092	Marton Road, Willingham							Already Scoped Out
T092	Marton Road, Willingham							Already Scoped Out
Т094	Track between South Lane and Coates Lane, Willingham	N	N	Y	N	Y	Y	Cottam 1 is not visibile therefore no potential cumulative intervisibility.
Т094	Track between South Lane and Coates Lane, Willingham	N	N	Y	N	Y	Y	Cottam 1 is not visibile therefore no potential cumulative intervisibility.
Т094	Track between South Lane and Coates Lane, Willingham	N	N	Y	N	Y	Y	Cottam 1 is not visibile therefore no potential cumulative intervisibility.
Т094	Track between South Lane and Coates Lane, Willingham	Ν	Ν	Y	Ν	Y	Y	Cottam 1 is not visibile therefore no potential cumulative intervisibility.
Т096	Coates Lane, Coates by Stow	N	N	Y	N	Y	Y	Cottam 1 is not visibile therefore no potential cumulative intervisibility.
Т096	Coates Lane, Coates by Stow	N	N	Y	N	Y	Y	Cottam 1 is not visibile therefore no potential cumulative intervisibility.
Т096	Coates Lane, Coates by Stow	N	N	Y	N	Y	Y	Cottam 1 is not visibile therefore no potential cumulative intervisibility.
Т096	Coates Lane, Coates by Stow	N	Ν	Y	N	Y	Y	Cottam 1 is not visibile therefore no potential cumulative intervisibility.
Т097	Normanby Road, Normanby by Stow	Y	N	Y	N	Y	Y	Cottam 1 is not visibile therefore no potential cumulative intervisibility.

т097	Normanby Road, Normanby by Stow	Y	Ν	Y	Ν	Y	Y	Cottam 1 is not visibile therefore no potential cumulative intervisibility.
т097	Normanby Road, Normanby by Stow	Y	N	Y	Ν	Y	Y	Cottam 1 is not visibile therefore no potential cumulative intervisibility.
T098	Unnamed Road, Stow							Already Scoped Out
Т098	Unnamed Road, Stow							Already Scoped Out
Т099	Coates Lane, Stow	N	N	Y	Ν	Y	Y	Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor T099 (Coates Lane, Stow), the receptor is approximately 4.13 km to Tillbridge Solar site and therefore has no potential intervisibility. Similarly, the receptor is approximately 2.10 km away from West Burton however, built form associated with Stow closes down views to the development and existing vegetation associated with Normnaby Road, Church Road, Stow Park Road and Till Bridge Lane limits views into the development sites. The site is also approximately 1.19 km from Gate Burton Energy Farm however, vegetation associated with mearby fields and tributaries as well as existing vegetation associated with Marton Road closes down views to the development. No views of cumulative developments - Scope Out.

			A I		N I			
		Ν	Ν	Y	Ν	Y	Y	
т099	Coates Lane, Stow							
		N	N	Y	Ν	Y	Y	
т099	Coates Lane, Stow							
1								

Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor T099 (Coates Lane, Stow), the receptor is approximately 4.13 km to Tillbridge Solar site and therefore has no potential intervisibility. Similarly, the receptor is approximately 2.10 km away from West Burton however, built form associated with Stow closes down views to the development and existing vegetation associated with Normnaby Road, Church Road, Stow Park Road and Till Bridge Lane limits views into the development sites. The site is also approximately 1.19 km from Gate Burton Energy Farm however, vegetation associated with nearby fields and tributaries as well as existing vegetation assoicated with Marton Road closes down views to the development No views of cumulative developments - Scope Out.

Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor T099 (Coates Lane, Stow), the receptor is approximately 4.13 km to Tillbridge Solar site and therefore has no potential intervisibility. Similarly, the receptor is approximately 2.10 km away from West Burton however, built form associated with Stow closes down views to the development and existing vegetation associated with Normnaby Road, Church Road, Stow Park Road and Till Bridge Lane limits views into the development sites. The site is also approximately 1.19 km from Gate Burton Energy Farm however, vegetation associated with nearby fields and tributaries as well as existing vegetation assoicated with Marton Road closes down views to the development No views of cumulative developments - Scope Out.

		1	1		T		1	ī
		N	N	Y	N	Y	Y	
T000	Castes Long Stow							
т099	Coates Lane, Stow							
T100	Willingham Road, Marton		1	1			1	
T100	Willingham Road, Marton							
T100 T104	Unnamed Road, Stow							
T104 T104	Unnamed Road, Stow							
			-					
T104	Unnamed Road, Stow			X				
T105	Stow Lane, Ingham	Y	Y	Y	Y	N	N	
T105	Stow Lane, Ingham	Y	Y	Y	Y	N	N	
T106	Normanby Road, Stow							
T106	Normanby Road, Stow		1	I			Ī	
T106	Normanby Road, Stow						1	
		N	N	Y	N	Y	Y	
T107	Ingham Road, Stow							
		N	N	Y	N	Y	Y	
T107	Ingham Road, Stow	IN	IN	T	IN	I	T	
				N N	N .		N N	
T107	Ingham Road, Stow	Ν	Ν	Y	N	Y	Y	
-								
T107	Ingham Road, Stow	Ν	N	Y	N	Y	Y	
1107	inghain toad, stow							
T 4 07	Inchase Dead Chase	N	N	Y	N	Y	Y	
T107	Ingham Road, Stow							
T108	Church Road, Stow							
T108	Church Road, Stow	ł	ł	ł			ł	
T108 T109	Unnamed Road, Stow		1	1			<u> </u>	
		+	+	+			 	
T109	Unnamed Road, Stow							
T109	Unnamed Road, Stow			ļ			 	
T110	Blackthorn Lane, Cammeringham							

Though the cumulative developments cover a
significant surface area and therefore have
extensive zones of theoretical visibility, with the
case of ground-mounted solar panels it should be
noted that with effective screening and site-specific
topgraphy the area of theoretical visibility could be
zero. Specifically with receptor T099 (Coates Lane,
Stow), the receptor is approximately 4.13 km to
Tillbridge Solar site and therefore has no potential
intervisibility. Similarly, the receptor is
approximately 2.10 km away from West Burton
however, built form associated with Stow closes
down views to the development and existing
vegetation associated with Normnaby Road, Church
Road, Stow Park Road and Till Bridge Lane limits
views into the development sites. The site is also
approximately 1.19 km from Gate Burton Energy
Farm however, vegetation associated with nearby
fields and tributaries as well as existing vegetation
assoicated with Marton Road closes down views to
the development. No views of cumulative
developments - Scope Out.
developments - Scope Out.
Already Scoped Out
 Cottam 1 is not visibile therefore no potential
 cumulative intervisibility.
Cottam 1 is not visibile therefore no potential
 cumulative intervisibility.
 Already Scoped Out
 Already Scoped Out
 Already Scoped Out
Cottam 1 is not visibile therefore no potential
cumulative intervisibility.
Cottam 1 is not visibile therefore no potential
cumulative intervisibility.
Cottam 1 is not visibile therefore no potential
cumulative intervisibility.
Cottam 1 is not visibile therefore no potential
cumulative intervisibility.
Cottam 1 is not visibile therefore no potential
cumulative intervisibility.
Already Scoped Out
Already Scoped Out
Already Scoped Out
Already Scoped Out
Already Scoped Out
Already Scoped Out

T110	Blackthorn Lane, Cammeringham							Already Scoped Out	
T110 T112	School Lane, Stow		-					Already Scoped Out	
T112 T112	School Lane, Stow		-					Already Scoped Out	
T112 T113	Furze Hill, Stow		-						
T113	Furze Hill, Stow		-					Already Scoped Out	
T113			-					Already Scoped Out	
	Furze Hill, Stow							Already Scoped Out	
T113	Furze Hill, Stow							Already Scoped Out	
T114	Church Lane, Stow							Already Scoped Out Already Scoped Out	
T114	Church Lane, Stow		-						
T116	Sturton Road, Stow							Already Scoped Out	
T116	Sturton Road, Stow							Already Scoped Out	
T117	Unnamed Road, Stow							Already Scoped Out	
T118	Stow Park Road, Stow							Already Scoped Out	
T118	Stow Park Road, Stow							Already Scoped Out	
T119	Fleets Lane, Sturton by Stow		-			-		Already Scoped Out	
T119	Fleets Lane, Sturton by Stow		-			-		Already Scoped Out	
T119	Fleets Lane, Sturton by Stow		+			-	+	Already Scoped Out	
T119	Fleets Lane, Sturton by Stow		-			-		Already Scoped Out	
T120	Unnamed Road, Stow		-			-		Already Scoped Out	
T120	Unnamed Road, Stow		-			-		Already Scoped Out	
T121	Unnamed Road, Brattleby							Already Scoped Out	
T121	Unnamed Road, Brattleby	N	N	Y	N	Y	Y	Already Scoped Out Though the cumulative developments co	
T122	Unnamed Road, Stow							extensive zones of theoretical visibility, case of ground-mounted solar panels it noted that with effective screening and topgraphy the area of theoretical visibili zero. Specifically with receptor T122 (Ur Road, Stow), the receptor is approximat Tillbridge Solar site, 4.6 km from Gate Bu Park and therefore has no potential inte Similarly, the receptor is approximately from the closest West Burton site. Howe vegetation assoicated with nearby fields tributaries as well as existing vegetation with Thorpe Le Fallows and Tillbridge La down views to the development. No vie cumulative developments - Scope Out.	should be site-specific ity could be nnamed tely 5.1 km to urton Energy ervisibility. 2.1 km away ever, s and n associated ane closes
T122 T123	Unnamed Road, Stow							Already Scoped Out	
	Stow Road, Sturton by Stow	I						Already Scoped Out	
T125	Thorpe Lane, Brattleby			.,				Already Scoped Out	
T125	Thorpe Lane, Brattleby	Ν	Y	Y	N	Y	Y	Cottam 1 is not visibile therefore no pot cumulative intervisibility.	ential

			•	-	-	•	-	
		N	N	Y	N	Y	Y	Though the cumulative developments cover a
								significant surface area and therefore have
								extensive zones of theoretical visibility, with the
								case of ground-mounted solar panels it should be
								noted that with effective screening and site-specific
								topgraphy the area of theoretical visibility could be
								zero. Specifically with receptor T127 (Thorpe Lane,
								Thorpe in the Fallows), the receptor is
								approximately 6.1 km from Tillbridge Solar site, 3.9
								km from Gate Burton Energy Farm and therefore ha
								no potential intervisibility. Similarly, the receptor is
T127	Thorpe Lane, Thorpe in the Fallows							approximately 1.5 km away from the closest West
								Burton however, vegetation assoicated with nearby
								fields and tributaries as well as existing vegetation
								associated with Tillbridge Lane closes down views to
								the development. No views of cumulative
								developments - Scope Out.
						1		
						1		
T127	Thorpe Lane, Thorpe in the Fallows							Already Scoped Out
T127	Thorpe Lane, Thorpe in the Fallows							Already Scoped Out
T128	Marton Road, Sturton by Stow (A1500)							Already Scoped Out
T129	Fleets Road, Sturton by Stow							Already Scoped Out
T129	Fleets Road, Sturton by Stow							Already Scoped Out
T129	Fleets Road, Sturton by Stow							Already Scoped Out
T131	Thorpe Lane, Sturton by Stow							Already Scoped Out
T131	Thorpe Lane, Sturton by Stow							Already Scoped Out
T132	Lowfields, Aisthorpe							Already Scoped Out
T132	Tillbridge Road, Sturton by Stow (A1500)							Already Scoped Out
T134	Lincoln Lane, Thorpe in the Fallows							Already Scoped Out
T135	Tillbridge Lane, Sturton by Stow (A1500)				-	-	-	Already Scoped Out
T138	Main Street, Bransby							Already Scoped Out
T139	Tillbridge Lane, Scampton (A1500)							Already Scoped Out
T141	Access track to Manor Farm							Already Scoped Out
T142	Tillbridge Lane, Stow							Already Scoped Out
T142	Tillbridge Lane, Stow							Already Scoped Out
T143	Stow Park Road, Stow Park							Already Scoped Out
T143	Stow Park Road, Stow Park							Already Scoped Out
T144	Stow Park Road, Marton							Already Scoped Out
T144	Stow Park Road, Marton	1	1	1	1		1	Already Scoped Out
T144	Stow Park Road, Marton				1		1	Already Scoped Out
T145	Littleborough Lane, Marton	1		1	1	1	1	Already Scoped Out
T145	Littleborough Lane, Marton	1	1	1	1	1	1	Already Scoped Out
T145	High Street, Marton				<u> </u>			Already Scoped Out
T146	High Street, Marton	<u> </u>		}	<u> </u>		 	
		<u> </u>		<u> </u>	 		 	Already Scoped Out
T146	High Street, Marton	<u> </u>			<u> </u>		<u> </u>	Already Scoped Out
T147	Trent Port Road, Marton	 		 	 		 	Already Scoped Out
T147	Trent Port Road, Marton	ļ		ļ	 		 	Already Scoped Out
1 = 4 4 0								Already Scoped Out
T148	Lea Road, Brampton							
T148	Lea Road, Brampton Lea Road, Brampton							Already Scoped Out
								Already Scoped Out Already Scoped Out

T151 T152	Town Street							Already Scoped Out
11122	Marsh Lane, Cottam							Already Scoped Out
T153	Broad Lane, Cottam							Already Scoped Out
T154	Overcoat Lane, Cottam							Already Scoped Out
T155	Wells Lane, Cottam							Already Scoped Out
T156	Outgang Road, Cottam							Already Scoped Out
T157	Outgang Lane, Cottam							Already Scoped Out
T157	Outgang Lane, Cottam							Already Scoped Out
T158	Cow Pasture Lane, South Leverton							Already Scoped Out
T159	Westbrecks Lane, South Leverton							Already Scoped Out
T159	Westbrecks Lane, South Leverton							Already Scoped Out
T160	Torksey Ferry Road. Rampton							Already Scoped Out
T161	Nightleys Road, Rampton							Already Scoped Out
T162	Shortleys Road, Rampton							Already Scoped Out
Т163	Railway, Blyton	N	N		Ν		N	Though the cumulative developments cover a significant surface area and therefore have extensive zones of theoretical visibility, with the case of ground-mounted solar panels it should be noted that with effective screening and site-specific topgraphy the area of theoretical visibility could be zero. Specifically with receptor T163 (Railway, Blyton), the receptor is approximately 8.3 km to Gate Burton Energy Farm, 3.5 km to Tillbridge Solar site and therefore has no potential intervisibility. No views of cumulative developments - Scope Out.
T163	Railway, Blyton							Already Scoped Out
T163	Railway, Blyton				1			Already Scoped Out
T163	Railway, Blyton	1						Already Scoped Out
T163	Railway, Blyton	1						Already Scoped Out
T164	Railway, Stow Park Road				1			Already Scoped Out
T164	Railway, Stow Park Road	+			+	+		Already Scoped Out
T165	Railway, Cottam Power Station	+			+	+		Already Scoped Out
1103				1	1			Alleduy Scopeu Out



Transport Receptor – T016 / B1205 Kirton Road to C228 Monson Road, Northorpe near Scotter

Baseline Context:

This section of Kirton Road, passes from Monson Road, Northorpe towards the settlement of Blyton in an east west alignment. The road then takes a wide 'dog-leg' turn at Blenheim Farm and heads south towards Blyton Level Crossing and skirts the eastern edge of the Site/Sites. The road is mainly open along its length due to the absence of bordering woodland blocks and verge side hedgerows.

Looking directly west and north over the Cottam 3a Site and also southwest towards the Cottam 3b Site/Sites with the Cottam 2b Site beyond.

Distance to Cottam Sites: 5m to Cottam 3a Site.

Nearest Viewpoint/s: VP59, VP60 and VP61

Description of Route:

The first section of the route (as far as Gainsborough Road Covert) heads from the junction with Monson Road and passes through open countryside comprising large-scale arable fields divided by hedgerows with individual and groups of trees. There are low hedgerows to the south side of Kirton Road but with absence of hedgerows to the north side and the views are wide reaching both north and south from each side of the road. The central section of the route (as far as Blenheim Farm) continues through open countryside and is similar to the first section but with more verge side trees and woodland blocks between the agricultural fields, and so far-reaching views are more curtailed. The final section of the route (as far as Bonsdale Lane) comprises low hedgerows and tree cover to the western side of the road with and open aspects to the east and no hedgerows.

There is a marked contrast between the first section of the route and the final since the hedgerow trees are stronger and there are more tree clumps in the hedgerows. This strong tree cover gives a more enclosed feeling to the final section of the route, especially given that the road is winding, with notable tussocky grass verges that adds some height and additional structure.

The route is influenced by the open nature of the location and the presence of the Blyton Park Driving Centre (large-scale, shed like building) is a detractor in the final section of the route along with the wind turbine on the 3a Site/Sites. The hanger and other masts and poles are also prominent from this section of the route, but the tree, scrub and hedgerow cover in the foreground helps to mitigate their presence. The clusters of deciduous woodland to the northeast of the Site/Sites is also an appealing feature in the context of the route and helps mitigate its presence in the landscape. There are extended views towards the east and the west, which is the overriding feature along Kirton Road (at this section), and the road continues to be defined by strong hedgerows that are low-cut.

Overall, this route is subject to medium levels of traffic, but offers some interesting features locally along its length, including invigorating and clear open views across the landscape both north and south and east and west including views towards the distant landscape of Laughton Woods and Laughton Common (due to the change in direction of the route). The existing vegetation bordering the mainline railway is also the appealing feature of the route (picked out by the overhead gantrys). This is an attractive route due to the pleasant outlook in all directions and this takes account of the balance and harmony of this arable landscape made more appealing by the individual tree cover and groups of trees in close proximity to the route.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.1] January 2023



ort Receptor – T016 / B1205 Kirton Road to C228 Monson Road, Northorpe near Scotter										
Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decommis of Change							
The first and middle sections of the route would not be significantly affected, but users of the final section of the route would experience changes, particularly at the location where the route passes directly adjacent to the boundary of the Cottam 3a Site. These changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened due to the presence of foreground hedgerow bordering Kirton Road. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerow, but the tree groups bordering the route would provide some screening such that these activities would be confined to a narrower section of the view where the route passes directly adjacent to the boundary.	The foreground of the views from the route at this final section would change from a large agricultural field to an area of panels, but only for a narrow part. The changes would be experienced within the context of the Blyton Park Racing Centre that would add minor cumulative changes to the views. Further agricultural fields beyond would be screened from route by the panels and the distant backdrop of Laughton Wood may be lost. The setting of Kirton Road as it winds towards Northorpe with groups and individual trees along its verges would not be directly affected by the new panels. The similar small group of trees divided by Kirton Lane as it makes a small turn would however be affected by the presence of the new panels. The vertical elements in the view, including power lines, the wind turbine at the Blyton Park Racing Centre, the mainline railway infrastructure, telegraph poles and associated cables would add minor cumulative changes to the view.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15), refer to Viewpoints VP59, VP60 and VP61.	A similar prod Scheme being of the Site in a vegetation and secondary mid future baseling the duration and noise and vib generation and secondary mid future baseling the duration and secondary mid future baseling secondary mid future b							

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.1] January 2023

nissioning Magnitude ze

rocess to that of construction stage, but with the ing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.



Magnitude	Medium	Medium	Medium	Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Adverse & Long Term	Neutral & Sh
Significance of Effect	Moderate Significant	Moderate Significant	Moderate Significant	Minor Not S

	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	<u>Sequential Frequent Visibility</u> The first and middle sections of the route would not be significantly affected, but users of the final section of the route would experience changes, particularly at the location where the route passes	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or area.
	directly adjacent to the boundary of the Cottam 3a Site	There would be the introduction of new elements and features comprisi
	During the construction stage (the works) and during the operation stage (the panel areas) the effects would appear consistently and with short time lapses between instances. Although there is a slow speed of travel for vehicle users as thus is a slight bend in the road with limited forward visibility. There is an open boundary to the west of the route and so the distances between the areas of visibility would be frequent with no gaps between.	Aesthetic Aspects of the Landscape Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with the Cottan cumulative developments would not be experienced across the majority distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility between these Site/Site:
	The foreground of the views from the route would change from the agricultural field (to one side of the route at the final section of the route) to reveal both the works during the construction stage and an area of panels during the operation stage, but they would be set back from the route. The changes would be experienced in close proximity and within the context of the surrounding arable fields with a prevailing character of openness but the distinct presence of other development, man-made features, and large scale 'shed-like' buildings is also evident.	There are local patches of cumulative visibility which may be focus of like and Tillbridge Solar. This cumulative visibility is set out in further detail w Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develo
	The works and the panel areas are in close proximity to the receptor and are clearly visible together in views from selected viewpoints VP59, VP60 and VP61 and also from areas between these viewpoints as the route takes a course from Kirton in Lindsey in the west.	<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the Unwooded Vales is shaped by the strong agis strong sense of rural tranquility. In contrast, the low levels of woodland of landscape comprising an arable land use within a scattered pattern of set to west and a more strategic road network north to south. These relevan
	<u>Sequential Occasional Visibility</u> The panel areas may appear with longer time lapses between appearances because the observer may be moving more slowly at a slight bend in the road but there are larger distances between the available viewpoints along the route.	ability to accommodate change without undue adverse effects. The cumu alter the overall character of the landscape within the Unwooded Vales C
Magnitude	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Not Significant Operation (Year 15): Low Decommissioning: Low	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Not Significan Operation (Year 15): Low Decommissioning: Low
Type of Effect	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Tern Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significant Operation (Year 15): Minor Not Significant	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significa Operation (Year 15): Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.1] January 2023

Short Term

t Significant

r features of the landscape within the character
sing the solar panel areas and the substation area.
am 3a and 3b Sites, cumulative visibility with the cy of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and ces.
kely significant effects, between the Cottam 3a Site within the following figures:
elopments Augmented ZTV [C6.4.8.15.2.8]
gricultural presence, with wide areas retaining a l cover create a relatively open and expansive settlement, linked by a series of minor roads east ant characteristics of the landscape have some nulative visibility for the Cottam 3b Site would not Character Area 4a.
nt
erm
cant



Transport Receptor - T019 / Kirton Road, Blyton

Baseline Context:

This section of Kirton Road, passes between the settlement of Blyton to the junction with Bonsdale Lane in a west east alignment. The road then takes a wide 'right-angled' turn to head north towards Blenheim Farm passing the eastern edge of the Site/Sites. The road is mainly open along its length due to the absence of bordering woodland blocks and the low-cut verge side hedgerows.

Looking north directly over the Cottam 3a Site and south towards the Cottam 3b Site.

Distance to Cottam Sites: 0m to Cottam 3a

Nearest Viewpoint/s: VP59, VP60 and VP62

Description of Route:

The first section of the route (as far as The Fields Farm) passes through a series of arable fields to each side dived by low hedgerows with a scattering of individual and groups of trees. The central section (as far as the entrance to the Blyton Park Driving Centre) continues through the arable fields, but there are detractors including overhead electricity pylons, telegraph poles and conifer shelterbelts. The presence of farmsteads is also more apparent in this middle section and the hedgerows are low, so the views are far-reaching, particularly towards the north. The third section of the route (as far as Bonsdale Lane) comprises similar arable fields, but with more tree cover and small woodlands with less of an open aspect.

There is a marked contrast between the first section and middle of the route since there are more settlement influences and detractors and the final section supports taller hedgerows with trees and tree clumps within the hedgerows. This strong tree cover gives a more enclosed feeling to the final section of the route.

The route is influenced by the open nature of the location and the visual relationship between the heart of the settlement at the war memorial and this gateway to the settlement.

There are extended views and although Kirton Road is defined by a good hedgerow they are low-cut. The hedgerow trees are strong, and this gives some visual interest to the route (given that it is a long straight road with no footways and only narrow grass verges).

Overall, this route is subject to medium levels of traffic, but offers some interesting features locally along its length, including open views across the landscape both north and south and also views to the heart of the settlement. The existing vegetation bordering the mainline railway is also the appealing feature of the route (picked out by the overhead gantrys). This is an attractive route due to the pleasant outlook in two directions and this takes account of the arable landscape made more appealing by the individual tree cover and groups of trees in close proximity to the edge of the settlement. The small woodland block to the west boundary of the Site/Sites is prominent from this route on the horizon and the nearby conifer shelter belt is also prominent.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.2] January 2023



Transport	Receptor -	- T019 /	Kirton	Road.	Blvton

	Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decommis of Change
	The first and middle sections of the route would be significantly affected, particularly at the location where the route passes directly adjacent to the boundary of the Site/Sites. The users of the final section of the route would experience less change due to the intervening hedgerows and field parcels that provide separation and intermediary screening. These changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be evident over the foreground hedgerow bordering Kirton Road. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerow. Due to the absence of tree cover, the route would not benefit from screening such that these activities would be experienced over an extensive proportion of the view where the route passes directly adjacent to the boundary. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a wide proportion of the view and be a dominant feature. There would be a considerable change to the arable land use, but the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the south of Kirton Road. Construction Access Transport recept	The foreground of the views from the route at this first and middle section would change from a large agricultural field to an area of panels, and across an extensive proportion of the view. The changes would be experienced within the context of the settlement edge influences that would add minor cumulative changes to the views. Further agricultural fields beyond would be screened from route by the panels and the distant backdrop of Laughton Wood may be lost. The vertical elements in the view, including power lines, the wind turbine at the Blyton Park Racing Centre, the mainline railway infrastructure, telegraph poles and associated cables would also add minor cumulative changes to the view.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15) refer to Viewpoints VP59, VP60 and VP62.	A similar prod Scheme being of the Site in w vegetation an secondary mi future baselin the duration of noise and vib generation an
ude	Medium	High	Medium	Low

nissioning Magnitude ge

process to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the seline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust n and site runoff.



Type of Effect	Adverse & Short Term	Adverse & Long Term		Neutral & Long Term	Neutral & Sl	
Significance of Effect	Moderate Significant	Moderate- Major Significant		Moderate Significant	Minor Not S	
Transport Re	ceptor – T019 / Kirton Road, Blyton					
	In-Combination Effects [Cumulative Sites]		Cumu	llative Effects [Cumulative Developmen	ts]	
	The first and middle sections of the route would be significantly affected, particularly at the location where the route passes directly adjacent to the boundary of the Site/Sites. The users of the final section of the route would experience less change due to the intervening hedgerows and field parcels that			o <u>f the Landscape</u> would not be the removal of or changes in individua would be the introduction of new elements and feat		
	During the construction stage (the works) and during the operation stage (the panel areas) the effects would appear consistently and with short time lapses between instances. There is a fast speed of travel for road users (although walkers and pedestrians may be travelling at a slow speed). However, there is a low hedgerow to the west boundary of the route and so the distances between the areas of visibility			ic Aspects of the Landscape or Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that w ative developments would not be experienced acros te, the intervening woodlands, hedgerows, and tree rm would also curtail cumulative visibility between t	s the majority cover between	
	The foreground of the views from the route would change from the agricultural fields as part of the airfield site (to one side of the route only) to reveal both the works during the construction stage and an area of panels during the operation stage, but they would be set back from the route. The changes would be experienced in close proximity and within the context of the surrounding arable fields with a prevailing character of openness but there is a distinct presence of other development and man-made			Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develo		
	 features and large scale 'shed-like' buildings associated with the Blyton Park Driving Centre. The works and the panel areas are in close proximity to the receptor and are clearly visible together in views from selected viewpoints VP59, VP60, VP61 and VP62 and also from areas between these viewpoints as the route takes a course from the settlement of Blyton in the west as far as Kirton in Lindsey to the east. <u>Sequential Occasional Visibility</u> The panel areas may appear with shorter time lapses between appearances because the observer may be moving more quickly but there are closer distances between the available viewpoints along the route. 		Overall strong landsca to west ability t	Landscape Character and Visual Amenity , the character of the Unwooded Vales is shaped by sense of rural tranquility. In contrast, the low levels ape comprising an arable land use within a scattered and a more strategic road network north to south. to accommodate change without undue adverse effor e overall character of the landscape within the Unw	of woodland c l pattern of set These relevan ects. The cumu	
Magnitude	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Not Sig Operation (Year 15): Low Decommissioning: Low	nificant	Operat Operat Operat	uction: Low ion (Year 1): Low ion (Year 1): with only Embedded Mitigation: Low N ion (Year 15): Low missioning: Low	lot Significant	
Type of Effect	fect Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Neutral & Long Term		Constru Operat Operat Operat	uction: Adverse & Short Term ion (Year 1): Adverse & Long Term ion (Year 1): with only Embedded Mitigation: Adver ion (Year 15): Neutral & Long Term missioning: Neutral & Short Term	se & Long Terr	
Significance of Effect	Uneration (year 1): with only Embedded Mitigation: Minor Not Significant			uction: Minor Not Significant ion (Year 1): Minor Not Significant ion (Year 1): with only Embedded Mitigation: Minor ion (Year 15): Minor Not Significant missioning: Minor Not Significant	Not Significa	

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.2] January 2023

A Short Term
ot Significant
or features of the landscape within the character
sing the solar panel areas and the substation area.
am 3a and 3b Sites, cumulative visibility with the ty of the 5km study area. This is due to the een the Site/Sites. The intervening settlements and tes.
kely significant effects, between the Cottam 3a Site within the following figures:
elopments Augmented ZTV [C6.4.8.15.2.8]
agricultural presence, with wide areas retaining a d cover create a relatively open and expansive settlement, linked by a series of minor roads east vant characteristics of the landscape have some mulative visibility for the Cottam 3b Site would not s Character Area 4a.
ant
erm
cant



Transport Receptor - T021 / Bonsdale Lane, Blyton

Baseline Context:

This section of Bonsdale Lane is located to the east of the settlement of Blyton where the lane extends from Pilham Lane to the north of Bonsdale Farm to meet with Kirton Road to the north of the mainline railway. The lane takes a north south alignment and is open along its western edge where its forms an adjacent boundary with Cottam 3b Site.

Looking directly west over the Cottam 3b Site and northwest towards the Cottam 3a Site.

Distance to Cottam Sites: 2m to Cottam 3b.

Nearest Viewpoint/s: VP57, VP58, VP59 and VP61.

Description of Route:

This section of the route (commencing from the junction with public footpath Pilh/20/1) passes through open countryside and to the immediate east is Bonsdale Farm with an associated shelterbelt. There is a low-cut hedgerow to the west side of Bonsdale Lane with extended views towards Blyton on the far horizon shrouded in tree cover and set in the context of Laughton Woods. This section of the route extends as far as the Blyton Level Crossing and comprises large-scale arable fields to each side that are divided by hedgerows but lacking in individual trees or groups of trees. There is an absence of tree cover and where the views are available, they are wide reaching both east to west from each side of the road.

There is a marked contrast along Bonsdale Lane, which is relatively more enclosed and set in the context of the shelterbelt and large-scale agricultural buildings at the section to the south of the railway line near to Bonsdale Farm. The route is influenced by the open and exposed nature of the location, but the shelterbelt at Bonsdale Farm gives a comfortable and pleasant feeling and shelter to the east. There are extended views towards the south but the existing vegetation bordering the mainline railway and the dense shelterbelt vegetation within the field systems to the north of the railway lines curtails visibility in this direction. This route offers a pleasant journey with some interesting features locally, but with more invigorating views out towards the surrounding landscape, comprising both eastward and westward views.

Overall, this route is subject to some passing traffic due to it being a local lane passing north south serving residential properties and farmsteads. The lane offers a transition of features ranging from enclosed parts in the south to clear open views across the landscape from east to west. This is an ordinary route that takes account of the open arable landscape in close proximity to the receptor. Overall, this route offers a journey for road users and walkers with some features of interest.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.3] January 2023



Transport Re	eceptor – T021 / Bonsdale Lane, Blyton			
	Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decommi of Change
	This section of the route would be significantly affected, and users would experience changes, particularly at the location where the route passes directly adjacent to the boundary of the Cottam 3b Site. These changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened due to the presence of foreground hedgerow bordering Bonsdale Lane. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerow, since the tree lack of tree groups bordering the route would allow open views such that these activities would be evident in a wide section of the view where the route passes directly adjacent to the boundary. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a wide proportion of the view and be a dominant feature. There would be a considerable change to the arable land use, but the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the east of Blyton Lane. Construction Access Transport receptor is outside of the 500m cable route corridor. Substation/s Transport receptor is within the 2km study area of Cottam 3a and 3b substations.	The foreground of the views from the route at this second section would change from a large agricultural field to an area of panels, but only to the western side of the route. The changes would be experienced within the context of the wider intensive arable landscape that is open with very few features. Further agricultural fields beyond would be screened from route by the panels and the distant backdrop of Laughton Wood may be lost. The vertical elements in the view, including power lines, the wind turbine at the Blyton Park Racing Centre, the mainline railway infrastructure, telegraph poles and associated cables would add minor cumulative changes to the view.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15) refer to Viewpoints VP57, VP58, VP59 and VP61.	A similar pro Scheme bein of the Site in vegetation at secondary m future baseli the duration noise and vik generation a
Magnitude	Medium	High	Medium	Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Adverse & Long Term	Neutral & Sh

nissioning Magnitude ge

process to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing n and builds upon the proposed primary and mitigation that had been established as the seline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust n and site runoff.

Short Term



	Significance of Effect	Moderate Significant	Moderate-Major Significant	Moderate Significant	Minor Not
--	---------------------------	----------------------	----------------------------	----------------------	------------------

	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	Sequential Frequent Visibility	Fabric of the Landscape
	This section of the route would be significantly affected, and users would experience significant changes, particularly at the location where the route passes directly adjacent to the boundary of the Site/Sites.	There would not be the removal of or changes in individual elements or fe area.
		There would be the introduction of new elements and features comprisin
	During the construction stage (the works) and during the operation stage (the panel areas) the effects would appear consistently and with short time lapses between instances. There is a slow speed of travel for walkers (although road users and farm vehicles may be travelling at speed) and there is a low boundary to the west boundary of the route and so the distances between the areas of visibility would be frequent with no gaps between.	<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with the Cottam cumulative developments would not be experienced across the majority of distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility between these Site/Sites
	The foreground of the views from the route would change from the agricultural fields (to one side of the route only) to reveal both the works during the construction stage and an area of panels during the operation stage, but they would be set back from the route. The changes would be experienced in close proximity and within the context of the surrounding arable fields with a prevailing character of openness and distinct absence of other development or man-made features apart from isolated	There are local patches of cumulative visibility which may be focus of likely and Tillbridge Solar. This cumulative visibility is set out in further detail with Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develop
	farmsteads and large-scale agricultural buildings associated with Bonsdale Farm.	
	The works and the panel areas are in close proximity to the receptor and are clearly visible together in views from selected viewpoints VP57, VP58, VP59 and VP61 and also from areas between these viewpoints as the route takes a course from Pilham Lane in the south as far as Kirton Road in the north.	<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the Unwooded Vales is shaped by the strong agri strong sense of rural tranquility. In contrast, the low levels of woodland co landscape comprising an arable land use within a scattered pattern of set
	<u>Sequential Occasional Visibility</u> The panel areas may appear with shorter time lapses between appearances because the observer may be moving more quickly (farm vehicles may be travelling at speed) and there are larger distances between the viewpoints along the route.	to west and a more strategic road network north to south. These relevant ability to accommodate change without undue adverse effects. The cumu alter the overall character of the landscape within the Unwooded Vales Ch
	Construction: Low	Construction: Low
Magnitude	Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Not Significant Operation (Year 15): Low Decommissioning: Low	Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Not Significant Operation (Year 15): Low Decommissioning: Low
Type of Effect	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term
Significance	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significant	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significar

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.3] January 2023

ot Significant

_	footuroc	oftho	landecana	within	tha	character
	reatures	orthe	ianuscape	VVILIIIII	uie	Character

sing the solar panel areas and the substation area.

am 3a and 3b Sites, cumulative visibility with the y of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and es.

kely significant effects, between the Cottam 3a Site within the following figures:

elopments Augmented ZTV [C6.4.8.15.2.8]

gricultural presence, with wide areas retaining a l cover create a relatively open and expansive settlement, linked by a series of minor roads east ant characteristics of the landscape have some nulative visibility for the Cottam 3b Site would not Character Area 4a.

	-	4	-
r	1	1	Г
•	-	1	•

rm

cant



Transport Receptor – T040 / Access to Corringham Grange, Corringham

Baseline Context:

This local access track serves the residential properties known as Corringham Grange Farm and The Cottage. The track extends from East Lane in the south (at the point where it makes a 'right-angled' turn towards the A631, Corringham Road). The track also extends as far north as The Cottage, where further access is restricted by the presence of Corringham Beck.

Looking north directly west and east over the Cottam 2 Site with the Cottam 3b Site beyond. The view is also looking south towards the Cottam 1 North Site.

Distance to Cottam Sites: 0m to Cottam 2 Site.

Nearest Viewpoint/s: VP46, VP48 and VP49.

Description of Route:

The first section of the track extends as far as Corringham Grange Farm and is set with open arable fields to each side. There are also low-cut hedgerows that allow extended views towards the east and the west which feature little woodland and very limited tree cover. The second section of the track (as far as The Cottage) is set within a landscape made up of a mixture of arable land use and domestic properties in this local context of two residential properties.

There is a marked contrast between the first and second sections of the track since the first section is relatively more open with extended views east to west, compared to the second section which is influenced by domestic uses and the presence of farm buildings with the associated mature tree cover and domestic planting.

The route is influenced by the open and exposed nature of the arable fields, but the residential properties and the associated tree cover adds a more enclosed character in sharp contrast to the expansive agricultural use. There are also extended views towards the south but towards the north, the existing vegetation and the residential group curtails visibility in this direction. There is open visibility directly over the Cottam 2 Site due to the low height of intervening hedgerows and distinct lack of woodlands and tree cover.

Overall, this route is subject to very low levels of traffic and provides local access to residential dwellings. The track offers very few interesting features but there are clear open views across the landscape from east to west including views towards the distant landscape of Laughton Woods and Laughton Common and then towards the ridgeline at Blyborough. This is an ordinary route with some detracting features such as telegraph poles and wires and large-scale agricultural buildings. This track also takes account of the open arable landscape that is lacking in individual tree cover and groups of trees in close proximity to the receptor, which also limits the visual appeal. Overall, this route offers a very short journey for local residential access with very few features of interest.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.4] January 2023



Transport Receptor – T040 / Access to Corringham Grange, Corringh	nam	[Refer	
Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decommiss of Change
The first section of the route would be significantly affected, particularly at the location where the route passes directly adjacent to the boundary of the Site/Sites. The users of the second section of the route would experience a lower level of change due to the intervening residential properties and that the construction works are set back at this location. The changes experienced from the first section of the route would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened due to the presence of foreground hedgerow bordering the access track. During the latter part of the construction stage, views would become available of the elvetad activities above the hedgerow, and since there are no tree groups or large individual trees there would be open views, particularly where the route passes directly adjacent to the boundary of the Site/Sites. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a wide proportion of the view and be a dominant feature. There would he a considerable change to the azable land use, but the field boundaries and any associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the south of the access track.		Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15) refer to Viewpoints VP46, VP48 and VP49.	A similar proce Scheme being of the Site in w vegetation and secondary mit future baseline the duration o noise and vibri generation and

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.4] January 2023

issioning Magnitude

ocess to that of construction stage, but with the ng no longer operational. This is an assessment n winter but assumes retention of existing and builds upon the proposed primary and nitigation that had been established as the line. Effects are those arising from activities for n of the decommissioning to include site traffic, ibration from decommissioning activities, dust and site runoff.



	-		Incici	ence. Livo
	Construction Access Transport receptor will be affected by the proposed construction access into Cottam 2 Site.			
	Cable Route Corridor Transport receptor is partially within the 500m cable route corridor study area. Substation/s Transport receptor is within 2km study area of Cottam 2 substation.			
Magnitude	Medium	High	Medium	Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Adverse & Long Term	Neutral & S
Significance of Effect	Moderate Significant	Moderate-Major Significant	Moderate Significant	Minor Not

	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	 Sequential Frequent Visibility The first section of the route would be significantly affected, particularly at the location where the route passes directly adjacent to the boundary of the Site/Sites. The users of the second section of the route would experience a lower level of change due to the intervening residential properties and that the construction works are set back at this location. During the construction stage (the works) and during the operation stage (the panel areas) the effects would appear consistently and with short time lapses between instances. There is a slow speed of travel for walkers (farm vehicles may be travelling at speed) and there is a low boundary to the east and west of the route and so the distances between the areas of visibility would be frequent with no gaps between. The foreground of the views from the route would change from the agricultural fields (to both sides of the route at the first section of the route) to reveal both the works during the construction stage and an area of panels and the substation during the operation stage, but they would be set back from the route. The changes would be experienced in close proximity and within the context of the surrounding arable fields with a prevailing character of openness but with the distinct presence of other development and man-made features associated with Corringham Grange Farm and The Cottage. The works and the panel areas are in close proximity to the receptor and are clearly visible together in views from selected viewpoints. VP46, VP48 and VP49 and also from areas between these viewpoints as the route takes a course from Corringham Grange and The Cottage in the north as far as East Lane in the south. Sequential Occasional Visibility The panel areas may appear with shorter time lapses between appearances because the observer may be moving more quickly (farm vehicles and resident cars may be travelling at speed) and there are larger	Fabric of the Landscape There would not be the removal of or changes in individual elements or features There would be the introduction of new elements and features comprising the s the character area. Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.2 [C6.4.8.15.2.2] which shows that with the Cottam 2 Site, developments would not be experienced across the majority of the 5km study a woodlands, hedgerows, and tree cover between the Site/Sites. The intervening s cumulative visibility. There are local patches of cumulative visibility which may be focus of likely signit Tillbridge Solar. This cumulative visibility is set out in further detail within the fol Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Development Overall Landscape Character of the Unwooded Vales Overall tranquility. In contrast, the low levels of woodland cover create a tranquility. In contrast, the low levels of woodland cover create a transing an arable land use within a scattered pattern of settlement, linked by strategic road network north to south. These relevant characteristics of the land without undue adverse effects. The minor patches of cumulative visibility for the character of the landscape within the Unwooded Vales Character Area.
Magnitude	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Not Significant Operation (Year 15): Low Decommissioning: Low	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Not Significant Operation (Year 15): Low Decommissioning: Low

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.4] January 2023

k Short Term

ot Significant

res of the landscape within the character area.

solar panel areas and the substation area within

e, cumulative visibility with the cumulative area. This is due to the distance, the intervening settlements and built form would also curtail

nificant effects, between the Cottam 2 and following figures:

nts Augmented ZTV [C6.4.8.15.2.8]

ural presence, with wide areas retaining a strong a relatively open and expansive landscape by a series of minor roads east to west and a more ndscape have some ability to accommodate change he Cottam 1 Site/Sites would not alter the overall



	Construction: Adverse & Short Term	Construction: Adverse & Short Term
Type of Operation (Year 1): Adverse & Long Term Operaterm Operaterm Operat	Operation (Year 1): Adverse & Long Term	
	Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term	Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term
Effect	Operation (Year 15): Neutral & Long Term	Operation (Year 15): Neutral & Long Term
	Decommissioning: Neutral & Short Term	Decommissioning: Neutral & Short Term
	Construction: Minor Not Significant	Construction: Minor Not Significant
Significance	Operation (Year 1): Minor Not Significant	Operation (Year 1): Minor Not Significant
0	Operation (Year 1): with only Embedded Mitigation: Minor Not Significant	Operation (Year 1): with only Embedded Mitigation: Minor Not Significant
of Effect	Operation (Year 15): Minor Not Significant	Operation (Year 15): Minor Not Significant
	Decommissioning: Minor Not Significant	Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.4] January 2023



Transport Receptor - T045 / From East Lane to A631, Corringham

Baseline Context:

East Lane is located to the east of the settlement of Corringham and to the west of the settlement of Hemswell. The lane leads from the A631 heading north and then takes a 'right-angled' turn before leading west towards Corringham. This is a short section of lane set with an open arable landscape to each side.

Looking north directly over the Cottam 2 Site with the Cottam 3b Site beyond. The view is also looking south towards the Cottam 1 North Site.

Distance to Cottam Sites: 0m to Cottam 2

Nearest Viewpoint/s: VP46, VP48 and VP49.

Description of Route:

The first section of the route passes east west from Corringham through an open arable landscape with large scale fields to each side and few hedgerow trees. The second section is similar in character to the first section, being open with extended views and set within the context of large-scale arable fields.

There is a marked contrast between the two sections of the route. The first (east west) section has higher levels of tranquility being at a further distance from the A631. The north-south sections connect directly with the A631 and is more exposed to traffic noise from the A631.

The route is influenced by the presence of the built edge of Corringham, which is a detractor. The tree cover is limited, the hedgerows are cut back, and the arable land use is intensively managed, but the presence of farreaching views towards the east adds some stimulus. Open visibility towards the Cottam 2 Site is evident, particularly at the first section of the route due to the low height of intervening hedgerows, the distinct lack of woodland and tree cover and that the lane forms a direct boundary with the Site/Sites.

Overall, this route is subject to passing traffic due to the connectivity with the A631 and that it provides access to the residential edge of Corringham. The lane offers very few interesting features but there are clear open views across the landscape from east to west including views towards the distant landscape of Laughton Woods and Laughton Common and then towards the ridgeline at Blyborough. This is an ordinary route with some detracting features such as telegraph poles and wires. This track also takes account of the open arable landscape that is lacking in individual tree cover and groups of trees in close proximity to the receptor, which also limits the visual appeal. Overall, this route offers a short journey for local residential access with very few features of interest.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.5] January 2023



Transport Receptor – T045 / From East Lane to A631, Corringham

Со	onstruction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decommi of Change
part the rou ara hec firs dur con vibu mu At t acti ass to t the ava the view bou Oth incl enc me wo pla The pro cor and be Lar Cor Tra acc Solution	e first section of the route would be significantly affected, rticularly at the location where the route passes directly adjacent to a boundary of the Site/Sites. The users of the second section of the ute would experience a lower level of change due to the intervening able fields and that the construction works are set back from the dgerows bordering East Lane. The changes experienced from the st section of the route would include the construction activities ring site preparation / enabling works, construction, and mmissioning with effects such as construction traffic, noise and oration from construction activities, dust generation, site runoff, ud on roads, and the visual intrusion of plant and machinery on site. the early stages of the construction stage, ground, and lower-level tivities such as the construction of the solar panel areas and sociated infrastructure and inverters would be partly screened due the presence of foreground hedgerows bordering East Lane. During e latter part of the construction stage, views would become ailable of the elevated activities above the hedgerow, and since ere are no tree groups or large individual trees there would be open ws, particularly where the route passes directly adjacent to the undary of the Site/Sites. her works would be undertaken in connection with the construction closure and works for the provision of security and monitoring assures such as CCTV and the laying down of internal tracks. There build also be landscape and biodiversity mitigation works, including anting and the improvement of the foreground hedgerows. ese short-lived construction activities would obstruct a wide oportion of the view and be a dominant feature. There would be a nsiderable change to the arable land use, but the field boundaries d any associated tree cover would remain intact. There would not a fundamental change to the surroundings to the south of the East ne. hterestion/s ansport receptor is partially within the 500m cable route corridor idy area. bstation/s ansport recept	The foreground of the views from the route at this first section would change from a large agricultural field (to the north side of the lane) to an area of panels, for a short straight section of the route. The changes would be experienced within the context of the surrounding arable fields with very few features and the route has a straight alignment with limited character. With the second section of the route, further agricultural fields beyond this to the east and west would not be screened from route by the panels and so the distant backdrop of Laughton Wood may still be evident.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15), refer to Viewpoints VP46, VP48 and VP49.	A similar pro Scheme beir of the Site in vegetation a secondary m future basel the duration noise and vi generation a
de Me	edium	High	Medium	Low
Adv	verse & Short Term	Adverse & Long Term	Adverse & Long Term	Neutral & Sł

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.5] January 2023

missioning Magnitude ge

process to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and / mitigation that had been established as the seline. Effects are those arising from activities for ion of the decommissioning to include site traffic, vibration from decommissioning activities, dust on and site runoff.

Short Term



Significance	Moderate Significant
of Effect	Moderate Significant

	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	<u>Sequential Frequent Visibility</u> The first section of the route would be significantly affected, particularly at the location where the route passes directly adjacent to the boundary of the Cottam 2 Site. The users of the second section of the route would experience a lower level of change due to the intervening arable fields and that the construction stage (the works) and the operation stage (the panel areas) are set back from the hedgerows bordering East Lane. During the construction stage (the works) and during the operation stage (the panel areas) the effects would	Fabric of the Landscape There would not be the removal of or changes in individual element character area. There would be the introduction of new elements and features consubstation area.
	appear consistently and with short time lapses between instances. Although there is a slow speed of travel for walkers (road vehicles may be travelling at speed) and there is a low hedgerow boundary to East Lane and so the distances between the areas of visibility would be frequent with no gaps between.	<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with the C the cumulative developments would not be experienced across the the distance, the intervening woodlands, hedgerows, and tree cove
	The foreground of the views from the route would change from the agricultural fields (to the northern most part of the route at the firSt section of the route) to reveal both the works during the construction stage and an area of panels during the operation stage, but they would be set back from the route. The changes would be experienced in close proximity and within the context of the surrounding arable fields with a prevailing character of openness but in the context of other development and man-made features associated with Corringham Grange Farm and The Cottage.	settlements and built form would also curtail cumulative visibility be There are local patches of cumulative visibility which may be focus of 3a Site and Tillbridge Solar. This cumulative visibility is set out in fur Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative D
	The works and the panel areas are in close proximity to the receptor and are clearly visible (at the northern most part of the first section of the route) together in views from selected Viewpoints VP46, VP48 and VP49 and also from areas between these viewpoints as the route takes a course from the access to Corringham Grange Farm in the north as far as Corringham Road in the south.	<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the Unwooded Vales is shaped by the stron retaining a strong sense of rural tranquility. In contrast, the low leve and expansive landscape comprising an arable land use within a sc of minor roads east to west and a more strategic road network north
	<u>Sequential Occasional Visibility</u> The panel areas may appear with shorter time lapses between appearances because the observer may be moving more quickly (farm vehicles may be travelling at speed) and there are larger distances between the viewpoints along the route. However, this location is at the junction where the road takes a right-angled turn and so the observer may be moving more slowly.	the landscape have some ability to accommodate change without u for the Cottam 3b Site would not alter the overall character of the la Area 4a.
Magnitude	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Not Significant Operation (Year 15): Low Decommissioning: Low	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Not Signi Operation (Year 15): Low Decommissioning: Low
Type of Effect	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Lon Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significant Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Sig Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.5] January 2023

Minor Not Significant

ents or features of the landscape within the

omprising the solar panel areas and the

e Cottam 3a and 3b Sites, cumulative visibility with he majority of the 5km study area. This is due to ver between the Site/Sites. The intervening between these Site/Sites.

us of likely significant effects, between the Cottam further detail within the following figures:

ve Developments Augmented ZTV [C6.4.8.15.2.8]

rong agricultural presence, with wide areas evels of woodland cover create a relatively open scattered pattern of settlement, linked by a series north to south. These relevant characteristics of t undue adverse effects. The cumulative visibility landscape within the Unwooded Vales Character

gnificant

ong Term

Significant



Transport Receptor - T072 / Access to Fillingham Grange, Fillingham

Baseline Context:

This local track is located to the west of the settlement of Fillingham and serves as access to Fillingham Grange. The track heads from its junction with Willingham Road in the south to meet with Kexby Road in the north and runs in a north south direction, taking a 'dog-leg' turn before passing Fillingham Grange. The route runs parallel with public bridleway (Fill/85/2) where it joins with Willingham Road in the south.

Looking in all directions towards the Cottam 1 North Site and south towards the Cottam 1 South Site (Land parcels A, B and C). The route is also looking northwest towards the Cottam 2 Site.

Distance to Cottam Sites: 0m to Cottam 1 North

Nearest Viewpoint/s: VP34, VP35 and LCC-C-G.

Description of Route:

The first section of the route leads from Willingham Road (as far as the first 'right angled' turn) in a north south direction and passes through a series of medium scale arable fields. There are gappy hedgerows and some scrub cover to the east side of the track. The west side of the track has an open boundary with the agricultural field with no hedgerows where there are views directly towards the public bridleway (Fill/85/2). The central section of the route heads east west (as far as Fillingham Grange) passing a small woodland to the south of the route. The final section of the route then heads north south, passing across a large and expansive arable field before stopping short of Kexby Road at the junction with the minor water course (small tributary of the River Till).

There is a marked contrast between the first two sections of the route, which pass across medium scale fields that form an irregular pattern with dividing hedgerows and several mature trees and the presence of woodland. In contrast, the final section of the route is more open with no hedgerows to each side with wide views east to west towards the local tributaries of the River Till and small woodlands.

The route is influenced by the presence of the local tributaries of the River Till, which add some tree cover and minor undulations across the area. The tree cover is limited along the final section of the route, but more evenly distributed along the first two sections. The hedgerows are cut back, and the arable land use is intensively managed, but the presence of wide-reaching views towards the east adds some stimulus along its length. Open visibility towards Cottam 2 Site is evident, particularly at the first section of the route due to the lack of intervening hedgerows to the west. The distinct lack of woodland, hedgerows, and tree cover along the final section of the route forms a direct boundary with the Cottam 1 North Site and open visibility.

Open visibility towards Cottam 1 North Site due to the low height of intervening hedgerows and distinct lack of woodland and tree cover. New planting along the boundaries (where they border this local track) of the Site/Sites will curtail visibility in Year 1 and help close down some visibility in Year 15.

Overall, this route is subject to no passing traffic due to it being a local access track serving residential properties and agricultural land. The track offers a transition of features ranging from enclosed parts in the south to clear open views across the landscape from east to west including views towards the distant landscape of Laughton Woods and Laughton Common and then towards the ridgeline at Blyborough. This is an ordinary route that takes account of the open arable landscape in close proximity to the receptor. Overall, this route offers a journey for local residential access with no outstanding features of interest.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.6] January 2023



	Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decommi of Change
	The first and second sections of the route would not be significantly affected, due to the separation provided by the intervening arable fields and the presence of a consistent hedgerow network with good tree cover, where the construction works would be set back from these features. The users of the final section of the route would experience a significant level of change particularly at the location where the route passes directly adjacent to the boundary of the Site/Sites. The changes experienced from the final section of the route would include the construction, and commissioning with effects such as construction raffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would not be screened due to the absence of foreground hedgerows. During the latter part of the construction stage, views would become available of the elevated activities and there would be open views, particularly where the route passes directly adjacent to the boundary of the Site/Sites. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a wide proportion of the view and be a considerable change to the arable land use, but the field boundaries and any associated tree cover would remain intact beyond. There would not be a fundamental change to the surroundings to the north and east of the route. Construction Access Transport receptor is outside of the 500m cable route corridor	The foreground of the views from the route at this final section would change from a large agricultural field (to both sides of the route) to an area of panels, but only for a short straight section of the route. The changes would be experienced within the context of the surrounding arable fields with very few features and the route has a straight alignment with limited character.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15), refer to Viewpoints VP34, VP35 and LCC-C-G.	A similar pro Scheme bein of the Site in vegetation a secondary m future baseli the duration noise and vik generation a
gnitude	Medium	High	Medium	Low

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.6] January 2023

missioning Magnitude ge

process to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and / mitigation that had been established as the seline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.



Type of Effect	Adverse & Short Term	Adverse & Long Term	Neutral & Long Term	Neutral & Sl
Significance of Effect	Moderate Significant	Moderate-Major Significant	Moderate Significant	Minor Not S

	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	Sequential Frequent Visibility The first and second sections of the route would not be significantly affected, due to the separation provided by the intervening arable fields and the presence of a consistent hedgerow network with good tree cover, where the construction works would be set back from these features. The users of the final section of the route would experience a significant level of change particularly at the location where the route passes directly adjacent to the boundary of the Cottam 1 North Site/Sites. During the construction stage (the works) and during the operation stage (the panel areas) the effects would appear consistently and with short time lapses between instances. Although there is a slow speed of travel for walkers (farm vehicles may be travelling at speed) and there is an open boundary to the east and west of the route and so the distances between the areas of visibility would be frequent with no gaps between. The foreground of the views from the route would change from the agricultural fields (to both sides of the route at the final section of the route) to reveal both the works during the construction stage and an area of panels during the operation stage, but they would be set back from the route. The changes would be experienced in close proximity and within the context of the surrounding arable fields with a prevailing character of openness are in close proximity to the receptor and are clearly visible together in views from selected viewpoints VP34, VP35, VP41 and LCC-C-G and also from areas between these viewpoints as the route takes a course from Willingham Road in the south as far as Kexby Road in the north. Sequential Occasional Visibility The panel areas any appear with shorter time lapses between appearances because the observer may be moving more quickly (farm vehicles may be travelling at	 Fabric of the Landscape There would not be the removal of or changes in individual elements or f area. There would be the introduction of new elements and features comprisin within the character area Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam cumulative developments would not be experienced across the majority distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility. There are local patches of cumulative visibility which may be focus of like Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton further detail within the following figures: Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Develop Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Develop Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative smaller strip prevailing road network links several historic and distinctive smaller strip revailing road network is formed by narrow lanes that are often tranqui verges and they have a major role in helping to define the quality of the larea. Overall Landscape Character and Visual Amenity Overall, the character of the landscape and the communications and infrastructure features. Moreover, these features are often set within a v form that plays a positive role in reducing the overall cumulative develop.
agnitude	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Not Significant Operation (Year 15): Low Decommissioning: Low	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Not Significant Operation (Year 15): Low Decommissioning: Low

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.6] January 2023

k Short Term

t Significant

r features of the landscape within the character

sing the solar panel areas and the substation area

am 1 Site/Sites, cumulative visibility with the ity of the 5km study area. This is due to the een the Site/Sites. The intervening settlements and

kely significant effects, between the Cotton 1 on Solar Park. This cumulative visibility is set out in

pments Augmented ZTV [C6.4.8.15.2.6] elopments Augmented ZTV [C6.4.8.15.2.8] opments Augmented ZTV [C6.3.4.15.2.9]

networks, which make one landscape type or area important historic routes and in contrast, the east tring of settlements across the area. Overall, the uil and hedged to both sides with wide grassed e landscape and reducing the visibility across the

frastructure is shaped by evidence of historic norpe le Fallows and Coates, which are features the landscape. These relevant characteristics of without undue adverse effects. The cumulative r of the landscape and its communications and well-vegetated context or associated with built

ant



	SOLAR PROJECT		
	Type of	Construction: Adverse & Short Term	Construction: Adverse & Short Term
		Operation (Year 1): Adverse & Long Term	Operation (Year 1): Adverse & Long Term
		Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term	Operation (Year 1): with only Embedded Mitigation: Adverse & Long Ter
	Effect	Operation (Year 15): Neutral & Long Term	Operation (Year 15): Neutral & Long Term
		Decommissioning: Neutral & Short Term	Decommissioning: Neutral & Short Term
		Construction: Minor Not Significant	Construction: Minor Not Significant
	Significance	Operation (Year 1): Minor Not Significant	Operation (Year 1): Minor Not Significant
	of Effect	Operation (Year 1): with only Embedded Mitigation: Minor Not Significant	Operation (Year 1): with only Embedded Mitigation: Minor Not Significa
		Operation (Year 15): Minor Not Significant	Operation (Year 15): Minor Not Significant
		Decommissioning: Minor Not Significant	Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.6] January 2023

Term

ficant



Transport Receptor - T074 / Willingham Road, Fillingham

Baseline Context:

Willingham Road is located to the southwest of the settlement of Fillingham and to the northwest of the settlement of Ingham. This section of the road heads west from Fillingham at Church Farm as far as Gypsy Lane where it then joins with Fillingham Lane in the west at the junction with Gypsy Lane. The road broadly takes an east west alignment with some wide 'dog-leg' turns.

Looking directly over the Cottam 1 North Site/Sites.

Distance to Cottam Sites: Om to Cottam 1 North Site/Sites

Nearest Viewpoint/s: VP31, VP33, VP37, LCC-C-G, LCC-C-H and LCC-C-I.

Description of Route:

The first section of the route passes through an arable landscape (as far as Glebe Farm) in an east west direction with roadside hedgerows and consistent grass verges to each side. Some of the hedgerows are grown out and there are occasional trees. The central section of the route continues through the arable landscape (as far as Turpin Farm) in an east west direction where the roadside hedgerows and grass verges continue to frame the route. This section of the route takes a 'dog-leg' turn passing several entrances to farmsteads and residential properties (Side Farm, Turpin's Farm, Turpin's Bungalow and North Farm) interspersed with small woodlands. The final section of the route is the shortest part that passes between Turpin's Bungalow and Gypsy Lane and is a straight alignment with low-cut hedgerows to each side and drainage ditches. The hedgerows along this section of the route have no individual or groups of trees.

There is a marked contrast between the central section of the route, which passes through a more enclosed context due to the presence of the residential properties and their associated tree cover and agricultural buildings. The 'dog-leg' alignment also helps to create enclosure. In contrast, the first and the final sections of the route follow a straight alignment within a more open context of limited tree cover and woodlands to each side. The route is influenced by the arable fields and a landscape that is un-spoilt with very few man-made interventions, apart from the central section where the residential properties and farmsteads exert a built influence but shrouded in tree cover. The woodlands on the horizon form a significant component and add balance to the landscape and the mature ash trees within the hedgerows are also a strong feature. There are extended views south along the ridgeline towards Ingham Cliff and the route offers limited intimacy in the first and the final sections due to the lack of field hedgerows and the intensive arable land use. The horizon closes down views along the route since the landform rises to a high point on Willingham Road at approximately 20m AOD.

Overall, this route offers a pleasant journey that is typical in character to the wider rolling arable landscape. There are interesting features including woodland blocks and isolated oak trees, but the field hedgerows are cut back, and the arable land use is intensively managed,

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.7] January 2023



Transport Receptor – T074 / Willingham Road, Fillingham

Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decommis of Change
The first section of the route would not be significantly affected, due to the separation provided by the intervening arable fields, the presence of a consistent hedgerow network and the distance from the construction works. The users of the central and final section of the route would however experience a significant level of change particularly at the location where the route passes directly adjacent to the boundary of the Site/Sites in the final section. The changes experienced from the central and final sections of the route would include the construction activities during site preparation <i>/</i> enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction atsage, ground, and lower-level activities such as the construction attivities. During the latter part of the construction stage, views would be partially screened by the foreground hedgerows, built form and tree cover in the central section of the route. The final section of the route would experience more open views of the construction activities. During the latter part of the construction stage, views would become available of the elevated activities and ther would be open views, particularly where the route passes directly adjacent to the boundary of the Site/Sites at the final section of the route. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows.	The foreground of the views from the route at the final section would change from a large agricultural field (to both sides of the route) to an area of panels, but only for a short straight section of the route. The changes would be experienced within the context of the surrounding arable fields with very few features and the route has a straight alignment with limited character. With the central section of the route, there would be a change from arable fields along the majority of the southern section of the route, but the panels would be set back from the roadside hedgerows. The northern section of the central part of the route would only experience changes to both sides of the route from arable to panels for a short section of the route between Side Farm and the junction with Gypsy Lane.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15) refer to Viewpoints VP31, VP33, VP37, LCC-C-G, LCC-C-H and LCC-C-I.	A similar pro Scheme bein of the Site in vegetation ar secondary m baseline. Effe duration of th and vibratior generation a

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.7] January 2023

missioning Magnitude ge

process to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and / mitigation that had been established as the future Effects are those arising from activities for the f the decommissioning to include site traffic, noise tion from decommissioning activities, dust and site runoff.



Significance of Effect	Moderate Significant	Moderate-Major Significant	Moderate Significant	Minor Not S
Type of Effect	Adverse & Short Term	Adverse & Long Term	Neutral & Long Term	Neutral & S
Magnitude	Medium	High	Medium	Low
	Transport receptor is partially within the 2km study area; the western section between Fillingham Lane and Turpins Bungalows			

In-Combinat	ion Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	Sequential Frequent Visibility	Fabric of the Landscape
	The first section of the route would not be significantly affected, due to the separation	There would not be the removal of or changes in individual elements or features of
	provided by the intervening arable fields, the presence of a consistent hedgerow network and	area.
	the distance from the construction works. The users of the central and final section of the	
	route would however experience a significant level of change particularly at the location	There would be the introduction of new elements and features comprising the sola
	where the route passes directly adjacent to the boundary of the Site/Sites on both sides of the route in the final section.	within the character area
		Aesthetic Aspects of the Landscape
	During the construction stage (the works) and during the operation stage (the panel areas)	Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Site
	would appear consistently and with short time lapses between instances. Although there is a	cumulative developments would not be experienced across the majority of the 5km
	slow speed of travel for walkers (road users may be travelling at speed), there is a hedgerow	distance, the intervening woodlands, hedgerows, and tree cover between the Site/S
	boundary to both sides of the route and so the distances between the areas of visibility would	built form would also curtail cumulative visibility.
	be less frequent with some gaps between.	There are least patches of sum dative visibility which may be force of likely signified
	The foreground of the views from the route would change from the agricultural fields (to the	There are local patches of cumulative visibility which may be focus of likely significa Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton Solar Park
	south side of the central section of the route and to both sides of the final section of the	further detail within the following figures:
	route) to reveal both the works during the construction stage and an area of panels during the	
	operation stage, but they would be set back from the route. The changes would be	Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Aug
	experienced in close proximity and within the context of the surrounding arable fields with a	Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments A
	prevailing character of openness and distinct absence of other development or man-made	Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Aug
	features, apart from the isolated farmsteads and the long straight presence of Willingham	
	Road.	The landscape is shaped by the wide range of local and strategic road networks, wh
		different from another. The strategic major road network is defined by important h
	The works and the panel areas are in close proximity to the receptor and are clearly visible	east west minor road network links several historic and distinctive smaller string of
	along the central and final sections of the route together in views from selected viewpoints	the prevailing road network is formed by narrow lanes that are often tranquil and h
	VP31, VP33, VP37, LCC-C-G, LCC-C-H and LCC-C-I and also from areas between these	grassed verges and they have a major role in helping to define the quality of the lar
	viewpoints as the route takes a course from Fillingham in the east and Willingham by Stow in	across the area.
	the west.	Overall Landscape Character and Visual Amenity
	Sequential Occasional Visibility	Overall, the character of the landscape and the communications and infrastructure
	The panel areas may appear with shorter time lapses between appearances because the	settlement with farms, nucleated villages, and small hamlets such as Thorpe le Fallo
	observer may be moving more quickly (road users may be travelling at speed) and there are	value that are not highly recognised for adding intimacy and interest to the landsca
	larger distances between the viewpoints along the route.	the landscape and land use have some ability to accommodate change without unc
		visibility for the Cottam 1 Site/Sites would not alter the overall character of the land
		infrastructure features. Moreover, these features are often set within a well-vegeta
		form that plays a positive role in reducing the overall cumulative effects.
	Construction: Low	Construction: Low
gnitude	Operation (Year 1): Low	Operation (Year 1): Low
Sincauc	Operation (Year 1): with only Embedded Mitigation: Low Not Significant	Operation (Year 1): with only Embedded Mitigation: Low Not Significant
	Operation (Year 15): Low	Operation (Year 15): Low

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.7] January 2023

& Short Term

ot Significant


of the landscape within the character
lar panel areas and the substation area
ites, cumulative visibility with the km study area. This is due to the e/Sites. The intervening settlements and
cant effects, between the Cotton 1 rk. This cumulative visibility is set out in
gmented ZTV [C6.4.8.15.2.6] Augmented ZTV [C6.4.8.15.2.8] Igmented ZTV [C6.3.4.15.2.9]
which make one landscape type or area historic routes and in contrast, the of settlements across the area. Overall, hedged to both sides with wide andscape and reducing the visibility
re is shaped by evidence of historic llows and Coates, which are features cape. These relevant characteristics of ndue adverse effects. The cumulative ndscape and its communications and stated context or associated with built



Transport Receptor – T074 / Willingham Road, Fillingham

In-Combinat	ion Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	Decommissioning: Low	Decommissioning: Low
Type of Effect	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significant Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significant Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.7] January 2023





Transport Receptor - T099 / Coates Lane, Stow

Baseline Context:

Coates Lane is located to the southeast of the settlement of Normanby by Stow. This section of the lane heads from the junction with Normanby Road at the location with the residential properties known as Flat Tops and then passes east towards the small settlement of Coates as far as the junction with receptor (T094), which is the local track between South Lane and Coates Lane. This route is a local green lane with a bridge crossing over the River Till just to the southwest of Normanby Gorse.

Looking southeast towards Cottam 1 South Site and northeast towards the Cottam 1 North Site.

Distance to Cottam Sites: 0m to Cottam 1 North

Nearest Viewpoint/s: VP14, VP19 and VP20.

Description of Route:

The first section of the route (as far as the bridge crossing with the River Till) passes as a local green lane through a system of medium scale arable fields divided by hedgerows with a good concentration of mature trees. The field system to the south of the track (at this section) is very regular and geometric with a particularly strong network of hedgerows arranged in rectangular blocks. In contrast, to the north of the track the fields are larger scale, more irregular with less hedgerows and tree cover. The main concentration of vegetation is associated with the course of the River Till, where it's course can be traced in the landscape by the riparian vegetation on its steep-sided channel. The second section of the route (as far as the junction with receptor T094) continues through the arable landscape where the formal geometric pattern of fields is interrupted by the course of the River Till and its smaller tributaries that take a very winding course through the landscape. This section of the route is also framed by the distinctive woodland known as Normanby Gorse.

There is a marked contrast between the first section of the route, which passes through a more open context due to the presence of the geometric fields, where some are divided by low hedgerows. Although there is a strong presence of tree cover to either side of the green lane, there are extended views both towards the north and south. In contrast, the second section of the route is set within a more enclosed context due to the tree cover in the tall hedgerows to each side and Normanby Gorse also provides enclosure and curtails visibility towards the north. The route is influenced by the arable fields and a landscape that is tranquil with very few manmade interventions, apart from the first section where it meets with Normanby Road. The woodlands at Normanby Gorse form a significant component and add balance to the landscape and the mature ash trees within the hedgerows are also a strong feature.

Overall, the route is influenced by the presence of the River Till that passes beneath this local bridge at the junction between the first and second sections. The watercourse is confined within a deep channel, but the tree cover on the local green lane and the strong presence of Normanby Gorse enhance the visual quality of the route. The riparian woodland that follows the meandering course of the River Till is also a distinctive feature as well as the tussocky grassland on the steeply inclined banks of the watercourse. This route offers a pleasant journey towards a quiet landscape. There are intensive levels of management within the arable farmland, but where there is pasture, this gives the impression of an attractive landscape.

Sensitivity: Medium to High

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.8] January 2023



Transport Rece	eptor – T099 / Coates Lane, Stow			
c	Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decommis of Change
p c c T t t h h s e c c c c n n r r s s a a ir f f v w t t t t t t t t t t t t t t t t t t	The first section of the route would be significantly affected where it basses directly adjacent to the boundary of the Site/Sites. The construction works would be located to the north side of the route only. The second section of the route would be less evident than the first edgerow network the effects would be less evident than the first exection. The users of both sections of the route would however experience a significant level of change. The changes would include the construction activities during site preparation / enabling works, construction activities during site preparation / enabling works, construction activities during site preparation / enabling works, construction activities during site preparation of plant and machinery on ite. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partially screened by the oreground hedgerows and tree cover. The first section of the route would be come available of the elevated activities and there would be open views, particularly where he route passes directly adjacent to the boundary of the Site/Sites at the irst section of the route.	The foreground of the views from the route at the first and second sections would change from the agricultural fields (to one side of the route) to an area of panels, but only for a short straight length of the second section of the route. The changes would be experienced within the context of the surrounding arable fields with very some interesting features, but the panels would be set back from the roadside hedgerows.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15) refer to Viewpoints VP14, VP19 and VP20.	A similar proc Scheme being of the Site in w vegetation an secondary mi future baselin the duration of noise and vibi generation an

nissioning Magnitude ge

process to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the seline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust n and site runoff.



Magnitude	Medium	High	Medium	Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Neutral & Long Term	Neutral & Sl
Significance of Effect	Moderate-Major Significant	Major Significant	Moderate-Major Significant	Minor-Mode

	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	Sequential Frequent Visibility	Fabric of the Landscape
	The first section of the route would be significantly affected where it passes directly adjacent to the boundary of the Site/Sites. The construction works would be located to the north side of the	There would not be the removal of or changes in individual elements or features
	route only. The second section of the route would be significantly affected, but due to the shortness of this section and the presence of a consistent hedgerow network the effects would be less evident than the first section. The users of both sections of the route would however	There would be the introduction of new elements and features comprising the so the character area
	experience a significant level of change.	Aesthetic Aspects of the Landscape
		Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/S
	During the construction stage (the works) and during the operation stage (the panel areas)	developments would not be experienced across the majority of the 5km study ar
	would appear consistently and with short time lapses between instances. Although there is a	woodlands, hedgerows, and tree cover between the Site/Sites. The intervening se
	slow speed of travel for walkers (farm vehicles may be travelling at speed), there is a hedgerow boundary to the north and so the distances between the areas of visibility would be less	cumulative visibility.
	frequent with some gaps between.	There are local patches of cumulative visibility which may be focus of likely signif Gate Burton Energy Park, Tillbridge Solar and West Burton Solar Park. This cumu
	The foreground of the views from the route would change from the agricultural fields (to the north side of the route) to reveal both the works during the construction stage and an area of	the following figures:
	panels during the operation stage, but they would be set back from the route. The changes	Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Au
	would be experienced in close proximity and within the context of the surrounding arable fields with a prevailing character of openness and distinct absence of other development or man- made features.	Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments A
		The landscape is shaped by the wide range of local and strategic road networks,
	The works and the panel areas are in close proximity to the receptor and are clearly visible together in views from selected viewpoints VP14, VP19 and VP20 and also from areas	from another. The strategic major road network is defined by important historic network links several historic and distinctive smaller string of settlements across
	between these viewpoints as the route takes a course from Ingham Road in the south to join with Normanby Road in the west.	formed by narrow lanes that are often tranquil and hedged to both sides with wi helping to define the quality of the landscape and reducing the visibility across the
	Sequential Occasional Visibility	Overall Landscape Character and Visual Amenity
	The panel areas may appear with shorter time lapses between appearances because the observer may be moving more quickly (farm vehicles may be travelling at speed) and users may	Overall, the character of the landscape and the communications and infrastructu with farms, nucleated villages, and small hamlets such as Thorpe le Fallows and G
	be travelling slowly as walkers slow down to appreciate the landscape. There are also larger	highly recognised for adding intimacy and interest to the landscape. These relev
	distances between the viewpoints along the route.	have some ability to accommodate change without undue adverse effects. The c
		would not alter the overall character of the landscape and its communications ar
		features are often set within a well-vegetated context or associated with built for
	Construction Low	overall cumulative effects.
	Construction: Low Operation (Year 1): Low	Construction: Low Operation (Year 1): Low
lagnitude	Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Not Significant	Operation (Year 1): with only Embedded Mitigation: Low Not Significant
agintude	Operation (Year 15): Low	Operation (Year 15): Low
	Decommissioning: Low	Decommissioning: Low
	Construction: Adverse & Short Term	Construction: Adverse & Short Term
/pe of	Operation (Year 1): Adverse & Long Term	Operation (Year 1): Adverse & Long Term
ffect	Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term	Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.8] January 2023

Short Term

derate Not Significant

es of the landscape within the character area.

solar panel areas and the substation area within

/Sites, cumulative visibility with the cumulative area. This is due to the distance, the intervening settlements and built form would also curtail

ificant effects, between the Cotton 1 Site/Sites and nulative visibility is set out in further detail within

Augmented ZTV [C6.4.8.15.2.6] nts Augmented ZTV [C6.4.8.15.2.8] Augmented ZTV [C6.3.4.15.2.9]

s, which make one landscape type or area different ic routes and in contrast, the east west minor road ss the area. Overall, the prevailing road network is wide grassed verges and they have a major role in the area.

ture is shaped by evidence of historic settlement Coates, which are features value that are not evant characteristics of the landscape and land use cumulative visibility for the Cottam 1 Site/Sites and infrastructure features. Moreover, these orm that plays a positive role in reducing the



Transport Re	Transport Receptor – T099 / Coates Lane, Stow				
	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]			
	Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term	Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term			
Significance	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significant	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significant			
of Effect	Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant	Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant			

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.8] January 2023



Transport Receptor – T110 / Blackthorn Lane, Cammeringham

Baseline Context:

Blackthorn Lane is located to the west of the settlement of Cammeringham. This section of the lane heads from the B1398 at Cammeringham in the east, passing in a straight alignment towards the west serving residential properties at Blackthorn Hill and then extends as far as further residential properties known as Cold Harbour and Furze Hill where the track then joins with receptor T109 (Unnamed Road, Stow).

Looking directly southwest over the Cottam 1 South Site and northwest over the Cottam 1 North Site and Cottam 1 South Site.

Distance to Cottam Sites: Om to Cottam 1 South Site.

Nearest Viewpoint/s: VP22, VP23 and LCC-C-D.

Description of Route:

The first section of the route (as far as Long Covert) passes through a large-scale arable landscape with extensive field systems that supports very few hedgerows or tree cover. The field system to the south of the route at this section is an irregular, but geometric mix of fields interspersed by strong woodland blocks that form a notable collection of local woodlands. In contrast, the fields to the north of the track at this section are less geometric, large scale and extensive due to the distinct lack of hedgerows. The second section of the route (as far as Cammeringham) passes through a similar system of arable fields that support very few hedgerows or tree cover, except that the outlying landscape to the south at Brattleby takes on a distinct change in character to reveal smaller field systems with a good network of mature trees including field trees.

There is very little in contrast between the first and second sections of the route as both pass through an open context of geometric fields, where some are divided by low hedgerows or none at all. Although there is absence of individual tree cover to either side of the route, there are extended views towards the south which capture the local collection of geometric woodland blocks. The second section of the route is set within a slightly more enclosed context due to the presence of the woodlands which curtail visibility towards the south. The route is influenced by the arable fields and a landscape that is tranquil with very few man-made interventions.

Overall, this route offers a journey across a simple landscape with very few elements or features of interest. This is an isolated location with a sense of safety and security. There are intensive levels of management within the arable farmland and so the route is influenced by the regular and geometric fields with few hedgerow divisions. The woodland at Brattleby Hall is just visible in the distance to the south of the route and the tree cover associated with Stow Lane is also just visible on the horizon to the north. There are some extended views, but there is also a tall, distinctive hedgerow to north of Blackthorn Lane that closes down views in this direction, whereas in contrast the hedgerow to the south of Blackthorn Lane lack's structure and is gappy in parts giving more visibility in this direction.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Transport R	Transport Receptor – T110 / Blackthorn Lane, Cammeringham					
	Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decommis of Change		

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.9] January 2023

nissioning Magnitude



where it passes directly adjacent to the boundary of the Site/Sites. The construction works would be located on both	The foreground of the views from the route at the first section would change from the agricultural fields (to both sides of the route) to an area of panels, but they would be set back behind the existing hedgerows. The changes would be experienced within the context of the surrounding arable fields with a prevailing	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15), refer to Viewpoints VP22, VP23 and LCC-C-D.	A similar pro Scheme beir of the Site in vegetation a
not be significantly affected, as there are no works to each side and oblique views towards the first section of the route would be masked by the intervening hedgerows. The changes to the first section of the route would include the	character of openness and distinct absence of features.		secondary m future baseli the duration noise and vil generation a
Magnitude Medium	High	Medium	Low
Type of Adverse & Short Term	Adverse & Long Term	Neutral & Long Term	Neutral & Sh

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.9] January 2023

process to that of construction stage, but with the eing no longer operational. This is an assessment e in winter but assumes retention of existing n and builds upon the proposed primary and y mitigation that had been established as the seline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust n and site runoff.

Short Term



Moderate-Major	Significant
----------------	-------------

Moderate Significant

	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	 Sequential Frequent Visibility The first section of the route would be significantly affected where it passes directly adjacent to the boundary of the Site/Sites. The construction works would be located on both sides of the route. The second section of the route would not be significantly affected, as there are no works to each side and oblique views towards the first section of the route would be masked by the intervening hedgerows. During the construction stage (the works) and during the operation stage (the panel areas) would appear consistently and with short time lapses between instances. Although there is a slow speed of travel for walkers (road users may be travelling at speed), there is a hedgerow boundary to both sies of the lane and so the distances between the areas of visibility would be less frequent with some gaps between. The foreground of the views from the route would change from the agricultural fields (to both sides of the route) to reveal both the works during the construction stage and an area of panels during the operation stage, but they would be set back from the route. The changes would be experienced in close proximity and within the context of the surrounding arable fields with a prevailing character of openness and distinct absence of other development or man-made features apart from isolated farmsteads. The works and the panel areas are in close proximity to the receptor and are visible together in views from selected viewpoints VP22, VP23 and LCC-C-D and also from areas between these viewpoints as the route takes a course from the settlement of Cammeringham in the east as far as Furze Hill in the west. Sequential Occasional Visibility The panel areas may appear with shorter time lapses between appearances because the observer may be moving very quickly (road users may be travelling at speed) and there are larger distances between the viewpoints along the route. 	Fabric of the Landscape There would not be the removal of or changes in individual elements or farea. There would be the introduction of new elements and features comprisin within the character area Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam cumulative developments would not be experienced across the majority distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility. There are local patches of cumulative visibility which may be focus of like Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton further detail within the following figures: Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developm Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developm Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developm The landscape is shaped by the wide range of local and strategic road net different from another. The strategic major road network is defined by in west minor road network links several historic and distinctive smaller strip prevailing road network is formed by narrow lanes that are often tranqui verges and they have a major role in helping to define the quality of the I area. Overall Landscape Character and Visual Amenity Overall, the character of the landscape and the communications and infrest the induction shill by recognised for adding intimacy and interest to the landscape and land use have some ability to accommodate change wisibility for the Cottam 1 Site/Sites would not alter the overall character of infrastructure features. Moreover, these features are often set within a wisibility or the Cottam 1 Site/Sites would
Magnitude	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Not Significant Operation (Year 15): Low Decommissioning: Low	form that plays a positive role in reducing the overall cumulative effects. Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Not Significant Operation (Year 15): Low Decommissioning: Low
Гуре of Effect	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.9] January 2023

Minor Not Significant

r features of the landscape within the character

sing the solar panel areas and the substation area

m 1 Site/Sites, cumulative visibility with the ty of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and

kely significant effects, between the Cotton 1 on Solar Park. This cumulative visibility is set out in

pments Augmented ZTV [C6.4.8.15.2.6] elopments Augmented ZTV [C6.4.8.15.2.8] pments Augmented ZTV [C6.3.4.15.2.9]

networks, which make one landscape type or area important historic routes and in contrast, the east tring of settlements across the area. Overall, the uil and hedged to both sides with wide grassed landscape and reducing the visibility across the

frastructure is shaped by evidence of historic norpe le Fallows and Coates, which are features the landscape. These relevant characteristics of without undue adverse effects. The cumulative r of the landscape and its communications and well-vegetated context or associated with built

nt

erm



Significance of Effect	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significant Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Signific Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant
---------------------------	--	---

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.9] January 2023

ficant



Transport Receptor - T119 / Fleets Lane, Sturton by Stow

Baseline Context:

Fleets Lane is located to the east of the settlements of Stow and Sturton by Stow. This section of the lane passes in a north south direction between Ingham Road and Fleets Road. The lane follows an almost straight alignment with a few shallow turns to take account of smaller-scale field patterns, particularly to the south of the route. The lane is bordered by hedgerows to each side that are low cut in some parts, and in some places, there are no hedgerows which allow views across their bounds.

Looking east towards the Cottam 1 South Site.

Distance to Cottam Sites: 0m to Cottam 1 South.

Nearest Viewpoint/s: VP8, VP10 and VP13.

Description of Route:

The first section of the route (as far as public footpath Stur/73/1) passes through a large-scale arable landscape with extensive field systems that take an irregular pattern due to the meandering influence of the River Till and its associated tributaries. The field system to the west of the route at this section is regular, interspersed with very few hedgerows and extends as far as the settlement edge of Sturton by Stow where smaller fields define the boundary of the residential areas. In contrast, the fields to the east of the route at this section are less geometric, still large scale and extensive due to the distinct lack of hedgerows but the River Till divides the landscape. The second section of the route (as far as Ingham) passes through a similar system of arable fields that support very few hedgerows or tree cover, except that the outlying landscape to the west takes on a greater distance between the route and the settlement edge of Stow (compared to the distance to Sturton by Stow).

There is a subtle contrast between the first and second sections of the route. Both pass through an open context of geometric fields, where some are divided by low hedgerows or none at all, but the first section of the route is more open with large expanses where there are no roadside hedgerows, particularly to the east side. The first section of the route also has less visibility towards the east due to the intervening landform and so the Limestone Scarps and Dipslope Character Area 6a is less of a feature. Although there is absence of individual tree cover to either side of the route on both sections, there is relatively more tree cover to the second section of the route. Although the second section of the route is set within a slightly more enclosed context there is open visibility towards the distant horizon that captures Character Area 6a. The route is influenced by the arable fields and a landscape that is tranquil with very few man-made interventions, other than views towards the settlements which includes views of the Grade II listed Church of St Hugh of Avalon (List Entry: 1146772) on Stow Road, Sturton by Stow.

Overall, this route offers a journey across a simple landscape with very few elements or features of interest. There are intensive levels of management within the arable farmland and so the route is influenced by the regular and geometric fields divided with few hedgerow divisions. The collection of small woodlands to the west of Brattleby are just visible in the distance to the east of the first section of route and the tree cover associated with Stow Lane is also just visible on the horizon to the south. There are some extended views where the absence of hedgerows enhances the feeling of scale along the route, and which opens up views along its length as it approaches Fleets Road in the south. This is a quiet location (even though it is in close proximity to Sturton by Stow) with a notable absence of settlement or other busy roads. This route offers an interesting journey along an attractive local lane with distinctive grass verges. The experience is a pleasant and invigorating.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.10] January 2023



Transport Receptor – T119 / Fleets Lane, Sturton by Stow

	Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decommis of Change
	The first section of the route would not be significantly affected, as there are no construction works to each side and oblique views towards the second section of the route would be masked by the intervening hedgerows. Ining Fleets Lane and within the intervening field systems. The second section of the route would be significantly affected where it passes directly adjacent to the boundary of the Site/Sites. The construction works would be located on one side of the route (east side) and they would only be adjacent to Fleets Lane for a short section of the route. The changes to the second section of the route would include the construction activities during site preparation / enabling works, construction atomissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partially screened by the foreground hedgerows. During the latter part of the construction stage, views would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. There would he a dominant feature for only a short length at the second section of the route. There would also be landscape and biodiversity mitigation works, including the site with the information with second section of the route. There would be a dominant feature for only a short length at the second section of the route. There would he a fundamental change to the surroundings to the west and south of the second section of the route. There would n	The foreground of the views from the route at the second section would change from the agricultural fields (to one side of the route) to an area of panels, but they would be set back behind the existing hedgerows. The changes would be experienced within the context of the surrounding arable fields that are intensive use with very some simple features, and limited character.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15) refer to Viewpoints VP8, VP10 and VP13.	A similar proc Scheme being of the Site in w vegetation an secondary mi future baselin the duration of noise and vib generation an
le	Medium	High	Medium	Low

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.10] January 2023

nissioning Magnitude e

rocess to that of construction stage, but with the ing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.



Type of Effect	Adverse & Short Term	Adverse & Long Term	Neutral & Long Term	Neutral & Sl
Significance of Effect	Moderate Significant	Moderate-Major Significant	Moderate Significant	Minor Not S

	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	Sequential Frequent Visibility	Fabric of the Landscape
	The first section of the route would not be significantly affected, as there are no construction works to each side and oblique views towards the second section of the route would be masked by the intervening hedgerows lining Fleets Lane and within the intervening field systems. The second section of	There would not be the removal of or changes in individual elements or area.
	the route would be significantly affected where it passes directly adjacent to the boundary of the Site/Sites.	There would be the introduction of new elements and features comprisi within the character area
	During the construction stage (the works) and during the operation stage (the panel areas) would appear consistently and with short time lapses between instances. Although there is a slow speed of travel for walkers (road users may be travelling at speed), there is a hedgerow boundary to the east and so the distances between the areas of visibility would be less frequent with some gaps between.	<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottan cumulative developments would not be experienced across the majority distance, the intervening woodlands, hedgerows, and tree cover betwee built form would also curtail cumulative visibility.
	The foreground of the views from the route would change from the agricultural fields (to one side of the route) to reveal both the works during the construction stage and an area of panels during the operation stage, but they would be set back from the route and only adjacent to the road for a short section at its northern end and the junction with Ingham Road. The changes would be experienced in close proximity and within the context of the surrounding arable fields with a prevailing character of	There are local patches of cumulative visibility which may be focus of like Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton further detail within the following figures:
	openness and distinct absence of other development or man-made features apart from isolated farmsteads and the nearby settlement edge of Stow.	Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Develop Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develop Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Develop
	The works and the panel areas are in close proximity to the receptor (for a very short length of the route) and are clearly visible together in views from selected viewpoints VP8, VP10 and VP13 and also from areas between these viewpoints as the route takes a course from the junction with Fleets Road in the south to meet with Ingham Road in the north.	The landscape is shaped by the wide range of local and strategic road ne different from another. The strategic major road network is defined by ir west minor road network links several historic and distinctive smaller str prevailing road network is formed by narrow lanes that are often tranqu
	<u>Sequential Occasional Visibility</u> The panel areas may appear with shorter time lapses between appearances because the observer may be moving more quickly (road users may be travelling at speed) and there are larger distances between	verges and they have a major role in helping to define the quality of the area.
	the viewpoints along the route.	<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infr settlement with farms, nucleated villages, and small hamlets such as Tho value that are not highly recognised for adding intimacy and interest to t
		the landscape and land use have some ability to accommodate change we visibility for the Cottam 1 Site/Sites would not alter the overall character infrastructure features. Moreover, these features are often set within a we form that plays a positive role in reducing the overall cumulative effects.
	Construction: Low	Construction: Low
ude	Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Not Significant	Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Not Significan
	Operation (Year 15): Low	Operation (Year 15): Low
	Decommissioning: Low	Decommissioning: Low

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.10] January 2023

Short Term

t Significant

r features of the landscape within the character

sing the solar panel areas and the substation area

m 1 Site/Sites, cumulative visibility with the ty of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and

kely significant effects, between the Cotton 1 on Solar Park. This cumulative visibility is set out in

pments Augmented ZTV [C6.4.8.15.2.6] elopments Augmented ZTV [C6.4.8.15.2.8] pments Augmented ZTV [C6.3.4.15.2.9]

networks, which make one landscape type or area important historic routes and in contrast, the east tring of settlements across the area. Overall, the uil and hedged to both sides with wide grassed landscape and reducing the visibility across the

frastructure is shaped by evidence of historic norpe le Fallows and Coates, which are features the landscape. These relevant characteristics of without undue adverse effects. The cumulative r of the landscape and its communications and well-vegetated context or associated with built

nt



SOLAR PROJECT		
Type of Effect	Construction: Adverse & Short Term	Construction: Adverse & Short Term
	Operation (Year 1): Adverse & Long Term	Operation (Year 1): Adverse & Long Term
	Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term	Operation (Year 1): with only Embedded Mitigation: Adverse & Long Ter
	Operation (Year 15): Neutral & Long Term	Operation (Year 15): Neutral & Long Term
	Decommissioning: Neutral & Short Term	Decommissioning: Neutral & Short Term
	Construction: Minor Not Significant	Construction: Minor Not Significant
Significance of Effect	Operation (Year 1): Minor Not Significant	Operation (Year 1): Minor Not Significant
	Operation (Year 1): with only Embedded Mitigation: Minor Not Significant	Operation (Year 1): with only Embedded Mitigation: Minor Not Signification
	Operation (Year 15): Minor Not Significant	Operation (Year 15): Minor Not Significant
	Decommissioning: Minor Not Significant	Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.10] January 2023

Term

ficant



Transport Receptor – T120 / Unnamed Road, Stow

Baseline Context:

The Unnamed Road is located to the north of Thorpe le Fallows and to the west of Thorpe Wood. This short section of the road passes in a north south direction providing access Grange.

Looking east and west towards the Cottam 1 South Site.

Distance to Cottam Sites: 0m to Cottam 1 South Site

Nearest Viewpoint/s: VP5, VP11 and VP12.

Description of Route:

This section of the route passes through a large-scale arable landscape with an extensive system of fields of a varying size that take a regular pattern. Most of the fields are recta some hedgerows and extends as far as the small woodland shelterbelt known as Thorpe Wood. The collection of fields support limited tree cover, however the strong presence cover. The outlying landscape to the west has some riparian tree cover bordering the River Till, which is evident in the context of the route.

There is little contrast between each end of the route where both pass through a context of geometric fields, but the section closer to the Grange is more open away from the im also has less visibility towards the east and west due to the presence of Thorpe Wood and the meandering course of the River Till. There is absence of individual tree cover to eit by the arable fields and the man-made interventions at The Grange. The intervening woodland blocks to the west of Brattleby also add enclosure to the east.

Overall, this route offers a very journey through a simple landscape with very few elements or features of interest other than Thorpe Wood. There are intensive levels of manage route is influenced by the regular and geometric fields. The collection of small woodlands to the west of Brattleby are a feature and the tree cover associated with Thorpe Lane is notable absence of settlement or other busy roads. This route offers an interesting journey, serves as access to the arable fields and is a public bridleway (TLFe/31/2).

Sensitivity: *High to Medium*

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 50m from adjacent residential property boundaries. minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calil All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation w had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.11] January 2023

s to the residential property known as The
angular. This field system is interspersed with of Thorpe compensates for the lack of trte
nmediate setting of Thorpe Wood. The route ther side of the route. The route is influenced
ement within the arable farmland and so the s also just visible. This is a quiet location with a
also referred to as primary mitigation and nimum of 20m from major watercourses and to a height of 5m. Hedgerow trees will be n of existing hedges.
brated to vehicle and personnel movements. d. There will be no lighting on perimeter
which will have been carried out but will have



Transport Re	ceptor – T120 / Unnamed Road, Stow			
	Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decommi of Change
	This section of the route would be significantly affected where it passes directly adjacent to the boundary of the Site/Sites, beyond the southern end of Thorpe Wood. The construction works would be located each side of the route (east and west) but the western edge of the route has a tall hedgerow and this is only a short section of route. The changes to this route would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction attivities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would not be screened to the east of the route has a tall hedgerow and so there would be no direct and open visibility of the construction works. During the latter part of the construction stage, views would become available of the elvated activities and there would be open views, particularly where the route passes directly adjacent to the boundary of the Site/Sites at the eastern side of the route. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a narrow and proportion of the route. There would be a fundamental change to the subcland use, but the field boundaries and any associated tree cover would remain intact. There would no the affected by the proposed construction access into Cottam 1 South Site. Cable Route Corridor Transport receptor will not be affected by the propose	The foreground of the views from the route to the eastern side would change from the agricultural fields to an area of panels, but they would only be set back behind the existing hedgerows to the east side and the west side would have open and expansive views of the panels. The changes would be experienced within the context of the surrounding arable fields that are in intensive use with very some simple features, with little tree cover and a limited character.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15) refer to Viewpoints VP5, VP11 and VP12.	A similar pro Scheme bein of the Site in vegetation a secondary m future baseli the duration noise and vik generation a
Magnitude	Medium	High	Medium	Low
Level of Effect	Adverse & Short Term	Adverse & Long Term	Neutral & Long Term	Neutral & Sh

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.11] January 2023

missioning Magnitude ge

process to that of construction stage, but with the eing no longer operational. This is an assessment e in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the seline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.

Short Term



Significance of Effect	Moderate-Major Significant	Major Significant	Moderate-Major Significant	Minor Not S
---------------------------	----------------------------	--------------------------	----------------------------	-------------

Transport Receptor – T120 / Unnamed Road, Stow

	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	<u>Sequential Frequent Visibility</u> This section of the route would be significantly affected where it passes directly adjacent to the boundary of the Site/Sites, beyond the southern end of Thorpe Wood.	Fabric of the Landscape There would not be the removal of or changes in individual elements or area.
	 During the construction stage (the works) and during the operation stage (the panel areas) would appear consistently and with short time lapses between instances. Although there is a slow speed of travel for walkers (horse riders may be travelling at speed), this is an open boundary to the east and so the distances between the areas of visibility would be frequent with no gaps between. The foreground of the views from the route would change from the agricultural fields (to one side of the route) to reveal both the works during the construction stage and an area of panels during the operation stage, but they would be set back from the route. The changes would be experienced in close proximity and within the context of the surrounding arable fields with a prevailing character of openness and distinct absence of other development or man-made features apart from isolated farmsteads. The works and the panel areas are in close proximity to the receptor and are clearly visible together in views from selected viewpoints VP5, VP11 and VP12 and also from areas between these viewpoints as the route takes a course from the minor access to The Grange to the north of Thorpe Wood. Sequential Occasional Visibility The panel areas may appear with shorter time lapses between appearances because the observer may be moving more quickly (farm vehicles may be travelling at speed) and there are larger distances between the viewpoints along the route. 	 There would be the introduction of new elements and features comprising within the character area <u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottarm cumulative developments would not be experienced across the majority distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility. There are local patches of cumulative visibility which may be focus of like Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton further detail within the following figures: Figure 8.15.2.6 Cottam 1, 2,3a and 3b Gate Burton Cumulative Develop Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Develop The landscape is shaped by the wide range of local and strategic road need different from another. The strategic major road network is defined by ir west minor road network links several historic and distinctive smaller str prevailing road network links several historic and distinctive smaller strategic road network links and the prevalues of the strategic road network links and the prevalues of the strategic road network links and road network links reveral historic and distinctive smaller strategic road network links and road network links reveral historic and distinctive smaller strategic road network links and road network links reveral historic and distinctive smaller strategic road network links several historic and distinctive smaller strategic road network links and road network links reveral historic and distinctive smaller strategic road network links and road network links reveral historic and distinctive smaller strategic road network links and road network links reveral historic and distinctive smaller strategic road network links and road network links reveral historic and distinctive smaller strategic road network links reveral historic and distinctive smaller strategic road network links reveral historic and distinctic road netwo
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infr settlement with farms, nucleated villages, and small hamlets such as The value that are not highly recognised for adding intimacy and interest to t the landscape and land use have some ability to accommodate change v visibility for the Cottam 1 Site/Sites would not alter the overall character infrastructure features. Moreover, these features are often set within a form that plays a positive role in reducing the overall cumulative effects.
Magnitude	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Not Significant Operation (Year 15): Low Decommissioning: Low	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Not Significan Operation (Year 15): Low Decommissioning: Low
Type of Effect	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Ter Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.11] January 2023

ot Significant

or features of the landscape within the character

ising the solar panel areas and the substation area

am 1 Site/Sites, cumulative visibility with the ity of the 5km study area. This is due to the een the Site/Sites. The intervening settlements and

ikely significant effects, between the Cotton 1 on Solar Park. This cumulative visibility is set out in

pments Augmented ZTV [C6.4.8.15.2.6] elopments Augmented ZTV [C6.4.8.15.2.8] opments Augmented ZTV [C6.3.4.15.2.9]

networks, which make one landscape type or area important historic routes and in contrast, the east string of settlements across the area. Overall, the quil and hedged to both sides with wide grassed e landscape and reducing the visibility across the

nfrastructure is shaped by evidence of historic horpe le Fallows and Coates, which are features the landscape. These relevant characteristics of e without undue adverse effects. The cumulative er of the landscape and its communications and a well-vegetated context or associated with built

ant

erm



Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significant Operation (Year 15): Minor Not Significant	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significa Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant
Decommissioning: Minor Not Significant	Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.11] January 2023

ficant



Transport Receptor - T122 / Unnamed Road, Stow

Baseline Context:

The Unnamed Road is located to the north of Thorpe le Fallows and to the southwest of Thorpe Wood. This short section of the road passes in an east west direction where it then takes a 'right-angled' turn to head south and meet with Thorpe Lane to the west of the War Memorial.

Looking in all directions towards the Cottam 1 South Site.

Distance to Cottam Sites: 0m to Cottam 1 South Site

Nearest Viewpoint/s: VP6, VP7 and VP11.

Description of Route:

The first section of the route (as far as the right-angled bend) passes through a large-scale arable landscape with an extensive system of fields of a varying size that take a regular pattern. Most of the fields are rectangular apart from those that abut the meandering watercourse of the River Till to the north of the route. This field system is interspersed with very few hedgerows and extends as far as the settlement edge of Sturton by Stow where the fields become larger scale and then smaller fields define the boundary of the residential areas. The second section of the route (as far as Thorpe Lane) passes through a similar system of arable fields that support very few hedgerows or tree cover, except that the outlying landscape to the west has some riparian tree cover bordering the River Till.

There is a subtle contrast between the first and second sections of the route. Both pass through an open context of geometric fields, where some are divided by low hedgerows or none at all, but the first section of the route is more open with large expanses where there are no hedgerows to each side of the road, particularly to the north side. The first section of the route also has less visibility towards the east and west due to the presence of Thorpe Wood and the meandering course of the River Till. Although there is absence of individual tree cover to either side of the route on both sections, there is relatively more hedgerow cover to the second section of the route, especially where it joins with Thorpe Lane. Although the second section of the route is set within a slightly more enclosed context there is some visibility towards the distant horizon that captures Character Area 6a and also views towards Sturton by Stow. The route is influenced by the arable fields with very few man-made interventions, other than views towards the settlements on the horizon with intervening woodland blocks.

Overall, this route offers a journey through a simple landscape with very few elements or features of interest. There are intensive levels of management within the arable farmland and so the route is influenced by the regular and geometric fields divided with few hedgerow divisions or hedgerow trees. The collection of small woodlands to the west of Brattleby are just visible in the distance to the east of the second section of route and the tree cover associated with Stow Lane is also just visible on the horizon to the west of this section also. There are some extended views where the absence of hedgerows enhances the feeling of scale, which opens up views along its length as the route approaches Fleets Road in the south. This is a quiet location (even though it is in close proximity to Sturton by Stow) with a notable absence of settlement or other busy roads. This route offers an interesting journey, but this is a route which only serves as access to the arable fields and is not a public footpath or public bridleway.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors - Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.12] January 2023



Transport Receptor – T122 / Unnamed Road, Stow

Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decommis of Change
The first section of the route would not be significantly affected, as there are no construction works to each side other than a small part of the section before it takes the right-angled turn. Any oblique views towards the second section of the route would be masked by the intervening hedgerows lining the Unnamed Road (south boundary) and within the intervening hield systems. The second section of the route would be significantly affected where it passes directly adjacent to the boundary of the Site/Sites. The works would be located each side of the route (east and west) for the entire section of the route. The changes to the second section of the route would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be direct and open visibility of the construction works. During the latter part of the construction stage, views would become available of the elevated activities and there would be open views, particularly where the route passes directly adjacent to the boundary of the Site/Sites at the second section of the route.	The foreground of the views from the route at the second section would change from the agricultural fields (to both sides of the route) to an area of panels, but they would only be set back behind the existing hedgerows to the east side and the west side would have open and expansive views of the panels. The changes would be experienced within the context of the surrounding arable fields that are in intensive use with very some simple features, with little tree cover and a limited character.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15) refer to Viewpoints VP6, VP7 and VP11.	A similar proc Scheme being of the Site in v vegetation an secondary mi future baselin the duration of noise and vib generation an
Medium	High	Medium	Low

nissioning Magnitude ge

process to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the seline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.



Level of Effect	Adverse & Short Term	Adverse & Long Term	Neutral & Long Term	Neutral & Sł
Significance of Effect	Moderate Significant	Moderate-Major Significant	Moderate Significant	Minor Not S

Transport Re	ceptor – T122 / Unnamed Road, Stow	
	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	Sequential Frequent Visibility The first section of the route would not be significantly affected, as there are no construction works to each side other than a small part of the section before it takes the right-angled turn. Any oblique views towards the second section of the route would be masked by the intervening hedgerows lining the Unnamed Road (south boundary) and within the intervening field systems. The second section of the route would be significantly affected where it passes directly adjacent to the boundary of the Site/Sites. During the construction stage (the works) and during the operation stage (the panel areas) would appear consistently and with short time lapses between instances. Although there is a slow speed of travel for walkers (road users may be travelling at speed), this is an open boundary to the south and so the distances between the areas of visibility would be frequent with no gaps between. The foreground of the views from the route would change from the agricultural fields (to one side of the route) to reveal both the works during the construction stage and an area of panels during the operation stage, but they would be set back from the route. The changes would be experienced in close proximity and within the context of the surrounding arable fields with a prevailing character of openness and distinct absence of other development or man-made features apart from isolated farmsteads. The works and the panel areas are in close proximity to the receptor and are clearly visible together in views from selected viewpoints VP6, VP7 and VP11 and also from areas between these viewpoints as the route takes a course from the bridleway (TLFe/31/2) to the west of Thorpe Wood to meet with Thorpe Lane in the south. Sequential Occasional Visibility The panel areas may	 <u>Fabric of the Landscape</u> There would not be the removal of or changes in individual elements or farea. There would be the introduction of new elements and features comprisin within the character area <u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam cumulative developments would not be experienced across the majority distance, the intervening woodlands, hedgerows, and tree cover betweer built form would also curtail cumulative visibility. There are local patches of cumulative visibility which may be focus of like Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton further detail within the following figures: Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Develop Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Develop The landscape is shaped by the wide range of local and strategic road need ifferent from another. The strategic major road network is defined by in west minor road network links several historic and distinctive smaller strip revailing road network links several historic and distinctive smaller strip revailing road network links several historic and distinctive smaller strip revailing road network links network links reveal historic and distinctive smaller strip revailing road network is formed by narrow lanes that are often tranquit verges and they have a major role in helping to define the quality of the larea.
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infr settlement with farms, nucleated villages, and small hamlets such as Tho value that are not highly recognised for adding intimacy and interest to the the landscape and land use have some ability to accommodate change we visibility for the Cottam 1 Site/Sites would not alter the overall character of infrastructure features. Moreover, these features are often set within a we form that plays a positive role in reducing the overall cumulative effects.
Magnitude	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Not Significant Operation (Year 15): Low Decommissioning: Low	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Not Significant Operation (Year 15): Low Decommissioning: Low

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.12] January 2023

Short Term

: Significant

^r features of the landscape within the character

sing the solar panel areas and the substation area

am 1 Site/Sites, cumulative visibility with the ity of the 5km study area. This is due to the een the Site/Sites. The intervening settlements and

kely significant effects, between the Cotton 1 on Solar Park. This cumulative visibility is set out in

pments Augmented ZTV [C6.4.8.15.2.6] elopments Augmented ZTV [C6.4.8.15.2.8] opments Augmented ZTV [C6.3.4.15.2.9]

networks, which make one landscape type or area important historic routes and in contrast, the east tring of settlements across the area. Overall, the uil and hedged to both sides with wide grassed e landscape and reducing the visibility across the

nfrastructure is shaped by evidence of historic norpe le Fallows and Coates, which are features the landscape. These relevant characteristics of without undue adverse effects. The cumulative r of the landscape and its communications and well-vegetated context or associated with built

ant



SOLAR PROJECT		
	Construction: Adverse & Short Term	Construction: Adverse & Short Term
Type of	Operation (Year 1): Adverse & Long Term	Operation (Year 1): Adverse & Long Term
	Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term	Operation (Year 1): with only Embedded Mitigation: Adverse & Long Ter
Effect	Operation (Year 15): Neutral & Long Term	Operation (Year 15): Neutral & Long Term
	Decommissioning: Neutral & Short Term	Decommissioning: Neutral & Short Term
	Construction: Minor Not Significant	Construction: Minor Not Significant
Significance	Operation (Year 1): Minor Not Significant	Operation (Year 1): Minor Not Significant
-	Operation (Year 1): with only Embedded Mitigation: Minor Not Significant	Operation (Year 1): with only Embedded Mitigation: Minor Not Significa
of Effect	Operation (Year 15): Minor Not Significant	Operation (Year 15): Minor Not Significant
	Decommissioning: Minor Not Significant	Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.12] January 2023

Term

ficant



Transport Receptor – T127 / Thorpe Lane, Thorpe le Fallows

Baseline Context:

Thorpe Lane is located to the north of the A1500 Till Bridge Road, where it follows an east west alignment passing between the settlements of Sturton by Stow in the west and Brattleby in the east. The lane follows an east west alignment with a 'dog-leg' section where it joins with it forms a junction with a further lane known as Lowfields, which serves the settlement of Aisthorpe.

Distance to Cottam Sites: Om to Cottam 1 South Site.

Nearest Viewpoint/s: VP4, VP5, VP6, VP7, VP8 and VP9.

Description of Route:

The first section of the route (as far as the junction with Lowfields) passes through a large-scale arable landscape with an extensive system of fields of a varying size that take a regular pattern. Most of the fields are rectangular apart from those that abut the meandering watercourse of the River Till to the west of the route. This field system is interspersed with very few hedgerows to the north of this second of the lane and these fields extend as far as Ingham Road where the fields become more irregular (and then smaller fields define the immediate edge of the River Till). To the south of this first section of the lane the field systems support a greater abundance of hedgerows with some hedgerow trees. The second section of the route (as far as Brattleby) passes through a similar system of arable fields. To the north of this section of lane, the field systems are smaller scale and there is a local collection of woodland blocks. The fields are also divided by a strong network of hedgerows with tree cover. To the south of this second section of the lane, the field system is large scale with low hedgerows and a single shelterbelt to the north of Low Farm that is the only area of tree cover in this landscape. Overall, the hedgerows support limited tree cover, except that the outlying landscape to the east has some woodland and parkland trees adjoining the settlement edge of Scampton, Aisthorpe, Brattleby and Cammeringham.

There is a contrast between the first and second sections of the route. Both pass through an open context of geometric fields, where some are divided by low hedgerows or none at all, but the first section of the route is more open with large expanses where there are no hedgerows to some parts of the route. The first section of the route also has curtailed towards the south due to the presence of the strong network of hedgerows. Thorpe Wood and the meandering course of the River Till also curtail views in a northwest direction form this first section of the route. Although there is absence of individual tree cover to either side of the route on both sections, there is relatively more hedgerow cover to the second section of the route, especially to the north side, which is also set in context with the small collection of woodlands to the west of Brattleby. Although the second section of the route is set within a slightly more enclosed context there is some visibility towards the distant horizon that captures Character Area 6a and also views towards Brattleby. The route is influenced by the arable fields with very few man-made interventions, other than views towards the settlements on the horizon with the strong collection of woodland blocks.

Overall, this route offers a journey through a pleasant landscape with some elements and features of interest. There are intensive levels of management within the arable farmland and so the route is influenced by the regular and geometric fields divided with few hedgerow divisions or hedgerow trees. The collection of small woodlands to the west of Brattleby are prominent features along the route and the tree cover associated with Thorpe le Fallows is also a key feature in the first section of the route. There are some extended views where the absence of hedgerows enhances the feeling of scale, which opens up views along its length as the route approaches Brattleby in the east. This is a quiet location with some passing traffic, but with a notable absence of settlement. This route offers an interesting journey, east and helps provide connectivity where the public footpath and public bridleway network is lacking in linkages. The route is also influenced by the presence of the River Till that passes beneath Thorpe Bridge at this local stopping point off the lane. The watercourse is distinguished by the presence of rusty pastures and minor concentrations of riparian tree cover on the distant skyline. There are however intensive levels of management within this arable farmland that add some decline to the natural gualities of the route.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.13] January 2023



Transport Re	ceptor – T127 / Thorpe Lane, Thorpe le Fallows			
	Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decomm of Chang
	The first section of the route would be significantly affected where it passes directly adjacent to the boundary of the Site/Sites. The second section of the route would not be significantly affected, as there are no construction works to each side and any oblique views towards the first section of the route would be masked by the intervening hedgerows lining the Thorpe Lane and within the intervening field systems. The works would be located one side of the route (north only) but for two isolated sections of the route to the immediate east and west of Thorpe le Fallows. The changes to the first section of the route would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partially screened by the foreground hedgerows of the route. During the latter part of the construction istage, views would become available of the elevated activities and there would be open views, particularly where the route passes directly adjacent to the boundary of the Site/Sites at the first section of the route.	The foreground of the views from the route at the first section would change from the agricultural fields (to the north side of the route) to an area of panels, but they would be set back behind the existing hedgerows. The changes would be experienced within the context of the surrounding arable fields that are in intensive use with very some interesting features associated with the River Till and tree cover and hedgerows add to the character of the landscape.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15) refer to Viewpoints VP4, VP5, VP6, VP7, VP8 and VP9.	A similar pro- Scheme bei of the Site in vegetation a secondary r future base the duration noise and vi generation a
Magnitude	Medium	High	Medium	Low
Level of Effect	Adverse & Short Term	Adverse & Long Term	Neutral & Long Term	Neutral & Sl
Significance of Effect	Moderate Significant	Moderate-Major Significant	Moderate Significant	Minor Not S

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.13] January 2023

missioning Magnitude nge

process to that of construction stage, but with the being no longer operational. This is an assessment in winter but assumes retention of existing n and builds upon the proposed primary and mitigation that had been established as the seline. Effects are those arising from activities for tion of the decommissioning to include site traffic, l vibration from decommissioning activities, dust on and site runoff.

Short Term

ot Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	In-Combination Effects [Cumulative Sites] Sequential Frequent Visibility The first section of the route would be significantly affected where it passes directly adjacent to the boundary of the Site/Sites. The second section of the route would not be significantly affected, as there are no construction works to each side and any oblique views towards the first section of the route would be masked by the intervening hedgerows lining the Thorpe Lane and within the intervening field systems. During the construction stage (the works) and during the operation stage (the panel areas) would appear consistently and with short time lapses between instances. Although there is a slow speed of travel for walkers (road users may be travelling at speed), this is an open boundary and so the distances between the areas of visibility would be frequent with no gaps between. The foreground of the views from the route would change from the agricultural fields (to both sides of the route) to reveal both the works during the construction stage and an area of panels during the operation stage, but they would be set back from the route. The changes would be experienced in close proximity and within the context of the surrounding arable fields with a prevailing character of openness and distinct absence of other development or man-made features apart from isolated farmsteads and residential dwellings, and the edge of the settlement of Thorpe le Fallows. The works and the panel areas are in close proximity to the receptor and are clearly visible together in views from selected viewpoints VP4, VP5, VP6, VP7, VP8 and VP9 and also from areas between these viewpoints as the route takes a course from the settlement of Brattleby in the east towards Sturton by Stow in the west. Sequential Occasional Visibility The panel areas may appear with shorter time lapses between appearances because the observer may	Cumulative Effects [Cumulative Developments] Eabric of the Landscape There would not be the removal of or changes in individual elements or farea. There would be the introduction of new elements and features comprisin within the character area Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam cumulative developments would not be experienced across the majority of distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility. There are local patches of cumulative visibility which may be focus of likel Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton further detail within the following figures: Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developm Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developm The landscape is shaped by the wide range of local and strategic road net different from another. The strategic major road network is defined by in west minor road network links several historic and distinctive smaller stri prevailing road network is formed by narrow lanes that are often tranquil verges and they have a major role in helping to define the quality of the landscape is shaped by the winde role and strategic road network links several historic and distinctive smaller stri
Magnitude	be moving more quickly (road users may be travelling at speed) and there are larger distances between the viewpoints along the route. Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Not Significant	area. <u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infra settlement with farms, nucleated villages, and small hamlets such as Thor value that are not highly recognised for adding intimacy and interest to th the landscape and land use have some ability to accommodate change wi visibility for the Cottam 1 Site/Sites would not alter the overall character of infrastructure features. Moreover, these features are often set within a w form that plays a positive role in reducing the overall cumulative effects. Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Not Significant
Type of	Operation (Year 15): Low Decommissioning: Low Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term	Operation (Year 15): Low Decommissioning: Low Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term
Type of Effect	Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term	Operation (Year 1): with only Embedded Mitigation: Adverse & Long Tern Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significant Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significan Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.13] January 2023

features of the landscape within the character

ing the solar panel areas and the substation area

m 1 Site/Sites, cumulative visibility with the y of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and

ely significant effects, between the Cotton 1 n Solar Park. This cumulative visibility is set out in

oments Augmented ZTV [C6.4.8.15.2.6] elopments Augmented ZTV [C6.4.8.15.2.8] oments Augmented ZTV [C6.3.4.15.2.9]

etworks, which make one landscape type or area important historic routes and in contrast, the east ring of settlements across the area. Overall, the uil and hedged to both sides with wide grassed landscape and reducing the visibility across the

frastructure is shaped by evidence of historic orpe le Fallows and Coates, which are features the landscape. These relevant characteristics of without undue adverse effects. The cumulative of the landscape and its communications and well-vegetated context or associated with built

nt

rm

cant



Transport Receptor – T163 / Mainline Railway

Baseline Context:

This section of the railway passes between Gainsborough and Kirton in Linsey and then heads east towards Brigg with a final destination of Grimsby and Cleethorpes on the east coast.

Looking directly south over the Cottam 3b Site and north towards the Cottam 3a Site.

Distance to Cottam Sites: Om to Cottam 3b.

Nearest Viewpoint/s: VP56, VP59 and LCC-C-S.

Description of Route:

The first section of the railway line (between Station Road and Bonsdale Lane) passes through open countryside comprising large-scale arable fields divided by hedgerows with individual and groups of trees to the south and smaller scale grassland and arable fields to the north of the line. There is a dense belt of vegetation to each side of the railway line and so the experience is that of an enclosed landscape to each side. The second section of the railway (Bonsdale Lane to Southorpe Lane) is more open to the north side with very limited areas of vegetation cover and only sections of scattered trees to the south side of the railway.

There is a marked contrast between the first section of the railway line which has smaller fields and more tree cover and the second section, which is more open with less tree cover. The route is influenced by the presence of Blyton Level Crossing, which is a feature on Bonsdale Lane along with the small woodland to the north.

There are very few extended views from the first section of the rail route due to the abundance of track side vegetation and more views from the second section of the line, which is more open and may also experience views northwest towards the Cottam 3a Site.

Overall, this route offers a pleasant journey from Gainsborough to the coastal towns of Cleethorpes and Grimsby, which are major tourist destinations for visitors from the East Midlands and South Yorkshire. This route is subject to medium levels of activity with tourists at peak times such as Bank Holidays and Weekends. This is a route where the appreciation of the view contributes to the enjoyment and quality of the journey.

Sensitivity: Medium to High

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors - Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.14] January 2023



	Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decommi of Change
	The second section of the route would not be significantly affected, but users of the first section would experience changes, particularly at the location where the route passes directly adjacent to the boundary of the Site/Sites. These changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower- level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened due to the presence of the vegetation to each side of the railway line. During the latter part of the construction stage, views would become available of the elevated activities above the line side vegetation that would provide some screening such that these activities would be confined to a filtered section of the view where the route passes directly adjacent to the boundary. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a wide proportion of the view and be a dominant feature but only to the associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the north of the railway line. Construction Access Transport receptor will not be affected by the proposed construction access into the Cottam 3a and 3b Sites. Cable Route Corridor Transport receptor is partially within the 2km study area of the Cottam 3a and 3b susbtations.	The foreground of the views from the route at this first section would change from a large agricultural field to an area of panels, but only for southern side of the railway line. The changes would be experienced within the context of open attractive views within the landscape that already supports very little development. The railway is level with the fields and so further agricultural fields beyond would be screened from the route by the panels and the distant backdrop of the scarp and dipslope at Hemswell and Willhoughton may be lost. The vertical elements in the view, including power lines, the wind turbine at the Blyton Park Racing Centre, the mainline railway infrastructure, telegraph poles and associated cables would add minor cumulative changes to the view.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15) refer to Viewpoints VP56, VP59 and LCC-C-S.	A similar pro Scheme bein of the Site in vegetation a secondary m future baseli the duration noise and vik generation a
Magnitude	Medium	High	Medium	Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Neutral & Long Term	Neutral & Sh

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.14] January 2023

missioning Magnitude ge

process to that of construction stage, but with the eing no longer operational. This is an assessment e in winter but assumes retention of existing and builds upon the proposed primary and / mitigation that had been established as the seline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.

Short Term



Significance of Effect	Moderate-Major Significant	Major Significant	Moderate-Major Significant	Minor Not S
Transport Re	ceptor – T163 / Mainline Railway			
	In-Combination Effects [Cumulative Sites]		Cumulative Effects [Cumulative Developmen	its]
	<u>Sequential Frequent Visibility</u> The second section of the route would not be significantly affected experience changes, particularly at the location where the route pa boundary of the Cottam 3b Site/Sites. During the construction stage (the works) and during the operation appear consistently and with short time lapses between instances Although the train users may be travelling at speed, this is an oper	asses directly adjacent to the n stage (the panel areas) would due to the speed of the railway. n boundary and so the distances	Fabric of the Landscape There would not be the removal of or changes in individual area. There would be the introduction of new elements and feat Aesthetic Aspects of the Landscape Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that we computation of a supervision of a super	tures comprisin with the Cottam
	between the areas of visibility would be frequent with no gaps between the areas of visibility would be frequent with no gaps between the foreground of the views from the route would change from the the route) to reveal both the works during the construction stage a operation stage, but they would be set back from the route. The chapter proximity and within the context of the surrounding arable fields v openness and distinct absence of other development or man-mad Crossing.	e agricultural fields (to south side of and an area of panels during the nanges would be experienced in close vith a prevailing character of	cumulative developments would not be experienced across distance, the intervening woodlands, hedgerows, and tree built form would also curtail cumulative visibility between There are local patches of cumulative visibility which may be and Tillbridge Solar. This cumulative visibility is set out in free Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cum	cover between these Site/Sites be focus of likel urther detail wi
	The works and the panel areas are in close proximity to the recept from between Station Road in the west and Blyton Level Crossing i <u>Sequential Occasional Visibility</u> The panel areas unlikely to appear with longer time lapses betwee will be travelling at speed with limited opportunity to appreciate th	in the east. n appearances because the observer	Overall Landscape Character and Visual Amenity Overall, the character of the Unwooded Vales is shaped by strong sense of rural tranquility. In contrast, the low levels landscape comprising an arable land use within a scatterer to west and a more strategic road network north to south. ability to accommodate change without undue adverse eff alter the overall character of the landscape within the Unw	of woodland co d pattern of set . These relevan fects. The cumu
Magnitude	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Not Sign Operation (Year 15): Low Decommissioning: Low	ificant	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Minor Operation (Year 15): Low Decommissioning: Low	
Type of Effect	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Lon Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term	ng Term	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adver Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term	rse & Long Tern
Significance of Effect	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Sig Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant	gnificant	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant	r Not Significa

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.2: Transport Receptors – Transport Significant [Reference: EN010133/APP/C6.3.8.3.4.2.14] January 2023

: Significant

r features of the landscape within the character

sing the solar panel areas and the substation area.

am 3a and 3b Sites, cumulative visibility with the ty of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and es.

kely significant effects, between the Cottam 3a Site within the following figures:

elopments Augmented ZTV [C6.4.8.15.2.8]

gricultural presence, with wide areas retaining a l cover create a relatively open and expansive settlement, linked by a series of minor roads east ant characteristics of the landscape have some nulative visibility for the Cottam 3b Site would not Character Area 4a.

cant

erm

cant



Transport Receptor - T010 / Unnamed Road, Laughton near Gainsborough

Baseline Context:

Local track access passing between Grange Farm and Mount Pleasant Farm, near Gainsborough. The track follows a 'dog-leg' alignment to the south of Northorpe Beck, running in an almost east west direction. The track then continues (as an unnamed road) towards Park House Farm at Laughton, near Gainsborough. Open aspect along the full route with 'all-round' visibility at close range.

Distance to Cottam Sites: 144m to Cottam 3a

Nearest Viewpoint: VP66, VP67, LCC-C-W

Description of Route:

The first section of the route unnamed track which leads from the north end of Grange Farm (which sits west of Northorpe) and travels in a westerly direction towards Mount Pleasant Farm. In this section of the route, the views to the north are open and exposed due to low cut field boundary hedges within the area or where none exist. Distant views to the northwest show Laughton Woods. Views to the south and southwest (towards Cottam 3a Site and Cottam 2 Site beyond) are open in places due to the gappy hedgerows. The route then abruptly turns west to follow Northorpe Beck and heads in a northerly direction before going west once again and north up to Mount Pleasant Farm. From here it heads west following the arable field boundaries before turning north towards Park House Farm as route T6.

There is a marked contrast between the first and second sections of the route. The first section of the route is more open, having few trees and woodlands close by. The second section of the route is open in places but is contrasted by the heavy woodland setting of Laughton Wood and Dallison Plantation.

The route is influenced by the field boundary patterns and Northorpe Beck which helps influence the winding and turning of the route. The view towards the west comprises a large-scale landscape with Blyton Park Racetrack to the southwest and contrasts with the views towards the east where Northorpe Beck meanders across the landscape giving rise to varied topography and riparian woodland which gives a distinctive quality to these views.

Overall, the location depicts a balanced landscape with a strong sense of isolation and solitude away from nearby settlement. Although the landscape of Laughton Woods is hardly evident on the horizon, this track is important as east-west connectivity in the context of these woodlands and scattered tree belts. Laughton Woods is a rare and unusual feature within this part of Lincolnshire and a focus for both formal and informal recreation. The overall experience is of a very pleasant and invigorating location offering views of a rolling landscape that leads into a broad valley with east and west extended views that each depict a different character.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors - Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.1] January 2023



Construction	Operation (Year 1)	Mitigation (Operation Year 15)	Decommi
final section of the route close to Park House Farm at Laughton would not be significantly affected. These changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened due to the presence of foreground hedgerow to the south of the bridleway. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerow, but the tree groups bordering the route would provide some screening such that these activities would be confined to a small section of the route where the Scheme boundary is in close proximity to the bridleway.	The foreground of the views from the route at the first section of the bridleway will change (Looking southwest towards the Cottam 3a Site) from agricultural fields to panels. The visibility to these areas will be limited due to the additional Shelterbelt planting and scattered trees that will block views into the Site. The changes would be experienced within the context of the Blyton Park Racing Centre that would add minor cumulative changes to the views. Further agricultural fields beyond would be screened from route by the panels and the distant backdrop of Laughton Wood may be lost. The sections of the route that leads to Park House Farm at Laughton is less likely to be affected due to the distance from the Scheme and the already enclosed nature of this section of the route. The vertical elements in the view, including power lines, the wind turbine at the Blyton Park Racing Centre, the mainline railway infrastructure, telegraph poles and associated cables would add minor cumulative changes to the view.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15), refer to Viewpoints VP66, VP67 and LCC-C-W.	A similar pro Scheme bein of the Site in vegetation a secondary n future basel the duration noise and vi generation a

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.1] January 2023

issioning

ocess to that of construction stage, but with the ng no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and nitigation that had been established as the eline. Effects are those arising from activities for n of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.



Magnitude	Very Low	Very Low	Low	Very Low
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & S
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N

	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	No Intervisibility	<u>Fabric of the Landscape</u> There would not be the removal of or changes in individual elements or f area.
		There would be the introduction of new elements and features comprisin
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with the Cottam cumulative developments would not be experienced across the majority distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility between these Site/Sites
		There are local patches of cumulative visibility which may be focus of like and Tillbridge Solar. This cumulative visibility is set out in further detail wi
		Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develo
		Overall Landscape Character and Visual Amenity Overall, the character of the Unwooded Vales is shaped by the strong agr strong sense of rural tranquility. In contrast, the low levels of woodland c landscape comprising an arable land use within a scattered pattern of set to west and a more strategic road network north to south. These relevan ability to accommodate change without undue adverse effects. The cumu alter the overall character of the landscape within the Unwooded Vales C
Magnitude	Not Applicable	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Terr Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significa Operation (Year 15): Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.1] January 2023

Short Term

Not Significant

r features of the landscape within the character
sing the solar panel areas and the substation area.
am 3a and 3b Sites, cumulative visibility with the ty of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and tes.
kely significant effects, between the Cottam 3a Site within the following figures:
elopments Augmented ZTV [C6.4.8.15.2.8]
gricultural presence, with wide areas retaining a l cover create a relatively open and expansive settlement, linked by a series of minor roads east ant characteristics of the landscape have some nulative visibility for the Cottam 3b Site would not character Area 4a.
erm
cant



Transport Receptor - T012 / Dring Lane, Laughton near Gainsborough

Minor, local lane passing between the A159 (Laughton Road) near Gainsborough and the Green Respect Burial Park. The track passes in an east west direction across a large-scale, arable landscape. Open aspect along the full route with 'all-round' visibility at close range due to absence of both roadside and field hedgerows.

Distance to Cottam Sites: 447m to Cottam 3a

Nearest Viewpoint: LCC-C-V, VP63, VP64

Description of Route:

The first section of the route in the west is located at the junction of Dring Lane with A159 (Laughton Road), looking southeast towards the Cottam 3a Site with the Cottam 3b Site beyond. The view is open at the opening of Dring lane due to the open landscape and the lack of hedgerows along its route. This lane leads to Respect Woodland Green Burial Park and Alan Miles Resting Place where mature boundary vegetation closes down views to the east and to Cottam 3a Site. The route then continues east towards the racetrack beyond Northorpe Beck. A small block of woodland is visible to the north/northeast with Dallison Plantation beyond.

There is a marked contrast between the first section of the route and the final section, with a more enclosed feel to the southern area around the burial park. Views north however remain open but are curtailed by the wooded horizon.

The route is influenced by the open nature of this location with a few woodlands in the foreground and a wooded horizon to the north which breaks up the overall openness of this former airfield site. The area within the foreground is an open, simple landscape that supports intensive agriculture with few hedgerows and limited scattered hedgerow trees. The deciduous woodland blocks and woodland at Laughton Common are the nearest attractive features which add balance and a sense of scale. The route is also influenced by traffic along the A159 Laughton Road as well as the racetrack (when in use) which limits the tranquility in this area.

Overall, this route is subject to medium to low levels of traffic but offers some interesting features and views along its short length, including open views across the agricultural landscape and to its eastern edge a closed intimate setting with the woodland at the burial park being a strong alluring feature.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects **with only** the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.2] January 2023



Transport Re	eceptor – T012 / Dring Lane, Laughton near Gainsb	orough		
	Construction	Operation (Year 1)	Mitigation (Operation Year 15)	Decommi
	The first section of the route at the junction of Laughton Road would experience changes due to the clear and open views to the south (onto the northwestern edge of the Cottam 3a Site). Users to the final section of the route close to the burial park would not be significantly affected. These changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened due to the existing hedgerow at the northern boundary of western corner of the Cottam 3a Site. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerow, but the distance between Dring Lane and the Scheme should provide for some difficulty for views. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation work, including planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a narrow proportion of the view and appear as a dominant feature. There would be a considerable change to the arable land use, but the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the north and west of Dring Lane. Construction Access The transport receptor is not near any construction access. Cable Route Corridor The transport receptor is outside the 500m cable route study a	The foreground of the view from this view is unlikely to change. The changes would be experienced within the context of the Blyton Park Racing Centre that would add minor cumulative changes to the views. Further agricultural fields beyond would be screened from route by the panels and the distant backdrop of Laughton Wood may be lost. The vertical elements in the view, including power lines, the wind turbine at the Blyton Park Racing Centre, the mainline railway infrastructure, telegraph poles and associated cables would add minor cumulative changes to the view.	Secondary mitigation such as planting, and grass seeding would be considered at this stage. For details on operation magnitude of change (Year 15), refer to Viewpoints LCC-C-V, VP63, VP64	A similar pro Scheme bein of the Site in vegetation an secondary m future baseli the duration noise and vik generation a
Magnitude	Very Low	Very Low	Low	Very Low
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sh

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.2] January 2023

nissioning

rocess to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and y mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.

Short Term



		1		1	1
Significance of Effect	Negligible Not Significant	Negligible Not Significant		Minor-Moderate Not Significant	Negligible N
Transport Re	ceptor – T012 / Dring Lane, Laughton near Gainsbo	rough			
	In-Combination Effects [Cumulative Sites]		Cum	ulative Effects [Cumulative Developmen	ts]
	No Intervisibility			<u>of the Landscape</u> would not be the removal of or changes in individua	l elements or f
			There	would be the introduction of new elements and feat	ures comprisir
			Refer t cumula distano	tic Aspects of the Landscape o Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that w ative developments would not be experienced acros ce, the intervening woodlands, hedgerows, and tree orm would also curtail cumulative visibility between t	s the majority of cover between
				are local patches of cumulative visibility which may b lbridge Solar. This cumulative visibility is set out in fu	
			Figure	8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cum	nulative Develo
			Overal strong landsc to wes ability	Landscape Character and Visual Amenity I, the character of the Unwooded Vales is shaped by sense of rural tranquility. In contrast, the low levels ape comprising an arable land use within a scattered t and a more strategic road network north to south. to accommodate change without undue adverse effor- ne overall character of the landscape within the Unw	of woodland c d pattern of se These relevan ects. The cumu
Magnitude	Not Applicable		Constr Operat Operat Operat	uction: Low tion (Year 1): Low tion (Year 1): with only Embedded Mitigation: Low tion (Year 15): Low missioning: Low	
Type of Effect	Not Applicable		Constr Operat Operat Operat	uction: Adverse & Short Term tion (Year 1): Adverse & Long Term tion (Year 1): with only Embedded Mitigation: Adver tion (Year 15): Neutral & Long Term missioning: Neutral & Short Term	se & Long Terr
Significance of Effect	Not Applicable		Constr Operat Operat Operat	uction: Minor Not Significant tion (Year 1): Minor Not Significant tion (Year 1): with only Embedded Mitigation: Minor tion (Year 15): Minor Not Significant missioning: Minor Not Significant	Not Significa

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.2] January 2023

Not Significant

r	foaturos	oftha	landscape	within	tho	character
	reatures	or the	ianuscape	VVILIIIII	uie	Character

sing the solar panel areas and the substation area.

am 3a and 3b Sites, cumulative visibility with the ty of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and tes.

kely significant effects, between the Cottam 3a Site within the following figures:

elopments Augmented ZTV [C6.4.8.15.2.8]

gricultural presence, with wide areas retaining a l cover create a relatively open and expansive settlement, linked by a series of minor roads east ant characteristics of the landscape have some nulative visibility for the Cottam 3b Site would not Character Area 4a.

erm

cant



Transport Receptor – T013 / Laughton Road, Laughton near Gainsborough (A159)

Baseline Context:

The A159 (Gainsborough Road) near Laughton, Gainsborough that heads from Scotter in the north, passing to the east of Laughton then with a slight bend in the road, it passes towards Blyton in the south. This is a fast and open road and one of the major routes within the local area.

Distance to Cottam Sites: 69m to Cottam 3a

Nearest Viewpoint: VP63 / VP64 / LCC-C-V

Description of Route:

This section of the road runs from Bluebell Farm to the east of Blyton, north up to Laughton Woods. The first section of the route can be seen as Gainsborough Road travelling northeast towards Blyton from Morton. The road from Morton is first Blyton Road and then it becomes Thonock Road once it crosses the railway line to the south of Blyton the road becomes Gainsborough Road. This road then meanders through Blyton and becomes Laughton Road at the junction with Kirton Road and travels north to Laughton. Gansborough Road sits to southeast of Blyton and looks east onto Cottam 3b Site and northeast towards Cottam 3a Site.

The A159 is defined by strong hedgerows which are low-cut with wide grass verges on both sides, where the hedgerow trees give some pleasant visual interest to the route (given that this is a fast section of road). Views east also show airfield and burial ground buildings scattered across the landscape beyond intervening vegetation. The shelterbelt planting surrounding the railway is prominent from this route and acts as a distinctive feature. The settlement of Blyton is prominent in the foreground of this route and brings in a lot of interest and stimulation. The route offers bland and unsettling features locally, but the wider context encapsulates the landscape to the east comprising of the Wooded Vales at Laughton. The overall experience is that of a busy road with feelings of discomfort due to the presence of the A159 but pleasant features along this busy route and varied vegetation and buffers to the road. Laughton Woods is a distinctive feature that raise the overall quality of the view and add some 'sense of place'.

The first section of the route is relatively well treed along its eastern boundary with low hedges and scattered hedgerow trees with good enclosure to the west of the route and a wide grass verge around the bend which then gives way to a more open section without hedgerows towards the entrance to Blyton Grange. However, this well-treed route creates interest and a small field pattern to this section. Travelling north, the eastern boundary of the road becomes well-treed with outgrown hedges and specimen trees forming a tall and dense boundary to much of this route. Small sections remain open and provide views across to the east with added interest and occasional views of airfield/burial ground buildings in the mid distance.

The route is influenced by the relatively open nature of the landscape with extensive woodlands to the north and west such as Laughton Wood, Dallison Plantation and Carmer Wood all being key structures in the landscape. The route is also influenced by the high vehicular activity and the key connection it offers between Laughton and Blyton as well as the remnant airfield in the east and its associated industry.

Overall, this route is subject to high levels of traffic and offers a variation of views locally along its length, including invigorating and clear open views across the landscape both east and west of Laughton Road. The existing vegetation bordering the mainline railway is also an appealing feature of the route (picked out by the overhead gantrys). This is an attractive route due to the pleasant outlook in all directions and this takes account of balance and harmony of this arable landscape made more appealing by the individual tree cover and the groups of trees in close proximity to the route.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.3] January 2023



	Construction	Operation (Year 1)	Mitigation (Operation Year 15)	Decomm
gnitude	The route would not be significantly affected due to the distance between Gainsborough Road and the Scheme. The road, when it changes to Laughton Road at Blyton would experience changes, particularly at the location where the route passes directly adjacent to the boundary of the Site/Sites. These changes would include the construction activities during site preparation / enabling works, construction raffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened due to the presence of foreground hedgerow bordering Gainsborough Road. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerow, but the tree groups bordering the route would provide some screening such that these activities would be confined to a narrower section of the view where the route passes near to the Site/Sites boundary. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a narrow proportion of the view and appear as a dominant feature. There would be a considerable change to the arable land use, but the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings of Gainsborough Road. Construction Access The transport receptor is outside the 500m cable route corridor study area	The foreground of the views from this route will not change due to the distance between the route and the Scheme. The changes would be experienced within the context of the Blyton Park Racing Centre that would add minor cumulative changes to the views. Further agricultural fields beyond would be screened from route by the panels and the distant backdrop of Laughton Wood may be lost. The setting of Gainsborough Road as it winds down from Blyton with groups and individual trees along its verges would not be directly affected by the new panels. The vertical elements in the view, including power lines, the wind turbine at the Blyton Park Racing Centre, the mainline railway infrastructure, telegraph poles and associated cables would add minor cumulative changes to the view.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15), refer to Viewpoints VP63, VP64 and VP LCC-C-V	A similar pr Scheme bei of the Site in vegetation a secondary r future base the duration noise and v generation
-		1	1	

ommissioning

lar process to that of construction stage, but with the ne being no longer operational. This is an assessment Site in winter but assumes retention of existing ation and builds upon the proposed primary and dary mitigation that had been established as the baseline. Effects are those arising from activities for uration of the decommissioning to include site traffic, and vibration from decommissioning activities, dust ation and site runoff.



Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sł
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N

	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	No Intervisibility	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or featu area.
		There would be the introduction of new elements and features comprising the
		Aesthetic Aspects of the Landscape Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with the Cottam 3a a cumulative developments would not be experienced across the majority of the distance, the intervening woodlands, hedgerows, and tree cover between the built form would also curtail cumulative visibility between these Site/Sites. There are local patches of cumulative visibility which may be focus of likely sig and Tillbridge Solar. This cumulative visibility is set out in further detail within
		Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developme
		Overall Landscape Character and Visual Amenity Overall, the character of the Unwooded Vales is shaped by the strong agricultu strong sense of rural tranquility. In contrast, the low levels of woodland cover landscape comprising an arable land use within a scattered pattern of settlem to west and a more strategic road network north to south. These relevant cha ability to accommodate change without undue adverse effects. The cumulative alter the overall character of the landscape within the Unwooded Vales Charac
Magnitude	Not Applicable	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significant Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.3] January 2023

Short Term

Not Significant

r features of the landscape within the character
sing the solar panel areas and the substation area.
am 3a and 3b Sites, cumulative visibility with the ty of the 5km study area. This is due to the een the Site/Sites. The intervening settlements and tes.
kely significant effects, between the Cottam 3a Site within the following figures:
elopments Augmented ZTV [C6.4.8.15.2.8]
agricultural presence, with wide areas retaining a d cover create a relatively open and expansive settlement, linked by a series of minor roads east vant characteristics of the landscape have some mulative visibility for the Cottam 3b Site would not s Character Area 4a.
erm



Transport Receptor - T014 / Blyton Road, Laughton near Gainsborough

Baseline Context:

This route extends from Laughton village in the northwest down to Blyton village before it joins the A159 Laughton Road and is known as the Blyton Road. There is also undulating topography which provides additional interest to this route with land falling away to the west providing a pleasant and layered scene.

Distance to Cottam Sites: 30m to Cottam 3a

Nearest Viewpoint: VP63, LCC-C-U, LCC-C-V

Description of Route:

The first section of the route can be seen heading northwest off from the Laughton Road at its junction below Blue Bell Farm. This route then extends northwest and is bordered by grass verges and dwellings as well as Grace Park Caravanning and Camping to the east of this road creating a somewhat sub-urban/commercial feel to this first section. Hedgerows to either side of the road are sparse along this section and an immature leylandii hedge can be seen to the western boundary of the Caravan Park. The route heads in a northwest direction and ends at the southern point of the Laughton settlement. The landscape along this section is very expansive and open with no roadside hedges and few trees. Looking to the west and northwest, the wooded horizon provides visual stimulation and is a dominant feature and views of Laughton church and village are possible in places. There are occasional blocks of woodland on either side of this this route creating small sections of enclosure/interest, but these are fleeting.

The majority of this route is open and exposed. Although there is some considerable long-distance interest in the woodlands to the west and north, and some scattered trees to the east, the route is predominately devoid of hedgerows and feels vast and exposed. Power lines are a detractor to the view in an otherwise nature dominant landscape. The route is influenced by the open nature of the road and the extensive views to all directions. The woodlands of Laughton Wood, Dallison Plantation and Carmer Wood help to break down the openness of the view and provides for a more appealing route. Isolated trees have visual prominence in the open landscape.

Overall, this route is subject to medium to low levels of traffic and offers a variation of views locally along its length, including invigorating and clear open views across all directions of Blyton Road. The existing woodlands to the north and west of the route are an attractive feature and provide visual stimulation. This is an attractive route due to the pleasant outlook in all directions and this takes account of balance and harmony of this arable landscape made more appealing by the individual tree cover and the groups of trees in close proximity to the route.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors - Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.4] January 2023



Transport Receptor – T014 / Blyton Road, Laughton near Gainsborough

Construction	Operation (Year 1)	Mitigation (Operation Year 15)	Decommis
The route would not be significantly affected due to the distance between Blyton Road and the Scheme. The road, when it changes to Laughton Road at Blyton would experience changes, particularly at the location where the route passes directly adjacent to the boundary of the Site/Sites. These changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened due to the presence of foreground hedgerow bordering Blyton Road. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerow, but the tree groups bordering the route would provide some screening such that these activities would be confined to a narrower section of the view where the route passes directly adjacent to the boundary. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a narrow proportion of the view and appear as a dominant feature. There would be a considerable change to the arable land use, but the field boundaries and the associated tree cover would remain intact. There would appear as a dominant feature. There would be the surroution access. Cable Route Corridor The transport receptor is not near to construction access. Cable Route Corridor	The foreground of the views from this route will not change due to the distance between the route and the Scheme. The changes would be experienced within the context of the Blyton Park Racing Centre that would add minor cumulative changes to the views. Further agricultural fields beyond would be screened from route by the panels and the distant backdrop of Laughton Wood may be lost. The setting of Gainsborough Road as it winds down from Blyton with groups and individual trees along its verges would not be directly affected by the new panels. The vertical elements in the view, including power lines, the wind turbine at the Blyton Park Racing Centre, the mainline railway infrastructure, telegraph poles and associated cables would add minor cumulative changes to the view.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15), refer to Viewpoints VP63, LCC-C-U and LCC-C-V.	A similar prod Scheme being of the Site in v vegetation an secondary mi future baselin the duration of noise and vib generation an

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.4] January 2023

nissioning

rocess to that of construction stage, but with the ing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.



SOLAR PROJECT				
Magnitude	Very Low	Very Low	Low	Very Low
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sh
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N

	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	No Intervisibility	<u>Fabric of the Landscape</u> There would not be the removal of or changes in individual elements or f area.
		There would be the introduction of new elements and features comprisin
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with the Cottan cumulative developments would not be experienced across the majority distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility between these Site/Sites
		There are local patches of cumulative visibility which may be focus of like and Tillbridge Solar. This cumulative visibility is set out in further detail w
		Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develo
		Overall Landscape Character and Visual Amenity Overall, the character of the Unwooded Vales is shaped by the strong age strong sense of rural tranquility. In contrast, the low levels of woodland of landscape comprising an arable land use within a scattered pattern of se to west and a more strategic road network north to south. These relevan ability to accommodate change without undue adverse effects. The cumu alter the overall character of the landscape within the Unwooded Vales C
Magnitude	Not Applicable	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Terr Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significa Operation (Year 15): Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.4] January 2023

Short Term

Not Significant

r features of the landscape within the character
sing the solar panel areas and the substation area.
am 3a and 3b Sites, cumulative visibility with the ty of the 5km study area. This is due to the een the Site/Sites. The intervening settlements and tes.
kely significant effects, between the Cottam 3a Site within the following figures:
elopments Augmented ZTV [C6.4.8.15.2.8]
agricultural presence, with wide areas retaining a d cover create a relatively open and expansive settlement, linked by a series of minor roads east rant characteristics of the landscape have some mulative visibility for the Cottam 3b Site would not s Character Area 4a.
erm
cant



Transport Receptor - T018 / Laughton Road, Blyton (A159)

Receptor Baseline:

This route is along the A159, Laughton Road, passing from the junction with Kirton Road, Blyton heading north up to the Blyton Road junction which heads to Laughton. The road is mostly open along its length due to the absence bordering woodland blocks. Verge side hedgerows are well-managed and there is also undulating topography which provides additional elevation to the road at this section.

Distance to Cottam Sites: 13m to Cottam 3a

Nearest Viewpoint: VP63, LCC-C-U, LCC-C-V

Description of Route:

The first section of the route can be seen as Laughton Road travelling north towards Laughton from Blyton. The road from Morton is first Blyton Road and then it becomes Thonock Road once it crosses the railway line to the south of Blyton the road becomes Gainsborough Road. This road then meanders through Blyton and becomes Laughton Road at the junction with Kirton Road and travels north to Laughton. Laughton Road sits to the north of Blyton and looks east towards Cottam 3a Site and southeast towards Cottam 3b Site.

The shelterbelt planting surrounding the railway is prominent from this route and acts as a distinctive feature. The settlement of Blyton is prominent in the foreground of this route and brings in a lot of interest and stimulation. The route offers bland and unsettling features locally, but the wider context encapsulates the landscape to the east comprising of the Wooded Vales at Laughton. The overall experience is that of a busy location with overwhelming feelings of discomfort due to the presence of the A159. But Laughton Woods and the northern edge of Blyton are distinctive features that raise the overall quality of the view and add some 'sense of place'.

The route starts within the village of Blyton and is bounded on both sides by residential dwellings and small commercial units. Once out of the village in the north, the landscape opens up with arable landscapes with glimpses of the former airfield buildings to the east and woodland to the west. The route is influenced by the presence of the settlement and isolated dwellings in this location. The route is one of the main connectivity routes between Blyton, Laughton and Scotter causing the route to be well used and busy. The landscape beyond the village comprises well/over managed hedgerows lining the wide verged road. A footway exists from Blyton to the junction with Blyton Road providing pedestrian access (albeit along this busy main road) to Laughton village. The gaps within hedgerows provide for open and scenic views to the west and the east. The presence of woodlands such as Laughton Wood, Dallison Plantation and Carmer Wood add visual prominence and helps in breaking down the vast and open scale of the views.

Overall, this route is subject to high levels of traffic and offers a variation of views locally along its length, including clear open views predominantly to the east and west of Laughton Road. The existing vegetation bordering the mainline railway is also an appealing feature of the route (picked out to the south of Blyton by the overhead gantrys). This is an attractive route due to the mix of minor settlement and the wide hedge-lined road opening out into the landscape however it has limited tranquility due to the level of traffic and its relationship with Blyton Park Racetrack.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.5] January 2023



Transport Receptor – T018 / Laughton Road, Blyton (A159)

Construction	Operation (Year 1)	Mitigation (Operation Year 15)	Decommis
The first and middle sections of the route would not be significantly affected, but users of the final section of the route would experience changes, particularly at the location where the route passes directly adjacent to the boundary of the Site/Sites. These changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened due to the presence of foreground hedgerow bordering Laughton Road. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerow, but the tree groups bordering the route would provide some screening such that these activities would be confined to a narrower section of the view where the route passes directly adjacent to the boundary. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a narrow proportion of the view and appear as a dominant feature. There would be a considerable change to the arable land use, but the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings of Laughton Road. Construction access . Cable Route Corridor The transport receptor is outside the 500m cable route corridor study area. Substation/	The foreground of the views from this route will not change due to the existing hedgerows trees and shelterbelts, however where the Site boundary sits close to Laughton Road, the agricultural land will become panels. The changes would be experienced within the context of the Blyton Park Racing Centre that would ad minor cumulative changes to the views. Further agricultural fields beyond would be screened from route by the panels and the distant backdrop of Laughton Wood may be lost. The setting of Gainsborough Road as it winds down from Blyton with groups and individual trees along its verges would not be directly affected by the new panels. The vertical elements in the view, including power lines, the wind turbine at the Blyton Park Racing Centre, the mainline railway infrastructure, telegraph poles and associated cables would add minor cumulative changes to the view.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15), refer to Viewpoints VP63, VP LCC-C-V and LCC-C-U.	A similar prod Scheme bein of the Site in vegetation ar secondary m future baselin the duration noise and vib generation an

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.5] January 2023

nissioning

rocess to that of construction stage, but with the ing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.



Magnitude	Very Low	Very Low	Low	Very Low
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sh
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N

	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	No Intervisibility	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or featur area.
		There would be the introduction of new elements and features comprising the
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with the Cottam 3a a cumulative developments would not be experienced across the majority of the distance, the intervening woodlands, hedgerows, and tree cover between the s built form would also curtail cumulative visibility between these Site/Sites.
		There are local patches of cumulative visibility which may be focus of likely sign and Tillbridge Solar. This cumulative visibility is set out in further detail within t
		Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Development
		Overall Landscape Character and Visual Amenity Overall, the character of the Unwooded Vales is shaped by the strong agricultu strong sense of rural tranquility. In contrast, the low levels of woodland cover landscape comprising an arable land use within a scattered pattern of settlem to west and a more strategic road network north to south. These relevant cha ability to accommodate change without undue adverse effects. The cumulative alter the overall character of the landscape within the Unwooded Vales Charac
Magnitude	Not Applicable	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation : Low Operation (Year 15): Low Decommissioning: Low
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significant Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.5] January 2023

Short Term

Not Significant

r features of the landscape within the character
sing the solar panel areas and the substation area.
am 3a and 3b Sites, cumulative visibility with the ty of the 5km study area. This is due to the een the Site/Sites. The intervening settlements and tes.
kely significant effects, between the Cottam 3a Site within the following figures:
elopments Augmented ZTV [C6.4.8.15.2.8]
agricultural presence, with wide areas retaining a d cover create a relatively open and expansive settlement, linked by a series of minor roads east vant characteristics of the landscape have some mulative visibility for the Cottam 3b Site would not s Character Area 4a
erm



Transport Receptor – T025 / Bonsdale Lane, Bonsdale

Baseline Context:

Bonsdale Lane is located to the east of Pilham and extends from the junction with Kirton Road in the north, heading south past Bonsdale Farm. The road then continues over Aisby Beck taking a 'right-angled' turn to head west meeting Green Lane. This short section of the lane extends from the southeast corner of the Cottam 3b Site down towards Green Lane.

Distance to Cottam Sites: 4m to Cottam 3b

Nearest Viewpoint: VP57, VP58, VP59

Description of Route:

This section of the route heads from the junction with Kirton Road down to Bonsdale Farm. This route looks northwest onto Cottam 3a Site and west towards Cottam 3b Site/Sites. The route runs south directly next to the eastern boundary of Cottam 3b Site. The short section of T025 runs between the southwest corner and the PRoW just north of Bonsdale Farm. The route is a tranquil one, with no immediate settlements and only isolated dwellings and farmsteads locally. It is however influenced by the railway line and associated structures.

To the west of this route, existing mature trees form a backdrop to the landscape to the west, with a small section of woodland abutting the road and screening views to the east. Views west are open and exposed with a wooded horizon and layered field boundary landscape but low-cut hedges locally. Beyond this wooded area, the landscape becomes open to both west and easterly aspects and is vast and exposed. The route is a pleasant one with relatively little traffic and is used for recreation, joining the PRoW network locally and having reasonably wide roadside verges which create a pleasant route.

Overall, this route is subject to medium to low levels of traffic, but offers some interesting features locally along its length, including invigorating and clear open views across the landscape both north and south and east and west including views towards the distant landscape of Laughton Woods and Laughton Common. The existing vegetation bordering the mainline railway is also the appealing feature of the route (picked out by the overhead gantrys). This is an attractive route due to the pleasant outlook in all directions and this takes account of the balance and harmony of this arable landscape made more appealing by the individual tree cover and groups of trees in close proximity to the route.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.6] January 2023



Transport Receptor – T025 / Bonsdale Lane, Bonsdale

	Construction	Operation (Year 1)	Mitigation (Operation Year 15)	Decommis
	The first and middle sections of the route would be affected due to the proximity to the Cottam 3b Site especially where the route passes directly adjacent to the boundary. Users of the final section of the route would experience changes. These changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened due to the presence of foreground hedgerow bordering Bonsdale Road. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerow, but the tree groups bordering the route would provide some screening such that these activities would be confined to a narrower section of the view where the route passes directly adjacent to the boundary. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a narrow proportion of the view and appear as a dominant feature. There would be a considerable change to the arable land use, but the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the south and east of Bonsdale Road. Construction Access This transport receptor is not to be used for construction access. Cable Route Corridor The transport rece	The foreground of the views from the route at this first section would change from a large agricultural field to an area of panels but this view will be mitigated by Shelterbelt planting and the reinforcement of existing hedgerows at the eastern boundary of Cottam 3b Site. The changes would be experienced within the context of the Blyton Park Racing Centre that would add minor cumulative changes to the views. Further agricultural fields beyond would be screened from route by the panels and the distant backdrop of Laughton Wood may be lost. The setting of Kirton Road as it winds towards Northorpe with groups and individual trees along its verges would not be directly affected by the new panels. The similar small group of trees divided by Kirton Lane as it makes a small turn would however be affected by the presence of the new panels. The vertical elements in the view, including power lines, the wind turbine at the Blyton Park Racing Centre, the mainline railway infrastructure, telegraph poles and associated cables would add minor cumulative changes to the view.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15), refer to Viewpoints VP57, VP58 and VP59.	A similar proc Scheme being of the Site in a vegetation an secondary mi future baselin the duration of noise and vib generation an
Magnitude	Very Low	Very Low	Low	Very Low

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.6] January 2023

nissioning

rocess to that of construction stage, but with the ing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.



Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & S
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N

Transport Re	ceptor – T025 / Bonsdale Lane, Bonsdale	
	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	No Intervisibility	<u>Fabric of the Landscape</u> There would not be the removal of or changes in individual elements or f area.
		There would be the introduction of new elements and features comprisin
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with the Cottam cumulative developments would not be experienced across the majority distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility between these Site/Sites
		There are local patches of cumulative visibility which may be focus of like and Tillbridge Solar. This cumulative visibility is set out in further detail wi
		Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develo
		Overall Landscape Character and Visual Amenity Overall, the character of the Unwooded Vales is shaped by the strong agr strong sense of rural tranquility. In contrast, the low levels of woodland co landscape comprising an arable land use within a scattered pattern of set to west and a more strategic road network north to south. These relevan ability to accommodate change without undue adverse effects. The cumu alter the overall character of the landscape within the Unwooded Vales C
Magnitude	Not Applicable	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Terr Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significant Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.6] January 2023

Short Term

Not Significant

r features of the landscape within the character

sing the solar panel areas and the substation area.

am 3a and 3b Sites, cumulative visibility with the ty of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and tes.

kely significant effects, between the Cottam 3a Site within the following figures:

elopments Augmented ZTV [C6.4.8.15.2.8]

gricultural presence, with wide areas retaining a l cover create a relatively open and expansive settlement, linked by a series of minor roads east ant characteristics of the landscape have some nulative visibility for the Cottam 3b Site would not Character Area 4a.

erm

cant



Transport Receptor - T028 / Green Lane, Pilham

Receptor Baseline:

Green Lane is located to the southeast of Blyton and extends from the junction with Bondsdale Lane (to the south of Bonsdale Farm) towards Pilham to meet with Pilham Lane at the junction with the Church of All Saints.

Distance to Cottam Sites: 140m to Cottam 3b

Nearest Viewpoint: VP57, VP58, VP59

Description of Route:

The route runs from Pilham to Bonsdale Farm in a west-east direction. The route looks north towards Cottam 3a Site and Cottam 3b Site with Cottam 3b being the closest. There are strong but low-cut hedgerows and tree clumps bordering the north and southern boundary of the route.

The route meanders after Home Farm and this section of the route has a greater number of hedgerow trees and has a more pleasant experience. The narrow lane travels through Pilham village and past the church on the left and through the village. Once opening up into countryside, the route becomes tree lined for some distance forming a natural and interesting transition from the village to the open landscape. A large part of this route is a pleasant one with relatively wide roadside verges and irregularly spaced hedgerow trees. To the eastern extents of this route, the low hedgerows are well defined but there are very few/no hedgerow trees in places creating an open and exposed landscape with little interest.

The route is influenced by the open nature of the location and the presence of several agricultural buildings standing out in the view. The cluster of trees to the north of Bonsdale Farm is an attractive feature in the context of the route. There are extended views towards the north and the south, which is the overriding feature along Green Lane (at this section) and the road continues to be defined by strong but over-managed hedgerows.

Overall, this route is subject to medium to low levels of traffic, but offers some interesting features locally along its length, including invigorating and clear open views across the landscape both north and south and east with mid distance views of a layered landscape but with distant woodland hidden by topography in the main. The well treed landscape close to the village of Pilham creates some sense of tranquility with the railway line set in the mid distance to the north.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.7] January 2023



Transport Receptor – T028 / Green Lane, Pilham

(Construction	Operation (Year 1)	Mitigation (Operation Year 15)	Decommis
r f f c s s l l a f f c s s l l a f f c s s s l l a f f c s s l l a f f c s s s l l a f f c s s s l l a f f f c s s s l l t t t t t t t t t t t t t t t	The middle and last sections of the route would be affected due to the proximity to the Cottam 3b Site especially where the route passes directly adjacent to the boundary. Users of the first section of the route would experience changes. These changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened due to the presence of foreground hedgerow bordering Green Lane. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerow, but the tree groups bordering the route would provide some screening such that these activities would be confined to a narrower section of the view where the route passes directly adjacent to the boundary. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a narrow proportion of the view and appear as a dominant feature. There would be considerable change to the arable land use, but the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the south and east of Green Lane. Construction Access Part of the transport receptor will be used for construction access, so there will be some localized, temporary activ	The foreground of the views from the route at this first section would change from a large agricultural field to an area of panels but this view will be mitigated by Shelterbelt planting and the reinforcement of existing hedgerows at the southern boundary of the Cottam 3b Site. The changes would be experienced within the context of the Blyton Park Racing Centre that would add minor cumulative changes to the views. Further agricultural fields beyond would be screened from route by the panels and the distant backdrop of Laughton Wood may be lost. The setting of Kirton Road as it winds towards Northorpe with groups and individual trees along its verges would not be directly affected by the new panels. The similar small group of trees divided by Kirton Lane as it makes a small turn would however be affected by the presence of the new panels. The vertical elements in the view, including power lines, the wind turbine at the Blyton Park Racing Centre, the mainline railway infrastructure, telegraph poles and associated cables would add minor cumulative changes to the view.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15), refer to Viewpoints VP57, VP58 and VP59.	A similar proc Scheme being of the Site in w vegetation an secondary mir future baselin the duration of noise and vibu generation an

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.7] January 2023

nissioning

rocess to that of construction stage, but with the ing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.



Magnitude	Very Low	Very Low	Low	Very Low
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sh
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N

in an sport Re	ceptor – T028 / Green Lane, Pilham	
	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	No Intervisibility	<u>Fabric of the Landscape</u> There would not be the removal of or changes in individual elements or for area.
		There would be the introduction of new elements and features comprisin
		Aesthetic Aspects of the Landscape Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with the Cottam cumulative developments would not be experienced across the majority of distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility between these Site/Sites
		There are local patches of cumulative visibility which may be focus of likel and Tillbridge Solar. This cumulative visibility is set out in further detail wi
		Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develo
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the Unwooded Vales is shaped by the strong agr strong sense of rural tranquility. In contrast, the low levels of woodland co landscape comprising an arable land use within a scattered pattern of set to west and a more strategic road network north to south. These relevan ability to accommodate change without undue adverse effects. The cumu alter the overall character of the landscape within the Unwooded Vales Cl
Magnitude	Not Applicable	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only E Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.7] January 2023

Short Term

Not Significant

or features of the landscape within the character
sing the solar panel areas and the substation area.
am 3a and 3b Sites, cumulative visibility with the ty of the 5km study area. This is due to the een the Site/Sites. The intervening settlements and tes.
kely significant effects, between the Cottam 3a Site within the following figures:
elopments Augmented ZTV [C6.4.8.15.2.8]
agricultural presence, with wide areas retaining a d cover create a relatively open and expansive settlement, linked by a series of minor roads east vant characteristics of the landscape have some mulative visibility for the Cottam 3b Site would not s Character Area 4a.

erm

Embedded Mitigation: Minor Not Significant



Transport Receptor - T034 / Pilham Lane, Aisby near Gainsborough

Receptor Baseline:

Pilham Lane is located to the north of Corringham and to the south of the small settlement of Aisby. T034 extends from Bonsdale Farm south before turning west towards Pilham Lane.

Distance to Cottam Sites: 203m to Cottam 2

Nearest Viewpoint: VP54, VP58, VP59

Description of Route:

The first section of the route heads from Bonsdale Farm south to the junction with the unnamed road that heads south of Aisby. The second section of the road travels along this unnamed road east to west towards Pilham Lane. This route looks north/northeast onto Cottam 3a Site along its route and west towards Cottam 3b Site at its eastern extent. The route runs south next to the eastern boundary of Cottam 3b Site.

The route is influenced by the open nature of the location and the railway line to the north/west. The route is relatively tranquil, being a relatively low trafficked route but this is reduced somewhat by the railway and Blyton Park Racetrack when this is in use. The cluster of trees to the north of Bonsdale Farm is an attractive feature in the context of the route and can be seen from the southeast.

Along the Bonsdale Lane, views are very open in all directions with low-cut hedges to some roadside verges and other areas without hedgerows creating an open and exposed landscape. There are few hedgerow trees in places and relatively straight roads add to the somewhat bleak outlook. Travelling west along the unnamed road, again there are few trees, and the hedgerows are low cut and gappy in places continuing the character from the east. Added interest and vegetation around the settlement of Aisby creates some relief from the openness for a short stretch of this route. Further west, where the road meets Pilham Lane, the route is still rather open with little interest in the immediate setting and vast views to all aspects but with Corringham Scroggs and Duckle's wood ahead to the east creating some relief.

Overall, this route is subject to medium to low levels of traffic, but offers some interesting features locally along its length, including invigorating and clear open views across the landscape both north and south and east and west including views towards the woodland in the mid-long distance. This is a pleasant route, if somewhat exposed and is used for recreation as well as vehicular traffic.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.8] January 2023



Transport Receptor - 10347 Finnan Lane, Alsoy near Gamsborough		Transport Receptor – T034 / Pilham Lane, Aisby near Gainsborough
--	--	--

Construction	Operation (Year 1)	Mitigation (Operation Year 15)	Decommis
The last and middle sections of the route would not be significantly affected, but users of the first section of the route would experience changes, particularly at the location where the route passes near to the boundary of the Site/Sites. These changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened due to the presence of foreground hedgerow bordering Laughton Road. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerow, but the tree groups bordering the route would provide some screening such that these activities would be confined to a narrower section of the view where the route passes near to the boundary. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a narrow proportion of the view and appear as a dominant feature. There would be a fundamental change to the surroundings of Pilham Lane. Construction Access Part of this transport receptor will be used for construction access, so there will be localised and temporary activity. Cable Route Corridor The transport receptor is predominantly within the 500m cable route study area. From Bonsdale Farm the road runs north/south and approximate	The foreground of the views from this route will not change due to the existing hedgerows trees and shelterbelts, however where the Site boundary sits close to Pilham Lane, the agricultural land will become panels. The changes would be experienced within the context of the Blyton Park Racing Centre that would add minor cumulative changes to the views. Further agricultural fields beyond would be screened from route by the panels and the distant backdrop of Laughton Wood may be lost. The setting of Gainsborough Road as it winds down from Blyton with groups and individual trees along its verges would not be directly affected by the new panels. The vertical elements in the view, including power lines, the wind turbine at the Blyton Park Racing Centre, the mainline railway infrastructure, telegraph poles and associated cables would add minor cumulative changes to the view.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15), refer to Viewpoints VP54, VP58 and VP59.	A similar pro Scheme bein of the Site in vegetation an secondary m future baseli the duration noise and vib generation a

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.8] January 2023

nissioning

process to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.



Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & S
Magnitude	Very Low	Very Low	Low	Very Low
	The transport receptor is within the 2km study areas for Cottam 3a, Cottam 3b and Cottam 2 substations. There are potential views to the Cottam 3b and Cottam 2 substations but – due to the intervening vegetation and landform – unlikely to be any views across to Cottam 3a substation.			

	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	No Intervisibility	Fabric of the Landscape There would not be the removal of or changes in individual elements or fearea. There would be the introduction of new elements and features comprising within the character area. Apple the Landscape
		Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.2 [C6.4.8.15.2.2] which shows that with the Cottam 2 developments would not be experienced across the majority of the 5km st intervening woodlands, hedgerows, and tree cover between the Site/Sites. would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely Tillbridge Solar. This cumulative visibility is set out in further detail within t
		Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develop <u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the Unwooded Vales is shaped by the strong agrid strong sense of rural tranquility. In contrast, the low levels of woodland co landscape comprising an arable land use within a scattered pattern of sett to west and a more strategic road network north to south. These relevant ability to accommodate change without undue adverse effects. The minor Site/Sites would not alter the overall character of the landscape within the
Magnitude	Not Applicable	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term

the December Toold (Dille and Lenge Aicher Beer Coinche

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.8] January 2023

Short Term

Not Significant

features of the landscape within the character

ng the solar panel areas and the substation area

2 Site, cumulative visibility with the cumulative study area. This is due to the distance, the es. The intervening settlements and built form

ely significant effects, between the Cottam 2 and the following figures:

opments Augmented ZTV [C6.4.8.15.2.8]

ricultural presence, with wide areas retaining a cover create a relatively open and expansive ettlement, linked by a series of minor roads east nt characteristics of the landscape have some or patches of cumulative visibility for the Cottam 1 ne Unwooded Vales Character Area.

m



Significance of Effect	Not Applicable	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significa Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant
---------------------------	----------------	--

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.8] January 2023

icant



Transport Receptor - T037 / Yawthorpe Lane, Willoughton

Baseline Context:

Yawthorpe Lane is located to the north of the A631 (Corringham Road) between the settlements of Corringham in the west and Hemswell in the east. The lane extends as far north as the Deserted Village of Dunstall (where there is no further access at this point) and begins at the junction with the Willoughton Road which runs north from the A631.

Distance to Cottam Sites: 423m to Cottam 2

Nearest Viewpoint: VP50, VP54, LCC-C-Q

Description of Route:

The first section of the track extends as far as Home Farm within the settlement of Yawthorpe and is set within open arable fields to each side. There are sparse hedgerows and in many places no hedgerows at all, and few trees along this route. This allows extended views towards the east and the west which feature little woodland and very limited tree cover. There are however some blocks of woodland to the east of Yawthorpe village and one block along the western boundary of this route. The second section of the route leads from Home Farm to lower end of Yawthorpe Lane which connects the A631 to Willhoughton. Again here, hedgerows are either low cut or non-existent with very few hedgerow trees along the route creating open views across the arable farmland. Limited hedgerow trees across the landscape emphasis the large-scale landscape. The route looks west towards Cottam 2 Site, south towards Cottam 1 North Site and northwest towards Cottam 3b Site. The background noise from the A631 is prominent.

There is a subtle contrast between the first and section of the route. The first section of the route is a rough track used by agricultural machinery and pedestrians. Little woodlands and Yawthorpe Fox Covert are more prominent and easily distinguishable from this section of the route. The second section is more heavily trafficked with residential dwellings and farm buildings along the route. The lack of hedgerows and sparse tree cover either side of this group of buildings gives for a more open and uninterrupted view in all directions.

The route is influenced by the open and exposed nature of the arable fields, but the residential properties and the associated woodlands in the near distance creates a more enclosed character to some views. There are also extended views towards the south but towards the north, the existing woodlands and the residential group curtails visibility in this direction. There is open visibility directly over Cottam 2 Site due to the low height of intervening hedgerows and distinct lack of woodlands and tree cover to the west.

Overall, this route is subject to very low levels of traffic and provides local access to residential dwellings and agricultural buildings. The track offers some interesting features but there are clear open views across the landscape from east to west including views towards the distant wooded landscape. This is an ordinary route with some detracting features such as telegraph poles and wires and large-scale agricultural buildings.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.9] July 2022



Transport Receptor - T037 / Yawthorpe Lane, Willoughton

	Construction	Operation (Year 1)	Mitigation (Operation Year 15)	Decommis
	The first and second sections of the route would be affected due to the proximity to the Cottam 2 Site. These changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened due to the distance between the scheme and Yawthorpe Lane. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerow, but the tree groups bordering the route would provide some screening such that these activities would be confined to a narrower section of the view where the route passes directly adjacent to the boundary. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a narrow proportion of the view and appear as a dominant feature. There would be a considerable change to the arable land use, but the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the east and west of Yawthorpe Lane. Construction Access Transport receptor will not be affected by the proposed construction access for Cottam 2 Site. Cable Route Corridor This transport receptor is outside the 500m cable route corridor study area. Substation/s	The foreground of the views from the route at this first section would not change but the far views to the west will change as agricultural fields will change to hold panels in the Cottam 2 Site however proposed shelterbelt planting and scattered trees should mitigate views from the route. The changes would be experienced within the context of the Blyton Park Racing Centre that would add minor cumulative changes to the views. Further agricultural fields beyond would be screened from route by the panels and the distant backdrop of Laughton Wood may be lost. The setting of Kirton Road as it winds towards Northorpe with groups and individual trees along its verges would not be directly affected by the new panels. The similar small group of trees divided by Kirton Lane as it makes a small turn would however be affected by the presence of the new panels. The vertical elements in the view, including power lines, the wind turbine at the Blyton Park Racing Centre, the mainline railway infrastructure, telegraph poles and associated cables would add minor cumulative changes to the view.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15), refer to Viewpoints VP50, VP54 and LCC-C-Q.	A similar pro- Scheme bein of the Site in vegetation ar secondary m future baselin the duration noise and vib generation a
Magnitude	Very Low	Very Low	Low	Very Low
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sh

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.9] July 2022

nissioning

rocess to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.

Short Term



Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible No t
Transport Re	ceptor – T037 / Yawthorpe Lane, Willoughton			
	In-Combination Effects [Cumulative Sites]	Cui	nulative Effects [Cumulative Development	:s]
	No Intervisibility	<u>Fabr</u>	ic of the Landscape	
		The	e would not be the removal of or changes in individual	elements or fea
		area		

		There would not be the removal of or changes in individual elements or f area.
		There would be the introduction of new elements and features comprisin within the character area.
		Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.2 [C6.4.8.15.2.2] which shows that with the Cottam developments would not be experienced across the majority of the 5km intervening woodlands, hedgerows, and tree cover between the Site/Site would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of like Tillbridge Solar. This cumulative visibility is set out in further detail within
		Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develo
		Overall Landscape Character of the Unwooded Vales Overall, the character of the Unwooded Vales is shaped by the strong ag strong sense of rural tranquility. In contrast, the low levels of woodland of landscape comprising an arable land use within a scattered pattern of se to west and a more strategic road network north to south. These relevan ability to accommodate change without undue adverse effects. The mino Site/Sites would not alter the overall character of the landscape within the
Magnitude	Not Applicable	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Tern Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significa Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.9] July 2022

Not Significant

or features of the landscape within the character
sing the solar panel areas and the substation area
am 2 Site, cumulative visibility with the cumulative m study area. This is due to the distance, the ites. The intervening settlements and built form
kely significant effects, between the Cottam 2 and ain the following figures:
elopments Augmented ZTV [C6.4.8.15.2.8]
agricultural presence, with wide areas retaining a d cover create a relatively open and expansive settlement, linked by a series of minor roads east vant characteristics of the landscape have some nor patches of cumulative visibility for the Cottam 1 the Unwooded Vales Character Area.
erm
cant



Transport Receptor - T038 / Field Farm Lane, Corringham

Baseline Context:

'Field Farm Lane is located to the north of Corringham, west of Yawthorpe and to the south of the small settlement of Aisby. The lane extends from Corrringham in the south at the junction with East Lane and meets with Pilham Lane in the north at the small settlement of Aisby.

Distance to Cottam Sites: 256m to Cottam 2

Nearest Viewpoint: LCC-C-P, VP48 and VP53.

Description of Route:

From the north, the route heads from the junction with Pilham Lane and travels south to Hall Farm. This section of the route has strong grass verges to each side to border the route and low-cut hedgerows; gappy in places, that separate the route from the surrounding agricultural fields. The route then goes from Hall Farm and travels south to form a 'T' junction with East Lane. The second section of the route is similar to the first section with the grass verges and hedgerows to either side of the route. The hedgerows to the west on this section of the route has strong shelterbelt and tree vegetation planted alongside the hedgerows to mitigate views to Old Farm and its associated agricultural fields. The route looks to the east towards Cottam 2 Site, to the north is Cottam 3b Site and to the south Cottam 1 North Site.

Open views to the north of the route give way to an area of more enclosed vegetation around Hall Farm and Old Hall before opening up a little further south. Here the boundary vegetation to the west of the road is relatively tall and dense, whilst views over to the east are more open with a low-cut hedge to this aspect.

The route is influenced by the open nature of the location and the presence of Corringham to the south and Aisby to the north. The route also follows the Corringham Beck for part of its route to the south which runs adjacent to the road. Farms and historic buildings along its route provide a break in the landscape with vegetation becoming denser towards Aisby.

Overall, this route is subject to medium to low levels of traffic, but offers some interesting features locally along its length, including invigorating and clear open views to the east including views towards the distant landscape of Yawthorpe Fox Covert. This is an attractive route due to the pleasant outlook in all directions at the first section and the partially enclosed nature of the second section of the route.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.10] January 2023



Transport Receptor – T038 / Field Farm Lane, Corringham

Construction	Operation (Year 1)	Mitigation (Operation Year 15)	Decommi
The first and second sections of the route would be affected due to the proximity to the Cottam 2 Site. Users of the route would experience changes. These changes would include the construction activities during site preparation / enabling works, construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened due to the presence of foreground hedgerow bordering Field Farm Lane. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerow, but the tree groups bordering the route would provide some screening such that these activities would be confined to a narrower section of the view where the route passes directly adjacent to the boundary. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a narrow proportion of the view and appear as a dominant feature. There would be a considerable change to the arable land use, but the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the east and west of Field Farm Lane. Construction Access The norther limit of this transport receptor is near to construction access, therefore there may be localised and temporary activity. Cable Route Corridor Approximately half of this transport receptor study areas, running southwards from Aisby. 	The foreground of the views to the east from the route at this first section and section would change from a large agricultural field to an area of panels but this view will be mitigated by Shelterbelt planting and the reinforcement of existing hedgerows at the western boundary of Cottam 2 Site. The changes would be experienced within the context of the Blyton Park Racing Centre that would add minor cumulative changes to the views. Further agricultural fields beyond would be screened from route by the panels and the distant backdrop of Laughton Wood may be lost. The setting of Kirton Road as it winds towards Northorpe with groups and individual trees along its verges would not be directly affected by the new panels. The similar small group of trees divided by Kirton Lane as it makes a small turn would however be affected by the presence of the new panels.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15), refer to Viewpoints VP48, VP53 and LCC-C-P.	A similar pro Scheme bein of the Site in vegetation ar secondary m future baseli the duration noise and vib generation a

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.10] January 2023

missioning

process to that of construction stage, but with the eing no longer operational. This is an assessment e in winter but assumes retention of existing and builds upon the proposed primary and y mitigation that had been established as the seline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.



SOLAR PROJECT				
Magnitude	Very Low	Very Low	Low	Very Low
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & S
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N

	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	No Intervisibility	<u>Fabric of the Landscape</u> There would not be the removal of or changes in individual elements or tarea.
		There would be the introduction of new elements and features comprisin within the character area.
		Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.2 [C6.4.8.15.2.2] which shows that with the Cottam developments would not be experienced across the majority of the 5km intervening woodlands, hedgerows, and tree cover between the Site/Site would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of like Tillbridge Solar. This cumulative visibility is set out in further detail within
		Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develo
		Overall Landscape Character and Visual Amenity Overall, the character of the Unwooded Vales is shaped by the strong ag strong sense of rural tranquility. In contrast, the low levels of woodland landscape comprising an arable land use within a scattered pattern of se to west and a more strategic road network north to south. These releva ability to accommodate change without undue adverse effects. The mine Site/Sites would not alter the overall character of the landscape within the
Magnitude	Not Applicable	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low
Гуре of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Tern Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significant Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.10] January 2023

& Short Term

e Not Significant

r features of the landscape within the character
sing the solar panel areas and the substation area
m 2 Site, cumulative visibility with the cumulative n study area. This is due to the distance, the tes. The intervening settlements and built form
kely significant effects, between the Cottam 2 and in the following figures:
elopments Augmented ZTV [C6.4.8.15.2.8]
agricultural presence, with wide areas retaining a d cover create a relatively open and expansive settlement, linked by a series of minor roads east rant characteristics of the landscape have some nor patches of cumulative visibility for the Cottam 1 the Unwooded Vales Character Area.
erm
cant



Transport Receptor - T059 / Northlands Road, Glentworth

Baseline Context:

Northlands Road is located to the north and west of the settlement of Glentworth. This road heads northwest from the settlement towards Homeyard Farm, where it takes a 'right-angled' turn heading west, passing Northlands Cottages. The road then takes a further 'right-angled' turn heading south to meet with Kexby Road where it is at its closest to the northeastern corner of Cottam 1 North.

Distance to Cottam Sites: 581m to Cottam 1

Nearest Viewpoint: LCC-C-M, VP41, VP42

Description of Route:

The first section of the route heads from Coachroad Hill through the built-up area within Glentworth adjacent to Glentworth Hall. This area is well treed and in keeping with a village edge landscape. Travelling north and then west away from Glentworth, the landscape becomes much more open with low-cut hedges and few hedgerow trees. Views to the north show a rolling landscape with a block of woodland in the mid-distance at Blythe Close and 'The Ridge' to the northeast. This route sits on a relatively high point and falls away to the west looking across the landscape to distant woodland and Cottam power station. This raised elevation is a pleasant feature and uncharacteristic for the route. The route Looks onto Cottam 1 North Site to the south.

The route is influenced by the open nature of the location outside the village of Glentworth to the east and Harpswell to the northeast. There are some detracting features to the east including large agricultural buildings and power lines in the close to mid-distance along this route.

Travelling west, the land falls away and the landscape becomes much more open with low cut hedges adjacent to the road, opening out in places to wide verges with no hedges and large ditches with views out across the landscape in all directions. At 'Oil Well' the route turns south where it runs down to the Kexby Road. Along this section of the route, the low hedgerows are interspersed with open areas with specimen trees spaced relatively regularly heading towards the Kexby Road. Views are a little more contained within this route in places and the road is single track and is in poor condition.

Overall, this route is subject to medium to low levels of traffic, but offers some interesting features locally along its length, including invigorating and clear open views across the landscape especially from the higher levels towards Glentworth including long range views across the valley bottom. This is an attractive route due to the pleasant outlook in all directions. The route sits comfortably within the landscape and is varied in character.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors - Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.11] January 2023



Transport Receptor – T059 / Northlands Road, Glentworth

	Construction	Operation (Year 1)	Mitigation (Operation Year 15)	Decommis
	The first and second sections of the route are unlikely to be affected by any changes due to the distance from the Scheme to the route. Users of the final section of the route would experience changes. These changes would include the construction activities during site preparation / enabling works, construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partly screened due to the presence of foreground hedgerow bordering Bonsdale Road. During the latter part of the construction stage, views would become available of the elevated activities above the hedgerow, but the tree groups bordering the route would provide some screening such that these activities would be confined to a narrower section of the view where the route passes directly adjacent to the boundary. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a narrow proportion of the view and appear as a dominant feature. There would be a considerable change to the arable land use, but the field boundaries and the associated tree cover would remain intact. There would not be a fundamental change to the surroundings of Bonsdale Road. Construction Access This transport receptor is not near any construction access. Cable Route Corridor This transport receptor is outside the 500m cable route corridor study area.	The foreground of the route from the first and second section is unlikely to change however the far ground of the view in the second section will experience change. The agricultural fields in the distance to the south will change to accommodate panels however this will be mitigated by the proposed shelterbelt planting. The changes would be experienced within the context of the Blyton Park Racing Centre that would add minor cumulative changes to the views. Further agricultural fields beyond would be screened from route by the panels and the distant backdrop of Laughton Wood may be lost.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15), refer to Viewpoints VP41, VP42 and LCC-C-M.	A similar prod Scheme bein, of the Site in vegetation ar secondary m future baselin the duration noise and vib generation an
Magnitude	Very Low	Very Low	Low	Very Low
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sh

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.11] January 2023

nissioning

rocess to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.

Short Term



Significance of Effect	Negligible Not Significant	Negligible Not Significant		Minor-Moderate Not Significant	Negligible N
Transnert De	contex TOFO (Nextblands Dead Clantweyth				•
ттапѕротт ке	ceptor – T059 / Northlands Road, Glentworth				
	In-Combination Effects [Cumulative Sites]		Cum	ulative Effects [Cumulative Developm	ents]
	No. 1. Access 1919		5.1.1		
	No Intervisibility			<u>of the Landscape</u> would not be the removal of or changes in individ	ual elements or f
			area.		
				would be the introduction of new elements and fe the character area	atures comprisin
			vvicinii		
				tic Aspects of the Landscape	
				to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that	
				ative developments would not be experienced act ce, the intervening woodlands, hedgerows, and tr	
				orm would also curtail cumulative visibility.	
			Thora	are local patches of sumulative visibility which ma	y ha facus of like
				are local patches of cumulative visibility which ma tes and Gate Burton Energy Park, Tillbridge Solar	
				r detail within the following figures:	
			Figure	8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cur	ulativo Dovoloom
			-	8.15.2.8 Cottam 1, 2, 3a and 3b Gate Builton Cun 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar C	
				8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cun	
			The lar	ndscape is shaped by the wide range of local and	strategic road net
				ent from another. The strategic major road networ	
				ninor road network links several historic and disti	
				ling road network is formed by narrow lanes that and they have a major role in helping to define the	
			area.		
				I Landscape Character and Visual Amenity	insting and infu
				ll, the character of the landscape and the commur nent with farms, nucleated villages, and small har	
				that are not highly recognised for adding intimacy	
				ndscape and land use have some ability to accom	
				ty for the Cottam 1 Site/Sites would not alter the o	
				ructure features. Moreover, these features are of hat plays a positive role in reducing the overall cu	
				ruction: Very Low	
				tion (Year 1): Very Low	
Magnitude	Not Applicable			tion (Year 1): with only Embedded Mitigation: Ver	y Low
				tion (Year 15): Low nmissioning: Very Low	
				ruction: Adverse & Short Term	
Type of				tion (Year 1): Adverse & Long Term	
Effect	Not Applicable			tion (Year 1): with only Embedded Mitigation: Adv	erse & Long Tern
				tion (Year 15): Beneficial & Long Term nmissioning: Neutral & Short Term	
			Decon		

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.11] January 2023

Not Significant

^r features of the landscape within the character

sing the solar panel areas and the substation area

m 1 Site/Sites, cumulative visibility with the y of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and

kely significant effects, between the Cotton 1 n Solar Park. This cumulative visibility is set out in

pments Augmented ZTV [C6.4.8.15.2.6] lopments Augmented ZTV [C6.4.8.15.2.8] pments Augmented ZTV [C6.3.4.15.2.9]

networks, which make one landscape type or area important historic routes and in contrast, the east tring of settlements across the area. Overall, the uil and hedged to both sides with wide grassed landscape and reducing the visibility across the

frastructure is shaped by evidence of historic norpe le Fallows and Coates, which are features the landscape. These relevant characteristics of without undue adverse effects. The cumulative r of the landscape and its communications and well-vegetated context or associated with built

erm



		Construction: Negligible Not Significant
Significance		Operation (Year 1): Negligible Not Significant
0	Not Applicable	Operation (Year 1): with only Embedded Mitigation: Negligible Not Signi
of Effect	Not Applicable	Operation (Year 15): Minor Not Significant
		Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.11] January 2023

gnificant



Transport Receptor - T064 / Kexby Road, Glentworth

Baseline Context:

Kexby Road is located to the west of the settlement of Glentworth and to the northwest of the Settlement of Fillingham. This road heads in almost east west direction (in a 'dog-leg' alignment) heading from Glentworth and extending towards Kexby and Upton to the west. Either side of the road the landscape supports several woodland blocks including Oak Wood, Larch Plantation, Turpin Wood, Ash Holt, and Fillingham Low Wood.

Distance to Cottam Sites: 474m to Cottam 1

Nearest Viewpoint: VP41 / LCC-C-M / LCC-C-N

Description of Route:

The first section of the route starts on the Kexby Road to the south of the village of Glentworth. This route continues down from Hanover Hill which runs down from The Ridge' in the east. Heaton's wood sits to the southwest of the start of this route. The first section of this route is narrow paved road with a thick grass verge bordering the road on either side. This section of the route offers views of arable fields to the north and south but is broken up by strong woodland structures that are dotted around the route. As the route passes Glentworth village to the north, views out to the south look over low cut hedges to rolling farmland where 'The Ridge' is most evident when looking southeast along the valley sides. Travelling west, the route becomes enclosed by blocks of woodland including Nursery Plantation, again with low hedges and grass verges.

The route opens up to wide, expansive views to the west, north and south with low cut hedges and limited hedgerow trees on the northern boundary of the Kexby Road. Travelling further west, the hedgerows vary with large areas without vegetation or with limited hedgerow trees and ditches either side of the road. This continues until Ash Holt and Larch Plantation are reached and the landscape becomes much more enclosed and intimate with these large blocks of woodland creating an interesting route. Further woodlands Oak Wood, Big Wood, and woodlands at Westlands Farm are dotted along this route for some distance. The first section of the route also has strong, well-established hedgerows with few hedgerow trees.

The route is influenced by the open and vast, exposed nature of the landscape in places contrasted with woodland blocks to the west of this route. The route is also influenced by the settlements of Glentworth, Kexby and Upton where this road connects these minor settlements. This road also provides an important route down from 'The Ridge' and the villages beyond.

Overall, this route offers a pleasant journey that varies along its route and reflects the character of the wider landscape to the north with more open views generally to the south. There are interesting features including woodland blocks and isolated oak trees, but field boundaries are varied in quality and quantity and the landscape intensively farmed.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.12] January 2023



Construction	Operation (Year 1)	Mitigation (Operation Year 15)	Decom
affected, due to the separation provided by the intervening arable fields, the presence of a consistent hedgerow network and the distance from the construction works. The users of the central and final section of the route would however experience a significant level of change particularly at the location where the route passes directly adjacent to the boundary of the Site/Sites in the final section. The changes experienced from the central and final sections of the route would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration	The foreground of the views from the route at both the first section would not change, in the second section however, the agricultural fields to the south of the route and north of Fillingam Grange are likely to change to host panels. Any effects to the route will be mitigate by the proposed shelterbelt planting and tree planting that will close down views to these fields. The changes would be experienced within the context of the surrounding arable fields with very few features and the route has a straight alignment with limited character.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15) refer to Viewpoints VP41, LCC-C-M and LCC-C-N.	A simila Scheme of the S vegetat seconda future b the dur noise au generat

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.12] January 2023

nissioning

rocess to that of construction stage, but with the ing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.



Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & S
Magnitude	Very Low	Very Low	Low	Very Low
	Substation/s The transport receptor is outside the 2km study areas for the substations.			
	The western-most section of this transport receptor is within the 500m cable route corridor study area and is generally perpendicular to the cable route corridor.			

Transport Receptor – T064 / Kexby Road, Glentworth

In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
No Intervisibility	<u>Fabric of the Landscape</u> There would not be the removal of or changes in individual elements or fe area.
	There would be the introduction of new elements and features comprising within the character area
	<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 cumulative developments would not be experienced across the majority o distance, the intervening woodlands, hedgerows, and tree cover between the built form would also curtail cumulative visibility.
	There are local patches of cumulative visibility which may be focus of likely Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton S further detail within the following figures:
	Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developme Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develop Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developm
	The landscape is shaped by the wide range of local and strategic road netw different from another. The strategic major road network is defined by imp west minor road network links several historic and distinctive smaller strin prevailing road network is formed by narrow lanes that are often tranquil verges and they have a major role in helping to define the quality of the lan area.
	<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infrase settlement with farms, nucleated villages, and small hamlets such as Thorp value that are not highly recognised for adding intimacy and interest to the the landscape and land use have some ability to accommodate change wit visibility for the Cottam 1 Site/Sites would not alter the overall character of infrastructure features. Moreover, these features are often set within a we form that plays a positive role in reducing the overall cumulative effects.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.12] January 2023

Short Term

Not Significant

features of the landscape within the character

ing the solar panel areas and the substation area

m 1 Site/Sites, cumulative visibility with the of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and

ely significant effects, between the Cotton 1 Solar Park. This cumulative visibility is set out in

ments Augmented ZTV [C6.4.8.15.2.6] lopments Augmented ZTV [C6.4.8.15.2.8] oments Augmented ZTV [C6.3.4.15.2.9]

etworks, which make one landscape type or area mportant historic routes and in contrast, the east ring of settlements across the area. Overall, the uil and hedged to both sides with wide grassed landscape and reducing the visibility across the

rastructure is shaped by evidence of historic orpe le Fallows and Coates, which are features the landscape. These relevant characteristics of without undue adverse effects. The cumulative of the landscape and its communications and well-vegetated context or associated with built



		Construction: Very Low
		Operation (Year 1): Very Low
Magnitude	Not Applicable	Operation (Year 1): with only Embedded Mitigation: Very Low
-		Operation (Year 15): Low
		Decommissioning: Very Low
		Construction: Adverse & Short Term
Type of	Not Applicable	Operation (Year 1): Adverse & Long Term
		Operation (Year 1): with only Embedded Mitigation: Adverse & Long Ter
Effect		Operation (Year 15): Beneficial & Long Term
		Decommissioning: Neutral & Short Term
		Construction: Negligible Not Significant
Significance		Operation (Year 1): Negligible Not Significant
	Not Applicable	Operation (Year 1): with only Embedded Mitigation: Negligible Not Sign
of Effect	Not Applicable	Operation (Year 15): Minor Not Significant
		Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.12] January 2023

erm

gnificant



Transport Receptor - T075 / Fillingham Lane, Willingham

Baseline Context:

Fillingham Lane is located to the east of the settlement of Willingham by Stow and to the northeast of the settlement of Normanby by Stow. This lane heads east from Willingham by Stow as far as Gypsy Lane where it then joins with Willingham Road in the east. The lane broadly takes an east west alignment with some minor curves.

Distance to Cottam Sites: 0m to Cottam 1

Nearest Viewpoint: VP37 / VP40 / LCC-C-K / LCC-C-J

Description of Route:

The first section of the route starts to the eastern edge of Willingham by Stow, above Willingham Surgery. The first section of the route is bordered by wide grass verges. The views to the north and south are open but relatively well contained by the small field patterns around the settlement to the south and a little more open in the north. Views out are occasionally closed down by hedgerow trees. The route is separated from the surrounding agricultural fields by strong but low-cut hedgerows. The hedgerow to the northern border of the route is set low as the grass verge slopes down, this further opens up views to the north. Views open up a little travelling east away from the village with occasional stretches of tree lined ditches and stronger vegetation to the south of this road. The route is long and straight until it reaches Moor Bridge.

The second section of the route begins to the north of Slate House Farm and travels northeast till the road curves in an 'S' shape which it then becomes Willingham Road. This section of the route is also bordered by wide grass verges with some open views to the north and south. The views are frequently broken down by well-established hedgerow trees and hedgerows that are less intensively managed to the south of the road. There are however extensive views in all directions along this route. This section of the route is bordered by Magin Moor Farm and Poplar Farm to the north. The route looks south onto Cottam 1 West Site and east to the Cottam 1 North Site, the road becoming Willingham Road at Moor Bridge.

The settlement of Willingham by Stow is a key influence within this route as most of the traffic will be vehicles travelling between Willingham by Stow and Fillingham. The route is also influenced by the several small-scale farms and residential properties along this route.

Overall, this route offers a pleasant journey that is typical in character to the wider landscape. There are interesting features including woodland blocks and isolated oak trees, but the field hedgerows are cut back in places and grown taller in the second section of the route and the arable land use is intensively managed,

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.13] January 2023



Transport Receptor – T075 / Fillingham Lane, Willingham

manoporenee							
	Construction	Operation (Year 1)	Mitigation (Operation Year 15)	Decommis			
	The route is unlikely to be affected by change due to the distance from the Scheme and the well-established hedgerow and hedgerow trees blocking views to the south. The changes experienced (if any) of the route would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction of the solar panel areas and associated infrastructure and inverters would be partially screened by the foreground hedgerows, built form and tree cover bordering the route. The final section of the route would experience more open views of the construction activities. During the latter part of the construction stage, views would become available of the elevated activities and there would be open views, particularly where the route passes directly adjacent to the boundary of the Site/Sites at the final section of the route.	The foreground of the views from this route is unlikely to change however the first section of the route would experience change to the south of the route as it looks onto the Cottam 1 West Site, the effects of this would be mitigated by the proposed shelterbelt planting and additional tree planting as part of the Scheme. The changes would be experienced within the context of the surrounding arable fields with very few features and the route has a straight alignment with limited character. With the final section of the route, there would be a change from arable fields along a small section of the southern section of the route, but the panels would be set back from the roadside hedgerows.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15) refer to Viewpoints VP37, VP40, LCC-C- J and LCC-C-K.	A similar pro Scheme bein of the Site in vegetation ar secondary m future baselin the duration noise and vib generation a			

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.13] January 2023

nissioning

rocess to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and y mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.



Magnitude	Very Low	Very Low	Low	Very Low
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sł
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N

	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	No Intervisibility	<u>Fabric of the Landscape</u> There would not be the removal of or changes in individual elements or fe area.
		There would be the introduction of new elements and features comprisin within the character area
		Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam cumulative developments would not be experienced across the majority of distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likel Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton S further detail within the following figures:
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developm Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develop Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developm
		The landscape is shaped by the wide range of local and strategic road net different from another. The strategic major road network is defined by im west minor road network links several historic and distinctive smaller strin prevailing road network is formed by narrow lanes that are often tranquil verges and they have a major role in helping to define the quality of the la area.
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infra settlement with farms, nucleated villages, and small hamlets such as Thor value that are not highly recognised for adding intimacy and interest to the the landscape and land use have some ability to accommodate change wit visibility for the Cottam 1 Site/Sites would not alter the overall character of infrastructure features. Moreover, these features are often set within a we form that plays a positive role in reducing the overall cumulative effects.
Magnitude	Not Applicable	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Low Decommissioning: Very Low

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.13] January 2023

Short Term

Not Significant

features of the landscape within the character

ing the solar panel areas and the substation area

m 1 Site/Sites, cumulative visibility with the y of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and

kely significant effects, between the Cotton 1 n Solar Park. This cumulative visibility is set out in

oments Augmented ZTV [C6.4.8.15.2.6] elopments Augmented ZTV [C6.4.8.15.2.8] pments Augmented ZTV [C6.3.4.15.2.9]

networks, which make one landscape type or area important historic routes and in contrast, the east ring of settlements across the area. Overall, the uil and hedged to both sides with wide grassed e landscape and reducing the visibility across the

frastructure is shaped by evidence of historic norpe le Fallows and Coates, which are features the landscape. These relevant characteristics of without undue adverse effects. The cumulative of the landscape and its communications and well-vegetated context or associated with built



SOLAR PROJECT		
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Tern Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Signi Operation (Year 15): Minor Not Significant Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.13] January 2023

erm

gnificant



Transport Receptor - T077 / Unnamed Road, Ingham

Baseline Context:

This unnamed road (track) is located to the south of the settlement of Fillingham and to the north of the settlement of Ingham, where it takes a north south direction across the open, arable landscape.

Distance to Cottam Sites: 607m to Cottam 1

Nearest Viewpoint: VP28, VP31, LCC-C-F

Description of Route:

The first section of the route heads south from Willingham Road and is separated from the road by a private access gate into the fields. The road is a track used for private purposes and is unpaved. The track follows the field boundaries and is open with no hedgerows and few hedgerow trees to most parts. The second section of the track then reaches the boundary of a pond set within a wooded area and heads south to join Short Lane. The pond, with its surrounding woodland stands tall in the landscape and forms the mid distant horizon from the Willingham Road at this point. Beyond, a wooded horizon ends the open arable landscape around this area where views are extensive and open. There are relatively few hedgerow trees and other features locally. Beyond the pond and woodland, along the southern part of the track, the hedgerow is to the western boundary but again has few hedgerow trees. This route looks west towards Cottam 1 North Site and southwest towards Cottam 1 South Site.

There is only a little contrast between the first and second section of the track. The first section of the track appears more open and has extensive views to the east and west. The second section of the route is equally as open but the consistency in the length of the hedgerow is a contrasting feature to the first section of the track. The pond with its associated woodland is a key feature in the landscape and helps to break up the otherwise open and flat landscape.

The route is influenced by woodland around the pond to the centre of the route which offers the only tall natural structure between Fillingham and Ingham. The route is influenced by the existing field boundaries and margins and the intensively farmed local landscape.

Overall, this route offers a pleasant but somewhat exposed journey that is typical in character to the wider arable landscape. Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.14] January 2023



Transport Receptor – T077 / Unnamed Road, Ingham

Construction	Operation (Year 1)	Mitigation (Operation Year 15)	Decommis
The second section of the route is not likely to be affected by construction due to the distance and already existing hedgerow planting. The first section of the route however will experience slight changes due to the flat nature of the landscape, however due to the distance to the Scheme the effects are slim to none. The changes experienced from the central and final sections of the route would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction of the solar panel areas and associated infrastructure and inverters would be partially screened by the foreground hedgerows, built form and tree cover in the central section of the route. The final section of the route would experience more open views of the construction stage, views would become available of the elevated activities. During the latter part of the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows.	The foreground of the views would not change however due to the flat topography fields a bit further to the west of this route would change from agricultural fields to panels. This however will be mitigated by the proposed shelterbelt planting and additional tree planting proposed as part of the Scheme. The changes would be experienced within the context of the surrounding arable fields with very few features and the route has a straight alignment with limited character. With the central section of the route, there would be a change from arable fields along the majority of the southern section of the route, but the panels would be set back from the roadside hedgerows.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15) refer to Viewpoints VP28, VP31 and LCC-C-F.	A similar proc Scheme being of the Site in v vegetation an secondary mi future baselin the duration of noise and vibu generation an

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.14] January 2023

issioning

rocess to that of construction stage, but with the ing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.



Magnitude	Very Low	Very Low	Low	Very Low
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sł
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N

In-Combinatio	on Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
No Intervisibility		<u>Fabric of the Landscape</u> There would not be the removal of or changes in individual elements or f area.
		There would be the introduction of new elements and features comprisin within the character area
		Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam cumulative developments would not be experienced across the majority distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of like Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton further detail within the following figures:
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developm Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develop Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developm
		The landscape is shaped by the wide range of local and strategic road net different from another. The strategic major road network is defined by in west minor road network links several historic and distinctive smaller stri prevailing road network is formed by narrow lanes that are often tranqui verges and they have a major role in helping to define the quality of the la area.
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infra settlement with farms, nucleated villages, and small hamlets such as Tho value that are not highly recognised for adding intimacy and interest to th the landscape and land use have some ability to accommodate change w visibility for the Cottam 1 Site/Sites would not alter the overall character of infrastructure features. Moreover, these features are often set within a w form that plays a positive role in reducing the overall cumulative effects.
lagnitude Not Applicable		Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Low Decommissioning: Very Low

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.14] January 2023

Short Term

Not Significant

r features of the landscape within the character

sing the solar panel areas and the substation area

m 1 Site/Sites, cumulative visibility with the ty of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and

kely significant effects, between the Cotton 1 n Solar Park. This cumulative visibility is set out in

pments Augmented ZTV [C6.4.8.15.2.6] elopments Augmented ZTV [C6.4.8.15.2.8] pments Augmented ZTV [C6.3.4.15.2.9]

networks, which make one landscape type or area important historic routes and in contrast, the east tring of settlements across the area. Overall, the uil and hedged to both sides with wide grassed landscape and reducing the visibility across the

frastructure is shaped by evidence of historic norpe le Fallows and Coates, which are features the landscape. These relevant characteristics of without undue adverse effects. The cumulative of the landscape and its communications and well-vegetated context or associated with built



	SOLAR PROJECT		
			Construction: Adverse & Short Term
	Type of		Operation (Year 1): Adverse & Long Term
		Not Applicable	Operation (Year 1): with only Embedded Mitigation: Adverse & Long Terr
	Effect		Operation (Year 15): Beneficial & Long Term
			Decommissioning: Neutral & Short Term
			Construction: Negligible Not Significant
	Significance of Effect	NetApplicable	Operation (Year 1): Negligible Not Significant
		Not Applicable	Operation (Year 1): with only Embedded Mitigation: Negligible Not Signi
			Operation (Year 15): Minor Not Significant
			Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.14] January 2023

erm

gnificant



Transport Receptor - T078 / South Lane, Willingham

Baseline Context:

South Lane is located to the east of the settlement of Willingham by Stow and to the northeast of Normanby by Stow. The road heads south/southeast from Fillingham Lane where adjacent Magin Moor Farm and Poplar Farm. This is a straight road heading south as far as Moor Farm where it turns into an informal track.

Distance to Cottam Sites: 65m to Cottam 1

Nearest Viewpoint: VP38, LCC-C-J, LCC-C-K

Description of Route:

The first section of the route heads off Fillingham Lane and travels broadly southeast past the entrance to Chestnut Manor to the east and on to Lowfield Farm and Moor Farm. The road is bounded on both sides by intensively managed low-cut hedgerows devoid of any hedgerow trees. There are relatively wide grass margins which create a rural feel and a pleasant journey. A ditch lines the western boundary of this part of the road.

The long linear woodland to the east (under Moor Bridge) is a strong feature in the landscape as it stands tall in the horizon. To the west the views are more open and occasionally broken by field boundaries and shelterbelt vegetation. Cottam power station stands tall in the far horizon to the west. Views to the east are more open and to the south, Normanby Gorse is a prominent feature of strong woodland cover in the distance. The route looks south and west directly over, and east towards the Cottam 1 North Site. This is also looking south towards the Cottam 1 South Site.

This route is influenced by the relatively open landscape to all directions but the small and tranquil road that heads south with some intimacy around the small farmsteads. Woodland blocks are a strong feature, breaking up the arable farmland. The route is a local lane and there is no major settlement close by to disrupt the tranquility which is another key influence of this route.

Overall, this route offers a pleasant journey that is typical in character to the wider arable landscape. There are interesting features including woodland blocks and isolated trees, but the field hedgerows are cut back, and the arable land use is intensively managed. This location offers some intimacy since this is a local lane with little traffic and there is no major settlement to disrupt the tranquility. The overall experience is pleasant, with some depth to views and strong contrasting features due to the presence of the plantation woodlands on the horizon and the slight undulations in topography.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors - Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.15] January 2023



Transport Receptor – T078 / South Lane, Willingham

Construction	Operation (Year 1)	Mitigation (Operation Year 15)	Decom
<text></text>	The foreground of the views from the route at the final section would change from a large agricultural field (to both sides of the route) to an area of panels, but only for a short straight section of the route. The changes would be experienced within the context of the surrounding arable fields with very few features and the route has a straight alignment with limited character. With the central section of the route, there would be a change from arable fields along most of the southern section of the route, but the panels would be set back from the roadside hedgerows. The northern section of the central part of the route would not experience any changes.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15) refer to Viewpoints VP38, LCC-C-J and LCC-C-K.	A similar Scheme the Site i and buik mitigatio Effects a decomm from dec runoff.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.15] January 2023

ommissioning

ilar process to that of construction stage, but with the ne being no longer operational. This is an assessment of te in winter but assumes retention of existing vegetation uilds upon the proposed primary and secondary ation that had been established as the future baseline. s are those arising from activities for the duration of the nmissioning to include site traffic, noise and vibration decommissioning activities, dust generation and site



Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligib
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral
Magnitude	Very Low	Very Low	Low	Very Lov
	Substation/s This transport receptor is within the 2km study area for Cottam 1 substation. There are potentially views of the substation.			
	This transport receptor is within the 500m cable route corridor study area and crosses the cable route corridor at Lowfield Farm.			

Transport Receptor - T078 / South Lane, Willingham

In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
No Intervisibility	<i>Eabric of the Landscape</i> There would not be the removal of or changes in individual elements or fe area.
	There would be the introduction of new elements and features comprising within the character area
	<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam a cumulative developments would not be experienced across the majority of distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility.
	There are local patches of cumulative visibility which may be focus of likely Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton S further detail within the following figures:
	Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developm Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develop Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developm
	The landscape is shaped by the wide range of local and strategic road network different from another. The strategic major road network is defined by im west minor road network links several historic and distinctive smaller strin prevailing road network is formed by narrow lanes that are often tranquil verges and they have a major role in helping to define the quality of the la area.
	<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infra settlement with farms, nucleated villages, and small hamlets such as Thory value that are not highly recognised for adding intimacy and interest to the the landscape and land use have some ability to accommodate change with visibility for the Cottam 1 Site/Sites would not alter the overall character of infrastructure features. Moreover, these features are often set within a we form that plays a positive role in reducing the overall cumulative effects

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.15] January 2023

.ow

al & Short Term

gible Not Significant

features of the landscape within the character

ing the solar panel areas and the substation area

m 1 Site/Sites, cumulative visibility with the y of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and

ely significant effects, between the Cotton 1 n Solar Park. This cumulative visibility is set out in

pments Augmented ZTV [C6.4.8.15.2.6] lopments Augmented ZTV [C6.4.8.15.2.8] oments Augmented ZTV [C6.3.4.15.2.9]

etworks, which make one landscape type or area important historic routes and in contrast, the east ring of settlements across the area. Overall, the uil and hedged to both sides with wide grassed landscape and reducing the visibility across the

frastructure is shaped by evidence of historic orpe le Fallows and Coates, which are features the landscape. These relevant characteristics of without undue adverse effects. The cumulative of the landscape and its communications and well-vegetated context or associated with built



SOLAR PROJECT		
Magnitude	Not Applicable	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Low Decommissioning: Very Low
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Tern Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Signi Operation (Year 15): Minor Not Significant Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.15] January 2023

erm

gnificant



Transport Receptor - T083 / Cot Garth Lane

Baseline Context:

Cot Garth Lane is located within the settlement of Willingham by Stow at its southern edge. This is a straight section of lane that passes from the B1241 (Stow Road) in the west to meet with Stone Pit Lane in the east. The lane crosses a minor tributary of the River Till to the west of Woods Farm and the lane has limited visibility towards the Site/Sites.

Distance to Cottam Sites: 37m to Cottam 1

Nearest Viewpoint: VP39, VP40, LCC-C-K

Description of Route:

The first section of the route emerges east from a T' junction with B1241 to the south of the settlement Willingham by Stow. This section of the route is bordered with wide grass verges and very strong hedgerows to both sides. The hedgerows are grown tall which minimizes views to the north and south. The first part of this route as it travels through the village has a village character with more mixed species and formalised garden hedges as well as a greater mix of mature garden and orchard trees. This character stretches to Grange Farm where the landscape then becomes more agricultural with a mix of pasture and arable fields.

The hedgerow trees along this section of the route are mature and well established which creates an additional barrier between the route and its surrounding agricultural fields and residential properties. The road then crosses over a small watercourse. In the second section of this route the landscape gently rises east. The hedgerows bordering the route are tall and strong being less intensively managed than the majority in the surrounding landscape. There are few hedgerow trees. There are a few gaps in the hedgerow for access gates to the agricultural fields and these are what provides for a few pockets of open views in an otherwise intimate route. Cot Garth Lane then finally ends and forms a T' junction with Stone Pit Lane where the views to the east are extensive. The majority of the lane looks south towards Cottam 1 West Site but the final section of the route that comes onto Stone Pit Lane overlooks Cottam 1 West Site directly to the east, but all views are limited by topography and vegetation.

The intimate and tranquil nature of the setting is a key influence in this route as is the varied settlement vegetation and architecture to the western section. The route is a local lane used by residents and experiences very little traffic. Overall, this route offers a pleasant journey that is far more intimate than the wider arable landscape.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.16] January 2023



Transport Receptor – T083 / Cot Garth Lane

Construction	Operation (Year 1)	Mitigation (Operation Year 15)	Decom
The first section of the route would not be significantly affected, due to the separation provided by the intervening arable fields, the presence of a consistent hedgerow network and the distance from the construction works. The users of the final section of the route would however experience a slight level of charge particularly at the location where the route passes directly adjacent to the boundary of the Site/Sites in the final section. The changes experienced from final section of the route would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction of the solar panel areas and associated infrastructure and inverters would be partially screened by the foreground hedgerows, built form and tree cover in the central and first section of the route. The final section of the route would become available of the elevated activities and there would be open views, particularly where the route passes directly adjacent to the boundary of the Site/Sites at the final section of the route. The final section of the route. The final section of the route. The sound any of the Site/Sites at the final section of the route. The sector including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows.	The foreground of the views from the route at the final section would change from a large agricultural field (east of Stone Pit Lane) to an area of panels, but only for a short straight section of the route. The changes would be experienced within the context of the surrounding arable fields with very few features and the route has a straight alignment with limited character. The majority of the route would not experience change due to the existing strong and tall hedgerows at the foreground of the route.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15) refer to ViewpointsVP39, VP40 and LCC-C- K.	A similar Scheme b the Site ir and build mitigation Effects an decommi from deco runoff.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.16] January 2023

mmissioning

ar process to that of construction stage, but with the e being no longer operational. This is an assessment of in winter but assumes retention of existing vegetation ilds upon the proposed primary and secondary tion that had been established as the future baseline. are those arising from activities for the duration of the missioning to include site traffic, noise and vibration ecommissioning activities, dust generation and site



	This transport receptor is outside the 500m study area. Substation/s This transport receptor is within the 2km study area for Cottam			
Magnitude	1 substation. There are potentially views of the substation. Very Low	Very Low	Low	Very Lov
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligib

Transport Receptor - T083 / Cot Garth Lane In-Combination Effects [Cumulative Sites] **Cumulative Effects [Cumulative Developments]** No Intervisibility Fabric of the Landscape There would not be the removal of or changes in individual elements or features of the landscape within the character area. There would be the introduction of new elements and features comprising the solar panel areas and the substation area within the character area Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the cumulative developments would not be experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedgerows, and tree cover between the Site/Sites. The intervening settlements and built form would also curtail cumulative visibility. There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the following figures: Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9] The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type or area different from another. The strategic major road network is defined by important historic routes and in contrast, the east west minor road network links several historic and distinctive smaller string of settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are often tranquil and hedged to both sides with wide grassed verges and they have a major role in helping to define the quality of the landscape and reducing the visibility across the area. **Overall Landscape Character and Visual Amenity** Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of historic settlement with farms, nucleated villages, and small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised for adding intimacy and interest to the landscape. These relevant characteristics of the landscape and land use have some ability to accommodate change without undue adverse effects. The cumulative visibility for the Cottam 1 Site/Sites would not alter the overall character of the landscape and its communications and infrastructure features. Moreover, these features are often set within a well-vegetated context or associated with built form that plays a positive role in reducing the overall cumulative effects.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.16] January 2023

WC

al & Short Term

ible Not Significant



SOLAR PROJECT		
		Construction: Very Low
	Not Applicable	Operation (Year 1): Very Low
Magnitude	Not Applicable	Operation (Year 1): with only Embedded Mitigation: Very Low
-		Operation (Year 15): Low
		Decommissioning: Very Low
		Construction: Adverse & Short Term
Type of	Not Applicable	Operation (Year 1): Adverse & Long Term
		Operation (Year 1): with only Embedded Mitigation: Adverse & Long Terr
Effect		Operation (Year 15): Beneficial & Long Term
		Decommissioning: Neutral & Short Term
		Construction: Negligible Not Significant
Significance		Operation (Year 1): Negligible Not Significant
0	Not Applicable	Operation (Year 1): with only Embedded Mitigation: Negligible Not Signi
of Effect		Operation (Year 15): Minor Not Significant
		Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.16] January 2023

erm

nificant



Transport Receptor - T084 / Unnamed Road, Coates by Stow

Baseline Context:

Unnamed road to the north of the small settlement of Coates and east of the settlement of Willingham by Stow. This is a north south aligned section of road with some wide 'dog-legs' that follow field boundaries and water courses. The lane passes from the small settlement of Coates in the south to meet with Willingham Road in the north and provides access to Turpin Farm and Grange Farm. The southern section of the road is distanced form the Cottam 1 North Site/Sites by intervening hedgerows and woodland cover, but the northern section passes directly through the Site/Sites.

Distance to Cottam Sites: 0m to Cottam 1

Nearest Viewpoint: VP18, VP37, LCC-C-I

Description of Route:

The first section of the route extends south from Willingham Road through the western side of Turpin Farm. The route itself is a track that runs along the boundaries of fields. The track is unmade and not a public access route. There is a row of poplar to the western boundary of the first part of this route and relatively strong vegetation around the farm but open views across the surrounding countryside, nevertheless. The views are broken up by the blocks of woodland in the surrounding area such as New plantation, Larch plantation and Fox Covert. The first section of the route comes down to the top line of New plantation. Here the route goes west and back down south towards Grange Farm. The first section of the route looks east and westward to Cottam 1 North Sites.

There is little to no marked contrast between the first and second section of the route. The tall woodlands of New Plantation and Fox Covert are strong features in the landscape and helps to close down the extensive and vast views across the landscape. The tall Linear woodland to the south of Moor Bridge is a strong feature in the landscape and closes down views to the west at the first section of the route. The route is not well used and experiences no public traffic.

The route is influenced by the open views in the landscape and the productive arable nature of the surrounding landscape. The woodlands in the distance help to contain the views but the open nature of the immediate foreground provides for an interesting and stimulating route.

Overall, this route offers a pleasant journey that is typical in character to the wider arable landscape. There are interesting features including woodland blocks and isolated trees, but the field hedgerows are cut back, and the arable land use is intensively managed,

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.17] January 2023



Transport Receptor – T084 / Unnamed Road, Coates by Stow

	Construction	Operation (Year 1)	Mitigation (Operation Year 15)	Decommi
Magnitude	The route would not be significantly affected by the construction. The changes experienced from the route (if any) would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partially screened by the foreground hedgerows, built form and tree cover in the central section of the route. During the latter part of the construction stage, views would become available of the elevated activities and there would be open views, particularly where the route passes directly adjacent to the boundary of the Site/Sites at the first section of the route. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a wide proportion of the view and be a dominant feature at the final section of the route. The first section of the route would experience glimpsed and framed visibility of the construction access, so there could be localised and temporary activity. Cable Route Corridor This transport receptor is partially within the 2km study area for Cottam 1 substation. The road's line takes it in and out of the study area.	The foreground of the views from the route at the final section would change from a large agricultural field (to both sides of the route) to an area of panels, but only for a short straight section of the route. The changes would be experienced within the context of the surrounding arable fields with very few features and the route has a straight alignment with limited character. With the central section of the route, there would be a change from arable fields along the majority of the southern section of the route, but the panels would be set back from the roadside hedgerows.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15) refer to Viewpoints VP18, VP37 and LCC-C-I.	A similar pro Scheme bein of the Site in vegetation an secondary m future baseli the duration noise and vib generation a
magintude				VCI y LOVV

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.17] January 2023

missioning

process to that of construction stage, but with the eing no longer operational. This is an assessment e in winter but assumes retention of existing and builds upon the proposed primary and y mitigation that had been established as the seline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.



Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & S
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N

In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
No Intervisibility	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or fo area.
	There would be the introduction of new elements and features comprisin within the character area
	<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam cumulative developments would not be experienced across the majority of distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility.
	There are local patches of cumulative visibility which may be focus of likel Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton further detail within the following figures:
	Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developm Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develo Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developm
	The landscape is shaped by the wide range of local and strategic road net different from another. The strategic major road network is defined by im west minor road network links several historic and distinctive smaller strin prevailing road network is formed by narrow lanes that are often tranquil verges and they have a major role in helping to define the quality of the la area.
	Overall Landscape Character and Visual Amenity Overall, the character of the landscape and the communications and infra settlement with farms, nucleated villages, and small hamlets such as Thor value that are not highly recognised for adding intimacy and interest to the the landscape and land use have some ability to accommodate change will visibility for the Cottam 1 Site/Sites would not alter the overall character of infrastructure features. Moreover, these features are often set within a will form that plays a positive role in reducing the overall cumulative effects
Not Applicable	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Low Decommissioning: Very Low

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.17] January 2023

Short Term

Not Significant

r features of the landscape within the character

sing the solar panel areas and the substation area

m 1 Site/Sites, cumulative visibility with the ty of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and

kely significant effects, between the Cotton 1 on Solar Park. This cumulative visibility is set out in

pments Augmented ZTV [C6.4.8.15.2.6] elopments Augmented ZTV [C6.4.8.15.2.8] pments Augmented ZTV [C6.3.4.15.2.9]

networks, which make one landscape type or area important historic routes and in contrast, the east tring of settlements across the area. Overall, the uil and hedged to both sides with wide grassed landscape and reducing the visibility across the

frastructure is shaped by evidence of historic norpe le Fallows and Coates, which are features the landscape. These relevant characteristics of without undue adverse effects. The cumulative r of the landscape and its communications and well-vegetated context or associated with built



SOLAR PROJECT		
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Tern Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Signi Operation (Year 15): Minor Not Significant Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.17] January 2023

erm

gnificant



Transport Receptor - T085 / Stone Pit Lane, Willingham by Stow

Baseline Context:

Stone Pit Lane is located to the east of the settlement of Willingham by Stow and to the northeast of the settlement of Normanby by Stow. The lane follows a straight alignment that passes north south from Fillingham Lane, passing the junction with Cot Garth Lane. The road has 'no through' access at the junction with the River Till.

Distance to Cottam Sites: 5m to Cottam 1

Nearest Viewpoint: VP39, VP40, LCC-C-K

Description of Route:

The first section of the route emerges south from Fillingham Lane to the east of Willingham by Stow settlement and travels straight to a junction with Cot Garth Lane. The second section of Stone pit Lane continues south past Woods Farm and reaches a dead end within an agricultural field. The first section of the route has grass verges to either side of the route and well-established, relatively tall hedgerows. These strong hedgerows close down any views to the east and west. The presence of tall hedgerow trees further limit views and gives this section of the route an enclosed and intimate feel. Towards the end of the first section of the route, at the junction with Cot Garth Lane the hedgerows to the east open up abruptly and grant open views to the agricultural fields to the east and southeast directions. The second section of the route continues on to a dead end, but the hedgerows and the hedgerow trees are strong and relatively tall, limiting views in all directions. Land to the west is more intimate with grazing fields and strong field boundaries whilst the arable landscape to the east is more open. The route looks southeast and south towards Cottam 1 West Site and looks directly east towards Cottam 1 North Site.

The tall hedgerows and well-established hedgerow trees add to the intimate setting of this lane. This is a local lane network with little to no traffic. There are no major settlements in the immediate vicinity to disrupt the tranquility of this location. The view is influenced by the intimate setting that the tall hedgerows and vegetation provide for the route. Normanby Gorse is a strong woodland feature to the southeast where breaks in vegetation permit views.

Overall, this route offers a pleasant journey that is less typical in character to the wider arable landscape. There are interesting features including woodland blocks and isolated trees, the intensive levels of management and the stockpiling of materials add decline to the natural qualities of the view.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.18] January 2023



Transport Receptor – T085 / Stone Pit Lane, Willingham by Stow

Construction	Operation (Year 1)	Mitigation (Operation Year 15)	Decommis
The first and final sections of the route would not be significantly affected, due to the separation provided by the intervening arable fields, the presence of a consistent hedgerow network and the distance from the construction works. The users of the central section of the route would however experience a significant level of change particularly at the location where the route passes directly adjacent to the boundary of the Site/Sites in the final section. The changes experienced from the central and final sections of the route would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction of the solar panel areas and associated infrastructure and inverters would be partially screened by the foreground hedgerows, built form and tree cover in the central section of the route. The central section of the route would experience more open views of the construction activities. During the latter part of the construction stage, views would become available of the elevated activities and there would be open views, particularly where the route passes directly adjacent to the boundary of the Site/Sites at the central section of the route. Other works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, ucluding planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a wide proportion of the view and be a dominant feature at the final section of the route. The central section of the route would experience more opar views of the construction framed visibility of the construction activities would obstruct a wide proportion of the route would experience glimpsed and f	The foreground of the views in the first and final section of the route would not change. The middle section of the route is likely to change as the agricultural fields to the southeast change to panels, this change should be mitigated by proposed Shelterbelts and additional tree planting as part of the Scheme. The changes would be experienced within the context of the surrounding arable fields with very few features and the route has a straight alignment with limited character. With the central section of the route, there would be a change from arable fields along the majority of the southern section of the route, but the panels would be set back from the roadside hedgerows.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15) refer to Viewpoints VP39, VP40 and LCC-C-k.	A similar prod Scheme bein, of the Site in vegetation ar secondary m future baselin the duration noise and vib generation an

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.18] January 2023

nissioning

rocess to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.



Magnitude	Very Low	Very Low	Low	Very Low
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sl
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N

In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
No Intervisibility	Fabric of the Landscape There would not be the removal of or changes in individual elements or fearea.
	There would be the introduction of new elements and features comprisin within the character area
	<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam cumulative developments would not be experienced across the majority of distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility.
	There are local patches of cumulative visibility which may be focus of likely Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton S further detail within the following figures:
	Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developm Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develop Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developm
	The landscape is shaped by the wide range of local and strategic road net different from another. The strategic major road network is defined by im west minor road network links several historic and distinctive smaller strin prevailing road network is formed by narrow lanes that are often tranquil verges and they have a major role in helping to define the quality of the la area.
	Overall Landscape Character and Visual Amenity Overall, the character of the landscape and the communications and infra settlement with farms, nucleated villages, and small hamlets such as Thor value that are not highly recognised for adding intimacy and interest to th the landscape and land use have some ability to accommodate change wi visibility for the Cottam 1 Site/Sites would not alter the overall character o infrastructure features. Moreover, these features are often set within a w
de Not Applicable	form that plays a positive role in reducing the overall cumulative effects.Construction: Very LowOperation (Year 1): Very LowOperation (Year 1): with only Embedded Mitigation: Very LowOperation (Year 15): LowDecommissioning: Very Low

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.18] January 2023

Short Term

Not Significant

features of the landscape within the character

ing the solar panel areas and the substation area

m 1 Site/Sites, cumulative visibility with the y of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and

kely significant effects, between the Cotton 1 n Solar Park. This cumulative visibility is set out in

oments Augmented ZTV [C6.4.8.15.2.6] elopments Augmented ZTV [C6.4.8.15.2.8] pments Augmented ZTV [C6.3.4.15.2.9]

networks, which make one landscape type or area important historic routes and in contrast, the east ring of settlements across the area. Overall, the uil and hedged to both sides with wide grassed landscape and reducing the visibility across the

frastructure is shaped by evidence of historic norpe le Fallows and Coates, which are features the landscape. These relevant characteristics of without undue adverse effects. The cumulative of the landscape and its communications and well-vegetated context or associated with built



SOLAR PROJECT		
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Terr Operation (Year 15): Beneficial & Long Term
		Decommissioning: Neutral & Short Term
Significanc of Effect	Not Applicable	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Signi Operation (Year 15): Minor Not Significant Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.18] January 2023

erm

gnificant



Transport Receptor – T094 / Track between South Lane and Coates Lane, Willingham

Baseline Context:

The track is located to the west of the small settlement of Coates, passing to the east of a large irregular woodland block known as Normanby Gorse. The track takes a meandering alignment in a north south direction from Coates in the south to meet with South Lane in the north at Moor Farm. The track is labelled South Lane on some maps.

Distance to Cottam Sites: 178m to Cottam 1

Nearest Viewpoint: VP18, VP19, VP38

Description of Route:

The first section of the route emerges from the southern end of the metalled road of South Lane and proceeds to travel south to the northeast corner of Normanby Gorse. From here the second section of the route takes the track from Normanby Gorse to meet Coates Lane. To the first section of route the vegetation surrounding the track is similar to that of South Lane. The track is bordered by wide grass verges with hedgerows predominantly to the western edge only. The hedgerows are low cut allowing extensive views to the east and west. The section of the route beyond Normanby Gorse is completely open with no presence of hedgerows to border the track. There is however a strong field boundary further east of this route somewhat breaking up views to the east The end of the route has an access gate as it joins onto Coates Lane. The route looks east onto Cottam 1 West Site and east onto Cottam 1 North Site.

The route is influenced by the open nature of the views and low-cut vegetation surrounding the route. The route is influenced by Normanby Gorse which is a strong feature in the landscape and helps to close down views to the south and west from parts of this route.

Overall, this route offers a pleasant journey that is typical in character to the wider open arable landscape. There are interesting features including woodland blocks and isolated trees, but the field hedgerows are cut back, and the arable land use is intensively managed.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.19] January 2023



Construction	Operation (Year 1)	Mitigation (Operation Year 15)	Decommis
The route would not be significantly affected, due to the separation provided by the intervening arable fields, the presence of a consistent hedgerow network and the distance from the construction works. The users of the route would however experience a slight level of change particularly at the location where the route passes directly adjacent to the boundary of the Site/Sites in the first section. The changes experienced from the first section of the route would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partially screened by the foreground hedgerows, built form and tree cover in the first section of the route. During the latter part of the construction stage, views would become available of the elevated activities and there would be open views, particularly where the route passes directly adjacent to the boundary of the Site/Sites at the first section of the route. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a wide proportion of the view and be a dominant feature at the final section of the route. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. Costruction Access The transport receptor is	The foreground of the views from the route at the first section to the west would change from a large agricultural field to an area of panels, but only for a short straight section of the route and would be mitigated by the proposed shelterbelts and additional tree planting as part of the Scheme. The changes would be experienced within the context of the surrounding arable fields with very few features and the route has a straight alignment with limited character. With the central section of the route, there would be a change from arable fields along the majority of the northern section of the route, but the panels would be set back from the roadside hedgerows.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15) refer to Viewpoints VP18, VP19 and VP38.	A similar prod Scheme being of the Site in vegetation and future baseling the duration noise and vib generation and secondary mit future baseling the duration future baseling the duration future baseling future baseling fu

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.19] January 2023

nissioning

rocess to that of construction stage, but with the ing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.



	Substation/s The transport receptor is within the 2km study area for the Cottam 1 substation. There are potentially views to the substation.			
Magnitude	Very Low	Very Low	Low	Very Low
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sł
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N

In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
No Intervisibility	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or farea.
	There would be the introduction of new elements and features comprisin within the character area
	Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam cumulative developments would not be experienced across the majority distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility.
	There are local patches of cumulative visibility which may be focus of like Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton further detail within the following figures:
	Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developm Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develop Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developm
	The landscape is shaped by the wide range of local and strategic road net different from another. The strategic major road network is defined by in west minor road network links several historic and distinctive smaller stri prevailing road network is formed by narrow lanes that are often tranqui verges and they have a major role in helping to define the quality of the la area.
	Overall Landscape Character and Visual Amenity Overall, the character of the landscape and the communications and infra settlement with farms, nucleated villages, and small hamlets such as Tho value that are not highly recognised for adding intimacy and interest to th the landscape and land use have some ability to accommodate change w visibility for the Cottam 1 Site/Sites would not alter the overall character of infrastructure features. Moreover, these features are often set within a w form that plays a positive role in reducing the overall cumulative effects
snitude Not Applicable	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Low

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.19] January 2023

Short Term

Not Significant

or features of the landscape within the character

ising the solar panel areas and the substation area

am 1 Site/Sites, cumulative visibility with the ity of the 5km study area. This is due to the een the Site/Sites. The intervening settlements and

ikely significant effects, between the Cotton 1 on Solar Park. This cumulative visibility is set out in

pments Augmented ZTV [C6.4.8.15.2.6] elopments Augmented ZTV [C6.4.8.15.2.8] opments Augmented ZTV [C6.3.4.15.2.9]

networks, which make one landscape type or area important historic routes and in contrast, the east string of settlements across the area. Overall, the quil and hedged to both sides with wide grassed e landscape and reducing the visibility across the

nfrastructure is shaped by evidence of historic horpe le Fallows and Coates, which are features the landscape. These relevant characteristics of e without undue adverse effects. The cumulative er of the landscape and its communications and a well-vegetated context or associated with built



		Decommissioning: Very Low
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Tern Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Signi Operation (Year 15): Minor Not Significant Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.19] January 2023

erm

gnificant



Transport Receptor – T096 / Coates Lane, Coates by Stow

Baseline Context:

Coates Lane is located to the east of Normanby by Stow and passes through the small settlement of Coates. The lane exits Coates at Grange Farm and passes west to meet with the green lane and bridge crossing over the River Till. The lane follows an east west alignment with a 'dog-leg' section to the west of Hall Farm.

Distance to Cottam Sites: 0m to Cottam 1

Nearest Viewpoint: VP17, VP18, VP19.

Description of Route:

The first section of the route starts from a crossing on top of the River Till to the east of B1241. This route then travels east following the influence of field boundaries and meets a junction with a track that leads to South Lane. The second section of the route travels through Coates and ends just west of Grange Farm. The first section of the route has strong vegetation where it runs adjacent to the River Till but as it reaches the length closest to Normanby Gorse the treed landscape opens out to managed hedgerow with some limited hedgerow trees. There is a strong field boundary to the east of Normanby Gorse which limits views across to the east from this route. Vegetation around the settlement of Coates is much more prolific and creates a more intimate feel with blocks of woodland and wooded areas around existing buildings. This route travels through Cottam 1 West Site, looking north, south, west, and east and southeast towards Cottam 1 South Site and northwest onto Cottam 1 North Site.

The River Till is a key influence of the route in the first section of the route and the settlement of Coates and Grange Farm is a key influence in the second half of the route. The tall and dense vegetation surrounding the River Till is a distinctive feature in the view and creates a riparian character that follows its meandering course. A strong line of poplar to the east of this route beyond Coates is a prominent feature across the wider landscape with other woodland blocks scattered to the north, northeast and southeast of this route.

Overall, this route offers a pleasant journey that is typical in character to the wider context of the landscape. The overall impression is that of a simple, calm, and muted landscape with some pleasant views.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.20] January 2023



Transport Receptor – T096 / Coates Lane, Coates b	nsport Receptor – T096 / Coates Lane, Coates by Stow					
Construction	Operation (Year 1)	Mitigation (Operation Year 15)	Decomn			
The first section of the route would be affected directly adjacent to the boundary of the Site/Sit construction works would be located on both s section of the route closest to the River Till. The of the route would not be affected, as there are each side and oblique views towards the first s route would be masked by the intervening hed changes to the first section of the route would construction, and commissioning with effects s construction, and commissioning with effects s construction traffic, noise and vibration from co activities, dust generation, site runoff, mud on visual intrusion of plant and machinery on site. stages of the construction stage, ground, and li activities such as the construction of the solar p associated infrastructure and inverters would be screened by the foreground hedgerows and tro first section of the route would experience mo the construction activities. During the latter pai construction stage, views would be come availa elevated activities and there would be open vie where the route passes directly adjacent to the Site/Sites at the first section of the route. Other works would be undertaken in connectio construction including fencing, gates, boundary other means of enclosure and works for the pr security and monitoring measures such as CCT down of internal tracks. There would also be la biodiversity mitigation works, including plantin, improvement of the foreground hedgerows. These short-lived construction activities would proportion of the view and be a dominant feat section of the route. There would be consider the arable land use, but the field boundaries at associated tree cover would remain intact. The a fundamental change to the surroundings to t south of the second section of the route. Construction Access The transport receptor is adjacent to the sites of therefore they might be access activity. Cable Route Corridor The transport receptor is outside the 500m cab study area, though the far western limit touche the 500m line.	tes. The sides of the first e second section e no works to ection of the lgerows. The include the 'renabling works, such as onstruction roads, and the . At the early ower-level panel areas and be partially ee cover. The re open views of rt of the bble of the ews, particularly e boundary of the on with the y treatment and rovision of V and the laying indscape and g and the obstruct a wide ure at the first rable change to ind any re would not be the north and of panels and of panels and	hange from the south side of the els, but they would be ting hedgerows. The ienced within the ng arable fields with a	nto account at this stage. Scheme be magnitude of change of the Site			

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.20] January 2023

missioning

process to that of construction stage, but with the being no longer operational. This is an assessment e in winter but assumes retention of existing on and builds upon the proposed primary and ry mitigation that had been established as the aseline. Effects are those arising from activities for tion of the decommissioning to include site traffic, d vibration from decommissioning activities, dust on and site runoff.



	The transport receptor is largely within the 2km study area for the Cottam 1 substation, with the eastern section from St Edith's Church being outside.There are potentially views of the substation.			
Magnitude	Very Low	Very Low	Low	Very Low
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sh
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N

In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
No Intervisibility	There would not be the removal of or changes in individual elements or for area.
	There would be the introduction of new elements and features comprisin within the character area
	<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam cumulative developments would not be experienced across the majority of distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility.
	There are local patches of cumulative visibility which may be focus of likel Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton S further detail within the following figures:
	Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developm Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develop Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developm
	The landscape is shaped by the wide range of local and strategic road net different from another. The strategic major road network is defined by im west minor road network links several historic and distinctive smaller strin prevailing road network is formed by narrow lanes that are often tranquil verges and they have a major role in helping to define the quality of the la area.
	Overall Landscape Character and Visual Amenity Overall, the character of the landscape and the communications and infra settlement with farms, nucleated villages, and small hamlets such as Thor value that are not highly recognised for adding intimacy and interest to the the landscape and land use have some ability to accommodate change wit visibility for the Cottam 1 Site/Sites would not alter the overall character of infrastructure features. Moreover, these features are often set within a with form that plays a positive role in reducing the overall cumulative effects.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.20] January 2023

Short Term

Not Significant

r features of the landscape within the character

sing the solar panel areas and the substation area

m 1 Site/Sites, cumulative visibility with the ty of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and

kely significant effects, between the Cotton 1 n Solar Park. This cumulative visibility is set out in

pments Augmented ZTV [C6.4.8.15.2.6] elopments Augmented ZTV [C6.4.8.15.2.8] pments Augmented ZTV [C6.3.4.15.2.9]

networks, which make one landscape type or area important historic routes and in contrast, the east tring of settlements across the area. Overall, the uil and hedged to both sides with wide grassed landscape and reducing the visibility across the

frastructure is shaped by evidence of historic norpe le Fallows and Coates, which are features the landscape. These relevant characteristics of without undue adverse effects. The cumulative r of the landscape and its communications and well-vegetated context or associated with built



		Construction: Very Low
	Not Applicable	Operation (Year 1): Very Low
Magnitude	Not Applicable	Operation (Year 1): with only Embedded Mitigation: Very Low
•		Operation (Year 15): Low
		Decommissioning: Very Low
		Construction: Adverse & Short Term
Type of	Not Applicable	Operation (Year 1): Adverse & Long Term
		Operation (Year 1): with only Embedded Mitigation: Adverse & Long Terr
Effect		Operation (Year 15): Beneficial & Long Term
		Decommissioning: Neutral & Short Term
		Construction: Negligible Not Significant
Significance	Not Applicable	Operation (Year 1): Negligible Not Significant
		Operation (Year 1): with only Embedded Mitigation: Negligible Not Signi
of Effect		Operation (Year 15): Minor Not Significant
		Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.20] January 2023

erm

nificant



Transport Receptor - T097 / Normanby Road, Normanby by Stow

Baseline Context:

Normanby Road. The B1421, is located to the north of Stow where it exits the settlement at the junction with Church Road. The road takes a slight meandering alignment passing residential properties and farmsteads known as Flat Tops, West Farm and East Farm, before taking a straight route and then entering Willingham by Stow.

Distance to Cottam Sites: 4m to Cottam 1

Nearest Viewpoint: VP20, VP14, LCC-C-A

Description of Route:

T097 is a short section of the road which runs south from a tributary of the River Till to the north of properties in Normaby by Stow, south to properties known as Flat tops on Coates Lane.

From the north, the road is bordered by hedges, the eastern one being tall and outgrown, whilst the western boundary hedge being more managed and relatively low cut. The roadside verges are narrow and there is a very narrow footway to the eastern extent of the road running down to East Farm where it widens slightly. Beyond East Farm the eastern boundary hedge is sparser and low-cut, offering views from dwellings over to the east and across Cottam 1 West Site where the field is proposed as bird mitigation immediately adjacent to this road. Views to the west are over arable farmland and of farmsteads in this small cluster of buildings.

Garden boundaries and pasture exist to the west of this road down to Coates Lane closing down views to the west with more intimate field patterns and increased field boundary vegetation in the immediate setting but views over hedgerows provide a more undulating landscape with field hedges and hedgerow trees layered across to the horizon which is wooded in places. Looking east, the landscape is more open in its immediate setting with hedgerows and hedgerow trees stretching beyond the adjacent fields to a partially wooded horizon and views of 'The Ridge' in the distance forming this horizon. To the south the village of Stow is evident, with vegetation screening some parts and Stow Church being a prominent feature.

Overall, this route is relatively intimate despite the speed at which traffic is able to travel due to the relatively well vegetated boundaries. The route varies along its length creating both intimate and open areas with views out.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.21] January 2023



Transport Receptor – T097 / Normanby Road, N	lormanby by Stow
--	------------------

C	onstruction	Operation (Year 1)	Mitigation (Operation Year 15)	Decommis
af ob be Ro set to co (e be Th th wo co ac sc of el wi Co ot st ac sc of el wi Co ot st ac sc of el wi Co ot st ac sc of el wi Co ot st ac sc of el wi Co ot st ot co ot st ot ot st st ot st ot ot ot e t t t t st ot st ot st ot st ot st st ot st ot st ot st ot st st ot st ot st ot st ot st ot st ot st ot st ot st ot st ot st ot st ot st ot st ot st ot st ot st ot st ot st ot ot st st st ot st ot s ot s ot st s s s ot s s ot s s s s	The first section of the route would not be significantly fiected, as there are no construction works to each side and oblique views towards the second section of the route would as masked by the intervening hedgerows lining Normanby boad and within the intervening field systems. The second section of the route would not be affected due to the distance of the Scheme and the existing field boundaries. The construction works would be located on one side of the route ast side, closest to Normanby by Stow) and they would only e adjacent to Normanby Road for a short section of the route. The changes to the second section of the route would include the construction, and commissioning with effects such as construction traffic, noise and vibration from construction trivities, dust generation, site runoff, mud on roads, and the sual intrusion of plant and machinery on site. At the early ages of the construction stage, ground, and lower-level trivities such as the construction of the solar panel areas and ssociated infrastructure and inverters would be partially there the route passes near Normanby. The works would be undertaken in connection with the construction including fencing, gates, boundary treatment and there would also be landscape and to diversity mitigation works, including planting and the hypovement of the foreground hedgerows. CTV and the laying bown of internal tracks. There would also be landscape and to diversity mitigation works, including planting and the hypovement of the second section of the route. There ould not be a fundamental change to the arroundings to the west and east of the first and second section of the route. There is potentially access from this transport receptor, so here could be localised and temporary activity.	The foreground of the views from the first section and the final section of the route will not change. The foreground of the route from the middle section will change to the east from area of agricultural land to areas of panel this will be mitigated by the proposed Shelterbelt and additional tree planting that are part of the Scheme. The changes would be experienced within the context of the surrounding arable fields that are intensive use with very some simple features, and limited character.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15) refer to Viewpoints VP14, VP20 and LCC-C-A.	A similar prod Scheme being of the Site in a vegetation an secondary mi future baselin the duration of noise and vib generation an

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.21] January 2023

nissioning

rocess to that of construction stage, but with the ing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.



	This transport receptor is within the 2km study area for the Cottam 1 substation. There are potentially views of the substation.			
Magnitude	Very Low	Very Low	Low	Very Low
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sł
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N

In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
No Intervisibility	There would not be the removal of or changes in individual elements or fe area.
	There would be the introduction of new elements and features comprisin, within the character area
	<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam cumulative developments would not be experienced across the majority of distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility.
	There are local patches of cumulative visibility which may be focus of likely Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton S further detail within the following figures:
	Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developm Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develop Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developm
	The landscape is shaped by the wide range of local and strategic road net different from another. The strategic major road network is defined by im west minor road network links several historic and distinctive smaller strir prevailing road network is formed by narrow lanes that are often tranquil verges and they have a major role in helping to define the quality of the la area.
	Overall Landscape Character and Visual Amenity Overall, the character of the landscape and the communications and infra settlement with farms, nucleated villages, and small hamlets such as Thor value that are not highly recognised for adding intimacy and interest to th the landscape and land use have some ability to accommodate change wi visibility for the Cottam 1 Site/Sites would not alter the overall character o infrastructure features. Moreover, these features are often set within a w form that plays a positive role in reducing the overall cumulative effects.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.21] January 2023

Short Term

Not Significant

features of the landscape within the character

sing the solar panel areas and the substation area

m 1 Site/Sites, cumulative visibility with the y of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and

kely significant effects, between the Cotton 1 n Solar Park. This cumulative visibility is set out in

pments Augmented ZTV [C6.4.8.15.2.6] elopments Augmented ZTV [C6.4.8.15.2.8] pments Augmented ZTV [C6.3.4.15.2.9]

networks, which make one landscape type or area important historic routes and in contrast, the east tring of settlements across the area. Overall, the uil and hedged to both sides with wide grassed e landscape and reducing the visibility across the

frastructure is shaped by evidence of historic norpe le Fallows and Coates, which are features the landscape. These relevant characteristics of without undue adverse effects. The cumulative r of the landscape and its communications and well-vegetated context or associated with built



	Not Applicable	Construction: Very Low Operation (Year 1): Very Low
Magnitude	Νοι Αρρικαδίε	Operation (Year 1): with only Embedded Mitigation: Very Low
		Operation (Year 15): Low
		Decommissioning: Very Low
		Construction: Adverse & Short Term
Type of	Not Applicable	Operation (Year 1): Adverse & Long Term
	Not Applicable	Operation (Year 1): with only Embedded Mitigation: Adverse & Long Terr
Effect		Operation (Year 15): Beneficial & Long Term
		Decommissioning: Neutral & Short Term
		Construction: Negligible Not Significant
Significance	Not Applicable	Operation (Year 1): Negligible Not Significant
0	Not Applicable	Operation (Year 1): with only Embedded Mitigation: Negligible Not Signi
of Effect		Operation (Year 15): Minor Not Significant
		Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.21] January 2023

erm

gnificant



Transport Receptor – T105 / Stow Lane, Ingham

Baseline Context:

Stow Lane is located to the south of Ingham and to the north of Cammeringham where it follows a straight east west alignment. The lane forms a 'T' junction with the B1398 (Lincoln Road) in the east and then continues west to join with Ingham Road at Furze Hill.

Distance to Cottam Sites: 0m to Cottam 1

Nearest Viewpoint: VP16, VP23, VP25

Description of Route:

T105 heads east from a small lane which heads south to Furze Hill and Lower Furze Hill dwellings. The road is long, narrow, and straight with very intensively managed low-cut hedges on both sides and ditches along its route. There are very few hedgerow trees and occasional passing places for vehicles. The roadside verges are relatively narrow. Views in all directions are open and exposed but to the north a small block of woodland in the foreground and Coates Gorse and Fox Covert further afield are prominent features of the landscape. The Ridge is visible on the raised horizon to the west, whilst Cottam power station is a feature looking east. To the south a block of woodland at Brattleby Thorns and Gorse is evident in the otherwise open landscape.

Further west along this route, the immediate landscape constantly changes with areas of open hedgerows, ditches without hedgerow, ditches with hedgerow trees and lines of more regular specimen trees breaking up views to the north. The southern boundary of this road remains more uniform with low cut hedges and few hedgerow trees with ditches adjacent to hedgerows. The road becomes slightly more open, and the road verges are relatively wide. This whole route however affords open and vast views in all directions and the route is influenced by the intensively managed arable landscape with limited field boundary vegetation to all directions.

Overall, this route offers a straight journey across a very simple landscape with very few elements or features of interest. There are intensive levels of management within the arable farmland. There are some many views where the absence of hedgerows enhances the feeling of scale along the route. This is a quiet and isolated location with a notable absence of settlement or other busy roads until Ingham village. The experience is a relatively pleasant and invigorating one but would be an exposed and uninteresting pedestrian route.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.22] January 2023



C	Construction	Operation (Year 1)	Mitigation (Operation Year 15)	Decommis
d w w rr e si c c rr A lo a p la a v i b C c o s d b i r T T fr o b b T t c C T C C S T C C S S S S S S S S S S S S	he route would not be significantly affected due to the listance from the Scheme to the route. The construction works would be located on one side of the route (south side) and they would only be near to Stow Lane for a short section of the oute. The changes to the first section of the route would include the construction activities during site preparation/ inabling works, construction, and commissioning with effects uch as construction traffic, noise and vibration from onstruction activities, dust generation, site runoff, mud on oads, and the visual intrusion of plant and machinery on site. It the early stages of the construction stage, ground, and ower-level activities such as the construction of the solar panel reas and associated infrastructure and inverters would be nartially screened by the foreground hedgerows. During the atter part of the construction stage, views would become vailable of the elevated activities and there would be open iews, particularly where the route passes close to the ioundary of the Site/Sites at the second section of the route. Other works would be undertaken in connection with the onstruction including fencing, gates, boundary treatment and ther means of enclosure and works for the provision of ecurity and monitoring measures such as CCTV and the laying lown of internal tracks. There would also be landscape and iodiversity mitigation works, including planting and the mprovement of the foreground hedgerows. These short-lived construction activities would obstruct a ramed proportion of the view and be a dominant feature for inly a short length at the first section of the route. There would ee a considerable change to the arable land use, but the field boundaries and any associated tree cover would remain intact. here would not be a fundamental change to the surroundings of the north and south of the second section of the route. Construction Access ransport receptor will be affected by the proposed onstruction access into Cottam 1 North and South sites. Cable Route Corridor . u	The foreground of the views from the route at the first section would change from the agricultural fields (south side of the route) to an area of panels, but they would be set back behind the existing hedgerows and will have new hedgerows reinforced with tree planting to mitigate views from this route. The changes would be experienced within the context of the surrounding arable fields that are intensive use with very some simple features, and limited character.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15) refer to Viewpoints VP16, VP23 and VP25.	A similar prod Scheme being of the Site in a vegetation an secondary mi future baselin the duration a noise and vib generation an
itude V	/ery Low	Very Low	Low	Very Low
	Jeutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sho

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.22] January 2023

nissioning

rocess to that of construction stage, but with the ing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.

Short Term



Significance	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negl
of Effect		Negligible Not Significant		i i c gi

Transport Receptor – T105 / Stow Lane, Ingham

In-Combination Effects	[Cumulative Sites]	Cumulative Effects [Cumulative Developments]
No Intervisibility		Fabric of the Landscape There would not be the removal of or changes in individual elements or area.
		There would be the introduction of new elements and features comprising within the character area
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam cumulative developments would not be experienced across the majority distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of like Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton further detail within the following figures:
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developm Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develop Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Develop
		The landscape is shaped by the wide range of local and strategic road ne different from another. The strategic major road network is defined by ir west minor road network links several historic and distinctive smaller str prevailing road network is formed by narrow lanes that are often tranqu verges and they have a major role in helping to define the quality of the area.
		Overall Landscape Character and Visual Amenity Overall, the character of the landscape and the communications and infr settlement with farms, nucleated villages, and small hamlets such as Tho value that are not highly recognised for adding intimacy and interest to t the landscape and land use have some ability to accommodate change w visibility for the Cottam 1 Site/Sites would not alter the overall character infrastructure features. Moreover, these features are often set within a form that plays a positive role in reducing the overall cumulative effects.
Magnitude Not Applicable		Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Low Decommissioning: Very Low
Type of Not Applicable Effect Image: Constraint of the second se		Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Ter Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.22] January 2023

gligible Not Significant

or features of the landscape within the character

ising the solar panel areas and the substation area

am 1 Site/Sites, cumulative visibility with the ity of the 5km study area. This is due to the een the Site/Sites. The intervening settlements and

ikely significant effects, between the Cotton 1 on Solar Park. This cumulative visibility is set out in

pments Augmented ZTV [C6.4.8.15.2.6] elopments Augmented ZTV [C6.4.8.15.2.8] opments Augmented ZTV [C6.3.4.15.2.9]

networks, which make one landscape type or area important historic routes and in contrast, the east string of settlements across the area. Overall, the quil and hedged to both sides with wide grassed e landscape and reducing the visibility across the

nfrastructure is shaped by evidence of historic horpe le Fallows and Coates, which are features the landscape. These relevant characteristics of e without undue adverse effects. The cumulative er of the landscape and its communications and a well-vegetated context or associated with built

erm



Significance of Effect	Not Applicable	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Signi Operation (Year 15): Minor Not Significant Decommissioning: Negligible Not Significant
---------------------------	----------------	--

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.22] January 2023

gnificant



Transport Receptor - T107 / Ingham Road, Stow

Baseline Context:

Ingham Road is located to the east of the settlement of Stow and takes an east west route to join with Stow Lane east of Furze Hill. The road has a straight alignment and passes through the small settlement of Stow Pasture. It is bordered by small to medium scale field systems to each side with a strong hedgerow network and occasional blocks of trees.

Distance to Cottam Sites: 0m to Cottam 1

Nearest Viewpoint: VP15 / VP16 / LCC-C-A

Description of Route:

The first section of the route starts to the east of Stow and continues east to Squire's Bridge which goes over the River Till. The second section of the route travels east from Squire's Bridge until it joins onto Stow Lane. The first section of the route is bordered by grass verges with strong hedgerows to either side with a few frequent hedgerow trees to give the route a pleasant character. The hedgerows are thick and well established with only a few gaps to the south side of the route that gives vast views of the flat landscape. This section of the route is home to multiple residential properties (north of route) along with The Pastures as the route gets close to Squire's Bridge. The character is of a settlement edge with more varied and some non-native vegetation to the roadside boundaries and neat, managed grass verges but with a good level of native and non-native tree cover. This continues out of the village to the north of the road, whilst native hedgerows and arable/pasture fields extend to the south. The road is long, narrow, and straight with views east eventually reaching 'The Ridge' in the distance and some woodland blocks in the mid-distance evident.

Travelling further east past the properties at Stow, the landscape becomes more agricultural with building and fields bordered by lengths of native hedgerows. These vary along the route but there are few hedgerow trees in the main. Some areas of open verge exist whilst other areas have hedges on both sides of the road. The verges are relatively wide, making for a pleasant and varied route along this road. Towards the eastern end of this road, the hedgerows become low cut and there are very few if any hedgerow trees in places.

The route looks north and south towards Cottam 1 West Site and southeast and northeast towards Cottam 1 South Site.

The first section of the route is more enclosed, and this makes the route appear and seem more intimate. As the route continues east the views open up and is only then broken up by the strong presence of woodland in the distance. The riparian woodland that follows the meandering course of the River Till is also a distinctive feature as well as the wide grass verges on Ingham Road. The intensive levels of management within this arable farmland add decline to the natural qualities of the view, but the overall impression is that of a simple, calm, and muted landscape.

Overall, this route offers a journey across a simple landscape with few elements or features of interest, but it is nonetheless a pleasant route. There are intensive levels of management within the arable farmland. This is a quiet location with a notable absence of settlement or other busy roads. This route offers an interesting journey along an attractive local lane with distinctive grass verges. The experience is a pleasant and invigorating but can be a little exposed in places.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.23] January 2023



Construction	Operation (Year 1)	Mitigation (Operation Year 15)	Decommi
The second section of the route would not be significantly affected, as there are no construction works to each side and oblique views towards the first section of the route would be masked by the intervening hedgerows lining Ingham Road and within the intervening field systems. The first section of the route would not be affected where it passes near to the boundary of the Site/Sites. The construction works would be located on one side of the route (south side) and they would only be adjacent to Ingham Road for a short section of the route. The changes to the first section of the route would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partially screened by the foreground hedgerows. During the latter part of the construction stage, views would become available of the elevated activities and there would be open views, particularly where the route passes near to the boundary of the Site/Sites at the first section of the route. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a framed proportion of the view and be a dominant feature for only a short length at the second section of the route. There would be a considerable change to the arable land use, but the field boundaries and any a	The foreground of the views from the route at the first section would change from the agricultural fields (to one side of the route) to an area of panels, but they would be set back behind the existing hedgerows. The changes would be experienced within the context of the surrounding arable fields that are intensive use with very some simple features, and limited character.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15) refer to Viewpoints VP15, VP16 and LCC-C-A.	A similar pro Scheme beir of the Site in vegetation a secondary m future basel the duration noise and vil generation a

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.23] January 2023

nissioning

process to that of construction stage, but with the eing no longer operational. This is an assessment e in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the seline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.



Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sh
Magnitude	Very Low	Very Low	Low	Very Low
	The road partially crosses the 2km study area, to the south of Normanby by Stow.			

Transport Re	eceptor – T107 / Ingham Road, Stow	
	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	No Intervisibility	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or fe area.
		There would be the introduction of new elements and features comprisin within the character area
		Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam cumulative developments would not be experienced across the majority of distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likel Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton S further detail within the following figures:
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developm Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develop Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developm
		The landscape is shaped by the wide range of local and strategic road net different from another. The strategic major road network is defined by im west minor road network links several historic and distinctive smaller strin prevailing road network is formed by narrow lanes that are often tranquil verges and they have a major role in helping to define the quality of the la area.
		Overall Landscape Character and Visual Amenity Overall, the character of the landscape and the communications and infra settlement with farms, nucleated villages, and small hamlets such as Thor value that are not highly recognised for adding intimacy and interest to th the landscape and land use have some ability to accommodate change wi visibility for the Cottam 1 Site/Sites would not alter the overall character of infrastructure features. Moreover, these features are often set within a w form that plays a positive role in reducing the overall cumulative effects
Magnitude	Not Applicable	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Low Decommissioning: Very Low

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.23] January 2023

Short Term

Not Significant

r features of the landscape within the character

ing the solar panel areas and the substation area

m 1 Site/Sites, cumulative visibility with the y of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and

kely significant effects, between the Cotton 1 n Solar Park. This cumulative visibility is set out in

pments Augmented ZTV [C6.4.8.15.2.6] elopments Augmented ZTV [C6.4.8.15.2.8] oments Augmented ZTV [C6.3.4.15.2.9]

networks, which make one landscape type or area important historic routes and in contrast, the east ring of settlements across the area. Overall, the uil and hedged to both sides with wide grassed landscape and reducing the visibility across the

frastructure is shaped by evidence of historic norpe le Fallows and Coates, which are features the landscape. These relevant characteristics of without undue adverse effects. The cumulative of the landscape and its communications and well-vegetated context or associated with built



JOEAN PRODECT		
		Construction: Adverse & Short Term
Type of	Not Applicable	Operation (Year 1): Adverse & Long Term
	Not Applicable	Operation (Year 1): with only Embedded Mitigation: Adverse & Long Terr
Effect		Operation (Year 15): Beneficial & Long Term
		Decommissioning: Neutral & Short Term
		Construction: Negligible Not Significant
Significance	Not Applicable	Operation (Year 1): Negligible Not Significant
-	Not Applicable	Operation (Year 1): with only Embedded Mitigation: Negligible Not Signi
of Effect		Operation (Year 15): Minor Not Significant
		Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.23] January 2023

erm

gnificant



Transport Receptor - T109 / Unnamed Road, Stow

Baseline Context:

This unnamed road is located to the south of the settlement of Coates, where it exits Ingham Road and takes a meandering alignment through the arable fields and then bends back to rejoin Ingham Road at the junction with Stow Lane. The road shares its route with a public bridleway (Camm/31/1) which passes Furze Hill and Lower Furze Hill at which point the bridleway continues east along the unnamed road and then south towards Thorpe Wood.

Distance to Cottam Sites: 0m to Cottam 1

Nearest Viewpoint: VP12, VP16, VP23

Description of Route:

The first section of the route emerges south from Stow Lane. This route is bordered by grass verges on either side and low-cut hedgerow which then become taller which screen some views to the west. The second section where it travels over a small watercourse proceeds to then curve around to Lower Furze Hill where the track is open and exposed. Again, it crosses the small watercourse which links up to the River Till. The route looks southeast towards Cottam 1 South Site and west towards Cottam 1 West Site.

There is a subtle contrast between the first and the second section. The first section of the route has broken views to the east and the west providing for a relatively sheltered short section of this route. The second section of the route is opened up to open fields to the south and the bend of the track as it follows the curvature of a ditch which is a valuable feature, meandering through structured arable fields. The route looks south onto woodlands such as Thorpe Wood, Brattleby Gorse and Cammeringham Low Covert as they stand as visible markers in the distance. The built-up feature of Cold Harbour is also prominent to the east of the final section of the route.

The route is influenced by the surrounding field boundaries and ditches which offers an interesting route and experience in the landscape joining the Bridleway to the west. Overall, this route offers calm and tranquil views across the rolling landscape with good levels of woodland cover locally and long-distance views. Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.24] January 2023



Construction	Operation (Year 1)	Mitigation (Operation Year 15)	Decommis
The first section of the route would not be significantly affected, as there are no construction works to each side and oblique views towards the second section of the route would be masked by the intervening field systems. The second section of the route would not be affected where it passes directly adjacent to the boundary of the Site/Sites. The construction works would be located on one side of the route (east side) and they would only be adjacent to the road for a short section of the route. The changes to the second section of the route would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partially screened by the foreground hedgerows. During the latter part of the construction stage, views would become available of the elevated activities and there would be open views, particularly where the route passes directly adjacent to the boundary of the Site/Sites at the second section of the route. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a framed proportion of the view and be a dominant feature for only a short length at the second section of the route. There would be a considerable change to the arable land use, but the field boundaries and any associated tree cover would rema	The foreground of the views from the route at the second section would change from the agricultural fields (to south side of the route) to an area of panels, but they would be set back behind proposed shelterbelts and additional tree planting to mitigate views from this route. The changes would be experienced within the context of the surrounding arable fields that are intensive use with very some simple features, and limited character.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15) refer to Viewpoints VP12, VP16 and VP23.	A similar pro Scheme bein of the Site in vegetation ar secondary m future baseli the duration noise and vib generation a

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.24] January 2023

missioning

process to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and y mitigation that had been established as the seline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.



	Substation/s Transport receptor is outside the 2km study area for Cottam 1 North substation.			
Magnitude	Very Low	Very Low	Low	Very Low
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sl
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N

Transport Re	eceptor – T109 / Unnamed Road, Stow	
	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	No Intervisibility	Fabric of the Landscape There would not be the removal of or changes in individual elements or area.
		There would be the introduction of new elements and features compris within the character area
		Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottan cumulative developments would not be experienced across the majority distance, the intervening woodlands, hedgerows, and tree cover betwee built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of lik Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burtor further detail within the following figures:
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Develop Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develop Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Develop
		The landscape is shaped by the wide range of local and strategic road no different from another. The strategic major road network is defined by it west minor road network links several historic and distinctive smaller st prevailing road network is formed by narrow lanes that are often tranque verges and they have a major role in helping to define the quality of the area.
		Overall Landscape Character and Visual Amenity Overall, the character of the landscape and the communications and inf settlement with farms, nucleated villages, and small hamlets such as The value that are not highly recognised for adding intimacy and interest to the landscape and land use have some ability to accommodate change visibility for the Cottam 1 Site/Sites would not alter the overall character infrastructure features. Moreover, these features are often set within a form that plays a positive role in reducing the overall cumulative effects
Magnitude	Not Applicable	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Low Decommissioning: Very Low

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.24] January 2023

Short Term

Not Significant

or features of the landscape within the character

ising the solar panel areas and the substation area

am 1 Site/Sites, cumulative visibility with the rity of the 5km study area. This is due to the een the Site/Sites. The intervening settlements and

ikely significant effects, between the Cotton 1 on Solar Park. This cumulative visibility is set out in

opments Augmented ZTV [C6.4.8.15.2.6] velopments Augmented ZTV [C6.4.8.15.2.8] opments Augmented ZTV [C6.3.4.15.2.9]

networks, which make one landscape type or area / important historic routes and in contrast, the east string of settlements across the area. Overall, the quil and hedged to both sides with wide grassed he landscape and reducing the visibility across the

nfrastructure is shaped by evidence of historic horpe le Fallows and Coates, which are features to the landscape. These relevant characteristics of e without undue adverse effects. The cumulative er of the landscape and its communications and a well-vegetated context or associated with built ts.



SOLAR PROJECT		
		Construction: Adverse & Short Term
Type of	NotApplicable	Operation (Year 1): Adverse & Long Term
	Not Applicable	Operation (Year 1): with only Embedded Mitigation: Adverse & Long Ter
Effect		Operation (Year 15): Beneficial & Long Term
		Decommissioning: Neutral & Short Term
		Construction: Negligible Not Significant
Significance	Not Applicable	Operation (Year 1): Negligible Not Significant
0	Not Applicable	Operation (Year 1): with only Embedded Negligible: Not Significant
of Effect		Operation (Year 15): Minor Not Significant
		Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.24] January 2023

erm



Transport Receptor – T113 / Furze Hill, Stow

Baseline Context:

Furze Hill is located to the south of Ingham Road and to the east of the residential property and farmstead known as Lower Furze Hill. The route shares its path with bridleway (Camm/31/1) where it heads south passing Thorpe Wood as far as the residential property known as The Grange.

Distance to Cottam Sites: 203m to Cottam 1

Nearest Viewpoint: VP12, VP15, VP16

Description of Route:

The first section of the routes leads off Ingham Road and continues south from Furze Hill then curves east at Lower Furze hill and travels parallel to a U shape ditch just northeast of Lower Furze Hill. The track has open views in all directions as there is little no hedgerow planting or tree cover to close down views to the wider landscape. The route looks east towards Cottam 1 South Site and west towards Cottam 1 West Site.

This route as this bridleway offers extensive views in all directions. The woodlands to the southeast such as Thorpe Wood, Cammeringham Low Covert and Brattleby Gorse are the only features within this landscape to break up views. The built elements such as Furze Hill and Lower Furze Hill along with mast poles to Cold Harbour (to the east) are minor detracting features in the otherwise tranquil and open landscape but offer some variation to the route.

the route is influenced by the regular and geometric fields divided with very few hedgerow divisions and ditches. The collection of small woodlands to the southwest of Cammeringham are visible in the distance to the southeast with woodland evident to the north across the Ingham Road.

Overall, this route offers a journey across a simple landscape with very few elements or features of interest. There are intensive levels of management within the arable farmland. There are some extended views where the absence of hedgerows enhances the feeling of scale along the route, and which opens up views along its length as it approaches Thorpe Wood in the south. This is a relatively quiet location set back off the Ingham Road.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.25] January 2023



	Construction	Operation (Year 1)	Mitigation (Operation Year 15)	Decommis
	The second section of the route would not be significantly affected where it passes near to the boundary of the Site/Sites. The construction works would be located on one side of the route (east side) and they would only be adjacent to the bridleway for a short section of the route. The changes to the second section of the route would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partially screened by the foreground hedgerows. During the latter part of the construction stage, views would become available of the elevated activities and there would be open views. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a framed proportion of the view and be a dominant feature for only a short length at the second section of the route. There would be a considerable change to the arable land use, but the field boundaries and any associated tree cover would remain intact. There would not be a flundamental change to the surroundings to the west and south of the first section of the route. Construction Access Transport receptor will not be affected by proposed construction access into Cottam 1 South Site. Cable Route Corridor Transport receptor is outside of the 500m study area for Cottam Cable	The foreground of the views from the route at the second section would change from the agricultural fields (to east of the route) to an area of panels, but they would be set back behind the proposed hedgerows and shelterbelts which will mitigate views from this route. The changes would be experienced within the context of the surrounding arable fields that are intensive use with very some simple features, and limited character.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on operation magnitude of change (Year 15) refer to Viewpoints VP12, VP15 and VP16.	A similar process of the Site in vegetation and secondary mit future baseling the duration of noise and vibring eneration end vibring eneration and vibring eneration end vibring en
gnitude	Very Low	Very Low	Low	Very Low
f	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sho

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.25] January 2023

issioning

ocess to that of construction stage, but with the ng no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and nitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.

hort Term



Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible
---------------------------	----------------------------	----------------------------	--------------------------------	------------

Transport Receptor - T113 / Furze Hill, Stow

	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	No Intervisibility	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or tarea.
		There would be the introduction of new elements and features comprisin within the character area
		Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam cumulative developments would not be experienced across the majority distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of like Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton further detail within the following figures:
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developm Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develop Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developm
		The landscape is shaped by the wide range of local and strategic road ne different from another. The strategic major road network is defined by in west minor road network links several historic and distinctive smaller str prevailing road network is formed by narrow lanes that are often tranqui verges and they have a major role in helping to define the quality of the l area.
		Overall Landscape Character and Visual Amenity Overall, the character of the landscape and the communications and infr settlement with farms, nucleated villages, and small hamlets such as Tho value that are not highly recognised for adding intimacy and interest to t the landscape and land use have some ability to accommodate change w visibility for the Cottam 1 Site/Sites would not alter the overall character infrastructure features. Moreover, these features are often set within a form that plays a positive role in reducing the overall cumulative effects
Magnitude	Not Applicable	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Low Decommissioning: Very Low
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Tern Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.25] January 2023

le Not Significant

or features of the landscape within the character

ising the solar panel areas and the substation area

am 1 Site/Sites, cumulative visibility with the ity of the 5km study area. This is due to the een the Site/Sites. The intervening settlements and

ikely significant effects, between the Cotton 1 on Solar Park. This cumulative visibility is set out in

opments Augmented ZTV [C6.4.8.15.2.6] elopments Augmented ZTV [C6.4.8.15.2.8] opments Augmented ZTV [C6.3.4.15.2.9]

networks, which make one landscape type or area important historic routes and in contrast, the east string of settlements across the area. Overall, the quil and hedged to both sides with wide grassed e landscape and reducing the visibility across the

nfrastructure is shaped by evidence of historic horpe le Fallows and Coates, which are features the landscape. These relevant characteristics of e without undue adverse effects. The cumulative er of the landscape and its communications and a well-vegetated context or associated with built

erm



Significance of Effect	Not Applicable	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Sign Operation (Year 15): Minor Not Significant Decommissioning: Negligible Not Significant
---------------------------	----------------	---

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.25] January 2023

ignificant



Transport Receptor – T125 / Thorpe Lane, Brattleby

Baseline Context:

Thorpe Lane is located to the north of the A1500 Till Bridge Road, where it follows an east west alignment passing between the settlements of Sturton by Stow and Brattleby. The lane follows an east west route with a 'dogleg' section where it joins with Lowfields that serves the settlement of Aisthorpe.

Distance to Cottam Sites: 3m to Cottam 1

Nearest Viewpoint: VP4, VP5, VP6.

Description of Route:

T125 runs from The Lodge at the entrance to The Grange and heads east to Brattleby where it forms a junction and joins onto B1398. There is a long S bend along the otherwise very straight route.

At the first section of the route, Thorpe Lane is bordered with relatively narrow grass verges and hedgerows on both sides. The hedgerow directly to the north of the road is taller and blocks views to the agricultural fields to the north. The new hedgerows directly to the south of the route are set low in a ditch and therefore offer extensive views to the south. Small power lines are a minor detractor in this section of the route. Travelling further east the hedgerows become more consistent but are low cut and offer views both north and south. The general scene is open in all directions with the long, straight road a strong feature. There are distant views of woodland blocks with some closer to the north including Brattleby Gorse, Brattleby Thorns, South Spinney and Beck Spinney and Thorpe Wood further northwest.

At the second section of the route the road runs round a small spinney to the north of the route before heading east again. Here the grass verges are wider on both sides and the hedgerows on both sides are set within ditches and maintained to approximately the same height. The hedgerows are set low and do not close down visibility to the surrounding agricultural fields. The view is located on Thorpe Lane, looking north with the southern extent of the Cottam South 1 Site in the foreground.

Travelling east along this route the scene remains much the same with very limited hedgerow trees and open views until Thorpe Lane Farm where the more manicured and managed landscape is evident. This also provides more features with hedgerow trees planted along the northern boundary of the road adjacent to fields of pasture creating a more enclosed feel and broken views to the north, whilst the landscape to the south remains the same. A managed area of willow coppice existing to a block to the north of the road with a line of formalised poplar trees further screening views north.

This northern boundary vegetation begins to blend less formal tree and hedge planting to roadside heading towards Brattleby and an increase in general tree cover and quality is associated with landscape at Brattleby Hall. the formal hedge to the south of the road affords views across to the south and west as the route rises slightly towards The Ridge. Views across the landscape at this point include Cottam power station and blocks of woodland and a predominantly wooded horizon.

The route is influenced by the varying hedgerow management along its length, the rising ground to the east and the long views to the west.

Overall, this route offers a journey across a simple landscape with some elements or features of interest. There are intensive levels of management within the arable farmland. There are a few extended views where the absence of hedgerows enhances the feeling of scale along the route. This is a guiet, tranguil route with a notable absence of settlement or other busy roads. This route offers an interesting journey along an attractive local lane with varying grass verges. The experience is a pleasant and invigorating.

Sensitivity: Medium

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.26] January 2023



The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

by construction due to the existing hedgerow screening the site from the route. The second section of the route would not be offected due to the existing woodlands to the north of the oute screening the Cottam 1 Site/Sites. The construction works would be located on one side of the route (north side) and they would only be adjacent to Thorpe Lane for a short section of he route. The changes to the first section of the route would nclude the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on oads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and ower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partially screened by the foreground hedgerows. During the atter part of the construction stage, views would become available of the elevated activities and there would be open views, particularly where the route passes directly adjacent to he boundary of the Site/Sites at the first section of the route.
The first section of the route would not be significantly affected by construction due to the existing hedgerow screening the site from the route. The second section of the route would not be affected due to the existing woodlands to the north of the route screening the Cottam 1 Site/Sites. The construction works would be located on one side of the route (north side) and they would only be adjacent to Thorpe Lane for a short section of the route. The changes to the first section of the route would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be partially screened by the foreground hedgerows. During the latter part of the construction stage, views would become available of the elevated activities and there would be open views, particularly where the route passes directly adjacent to the boundary of the Site/Sites at the first section of the route. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a framed proportion of the view and be a dominant feature for only a short length at the second section of the route. There would be a considerable change to the arable land use, but the field boundaries and any associated tree cover would remain intact. There would not be a fundamental change to

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.26] January 2023

missioning

process to that of construction stage, but with the eing no longer operational. This is an assessment e in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the seline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.



	Substation/s Transport receptor is outside of the 2km study area for Cottam 1 North substation.			
Magnitude	Very Low	Very Low	Low	Very Low
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & S
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N

In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
No Intervisibility	<u>Fabric of the Landscape</u> There would not be the removal of or changes in individual elements or f area.
	There would be the introduction of new elements and features comprisin within the character area
	Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam cumulative developments would not be experienced across the majority distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility.
	There are local patches of cumulative visibility which may be focus of like Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton further detail within the following figures:
	Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developm Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develop Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developm
	The landscape is shaped by the wide range of local and strategic road net different from another. The strategic major road network is defined by in west minor road network links several historic and distinctive smaller stri prevailing road network is formed by narrow lanes that are often tranqui verges and they have a major role in helping to define the quality of the la area.
	Overall Landscape Character and Visual Amenity Overall, the character of the landscape and the communications and infra settlement with farms, nucleated villages, and small hamlets such as Tho value that are not highly recognised for adding intimacy and interest to the the landscape and land use have some ability to accommodate change we visibility for the Cottam 1 Site/Sites would not alter the overall character of infrastructure features. Moreover, these features are often set within a we form that plays a positive role in reducing the overall cumulative effects.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.26] January 2023

Short Term

Not Significant

or features of the landscape within the character

ising the solar panel areas and the substation area

am 1 Site/Sites, cumulative visibility with the ity of the 5km study area. This is due to the een the Site/Sites. The intervening settlements and

ikely significant effects, between the Cotton 1 on Solar Park. This cumulative visibility is set out in

pments Augmented ZTV [C6.4.8.15.2.6] elopments Augmented ZTV [C6.4.8.15.2.8] opments Augmented ZTV [C6.3.4.15.2.9]

networks, which make one landscape type or area important historic routes and in contrast, the east string of settlements across the area. Overall, the quil and hedged to both sides with wide grassed e landscape and reducing the visibility across the

nfrastructure is shaped by evidence of historic horpe le Fallows and Coates, which are features the landscape. These relevant characteristics of e without undue adverse effects. The cumulative er of the landscape and its communications and a well-vegetated context or associated with built s.



		Construction: Very Low
	Not Applicable	Operation (Year 1): Very Low
Magnitude	Not Applicable	Operation (Year 1): with only Embedded Mitigation: Very Low
-		Operation (Year 15): Low
		Decommissioning: Very Low
		Construction: Adverse & Short Term
Type of	Not Applicable	Operation (Year 1): Adverse & Long Term
	Not Applicable	Operation (Year 1): with only Embedded Mitigation: Adverse & Long Terr
Effect		Operation (Year 15): Beneficial & Long Term
		Decommissioning: Neutral & Short Term
		Construction: Negligible Not Significant
Significance	Not Applicable	Operation (Year 1): Negligible Not Significant
0	Not Applicable	Operation (Year 1): with only Embedded Mitigation: Negligible Not Signi
of Effect		Operation (Year 15): Minor Not Significant
		Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.4.3: Transport Receptors – Transport Not Significant [Reference: EN010133/APP/C6.3.8.3.4.3.26] January 2023

erm

gnificant

S. uk Gala	Status			Potential Cumulative	Potential Cumulative	Relevent Viewpoint/s	Receptor Baseline	Primary Mitigation (Embedded)	Secondary Mitigation	Significant Effects	Notes
RouteCode	Status	Site	Distance (m)	(Combined)	(Sequential)	100.00	D. J.Y. C. startic Least distribution with each of the pathlement of Distor	At townlinghing	At the second and also	210	the statistic terrorade Cettam 2a as 2b Cita/Citas
yt/24/1		Cottam 3a option area	619 439	N	IN	LCC-C-S		Not applicable	Not applicable		No visibility towards Cottam 3a or 3b Site/Sites
yt/24/1							Leading from the eastern edge of Blyton at the junction with public				due to the flat, low-lying landform and the
yt/24/2		L Cottam 3a option area	774				footpath (Blyt/25/1). The footpath follows an almost north south				intervening woodland at the western edge of
yt/24/2	1	L Cottam 3b option area	290				alignment and then meets with Pilham Lane in the south. Open aspect				the settlement of Pilham. The vegetation
							towards the northern section of the foopath. The southern section				bordering the mainline railway and tree
							has limited visibility due to the bordering hedgerows and trees within				planting along Station Road also close down
							the hedgerows. The vegetation bordering the mainline railway also				visibility towards the Site/Sites.
							provides screening and enclosure.				
lyt/25/1	1	L Cottam 3a option area	545	N	N	LCC-C-S	Public Footpath: Within the settlement of Blyton. Leading from High	Not applicable	Not applicable	No	No visibility towards Cottam 3a or 3b Site/Sites
lyt/25/1		L Cottam 3b option area	795			LCC-C-S	Street, the footpath follows an almost east west aligment and then				due to the flat, low-lying landform and the
yt/25/2		L Cottam 3a option area	664			VP62	meets with Church Lane in the west. Enclosed aspect towards the				intervening woodland at the western edge of
yt/25/2		L Cottam 3b option area	833			VP62	western end and the eastern section has some visibility towards the				the settlement of Pilham. The vegetation
yt/25/3		L Cottam 3a option area	714			LCC-C-S	south over the bordering fields.				bordering the mainline railway and tree
-		•	858			LCC-C-S	south over the boldening helds.				
yt/25/3		L Cottam 3b option area	000								planting along Station Road also close down visibility towards the Site/Sites.
yt/26/1	1	L Cottam 3a option area	774	Ν	N	LCC-C-S	Public Footpath: Located to the southeast of the settlement of Blyton.	Not applicable	Not applicable	No	No visibility towards Cottam 3a or 3b Site/Sites
lyt/26/1	1	L Cottam 3b option area	438				Leading from public footpath (Blyt/24/1 and 24/2). This is a short				due to the flat, low-lying landform and the
							section of footpath that passes almost east west to meet with Church				intervening woodland at the western edge of
							Lane. The footpath has an open aspect along its length, but the				the settlement of Pilham. The vegetation
							vegetation along the mainline railway provides screening and				bordering the mainline railway and tree
							enclosure towards the south.				planting along Station Road also close down
											visibility towards the Site/Sites.
x+/20/1		Cottom 25 option area		N	A1		Dublic Footworks Loopton to the points of the contribution of all the	No applicable	Not oppli	NI-	Na visibility tayyarda Catterry 25 or 21 Cit. (Cit.
yt/28/1		L Cottam 3a option area	789	N	N	LCC-C-S		No applicable	Not applicable		No visibility towards Cottam 3a or 3b Site/Sites
rt/28/1		L Cottam 3b option area	830				Leading from Church Lane, the footpath follows a 'dog-leg' alignment				due to the flat, low-lying landform and the intervening woodland at the western edge of
rt/28/2		L Cottam 3a option area	947				and then meets with the A159 (Thonock Road) in the west. The				
yt/28/2	1 Cottam 3b option area	1 Cottam 3b option area 900				footpath is bordered to the north by the settlement edge (at its				the settlement of Pilham. The vegetation	
						southern part). There is a partly open aspect towards the south from				bordering the mainline railway and tree	
							the length of the footpath.				planting along Station Road also close down
											visibility towards the Site/Sites.
yt/29/1	1	L Cottam 3a option area	947	N	N	LCC-C-S	Public Footpath: Located to the southeast of the settlement of Blyton.	Not applicable	Not applicable	No	No visibility towards Cottam 3a or 3b Site/Sites
yt/29/1	1	L Cottam 3b option area	929				Leading from public footpath (Blyth/30/3), the footpath follows for a				due to the flat, low-lying landform and the
rt/29/2		L Cottam 3a option area	801				short length and then meets with Church Lane in the south. The				intervening woodland at the western edge of
yt/29/2		L Cottam 3b option area	708				footpath is bordered to the north by the settlement edge at (its				the settlement of Pilham. The vegetation
1(12)/2		700				northern part). There is a partly open aspect towards the south from				bordering the mainline railway and tree	
											planting along Station Road also close down
							the length of the footpath.				
											visibility towards the Site/Sites.
t/30/1	1	L Cottam 3a option area	842	N	N	LCC-C-S	Public Footpath: Within the settlement of Blyton. Leading from	Not applicable	Not applicable	No	No visibility towards Cottam 3a or 3b Site/Sites
yt/30/1		L Cottam 3b option area	042	IN IN	IN		Church Lane, the footpath follows an almost east west alignment and	not applicable	and applicable	NU	due to the surrounding built settlement.
y (, 30/ I			946								ade to the surrounding built settlement.
							then meets with Paddock Lane in the south. The footpath is bordered				
							on all sides by the built settlement.				
t/32/1	1	L Cottam 3a option area	555	Ν	N	LCC-C-U	Public Footpath: Located to the north of the settlement of Blyton.	Not applicable	Not applicable	No	No visibility towards Cottam 3a Site/Sites due
							Leading from Sandbeck Lane, the footpath follows an almost north				to the very slightly undulating and low-lying
							south alignment and then meets with Blyton Road in the north. The				landform. The intervening riparian vegetation
							footpath crosses the small scale field systems, passing Willow Tree				along the course of the Laughton Highland
							Farm and the sewage works and also crosses over Laughton Highland				Drain also closes down visibility. The properties
							Drain.				at Bluebell Farm and Blyton Grange and the
											residential edge of Blyton also provide screening towards the Site/Sites.
											-
am/66/1	1	I Shared cable corridor and access	0	N	N	n/a	Public Footpath: Located along access track just south of Marton, near	Not applicable	Not applicable	No	Some potential visibility towards Shared Cable
							the River Trent. The footpath heads south and then takes a 'right-				Corridor Access, but due to the temporary
							angled' turn to meet with the A156 to the west of Bunker's Hill				nature of the construction works the effects
							Warren. The footpath crosses the arable and pastoral landscape				would be limited.
	1					1	where there are hedgerows with some tree cover.	1			'

Camm/31/1	2 Cottam 1 option area	217					h 	and west boundaries to each side of the bridleway of the Cottam 1 South Site/Sites.	nature of would be Cottam 1 lying land hedgerow the route the route west bou	or and Access, but due to the temporary of the construction works the effects be limited. Open visibility towards the 1 South Site/Sites due to the flat, low- ndform and the absence of intervening ows and woodland cover along parts of ite, particularly the southern section of ite. New planting along the east and boundaries of the Site/Sites will curtail y in Year 1 and help close down views in 5.
Corr/22/1 Corr/22/2 Corr/22/2 Corr/22/3	1 Cottam 2 option area 1 High voltage cable corridor and access 1 Cottam 2 option area 1 Cottam 2 option area 1 Cottam 2 option area	491 137 658 675	Y	Y	VP53	Public Footpath: Located to the north of the settlement of Corringham. The footpath follows a route north from Church Lane, passing the properties of Old Hall and Hall Farm before reaching Pilham Lane. The bridleway is enclosed to the southern section due to the woodland cover around Old Hall and Hall Farm. The northern section of the route is more open, but views towards the Site/Sites are curtialed by intervening hedgerows and the vegetation bodering Corringham Beck.	the northwest boundaries of Cottam 2 Site/Sites e	bordering the	Cable Co tempora the effec towards hedgerov Lane and the south visibility. Corringh, landform planting Cottam 2	ootential visibility towards High Voltage corridor and Access, but due to the rary nature of the construction works ects would be limited.Some visibility s the Cottam 2 Site/Sites. The ow bordering the south side of Pilham and the intervening field hedgerows to the of the lane are likely to close down y. The riparian vegetation bordering tham Beck and the flat, low-lying m is also likely to curtail views. New g along the northwest boundaries of the 1 2 Site/Sites will curtial visibility in Year lose down visibility in Year 15.
Corr/23/1 Corr/23/2	1 Cottam 2 option area 1 Cottam 2 option area	861 982	Ν	Ν	VP48	Public Footpath: Located within the settlement of Corringham. The footpath heads north from Poplar Lane along a minor track that forms a junction with Middle Street. The footpath is enclosed to all sides by built development.	5	Not applicable	due to th	oility towards the Cottam 2 Site/Sites the built development within the tent of Corringham.
Corr/771/1	1 Cottam 2 option area	625	Ν	N	VP48	Public Footpath: Located within the setlement of Corringham. The footpath passes from Church Lane and heads west to meet with the access to St Lawrence's Church. The footpath is enclosed to all sides by built development.	Not applicable	Not applicable		oility towards Cottam 2 Site/Sites due to evelopment within the settlement of ham.
Fill/767/1 Fill/767/1	2 Cable corridor and access 2 Cottam 1 option area	274	Y	Y	VP35, VP36 and LCC-C-H	Public Bridleway: Located to the west of the settlement of Glentworth. The bridleway heads north from Willingham Road at North Farm to meet with bridleways (Fill/85/1 and Fill/85/2). The bridleway is partly enclosed along its length, since there is a field hedgerow to the west boundary.			Corridor nature of would be Cottam 1 hedgerov hedgerov the bridl east. New Cottam 1	otential visibility towards Cable or and Access, but due to the temporary of the construction works the effects be limited. Some visibility towards the 1 North Site/Sites. There are few ows and woodland cover and ows are also absent to the east side of dleway leaving open views towards the ew planting along the boundaries of the 1 North Site/Sites will curtial visibility in and close down visibility in Year 15.
Fill/85/1 Fill/85/1 Fill/85/2 Fill/85/2	Cable corridor and access Cottam 1 option area Cable corridor and access Cable corridor and access Cottam 1 option area	365 231 16 0	Y		VP35 and VP41 VP35 and VP41 LCC-C-G VP34, VP35 and LCC-C-G	Glentworth. The bridleway heads south from Kexby Road at Glentworth Grange to meet with bridleways (Fill/767/1 and Fill/85/2). The bridleway is mostly open along its length, since there is an	boundaries of the Cottam 1 North Site/Sites.	New planting bordering the east and west boundaries to each side of the bridleway of the Cottam 1 South Site/Sites.	Corridor nature of would be Cottam 1 hedgerow hedgerow from the along the 2 Site/Sit	ovential visibility towards Cable or and Access, but due to the temporary of the construction works the effects be limited.Some visibility towards the 1 North Site/Sites. There are few ows and woodland cover and ows are also absent leaving open views he bridleway to each side. New planting he northwest boundaries of the Cottam sites will curtial visibility in Year 1 and own visibility in Year 15.
Fill/86/1 Fill/86/1	2 Cable corridor and access 2 Cottam 1 option area	415 0	Y	Y	VP32 and VP33		east boundary of t Cottam 1 North Site/Sites.	New planting bordering the east boundary of the bridleway where it forms the boundary with the Cottam 1 North Site/Sites.	Corridor nature of would be Cottam 1 absence woodlan along the Site/Sites	overntial visibility towards Cable or and Access, but due to the temporary of the construction works the effects be limited.Open visibility towards the 1 North Site/Sites due to the the e of intervening hedgerows and ind cover along the route. New planting he east and west boundaries of the es will curtail visibility in Year 1 and help own views in Year 15.

Gltw/85/1	2 Cottam 1 option area	264				Glentworth. The bridleway heads south from Kexby Road at Glentworth Grange to meet with bridleways (Fill/85/1, Fill/767/1 and Fill/85/2). The bridleway is mostly open along its length, since there are no field hedgerows to the boundary of the bridleway.	boundary of Cottam 1 North Site/Sites.	bordering the boundary of the Cottam 1 North Site/Sites.		Corridor and Access, but due to the temporary nature of the construction works the effects would be limited.Some visibility towards the Cottam 1 North Site/Sites. There are few hedgerows and woodland cover and hedgerows are also absent leaving open views from the bridleway to each side. New planting along the east and west boundaries of the Site/Sites will curtial visibility in Year 1 and close down visibility in Year 15.
Heap/1170/1	2 High voltage cable corridor and access	273	N	Ν	n/a	Public Bridlway: Located to the northeast of the small settlement of Heapham. The bridleway heads north from Elm Tree Farm along Heapham Lane to join with Kirton Gate Lane before taking a 'right- angled' turn to meet with Bratt Field South Road. There is a dense	Not applicable	Not applicable	No	No visibility towards High Voltage Cable Corridor and Access due to dense hedgerows and tree cover to each side of the bridleway.
Ingh/17/1	1 Cottam 1 option area	882	N	Ν	VP27	Public Footpath: Located to the west of the settlement of Ingham. The footpath heads from the B1398 (Middle Street) passing Cliff House to join with the A15 (Ermine Street) in the east.	Not applicable	Not applicable	No	No visibility towards the Cottam 1 North Site/Sites due to the intervening settlement of Ingham.
Ingh/235/1 Ingh/235/1	1 Cable corridor and access 1 Cottam 1 option area	<u>894</u> 545	N	N	VP22	Public Footpath:Located within the setttlement of Ingham to the southwest part. The foopath is a short section that passes across The Green.	Not applicable	Not applicable	No	No visibility towards Cottam 1 North or the Cable Coridor and Access due to the intervening settlement of Ingham.
Ingh/24/1 Ingh/24/1 Ingh/24/2	2 Cable corridor and access 2 Cottam 1 option area 2 Cottam 1 option area	859 1 875	Y	Y	VP26 and LCC-C-F	Public Bridleway: Located to the northwest of the settlement of Ingham. The bridleway heads diagonally from its connection with bridleway (Fill/86/1) towards Ingham before taking a turn south along Shorth Lane to meet with West End. The section of the bridleway that follows Short Lane is enclosed with tall hedgerows and good tree cover. Where the bridleway cuts diagonally across the field this follows a local watercourse and this section is open with a lack of hedgerows and tree cover.		Planting bordering the east boundary of the Cottam 1 North Sites.	No	Some potential visibility towards Cable Corridor and Access, but due to the temporary nature of the construction works the effects would be limited.Some visibility towards the Cottam 1 North Site/Sites. There are few hedgerows and woodland cover and hedgerows are also absent leaving open views from the bridleway towards the west. New planting along the east boundaries of the Site/Sites will curtial views in Year 1 and close down visibility in Year 15.
Ingh/25/1	1 Cottam 1 option area	809	Y	Y	VP26	Public Footpath: Located to the west of the settlement of Ingham. The footpath heads south from Long Lane and then makes a slight 'dog- leg' turn to meet with footpaths (Ingh/27/3 and 27/4) in the south. The northern section of footpath is open with no hedgerow, but bordered to the west by a regular line of young trees that are closely spaced. The southern section is bordered by a tall, dense hedgerow and very few individual trees.	Not applicable	Not applicable	No	No visibility towards Cottam 1 North of South Site/Sites due to distance and intervening hedgerows and tree cover.
Ingh/26/2 Ingh/26/3 Ingh/26/3	1 Cottam 1 option area 1 Cable corridor and access 1 Cottam 1 option area 1 Cottam 1 option area	545 644 1	Y	Y	VP26 VP18 and VP21 VP18 and VP21	Public Footpath: Located to the west of the settlement of Ingham. The footpath heads west along Long Lane, passing Low Farm where it makes a 'dog-leg' turn and then progresses as far as the minor tributary of the River Till where it meets with footpath (Stow/83/1). The western section of the footpath passes parallel to an existing hedgerow (with isolated trees) along its north side. The eastern section also follows the existing hedgerow on its north side, but becomes enclosed by a small woodland block close to the junction with Long Lane. The footpath is located just to the north of Coates Gorse, which forms a group with other small woodlands and provides screening to the south.	Panels set back from southeast boundary of Cottam 1 North Site/Sites.	Planting bordering the southeast boundary of the Cottam 1 North Site/Sites.	Νο	Some potential visibility towards Cable Corridor and Access, but due to the temporary nature of the construction works the effects would be limited. Very minor visibility towards Cottam 1 North Site/Sites. There is an open boundary to the western most section of the footpath where it meets with footpath (Stow/83/1) leaving partially open views towards the west (there is an intervening north south boundary hedgerow between the Site/Sites and this location, which closes down some visibility). New planting along the southeast boundary of the Cottam 1 North Site/Sites at this location will curtail views in Year 1 and help close down visibility in Year 15.
Ingh/27/3 Ingh/27/4 Ingh/27/4 Ingh/27/5 Ingh/27/5	1 Cottam 1 option area 1 Cable corridor and access 1 Cottam 1 option area 1 Cable corridor and access 1 Cottam 1 option area	809 894 624 420 105	Y	Y	VP18 and VP21 LCC-C-E LCC-C-E VP22 and VP23 VP22 and VP23	Public Footpath: Located to the southwest of the settlement of Ingham. The footpath heads west from the junction with footpath (Ingh/27/2) passing the sewage works and then taking a short 'dog- leg' turn just to the southeast of Low Farm. The footpath then takes a 'right-angled' turn south to meet with Stow Lane. The eastern section of the footpath is bordered by a strong hedgerow network with mature trees as far as the sewage works. The middle section of the footpath is more open with a low hedgerow and no hedgerow trees. The western section of the footpath is then bordered by tree cover (for a short section to the west of the sewage works) and then takes an open route (with very low cut hedgerows and no trees) before joining Stow Lane.	Panels set back from northeast boundary of Cottam 1 South Site/Sites.	Planting bordering the northeast boundary of the Cottam 1 South Site/Sites.	No	Some potential visibility towards Cable Corridor and Access, but due to the temporary nature of the construction works the effects would be limited.Some visibility towards Cottam 1 South Site/Sites. The footpath has a more open section at its western end where it takes a 'right-angled' turn to meet with Stow Lane, leaving open views towards the south (there is an intervening hedgerow to each side of Stow Lane between the Site/Sites and this location, which closes down some visibility). New planting along the northeast boundaries of the Cottam 1 South Site/Sites will curtail views in Year 1 and help close down visibility in Year 15.

.aug/32/1	1 Cottam 2a option area	557	7 N	N	LCC-C-U	Public Footpath: Located to the parth of the settlement of Plyton. The Not	t applicable	Not applicable	No No visibility to	wards the Cottam 2h Site/Sites
	1 Cottam 3a option area	557	N	N	LLL-L-U	Public Footpath: Located to the north of the settlement of Blyton. The Not a	applicable	Not applicable	,	wards the Cottam 3b Site/Sites
		1				footpath heads from the junction with Sandbeck Lane, then taking a				ervening settlement of Blyton
		1				northerly direction with a minor angled turn passing Willow Tree Farm			and the strong	g hedgerow network with good
		1				and its associated reservoir. The footpath crosses over Laughton			tree cover.	·- I
		1				Highland Drain then heads north passing the sewage works then				
		1								I
		1				meeting with Blyton Road. The southern section of the footpath is				
		1				partially enclosed and bordered by tree cover and hedgerows				
		1				associated with Willow Tree Farm. The northern section of the				I
		1								I
		1				footpath is also bordered by a strong hedgerow network.				ļ
•• Iccla					- 1-	Dittle Frietrich Lorent die the west of the sottlement of Marton The Not	t liabla	ti taradisahla	N- Como notonti	Littlitutowarda Abnormal
/ton/66/1 /////////////////////////////////	1 Abnormal loads access 1 Shared cable corridor and access	824 587		N	n/a	Public Footpath: Located to the west of the settlement of Marton. The Not a footpath heads from Littleborough Lane at Ferry Farm Landing Stage,	аррисавие	Not applicable		al visibility towards Abnormal and Shared Cable Corridor and
1ton/66/2	1 Abnormal loads access	797				then following the eastern bank of the River Trent it then continues				ie to the temporary nature of the
1ton/66/2	1 Shared cable corridor and access	611				towards the small settlement of Trent Port. The footpath then diverts				vorks the effects would be
1ton/66/3	1 Abnormal loads access	661				its course in a diagobnal alignment away from the river corridor to			limited.	ļ
/ton/66/3	1 Shared cable corridor and access	339				meet with the A156 (High Street).				I
/ton/66/4	1 Abnormal loads access	653	,							I
1ton/66/4	1 Shared cable corridor and access	· ر	1							I
										ļ
lton/67/1	1 Abnormal loads access	797	7 N	N	n/a	Public Footpath: Located to the west of the settlement of Marton. The Not a	t applicable	Not applicable	No Some potentia	al visibility towards Abnormal
		1				footpath heads from Littleborough Lane, then meeting with the		100		but due to the temporary nature
		1				eastern bank of the River Trent it then continues towards the small				ction works the effects would be
		1								Stion works the effects would be
		1				settlement of Trent Port to meet with footpath (Mlton 66/1 and			limited.	,
		1				Mlton/66/3).				I
1ton/68/1	1 High voltage cable corridor and access	305	5 N	N	n/a	Public Footpath: Located to the south of the settlement of Marton. Not a	t applicable	Not applicable	No Some potentia	al visibility towards High Voltage
							. applicable	Not applicable		
Mton/68/1	1 Shared cable corridor and access	1			n/a	The footpath heads from the A156 (High Street) in an east west				Access and Shared Cable
		1				alignment to meet with the A1500 (Stow Park Road).				Access, but due to the temporary
		1								construction works the effects
	ļļ	1'							would be limit	ed.
/ton/69/1	1 Abnormal loads access	230) N	N	n/a	Public Footpath: Located to the north of the settlement of Marton. Not a	t applicable	Not applicable	No Some potentia	al visibility towards Abnormal
Iton/69/1	1 High voltage cable corridor and access	805	,			The footpath heads from the A1500 (Stow Park Road) in an northerly			Loads Access,	High Voltage Cable Corridor
Iton/69/1	1 Shared cable corridor and access	292				direction to meet with Willingham Road at Willingham Hill.				ared Cable Corridor and Access,
,,,		1								temporary nature of the
		1								vorks the effects would be
		1							limited.	ļ
Mton/823/1	1 Abnormal loads access	688	3 N	N	n/a	Public Footpath and Byway Open to all Traffic: Located to the west of Not a	t annlicable	Not applicable	No Some potentia	al visibility towards Abnormal
101/025/1					17.0	the settlement of Marton. The footpath follows the east bank of the	appricate	or approable		and Shared Cable Corridor and
Mton/823/1	1 Shared cable corridor and access	345	1			River Trent and there are two routes which run parallel before they				ie to the temporary nature of the
viton/823/1	T Sugled Caple corridor and access	345								
		1				meet with the Byway Open to all Traffic (BOAT) which then connects				vorks the effects would be
		1				with the slipway at the small settlement of Trent Port.			limited.	
		1								
Aton/824/1	4 Abnormal loads access	688	3 N	N	n/a	Public Footpath and Byway Open to all Traffic: Located to the west of Not a	t applicable	Not applicable	No Some potentia	al visibility towards Abnormal
/ton/824/1	4 Shared cable corridor and access	345			1, 3	the settlement of Marton. The footpath follows the east bank of the	upproduce	tot appress		and Shared Cable Corridor and
/ton/824/2	4 Abnormal loads access	678				River Trent and there are two routes which run parallel before they				ie to the temporary nature of the
/ton/824/2	4 Shared cable corridor and access	341							,	, ,
						meet with the Byway Open to all Traffic (BOAT) which then connects				vorks the effects would be
Aton/824/3	4 Abnormal loads access	653				with the slipway at the small settlement of Trent Port.			limited.	
Mton/824/3	4 Shared cable corridor and access	331								
		1								
		1								
						The second		···· Baabla	1 Umited visibil	
Vthp/504/1	4 Cottam 3a option area	613		N	VP66		t applicable	Not applicable		ty towards the Cottam 3a
Nthp/504/2	4 Cottam 3a option area	615				settlement of Northorpe. The BOAT heads from Grange Farm and				to the distance, slightly
(iii) 504/2		1				follows a north south direction to meet with a farm access track to the			-	dform and intervening
(hp) 504/2						south of Scotton Nature Reserve. The southern section of the BOAT is			hedgerows.	
((h)) 50-1/2		ļ	1							
((i)), 504) 2		ļ				partly enclosed by the slightly undulating landform and there are a				
(1), (1), (1), (1), (1), (1), (1), (1),		ļ				partly enclosed by the slightly undulating landform and there are a few hedgerow trees. The northern section is open due to the absence			1	
	1 Cottom 23 ontion pres	930				few hedgerow trees. The northern section is open due to the absence of field hedgerows.	-le cot back	Venting (whore	No. Some notentia	Luisibility towards High Voltage
ilh/20/1	1 Cottam 3a option area	930	<u>)</u> Y	у	VP56	few hedgerow trees. The northern section is open due to the absence of field hedgerows. Public Footpath: Located to the northeast of the small settlement of		Planting (where		al visibility towards High Voltage
Pilh/20/1 Pilh/20/1	1 Cottam 3b option area	0	0		VP56	few hedgerow trees. The northern section is open due to the absence of field hedgerows. Public Footpath: Located to the northeast of the small settlement of Pilham. The footpath heads from Station Road in an east west Pane	here there is a t	there is a shared	Cable Corridor	r and Access, but due to the
Pilh/20/1 Pilh/20/1		930 0 192	0	у	VP56	few hedgerow trees. The northern section is open due to the absence of field hedgerows. Public Footpath: Located to the northeast of the small settlement of Pilham. The footpath heads from Station Road in an east west direction to meet with Bonsall Road just to the north of Bonsdale Pane	here there is a t ared boundary with b	there is a shared boundary with the	Cable Corridor temporary nat	r and Access, but due to the ture of the construction works
Pilh/20/1	1 Cottam 3b option area	0	0	у	VP56	few hedgerow trees. The northern section is open due to the absence of field hedgerows. Public Footpath: Located to the northeast of the small settlement of Pilham. The footpath heads from Station Road in an east west direction to meet with Bonsall Road just to the north of Bonsdale Pane	here there is a t ared boundary with b	there is a shared	Cable Corridor temporary nat	r and Access, but due to the
Pilh/20/1 Pilh/20/1	1 Cottam 3b option area	0	0	у	VP56	few hedgerow trees. The northern section is open due to the absence of field hedgerows. Public Footpath: Located to the northeast of the small settlement of Pilham. The footpath heads from Station Road in an east west direction to meet with Bonsall Road just to the north of Bonsdale Farm. The western and mid-section of the footpath is bordered by Pane	here there is a t ared boundary with b footpath) from f	there is a shared boundary with the	Cable Corridor temporary nat the effects wo	r and Access, but due to the ture of the construction works
Pilh/20/1 Pilh/20/1	1 Cottam 3b option area	0	0	у у	VP56	few hedgerow trees. The northern section is open due to the absence of field hedgerows. Public Footpath: Located to the northeast of the small settlement of Pilham. The footpath heads from Station Road in an east west direction to meet with Bonsall Road just to the north of Bonsdale Farm. The western and mid-section of the footpath is bordered by strong hedgerows and mature tree cover to each side. The eastern north Pane	here there is a there there is a there there is a series of the term of term o	there is a shared boundary with the footpath) bordering the north and south	Cable Corridor temporary nat the effects wo towards the C	r and Access, but due to the ture of the construction works uld be limited. No visibility ottam 3a Site/Sites due to the
ilh/20/1 ilh/20/1	1 Cottam 3b option area	0	0	у	VP56	few hedgerow trees. The northern section is open due to the absence of field hedgerows. Public Footpath: Located to the northeast of the small settlement of Pilham. The footpath heads from Station Road in an east west direction to meet with Bonsall Road just to the north of Bonsdale Farm. The western and mid-section of the footpath is bordered by strong hedgerows and mature tree cover to each side. The eastern north section of the footpath is open due to the low cut hedgerows and bour Pane	here there is a t ared boundary with t e footpath) from f rth and south t undaries of the t	there is a shared boundary with the footpath) bordering the north and south boundaries of the	Cable Corridor temporary nat the effects wo towards the Co intervening ve	r and Access, but due to the ture of the construction works uld be limited. No visibility ottam 3a Site/Sites due to the getation along the mainline
ilh/20/1 ilh/20/1	1 Cottam 3b option area	0	0	у	VP56	few hedgerow trees. The northern section is open due to the absence of field hedgerows. Public Footpath: Located to the northeast of the small settlement of Pilham. The footpath heads from Station Road in an east west direction to meet with Bonsall Road just to the north of Bonsdale Farm. The western and mid-section of the footpath is bordered by strong hedgerows and mature tree cover to each side. The eastern north section of the footpath is open due to the low cut hedgerows and bour Pane	here there is a t ared boundary with t e footpath) from f rth and south t undaries of the t ttam 3b Site/Sites.	there is a shared boundary with the footpath) bordering the north and south boundaries of the Cottam 3b	Cable Corridor temporary nat the effects wo towards the Co intervening ve railway and th	r and Access, but due to the ture of the construction works uld be limited. No visibility ottam 3a Site/Sites due to the getation along the mainline e strong hedgerow network to
ilh/20/1 ilh/20/1	1 Cottam 3b option area	0	0	у у	VP56	few hedgerow trees. The northern section is open due to the absence of field hedgerows. Public Footpath: Located to the northeast of the small settlement of Pilham. The footpath heads from Station Road in an east west direction to meet with Bonsall Road just to the north of Bonsdale Farm. The western and mid-section of the footpath is bordered by strong hedgerows and mature tree cover to each side. The eastern north section of the footpath is open due to the low cut hedgerows and bour Pane	here there is a t ared boundary with t e footpath) from f rth and south t undaries of the t ttam 3b Site/Sites.	there is a shared boundary with the footpath) bordering the north and south boundaries of the	Cable Corridor temporary nat the effects wo towards the Co intervening ve railway and th	r and Access, but due to the ture of the construction works uld be limited. No visibility ottam 3a Site/Sites due to the getation along the mainline
Pilh/20/1 Pilh/20/1	1 Cottam 3b option area	0	0	у	VP56	few hedgerow trees. The northern section is open due to the absence of field hedgerows. Public Footpath: Located to the northeast of the small settlement of Pilham. The footpath heads from Station Road in an east west direction to meet with Bonsall Road just to the north of Bonsdale Farm. The western and mid-section of the footpath is bordered by strong hedgerows and mature tree cover to each side. The eastern north section of the footpath is open due to the low cut hedgerows and bour Pane	here there is a t ared boundary with t e footpath) from f rth and south t undaries of the t ttam 3b Site/Sites.	there is a shared boundary with the footpath) bordering the north and south boundaries of the Cottam 3b	Cable Corridor temporary nat the effects wo towards the Co intervening ve railway and th the north of th	r and Access, but due to the ture of the construction works uld be limited. No visibility ottam 3a Site/Sites due to the getation along the mainline e strong hedgerow network to ne footpath. Open visibility
Pilh/20/1 Pilh/20/1	1 Cottam 3b option area	0	0	у	VP56	few hedgerow trees. The northern section is open due to the absence of field hedgerows. Public Footpath: Located to the northeast of the small settlement of Pilham. The footpath heads from Station Road in an east west direction to meet with Bonsall Road just to the north of Bonsdale Farm. The western and mid-section of the footpath is bordered by strong hedgerows and mature tree cover to each side. The eastern north section of the footpath is open due to the low cut hedgerows and bour Pane	here there is a t ared boundary with t e footpath) from f rth and south t undaries of the t ttam 3b Site/Sites.	there is a shared boundary with the footpath) bordering the north and south boundaries of the Cottam 3b	Cable Corridor temporary nat the effects wo towards the Co intervening ve railway and th the north of th towards the Co	r and Access, but due to the ture of the construction works uld be limited. No visibility ottam 3a Site/Sites due to the getation along the mainline te strong hedgerow network to he footpath. Open visibility ottam 3b South Site/Sites due to
Pilh/20/1 Pilh/20/1	1 Cottam 3b option area	0	0	у	VP56	few hedgerow trees. The northern section is open due to the absence of field hedgerows. Public Footpath: Located to the northeast of the small settlement of Pilham. The footpath heads from Station Road in an east west direction to meet with Bonsall Road just to the north of Bonsdale Farm. The western and mid-section of the footpath is bordered by strong hedgerows and mature tree cover to each side. The eastern north section of the footpath is open due to the low cut hedgerows and bour Pane	here there is a t ared boundary with t e footpath) from f rth and south t undaries of the t ttam 3b Site/Sites.	there is a shared boundary with the footpath) bordering the north and south boundaries of the Cottam 3b	Cable Corridor temporary nat the effects wo towards the CC intervening ve railway and th the north of th towards the Co the the absen	r and Access, but due to the ture of the construction works huld be limited. No visibility ottam 3a Site/Sites due to the egetation along the mainline e strong hedgerow network to he footpath. Open visibility ottam 3b South Site/Sites due to the of intervening hedgerows and
Pilh/20/1 Pilh/20/1	1 Cottam 3b option area	0	0	У	VP56	few hedgerow trees. The northern section is open due to the absence of field hedgerows. Public Footpath: Located to the northeast of the small settlement of Pilham. The footpath heads from Station Road in an east west direction to meet with Bonsall Road just to the north of Bonsdale Farm. The western and mid-section of the footpath is bordered by strong hedgerows and mature tree cover to each side. The eastern north section of the footpath is open due to the low cut hedgerows and bour Pane	here there is a t ared boundary with t e footpath) from f rth and south t undaries of the t ttam 3b Site/Sites.	there is a shared boundary with the footpath) bordering the north and south boundaries of the Cottam 3b	Cable Corridor temporary nat the effects wo towards the C intervening ve railway and th the north of th towards the C the the absen woodland cov	r and Access, but due to the ture of the construction works huld be limited. No visibility ottam 3a Site/Sites due to the egetation along the mainline e strong hedgerow network to ne footpath. Open visibility ottam 3b South Site/Sites due to the of intervening hedgerows and er along the route (eastern
Pilh/20/1 Pilh/20/1	1 Cottam 3b option area	0	0	у	VP56	few hedgerow trees. The northern section is open due to the absence of field hedgerows. Public Footpath: Located to the northeast of the small settlement of Pilham. The footpath heads from Station Road in an east west direction to meet with Bonsall Road just to the north of Bonsdale Farm. The western and mid-section of the footpath is bordered by strong hedgerows and mature tree cover to each side. The eastern north section of the footpath is open due to the low cut hedgerows and bour Pane	here there is a t ared boundary with t e footpath) from f rth and south t undaries of the t ttam 3b Site/Sites.	there is a shared boundary with the footpath) bordering the north and south boundaries of the Cottam 3b	Cable Corridor temporary nat the effects wo towards the C intervening ve railway and th the north of th towards the C the the absen woodland cov section). New	r and Access, but due to the ture of the construction works huld be limited. No visibility ottam 3a Site/Sites due to the getation along the mainline le strong hedgerow network to ne footpath. Open visibility ottam 3b South Site/Sites due to cote of intervening hedgerows and er along the route (eastern planting along the east and west
Pilh/20/1 Pilh/20/1	1 Cottam 3b option area	0)	у	VP56	few hedgerow trees. The northern section is open due to the absence of field hedgerows. Public Footpath: Located to the northeast of the small settlement of Pilham. The footpath heads from Station Road in an east west direction to meet with Bonsall Road just to the north of Bonsdale Farm. The western and mid-section of the footpath is bordered by strong hedgerows and mature tree cover to each side. The eastern north section of the footpath is open due to the low cut hedgerows and bour Pane	here there is a t ared boundary with t e footpath) from f rth and south t undaries of the t ttam 3b Site/Sites.	there is a shared boundary with the footpath) bordering the north and south boundaries of the Cottam 3b	Cable Corridor temporary nat the effects wo towards the Co intervening ve railway and th the north of th towards the Co the the absen woodland cov section). New boundaries of	r and Access, but due to the ture of the construction works huld be limited. No visibility ottam 3a Site/Sites due to the getation along the mainline e strong hedgerow network to ne footpath. Open visibility ottam 3b South Site/Sites due to cee of intervening hedgerows and er along the route (eastern planting along the east and west the Site/Sites will curtail visibility
Pilh/20/1	1 Cottam 3b option area	0)	у	VP56	few hedgerow trees. The northern section is open due to the absence of field hedgerows. Public Footpath: Located to the northeast of the small settlement of Pilham. The footpath heads from Station Road in an east west direction to meet with Bonsall Road just to the north of Bonsdale Farm. The western and mid-section of the footpath is bordered by strong hedgerows and mature tree cover to each side. The eastern north section of the footpath is open due to the low cut hedgerows and bour Pane	here there is a t ared boundary with t e footpath) from f rth and south t undaries of the t ttam 3b Site/Sites.	there is a shared boundary with the footpath) bordering the north and south boundaries of the Cottam 3b	Cable Corridor temporary nat the effects wo towards the Co intervening ve railway and th the north of th towards the Co the the absen woodland cov section). New boundaries of	r and Access, but due to the ture of the construction works huld be limited. No visibility ottam 3a Site/Sites due to the agetation along the mainline e strong hedgerow network to he footpath. Open visibility ottam 3b South Site/Sites due to the of intervening hedgerows and
Pilh/20/1 Pilh/20/1 Pilh/20/1	1 Cottam 3b option area 1 High voltage cable corridor and access	0 192	2			few hedgerow trees. The northern section is open due to the absence of field hedgerows. Public Footpath: Located to the northeast of the small settlement of Pilham. The footpath heads from Station Road in an east west direction to meet with Bonsall Road just to the north of Bonsdale Farm. The western and mid-section of the footpath is bordered by strong hedgerows and mature tree cover to each side. The eastern north section of the footpath is open due to the low cut hedgerows and absence of hedgerow trees. Pane	here there is a t ared boundary with t e footpath) from f rth and south t undaries of the t ttam 3b Site/Sites. S	there is a shared boundary with the footpath) bordering the north and south boundaries of the Cottam 3b Site/Sites.	Cable Corridor temporary nat the effects wo towards the Co intervening ve railway and th the north of th towards the Co the the absen woodland cow section). New boundaries of in Year 1 and h	r and Access, but due to the ture of the construction works buld be limited. No visibility ottam 3a Site/Sites due to the getation along the mainline le strong hedgerow network to the footpath. Open visibility ottam 3b South Site/Sites due to the of intervening hedgerows and er along the route (eastern planting along the east and west the Site/Sites will curtail visibility nelp close down views in Year 15.
Pilh/20/1 Pilh/20/1 Pilh/20/1	1 Cottam 3b option area	0	2	У У И И И И	VP56	few hedgerow trees. The northern section is open due to the absence of field hedgerows. Public Footpath: Located to the northeast of the small settlement of Pilham. The footpath heads from Station Road in an east west direction to meet with Bonsall Road just to the north of Bonsdale Farm. The western and mid-section of the footpath is bordered by strong hedgerows and mature tree cover to each side. The eastern north section of the footpath is open due to the low cut hedgerows and absence of hedgerow trees. Pane (whe section of the footpath is bordered by the footpath is open due to the low cut hedgerows and absence of hedgerow trees. Public Footpath: Located to the southeast of the settlement of Sturton Not absence of Sturter to the southeast of the settlement of Sturton Not absence of Sturter to the southeast of the settlement of Sturter to the settlement of Sturter to the southeast of the settlement of Sturter to the southe	here there is a t ared boundary with t e footpath) from f rth and south t undaries of the t ttam 3b Site/Sites. S	there is a shared boundary with the footpath) bordering the north and south boundaries of the Cottam 3b	Cable Corridor temporary nat the effects wo towards the CC intervening ve railway and th the north of th towards the CC the the absen woodland cov section). New boundaries of in Year 1 and h	r and Access, but due to the ture of the construction works huld be limited. No visibility ottam 3a Site/Sites due to the egetation along the mainline e strong hedgerow network to ne footpath. Open visibility ottam 3b South Site/Sites due to use of intervening hedgerows and er along the route (eastern planting along the east and west the Site/Sites will curtail visibility help close down views in Year 15. wards the Cottam 1 South
Pilh/20/1 Pilh/20/1	1 Cottam 3b option area 1 High voltage cable corridor and access	0 192	2			few hedgerow trees. The northern section is open due to the absence of field hedgerows. Public Footpath: Located to the northeast of the small settlement of Pilham. The footpath heads from Station Road in an east west direction to meet with Bonsall Road just to the north of Bonsdale Farm. The western and mid-section of the footpath is bordered by strong hedgerows and mature tree cover to each side. The eastern north section of the footpath is open due to the low cut hedgerows and absence of hedgerow trees. Pane (whe section of the footpath is bordered by the footpath is open due to the low cut hedgerows and absence of hedgerow trees. Public Footpath: Located to the southeast of the settlement of Sturton by Stow. The footpath heads from the small settlement of Broxholme Not absence of Broxholme	here there is a t ared boundary with t e footpath) from f rth and south t undaries of the t ttam 3b Site/Sites. S	there is a shared boundary with the footpath) bordering the north and south boundaries of the Cottam 3b Site/Sites.	Cable Corridor temporary nat the effects wo towards the C intervening ve railway and th the north of th towards the C the the absen woodland cov section). New boundaries of in Year 1 and h No No Site/Sites due	r and Access, but due to the ture of the construction works huld be limited. No visibility ottam 3a Site/Sites due to the egetation along the mainline e strong hedgerow network to ne footpath. Open visibility ottam 3b South Site/Sites due to the of intervening hedgerows and er along the route (eastern planting along the east and west the Site/Sites will curtail visibility nelp close down views in Year 15. wards the Cottam 1 South to the distance, flat, low-lying
Pilh/20/1 Pilh/20/1 Pilh/20/1	1 Cottam 3b option area 1 High voltage cable corridor and access	0 192	2			few hedgerow trees. The northern section is open due to the absence of field hedgerows. Public Footpath: Located to the northeast of the small settlement of Pilham. The footpath heads from Station Road in an east west direction to meet with Bonsall Road just to the north of Bonsdale Farm. The western and mid-section of the footpath is bordered by strong hedgerows and mature tree cover to each side. The eastern section of the footpath is open due to the low cut hedgerows and absence of hedgerow trees. Public Footpath: Located to the southeast of the settlement of Sturton Not a by Stow. The footpath heads from the small settlement of Broxholme and follows a 'zig-zag' alignment (north south direction) passing across	here there is a t ared boundary with t e footpath) from f rth and south t undaries of the t ttam 3b Site/Sites. S	there is a shared boundary with the footpath) bordering the north and south boundaries of the Cottam 3b Site/Sites.	Cable Corridor temporary nat the effects wo towards the Cr intervening ve railway and th the north of th towards the Cr the the absen woodland cow section). New boundaries of in Year 1 and h No No visibility to Site/Sites due landform, inte	r and Access, but due to the ture of the construction works huld be limited. No visibility ottam 3a Site/Sites due to the egetation along the mainline e strong hedgerow network to he footpath. Open visibility ottam 3b South Site/Sites due to the of intervening hedgerows and er along the route (eastern planting along the east and west the Site/Sites will curtail visibility help close down views in Year 15. wards the Cottam 1 South
Pilh/20/1 Pilh/20/1 Pilh/20/1	1 Cottam 3b option area 1 High voltage cable corridor and access	0 192	2			few hedgerow trees. The northern section is open due to the absence of field hedgerows. Public Footpath: Located to the northeast of the small settlement of Pilham. The footpath heads from Station Road in an east west direction to meet with Bonsall Road just to the north of Bonsdale Farm. The western and mid-section of the footpath is bordered by strong hedgerows and mature tree cover to each side. The eastern north section of the footpath is open due to the low cut hedgerows and absence of hedgerow trees. Pane (whe section of the footpath is bordered by the footpath is open due to the low cut hedgerows and absence of hedgerow trees. Public Footpath: Located to the southeast of the settlement of Sturton by Stow. The footpath heads from the small settlement of Broxholme Not absence of Broxholme	here there is a t ared boundary with t e footpath) from f rth and south t undaries of the t ttam 3b Site/Sites. S	there is a shared boundary with the footpath) bordering the north and south boundaries of the Cottam 3b Site/Sites.	Cable Corridor temporary nat the effects wo towards the C intervening ve railway and th the north of th towards the C the the absen woodland cov section). New boundaries of in Year 1 and h No No Site/Sites due	r and Access, but due to the ture of the construction works uld be limited. No visibility ottam 3a Site/Sites due to the getation along the mainline e strong hedgerow network to ne footpath. Open visibility ottam 3b South Site/Sites due to ice of intervening hedgerows and er along the route (eastern planting along the east and west the Site/Sites will curtail visibility nelp close down views in Year 15. wards the Cottam 1 South to the distance, flat, low-lying

Scmp/31/1	2 Cottam 1 option area	800	Ν	N	VP3	Public Bridleway: Located to the southeast of the settlement of Sturton by Stow. The bridleway heads from the A1500 (Till Bridge Lane) just to the northeast of Tillbridge Farm as a short straight section to meet with bridleway (TLFe/31/1). The bridleway then continues further north in a meandering alignment to meet with Thorpe Lane at Thorpe Bridge.	Not applicable	Not applicable	No	No visibility towards the Cottam 1 South Site/Sites due to the distance, flat, low-lying landform, intervening hedgerows and settlement.
Scmp/32/1	1 Cottam 1 option area	769	N	N	VP3	Public Footpath: Located to the southeast of the settlement of Sturton by Stow. The footpath heads from the A1500 (Till Bridge Lane) just to the northwest of Tillbridge Farm as a very short straight section to meet with footpath (TLFe/31/1). The footpath then continues further north in a meandering alignment (following the eastern bank of the River Till) to meet with Thorpe Lane at Thorpe Bridge.	Not applicable	Not applicable	No	No visibility towards the Cottam 1 South Site/Sites due to the distance, flat, low-lying landform, intervening hedgerows and settlement.
Stow/70/1 Stow/70/1 Stow/70/1 Stow/70/1	2 Abnormal loads access 2 Cottam 1 option area 2 Cottam 1 permissive path 2 High voltage cable corridor and access	948 845 975 40	N	N	n/a	Public Bridleway: Located to the northwest of the settlement of Stow. The bridleway heads from Wooden Lane to meet with Marton Road where its takes a 'right-angled' turn to then join Willingham Road. The southern section of the bridleway follows a minor track and is bordered to the west by a low-cut hedgerow with few trees. The northern section of the bridleway shares the route with a private farm access and is bordered by a low cut hedgerow to the west (which supports some regular tree cover). There are open views towards the east from the bridleway.	Not applicable	Not applicable	No	Some potential visibility towards the Abnormal Loads Access and High Voltage Cable Corridor and Access, but due to the temporary nature of the construction works the effects would be limited. No visibility towards the Cottam 1 North and Cottam 1 South Site/Sites due to the distance, flat, low-lying landform, intervening settlement of Stow and the strong hedgerow network.
5tow/71/1 5tow/71/1 5tow/71/1 5tow/71/1	1 Abnormal loads access 1 Cottam 1 option area 1 Cottam 1 permissive path 1 High voltage cable corridor and access	125 832 290 457	N	N	LCC-C-A	Public Footpath: Located to the southwest of the settlement of Stow. The footpath heads in a north south direction from Stow Park Road to then meet with footpath (71/3) which extends as far as Mere House to then meet with footpath (Stur/71/4). This section of the footpath is enclosed by tree cover bordering the route and mature trees within nearby gardens.	Not applicable	Not applicable	No	No visibility towards the Abnormal Loads Access and High Voltage Cable Corridor and Access due to the intervening built settlement of Stow and the mature tree cover bordering the bridleway to the north.
stow/71/2 stow/71/2 stow/71/2	1 Abnormal loads access 1 Cottam 1 option area 1 Cottam 1 permissive path	255 978 413	N	N	LCC-C-A	Public Footpath: Located to the southwest of the settlement of Stow. The footpath heads in an east west direction from footpaths (Stow/71/2 and 71/3). This section of the footpath is open where it passes across the large-scale arable fields. The woodland blocks between the fields add some enclosure and help to curtail views east west.	Not applicable	Not applicable	No	No visibility towards the Abnormal Loads Access and High Voltage Cable Corridor and Access due to the intervening built settlement of Stow and the mature tree cover bordering the bridleway to the north.
tow/71/3	1 Abnormal loads access	255	N	N	LCC-C-A	Public Footpath: Located to the southwest of the settlement of Stow. The footpath heads in a north south direction from Stow Park Road to then meet with footpath (Stow/71/1) which extends as far as Stow Park Road. This section of the footpath is enclosed by tree cover bordering the route and mature trees within nearby gardensThe southern section of the bridleway is open due to the absence of bordering hedgerows and the large-scale field systems.	Not applicable	Not applicable	No	No visibility towards the Abnormal Loads Access due to the intervening built settlement of Stow and the mature tree cover bordering the bridleway to the north.
ow/71/3	1 Cottam 1 option area	978		<u> </u>						
ow/71/3 ow/71/3	1 Cottam 1 permissive path 1 High voltage cable corridor and access	413 458		<u> </u>						
w/72/1	1 Abnormal loads access 1 Cottam 1 option area	220 737	Ν	N	LCC-C-A	Public Footpath: Located to the east of the settlement of Stow. The	Not applicable	Not applicable	No	No visibility towards the Abnormal Loads
itow/72/1 itow/72/1 itow/72/1	1 Cottain 1 option area 1 Cottain 1 option area 1 Cottain 1 permissive path 1 High voltage cable corridor and access	181 881				footpath heads in a north south direction from Ingham Road as far as the parish boundary to then meet with footpath (Stur/72/3). The northern section of the footpath is enclosed by tree cover bordering the route and mature trees within nearby gardens. The southern section of the bridleway is open due to the absence of bordering hedgerows and the large-scale field systems.				Access and High Voltage Cable Corridor and Access due to the intervening built settlement of Stow and the strong hedgerow network with mature tree cover. Limited visibility towards the Cottam 1 North and Cottam 1 South Site/Sites due to the distance, flat, low-lying landform and the strong hedgerow network.
cow/83/1	1 Cable corridor and access	482	Y	Y	VP18 and VP21	Public Footpath: Located to the east of the settlement of Stow and to	Panels set back from	New planting	No	Limited visibility towards the Cable Corridor
Stow/83/1 Stow/83/1	1 Cottam 1 option area 1 Cottam 1 permissive path	<u> </u>				the southwest of the small settlement of Coates. The footpath heads from Ingham Road at Squire's Bridge in a 'slight diagonal' alignment towards Coates Hall and Hall Farm. The footpath then continues east, passing Presswood Cottages to then meet with footpath (Ingh/26/3) at the Ingham parish boundary. The western section of the footpath crosses an open field, but the tall shelterbelt to the west and the	northern boundary of Cottam 1 South Site/Sites and from the southern boundary of the Cottam 1 North Site/Sites.			and Access due to the distance, the shelterbelt to the west and the vegetation bordering the River Till. Some visibility towards the Cottam 1 North and Cottam 1 South Site/Sites due to the open nature of the southern section of the footpath and lack of a strong hedgerow network and tree cover. New planting along the north and east boundaries of the Site/Sites will curtail visibility in Year 1 and help close down views in Year 15.
Stow/845/1	1 Abnormal loads access	17	Ν	N	LCC-C-A	Public Footpath: Located within the settlement of Stow, following a	Not applicable	Not applicable	No	Some potential visibility towards High Voltage
tow/845/1 tow/845/1 tow/845/1	1 Cottam 1 option area 1 Cottam 1 permissive path 1 High voltage cable corridor and access	742 177 540				route that connects Church Road with Normanby Road. This is a very short section of footpath that is fully contained by the built areas of the settlement.				Cable Corridor and Access and Abnormal Loads, but due to the temporary nature of the construction works the effects would be limited.
Stur/71/4	1 Abnormal loads access	652	Ν	N	VP9	Public Footpath: Located to the northwest of the settlement of	Not applicable	Not applicable	No	No visibility towards Abnormal Loads Access
Stur/71/4 Stur/71/4	1 Cottam 1 permissive path 1 High voltage cable corridor and access	777 715				Sturton by Stow. The footpath heads from its junction with footpath (Stur/71/3) passing Village Farm and Orchard Farm and extending as far as Mere House where it meets with footpath (Stow/71/3).				and High Voltage Cable Corridor and Access due to the intervening settlement of Sturton by Stow. No visibility towards the Cottam 1 South Site/Sites due to the intervening settlement of Sturton by Stow.

Stur/72/1	1 Cottam 1 option area	986	Y	Y	VP9	Public Footpath: Located to the northeast of the settlement of Sturton Panels set back from New planting No No visibility towards Abnormal Loads Access
r/72/2	1 Cottam 1 option area	976	·			by Stow. The footpath heads from Fleets Road in a northerly direction southwest boundaries bordering the due to the intervening settlement of Sturton by
r/72/3	1 Abnormal loads access	867				where it then meets with footpath (Stur72/2) then passing Sturton by of Cottam 1 South southwest Stow. Some visibility towards Cottam 1 South
r/72/3	1 Cottam 1 option area	864				Stow Primary School it joins with footpath (Stow/72/1) at the parish Site/Sites. boundaries of the Site/Sites, but the distance and intervening
ur/72/3	1 Cottam 1 permissive path	636				boundary.The southern section of the footpath is enclosed by built Cottam 1 South hedgerow cover curtials some views. New
						development as far as the primary school, when the footpath then follows an open section with views towards the east.Site/Sites.planting along the southwest boundaries of the Site/Sites will curtail visibility in Year 1 and help close down views in Year 15.
tur/73/1	1 Cable corridor and access	294	Y	Y	VP10 and LCC-C=C	Public Footpath: Located to the northeast of the settlement of Sturton Panels set back from New planting No No visibility towards Cable Corridor and Access
tur/73/1	1 Cottam 1 option area	17				by Stow. The footpath heads from the 'T' junction with footpath southeast soundaries bordering the due to the intervening settlement of Sturton by
stur/73/1	1 Cottam 1 permissive path	646				(Stur72/3) then passing in and almost east west direction it joins with Fleet's Lane. The footpath crosses a large-scale, open arable landscape with no dividing hedgerows or tree cover, giving open visibility towards the east and southeast.of Cottam 1 South Site/Sites.Stow. The meandering hedgerow to the east of the sewage works also supports tree cover, which helps close down views in this direction. Some visibility towards the east and southeast.Site/Sites.Site/Sites.Site/Sites.Site/Sites.Site/Sites.Site/Sites.Site/Sites.Some visibility towards cottam 1 South Site/Sites.Some visibility towards cottam 1 South Site/Sites.Site/Sites.Site/Sites.Site/Sites.Site/Sites.Some visibility towards cottam 1 South Site/Sites.Site/Sites.Site/Sites.Site/Sites.Some visibility towards cottam 1 South Site/Sites.Some visibility towards cottam 1 South Site/Sites.Site/Sites.Site/Sites.Site/Sites.Site/Sites.Some visibility towards cottam 1 South Site/Sites.<
tur/76/1	1 Cottam 1 option area	999	Ν	N	VP9	Public Footpath: Located within the settlement of Sturton by Stow. The footpath follows a route that links High Street with Twitchell and is bardered by regidential properties to each side. Not applicable Not applicable Not with Stepse Sturton by Stow. Not applicable Not applicable Sturton by Stow. Sturton by Stow.
:ur/77/1	1 Cottam 1 option area	951	N	N	VP9	is bordered by residential properties to each side. Sturton by Stow. Public Footpath: Located within the settlement of Sturton by Stow. Not applicable No Average Not applicable No Vortice Not applicable No Vortice Not applicable No Vortice Not Not applicable No Vortice Not
tur/77/2	1 Cottam 1 option area	979				The footpath follows a route that links Fleet's Road with the A1500 (Marton Road) and is bordered by residential properties to each side.
tur/79/1	1 Cottam 1 option area	806	Ν	N	VP9	Public Footpath: Located to the southeast of the settlement of Sturton Not applicable Not applicable No No visibility towards the Cottam 1 South
ur/79/2	1 Cottam 1 option area	780				by Stow. The footpath heads from Fleet's Road passing between the Site/Sites due to the intervening settlement at
tur/79/3	1 Cottam 1 option area	845				recreation ground and the residential edge, then taking a diagonal alignment across the open arable field to meet with the A1500 (Tillbridge Road). The northern section of the footpath is enclosed, but the southern section is open with views towards the east and northeast. to ward the east and northeast.
tur/80/1	1 Cable corridor and access	824	Y	Y	VP8	Public Footpath: Located to the east of the settlement of Sturton by Panels set back from New planting No Open visibility towards the Cable Corridor and
stur/80/1	1 Cottam 1 option area					Stow. The footpath heads from Fleet's Road passing across an open arable field to meet with Thorpe Lane. This is a very short section of footpath with open views towards the north and northeast.southwest boundaries of Cottam 1 South Site/Sites.bordering the southwest boundaries of the Cottam 1 South Site/Sites.Access, but due to the temporary nature of the construction works the effects would be limited. Some visibility towards Cottam 1 South Site/Sites.definitionSite/Sites.boundaries of the Cottam 1 South Site/Sites.limited. Some visibility towards Cottam 1 South Site/Sites, but the distance and intervening hedgerow cover closes down some views. New planting along the southeast boundaries of the Site/Sites will curtail visibility in Year 1 and help close down views in Year 15.
LFe/31/1	2 Cable corridor and access	022	v	v	VP3	Public Bridleway: Located to the east of the settlement of Sturton by Panels set back from New planting on the No Oblique visibility towards the Cable Corridor
Fe/31/1	2 Cottam 1 option area	832	T	T	VP3 VP3	Public Bridleway: Located to the east of the settlement of Sturton by Panels set back from New planting on the No Oblique visibility towards the Cable Corridor and Access, but due to the temporary nature of
e/31/2	2 Cable corridor and access	767			VP5 and VP11	bridleway heads from Thorpe Lane passing through Thorpe le Fallows Cottam 1 South Doundaries of South Doun
Fe/31/2	2 Cottam 1 option area	0			VP5 and VP11	Farm, then crossing the open arable fields to meet with bridleway (Scmp/31/1) which then heads for a short secretion south to meet with the A1500 (Till Bridge Road). Site/Sites. Site/Sites. Ilmited. Some oblique visibility towards Cottam 1 South Site/Sites, but the distance and intervening hedgerow cover closes down some views. New planting along the south boundaries of the Site/Sites will curtail visibility in Year 1 and help close down views in Year 15.
LFe/32/1	1 Cable corridor and access	680	Y	Y	VP7	Public Footpath: Located to the east of the settlement of Sturton by Panels set back from New planting on the No Partly open visibility towards the Cable
rLFe/32/1	1 Cottam 1 option area	10				Stow. The footpath heads from Thorpe Lane at Thorpe Bridge and then continues further south in a meandering alignment (following the eastern bank of the River Till) to meet with footpath (Scmp/32/1), which runs for a short section before joining with Tillbridge Road (just to the northwest of Tillbridge Farm). The south side of Thorpe Lane supports a dense belt of trees (running for a length of approximatly 350m), which helps close down visibility when looking north and northeast from the footpath at its northern section.
Vlgm/515/1	1 Abnormal loads access	217	Ν	N	n/a	Public Footpath: Located within the settlement of Willingham to the centre. The footpath follows a route from High Street, passing Not applicable Not applicable No No visibility towards the Abnormal Loads
Wlgm/515/1	1 Cottam 1 option area	786				Reynard Church Hall, to meet with Grange Lane. Keynard Church Hall, to meet w
	1 Abnormal loads access	15	v	v	n/a	Public Footpath: Located at the eastern edge of the settlement of Panels set back from New planting on the No Some visibility towards the Abnormal Loads

Wlgm/538/1	1 Cottam 1 option area	292				the sewage works and Grange Farm in a 'slight diagonal alignment' to meet with Cot Garth Lane in the south. The northern section of the footpath is partly enclosed due to the presence of the sewage works and asscoiated tree cover. The small, rectangular area of woodland to the west of Stone Pit Lane also provides screening and enclosure in views towards the east. The southern section of the foopath is open to the east (no bordering hedgerows), but the intervening hedgerows bordering Cot Garth Lane close down visbility towards the Site/Sites.	Cottam 1 North	boundaries of the Cottam 1 North Site/Sites.	 	pproximatly 70m), but due to the temporary ature of the construction works the effects vould be limited. Some minor visibility towards he Cottam 1 South Site/Sites due to the ntervening hedgerows and individual tree over bordering Cot Garth Lane and Stone Pit ane. New planting along the north and west ioundaries of the Site/Sites will curtail visibility n Year 1 and help close down views in Year 15.
Wlgm/59/1	1 Abnormal loads access	593	N	N	n/a	Public Footpath: Located to the north of the settlement of Willingham by Stow. The footpath heads north from its junction with footpaths (Wlgm/59/3 and Wlgm/59/5) to meet with footpath (Kexb/59/4) at the parish boundary.	Not applicable	Not applicable	/	Io visibility towards the Abnormal Loads access due to intervening built form within the ettlement of Sturton by Stow.
Wlgm/59/2	1 Abnormal loads access	576	N	N	n/a		Not applicable	Not applicable	/	Io visibility towards the Abnormal Loads access due to intervening built form within the ettlement of Sturton by Stow.
Wlgm/59/3	1 Abnormal loads access	465	N	N	n/a	Public Footpath: Located to the northwest of the settlement of Willingham by Stow. The footpath heads in an almost north south direction from High Street for a short section (approximatly 170m) to meet with footpath (Wlgm/59/2). The footpath is enclosed by built form, except for its northern section at the junction with Wlgm/59/2 where visibility is focussed towards the north and west.	Not applicable	Not applicable		lo visibility towards the Abnormal Loads access due to intervening built form within the ettlement of Sturton by Stow.
Wlgm/59/4	1 Abnormal loads access	425								
Vlgm/59/5	1 Abnormal loads access	460	N	N	n/a	Public Footpath: Located to the north of the settlement of Willingham by Stow. The footpath heads in an almost 'diagonal' direction from High Street for a short section (approximatly 170m) to meet with footpath (Wlgm/59/2). The footpath is enclosed by built form, except for its northern section at the junction with Wlgm/59/2 where visibility is focussed towards the north and west.	Not applicable	Not applicable		Io visibility towards the Abnormal Loads access due to intervening built form within the ettlement of Sturton by Stow.
Vlgm/59/5	1 Cottam 1 option area	869								
Nlgm/59/6	1 Abnormal loads access	435								
Wlgm/59/6	1 Cottam 1 option area	858								
Nlgm/61/1	1 Abnormal loads access	582	N	N	n/a	Public Footpath: Located within the settlement of Willingham to the northwest	Not applicable	Not applicable	,	Io visibility towards the Abnormal Loads access due to intervening built form within the ettlement of Sturton by Stow.
Nlgm/62/1	1 Abnormal loads access	465	N	N	n/a	Public Footpath: Located to the northwest of the settlement of Willingham by Stow. The footpath heads in a diagonal direction from the junction with footpath (Wlgm/59/3) for a short section (approximatly 160m) to meet with footpath (Wlgm/59/3) and the B1241.	Not applicable	Not applicable	/	Io visibility towards the Abnormal Loads access due to intervening built form within the ettlement of Sturton by Stow.
Wlgm/63/1	1 Abnormal loads access	214	N	N	n/a	Public Footpath: Located within the settlement of Willingham by Stow. The footpath heads from Stow Road for a very short section to link with Grange Lane.	Not applicable	Not applicable	/	Io visibility towards the Abnormal Loads access due to intervening built form within the ettlement of Sturton by Stow.
Vlgm/63/1	1 Cottam 1 option area	826								
Vlgm/64/1	1 Abnormal loads access	213	N	N	n/a	Public Footpath: Located to the southwest of the settlement of Wilingham by Stow. The footpath heads from Stow Road in an almost 'diagonal'direction to meet with Marton Road.	Not applicable	Not applicable	/	Io visibility towards the Abnormal Loads access due to intervening built form within the ettlement of Sturton by Stow.
Vlgm/64/1	1 Cottam 1 option area	916								
Nlgm/64/2	1 Abnormal loads access	289								

Wlgm/881/1	1	Abnormal loads access	422	Ν	N	n/a	Public Footpath: Located within the settlement of Willingham by Stow Not applicable to the northeast part. The footpath heads from High Street for a short section to join with footpath (Wlgm/59/5).	Not applicable	No	No visibility towards the Abnormal Loads Access due to intervening built form within the settlement of Sturton by Stow.
Wlgm/881/1	1	Cottam 1 option area	769							
Wlgm/976/1		Abnormal loads access	98	N	N	n/a	Public Footpath: Located within the settlement of Willingham to the southwest part. The footpath heads from Park Road across a grassland field with groups of trees toeards the south boundary.	Not applicable	No	No visibility towards the Abnormal Loads Access or the Cottam 1 North Site/Sites due to intervening built form within the settlement of Sturton by Stow.
Wlgm/976/1	1	Cottam 1 option area	920							
Wlgm/976/2	1	Abnormal loads access	289							
NT Cottam BOAT5	BOAT	Shared cable corridor and access	238							
NT Cottam BW2	Bridleway	Shared cable corridor and access	3							
NT Cottam BW7	Bridleway	Shared cable corridor and access	168							
NT Cottam FP1	Footpath	Shared cable corridor and access	0							
NT Cottam FP3	Footpath	Shared cable corridor and access	0							
NT Cottam RB4	Restricted Byway	Shared cable corridor and access	0							
NT Cottam RB6	Restricted Byway	Shared cable corridor and access	1							
NT North Leverton With Habblesthorpe FP9	Footpath	Abnormal loads access	834							
NT North Leverton With Habblesthorpe FP9	Footpath	Shared cable corridor and access	37							
NT North Leverton With Habblesthorpe RB25	Restricted Byway	Shared cable corridor and access	165							
NT Rampton BOAT12	BOAT	Shared cable corridor and access	0							
NT Rampton BOAT13	BOAT	Shared cable corridor and access	0							
NT Rampton FP10	Footpath	Shared cable corridor and access	348							
NT Rampton FP20	Footpath	Shared cable corridor and access	0							
NT Rampton FP4	Footpath	Abnormal loads access	959							
NT Rampton FP4	Footpath	Shared cable corridor and access	347							
NT Rampton FP5	Footpath	Shared cable corridor and access	0							
NT Rampton FP9	Footpath	Shared cable corridor and access	354							
NT South Leverton BOAT16	BOAT	Shared cable corridor and access	0							
NT Treswell BW18	Bridleway	Shared cable corridor and access	119							<u> </u>
NT Treswell BW20	Bridleway	Shared cable corridor and access	132							
NT Treswell FP3	Footpath	Abnormal loads access	869							<u> </u>
NT Treswell FP3	Footpath	Shared cable corridor and access	154							<u> </u>
NT Treswell FP4	Footpath	Shared cable corridor and access	0						-	
NT Treswell FP5	Footpath	Shared cable corridor and access	0							

RouteCode	Bumble Bee Farm	Field Farm	Gate Burton Energy Farm	High Marnham Solar	Tillbridge Solar	West Burton	Actual Visibility	Actual Visibility
Aist/37/1								Already Scoped Out
Aist/38/1								Already Scoped Out
Aist/38/2								Already Scoped Out
Aist/38/3								Already Scoped Out
Aist/39/1								Already Scoped Out
Aist/40/1								Already Scoped Out
Blyb/11/1								Already Scoped Out
Blyt/24/1								Already Scoped Out
Blyt/24/2								Already Scoped Out
Blyt/25/1								Already Scoped Out
Blyt/25/2								Already Scoped Out
Blyt/25/3								Already Scoped Out
Blyt/26/1								Already Scoped Out
Blyt/28/1								Already Scoped Out
Blyt/28/2								Already Scoped Out
Blyt/29/1								Already Scoped Out
Blyt/29/2								Already Scoped Out
Blyt/30/1								Already Scoped Out
Blyt/30/2								Already Scoped Out
Blyt/30/3								Already Scoped Out
Blyt/31/1								Already Scoped Out
Blyt/32/1								Already Scoped Out
Blyt/33/1								Already Scoped Out
Bram/66/1								Already Scoped Out
Camm/31/1	N	Ν	Y	N	Y	Y		Some potential visibility towards Cable Co temporary nature of the construction wo visibility towards the Cottam 1 South Site landform and the absence of intervening parts of the route, particularly the southe along the east and west boundaries of th 1 and help close down views in Year 15. sites cumulative intervisibility cannot be

ty Justificantion
Corridor and Access, but due to the vorks the effects would be limited. Open ite/Sites due to the flat, low-lying ng hedgerows and woodland cover along hern section of the route. New planting the Site/Sites will curtail visibility in Year Due to poor visibility into Cottam 1 e achieved.

Corr/22/1	Ν	N	Y	N	Y	Ν	Some potential visibility towards High V due to the temporary nature of the cons limited.Some visibility towards the Cotta the south side of Pilham Lane and the in of the lane are likely to close down visib Corringham Beck and the flat, low-lying New planting along the northwest boun curtial visibility in Year 1 and close dowr visibility into Cottam2 sites cumulative i
	N	N	Y	N	Y	N	Some potential visibility towards High V due to the temporary nature of the con- limited.Some visibility towards the Cotta the south side of Pilham Lane and the in of the lane are likely to close down visib Corringham Beck and the flat, low-lying New planting along the northwest boun curtial visibility in Year 1 and close dowr visibility into Cottam2 sites cumulative i
Corr/22/2 Corr/22/3	N	N	Y	N	Y	N	Some potential visibility towards High V due to the temporary nature of the con- limited.Some visibility towards the Cotta the south side of Pilham Lane and the in of the lane are likely to close down visib Corringham Beck and the flat, low-lying New planting along the northwest boun curtial visibility in Year 1 and close down visibility into Cottam2 sites cumulative i
Corr/23/1							Already Scoped Out
Corr/23/2							Already Scoped Out
Corr/771/1							Already Scoped Out

Voltage Cable Corridor and Access, but instruction works the effects would be ttam 2 Site/Sites. The hedgerow bordering intervening field hedgerows to the south ibility. The riparian vegetation bordering g landform is also likely to curtail views. undaries of the Cottam 2 Site/Sites will wn visibility in Year 15. - Due to poor e intervisibility cannot be achieved.

Voltage Cable Corridor and Access, but instruction works the effects would be ttam 2 Site/Sites. The hedgerow bordering intervening field hedgerows to the south ibility. The riparian vegetation bordering g landform is also likely to curtail views. undaries of the Cottam 2 Site/Sites will wn visibility in Year 15. - Due to poor e intervisibility cannot be achieved.

Voltage Cable Corridor and Access, but instruction works the effects would be ttam 2 Site/Sites. The hedgerow bordering intervening field hedgerows to the south ibility. The riparian vegetation bordering ig landform is also likely to curtail views. undaries of the Cottam 2 Site/Sites will wn visibility in Year 15. - Due to poor intervisibility cannot be achieved.

Fill/85/1 N Y N Y Y No Fill/85/1 N N Y N Y N Y No Fill/85/1 N N Y N Y No Fill/85/2 N N Y N Y No Fill/85/1 N N Y N Y No Fill/85/1 N N Y N Y No Gitw/85/1 N Y Y N Y No									
Fill/85/2 N N Y N Y Y No Fill/86/1 N N Y N Y N No Fill/86/1 N N Y N Y No No	Fill/85/1	N	N	Y	N	Y	Y	No	Though the cumulative developments co therefore have extensive zones of theor mounted solar panels it should be noted specific topgraphy the area of theoretica with receptor Fill767, the receptor is app 5.5 km from Gate Burton Energy Farm a intervisibility. The receptor is also 0.9 km however, vegetation associated with new development sites. No views of cumulat
		N	N	Y	N	Y	Y	No	Though the cumulative developments co therefore have extensive zones of theor mounted solar panels it should be noted specific topgraphy the area of theoretica with receptor Fill767, the receptor is app 5.5 km from Gate Burton Energy Farm a intervisibility. The receptor is also 0.9 km however, vegetation associated with new development sites. No views of cumulat
Gltw/85/1 N Y Y N Y Y No	Fill/86/1	N	N	Y	N	Y	N	No	Though the cumulative developments co therefore have extensive zones of theor mounted solar panels it should be noted specific topgraphy the area of theoretica with receptor Fill86, the receptor is appr Energy Farm and therefore has no poter km from the nearest Tillbridge Solar site with nearby fields and tributaries closes No views of cumulative developments -
Heap/1170/1		N	Y	Y	N	Y	Y	No	Some potential visibility towards Cable C temporary nature of the construction we visibility towards the Cottam 1 North Sit woodland cover and hedgerows are also bridleway to each side. New planting alc Site/Sites will curtial visibility in Year 1 a to poor visibility into Cottam 1 cumulative Already Scoped Out

cover a significant surface area and pretical visibility, with the case of grounded that with effective screening and siteical visibility could be zero. Specifically pproximately 6.8 km from West Burton, and therefore has no potential km from the nearest Tillbridge Solar site nearby fields closes down views into the ative developments - Scope Out.

cover a significant surface area and pretical visibility, with the case of grounded that with effective screening and siteical visibility could be zero. Specifically pproximately 6.8 km from West Burton, and therefore has no potential km from the nearest Tillbridge Solar site nearby fields closes down views into the ative developments - Scope Out.

cover a significant surface area and pretical visibility, with the case of grounded that with effective screening and siteical visibility could be zero. Specifically proximately 6.1 km from Gate Burton ential intervisibility. The receptor is also 2 te however, dense vegetation associated es down views into the development sites. - Scope Out.

e Corridor and Access, but due to the works the effects would be limited.Some Site/Sites. There are few hedgerows and so absent leaving open views from the along the east and west boundaries of the and close down visibility in Year 15. - Due tive intervisibility cannot be achieved.

							Already Scoped Out
							Already Scoped Out
Y	Y	Y	Ν	Y	Y	No	Some potential visibility towards Cable C temporary nature of the construction we visibility towards the Cottam 1 North Sit woodland cover and hedgerows are also bridleway towards the west. New plantin Site/Sites will curtial views in Year 1 and poor visibility to Cottam 1 cumulative int
Y	Y	Y	Ν	Y	Y	No	Some potential visibility towards Cable C temporary nature of the construction we visibility towards the Cottam 1 North Sit woodland cover and hedgerows are also bridleway towards the west. New plantin Site/Sites will curtial views in Year 1 and poor visibility to Cottam 1 cumulative int
							Already Scoped Out
N	Y	Y	Y	Y	Y	No	Some potential visibility towards Cable C temporary nature of the construction we minor visibility towards Cottam 1 North the western most section of the footpath (Stow/83/1) leaving partially open views intervening north south boundary hedge location, which closes down some visibil boundary of the Cottam 1 North Site/Site Year 1 and help close down visibility in Y 1 cumulative intervisibility cannot be ach
N	Y	Y	Y	Y	Y	No	Some potential visibility towards Cable C temporary nature of the construction we minor visibility towards Cottam 1 North the western most section of the footpath (Stow/83/1) leaving partially open views intervening north south boundary hedge location, which closes down some visibil boundary of the Cottam 1 North Site/Site Year 1 and help close down visibility in Y 1 cumulative intervisibility cannot be ach
	V N	Y Y Y Y N Y I N I I	Y Y Y Y Y Y N Y Y N Y Y Image: Normal set of the set o	Y Y Y N N Y Y N	Y Y Y N Y Y Y Y N Y N Y Y Y Y N Y Y Y Y N Y Y Y Y	Y Y Y Y Y Y N Y Y Y Y Y N Y Y Y Y Y	Y Y Y N Y Y No N Y Y N Y Y No N Y Y Y Y Y No

e Corridor and Access, but due to the works the effects would be limited.Some Site/Sites. There are few hedgerows and so absent leaving open views from the ting along the east boundaries of the nd close down visibility in Year 15. - Due to intervisibility cannot be achieved.

e Corridor and Access, but due to the works the effects would be limited.Some Site/Sites. There are few hedgerows and so absent leaving open views from the ting along the east boundaries of the nd close down visibility in Year 15. - Due to intervisibility cannot be achieved.

e Corridor and Access, but due to the works the effects would be limited. Very th Site/Sites. There is an open boundary to ath where it meets with footpath ws towards the west (there is an lgerow between the Site/Sites and this bility). New planting along the southeast Sites at this location will curtail views in a Year 15. - Due to poor visibility to Cottam achieved.

e Corridor and Access, but due to the works the effects would be limited. Very ch Site/Sites. There is an open boundary to ath where it meets with footpath ws towards the west (there is an lgerow between the Site/Sites and this bility). New planting along the southeast Sites at this location will curtail views in a Year 15. - Due to poor visibility to Cottam achieved.

	N	Y	Y	Y	Y	Y	No	Some potential visibility towards Cable C
								temporary nature of the construction we visibility towards Cottam 1 South Site/Si section at its western end where it takes Lane, leaving open views towards the so
								to each side of Stow Lane between the S
								down some visibility). New planting alor
								Cottam 1 South Site/Sites will curtail view
								visbility in Year 15 Due to poor visibilit
								intervisibility cannot be achieved.
Ingh/27/3								
Inch (27/4	Ν	Y	Y	Y	Y	Y	No	Some potential visibility towards Cable C temporary nature of the construction we visibility towards Cottam 1 South Site/Sit section at its western end where it takes Lane, leaving open views towards the so to each side of Stow Lane between the S down some visibility). New planting alon Cottam 1 South Site/Sites will curtail view visbility in Year 15 Due to poor visibility intervisibility cannot be achieved.
Ingh/27/4	N	Y	Y	Y	Y	Y	No	Some potential visibility towards Cable C
	N	Ť	Ť	Y	Y	ř	NO	temporary nature of the construction we visibility towards Cottam 1 South Site/Sit
								section at its western end where it takes Lane, leaving open views towards the so
								to each side of Stow Lane between the S
								down some visibility). New planting alon
								Cottam 1 South Site/Sites will curtail view
								visbility in Year 15 Due to poor visibility
								intervisibility cannot be achieved.
Ingh/27/5								
Laug/32/1								Already Scoped Out
Mton/66/1								Already Scoped Out
Mton/66/2								Already Scoped Out
Mton/66/3								Already Scoped Out
Mton/66/4								Already Scoped Out
Mton/67/1								Already Scoped Out
Mton/68/1								Already Scoped Out
Mton/69/1								Already Scoped Out
Mton/823/1					<u> </u>			Already Scoped Out
Mton/824/1								Already Scoped Out Already Scoped Out
Mton/824/2			<u> </u>		<u> </u>			
Mton/824/3 Nthp/504/1			<u> </u>		<u> </u>			Already Scoped Out Already Scoped Out
					 			Already Scoped Out
Nthp/504/2		1	1					Initeauy scoped Out

e Corridor and Access, but due to the works the effects would be limited.Some 'Sites. The footpath has a more open es a 'right-angled' turn to meet with Stow south (there is an intervening hedgerow e Site/Sites and this location, which closes ong the northeast boundaries of the iews in Year 1 and help close down lity towards Cottam 1 cumulative

e Corridor and Access, but due to the works the effects would be limited.Some Sites. The footpath has a more open es a 'right-angled' turn to meet with Stow south (there is an intervening hedgerow e Site/Sites and this location, which closes ong the northeast boundaries of the iews in Year 1 and help close down lity towards Cottam 1 cumulative

e Corridor and Access, but due to the works the effects would be limited.Some Sites. The footpath has a more open es a 'right-angled' turn to meet with Stow south (there is an intervening hedgerow e Site/Sites and this location, which closes ong the northeast boundaries of the iews in Year 1 and help close down lity towards Cottam 1 cumulative

Pilh/20/1	N	N	Y	N	y y	Ν	No	Though the cumulative developments co therefore have extensive zones of theore mounted solar panels it should be noted specific topgraphy the area of theoretica with receptor Pilh20, the receptor is app Energy Farm, 3.3 km to Tillbridge Solar s intervisibility. No views of cumulative de
Scmp/196/1	N	N	Y	N	У	Ν	No	Though the cumulative developments co therefore have extensive zones of theored mounted solar panels it should be noted specific topgraphy the area of theoretica with receptor Pilh20, the receptor is app Energy Farm, 3.3 km to Tillbridge Solar si intervisibility. No views of cumulative de
Scmp/31/1								Already Scoped Out
Stow/70/1								Already Scoped Out
Stow/71/1								Already Scoped Out
Stow/71/2								Already Scoped Out
Stow/71/3								Already Scoped Out
Stow/72/1								Already Scoped Out
Stow/83/1	N	Y	Y	N	Y	Y	No	Though the cumulative developments co therefore have extensive zones of theored mounted solar panels it should be noted specific topgraphy the area of theoretica with receptor Stow83, the receptor is ap 3.7 km from West Burton, 3.5 km from G Tillbridge Solar site and therefore has no cumulative developments - Scope Out.
Stow/845/1								Already Scoped Out
Stur/71/4								Already Scoped Out
Stur/72/2	N	N	N	N	Y	Y	No	Some visibility towards Cottam 1 South S intervening hedgerow cover curtials som southwest boundaries of the Site/Sites w close down views in Year 15 Due to po cumulative intervisibility cannot be achie
Stur/72/3	N	N	Ν	N	Y	Y	No	Some visibility towards Cottam 1 South S intervening hedgerow cover curtials som southwest boundaries of the Site/Sites w close down views in Year 15 Due to po cumulative intervisibility cannot be achie

cover a significant surface area and oretical visibility, with the case of grounded that with effective screening and siteical visibility could be zero. Specifically pproximately 8.4 km to Gate Burton r site and therefore has no potential developments - Scope Out.

cover a significant surface area and oretical visibility, with the case of grounded that with effective screening and siteical visibility could be zero. Specifically pproximately 8.4 km to Gate Burton r site and therefore has no potential developments - Scope Out.

cover a significant surface area and oretical visibility, with the case of grounded that with effective screening and siteical visibility could be zero. Specifically approximately 13.2 km from Field Farm, n Gate Burton Energy Farm, 3.2 km from no potential intervisibility. No views of

h Site/Sites, but the distance and ome views. New planting along the s will curtail visibility in Year 1 and help poor visibility towards Cottam 1 hieved.

h Site/Sites, but the distance and ome views. New planting along the s will curtail visibility in Year 1 and help poor visibility towards Cottam 1 hieved.

	N	N	N	N	Y	Y	No	The meandaring hadgerow to the east o
	N	N	N	N	Y	Ŷ	No	The meandering hedgerow to the east of
								cover, which helps close down views in t
								Cottam 1 South Site/Sites, but the distar
								curtials some views. New planting along
								Site/Sites will curtail visibility in Year 1 a
								Due to poor visibility towards Cottam 1
Stur/73/1								be achieved.
Stur/76/1								Already Scoped Out
Stur/77/1								Already Scoped Out
Stur/77/2								Already Scoped Out
Stur/79/1								Already Scoped Out
Stur/79/2								Already Scoped Out
Stur/79/3								Already Scoped Out
Stur/80/1	N	N	N	Ν	Y	Y	No	Some visibility towards Cottam 1 South
								intervening hedgerow cover closes dow
								southeast boundaries of the Site/Sites w
								close down views in Year 15 Due to po
								cumulative intervisibility cannot be achie
	N	Y	Y	Ν	Y	Y	No	Though the cumulative developments co
							-	therefore have extensive zones of theor
								mounted solar panels it should be noted
								specific topgraphy the area of theoretic
								with receptor TLFe31, the receptor is ap
								5.1 km from Tillbridge Solar site, 5 km fr
								therefore has no potential intervisibility
								Burton however, vegetation associated
								as existing vegetation associated with Th
								closes down views into the developmen
								developments - Scope Out.
TLFe/31/1	N	Y	Y	N	Y	Y	No	Though the sumulative developments a
	N	Y	Y	N	Y	Ŷ	No	Though the cumulative developments co
								therefore have extensive zones of theor
								mounted solar panels it should be noted
								specific topgraphy the area of theoretica
								with receptor TLFe31, the receptor is ap
								5.1 km from Tillbridge Solar site, 5 km fr
								therefore has no potential intervisibility
								Burton however, vegetation associated
								as existing vegetation associated with Th
								closes down views into the developmen
								developments - Scope Out.
TLFe/31/2								

t of the sewage works also supports tree in this direction. Some visibility towards tance and intervening hedgerow cover ong the southwest boundaries of the 1 and help close down views in Year 15. -1 South cumulative intervisibility cannot

th Site/Sites, but the distance and own some views. New planting along the s will curtail visibility in Year 1 and help poor visibility towards Cottam 1 South chieved.

s cover a significant surface area and coretical visibility, with the case of groundted that with effective screening and sitetical visibility could be zero. Specifically approximately 14.3 km from Field Farm, a from Gate Burton Energy Park and ity. The receptor is also 1.7 km from West ed with nearby fields and tributaries as well Thorpe Le Fallows and Tillbridge Lane ent sites. No views of cumulative

s cover a significant surface area and coretical visibility, with the case of groundted that with effective screening and sitetical visibility could be zero. Specifically approximately 14.3 km from Field Farm, a from Gate Burton Energy Park and ity. The receptor is also 1.7 km from West ed with nearby fields and tributaries as well a Thorpe Le Fallows and Tillbridge Lane ent sites. No views of cumulative

	N	N	N	N	Y	Y	No	Partly open visibility towards Cottam 1 Second
								intervening tree cover to the south side of
								views. New planting along the south bou
								visibility in Year 1 and help close down vi
								into Cottam 2 South cumulative intervisi
TLFe/32/1								
Wlgm/515/1								Already Scoped Out
Wlgm/538/1								Already Scoped Out
Wlgm/59/1								Already Scoped Out
Wlgm/59/2								Already Scoped Out
Wlgm/59/3								Already Scoped Out
Wlgm/59/4								Already Scoped Out
Wlgm/59/5								Already Scoped Out
Wlgm/59/6								Already Scoped Out
Wlgm/61/1								Already Scoped Out
Wlgm/62/1								Already Scoped Out
Wlgm/63/1								Already Scoped Out
Wlgm/63/1								Already Scoped Out
Wlgm/64/1								Already Scoped Out
Wlgm/64/2								Already Scoped Out
Wlgm/881/1								Already Scoped Out
Wlgm/976/1								Already Scoped Out
Wlgm/976/2								Already Scoped Out

L South Site/Sites, but the distance and le of Thorpe Lane closes down some oundaries of the Site/Sites will curtail n views in Year 15. - Due to poor visibility risibility cannot be achieved.



Public Rights of Way Receptor - Fill/86 (Fill/86/1)

Baseline Context:

Public Bridleway: Located to the southwest of the settlement of Fillingham. This section of the bridleway heads from Willingham Road in the north to meet with bridleway (Ingh/24/1) which then continues in a diagonal alignment to meet with public footpath (Ingh/17/1) at the junction with public bridleway (Ingh/24/2) before heading south towards the settlement of Ingham.

Looking directly west over Cottam 1 North Site.

Distance to Cottam Sites: Fill/86/1: 415m to Cottam cable corridor and access Fill/86/1: 0m to Cottam 1 North

Status: 2

Nearest Viewpoint/s: VP32, VP33 and LCC-C-F.

Description of Route:

The first section of the route (as far as the first field boundary) heads from Willingham Road between two open arable fields where the wider surrounding fields are divided by ditches with few hedgerows. These fields are varying sizes and the tributaries of the River Till cut across them to form an irregular pattern. Many of the fields are elongated running in perpendicular alignment with Willingham Road. There is a small section of incidental scrub to the east side of the bridleway at this section. The second section of the route (as far as bridleway Ingh/24/1) continues across the arable fields which remain open with no hedgerows and only a scattering of small hedgerow trees.

There is little contrast between both sections of the route, which are open along the length with an absence of field hedgerows and tree cover giving open visibility west towards the Site/Sites.

The route is influenced by the open arable fields and the exposed nature of the location where the woodlands on the horizon form a significant component and add balance to the landscape. The location offers little intimacy due to the higher elevation of the landform, the lack of field hedgerows and the intensive arable land use. The horizon closes down visibility towards the north from the bridleway since the landform rises to a high point on Willingham Road at approximately 20m AOD. The overall experience along the route is interesting and pleasant, with some depth to views and strong contrasting features due to the presence of the plantation woodlands on the horizon, varied landform, and open arable fields. This is an isolated location with a distinct absence of settlement, built form or other man-made features.

Overall, the route is a quiet location, being subject to no passing traffic. The route offers an interesting transition through the landscape with clear open views all round, including views towards the local collection of small woodlands comprising Larch Plantation and New Plantation. The track offers a transition across an open landscape with clear open views. This is an ordinary route that takes account of the open arable landscape in close proximity to the receptor. Overall, this route offers a journey for riders and walkers with some features of interest.

Sensitivity: *High to Medium*

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.2: PRoW Receptors – PRoW Significant [Reference: EN010133/APP/C6.3.8.3.5.2.1] January 2023



Public Rights of Way Receptor – Fill/86 (Fill/86/1)

	Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	D
	The first and second sections of the route would be significantly affected, as there are no hedgerows to each side giving rise to direct views over the construction works and views would be directly adjacent to the boundary of the Cottam 1 North Site. The works would be located on one side of the route (west) and although they would for a short section of the route, there would be oblique views from the field in the foreground towards the fields beyond. The changes to this section of the route would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would no to escreened due to the absence of foreground hedgerows. During the latter part of the construction stage, views would be come available of the elevated activities and there would be open views. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. Many field boundaries and any associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the north, south and east of this location. Construction Access Into the Sites. The first point of access is close to Turpin's Bungalows as it provides access to fields C3 and C4. Cable Route Corridor PRoW receptor is outside of the 2km study areas for the substations.	The foreground of the views from the route would change from the agricultural fields (to one side of the route) to an area of panels, but they would be set back from the route. The changes would be experienced in close proximity and within the context of the surrounding arable fields with a prevailing character of openness and distinct absence of other development or man-made features.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on the operation magnitude of change (Year 15), refer to Viewpoints VP32, VP33 and LCC-C-F.	A wii s re th Ef du tra ac
tude	Medium	High	Medium	Lc
f	Adverse & Short Term	Adverse & Long Term	Neutral & Long Term	N
cance ct	Moderate-Major Significant	Major Significant	Moderate-Major Significant	М

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.2: PRoW Receptors – PRoW Significant [Reference: EN010133/APP/C6.3.8.3.5.2.1] January 2023

Decommissioning Magnitude of Change

A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning to include site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.

Low

Neutral & Short Term

Minor-Moderate Not Significant



Public Rights	s of Way Receptor – Fill/86 (Fill/86/1)	
0	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	Sequential Frequent Visibility	Fabric of the Landscape
	The first and second sections of the route would be significantly affected, as there are no hedgerows to	There would not be the removal of or changes in individual elements or fe
	each side giving rise to direct views over the construction and operation works and views would be	area.
	directly adjacent to the boundary of the Cottam 1 North Site.	
		There would be the introduction of new elements and features comprising
	During the construction stage (the works) and during the operation stage (the panel areas) would	within the character area
	appear consistently and with short time lapses between instances. Although there is a slow speed of travel for walkers (riders may be travelling at speed), this is an open boundary and so the distances	Aesthetic Aspects of the Landscape
	between the areas of visibility would be frequent with no gaps between.	Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1
		cumulative developments would not be experienced across the majority of
	The foreground of the views from the route would change from the agricultural fields (to one side of the	distance, the intervening woodlands, hedgerows, and tree cover between t
	route) to reveal both the works during the construction stage and an area of panels during the	built form would also curtail cumulative visibility.
	operation stage, but they would be set back from the route. The changes would be experienced in close	
	proximity and within the context of the surrounding arable fields with a prevailing character of	There are local patches of cumulative visibility which may be focus of likely
	openness and distinct absence of other development or man-made features.	Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton S
	The works and the papel areas are in close provimity to the recentor and are clearly visible together in	further detail within the following figures:
	The works and the panel areas are in close proximity to the receptor and are clearly visible together in views from selected viewpoints VP32, VP33 and LCC-C-F and LCC-C-G and also from areas between	Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developme
	these viewpoints as the route takes a course from the settlement of Ingham in the south towards	Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Cate Burton Cumulative Development Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develop
	Willingham Road in the north.	Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developm
	Convention Operation of Minibility	The landscape is shaped by the wide range of local and strategic road netv
	<u>Sequential Occasional Visibility</u> The panel areas may appear with longer time lapses between appearances because the observer may	different from another. The strategic major road network is defined by imp
	be moving very slowly (riders may be travelling at speed) to appreciate the landscape and even though	west minor road network links several historic and distinctive smaller strin
	there are larger distances between the viewpoints along the route.	prevailing road network is formed by narrow lanes that are often tranquil
		verges and they have a major role in helping to define the quality of the land
		area.
		Overall Landscape Character and Visual Amenity
		Overall, the character of the landscape and the communications and infras
		settlement with farms, nucleated villages, and small hamlets such as Thorp
		value that are not highly recognised for adding intimacy and interest to the
		the landscape and land use have some ability to accommodate change wit
		visibility for the Cottam 1 Site/Sites would not alter the overall character of infrastructure features. Moreover, these features are often set within a we
		form that plays a positive role in reducing the overall cumulative effects.
	Construction: Low	Construction: Low
	Operation (Year 1): Low	Operation (Year 1): Low
Magnitude	Operation (Year 1): with only Embedded Mitigation: Low	Operation (Year 1): with only Embedded Mitigation: Low
U	Operation (Year 15): Low	Operation (Year 15): Low
	Decommissioning: Low	Decommissioning: Low
	Construction: Adverse & Short Term	Construction: Adverse & Short Term
Type of	Operation (Year 1): Adverse & Long Term	Operation (Year 1): Adverse & Long Term
Effect	Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term	Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term
	Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term	Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term
	Construction: Minor Not Significant	Construction: Minor Not Significant
Cignificant	Operation (Vers 1): Minor Net Significant	Operation (Year 1): Minor Not Significant
Significance	Operation (Year 1): with only Embedded Mitigation: Minor Not Significant	Operation (Year 1): with only Embedded Mitigation: Minor Not Significan
of Effect	Operation (Year 15): Moderate-Major Not Significant	Operation (Year 15): Minor Not Significant
	Decommissioning: Minor-Moderate Not Significant	Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.2: PRoW Receptors – PRoW Significant [Reference: EN010133/APP/C6.3.8.3.5.2.1] January 2023

features of the landscape within the character

ng the solar panel areas and the substation area

n 1 Site/Sites, cumulative visibility with the of the 5km study area. This is due to the n the Site/Sites. The intervening settlements and

ely significant effects, between the Cotton 1 Solar Park. This cumulative visibility is set out in

ments Augmented ZTV [C6.4.8.15.2.6] opments Augmented ZTV [C6.4.8.15.2.8] ments Augmented ZTV [C6.3.4.15.2.9]

etworks, which make one landscape type or area mportant historic routes and in contrast, the east ring of settlements across the area. Overall, the il and hedged to both sides with wide grassed landscape and reducing the visibility across the

rastructure is shaped by evidence of historic orpe le Fallows and Coates, which are features he landscape. These relevant characteristics of vithout undue adverse effects. The cumulative of the landscape and its communications and well-vegetated context or associated with built

ant



Public Rights of Way Receptor - Fill/767 (Fill/767/1)

Baseline Context:

Public Bridleway: Located to the west of the settlement of Fillingham. This section of the bridleway heads north from Willingham Road where it takes a 'dog-leg' turn just to the southeast of North Farm. The public bridleway meets with other bridleways comprising Fill/85/1 which heads north and Fill/85/2 which heads south.

Fill/767/1: 274m to Cottam cable corridor and access Distance to Cottam Sites: Fill/767/1: 16m to Cottam 1

Status: 2

Nearest Viewpoint/s: VP35, VP36 and LCC-C-H.

Description of Route:

The first section of the route (as far as the first right-angled bend) heads from Willingham Road in a north south alignment between two arable fields defined by a strong hedgerow where the surrounding fields are in arable use and divided by similar hedgerows and ditches. These fields are mostly medium to large scale with a geometric pattern of varying shapes. A small tributary of the River Till breaks the regular pattern to the east with its meandering course. The hedgerow is located to the west side of the route and the bridleway is a crushed stone surfaced track. The second section of the route (as far as bridleway Fill/85/1) then continues east west across the arable fields which remain open, but there are hedgerows with a scattering of hedgerow trees.

There is little contrast between both sections of the route, which are open along their length with a field hedgerow providing the boundary to one side only. This field boundary has open parts where views are extended towards woodland plantations framing the horizon, such as Larch Plantation, which adds features of interest along the journey. There are distant views towards Glentworth and Fillingham (towards the northeast) in the context of the Scarps and Dipslope Character Area 6a.

The route is influenced by the open arable fields and the exposed nature of the location where the woodlands on the horizon form a significant component and add balance to the landscape in all directions. The location offers some intimacy due to the lower elevation of the landform, the presence of field hedgerows and the riparian vegetation along the tributaries of the River Till. The horizon closes down visibility towards the north from the bridleway since the landform rises to a high point on Kexby Road at approximately 25m to 30m AOD. The overall experience along the route is interesting and pleasant, with some depth to views and strong contrasting features due to the presence of the plantation woodlands on the horizon, slightly varied landform, and open arable fields.

Overall, the route is a quiet location, being subject to no passing traffic and set away from Willingham Road behind intervening hedgerows. The route offers an interesting transition through the landscape with clear open views all round, including views towards the local collection of small woodlands comprising Larch Plantation and New Plantation. The track offers a transition across an open landscape with clear open views towards Fillingham in the east, but curtailed visibility towards the west due to the intervening hedgerows. This is a pleasant route that takes account of the open arable landscape in close proximity to the receptor. This route offers a journey for riders and walkers with some features of interest that are typical in character to the wider open and arable land use where the tall and outgrown hedgerows add some intimacy along the route of the bridleways.

Sensitivity: Medium to High

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.2: PRoW Receptors – PRoW Significant [Reference: EN010133/APP/C6.3.8.3.5.2.2] January 2023



Public Rights	of Way Receptor – Fill/767 (Fill/767/1)		[Keren
	Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)
	The junction of the first and second sections of the route would only be significantly affected, where the bridleway takes a right-angled turn directly adjacent to the boundary of the Site/Sites. The works would be located on one side of the junction of the route (west) and although they would for a short section of the route, there would be direct views. The changes to this section of the route would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be coree available of the elevated activities and there would be views above the hedgerows. Ouring the latter part of the construction stage, views would become available of the elevated activities and there would also be landscape and biodiversity mitigation works, including planting down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a narrow proprotion of the view and be a dominant feature but only for a short section of the route where there is a change in direction. There would pead and any associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the east of this location. Construction Accesss into the Site/Sites. The first point of access is close to North Farm as it leads to fields A2 and A4. The third point of access is close to Turpin's Bungalows as it provides access to fields C3 and C4. Cable Route Corridor	The foreground of the views from the route would change from the agricultural fields (at the right-angled bend) to an area of panels, but they would be set back from the route. The changes would be experienced within the context of the surrounding arable fields with a prevailing character of openness and distinct absence of features and so would be more evident at this location.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on the operation magnitude of change (Year 15), refer to Viewpoints VP35, VP36 and LCC-C-H.
	study area.		

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.2: PRoW Receptors – PRoW Significant [Reference: EN010133/APP/C6.3.8.3.5.2.2] January 2023

Decommissioning Magnitude of Change

A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning to include site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.



	Substations PRoW receptor is outside of the 2km study areas for the substations.			
Magnitude	Medium	Medium	Medium	Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Neutral & Long Term	Neutral & Sh
Significance of Effect	Moderate-Major Significant	Moderate-Major Significant	Moderate-Major Significant	Minor-Mode

Public Rights of Way Receptor – Fill/767 (Fill/767/1)	
In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
Sequential Frequent Visibility The junction of the first and second sections of the route would only be significantly affected, where the bridleway takes a right-angled turn directly adjacent to the boundary of the Site/Sites giving rise to direct views over the construction and operation works and views would be directly adjacent to the boundary of the Cottam 1 North Site. During the construction stage (the works) and during the operation stage (the panel areas) would not appear consistently since this is only at a local point where the bridleway takes a right-angled turn and with no short time lapses between instances. Although there is a slow speed of travel (riders may be travelling at speed), this is an enclosed boundary and so the distances between the areas of visibility would be less frequent with some gaps between. The foreground of the views from the route would change from the agricultural fields (to the corner turn of the route) to reveal both the works during the construction stage and an area of panels during the operation stage, but they would be set back from the route. The changes would be expreinenced in close proximity and within the context of the surrounding arable fields with a prevailing character of openness and distinct absence of other development or man-made features. The works and the panel areas are in close proximity to the receptor and are clearly visible together in views from selec	Fabric of the Landscape There would not be the removal of or changes in individual elements of character area. There would be the introduction of new elements and features comprarea within the character area Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottac cumulative developments would not be experienced across the major distance, the intervening woodlands, hedgerows, and tree cover betwee and built form would also curtail cumulative visibility. There are local patches of cumulative visibility which may be focus of I Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burto out in further detail within the following figures: Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Develot Figure 8.15.2.9 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develot Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Develot Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Develot Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Develot Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Develot Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Develot Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Develot Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Develot Figure 8.15.2.9 Cottam 1, 2, 3a and 3b Mest Burton Cumulative Develot Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Develot Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Develot Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Develot Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Develot figure 3.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Develot figure 3.15.2.9 Cottam 1, 2, 3a and 3b West Burto

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.2: PRoW Receptors – PRoW Significant [Reference: EN010133/APP/C6.3.8.3.5.2.2] January 2023

Short Term

derate Not Significant

s or features of the landscape within the

prising the solar panel areas and the substation

ottam 1 Site/Sites, cumulative visibility with the ority of the 5km study area. This is due to the ween the Site/Sites. The intervening settlements

of likely significant effects, between the Cotton 1 rton Solar Park. This cumulative visibility is set

elopments Augmented ZTV [C6.4.8.15.2.6] evelopments Augmented ZTV [C6.4.8.15.2.8] elopments Augmented ZTV [C6.3.4.15.2.9]

ad networks, which make one landscape type or fined by important historic routes and in contrast, ve smaller string of settlements across the area. are often tranquil and hedged to both sides with the quality of the landscape and reducing the

l infrastructure is shaped by evidence of historic Thorpe le Fallows and Coates, which are d interest to the landscape. These relevant ccommodate change without undue adverse ot alter the overall character of the landscape and atures are often set within a well-vegetated lucing the overall cumulative effects.



SOLAR PROJECT		-
	Construction: Medium to Low	Construction: Low
	Operation (Year 1): Low	Operation (Year 1): Low
Magnitude	Operation (Year 1): with only Embedded Mitigation: Low	Operation (Year 1): with only Embedded Mitigation: Low
	Operation (Year 15): Low	Operation (Year 15): Low
	Decommissioning: Low	Decommissioning: Low
	Construction: Adverse & Short Term	Construction: Adverse & Short Term
	Operation (Year 1): Adverse & Long Term	Operation (Year 1): Adverse & Long Term
Type of Effect	Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term	Operation (Year 1): with only Embedded Mitigation: Adverse & Long
	Operation (Year 15): Neutral & Long Term	Operation (Year 15): Neutral & Long Term
	Decommissioning: Neutral & Short Term	Decommissioning: Neutral & Short Term
	Construction: Minor Not Significant	Construction: Minor Not Significant
Significance of	Operation (Year 1): Minor Not Significant	Operation (Year 1): Minor Not Significant
-	Operation (Year 1): with only Embedded Mitigation: Minor Not Significant	Operation (Year 1): with only Embedded Mitigation: Minor Not Sigr
Effect	Operation (Year 15): Minor Not Significant	Operation (Year 15): Minor Not Significant
	Decommissioning: Minor Not Significant	Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.2: PRoW Receptors – PRoW Significant [Reference: EN010133/APP/C6.3.8.3.5.2.2] January 2023

ong Term

ignificant



Public Rights of Way Receptor - Pilh/20 (Pilh/20/1)

Baseline Context:

Public Footpath: Located to the northeast of the small settlement of Pilham. This section of the footpath heads from Station Road in an east west direction to meet with Bonsdale Lane just to the north of Bonsdale Farm.

Distance to Cottam Sites:

Pilh/20/1: 930m to Cottam 3a Pilh/20/1: 0m to Cottam 3b Pilh/20/1: 192m to Cottam high voltage cable corridor and access

Status: 1

Nearest Viewpoint/s: VP56, VP57 and VP58.

Description of the Route:

The first section of the route (as far as Glebe Farm) heads from Station Road in an east west direction between a mixture of grassland and arable fields. To the north of this section, there is no field boundary hedgerow bordering the public footpath and there is also an absence of hedgerow to Station Road. There is a broad rectangular arable field to the north of the footpath and to the south there is a series of small-scale grassland fields. The hedgerow to the south of this section of route is unmanaged and irregular with a good concentration of mature tree cover. The middle section of the route (as far as the right-angled turn) then continues east west across a similar series of arable and grassland fields. This section of the route is bordered to both sides by tall hedgerows with mature tree cover. There are also north south hedgerows with mature trees to the north of the route at this section. The final section of the route (as far as Bonsdale Lane) passes across a series of open arable fields that are larger in scale and divided by wide, low-cut hedgerows with very limited tree cover.

There is a notable contrast between all sections of the route with the first section being enclosed by the mature tree cover and tall hedgerows to the south, woodlands to the west and vegetation along the railway line to the north. The middle section of the route is enclosed on both sides by the tall hedgerows and tree cover and trees within the adjoining hedgerows also provide structure, enclosure, and intimacy to this location. The final section of the route is open and there are distant views towards the rising landform of the Scarps and Dipslope Character Area 6a at Blyborough, Grayingham and Willhoughton. These open views are influenced by the skyline that is disrupted by tree clumps, mast poles, railway gantry and vegetation bordering the mainline railway.

The route is influenced by the existing vegetation bordering the mainline railway that curtails visibility towards the north. The route offers some interesting features locally with a tight knit section first, which then opens out with more invigorating views towards the surrounding landscape, which is large scale and exposed. The overall experience is that of a very pleasant location with strong feelings of enclosure and intimacy.

Overall, the route is a quiet location, being subject to no passing traffic and set away from the main settlement of Pilham within a strong framework of small and medium scale field systems. The route offers an interesting transition through the landscape with open sections and sections of curtailed visibility. This is a pleasant route that takes account of the open arable landscape in close proximity to the receptor.

Sensitivity: High

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.2: PRoW Receptors – PRoW Significant [Reference: EN010133/APP/C6.3.8.3.5.2.3] January 2023



Public Rights of Way Receptor – Pilh/20 (Pilh/20/1)

Fublic Rights	of Way Receptor – Pilh/20 (Pilh/20/1)			
	Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decommissioning Magnitude of Change
	The first section of the route would not be significantly affected since it is not directly adjacent to the boundary of the Site/Sites and views would be curtailed by the intervening hedgerow and tree cover. The central and final section of the route would be significantly affected due to the direct proximity to the boundary of the Cottam 3b Site. The works would be located on both sides (north and south) of the central section of the route (west) but this section supports strong hedgerows and tree cover and so views would be filtered. The works would also be located on one side (north) of the final section of the route extending across a collection of arable fields as far as the mainline railway. The changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be screened by the foreground hedgerows and mature tree cover. During the latter part of the construction stage, views would become available of the elevated activities and there would be views above the hedgerows between the mature trees. Other works would be undertaken in connection with the construction including fencing, gates, boundary freatment and other means of enclosure and works for the provision of security and monitoring measures such as Car and y associated tree cover would remain intact. There would and the donadcape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. There would be a change to the arable land use, but any field boundaries and any associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the east of this location. Construct	The foreground of the views from the route (along the middle and final sections) would change from the agricultural fields to an area of panels, but they would be set back from the route. The changes would be experienced within the context of the surrounding arable and pastoral fields with a prevailing character of enclosure to the west and then with openness towards the east with a distinct absence of features and wide views.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on the operation magnitude of change (Year 15), refer to Viewpoints VP56, VP57 and VP58.	A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning to include site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.
Magnitude	Medium	High	Medium	Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Beneficial & Long Term	Neutral & Short Term
Significance of Effect	Moderate-Major Significant	Major Significant	Moderate-Major Significant	Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.2: PRoW Receptors – PRoW Significant [Reference: EN010133/APP/C6.3.8.3.5.2.3] January 2023



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	Sequential Frequent Visibility	Fabric of the Landscape
	The first section of the route would not be significantly affected since it is not directly adjacent to the boundary of the Site/Sites and views would be curtailed by the intervening hedgerow and tree cover. The central and final section of the route would be significantly affected due to the direct proximity to the boundary of the Site/Sites. The works would be located on both sides	There would not be the removal of or changes in individual elem landscape within the character area.
	(north and south) of the central section of the route (west) but this section supports strong hedgerows and tree cover and so views would be filtered. The works would also be located on one side (north) of the final section of the route extending across a collection of arable fields as far as the mainline railway. The effects would give rise to direct views over the construction and	There would be the introduction of new elements and features of panel areas and the substation area.
	operation works and views would be directly adjacent to the boundary of the Cottam 3b Site.	<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with th
	During the construction stage (the works) and during the operation stage (the panel areas) would not appear consistently along the central section of the route since this has bordering tree cover and hedgerows to filter the views, but there would be short time lapses between instances. Along the final section of the route, this is open with no intervening hedgerows and views would be experienced in close proximity and with clear visibility. There is a slow speed of travel, and this is an open boundary and so the distances between the areas of visibility along the final section of the route would be more frequent than the central section with no gaps between.	cumulative visibility with the cumulative developments would no the majority of the 5km study area. This is due to the distance, th woodlands, hedgerows, and tree cover between the Site/Sites. Th settlements and built form would also curtail cumulative visibility Site/Sites.
	The foreground of the views from the route would change from the agricultural fields (on both sides of the central section of the route and to the north side of the final section of the route) to reveal both the works during the construction stage and an area of panels during the operation stage, but they would be set back from the route. The changes would be experienced in	There are local patches of cumulative visibility which may be focu effects, between the Cottam 3a Site and Tillbridge Solar. This cur out in further detail within the following figures:
	close proximity and within the context of the surrounding arable fields with a prevailing character of openness and distinct absence of other development or man-made features other than farm buildings, the mainline railway and the distant settlement edge of Pilham to the southwest.	Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulativ Augmented ZTV [C6.4.8.15.2.8]
	The works and the panel areas are in close proximity to the receptor and are clearly visible together in views from selected viewpoints VP56, VP57 and VP58 and also from areas between these viewpoints as the route takes a course from the settlement of Pilham in the west towards Bonsdale Lane in the east.	<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the Unwooded Vales is shaped by the st presence, with wide areas retaining a strong sense of rural tranq levels of woodland cover create a relatively open and expansive
	<u>Sequential Occasional Visibility</u> The panel areas may be evident with shorter time lapses between appearances because the observer may be moving very slowly to appreciate the landscape as the final section of the route has an open boundary with clear and direct views. Even though there are larger distances between the viewpoints along the route, this is a concentrated section of the route where there is an open section along this final section. The first and central sections of the route may experience sequential occasional visibility however due to the screening provided by vegetation to each side of the route.	arable land use within a scattered pattern of settlement, linked b east to west and a more strategic road network north to south. characteristics of the landscape have some ability to accommode undue adverse effects. The cumulative visibility for the Cottam 3 overall character of the landscape within the Unwooded Vales Cl
	Construction: Low Operation (Year 1): Low	Construction: Low Operation (Year 1): Low
Magnitude	Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low	Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low
Type of Effect	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Neutral & Long Term	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & L Operation (Year 15): Neutral & Long Term
	Decommissioning: Neutral & Short Term Construction: Minor Not Significant	Decommissioning: Neutral & Short Term Construction: Minor Not Significant
Significance of Effect	Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significant Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant	Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significant Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.2: PRoW Receptors – PRoW Significant [Reference: EN010133/APP/C6.3.8.3.5.2.3] January 2023

nanges in individual elements or features of the elements and features comprising the solar which shows that with the Cottam 3a and 3b Sites, developments would not be experienced across is due to the distance, the intervening between the Site/Sites. The intervening urtail cumulative visibility between these sibility which may be focus of likely significant Tillbridge Solar. This cumulative visibility is set figures: illbridge Solar Cumulative Developments <u>menity</u> Vales is shaped by the strong agricultural rong sense of rural tranquility. In contrast, the low vely open and expansive landscape comprising an rn of settlement, linked by a series of minor roads network north to south. These relevant me ability to accommodate change without visibility for the Cottam 3b Site would not alter the the Unwooded Vales Character Area 4a. d Mitigation: Low m d Mitigation: Adverse & Long Term m nt

d Mitigation: Minor Not Significant ant nt



Public Rights of Way Receptor - Stow/83 (Stow/83/1)

Baseline Context:

Public Footpath: Located to the east of the settlement of Stow and to the southwest of the settlements of Fillingham and Ingham.

Distance to Cottam Sites: Stow/83/1: 482m to Cottam cable corridor and access Stow/83/1: 0m to Cottam 1 North Stow/83/1: 678m to Cottam 1 permissive path

Status: 1

Nearest Viewpoint: VP18, VP21, VP22 and VP23.

Description of the Route:

The first section of the route (as far as Presswood Cottages) extends from the small tributary of the River Till just to the north of Coates Gorse across a series of open arable fields. To the north of this section, the fields are geometric, but irregular and vary in size. These fields are bounded by straight hedgerows with limited tree cover. There is also a collection of woodlands to the north of this first section of the route. The middle section of the route (as far as The Bungalows) serves as access to various residential properties and farmsteads and is bordered by mature shelterbelts, woodlands, and narrow belts of trees. These woodlands and trees extend both north and south into the adjoining field systems adding intimacy and complexity to this section of the route. The final section of the route (as far as Ingham Road) cuts diagonally across an open, arable field to meet with Ingham Road at the bridge crossing over the River Till.

There is a notable contrast between all sections of the route with the first section being open with views extending both north and south across the landscape. The central section of the route is intimate and enclosed by the mature tree cover and built form. The final section of the route is similar to the first section being open but with visibility curtailed towards the west where the winding tributary of the River Till and its associated riparian vegetation (along with the dense shelterbelt to the north).

The final section of the route is influenced by the presence of Squire's Bridge and the close proximity to Coates Hall and Hall Farm also have an influence on the route within its central section. The tall shelterbelt and the riparian vegetation along the River Till are also key features.

Overall, there a strong presence of woodland and tree cover that adds balance and interest to the route. The route is also influenced by the open arable fields within the first section. The overall experience is interesting and very pleasant, with some depth to views and strong contrasting features due to the presence of the plantation woodlands on the horizon and varied landform. This is also an isolated location with a distinct absence of settlement, built form or other man-made features.

Sensitivity: *High to Medium*

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.2: PRoW Receptors - PRoW Significant [Reference: EN010133/APP/C6.3.8.3.5.2.4] January 2023



Construction Magnitude of Change	Operation Magnitude of Change	Mitigation	
construction magnitude of change	(Year 1)	(Operation Magnitude of Change at Year 15)	Decommi of Change
The first section of the route would be significantly affected since it is directly adjacent to the boundary of the Site/Sites, but views would be curtailed by the existing hedgerow to the north. The central and final section of the route would not be significantly affected due to the distance to the boundary of the Cottam 1 North Site/Sites. The works would be located on one side (north) of the first section of the route and this section supports a hedgerow and so views would be filtered and not direct. The changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be screened by the fireground hedgerow. During the latter part of the construction including fencing, gates, boundary treatment and other means of enclosure and works for the provision of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction activities would obstruct a wide proportion of the view and be a dominant feature but only for a short section in the wider context of the route. There would be a change to the arable land use, but any field boundaries and any associated tree cover would remain intact. There would not be a fundamental change to the surroundings to the south and west of this location. Construction Access ProW will not be affected by construction traffic due to the distance between the PRoW and the proposed construction access. Cable Route Corridor PRoW receptor is outside of the 500m cable route corri	The foreground of the views from the route (along the first section) would change from the agricultural fields to an area of panels, but they would be set back from the route. The changes would be experienced within the context of the surrounding expansive arable fields with a distinct absence of other features other than distant woodlands such that the presence of the panels would be more apparent.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on the operation magnitude of change (Year 15), refer to Viewpoints VP18, VP21, VP22 and VP23.	A similar pro Scheme bein of the Site in vegetation at secondary m future baseli the duration noise and vik generation a

missioning Magnitude ge

process to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing n and builds upon the proposed primary and y mitigation that had been established as the seline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust n and site runoff.



SOLAR PROJECT				
	PRoW receptor is partially within the 2km study area of the Cottam 1 North substation, particularly at section of PRoW where it passes underneath Coates and passes down towards Ingham Road.			
Magnitude	Medium	High	Medium	Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Neutral & Long Term	Neutral & S
Significance of Effect	Moderate-Major Significant	Major Significant	Moderate-Major Significant	Minor Not S

Public Rights of Way Receptor – Stow/83 (Stow/83/1)

In-Combination Effects [Cumulative Sites]

Sequential Frequent Visibility

The first section of the route would be significantly affected since it is directly adjacent to the boundary of the Site/Sites, but views would be curtailed by the intervening hedgerow and tree cover. The central and final section of the route would not be significantly affected due to the distance to the boundary of the Cottam 1 North Site. The works would be located on the north side of the first section of the route and this section supports a hedgerow and so views would be filtered. The effects would give rise to direct but filtered views over the construction and operation works and views would be directly adjacent to the boundary of the Cottam 1 North Site.

During the construction stage (the works) and during the operation stage (the panel areas) would not appear consistently along the first section of the route since this has bordering hedgerows to filter the views, and there would be short time lapses between instances. Along the final section of the route, this is open with no intervening hedgerows and views would be experienced in close proximity, but at an oblique angle and not directly adjacent to the boundary of the Site/Sites since the River Till provides separation. There is a slow speed of travel, and there is an open boundary and so the distances between the areas of visibility along the first section of the route would be more frequent than the central and final section with no gaps between.

The foreground of the views from the route would change from the agricultural fields (on the north side of the first section of the route and to the west side of the final section of the route) to reveal both the works during the construction stage and an area of panels during the operation stage, but they would be set back from the route. The changes would be experienced in close proximity and within the context of the surrounding arable fields with a prevailing character of openness and distinct absence of other development or man-made features other than farm buildings and the presence of Ingham Road (for the final section of the route).

The works and the panel areas are in close proximity to the receptor and are clearly visible together in views from selected viewpoints VP15, VP17, VP18, VP21, VP22 and VP23 and also from areas between these viewpoints as the route takes a course from the settlement of Ingham in the east, passing through the small settlement of Coates and heading towards Stow in the west.

Sequential Occasional Visibility

The panel areas may be evident with shorter time lapses between appearances because the observer may be moving very slowly to appreciate the landscape as the final section of the route has an open boundary with clear and direct views. Even though there are larger distances between the viewpoints along the route, this is a concentrated part of the route where there is clear visibility along this final section. The final section of the route may experience sequential occasional visibility due to the oblique views and the intervening separation provided by the course of the River Till.

Cumulative Effects [Cumulative Developments]

Fabric of the Landscape

There would not be the removal of or changes in individual elements or features of the landscape within the character area.

There would be the introduction of new elements and features comprising the solar panel areas and the substation area within the character area

Aesthetic Aspects of the Landscape

Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Site/Sites, cumulative visibility with the cumulative developments would not be experienced across the majority of the 5km study area. This is due to the distance, the intervening woodlands, hedgerows, and tree cover between the Site/Sites. The intervening settlements and built form would also curtail cumulative visibility.

There are local patches of cumulative visibility which may be focus of likely significant effects, between the Cotton 1 Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton Solar Park. This cumulative visibility is set out in further detail within the following figures:

Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developments Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2,3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8] Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developments Augmented ZTV [C6.3.4.15.2.9]

The landscape is shaped by the wide range of local and strategic road networks, which make one landscape type or area different from another. The strategic major road network is defined by important historic routes and in contrast, the east west minor road network links several historic and distinctive smaller string of settlements across the area. Overall, the prevailing road network is formed by narrow lanes that are often tranquil and hedged to both sides with wide grassed verges and they have a major role in helping to define the quality of the landscape and reducing the visibility across the area.

Overall Landscape Character and Visual Amenity

Overall, the character of the landscape and the communications and infrastructure is shaped by evidence of historic settlement with farms, nucleated villages, and small hamlets such as Thorpe le Fallows and Coates, which are features value that are not highly recognised for adding intimacy and interest to the landscape. These relevant characteristics of the landscape and land use have some ability to accommodate change without undue adverse effects. The cumulative visibility for the Cottam 1 Site/Sites would not alter the overall character of the landscape and its communications and infrastructure features. Moreover, these features are often set within a well-vegetated context or associated with built form that plays a positive role in reducing the overall cumulative effects.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.2: PRoW Receptors - PRoW Significant [Reference: EN010133/APP/C6.3.8.3.5.2.4] January 2023

Short Term

Significant



SOLAR PROJECT		
	Construction: Low	Construction: Low
	Operation (Year 1): Low	Operation (Year 1): Low
Magnitude	Operation (Year 1): with only Embedded Mitigation: Low	Operation (Year 1): with only Embedded Mitigation: Low
Ŭ	Operation (Year 15): Low	Operation (Year 15): Low
	Decommissioning: Low	Decommissioning: Low
	Construction: Adverse & Short Term	Construction: Adverse & Short Term
	Operation (Year 1): Adverse & Long Term	Operation (Year 1): Adverse & Long Term
Type of Effect	Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term	Operation (Year 1): with only Embedded Mitigation: Adverse & Long
	Operation (Year 15): Neutral & Long Term	Operation (Year 15): Neutral & Long Term
	Decommissioning: Neutral & Short Term	Decommissioning: Neutral & Short Term
	Construction: Moderate-Major Not Significant	Construction: Minor Not Significant
Significance of	Operation (Year 1): Major Not Significant	Operation (Year 1): Minor Not Significant
-	Operation (Year 1): with only Embedded Mitigation: Minor Not Significant	Operation (Year 1): with only Embedded Mitigation: Minor Not Sigr
Effect	Operation (Year 15): Moderate-Major Not Significant	Operation (Year 15): Minor Not Significant
	Decommissioning: Minor Not Significant	Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.2: PRoW Receptors – PRoW Significant [Reference: EN010133/APP/C6.3.8.3.5.2.4] January 2023

ong Term

ignificant



Public Rights of Way Receptor - TLFe/31/2

Receptor Baseline:

Public Bridleway: Located to the west of Cammeringham, to the northeast of Sturton by Stow and the north of Thorpe le Fallows. This section of the bridleway follows a route north from Thorpe Lane before a taking a 'rightangled' turn towards the west at Lower Furze Hill.

Distance to Cottam Sites:

TLFe/31/2: 767m to Cottam cable corridor and access TLFe/31/2: 0m to Cottam 1 South

Status: 2

Nearest Viewpoint: VP5, VP11 and VP12.

Description of the Route:

The first section of the route (as far as The Grange) extends from Thorpe Lane just to the west of the residential property known as The Lodge. The route extends across a series of open arable fields. To the north of this section there is Thorpe Wood, which us a significant feature in the context of the bridleway. To the west of this section of the route the fields are elongated and rectangular and the east the fields are geometric, but irregular and vary in size. These fields are bounded by a good framework of hedgerows but with limited tree cover. The second section of the route (as far as the junction with public bridleway Camm/31/1) follows a similar series of arable fields and is bordered by Thorpe Wood to the east. Thorpe Wood forms forms part of other woodlands that extent to the east of this location towards Battleby creating a well-structured landscape and adding intimacy and complexity to this section of the route.

There is a notable contrast between both sections of the route with the first section being open with views extending east across the landscape, but views towards the west are curtailed by the tall hedgerow. The second section of the route is intimate and more enclosed due to the presence of Thorpe Wood.

The route is influenced by the presence of the woodland blocks and the tree cover associated with Thorpe le Fallows. This location offers some intimacy and feeling of comfort due to the enclosure provided by the tall hedgerow that adjoins the bridleway to the west.

Overall, the route is also influenced by the open arable fields and the woodlands on the horizon that form a significant component and add balance to the landscape. The location offers some intimacy despite the close proximity to the residential property (The Lodge) to the south. There is a gap between the woodland on the horizon that extends the view towards the distant ridge line where the Scampton Airfield is just visible. The overall experience is interesting and very pleasant, with some depth to views and strong contrasting features.

Sensitivity: *High to Medium*

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.2: PRoW Receptors – PRoW Significant [Reference: EN010133/APP/C6.3.8.3.5.2.5] January 2023



Public Rights	lic Rights of Way Receptor – TLFe/31/2			
	Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decommissioning Magnitude of Change
	The first section of the route would be significantly affected since it is directly adjacent to the boundary of the Site/Sites and views would not be curtailed by any intervening hedgerow and tree cover. The second section of the route would not be significantly and would only have oblique views towards the boundary of the Cottam 1 South Site. The works would be located on two sides (east and west) of the first section of the route and this section supports no hedgerows and tree cover to the east and so views would be open and direct at this side. The changes would include the construction activities during site preparation / enabling works, construction, and commissioning with effects such as construction traffic, noise and vibration from construction activities, dust generation, site runoff, mud on roads, and the visual intrusion of plant and machinery on site. At the early stages of the construction stage, ground, and lower-level activities such as the construction of the solar panel areas and associated infrastructure and inverters would be openly visible looking east but towards the west the hedgerow would provide screening. During the latter part of the construction stage, views would also become available of the elevated activities. Other works would be undertaken in connection with the construction including fencing, gates, boundary treatment and other means of enclosure and works for the proportion of security and monitoring measures such as CCTV and the laying down of internal tracks. There would also be landscape and biodiversity mitigation works, including planting and the improvement of the foreground hedgerows. These short-lived construction stage the PRoW will be affected due to Thorpe Lane having a point of access into the Cottam 1 South Through field D10. Though this access is in the distance of this view, to the foreground there is a track that will experience vehicular traffic that connects to the access track in the far distance.	The foreground of the views from the route (along the first section) would change from the agricultural field to an area of panels, but they would be set back from the route and seen in the context of the dark backdrop of Thorpe Wood. The changes would be experienced within the context of the surrounding arable fields with a distinct presence of woodlands such that the presence of the panels would be less apparent.	Secondary mitigation such as planting, and grass seeding would be taken into account at this stage. For details on the operation magnitude of change (Year 15), refer to Viewpoints VP5, VP11 and VP12.	A similar process to that of construction stage, but with the Scheme being no longer operational. This is an assessment of the Site in winter but assumes retention of existing vegetation and builds upon the proposed primary and secondary mitigation that had been established as the future baseline. Effects are those arising from activities for the duration of the decommissioning to include site traffic, noise and vibration from decommissioning activities, dust generation and site runoff.
Magnitude	Medium	High	Medium	Low
Type of Effect	Adverse & Short Term	Adverse & Long Term	Neutral & Long Term	Neutral & Short Term
Significance of Effect	Moderate-Major Significant	Major Significant	Moderate-Major Significant	Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.2: PRoW Receptors – PRoW Significant [Reference: EN010133/APP/C6.3.8.3.5.2.5] January 2023



Operation (Year 15): Neutral & Long Term

Decommissioning: Neutral & Short Term

Public Rights of W	ay Receptor – TLFe/31/2	
	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	<u>Sequential Frequent Visibility</u> The first section of the route would be significantly affected since it is directly adjacent to the boundary of the Site/Sites and views would not be curtailed by any intervening hedgerow and tree cover. The second section of the route would not be significantly and would only have oblique views towards the	<u>Fabric of the Landscape</u> There would not be the removal of or changes in individual eler character area.
	boundary of the Cottam 1 South Site. The works would be located on both sides (east and west) of the first section of the route and this section supports hedgerows only to the west boundary and so views would not be filtered towards the east. The effects would give rise to direct views over the construction and operation works and views would be directly adjacent to the boundary of the Cottam 1 South Site.	There would be the introduction of new elements and features substation area within the character area
	During the construction stage (the works) and during the operation stage (the panel areas) would appear consistently along the first section of the route to the east side since this has no bordering tree cover and hedgerows to filter the views, and there would be short time lapses between instances.	Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the cumulative developments would not be experienced across the distance, the intervening woodlands, hedgerows, and tree cover settlements and built form would also curtail cumulative visibility
	Along the second section of the route, this is relatively more open with few intervening hedgerows, but views would not be experienced in close proximity or directly adjacent to the boundary of the Site/Sites since the intervening field parcels and individual fields provide separation. There is a slow speed of travel for walkers (but riders may be travelling at speed), and there is an open boundary and so the distances between the areas of visibility along the first section of the route would be more frequent	There are local patches of cumulative visibility which may be fo 1 Site/Sites and Gate Burton Energy Park, Tillbridge Solar and W set out in further detail within the following figures:
	than the second section where the panel areas afford separation by intervening field parcels and individual fields.	Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulat Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative
	The foreground of the views from the route would change from the agricultural fields (on the east side of the first section of the route) to reveal both the works during the construction stage and an area of panels during the operation stage, but they would be set back from the route. The changes would be experienced in close proximity and within the context of the surrounding arable fields with a prevailing character of openness and distinct absence of other development or man-made features other than farm buildings and occasional residential dwellings.	The landscape is shaped by the wide range of local and strategi or area different from another. The strategic major road netwo contrast, the east west minor road network links several histori across the area. Overall, the prevailing road network is formed hedged to both sides with wide grassed verges and they have a landscape and reducing the visibility across the area.
	The works and the panel areas are in close proximity to the receptor and are clearly visible together in views from selected viewpoints VP5, VP11 and VP12 and also from areas between these viewpoints as the route takes a course from Thorpe Lane in the south, passing The Grange and heading towards Furze Hill in the north.	Overall Landscape Character and Visual Amenity Overall, the character of the landscape and the communication historic settlement with farms, nucleated villages, and small ha are features value that are not highly recognised for adding inti
	<u>Sequential Occasional Visibility</u> The panel areas may be evident with shorter time lapses between appearances because the observer may be moving very slowly (riders may be travelling at speed) to appreciate the landscape as the first section of the route has an open boundary with clear and direct views towards the east. Even though there are larger distances between the viewpoints along the route, this first section is a concentrated part of the route where there is open visibility. The second section of the route may experience sequential occasional visibility due to the oblique views and the intervening separation provided by the intervening field parcels and individual fields.	relevant characteristics of the landscape and land use have son adverse effects. The cumulative visibility for the Cottam 1 Site/S landscape and its communications and infrastructure features. well-vegetated context or associated with built form that plays effects.
Magnitude	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low
Type of Effect	Decommissioning: Low Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Neutral & Long Term	Decommissioning: Low Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): W Term

Operation (Year 15): Neutral & Long Term

Decommissioning: Neutral & Short Term

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.2: PRoW Receptors – PRoW Significant [Reference: EN010133/APP/C6.3.8.3.5.2.5] January 2023

lements or features of the landscape within the

es comprising the solar panel areas and the

the Cottam 1 Site/Sites, cumulative visibility with the he majority of the 5km study area. This is due to the ver between the Site/Sites. The intervening oility.

focus of likely significant effects, between the Cotton West Burton Solar Park. This cumulative visibility is

ve Developments Augmented ZTV [C6.4.8.15.2.6] ative Developments Augmented ZTV [C6.4.8.15.2.8] ive Developments Augmented ZTV [C6.3.4.15.2.9]

egic road networks, which make one landscape type work is defined by important historic routes and in oric and distinctive smaller string of settlements ed by narrow lanes that are often tranquil and e a major role in helping to define the quality of the

ons and infrastructure is shaped by evidence of hamlets such as Thorpe le Fallows and Coates, which ntimacy and interest to the landscape. These ome ability to accommodate change without undue e/Sites would not alter the overall character of the es. Moreover, these features are often set within a s a positive role in reducing the overall cumulative

with only Embedded Mitigation: Adverse & Long



	Construction: Minor Not Significant	Construction: Minor Not Significant		
Significance of	Operation (Year 1): Minor Not Significant	Operation (Year 1): Minor Not Significant Operation (Year 1): wi		
0	Operation (Year 1): with only Embedded Mitigation: Minor Not Significant	Significant		
Effect	Operation (Year 15): Minor Not Significant	Operation (Year 15): Minor Not Significant		
	Decommissioning: Minor Not Significant	Decommissioning: Minor Not Significant		

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.2: PRoW Receptors – PRoW Significant [Reference: EN010133/APP/C6.3.8.3.5.2.5] January 2023

with only Embedded Mitigation: Minor Not



Public Rights of Way Receptor – Camm/31 (Camm/31/1)

Receptor Baseline:

Public Bridleway: Located to the west of Cammeringham and to the northeast of Sturton by Stow. The bridleway follows a route north from Thorpe Lane before a taking a 'right-angled' turn at Lower Furze Hill and then a further turn to meet with Furze Hill at the junction with Ingham Road. The bridleway has a partly enclosed aspect along the route due to the bordering hedgerows, which have grown tall in parts. The woodland blocks and vegetation lining the River Till also help to close down visibility across the landscape in views from the bridleway.

Distance to Cottam Sites: Camm/31/1: 679m to Cottam cable corridor and access Camm/31/1: 217m to Cottam 1

Status: 2

Nearest Viewpoint: VP11 / VP12 / VP16

VP11 – TLFe/31/2: The view is located on PRoW, bridleway (TLFe/31/2) looking towards the southern extent of the Cottam 1 Site/Sites. The view is ordinary and typical to the local character. The openness of the bridleway makes the environment unsettling. The overall environment is bland and unpleasant.

VP12 - Camm/31/1: The view is located along PRoW, bridleway Camm/31/1, looking southwest towards the southern extent of the Cottam 1 Site/Sites The view is ordinary and typical to local character and the experience is pleasant with a sense of safety and security.

VP16 – Bridleway Camm/31/1 and Ingham Road, Furze Hill: The view is located at the junction with PRoW, bridleway Camm/31/1 and Ingham Road Furze Hill, looking south towards the Cottam South 1 Site and north towards the Cottam I North Site. The viewpoint is influenced by the presence of the long straight alignment of Ingham Road. The River Till is just to the west of this viewpoint, where it passes beneath Squire's Bridge as a local bridge crossing and notable feature that breaks the monotony of Ingham Road. The watercourse is distinguished by the presence of its tree cover in what is an otherwise open landscape with a strong presence of woodland in the distance. The riparian woodland that follows the meandering course of the River Till is the distinctive feature as well as the wide grass verges on Ingham Road. The intensive levels of management within this arable farmland add decline to the natural qualities of the view, but the overall impression is that of a simple, calm, and muted landscape with some interesting features. **Description of Route:**

The first section of the route travels south from Ingham Road to the west of Furze Hill. The route continues south towards Lower Fruze Hill where it then curves east and follows the lining of a ditch and once again turns south to towards The Grange with Thorpe Wood to its right-hand side.

There is little contrast between both sections of the route. The first section of the route has more built form in view and due to the presence of Ingham Road, the first section of the route can be busy and frequently used. The second section of the route is more tranquil and away from built form. Thorpe wood to the east of this section of the route adds to the tranquil nature of the location.

The route is influenced by the open arable fields and the exposed nature of the location where the woodlands form distinctive shapes in the horizon. The route is influenced by the built form associated with local farms and the presence of ditches and tributaries in the landscape.

Overall, the route is a quiet location, being subject to no passing traffic in the second section but some in the first. The route offers an interesting transition through the landscape with clear open views all round, including views towards the local collection of small woodlands comprising Larch Plantation and New Plantation. The track offers a transition across an open landscape with clear open views. This is an ordinary route that takes account of the open arable landscape in close proximity to the receptor. Overall, this route offers a journey for riders and walkers with some features of interest.

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors – PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.1] January 2023



Public Rights of Way Receptor – Camm/31 (Camm/31/1)				
	Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decommi of Change
	The route is approximately 227m from the boundary of the Cottam 1 North Site and therefore would perceive any construction effects at this distance. Construction Access All throughout the construction stage the PRoW will be affected due to Ingham Road having a point of access into the Cottam 1 North Site. The access route is through a local track near Low Farm as it connects to fields C26 and C25. Cable Route Corridors PRoW receptor is outside of the 500m cable route corridor study area. Substation/s PRoW receptor is outside of the 2km study areas for the substations at Cottam 1 North.	The route is approximately 227m from the boundary of the site, not in close proximity to any Cable Route Corridor and substation but in close proximity to proposed construction access and would therefore perceive construction effects at this distance.	 <u>Primary Mitigation:</u> Panels set back from boundary of Cottam 1 South Site. <u>Secondary Mitigation:</u> New planting bordering the east and west boundaries to each side of the bridleway of the Cottam 1 South Site. <u>Notes:</u> Some potential visibility towards Cable Corridor and Access, but due to the temporary nature of the construction works the effects would be limited. Open visibility towards the Cottam 1 South Site due to the flat, low-lying landform and the absence of intervening hedgerows and woodland cover along parts of the route, particularly the southern section of the route. New planting along the east and west boundaries of the Site/Sites will curtail visibility in Year 1 and help close down views in Year 15. 	A similar pro Scheme bein of the Site in vegetation an secondary m future baseli the duration noise and vib generation a
Magnitude	Very Low	Very Low	Low	Very Low
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sh
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N e

Public Rights of Way Receptor – Camm/31 (Camm/31/1)

In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
No Intervisibility	<u>Fabric of the Landscape</u>
	There would not be the removal of or changes in individual elements or f
	area.
	There would be the introduction of new elements and features comprising
	Aesthetic Aspects of the Landscape
	Refer to Figure 8.15.1.3 [C6.4.8.15.1.3] which shows that with the Cottan
	cumulative developments would not be experienced across the majority
	distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility between these Site/Sites
	There are local patches of cumulative visibility which may be focus of like
	and Tillbridge Solar. This cumulative visibility is set out in further detail w
	Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develo
	Overall Landscape Character and Visual Amenity

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors – PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.1] January 2023

nissioning Magnitude ze

rocess to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.

Short Term

Not Significant

features of the landscape within the character

sing the solar panel areas and the substation area.

am 3a and 3b Sites, cumulative visibility with the ity of the 5km study area. This is due to the een the Site/Sites. The intervening settlements and tes.

kely significant effects, between the Cottam 3a Site within the following figures:

elopments Augmented ZTV [C6.4.8.15.2.8]



		Overall, the character of the Unwooded Vales is shaped by the strong age strong sense of rural tranquility. In contrast, the low levels of woodland of landscape comprising an arable land use within a scattered pattern of se to west and a more strategic road network north to south. These relevan ability to accommodate change without undue adverse effects. The cumu alter the overall character of the landscape within the Unwooded Vales C
Magnitude	Not Applicable	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Tern Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significa Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors – PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.1] January 2023

agricultural presence, with wide areas retaining a d cover create a relatively open and expansive settlement, linked by a series of minor roads east vant characteristics of the landscape have some mulative visibility for the Cottam 3b Site would not s Character Area 4a.

erm

icant



Public Rights of Way Receptor - Corr 22 (Corr/22/1) (Corr/22/2) (Corr/22/3)

Receptor Baseline:

Public Footpath: Located to the north of the settlement of Corringham. The footpath follows a route north from Church Lane, passing the properties of Old Hall and Hall Farm before reaching Pilham Lane. The bridleway is enclosed to the southern section due to the woodland cover around Old Hall and Hall Farm. The northern section of the route is more open, but views towards the Site/Sites are curtailed by intervening hedgerows and the vegetation bordering Corringham Beck.

Distance to Cottam Sites: Corr/22/1: 491m to Cottam 2 Corr/22/1: 137m to Cottam high voltage cable corridor and access Corr/22/2: 658m to Cottam 2 Corr/22/3: 675m to Cottam 2

Status: 1

Nearest Viewpoint: VP53

VP53 - Corr/22/1: The view is located on the PRoW, footpath (Corr/22/1) at the junction with PilhamLane, looking southeast towards the northern extent of the Cottam 2 Site. The view is also looking north towards the southern extent of the Cottam 3b Site.

The footpath is a feature as it heads south from Aisby, but the wider outlook is disrupted by hedgerows and woodland blocks in places. Where there are distant views towards the skyline, they are often punctured by telegraph poles which appear dominant and consistent on the horizon. There is limited tree cover around Aisby and therefore the residential properties stand out in the landscape. The overall experience is a calm and intact landscape, but the presence of poles and other man-made features exert an ordinary influence over the other more attractive features.

Description of Route:

The first section of the route stems south from a route south of Aisby. The route travels south towards the west of Hall Farm. From here the route stems southwest and joins onto Church Lane where it joins onto Corringham.

There is little contrast between both sections of the route. The first section of the route offers for a more tranquil environment as the flat open landscape is enhanced by the low-cut hedgerows and the lack of trees in the landscape. The second section of the route is more densely packed, and views are closed down by built form associated with the settlement of Corringham.

The route is influenced by the built form of Corringham to the south and Aisby to the north. The route connects both settlements together without the busyness of the local route that travels alongside Corringham Beck to the east of Hall Farm.

Overall, the first section of the route is quiet and offers extensive views across the flat arable landscape with built form associated with Corringham closing down views to the south. The second section of the route is busy, and the view is closed down by the dense built form associated with Corringham. The tranquil nature of the route is lost in this section of the route.

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors - PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.2] January 2023



Public Rights of Way Receptor – Corr 22 (Corr/22/1) (Corr/22/2) (Corr/22/3)				
	Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decommis of Change
	The route is approximately 500m from the Cottam 2 site boundary and therefore would perceive construction effects at this distance. Construction Access The PRoWs will not be affected by construction traffic due to the distance between the PRoWs and the proposed construction access. Cable Route Corridors PRoW is partially within the 500m cable route corridor study area. Substation/s PRoW receptor is within the 2km study area of the Cottam 2 Substation.	The route is approximately 500m from the Cottam 2 site boundary, not in close proximity to proposed construction access and in close proximity to Cable Route Corridors and substation and would therefore perceive construction effects at this distance.	 <u>Primary Mitigation:</u> Panels set back from the northwest boundaries of Cottam 2 Site <u>Secondary Mitigation:</u> New planting bordering the northwest boundaries (which share a boundary with Corringham Beck) of the Cottam 2 Site. <u>Notes:</u> Some potential visibility towards High Voltage Cable Corridor and Access, but due to the temporary nature of the construction works the effects would be limited. Some visibility towards the Cottam 2 Site. The hedgerow bordering the south side of Pilham Lane and the intervening field hedgerows to the south of the lane are likely to close down visibility. The riparian vegetation bordering Corringham Beck, and the flat, low-lying landform is also likely to curtail views. New planting along the northwest boundaries of the Cottam 2 Site will curtail visibility in Year 1 and close down visibility in Year 15. 	A similar pro Scheme bein of the Site in vegetation an secondary m future baseli the duration noise and vik generation a
Magnitude	Very Low	Very Low	Low	Very Low
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sh
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible No

Public Rights of Way Receptor – Corr 22 (Corr/22/1) (Corr/22/2) (Corr/22/3)

In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
No Intervisibility	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or area.
	There would be the introduction of new elements and features comprisi within the character area.
	<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.2 [C6.4.8.15.2.2] which shows that with the Cottam developments would not be experienced across the majority of the 5km intervening woodlands, hedgerows, and tree cover between the Site/Site would also curtail cumulative visibility.
	There are local patches of cumulative visibility which may be focus of like Tillbridge Solar. This cumulative visibility is set out in further detail within
	Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develo

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors – PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.2] January 2023

nissioning Magnitude

rocess to that of construction stage, but with the ing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.

Short Term

Not Significant

or features of the landscape within the character

ising the solar panel areas and the substation area

am 2 Site, cumulative visibility with the cumulative m study area. This is due to the distance, the ites. The intervening settlements and built form

ikely significant effects, between the Cottam 2 and hin the following figures:

elopments Augmented ZTV [C6.4.8.15.2.8]



		<u>Overall Landscape Character of the Unwooded Vales</u> Overall, the character of the Unwooded Vales is shaped by the strong ag strong sense of rural tranquility. In contrast, the low levels of woodland of landscape comprising an arable land use within a scattered pattern of se to west and a more strategic road network north to south. These relevan ability to accommodate change without undue adverse effects. The mino Site/Sites would not alter the overall character of the landscape within the
Magnitude	Not Applicable	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Tern Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significa Operation (Year 15): Minor Not Significant Decommissioning: Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors – PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.2] January 2023

agricultural presence, with wide areas retaining a cover create a relatively open and expansive settlement, linked by a series of minor roads east vant characteristics of the landscape have some nor patches of cumulative visibility for the Cottam 1 the Unwooded Vales Character Area.

erm

cant



Public Rights of Way Receptor – Fill/85 (Fill/85/1) (Fill/85/2)

Receptor Baseline:

Public Bridleway: Located to the west of the settlement of Glentworth. The bridleway heads south from Kexby Road at Glentworth Grange to meet with bridleways (Fill/767/1 and Fill/85/2). The bridleway is mostly open along its length, since there is an absence of field hedgerows, woodland, and tree cover.

Distance to Cottam Sites:	Fill/85/1: 365m to Cottam cable corridor and access
	Fill/85/1: 231m to Cottam 1
	Fill/85/2: 16m to Cottam cable corridor and access
	Fill/85/2: 0m to Cottam 1
1	

Status: 2

Nearest Viewpoint: Fill/85/1 Cable corridor and access: VP35 / VP41 Fill/85/1 Cottam 1: VP35 / VP41 Fill/85/2 Cable corridor and access: LCC-C-G Fill/85/2 Cottam 1: VP34 / VP35 / LCC-CG

VP34 – Fill/85/2: The view is located along the route of PRoW bridleway (Fill/85/2), looking in all directions towards the Cottam 1 North Site and south towards the Cottam 1 South Site. The view is also looking northwest towards the Cottam 2 Site.

The view is typical in character to the wider open and arable land use where the tall and outgrown hedgerows add some intimacy along the route of the bridleway. There is a sense of security and a safe quality to the landscape. Overall, the experience is bland but pleasant.

VP35 – Junction of Fill/85/1, Fill/85/2, and Fill/767/1: The view is located on public right of way (PRoW), bridleway (Fill/85/1, Fill/85/2 and Fill/6/1) looking 'all-round' over the Cottam North 1 Site and southwest towards the Cottam 1 South Site beyond.

The view is typical in character to the wider open and arable land use where the tall and outgrown hedgerows add some intimacy along the route of the bridleways. This intimacy is then contrasted with open parts where there are gaps in the hedgerows and views are extended towards woodland plantations framing the horizon, such as Larch Plantation. There are distant views towards Glentworth towards the northeast forming part of the Scarps and Dipslope Character Area 6a. There is a sense of security and a safe quality to the landscape. Overall, the experience is pleasant as the slightly rolling landform adds to the character and increases the scale. There is an overall bland context to the views due to the intensive arable land use, but the sense of isolation and tranquility is an appealing feature.

VP41 – Gltw/85/1 just off Kexby Road: The view is located on the PRoW, bridleway (Gltw/85/1) at the junction with Kexby Road, looking south towards the Cottam 1 North Site with Cottam 1 South Site beyond. The bridleway is a prominent feature in the landscape as it heads south from Kexby Road with clear, far-reaching views. The lack of foreground hedgerow opens visibility and there are also very few intervening hedgerows that increases the sense of scale. The immediate view is typical of the local landscape character and the far-reaching open views are consistent with the wider landform characteristics of the area. The overall experience is pleasant but with some bland foreground features.

LCC-C-G – ProW Fill/85/2: This viewpoint is located on PRoW, bridleway (Fill/85/2) at the junction with Willingham Road, looking in all directions over the Cottam 1 North Site and southwest towards the Cottam 1 South Site beyond.

The view is influenced by the open nature of the location with strong hedgerows that lack tree cover where the woodland blocks are prominent features in the landscape. The overall experience is pleasant as this is a quiet location with a distinct absence of settlement and disturbance.

Description of Route:

The first section of the route travels south from PRoW Gltw/85/1 and continues south the end of PRoW Fill/85/1. At this point the route travels southeast and then abruptly turns south again and continues past Glebe Farm to Willingham Road.

There is little contrast between both sections, the first section of the route is more tranquil, the route comes into contact with small tributaries and ditches that cut through agricultural fields. The vegetation associated with the tributaries offer some disruption in an otherwise flat landscape. The second section of the route is tranquil but as the route joins onto Willingham Road the tranquil nature subsides.

The route is influenced by the open arable fields and the exposed nature of the location where the woodlands on the horizon form a significant component and add balance to the landscape.

Overall, the route is a quiet location, being subject to no passing traffic until the last section of the route as it connects to Willingham Road.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors – PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.3] January 2023



Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Public Rights	Public Rights of Way Receptor – Fill/85 (Fill/85/1) (Fill/85/2)			
	Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decommi of Change
	The route is approximately 270m from the Cottam 1 North site boundary and would perceive construction effects at this stage. Construction Access All throughout the construction stage the PRoW will be affected due to Willingham Road having 3 points of access into the Site/Sites. The first point of access is close to Glebe Farm as it leads to field B2. The second point of access is close to North Farm as it leads to fields A2 and A4. The third point of access is close to Turnpins Bungalows as it provides access to fields C3 and C4. Cable Route Corridors PRoW receptor is outside of the 500m cable route corridor study area. Substation/s PRoW receptor is outside of the 2km study area of the Cottam 1 North substation.	The route is approximately 270m from the Cottam 1 North site boundary, it is not in close proximity to Cable Route Corridors and substation however it is in close proximity to proposed construction access and therefore would perceive construction effects at this distance.	 Primary Mitigation: Panels set back from the east and west boundaries of the Cottam 1 North Site. <u>Secondary Mitigation:</u> New planting bordering the east and west boundaries to each side of the bridleway of the Cottam 1 South Site. <u>Notes:</u> Some potential visibility towards Cable Corridor and Access, but due to the temporary nature of the construction works the effects would be limited. Some visibility towards the Cottam 1 North Site. There are few hedgerows and woodland cover, and hedgerows are also absent leaving open views from the bridleway to each side. New planting along the northwest boundaries of the Cottam 2 Site/Sites will curtail visibility in Year 1 and close down visibility in Year 15. 	A similar pro Scheme bein of the Site in vegetation an secondary m future baseli the duration noise and vib generation a
Magnitude	Very Low	Very Low	Low	Very Low
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sh
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N o

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors – PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.3] January 2023

nissioning Magnitude ze

process to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.

Short Term

Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	No Intervisibility	Fabric of the Landscape
		There would not be the removal of or changes in individual elements or feature
		There would be the introduction of new elements and features comprising the within the character area
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 Si developments would not be experienced across the majority of the 5km stud intervening woodlands, hedgerows, and tree cover between the Site/Sites. The also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely si and Gate Burton Energy Park, Tillbridge Solar and West Burton Solar Park. Th within the following figures:
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Development Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Development Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Development
		The landscape is shaped by the wide range of local and strategic road netword different from another. The strategic major road network is defined by import west minor road network links several historic and distinctive smaller string of the strategic major strategic maj
		prevailing road network is formed by narrow lanes that are often tranquil and and they have a major role in helping to define the quality of the landscape a
		Overall Landscape Character and Visual Amenity Overall, the character of the landscape and the communications and infrastr settlement with farms, nucleated villages, and small hamlets such as Thorpe that are not highly recognised for adding intimacy and interest to the landscape landscape and land use have some ability to accommodate change without u
		for the Cottam 1 Site/Sites would not alter the overall character of the landsc features. Moreover, these features are often set within a well-vegetated com positive role in reducing the overall cumulative effects.
Magnitude	Not Applicable	Construction: Low Operation (Year 1): Low Operation (Year 1): with only Embedded Mitigation: Low Operation (Year 15): Low Decommissioning: Low
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Neutral & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Minor Not Significant Operation (Year 1): Minor Not Significant Operation (Year 1): with only Embedded Mitigation: Minor Not Significant Operation (Year 15): Minor Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors – PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.3] January 2023

atures of the landscape within the character area.

the solar panel areas and the substation area

Site/Sites, cumulative visibility with the cumulative udy area. This is due to the distance, the The intervening settlements and built form would

significant effects, between the Cotton 1 Site/Sites This cumulative visibility is set out in further detail

ents Augmented ZTV [C6.4.8.15.2.6] ments Augmented ZTV [C6.4.8.15.2.8] ents Augmented ZTV [C6.3.4.15.2.9]

vorks, which make one landscape type or area portant historic routes and in contrast, the east of settlements across the area. Overall, the and hedged to both sides with wide grassed verges and reducing the visibility across the area.

structure is shaped by evidence of historic be le Fallows and Coates, which are features value scape. These relevant characteristics of the undue adverse effects. The cumulative visibility lscape and its communications and infrastructure ontext or associated with built form that plays a



Public Rights of Way Receptor - Gltw/85 (Gltw/85/1)

Receptor Baseline:

Public Bridleway: Located to the west of the settlement of Glentworth. The bridleway heads south from Kexby Road at Glentworth Grange to meet with bridleways (Fill/85/1, Fill/767/1 and Fill/85/2). The bridleway is mostly open along its length since there are no field hedgerows to the boundary of the bridleway.

Distance to Cottam Sites: Gltw/85/1: 819m to Cottam cable corridor and access Gltw/85/1: 264m to Cottam cable 1

Status: 2

Nearest Viewpoint: VP35 / VP41

VP35 – Junction of Fill/85/1, Fill/85/2 and Fill/767/1: The view is located on public right of way (PRoW), bridleway (Fill/85/1, Fill/85/2 and Fill/6/1) looking 'all-round' over the Cottam North 1 Site and southwest towards the Cottam 1 South Site beyond. The view is typical in character to the wider open and arable land use where the tall and outgrown hedgerows add some intimacy along the route of the bridleways. This intimacy is then contrasted with open parts where there are gaps in the hedgerows and views are extended towards woodland plantations framing the horizon, such as Larch Plantation. There are distant views towards Glentworth towards the northeast forming part of the Scarps and Dipslope Character Area 6a. There is a sense of security and a safe quality to the landscape. Overall, the experience is pleasant as the slightly rolling landform adds to the character and increases the scale. There is an overall bland context to the views due to the intensive arable land use, but the sense of isolation and tranquility is an appealing feature.

<u>VP41 – Gltw/85/1 just off Kexby Road</u>: The view is located on the PRoW, bridleway (Gltw/85/1) at the junction with Kexby Road, looking south towards the Cottam 1 North Site with Cottam 1 South Site beyond. The bridleway is a prominent feature in the landscape as it heads south from Kexby Road with clear, far-reaching views. The lack of foreground hedgerow opens visibility and there are also very few intervening hedgerows that increases the sense of scale. The immediate view is typical of the local landscape character and the far-reaching open views are consistent with the wider landform characteristics of the area. The overall experience is pleasant but with some bland foreground features.

Description of Route:

The first section of the route begins just south of Glentworth Grange at Kexby Road. The route travels in a north south direction. The second section of the route joins onto PRoW Fill/85/1 as it heads further south onto Willingham Road.

There is little contrast between the first and the second section of the route. The first section of the route experiences more noise and fast-moving distractions due to the proximity to Kexby Road. The second section of the route is more tranquil and less affected by the built form associated with Glentworth.

The route is influenced by the open arable fields and the exposed nature of the location where woodlands to the west such as Ash Holt, Larch Plantation, Big Wood and Fillingham Low Wood closes down views to the west and offers stimulation in an otherwise flat and tranguil environment.

Overall, the route is a quiet location, being subject to few passing traffic from Kexby Road. The route offers an interesting transition through the landscape with clear open views all round, including views towards the local collection of small woodlands comprising Larch Plantation and Ash Holt. The track offers a transition across an open landscape with clear open views towards Glentworth in the northeast and limited views to the west due to the intervening woodlands.

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors - PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.4] January 2023



Public Rights	of Way Receptor – Gltw/85 (Gltw/85/1)		
	Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decommi of Change
	The route is approximately 275m from the boundary of the Site and would_perceive any construction effects at this distance. Construction Access PRoW will not be affected by construction traffic due to the distance between the PRoW and the proposed construction access. Cable Route Corridors PRoW Receptor is outside of the 500m cable route corridor study area. Substation/s PRoW receptor is outside of the 2km study areas for the substations at Cottam 1 North Site.	The route is approximately 275m from the boundary of the Site, not in close proximity to any construction access, Cable Route Corridor and substation and would therefore would perceive any construction effects at this distance.	 <u>Primary Mitigation:</u> Panels set back from boundary of Cottam 1 North Site. <u>Secondary Mitigation:</u> New planting bordering the boundary of the Cottam 1 North Site. <u>Notes:</u> Some potential visibility towards Cable Corridor and Access, but due to the temporary nature of the construction works the effects would be limited. Some visibility towards the Cottam 1 North Site. There are few hedgerows and woodland cover, and hedgerows are also absent leaving open views from the bridleway to each side. New planting along the east and west boundaries of the Site/Sites will curtail visibility in Year 1 and close down visibility in Year 15. 	A similar pro Scheme bein of the Site in vegetation an secondary m future baseli the duration noise and vik generation a
Magnitude	Very Low	Very Low	Low	Very Low
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sh
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N

In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
No Intervisibility	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or fea area.
	There would be the introduction of new elements and features comprising within the character area
	Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 cumulative developments would not be experienced across the majority of distance, the intervening woodlands, hedgerows, and tree cover between the built form would also curtail cumulative visibility.
	There are local patches of cumulative visibility which may be focus of likely Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton So further detail within the following figures:
	Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developme

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors – PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.4] January 2023

nissioning Magnitude ze

rocess to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.

Short Term

Not Significant

features of the landscape within the character

ng the solar panel areas and the substation area

1 Site/Sites, cumulative visibility with the of the 5km study area. This is due to the the Site/Sites. The intervening settlements and

ely significant effects, between the Cotton 1 Solar Park. This cumulative visibility is set out in

nents Augmented ZTV [C6.4.8.15.2.6] Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developments Augmented ZTV [C6.4.8.15.2.8]



	Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developm
	The landscape is shaped by the wide range of local and strategic road network different from another. The strategic major road network is defined by impresent minor road network links several historic and distinctive smaller strint prevailing road network is formed by narrow lanes that are often tranquil verges and they have a major role in helping to define the quality of the later.
	Overall Landscape Character and Visual Amenity Overall, the character of the landscape and the communications and infra settlement with farms, nucleated villages, and small hamlets such as Thor value that are not highly recognised for adding intimacy and interest to the the landscape and land use have some ability to accommodate change wit visibility for the Cottam 1 Site/Sites would not alter the overall character of infrastructure features. Moreover, these features are often set within a we form that plays a positive role in reducing the overall cumulative effects
Not Applicable	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Not Applicable	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Signifi Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant
	Not Applicable

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors – PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.4] January 2023

oments Augmented ZTV [C6.3.4.15.2.9]

etworks, which make one landscape type or area mportant historic routes and in contrast, the east ring of settlements across the area. Overall, the uil and hedged to both sides with wide grassed landscape and reducing the visibility across the

rastructure is shaped by evidence of historic orpe le Fallows and Coates, which are features the landscape. These relevant characteristics of without undue adverse effects. The cumulative of the landscape and its communications and well-vegetated context or associated with built

m

ificant



Public Rights of Way Receptor - Ingh/24 (Ingh/24/1) (Ingh/24/2)

Receptor Baseline:

Public Bridleway: Located to the northwest of the settlement of Ingham. The bridleway heads diagonally from its connection with bridleway (Fill/86/1) towards Ingham before taking a turn south along Shorth Lane to meet with West End. The section of the bridleway that follows Short Lane is enclosed with tall hedgerows and good tree cover. Where the bridleway cuts diagonally across the field this follows a local watercourse, and this section is open with a lack of hedgerows and tree cover.

Distance to Cottam Sites: Ingh/24/1: 859m to Cottam cable corridor and access Ingh/24/1: 1m to Cottam 1 Ingh/24/2: 875m to Cottam 1

Status: 2

Nearest Viewpoint: VP26 / LCC-C-F

<u>VP26 – Ingh/24/2</u>: The view is located on PRoW, bridleway (Ingh/24/2), looking northwest towards Cottam 1 North Site and southwest towards the Cottam 1 South Site. The view is typical in character to the wider rolling arable landscape, which is interesting and pleasant where hedgerows and woodland add interest and lend an enclosed nature to views across the area. In terms of variety, there are several elements that create an interesting composition and there are also strong contrasts between open arable fields and enclosed woodlands in parts. The good combination of features adds colour, texture and harmony to views. Overall, the view is balanced, and the landscape is well-managed with strong colours that give an overall impression of an attractive and pleasant landscape.

LCC-C-F – ProW Ingh/24/1: This viewpoint is located on PRoW, bridleway (Ingh/24/1) looking west over the Cottam 1 North Site and southwest over the Cottam 1 South Site. The view is typical in character to the wider rolling arable landscape, which is interesting and pleasant where hedgerows and woodland add interest. The enclosed nature is only attributed to woodland cover as there are few other features to break up the landscape. There are strong contrasts in parts where wide-open views are possible that provide a greater sense of scale and these contrast with areas of intimacy that often occur close to the edges of settlements. The Bridleway is well used and the proximity to the land drain gives the route a distinctive 'sense of place'. The overall experience within this viewpoint is interesting and pleasant.

Description of Route:

The first section of the route begins at the southern end of PRoW Fill/86/1. The route as the section travels in southeast direction as it cuts through the arable fields in a meandering setting. The second section of the route continues on from lngh/24/1 and abruptly turns south to join onto the northwestern edge of the settlement of lngham.

There is little contrast between both sections of the route, the first section of the route travels in a meandering setting whereas the second section of the route is a straight line.

The route is influenced by the open arable fields and the exposed nature of the landscape in the first section of the route and the built form associated with Ingham at the second section of the route. The route overall has contrasting tranquil and disrupted settings on either end of the route.

Overall, the first section of the route is in a quiet and tranquil position due to the vast arable fields in all directions. The second section of the route becomes more disrupted as it joins onto Ingham.

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors - PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.5] January 2023



	Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decommi of Change
	The route is 10m from the Cottam 1 North site boundary and would perceive any construction effects at this distance. Construction Access PRoW will not be affected by construction traffic due to the distance between the PRoW and the proposed construction access. Cable Route Corridors PRoW is outside of the 500m cable route corridor study area. Substation/s PRoW receptor is outside of the 2km study areas for the substations.	The route is approximately 10m from the Cottam 1 North site boundary, it is not in close proximity to any construction access, Cable Route Corridor and Substation and would therefore perceive construction effects.	 <u>Primary Mitigation:</u> Panels set back from east boundary of the Cottam 1 North Site. <u>Secondary Mitigation:</u> Planting bordering the east boundary of the Cottam 1 North Sites. <u>Notes:</u> Some potential visibility towards Cable Corridor and Access, but due to the temporary nature of the construction works the effects would be limited. Some visibility towards the Cottam 1 North Site. There are few hedgerows and woodland cover, and hedgerows are also absent leaving open views from the bridleway towards the west. New planting along the east boundaries of the Site/Sites will curtail views in Year 1 and close down visibility in Year 15. 	A similar pro Scheme bein of the Site in vegetation at secondary m future baseli the duration noise and vik generation a
Magnitude	Very Low	Very Low	Low	Very Low
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sh
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N o

In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
No Intervisibility	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or fe area.
	There would be the introduction of new elements and features comprising within the character area
	Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 cumulative developments would not be experienced across the majority of distance, the intervening woodlands, hedgerows, and tree cover between t built form would also curtail cumulative visibility.
	There are local patches of cumulative visibility which may be focus of likely Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton So further detail within the following figures:
	Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developme Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develop

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors – PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.5] January 2023

nissioning Magnitude ge

rocess to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.

Short Term

Not Significant

features of the landscape within the character

ng the solar panel areas and the substation area

n 1 Site/Sites, cumulative visibility with the of the 5km study area. This is due to the n the Site/Sites. The intervening settlements and

ely significant effects, between the Cotton 1 Solar Park. This cumulative visibility is set out in

ments Augmented ZTV [C6.4.8.15.2.6] opments Augmented ZTV [C6.4.8.15.2.8]



SOLAR PROJECT		-
		Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developm
		The landscape is shaped by the wide range of local and strategic road net different from another. The strategic major road network is defined by im west minor road network links several historic and distinctive smaller strin prevailing road network is formed by narrow lanes that are often tranquil verges and they have a major role in helping to define the quality of the la area.
		Overall Landscape Character and Visual Amenity Overall, the character of the landscape and the communications and infra settlement with farms, nucleated villages, and small hamlets such as Thor value that are not highly recognised for adding intimacy and interest to the the landscape and land use have some ability to accommodate change with visibility for the Cottam 1 Site/Sites would not alter the overall character of infrastructure features. Moreover, these features are often set within a with form that plays a positive role in reducing the overall cumulative effects.
Magnitude	Not Applicable	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Min Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Tern Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Signif Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors – PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.5] January 2023

pments Augmented ZTV [C6.3.4.15.2.9]

networks, which make one landscape type or area important historic routes and in contrast, the east tring of settlements across the area. Overall, the uil and hedged to both sides with wide grassed e landscape and reducing the visibility across the

frastructure is shaped by evidence of historic norpe le Fallows and Coates, which are features the landscape. These relevant characteristics of without undue adverse effects. The cumulative r of the landscape and its communications and well-vegetated context or associated with built

Mitigation: Very Low

erm

nificant



Public Rights of Way Receptor - Ingh/26 (Ingh/26/2) (Ingh/26/3)

Receptor Baseline:

Public Footpath: Located to the west of the settlement of Ingham. The footpath heads west along Long Lane, passing Low Farm where it makes a 'dog-leg' turn and then progresses as far as the minor tributary of the River Till where it meets with footpath (Stow/83/1). The western section of the footpath passes parallel to an existing hedgerow (with isolated trees) along its north side. The eastern section also follows the existing hedgerow on its north side but becomes enclosed by a small woodland block close to the junction with Long Lane. The footpath is located just to the north of Coates Gorse, which forms a group with other small woodlands and provides screening to the south.

Distance to Cottam Sites: Ingh/26/2: 545m to Cottam 1 Ingh/26/3: 644m to Cottam cable corridor and access Ingh/26/3: 1m to Cottam 1

Status: 1

Nearest Viewpoint: Ingh/26/2 Cottam 1: VP26 Ingh/26/3 Cottam 1 and cable corridor and access: VP18 / VP21

VP26 – Ingh/24/2: The view is located on PRoW, bridleway (Ingh/24/2), looking northwest towards Cottam 1 North Site and southwest towards the Cottam 1 South Site. The view is typical in character to the wider rolling arable landscape, which is interesting and pleasant where hedgerows and woodland add interest and lend an enclosed nature to views across the area. In terms of variety, there are several elements that create an interesting composition and there are also strong contrasts between open arable fields and enclosed woodlands in parts. The good combination of features adds colour, texture and harmony to views. Overall, the view is balanced, and the landscape is well-managed with strong colours that give an overall impression of an attractive and pleasant landscape.

VP18 – St Edith's Church and Coates Hall: The view is located at St Edith's Church and Coates Hall, looking south towards the Cottam 1 South Site and north towards Cottam North Site. The viewpoint is influenced by the presence of the listed buildings at St Edith's Church and Coates Hall. The River Till that passes beneath Squire's Bridge but is hardly evident in the landscape due to lack of tree cover in this open landscape. There is however a strong presence of woodland in the distance that adds balance and interest to the view. The intensive levels of management within this arable farmland add decline to the natural qualities of the view, but the overall impression is that of a simple, calm, and attractive landscape with pleasant views.

VP21 – Stow/83/1: The view is located on the PRoW, footpath (Stow/83/1), looking directly north over the Cottam 1 North Site and directly south over the Cottam 1 North Site with the Cottam 1 South Site beyond. The view is influenced by the open arable fields and the woodlands on the horizon that form a significant component and add balance to the landscape. The location offers some intimacy despite the open nature to the north due to the lower elevation of the view, the bordering hedgerow to the south and the small woodland thicket (to the east) just to the northwest of Low Farm on Long Lane. The horizon closes down the view since the landform rises to a high point on Willingham Road at approximately 20m AOD. The overall experience is interesting and very pleasant, with some depth to views and strong contrasting features due to the presence of the plantation woodlands on the horizon and varied landform. This is also an isolated location with a distinct absence of settlement, built form or other man-made features. **Description of Route:**

The first section of the route beings on the western edge of Ingham and travels west towards the top of Low Farm. From here the route staggers to the north before resuming its west direction. The final section of the route passes through a local watercourse and passes through arable fields before joining onto PRoW Stow/83/1.

There is little contrast between the first section of the route when compared to the rest of the route. The first section of the route is influenced by the settlement of Ingham to the east and Low Farm to the west. The views in this section of the route are broken up by built form. The second and third section of the route is influenced by the open arable landscape.

The route is influenced by the open arable fields and the exposed nature of the location where woodlands can be seen in the far distance providing stimuli to the view. The second section of the view is influenced by the open nature of the view combined with the woodlands in the horizon such as Coates Gorse and New Plantation closing down views.

Overall, the route is a quiet location, being subject to no passing traffic and set away from Ingham.

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors – PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.6] January 2023



Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Public Rights of Way Receptor – Ingh/26 (Ingh/26/2) (Ingh/26/3)

	Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decomm of Chang
	The route is approximately 0m from the boundary of the Cottam 1 North site and would perceive construction effects at this distance.	The route is approximately 0m from the boundary of the Cottam 1 North site, it is not in close proximity to proposed construction access, Cable Route Corridor and substations and would therefore perceive construction effects at this distance.	 <u>Primary Mitigation:</u> Panels set back from southeast boundary of Cottam 1 North Site. <u>Secondary Mitigation:</u> Planting bordering the southeast boundary of the Cottam 1 North Site. 	A similar pr Scheme bei of the Site i vegetation a secondary r
	Construction Access PRoW will not be affected by construction traffic due to the distance between the PRoW and the proposed construction access. Cable Route CorridorsPRoW is outside of the 500m cable route corridor study area. Substation/s PRoW is outside of the 2km study area of Cottam 1 North substation.		Notes: Some potential visibility towards Cable Corridor and Access, but due to the temporary nature of the construction works the effects would be limited. Very minor visibility towards Cottam 1 North Site. There is an open boundary to the western most section of the footpath where it meets with footpath (Stow/83/1) leaving partially open views towards the west (there is an intervening north south boundary hedgerow between the Site/Sites and this location, which closes down some visibility). New planting along the southeast boundary of the Cottam 1 North Site at this location will curtail views in Year 1 and help close down visibility in Year 15.	future base the duratio noise and v generation
Magnitude	Very Low	Very Low	Low	Very Low
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & S
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors – PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.6] January 2023

missioning Magnitude nge

process to that of construction stage, but with the being no longer operational. This is an assessment e in winter but assumes retention of existing n and builds upon the proposed primary and y mitigation that had been established as the seline. Effects are those arising from activities for tion of the decommissioning to include site traffic, d vibration from decommissioning activities, dust on and site runoff.

Short Term

Not Significant



Public Rights	Public Rights of Way Receptor – Ingh/26 (Ingh/26/2) (Ingh/26/3)		
	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]	
	No Intervisibility	<u>Fabric of the Landscape</u> There would not be the removal of or changes in individual elements or feat	
		There would be the introduction of new elements and features comprising t within the character area	
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 S cumulative developments would not be experienced across the majority of t the intervening woodlands, hedgerows, and tree cover between the Site/Site would also curtail cumulative visibility.	
		There are local patches of cumulative visibility which may be focus of likely s Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton Sol further detail within the following figures:	
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developmen Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developmen Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developmen	
		The landscape is shaped by the wide range of local and strategic road netword different from another. The strategic major road network is defined by impor- west minor road network links several historic and distinctive smaller string prevailing road network is formed by narrow lanes that are often tranquil and verges and they have a major role in helping to define the quality of the land area.	
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infrastr settlement with farms, nucleated villages, and small hamlets such as Thorpe that are not highly recognised for adding intimacy and interest to the landsc landscape and land use have some ability to accommodate change without for the Cottam 1 Site/Sites would not alter the overall character of the landsc features. Moreover, these features are often set within a well-vegetated com- positive role in reducing the overall cumulative effects.	
Magnitude	Not Applicable	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low	
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term	
Significance of Effect	Not Applicable	Construction: Negligible Not Significant Operation (Year 1): Negligible Not SignificantOperation (Year 1): with only Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant	
	1		

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors – PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.6] January 2023

eatures of the landscape within the character area.

the solar panel areas and the substation area

Site/Sites, cumulative visibility with the of the 5km study area. This is due to the distance, ites. The intervening settlements and built form

significant effects, between the Cotton 1 Solar Park. This cumulative visibility is set out in

ents Augmented ZTV [C6.4.8.15.2.6] oments Augmented ZTV [C6.4.8.15.2.8] nents Augmented ZTV [C6.3.4.15.2.9]

works, which make one landscape type or area portant historic routes and in contrast, the east ng of settlements across the area. Overall, the and hedged to both sides with wide grassed ndscape and reducing the visibility across the

structure is shaped by evidence of historic pe le Fallows and Coates, which are features value lscape. These relevant characteristics of the ut undue adverse effects. The cumulative visibility dscape and its communications and infrastructure ontext or associated with built form that plays a

ly Embedded Mitigation: Negligible Not



Public Rights of Way Receptor - Ingh/27 (Ingh/27/3) (Ingh/27/4) (Ingh/27/5)

Receptor Baseline:

Public Footpath: Located to the southwest of the settlement of Ingham. The footpath heads west from the junction with footpath (Ingh/27/2) passing the sewage works and then taking a short 'dog-leg' turn just to the southeast of Low Farm. The footpath then takes a 'right-angled' turn south to meet with Stow Lane. The eastern section of the footpath is bordered by a strong hedgerow network with mature trees as far as the sewage works. The middle section of the footpath is more open with a low hedgerow and no hedgerow trees. The western section of the footpath is then bordered by tree cover (for a short section to the west of the sewage works) and then takes an open route (with very low-cut hedgerows and no trees) before joining Stow Lane.

Distance to Cottam Sites:	Ingh/27/3: 809m to Cottam 1
	Ingh/27/4: 894m to Cottam cable corridor and access
	Ingh/27/4: 624m to Cottam 1
	Ingh/27/5: 420m to Cottam cable corridor and access
	Ingh/27/5: 105m to Cottam 1

Status: 1

Nearest Viewpoint: Ingh/27/3 Cottam 1: VP18 / VP21 Ingh/27/4 Cottam 1 and cable corridor and access: LCC-C-E Ingh/27/5 Cottam 1 and cable corridor and access: VP22 / VP23

VP18 – St Edith's Church and Coates Hall: The view is located at St Edith's Church and Coates Hall, looking south towards the Cottam 1 South Site and north towards Cottam North Site. The viewpoint is influenced by the presence of the listed buildings at St Edith's Church and Coates Hall. The River Till that passes beneath Squire's Bridge but is hardly evident in the landscape due to lack of tree cover in this open landscape. There is however a strong presence of woodland in the distance that adds balance and interest to the view. The intensive levels of management within this arable farmland add decline to the natural qualities of the view, but the overall impression is that of a simple, calm, and attractive landscape with pleasant views.

VP21 – Stow/83/1: The view is located on the PRoW, footpath (Stow/83/1), looking directly north over the Cottam 1 North Site and directly south over the Cottam 1 North Site with the Cottam 1 South Site beyond. The view is influenced by the open arable fields and the woodlands on the horizon that form a significant component and add balance to the landscape. The location offers some intimacy despite the open nature to the north due to the lower elevation of the view, the bordering hedgerow to the south and the small woodland thicket (to the east) just to the northwest of Low Farm on Long Lane. The horizon closes down the view since the landform rises to a high point on Willingham Road at approximately 20m AOD. The overall experience is interesting and very pleasant, with some depth to views and strong contrasting features due to the presence of the plantation woodlands on the horizon and varied landform. This is also an isolated location with a distinct absence of settlement, built form or other man-made features.

<u>VP22 – Ingh/27/5</u>: The view is located on PRoW, footpath (Ingh/27/5) looking northwest towards the Cottam 1 North Site and southwest towards the Cottam 1 South Site. The overall experience is interesting and very pleasant, with some depth to views and strong contrasting features due to the presence of a varied horizon. The plantation woodlands and riparian vegetation are also distinctive features. This is an isolated location with a distinct absence of settlement, built form or other man-made features. The overall experience of the view is interesting and pleasant.

VP23 – Ingh/27/5 and Ingham Road: The view is located at the junction with PRoW Bridleway Ingh/27/5 and Ingham Road looking directly south over the Cottam 1 South Site and north towards the Cottam 1 North Site. The view is influenced by the open arable fields and the woodlands on the horizon that form a significant component and add balance to the landscape. The location offers some intimacy despite the open nature to the north due to the bordering hedgerows to each side of Ingham Road and the small woodland thicket (to the east) associated with the tributary of the River Till. The horizon closes down the view since the landform rises to a high point on Long Lane at approximately 20m AOD rising to 30m AOD at the edge of the settlement of Ingham. The overall experience is interesting and very pleasant, with some depth to views and strong contrasting features, and due to the presence of the plantation woodlands on the horizon and varied landform. Overall, Ingham Road is a strong feature in the view as it connects the settlements of Ingham in the east to Stow in the west, however the grass verges are a distinctive feature.

LCC-C-E – ProW Ingh/27/2: This viewpoint is located on PRoW, footpath (Ingh/27/2) at the junction with Stow Road, looking west towards both the Cottam 1 North and Cottam 1 South Site. The view is typical in character to the string of settlements that follow the scarp slope where the experience is pleasant, and where the open arable landscape is a dominant feature with distant views towards the west. The vast, exposed landscape is the main feature of this view and hedgerows and hedgerow trees close to the road helps break down the vast arable fields in places. The overall experience is interesting, pleasant, and invigorating.

Description of Route:

The first section of the route beings on the southwestern edge of the settlement of Ingham. From here the first section of the route travels south down to Stow Lane. The second section of the route begins at the halfway point of the first section. The second section of the route travels in a western direction past the sewage works and ends just southwest of Low Farm. From here the third section of the route turns south and meets Stow Lane.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors - PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.7] January 2023



There is little contrast between the first section of the route when compared to the rest of the route. The first section of the route is influenced by the settlement of Ingham to the northeast and Low Farm to the west. The views in this section of the route are broken up by built form. The second and third section of the route is influenced by the open arable landscape and the points in which it makes contact with Stow Lane.

The route is influenced by the open arable fields and the exposed nature of the location where woodlands can be seen in the far distance providing stimuli to the view. The second section of the view is influenced by the open nature of the view combined with the woodlands in the horizon such as Coates Gorse and New Plantation closing down views.

Overall, the route is a quiet location, being subject to moving traffic in the points where it meets Ingham and Stow Lane. The sections which pass through arable fields remain tranquil.

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

	Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decomm of Chang
	The route is approximately 400m from the Cottam 1 North boundary and would perceive construction effects at this distance. <u>Construction Access</u> PRoW will not be affected by construction traffic due to the distance between the PRoW and the proposed construction access. <u>Cable Route Corridors</u> PRoW receptor is outside of the 500m cable route corridor study area. <u>Substation/s</u> PRoW receptor is outside of the 2km study area of the Cottam 1 North substation.	The route is approximately 400m from the Cottam 1 North boundary, it is not in close proximity to any construction access, Cable Route Corridor and substation and would therefore perceive construction effects at this distance.	 Primary Mitigation: Panels set back from northeast boundary of Cottam 1 South Site. Secondary Mitigation: Planting bordering the northeast boundary of the Cottam 1 South Site. Notes: Some potential visibility towards Cable Corridor and Access, but due to the temporary nature of the construction works the effects would be limited. Some visibility towards Cottam 1 South Site. The footpath has a more open section at its western end where it takes a 'right-angled' turn to meet with Stow Lane, leaving open views towards the south (there is an intervening hedgerow to each side of Stow Lane between the Site/Sites and this location, which closes down some visibility). New planting along the northeast boundaries of the Cottam 1 South Site will curtail views in Year 1 and help close down visibility in Year 15. 	A similar pro Scheme bein of the Site ir vegetation a secondary n future basel the duratior noise and vi generation a
Magnitude	Very Low	Very Low	Low	Very Low
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sh
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N

Public Pights of Way Pecentor - Ingh/27 (Ingh/27/2) (Ingh/27/4) (Ingh/27/5)

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors - PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.7] January 2023

nissioning Magnitude ge

process to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust n and site runoff.

Short Term

Not Significant



	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
	No Intervisibility	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or feat
		There would be the introduction of new elements and features comprising the within the character area
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 S developments would not be experienced across the majority of the 5km stud intervening woodlands, hedgerows, and tree cover between the Site/Sites. The also curtail cumulative visibility.
		There are local patches of cumulative visibility which may be focus of likely s and Gate Burton Energy Park, Tillbridge Solar and West Burton Solar Park. Th within the following figures:
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developmen Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Developmen Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developmen
		The landscape is shaped by the wide range of local and strategic road network different from another. The strategic major road network is defined by import west minor road network links several historic and distinctive smaller string prevailing road network is formed by narrow lanes that are often tranquil and they have a major role in helping to define the quality of the landscape a
		Overall Landscape Character and Visual Amenity
		Overall, the character of the landscape and the communications and infrastr settlement with farms, nucleated villages, and small hamlets such as Thorpe that are not highly recognised for adding intimacy and interest to the landsc landscape and land use have some ability to accommodate change without of for the Cottam 1 Site/Sites would not alter the overall character of the landsc features. Moreover, these features are often set within a well-vegetated com positive role in reducing the overall cumulative effects.
Magnitude	Not Applicable	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Significa Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors - PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.7] January 2023

ments or features of the landscape within the character area.

comprising the solar panel areas and the substation area

ne Cottam 1 Site/Sites, cumulative visibility with the cumulative the 5km study area. This is due to the distance, the e Site/Sites. The intervening settlements and built form would

cus of likely significant effects, between the Cotton 1 Site/Sites Solar Park. This cumulative visibility is set out in further detail

Developments Augmented ZTV [C6.4.8.15.2.6] ive Developments Augmented ZTV [C6.4.8.15.2.8] Developments Augmented ZTV [C6.3.4.15.2.9]

ic road networks, which make one landscape type or area fined by important historic routes and in contrast, the east maller string of settlements across the area. Overall, the en tranquil and hedged to both sides with wide grassed verges e landscape and reducing the visibility across the area.

s and infrastructure is shaped by evidence of historic ch as Thorpe le Fallows and Coates, which are features value to the landscape. These relevant characteristics of the nge without undue adverse effects. The cumulative visibility of the landscape and its communications and infrastructure regetated context or associated with built form that plays a

Not Significant



Public Rights of Way Receptor – Stur/72 (Stur/72/1) (Stur/72/2) (Stur/72/3)

Receptor Baseline:

Public Footpath: Located to the northeast of the settlement of Sturton by Stow. The footpath heads from Fleets Road in a northerly direction where it then meets with footpath (Stur72/2) then passing Sturton by Stow Primary School it joins with footpath (Stow/72/1) at the parish boundary. The southern section of the footpath is enclosed by built development as far as the primary school when the footpath then follows an open section with views towards the east.

Distance to Cottam Sites:	Stur/72/1: 986m to Cottam 1
	Stur/72/2: 976m to Cottam 1
	Stur/72/3: 867m to Abnormal loads access
	Stur/72/3: 864m to Cottam 1
	Stur/72/3: 636m to Cottam permissive path

Status: 1

Nearest Viewpoint: VP9

VP9 – Fleets Road, Stur/79/1: The view is located on Fleets Road at the junction with PRoW, footpath (Stur/79/1), looking northeast towards the southwest boundary of the Cottam 1 Site/Sites. The view is typical to local character and with the residential development being within the context of the view this adds a sense of security, safety, and familiarity at this location. This is a relatively calm edge of the settlement; the dominance of Fleets Road is however distracting in what otherwise is a pleasant view. The hedgerows and tree cover provide a strong feature.

Description of Route:

The first section of the route begins on the eastern edge of the settlement of Stow. From here the route travels south and borders the eastern edge of stow and leads to the second section of the route which runs along the eastern edge of the settlement Sturton by Stow until finally it branches off into PRoW Stur/73/1

There is little to no contrast between the first and second section of the route. The first section of the route has Ingham Road acting as a strong presence. Due to the close distance to Stow this section of the route would experience noise distractions from the vhicles travelling on Ingham Road. The second section of the route is more tranquil, but it would still experience noise distractions due to the close proximity to Sturton by Stow.

The route is influenced by the settlements of Stow and Sturton by Stow which closes down views to the west.

Overall, the route is a busy location, being subject to passing traffic at Ingham Road and the settlements of Stow and Sturton by Stow.

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors - PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.8] January 2023



Public Rights	Public Rights of Way Receptor – Stur/72 (Stur/72/1) (Stur/72/2) (Stur/72/3)			
	Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decomm of Change
	The route is approximately 1km from the Cottam 1 North site boundary and would not perceive any construction effects at this distance. Construction Access PRoW will not be affected by construction traffic due to the distance between the PRoW and the proposed construction access. Cable Route Corridors PRoW receptor is outside of the 500m cable route corridor study area. Substation/s PRoW receptor is outside of the 2km study area of the Cottam 1 North substation.	The route is approximately 1km from the boundary of the Cottam 1 North site, it is not in close proximity to construction access, Cable Route Corridors and substations and would therefore not perceive any construction effects at this distance.	 <u>Primary Mitigation:</u> Panels set back from southwest boundaries of Cottam 1 South Site. <u>Secondary Mitigation:</u> New planting bordering the southwest boundaries of the Cottam 1 South Site. <u>Notes:</u> No visibility towards Abnormal Loads Access due to the intervening settlement of Sturton by Stow. Some visibility towards Cottam 1 South Site/Sites, but the distance and intervening hedgerow cover curtails some views. New planting along the southwest boundaries of the Site/Sites will curtail visibility in Year 1 and help close down views in Year 15. 	A similar pro Scheme beir of the Site ir vegetation a secondary n future basel the duration noise and vi generation a
Magnitude	Very Low	Very Low	Low	Very Low
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sl
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N

Public Rights	olic Rights of Way Receptor – Stur/72 (Stur/72/1) (Stur/72/2) (Stur/72/3)		
	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]	
	No Intervisibility	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or f area.	
		There would be the introduction of new elements and features comprisin within the character area	
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam cumulative developments would not be experienced across the majority distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility.	
		There are local patches of cumulative visibility which may be focus of like Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton further detail within the following figures:	
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developm Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develo Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developm	

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors – PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.8] January 2023

missioning Magnitude ge

process to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the seline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.

Short Term

Not Significant

features of the landscape within the character

ing the solar panel areas and the substation area

m 1 Site/Sites, cumulative visibility with the y of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and

kely significant effects, between the Cotton 1 n Solar Park. This cumulative visibility is set out in

pments Augmented ZTV [C6.4.8.15.2.6] elopments Augmented ZTV [C6.4.8.15.2.8] oments Augmented ZTV [C6.3.4.15.2.9]



		The landscape is shaped by the wide range of local and strategic road net different from another. The strategic major road network is defined by im west minor road network links several historic and distinctive smaller strir prevailing road network is formed by narrow lanes that are often tranquil verges and they have a major role in helping to define the quality of the la area.
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infra settlement with farms, nucleated villages, and small hamlets such as Thor value that are not highly recognised for adding intimacy and interest to th the landscape and land use have some ability to accommodate change wi visibility for the Cottam 1 Site/Sites would not alter the overall character o infrastructure features. Moreover, these features are often set within a w form that plays a positive role in reducing the overall cumulative effects.
Magnitude	Not Applicable	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Signif Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors – PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.8] January 2023

networks, which make one landscape type or area important historic routes and in contrast, the east tring of settlements across the area. Overall, the uil and hedged to both sides with wide grassed e landscape and reducing the visibility across the

frastructure is shaped by evidence of historic norpe le Fallows and Coates, which are features the landscape. These relevant characteristics of without undue adverse effects. The cumulative r of the landscape and its communications and a well-vegetated context or associated with built

rm

nificant



Public Rights of Way Receptor - Stur/73 (Stur/73/1)

Receptor Baseline:

Public Footpath: Located to the northeast of the settlement of Sturton by Stow. The footpath heads from the 'T' junction with footpath (Stur72/3) then passing in and almost east west direction it joins with Fleet's Lane. The footpath crosses a large-scale, open arable landscape with no dividing hedgerows or tree cover, giving open visibility towards the east and southeast.

Distance to Cottam Sites: Stur/73/1: 294m to Cottam cable corridor and access Stur/73/1: 17m to Cottam 1 Stur/73/1: 646m to Cottam 1 permissive path

Status: 1

Nearest Viewpoint: VP10 / LCC-C-C

VP10 – Stur/73/1: The view is located on PROW, footpath (Stur/3/1) looking northeast with the Cottam 1 South Site in the immediate foreground. The view is influenced by the intensive arable landscape where the presence of hedgerows helps reduce the scale. This is a quiet location (even though it is in close proximity to Sturton by Stow) with a distinct absence of settlement or busy roads. The local road network passes across the landscape with some right-angled bends giving the opportunity to capture views towards the distant ridgeline. The viewpoint depicts a large-scale landscape that is divided by a strong hedgerow network at this location, which helps to decrease the sense of scale. This is a quiet spot and Fleets Lane is an attractive local lane with distinctive grass verges but is open in parts due to the lack of verge side hedgerows. The overall experience is a pleasant and invigorating comprising a view from a quiet location in close proximity to the settlement of Sturton by Stow.

LCC-C-C - Stur/73/1: This viewpoint is situated on PRoW, footpath (Stur/73/1) looking east towards the Cottam 1 South Site and northeast towards the Cottam 1 North Site. The view is influenced by the intensive arable landscape where the presence of hedgerows helps reduce the scale. This is a quiet location (even though it is in close proximity to Sturton by Stow). The local road network passes across the landscape with some right-angled bends in the foreground context of the distant ridgeline. The viewpoint depicts a large-scale landscape that is divided by a strong hedgerow network, which helps to decrease the sense of scale. This is a quiet spot, and the overall experience is a pleasant and invigorating given the close proximity to the settlement of Sturton by Stow. The overall experience within this viewpoint is interesting and very pleasant due to the presence of the vast expanse of landscape.

Description of Route:

The first section of the route begins at the southern point of the PRoW Stur/72/3 and travels in a northeast direction till it joins onto Fleets Lane to the east.

There is little contrast between the first section of the route when compared to the rest of the route. The first section of the route is influenced by the settlement of Sturton by Stow to the west. The views in this section of the route are broken up by built form. The second and third section of the route is influenced by the open arable landscape.

The route is influenced by the open arable fields and the exposed nature of the location where woodlands can be seen in the far distance providing stimuli to the view. The second section of the view is influenced by the open nature of the view combined with the woodlands in the horizon associated with the River Till just past Fleets Lane.

Overall, the route is a quiet location, being subject to no passing traffic till it reaches Fleets Lane and is set away from Sturton by Stow.

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors - PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.9] January 2023



	Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decommi of Change
	The route is approximately 20m from the boundary of the Cottam 1 North Site and would perceive any construction effects at this distance. Construction Access All throughout the construction stage the PRoW will be affected due to Fleets Lane having a point of access into fields E1 and E4. Cable Route Corridors PRoW is outside of the 500m cable route corridor study area. Substation/s PRoW receptor is outside of the 2km study area for Cottam 1 North Site substation	The route is approximately 20m from the boundary of the Cottam 1 North Site and is not in close proximity to the Cable Route Corridors or the substations however it is in close proximity to construction access and therefore would perceive construction effects at this distance.	 <u>Primary Mitigation:</u> Panels set back from southeast boundaries of Cottam 1 South Site. <u>Secondary Mitigation:</u> New planting bordering the southwest boundaries of the Cottam 1 South Site. <u>Notes:</u> No visibility towards Cable Corridor and Access due to the intervening settlement of Sturton by Stow. The meandering hedgerow to the east of the sewage works also supports tree cover, which helps close down views in this direction. Some visibility towards Cottam 1 South Site, but the distance and intervening hedgerow cover curtails some views. New planting along the southwest boundaries of the Site/Sites will curtail visibility in Year 1 and help close down views in Year 15. 	A similar pro Scheme bein of the Site in vegetation a secondary m future baseli the duration noise and vib generation a
Magnitude	Very Low	Very Low	Low	Very Low
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sh
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N

In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
No Intervisibility	Fabric of the Landscape
	There would not be the removal of or changes in individual elements or fearea.
	There would be the introduction of new elements and features comprisin within the character area
	<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam cumulative developments would not be experienced across the majority of
	distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility.
	There are local patches of cumulative visibility which may be focus of likel Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton further detail within the following figures:
	Figure 8.15.2.6 Cottam 1, 2, 3a and Gate Burton Cumulative Developmen Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develo Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developm

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors – PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.9] January 2023

nissioning Magnitude ge

process to that of construction stage, but with the eing no longer operational. This is an assessment e in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.

Short Term

Not Significant

features of the landscape within the character

sing the solar panel areas and the substation area

m 1 Site/Sites, cumulative visibility with the y of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and

kely significant effects, between the Cotton 1 n Solar Park. This cumulative visibility is set out in

ents Augmented ZTV [C6.4.8.15.2.6] elopments Augmented ZTV [C6.4.8.15.2.8] pments Augmented ZTV [C6.3.4.15.2.9]



SOLAR PROJECT		[Reference: EN0
		The landscape is shaped by the wide range of local and strategic road ne different from another. The strategic major road network is defined by in west minor road network links several historic and distinctive smaller str prevailing road network is formed by narrow lanes that are often tranqu verges and they have a major role in helping to define the quality of the area.
		Overall Landscape Character and Visual Amenity Overall, the character of the landscape and the communications and infr settlement with farms, nucleated villages, and small hamlets such as Tho value that are not highly recognised for adding intimacy and interest to t the landscape and land use have some ability to accommodate change w visibility for the Cottam 1 Site/Sites would not alter the overall character infrastructure features. Moreover, these features are often set within a form that plays a positive role in reducing the overall cumulative effects
Magnitude	Not Applicable	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Ter Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Sign Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors – PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.9] January 2023

networks, which make one landscape type or area important historic routes and in contrast, the east string of settlements across the area. Overall, the quil and hedged to both sides with wide grassed e landscape and reducing the visibility across the

nfrastructure is shaped by evidence of historic horpe le Fallows and Coates, which are features o the landscape. These relevant characteristics of e without undue adverse effects. The cumulative er of the landscape and its communications and a well-vegetated context or associated with built S

erm

gnificant



Public Rights of Way Receptor - Stur/80 (Stur/80/1)

Receptor Baseline:

Public Footpath: Located to the east of the settlement of Sturton by Stow. The footpath heads from Fleet's Road passing across an open arable field to meet with Thorpe Lane. This is a very short section of footpath with open views towards the north and northeast.

Distance to Cottam Sites: Stur/80/1: 824m to Cottam cable corridor and access Stur/80/1: 0m to Cottam 1

Status: 1

Nearest Viewpoint: VP8

VP8 - Stur/80/1: The view is located on PRoW footpath (Stur/80/) looking northeast with the southwestern extent of the Cottam 1 South Site in the foreground and with Cottam 2 North beyond. The view is influenced by the presence of the River Till that passes beneath the Thorpe Lane at a local bridge. The watercourse is distinguished by the presence of rusty pastures and localized concentrations of riparian tree cover that soften the skyline in what is an otherwise open and featureless landscape. There are intensive levels of management within this arable landscape that add some decline to the natural qualities of the view, but interesting features remain adding to the overall character. The overall impression are views over a simple calm landscape at a local vantage point on the public footpath network just off Thorpe Lane.

Description of Route:

The route connects Fleets Road with Thorpe Lane in an east west direction. The route is small and cuts across a small section of an arable field to form the connection between the two roads.

The route is influenced by Fleets Road and Thorpe Lane. The PRoW acts as a simple connection route between the two roads. The route is influenced by the open and flat nature of the landscape with it being only interrupted by the roads and the woodlands associated with the River Till to the east.

Overall, the route is a quiet location, being subject to passing traffic of Fleets Road and Thorpe Lane.

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors – PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.10] January 2023



Public Rights	of Way Receptor – Stur/80 (Stur/80/1)			
	Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decomm of Change
	The route is approximately 340m from the Cottam 1 South boundary and would perceive any construction effects at this distance. Construction Access PRoW will not be affected by construction traffic due to the distance between the PRoW and the proposed construction access. Cable Route Corridors PRoW receptor is outside of the 500m cable route corridor study area. Substation/s PRoW receptor is outside of the 2km study area for Cottam 1 North Site substation	The route is approximately 340m from the Cottam 1 South boundary, it is not in close proximity to proposed construction access, Cable Route Corridor and substation and therefore would perceive construction effects at this distance.	 <u>Primary Mitigation:</u> Panels set back from southwest boundaries of Cottam 1 South Site. <u>Secondary Mitigation:</u> New planting bordering the southwest boundaries of the Cottam 1 South Site. <u>Notes:</u> Open visibility towards the Cable Corridor and Access, but due to the temporary nature of the construction works the effects would be limited. Some visibility towards Cottam 1 South Site, but the distance and intervening hedgerow cover closes down some views. New planting along the southeast boundaries of the Site/Sites will curtail visibility in Year 1 and help close down views in Year 15. 	A similar pro Scheme bein of the Site ir vegetation a secondary n future based the duratior noise and vi generation a
Magnitude	Very Low	Very Low	Low	Very Low
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sl
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N

In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
No Intervisibility	Fabric of the Landscape There would not be the removal of or changes in individual elements or fearea.
	There would be the introduction of new elements and features comprisin within the character area
	<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam cumulative developments would not be experienced across the majority of distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility.
	There are local patches of cumulative visibility which may be focus of likel Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton S further detail within the following figures:
	Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developm Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develo Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developm

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors – PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.10] January 2023

nissioning Magnitude ge

process to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.

Short Term

Not Significant

features of the landscape within the character

sing the solar panel areas and the substation area

m 1 Site/Sites, cumulative visibility with the y of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and

kely significant effects, between the Cotton 1 n Solar Park. This cumulative visibility is set out in

pments Augmented ZTV [C6.4.8.15.2.6] elopments Augmented ZTV [C6.4.8.15.2.8] pments Augmented ZTV [C6.3.4.15.2.9]



SOLAR PROJECT		
		The landscape is shaped by the wide range of local and strategic road net different from another. The strategic major road network is defined by in west minor road network links several historic and distinctive smaller stri prevailing road network is formed by narrow lanes that are often tranqui verges and they have a major role in helping to define the quality of the l area.
		<u>Overall Landscape Character and Visual Amenity</u> Overall, the character of the landscape and the communications and infr settlement with farms, nucleated villages, and small hamlets such as Tho value that are not highly recognised for adding intimacy and interest to th the landscape and land use have some ability to accommodate change w visibility for the Cottam 1 Site/Sites would not alter the overall character of infrastructure features. Moreover, these features are often set within a w form that plays a positive role in reducing the overall cumulative effects.
Magnitude	Not Applicable	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Terr Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Signi Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors – PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.10] January 2023

networks, which make one landscape type or area important historic routes and in contrast, the east tring of settlements across the area. Overall, the uil and hedged to both sides with wide grassed e landscape and reducing the visibility across the

frastructure is shaped by evidence of historic horpe le Fallows and Coates, which are features the landscape. These relevant characteristics of without undue adverse effects. The cumulative r of the landscape and its communications and a well-vegetated context or associated with built

erm

nificant



Public Rights of Way Receptor – TLFe/32 (TLFe/32/1)

Receptor Baseline:

Public Footpath: Located to the east of the settlement of Sturton by Stow. The footpath heads from Thorpe Lane at Thorpe Bridge and then continues further south in a meandering alignment (following the eastern bank of the River Till) to meet with footpath (Scmp/32/1), which runs for a short section before joining with Tillbridge Road (just to the northwest of Tillbridge Farm). The south side of Thorpe Lane supports a dense belt of trees (running for a length of approximatly 350m), which helps close down visibility when looking north and northeast from the footpath at its northern section.

Distance to Cottam Sites:

TLFe/32/1: 680m to Cottam cable corridor and access TLFe/32/1: 10m to Cottam 1

Status: 1

Nearest Viewpoint: VP7

VP7 – Thorpe Bridge TLFe/32/1: The view is located on Thorpe Lane at Thorpe Bridge at the junction with footpath (TLFe/32/1) where the lane crosses the River Till, looking northeast towards the southern extent of the Cottam 1 Site/Sites.

The viewpoint is influenced by the presence of the River Till that passes beneath Thorpe Bridge at this local stopping point off the lane. The watercourse is distinguished by the presence of rusty pastures and minor concentrations of riparian tree cover on the distant skyline in what is an otherwise open and featureless landscape. There are intensive levels of management within this arable farmland that add some decline to the natural qualities of the view. The overall impression are distinctive views over a simple calm landscape at a local stopping point on Thorpe Lane.

Description of Route:

The first section of the route beings on Thorpe Lane east of Thorpe Bridge. The route follows the meandering River Till as it travels along its eastern edge in a south direction. The second section of the route ends just north of Tillbridge Farm.

There is little contrast between the first section of the route when compared to the rest of the route. The first section of the route has Thorpe Lane acting as a major detractor in the otherwise tranquil landscape.

The route is influenced by the River Till and its setting. The meandering nature of the river influences the route and adds to the tranquility of the landscape. The view is limited to the west due to the River, however the views to the east are vast and open.

Overall, the route is a quiet location, being subject to the limited passing traffic on Thorpe Lane and is set away from Sturton by Stow.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors – PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.11] January 2023



Public Rights of Way Receptor – TLFe/32 (TLFe/32/1)				
	Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decommi of Change
	The route is approximately 0m from the Cottam 1 South boundary and therefore would perceive construction effects at this distance. Construction Access All throughout the construction stage the PRoW will be affected due to Thorpe Lane having a point of access into the Cottam 1 South Site through field D10. Cable Route CorridorsPRoW receptor is outside of the 500m cable route corridor study area. Substation/s PRoW receptor is outside of the 2km study area of Cottam 1 North Site substation	The route is approximately 0m from the Cottam 1 South boundary, it is not in close proximity to Cable Route Corridor and substation however it is in close proximity to proposed construction access and therefore would perceive construction effects at this distance.	 <u>Primary Mitigation:</u> Panels set back from south boundaries of Cottam 1 South Site. <u>Secondary Mitigation:</u> New planting on the south boundaries of the Cottam 1 South Site. <u>Notes:</u> Partly open visibility towards the Cable Corridor and Access, but due to the temporary nature of the construction works the effects would be limited. Partly open visibility towards Cottam 1 South Site, but the distance and intervening tree cover to the south side of Thorpe Lane closes down some views. New planting along the south boundaries of the Site/Sites will curtail visibility in Year 1 and help close down views in Year 15 	A similar pro Scheme bein of the Site in vegetation a secondary m future baseli the duration noise and vik generation a
Magnitude	Very Low	Very Low	Low	Very Low
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sh
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N

Public Rights o	Public Rights of Way Receptor – TLFe/32 (TLFe/32/1)		
	In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]	
	No Intervisibility	Fabric of the Landscape There would not be the removal of or changes in individual elements or feat	
		There would be the introduction of new elements and features comprising t within the character area	
		<u>Aesthetic Aspects of the Landscape</u> Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 S developments would not be experienced across the majority of the 5km studi intervening woodlands, hedgerows, and tree cover between the Site/Sites. T also curtail cumulative visibility.	
		There are local patches of cumulative visibility which may be focus of likely s and Gate Burton Energy Park, Tillbridge Solar and West Burton Solar Park. The within the following figures:	
		Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Development Figure 8.15.2.8 Cottam 1, 2, 3a and Tillbridge Solar Cumulative Development Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Development	

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors – PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.11] January 2023

nissioning Magnitude ze

rocess to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.

Short Term

Not Significant

atures of the landscape within the character area.

the solar panel areas and the substation area

Site/Sites, cumulative visibility with the cumulative udy area. This is due to the distance, the The intervening settlements and built form would

significant effects, between the Cotton 1 Site/Sites This cumulative visibility is set out in further detail

ents Augmented ZTV [C6.4.8.15.2.6] ents Augmented ZTV [C6.4.8.15.2.8] ents Augmented ZTV [C6.3.4.15.2.9]



SOLAR PROJECT		[Reference: ENUT
		The landscape is shaped by the wide range of local and strategic road network different from another. The strategic major road network is defined by impor- west minor road network links several historic and distinctive smaller string prevailing road network is formed by narrow lanes that are often tranquil ar and they have a major role in helping to define the quality of the landscape
		Overall Landscape Character and Visual Amenity Overall, the character of the landscape and the communications and infrast settlement with farms, nucleated villages, and small hamlets such as Thorpe that are not highly recognised for adding intimacy and interest to the landsc landscape and land use have some ability to accommodate change without for the Cottam 1 Site/Sites would not alter the overall character of the lands features. Moreover, these features are often set within a well-vegetated com positive role in reducing the overall cumulative effects.
Magnitude	Not Applicable	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Term Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Significant Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors – PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.11] January 2023

works, which make one landscape type or area portant historic routes and in contrast, the east ng of settlements across the area. Overall, the and hedged to both sides with wide grassed verges be and reducing the visibility across the area.

astructure is shaped by evidence of historic pe le Fallows and Coates, which are features value scape. These relevant characteristics of the ut undue adverse effects. The cumulative visibility dscape and its communications and infrastructure context or associated with built form that plays a

ficant



Public Rights of Way Receptor - Wlgm/538 (Wlgm/538/1)

Receptor Baseline:

Public Footpath: Located at the eastern edge of the settlement of Willingham by Stow. The footpath heads from Fillingham Lane passing the sewage works and Grange Farm in a 'slight diagonal alignment' to meet with Cot Garth Lane in the south. The northern section of the footpath is partly enclosed due to the presence of the sewage works and associated tree cover. The small, rectangular area of woodland to the west of Stone Pit Lane also provides screening and enclosure in views towards the east. The southern section of the footpath is open to the east (no bordering hedgerows), but the intervening hedgerows bordering Cot Garth Lane close down visibility towards the Site/Sites.

Distance to Cottam Sites: Wlgm/538/1: 15m to Abnormal loads access Wlgm/538/1: 292m to Cottam cable corridor and access

Status: 1

Nearest Viewpoint: n/a

Description of Route:

The first section of the route begins at Fillingham Lane and the route travels in a southeast direction to join onto Cot Garth Lane. The route is short and is mainly used for easy connection between the two Lanes.

There is little to no contrast between the first section of the route when compared to the rest of the route. Both sections of the route is influenced by the settlement of Willingham by Stow and its surrounding settlements and local lanes.

The route is influenced by Fillingham Lane and Cot Garth Lane. The route acts as a easy connection link between both Lanes and has limited views due to intervening hedgerows.

Overall, the route is a quiet location, being subject to passing traffic at Fillingham Lane and Cot Garth Lane.

Embedded Mitigation:

Embedded Mitigation would be taken into account at the construction, operation (Year 1 and Year 15) and decommissioning stages of the Scheme. This Embedded Mitigation is also referred to as primary mitigation and would include; panels to be set a minimum of 15m from adjacent PRoW, panels to be set a minimum of 50m from adjacent residential property boundaries, panels to be set minimum of 20m from major watercourses and minimum of 8m from minor watercourses and panels to be set a minimum of 3m from Site boundaries. Existing hedges are also to be allowed to grow out and will be managed to a height of 5m. Hedgerow trees will be encouraged to grow out to add further thickening and growth to the field boundaries with the addition of new hedgerow trees as appropriate, randomly spaced along the length of existing hedges.

Lighting will be limited to downlights within substations and battery banks only and used when maintenance or security is required. Lighting will be PIR operated and will be calibrated to vehicle and personnel movements. All visible lighting would be 50W, installed at a maximum height of 4m with cowls fitted to prevent light spillage. Lighting required within panelled areas will be manually operated. There will be no lighting on perimeter fencing.

The visual effects with only the Embedded Mitigation taken into account equate to those effects set out for the operation stage (Year 1) and this includes secondary mitigation which will have been carried out but will have had limited physical or visual impact at this Embedded Mitigation stage.

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors - PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.12] January 2023



Public Rights of Way Receptor – Wlgm/538 (Wlgm/538/1)				
	Construction Magnitude of Change	Operation Magnitude of Change (Year 1)	Mitigation (Operation Magnitude of Change at Year 15)	Decommi of Change
	The route is approximately 300m from the Cottam 1 North boundary and therefore would perceive construction effects at this distance. Construction Access Prow will not be affected by construction traffic due to the distance between the PRoW and the proposed construction access. Cable Route Corridors PRoW receptor is outside of the 500m cable route corridor study area. Substation/s The PRoW receptor is within the 2km study area of Cottam 1 north substation.	The route is approximately 300m from the Cottam 1 North boundary, it is not in close proximity to proposed construction access and Cable Route Corridor however it is in close proximity to Cottam 1 North substation substation and therefore would perceive construction effects at this distance.	 <u>Primary Mitigation:</u> Panels set back from north and west boundaries of the Cottam 1 North Site. <u>Secondary Mitigation:</u> New planting on the north and west boundaries of the Cottam 1 North Site. <u>Notes:</u> Some visibility towards the Abnormal Loads Access (short section on Cot Garth Lane of approximately 70m), but due to the temporary nature of the construction works the effects would be limited. Some minor visibility towards the Cottam 1 South Site due to the intervening hedgerows and individual tree cover bordering Cot Garth Lane and Stone Pit Lane. New planting along the north and west boundaries of the Site/Sites will curtail visibility in Year 1 and help close down views in Year 15. 	A similar pro Scheme bein of the Site in vegetation ar secondary m future baseli the duration noise and vib generation a
Magnitude	Very Low	Very Low	Low	Very Low
Type of Effect	Neutral & Short Term	Neutral & Long Term	Beneficial & Long Term	Neutral & Sh
Significance of Effect	Negligible Not Significant	Negligible Not Significant	Minor-Moderate Not Significant	Negligible N e

In-Combination Effects [Cumulative Sites]	Cumulative Effects [Cumulative Developments]
No Intervisibility	<i>Fabric of the Landscape</i> There would not be the removal of or changes in individual elements or fe area.
	There would be the introduction of new elements and features comprising within the character area
	Aesthetic Aspects of the Landscape Refer to Figure 8.15.2.1 [C6.4.8.15.2.1] which shows that with the Cottam 1 cumulative developments would not be experienced across the majority o distance, the intervening woodlands, hedgerows, and tree cover between built form would also curtail cumulative visibility.
	There are local patches of cumulative visibility which may be focus of likely Site/Sites and Gate Burton Energy Park, Tillbridge Solar and West Burton S further detail within the following figures:
	Figure 8.15.2.6 Cottam 1, 2, 3a and 3b Gate Burton Cumulative Developme Figure 8.15.2.8 Cottam 1, 2, 3a and 3b Tillbridge Solar Cumulative Develop Figure 8.15.2.9 Cottam 1, 2, 3a and 3b West Burton Cumulative Developm

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors – PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.12] January 2023

nissioning Magnitude ge

rocess to that of construction stage, but with the eing no longer operational. This is an assessment in winter but assumes retention of existing and builds upon the proposed primary and mitigation that had been established as the eline. Effects are those arising from activities for on of the decommissioning to include site traffic, vibration from decommissioning activities, dust and site runoff.

Short Term

Not Significant

features of the landscape within the character

ing the solar panel areas and the substation area

m 1 Site/Sites, cumulative visibility with the of the 5km study area. This is due to the en the Site/Sites. The intervening settlements and

ely significant effects, between the Cotton 1 Solar Park. This cumulative visibility is set out in

ments Augmented ZTV [C6.4.8.15.2.6] lopments Augmented ZTV [C6.4.8.15.2.8] oments Augmented ZTV [C6.3.4.15.2.9]



Public Rights of Way Receptor – Wlgm/538 (Wlgm/538/1)		
		The landscape is shaped by the wide range of local and strategic road ne different from another. The strategic major road network is defined by ir west minor road network links several historic and distinctive smaller str prevailing road network is formed by narrow lanes that are often tranqui verges and they have a major role in helping to define the quality of the l area.
		Overall Landscape Character and Visual Amenity Overall, the character of the landscape and the communications and infra settlement with farms, nucleated villages, and small hamlets such as Tho value that are not highly recognised for adding intimacy and interest to the the landscape and land use have some ability to accommodate change we visibility for the Cottam 1 Site/Sites would not alter the overall character of infrastructure features. Moreover, these features are often set within a we form that plays a positive role in reducing the overall cumulative effects.
Magnitude	Not Applicable	Construction: Very Low Operation (Year 1): Very Low Operation (Year 1): with only Embedded Mitigation: Very Low Operation (Year 15): Very Low Decommissioning: Very Low
Type of Effect	Not Applicable	Construction: Adverse & Short Term Operation (Year 1): Adverse & Long Term Operation (Year 1): with only Embedded Mitigation: Adverse & Long Terr Operation (Year 15): Beneficial & Long Term Decommissioning: Neutral & Short Term
Significance of Effect	Not Applicable	Construction: Negligible Not Significant Operation (Year 1): Negligible Not Significant Operation (Year 1): with only Embedded Mitigation: Negligible Not Signi Operation (Year 15): Negligible Not Significant Decommissioning: Negligible Not Significant

Environmental Statement Landscape and Visual Impact Assessment Appendix 8.3.5.3: PRoW Receptors – PRoW Not Significant [Reference: EN010133/APP/C6.3.8.3.5.3.12] January 2023

networks, which make one landscape type or area important historic routes and in contrast, the east string of settlements across the area. Overall, the quil and hedged to both sides with wide grassed e landscape and reducing the visibility across the

nfrastructure is shaped by evidence of historic horpe le Fallows and Coates, which are features the landscape. These relevant characteristics of e without undue adverse effects. The cumulative er of the landscape and its communications and well-vegetated context or associated with built

erm

nificant