

MONA OFFSHORE WIND PROJECT

Tree Survey Clarification Note: Appendix 17.1 Revised Tree Survey Schedule Onshore Cable Corridor

Deadline: 3

Application Reference: EN010137

Document Reference: S_D3_17.1

Document Number: MOCNS-J3303-RPS-10328

30 September 2024

F01



Image of an offshore wind farm

Document status

Version	Purpose of document	Authored by	Reviewed by	Approved by	Review date
F01	Submission at Deadline 3	RPS	Mona Offshore Wind Ltd.	Mona Offshore Wind Ltd.	30 September 2024

Prepared by:

RPS

Prepared for:

Mona Offshore Wind Ltd.

TREE SURVEY SCHEDULE

Site: Mona Offshore Wind Project - Cable route
 Project Schedule Ref: JSL3999_750A
 Drawing Reference: JSL3999_700-743
 Survey date: 2023 & 2024 (Various)

Surveyor: D. Cox, R. Carthew, J. Bailey
 Status: For Planning
 Revision: A
 Notes: Additional Survey Data Added



Ref. no	Species	Height (m)	Canopy Spread (m)				Crown Area	Stem dia. (mm)	Stem no. at 1.5m	Height of crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	Estimated remaining contribution (yrs)	Tree Quality Category (BS5837)
			N	E	S	W										
▼ Individually Surveyed Trees from Original Survey ▼																
T1	Acer pseudoplatanus, Fraxinus excelsior Sycamore, Common Ash	6	3	3	3	3	28	250	1	2	-	EM	Good	Immature individual hedgerow trees.	10+	C2
T2	Fraxinus excelsior Common Ash	11	7	7	8	6	154	800	1	4	(E)	M	Fair	Fine ash, declining inonotus on main bough, some hollow/cavities.	40+	A3
T3	Acer pseudoplatanus Sycamore	14	6	6	8	7	141	900	1	3	(W)	M	Good	Superb sycamore, part of wider group, wide canopy, ivy clad.	40+	A2
T4	Acer pseudoplatanus Sycamore	7	6	6	6	5	104	700	1	1	(N)	V	Good	Low, fine sycamore, crown opens at 2.5m, hollow decayed buttress, extends into snagged bough to north.	40+	A3
T4.5	Acer pseudoplatanus, Fraxinus excelsior x1, Crataegus monogyna x1 Sycamore, Common Ash, Common Hawthorn	9	6	6	6	6	113	500	1	2	-	M	Good	Linear sycamore group, various forked unions, ash and thorn, group value, individuals varying quality.	20+	B2
T5	Acer pseudoplatanus Sycamore	7	4	3	3	3	33	250	1	2	-	Y	Good	Young, maiden hedgerow tree.	20+	B2
T6	Quercus robur Pedunculate Oak	7	5	7	6	5	104	400	1	4	-	EM	Good/Fair	Hedgerow oak, some dead wood.	20+	B2
T7	Acer pseudoplatanus Sycamore	5	3	4	1	4	27	1100	1	2	(N)	V	Poor/Fair	Low decayed stem of once larger tree, dead/decay hollow to south, low form, no leader.	40+	A3
T8	Acer pseudoplatanus Sycamore	10	6	6	6	6	113	500	1	2	-	EM	Good	Fine, maiden, sheep browsed.	40+	A2
T9	Acer pseudoplatanus Sycamore	8	4	6	6	5	86	800	1	1	(E)	M	Good	Fine maiden, flat buttress, wide.	40+	A2
T10	Quercus robur Pedunculate Oak	15	5	9	6	5	121	600 700	2	2	1.5	M	Good	Superb, twin stem oak adjacent woodland edge, decayed stump at root flare, 0.2m high.	40+	A2

Note: This survey is based on a brief visual inspection from the ground. It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species		Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
T11	Fraxinus excelsior Ash	Common	6	3	3	3	3	28	200	1	2	-	Y	Good	Young ash.	10+	C2
T12	Fraxinus excelsior Ash	Common	11	7	9	10	9	239	1000 700	2	2	-	M	Good/Fair	Superb, twin stem ash, huge bole at root flare, +2mø, good vigour.	40+	A2
T13	Fraxinus excelsior Ash	Common	10	9	8	7	8	200	150	1	2	-	M	Fair	Fine ash, inonotus in main bole, internal decay, retain as habitat feature.	40+	A3
T14	Acer pseudoplatanus Sycamore		16	10	8	8	8	226	950	1	2	-	M	Good	Fine, former pollarded sycamore, browsed by stock.	40+	A2
T15	Fagus sylvatica Beech	Common	8	4	4	6	6	75	700	1	2	(E)	M	Good/Fair	Biased to east, browse damaged, bark occluding.	20+	B2
T16	Fraxinus excelsior Ash	Common	10	6	6	6	7	123	600	1	3	(W)	M	Good	Set at field gate, hedge bank, wide exposed root buttress.	20+	B2
T17	Acer pseudoplatanus Sycamore		12	8	10	8	8	226	700	1	2	(E)	M	Good	Fine, hedgerow sycamore, open form.	40+	A2
T18	Fraxinus excelsior Ash	Common	12	6	7	6	5	112	600 400	2	1	(E)	M	Fair	Hedgerow ash, twin stem from 1.0m, heavy ivy mast, lacking vigour/declining, ivy clad.	10+	C2
T19	x2 Fraxinus excelsior Common Ash		20	7	8	8	8	188	700	1	2	(E)	M	Good	Pair of close, fine ash.	40+	A2
T20	Fraxinus excelsior Ash	Common	13	6	6	6	6	113	400	1	1	(N)	EM	Good	Field ash.	20+	B2
T21	Fraxinus excelsior Ash	Common	18	10	9	12	10	328	950	1	2	-	M	Good	Fine, open grown ash, broad form.	40+	A2
T22	Acer pseudoplatanus Sycamore		15	8	7	5	7	141	750	1	3	(E)	M	Good	Fine, roadside sycamore, ivy clad, open grown.	40+	A2
T23	Fagus sylvatica Beech	Common	12	3	7	3	3	47	600	1	3	(E)	EM	Good/Fair	Dense ivy cover, biased to east.	20+	B2
T24	Aesculus hippocastanum Horse Chestnut		5	2	2	2	2	13	150	1	3	-	Y	Good	Unremarkable tree.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
T25	Acer pseudoplatanus Sycamore	9	6	8	5	5	110	650	1	3	(S)	M	Good	Roadside sycamore, ivy clad.	20+	B2
T26	Pinus sylvestris Scots Pine	8	3	2	3	3	24	400	1	3	(S)	EM	Fair	Roadside pine, lacks vigour, ivy.	10+	C2
T27	Pinus sylvestris Scots Pine	10	6	2	2	4	38	400	1	4	(S)	EM	Good	Bias to north.	20+	B2
T28	Fagus sylvatica Common Beech	11	5	3	4	4	50	400	1	2	(S)	EM	Good	Roadside beech, bifurcates at 2m.	20+	B2
T29	Acer pseudoplatanus Sycamore	11	7	6	7	6	133	750	1	4	(S)	M	Good	Roadside sycamore, ivy clad, broad form.	40+	A2
T24.5	Acer pseudoplatanus Sycamore	16	11	6	8	5	174	900	1	3	(N)	M	Good	Fine sycamore, ivy clad, set on lane edge, ivy on bark.	40+	A2
T25.5	Acer pseudoplatanus Sycamore	5	2	3	3	2	20	250	1	3	(N)	Y	Good	Unremarkable, ivy clad.	10+	C2
T26.5	Acer pseudoplatanus Sycamore	10	5	5	7	4	86	650	1	3	(N)	M	Fair	Lacking some vigour, ivy clad, large bough to south.	20+	B2
T27.5	x2 Fraxinus excelsior Common Ash	11	8	8	8	5	163	600	1	5	(S)	M	Fair	Pair of adjacent ash, high on land, ivy clad, dead wood over lane, continuous, combined canopy.	20+	B2
T28.5	Acer pseudoplatanus Sycamore	12	6	7	9	7	163	800	1	3	(N)	M	Good	Fine sycamore, set on lane edge, wide, open form.	40+	A2
T29.5	Acer pseudoplatanus Sycamore	7	5	5	5	5	79	200	1	2	-	EM	Good	Series of lesser sycamore, set on field edge, varying scale.	10+	C2
T30	Acer pseudoplatanus Sycamore	11	8	8	7	5	151	800	1	3	(N)	M	Good	Fine sycamore, set on lane edge, dense ivy, biased crown to south.	40+	A2
T31	Acer pseudoplatanus Sycamore	6	4	6	4	3	55	200 250	2	3	(N)	EM	Good	Twin stem from ground level, ivy clad.	10+	C2
T32	Acer pseudoplatanus Sycamore	10	8	6	5	6	121	700	1	4	(S)	M	Good	Fine sycamore, set on bank adjacent lane.	40+	A2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
T33	Acer pseudoplatanus Sycamore	12	7	8	9	7	188	600	1	0	-	M	Good	Unable to access, fine sycamore set on outcrop.	40+	A2
T34	Acer pseudoplatanus Sycamore	14	8	8	8	7	188	900	1	3	(NE)	M	Good	Superb sycamore, in high prominent location, set on stone wall/bank, ivy clad.	40+	A2
T35	Acer pseudoplatanus Sycamore	12	6	5	4	7	95	600	1	4	(E)	M	Good	Linear group of sycamore, following lane, ivy clad.	40+	A2
T36	Acer pseudoplatanus Sycamore	13	6	6	5	7	113	800	1	3	(E)	M	Good	Linear group of sycamore, following lane, ivy clad, set on bank.	40+	A2
T37	Acer pseudoplatanus Sycamore	5	2	3	2	2	16	400	1	4	(E)	EM	Fair	Linear group of sycamore, following lane, unremarkable.	10+	C2
T38	Acer pseudoplatanus Sycamore	10	4	4	2	4	38	700	1	3	(E)	M	Good	Linear group of sycamore, following lane, lacks full canopy.	20+	B2
T39	Acer pseudoplatanus Sycamore	13	7	9	5	5	126	850	1	5	(E)	M	Good	Linear group of sycamore, following lane, large fork at 3m.	40+	A2
T40	Acer pseudoplatanus Sycamore	6	5	4	3	3	42	600	1	4	(E)	M	Poor/Fair	Linear group of sycamore, following lane, poor canopy, ivy clad.	10+	C2
T41	Acer pseudoplatanus Sycamore	13	8	8	4	5	113	750	1	5	(E)	M	Good	Linear group of sycamore, following lane, ivy clad, bias to north.	40+	A2
T42	Acer pseudoplatanus Sycamore	13	8	7	2	5	82	750	1	5	(E)	M	Fair	Linear group of sycamore, following lane, lacking vigour, ivy clad.	20+	B2
T43	Acer pseudoplatanus Sycamore	13	9	9	6	5	156	900	1	4	(E)	M	Good	Linear group of sycamore, following lane, ivy clad, fine sycamore, large fork at 3m.	40+	A2
T44	Acer pseudoplatanus Sycamore	14	9	8	4	3	93	800	1	4	(W)	M	Good	Linear group of sycamore, following lane, heavy easterly bias, ivy clad.	40+	A2
T45	Acer pseudoplatanus Sycamore	15	5	10	3	1	47	700	1	3	(E)	OM	Poor/Fair	Linear group of sycamore, following lane, moribund/dead, ivy clad.	<10	U
T46	Acer pseudoplatanus Sycamore	15	6	6	6	6	113	900	1	5	(N)	OM	Dead	Dead, standing tree, highway risk, fell.	<10	U

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
T47	Crataegus monogyna Common Hawthorn	4	2	3	1	1	8	300	1	2	(E)	OM	Fair	Flagged to east, wizened.	10+	C3
T48	Acer pseudoplatanus Sycamore	15	8	8	8	8	201	750	1	4	(S)	M	Good	Superb hedgerow sycamore in southern hedged lane.	40+	A2
T49	Quercus robur Pedunculate Oak	7	8	8	8	8	201	300 400 200	3	2	-	EM	Good	Low, tri-stem oak, wide, angled buttress.	40+	A2
T50	Ilex aquifolium Common Holly	3	2	2	2	2	13	300 500	2	1	-	M	Good	Low, aged holly, heavy in fruit.	20+	B2
T51	Quercus robur Pedunculate Oak	6	3	3	3	3	28	300	1	2	-	Y	Good	Young oak, good potential.	40+	A2
T52	Quercus robur Pedunculate Oak	16	11	9	9	10	298	650	3	2	(N)	M	Good	Superb tri-stem oak on steep bank face, huge bole/root flare, wide canopy.	40+	A2
T53	Quercus robur Pedunculate Oak	17	11	12	8	10	325	1200	1	3	(N)	M	Good	Superb hedgerow oak, huge bole and main frame, vehicle strike at 3.5m, ivy clad with some dead wood.	40+	A2
T54	Quercus robur Pedunculate Oak	15	8	9	11	9	267	1100	1	2	(SE)	M	Good/Fair	Superb oak, 2-stage canopy, stag-heading in progress, some dead wood, lacks other veteran qualities at present.	40+	A3
T55	Quercus robur Pedunculate Oak	15	7	10	8	2	134	1000	1	2	(E)	M	Good/Fair	Fine oak, suppressed, various dead wood and snags.	40+	A3
T56	Quercus robur Pedunculate Oak	15	8	6	13	8	231	1100 600	2	1	(S)	M	Good	Superb, huge oak, set on steep bank, root flare +2m laterally, biased to south east.	40+	A2
T57	Salix caprea Goat Willow	5	1	4	9	4	51	300	1	0	-	OM	Fair	Lapsed willow, vigorous phoenix regrowth.	10+	C3
T58	Fraxinus excelsior Common Ash	20	12	12	14	11	471	1600	1	2	-	V	Good	Superb, statement ash, bottle neck root flare, +3m at ground level, possibly former pollard, wide bole to 4m, good vigour currently.	40+	A3
T59	Quercus robur Pedunculate Oak	13	3	8	8	8	138	900	1	5	(N)	M	Good	Fine, roadside oak, dense ivy, biased to south.	40+	A2
T60	Quercus robur (Common Oak)	10	5	5	5	5	79	750	1	2	-	M	Fair	Growing as part of field boundary hedge, ivy into upper crown.	40+	A2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
T61	Acer pseudoplatanus (Sycamore)	10	6	5	6	5	95	300 350 200 200 200 200 150	8	2	3 (E)	M	Fair	Multi stemmed tree growing along drainage ditch, ivy in crown.	20+	B2
T62	Quercus robur (Common Oak)	10	9	8	9	9	240	850	1	2	-	M	Fair	Growing along drainage ditch, twin stems from 2m, hanging branch in crown.	40+	A2
T63	Quercus robur (Common Oak)	7.5	4	4	4	4	50	150 200 200 200	4	1	-	M	Fair	Multi-stemmed tree growing on bank of drainage ditch, several wounds on lower stems.	20+	B2
T64	Quercus robur (Common Oak)	7.5	5	5	5	5	79	700	1	1	-	M	Fair	Ivy clad tree growing alongside drainage ditch, previous storm damage in upper crown.	20+	B2
T65	Quercus robur (Common Oak)	10	6	5	6	5	95	500	1	2	4 (W)	M	Fair		40+	A2
T66	Quercus robur (Common Oak)	7.5	3	3	5	4	42	600	1	2	5 (E)	M	Poor	Little remaining crown following storm damage, some large deadwood, multiple large wounds.	<10	U
T67	Quercus petraea (Sessile Oak)	15	9	9	9	9	254	1150	1	4	3 (NW)	M	Fair	Several pruning wounds on lower stem; most occluding, some minor deadwood in crown.	40+	A2
T68	Crataegus monogyna (Hawthorn)	2.5	1	1	1	1	3	100	1	1	-	M	Dead	Dead.	<10	U
T69	Salix caprea (Goat Willow)	5	2	2	2	2	13	200	1	2	-	EM	Fair	Wound on lower stem, otherwise unremarkable.	10+	C2
T70	Quercus robur (Common Oak)	7.5	3	3	3	3	28	600	1	0	-	OM	Dead	Dead.	<10	U
T71	Quercus robur (Common Oak)	7.5	3	5	3	2	31	550	1	2	2 (E)	M	Fair	Crown bias to East, chain bolted to tree to form gatepost.	20+	B2
T72	Crataegus monogyna (Hawthorn)	2.5	2	2	2	2	13	150	1	1	-	M	Fair	Unremarkable.	10+	C2
T73	Quercus robur (Common Oak)	7.5	5	6	6	5	95	770	1	2	-	M	Fair	Short stature, heavily pruned lower crown.	20+	B2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
T74	Betula pendula (Silver Birch)	5	2	3	2	1	12	250	1	2	-	M	Dead	Dead.	<10	U
T75	Salix caprea (Goat Willow)	5	2	3	2	1	12	250	1	2	-	M	Fair	Crown bias to East.	10+	C2
T76	Quercus robur (Common Oak)	10	4	4	4	4	50	450 200 300 200	4	3	-	M	Fair	Tree growing along small raised bund between fields, some pruning wounds in lower crown.	40+	A2
T77	Quercus petraea (Sessile Oak)	15	9	9	9	9	254	1000	1	4	-	M	Fair	Ivy clad crown, exposed surface roots.	40+	A2
T78	Quercus petraea (Sessile Oak)	15	9	9	9	9	254	1150	1	4	-	M	Good	Recently lost limb laying in situ, good example of species.	40+	A1
T79	Fraxinus excelsior (Ash)	7.5	7	7	7	7	154	350 350	2	3	3.5 (N)	M	Fair/Poor	Twin stems from 1m, growing in hedgerow, signs of ash die back.	10+	C2
T80	Fraxinus excelsior (Ash)	7.5	4	5	3	3	42	250	1	3	-	EM	Fair/Poor	Ivy clad stem, signs of ash die back.	10+	C2
T81	Fraxinus excelsior (Ash)	7.5	4	5	3	3	42	250	1	3	-	EM	Fair/Poor	Ivy clad stem, signs of ash die back.	10+	C2
T82	Fraxinus excelsior (Ash)	7.5	3	3	1	2	14	250	1	3	-	EM	Fair/Poor	Ivy clad stem, signs of ash die back.	10+	C2
T83	Fraxinus excelsior (Ash)	7.5	2	1	1	1	5	250	1	3	-	EM	Fair/Poor	Large wound on stem, signs of ash die back.	<10	U
T84	Fraxinus excelsior (Ash)	7.5	8	6	4	5	99	300 200 200	3	3	2 (W)	M	Fair	Growing in field boundary hedge, multiple stems, minor deadwood.	10+	C2
T85	Fraxinus excelsior (Ash)	7.5	8	7	4	5	106	350 200	2	3	2 (W)	M	Fair	Growing in field boundary hedge, multiple stems, minor deadwood.	10+	C2
#T86	Quercus petraea (Sessile Oak)	7.5	6	6	6	6	113	550	1	2	3 (S)	M	Good	Estimated values due to access, ivy clad stem and inner crown.	40+	A2
T87	Fraxinus excelsior (Ash)	12.5	10	10	10	10	314	1200	1	3	4 (NE)	M	Fair	Ivy clad stem, good example of species, minor deadwood, possible early signs of ash die back.	20+	B2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
T88	Fraxinus excelsior (Ash)	5	1	1	4	5	14	500	1	3	2.5 (SE)	M	Fair/Poor	Crown bias to Southwest, previously lost leader.	10+	C2
T89	Prunus avium (Wild Cherry)	5	3	3	3	3	28	200	1	2	1.5 (S)	EM	Good	Tree in private garden.	20+	B2
T90	Prunus avium (Wild Cherry)	5	3	3	3	3	28	200	1	2	1.5 (S)	EM	Good	Tree in private garden.	20+	B2
T91	Quercus robur (Common Oak)	10	9	9	9	9	254	600	1	3	4 (N)	M	Fair	Field boundary tree, several deadwood snags.	40+	A2
T92	Quercus robur (Common Oak)	10	8	8	8	8	201	700	1	3	4 (N)	M	Fair	Field boundary tree, several deadwood snags, fungal fruiting body at base of tree.	20+	B2
T93	Quercus robur (Common Oak)	5	3	3	3	3	28	350	1	2	-	EM	Fair/Poor	Large hollow at base of stem, wound on stem, storm damage, deadwood snags, epicormic growth on main stem.	10+	C2
T94	Fraxinus excelsior (Ash)	10	8	4	6	7	123	600	1	4	4 (NE)	M	Fair/Poor	Sparse crown; suggests early signs of ash die back, minor deadwood.	10+	C2
T95	Quercus robur (Common Oak)	12.5	8	8	8	8	201	1200	1	3	2 (N)	M	Fair	Stem bias to East, large epicormic growth on main stem, minor wounds on stem.	40+	A2
T96	Quercus robur (Common Oak)	12.5	6	6	6	6	113	750	1	3	2 (N)	M	Fair	Large epicormic growth on main stem, minor wounds on stem.	40+	A2
T97	Quercus robur (Common Oak)	10	3	3	3	3	28	500	1	2	-	EM	Fair/Poor	Multiple deadwood snags; retrenching, epicormic growth on main stem.	20+	B2
T98	Fraxinus excelsior (Ash)	10	4	4	4	4	50	300	1	3	4 (SW)	EM	Good	Growing in roadside hedge, minor vehicular damage on stem.	20+	B2
T99	Quercus robur (Common Oak)	7.5	6	6	6	4	94	500	1	2	2.5 (NE)	EM	Fair	Minor deadwood, growing between road and ditch, limited rootable soil.	20+	B2
T100	Quercus robur (Common Oak)	7.5	5	3	4	3	44	300 200	2	1	-	EM	Fair/Poor	Dieback and deadwood in crown.	20+	B2
T101	Quercus robur (Common Oak)	7.5	3	3	3	3	28	400	1	2	-	M	Dead	Standing dead tree.	<10	U

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
T102	Crataegus monogyna (Hawthorn)	1.5	1.5	1.5	1.5	1.5	7	100	1	0	-	M	Fair	Remnant of boundary hedge.	10+	C2
T103	Quercus robur (Common Oak)	10	8	8	8	8	201	1050	1	1	2.5 (W)	M	Good	Twin stems from 2m, some minor deadwood.	40+	A2
T104	Alnus glutinosa (Common Alder)	10	7	7	7	7	154	1500	1	1	0.5 (N)	V	Fair	Large bole giving rise to multiple stems from 2m, epicormic growth throughout main union, caterpillar damage on most leaves, previously lost tops.	40+	A2
T105	Fraxinus excelsior (Ash)	12.5	9	7	6	8	176	200 300 150 450	4	1	2 (N)	M	Fair	Multi-stemmed tree growing atop small bund, minor deadwood, no signs of ash die back.	20+	B2
T106	Quercus robur (Common Oak)	12.5	12	10	10	9	328	1200	1	2	3 (N)	M	Fair	Nice example of species, recently lost limb laying in situ, minor deadwood snags.	40+	A1
T107	Quercus robur (Common Oak)	12.5	9	9	9	9	254	1200	1	2	3 (N)	M	Fair	Nice example of species, minor deadwood snags.	40+	A1
T108	Fagus sylvatica (Beech)	12.5	12	7	6	12	269	750 750	2	1	2 (N)	M	Fair	Nice example of species, recently lost limb laying in situ, minor deadwood snags.	40+	A1
T109	Fraxinus excelsior (Ash), Crataegus monogyna (Hawthorn), Acer pseudoplatanus (Sycamore), Salix caprea (Goat Willow)	10	8	8	8	8	201	400	1	1	-	M	Fair	Group growing along small bund between fields, many multi-stemmed and all have exposed surface roots.	20+	B2
T110	Aesculus hippocastanum (Horse Chestnut)	10	6	6	6	6	113	350 350 200	3	1	1.5 (N)	M	Fair	Unremarkable multi-stemmed tree.	20+	B2
T111	Tilia cordata (Small-leaved Lime)	10	6	6	6	6	113	200 200 200 250 200 150	6	1	1.5 (N)	M	Fair	Unremarkable multi-stemmed tree.	20+	B2
T112	Acer pseudoplatanus (Sycamore)	12.5	8	8	8	8	201	700 450	2	1	3 (E)	M	Fair	Large stem (>1m) has extrema bias to West before correcting at 1m, leaves have rhytisma acerinum spots.	40+	A2
T113	Quercus petraea (Sessile Oak)	12.5	7	9	8	7	188	950	1	1	3 (S)	M	Good	Minor deadwood, prominent tree.	40+	A2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
T114	Quercus robur (Common Oak)	10	6	6	5	5	94	650	1	1	2 (N)	M	Fair	Ivy clad stem and inner crown; limited inspection.	20+	B2
T115	Sorbus aucuparia (Rowan)	7.5	3	3	3	3	28	150 150 150 150 150 150	7	2	-	M	Fair	Multi-stemmed, ivy on main stem.	20+	B2
T116	Ilex aquifolium (Holly)	7.5	3	3	3	3	28	200 100 100 100 100 100 100	8	1	-	M	Fair	Multi-stemmed cluster of holly.	10+	C2
T117	Crataegus monogyna (Hawthorn)	4	3	5	5	3	50	150 150 150 150	6	1	0.5 (SW)	M	Good	Good example of species, growing atop roadside embankment.	20+	B2
T118	Quercus petraea (Sessile Oak)	7.5	6	3	5	5	71	300	1	2	3 (SW)	EM	Fair	Growing atop roadside embankment, damaged pruning snag on stem.	40+	A2
T119	Quercus robur (Common Oak)	7.5	8	7	7	7	165	500	1	2	3 (SW)	EM	Good	Growing atop roadside embankment, minor deadwood.	40+	A2
T120	Quercus petraea (Sessile Oak)	7.5	6	3	3	3	42	300	1	2	3 (SW)	EM	Fair	Growing atop roadside embankment, crown bias to North.	20+	B2
T121	Acer pseudoplatanus (Sycamore)	10	5	5	5	5	79	650	1	3	3 (N)	M	Good	Rhytisma acerinum on leaves.	20+	B2
T122	Quercus petraea (Sessile Oak)	7.5	3	5	3	3	38	300	1	2	3 (SW)	EM	Fair	Growing atop roadside embankment, crown bias to East.	20+	B2
T123	Acer pseudoplatanus (Sycamore)	10	4	4	4	4	50	450	1	3	3 (N)	M	Good	Rhytisma acerinum on leaves.	20+	B2
T124	Acer pseudoplatanus (Sycamore)	7.5	4	4	4	4	50	300	1	3	3 (N)	M	Good	Rhytisma acerinum on leaves.	20+	B2
T125	Acer pseudoplatanus (Sycamore)	7.5	4	4	4	4	50	300	1	3	3 (N)	M	Good	Rhytisma acerinum on leaves.	20+	B2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
T126	Sorbus aucuparia (Rowan)	7.5	3	3	1	1	9	150 150	2	2	-	M	Fair	Unremarkable tree.	10+	C2
T127	Sorbus aucuparia (Rowan)	7.5	2	2	1	1	6	150 150	2	2	-	M	Fair	Unremarkable tree.	10+	C2
T128	Acer pseudoplatanus (Sycamore)	7.5	2	2	2	2	13	200	1	3	3 (N)	M	Fair	Rhytisma acerinum on leaves.	10+	C2
T129	Quercus robur (Common Oak)	7.5	2	2	2	2	13	200	1	3	3 (N)	M	Fair	Ivy on stem into upper crown.	10+	C2
T130	Quercus robur (Common Oak)	5	4	4	3	3	38	400 200	2	3	3 (N)	M	Fair	Ivy on stem into upper crown.	10+	C2
T131	Acer pseudoplatanus (Sycamore)	7.5	4	4	4	4	50	400	1	3	3 (N)	M	Good	Rhytisma acerinum on leaves, ivy on main stem.	20+	B2
T132	Sorbus aucuparia (Rowan)	5	2	2	1	1	6	150 150	2	2	-	M	Fair	Unremarkable tree.	10+	C2
T133	Sorbus aucuparia (Rowan)	7.5	3	3	2	2	19	150 150 150 150	5	2	-	M	Fair	Unremarkable tree.	10+	C2
T134	Quercus robur (Common Oak)	5	4	4	3	3	38	150 200	2	3	3 (N)	M	Fair	Twin stems from ground level.	20+	B2
T135	Acer pseudoplatanus (Sycamore)	7.5	3	2	1	3	16	200 150	2	3	3 (N)	M	Good	Rhytisma acerinum on leaves, ivy on main stem.	20+	B2
T136	Acer pseudoplatanus (Sycamore)	7.5	3	3	3	3	28	300	1	3	3 (N)	M	Good	Rhytisma acerinum on leaves.	20+	B2
T137	Acer pseudoplatanus (Sycamore)	12.5	8	8	8	8	201	1000	1	2	3 (E)	M	Good	Good example of species, rhytisma acerinum on leaves.	40+	A2
T138	Sorbus aucuparia (Rowan)	5	2	2	1	1	6	150	1	0	-	EM	Fair	Unremarkable tree.	10+	C2
T139	Ilex aquifolium (Holly)	4	2	2	2	2	13	100 100 100 100	4	1	-	EM	Good	Unremarkable tree.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
T140	Ilex aquifolium (Holly)	4	2	2	2	2	13	100 100 100 100	4	1	-	EM	Good	Unremarkable tree.	10+	C2
T141	Salix caprea (Goat Willow)	5	3	3	3	3	28	300	1	1	3 (S)	M	Fair	Unremarkable tree.	10+	C2
T142	Acer pseudoplatanus (Sycamore)	10	4	4	5	4	57	450 350	2	0	2 (SW)	M	Fair	Rhytisma acerinum on leaves, stem bifurcates at 2m.	20+	B2
T143	Fraxinus excelsior (Ash)	10	5	5	6	5	86	450 100 100 100 100	5	0	3 (E)	M	Fair	Multiple small stems from base of stem, ivy on stem.	20+	B2
T144	Fraxinus excelsior (Ash)	10	4	4	5	4	57	500	1	0	3 (E)	M	Fair	Deformed stem to 3m.	20+	B2
T145	Quercus robur (Common Oak)	12.5	10	10	10	10	314	1100	1	4	3 (W)	M	Good	Prominent tree, minor deadwood.	40+	A2
T146	Quercus robur (Common Oak)	7.5	6	7	5	4	92	300	1	3	3 (E)	M	Good	Minor deadwood.	40+	A2
T147	Fraxinus excelsior (Ash)	10	5	4	2	3	35	300	1	2	-	M	Fair/Poor	Ivy on stem and some minor dieback in crown; possibly ash die back.	10+	C2
T148	Fraxinus excelsior (Ash)	10	6	6	3	4	66	350	1	2	-	M	Fair/Poor	Ivy on stem and some minor dieback in crown; possibly ash die back.	10+	C2
T149	Quercus robur (Common Oak)	5	5	4	4	4	57	300	1	2	3 (E)	SM	Good	Good potential.	20+	B2
T150	Sorbus aucuparia (Rowan)	5	2	2	2	2	13	200	1	2	-	M	Fair	Unremarkable tree.	10+	C2
T151	Quercus robur (Common Oak)	12.5	8	8	8	8	201	1100	1	4	5 (E)	M	Fair	Minor deadwood, pruning wound on main stem.	40+	A2
T152	Acer pseudoplatanus (Sycamore)	10	6	8	6	6	132	450 500	2	2	2 (E)	M	Fair	Rhytisma acerinum on leaves, twin stems from ground level, minor Deadwood.	20+	B2
T153	Acer pseudoplatanus (Sycamore)	10	5	4	5	4	64	450 450	2	1	2 (SE)	M	Fair	Rhytisma acerinum on leaves, twin stems from ground level, minor Deadwood.	20+	B2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
T154	Acer pseudoplatanus (Sycamore)	10	5	4	5	5	71	600	1	1	2 (SE)	M	Fair	Rhytisma acerinum on leaves, twin stems from ground level, minor Deadwood.	20+	B2
T155	Quercus robur (Common Oak)	12.5	10	10	10	10	314	1200	1	2	3 (SE)	M	Good	Nice example of species, minor deadwood.	40+	A1
T156	Crataegus monogyna (Hawthorn)	7.5	3	3	3	3	28	100	15	1	1 (S)	M	Good	Densely packed stems forming bushy tree.	20+	B1
T157	Crataegus monogyna (Hawthorn)	7.5	3	3	3	3	28	250	1	1	1 (S)	M	Good	Unremarkable tree.	10+	C2
T158	Crataegus monogyna (Hawthorn)	7.5	3	3	3	3	28	250	1	1	1 (S)	M	Good	Unremarkable tree.	10+	C2
T159	Quercus robur (Common Oak)	12.5	7	7	7	7	154	1300	1	3	3 (S)	V	Fair	Cavity at base of stem, wound on stem at 3m, minor deadwood.	40+	A3
T160	Acer pseudoplatanus (Sycamore)	15	8	8	8	8	201	850	1	3	3 (N)	M	Good	Good example of species, stem bifurcates at 2.5m, minor deadwood, rhytisma acerinum on leaves.	40+	A2
T161	Acer pseudoplatanus (Sycamore)	15	10	10	10	10	314	1200	1	3	3 (N)	M	Good	Good example of species, stem bifurcates at 2.5m, minor deadwood, rhytisma acerinum on leaves.	40+	A1
T162	Quercus robur (Common Oak)	15	11	8	11	11	328	1400	1	2	2.5 (N)	V	Good	Main stem bifurcates at 3.5m, several large snags in canopy, previously lost major leader.	40+	A3
T163	Quercus robur (Common Oak)	12.5	8	9	8	3	147	800	1	2	3 (E)	M	Fair	Crown bias to East, suppressed by adjacent tree.	40+	A2
T164	Quercus robur (Common Oak)	10	5	5	5	5	79	350	1	4	4 (N)	EM	Good	Crown has been lifted clear of garden.	40+	A2
T165	Quercus robur (Common Oak)	10	4	4	4	4	50	200	1	4	4 (N)	EM	Good	Crown has been lifted clear of garden, good potential.	20+	B2
T166	Quercus robur (Common Oak)	10	4	4	4	4	50	200	1	4	4 (N)	EM	Good	Crown has been lifted clear of garden, good potential.	20+	B2
T167	Quercus robur (Common Oak)	10	7	7	8	7	165	600	1	2	1 (NE)	M	Fair/Poor	Sparse crown, epicormic growth throughout crown, minor dieback.	20+	B2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
T168	Fraxinus excelsior (Ash)	10	5	7	5	7	113	300 200	2	4	3 (NW)	M	Fair	Ivy clad stem, sparse crown.	10+	C2
T169	Quercus robur (Common Oak)	10	4	4	4	4	50	200	1	4	4 (N)	EM	Good	Good potential.	20+	B2
T170	Betula pendula (Silver Birch)	10	5	5	5	5	79	200 200	2	4	4 (N)	EM	Good	Unremarkable tree.	10+	C2
T171	Acer pseudoplatanus (Sycamore)	7.5	3	3	4	3	33	200	1	3	-	SM	Fair	Unremarkable tree.	10+	C2
T172	Fraxinus excelsior (Ash)	12.5	8	8	8	8	201	800	1	2	3 (N)	M	Fair	Good example of species, no signs of ash die back.	40+	A2
T173	Fraxinus excelsior (Ash)	12.5	6	6	6	6	113	650	1	3	-	M	Fair	Growing atop roadside embankment, minor dieback; possibly ash die back.	20+	B2
T174	Fraxinus excelsior (Ash)	10	2	2	2	2	13	200	1	3	-	EM	Fair/Poor	Unremarkable tree.	10+	C2
T175	Ulmus spp.	10	5	5	5	5	79	300 300	2	3	-	M	Dead	Dead.	<10	U
T176	Acer pseudoplatanus (Sycamore)	7.5	4	2	3	3	28	250	1	0	-	M	Fair	Unremarkable tree.	10+	C2
T177	Acer pseudoplatanus (Sycamore)	7.5	4	3	2	3	27	250 250 250	3	0	-	M	Fair	Unremarkable tree.	10+	C2
T178	Fraxinus excelsior (Ash)	10	1	2	4	2	14	200	1	3	-	EM	Fair/Poor	Unremarkable tree.	10+	C2
▼ Individually Surveyed Trees From Additional Survey ▼																
T179	Acer pseudoplatanus (Sycamore)	13	2.5	5	4	3	41	260	3	2	(N)	EM	Good	Multiple stems below 1.5m, included bark present in fork.	20+	B2
T180	Fraxinus excelsior (Ash)	23	9	9	10	9	269	350	4	2	(SE)	M	Good	Unable to inspect stem due to undergrowth, multiple stems at ground level.	20+	B2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
T181	Quercus robur (Common Oak)	18	10	12	10	7.5	302	1500	1	2	(S)	V	Good	Prominent tree, high value, cavities between buttresses', dieback in crown-minor extent, moderate deadwood in the crown, previous branch failures, hollow but wide basal set, with plenty of residual sound wood, squat form, good crown vitality with typical late mature/ veteran characteristics.	40+	A3
T182	Quercus petraea (Sessile Oak)	17	8	5	4.5	5	97	850	1	3	(N)	M	Good	Moderate deadwood in the crown, well established at edge of woodland and adjacent to stream.	40+	A2
T183	Quercus petraea (Sessile Oak)	14	8	6.5	4.5	3	85	1300	1	2	(N)	V	Good	Retrenching form, squat with secondary epicormic crown forming around basal stem, reaction wood forming swollen basal stem, well attached dead heartwood limbs in crown, epiphytes, stem diameter estimated due to restricted access/ vegetation.	40+	A3
#T184	Betula pendula (Silver Birch)	15	3	3.5	2	3	26	300	1	1	(N)	EM	Good	Estimated values due to access, unable to inspect stem due to undergrowth.	20+	B2
T185	Crataegus monogyna (Hawthorn)	6	2.5	2.5	2	1	12	100	5	2	(W)	EM	Fair/Poor	Ivy on tree, dieback in crown- minor extent, pale leaves, small leaves.	10+	C1
T186	Prunus spinosa (Blackthorn)	3.5	1	2	1	1.5	6	150	1	2	(N)	SM	Fair/Poor	Longitudinal splits on basal stem.	10+	C1
T187	Quercus petraea (Sessile Oak)	17.5	9.5	8	4	6	137	700	2	2	(N)	M	Fair	Pale leaves, small leaves, reduced leaf density, stem wounds and exposed wood from previous branch failure.	20+	B2
T188	Crataegus monogyna (Hawthorn)	10	4.5	5	1.5	2.5	30	450	1	1	(W)	M	Fair	Mature tree within hedgerow.	20+	B2
T189	Crataegus monogyna (Hawthorn)	7.5	3	2.5	2.5	1	15	100	5	3	(E)	EM	Fair	Multiple stems at ground level, tree within hedgerow.	10+	C2
T190	Prunus avium (Wild Cherry)	9	0.5	3	3	1.5	12	150	1	2	(E)	SM	Poor	Low vitality, declining, dieback in crown- major extent.	<10	U
T191	Prunus avium (Wild Cherry)	7	1	2	1.5	2	8	225	2	2	(E)	EM	Dead	Dead, ivy on tree.	<10	U
T192	Prunus avium (Wild Cherry)	10	3	3	1.5	2	16	250	2	6	(E)	SM	Poor	Low vitality, declining, dieback in crown- major extent.	<10	U
T193	Acer pseudoplatanus (Sycamore)	17	6	6	6	6	113	800	1	3	(NW)	M	Good	End tree in a linear group, well formed crown.	40+	A2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
T194	Ulmus sp. (Elm)	17	1.5	7	4	1.5	37	300	1	3	(E)	EM	Good	Likely limited lifespan due to dutch elm disease.	10+	C2
T195	Ulmus sp. (Elm)	17	1.5	0.5	1.5	2	5	200	1	5	(SE)	SM	Poor	Major bark wounding on stem, dieback in crown- major extent, dutch elm disease.	<10	U
T196	Ulmus sp. (Elm)	17	1.5	1.5	3	5.5	20	300	1	3	(E)	EM	Good	Likely limited lifespan due to dutch elm disease.	10+	C2
T197	Ulmus sp. (Elm)	15	1.5	1.5	0.5	0.5	2	200	1	6	(E)	SM	Fair	Slender with narrow, supressed crown form, ivy cloaked stem, likely limited life span due to dutch elm disease.	10+	C2
T198	Ulmus sp. (Elm)	15	1.5	1.5	2	3	12	200	1	6	(E)	SM	Fair	Slender supressed crown form, likely limited life span due to dutch elm disease.	10+	C2
#T199	Crataegus monogyna (Hawthorn)	6.5	1.5	0.5	2	2.5	7	100	3	6	-	EM	Good	Restricted inspection due to vegetation, supressed crown form.	10+	C2
T200	Acer pseudoplatanus (Sycamore)	14.5	7	5	5	3.5	80	700	1	2	(E)	M	Fair	Central leader has previously failed at 3m.	20+	B2
T201	Fraxinus excelsior (Ash)	16	7	7	6	5	121	250	4	2	(N)	EM	Fair	Multiple stems below 1.5m, inonotus hispidus.	20+	B2
T202	Quercus petraea (Sessile Oak)	20	12	12	10.5	11	405	1250	1	2	(E)	OM	Good	Prominent tree, high value, moderate deadwood in the crown, open grown, late mature tree in good condition, but lack of retrenchment and other veteran features suggest not yet veteran.	40+	A2
T203	Ilex aquifolium (Holly)	7	1.5	3	3	3	21	200	2	2	(S)	M	Good	Stem divides below 1.5m, included bark present in fork.	20+	B3
T204	Fraxinus excelsior (Ash)	21	6.5	7	7	6.5	143	500	2	2	(S)	M	Good	Dieback in crown- minor extent.	40+	A2
T205	Quercus petraea (Sessile Oak)	15.5	7	10	5.5	8	180	1100	1	3	(SW)	OM	Good	Prominent tree, high value, cavities between buttresses', moderate deadwood in the crown, open grown form, late mature but lacking full veteran characteristics.	40+	A2
#T206	Acer pseudoplatanus (Sycamore)	17	6	3.5	6	5	82	500	1	3	(W)	EM	Good	Restricted inspection due to vegetation.	20+	B2
#T207	Fraxinus excelsior (Ash)	13	0.5	2.5	2.5	1	8	150	1	9	(S)	SM	Fair/Poor	Restricted inspection due to vegetation, suppressed, dieback in crown- minor extent.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
#T208	Acer pseudoplatanus (Sycamore)	19	5	6	5	4	78	300	4	3	(W)	EM	Good	Restricted inspection due to vegetation, multiple stems below 1.5m.	20+	B2
T209	Acer pseudoplatanus (Sycamore)	11	3	3	2.5	2.5	24	200	1	2	(W)	SM	Good	Located adjacent to road, established in hedgerow.	10+	C2
T210	Fraxinus excelsior (Ash)	9	1	3	5	2.5	24	800	1	2	(S)	M	Fair/Poor	Main stem has previously undergone significant failure at approx, 3m, stem bifurcates around 2m, north stem is deadwood with 'king alfred's cakes' fungus present, ivy cloaks most of stem, limiting inspection, remaining crown formed from a secondary limb below point of failure.	<10	U
T211	Fraxinus excelsior (Ash)	16.5	5	5	3.5	4	59	800	1	5	(SW)	M	Poor	Cavity on stem, dieback in crown- major extent, moderate deadwood in the crown, chalarash ash dieback - moderate extent, inonotus hispidus, unsuitable for retention in current condition- pollarding may extend lifetime, although stem could not be inspected in detail due to vegetation.	<10	U
T212	Ulmus sp. (Elm)	6	5	5	3	2	39	200	1	0	-	SM	Fair	Rough pruning wound to central leader around overhead cables, likely limited lifetime due to dutch elm disease.	10+	C1
T213	Ilex aquifolium (Holly)	10	2	3.5	2	3	22	175	3	2	(N)	EM	Good	Multiple stems below 1.5m, included bark present in fork.	10+	C2
T214	Acer pseudoplatanus (Sycamore)	12	2	9	5	3	69	650	1	2	(S)	M	Fair/Poor	Declining, dieback in crown- moderate extent, moderate deadwood in the crown.	10+	C2
T215	Ulmus sp. (Elm)	19	5.5	7.5	7	5.5	128	230	3	5	(W)	EM	Poor	Declining, dieback in crown- major extent, moderate deadwood in the crown, dutch elm disease.	<10	U
#T216	Acer pseudoplatanus (Sycamore)	30	8.5	10.5	12	7.5	291	1200	1	2	(W)	OM	Good	Hard surface in RPA, multiple stems above 1.5m, huge, prominent tree, very good example of species, crown in good vitality.	40+	A1
T217	Acer pseudoplatanus (Sycamore)	20	7	6	3	10	133	760	1	2	(W)	M	Good	Located on far side of stream bank from road, west crown extends toward road.	40+	A2
T218	Alnus glutinosa (Common Alder)	17	6	6	3.5	5.5	85	400	2	2	(E)	M	Good	Stem divides at ground level, natural brace at 1m preventing stem failure at union.	20+	B2
T219	Acer pseudoplatanus (Sycamore)	12	7	5	1.5	5	61	280	1	2	(NW)	EM	Good	On riverbank, suppressed to south.	20+	B2
T220	Fraxinus excelsior (Ash)	24	6.5	10	2.5	4	84	750	1	10	(E)	M	Fair/Poor	Cavities between buttresses', dieback in crown- moderate extent, moderate deadwood in the crown, chalarash ash dieback - moderate extent.	10+	C1

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
T221	Quercus petraea (Sessile Oak)	16	9	9	6.5	8	205	490	1	2	(E)	EM	Good	Crown intertwined with adjacent ash stem, fused in places.	20+	B2
T222	Acer pseudoplatanus (Sycamore)	28	5	4.5	3	2.5	41	430	1	11	(SE)	EM	Good	Slender, narrow crowned form due to neighbouring pressure.	20+	B2
T223	Alnus glutinosa (Common Alder)	19	7	3	5	1	47	270	3	2	(E)	EM	Fair	Multiple stems at ground level, dieback in crown- minor extent.	20+	B2
T224	Acer pseudoplatanus (Sycamore)	6	4.5	1	4.5	4.5	39	200	1	2	-	SM	Good	Asymmetric crown and stem off-kilter, suppressed by neighbours.	10+	C2
T225	Acer pseudoplatanus (Sycamore)	28	7	9	7	7	176	900	1	2	(N)	M	Good	Hard surface in RPA, located adjacent to road, prominent tree, high value.	40+	A2
#T226	Acer pseudoplatanus (Sycamore)	25	7.5	7	8	8	182	800	1	3	(E)	M	Good	Hard surface in RPA, located adjacent to road.	40+	A2
T227	Acer pseudoplatanus (Sycamore)	15	5	4	4	6	71	325	2	5	(W)	M	Good	Hard surface in RPA, located adjacent to road, stem divides below 1.5m.	20+	B2
T228	Fraxinus excelsior (Ash)	17	3	4.5	4.5	3	44	500	1	3	(SE)	M	Poor	Stem divides above 1.5m, dieback in crown- moderate extent, major deadwood in crown, chalara ash dieback - moderate extent, large open basal cavity with internal decay, not suitable for retention in current condition, pollarding may retain in landscape for longer.	<10	U
T229	Quercus petraea (Sessile Oak)	22	8.5	8	5.5	5.5	143	1200	1	4	(E)	OM	Good	Prominent tree, high value, dieback in crown- minor extent.	40+	A2
T230	Quercus petraea (Sessile Oak)	22	8.5	5	7.5	7	154	1050	1	5	(S)	OM	Good	Prominent tree, high value, dieback in crown- minor extent.	40+	A2
T231	Ilex aquifolium (Holly)	7.5	2.5	3.5	2.5	2	21	275	1	3	(E)	EM	Good	Unable to inspect stem due to undergrowth.	20+	B2
T232	Quercus petraea (Sessile Oak)	14	5	7	5	3	75	275	2	3	(N)	EM	Good	Stem divides at ground level.	20+	B2
T233	Quercus petraea (Sessile Oak)	19	5	8	7	6	133	700	1	2	(SE)	M	Good	High value, part of linear group, dieback in crown- minor extent, minor deadwood in the crown.	40+	A2
T234	Quercus petraea (Sessile Oak)	19	6	5.5	7.5	9	149	900	1	2	(SE)	M	Good	High value, part of linear group, minor deadwood in the crown, fluted buttress roots.	40+	A2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
T235	Quercus petraea (Sessile Oak)	19	5	6.5	7.5	8	140	750	1	3	(SE)	M	Good	High value, part of linear group, moderate deadwood in the crown.	40+	A2
T236	Quercus petraea (Sessile Oak)	19	3	5	6	9	94	700	1	2	(S)	M	Good	High value, part of linear group, cavities between buttresses', moderate deadwood in the crown.	40+	A2
T237	Quercus petraea (Sessile Oak)	19	5	8	6.5	7	138	850	1	3	(E)	M	Good	High value, part of linear group, major deadwood in crown, longitudinal stem wound from previous branch failure, occluded edges with exposed heartwood.	40+	A2
T238	Quercus petraea (Sessile Oak)	16	5	4	4	7.5	81	650	1	1	(NE)	M	Good	High value, part of linear group, cavities between buttresses', moderate deadwood in the crown, previous branch failures.	40+	A2
T239	Quercus petraea (Sessile Oak)	28	5	7.5	8.5	8	162	1000	1	2	(E)	OM	Good	Prominent tree, high value, moderate deadwood in the crown.	40+	A1
T240	Picea sp. (Spruce)	30	3	3	4.5	3	35	750	1	2	(SE)	M	Good	Prominent tree, dieback in crown- moderate extent, minor deadwood in the crown.	20+	B2
T241	Quercus petraea (Sessile Oak)	17	6	6.5	5.5	6.5	118	830	1	1	(NE)	M	Good	High value, part of linear group, dieback in crown- minor extent, minor deadwood in the crown.	40+	A2
T242	Quercus petraea (Sessile Oak)	19	3	6.5	9	6.5	116	750	1	4	(SE)	M	Good	High value, part of linear group, minor deadwood in the crown.	40+	A2
T243	Quercus petraea (Sessile Oak)	16	5	7.5	7	5	118	1000	1	1	(NE)	V	Fair	High value, part of linear group, dieback in crown- moderate extent, moderate deadwood in the crown, well attached heartwood dieback at peripheral crown- appears to be retrenching.	40+	A2
T244	Quercus petraea (Sessile Oak)	12	8	1	5	9	99	650	1	0	(W)	M	Good	Stem has previously partially failed- stem is at a 15 degree angle from horizontal, propped up by limbs in crown- but vertical growth has resumed in scaffold limbs, reforming crown.	40+	A2
T245	Acer pseudoplatanus (Sycamore)	15	6	6	7.5	5	118	700	1	3	(E)	M	Good	Moderate basal cavity, occluded edges and exposed heartwood.	40+	A2
T246	Fraxinus excelsior (Ash)	20	7	6.5	5	2.5	80	600	2	3	-	M	Good	Unable to inspect stem due to undergrowth, stem divides below 1.5m, currently no indications of chalarash dieback.	20+	B2
T247	Fraxinus excelsior (Ash)	11	2	2	1.5	2	11	175	1	3	(N)	SM	Poor	Dieback in crown- moderate extent, chalarash dieback - moderate extent.	10+	C1
#T248	Quercus robur (Common Oak)	17	7.5	9	5	8	168	900	1	3	(SW)	M	Good	Restricted inspection due to vegetation, hard surface in RPA, dieback in crown- minor extent.	40+	A2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
#T249	Quercus petraea (Sessile Oak)	14	4	5	4	5	64	225	2	2	(N)	EM	Good	Restricted inspection due to vegetation.	20+	B2
T250	Fraxinus excelsior (Ash)	12	3.5	3	3	2.5	28	250	1	2	(NE)	SM	Fair	Dieback in crown- minor extent, chalara ash dieback - present.	10+	C2
#T251	Fraxinus excelsior (Ash)	10	1.5	1	2	1.5	7	100	1	3	(SW)	SM	Poor	Restricted inspection due to vegetation, chalara ash dieback - severe.	<10	U
T252	Fraxinus excelsior (Ash)	11	2	2.5	2	1	11	120	1	1	(N)	SM	Fair	Dieback in crown- minor extent, chalara ash dieback - present.	<10	U
#T253	Fraxinus excelsior (Ash)	20	10	8	10	10	283	750	1	3	(N)	M	Fair	Restricted inspection due to vegetation, dieback in crown- moderate extent, moderate deadwood in the crown, chalara ash dieback - moderate extent, woodpecker holes noted in upper crown, indicating decayed wood, longevity may be increased by crown reducing.	20+	B1
T254	Quercus petraea (Sessile Oak)	15	1.5	5	7	5.5	64	750	1	2	(E)	M	Fair	Moderate deadwood in the crown, crown distorted due to group pressure.	40+	A2
T255	Quercus petraea (Sessile Oak)	20	4	9	8	9	174	1050	1	2	(SE)	OM	Good	Prominent tree, high value, cavities between buttresses', moderate deadwood in the crown, previous branch failures.	40+	A2
T256	Quercus petraea (Sessile Oak)	20	10	10	2	9.5	181	650	1	2	(N)	M	Fair	Ivy on tree, dieback in crown- minor extent, moderate deadwood in the crown, crown distorted due to group pressure.	40+	A2
T257	Quercus petraea (Sessile Oak)	10	6	5	6	3.5	82	1000	1	4	(S)	OM	Fair	Dieback in crown- moderate extent, major deadwood in crown, flared basal stem- internal heartwood decay/ cavity highly likely, flaking bark on basal stem, previously heavy crown reduced.	20+	B1
T258	Quercus petraea (Sessile Oak)	5	1.5	3	2	2	14	170	1	1	(S)	SM	Good	Established semi mature tree, future potential.	10+	C2
T259	Quercus petraea (Sessile Oak)	19	9	11	9	7	251	950	1	2	(N)	OM	Fair	Cavities between buttresses', dieback in crown- moderate extent, moderate deadwood in the crown, early stages of retrenchment.	40+	A2
T260	Quercus petraea (Sessile Oak)	20	8	11	6	5	164	900	1	3	(W)	OM	Good	Prominent tree, high value, moderate deadwood in the crown.	40+	A2
#T261	Ulmus glabra (Wych Elm)	13	4	7.5	6	6.5	113	250	3	2	(W)	EM	Fair	Estimated values due to access, unable to inspect stem due to undergrowth, stem divides below 1.5m, crown currently in fair condition, one small patch of wilted leaves in crown, limited life expectancy due to dutch elm disease.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
T262	Salix fragilis (Crack Willow)	18	8	7	5.5	6	135	340	2	1	(N)	EM	Good	Stem divides at ground level.	20+	B2
#T263	Pinus sylvestris (Scots Pine)	14	5	5	9	7	126	500	1	3	(SW)	M	Good	Estimated values due to access, unable to inspect stem due to undergrowth, offsite tree, previously crown reduced.	20+	B1
#T264	Prunus avium (Wild Cherry)	9	6	4.5	2.5	6	70	400	1	2	(W)	EM	Good	Unable to inspect stem due to undergrowth, stem divides above 1.5m.	20+	B2
T265	Quercus petraea (Sessile Oak)	17	7.5	7	6	4	114	800	1	3	(S)	M	Fair	Dieback in crown- moderate extent, moderate deadwood in the crown.	20+	B2
T266	Quercus petraea (Sessile Oak)	18	8	11	7	6	194	680	1	3	(SW)	M	Good	Prominent tree, part of linear group, moderate deadwood in the crown.	40+	A2
T267	Quercus petraea (Sessile Oak)	13	2	5	4	2	33	400	1	3	(E)	EM	Fair	Part of linear group, suppressed, dieback in crown- moderate extent, moderate deadwood in the crown.	20+	B2
T268	Quercus petraea (Sessile Oak)	16	5	8	7	2	92	600	1	3	(SE)	M	Fair	Part of linear group, ivy on tree, asymmetric crown.	20+	B2
T269	Quercus petraea (Sessile Oak)	19	7	9	7	7	176	800	1	2	(E)	M	Good	Prominent tree, high value, part of linear group.	40+	A2
T270	Quercus petraea (Sessile Oak)	20	6	8	5	4	99	600	1	3	(E)	M	Good	Prominent tree, part of linear group, ivy on tree, moderate deadwood in the crown.	40+	A2
T271	Quercus petraea (Sessile Oak)	17	2	7	5	1.5	46	500	1	3	(E)	EM	Fair	Part of linear group, suppressed, dieback in crown- moderate extent, moderate deadwood in the crown, crown distorted due to group pressure, epicormic growth in crown.	20+	B2
T272	Quercus petraea (Sessile Oak)	18	6	8	5	2	77	1000	1	3	(E)	V	Good	Part of linear group, ivy on tree, cavities between buttresses', inonotus dryadeus, swollen basal stem with reaction wood- internal cavity likely, secondary crown of epicormic growth forming, previous branch failures with well attached heartwood deadwood, appears to have retrenched, with minor tip dieback, detached/ degraded eiffel tower bracket fungal body found at base, good vitality.	40+	A3
T273	Quercus petraea (Sessile Oak)	20	12.5	8.5	2.5	8	173	900	1	1	(N)	M	Good	Moderate deadwood in the crown, crown distorted due to group pressure.	40+	A2
T274	Quercus petraea (Sessile Oak)	18	5	6	5	7	104	600	1	2	(N)	M	Good	Part of linear group, minor deadwood in the crown.	40+	A2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
T275	Quercus petraea (Sessile Oak)	16	6	9	6	7.5	159	900	1	3	(N)	M	Good	Prominent tree, part of linear group, minor deadwood in the crown.	40+	A2
T276	Quercus petraea (Sessile Oak)	8	2	1.5	1.5	1.5	8	100	1	4	(N)	SM	Fair	Unremarkable tree.	10+	C1
T277	Quercus petraea (Sessile Oak)	19	6	7	6	6	123	650	1	3	(S)	M	Fair	Dieback in crown- minor extent, minor deadwood in the crown.	40+	A2
T278	Fraxinus excelsior (Ash)	17	3	3	4	4	38	120	5	3	(S)	SM	Good	Unable to inspect stem due to undergrowth, multiple stems at ground level.	10+	C2
T279	Quercus petraea (Sessile Oak)	16	6	7	5	5	102	730	1	6	(N)	M	Fair	Ivy on tree, moderate deadwood in the crown, epicormic growth in crown.	40+	A2
T280	Quercus petraea (Sessile Oak)	13	3.5	6	5	4	67	550	1	2	(S)	EM	Good	Moderate deadwood in the crown.	40+	A2
T281	Fraxinus excelsior (Ash)	13	6	6	5	5	94	200	2	2	(N)	EM	Good	Stem divides below 1.5m, included bark present in fork, currently no indications of chalara ash dieback.	20+	B2
T282	Crataegus monogyna (Hawthorn)	3	1.5	2	1	2	8	150	1	0	-	SM	Fair	Multiple stems at ground level, average combined stem diameter value.	10+	C1
T283	Quercus robur (Common Oak)	18	6	10	6	3	113	770	1	1	(S)	M	Good	Moderate deadwood in the crown, previous branch failures.	40+	A2
T284	Quercus petraea (Sessile Oak)	18	7.5	12	7	7	214	1200	1	2	(SE)	V	Good	Prominent tree, high value, moderate deadwood in the crown, previous branch failures, inonotus dryadeus, wide diameter, flared basal stem, may be formed of x2 fused stems, internal cavity likely- degraded eiffel tower bracket found around basal stem, appears to have retrenched to some degree- 'stags head' heartwood in peripheral crown.	40+	A2
#T285	Fraxinus excelsior (Ash)	17	7	8	6	6.5	147	500	1	2	(S)	M	Good	Estimated values due to access, ivy on tree, unable to inspect stem due to undergrowth, currently no indications of chalara ash dieback.	20+	B2
T286	Acer pseudoplatanus (Sycamore)	14	6	5	7	5	104	300	2	2	(S)	EM	Good		20+	B2
T287	Quercus petraea (Sessile Oak)	16	5	7	3	5	75	630	1	2	(W)	M	Fair	Cavity on stem.	20+	B2
T288	Ilex aquifolium (Holly)	8	2	2.5	4	1	18	100	3	1	(E)	EM	Good		10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
T289	Fraxinus excelsior (Ash)	19	5	3	7	7	88	740	1	2	(W)	M	Fair/Poor	Previous branch failures, currently no indications of chalara ash dieback, inonotus hispidus, significant basal open cavity with significant internal decay (simultaneous rot), longevity may be increased by pollarding to reduce wind throw.	10+	C2
T290	Acer pseudoplatanus (Sycamore)	12	2	3	2	1.5	14	250	2	3	(E)	EM	Good	Crown distorted due to group pressure.	10+	C2
T291	Acer pseudoplatanus (Sycamore)	12	1.5	1.5	4	2.5	15	250	2	3	(S)	EM	Good	Crown distorted due to group pressure.	10+	C2
T292	Ilex aquifolium (Holly)	6	1	1.5	1.5	1.5	6	100	3	1	(E)	EM	Fair	Decay present on stem, stem divides below 1.5m.	10+	C2
#T293	Fraxinus excelsior (Ash)	20	7	6	3	5	82	600	1	2	(E)	M	Fair	Estimated values due to access, unable to inspect stem due to undergrowth, dieback in crown- minor extent, currently no indications of chalara ash dieback.	20+	B2
#T294	Quercus petraea (Sessile Oak)	20	12	10	9	6	259	900	1	2	(E)	M	Good	Estimated values due to access, prominent tree, unable to inspect stem due to undergrowth.	40+	A2
T295	Quercus petraea (Sessile Oak)	15	7.5	5	5	6	108	800	1	3	(N)	M	Good	Prominent tree, minor deadwood in the crown, large diameter pruning wound on lower south stem, occluded edges.	40+	A2
#T296	Quercus petraea (Sessile Oak)	18	11	9	6	7	204	800	1	3	(S)	M	Good	Estimated values due to access, prominent tree, unable to inspect stem due to undergrowth, minor deadwood in the crown, moderate deadwood in the crown.	40+	A2
T297	Quercus petraea (Sessile Oak)	20	11	12	12	8	361	1350	1	3	(E)	OM	Good	Prominent tree, high value, ivy on tree, unable to inspect stem due to undergrowth, cavities between buttresses'.	40+	A2
T298	Quercus petraea (Sessile Oak)	20	6	8	7	9	176	1000	1	3	(N)	OM	Good	Epicormics on stem, minor deadwood in the crown.	40+	A2
T299	Fraxinus excelsior (Ash)	18.5	8	8.5	7	6	168	500	1	2	(NE)	M	Good	Unable to inspect stem due to undergrowth, currently no indications of chalara ash dieback.	20+	B2
T300	Quercus petraea (Sessile Oak)	23	10	9	9	10	284	1100	1	2	(NE)	OM	Good	Prominent tree, ivy on tree, moderate deadwood in the crown.	40+	A2
T301	Quercus petraea (Sessile Oak)	18	1.5	10	3	2.5	50	400	1	5	(S)	EM	Good	Crown distorted due to group pressure.	20+	B2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
T302	Quercus petraea (Sessile Oak)	18	1.5	8	5.5	2.5	60	400	1	2	(SW)	EM	Good	Ivy on tree, crown distorted due to group pressure.	20+	B2
#T303	Acer pseudoplatanus (Sycamore)	19	6	7	6.5	8	148	500	1	3	(NE)	EM	Good	Estimated values due to access, unable to inspect stem due to undergrowth, previous branch failures.	40+	A2
T304	Quercus petraea (Sessile Oak)	20	10	6	8	5	163	950	1	3	(N)	OM	Fair	Moderate deadwood in the crown, major deadwood in crown, previous branch failures, pruning wounds to lower stem, well occluded with decay pockets.	40+	A2
T305	Quercus petraea (Sessile Oak)	20	11	5.5	9	7	207	1200	1	6	(N)	OM	Good	Prominent tree, moderate deadwood in the crown.	40+	A2
T306	Quercus petraea (Sessile Oak)	20	7	6	6.5	1	77	700	1	1	(E)	M	Good	Moderate deadwood in the crown, basal decay pocket from previous adjacent stem, decay compartmentalised.	40+	A2
T307	Quercus petraea (Sessile Oak)	14	7	7	5	6	121	860	1	3	(N)	M	Fair	Cavities between buttresses', epicormics on stem, moderate deadwood in the crown, previous branch failures, flush cut pruning wounds to lower crown, part occluded with decay pockets, central crown lost.	40+	A2
T308	Quercus petraea (Sessile Oak)	22	6	7	10.5	10	209	1200	1	5	(W)	OM	Good	Prominent tree, dieback in crown- minor extent.	40+	A2
T309	Quercus petraea (Sessile Oak)	18	6.5	6	1	3	39	900	1	6	(N)	M	Dead	Tree has died, mainly durable heartwood remaining, habitat and perch value, elevated risk of root plate failure.	10+	C3
T310	Quercus petraea (Sessile Oak)	19	5	6.5	9	7	145	740	1	2	(NE)	M	Good	Part of linear group, cavities between buttresses', minor deadwood in the crown, previous branch failures.	40+	A2
T311	Quercus petraea (Sessile Oak)	18.5	5	6	6.5	3.5	86	700	1	2	(N)	M	Good	Part of linear group, epicormics on stem, minor deadwood in the crown, previous branch failures, epicormics have started to form a secondary crown around the lower stem, but no retrenchment is in evidence in the upper crown.	40+	A2
T312	Quercus petraea (Sessile Oak)	18	6.5	5.5	5.5	5	99	825	1	2	(N)	M	Fair	Part of linear group, epicormics on stem, dieback in crown- minor extent, minor deadwood in the crown, previous branch failures, pruning wounds to lower crown, epicormics forming early secondary crown.	40+	A2
T313	Quercus petraea (Sessile Oak)	17.5	7	6	6	6.5	128	825	1	2	(SW)	M	Good	Part of linear group, dieback in crown- minor extent, moderate deadwood in the crown, epicormics have started to form a secondary crown around the lower stem, but no retrenchment is in evidence in the upper crown.	40+	A2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
T314	Quercus petraea (Sessile Oak)	13	5	5.5	1.5	3	37	850	1	3	(SE)	M	Poor	Declining, loose bark, dieback in crown- major extent, major deadwood in crown, sparse live growth remaining, value as deadwood habitat- durable heartwood remains.	10+	C3
T315	Quercus petraea (Sessile Oak)	20	8	5	6	7	133	850	1	3	(S)	M	Good	Prominent tree, part of linear group, cavities between buttresses', epicormics on stem, moderate deadwood in the crown.	40+	A2
#T316	Quercus petraea (Sessile Oak)	15	5	5	5	3	63	700	1	6	(SE)	M	Fair	Estimated values due to access, part of linear group, unable to inspect stem due to undergrowth, minor deadwood in the crown, moderate deadwood in the crown, epicormics have started to form a secondary crown around the lower stem, but no retrenchment is in evidence in the upper crown.	20+	B2
T317	Quercus petraea (Sessile Oak)	20	7	4.5	3	4	63	500	1	2	(SE)	EM	Good	Part of linear group, epicormics on stem, broken branches in crown, stem diameter estimated due to access.	20+	B2
T318	Fraxinus excelsior (Ash)	21	5	6	5	4.5	82	600	1	2	(SW)	M	Poor	Declining, part of linear group, unable to inspect stem due to ivy, unable to inspect stem due to undergrowth, moderate deadwood in the crown, chalara ash dieback - severe.	<10	U
T319	Quercus petraea (Sessile Oak)	17	8	7	2.5	5.5	94	1050	1	6	(N)	OM	Good	Cavities between buttresses', epicormics on stem, minor deadwood in the crown, moderate deadwood in the crown, previous branch failures, flared basal stem, internal decay present (outer shell of sound wood).	40+	A2
T320	Quercus petraea (Sessile Oak)	18	7	9	7	6	163	880	1	8	(NE)	M	Fair	Epicormics on stem, dieback in crown- minor extent, moderate deadwood in the crown, previous branch failures.	40+	A2
T321	Quercus petraea (Sessile Oak)	18.5	3	7	8	2.5	82	900	1	2	(S)	M	Fair	Part of linear group, cavities between buttresses', epicormics on stem, exudation on stem, dieback in crown- moderate extent, moderate deadwood in the crown, appears to be beginning to retrench.	40+	A2
T322	Quercus petraea (Sessile Oak)	12.5	5	4	4	4	57	760	1	5	(NW)	M	Dead	Decay present on stem, deadwood habitat value, durable heartwood, time in landscape may be increased by retaining as a pollard, internal decay present.	<10	U
T323	Quercus petraea (Sessile Oak)	15	7	6	7	6	133	800	1	8	(N)	M	Good	Moderate deadwood in the crown, previous branch failures.	40+	A2
T324	Quercus petraea (Sessile Oak)	5	2.5	3	2	2	17	300	1	2	(S)	EM	Fair/Poor	Stunted, decay present on stem, epicormics on stem, minor deadwood in the crown.	10+	C2
T325	Quercus petraea (Sessile Oak)	18	6	5	5	5.5	91	800	1	6	(N)	M	Poor	Declining, dieback in crown- major extent, major deadwood in crown, sparse live growth remaining, value as deadwood habitat, pollarding may increase time within landscape.	<10	U

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
T326	Crataegus monogyna (Hawthorn)	5	1.5	2	1.5	1.5	8	100	1	0	-	EM	Good	Established on edge of ditch.	20+	B2
T327	Crataegus monogyna (Hawthorn)	5	1.5	2	1.5	2.5	11	100	1	0	-	EM	Good	Established on edge of ditch.	20+	B2
T328	Quercus petraea (Sessile Oak)	20	5	7	3.5	7	99	760	1	6	(W)	M	Good	Epicormics on stem, exudation on stem, moderate deadwood in the crown.	40+	A2
T329	Quercus petraea (Sessile Oak)	15	5	5	2.5	5	59	450	1	5	(NW)	EM	Fair	Part of linear group, decay present on stem, epicormics on stem, stem failure at included union, open longitudinal wound on stem.	20+	B2
#T330	Quercus petraea (Sessile Oak)	15	4.5	4	5	5	67	600	1	6	(NW)	EM	Good	Estimated values due to access, part of linear group, stunted, epicormics on stem.	20+	B2
#T331	Quercus petraea (Sessile Oak)	17	1.5	3	4.5	2.5	25	450	1	2	(NW)	EM	Fair	Estimated values due to access, part of linear group, suppressed, epicormics on stem.	20+	B2
T332	Quercus petraea (Sessile Oak)	18.5	6	7.5	5	5	106	1000	1	3	(NW)	M	Good	Part of linear group, epicormics on stem, moderate deadwood in the crown, flared basal stem.	40+	A2
#T333	Quercus petraea (Sessile Oak)	18	3	5	7	4.5	72	850	1	12	(S)	M	Good	Estimated values due to access, part of linear group, epicormics on stem, moderate deadwood in the crown, reaction wood around 'bottle butt' basal stem.	40+	A2
T334	Quercus petraea (Sessile Oak)	13	3	5	4	4	50	450	1	2	(E)	EM	Fair/Poor	Declining, part of linear group, decay present on stem, epicormics on stem, loose bark, dieback in crown- moderate extent, moderate deadwood in the crown, pale leaves, small leaves, scale insect infestation.	10+	C1
T335	Quercus petraea (Sessile Oak)	16	6	6	5	4.5	90	600	1	4	(NE)	EM	Good	Part of linear group, moderate deadwood in the crown.	40+	A2
T336	Quercus petraea (Sessile Oak)	18	7	6	10	10	204	900	1	5	(W)	OM	Good	Prominent tree, part of linear group, epicormics on stem, moderate deadwood in the crown.	40+	A2
T337	Quercus petraea (Sessile Oak)	19	7.5	7	10	6	182	1100	1	3	(NE)	V	Good	Prominent tree, part of linear group, leaning north-east, epicormics on stem, fruiting body at base, crown retrenchment.	40+	A2
T338	Quercus petraea (Sessile Oak)	15	4	4	1.5	2	22	800	1	6	(SE)	M	Fair	Cavity on stem, exudation on stem, stem failure at included union, moderate deadwood in the crown, previous branch failures.	20+	B2
T339	Quercus petraea (Sessile Oak)	18	5	9	6	5.5	126	1150	1	4	(SW)	OM	Good	Prominent tree, epicormics on stem, dieback in crown- minor extent, secondary crown forming with epicormic growth.	40+	A2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
T340	Quercus petraea (Sessile Oak)	17	2.5	6	4	5	60	900	1	5	(W)	M	Fair	Part of linear group, epicormics on stem, dieback in crown- moderate extent, moderate deadwood in the crown, epicormics associated around pruning wounds to stem/ lower crown.	40+	A2
T341	Quercus petraea (Sessile Oak)	16	5.5	3	2	7	60	800	1	4	(NW)	M	Fair	Part of linear group, cavity on stem, cavities between buttresses', epicormics on stem, moderate deadwood in the crown, previous branch failures, pale leaves, appears to be retrenching, secondary crown forming, epicormics associated around pruning wounds to stem/ lower crown.	40+	A2
T342	Quercus petraea (Sessile Oak)	15	1	5	5	5.5	49	880	1	7	(W)	M	Fair	Part of linear group, cavities between buttresses', epicormics on stem, dieback in crown- minor extent, moderate deadwood in the crown, epicormics associated around pruning wounds to stem/ lower crown.	40+	A2
T343	Quercus petraea (Sessile Oak)	16	5	3	3	6	57	900	1	4	(SE)	M	Good	Epicormics on stem, dieback in crown- minor extent, moderate deadwood in the crown, epicormics associated around pruning wounds to stem/ lower crown.	40+	A2
T344	Quercus petraea (Sessile Oak)	17	5	6	3.5	7	91	900	1	4	(S)	M	Fair	Cavities between buttresses', epicormics on stem, dieback in crown- minor extent, minor deadwood in the crown, pale leaves, fruiting body at base, ganoderma spp., epicormics associated around pruning wounds to stem/ lower crown.	40+	A2
T345	Quercus petraea (Sessile Oak)	17	8	9	3.5	6.5	134	1100	1	4	(E)	OM	Good	Cavities between buttresses', dieback in crown- minor extent, moderate deadwood in the crown, ganoderma spp., internal decay, residual shell of sound wood, epicormics associated around pruning wounds to stem/ lower crown.	40+	A2
T346	Fraxinus excelsior (Ash)	15	5	5	3	6	71	1500	1	2	(S)	V	Fair	Currently no indications of chalara ash dieback, wide basal stem with significant internal decay (50%), open longitudinal split from 0-4m that has occluded well, inonotus hispidus fungal body noted inside stem hollow, retrenched form.	40+	A3
T347	Quercus petraea (Sessile Oak)	18	10	3	6	9	153	1400	1	4	-	V	Good	Prominent tree, high value, dieback in crown- minor extent, minor deadwood in the crown, major deadwood in crown, previous branch failures, fruiting body at base, fruiting body on stem, ganoderma spp., chicken of the woods (laetiporus sulphureus), significant internal stem decay (50% or more).	40+	A3
T348	Quercus petraea (Sessile Oak)	15	3	3	5.5	6	54	800	1	2	(W)	M	Good	Ivy on tree, minor deadwood in the crown.	40+	A2
T349	Quercus petraea (Sessile Oak)	17	7.5	7	7.5	6	154	900	1	4	(NW)	M	Good	Part of linear group, minor deadwood in the crown.	40+	A2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
T350	Quercus petraea (Sessile Oak)	16	5.5	8.5	4	6	110	900	1	5	(W)	M	Good	Part of linear group, ivy on tree, epicormics on stem, moderate deadwood in the crown, epicormics associated around pruning wounds to stem/ lower crown.	40+	A2
T351	Quercus petraea (Sessile Oak)	18	6.5	11	9	7.5	227	1500	1	5	(E)	V	Good	Prominent tree, high value, stem divides above 1.5m, dieback in crown- minor extent, moderate deadwood in the crown, fruiting body at base, ganoderma spp., wild basal girth formed of x2 fused stems, epicormics associated around pruning wounds to stem/ lower crown.	40+	A2
T352	Quercus petraea (Sessile Oak)	12	2	6	5.5	3	53	600	1	3	(S)	M	Good	Moderate deadwood in the crown, epicormics associated around pruning wounds to stem/ lower crown, suppress to north by neighbour.	20+	B2
T353	Fraxinus excelsior (Ash)	19	7.5	4	0.5	4	41	800	1	2	(NE)	M	Fair	Previous branch failures, chalara ash dieback - present.	20+	B2
T354	Fraxinus excelsior (Ash)	19	2.5	6	7	5	80	1050	1	3	(E)	M	Fair/Poor	Dieback in crown- moderate extent, moderate deadwood in the crown, previous branch failures, chalara ash dieback - moderate extent, decay around buttress roots and within stem, may be susceptible to honey fungus and subsequent stem failure, currently low target nonetheless.	10+	C1
#T355	Fraxinus excelsior (Ash)	18	7	7	6	6	132	450	1	2	(E)	EM	Good	Estimated values due to access, currently no indications of chalara ash dieback.	20+	B2
#T356	Fraxinus excelsior (Ash)	18	7	7	4	2.5	71	400	1	3	(E)	EM	Good	Estimated values due to access, currently no indications of chalara ash dieback.	20+	B2
T357	Quercus petraea (Sessile Oak)	17	5.5	7	3	3.5	64	850	1	2	(N)	M	Fair	Ivy on tree, dieback in crown- minor extent, minor deadwood in the crown, reduced leaf density, epicormics associated around pruning wounds to stem/ lower crown.	20+	B2
T358	Quercus petraea (Sessile Oak)	20	7	8	3.5	6.5	118	1000	1	2	(SE)	M	Good	Prominent tree, cavities between buttresses', epicormics associated around pruning wounds to stem/ lower crown.	40+	A2
T359	Quercus petraea (Sessile Oak)	18.5	5.5	9.5	10.5	5	183	1200	1	4	(E)	OM	Good	Ivy on tree, dieback in crown- minor extent, previous branch failures, ganoderma spp., epicormics associated around pruning wounds to stem/ lower crown.	40+	A2
T360	Crataegus monogyna (Hawthorn)	6	3	2.5	2.5	3	24	100	4	1	(E)	M	Good	Stem divides below 1.5m.	20+	B2
T361	Crataegus monogyna (Hawthorn)	6	3	2.5	2.5	3	24	100	4	1	(E)	M	Good	Stem divides below 1.5m.	20+	B2
T362	Crataegus monogyna (Hawthorn)	3.5	2	1	2	1	7	200	1	1	(NW)	M	Fair	Stunted, ivy on tree, pale leaves.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
T363	<i>Crataegus monogyna</i> (Hawthorn)	6	3	2.5	2.5	3	24	100	4	1	(E)	M	Good	Stem divides below 1.5m.	20+	B2
T364	<i>Prunus spinosa</i> (Blackthorn)	3	2	2	2	1	9	100	1	1	(E)	EM	Fair	Cushion fungus noted on stem.	10+	C2
T365	<i>Corylus avellana</i> (Hazel)	7	4.5	5	4	2.5	48	110	7	2	(E)	M	Fair	Stem divides below 1.5m, dieback in crown- minor extent, moderate deadwood in the crown.	20+	B2
T366	<i>Crataegus monogyna</i> (Hawthorn)	6	3	7	2.5	2.5	39	100	8	1	(E)	M	Fair	Multiple stems at ground level, one stem has failed, but resumed growth in failed position.	20+	B2
T367	<i>Corylus avellana</i> (Hazel)	5	2.5	4	3	1.5	23	100	2	2	(E)	EM	Fair	Suppressed, stem divides at ground level, dieback in crown- minor extent, moderate deadwood in the crown.	10+	C2
T368	<i>Corylus avellana</i> (Hazel)	5	2.5	3	3	1.5	19	100	4	2	(E)	EM	Fair	Suppressed, multiple stems at ground level, dieback in crown- minor extent, moderate deadwood in the crown.	10+	C2
T369	<i>Ilex aquifolium</i> (Holly)	8	3	5	4	4	50	150	7	2	(E)	EM	Fair	Multiple stems at ground level, included bark present in fork, minor deadwood in the crown, pale leaves.	10+	C2
T370	<i>Quercus petraea</i> (Sessile Oak)	19	8	5	9	8	174	1200	1	3	(S)	M	Good	Cavities between buttresses', minor deadwood in the crown, moderate deadwood in the crown, previous branch failures, asymmetric crown.	40+	A2
T371	<i>Crataegus monogyna</i> (Hawthorn)	6	0.5	0.5	2	2.5	4	300	1	2	(W)	M	Poor/Fair	Decay present on stem, stem failure at included union, pale leaves, small leaves.	10+	C1
T372	<i>Crataegus monogyna</i> (Hawthorn)	7.5	3	2.5	1.5	2	15	250	2	2	(NE)	M	Fair/Poor	Dieback in crown- minor extent, pale leaves, decay and failures around exposed basal roots.	10+	C1
T373	<i>Quercus petraea</i> (Sessile Oak)	20	7.5	9	7	9	207	1300	1	2	(E)	V	0.00	Cavities between buttresses', major deadwood in crown, previous branch failures, fruiting body at base, ganoderma spp., asymmetric crown shape due to previous failures of primary limbs.	40+	A3
T374	<i>Quercus petraea</i> (Sessile Oak)	14	7	9	7	5	151	800	1	3	(S)	M	Good	Ivy on tree, unable to inspect stem due to ivy, minor deadwood in the crown, secondary crown forming around lower stem.	40+	A2
T375	<i>Acer pseudoplatanus</i> (Sycamore)	16	5	7	6	4	94	1000	1	0	-	OM	Fair	Multiple stems above 1.5m, dieback in crown- minor extent, dense shoots around basal stem, limited inspection of stem.	40+	A2
T376	<i>Acer pseudoplatanus</i> (Sycamore)	20	8	7.5	8	5.5	164	1100	1	3	(W)	OM	Good	Prominent tree, dense shoots around basal stem, limited inspection of stem.	40+	A2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
T377	Quercus petraea (Sessile Oak)	18	7.5	8	8	5	158	1150	1	3	(S)	V	Fair	Prominent tree, high value, decay present on stem, moderate deadwood in the crown, previous branch failures, gap in mid crown where previous branch failures have given a lack of secondary and tertiary branches and associated foliage, peripheral foliage remains in good vitality, retrenching- well attached heartwood deadwood in mid crown, secondary crown from 3-10m, longitudinal stem wound on west side, 0-2m, occluded at edges with internal decay.	40+	A3
T378	Quercus petraea (Sessile Oak)	17	4	6	8	7	118	1050	1	2	(E)	OM	Good	Prominent tree, high value, cavities between buttresses', moderate deadwood in the crown.	40+	A2
T379	Fraxinus excelsior (Ash)	21	6.5	9	6	3	110	1200	1	3	(NE)	OM	Fair	Moderate deadwood in the crown, significant decay around basal north stem and buttress roots, but compensatory growth present on south stem, crown vitality good with only a few scattered instances of branch dieback.	20+	B1
T380	Quercus petraea (Sessile Oak)	18	6.5	7	5	4	95	800	1	6	(N)	M	Fair	Hard surface in RPA, located adjacent to road, dieback in crown- moderate extent, dieback in north crown- likely correlates with hard surface over RPA, rest of crown shows normal vitality.	40+	A2
T381	Quercus petraea (Sessile Oak)	12	5	4	5	3	57	500	1	2	(S)	M	Fair	Hard surface in RPA, located adjacent to road, moderate deadwood in the crown, pale leaves.	20+	B2
T382	Quercus petraea (Sessile Oak)	14	6.5	10.5	7	4	147	1000	1	2	(S)	OM	Fair	Hard surface in RPA, located adjacent to road, ivy on tree, unable to inspect stem due to ivy, dieback in crown- moderate extent, moderate deadwood in the crown, appears to be in early stages of retrenching.	40+	A2
#T383	Acer pseudoplatanus (Sycamore)	13.5	3.5	4	4	4	47	300	1	4	(S)	EM	Good	Estimated values due to access, unable to inspect stem due to undergrowth.	20+	B2
#T384	Quercus petraea (Sessile Oak)	5	1	1.5	1.5	1.5	6	800	1	3	(N)	M	Fair/Poor	Estimated values due to access, unable to inspect stem due to undergrowth, old stem, failed at 3m, regrowth shoots to 5m.	20+	B2
#T385	Acer pseudoplatanus (Sycamore)	12.5	6	4.5	6	4	82	150	5	6	(W)	EM	Good	Estimated values due to access, unable to inspect stem due to undergrowth, multiple adjacent stems forming single crown.	20+	B2
T386	Quercus petraea (Sessile Oak)	8	1.5	4	3	4	30	150	1	3	(W)	SM	Good	Hedgerow tree left to grow out.	20+	B2
#T387	Crataegus monogyna (Hawthorn)	8	6	3	2.5	3	39	150	4	3	(W)	EM	Good	Estimated values due to access, unable to inspect stem due to undergrowth, multiple stems below 1.5m.	20+	B2
T388	Quercus petraea (Sessile Oak)	17	9	9	6.5	8	205	800	1	2	(NW)	M	Good	Ivy on tree, unable to inspect stem due to ivy, dieback in crown- moderate extent, moderate deadwood in the crown.	40+	A2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
T389	Quercus petraea (Sessile Oak)	22	9	11	11	11	346	1750	1	2	(SW)	V	Good	Prominent tree, high value, moderate deadwood in the crown, previous branch failures, very wide basal stem girth, upper crown still showing very good vitality, champion tree.	40+	A1
#T390	Quercus petraea (Sessile Oak)	14	7	5	3	3.5	61	650	1	4	(N)	M	Fair	Estimated values due to access, unable to inspect stem due to undergrowth, moderate deadwood in the crown.	40+	A2
#T391	Fraxinus excelsior (Ash)	13	6	2.5	4.5	4.5	60	600	1	2	(W)	M	Fair/Poor	Estimated values due to access, unable to inspect stem due to ivy, unable to inspect stem due to undergrowth, previous failure of primary branch has lead to asymmetric crown, decay at point of failure.	10+	C2
T392	Quercus petraea (Sessile Oak)	14	3	7.5	4.5	7	95	500	1	3	(W)	EM	Fair	Stem divides at 2m, crown splits east and west.	20+	B2
T393	Malus sylvestris (Crab Apple)	12	2.5	5	3	6	53	750	1	4	(NW)	V	Fair/Poor	Decay present on stem, dieback in crown- moderate extent, fruiting body in crown, future failures are likely, however the tree is likely to persist as regrowth from the aged stump.	40+	A3
#T394	Quercus petraea (Sessile Oak)	20	8	10	12	11	325	900	1	2	(SW)	OM	Good	Estimated values due to access, prominent tree.	40+	A2
T395	Fraxinus excelsior (Ash)	12	6	1	0.5	3	19	125	2	2	(NW)	SM	Fair/Poor	Chalara ash dieback - moderate extent.	10+	C2
T396	Fraxinus excelsior (Ash)	12	1	4.5	4	5	39	300	1	3	(W)	EM	Poor	Chalara ash dieback - severe.	<10	U
T397	Fraxinus excelsior (Ash)	20	6.5	10	3.5	9	162	750	1	2	(W)	M	Fair	Chalara ash dieback - present, minor dieback only, majority of crown in good vitality, will likely persist for several decades.	20+	B2
T398	Quercus petraea (Sessile Oak)	19	10	11	9	7	264	1200	1	2	(W)	OM	Good	Prominent tree, high value, dieback in crown- minor extent, stem divides at 3m into wide spreading crown, good vitality.	40+	A2
T399	Quercus petraea (Sessile Oak)	17	5.5	9	7	8	171	800	1	2	(W)	M	Good	Unable to inspect stem due to undergrowth, multiple stems below 1.5m.	40+	A2
T400	Quercus petraea (Sessile Oak)	16	6	7	6	9	153	1000	1	7	(W)	OM	Fair/Poor	Reduced vitality, ivy on tree, unable to inspect stem due to ivy, dieback in crown- moderate extent, moderate deadwood in the crown, pale leaves.	20+	B2
#T401	Quercus petraea (Sessile Oak)	19	8	7	5	6	130	1500	1	3	(W)	V	Good	Estimated values due to access, prominent tree, dieback in crown- minor extent.	40+	A2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
T402	Quercus petraea (Sessile Oak)	17	6	6	5.5	3	80	1000	1	2	(E)	OM	Fair	Prominent tree, moderate deadwood in the crown, major deadwood in crown.	40+	A2
T403	Quercus petraea (Sessile Oak)	18	7	5	7	5.5	118	1100	1	3	(N)	OM	Good	Prominent tree, minor deadwood in the crown, epicormics on lower stem, associated with pruning wounds.	40+	A2
T404	Quercus petraea (Sessile Oak)	19	6	6	9	6	141	1200	1	2	(S)	OM	Fair	Prominent tree, cavities between buttresses', stem divides above 1.5m, minor deadwood in the crown, large pruning wounds on northern primary branch previously obviously overhanging highway, pale new growth.	40+	A2
#T405	Acer pseudoplatanus (Sycamore)	10	2	4	2	3.5	26	200	1	3	-	SM	Fair/Poor	Estimated values due to access, dieback in crown- minor extent, pale leaves.	10+	C2
#T406	Acer pseudoplatanus (Sycamore)	10	2	2	2	3	16	200	1	3	-	SM	Fair	Estimated values due to access, pale leaves.	10+	C2
#T407	Crataegus monogyna (Hawthorn)	10	2	2.5	2	2	14	150	1	1	(E)	SM	Fair	Estimated values due to access, pale leaves.	10+	C2
#T408	Fraxinus excelsior (Ash)	20	3	4.5	4	4	47	500	1	2	(E)	EM	Good	Estimated values due to access, located adjacent to road, currently no indications of chalara ash dieback.	20+	B2
T409	Acer pseudoplatanus (Sycamore)	18	6	6	7	6.5	127	500	2	1	(S)	M	Good	Located adjacent to road, stem divides above 1.5m, included bark present in fork.	40+	A2
T410	Fraxinus excelsior (Ash)	10	5.5	5	3	3.5	54	350	1	2	(E)	EM	Fair	Located next to telegraph pole.	20+	B2
T411	Quercus petraea (Sessile Oak)	20	11	11	9	7.5	285	1350	1	3	(SE)	OM	Good	Hard surface in RPA, located adjacent to road, prominent tree, ivy on tree, moderate deadwood in the crown.	40+	A2
T412	Quercus petraea (Sessile Oak)	15	6	8	9	8	187	900	1	1	(NE)	OM	Good	Epicormics on stem, moderate deadwood in the crown, appears to be retrenching.	40+	A2
T413	Fraxinus excelsior (Ash)	8	2.5	2.5	2.5	2.5	20	200	1	2	-	EM	Poor	Chalara ash dieback - severe.	<10	U
T414	Prunus spinosa (Blackthorn)	4.5	2.5	3	0.5	3	15	75	3	2	(N)	SM	Good	Multiple stems below 1.5m.	10+	C2
T415	Aesculus hippocastanum (Horse Chestnut)	10	1.5	4	4	5	39	100	2	1	(S)	SM	Fair	Stem divides below 1.5m.	10+	C2

▼ Groups Surveyed During Original Survey ▼

Note: This survey is based on a brief visual inspection from the ground. It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
G1	Trachycarpus fortunei, Pinus, Eucalyptus, Salix cortora Chusan Palm, Pine, Eucalyptus, Willow	4	-	-	-	-	-	200 (avg.)	-	0	-	Y	Good	Ornamental planting, including palms.	10+	C2
G2	Acer pseudoplatanus, Fraxinus excelsior Sycamore, Common Ash	12	-	-	-	-	-	400 (avg.)	-	0	-	M	Good	Unable to access directly, mixed roadside group, landscape value, sycamore dominant.	20+	B2
G3	Acer pseudoplatanus, Prunus spinosa, Rosa canina, Fraxinus excelsior Sycamore, Blackthorn, Dog Rose, Common Ash	4	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Patchy group on sloping embankment, sycamore dominant.	20+	B3
G4	Acer pseudoplatanus, Fraxinus excelsior Sycamore, Common Ash	12	-	-	-	-	-	300 (avg.)	-	0	-	M	Good	Inaccessible, between road and railway, sycamore dominant.	20+	B2
G5	Acer pseudoplatanus, Fraxinus excelsior Sycamore, Common Ash	8	-	-	-	-	-	200 (avg.)	-	0	-	EM	Good/Fair	Unable to access, between road and railway, patchy sycamore, signs of ash dieback in ash.	20+	B2
G5.5	Acer pseudoplatanus, Fraxinus excelsior Sycamore, Common Ash	10	-	-	-	-	-	200 (avg.)	-	2	-	EM	Good	Roadside, sycamore dominant, ivy clad, multi-stemmed.	10+	C2
G6	Acer pseudoplatanus, Alnus glutinosa, Crataegus monogyna, Ligustrum vulgare Sycamore, Common Alder, Common Hawthorn, Wild Privet	7	-	-	-	-	-	250 (avg.)	-	0	-	M	Good	Sycamore group, understory of thorn/privet, roadside, even age sycamore, continuous cover.	20+	B2
G7	Pinus nigra, Acer pseudoplatanus, Fagus sylvatica, Crataegus monogyna, Fraxinus excelsior Austrian Pine, Sycamore, Common Beech, Common Hawthorn, Common Ash	15	-	-	-	-	-	500 (avg.)	-	0	-	EM	Good	Pine, sycamore group; understory of thorn, better pine individuals with general sycamore cover.	40+	A2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
G8	Quercus robur, Fraxinus excelsior, Populus sp., Acer pseudoplatanus Pedunculate Oak, Common Ash, Poplar, Sycamore	18	-	-	-	-	-	700 (avg.)	-	1	-	M	Good	Fine oak copse, off site, maiden individuals, no understory, grazed, few dead/storm damaged trees, habitat value.	40+	A2
G9	Pinus nigra, Quercus robur, Quercus cerris, Acer pseudoplatanus Austrian Pine, Pedunculate Oak, Turkey Oak, Sycamore	20	-	-	-	-	-	900 (avg.)	-	1	-	M	Good	Roadside pine and oak group, wide spread landscape value, individual fine pine and oak, occasional large sycamore, various snags, dead wood and ivy, few dead standing trees.	40+	A2
G10	Crataegus monogyna, Fraxinus excelsior, Sambucus nigra, Quercus cerris Common Hawthorn, Common Ash, Elder, Turkey Oak	6	-	-	-	-	-	200 (avg.)	-	0	-	EM	Good	Young thicket, dense to west, patchy to east, immature individual ash and turkey oak, dense thorn, habitat value.	20+	B2
G11	Acer pseudoplatanus, Crataegus monogyna Sycamore, Common Hawthorn	8	-	-	-	-	-	200 (avg.)	-	1	-	EM	Good	Tight, linear group of sycamore; over aged, thorn understory.	20+	B2
G12	Fagus sylvatica, Alnus procera, Crataegus monogyna, Acer pseudoplatanus Common Beech, English Elm, Common Hawthorn, Sycamore	20	-	-	-	-	-	800 (avg.)	-	2	(W)	M	Good	Superb tree group with fine maiden beech.	40+	A2
G13	Acer pseudoplatanus, Crataegus monogyna Sycamore, Common Hawthorn	7	-	-	-	-	-	300 (avg.)	-	0	-	EM	Good	Boundary group, less mature than western sycamore.	20+	B2
G14	Acer pseudoplatanus, Crataegus monogyna, Fraxinus excelsior Sycamore, Common Hawthorn, Common Ash	16	-	-	-	-	-	400 (avg.)	-	5	(W)	M	Good	Mature sycamore following green lane, thorn understory.	40+	A2
G15	Crataegus monogyna Common Hawthorn	2	-	-	-	-	-	100 (avg.)	-	0	-	M	Good	Patchy thorn, hedgerow remnant.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
G16	Sambucus nigra, Crataegus monogyna Elder, Common Hawthorn	3	-	-	-	-	-	100 (avg.)	-	0	-	M	Fair	Patchy scrub/elder.	10+	C3
G17	Fraxinus excelsior, Quercus robur Common Ash, Pedunculate Oak	16	-	-	-	-	-	500 (avg.)	-	2	-	M	Good	Hedgerow trees, adjacent to woodland edge.	40+	A2
G18	Fraxinus excelsior x3, Acer pseudoplatanus x1 Common Ash, Sycamore	6	-	-	-	-	-	600 (avg.)	-	2	-	M	Good	Group of field grown, open trees, maiden.	40+	A2
G19	Fraxinus excelsior x3, Acer pseudoplatanus x1 Common Ash, Sycamore	9	-	-	-	-	-	500 (avg.)	-	2	-	M	Poor/Fair	Group of decayed/damaged ash, no long term potential.	<10	U
G20	Fraxinus excelsior 8/9 Common Ash	18	-	-	-	-	-	500 (avg.)	-	2	-	EM	Good/Fair	Open group, collective merit, few thorn.	20+	B2
G21	Acer pseudoplatanus, Fraxinus excelsior, Fagus sylvatica Sycamore, Common Ash, Common Beech	16	-	-	-	-	-	400 (avg.)	-	2	-	EM	Good/Fair	Open copse on low side of lane, maiden, no understory, ash dieback present, some better sycamore.	40+	A2
G22	Acer pseudoplatanus, Rosa canina, Crataegus monogyna, Fraxinus excelsior Sycamore, Dog Rose, Common Hawthorn, Common Ash	15	-	-	-	-	-	600 (avg.)	-	4	-	M	Good	Roadside copse, on higher slope, sycamore dominant.	40+	A2
G22.5	Acer pseudoplatanus Sycamore	10	-	-	-	-	-	300 (avg.)	-	4	(S)	EM	Good	Continuous belt of over aged/sized sycamore, group value only, no special individuals.	20+	B2
G23	Fagus sylvatica, Acer pseudoplatanus, Fraxinus excelsior Common Beech, Sycamore, Common Ash	8	-	-	-	-	-	300 (avg.)	-	2	-	EM	Good	Thicket, larger ash to east, few ornamentals.	20+	B2
G23.5	Crataegus monogyna, Acer pseudoplatanus, Sambucus nigra Common Hawthorn, Sycamore, Elder	5	-	-	-	-	-	200 (avg.)	-	0	-	M	Good	Patchy thicket, following rock outcrop, habitat value.	20+	B2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
G24	Acer pseudoplatanus, Ulmus procera x2 Sycamore, English Elm	5	-	-	-	-	-	200 (avg.)	-	2	(E)	EM	Good	Small trees adjacent cave.	10+	C2
G25	Thuja plicata x3 Red Western Cedar	7	-	-	-	-	-	400 (avg.)	-	1	-	M	Good/Fair	Conifer group, northern tree largest.	10+	C2
G26	Fraxinus excelsior, Corylus avellana, Crataegus monogyna, Quercus robur, Acer pseudoplatanus, Calix caprea, Sambucus nigra Common Ash, Common Hazel, Common Hawthorn, Pedunculate Oak, Sycamore, Goat Willow, Elder	16	-	-	-	-	-	700 (avg.)	-	0	-	M	Good	Riparian character group, following north facing slope of small valley, ash to 0.5ø, mixed understory with some better hazel stools, sparse nearest the western crossing.	40+	A2
G27	Ulex europaeus, Salix caprea, Crataegus monogyna, Prunus spinosa, Ilex aquifolium Grose, Goat Willow, Common Hawthorn, Blackthorn, Common Holly	3	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Gorse thicket on sloping bank, dense.	10+	C3
G28	Alnus glutinosa x10 Common Alder	15	-	-	-	-	-	400 (avg.)	-	1	(S)	EM	Good	Group of standard alder, fine group.	40+	A2
G29	Alnus glutinosa, Corylus avellana, Fraxinus excelsior, Quercus robur x5 Common Alder, Common Hazel, Common Ash, Pedunculate Oak	20	-	-	-	-	-	600 (avg.)	-	0	-	V	Good	Superb tree group with veteran or near-veteran alder, root flare +1.5mø with aged qualities, fine large ash and solitary oak, group and individual value, follow steep sided stream.	40+	A2
G30	Salix caprea, Fraxinus excelsior Goat Willow, Common Ash	15	-	-	-	-	-	600 (avg.)	-	0	-	M	Good/Fair	Ash dominant, goat willow to north, variable quality, habitat value mainly.	40+	A3
G31	Salix caprea, Crataegus monogyna Goat Willow, Common Hawthorn	4	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Patchy thicket, multi-stemmed willow to south, follows ditch.	10+	C3

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
G32	Salix caprea (Goat Willow),Crataegus monogyna (Hawthorn),Rubus fruticosus (Bramble spp.)	7.5	-	-	-	-	-	250 (avg.)	-	0	-	M	Good	Mixed group that forms part of field boundary hedge.	10+	C2
G33	Fraxinus excelsior (Ash),Picea sitchensis (Sitka Spruce),Larix decidua (European Larch)	15	-	-	-	-	-	200 (avg.)	-	0	-	EM	Good	Estimated values due to access, young group of mainly conifer.	20+	B2
G34	Crataegus monogyna (Hawthorn)	2	-	-	-	-	-	100 (avg.)	-	1	-	M	Poor	Remnant of old field boundary hedge, heavily grazed.	10+	C2
G35	Crataegus monogyna (Hawthorn),Prunus spinosa (Blackthorn)	2.5	-	-	-	-	-	150 (avg.)	-	1	-	M	Fair	Unremarkable field boundary hedge.	10+	C2
G36	Quercus robur (Common Oak),Prunus avium (Wild Cherry)	10	-	-	-	-	-	600 (avg.)	-	2	-	M	Fair/Poor	Larger trees withing field boundary hedge, southern most oak in group has major die back.	20+	B2
G37	Unknown (Unknown)	10	-	-	-	-	-	500 (avg.)	-	2	-	M	Dead	Row of dead trees along field boundary.	<10	U
G38	Quercus robur (Common Oak)	10	-	-	-	-	-	450 (avg.)	-	3	-	M	Fair	Group of trees growing along small raised bund between fields, some pruning wounds in lower crowns.	40+	A2
G39	Quercus robur (Common Oak)	10	-	-	-	-	-	450 (avg.)	-	3	-	M	Fair	Group of trees growing along small raised bund between fields, some pruning wounds in lower crowns.	40+	A2
G40	Salix caprea (Goat Willow)	5	-	-	-	-	-	250 (avg.)	-	0	-	M	Good	Group along field boundary, lower crowns grazed in places.	10+	C2
G41	Quercus robur (Common Oak),Fraxinus excelsior (Ash),Acer pseudoplatanus (Sycamore)	10	-	-	-	-	-	450 (avg.)	-	3	3 (NW)	EM	Fair	Line of trees growing atop road embankment, mostly oak.	40+	A2
G42	Salix caprea (Goat Willow),Quercus robur (Common Oak),Fraxinus excelsior (Ash),Crataegus monogyna (Hawthorn)	10	-	-	-	-	-	550 (avg.)	-	0	-	M	Good	Group of mostly oak forming field boundary, scrubby understory forms hedge.	40+	A2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
G43	Quercus robur (Common Oak),Crataegus monogyna (Hawthorn),Ilex aquifolium (Holly)	10	-	-	-	-	-	550 (avg.)	-	0	-	M	Good	Group of mostly oak forming field boundary, scrubby understory forms hedge.	20+	B2
G44	Salix caprea (Goat Willow),Quercus robur (Common Oak),Fraxinus excelsior (Ash),Crataegus monogyna (Hawthorn)	10	-	-	-	-	-	550 (avg.)	-	0	-	M	Good	Group of mostly oak forming field boundary, scrubby understory forms hedge.	20+	B2
G45	Quercus robur (Common Oak)	7.5	-	-	-	-	-	250 (avg.)	-	1	-	EM	Fair	Group of trees along boundary edge, mostly unremarkable with some minor deadwood.	20+	B2
G46	Quercus robur (Common Oak)	7.5	-	-	-	-	-	500 (avg.)	-	2	2.5 (NE)	EM	Fair	Minor deadwood, growing between road and ditch, limited rootable soil.	20+	B2
G47	Quercus robur (Common Oak),Fraxinus excelsior (Ash),Crataegus monogyna (Hawthorn)	12.5	-	-	-	-	-	500 (avg.)	-	1	-	M	Fair	Mixed roadside group.	20+	B2
G48	Ilex aquifolium (Holly),Crataegus monogyna (Hawthorn),Sambucus nigra (Elder),Corylus avellana (Hazel)	5	-	-	-	-	-	250 (avg.)	-	0	-	M	Fair	Patchy group of trees along drainage ditch.	10+	C2
G49	Quercus robur (Common Oak)	10	-	-	-	-	-	250 (avg.)	-	1	-	M	Fair	Group growing along opposite bank of drainage ditch, many multi-stemmed, minor deadwood throughout.	40+	A2
G50	Quercus robur (Common Oak)	10	-	-	-	-	-	250 (avg.)	-	1	-	M	Fair	Group growing along bank of drainage ditch, many multi-stemmed, minor deadwood throughout.	40+	A2
G51	Quercus robur (Common Oak),Crataegus monogyna (Hawthorn),Sorbus aucuparia (Rowan)	10	-	-	-	-	-	250 (avg.)	-	1	-	M	Fair	Group growing along bank of drainage ditch, many multi-stemmed, minor deadwood throughout.	40+	A2
G52	Quercus robur (Common Oak),Crataegus monogyna (Hawthorn),Salix caprea (Goat Willow)	10	-	-	-	-	-	250 (avg.)	-	1	-	M	Fair	Group growing along bank of drainage ditch, many multi-stemmed, minor deadwood throughout.	20+	B2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
G53	Quercus robur (Common Oak),Betula pendula (Silver Birch),Crataegus monogyna (Hawthorn)	10	-	-	-	-	-	250 (avg.)	-	1	-	M	Fair	Group growing along bank of drainage ditch, many multi-stemmed, minor deadwood throughout.	40+	A2
G54	Quercus robur (Common Oak)	10	-	-	-	-	-	250 (avg.)	-	1	-	M	Fair	Group growing along bank of drainage ditch, many multi-stemmed, minor deadwood throughout.	40+	A2
G55	Quercus robur (Common Oak)	10	-	-	-	-	-	250 (avg.)	-	1	-	M	Fair	Group growing along bank of drainage ditch, many multi-stemmed, minor deadwood throughout.	40+	A2
G56	Quercus robur (Common Oak)	10	-	-	-	-	-	250 (avg.)	-	1	-	M	Fair	Group growing along bank of drainage ditch, many multi-stemmed, minor deadwood throughout.	40+	A2
G57	Quercus robur (Common Oak),Fraxinus excelsior (Ash),Salix caprea (Goat Willow)	10	-	-	-	-	-	250 (avg.)	-	1	-	M	Fair	Group growing along bank of drainage ditch, many multi-stemmed, minor deadwood throughout.	20+	B2
G58	Quercus robur (Common Oak),Betula pendula (Silver Birch),Crataegus monogyna (Hawthorn),Corylus avellana (Hazel)	10	-	-	-	-	-	500 (avg.)	-	1	-	M	Fair	Group growing ether side of drainage ditch, minor deadwood throughout.	40+	A2
G59	Quercus robur (Common Oak),Fraxinus excelsior (Ash)	10	-	-	-	-	-	850 (avg.)	-	1	-	M	Fair	Linear group of mature trees, minor deadwood throughout, ash in group spear healthy.	40+	A2
G60	Quercus robur (Common Oak)	12.5	-	-	-	-	-	650 (avg.)	-	1	-	M	Fair	Group growing on field boundaries, minor deadwood throughout.	40+	A2
G61	Salix caprea (Goat Willow),Quercus robur (Common Oak),Betula pendula (Silver Birch),Corylus avellana (Hazel)	10	-	-	-	-	-	250 (avg.)	-	0	-	EM	Fair	Scrubby group of trees.	10+	C2
G62	Quercus robur (Common Oak)	12.5	-	-	-	-	-	750 (avg.)	-	1	-	M	Fair	Group growing as part of boundary group, minor deadwood.	40+	A2
G63	Salix caprea (Goat Willow),Quercus robur (Common Oak)	10	-	-	-	-	-	250 (avg.)	-	0	-	EM	Fair	Scrubby group of trees.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
G64	Salix caprea (Goat Willow),Acer pseudoplatanus (Sycamore),Alnus glutinosa (Common Alder)	10	-	-	-	-	-	300 (avg.)	-	0	-	EM	Fair	Scrubby group of trees along drainage ditch.	10+	C2
G65	Salix caprea (Goat Willow),Alnus glutinosa (Common Alder)	10	-	-	-	-	-	250 (avg.)	-	0	-	EM	Fair	Scrubby group of trees along drainage ditch.	10+	C2
G66	Salix caprea (Goat Willow),Alnus glutinosa (Common Alder),Crataegus monogyna (Hawthorn),Quercus robur (Common Oak)	12.5	-	-	-	-	-	300 (avg.)	-	0	-	EM	Fair	Mature group of trees along drainage ditch, many multi-stemmed.	20+	B2
G67	Salix caprea (Goat Willow),Alnus glutinosa (Common Alder),Corylus avellana (Hazel)	10	-	-	-	-	-	300 (avg.)	-	0	-	EM	Fair	Scrubby group of trees along drainage ditch.	10+	C2
G68	Salix caprea (Goat Willow),Alnus glutinosa (Common Alder)	7.5	-	-	-	-	-	250 (avg.)	-	0	-	EM	Fair	Scrubby group of trees.	10+	C2
G69	Sorbus aucuparia (Rowan),Ilex aquifolium (Holly),Crataegus monogyna (Hawthorn),Alnus glutinosa (Common Alder),Prunus spinosa (Blackthorn)	4	-	-	-	-	-	300 (avg.)	-	0	-	M	Fair	Scrubby group.	10+	C2
G70	Sorbus aucuparia (Rowan),Ilex aquifolium (Holly),Crataegus monogyna (Hawthorn),Alnus glutinosa (Common Alder),Prunus spinosa (Blackthorn),Salix caprea (Goat Willow)	10	-	-	-	-	-	300 (avg.)	-	0	-	M	Fair	Scrubby group along field boundary.	10+	C2
G71	Crataegus monogyna (Hawthorn),Corylus avellana (Hazel),Malus sylvestris (Crab Apple),Ilex aquifolium (Holly)	5	-	-	-	-	-	200 (avg.)	-	0	-	M	Fair	Unmaintained field boundary hedge, some grazing damage.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
G72	Crataegus monogyna (Hawthorn), Corylus avellana (Hazel), Malus sylvestris (Crab Apple), Ilex aquifolium (Holly)	5	-	-	-	-	-	200 (avg.)	-	0	-	M	Fair	Unmaintained field boundary hedge, some grazing damage, patchy in places.	10+	C2
G73	Crataegus monogyna (Hawthorn), Corylus avellana (Hazel), Malus sylvestris (Crab Apple), Ilex aquifolium (Holly)	5	-	-	-	-	-	200 (avg.)	-	0	-	M	Fair	Unmaintained field boundary hedge, some grazing damage, patchy in places.	10+	C2
G74	Salix caprea (Goat Willow), Betula pubescens (Downy Birch)	10	-	-	-	-	-	450 (avg.)	-	0	-	M	Good	Cluster of unremarkable trees.	10+	C2
G75	Crataegus monogyna (Hawthorn), Ilex aquifolium (Holly), Alnus glutinosa (Common Alder), Salix caprea (Goat Willow)	7.5	-	-	-	-	-	300 (avg.)	-	0	-	M	Fair	Unremarkable scrubby cluster of trees.	10+	C2
G76	Crataegus monogyna (Hawthorn), Corylus avellana (Hazel), Larix decidua (European Larch)	5	-	-	-	-	-	150 (avg.)	-	1	-	M	Good	Cluster of short multi-stemmed trees.	10+	C2
G77	Alnus glutinosa (Common Alder), Betula pendula (Silver Birch)	5	-	-	-	-	-	250 250 250 (avg.)	-	1	-	M	Fair	Sparse group of mostly birch, all multi-stemmed, some wounds between stems.	20+	B2
G78	Crataegus monogyna (Hawthorn)	5	-	-	-	-	-	300 (avg.)	-	1	-	M	Fair	Mature line of trees, grazing damage to base of trees.	20+	B2
G79	Crataegus monogyna (Hawthorn)	5	-	-	-	-	-	300 (avg.)	-	1	-	M	Fair	Mature line of trees, grazing damage to base of trees.	20+	B2
G80	Crataegus monogyna (Hawthorn), Fraxinus excelsior (Ash), Corylus avellana (Hazel), Quercus robur (Common Oak), Prunus spinosa (Blackthorn)	5	-	-	-	-	-	150 (avg.)	-	0	-	M	Fair	Scrubby roadside verge.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
G81	Sorbus aucuparia (Rowan), Quercus robur (Common Oak), Crataegus monogyna (Hawthorn)	5	-	-	-	-	-	200 (avg.)	-	0	-	M	Fair	Linear group of trees growing along roadside verge, all multi-stemmed and with minor damage to roadside branches.	10+	C2
G82	Crataegus monogyna (Hawthorn), Quercus robur (Common Oak), Salix caprea (Goat Willow), Acer pseudoplatanus (Sycamore), Corylus avellana (Hazel)	10	-	-	-	-	-	250 (avg.)	-	0	-	EM	Fair	Roadside group, most multi-stemmed, ivy on most stems.	20+	B2
G83	Populus tremula (Aspen), Quercus robur (Common Oak), Salix caprea (Goat Willow), Crataegus monogyna (Hawthorn)	10	-	-	-	-	-	150 (avg.)	-	0	-	SM	Good	Mostly poplar, growing atop bund between fields.	10+	C2
G84	Fraxinus excelsior (Ash), Prunus avium (Wild Cherry), Corylus avellana (Hazel), Crataegus monogyna (Hawthorn), Salix caprea (Goat Willow), Ilex aquifolium (Holly), Quercus robur (Common Oak)	7.5	-	-	-	-	-	200 (avg.)	-	0	-	EM	Fair	Unremarkable group growing alongside drainage ditch.	10+	C2
G85	Corylus avellana (Hazel), Crataegus monogyna (Hawthorn), Salix caprea (Goat Willow), Ilex aquifolium (Holly), Quercus robur (Common Oak), Betula pendula (Silver Birch)	7.5	-	-	-	-	-	200 (avg.)	-	0	-	EM	Fair	Unremarkable group growing alongside drainage ditch.	10+	C2
G86	Acer pseudoplatanus (Sycamore), Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Sorbus aucuparia (Rowan), Prunus avium (Wild Cherry)	10	-	-	-	-	-	250 (avg.)	-	0	-	EM	Fair	Dense roadside embankment group.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
G87	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Sambucus nigra (Elder)	7.5	-	-	-	-	-	250 (avg.)	-	1	1 (S)	M	Good	Unremarkable group.	10+	C2
G88	Acer pseudoplatanus (Sycamore)	10.5	-	-	-	-	-	700 (avg.)	-	3	-	M	Good	Ivy on stems, minor deadwood throughout.	40+	A2
G89	Acer pseudoplatanus (Sycamore), Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Sorbus aucuparia (Rowan), Prunus avium (Wild Cherry)	10	-	-	-	-	-	250 (avg.)	-	0	-	EM	Fair	Dense roadside embankment group.	10+	C2
G90	Sorbus aucuparia (Rowan), Crataegus monogyna (Hawthorn), Salix caprea (Goat Willow), Fraxinus excelsior (Ash)	10	-	-	-	-	-	200 (avg.)	-	0	-	M	Good	Dense group of trees within field boundary.	10+	C2
G91	Salix caprea (Goat Willow)	7.5	-	-	-	-	-	150 (avg.)	-	2	-	M	Fair	Field boundary group, brambles into lower crowns.	10+	C2
G92	Salix caprea (Goat Willow), Prunus spinosa (Blackthorn), Quercus robur (Common Oak), Rubus fruticosus (Bramble spp.), Sambucus nigra (Elder), Gorse	10	-	-	-	-	-	200 (avg.)	-	0	-	M	Good	Dense hedgerow to 4m, taller dead trees within group unidentifiable; likely elm.	10+	C2
G93	Salix caprea (Goat Willow), Prunus spinosa (Blackthorn), Quercus robur (Common Oak), Rubus fruticosus (Bramble spp.), Sambucus nigra (Elder)	10	-	-	-	-	-	300 (avg.)	-	0	-	M	Good	Dense hedgerow to 4m, with taller trees within group.	10+	C2
G94	Salix caprea (Goat Willow), Prunus spinosa (Blackthorn), Quercus robur (Common Oak), Rubus fruticosus (Bramble spp.), Sambucus nigra (Elder)	10	-	-	-	-	-	300 (avg.)	-	0	-	M	Good	Dense hedgerow to 4m, with taller trees within group.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
G95	Salix caprea (Goat Willow), Prunus spinosa (Blackthorn), Sambucus nigra (Elder), Corylus avellana (Hazel), Fraxinus excelsior (Ash)	10	-	-	-	-	-	300 (avg.)	-	0	-	M	Good	Scrubby group with ivy throughout.	10+	C2
▼ Groups Surveyed During Additional Survey ▼																
G96	Corylus avellana (Hazel), Ilex aquifolium (Holly), Prunus spinosa (Blackthorn), Rosa canina (Dog Rose), Sambucus nigra (Elder), Salix cinerea (Grey Willow)	10	-	-	-	-	-	100 (avg.)	-	2	-	SM	Good	Field boundary hedge, hedge left to grow out.	20+	B2
G97	Salix cinerea (Grey Willow)	12	-	-	-	-	-	200 (avg.)	-	2	(S)	EM	Good	Predominantly willow, at edge of linear group/ field boundary.	10+	C2
G98	Acer pseudoplatanus (Sycamore)	15.5	-	-	-	-	-	500 (avg.)	-	2	(W)	M	Fair	X3 adjacent stems forming single canopy, functionally separate, north west tree with moderate branch die back.	20+	B2
G99	Salix cinerea (Grey Willow), Acer pseudoplatanus (Sycamore), Quercus robur (Common Oak), Fraxinus excelsior (Ash), Salix caprea (Goat Willow), Corylus avellana (Hazel)	15	-	-	-	-	-	350 (avg.)	-	5	(N)	EM	Fair	Woodland edge, ash dieback noted in places, otherwise good vitality.	20+	B2
G100	Betula pendula (Silver Birch)	18	-	-	-	-	-	250 (avg.)	-	2	-	EM	Good	Linear group adjacent to stream.	20+	B2
G101	Salix cinerea (Grey Willow)	3	-	-	-	-	-	100 (avg.)	-	0	-	Y	Good	Multiple stems at ground level.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
G102	Corylus avellana (Hazel), Quercus petraea (Sessile Oak), Salix cinerea (Grey Willow), Acer pseudoplatanus (Sycamore), Fraxinus excelsior (Ash)	15	-	-	-	-	-	450 (avg.)	-	2	-	EM	Good	Dense trees beyond edge of field, not surveyed in detail.	20+	B2
G103	Salix cinerea (Grey Willow)	10	-	-	-	-	-	100 (avg.)	-	0	-	SM	Good	Dense area of willow.	10+	C2
G104	Crataegus monogyna (Hawthorn), Sambucus nigra (Elder)	6	-	-	-	-	-	200 (avg.)	-	2	-	EM	Fair/Poor	Ivy on tree, multiple stems below 1.5m, dieback in crown- minor extent, pale leaves, small leaves.	10+	C2
G105	Crataegus monogyna (Hawthorn)	6.5	-	-	-	-	-	100 (avg.)	-	2	-	EM	Fair	Multiple stems at ground level, established clumps of hawthorn, part of a linear group, fair condition.	10+	C2
G106	Crataegus monogyna (Hawthorn), Prunus avium (Wild Cherry)	7	-	-	-	-	-	120 (avg.)	-	5	-	EM	Dead	Dead, may be retained as deadwood habitat.	<10	U
G107	Crataegus monogyna (Hawthorn)	5	-	-	-	-	-	75 (avg.)	-	2	-	SM	Fair/Poor	Multiple stems at ground level, included bark present in fork, stunted hawthorns, part of a linear group, pale leaves, bark wounding (likely caused by cattle browsing) and minor deadwood/ dieback.	10+	C2
G108	Crataegus monogyna (Hawthorn)	6.5	-	-	-	-	-	100 (avg.)	-	2	-	EM	Fair	Multiple stems at ground level, established clumps of hawthorn, part of a linear group, fair condition.	10+	C2
G109	Salix cinerea (Grey Willow)	10	-	-	-	-	-	100 (avg.)	-	0	-	SM	Good	Dense area of willow at woodland edge.	10+	C2
G110	Ulmus sp. (Elm)	16	-	-	-	-	-	250 (avg.)	-	3	(E)	EM	Good	Likely limited lifespan due to dutch elm disease.	10+	C2
G111	Salix cinerea (Grey Willow), Crataegus monogyna (Hawthorn)	10	-	-	-	-	-	200 (avg.)	-	0	-	EM	Good	Dense area of predominantly willow.	10+	C2
G112	Acer pseudoplatanus (Sycamore)	19	-	-	-	-	-	300 (avg.)	-	5	(W)	M	Good	Restricted inspection due to vegetation, hard surface in RPA, estimated values due to access, part of linear group, multiple stems below 1.5m.	20+	B2
G113	Acer pseudoplatanus (Sycamore)	10	-	-	-	-	-	250 (avg.)	-	3	(S)	SM	Good	Semi-mature self sown trees in hedge row, adjacent to telegraph pole.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
G114	Fraxinus excelsior (Ash),Acer pseudoplatanus (Sycamore)	12	-	-	-	-	-	200 (avg.)	-	5	(W)	SM	Fair	Linear group adjacent to road, southernmost ash stem has a long included union split over road.	10+	C2
G115	Acer pseudoplatanus (Sycamore)	14.5	-	-	-	-	-	200 (avg.)	-	3	(E)	EM	Good	Hard surface in RPA, located adjacent to road, unable to inspect stem due to undergrowth, stem divides below 1.5m.	20+	B2
G116	Prunus spinosa (Blackthorn)	6	-	-	-	-	-	150 (avg.)	-	2	-	EM	Fair/Poor	Ivy on tree, dieback in crown- moderate extent, dieback in crown- minor extent, scrappy trees next to telegraph pole.	10+	C2
G117	Acer pseudoplatanus (Sycamore)	11	-	-	-	-	-	200 (avg.)	-	3	(E)	EM	Fair	Dieback in crown- minor extent.	10+	C2
G118	Corylus avellana (Hazel),Prunus avium (Wild Cherry),Crataegus monogyna (Hawthorn),Ilex aquifolium (Holly)	10	-	-	-	-	-	100 (avg.)	-	2	(E)	SM	Good	Part of linear group, multiple stems at ground level.	20+	B2
G119	Acer pseudoplatanus (Sycamore),Quercus petraea (Sessile Oak),Crataegus monogyna (Hawthorn)	20	-	-	-	-	-	600 (avg.)	-	2	-	M	Good	Estimated values due to access, mixed species group at edge of stream, parkland/ arboretum character, well spaced mature and prominent trees with occasional smaller statured, mid canopy trees.	40+	A2
G120	Crataegus monogyna (Hawthorn),Prunus spinosa (Blackthorn)	9	-	-	-	-	-	250 (avg.)	-	2	-	EM	Good	Restricted inspection due to vegetation, estimated values due to access.	20+	B2
G121	Ulmus sp. (Elm)	10	-	-	-	-	-	100 (avg.)	-	3	-	SM	Good	Likely limited lifespan due to dutch elm disease.	10+	C2
G122	Crataegus monogyna (Hawthorn),Malus sylvestris (Crab Apple),Corylus avellana (Hazel),Quercus petraea (Sessile Oak)	10	-	-	-	-	-	100 (avg.)	-	1	-	EM	Good	Small copse of trees, small statured woodland species.	20+	B2
G123	Salix caprea (Goat Willow),Picea abies (Norway Spruce),Castanea sativa (Sweet Chestnut)	7	-	-	-	-	-	100 (avg.)	-	1	-	EM	Good	Planted trees in fenced area.	10+	C2
G124	Malus (Apple)	3	-	-	-	-	-	100 (avg.)	-	1	(W)	SM	Fair	Located within neighbouring garden, crowns overhang into field.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
G125	Salix alba (White Willow),Corylus avellana (Hazel),Prunus avium (Wild Cherry),Acer pseudoplatanus (Sycamore)	8	-	-	-	-	-	200 (avg.)	-	0	-	SM	Good	Multiple stems at ground level, mixed vegetation at field edge, average combined stem diameter value.	10+	C2
G126	Quercus petraea (Sessile Oak)	18	-	-	-	-	-	700 (avg.)	-	3	-	M	Good	Oaks at field boundary, outside of survey red line, not surveyed in detail.	40+	A2
G127	Fraxinus excelsior (Ash)	12	-	-	-	-	-	100 (avg.)	-	3	(N)	SM	Good	Unable to inspect stem due to undergrowth, multiple stems at ground level, currently no indications of chalara ash dieback.	10+	C2
G128	Fagus sylvatica (Beech),Quercus robur (Common Oak),Prunus avium (Wild Cherry),Ilex aquifolium (Holly),Salix caprea (Goat Willow)	13	-	-	-	-	-	250 (avg.)	-	2	-	EM	Good	Mixed native species, planted, coppiced hazel understorey.	20+	B2
G129	Crataegus monogyna (Hawthorn),Sambucus nigra (Elder)	10	-	-	-	-	-	150 (avg.)	-	0	-	EM	Fair	Scrubby group at edge of field, includes deadwood.	10+	C2
G130	Crataegus monogyna (Hawthorn)	3	-	-	-	-	-	150 (avg.)	-	0	-	SM	Fair/Poor	Trees swamped by bramble on north side.	10+	C2
G131	Crataegus monogyna (Hawthorn),Corylus colurna (Turkish Hazel),Prunus spinosa (Blackthorn)	8	-	-	-	-	-	200 (avg.)	-	0	-	EM	Good	Hedge left to grow out.	20+	B3
G132	Ilex aquifolium (Holly),Crataegus monogyna (Hawthorn)	5	-	-	-	-	-	150 (avg.)	-	0	-	SM	Fair	Hedge left to grow out, occasional rough pruning wounds.	10+	C2
G133	Prunus padus (Bird Cherry),Prunus spinosa (Blackthorn),Crataegus monogyna (Hawthorn),Rosa canina (Dog Rose)	5	-	-	-	-	-	150 (avg.)	-	0	-	EM	Good	Hedge left to grow out.	20+	B3

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
G134	Corylus avellana (Hazel), Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Rosa canina (Dog Rose), Ulmus glabra (Wych Elm)	10	-	-	-	-	-	200 (avg.)	-	0	-	EM	Fair	Field boundary hedge, hedge left to grow out.	20+	B3
G135	Sambucus nigra (Elder), Ilex aquifolium (Holly)	8	-	-	-	-	-	150 (avg.)	-	2	(S)	EM	Fair	Dieback in crown- moderate extent.	10+	C2
G136	Quercus petraea (Sessile Oak)	19	-	-	-	-	-	500 (avg.)	-	2	-	EM	Fair	Epicormics on stem, dieback in crown- moderate extent, pale leaves.	20+	B2
G137	Quercus petraea (Sessile Oak)	20	-	-	-	-	-	550 (avg.)	-	2	-	EM	Good	Group of close spaced oak, dense canopies forming a linear feature.	40+	A2
G138	Crataegus monogyna (Hawthorn)	3	-	-	-	-	-	100 (avg.)	-	0	-	SM	Fair	Multi-stemmed clumps of hawthorn at fenceline.	10+	C2
G139	Ilex aquifolium (Holly), Corylus avellana (Hazel), Crataegus monogyna (Hawthorn)	10	-	-	-	-	-	300 (avg.)	-	2	-	EM	Good	Multiple stems at ground level.	20+	B2
G140	Quercus petraea (Sessile Oak), Crataegus monogyna (Hawthorn)	12	-	-	-	-	-	250 (avg.)	-	3	(W)	SM	Good	Linear group of close spaced, narrow crowned, semi mature trees grown out from hedge.	20+	B2
G141	Quercus petraea (Sessile Oak), Acer pseudoplatanus (Sycamore), Fraxinus excelsior (Ash)	16	-	-	-	-	-	300 (avg.)	-	3	(W)	EM	Fair	Ash showing symptoms of chalara dieback.	20+	B2
G142	Fraxinus excelsior (Ash)	19	-	-	-	-	-	350 (avg.)	-	2	(W)	EM	Fair	Chalara ash dieback - present.	20+	B2
G143	Fraxinus excelsior (Ash)	15	-	-	-	-	-	200 (avg.)	-	3	(S)	SM	Poor	Horse chestnut leaf miner.	<10	U
G144	Populus tremula (Aspen)	17	-	-	-	-	-	150 (avg.)	-	3	(S)	SM	Good	Belt of trees adjacent to highway.	20+	B2
G145	Fraxinus excelsior (Ash)	13	-	-	-	-	-	200 (avg.)	-	3	(S)	SM	Poor	Estimated values due to access, located adjacent to road, chalara ash dieback - severe.	<10	U

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
G146	Quercus petraea (Sessile Oak),Acer pseudoplatanus (Sycamore)	19	-	-	-	-	-	350 (avg.)	-	2	(S)	EM	Good	Estimated values due to access, located adjacent to road.	20+	B2
G147	Quercus petraea (Sessile Oak),Acer pseudoplatanus (Sycamore)	19	-	-	-	-	-	350 (avg.)	-	2	(S)	EM	Good	Estimated values due to access, located adjacent to road.	20+	B2
G148	Fraxinus excelsior (Ash),Prunus cerasifera (Cherry Plum),Sambucus nigra (Elder),Cotoneaster frigidus (Cotoneaster),Ulmus glabra (Wych Elm),Prunus avium (Wild Cherry),Crataegus monogyna (Hawthorn)	7	-	-	-	-	-	150 (avg.)	-	2	(N)	SM	Fair/Poor	Low vitality, dieback in crown- moderate extent, pale leaves.	10+	C2
G149	Crataegus monogyna (Hawthorn)	8	-	-	-	-	-	200 (avg.)	-	2	(N)	EM	Fair	Dieback in crown- minor extent, pale leaves, small leaves.	10+	C2
G150	Quercus petraea (Sessile Oak)	17	-	-	-	-	-	500 (avg.)	-	4	(S)	M	Good	Distinctive landscape feature parallel to historic wall.	40+	A2
G151	Quercus petraea (Sessile Oak)	17	-	-	-	-	-	500 (avg.)	-	4	(S)	M	Good	Distinctive landscape feature parallel to historic wall.	40+	A2
▼ Woodlands Surveyed During Original Survey ▼																
W1	Acer pseudoplatanus, Fraxinus excelsior, Crataegus monogyna, Pinus sylvestris Sycamore, Common Ash, Common Hawthorn, Scots Pine	20	-	-	-	-	-	500 (avg.)	-	0	-	M	Good	Mixed woodland, sycamore dominant, even aged, sloping topography, some pockets of pine.	40+	A2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.
- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
W2	Fraxinus excelsior, Fagus sylvatica, Acer pseudoplatanus, Quercus robur, Crataegus monogyna, Ilex aquifolium, Rosa canina, Prunus spinosa, Corylus avellana, Ulmus procera Common Ash, Common Beech, Sycamore, Pedunculate Oak, Common Hawthorn, Common Holly, Dog Rose, Blackthorn, Common Hazel, English Elm	15	-	-	-	-	-	500 (avg.)	-	4	-	M	Good/Fair	Mixed copse, high side of narrow lane, sloping land, ash dieback present, good value nonetheless.	40+	A2
▼ Woodlands Surveyed During Additional Survey ▼																
W3	Quercus petraea (Sessile Oak), Acer pseudoplatanus (Sycamore), Fraxinus excelsior (Ash), Betula pendula (Silver Birch), Pinus sylvestris (Scots Pine)	20	-	-	-	-	-	400 (avg.)	-	5	(S)	EM	Good	Mixed, predominantly native broadleaved woodland, oak dominant in upper canopy, southern boundary adjacent to road.	40+	A2
W4	Quercus petraea (Sessile Oak), Crataegus monogyna (Hawthorn), Ulmus glabra (Wych Elm), Malus sylvestris (Crab Apple), Ulex sp. (Gorse), Fraxinus excelsior (Ash)	20	-	-	-	-	-	600 (avg.)	-	6	-	M	Good	Mixed native deciduous woodland, good stand diversity.	40+	A2
▼ Hedges Surveyed During Original Survey ▼																
H1	Crataegus monogyna, Prunus spinosa Common Hawthorn, Blackthorn	1.8	-	-	-	-	-	100 (avg.)	-	0	-	M	Good	Patchy field hedgerow.	10+	C3
H2	Crataegus monogyna, Rosa canina, Acer pseudoplatanus Common Hawthorn, Dog Rose, Sycamore	1.5	-	-	-	-	-	100 (avg.)	-	0	-	M	Good	Clipped field/patch hedgerow, ivy clad.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
H3	Crataegus monogyna, Acer pseudoplatanus, Prunus spinosa Common Hawthorn, Sycamore, Blackthorn	3	-	-	-	-	-	100 (avg.)	-	0	-	M	Good	Untrimmed thorn hedge, broad, effective screen/boundary, wider to eastern end.	20+	B2
H4	Ligustrum vulgare, Crataegus monogyna Wild Privet, Common Hawthorn	2.5	-	-	-	-	-	100 (avg.)	-	0	-	M	Good	Privet/thorn hedge, patchy in places.	10+	C2
H5	Corylus avellana, Crataegus monogyna, Sambucus nigra, Rosa canina, Acer pseudoplatanus Common Hazel, Common Hawthorn, Elder, Dog Rose, Sycamore	2.5	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Field hedgerow, thorn dominant, largely unclipped.	20+	B2
H6	Crataegus monogyna Common Hawthorn	4	-	-	-	-	-	200 (avg.)	-	0	-	M	Good	Broad field hedge, on shallow bank.	20+	B2
H7	Crataegus monogyna, Ilex aquifolium, Ulmus procera Common Hawthorn, Common Holly, English Elm	1.5	-	-	-	-	-	100 (avg.)	-	0	-	M	Fair	Clipped, low hedge beside lane.	10+	C2
H8	Crataegus monogyna, Rosa canina, Prunus spinosa, Ulmus procera Common Hawthorn, Dog Rose, Blackthorn, English Elm	2	-	-	-	-	-	200 (avg.)	-	0	-	M	Good	Mixed hedge following lane, varying width/height, few gaps.	20+	B2
H9	Crataegus monogyna, Sambucus nigra, Rosa canina, Corylus avellana Common Hawthorn, Elder, Dog Rose, Common Hazel	1.5	-	-	-	-	-	200 (avg.)	-	0	-	M	Good	Field hedgerow, gappy in places, thorn dominant, clipped mostly.	20+	B2
H10	Crataegus monogyna, Sambucus nigra, prunus spinosa Common Hawthorn, Elder, Blackthorn	4	-	-	-	-	-	200 (avg.)	-	0	-	M	Good	Field hedgerow, unkept, few gaps, habitat value.	20+	B2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
H11	Prunus sp., Crataegus monogyna, Ulex europaeus Prunus, Common Hawthorn, Gorse	3	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Sloe/gorse hedge, dense, wide base.	20+	B2
H12	Prunus spinosa, Crataegus monogyna, Corylus avellana, Ilex aquifolium Blackthorn, Common Hawthorn, Common Hazel, Common Holly	2.5	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Field/lane hedge, good condition mostly.	20+	B2
H13	Prunus spinosa (Blackthorn), Crataegus monogyna (Hawthorn), Ulex europaeus (Common Gorse)	3	-	-	-	-	-	150 (avg.)	-	0	-	M	Fair	Field boundary hedge, brambles throughout.	10+	C2
H14	Crataegus monogyna (Hawthorn)	2	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Field boundary hedge.	10+	C2
H15	Crataegus monogyna (Hawthorn)	2.5	-	-	-	-	-	150 (avg.)	-	1	-	M	Fair	Extremely patchy field boundary hedge, lower stems have been grazed.	10+	C2
H16	Prunus spinosa (Blackthorn), Crataegus monogyna (Hawthorn)	3	-	-	-	-	-	150 (avg.)	-	0	-	EM	Good	Field boundary hedge, mostly blackthorn.	10+	C2
H17	Prunus spinosa (Blackthorn), Crataegus monogyna (Hawthorn)	3	-	-	-	-	-	150 (avg.)	-	0	-	EM	Good	Field boundary hedge.	10+	C2
H18	Prunus spinosa (Blackthorn), Crataegus monogyna (Hawthorn)	3	-	-	-	-	-	150 (avg.)	-	0	-	EM	Good	Field boundary hedge.	10+	C2
H19	Prunus spinosa (Blackthorn), Crataegus monogyna (Hawthorn)	3	-	-	-	-	-	150 (avg.)	-	0	-	EM	Good	Field boundary hedge.	10+	C2
H20	Prunus spinosa (Blackthorn), Crataegus monogyna (Hawthorn)	3	-	-	-	-	-	150 (avg.)	-	0	-	EM	Good	Field boundary hedge.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
H21	Crataegus monogyna (Hawthorn)	1.5	-	-	-	-	-	100 (avg.)	-	0	-	M	Fair	Field boundary hedge, patchy in places.	10+	C2
H22	Crataegus monogyna (Hawthorn)	2	-	-	-	-	-	100 (avg.)	-	0	-	M	Fair	Field boundary hedge.	10+	C2
H23	Crataegus monogyna (Hawthorn)	2	-	-	-	-	-	100 (avg.)	-	0	-	M	Fair	Field boundary hedge.	10+	C2
H24	Ilex aquifolium (Holly), Rubus fruticosus (Bramble spp.), Corylus avellana (Hazel), Prunus spinosa (Blackthorn), Crataegus monogyna (Hawthorn)	1.5	-	-	-	-	-	100 (avg.)	-	0	-	M	Fair	Mixed field boundary hedge, mostly bramble & blackthorn.	10+	C2
H25	Rubus fruticosus (Bramble spp.), Prunus spinosa (Blackthorn), Crataegus monogyna (Hawthorn)	1.5	-	-	-	-	-	100 (avg.)	-	0	-	M	Fair	Mixed field boundary hedge, mostly bramble & blackthorn.	10+	C2
H26	Ilex aquifolium (Holly), Rubus fruticosus (Bramble spp.), Corylus avellana (Hazel), Prunus spinosa (Blackthorn), Crataegus monogyna (Hawthorn)	3	-	-	-	-	-	100 (avg.)	-	0	-	M	Fair	Mixed field boundary hedge, mostly bramble & blackthorn.	10+	C2
H27	Ilex aquifolium (Holly), Rubus fruticosus (Bramble spp.), Corylus avellana (Hazel), Prunus spinosa (Blackthorn), Crataegus monogyna (Hawthorn)	3	-	-	-	-	-	100 (avg.)	-	0	-	M	Fair	Mixed field boundary hedge, mostly blackthorn.	10+	C2
H28	Crataegus monogyna (Hawthorn)	1.5	-	-	-	-	-	100 (avg.)	-	0	-	M	Fair	Boundary hedge, well maintained.	10+	C2
H29	Ilex aquifolium (Holly), Rubus fruticosus (Bramble spp.), Corylus avellana (Hazel), Prunus spinosa (Blackthorn), Crataegus monogyna (Hawthorn)	3	-	-	-	-	-	100 (avg.)	-	0	-	M	Fair	Mixed field boundary hedge, mostly blackthorn.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
H30	Fagus sylvatica (Beech)	1.5	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Well maintained hedge.	10+	C2
H31	Corylus avellana (Hazel), Prunus spinosa (Blackthorn), Crataegus monogyna (Hawthorn)	4	-	-	-	-	-	100 (avg.)	-	0	-	M	Fair	Mixed field boundary hedge, blackthorn.	10+	C2
H32	Crataegus monogyna (Hawthorn)	2	-	-	-	-	-	100 (avg.)	-	0	-	M	Fair	Field boundary hedge.	10+	C2
H33	Crataegus monogyna (Hawthorn)	1.5	-	-	-	-	-	100 (avg.)	-	0	-	M	Fair	Field boundary hedge.	10+	C2
H34	Crataegus monogyna (Hawthorn), Fagus sylvatica (Beech)	1.5	-	-	-	-	-	100 (avg.)	-	0	-	M	Fair	Establishing field boundary hedge, patchy in places.	10+	C2
H35	Crataegus monogyna (Hawthorn), Fagus sylvatica (Beech)	1.5	-	-	-	-	-	100 (avg.)	-	0	-	M	Fair	Establishing field boundary hedge, patchy in places.	10+	C2
H36	Crataegus monogyna (Hawthorn)	2	-	-	-	-	-	100 (avg.)	-	0	-	M	Fair	Field boundary hedge.	10+	C2
H37	Crataegus monogyna (Hawthorn)	2	-	-	-	-	-	100 (avg.)	-	0	-	M	Fair	Field boundary hedge.	10+	C2
H38	Crataegus monogyna (Hawthorn)	2	-	-	-	-	-	100 (avg.)	-	0	-	M	Fair	Field boundary hedge.	10+	C2
H39	Crataegus monogyna (Hawthorn), Salix caprea (Goat Willow), Rubus fruticosus (Bramble spp.)	1.5	-	-	-	-	-	100 (avg.)	-	0	-	M	Fair	Field boundary hedge.	10+	C2
H40	Quercus robur (Common Oak), Prunus spinosa (Blackthorn), Crataegus monogyna (Hawthorn), Rubus fruticosus (Bramble spp.), Salix caprea (Goat Willow), Ilex aquifolium (Holly)	2	-	-	-	-	-	100 (avg.)	-	0	-	M	Fair	Mixed boundary hedge, patchy in places.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
H41	Crataegus monogyna (Hawthorn)	1.5	-	-	-	-	-	100 (avg.)	-	0	-	M	Fair	Patchy field boundary hedge.	10+	C2
H42	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn)	2.5	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Trackside hedge.	10+	C2
H43	Crataegus monogyna (Hawthorn)	1.5	-	-	-	-	-	100 (avg.)	-	0	-	M	Fair	Patchy field boundary hedge.	10+	C2
H44	Crataegus monogyna (Hawthorn)	1.5	-	-	-	-	-	100 (avg.)	-	0	-	M	Fair	Patchy field boundary hedge.	10+	C2
H45	Crataegus monogyna (Hawthorn)	5	-	-	-	-	-	150 (avg.)	-	0	-	M	Fair	Extremely patchy remnants of field boundary hedge.	10+	C2
H46	Crataegus monogyna (Hawthorn)	5	-	-	-	-	-	150 (avg.)	-	0	-	M	Fair	Patchy field boundary hedge that follows ditch.	10+	C2
H47	Crataegus monogyna (Hawthorn)	1.5	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Field boundary hedge, lots of ferns growing within hedge.	10+	C2
H48	Crataegus monogyna (Hawthorn)	1.5	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Field boundary hedge, lots of ferns growing within hedge.	10+	C2
H49	Crataegus monogyna (Hawthorn)	5	-	-	-	-	-	150 (avg.)	-	0	-	M	Fair	Patchy remnants of field boundary hedge.	10+	C2
H50	Crataegus monogyna (Hawthorn)	5	-	-	-	-	-	150 (avg.)	-	1	-	M	Fair	Remnant of field boundary hedge, lower stem has been grazed.	10+	C2
H51	Crataegus monogyna (Hawthorn)	5	-	-	-	-	-	150 (avg.)	-	1	-	M	Fair	Remnant of field boundary hedge, lower stem has been grazed.	10+	C2
H52	Crataegus monogyna (Hawthorn), Ilex aquifolium (Holly)	5	-	-	-	-	-	150 (avg.)	-	1	-	M	Fair	Remnant of field boundary hedge, lower stem has been grazed.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
H53	Ilex aquifolium (Holly), Corylus avellana (Hazel), Crataegus monogyna (Hawthorn), Salix caprea (Goat Willow), Prunus spinosa (Blackthorn), Acer pseudoplatanus (Sycamore)	2	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Maintained boundary hedge.	10+	C2
H54	Ilex aquifolium (Holly), Corylus avellana (Hazel), Crataegus monogyna (Hawthorn), Salix caprea (Goat Willow), Prunus spinosa (Blackthorn), Acer pseudoplatanus (Sycamore)	2	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Maintained boundary hedge.	10+	C2
H55	Ilex aquifolium (Holly), Corylus avellana (Hazel), Crataegus monogyna (Hawthorn), Salix caprea (Goat Willow), Prunus spinosa (Blackthorn), Acer pseudoplatanus (Sycamore)	2	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Maintained boundary hedge.	10+	C2
H56	Ilex aquifolium (Holly), Corylus avellana (Hazel), Crataegus monogyna (Hawthorn), Salix caprea (Goat Willow), Prunus spinosa (Blackthorn), Acer pseudoplatanus (Sycamore)	2	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Maintained boundary hedge.	10+	C2
H57	Ilex aquifolium (Holly), Corylus avellana (Hazel), Crataegus monogyna (Hawthorn), Salix caprea (Goat Willow), Prunus spinosa (Blackthorn), Acer pseudoplatanus (Sycamore)	2	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Maintained boundary hedge.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
H58	Ilex aquifolium (Holly), Corylus avellana (Hazel), Crataegus monogyna (Hawthorn), Salix caprea (Goat Willow), Prunus spinosa (Blackthorn), Acer pseudoplatanus (Sycamore)	2	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Maintained boundary hedge.	10+	C2
H59	Crataegus monogyna (Hawthorn)	1	-	-	-	-	-	100 (avg.)	-	0	-	EM	Fair	Hedge is full of fern, maintained extremely short, raised bank within hedge.	10+	C2
H60	Ilex aquifolium (Holly), Corylus avellana (Hazel), Crataegus monogyna (Hawthorn), Salix caprea (Goat Willow), Prunus spinosa (Blackthorn), Acer pseudoplatanus (Sycamore)	2	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Maintained boundary hedge.	10+	C2
H61	Prunus spinosa (Blackthorn)	1.5	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Well maintained section of boundary hedge.	10+	C2
H62	Prunus spinosa (Blackthorn), Gorse	1.5	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Maintained but patchy in places.	10+	C2
H63	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn)	2	-	-	-	-	-	150 (avg.)	-	0	-	M	Fair	Field boundary hedge.	10+	C2
H64	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn)	2	-	-	-	-	-	150 (avg.)	-	0	-	M	Fair	Field boundary hedge.	10+	C2
H65	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn)	2	-	-	-	-	-	150 (avg.)	-	0	-	M	Fair	Field boundary hedge, patchy in places.	10+	C2
H66	Ilex aquifolium (Holly), Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Rubus fruticosus (Bramble spp.)	3	-	-	-	-	-	100 (avg.)	-	0	-	M	Fair	Patchy boundary hedge.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
H67	Ilex aquifolium (Holly), Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Rubus fruticosus (Bramble spp.)	3	-	-	-	-	-	100 (avg.)	-	0	-	M	Fair	Extremely patchy remnants of boundary hedge.	10+	C2
H68	Ilex aquifolium (Holly), Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Rubus fruticosus (Bramble spp.)	2	-	-	-	-	-	100 (avg.)	-	0	-	M	Good	Maintained boundary hedge.	10+	C2
H69	Ilex aquifolium (Holly), Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Rubus fruticosus (Bramble spp.), Gorse, Quercus robur (Common Oak), Betula pendula (Silver Birch), Salix caprea (Goat Willow)	3	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Mixed field boundary hedge.	10+	C2
H70	Ilex aquifolium (Holly), Crataegus monogyna (Hawthorn), Gorse, Salix caprea (Goat Willow), Fraxinus excelsior (Ash), Sorbus aucuparia (Rowan)	3	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Patchy mixed field boundary hedge.	10+	C2
H71	Ilex aquifolium (Holly), Crataegus monogyna (Hawthorn), Gorse, Salix caprea (Goat Willow), Fraxinus excelsior (Ash), Sorbus aucuparia (Rowan)	3	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Patchy mixed field boundary hedge.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
H72	Salix caprea (Goat Willow),Crataegus monogyna (Hawthorn),Ilex aquifolium (Holly),Quercus robur (Common Oak),Rubus fruticosus (Bramble spp.),Gorse	3	-	-	-	-	-	150 (avg.)	-	0	-	M	Fair	Field boundary hedge.	10+	C2
H73	Salix caprea (Goat Willow),Crataegus monogyna (Hawthorn),Ilex aquifolium (Holly),Quercus robur (Common Oak),Rubus fruticosus (Bramble spp.),Gorse	3	-	-	-	-	-	150 (avg.)	-	0	-	M	Fair	Field boundary hedge.	10+	C2
H74	Salix caprea (Goat Willow),Crataegus monogyna (Hawthorn),Ilex aquifolium (Holly),Quercus robur (Common Oak),Rubus fruticosus (Bramble spp.),Gorse	3	-	-	-	-	-	150 (avg.)	-	0	-	M	Fair	Field boundary hedge.	10+	C2
H75	Sambucus nigra (Elder),Crataegus monogyna (Hawthorn)	3	-	-	-	-	-	150 (avg.)	-	0	-	M	Fair	Field boundary hedge.	10+	C2
H76	Crataegus monogyna (Hawthorn),Ilex aquifolium (Holly),Sambucus nigra (Elder)	3	-	-	-	-	-	150 (avg.)	-	0	-	M	Fair	Field boundary hedge.	10+	C2
H77	Crataegus monogyna (Hawthorn)	1	-	-	-	-	-	150 (avg.)	-	0	-	M	Fair	Patchy remnants of boundary hedge.	10+	C2
H78	Crataegus monogyna (Hawthorn)	1	-	-	-	-	-	150 (avg.)	-	0	-	M	Fair	Patchy boundary hedge.	10+	C2
H79	Crataegus monogyna (Hawthorn),Sambucus nigra (Elder),Sorbus aucuparia (Rowan)	1	-	-	-	-	-	150 (avg.)	-	0	-	M	Fair	Patchy boundary hedge.	10+	C2
H80	Crataegus monogyna (Hawthorn),Sambucus nigra (Elder),Sorbus aucuparia (Rowan)	1	-	-	-	-	-	150 (avg.)	-	0	-	M	Fair	Extremely patchy boundary hedge.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
H81	Crataegus monogyna (Hawthorn), Gorse, Ilex aquifolium (Holly), Rubus fruticosus (Bramble spp.)	2	-	-	-	-	-	150 (avg.)	-	0	-	M	Fair	Boundary hedge.	10+	C2
H82	Crataegus monogyna (Hawthorn), Gorse, Ilex aquifolium (Holly), Rubus fruticosus (Bramble spp.)	2	-	-	-	-	-	150 (avg.)	-	0	-	M	Fair	Boundary hedge.	10+	C2
H83	Crataegus monogyna (Hawthorn), Sambucus nigra (Elder)	5	-	-	-	-	-	200 (avg.)	-	1	1 (S)	M	Good	Unmaintained field boundary hedge.	10+	C1
H84	Crataegus monogyna (Hawthorn), Gorse, Ilex aquifolium (Holly), Rubus fruticosus (Bramble spp.)	2	-	-	-	-	-	150 (avg.)	-	0	-	M	Fair	Boundary hedge.	10+	C2
H85	Crataegus monogyna (Hawthorn), Ilex aquifolium (Holly), Rubus fruticosus (Bramble spp.), Sorbus aucuparia (Rowan), Corylus avellana (Hazel)	2	-	-	-	-	-	150 (avg.)	-	0	-	M	Fair	Boundary hedge.	10+	C2
H86	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Sorbus aucuparia (Rowan)	2.5	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Field boundary hedge.	10+	C2
H87	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn)	1.5	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Field boundary hedge.	10+	C2
H88	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn)	1.5	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Field boundary hedge.	10+	C2
H89	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn)	1.5	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Field boundary hedge.	10+	C2
H90	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn)	1.5	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Field boundary hedge.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
H91	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn)	1.5	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Field boundary hedge.	10+	C2
H92	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn)	1.5	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Field boundary hedge.	10+	C2
H93	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn)	1.5	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Field boundary hedge.	10+	C2
H94	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn)	1.5	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Field boundary hedge.	10+	C2
H95	Salix caprea (Goat Willow), Prunus spinosa (Blackthorn)	3	-	-	-	-	-	150 (avg.)	-	0	-	M	Fair	Section of boundary hedge.	10+	C2
H96	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn)	1.5	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Field boundary hedge.	10+	C2
H97	Ulmus spp.	2	-	-	-	-	-	100 (avg.)	-	0	-	EM	Good	Well maintained hedge.	10+	C2
H98	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn)	1.5	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Field boundary hedge.	10+	C2
H99	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn)	1.5	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Field boundary hedge.	10+	C2
H100	Acer pseudoplatanus (Sycamore), Crataegus monogyna (Hawthorn), Corylus avellana (Hazel), Ilex aquifolium (Holly)	3	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Well maintained hedge.	10+	C2
H101	Acer pseudoplatanus (Sycamore), Crataegus monogyna (Hawthorn), Corylus avellana (Hazel), Ilex aquifolium (Holly)	3	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Well maintained hedge.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
H102	Acer pseudoplatanus (Sycamore), Crataegus monogyna (Hawthorn), Corylus avellana (Hazel), Ilex aquifolium (Holly)	3	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Well maintained hedge.	10+	C2
H103	Acer pseudoplatanus (Sycamore), Crataegus monogyna (Hawthorn), Corylus avellana (Hazel), Ilex aquifolium (Holly)	3	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Well maintained hedge.	10+	C2
H104	Crataegus monogyna (Hawthorn)	1.5	-	-	-	-	-	150 (avg.)	-	0	-	M	Fair	Field boundary hedge.	10+	C2
H105	Crataegus monogyna (Hawthorn), Corylus avellana (Hazel), Ulmus spp., Rubus fruticosus (Bramble spp.), Acer pseudoplatanus (Sycamore)	3	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Field boundary hedge.	10+	C2
H106	Crataegus monogyna (Hawthorn), Corylus avellana (Hazel), Ulmus spp., Rubus fruticosus (Bramble spp.), Acer pseudoplatanus (Sycamore)	3	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Field boundary hedge.	10+	C2
▼ Hedges Surveyed During Additional Survey ▼																
H107	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Rosa canina (Dog Rose), Sambucus nigra (Elder)	2.5	-	-	-	-	-	75 (avg.)	-	0	-	SM	Good	Field boundary hedge, recently unmanaged.	10+	C2
H108	Crataegus monogyna (Hawthorn), Sambucus nigra (Elder), Salix cinerea (Grey Willow)	3	-	-	-	-	-	75 (avg.)	-	0	-	SM	Fair	Field boundary hedge, recently unmanaged, nettle, bramble and thistle also abundant within/ adjacent to hedge.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
H109	Sambucus nigra (Elder), Prunus spinosa (Blackthorn), Rosa canina (Dog Rose), Crataegus monogyna (Hawthorn)	5	-	-	-	-	-	250 (avg.)	-	0	-	EM	Fair	Field boundary hedge, hedge left to grow out, mixed species, also includes bramble, thistle, nettle and gorse, occasional deadwood.	20+	B3
H110	Prunus spinosa (Blackthorn), Rosa canina (Dog Rose), Sambucus nigra (Elder)	1.5	-	-	-	-	-	50 (avg.)	-	0	-	Y	Good	Boundary with highway and property, hedge managed by cutting and flailing.	10+	C2
H111	Prunus spinosa (Blackthorn), Rosa canina (Dog Rose), Acer pseudoplatanus (Sycamore)	2	-	-	-	-	-	50 (avg.)	-	0	-	Y	Good	Boundary with highway verge and field, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H112	Ilex aquifolium (Holly)	2	-	-	-	-	-	100 (avg.)	-	0	-	SM	Good	Small section of holly, flailed along side.	10+	C2
H113	Prunus spinosa (Blackthorn), Corylus avellana (Hazel), Sambucus nigra (Elder)	2	-	-	-	-	-	50 (avg.)	-	0	-	Y	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H114	Sambucus nigra (Elder), Prunus spinosa (Blackthorn), Crataegus monogyna (Hawthorn)	2	-	-	-	-	-	50 (avg.)	-	0	-	Y	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H115	Prunus spinosa (Blackthorn), Rosa canina (Dog Rose), Sambucus nigra (Elder), Salix cinerea (Grey Willow)	2.5	-	-	-	-	-	75 (avg.)	-	0	-	SM	Good	Field boundary hedge, recently unmanaged.	10+	C2
H116	Prunus spinosa (Blackthorn), Ilex aquifolium (Holly), Rosa canina (Dog Rose), Sambucus nigra (Elder), Crataegus monogyna (Hawthorn)	2.5	-	-	-	-	-	75 (avg.)	-	0	-	SM	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H117	Prunus spinosa (Blackthorn), Crataegus monogyna (Hawthorn), Ilex aquifolium (Holly)	2	-	-	-	-	-	75 (avg.)	-	0	-	SM	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
H118	Ilex aquifolium (Holly), Sambucus nigra (Elder), Acer pseudoplatanus (Sycamore), Prunus spinosa (Blackthorn)	2	-	-	-	-	-	50 (avg.)	-	0	-	Y	Good	Boundary with highway verge and field, recently unmanaged, hedge managed by cutting and flailing, fern spp, also abundant within hedge.	10+	C2
H119	Ilex aquifolium (Holly), Sambucus nigra (Elder), Acer pseudoplatanus (Sycamore), Prunus spinosa (Blackthorn), Fraxinus excelsior (Ash)	3	-	-	-	-	-	75 (avg.)	-	0	-	SM	Good	Boundary with highway verge and field, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H120	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Ilex aquifolium (Holly)	1.5	-	-	-	-	-	50 (avg.)	-	0	-	Y	Good	Boundary with highway verge and field, hedge managed by cutting and flailing.	10+	C2
H121	Prunus spinosa (Blackthorn), Corylus avellana (Hazel)	1.5	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Boundary with highway verge and field, hedge managed by cutting and flailing.	10+	C2
H122	Prunus spinosa (Blackthorn), Corylus avellana (Hazel), Acer pseudoplatanus (Sycamore), Ilex aquifolium (Holly), Rosa canina (Dog Rose), Crataegus monogyna (Hawthorn)	2	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Boundary with highway verge and field, recently unmanaged, hedge managed by cutting and flailing, dense double hedgerow either side of minor road, diverse species mix, ferns also present.	20+	B3
H123	Prunus spinosa (Blackthorn), Corylus avellana (Hazel), Acer pseudoplatanus (Sycamore), Ilex aquifolium (Holly), Rosa canina (Dog Rose), Crataegus monogyna (Hawthorn)	2	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Boundary with highway verge and field, recently unmanaged, hedge managed by cutting and flailing, dense double hedgerow either side of minor road, diverse species mix, ferns also present.	20+	B3
H124	Prunus spinosa (Blackthorn), Corylus avellana (Hazel), Crataegus monogyna (Hawthorn), Fraxinus excelsior (Ash), Rosa canina (Dog Rose), Ilex aquifolium (Holly)	3	-	-	-	-	-	100 (avg.)	-	0	-	M	Good	Field boundary hedge, recently unmanaged.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
H125	Prunus spinosa (Blackthorn)	1.5	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H126	Prunus spinosa (Blackthorn)	1.5	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H127	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Corylus avellana (Hazel)	2	-	-	-	-	-	100 (avg.)	-	0	-	M	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H128	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Corylus avellana (Hazel)	2	-	-	-	-	-	100 (avg.)	-	0	-	M	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H129	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Corylus avellana (Hazel), Ilex aquifolium (Holly)	2	-	-	-	-	-	100 (avg.)	-	0	-	M	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H130	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Corylus avellana (Hazel)	2	-	-	-	-	-	100 (avg.)	-	0	-	M	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H131	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Corylus avellana (Hazel), Ilex aquifolium (Holly)	2	-	-	-	-	-	100 (avg.)	-	0	-	M	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H132	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Corylus avellana (Hazel), Fraxinus excelsior (Ash)	2	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
H133	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Corylus avellana (Hazel)	2	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H134	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Corylus avellana (Hazel), Ilex aquifolium (Holly)	2	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Boundary with highway verge and field, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H135	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Corylus avellana (Hazel), Ilex aquifolium (Holly)	2	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Boundary with highway verge and field, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H136	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn)	2	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Isolated hedge section at field boundary.	10+	C2
H137	Crataegus monogyna (Hawthorn)	2	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Isolated hedge section at field boundary.	10+	C2
H138	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Rosa canina (Dog Rose)	2.5	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H139	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Rosa canina (Dog Rose)	2.5	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H140	Prunus spinosa (Blackthorn), Sambucus nigra (Elder)	2.5	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H141	Prunus spinosa (Blackthorn), Sambucus nigra (Elder), Crataegus monogyna (Hawthorn)	2.5	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
H142	Prunus spinosa (Blackthorn), Sambucus nigra (Elder), Crataegus monogyna (Hawthorn)	2.5	-	-	-	-	-	100 (avg.)	-	0	-	M	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H143	Prunus spinosa (Blackthorn)	2.5	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Boundary with highway verge and field, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H144	Corylus avellana (Hazel), Crataegus monogyna (Hawthorn), Rosa canina (Dog Rose), Prunus spinosa (Blackthorn), Prunus avium (Wild Cherry)	3	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Field boundary hedge, hedge left to grow out.	10+	C2
H145	Prunus spinosa (Blackthorn), Sambucus nigra (Elder), Ulmus sp. (Elm), Corylus avellana (Hazel), Ilex aquifolium (Holly)	5	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Field boundary hedge, hedge left to grow out.	10+	C2
H146	Prunus spinosa (Blackthorn), Sambucus nigra (Elder), Corylus avellana (Hazel), Ilex aquifolium (Holly)	3.5	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Field boundary hedge, hedge left to grow out.	10+	C2
H147	Prunus spinosa (Blackthorn), Sambucus nigra (Elder), Corylus avellana (Hazel), Ilex aquifolium (Holly)	3.5	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Field boundary hedge, hedge left to grow out.	10+	C2
H148	Prunus spinosa (Blackthorn), Sambucus nigra (Elder), Ulmus sp. (Elm), Corylus avellana (Hazel)	5	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Field boundary hedge, hedge left to grow out.	10+	C2
H149	Crataegus monogyna (Hawthorn), Ilex aquifolium (Holly), Prunus spinosa (Blackthorn)	7	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Hedge left to grow out.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
H150	Ilex aquifolium (Holly), Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn)	2.5	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H151	Acer pseudoplatanus (Sycamore), Ilex aquifolium (Holly), Crataegus monogyna (Hawthorn), Rosa canina (Dog Rose)	2.5	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Field boundary hedge, recently unmanaged.	10+	C2
H152	X Cupressocyparis leylandii (Leyland Cypress)	3	-	-	-	-	-	300 (avg.)	-	0	-	EM	Good	Boundary to residential property, hedge managed by cutting and flailing.	10+	C2
H153	X Cupressocyparis leylandii (Leyland Cypress), Sambucus nigra (Elder), Crataegus monogyna (Hawthorn), Viburnum sp., Prunus spinosa (Blackthorn)	2	-	-	-	-	-	75 (avg.)	-	0	-	SM	Good	Mixed species informal garden border.	10+	C2
H154	Corylus avellana (Hazel), Prunus spinosa (Blackthorn), Rosa canina (Dog Rose)	2.5	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Boundary with highway verge and field, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H155	Prunus spinosa (Blackthorn), Rosa canina (Dog Rose)	1	-	-	-	-	-	50 (avg.)	-	0	-	Y	Good	Field boundary hedge, hedge managed by cutting and flailing.	10+	C2
H156	Rosa canina (Dog Rose), Prunus spinosa (Blackthorn), Corylus avellana (Hazel), Ulmus sp. (Elm), Crataegus monogyna (Hawthorn), Fraxinus excelsior (Ash), Salix cinerea (Grey Willow)	2	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
H157	Rosa canina (Dog Rose), Prunus spinosa (Blackthorn), Corylus avellana (Hazel), Ulmus sp. (Elm), Crataegus monogyna (Hawthorn), Fraxinus excelsior (Ash), Salix cinerea (Grey Willow)	2	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H158	Rosa canina (Dog Rose), Prunus spinosa (Blackthorn), Corylus avellana (Hazel), Ulmus sp. (Elm), Crataegus monogyna (Hawthorn), Fraxinus excelsior (Ash), Salix cinerea (Grey Willow)	2	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H159	Rosa canina (Dog Rose), Prunus spinosa (Blackthorn), Corylus avellana (Hazel), Ulmus sp. (Elm), Crataegus monogyna (Hawthorn), Fraxinus excelsior (Ash), Salix cinerea (Grey Willow)	3	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H160	Crataegus monogyna (Hawthorn), Corylus avellana (Hazel), Rosa canina (Dog Rose), Prunus spinosa (Blackthorn)	3.5	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Boundary with highway verge and field, hedge managed by cutting and flailing.	10+	C2
H161	Prunus spinosa (Blackthorn), Rosa canina (Dog Rose)	2.5	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Field boundary hedge, recently unmanaged.	10+	C2
H162	Crataegus monogyna (Hawthorn), Rosa canina (Dog Rose), Sambucus nigra (Elder)	3	-	-	-	-	-	150 (avg.)	-	0	-	M	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H163	Crataegus monogyna (Hawthorn), Rosa canina (Dog Rose), Sambucus nigra (Elder), Corylus avellana (Hazel), Malus sylvestris (Crab Apple)	3	-	-	-	-	-	200 (avg.)	-	0	-	M	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing, hedge gappy in form.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
H164	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Rosa canina (Dog Rose)	3	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Field boundary hedge, recently unmanaged.	10+	C2
H165	Ilex aquifolium (Holly)	2	-	-	-	-	-	50 (avg.)	-	0	-	Y	Good	Field boundary hedge, hedge managed by cutting and flailing.	10+	C2
H166	Acer pseudoplatanus (Sycamore), Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Corylus avellana (Hazel), Ilex aquifolium (Holly), Rosa canina (Dog Rose)	3	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Field boundary hedge, recently unmanaged.	10+	C2
H167	Prunus spinosa (Blackthorn), Corylus avellana (Hazel), Rosa canina (Dog Rose)	2	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Field boundary hedge, includes a hazel stool grown to 4m.	10+	C2
H168	Prunus spinosa (Blackthorn), Corylus avellana (Hazel), Rosa canina (Dog Rose), Crataegus monogyna (Hawthorn)	3.5	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Field boundary hedge, hedge left to grow out.	10+	C2
H169	Corylus avellana (Hazel), Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Rosa canina (Dog Rose)	2.5	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Forms double hedge either side of grass track.	20+	B3
H170	Corylus avellana (Hazel), Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Rosa canina (Dog Rose), Ilex aquifolium (Holly)	2.5	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Forms double hedge either side of grass track.	20+	B3
H171	Corylus avellana (Hazel), Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Rosa canina (Dog Rose)	2.5	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Forms double hedge either side of grass track.	20+	B3

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
H172	Ilex aquifolium (Holly), Corylus avellana (Hazel), Crataegus monogyna (Hawthorn), Sambucus nigra (Elder), Rosa canina (Dog Rose), Prunus spinosa (Blackthorn)	3	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C1
H173	Ilex aquifolium (Holly), Corylus avellana (Hazel), Crataegus monogyna (Hawthorn), Sambucus nigra (Elder), Rosa canina (Dog Rose), Prunus spinosa (Blackthorn)	2	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C1
H174	Crataegus monogyna (Hawthorn), Rosa canina (Dog Rose), Sambucus nigra (Elder), Corylus avellana (Hazel), Malus sylvestris (Crab Apple)	3	-	-	-	-	-	200 (avg.)	-	0	-	M	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H175	Crataegus monogyna (Hawthorn), Rubus fruticosus (Bramble)	1.5	-	-	-	-	-	75 (avg.)	-	0	-	EM	Fair	Field boundary hedge.	10+	C2
H176	Crataegus monogyna (Hawthorn), Rubus fruticosus (Bramble), Salix cinerea (Grey Willow), Ulmus glabra (Wych Elm), Prunus spinosa (Blackthorn)	1.5	-	-	-	-	-	75 (avg.)	-	0	-	EM	Fair	Field boundary hedge.	10+	C2
H177	Crataegus monogyna (Hawthorn), Rubus fruticosus (Bramble), Prunus spinosa (Blackthorn), Corylus avellana (Hazel)	1.5	-	-	-	-	-	75 (avg.)	-	0	-	EM	Fair	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H178	Crataegus monogyna (Hawthorn), Rosa canina (Dog Rose), Ulex sp. (Gorse), Prunus spinosa (Blackthorn)	1.72	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
H179	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn)	2.5	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Field boundary hedge.	10+	C2
H180	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Ulex sp. (Gorse), Rosa canina (Dog Rose)	2.5	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing, hedge gappy in form.	10+	C2
H181	Corylus avellana (Hazel), Rosa canina (Dog Rose), Prunus spinosa (Blackthorn), Crataegus monogyna (Hawthorn), Ilex aquifolium (Holly), Ulmus glabra (Wych Elm)	2.5	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Boundary between field and farm track, good species mix, gappier at northern end.	10+	C2
H182	Corylus avellana (Hazel), Rosa canina (Dog Rose), Prunus spinosa (Blackthorn), Crataegus monogyna (Hawthorn), Ilex aquifolium (Holly)	2	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Boundary with highway verge and field, hedge managed by cutting and flailing.	10+	C2
H183	Corylus avellana (Hazel), Rosa canina (Dog Rose), Prunus spinosa (Blackthorn), Crataegus monogyna (Hawthorn), Ilex aquifolium (Holly)	2	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Boundary with highway verge and field, hedge managed by cutting and flailing.	10+	C2
H184	Corylus avellana (Hazel), Crataegus monogyna (Hawthorn), Sambucus nigra (Elder), Rosa canina (Dog Rose), Prunus spinosa (Blackthorn)	2	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C1
H185	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn)	2	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C1
H186	Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn)	2	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C1

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
H187	Ilex aquifolium (Holly), Corylus avellana (Hazel), Crataegus monogyna (Hawthorn), Rosa canina (Dog Rose), Prunus spinosa (Blackthorn)	2	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C1
H188	Ilex aquifolium (Holly), Corylus avellana (Hazel), Crataegus monogyna (Hawthorn), Rosa canina (Dog Rose), Prunus spinosa (Blackthorn), Ulmus sp. (Elm), Fraxinus excelsior (Ash)	2	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C1
H189	Acer pseudoplatanus (Sycamore), Sambucus nigra (Elder), Prunus spinosa (Blackthorn), Ilex aquifolium (Holly), Rosa canina (Dog Rose), Crataegus monogyna (Hawthorn)	2	-	-	-	-	-	100 (avg.)	-	0	-	M	Good	Boundary with highway verge and field, hedge managed by cutting and flailing, 20m+ in length with no gaps, ferns also present.	20+	B3
H190	Sambucus nigra (Elder), Prunus spinosa (Blackthorn), Ilex aquifolium (Holly), Rosa canina (Dog Rose), Crataegus monogyna (Hawthorn), Ulmus glabra (Wych Elm)	2.5	-	-	-	-	-	100 (avg.)	-	0	-	M	Good	Field boundary hedge, hedge managed by cutting and flailing, 20m+ in length with no gaps, mature stems.	20+	B3
H191	Sambucus nigra (Elder), Prunus spinosa (Blackthorn), Ilex aquifolium (Holly), Rosa canina (Dog Rose), Crataegus monogyna (Hawthorn), Ulmus glabra (Wych Elm)	2.5	-	-	-	-	-	100 (avg.)	-	0	-	M	Good	Field boundary hedge, hedge managed by cutting and flailing, 20m+ in length with no gaps, mature stems.	20+	B3
H192	Prunus spinosa (Blackthorn), Sambucus nigra (Elder), Crataegus monogyna (Hawthorn)	2.5	-	-	-	-	-	100 (avg.)	-	0	-	M	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
H193	Sambucus nigra (Elder),Crataegus monogyna (Hawthorn)	2.5	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Recently unmanaged, hedge managed by cutting and flailing, boundary between field and farm access track.	10+	C2
H194	Sambucus nigra (Elder),Crataegus monogyna (Hawthorn)	2.5	-	-	-	-	-	100 (avg.)	-	0	-	M	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H195	Sambucus nigra (Elder),Crataegus monogyna (Hawthorn),Rosa canina (Dog Rose),Acer pseudoplatanus (Sycamore)	2.5	-	-	-	-	-	100 (avg.)	-	0	-	M	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H196	Sambucus nigra (Elder),Crataegus monogyna (Hawthorn),Rosa canina (Dog Rose)	2.5	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H197	Crataegus monogyna (Hawthorn),Rosa canina (Dog Rose),Corylus avellana (Hazel),Prunus spinosa (Blackthorn)	2	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Boundary with highway verge and field, hedge managed by cutting and flailing.	10+	C2
H198	Crataegus monogyna (Hawthorn),Rosa canina (Dog Rose),Corylus avellana (Hazel),Prunus spinosa (Blackthorn),Ilex aquifolium (Holly)	1.5	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Boundary with highway verge and field, hedge managed by cutting and flailing.	10+	C2
H199	Crataegus monogyna (Hawthorn),Rosa canina (Dog Rose),Prunus spinosa (Blackthorn),Ulex sp. (Gorse)	3	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Field boundary hedge, recently unmanaged, hedge managed by cutting and flailing, trees growing out at northern end, continuous for 20m+.	10+	C2
H200	Sambucus nigra (Elder),Rosa canina (Dog Rose),Prunus spinosa (Blackthorn),Corylus avellana (Hazel),Crataegus monogyna (Hawthorn)	3	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Hedge left to grow out, boundary between field and access track.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
H201	Ilex aquifolium (Holly), Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Corylus avellana (Hazel), Acer pseudoplatanus (Sycamore), Fraxinus excelsior (Ash), Rosa canina (Dog Rose), Ulmus glabra (Wych Elm)	3	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Rich species mix, dense, forms double hedgerow either side of bridleway, flowering species e.g. honeysuckle and herb robert noted, ferns abundant, butterflies and bumblebees abundant.	20+	B3
H202	Ilex aquifolium (Holly), Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Corylus avellana (Hazel), Acer pseudoplatanus (Sycamore), Fraxinus excelsior (Ash), Rosa canina (Dog Rose), Ulmus glabra (Wych Elm)	3	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Rich species mix, dense, forms double hedgerow either side of bridleway, flowering species e.g. honeysuckle and herb robert noted, ferns abundant, butterflies and bumblebees abundant.	20+	B3
H203	Ilex aquifolium (Holly), Crataegus monogyna (Hawthorn), Prunus spinosa (Blackthorn), Corylus avellana (Hazel), Acer pseudoplatanus (Sycamore), Fraxinus excelsior (Ash), Rosa canina (Dog Rose), Ulmus glabra (Wych Elm)	3	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Recently unmanaged, hedge managed by cutting and flailing, rich species mix, dense, forms double hedgerow either side of bridleway, flowering species e.g. honeysuckle and herb robert noted, ferns abundant, butterflies and bumblebees abundant.	20+	B3
H204	Crataegus monogyna (Hawthorn)	2.5	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Field boundary hedge, hedge managed by cutting and flailing, section of hedgerow comprised of established hawthorn stems.	10+	C2
H205	Corylus avellana (Hazel), Rosa canina (Dog Rose), Prunus spinosa (Blackthorn), Crataegus monogyna (Hawthorn), Fraxinus excelsior (Ash), Rubus fruticosus (Bramble), Ilex aquifolium (Holly), Sambucus nigra (Elder)	2.5	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Recently unmanaged, hedge managed by cutting and flailing, rich species mix, dense and continuous for 20m with trees.	20+	B3

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
H206	Sambucus nigra (Elder), Corylus avellana (Hazel), Ulmus glabra (Wych Elm), Crataegus monogyna (Hawthorn), Ilex aquifolium (Holly)	2	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Boundary with highway verge and field, hedge managed by cutting and flailing.	20+	B3
H207	Crataegus monogyna (Hawthorn)	2	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Boundary with highway verge and field, hedge managed by cutting and flailing.	10+	C2
H208	Crataegus monogyna (Hawthorn), Ulmus glabra (Wych Elm), Fraxinus excelsior (Ash)	2	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Boundary with highway verge and field, hedge managed by cutting and flailing.	10+	C2
H209	Crataegus monogyna (Hawthorn)	2	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Boundary with highway verge and field, hedge managed by cutting and flailing.	10+	C2
H210	Crataegus monogyna (Hawthorn)	2	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Boundary with highway verge and field, hedge managed by cutting and flailing.	10+	C2
H211	Crataegus monogyna (Hawthorn)	1.5	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Boundary with highway and property, hedge managed by cutting and flailing.	10+	C2
H212	Cotoneaster frigidus (Cotoneaster)	1.5	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Boundary with highway and property, hedge managed by cutting and flailing.	10+	C2
H213	Crataegus monogyna (Hawthorn), Fraxinus excelsior (Ash), Sambucus nigra (Elder)	2	-	-	-	-	-	50 (avg.)	-	0	-	SM	Good	Boundary with highway verge and field, recently unmanaged, hedge managed by cutting and flailing.	10+	C2
H214	Crataegus monogyna (Hawthorn), Rosa canina (Dog Rose), Acer pseudoplatanus (Sycamore), Ulmus glabra (Wych Elm), Fraxinus excelsior (Ash), Rubus fruticosus (Bramble)	3	-	-	-	-	-	75 (avg.)	-	0	-	EM	Good	Occasional trees at telegraph poles, field boundary adjacent to verge, wildflowers at edge.	20+	B3
▼ Scrub Surveyed During Original Survey ▼																
S1	Rubus fruticosus (Bramble spp.), Prunus spinosa (Blackthorn), Crataegus monogyna (Hawthorn)	1.5	-	-	-	-	-	100 (avg.)	-	0	-	M	Fair	Area of scrub on field boundary, mostly blackthorn.	10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.

- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.

Ref. no	Species	Height (m)	N	E	S	W	Crown Area	Stem dia. (mm)	Stem no. at 1.5m	crown clearance (m)	FSB Height (Direction)	Age class	Condition	General Observations Management Recommendations	remaining contribution (yrs)	Quality Category (BS5837)
▼ Scrub Surveyed During Additional Survey ▼																
S2	Sambucus nigra (Elder), Crataegus monogyna (Hawthorn)	3	-	-	-	-	-	(avg.)	-	0	-	Y	Fair	A few scattered scrubby trees, mainly nettle and bramble.	10+	C2
S3	Crataegus monogyna (Hawthorn)	2.5	-	-	-	-	-	(avg.)	-	0	-	Y	Fair	One small, scrubby tree, but mainly ivy, nettles and brambles.	10+	C2
S4	Sambucus nigra (Elder), Prunus spinosa (Blackthorn)	2.5	-	-	-	-	-	(avg.)	-	0	-	Y	Fair		10+	C2

Note: This survey is based on a brief visual inspection from the ground.
It is not intended as a full arboricultural inspection.
- indicates estimated/offsite tree. * - indicates off site tree. FSB - First Significant Branch.