



HELIOS RENEWABLE
ENERGY
PROJECT

PINS Document Number:
EN010140/APP/6.3.7.7

Pursuant to:
APFP Regulation 5(2)(a)

Environmental Statement Appendix 7.7: Visualisations

June 2024



VIEWPOINT LOCATION



TRIPOD LOCATION

PHOTOVIEW - EXISTING VIEW



To be viewed at a comfortable arm's length

Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 4m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Approx distance to site	- 0m (within Site)	Horizontal Field of View	- 90°
Date & time of photograph	- 12/02/2024 @ 11:05	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 464181, 425523	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 1A - EXISTING

VIEW FROM PUBLIC RIGHT OF WAY (35.18/16/1)





VIEWPOINT LOCATION



TRIPOD LOCATION

PHOTOMONTAGE - YEAR 1



NOTE-

The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

Camera make & model - Canon EOS 6D MkII
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 12/02/2024 @ 11:05
OS grid reference - 464181, 425523

Viewpoint height (AOD) - 4m
Approx distance to site - 0m (within Site)
Projection - Cylindrical
Enlargement factor - 96%

Visualisation Type - Type 3 (LI TGN 06/19)
Horizontal Field of View - 90°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 1A - YEAR 1

VIEW FROM PUBLIC RIGHT OF WAY (35.18/16/1)



PHOTOMONTAGE - YEAR 15

NOTE-

The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length


Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 4m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Approx distance to site	- 0m (within Site)	Horizontal Field of View	- 90°
Date & time of photograph	- 12/02/2024 @ 11:05	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 464181, 425523	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 1A - YEAR 15

VIEW FROM PUBLIC RIGHT OF WAY (35.18/16/1)





VIEWPOINT LOCATION



TRIPOD LOCATION

PHOTOVIEW - EXISTING VIEW


To be viewed at a comfortable arm's length

Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 4m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Approx distance to site	- 0m (within Site)	Horizontal Field of View	- 90°
Date & time of photograph	- 12/02/2024 @ 11:05	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 464181, 425523	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 1B - EXISTING

VIEW FROM PUBLIC RIGHT OF WAY (35.18/16/1)



VIEWPOINT LOCATION



TRIPOD LOCATION

PHOTOMONTAGE - YEAR 1

NOTE-

The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

Camera make & model - Canon EOS 6D MkII
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 12/02/2024 @ 11:05
OS grid reference - 464181, 425523

Viewpoint height (AOD) - 4m
Approx distance to site - 0m (within Site)
Projection - Cylindrical
Enlargement factor - 96%

Visualisation Type - Type 3 (LI TGN 06/19)
Horizontal Field of View - 90°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 1B - YEAR 1

VIEW FROM PUBLIC RIGHT OF WAY (35.18/16/1)



VIEWPOINT LOCATION



TRIPOD LOCATION

PHOTOMONTAGE - YEAR 15

NOTE-

The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

Camera make & model - Canon EOS 6D MkII
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 12/02/2024 @ 11:05
OS grid reference - 464181, 425523

Viewpoint height (AOD) - 4m
Approx distance to site - 0m (within Site)
Projection - Cylindrical
Enlargement factor - 96%

Visualisation Type - Type 3 (LI TGN 06/19)
Horizontal Field of View - 90°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 1B - YEAR 15

VIEW FROM PUBLIC RIGHT OF WAY (35.18/16/1)

DOCUMENT REFERENCE - ENE_010_02A | DATE - JUNE 2024



PHOTOVIEW - EXISTING VIEW

To be viewed at a comfortable arm's length

Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 4m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Approx distance to site	- 46m	Horizontal Field of View	- 90°
Date & time of photograph	- 05/02/2024 @ 09:10	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 463906, 426147	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 2A - EXISTING

VIEW FROM CLAYPIT LANE / PUBLIC RIGHT OF WAY (35.17/U8106/50)





PHOTOMONTAGE - YEAR 1

NOTE-

The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

Camera make & model - Canon EOS 6D MkII
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 05/02/2024 @ 09:10
OS grid reference - 463906, 426147

Viewpoint height (AOD) - 4m
Approx distance to site - 46m
Projection - Cylindrical
Enlargement factor - 96%

Visualisation Type - Type 3 (LI TGN 06/19)
Horizontal Field of View - 90°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 2A - YEAR 1

VIEW FROM CLAYPIT LANE / PUBLIC RIGHT OF WAY (35.17/U8106/50)



PHOTOMONTAGE - YEAR 15

NOTE-

The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

Camera make & model - Canon EOS 6D MkII
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 05/02/2024 @ 09:10
OS grid reference - 463906, 426147

Viewpoint height (AOD) - 4m
Approx distance to site - 46m
Projection - Cylindrical
Enlargement factor - 96%


Visualisation Type - Type 3 (LI TGN 06/19)
Horizontal Field of View - 90°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 2A - YEAR 15

VIEW FROM CLAYPIT LANE / PUBLIC RIGHT OF WAY (35.17/U8106/50)





VIEWPOINT LOCATION



TRIPOD LOCATION



PHOTOVIEW - EXISTING VIEW

To be viewed at a comfortable arm's length

Camera make & model - Canon EOS 6D MkII
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 05/02/2024 @ 09:10
OS grid reference - 463906, 426147


Viewpoint height (AOD) - 4m
Approx distance to site - 46m
Projection - Cylindrical
Enlargement factor - 96%

Visualisation Type - Type 3 (LI TGN 06/19)
Horizontal Field of View - 90°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 2B - EXISTING

VIEW FROM CLAYPIT LANE / PUBLIC RIGHT OF WAY (35.17/U8106/50)



VIEWPOINT LOCATION



TRIPOD LOCATION

PHOTOMONTAGE - YEAR 1



NOTE-

The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

Camera make & model - Canon EOS 6D MKII
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 05/02/2024 @ 09:10
OS grid reference - 463906, 426147


Viewpoint height (AOD) - 4m
Approx distance to site - 46m
Projection - Cylindrical
Enlargement factor - 96%

Visualisation Type - Type 3 (LI TGN 06/19)
Horizontal Field of View - 90°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 2B - YEAR 1

VIEW FROM CLAYPIT LANE / PUBLIC RIGHT OF WAY (35.17/U8106/50)



VIEWPOINT LOCATION



TRIPOD LOCATION

PHOTOMONTAGE - YEAR 15



NOTE-

The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

Camera make & model - Canon EOS 6D MkII
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 05/02/2024 @ 09:10
OS grid reference - 463906, 426147


Viewpoint height (AOD) - 4m
Approx distance to site - 46m
Projection - Cylindrical
Enlargement factor - 96%

Visualisation Type - Type 3 (LI TGN 06/19)
Horizontal Field of View - 90°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 2B - YEAR 15

VIEW FROM CLAYPIT LANE / PUBLIC RIGHT OF WAY (35.17/U8106/50)



VIEWPOINT LOCATION



TRIPOD LOCATION

PHOTOVIEW - EXISTING VIEW

To be viewed at a comfortable arm's length

Camera make & model - Canon EOS 6D MkII
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 05/02/2024 @ 08:45
OS grid reference - 463539, 426454

Viewpoint height (AOD) - 4.4m
Approx distance to site - 0m (within Site)
Projection - Cylindrical
Enlargement factor - 96%


Visualisation Type - Type 3 (LI TGN 06/19)
Horizontal Field of View - 90°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 3A - EXISTING

VIEW FROM CHESTER COURT ROAD





VIEWPOINT LOCATION



TRIPOD LOCATION

PHOTOMONTAGE - YEAR 1

NOTE-
 The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

Camera make & model	- Canon EOS 6D MKII	Viewpoint height (AOD)	- 4.4m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Approx distance to site	- 0m (within Site)	Horizontal Field of View	- 90°
Date & time of photograph	- 05/02/2024 @ 08:45	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 463539, 426454	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 3A - YEAR 1

VIEW FROM CHESTER COURT ROAD





PHOTOMONTAGE - YEAR 15

NOTE-
 The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length


Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 4.4m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Approx distance to site	- 0m (within Site)	Horizontal Field of View	- 90°
Date & time of photograph	- 05/02/2024 @ 08:45	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 463539, 426454	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 3A - YEAR 15

VIEW FROM CHESTER COURT ROAD





VIEWPOINT LOCATION



TRIPOD LOCATION

PHOTOVIEW - EXISTING VIEW

To be viewed at a comfortable arm's length


Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 4.4m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Approx distance to site	- 0m (within Site)	Horizontal Field of View	- 90°
Date & time of photograph	- 05/02/2024 @ 08:45	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 463539, 426454	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 3B - EXISTING

VIEW FROM CHESTER COURT ROAD





VIEWPOINT LOCATION



TRIPOD LOCATION

PHOTOMONTAGE - YEAR 1

NOTE-
 The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 4.4m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Approx distance to site	- 0m (within Site)	Horizontal Field of View	- 90°
Date & time of photograph	- 05/02/2024 @ 08:45	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 463539, 426454	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 3B - YEAR 1

VIEW FROM CHESTER COURT ROAD





PHOTOMONTAGE - YEAR 15

NOTE-
 The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 4.4m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Approx distance to site	- 0m (within Site)	Horizontal Field of View	- 90°
Date & time of photograph	- 05/02/2024 @ 08:45	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 463539, 426454	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 3B - YEAR 15

VIEW FROM CHESTER COURT ROAD





PHOTOVIEW - EXISTING VIEW

To be viewed at a comfortable arm's length

Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 4.4m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Approx distance to site	- 0m (within Site)	Horizontal Field of View	- 90°
Date & time of photograph	- 05/02/2024 @ 08:45	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 463539, 426454	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 3C - EXISTING

VIEW FROM CHESTER COURT ROAD

DOCUMENT REFERENCE - ENE_010_02A | DATE - JUNE 2024





PHOTOMONTAGE - YEAR 1

NOTE-

The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

Camera make & model - Canon EOS 6D MKII
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 05/02/2024 @ 08:45
OS grid reference - 463539, 426454

Viewpoint height (AOD) - 4.4m
Approx distance to site - 0m (within Site)
Projection - Cylindrical
Enlargement factor - 96%

Visualisation Type - Type 3 (LI TGN 06/19)
Horizontal Field of View - 90°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 3C - YEAR 1

VIEW FROM CHESTER COURT ROAD

DOCUMENT REFERENCE - ENE_010_02A | DATE - JUNE 2024





PHOTOMONTAGE - YEAR 15

NOTE-

The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

Camera make & model - Canon EOS 6D MkII
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 05/02/2024 @ 08:45
OS grid reference - 463539, 426454

Viewpoint height (AOD) - 4.4m
Approx distance to site - 0m (within Site)
Projection - Cylindrical
Enlargement factor - 96%

Visualisation Type - Type 3 (LI TGN 06/19)
Horizontal Field of View - 90°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 841 x 297 / 820 x 235


HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 3C - YEAR 15

VIEW FROM CHESTER COURT ROAD

DOCUMENT REFERENCE - ENE_010_02A | DATE - JUNE 2024





VIEWPOINT LOCATION



TRIPOD LOCATION

PHOTOVIEW - EXISTING VIEW

To be viewed at a comfortable arm's length

Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 4.4m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Approx distance to site	- 0m (within Site)	Horizontal Field of View	- 90°
Date & time of photograph	- 05/02/2024 @ 08:45	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 463539, 426454	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235


HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 3D - EXISTING

VIEW FROM CHESTER COURT ROAD

DOCUMENT REFERENCE - ENE_010_02A | DATE - JUNE 2024





PHOTOMONTAGE - YEAR 1

NOTE-

The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

Camera make & model - Canon EOS 6D MkII
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 05/02/2024 @ 08:45
OS grid reference - 463539, 426454

Viewpoint height (AOD) - 4.4m
Approx distance to site - 0m (within Site)
Projection - Cylindrical
Enlargement factor - 96%

Visualisation Type - Type 3 (LI TGN 06/19)
Horizontal Field of View - 90°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 3D - YEAR 1

VIEW FROM CHESTER COURT ROAD

DOCUMENT REFERENCE - ENE_010_02A | DATE - JUNE 2024





PHOTOMONTAGE - YEAR 15

NOTE-
 The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 4.4m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Approx distance to site	- 0m (within Site)	Horizontal Field of View	- 90°
Date & time of photograph	- 05/02/2024 @ 08:45	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 463539, 426454	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 3D - YEAR 15

VIEW FROM CHESTER COURT ROAD





PHOTOVIEW - EXISTING VIEW

To be viewed at a comfortable arm's length

Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 4.8m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Approx distance to site	- 0m (on Site boundary)	Horizontal Field of View	- 90°
Date & time of photograph	- 12/02/2024 @ 12:55	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 462971, 426542	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 4 - EXISTING

VIEW FROM JOWLAND WINN LANE

DOCUMENT REFERENCE - ENE_010_02A | DATE - JUNE 2024





PHOTOMONTAGE - YEAR 1

To be viewed at a comfortable arm's length

Camera make & model - Canon EOS 6D MkII
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 12/02/2024 @ 12:55
OS grid reference - 462971, 426542


Viewpoint height (AOD) - 4.8m
Approx distance to site - 0m (on Site boundary)
Projection - Cylindrical
Enlargement factor - 96%

Visualisation Type - Type 3 (LI TGN 06/19)
Horizontal Field of View - 90°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 4 - YEAR 1

VIEW FROM JOWLAND WINN LANE



VIEWPOINT LOCATION



TRIPOD LOCATION



PHOTOMONTAGE - YEAR 15

To be viewed at a comfortable arm's length

Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 4.8m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Approx distance to site	- 0m (on Site boundary)	Horizontal Field of View	- 90°
Date & time of photograph	- 12/02/2024 @ 12:55	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 462971, 426542	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 4 - YEAR 15

VIEW FROM JOWLAND WINN LANE





VIEWPOINT LOCATION



TRIPOD LOCATION

PHOTOVIEW - EXISTING VIEW

To be viewed at a comfortable arm's length

Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 5m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Approx distance to site	- 0m (on Site boundary)	Horizontal Field of View	- 90°
Date & time of photograph	- 05/02/2024 @ 11:05	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 462992, 425782	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 5A - EXISTING

VIEW FROM SANDWITH LANE





VIEWPOINT LOCATION



TRIPOD LOCATION

PHOTOMONTAGE - YEAR 1

NOTE-

The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

Camera make & model - Canon EOS 6D MkII
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 05/02/2024 @ 11:05
OS grid reference - 462992, 425782

Viewpoint height (AOD) - 5m
Approx distance to site - 0m (on Site boundary)
Projection - Cylindrical
Enlargement factor - 96%

Visualisation Type - Type 3 (LI TGN 06/19)
Horizontal Field of View - 90°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 5A - YEAR 1

VIEW FROM SANDWITH LANE



PHOTOMONTAGE - YEAR 15

NOTE-

The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 5m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Approx distance to site	- 0m (on Site boundary)	Horizontal Field of View	- 90°
Date & time of photograph	- 05/02/2024 @ 11:05	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 462992, 425782	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 5A - YEAR 15

VIEW FROM SANDWITH LANE





VIEWPOINT LOCATION



TRIPOD LOCATION

PHOTOVIEW - EXISTING VIEW

To be viewed at a comfortable arm's length

Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 5m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Approx distance to site	- 0m (on Site boundary)	Horizontal Field of View	- 90°
Date & time of photograph	- 05/02/2024 @ 11:05	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 462992, 425782	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 5B - EXISTING

VIEW FROM SANDWITH LANE





VIEWPOINT LOCATION



TRIPOD LOCATION

PHOTOMONTAGE - YEAR 1

NOTE-
 The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 5m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Approx distance to site	- 0m (on Site boundary)	Horizontal Field of View	- 90°
Date & time of photograph	- 05/02/2024 @ 11:05	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 462992, 425782	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 5B - YEAR 1

VIEW FROM SANDWICH LANE





VIEWPOINT LOCATION



TRIPOD LOCATION

PHOTOMONTAGE - YEAR 15



NOTE-

The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

Camera make & model - Canon EOS 6D MkII
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 05/02/2024 @ 11:05
OS grid reference - 462992, 425782

Viewpoint height (AOD) - 5m
Approx distance to site - 0m (on Site boundary)
Projection - Cylindrical
Enlargement factor - 96%

Visualisation Type - Type 3 (LI TGN 06/19)
Horizontal Field of View - 90°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 5B - YEAR 15

VIEW FROM SANDWITH LANE



PHOTOVIEW - EXISTING VIEW

To be viewed at a comfortable arm's length

Camera make & model - Canon EOS 6D MkII
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 12/02/2024 @ 13:15
OS grid reference - 462422, 427431

Viewpoint height (AOD) - 4.7m
Approx distance to site - 78m
Projection - Cylindrical
Enlargement factor - 96%

Visualisation Type - Type 3 (LI TGN 06/19)
Horizontal Field of View - 90°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 6A - EXISTING

VIEW FROM CHESTER COURT ROAD

DOCUMENT REFERENCE - ENE_010_02A | DATE - JUNE 2024



PHOTOMONTAGE - YEAR 1

NOTE-

The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

Camera make & model - Canon EOS 6D MkII
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 12/02/2024 @ 13:15
OS grid reference - 462422, 427431

Viewpoint height (AOD) - 4.7m
Approx distance to site - 78m
Projection - Cylindrical
Enlargement factor - 96%

Visualisation Type - Type 3 (LI TGN 06/19)
Horizontal Field of View - 90°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 6A - YEAR 1

VIEW FROM CHESTER COURT ROAD

DOCUMENT REFERENCE - ENE_010_02A | DATE - JUNE 2024



PHOTOMONTAGE - YEAR 15

NOTE-

The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 4.7m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Approx distance to site	- 78m	Horizontal Field of View	- 90°
Date & time of photograph	- 12/02/2024 @ 13:15	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 462422, 427431	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235


HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 6A - YEAR 15

VIEW FROM CHESTER COURT ROAD

DOCUMENT REFERENCE - ENE_010_02A | DATE - JUNE 2024





VIEWPOINT LOCATION



TRIPOD LOCATION



PHOTOVIEW - EXISTING VIEW

To be viewed at a comfortable arm's length




Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 4.7m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Approx distance to site	- 78m	Horizontal Field of View	- 90°
Date & time of photograph	- 12/02/2024 @ 13:15	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 462422, 427431	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 6B - EXISTING

VIEW FROM CHESTER COURT ROAD



VIEWPOINT LOCATION



TRIPOD LOCATION

PHOTOMONTAGE - YEAR 1



NOTE-

The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

Camera make & model - Canon EOS 6D MkII
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 12/02/2024 @ 13:15
OS grid reference - 462422, 427431


Viewpoint height (AOD) - 4.7m
Approx distance to site - 78m
Projection - Cylindrical
Enlargement factor - 96%

Visualisation Type - Type 3 (LI TGN 06/19)
Horizontal Field of View - 90°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 6B - YEAR 1

VIEW FROM CHESTER COURT ROAD



VIEWPOINT LOCATION



TRIPOD LOCATION

PHOTOMONTAGE - YEAR 15

NOTE-

The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

Camera make & model - Canon EOS 6D MkII
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 12/02/2024 @ 13:15
OS grid reference - 462422, 427431

Viewpoint height (AOD) - 4.7m
Approx distance to site - 78m
Projection - Cylindrical
Enlargement factor - 96%

Visualisation Type - Type 3 (LI TGN 06/19)
Horizontal Field of View - 90°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 6B - YEAR 15

VIEW FROM CHESTER COURT ROAD

DOCUMENT REFERENCE - ENE_010_02A | DATE - JUNE 2024





PHOTOVIEW - EXISTING VIEW

To be viewed at a comfortable arm's length

Camera make & model - Canon EOS 6D MkII
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 05/02/2024 @ 08:05
OS grid reference - 461722, 428692

Viewpoint height (AOD) - 5.4m
Approx distance to site - 11m
Projection - Cylindrical
Enlargement factor - 96%

Visualisation Type - Type 3 (LI TGN 06/19)
Horizontal Field of View - 90°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 7A - EXISTING

VIEW FROM COMMON LANE





PHOTOMONTAGE - YEAR 1

NOTE-

The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

Camera make & model - Canon EOS 6D MkII
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 05/02/2024 @ 08:05
OS grid reference - 461722, 428692

Viewpoint height (AOD) - 5.4m
Approx distance to site - 11m
Projection - Cylindrical
Enlargement factor - 96%

Visualisation Type - Type 3 (LI TGN 06/19)
Horizontal Field of View - 90°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 7A - YEAR 1

VIEW FROM COMMON LANE



PHOTOMONTAGE - YEAR 15

NOTE-
 The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length


Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 5.4m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Approx distance to site	- 11m	Horizontal Field of View	- 90°
Date & time of photograph	- 05/02/2024 @ 08:05	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 461722, 428692	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 7A - YEAR 15

VIEW FROM COMMON LANE





VIEWPOINT LOCATION



TRIPOD LOCATION



PHOTOVIEW - EXISTING VIEW

To be viewed at a comfortable arm's length




Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 5.4m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Approx distance to site	- 11m	Horizontal Field of View	- 90°
Date & time of photograph	- 05/02/2024 @ 08:05	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 461722, 428692	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 7B - EXISTING

VIEW FROM COMMON LANE



VIEWPOINT LOCATION



TRIPOD LOCATION

PHOTOMONTAGE - YEAR 1

NOTE-

The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

Camera make & model - Canon EOS 6D MkII
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 05/02/2024 @ 08:05
OS grid reference - 461722, 428692

Viewpoint height (AOD) - 5.4m
Approx distance to site - 11m
Projection - Cylindrical
Enlargement factor - 96%

Visualisation Type - Type 3 (LI TGN 06/19)
Horizontal Field of View - 90°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 7B - YEAR 1

VIEW FROM COMMON LANE





PHOTOMONTAGE - YEAR 15

NOTE-

The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 5.4m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Approx distance to site	- 11m	Horizontal Field of View	- 90°
Date & time of photograph	- 05/02/2024 @ 08:05	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 461722, 428692	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 7B - YEAR 15

VIEW FROM COMMON LANE





PHOTOVIEW - EXISTING VIEW

To be viewed at a comfortable arm's length

Camera make & model - Canon EOS 6D MkII
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 05/02/2024 @ 11:35
OS grid reference - 461501, 424759

Viewpoint height (AOD) - 5.4m
Approx distance to site - 6m
Projection - Cylindrical
Enlargement factor - 96%

Visualisation Type - Type 3 (LI TGN 06/19)
Horizontal Field of View - 90°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 10A - EXISTING

VIEW FROM OLD LANE





PHOTOMONTAGE - YEAR 1

NOTE-

The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

Camera make & model - Canon EOS 6D MkII
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 05/02/2024 @ 11:35
OS grid reference - 461501, 424759

Viewpoint height (AOD) - 5.4m
Approx distance to site - 6m
Projection - Cylindrical
Enlargement factor - 96%

Visualisation Type - Type 3 (LI TGN 06/19)
Horizontal Field of View - 90°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 10A - YEAR 1

VIEW FROM OLD LANE



PHOTOMONTAGE - YEAR 15

NOTE-

The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

Camera make & model - Canon EOS 6D MkII
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 05/02/2024 @ 11:35
OS grid reference - 461501, 424759

Viewpoint height (AOD) - 5.4m
Approx distance to site - 6m
Projection - Cylindrical
Enlargement factor - 96%


Visualisation Type - Type 3 (LI TGN 06/19)
Horizontal Field of View - 90°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 10A - YEAR 15

VIEW FROM OLD LANE





VIEWPOINT LOCATION



TRIPOD LOCATION



PHOTOVIEW - EXISTING VIEW

To be viewed at a comfortable arm's length




Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 5.4m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Approx distance to site	- 6m	Horizontal Field of View	- 90°
Date & time of photograph	- 05/02/2024 @ 11:35	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 461501, 424759	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 10B - EXISTING

VIEW FROM OLD LANE



VIEWPOINT LOCATION



TRIPOD LOCATION

PHOTOMONTAGE - YEAR 1

NOTE-

The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

Camera make & model - Canon EOS 6D MkII
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 05/02/2024 @ 11:35
OS grid reference - 461501, 424759

Viewpoint height (AOD) - 5.4m
Approx distance to site - 6m
Projection - Cylindrical
Enlargement factor - 96%

Visualisation Type - Type 3 (LI TGN 06/19)
Horizontal Field of View - 90°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 10B - YEAR 1

VIEW FROM OLD LANE



PHOTOMONTAGE - YEAR 15

NOTE-

The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

Camera make & model - Canon EOS 6D MkII
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 05/02/2024 @ 11:35
OS grid reference - 461501, 424759

Viewpoint height (AOD) - 5.4m
Approx distance to site - 6m
Projection - Cylindrical
Enlargement factor - 96%

Visualisation Type - Type 3 (LI TGN 06/19)
Horizontal Field of View - 90°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 10B - YEAR 15

VIEW FROM OLD LANE



PHOTOVIEW - EXISTING VIEW

To be viewed at a comfortable arm's length

Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 4.1m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Approx distance to site	- 0m (on Site boundary)	Horizontal Field of View	- 90°
Date & time of photograph	- 12/02/2024 @ 11:55	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 462991, 424939	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 11A - EXISTING

VIEW FROM PROW STOCKWITH LANE

DOCUMENT REFERENCE - ENE_010_02A | DATE - JUNE 2024





PHOTOMONTAGE - YEAR 1

To be viewed at a comfortable arm's length

Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 4.1m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Approx distance to site	- 0m (on Site boundary)	Horizontal Field of View	- 90°
Date & time of photograph	- 12/02/2024 @ 11:55	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 462991, 424939	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

HELIOS RENEWABLE ENERGY PROJECT

VIEWPOINT 11A - YEAR 1

VIEW FROM PROW STOCKWITH LANE

DOCUMENT REFERENCE - ENE_010_02A | DATE - JUNE 2024

