

---

# **EAST YORKSHIRE SOLAR FARM**

**East Yorkshire Solar Farm  
EN010143**

## **Environmental Statement**

**Volume 2, Appendix 7-4: Archaeological Trial Trenching Evaluation Report  
(Archaeological Services WYAS)  
Document Reference: EN010143/APP/6.2**

Regulation 5(2)(a)  
Infrastructure Planning (Applications: Prescribed Forms and Procedure)  
Regulations 2009

November 2023  
Revision Number: 00



**WYAS**  
**Archaeological  
Services**

**East Yorkshire Solar Farm**

**East Yorkshire**

**Trial Trench Evaluation**

**Interim Report**

Report no. 4052  
October 2023

**Client:** BOOM Power Ltd



**East Yorkshire Solar Farm,  
East Yorkshire  
Trial Trench Evaluation  
Interim Report**

*Summary*

*Archaeological Services WYAS (ASWYAS) undertook a trial trench evaluation at Howden and Bubwith, East Yorkshire to support a Development Consent Order (DCO) application for a proposed development of a solar photovoltaic (PV) electricity generating facility and energy storage scheme.*

*The works were undertaken between the 14th of August and the 9th of October 2023 and comprised the excavation of 500 trenches across the proposed development area targeting previously identified geophysical anomalies and apparently blank areas. The trenches highlighted four areas of late Iron Age/Romano-British activity as well as evidence of post-medieval agricultural activity.*



## Report Information

Client: BOOM Power Ltd  
 Address: 5E Park Farm, Chichester Road, Arundel, West Sussex  
 Report Type: Trial Trenching Evaluation – Interim Report  
 Location: Howden and Bubwith  
 County: East Yorkshire  
 Grid Reference: SE 74632 33417 (centred)  
 Period(s) of activity represented: Prehistoric, Roman and post-medieval  
 Report Number: 4052  
 Project Number: XK50  
 Site Code: EYS23  
 Planning Application No.: pre-planning  
 Museum Accession No.: tbc  
 Date of fieldwork: 14/08/2023 – 09/10/2023  
 Date of report: October 2023  
 Project Management: Kevin Moon, Jane Richardson  
 Fieldwork supervisor: Richard Edgar, Lexy Ellis, Josh Wood, Stephanie Blues, Marina Rose, Konrad Dziurawiec, Kylie Buxton, Stephan Golby, Tim Cobbold  
  
 Fieldwork: Koren Abanozian, Rowan Kendrick, Klaudia Kvocekova, Poppy Nunn, Megan Pugh, Alexandra Reyner, Alexa Varnham, Viv Walker, Billy Watson, Rohan Georgie, Alexandra Davies, Jean-Luc Heath, Jacob Hurst-Myszor, Haydn Evans, Johnathan Power, Andy Swann, Katarzyna Rygala, Beth Halliwell, Alexandra Davies, Kieran Cranston  
  
 Report: Richard Edgar, Kevin Moon and Josh Wood  
 Illustrations: Katarzyna Rygala, Alexandra Davies and Kevin Moon  
 Photography: ASWYAS staff

Authorisation for distribution: .....



© Archaeological Services WYAS 2023  
 Nepshaw Lane South, Morley, Leeds LS27 7JQ  
 Telephone: 0113 535 0163  
 Email: admin@aswyas.com





## Contents

Report information .....	ii
Contents.....	iii
Document Issue Record .....	iv
List of Figures .....	iv
List of Plates.....	iv
List of Tables .....	iv
<b>1 Introduction.....</b>	<b>1</b>
Description of scheme .....	1
Soils and geology.....	1
<b>2 Archaeological and Historical Background.....</b>	<b>2</b>
Early prehistoric.....	2
Late prehistoric .....	3
Roman.....	3
Medieval .....	4
Post-medieval.....	6
Previous work .....	7
<b>3 Aims and Objectives .....</b>	<b>8</b>
<b>4 Methodology .....</b>	<b>9</b>
<b>5 Results .....</b>	<b>10</b>
Field 1a.1 .....	11
Field 1a.2 .....	11
Field 1a.3 .....	11
Field 1a.4 .....	11
Field 1a.5 .....	11
Field 1a.6 .....	12
Field 1a.8 .....	12
Field 1a.9 .....	12
Field 1a.10 .....	16
Field 1a.11.....	16
Field 1a.12 .....	16
Field 1a.13 .....	17
Field 1a.14 .....	17
Field 1b.1 .....	17
Field 1c .....	18
Field 1d.....	18
Field 1e.1 .....	19
Field 1e.2 .....	19
Field 1e.3 .....	19
Field 1e.4 .....	19
Field 1e.5 .....	19
Field 1e.8 .....	19

Field 1e.9 .....	20
Field 1e.10 .....	20
Field 1e.11.....	27
Field 1e.14 .....	28
Field 1e.16 .....	28
Field 1e.17 .....	29
Field 1f.1 .....	29
Field 2a.1 .....	29
Field 2a.4 .....	29
Field 2b.1 .....	29
Field 2b.2 .....	31
Field 2c .....	31
Field 2d .....	32
Field 2e.1 .....	32
Field 2e.2 .....	32
Field 2e.3 .....	32
Field 2e.4 .....	33
Field 2f.....	33
Field 2g.1 .....	33
Field 2g.2 .....	33
Field 2g.4 .....	42
Field 3a .....	46
Field 3b.1 .....	46
Field 3b.2 .....	47
Field 3b.3 .....	48
Field 3b.4 .....	48
Field 3c.1 .....	49
Field 3c.6 .....	50
Field 3c.7 .....	51
Field 3c.8 .....	51
<b>6 Artefact Record.....</b>	<b>51</b>
<b>7 Environmental Record .....</b>	<b>57</b>
<b>8 Discussion and Conclusions .....</b>	<b>58</b>
Feature visibility and reliability .....	58
Dating.....	59
Areas of archaeological interest.....	59
Conclusions.....	61
Figures	
Plates	
<b>Appendices</b>	
Appendix 1: Method Statement	
Appendix 2: Inventory of primary archive	

Appendix 3: Concordance of contexts yielding artefacts or environmental remains

Appendix 4: Trench tables

## **Bibliography**

### Document Issue Record

Ver	Status	Author(s)	Reviewer	Approver	Date
1.0	Interim	RE, KM and JW	JR	JR	Oct 23
1.1	Interim	RE, KM and JW	CS (AECOM)	KM	Oct 23

### List of Figures

- 1 Site location
- 2 Site location plan
- 3 Detailed site plan (sheet 1)
- 4 Detailed site plan (sheet 2)
- 5 Detailed site plan (sheet 3)
- 6 Detailed site plan (sheet 4)
- 7 Detailed site plan (sheet 5)
- 8 Detailed site plan (sheet 6)
- 9 Detailed site plan (sheet 7)
- 10 Detailed site plan (sheet 8)
- 11 Detailed site plan (sheet 9)
- 12 Detailed site plan (sheet 10)
- 13 Detailed site plan (sheet 11)
- 14 Detailed site plan (sheet 12)
- 15 Detailed site plan (sheet 13)
- 16 Detailed site plan (sheet 14)
- 17 Detailed site plan (sheet 15)
- 18 Detailed site plan (sheet 16)
- 19 Detailed site plan (sheet 17)
- 20 Detailed site plan (sheet 18)
- 21 Trench 1 plan and section
- 22 Trench 9 plan and sections
- 23 Trench 12 plan and section
- 24 Trench 13 plan and sections
- 25 Trench 13 sections
- 26 Trench 15 plan and sections
- 27 Trench 17 plan and sections
- 28 Trench 18 plan
- 29 Trench 18 sections
- 30 Trench 19 plan and sections
- 31 Trench 20 plan and sections
- 32 Trench 21 plan
- 33 Trench 21 sections

34	Trench 23 plan and section
35	Trench 31 plan
36	Trench 31 sections
37	Trench 36 plan and sections
38	Trench 38 plan and sections
39	Trench 41 plan and section
40	Trench 47 plan
41	Trench 47 sections
42	Trench 59 plan and section
43	Trench 65 plan and section
44	Trench 68 plan and sections
45	Trench 68 sections
46	Trench 69 plan and sections
47	Trench 69 sections
48	Trench 70 plan and sections
49	Trench 71 plan and section
50	Trench 83 plan and sections
51	Trench 89 plan and section
52	Trench 92 plan and sections
53	Trench 109 plan and section
54	Trench 110 plan and sections
55	Trench 114 plan and sections
56	Trench 114 sections
57	Trench 115 plan and sections
58	Trench 119 plan and section
59	Trench 120 plan and section
60	Trench 121 plan
61	Trench 121 sections
62	Trench 122 plan
63	Trench 122 sections
64	Trench 123 plan and sections
65	Trench 124 plan and section
66	Trench 125 plan and sections
67	Trench 133 plan and sections
68	Trench 152 plan and section
69	Trench 167 plan and section
70	Trench 174 plan and sections
71	Trench 175 plan and section
72	Trench 176 plan and section
73	Trench 192 plan and section
74	Trench 195 plan and section
75	Trench 228 plan and sections
76	Trench 231 plan and sections

- 77 Trench 253 plan and section
- 78 Trench 267 plan and sections
- 79 Trench 278 plan and section
- 80 Trench 295 plan and section
- 81 Trench 301 plan and section
- 82 Trench 306 plan
- 83 Trench 306 sections
- 84 Trench 307 plan and section
- 85 Trench 332 plan and section
- 86 Trench 336 plan and section
- 87 Trench 337 plan and sections
- 88 Trench 339 plan and sections
- 89 Trench 344 plan and section
- 90 Trench 349 plan and section
- 91 Trench 357 plan and section
- 92 Trench 448 plan
- 93 Trench 448 sections
- 94 Trench 450 plan and sections
- 95 Trench 458 plan and section
- 96 Trench 462 plan and section
- 97 Trench 474 plan and section
- 98 Trench 518 plan and sections
- 99 Trench 526 plan and sections
- 100 Trench 530 plan and section
- 101 Trench 532 plan and sections
- 102 Trench 533 plan
- 103 Trench 533 sections
- 104 Trench 542 plan and section
- 105 Trench 548 plan and sections
- 106 Trench 551 plan and sections
- 107 Trench 553 plan and sections
- 108 Trench 581 plan
- 109 Trench 581 sections
- 110 Trench 702 plan and sections
- 111 Trench 703 plan
- 112 Trench 703 sections
- 113 Trench 705 plan and section
- 114 Trench 708 plan and sections
- 115 Trench 709 plan
- 116 Trench 709 sections
- 117 Trench 968 plan
- 118 Trench 968 sections

### **List of Plates**

- 1 Trench 285, looking southwest
- 2 Pit 6902, looking north
- 3 Excavation of pottery in Trench 124
- 4 Ditches 12402 and 12404, looking northwest
- 5 Trench 214, looking west
- 6 Ditch 22807, looking northeast
- 7 Gullies 58117 and 58119, looking east
- 8 Pits in Trench 21, looking north

### **List of Tables**

- 1 Finds inventory
- 2 Environmental sample inventory

## 1 Introduction

Archaeological Services WYAS (ASWYAS) was commissioned by AECOM Ltd on behalf of BOOM Power to undertake the excavation of 500 trenches at Bubwith and Howden, East Yorkshire. The trenches were investigated between the 18th of August and the 13th of October 2023. The work was undertaken in accordance with the National Planning Policy Framework (NPPF), a Scope of Works by AECOM and a Method Statement produced by ASWYAS (Appendix 1).

### Description of scheme

The Scheme will comprise the construction, operation (including maintenance) and decommissioning of solar PV panels, and associated infrastructure.

The Site – the collective term for all land within the Order limits (the Solar PV Site, Ecology Mitigation Area, Interconnecting Cable Corridor, Grid Connection Corridor, and Site Accesses) – comprises 1,276.5 hectares in total.

The principal areas of the Site comprise:

- Solar PV (photovoltaic) Site – the total area covered by all the Solar PV Areas (966.4 ha in total); The Solar PV Site is approximately centred on National Grid Reference (NGR) SE 756 330 (Fig. 1).
- Ecology Mitigation Area – area of land in the north-east of the Site ;
- Interconnecting Cable Corridor – the area outside of the Solar PV Site and Grid Connection Corridor within which the 33 kilovolt (kV) cables (Interconnecting Cables) linking the Solar PV Areas to the 33 kV/132 kV Grid Connection Substations will be installed;
- Grid Connection Corridor – the area outside of the Solar PV Site within which the 132 kV Grid Connection Cables (and between Solar PV Areas 3b and 1c some 33 kV Interconnecting Cables) will be installed; and
- Site Accesses – land required to facilitate access to the Site, such as new access routes or measures to provide better visibility splays.

### Soils and geology

The Site is formed of dispersed land packages which are underlain by varying geology. The parts of the Site which lie to the north of Howden and east of Bubwith are underlain by a solid geology of mudstone of the Mercia Mudstone Group, overlain by a superficial geology of glacial till comprising clays, silts, sands and gravels. The Grid Connection Corridor is underlain by a solid geology of sandstone of the Sherwood Sandstone Group. Overlying this, the superficial geology varies significantly, and includes large areas of alluvial clays, sands and silts surrounding the rivers Ouse and Derwent. Beyond these floodplain deposits, the Grid Connection Corridor crosses further, higher, areas of glacial till, including clays, silts, sands and gravels.



The Site is bounded to the west by the low ridge of the Southern Magnesian Limestone and to the east by the Yorkshire Wolds (north of the Humber) and the Northern Lincolnshire Edge with Coversands (south of the Humber). To the north it merges into the slightly undulating landscape of the Vale of York, at the line of the Escrick Moraine, and in the south it merges into the Trent and Belvoir Vales and Sherwood.

## 2 Archaeological and Historical Background

The following archaeological and historical background is taken from the Cultural Heritage Desk-based Assessment produced by AECOM (AECOM 2023).

### Early prehistoric

There is no record of early prehistoric (Palaeolithic to Mesolithic) activity within the Site, but it is acknowledged that surviving evidence for Northern England is very limited, and the condition of such artefacts can make identification difficult, resulting in a possible bias within the archaeological record.

Evidence from Star Carr, in the Vale of Pickering in North Yorkshire, illustrates that Mesolithic people were not only transient hunters and gatherers, but would have often adopted particular places to use and re-use persistently. This pattern of behaviour is borne out by more recent fieldwork studying upland ‘temporary camp’ sites in the North York Moors, which were, again, used and re-used over long periods, perhaps suggesting seasonal movement through the landscape or individual activities taking place at differing locations. Star Carr has illustrated clearly that wetland environments, like the Humberhead Levels, were attractive environments to Mesolithic people.

Neolithic and early Bronze Age activity is mostly represented in the archaeological record by flint tools and funerary monuments. A possible Bronze Age round barrow (MHU15314) lies just outside the northern boundary of Solar PV Area 3b, at Wood Farm. Further possible barrows (MHU 6691) have been noted in Brindleys Plantation, *c.* 1km to the east of Wood Farm and to the south of this, just beyond the northern extent of Howden (MHU20145, MHU13940). It is conceivable that these possible burial monuments could have formed an intentional group with the probable barrow at Wood Farm, perhaps suggesting that more unknown barrows could be present in this area, extending north from Howden, although, none have any obvious associative relationship. The site of a possible stone circle (MHU17259), commonly known to as ‘Ringstone Wood’, is referred to in medieval sources as having been located near a moated site (MHU1760) to the north of Howden and *c.* 300 m from the eastern boundary of Solar PV Area 3c. Should a late Neolithic or early Bronze Age monument of this type have been located here, it remains possible that it could have been part of a larger complex of monuments, such as the Gypsy Race landscape near Scarborough. The suggested presence of a number of possible barrows in this general area does illustrate the potential for a concentration of such monuments to exist.

## **Late prehistoric**

Iron Age activity has been recorded across the Humberhead Levels, including settlements, field boundaries, enclosures and trackways. There is much commonality across Britain in terms of the forms and distribution of Iron Age settlement and farming practices, which often see almost uninterrupted continuity into the Roman period, seeing only a slow change to more 'Romanised' forms. Two heritage assets dating to the Iron Age period are located within the Site Boundary. Heritage asset MHU2301 relates to a number of prehistoric boundary ditches, located almost entirely within Solar PV Area 2f.

Segments of these ditches appear to be parallel, indicating a possible trackway, but certainly a land division. Heritage asset MHU22316, towards the eastern edge of Solar PV Area 2g, shows a small segment of possible boundary ditches. Two heritage assets (MHU22504 and MHU22507) are located to the east and north of Area 1e respectively. Both are characterised as enclosure ditches and are located within a swathe of Iron Age and/or Romano-British activity to the east of Spaldington.

## **Roman**

Roman activity has been recorded across the Humberhead Levels, including settlement remains, roads, salterns, and pottery kilns. A concentration of probable settlement activity, likely to date from the Iron Age through into the Roman period, is evident to the east of Spaldington. These remains, mapped from aerial photography, are visible approximately 3.1km north-east of Spaldington, proceeding south-east for approximately 3.5km, with the majority of assets provisionally dated to the Roman period. Study of such sites elsewhere has shown that the archaeological evidence from this concentration is likely related to settlement, agriculture and/or industrial production. A number of assets around Arglam Farm or Arglam Grange, north-east of Solar PV Area 1e, are thought to represent Romano-British settlement and, potentially, iron smelting (MHU1132, MHU6503, MHU6506, MHU6521, MHU6716 and MHU10776).

Several find spots of pottery sherds have been uncovered across the swathe of Romano-British activity, and not concentrated to one particular area, further demonstrating the potential for occupation evidence from this period to survive across the area (MHU7916, MHU10774, MHU10783).

Towards the eastern edge of Solar PV Area 1e, three small scatters of pottery (MHU10775) have been recorded, as well as a small collection of Roman coins (MHU22193) within the north-west extent of Area 1e, indicating possible settlement activity near or within Solar PV Area 1e, as well as a wider potential for isolated Roman finds. Just to the north-east of the town of Howden, heritage asset MHU20031 is classified as a potential Roman villa. This identification was determined from aerial photography, within a Desk Based Assessment

conducted in 2003. This asset lies a short distance to the west of Solar PV Area 2g, within which geophysical survey of the area's western extent has revealed potential anomalies which may represent settlement remains, presumably dating to the Iron Age or Roman period.

The geophysical survey, undertaken to support the desk-based assessment, identified a group of anomalies in the western part of Solar PV Area 2g which occupy a broad, north-east to south-west strip across this area. These form a defined linear group of rectilinear enclosures and boundary features, including a well-defined enclosure with internal sub-divisions at the survey area's western boundary. It seems clear that these features represent an eastward progression of an extensive Iron Age to Romano British settlement complex (MHU3198), identified from aerial photography just to the west of Solar PV Area 2g. The alignment of the settlement mirrors that of a medieval/post-medieval field boundary, so perhaps this probable settlement is considerably later in date, though the morphology is more characteristic of Iron Age/Roman settlements.

### **Medieval**

Early medieval evidence in the vicinity of the Site is most likely to be found in established settlements, where settlements from the early medieval period continued to develop into more recognisable forms. A watching brief at Howden Minster (MHU1754) in 2009 (MHU21654) revealed funerary evidence from the medieval period, mixed within which was a small assemblage of early medieval pottery, providing some residual evidence of the earlier phase of the church and activity within the vicinity. Such a picture is of use in considering settlements like Spaldington, Willitoft, Brackenholme and the medieval settlement site at Caville Hall.

The Site and large parts of the surrounding landscape within and beyond the Site, are covered in mapped areas of ridge and furrow cultivation, which is likely to be a mix of medieval and post-medieval dates.

These cultivation remains, identified mainly from aerial photography, cover the entirety of some parts of the Site, including Solar PV Areas 2a and 1b, and large elements of other parts of the Site. Beyond the spread of medieval cultivation across the landscape, another commonly occurring theme within the study area is medieval settlement. Area 1a lies immediately to the east of Willitoft Hall (MHU2911). The hall comprises a moated manorial complex with a chapel (MHU 2908) and possibly another enclosure or complex of fishponds (MHU 15412) close by to the west. Surrounding the manorial centre is thought to be a related medieval settlement, which is recorded in the Domesday survey in 1086 as 'Wilegetot' (MHU10076). The pattern of narrow 'strip fields' which lie to the south of Willitoft Hall, reflected in historic Ordnance Survey mapping and still partially identifiable in the current field pattern, might suggest that this settlement lay along the line of the current Willitoft Road, which runs south-east from the hall towards Spaldington. Were this to be the case, it is possible that archaeological remains of this settlement have the potential to survive within the western and south-western parts of Solar PV Area 1a as well as Solar PV Areas 1c and 1d.

A similar archaeological pattern seems likely to be present at Spaldington as well. Named as 'Spellinton' in the Domesday Book, Spaldington also hosts a moated manorial complex (MHU 2900) and an associated settlement (MHU 9686), which later field patterns suggest may have extended both east and west from the current settlement. There is potential therefore for archaeological remains associated with the settlement to be present in Solar PV Areas 1e, 2e and 1f.

Solar PV Area 2g lies just to the west and north of another moated manorial complex at Caville Hall (MHU3182), which previous fieldwork and aerial photographic analysis suggests is surrounded by a complementary linear settlement (MHU7760). Features almost certainly associated with this settlement have been identified by geophysical survey undertaken to support the desk-based assessment. It is possible that the hall's moated enclosure may extend into the southeasternmost extent of Solar PV Area 2g, whilst its contemporary wider settlement, and likely contemporary, or later, ridge and furrow cultivation (MHU22505) certainly do. Another moated site, closely situated just to the north-east of Caville Hall (MHU7689), is likely to be associated with the development of this same manorial complex and does appear to extend into the central section of the southern margin of Solar PV Area 2g. Identified from aerial photography, this moated site is highly likely to preserve archaeological features and deposits relating to higher-status occupation and use of the site during the medieval, and possibly post-medieval, periods. Archaeological features relating to the wider medieval settlement appear to have been clearly identified within the geophysical survey.

Another, less well-understood, area of medieval settlement seems to have been located at Brackenholme (MNY10599), which lies within the Grid Connection Corridor to the south of Wressle. Recorded as Bracheneholm in the Domesday survey, the property only appears in the summary and not in the main survey document, perhaps suggesting a property of limited value. With that said, there were 65 taxpayers living there in 1379, although the nearby hamlets of Babthorpe and Hagthorpe may also have been included in that count. Hagthorpe (MNY10601), also named in the summary of the Domesday Book, is also shown in the North Yorkshire County Council HER as lying within the Grid Connection Corridor. Along with the moated site and fishponds at Hagthorpe (MNY10603), as well as an associated chapel (MNY10604), this set of archaeological assets forms a distinct grouping of medieval settlement features within the landscape, albeit one which is poorly understood. These features suggest potential for this part of the Grid Connection Corridor to host the remains of associated medieval settlement and agriculture, as well as the significant, albeit denuded, remains of the higher-status moated site at Hagthorpe (MNY10603).

Beyond the regularly repeated pattern of settlements with associated manorial and ecclesiastical sites, Solar PV Area 3c – as well as areas beyond its boundary – includes a group of identified assets which relate to the presence of a medieval deer park known as Newsholme Park (MHU9207). This park may be associated with a possible castle site

(MHU18167), also interpreted from the visible cropmarks as a possible stock enclosure, at Warp Farm, which lies beyond the southern boundary of Solar PV Area 3c.

The medieval deer park is thought to have been bounded by a park pale and to have contained a park lodge rebuilt in 1543 (MHU 3493). Within the park itself, although outside the Site Boundary, is cropmark evidence for the presence of medieval retting pits (MHU 22306) related to the locally significant flax industry. These features lie a short distance from the south-west corner of Solar PV Area 3c, suggesting the possibility that further unidentified pits could extend this grouping into the Site at this point. Retting pits have been only limitedly studied and represent a significant potential palaeoenvironmental resource for studying the environmental impact of the flax industry and its wider environmental context, as well as human influence on the dynamic landscape of the Humberhead Levels more generally.

Beyond the secular archaeology of the medieval period represented in the wider study area, significant medieval ecclesiastical sites are also present. Of importance amongst these is the scheduled monument of Drax Augustinian priory (MNY10068) (NHLE 1016857). The scheduled part of the monument is located 60m west of the Grid Connection Corridor, outside of the Site Boundary. The non-designated extent, as mapped in the North Yorkshire County Council HER (MNY 10068), is larger than the scheduled area and extends partially into the western extent of the Grid Connection Corridor. Drax Priory was founded in the 1130s by William Paynel upon the advice of Thurlston, Archbishop of York. William, who was a major landowner and held the manor of Drax, granted an island in the marsh known as Hallington and Middleholme for a priory of Augustinian canons dedicated to St Nicholas. He also granted other land in Drax, including a mill and the parish church, together with five other churches across the country. The priory is recorded as having a church, cloister, infirmary, refectory, prior's chamber and dormitory in 13th-century documents which also detail discipline problems between the canons.

Drainage works have converted the marsh into farmland, with the original island granted to the Augustinians now standing around 3m to 4m above the surrounding area. This high ground was orientated WNW to ESE and is at most 7m above sea level, typically only 4m to 5m. The priory is thought to have occupied all of this island, with buildings located within a precinct enclosure. The whole of this precinct, as currently understood, is included in the scheduling. During the middle and later medieval period, the lowlying areas of the Humber basin were subjected to increased levels of flooding. Archaeological excavation on a similar low-lying priory site in the Humber basin revealed that several metres of archaeological deposits had been built up from the 13th century by successive rebuilding on land raised with imported material. A similar response to the problem of flooding is expected to have been taken at Drax Priory. The archaeology of the priory site itself is likely to be tightly contained within the precinct and acknowledged flooding throughout the medieval period is likely to have deterred significant extra-mural development.

## **Post-medieval**

Significant drainage activity began in the 1620s when Dutch drainage engineers began large-scale river diversions and land drainage works. They began the practice of ‘warping’ where farmland was inundated with seasonally impounded tidal waters to deposit fertile alluvial silt. Drainage and warping continued into the 18th century and created today’s characteristic flat landscape drained by a network of drains and dykes. In the 18th and 19th centuries new technologies encouraged more efficient drainage, and private and parliamentary enclosure followed, enabling increasingly productive agriculture. However, the traditional pattern of livestock farming supported by hay meadows has survived on an unparalleled scale along the Derwent.

Within 1km of the Site, substantial areas of ‘warp’ deposits of clay and silt are recorded between Loftsome Bridge and Newsholme Marsh, on the south side of the A63. In this area the HER records two ‘warp drains’ (MHU22495) of post-medieval date, each represented by a pair of straight parallel lines that show as soilmarks on Newsholme Marsh. The drains are 300m, and 530m long, and follow a parallel alignment. A further warp drain (MHU22496), which can be traced for over 0.5km, is present to the east of Barmby on the Marsh. These significant features, which represent the first widescale drainage management of this wetland zone of the East Riding, all lie beyond the Site Boundary. Historic Ordnance Survey mapping for the Site shows a general picture of the landscape having been enclosed from the later 18th century, if not before, and being almost entirely enclosed by the middle of the 19th century with very few areas of unenclosed or common land still present by that time. Solar PV Areas 2a and 2b occupy former sections of common land enclosed into regular field parcels by the mid-19th century. Solar PV Area 2b includes the site of a post-medieval farm steading known as Brindcommon Farm (MHU14558), which preserves the land’s former use in its name. Brindcommon Farm itself was demolished in around 1916 to clear the landing approach for airships approaching Breighton Airfield (MHU11046).

## **Previous work**

A number of archaeological fieldwork events, principally archaeological monitoring of relatively small-scale development works, have been undertaken in areas surrounding the various shrunken medieval settlements within the vicinity of the Site, such as at Portington, Spaldington and Caville. Of these, watching briefs at Caville (EHU1524), Spaldington (EHU1068) and Portington (EHU2077) have demonstrated the potential for significant medieval settlement remains to extend into undeveloped areas within and around the existing settlements. This work illustrates that medieval settlement generally extended well beyond the current cores of these small settlements, which should be seen as markers of areas of wider historic settlement.

Although numerous watching briefs within and around similar settings have often failed to identify medieval settlement remains, analysis of the type of development work being monitored shows that schemes involving larger scale works have identified remains, whilst

small interventions are less likely to yield significant archaeology. The lack of results from monitoring works in certain areas should not, therefore, be taken as definitive evidence of the lack of surviving medieval archaeology in these contexts.

The development history of the area around Drax Power Station has resulted in a large body of relatively recent archaeological works in this vicinity. This focus of work has resulted in the identification of prehistoric and Romano-British settlement remains, medieval archaeology potentially related to the presence of the former Drax Abbey, palaeoenvironmental remains and a range of other medieval and likely post-medieval archaeological remains.

Geophysical magnetometer survey has been carried out for the Scheme within the Site across all suitable and accessible areas. The preliminary results of the geophysical survey show a landscape that has numerous drainage features, as well as the remains of former ridge and furrow and field boundaries. These features represent the majority of the results and the presence of ridge and furrow may mask evidence of earlier archaeological remains.

The survey has also identified a handful of hotspots of archaeological activity. Geophysical anomalies in Area 1e show evidence for a possible rectilinear enclosure, with more ephemeral circular anomalies beyond this. To the north of this anomaly cluster is a possible segmented circular feature, although this may simply be a variation in the magnetic responses or may represent differential truncation.

In Area 2g there are strong responses relating to a series of rectilinear enclosures, which follow a slightly elevated ridge which curves through the field on a broad south-west to east alignment. The form is indicative of early Romano-British settlement and previous investigation in this field along a pipeline to the south identified the presence of Late Iron Age and Roman-British settlement activity.

Also in Area 2g, around Caville, are several features, some of which may be agricultural or field boundaries, but some that may be settlement related. These features may be indicative of the presence of earlier medieval settlement existing beyond the current-day settlement core; a pattern which has been identified from previous investigations around Spaldington and Portington, as referenced above.

### **3 Aims and Objectives**

The general aims of the archaeological trial trenching were to:

- confirm the presence and absence of surviving archaeological remains;
- determine the location, nature, extent, date, condition, state of preservation, heritage significance and complexity of any archaeological remains and palaeoenvironmental sequences;

- determine the likely range, quality and quantity of artefactual and environmental evidence present;
- interpret the archaeological remains within their local, regional and national archaeological context; and
- inform the requirement for and scope of any archaeological mitigation works that may be required, including mitigation strategies for the preservation of archaeological remains.

The site-specific aims of the archaeological trial trenching were to:

- define the extent of activity ‘hot spots’ as defined by the geophysical survey.
- identify the potential for medieval settlement archaeology to be present in the fields around existing settlement areas.
- evaluate the extent to which post-medieval drainage and enclosure has affected the presence and preservation of archaeological remains within the Site.
- test geophysical anomalies indicative of archaeological features, for example the likely Iron Age or Roman period activity noted in the north-western limits of Field 2g, as well as assessing areas apparently devoid of archaeological anomalies.

The objective of the work was to monitor the removal of top and subsoil horizons and assess the resultant areas for their archaeological potential. Any remains were then subject to archaeological excavation. Recovered artefacts were subject to analysis and environmental data were sampled.

## **4 Methodology**

The initially proposed scheme comprised the excavation of 600 trenches across the site. Fields 1e.12, 1e.13, 2a.2, 2g.3, 2g.5, 2g.6, 3c.3, 3c.4, 3c.5 and the northern half of 2b.2 were not trenched as part of this phase of evaluation works due to changes in the planned works and issues with landowners. Trenches 149, 456, 459 and 462 were also not trenched due to ecological and/or access issues. Trenches 700-709 were added to the scheme to provide additional information about the extent of archaeological remains encountered in Fields 1a.9, 1a.10, 1e.11 and 2b.1.

The final scheme involved the excavation of 500 trenches, all of which measured 50m by 2m. The trenches were positioned to target potential archaeological anomalies identified during the previous geophysical survey (Magnitude Surveys 2023), as well as to provide a wide sample across the remaining areas of the Site (Fig. 2).



All work was undertaken in accordance with accepted professional standards and guidelines (Historic England 2008; CIfA 2020), in accordance with the ASWYAS site recording manual (ASWYAS 2020) and in compliance with the Scope of Works produced by AECOM and a method statement produced by ASWYAS (Appendix 1).

All trenches were set out and the limits resurveyed using a Trimble VRS differential GPS accurate to  $\pm 0.01\text{m}$ . The trenches were opened in a controlled manner using a 360 excavator using a flat-bladed ditching bucket under direct archaeological supervision. All topsoil deposits were removed in level spits (not more than 0.20m) with the topsoil and subsoil being separated to allow for re-instating in reverse order. Machining stopped at the first archaeological horizon or natural deposits, whichever was encountered first. All excavations of archaeological deposits were undertaken manually with the stripped surface being cleaned and investigated for archaeological remains.

An appropriate sample was excavated through all archaeological features with at least a 20% sample through linear features (with a minimum sample of 1m) and a 50% sample through discrete features. These were undertaken to investigate the full depth, profile and fills, where possible, and to recover dating evidence from the fills. All excavated sections were, where possible, located adjacent to the trench edge in order to provide a full stratigraphic sequence.

Spoil heaps were scanned for both ferrous and non-ferrous metal artefacts using either a Minelab X-Terra 50 and Minelab X-Terra 705 metal detector fitted with a 9inch 7.5kHz coil, capable of discriminating between ferrous and non-ferrous material and operated by an experienced metal detector user. Modern artefacts were noted but not retained.

A soil sampling programme was undertaken consisting of bulk soil samples for the identification of plant macro-fossils, small animal bones and other small artefacts. All samples were taken from appropriate archaeological deposits, in accordance with the WSI and Historic England guidelines.

All archaeological features were accurately recorded in plan at a scale of 1:20 or 1:50. Feature sections were drawn at a scale of 1:10 or 1:20. All plans and sections include spot heights that relate to Ordnance Datum in metres.

A full written, drawn and photographic record was made of all archaeological work undertaken. An inventory of the primary archive is presented in Appendix 2 and ASWYAS currently hold the site archive in a stable and secure location.

## 5 Results

Below is a description of each trench containing archaeological remains organised by field (Figs 2-20). Figures showing individual trenches presented in numerical order are provided in Figures 21-116. A concordance of contexts is presented in Appendix 3 and a table displaying an overview of each trench is presented in Appendix 4.

All features were sealed by a soft, dark black/brown clayey-sand topsoil. The underlying geology typically comprised a light yellow/brown clay (Plate 1) although variations in both colour and sand content were noted.

### **Field 1a.1**

*Trenches 4, 41, 42, 43, 44, 61, 219, 220 and 587*

Trenches 4, 42, 43, 44, 61, 219, 220 and 587 were devoid of archaeological remains.

*Trench 41 (Fig. 39)*

Trench 41 contained a ditch (4103; Fig. 39, S. 2108) on a northwest to southeast orientation. The ditch measured 0.80m wide and 0.38m deep and contained a single grey fill (4102). No finds were recovered from the feature. The ditch broadly corresponds with a geophysical anomaly targeted by the trench but is positioned approximately 12m to the northwest.

A land drain was also observed on a north to south orientation, matching the orientation of trends shown in the geophysical survey.

### **Field 1a.2**

*Trenches 54, 55, 56, 57, 58, 585 and 586*

Trenches 55, 56, 57, 58, 585 and 586 were devoid of archaeological remains. Drains were noted in Trenches 54, 58 and 586.

### **Field 1a.3**

*Trenches 57, 59, 60 and 457*

Trenches 57, 60 and 457 were devoid of archaeological remains.

*Trench 59 (Fig. 42)*

Trench 59 contained a series of five equally spaced plough furrows orientated east to west. One was excavated (furrow 5902; Fig. 42, S. 2043). It had a shallow, broad U-shaped profile and measured 1.70m wide and 0.10m deep. A fragment of post-medieval ceramic building material (CBM) was recovered from the fill (5903).

### **Field 1a.4**

*Trenches 45, 46 and 47*

Trenches 45, 46 were devoid of archaeological remains. Trench 456 was not opened at the request of the farmer due to proximity of nearby modern drainage.

*Trench 47 (Figs 40 and 41)*

Trench 47 contained a single ditch (4703; Fig. 41, S. 2044) on an east to west orientation. The ditch measured 0.90m wide and 0.14m deep and contained a single silt fill (4704). The ditch did not correspond with any previously identified geophysical anomalies but was on the same orientation as ploughing trends to the south and a ceramic land drain to the north which may indicate an agricultural, post-medieval origin. No artefacts were recovered from the feature and it did not continue into Trench 46 to the west.

### **Field 1a.5**

*Trenches 48 and 49*

Trenches 48 and 49 were devoid of archaeological remains.

### **Field 1a.6**

*Trenches 50, 52, 53, 54 and 455*

Trenches 50, 52, 53 and 54 were devoid of archaeological remains. A land drain was noted at the western end of Trench 54, corresponding with the geophysical anomaly.

*Trench 455*

Trench 455 contained a spread of material at the southwest end of the trench which contained modern roof tiles and CBM. This corresponded with an irregular geophysical anomaly and was thought to be a backfilled pond. The area was tested by machine and had a maximum depth of 0.10m.

### **Field 1a.8**

*Trenches 62, 63, 64, 65 and 66*

Trenches 62, 63 and 66 were devoid of archaeological remains.

*Trench 64*

Trench 64 contained five northwest to southeast orientated plough furrows. One was excavated (furrow 6402) which had a broad, shallow profile. It measured 2.00m wide and 0.02m deep. Three sherds of pottery were recovered from its fill (6404). These furrows correspond with the orientation of possible furrows identified on the geophysical survey.

*Trench 65 (Fig. 43)*

Trench 65 contained a single gully (6502; Fig. 43, S. 2041) on an approximate east to west orientation, which did not correspond with a geophysical anomaly but broadly matched the direction of agricultural trends within the field. It measured between 0.66m and 0.96m in width and 0.20m deep. It contained a single dark orange/brown clay fill (6503). No artefacts were recovered from the feature.

### **Field 1a.9**

*Trenches 27, 67, 72, 73, 704 and 706*

Trenches 27, 67, 72, 73, 704 and 706 were devoid of archaeological remains.

*Trench 69 (Figs 46 and 47)*

Trench 69 contained multiple archaeological features. Pit 6902 was located towards the southern end of the trench and measured 0.85m by 0.70m and 0.30m deep with vertical sides and a flat base (Fig. 46, S. 2021; Plate 2). It contained a single mid-orangy grey silty clay fill (6903) which contained 703 sherds of Roman pottery. The deposition of so much pottery indicates a single episode of backfilling within a possible midden pit. The pit does not correlate with any geophysical anomaly.

Ditch 6904 was orientated east to west and measured 1.20m wide and 0.45m deep (Fig. 46, S. 2022). The profile of the feature indicates possible ditch maintenance or re-cutting, however this was not visible in the single ditch fill, a dark silty clay (6905) from which a sherd of

pottery of uncertain date was recovered. This ditch is possibly aligned with a linear geophysical anomaly seen on the survey and could represent an enclosure ditch.

Ditch 6906 was orientated east to west and measured 1.18m wide and 0.38m deep and had a broad U-shaped profile (Fig. 47, S. 2023). It contained a single dark orangey brown silty clay fill (6907) from which Roman pottery was recovered. The ditch does not correspond with any geophysical anomaly within the trench but is aligned with segmented linear anomalies to both the east and west.

Ditch 6908 (Fig. 47, S. 2024) was orientated east to west and is located directly to the north and parallel with ditch 9606. Ditch 9608 measured 1.00m wide and 0.30m deep and contained a single dark orangey brown silty clay fill (9609) from which no artefacts were recovered. At the base of the ditch, a possible gully or wheel rut was identified (6910). The wheel rut is 0.40m wide and 0.14m deep. Its fill (6911) is indistinguishable from the main fill of the ditch, but it did contain pottery. The ditch does not correspond directly with any geophysical anomalies but is approximately aligned with segmented anomalies to the east and west of the trench.

Ditch terminus or pit 6912 (Fig. 47, S. 2026) was located in the middle of the trench and measured 2.92m wide and 1.10m deep and had a broad U-shape profile. The lower fill (6913) was a dark brownish grey silty clay from which ceramic building material (CBM) and pottery were recovered. Fill 6913 was truncated by possible ditch/pit re-cut 6914. This measured 2.92m wide and 0.72m deep. The re-cut contained five fills (6915, 6916, 6917, 6918 and 6919). The lower fill (6915) was a mid-greyish yellow silty clay which contained no artefacts and appeared to be re-deposited natural clay with some fecks of CBM mixed in. Fill 6916 was a dark blackish grey silty clay from which no artefacts were recovered. Fill 6917 was a light whitish grey deposit from which no artefacts were recovered. Fill 6918 was a mid-yellowish grey silty clay from which pieces CBM and pottery were recovered. The upmost fill (6919) was a dark blackish grey silty clay from which no artefacts were recovered. Ditch/pit 6912 possibly corresponds with a curvilinear geophysical anomaly located just to the south.

Gully 6920 was a curvilinear feature near the middle of the trench and measured 0.60m wide and 0.34m deep, with a V-shaped profile (Fig. 47, S. 2025). It contained a single dark orangey brown silty clay fill (6921) from which pottery was recovered. The gully does not correspond with any geophysical survey anomalies and could represent a drainage gully.

Ditch 6923 was located at the northern end of the trench. It was orientated east to west and measured 2.40m wide and 0.75m deep, with a broad V-shaped profile (Fig. 47, S. 2028). It contained two fills (6924 and 6927). The lower fill (6927) was a mid-bluish grey silty clay fill from which no artefacts were recovered. The upper fill (6924) was a mid-bluish grey silty clay from which pottery and animal bone were recovered. Fill 6924 has been truncated by the insertion of a ceramic land drain. The ditch does not correspond to any geophysical anomalies.

Gully 6925 was located just to the south of ditch 6923 and orientated east to west (Fig. 47, S. 2027). It measured 0.46m wide and 0.17m deep, with a shallow V-shaped profile. It contained a single sterile silty clay fill (6926) from which no artefacts were recovered. The gully could be a small drainage gully and does not correspond with any geophysical anomalies.

*Trench 70* (Fig. 48)

Trench 70 contained a ditch (7005) orientated northwest to southeast which was cut by a later land drain on its northeast side on the same alignment (7003). The ditch had a U-shaped profile and measured 1.08m wide and 0.30m (Fig. 48, S. 2005). It contained a single yellow/grey clay fill (7004). No artefacts were recovered from the ditch. The features both correspond to an agricultural trend in the geophysical survey, with the ditch representing an earlier drainage feature that was replaced by a more modern drain.

*Trench 71* (Fig. 49)

Trench 71 contained a northwest to southeast orientated ditch (7102) corresponding with a geophysical anomaly, likely to be a former field boundary. Ditch 7102 had a broad U-shaped profile with a rounded base (Fig. 49, S. 2007). It measured 1.14m wide and 0.16m deep. The ditch contained a single mid-yellow/brown clay fill (7103). No artefacts were recovered.

*Trench 705* (Fig. 113)

Trench 705 contained a single ditch (70503) which was orientated northeast to southwest. The ditch measured 0.50m wide and 0.16m deep and was a broad V-shape in profile (Fig. 113, S. 2098). It contained a single mid-grey silty clay fill (70502) from which no artefacts were recovered. This ditch is aligned with a former field boundary visible on the historic Ordnance Survey (OS) mapping from the late 19th century and is possibly the same ditch seen at the northern end of Trench 968 (ditch 96817, see below).

*Trench 968* (Figs 117 and 118)

Trench 968 contained multiple archaeological features. Ditch 96802 was orientated northwest to southeast and measured 1.30m wide and 0.45m deep, with a broad V-shaped profile (Fig. 118, S. 2011). It contained a single dark bluish grey silty clay fill (96803) with multiple sherds of pottery recovered. This feature does not correspond with any of the geophysical anomalies identified during the survey.

Ditch 96804 was orientated northeast to southwest and measured 1.13m wide and 0.35m deep, with a V-shaped profile (Fig. 118, S. 2010). The surviving lower fill of this ditch (96805) was a mid-bluish grey silty clay which contained no artefacts. This ditch had been re-cut along the same orientation by ditch 96806. This re-cut measured 1.50m wide and 0.15m and contained a single dark bluish grey silty clay fill (96807) from which possible pottery was recovered. Ditch 96806 had been further recut by ditch 96808 on the same alignment. This ditch re-cut measured 2.40m wide and 0.30m deep and contained a single dark bluish grey silty clay fill (96809) which contained some charcoal and pottery sherds. This ditch is approximately aligned with a geophysical anomaly.

Possible pit 96810 was sub-rectangular in shape and very shallow. It measured 1.25m wide and 0.05m deep with an irregular base (Fig. 118, S. 2012). The pit was cut by two land drains. Its fill (96811) was dark blackish brown ashy clay which contained CBM. The pit is likely related to modern agriculture and possibly related to the insertion of the drains.

Gully 96812 was orientated northwest to southeast and measured 0.30m wide and 0.10m deep and was V-shaped in profile (Fig. 118, S. 2013). It contained a single dark bluish grey silty clay fill (96813) but no artefacts. The gully is possibly related to modern agriculture and could be a heavily truncated drainage gully. It does not correspond to any geophysical anomalies.

Gully 96816 was orientated northeast to southwest and measured 0.71m wide and 0.17m deep and was a broad U-shape in profile (Fig. 118, S. 2014). The gully contained two fills (96815 and 96814). The lower fill (96815) was a mid-orangy grey silty clay from which pottery was recovered. The upper fill (96814) was a dark grey silty clay from which no artefacts were recovered. This gully does not correspond with any geophysical anomalies and could represent a horizontally truncated ditch or possibly a drainage gully.

Ditch 96817 was located at the northern end of the Trench and was orientated northeast to southwest and measured 0.84m wide and 0.24m deep and had a broad V-shape in profile (Fig. 118, S. 2015). It contained a single mid-yellowish brown silty clay fill (96818) which contained no artefacts. The ditch does not correspond with any geophysical anomalies but is aligned with a former post-medieval field boundary ditch on the 1891 OS mapping and is possibly the same ditch as 70503 (Trench 705).

Spread 96820 (Fig. 118, S. 2016) was located across the north-eastern end of gully 96816. The relationship was not tested during evaluation as both features went beyond the trench limits. It measured 0.80m wide and 0.06m deep. The fill (96819) was a dark greyish brown silty clay which contained no artefacts.

Pit or possible ditch terminus 96821 was located at the northern end of the trench extending beyond the trench boundary. It was likely U-shaped in profile (Fig. 118, S. 2017), measuring 0.60m wide and 0.42m deep within the trench. It contained a single dark orangy brown silty clay fill (96822) which contained no artefacts. The pit or possible ditch terminus is aligned with a linear geophysical anomaly but this appears to be a plough furrow based on the survey.

Gully 96823 was orientated northeast to southwest and measured 0.32m wide and 0.08m deep and was a very shallow U-shape in profile (Fig. 118, S. 2018). It contained a single sterile silty clay fill (96824) which contained no artefacts. In plan, the gully appeared to have been truncated by ditch 96802 but this relationship was not tested during evaluation. The gully possibly represents a drainage gully and does not correspond to any geophysical anomalies from the survey.

Ditch 96825 was located at the southern end of the trench and was orientated northwest to southeast. The ditch ran parallel and adjacent to ditch 96802. Ditch 96825 measured 0.55m

deep and was possibly a broad U-shape in profile (Fig. 118, S. 2019). It contained a single light orangey brown silty clay fill (96826) from which a single sherd of pottery was recovered. The ditch corresponds with a possible modern agricultural linear anomaly on the geophysical survey.

#### **Field 1a.10**

*Trenches 74, 75, 76, 77, 78 and 79*

Trenches 74, 75, 76, 77, 78 and 79 were devoid of archaeological remains. Plough scars were noted in the underlying geology.

*Trenches 80*

Trench 80 contained a north to south orientated plough furrow at the northern end of the trench, correlating with the ploughing trend identified by the geophysical survey.

*Trench 81*

Trench 81 contained three evenly spaced, north to south orientated plough furrows at the western end of the trench correlating with the ploughing trend identified by the geophysical survey.

#### **Field 1a.11**

*Trenches 84, 94, 95 and 707*

Trenches 84, 94, 95 and 707 were devoid of archaeological remains. Trench 707 was an additional trench to test the extent of the archaeological features seen in field 1a.9.

*Trench 85*

Trench 85 was devoid of archaeological remains. The geophysical anomaly corresponded with a change in the underlying geology.

#### **Field 1a.12**

*Trench 98*

Trench 98 was devoid of archaeological remains.

*Trench 109 (Fig. 53)*

Trench 109 contained a ditch (10902) and a furrow on a northeast to southwest orientation. The ditch was broad and shallow and measured 1.85m wide and 0.37m deep (Fig. 53, S. 2004). It contained a single mid-bluish grey silty clay fill with no artefacts recovered. The ditch corresponds with a linear geophysical anomaly identified as a modern agricultural trend.

*Trench 110 (Fig. 54)*

Trench 110 contained a single ditch (11002) and a furrow (11004). Ditch 11002 was orientated northeast to southwest. The ditch measured 1.30m wide and 0.28m deep with an irregular V-shaped profile (Fig. 54, S. 2021). It contained a single fill (11003) of dark greyish brown silty clay. Small amounts of CBM were visible within the fill. This ditch is aligned with a post-medieval former field boundary on the historic OS mapping.

Furrow 11004 was orientated northeast to southwest with a shallow irregular base (Fig. 55, S. 2002). It measured 1.50m wide and 0.14m deep and contained a single mid-greyish brown silty clay fill (11005) with no artefacts recovered. The furrow is aligned with linear anomalies on the geophysical survey which are identified as agricultural trends.

#### **Field 1a.13**

*Trenches 221, 222, 223, 224, 225, 226 and 227*

Trenches 221, 222, 223, 224, 225, 226 and 227 were devoid of archaeological remains.

Plough scarring was frequent across the entire field, often impacting on historic field drains.

#### **Field 1a.14**

*Trenches 108, 150, 151 and 155*

Trenches 108, 150, 151 and 155 were devoid of archaeological remains.

*Trench 152 (Fig. 68)*

Trench 152 contained a single ditch (15202; Fig. 68, S. 2029) orientated northwest to southeast, corresponding with the previously identified geophysical anomaly. It measured 1.12m wide and 0.42m deep and contained a single silty clay fill (15203). Post-medieval pottery and CBM were recovered from the feature. Discussion with the current farmer indicated that it was a former hedgerow that was removed in the 1970s.

*Trench 518 (Fig. 98)*

Trench 518 contained a northwest to southeast orientated ditch (51804) and a northeast to southwest orientated gully (51802). Ditch 51804 (Fig. 98, S. 2033) was positioned in the northwest corner of the trench and likely represents a continuation of ditch 15202 in Trench 152. It measured 1.31m wide and 0.35m deep and contained a single silty clay fill (15203). No artefacts were recovered from the feature.

Gully 51802 (Fig. 98, S. 2032) was positioned at the southeast end of the trench and orientated northeast to southwest, matching the field drainage in the field. It measured 0.54m wide and 0.26m deep and contained a single clay fill, which was similar to the surrounding geology. No artefacts were recovered from the feature.

#### **Field 1b.1**

*Trenches 82, 86, 87, 88, 90, 91 and 93*

Trenches 82, 86, 87, 88, 90, 91 and 93 were devoid of archaeological remains.

*Trench 83 (Fig. 50)*

Trench 83 contained a single ditch (8302; Fig. 50, S. 2047) orientated northeast to southwest. The ditch measured 1.24m wide and is 0.44m deep and had an irregular V-shape in profile. It contained a single light orangey grey silty clay fill (8303) which produced no artefacts. The ditch is possibly a former field boundary ditch and is on the same orientation as linear agricultural trends on the geophysical survey, but does not appear on the historic OS mapping as a former field boundary.

*Trench 89 (Fig. 51)*



Trench 89 contained a ditch (8903; Fig. 51, S. 2077) on a northeast to southwest orientation which corresponded with a linear geophysical feature that appears to feed into a pond or similar depression. The ditch measured 0.96m wide and 0.17m deep and contained a single clay fill (8902). No artefacts were recovered from the feature. The ditch is not present on historic OS mapping which likely indicates it predates the late 19th century.

The other geophysical anomaly was not observed in the trench.

#### *Trench 92 (Fig. 52)*

Trench 92 contained a gully (9204; Fig. 52, S. 2075) on a northwest to southeast orientation matching the feature identified by the geophysical survey. The gully measured 0.45m wide and 0.20m deep and contained two silty clay fills (9202 and 9203), the uppermost of which (9202) contained fragments of burnt animal bone.

### **Field 1c**

#### *Trenches 143 and 163*

Trenches 143 and 163 were devoid of archaeological remains. The geophysical anomaly in Trench 163 was not observed within the trench.

#### *Trench 458 (Fig. 95)*

Trench 458 contained a ditch (45802; Fig. 95, S. 2040) orientated northeast to southwest across its southern end. The ditch measured 0.98m wide and 0.48m deep. It contained two silty clay fills (45803 and 45804). The ditch was cut by a post-medieval drain on its north-eastern side (45805). The ditch corresponds with a small geophysical anomaly, but no artefacts were recovered from the feature to provide any dating.

### **Field 1d**

#### *Trenches 146 and 194*

Trenches 146 and 194 were devoid of archaeological remains.

#### *Trench 133 (Fig. 67)*

Trench 133 contained a ditch (13302) on a northwest to southeast alignment and a pit (11304) cut by two land drains (11306 and 11306). Ditch 11302 (Fig. 67, S. 2037) measured 0.82m wide and 0.22m deep and contained single clay fill (11303). Based on its shape, alignment and position it is likely a continuation of ditch 17602 in Trench 176.

Pit 13304 was irregular in shape (Fig. 67, S. 2038). It measured 1.18m wide and 0.50m deep and contained two fills (13305 and 13306), both of which had charcoal inclusions. No artefacts were recovered from the fills.

#### *Trench 176 (Fig. 72)*

Trench 176 contained a small gully (17602; Fig. 72, S. 2034) on a northeast to southwest orientation. It measured 0.62m wide and 0.24m deep and contained a single clay fill (17603). The ditch does not correspond with any geophysical anomalies and is on a different alignment to ploughing trends within the field, but appears to continue into Trench 133, to the

east (ditch 13302). No artefacts were recovered from the feature. Plough scars were noted throughout the trench.

#### **Field 1e.1**

*Trenches 105, 106, 107, 111, 112 and 113*

Trenches 105, 106, 107, 111, 112 and 113 were devoid of archaeological remains.

#### **Field 1e.2**

*Trenches 96 and 97*

Trenches 96 and 97 were devoid of archaeological remains.

#### **Field 1e.3**

*Trenches 99, 100, 102 and 103*

Trenches 99, 100, 102 and 103 were devoid of archaeological remains.

*Trenches 101 and 104*

Trench 101 contained a shallow plough furrow at its northern end on a northeast to southwest orientation which corresponded with the geophysical survey. No other plough furrows were observed in the trench. Trench 104 contained two northeast to southwest orientated plough furrows in the centre of the trench, also corresponding to the geophysical survey.

#### **Field 1e.4**

*Trenches 154, 156, 157, 158, 159, 160, 161, 162, 164, 165 and 166*

Trenches 154, 156, 157, 158, 159, 160, 161, 162, 164, 165 and 166 were devoid of archaeological remains. A series of gravel-filled field drains were noted throughout the field.

*Trench 153*

Trench 153 contained two plough furrows on an approximate northwest to southeast alignment in the northern half of the trench. These match the alignment of ploughing trends identified in the field to the south (1e.6).

#### **Field 1e.5**

*Trenches 136, 137, 139, 140, 141, 142, 147 and 461*

Trenches 136, 137, 139, 140, 141, 142, 147 and 461 were devoid of archaeological remains.

*Trench 138*

Trench 138 contained three plough furrows on northeast to southwest orientations. One was tested, which measured 1.10m wide and 0.10m deep. It contained a single sterile silty clay fill.

*Trench 460*

Trench 460 contained a change in the natural geology to a grey sand in the centre of the trench. This was tested using a mechanical excavator to prove its geological provenance.

#### **Field 1e.8**

*Trench 145*

Trench 145 was devoid of archaeological remains.

*Trench 144*

Trench 144 contained two extremely shallow (less than 0.05m deep) linear features at the southwest end of the trench on approximate northwest to southeast orientations which are likely to be the remains of plough furrows. The geophysical anomaly in the northeast end of the trench was not observed.

**Field 1e.9***Trenches 147 and 148*

Trenches 147 and 148 were devoid of archaeological remains.

**Field 1e.10***Trenches 116, 117, 118, 126, 127, 128, 129, 130, 131, 132, 134 and 135*

Trenches 116, 117, 118, 126, 127, 128, 129, 130, 131, 132, 134 and 135 were devoid of archaeological remains. Trenches 116, 117 and 118 contained field drains along the alignment detailed by the geophysical survey. Trenches 129, 134 and 135 contained field drains but this area had not been subject to geophysical survey.

*Trench 114 (Figs 55 and 56)*

Trench 114 contained multiple archaeological features.

Pit or ditch terminus (11402) was only partly visualised within the trench where it measured 0.94m long, 1.29m wide and 0.35m deep (Fig. 56, S. 2067). It contained a single dark blackish brown, clayey silt fill (11403) from which pottery sherds and CBM were recovered.

Ditch 11404 was orientated northeast to southwest (Fig. 55, S. 2068). The ditch measured 2.28m wide and 0.74m deep. The lower fill (11405) was a mid-greyish brown silty clay and contained pottery sherds. The ditch had been re-cut by ditch 11406 on the same alignment. This re-cut was 2.28m wide and 0.59m deep. The recut had a single fill (11407) which was a dark greyish brown silty clay which contained a large quantity of pottery sherds. The ditch had been truncated by furrow 11408 and by the insertion of a land drain. The ditch is aligned with linear anomalies on the geophysical survey.

A large possible ditch (11410) was identified in the centre of the trench (Fig. 56, S. 2069). The ditch measured 9.00m wide and was orientated northeast to southwest. The feature was excavated to a depth of 0.35m and the fill (11411), a light brownish grey clayey silt, contained numerous sherds of pottery. At this depth, two features (11412 and 11414) were visible cutting into the fill. A decision was made not to fully excavate the ditch (11410) at this time as it was uncertain if it may represent something more complex. Pit/terminus 11412 measured 2.30m wide and was excavated to a depth of 0.27m. Pit/terminus 11414 measured 0.55m wide and possibly extended beyond the south-eastern edge of ditch 11410. Pit/terminus 11414 truncates pit/terminus 11412. The ditch corresponds with an identified linear anomaly on the geophysical survey.

A possible ditch (11416) with a re-cut (11418) was identified orientated northwest to southeast and was partially visible within the trench (Fig. 55, S. 2070). The ditch terminus was excavated and measured 1.40m wide (only partially visible within the trench). It was exposed for 14m in length within the trench and was excavated to a depth of 1.00m at which point excavations ceased. The lower fill (11417) was a light brownish grey, silty clay and contained animal bone fragments. This had been re-cut by 11418 which measured 1.20m wide and was 0.30m deep and had a single dark brownish black, clayey silt fill (11419). This fill contained numerous sherds of pottery and animal bone fragments. This feature possibly corresponds with the curvilinear anomaly present on the geophysical survey.

*Trench 115 (Fig. 57)*

Trench 115 contained two possible ditch termini and a pit. Ditch terminus 11502 was located on the northwest edge of the trench and measured 0.62m wide and 0.44m deep (Fig. 57, S. 2072). It contained terminus contained three fills (11503, 11504 and 11505). Lower fill 11503 was a light greyish black silty clay. Pottery sherds were recovered from this fill. Fill 11504 was a dark blackish grey silty clay and contained no artefacts. Upper fill 11505 was a light greyish black silty clay. Pottery sherds were recovered from this fill.

Ditch terminus 11506 (Fig. 57, S. 2073) was located on the southeast edge on the trench. It measured 0.67m wide and 0.40m deep and contained two fills (11507 and 11508). Fill 11507 was a dark orangey grey silty clay and pottery sherds were recovered from this fill. Fill 11508 was a dark orangey black silty clay which contained some coal. The two termini correspond with the linear feature seen on the geophysical survey.

Pit 11509 was adjacent to terminus 11506 and not fully visualised within the trench. It measured 0.54m wide and 0.60m deep (Fig. 57, S. 2073). It had a single mid-orangey brown clayey silt fill from which pottery sherds were recovered.

*Trench 119 (Fig. 58)*

Trench 119 contained two ditches orientated northwest to southeast which were side by side. Ditch 11902 measured 3.98m wide and 0.74m deep (Fig. 58, S. 2084). It contained two fills (11903 and 11904). Lower fill 11903 was a mid-greyish orange silty clay; no artefacts were recovered from this fill. Upper fill 11904 was a mid-blackish orange silty clay from which pottery sherds were recovered.

Ditch 11902 was truncated by ditch 11905. Ditch 11905 measured 1.60m wide and 0.42m deep. It had a single mid-orangey brown silty clay fill (11906) from which no artefacts were recovered.

These ditches do not correspond with any anomalies on the geophysical survey but were on the same alignment as a possible post-medieval field boundary seen in Trench 125 and appear to match a field boundary visible on historic OS mapping.

*Trench 120 (Fig. 59)*

Trench 120 contained ditch 12002 (Fig. 59, S. 2063) on a northeast to southwest orientation. It measured 2.00m wide and 0.62m deep and contained a mid-blackish grey silty clay (12003) from which no artefacts were recovered. This ditch corresponds with a linear geophysical anomaly and with a field boundary visible on historic OS mapping.

*Trench 121* (Figs 60 and 61)

Trench 121 contained multiple features many of which had been truncated by ceramic and gravel drains.

Ditch 12102 was orientated northwest to southeast and measured 1.60m wide and 0.46m deep (Fig. 61, S. 2104). It contained a single, very mixed silty clay fill which contained pieces of CBM most likely from a ceramic land drain. This ditch corresponds with the return of an L-shaped anomaly seen on the geophysical survey.

Ditch 12104 was only partially visualised within the trench at its eastern end. It measured 1.36m wide and 0.28m deep (Fig. 61, S. 2105). It contained a single light brownish grey silty clay fill (12105) from which no artefacts were recovered. The feature does not match any geophysical anomaly.

Possible ditch 12106 was orientated northwest to southeast and measured 1.22m wide and 0.14m deep (Fig. 61, S. 2105). It contained a dark brownish grey silty clay fill (12107). No artefacts were recovered. This feature corresponds with a non-linear anomaly identified on the geophysical survey.

Feature 12110 was recorded as a possible ditch terminus which measured 1.80m wide and 0.08m deep (Fig. 61, S. 2111). It contained a mid-brownish grey silty clay sterile fill (12111). The feature corresponds with an irregular anomaly on the geophysical survey.

Ditch 12112 was orientated northeast to southwest and measured 1.30m wide and 0.38m deep (Fig. 61, S. 2107). It contained two fills (12113 and 12114). The lower fill 12113 was a light greyish orange silty clay which contained sherds of pottery, a large amount of slag and pieces of baked clay. The upper fill (12114) was a mid-greyish brown silty clay which contained slag and fired clay. The relationship between this ditch and a large linear feature (12130) was not established during this evaluation. Both appear to be part of a substantial feature also observed as a geophysical anomaly.

Feature 12115 was recorded as a gully as it appeared curvilinear on the surface (Fig. 60) but it had a depth of only 0.01m. It had a dark silty clay fill (12116) which was sterile. This feature could be a heavily truncated gully, as a similar feature (12117) was seen at the southwestern end of the trench. Gully 12117 (Fig. 61, S. 2110) measured 0.25m wide and 0.08m deep and had a single sterile mid-brownish grey silty clay fill (12118). Both features were truncated by land drains.

Ditch 12119 was orientated northwest to southeast and measured 2.54m wide and 0.74m deep (Fig. 61, S. 2112). It contained three fills (12120, 12121 and 12122). Fill 12120 was the upper fill of mid-grey silty clay from which no artefacts were recovered. Fill 12121 was a

light brownish grey silty clay which contained pieces of slag. Fill 12122 was a mid-grey silty clay from which two pieces of pottery were recovered. This ditch also had a relationship with feature 12130 which was not tested at this time as the extent and nature of feature 12130 was underminable within the confines of the trench.

Linear feature 12123 (Fig. 61, S. 2114) was located at the southwestern end of the trench. On the surface it appeared to be a possible ditch, but its fill (12124) was heavily disturbed, and the feature had been cut by a land drain. Coal was seen near the base. This feature could be related to the two manholes visible within the field and part of a drainage system.

Possible gully 12125 (Fig. 61, S. 2116) was an irregular feature that appeared to have a relationship with ditch 12127. The gully had been truncated by field drains. It measured 0.48m wide and 0.16m deep and contained a heavily mixed orangey grey silty clay fill (12126). Several pieces of slag were recovered from the fill.

Ditch 12127 (Fig. 61, S. 2115) appeared to be a distinct gully on the surface. Excavation revealed it to be a possible ditch only partially visible within the trench. It measured 1.04m wide within the trench and had a depth of 0.30m. The ditch contained two fills (12128 and 12129). Lower fill 12128 was a light bluish grey silty clay and contained no artefacts. Upper fill 12129 was a mid-greyish brown silty clay. Pottery, animal bone and slag were recovered from this fill. The upper fill had been truncated by the insertion of land drains.

Feature 12130 (Fig. 60) was a large irregular feature partially visible within the trench measuring 10.50m long and over 1.30m wide. As its full extent was not visible within the trench and it had relationships with ditches 12127, 12119 and 12112, this feature was not excavated during evaluation but was recorded in plan and its fill (12131) was sampled. The fill was a light brownish grey silty clay and contained charcoal. The feature corresponds with a large anomaly seen on the geophysical survey.

#### *Trench 122 (Figs 62 and 63)*

Trench 122 contained six ditches. Ditches 12202, 12204, 12206 and 12208 were a series of ditches and re-cuts orientated east to west (Fig. 63, S. 2101). Ditch 12202 measured 0.40m wide and 0.15m deep. Its fill (12203) was a dark grey silty clay which contained no artefacts. This fill was cut by ditches 12204 and 12206. Ditch 12204 measured 0.87m wide and 0.17m deep. It contained a single fill (12205) which was a dark grey silty clay which contained no artefacts. Ditch 12206 measured 0.90m wide and 0.43m deep. It had a single dark grey silty clay fill (12207) from which no artefacts were recovered. Ditch 12208 cut fill 12207 and measured 2.10m wide and 0.69m deep. It had a single dark grey silty clay fill (12209). Animal bone and CBM were recovered from this fill. This ditch corresponds to a linear geophysical anomaly.

Ditch 12210 was orientated northeast to southwest and measured 2.39m wide and 0.56m deep (Fig. 63, S. 2102). It contained two fills (12211 and 12212). Fill 12211 was a mid-greyish brown silty clay from which slag was recovered. Fill 12212 was a dark blackish grey silty clay which contained charcoal. This ditch corresponds to a geophysical anomaly.

Ditch 11213 was orientated northeast to southwest and measured 2.72m wide and 0.72m deep (Fig. 63, S. 2113). The ditch contained two fills (12214 and 12215). Fill 12214 was the lower fill, a dark greyish brown silty clay from which no artefacts were recovered. Upper fill 12215 was a mid-greyish blue silty clay from which no artefacts were recovered. Two pits were visible cut into the surface of ditch 12213. Pit 12216 was a semi-circular pit which measured 0.96m wide and 0.28m deep (Fig. 63, S. 2113). The pit contained a single dark greyish brown silty clay fill (12217) with no artefacts recovered. This pit could be related to modern agriculture. Pit 12218 was a sub-circular pit which measured 0.75m wide and 0.12m deep. It contained a single fill of mid-greyish brown silty clay (12219) which contained no artefacts. The ditch appears to correspond with a segmented linear geophysical anomaly.

#### *Trench 123 (Fig. 64)*

Trench 123 contained one gully, one ditch, one furrow and one old hedgerow field boundary.

Gully 12302 was orientated northwest to southeast and measured 0.61m wide and 0.23m deep (Fig. 64, S. 2059). It contained a single sterile light greyish brown silty clay fill (12303). The gully is related to post-medieval agriculture.

Ditch 12304 was orientated northeast to southwest and measured 1.80m wide (Fig. 64, S. 2060). The feature was only excavated to a depth of 0.41m as it was the same post-medieval field boundary seen in Trenches 174 and 178 (in field 1e.11) and confirmed by historic OS mapping. It contained two fills (12305 and 12306). Fill 12305 was a light orangey grey silty clay from which pottery was recovered. Fill 12306 was a light greyish brown silty clay from which pottery, glass and CBM were recovered. On the surface of the field, the line of the former field boundary was visible as a darker discolouration of the grass covering.

Furrow 12307 was orientated northeast to southwest and measured 1.12m wide and 0.07m deep. It had a single sterile silty clay fill (12308) from which no artefacts were recovered. The furrow is aligned with other furrows recorded in this half of the field on the geophysical survey.

The possible ditch or removed hedgerow (12309) was orientated northeast to southwest and measured 1.80m wide and 0.40m deep (Fig. 64, S. 2061). The base and edges were very irregular. It contained a single clayey silt fill (12310) from which three pieces of slag were recovered. The ditch/hedgerow corresponds with a linear geophysical anomaly and is likely post-medieval repositioning of the field boundary seen in ditch 12304.

#### *Trench 124 (Fig. 65)*

Trench 124 contained one ditch that had been re-cut twice (Plates 3 and 4). Ditch 12402 was orientated northwest to southeast and measured 1.32m wide and 0.68m deep (Fig. 65, S. 2080). It contained a single dark brownish grey silty clay fill (12403), from which pottery was recovered. This fill was truncated by ditch re-cut 12406 which measured 2.24m wide and 0.68m deep. Its fill (12407) was a dark brownish grey silty clay from which no artefacts were recovered. Fill 12407 was truncated by ditch re-cut 12404 which measured 11.20m wide and 0.46m deep. It contained a single light orangey grey silty clay fill (12405) from which

Romano-British pottery was recovered. This ditch corresponds well with a curvilinear anomaly from the geophysical survey.

*Trench 125* (Fig. 66)

Trench 125 contained a field boundary ditch/hedgerow, a possible ditch terminus, two ditches and a furrow.

Field boundary ditch/hedgerow 12502 was orientated northwest to southeast and only partially visible within the trench at the southern end. It measured 1.42m wide and 0.44m deep (Fig. 66, S. 2066). It contained two fills (12503 and 12504). Fill 12503 was a thin spread of blackish grey silty clay on the edge of 12502. Fill 12504 was greyish black silty clay within the cut of the feature. No artefacts were recovered. This feature does not match any geophysical anomalies recorded during survey but does match a post-medieval field boundary on historic OS maps. It was visible on the surface of the field as a darker discolouration of the grass covering.

Possible ditch terminus 12505 was orientated northwest to southeast. It measured 1.50m wide and is very shallow at 0.10m deep (Fig. 66, S. 2082). It had a single sterile silty clay fill (12506). The feature corresponds with a geophysical anomaly but appears geological in nature.

Ditch 12507 was orientated northeast to southwest and measured 1.00m wide and 0.56m deep (Fig. 66, S. 2083). It contained a single blackish grey silty clay fill (12508) from which numerous sherds of pottery were recovered. The ditch was truncated along its southern edge by furrow 12509. This ditch does not correspond with any geophysical anomalies identified during survey.

Ditch 12511 was orientated east to west and measured 2.56m wide and 0.54m deep (Fig. 66, S. 2087). The ditch contained two fills; a lower fill (12512) of light greyish brown silty clay from which lots of pottery was recovered including an intact vessel rim, and an upper fill (12513) of yellowish orange clay from which no artefacts were recovered. The feature corresponds well with a linear anomaly from the geophysical survey.

*Trench 463* (Fig. 96)

Trench 463 contained a single small ditch (46303; Fig. 96, S. 2079) which was orientated northeast to southwest. The ditch measured 0.86m wide and 0.31m deep and contained a single orangey grey silty clay fill. One possibly heat-cracked pebble was seen within the fill. No other artefacts were recovered. The ditch does not correspond with any geophysical anomaly. The southern end of the trench contained a spread of material likely related to the construction of the deep Londesborough Drain to the southeast.

*Trench 708* (Fig. 114)

Trench 708 contained three ditches and one possibly heavily truncated pit.

Ditch 70802 was orientated northeast to southwest and measured 0.60m wide and 0.13m deep (Fig. 114, S.2095). It had two fills (70803 and 70804). Lower fill 70803 was a clayey



silt with occasional flecks of charcoal, no artefacts were recovered. Upper fill 70804 was a clayey silt with occasional flecks of charcoal. No artefacts were recovered.

Ditch 70805 was orientated northeast to southwest and measured 1.46m wide and 0.28m deep (Fig. 114, S. 2097). It contained two fills (70806 and 70807). Fill 70806 was a mid-bluish grey silty clay which contained no artefacts. Fill 70807 was the upper fill and is a dark orangey grey silty clay from which pottery was recovered.

Ditch 70808 was orientated northeast to southwest and measured 0.85m wide and 0.24m deep (Fig. 114, S. 2094). It had two fills (70809 and 70810). Lower fill 70809 was a mixed greyish orange silty clay from which a sherd of pottery was recovered. Upper fill 70810 was an orangey grey and no artefacts were recovered.

Pit 70811 was located at the north-western end of the trench and had been truncated by a land drain. It was circular in plan and measured 1.20m in diameter and 0.15m deep (Fig. 114, S. 2096). It had a single sterile fill (70812) from which no artefacts were recovered.

None of the features identified in Trench 708 correspond with geophysical anomalies.

#### *Trench 709* (Figs 115 and 116)

Trench 709 contained two ditches, one possible spread and two large features with pits cut into the surface.

Ditch 70902 was orientated northeast to southwest and measured 1.98m wide and 0.57m deep (Fig. 116, S. 2089). The ditch contained three fills (70903, 70904 and 70907). The lower fill (70907) was a dark grey silty clay from which CBM, and possible worked stone were recovered. The middle fill (70904) was a dark grey silty clay which contained fragments of CBM and heat-affected clay. Pottery was recovered from this fill. The upper fill (70903) was a dark grey silty clay from which pottery was recovered. This feature appears to correspond with a short linear anomaly seen on the geophysical survey.

Possible pit/spread 70905 was only partially visible within the trench. It measured 1.22m wide 0.25m deep (Fig. 116, S. 2090). The lower edge was heavily disturbed possibly by burrowing. It had a single light grey silty clay fill which contained a large amount of pottery sherds.

Ditch 70908 was orientated northeast to southwest. The ditch possibly had a relationship with 70917 as the south-eastern edge of the ditch showed layers of redeposited clay with possible ditch fill beneath (Fig. 116, S. 2091). The ditch measured 1.40m wide and 0.42m deep. It contained two fills (70909 and 70910). Fill 70909 was a brownish grey silty clay from which one sherd of pottery was recovered. Within this fill were lenses of redeposited clay (70910) which were sterile. The ditch does to correspond with any anomalies from the geophysical survey.

Features 70911, 70913, 70915, 70917 and 70919 were a series of intercutting features that were recorded in plan only as they were not fully exposed within the trench and appeared to be part of something much more complex.

Feature 70911 was a possible pit or ditch terminus (Fig. 115). It measured 1.00m wide within the trench and appeared to have a single bright grey silty clay fill. In plan this appeared to be truncating possible linear feature 70913 (Fig. 115) which was orientated northwest to southeast and appeared to have a single fill on the surface (70914). Within the trench feature 70913 was approximately 14m long and 1.20m wide. Pottery was recovered from the surface (fill 70914). Feature 70915 (Fig. 115) was possibly a pit cut into the surface of fill 70914. Pit 70915 had a very mixed fill (70916) which appeared to contain fleck of baked clay. Feature 70917 (Fig. 115) was an irregular feature in plan and appeared to have been truncated by Feature 70913. It had a single light brown fill (70918) which contained pottery. Possible pit 70919 (Fig. 115) was located at the edge of 70917 but the relationship was not tested during evaluation. None of these features correspond with any anomalies recorded by the geophysical survey.

### **Field 1e.11**

*Trenches 167, 168, 169, 170, 171, 173, 174, 175, 177, 178 and 179*

Trenches 168, 169, 170, 173 and 179 were devoid of archaeological remains.

*Trench 167 (Fig. 69)*

Trench 167 contained a ditch (16702; Fig. 69, S. 2055) on an east to west orientation. The ditch measured 1.46m wide and 0.35m deep and contained a single clayey silt fill (16703). No artefacts were recovered from the feature. The ditch is aligned with an agricultural trend identified by the geophysical survey, but similar anomalies to the north of the ditch were not observed within the trench.

*Trench 171*

Trench 171 contained the remains of a wide ditch or palaeochannel towards the southwest end of the trench corresponding with the geophysical survey. It measured 11.71m wide and was excavated to 1.00m below ground level, where a large still-functioning ceramic drain was encountered. The infilling material (17102) was a mid-greyish brown clayey silt with no inclusions

*Trench 174 and 178 (Fig. 70)*

Trench 174 contained the remains of a former hedgerow (17404) in the southeast end of the trench and a narrow gully (17402; Fig 70, S. 2057) in the northwest end of the trench. Gully 17402 measured 0.58m wide and 0.20m deep and contained a single clayey silt fill (17403). Small pieces of CBM were recovered from the feature.

The remains of a hedgerow were observed in Trenches 174 and 178 corresponding with the large geophysical feature crossing the field. It measured approximately 3.00m wide and between 0.60m (Trench 178) and 0.80m (Trench 174) deep. Fragments of handmade brick and ceramic drain were recovered from the fill as well as frequent decayed roots.

The hedgerow visible in Trenches 174 and 178 corresponds with a former field boundary noted on the 1891 OS mapping of the area.

*Trench 175 (Fig. 71)*

Trench 175 contained a ditch (17502; Fig. 71, S. 2053) on a northeast to southwest orientation. The ditch measured 0.88m wide and 0.34m deep and contained a single silty clay fill (17503). No artefacts were recovered from the feature. The ditch's orientation matches ploughing trends to the east and west and is likely the remains of an agricultural drainage ditch.

*Trench 177*

Trench 177 contained a shallow, uneven linear feature in the centre of the trench which contained modern material. The feature is likely to be the result of deep ploughing or wheel rutting by agricultural machinery.

**Field 1e.14***Trenches 189, 190, 192, 193, 195, 196 and 199*

Trenches 189, 190, 196 and 199 were devoid of archaeological remains.

*Trench 192*

Trench 192 contained a ditch (19202) on a northeast to southwest orientation at the eastern end of the trench. The ditch measured 0.54m wide and 0.44m deep and contained a single clay fill (19203). The ditch does not appear on historic OS mapping. No artefacts were recovered from the feature.

*Trench 195 (Fig. 73)*

Trench 195 contained a ditch (19503; Fig. 73, S. 2052) on a northeast to southwest orientation. The ditch measured >0.75m wide and 0.18m deep and contained a silty clay fill (19504) which contained modern material including a fired shotgun shell. The feature corresponds with a hedge line shown on the 1890 OS map.

**Field 1e.16***Trenches 200, 201, 202, 203, 205, 206, 207, 208, 209, 210 and 211*

Trenches 201, 203, 204, 205, 208, 209, 210 and 211 were devoid of archaeological remains.

*Trench 200*

Trench 200 contained a layer of modern backfill (20001) below the topsoil. No archaeological remains were present.

*Trench 202*

Trench 202 contained some modern disturbance at its southern end.

*Trench 204*

Trench 204 contained a possible broad linear feature near the centre of the trench which corresponds with a geophysical anomaly of a former field boundary. The feature was tested with a machine slot and had a depth on approximately 0.10m, therefore likely geological in nature.

*Trench 206*

Trench 206 contained a wide palaeochannel (20603) crossing the centre of the trench on a northeast to southwest orientation matching the geophysical survey. The feature was machine excavated to a depth of 1.30m below the existing ground level where a plastic bag was recovered.

*Trench 207*

Trench 207 contained a linear feature in the centre of the trench approximately 3m wide and 1m deep. Its fill contained modern material including plastic and machine-made bricks. The OS map of 1890 shows it corresponds with a former field boundary.

**Field 1e.17***Trenches 172, 180, 191, 197 and 198*

Trenches 172, 180, 191, 197 and 198 were devoid of archaeological remains. Plough furrows were observed in Trenches 180, 191 and 198. One was tested in Trench 180.

**Field 1f.1***Trenches 212, 213, 214, 215, 216, 217 and 218*

Trenches 212, 213, 215 (Plate 5) and 216 were devoid of archaeological remains.

Trench 214 contained a possible linear feature and a possible pit. These were tested and found to be geological or natural features.

Trenches 217 and 218 both contained furrows which were tested.

**Field 2a.1***Trenches 487, 496, 498, 499, 500, 501, 502, 503, 504, 506, 507, 508, 509, 510 and 511*

Trenches 487, 496, 498, 499, 500, 501, 502, 503, 504, 506, 507, 508, 509, 510 and 511 were devoid of archaeological remains.

*Trench 505*

Trench 505 contained a deposit of post-medieval material at its northeast end.

**Field 2a.4***Trenches 240, 241, 242, 243, 244, 245, 246, 247, 248, 483, 484 and 485*

Trenches 240, 241, 242, 243, 244, 245, 246, 247, 248, 483, 484 and 485 were devoid of archaeological remains.

**Field 2b.1***Trenches 229, 230, 232, 233 and 588*

Trenches 229, 230, 232, 233 and 588 were devoid of archaeological remains. Trenches 701, 702 and 703 were additional trenches opened to test the extent of the archaeological features observed in Trench 228.

*Trench 228 (Fig. 75)*

Trench 228 contained three northeast to southwest orientated ditches (22802, 22809 and 22811), one north to south orientated ditch (22807) and one pit (22805).

Ditch 22802 measured 1.16m wide and 0.31m deep (Fig. 75, S. 1006). It contained two silty clay fills (22803 and 22804). Fill 22803 contained some animal bone fragments and fill 22805 contained some pottery sherds as well as several heat cracked pebbles.

Pit 22805 measured >0.58m long (extended beyond edge of trench), 0.82 wide and 0.26m deep (Fig. 75, S. 1007). It contained a blue/grey silty clay fill (22806). No artefacts were recovered from the feature.

Ditch 22807 measured 1.36m wide and 0.37m deep (Fig. 75, S. 1008; Plate 6). It contained a bluish/brown silty clay material (22808). The fill contained some pottery sherds and some heat cracked pebbles. The ditch aligns with a small anomaly on the geophysical survey located towards the centre of the trench but a ditch of this size and depth would usually produce a more significant anomaly.

Ditch 22809 measured 1.00m wide and 0.34m deep (Fig. 75, S. 1009). It contained a grey/blue silty clay (22810) and some pottery sherds.

Ditch 22811 measured 1.28m wide and 0.60m deep (Fig. 75, S. 1010). It contained a grey/blue silty clay material (22812), some pottery sherds, and animal bone fragments.

Ditch 22803, pit 22805 and ditches 22809 and 22811 do not correspond with any anomaly on the geophysical survey.

#### *Trench 231 (Fig. 76)*

Trench 231 contained a single moderately sized pit (23102; Fig. 76, S. 1012) on a northeast to southwest orientation. The pit measured 1.60m in long, 1.20m wide and 0.51m deep. It contained a mid-grey/brown silty clay fill (23203). Some small pieces of CBM were recovered from the feature. The pit matches the line of a geophysical anomaly running through the centre of the trench. It probably represents a former hedgerow that would have previously divided the field before being uprooted and backfilled.

#### *Trench 701*

Trench 701 contained one possible furrow which was tested. It is on the same northwest to southeast orientation as other furrows highlighted on the geophysical survey.

#### *Trench 702 (Fig. 110)*

Trench 702 contained one northeast to southwest orientated ditch (70202) with a recut (70204) and one northwest-southeast orientated ditch (70206).

Ditch 70202 measured 0.80m wide and 0.46m deep (Fig. 110, S. 1023). It contained a grey/brown silty clay (70203). No artefacts were recovered from the feature.

Ditch 70204 was a recut of ditch 70202. It had a northeast to southwest orientation and measured 1.02m wide and 0.52m deep. It contained a grey/black silty clay (70205). No artefacts were recovered from the feature.

Ditch 70206 measured 0.68m wide and 0.33m deep (Fig. 110, S. 1024). It contained a grey/black silty clay (70207). No artefacts were recovered from the feature.

None of features in Trench 702 align with any kind of geophysical anomaly.

*Trench 703* (Figs 111 and 112)

Trench 703 contained two ditches, two pits and two gullies.

Ditch 70302 (Fig 112, S. 1018) was on a northeast-southwest orientation and measured 2.48m wide and 0.60m deep. It contained a single blue/grey silty clay fill (70303). Pottery was recovered from the fill.

Pit 70304 had a roughly north to south orientation (Fig. 112, S. 1019). The pit measured >2.00m long (extended beyond limit of trench), 4.15m wide and 0.68m deep. It contained a grey/brown silt clay fill (70305). Several sherds of pottery were recovered from the fill. Pit 70304 was recut by pit 70306.

Pit 70306 (Fig. 112, S. 1019) had a roughly north to south orientation and measured >1.60m long (extended beyond limit of trench), 0.80m wide and 0.28m deep. It contained a dark grey/brown clayey silt fill (70307). Some pottery sherds, animal bone fragments and slag were recovered.

Gully 70308 (Fig. 112, S. 1020) had a northeast to southwest orientation and measured 0.75m wide and 0.20m deep. It contained a mid-grey/brown silty clay fill (70308). Some pottery sherds were recovered from the feature. Gully 70308 was cut by pit 70310.

Pit 70310 (Fig. 112, S. 1020) had a roughly north to south orientation and measured 0.60 long, 0.56m wide and 0.25m deep. It contained a grey/brown silty clay fill (70311). No artefacts were recovered from the feature.

Ditch 70312 (Fig. 112, S. 1021) had a northeast to southwest orientation and measured 1.04m wide and 0.44m deep. It contained two silty clay fill (70313 and 70314). Some pottery sherds were recovered from fill 70313 and fill 70314. Ditch 70312 was cut by gully 70315.

Gully 70315 (Fig. 112, S. 1021) had a northeast to southwest orientation and measured 0.62m wide and 0.44m deep. It contained a mid-grey/brown silty clay fill (70316). Some small pieces of CBM were recovered from the feature.

No features in Trench 703 align with any of the geophysical anomalies.

**Field 2b.2**

*Trenches 234, 235, 236, 237, 238, 239 and 563*

Trenches 234, 235, 236, 237, 238, 239 and 563 were devoid of archaeological remains.

**Field 2c**

*Trenches 249, 250, 251, 252, 254 and 255*

Trenches 249, 250, 251, 252, 254 and 255 were devoid of archaeological remains.

*Trench 253* (Fig. 77)

Trench 253 contained a moderately sized ditch (25302; Fig. 77, S. 5026) on a northeast to southwest orientation. The ditch measured 1.40m wide and 0.62m deep. It contained a dark grey/brown silty clay fill (25303). No artefacts were recovered from the feature. The ditch

corresponds with a geophysical anomaly. The historic OS mapping identifies this as a former field boundary.

#### **Field 2d**

*Trenches 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, and 513*

Trenches 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266 and 513 were devoid of archaeological remains.

*Trench 512*

Trench 512 was devoid of archaeological remains however a significant linear anomaly appeared to be going through the trench on the geophysical survey. The anomaly lined up with a former field boundary present on OS mapping. It is possible that as this feature was not observed in the trench that it was only present in the topsoil or that it has been ploughed away by modern farming.

#### **Field 2e.1**

*Trenches 268, 269, 270, 271 and 272*

Trenches 268, 269, 270, 271 and 272 were all devoid of archaeological remains. A significant linear geophysical anomaly crosses Trench 269 but no feature was observed during excavation. An extinct field drain did line up with the anomaly however, so this may be the cause.

*Trench 267 (Fig. 78)*

Trench 267 contained one pit (26702), one gully (26704) and one ditch (26706).

Pit 26702 measured 0.33m long, 0.29m wide and 0.16m deep (Fig. 78, S. 1000). It contained a dark bluish grey silty clay fill (26703). No artefacts were recovered from the feature. The pit did not align with any geophysical anomaly.

Gully 26704 was on a northeast to southwest orientation and measured 0.50m wide and 0.08m deep (Fig. 78, S. 1001). It contained a light orange/grey fill (26705). No artefacts were recovered from the feature.

Ditch 26706 was on a northeast to southwest orientation and measured 1.30m wide and 0.46m deep (Fig. 78, S. 1002). It contained a dark grey/brown silty clay fill (26707). Some pottery sherds and CBM were recovered from the fill.

Gully 26704 and ditch 26706 were both on the same orientation as the anomalies identified as drainage features on the geophysical survey, but their locations do not match.

#### **Field 2e.2**

*Trenches 273 and 274*

Trenches 273 and 274 were devoid of archaeological remains.

#### **Field 2e.3**

*Trenches 275, 276 and 277*

Trenches 275, 276 and 277 were devoid of archaeological remains.

*Trench 278* (Fig. 79)

Trench 278 contained one moderately sized ditch (27802; Fig. 79, S. 1004)) on a northwest to southeast orientation. The ditch measured 0.90m wide and 0.26m deep. It contained a light orange/grey clayey sand fill (27803) from which some pottery was recovered. The ditch is not orientated, nor does its position align with any geophysical anomaly observed.

**Field 2e.4**

*Trenches 279, 280, 281, 282, 283, 284, 285, 514, 515, 516 and 517*

Trenches 279, 280, 281, 282, 283, 284, 285, 514, 515, 516 and 517 were devoid of archaeological remains.

**Field 2f**

*Trenches 286, 287, 288, 289, 290, 291, 292, 293, 294, 296, 297, 298, 299, 300, 302, 303, 304, 468 and 2831*

Trenches 286, 287, 288, 289, 290, 291, 292, 293, 294, 296, 297, 298, 299, 300, 302, 303, 304, 468 and 2831 were devoid of archaeological remains.

*Trench 295* (Fig. 80)

Trench 295 contained a large ditch (29502; Fig. 80, S. 1016) on a northwest to southeast orientation. The ditch measured 1.30m wide and 0.35m deep. It contained a light orange/grey silty clay fill (29503). Some small pieces of CBM were recovered from the fill. A significant amount of geophysical disturbance is centred on Trench 295, including a faint linear response that aligns with the ditch and matches its orientation. The ditch is likely a former field boundary visible on the historic OS mapping.

*Trench 301* (Fig. 81)

Trench 301 contained a moderately sized ditch (30102; Fig. 80, S. 1014) on a northwest to southeast alignment. The ditch measured 1.04m wide and 0.44m deep. It contained a light orange/grey silty clay fill (30103). No artefacts were recovered from the feature. The ditch matches a linear geophysical anomaly and is likely a continuation of ditch 29503.

**Field 2g.1**

*Trenches 8, 310, 311, 312, 313, 314 315, 316, 317, 318, 319, 320, 321, 322, 324, 466, 467, 577, 578, 579 and 580.*

Trenches 8, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 324, 466, 467, 577, 578, 579 and 580 were devoid of archaeological remains.

**Field 2g.2**

*Trenches 6, 7, 14, 15, 9, 30, 33, 34, 35, 39, 40, 305, 308, 309, 464, 465, 529, 540, 544, 574, 575, 576 and 583*

Trenches 6, 7, 14, 15, 9, 30, 33, 34, 35, 39, 40, 305, 308, 309, 464, 465, 529, 540, 544, 574, 575, 576 and 583 were devoid of archaeological remains.

*Trench 1* (Fig. 21)

Trench 1 contained one furrow and ditch. Ditch 104 (Fig. 21, S. 218) was orientated northwest to southeast and was U-shaped in profile. It measured 0.72m wide and >0.40m



deep. It contained a single dark brownish black silty clay fill (105) from which animal bone and pottery were recovered. The ditch was truncated by furrow (102) along the same alignment which measured 3.12m wide and 0.34m deep. These features are not aligned with any anomaly from the geophysical survey, but linear trends indicating ridge and furrow cultivation were visible on the survey in that field along the same orientation.

#### *Trench 12 (Fig. 23)*

Trench 12 contained ditch 1202 (Fig. 23, S. 258) which was orientated north to south. It measured 1.08m wide and 0.50m deep with a U-shaped profile. The ditch contained a single mid-brownish grey silty clay fill (1203) from which pottery and CBM were recovered. The ditch is aligned with a linear geophysical anomaly which is possibly the return of a rectilinear enclosure ditch.

#### *Trench 13 (Figs 24 and 25)*

Trench 13 contained multiple archaeological features.

Ditch 1302 (Fig. 24, S. 260) was orientated northwest to southeast and was a broad feature with a concave base. It measured 0.83m wide and 0.16m deep and contained a single light brownish grey silty clay fill from which no artefacts were recovered. This feature is aligned with ridge and furrow geophysical anomalies within this field, but it could be a truncated ditch which is not demonstrated by the geophysical survey.

Ditch 1304 (Fig. 24, S. 261) was orientated northwest to southeast and was a broad feature with a concave base and measured 1.00m wide and 0.31m deep. The ditch contained a single mid-brownish grey silty clay fill (1305) which produced no artefacts. The ditch does not correspond with any geophysical anomalies apart from ridge and furrow linear trends which are on the same orientation.

Pit 1306 (Fig. 24, S. 262) was a shallow, oval shape pit which measured 0.46m wide and 0.13m deep. It contained a single light brownish grey silty clay fill (1307) which produced no artefacts. The pit's shallow profile could indicate this feature is related to modern agriculture.

Ditch 1308 (Fig. 24, S. 263) was orientated northwest to southeast and was a broad U-shaped ditch with a concave base. The ditch measured 1.00m wide and 0.33m deep and contained a single, mid-brownish grey silty clay fill (1309) from which pottery and animal bone was recovered. The ditch is not aligned with any geophysical anomaly but again follows the same northwest to southeast orientation as linear agricultural trends within the field. The ditch appears to be located within a possible sub rectangular enclosure recorded by the geophysical survey.

Ditch 1310 (Fig. 24, S. 264) was orientated northwest to southeast and had a shallow V-shape in profile with a concave base. It measured 0.72m wide and 0.18m deep and contained a single, light brownish grey silty clay fill (1311) from which pottery and animal bone was recovered. The ditch does not correspond directly with any anomalies from the geophysical survey, but it is on the same alignment and approximately 6.50m northeast of ditch 1308.

Ditch 1312 (Fig. 25, S. 269) was orientated northeast to southwest and was a flat-bottomed ditch with a single mid-brownish grey silty fill (1313) from which pottery was recovered. The ditch does not align with any geophysical anomalies. Ditch 1312 was truncated by ditch 1314.

Ditch 1314 (Fig. 25, S. 269) was orientated northwest to southeast and >0.88m wide and 0.30m deep. The ditch contained a single mid-brownish grey silty clay fill (1315) from which pottery was recovered. Ditches 1312 and 1314 appear to represent a sub-rectangular enclosure and are possibly related to settlement.

Pit 1316 (Fig. 25, S. 270) was a small pit which measured 0.66m wide and 0.55m wide and contained a single silty clay fill (1317) from which pottery was recovered. The pit was truncated by gully 1318 which was orientated northwest to southeast and measured >0.37m wide and 0.19m deep and contained a single silty clay fill (1319) from which no artefacts were recovered. The pit and the gully were possibly too ephemeral for the geophysical survey to identify and are likely located within the possible sub-rectangular enclosure detected by the geophysical survey.

Ditch 1320 (Fig. 25, S. 271) was orientated northwest to southeast and was located at the northeast end of Trench 13. The ditch was V-shaped in profile and measured 1.00m wide and 0.46m deep and contained a single silty clay fill (1321) from which pottery was recovered. The ditch is aligned with a linear geophysical anomaly which is possibly an enclosure ditch.

Pit 1322 (Fig. 25, S. 271) was a large irregular feature with a flat base. It measured 0.84m wide and 0.70m deep and contained a single silty clay fill (1323) from which no artefacts were recovered. The pit was truncated by ditch 1324 which was orientated northwest to southeast and measured >0.74m wide and 0.38m deep. Ditch 1324 had a single silty clay fill (1325) from which no artefacts were recovered. These features possibly correspond with a linear geophysical anomaly which appears to form the southwest boundary of a small sub-rectangular enclosure.

#### *Trench 16*

Trench 16 contained four furrows orientated northwest to southeast. These are consistent with linear geophysical anomalies and with the orientation of furrows highlighted on the survey.

#### *Trench 17 (Fig. 27)*

Trench 17 contained one ditch (1703), one pit (1707) and a furrow (1705). Ditch 1703 (Fig. 27, S. 204) was orientated northwest to southeast. It measured 0.54m wide and 0.13m deep and contained a single silty clay fill (1704) from which a single flint (SF1) was recovered. The gully corresponds with a linear geophysical anomaly along the same orientation.

Pit 1707 (Fig. 27, S. 206) was sub-circular in shape, measuring 0.76m wide and 0.33m deep. It contained a single dark brownish black silty clay fill (1708) which produced no artefacts.

Furrow 1705 (Fig. 27, S. 205) was orientated northwest to southeast and contained a single silty clay fill (1706) from which no artefacts were recovered. The furrow measured 0.51m

wide and 0.07m deep and is aligned with a geophysical survey linear anomaly. This could be a furrow as other furrows are along this same alignment. It could also be a heavily truncated ditch.

*Trench 18* (Figs 28 and 29)

Trench 18 contained multiple archaeological features.

Pit 1802 (Fig. 29, S. 245) was sub-oval in shape. It measured 0.84m long, 0.57m wide and 0.15m deep and contained a single light grey silty clay fill (1803) from which no artefacts were recovered. The pit does not correspond to any geophysical anomalies and is possibly related to modern agriculture.

Ditch 1804 (Fig. 29, S. 246) was orientated northwest to southeast. It measured 0.74m wide and 0.37m deep and contained a mid-grey silty clay fill (1805) from which pottery was recovered. Ditch 1804 was truncated by ditch 1806 which had the same orientation. Ditch 1806 measured 0.66m wide and 0.32m deep and contained a mid-grey silty clay fill (1807) from which animal bone and pottery was recovered. The ditch corresponds to a linear geophysical anomaly which appears to be an internal division within and sub-rectangular enclosure.

Ditch 1808 (Fig. 29, S. 247) was orientated northwest to southeast and had a broad V-shaped profile with a rounded concave base. It measured 0.85m wide and 0.30m deep and contained a dark blackish brown silty clay fill (1809) from which no artefacts were recovered. Ditch 1810 was situated immediately to the north of ditch 1808 on the same northwest to southeast orientation. It measured 0.77m wide and 0.44m deep and contained a mid-greyish black silty clay fill (1811) from which pottery and fragments of land drain were recovered. These ditches are aligned with a geophysical anomaly that appears to be part of a sub-rectangular enclosure.

Possible ditch terminus 1812 (Fig. 29, S. 248) was orientated northwest to southeast and was shallow with a flat base. It measured 1.02m wide and 0.08m deep and contained a single dark brownish black silty clay fill (1812) from which pottery was recovered. The ditch is not aligned with any geophysical anomaly and could represent a heavily, horizontally truncated ditch.

Ditch 1814 (Fig. 29, S. 243) was orientated northwest to southeast and was an irregular, broad V-shape in profile. It measured 2.08m wide and 0.55m deep and contained a single dark greyish black silty clay fill (1815) from which pottery sherds and pieces of slag were recovered. The ditch corresponds well with a curvilinear geophysical anomaly that possibly represents an enclosure ditch. Its shape in profile indicates that the ditch had possibly been re-cut, but this was not visible in the homogenous fill.

Ditch 1816 (Fig. 29, S. 251) was orientated northwest to southeast and although truncated, was likely V-shape in profile. The ditch measured 1.00m wide and 0.55m deep and contained a single dark brownish black silty clay fill (1817) from which pottery sherds and burnt bone

were recovered. Ditch 1816 was truncated/re-cut by ditch 1818 along the same orientation. Ditch 1818 was U-shaped in profile and measured 0.66m wide and 0.30m deep. It contained a single dark greyish black silty clay fill (1819) from which no artefacts were recovered. Ditches 1816 and 1818 correspond well with a linear geophysical anomaly which likely represents an enclosure ditch.

Ditch terminus 1820 (Fig. 29, S. 252) was orientated northeast to southwest and in plan, was truncated by ditch 1816/1818. It measured 0.33m wide and 0.08m and contained a single dark black silty clay fill (1821) from which pottery sherds were recovered. The ditch possibly represents a sub enclosure partition ditch and does not correspond with any geophysical anomalies.

#### *Trench 20 (Fig. 31)*

Trench 20 contained one ditch (2002) and three gullies (2004, 2006 and 2008).

Ditch 2002 (Fig. 31, S. 238) was orientated northwest to southeast and was a broad V-shape in profile although the ditch had been truncated by the insertion of a land drain. It measured 1.32m wide and 0.37m deep and contained a single mid-orangey grey silty clay fill (2003) from which pottery sherds and slag was recovered. The ditch corresponds well with a linear geophysical anomaly identified as possible ridge and furrow.

Gully 2004 (Fig. 31, S. 239) was orientated north to south and was an irregular U-shape in profile. The gully measured 0.48m wide and 0.16m deep and had a single mid-orangey brown silty clay fill from which no artefacts were recovered. The gully does not align with any geophysical anomalies.

Gully 2006 (Fig. 31, S. 240) was orientated north to south and was a shallow U-shape in profile and measured 0.30m wide and 0.11m deep. It contained a single mid-orangey grey silty clay fill (2007) from which no artefacts were recovered. The gully is not aligned with any geophysical anomalies.

Gully 2008 (Fig. 31, S. 241) was orientated northwest to southeast and was a shallow U-shape in profile. It measured 0.30m wide and 0.12m deep and contained a mid-orangey brown silty clay fill (2009) from which no artefacts were recovered. The gully is aligned with a linear geophysical anomaly identified as ridge and furrow.

#### *Trench 36 (Fig. 37)*

Trench 36 contained four ditches (3602, 3604, 3606 and 3608). Ditch 3602 (Fig. 37, S. 278) was orientated north to south and was a broad V-shape in profile. The ditch measured 1.37m wide and 0.44m deep and contained a single light orangey brown silty clay fill (3603) from which no artefacts were recovered. Ditch 3602 possibly truncated ditch 3604 which was on the same alignment. Ditch 3604 had a flat base and was only partially excavated. It measured >1.00m wide and 0.21m deep and contained a single light orangey grey fill (3605) from which no artefacts were recovered. The two ditches do not correspond with any geophysical anomalies.

Ditch 3606 (Fig. 37, S. 277) was orientated north to south and was V-shaped in profile. It measured 1.38m wide and 0.50m deep. The ditch had a single light yellowish grey silty clay fill (3607) from which pottery sherds were recovered. The ditch does not correspond with any geophysical anomalies.

Ditch 3608 (Fig. 27, S. 276) was orientated north to south and had steep curving sides and a concave base. The ditch measured 1.35m wide and 0.30m and contained a single light orangey grey silty clay fill (3609) from which no artefacts were recovered. This ditch corresponds with a linear geophysical anomaly along the same alignment and could represent a former field boundary ditch.

*Trench 38* (Fig. 38)

Trench 38 contained a modern deposit (3802; Fig. 38, S. 256) that was visible within the topsoil and contained modern CBM. This corresponds with a geophysical anomaly.

*Trench 68* (Fig. 44)

Trench 68 contained multiple archaeological features.

Gully 6802 (Fig. 44, S. 200) was orientated northwest to southeast and was a shallow U-shape in profile. The gully measured 0.54m wide and 0.10m deep. It contained a single mid-brownish grey silty clay fill (6803) with flecks of charcoal throughout. No artefacts were recovered from this fill. Gully 6804 was on a slightly different northwest to southeast orientation and was very close to gully 6802. Gully 6804 was a shallow U-shape in profile and measured 0.52m wide and 0.10m deep. The gully had a single mid-brownish grey silty clay fill (6804) which contained flecks of charcoal throughout. Pottery sherds and a piece of CBM was recovered from fill 6805. Gullies 6802 and 6804 truncated ditch 6806. Ditch 6806 was orientated northeast to southwest and was a broad V-shape in profile with a concave base. The ditch measured 0.90m wide and 0.38m deep and contained two fills (6807 and 6808). Lower fill 6807 was a mid-greyish brown silty clay fill which contained flecks of charcoal but no artefacts. Upper fill 6808 was a light brownish grey silty clay from which no artefacts were recovered. The gullies and the ditch do not correspond to any geophysical anomalies but possibly represent internal division within a small enclosure.

Ditch 6809 (Fig. 45, S. 202) was a curvilinear gully with a shallow U-shaped profile. The gully measured 0.28m wide and 0.10m deep and contained a single mid brownish grey silty clay fill (6810) which contained flecks of charcoal but no artefacts. The gully possibly represents a ring gully and does not correspond with any geophysical anomalies.

Ditch 6811 (Fig. 44, S. 203) was orientated northeast to southwest and was V-shaped in profile. The ditch measured 1.82m wide and 0.86m deep and contained three fills (6812, 6813 and 6814). The lower fill (6814) was dark brownish grey silty clay from which pottery sherds and animal bones were recovered. The middle fill (6813) was a band of mid-yellowish brown silty clay. This appeared to be a small band of redeposited natural clay. Fill 6812 was the upper fill and was a mid-brownish grey silty clay which contained a large amount of

pottery sherds and some charcoal flecks. The ditch corresponds well with a linear geophysical anomaly which possibly represents an enclosure ditch.

Ditch 6815 (Fig. 44, S. 209) was orientated northeast to southwest and was a shallow V-shape in profile with a concave base. The ditch measured 0.76m wide and 0.28m deep and contained a single mid-brownish grey silty clay fill which contained no artefacts but has been disturbed by bioturbation. The ditch is not aligned with any geophysical anomalies.

Pit 6817 (Fig. 45, S. 208) was not fully visualised within the trench. The pit measured 0.92m wide and 0.48m deep. It had a single dark brownish grey silty clay fill (6818) which contained a small amount of CBM. The pit does not correspond with a geophysical anomaly and could be part of an enclosure feature.

Ditches 6820 (Fig. 45, S. 210) and 6822 (Fig. 45, S. 211) were orientated northeast to southwest, a small section was excavated to characterise the feature, but the stratigraphic relationship with the connecting ditch was preserved for future work. Ditch 6820 measured 0.60m wide and 0.18m deep and was a shallow V-shaped in profile. The ditch had a single mid-greyish brown silty clay fill (6821) which contained no artefacts. Ditch 6822 measured 0.60m wide and 0.18m deep and was a broad V-shape in profile. It contained one mid-greyish brown silty clay fill (6823) which produced no artefacts. Ditch 6824 measured 0.41m wide and 0.12m deep and was a shallow V-shape in profile. The ditch contained a single mid-greyish brown silty clay (6825) which produced no artefacts. The relationships between the ditches were not tested during evaluation and the complex of shallow ditches do not correspond to any geophysical anomalies. They possibly form sub-divisions within a larger enclosure and have been truncated by post-medieval farming.

Ditch 6826 (Fig. 45, S. 213) was a curvilinear ditch orientated roughly northwest to southeast. The ditch measured 0.86m wide and 0.38m deep and was V-shaped in profile. It had a single mid-brownish grey silty clay fill (6827) from which a single sherd of pottery was recovered. The ditch does not correspond with any geophysical anomalies. Its purpose is unknown but its curvilinear shape in plan suggests the ditch could be related to a round house structure.

#### *Trench 306 (Figs 82 and 83)*

Trench 306 contained three gullies (30602, 30604 and 30609) and three ditches (30607, 30611 and 30613). Gully 30602 (Fig. 83, S. 266) was orientated northwest to southeast and measured 0.40m wide and 0.34m deep. It contained a single silty clay fill (30603) which produced no artefacts. The gully had been truncated by furrow 30604 on the same alignment. The gully/furrow is not aligned with any geophysical anomalies but is on the same orientation as other furrows shown on the geophysics.

Gully 30604 (Fig. 83, S. 266) was orientated northwest to southeast and was a shallow V-shape in profile with a concave base. The gully measured 0.40m wide and 0.18m deep and single mid-brownish grey silty clay fill (30606) which contained no artefacts. The gully is not

aligned with any geophysical anomalies but is along the same orientation as other furrows shown on the survey.

Ditch 30607 (Fig. 83, S. 268) was orientated northeast to southwest and was a broad V-shape in profile with a concave base. The ditch measured 1.10m wide and 0.45m deep and contained a single mid-greyish brown silty clay fill (30608) that had been truncated by two land drains. The ditch does not correspond to any geophysical anomaly, but its depth indicates this is possibly a field boundary ditch.

Gully 30609 (Fig. 83, S. 300) was orientated northeast to southwest and was located directly southeast of ditch 30607. The gully measured 0.20m wide and 0.18m deep and had a single mid-greyish brown silty clay fill (30610) which produced no artefacts. The gully is not aligned with any geophysical anomaly. It is possible related to field drainage.

Ditch 30611 (Fig. 83, S. 274) was orientated northeast to southwest and was a broad irregular ditch with a flat base. The ditch measured 2.20m wide and 0.52m deep and contained a single dark orangey grey silty clay fill (30612) which produced sherds of pottery. The ditch is not aligned with any geophysical anomaly. This is possibly a former field boundary ditch.

Ditch 30613 (Fig. 83, S. 273) was orientated north to south and was V-shaped in profile. The ditch measured 1.80m wide and 0.80m deep and contained a single mid-orangey grey silty fill (30614) which produced animal bone, CBM and slag. The ditch is not aligned with any geophysical anomaly but is possibly a field boundary ditch which may have a relationship with ditch 30611 beyond the limits of the Trench.

#### *Trench 307* (Fig. 84)

Trench 307 contained a single gully (30702; Fig. 84, S. 254) which was orientated northwest to southeast and very shallow. The gully measured 0.38m wide and 0.04m deep and contained a single dark brown silty clay fill (30703) which produced no artefacts. The gully is not aligned with any geophysical anomalies but is consistent with geophysical responses showing furrows.

#### *Trench 581* (Figs 108 and 109)

Trench 581 contained multiple archaeological features.

Ditch 58102 (Fig. 109, S. 1024) was orientated northwest to southeast. It measured 26.50m within the trench and appeared to curve to the southwest at the south-eastern end of the ditch. It measured 1.13m wide and 0.38m deep and contained two fills (58103 and 58104). The lower fill (58103) was a mid-orangey grey silty clay which contained no artefacts. The upper fill (58104) is a mid-greyish brown silty clay which contained pottery sherds, CBM and some animal bone. Ditch 58102 truncated gully 58107, but was also truncated by ditch 58123/58125 and gullies 58128/58130. The ditch is not directly aligned with any geophysical anomaly, but at the southernmost end of the ditch, where it appeared to turn, it is aligned with a curvilinear ditch which appears to be an enclosure ditch. This would indicate that the main body of ditch 58102 within the trench is possibly a subdivision within the enclosure.

Gully 58107 (Fig. 109, S. 223) was orientated northeast to southwest and was shallow with a flat base. The gully measured 0.42m wide and 0.08m deep and contained a single mid-greyish brown silty clay fill (58108) from which no artefacts were recovered. Gully 58107 was truncated by ditch 58102 and does not correspond to any geophysical anomaly. The gully represents an earlier phase of subdivision within the enclosure formed by ditch 58107.

Ditch 58123 (Fig. 109, S. 227) was orientated northeast to southwest and was a broad V-shape in profile with a flat base. The ditch had been truncated by ditch re-cut ditch 58125 along the same alignment. Ditch 58123 measured 1.05m wide and is 0.17m deep with a single dark blackish brown silty clay fill (58124) from which pottery and two possible ferrous nails were recovered. Fill 58124 was truncated by ditch re-cut 58125 which measured 1.02m wide and 0.22m deep. The re-cut had two fills (58126 and 58127). The lower fill 58126 was a mid-yellowish brown clay from which no artefacts were recovered. The upper fill 58127 was a mid-greyish brown silty clay from which pottery, animal bone and CBM was recovered. In plan, ditch 58123 and re-cut 58126 truncate ditch 58102, but this relationship was not tested to avoid misinterpretation as the full extent of ditch 58102 was not visible. The ditch possibly corresponds with a linear geophysical anomaly which could be an internal division within the enclosure.

Gully 58128 (Fig. 109, S. 231) and its re-cut 58130 were orientated northeast to southwest and were shallow with concave bases. Gully 58128 measured 0.40m wide and 0.13m deep and contained a single light grey silty clay fill (58129) from which no artefacts were recovered. This gully had been re-cut by gully 58130 which measured 0.42m wide and 0.13m deep and contained a single blackish brown silty clay fill 58131 from which no artefacts were recovered. These gully and its re-cut truncate ditch 58102.

Pit 58105 (Fig. 109, S. 225) was a small circular pit with a concave base which measured 0.40m long, 0.20m wide and 0.22m deep. It contained a single mid-grey brown silty clay fill (58106) from which no artefacts were recovered.

Ditch 58109 (Fig. 109, S. 233) was orientated northeast and southwest and was a broad V-shape in profile with a concave base. The ditch measured 0.66m wide and 0.23m deep and contained a single mid-greyish brown silty clay fill (58110) from which pottery was recovered. Some animal bone was seen but it was too degraded to collect. The ditch corresponds to a geophysical anomaly and represents a possible enclosure ditch.

Pits 58111, 58113 and 58115 (Fig. 109, S. 235) were three small intercutting pits. Pit 58111 was a small sub-oval pit with a flat base that was truncated by pits 58113 and 58115. Pit 58111 measured 0.20m wide and 0.06m deep and contained a single silty clay fill (58112) from which no artefacts were recovered. Pit 58113 measured 0.20m wide and 0.08m deep and contained a single silty clay fill (58114) from which pottery and CBM were recovered. Pit 58115 measured >0.33m wide and 0.09m deep and contained a single silty clay fill (58116) from which pottery was recovered. The pits could represent a post-hole that has been repositioned.



Two curvilinear gullies (58117 and 58119; Fig. 109, S. 229; Plate 7) were partially exposed within the trench. Gully 58117 measured 0.44m wide and 0.08m deep and contained a single mid-greyish brown silty clay (58118) from which no artefacts were recovered. Gully 58119 measured 0.22m wide and 0.08m deep and contained a single mid-greyish brown silty clay fill (58120) from which pottery was recovered. In plan, it appeared that gully 58117 was truncated by gully 58119 but this relationship was not tested. The gullies possibly correspond to an irregular geophysical anomaly. The small diameter defined by the gullies would seem to preclude a round house structure, but the semi-circular appearance in plan is suggestive of a possible drip gully.

Pit 58121 (Fig. 109, S. 236) was a small semi-circular pit with a concave base and measured 0.42m wide and 0.20m deep. The pit contained a single light greyish brown silty clay fill (58122) from which no artefacts were recovered.

#### **Field 2g.4**

*Trenches 2, 3, 5, 10, 11, 22, 24, 25, 32, 37, 447, 449, 451, 452, 453, 454 and 584*

Trenches 2, 3, 5, 10, 11, 22, 24, 25, 32, 37, 447, 449, 451, 452, 453, 454 and 584 were devoid of archaeological remains.

*Trench 9 (Fig. 22)*

Trench 9 contained two ditches. Ditch 903 (Fig. 22, S. 288) was orientated northeast to southwest and was V-shaped in profile with a concave base. The ditch measured 0.68m wide and 0.26m deep and contained a single dark brown silty clay fill (904) from which a single piece of slag was recovered. The ditch corresponds with any geophysical anomalies and is possibly a former field boundary ditch of unknown date.

Ditch 905 (Fig. 22, S. 905) was orientated northwest to southeast and was a shallow ditch with a concave base. The ditch measured 0.62m wide and 0.22m deep and contained a single mid-greyish brown silty clay fill (906) from which no artefacts were recovered. The ditch is not aligned with any geophysical anomalies but is on the same orientation as other geophysical linear trends which are thought to be furrows.

*Trench 21 (Figs 32 and 33)*

Trench 21 contained multiple archaeological features.

Ditch 2105 (Fig. 33, S. 304) was orientated northwest to southeast and was a shallow ditch with a flat base. Ditch 2105 measured 0.79m wide and 0.26m deep and contained a single mid-greyish brown silty clay fill (2106) from which pottery and CBM was recovered. Ditch 2105 was truncated by pit 2102. Pit 2102 measured 0.82m wide and 0.30m deep and contained two fills (2103 and 2104). Fill 2103 was a light yellowish grey silty clay fill which contained no artefacts. Fill 2104 was a mid-greyish brown silty clay from pottery was recovered. The ditch and pit do not correspond with any geophysical anomalies.

Gully 2107 (Fig. 33, S. 303) was orientated north to south and was a shallow feature truncated by ditch 2109. It measured 0.56m wide and 0.08m deep and contained a single mid-

brown silty clay fill (2108) from which no artefacts were recovered. Ditch 2109, orientated north to south, had a broad V-shape profile. The ditch measured 1.78m wide and 0.40m deep and contained a single mid-brown silty clay fill (2110) from which pottery was recovered. Neither the ditch nor the gully aligned with any geophysical anomalies. The ditch is possibly an enclosure ditch given the other features located within the trench.

Ditch 2111 (Fig. 33, S. 306) was orientated northeast to southwest and was a slightly irregular V-shape in profile. The ditch measured 1.76m wide and 0.55m deep and contained a single mid-greyish brown silty clay fill (2112) from which pottery and animal bone were recovered. The slightly irregular sides could indicate re-cutting but this was not apparent within the fill. The ditch does not align with any geophysical anomalies and is possibly an enclosure ditch.

Ditch 2115 (Fig. 33, S. 307) was orientated northwest to southeast and was a broad V-shape in profile. The ditch measured 1.75m wide and 0.58m deep and contained a single mid-greyish brown silty clay fill (2116) from which pottery was recovered. Ditch 2115 was truncated by a land drain. Ditch 2115 truncated ditch 2113/2117. Ditch 2113/2117 was orientated northeast to southwest and was a broad V-shape in profile. The ditch (2117) measured 1.25m wide and 0.40m deep and contained a single mid-brown silty clay fill from which no artefacts were recovered. Neither of the ditches correspond with geophysical anomalies and appear to be internal division ditches within an enclosure.

Pits 2119, 2121, 2123 and 2125 (Fig. 33, S. 310, 311, 312 and 313; Plate 8) were a series of pits orientated northeast to southwest. Pit 2119 was semi-circular in plan and measured 0.60m wide and 0.17m deep and contained a single light brownish grey silty clay fill (2120) which produced no artefacts. Pit 2121 was semi-circular in plan and measured 0.82m wide and 0.11m deep and contained a single light brownish grey silty clay fill (2122) which produced no artefacts. Pit 2123 was semi-circular in plan and measured 0.66m by 0.35m and was 0.20m deep. It contained a light brownish grey silty clay fill (2124) which produced no artefacts. Pit 2125 was semi-circular in plan and measured 0.66m wide and 0.11m deep and contained a single light brownish grey silty clay fill (2126) which produced no artefacts. The pits are almost certainly part of a structure within the enclosure.

Pits 2127, 2129, 2131 and 2133 (Fig. 33, S. 314, 315, 316 and 317) were located just to the east of pits 2119, 2121, 2123 and 2125, on the same northeast to southwest alignment. Pit 2127 was sub rectangular in plan, measured 0.72m wide and 0.10m deep and contained a single light greyish brown silty clay fill (2120) which produced no artefacts. Pit 2129 was semi-circular in plan, measured 0.56m wide and 0.08m deep and contained a single mid greyish brown silty fill (2130) which produced no artefacts. Pit 2131 was semi-circular in plan, measured 0.59m wide and 0.08m deep and contained a single mid-greyish brown silty clay fill (2132) but no artefacts. Pit 2133 was semi-circular in plan, measured 0.54m wide and 0.10m deep and contained a single light brownish grey silty clay fill (2134) which

produced one piece of slag. The two parallel pit alignments may indicate a post-built structure.

Gully 2135 (Fig. 33, S. 309) was orientated north to south and was U-shaped in profile. It measured 0.28m wide and 0.17m deep and contained a single mid-greyish brown silty clay fill (2136) which produced small quantities of CBM. The gully is not aligned with any geophysical anomalies and is possibly a drainage gully within the enclosure.

#### *Trench 23* (Fig. 34)

Trench 23 contained ditch 2302 (Fig. 34, S. 295) which was orientated east to west and had a stepped V-shaped profile. The ditch measured 1.84m wide and 0.76m deep and contained a single mid-brownish grey silty clay fill (2303) which produced no artefacts. The ditch is not aligned with any geophysical anomalies. Given its proximity to the enclosure seen in Trench 21, this is likely to be a field boundary ditch.

#### *Trench 31* (Figs 35 and 36)

Trench 31 contained three ditches (3103, 3105 and 3107). Ditch 3103 (Fig. 36, S. 319) was a curvilinear ditch orientated approximately north to south, with a broad V-shape in profile and a concave base. The ditch measured 1.05m wide and 0.33m deep and contained a single orangey grey silty clay fill (3103) which produced no artefacts.

Ditch 3105 (Fig. 36, S. 320) was orientated east to west and was V-shaped in profile with a concave base. The ditch measured 1.40m wide and was 0.50m deep and contained a single mid-orangey grey silty clay fill (3106) which produced no artefacts.

Ditch 3107 (Fig. 36, S. 321) was orientated east to west and was a broad ditch with irregularly sloping sides and an uneven base. The ditch measured 2.96m wide and 0.60m deep and contained a single mid-greyish orange silty clay fill (3108) which produced glazed pottery.

None of the ditches in Trench 31 are aligned with any geophysical anomalies. Their function is unknown.

#### *Trench 323*

Trench 323 contained ditch 32302 orientated north to south. The ditch's full profile was not ascertained during evaluation. The ditch measured 2.50m wide and 0.79m (not fully excavated). The ditch contained two fills (32303 and 32304). Fill 32303 was dark blackish brown silty clay fill which contained pieces of ceramic drain. Fill 32304 was a mid-brownish grey silty clay which contained pieces of ceramic drain. The ditch is not aligned with any geophysical anomaly but is on the same orientation as linear anomalies indicated as relating to land drains. The size and profile of the ditch indicate that this could be an infilled post-medieval field boundary.

#### *Trench 448* (Figs 92 and 93)

Trench 448 contained five ditches (44802, 44806, 44808, 44814 and 44816). Ditch 44802 (Fig. 93, S. 299) was orientated northeast to southwest and was V-shaped in profile with a flat

base. The ditch measured 1.46m wide and 0.56m deep and contained three fills (44803, 44804 and 44805). Lower fill 44803 was a mid-blackish brown silty clay which contained pottery. Middle Fill 44804 was a dark black silty clay that contained pottery and burnt bone. Upper fill 44805 was a mid-orangey brown silty clay which contained no artefacts. The lower profiles of fills 44804 and 44805 indicate that these were re-cuts of the ditch rather than infilling episodes. The ditch does not correspond to any geophysical anomaly.

Ditch 44806 (Fig. 93, S. 297) was orientated north to south and was likely V-shaped in profile although a full section was not observed. The ditch measured >0.96m wide and was 0.68m deep and had single mid-orangey brown silty clay fill (44807) from which pottery was recovered. The ditch is not aligned with any geophysical anomaly. At the ditch's northern extent within the trench, it was truncated by ditch 44808.

Ditch 44808 (Fig. 93, S. 298) was orientated east to west and was V-shaped in profile. It measured 1.30m wide and is 0.65m deep with a single mid-orangey grey silty clay fill (44809) which contained animal bone and pottery. The ditch was not aligned with any geophysical anomaly.

Ditch 44810 (Fig. 93, S. 300), orientated east to west, was a broad U-shape in profile. The ditch measured 1.50m wide and 0.56m deep and contained a single mid-brownish grey silty clay fill (44811) which produced pottery. The ditch was truncated by the insertion of a land drain (44812). The ditch is not aligned with any geophysical anomalies.

Ditch 44814 (Fig. 93, S. 301) was orientated east to west and was a broad V-shape in profile. The ditch measured 2.16m wide and 0.58m deep and contained a single mid-brownish grey silty clay fill (44815) which produced pottery. The ditch is not aligned with any geophysical anomalies.

Ditch 44816 (Fig. 93, S. 302) was orientated east to west and was likely U-shaped in profile (full profile not seen in the trench). The ditch measured >1.14m wide and is 0.27m deep and contained a mid-brownish grey silty clay fill (44817) which produced no artefacts. The ditch is not aligned with any geophysical anomalies.

#### *Trench 450 (Fig. 94)*

Trench 450 contained one gully (45003), one post-hole (45005) and one pit (45007).

Gully 45003 (Fig. 94, S. 291) was orientated northwest to southeast and was irregular, shallow with a concave base. The gully measured 0.40m wide and 0.06m deep and contained a single light brownish grey sandy silt fill (45004) which produced no artefacts. The gully is not aligned with any geophysical anomalies but is on the same alignment as furrows recorded on the geophysical survey and with furrows visible in the trench.

Post hole 45005 (Fig. 94, S. 292) was circular in plan, 0.30m in diameter and 0.12m deep. It contained a single light orangey grey sandy silt fill (45006) which produced no artefacts.

Pit 45007 (Fig. 94, S. 293) was an oval pit in plan and measured 0.66m long, 0.50m wide and 0.36m deep. The pit contained a single dark blackish grey sandy silt fill (45008) which produced no artefacts.

Given the shallow nature of these features and the lack of artefacts, it is difficult to ascribe a date or function to them.

### **Field 3a**

*Trenches 471, 472, 473, 475, 476, 477, 478, 479, 480, 481 and 482*

Trenches 471, 472, 473, 475, 476, 477, 478, 479, 480, 481 and 482 were devoid of archaeological remains.

*Trench 474 (Fig. 97)*

Trench 474 contained two intercutting ditches (47402 and 47404) on a north to south orientation at the northwest end of the trench. Ditch 47402 (Fig. 97, S. 5000) was the earlier of the two ditches, it had a shallow irregular shaped profile and measured 0.96m wide and 0.22m deep and contained a single silty clay fill (47403) which produced CBM fragments, likely to be the remains of a drain. It was cut by ditch 47404, which had a more regular, but still shallow, U-shaped profile. It measured 1.06m wide and 0.26m deep and contained a single silty clay fill (47405) from which a single pottery sherd was recovered.

The ditches were not identified by the previous geophysical survey, probably due to the magnetic disturbance in the field. The ditches do correspond with a sparse line of trees visible on the 1891 OS mapping suggesting they are the remains of a former field boundary which was removed prior to the late 19th century.

### **Field 3b.1**

*Trenches 325, 326, 327, 328, 329, 330, 331, 333, 469 and 470*

Trenches 325, 326, 327, 328, 329, 330, 331, 333, 469 and 470 were devoid of archaeological remains.

*Trench 332 (Fig. 85)*

Trench 332 contained one large ditch (33202; Fig. 85, S. 400) on an east to west orientation. The ditch measured 1.32m wide and 0.62m deep and contained two brown/grey heavy clay materials (33203 and 33206). No artefacts were recovered from the feature. The ditch aligns exactly with a strong linear anomaly on the geophysical survey as well as a former post-medieval field boundary shown on historic OS mapping.

Trench 332 also contained four east to west orientated land drains all located in the northern half of the trench and evenly spaced apart. The drains run towards the former pond located at the western limit of the field on historic OS mapping.

**Field 3b.2**

*Trenches 343, 345, 346, 347, 348, 350, 355, 356, 359, 360, 361, 362 and 363*

Trenches 343, 345, 346, 347, 348, 350, 355, 356, 359, 360, 361, 362 and 363 were all devoid of archaeological remains.

*Trench 336 (Fig. 86)*

Trench 336 contained one small, shallow gully (33602; Fig. 86, S. 5002) on a northwest to southeast orientation. The gully measured 0.70m wide, 0.10m deep and contained a dark black/grey silty clay fill (33603). No artefacts were recovered from the feature. The gully matches the position and alignment of an anomaly on the geophysical survey identified as an agricultural trend. It is therefore likely that the gully is the result of post-medieval farming activity.

*Trench 344 (Fig. 89)*

Trench 344 contained one small, shallow gully (34402; Fig. 89, S. 5017) on a northwest to southeast orientation. The gully measured 0.40m wide, 0.10m deep and contained an orange/black silty fill (33403). No artefacts were recovered from the feature. The gully is of similar size, shape and orientation to gully 33602. It also aligns with the agricultural trends on the geophysical survey. It is therefore likely that this is another example of post-medieval farming practices.

*Trench 349 (Fig. 90)*

Trench 349 (Fig. 90, S. 5024) contained one small, shallow terminus (34902) on a north to south orientation. The terminus measured 1.25m long, 0.50m wide and 0.30m deep. It contained a grey/brown silty clay fill (34903). No artefacts were recovered from the feature. The profile of the terminus was very similar to that of gullies 33602 and 34403, again indicating post-medieval farming practices. The orientation of the gully matches the orientation of furrows identified on the geophysical survey.

*Trench 354*

Trench 354 was devoid of archaeological remains; a linear anomaly is present on the geophysical survey going through the centre of the trench but this was not observed. This could be a result of the feature having been ploughed away by modern farming machinery.

*Trench 357 (Fig. 91)*

Trench 357 contained two ditches on an east to west orientation (35702 and 35704).

Ditch 35702 (Fig. 91, S. 5013) measured 1.08m wide, 0.16m deep. It contained a light brown/orange firm clay fill (35703). One piece of CBM was recovered from the feature.

Ditch 35704 (Fig. 91, S. 5014) measured 1.50m wide, 0.14m deep and contained a light brown/orange firm clay fill (35705). One piece of CBM was recovered from the feature.

Neither ditch matches any anomaly on the geophysical survey, but their profile and the nature of the recovered CBM suggest they were both the products of post-medieval farming activity.

**Field 3b.3**

*Trenches 334, 335, 338, 340, 341, 351, 352, 364 and 365*

Trenches 334, 335, 338, 340, 341, 351, 352, 364 and 365 were devoid of archaeological remains.

*Trench 337 (Fig. 87)*

Trench 337 contained one northeast-southwest orientated ditch (33702) and one northeast to southwest orientated furrow (33704). Ditch 33702 (Fig. 87, S. 5013) measured 0.88m wide, 0.22m deep and contained a light black/grey sandy silt fill (33703). No artefacts were recovered from the feature.

Furrow 33704 (Fig. 87, S. 5014) measured 0.58m wide, 0.22m deep and contained a light brown/orange clay fill (33705). No artefacts were recovered from the feature.

*Trench 339 (Fig. 88)*

Trench 339 contained two northeast to southwest orientated ditches (33902 and 33904) and one northeast to southwest orientated furrow (33906). Ditch 33902 (Fig. 88, S. 5011) measured 0.74m wide and 0.16m deep, it contained a light brown/grey clay fill (33903). No artefacts were recovered from the feature.

The geophysical survey identified a linear anomaly running from the railway line to the south of the field towards a large possible historic pond identified on the same survey but not investigated by trenching. The historic OS mapping also shows a historic well in the vicinity of Trench 337. Put together, these two factors suggest that the linear feature highlighted was likely a drainage ditch. Ditch 33904 (Fig. 88, S. 5010) matches the orientation and is in alignment with the geophysical anomaly as is the feature recoded by GPS in Trench 338. However, neither of the excavated features in Trench 337 can be matched to the anomaly so it is possible the ditch has been ploughed or weathered away here.

*Trench 338*

No features were excavated or recorded in Trench 338 but the continuation of ditch 33904 was observed and surveyed by GPS. Modern material was observed on the surface of the feature.

**Field 3b.4**

*Trenches 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376 and 377*

Trenches 366, 367, 370, 371, 372, 373, 374, 375, 376 and 377 were devoid with archaeological remains.

*Trench 368*

Trench 368 contained one furrow on a northwest to southeast orientation (36802). The furrow measured 1.40m wide, 0.18m deep and contained a light yellow/grey firm clay fill (36803). No artefacts were recovered from the feature. The furrow strongly aligns with the drainage features identified on the geophysical survey.

*Trench 369*

Trench 369 contained northeast to southwest orientated furrow (36902). The furrow measured 1.20m wide, 0.35m deep and contained a light yellow/grey firm clay fill (36903). The furrow aligns exactly with the furrows identified on the geophysical survey.

### **Field 3c.1**

*Trenches 26, 28, 51, 519, 520, 521, 522, 523, 524, 525, 527, 528, 531, 534, 535, 536, 537, 538, 539 and 541*

Trenches 26, 28, 51, 519, 520, 521, 522, 523, 524, 525, 527, 528, 531, 534, 535, 536, 537, 538, 539 and 541 were devoid of archaeological remains.

*Trench 526 (Fig. 99)*

Trench 526 contained two small ditches on a north to south orientation (52602 and 52604). Ditch 52602 (Fig. 99, S. 327) measured 0.60m wide, 0.24m deep and contained a dark grey/brown fill (52603). No artefacts were recovered from the feature. The ditch aligns with drainage features identified on the geophysical survey.

Ditch 52604 (Fig. 99, S. 328) measured 0.89m wide and 0.22m deep and also contained a dark grey/brown fill (52605). No artefacts were recovered from the feature. The ditch is likely to be an extension of one of the drainage features identified by the geophysical survey to the north of the trench.

*Trench 530 (Fig. 100)*

Trench 530 contained one northeast to southwest aligned ditch (53002; Fig. 100, S. 330). The ditch measured 0.70m wide, 0.30m deep and contained a black/brown firm clay fill (53003). No artefacts were recovered from the feature. The ditch aligns exactly with a drainage feature identified on the geophysical survey.

*Trench 532 (Fig. 101)*

Trench 532 contained one large, infilled pond (53202; Fig. 101, S. 325) excavated by machine and recorded. The pond measured 2.20m long, 1.00m wide and 0.75m deep within the trench, although it appeared to extend beyond the trench limits. It contained three distinct deposits; a yellow/grey clayey silt deposit (53203) which produced some CBM, a dark black/grey clayey silt deposit (53204) which produced some pottery and CBM and a yellow/grey silty clay deposit which produced some CBM.

The pond aligns with a large geophysical anomaly and likely dates to the post-medieval period or earlier and was backfilled to accommodate modern farming practices.

*Trench 542 (Fig. 104)*

Trench 542 contained a large northwest to southwest orientated ditch (54202) cut by a land drain (54206). The ditch (Fig. 104, S. 1016) measured 2.40m wide, 0.50m deep and contained two firm clay fills (54203 and 54204) and one silty clay fill (54206). No artefacts were recovered from the feature. The land drain cut had a northeast to southwest orientation and measured 0.22m wide and 0.88m deep. It contained an orange/brown clayey silt fill (52307). No artefacts were recovered from the feature. The ditch and land drain match the



orientation of drainage linear anomalies identified on the geophysical survey however they do not line up exactly with any anomalies.

### **Field 3c.6**

*Trenches 543, 545, 546, 547, 549, 550 and 552*

Trenches 543, 545, 546, 547, 549, 550 and 552 were devoid of archaeological remains.

*Trench 548 (Fig. 105)*

Trench 548 contained three northwest to southeast orientated gullies (54802, 54804 and 54806) and one northwest to southeast orientated furrow (54808). Gully 54802 (Fig. 105, S. 332) measured 0.80m wide, 0.22m deep and contained a dark yellow/grey silty clay fill (54903). No artefacts were recovered from the feature.

Gully 54804 (Fig. 105, S. 332) measured 0.60m wide, 0.20m deep and contained a dark yellow/grey silty clay fill (54805). No artefacts were recovered from the feature.

Gully 54806 (Fig. 105, S. 332) measured 0.78 wide, 0.22m deep and contained a dark yellow/grey silty clay fill (54807). No artefacts were recovered from the feature.

None of the discussed gullies in Trench 548 align with any geophysical anomalies. This could be due to their shallow and ephemeral nature.

Furrow 54808 (Fig. 105, S. 333) measured 0.90m long, 0.10m deep and contained a grey/brown silty clay fill (54809). The furrow contained modern plastic where it had been truncated by a modern plough scar. The furrow aligns exactly with an anomaly on the geophysical survey, although this runs on a different orientation to the other furrows in the field.

*Trench 551 (Fig. 106)*

Trench 551 contained a northwest to southeast orientated ditch (55102), one terminus (55104) and one large northwest to southeast orientated ditch (55106).

Ditch 55102 (Fig. 106, S. 335) measured 0.46m wide, 0.20m deep and contained a dark grey/brown silty clay fill (55103). Some CBM, pottery and clay pipe were recovered from the feature. Terminus (55104; Fig. 106, S. 336) was a continuation of ditch (55102). It measured 0.36m wide and 0.10m deep. The terminus contained a grey/brown silty clay fill (55105). No artefacts were recovered from the feature. The curvilinear gully does not correspond to any geophysical anomalies and the finds would appear to indicate that the feature is as a result of post-medieval farming activity.

Ditch 55106 (Fig. 106, S. 338) was excavated by machine and measured 1.90m wide and 0.40m deep and was orientated northwest to southeast. The ditch contained a dark grey/brown clay fill (55107). No artefacts were recovered from the feature. The ditch is aligned with a linear geophysical anomaly that appears to drain into a pond, so the ditch is a former field boundary and related to post-medieval farming activity.

**Field 3c.7***Trenches 555, 556 and 557*

Trenches 555, 556 and 557 were devoid of archaeological remains.

*Trench 553 (Fig. 107)*

Trench 553 contained one ditch (55302) as well as multiple land drains.

Ditch 55302 (Fig. 107, S. 340) was orientated north to south and measured 0.60m wide and 0.28m deep, with a shallow V-shape in profile. The ditch had a single dark greyish brown silty clay fill (55303) which contained plastic in the top part of the fill. The ditch is aligned with a linear anomaly of the geophysical survey which corresponds to a former post-medieval field boundary on the historic OS mapping. Given the inclusion of plastic in the fill, it appears to have been backfilled in the modern period.

*Trench 554*

Trench 554 contained one plough furrow orientated east to west which was tested. The trench also contained what appeared to be an east to west orientated feature, which corresponds with the irregular geophysical anomaly. The feature was excavated and contained un-frogged red brick at its base. The feature is aligned with a former post-medieval field boundary on the historic OS mapping.

**Field 3c.8***Trench 558*

Trenches 558 was devoid of archaeological remains.

*Trenches 559, 560 and 562*

Trench 559 contained five furrows orientated north to south. One furrow was tested for confirmation. The trench also contained five land drains orientated north to south. These features were not recorded on the geophysical survey. Trench 560 contained one furrow orientated east to west as well as five land drains. Trench 562 contained two furrows orientated north to south and eight land drains.

*Trench 561*

Trench 561 contained a large area of disturbance which corresponds with the linear geophysical anomaly. This area contained modern rubble and significant decayed rooting. The feature was not excavated but corresponds with a former post-medieval field boundary on the historic OS mapping.

**6 Artefact Record**

Artefactual remains recovered from the evaluation are currently undergoing cleaning and specialist examination and will be reported in the forthcoming assessment report. Below is an inventory of the artefacts collected from site, quantities may be subject to change due to additional finds recovered from environmental samples.

Table 1. Finds inventory

Context No.	Quantity	Small Find No.	Sample No.	Material
105	5			Animal bone
105	1			Pottery
904	1			Slag
1309	1			Pottery
1309	9			Animal bone
1311	4			Pottery
1311	15			Animal bone
1313	5			Pottery
1313	2			Pottery
1315	8			Pottery
1315	2			Pottery
1317	27		207	Pottery
1317	4			Pottery
1317	92			Pottery
1317	71			Pottery
1321	40			Pottery
1704	1	1		Flint
1707	1	3		Metal
1807	10			Animal bone
1807	47			Pottery
1811	3			Pottery
1813	6			Pottery
1815	1			Pottery
1815	1			Slag
1815	19			Pottery
1817	18			Pottery
1817	1			Animal bone
1821	4			Pottery
1907	2			Stone
2003	2		205	Pottery
2003	4			Slag
2003	77			Pottery
2027	2		2010	Pottery
2103	2			Pottery
2105	3			Pottery
2105	2			Pottery
2112	17			Animal bone
2114	4			Pottery
2118	29			Pottery
2118	3			Animal bone
2130	1	6		Flint
2134	1			Industrial residue
2136	1			Cbm
3106	1			Slag

Context No.	Quantity	Small Find No.	Sample No.	Material
3106	2			Pottery
3108	9			Pottery
3607	13			Pottery
5903	34			Pottery
5903	178			Pottery
5903	1			Cbm
6403	3			Pottery
6805	1			Cbm
6805	3			Pottery
6812	17			Pottery
6812	27			Pottery
6812	5		202	Pottery
6812	89			Pottery
6812	272			Pottery
6814	7		204	Pottery
6814	1			Cbm
6814	16			Animal bone
6814	97			Pottery
6814	2			Animal bone
6827	1			Pottery
6900	1			Pottery
6903	34			Pottery
6903	82			Pottery
6903	108			Pottery
6903	150			Pottery
6903	110		2007	Pottery
6903	75		2007	Pottery
6903	7			Pottery
6903	137			Pottery
6903	16			Pottery
6905	1			Pottery
6907	2			Cbm
6907	8			Pottery
6911	2			Pottery
6913	1			Cbm
6913	4		2008	Pottery
6913	5			Pottery
6918	1			Cbm
6918	6			Pottery
6918	4			Pottery
6921	1			Pottery
6923	2		2011	Flint
6924	14			Animal bone
6924	30			Pottery
9202	6			Animal bone
11003	6			Pottery

Context No.	Quantity	Small Find No.	Sample No.	Material
11403	9			Pottery
11403	1			Animal bone
11405	32			Pottery
11407	1			Pottery
11411	35			Pottery
11413	1			Slag
11413	30			Pottery
11413	1			Animal bone
11417	18			Pottery
11417	11			Animal bone
11417	12			Animal bone
11417	7			Pottery
11417	42			Pottery
11417	9			Pottery
11419	24			Pottery
11503	21			Pottery
11507	10			Pottery
11507	1			Pottery
11510	1			Pottery
12103	1			Cbm
12113	4			Cbm
12113	32			Slag
12114	20			Slag
12119	1			Pottery
12121	9			Slag
12122	2			Pottery
12129	1			Animal bone
12129	6			Pottery
12129	3			Slag
12209	12			Animal bone
12209	9			CBM
12211	1			Slag
12300	1			Pottery
12305	3			Pottery
12306	1			CBM
12306	2			Glass
12306	24			CBM
12310	3			Slag
12403	5			Pottery
12405	15			Pottery
12405	5			Charcoal
12508	21			Pottery
12512	50			Pottery
12512	18			Pottery
12512	5			Animal bone
12512	1			Pottery

Context No.	Quantity	Small Find No.	Sample No.	Material
15203	3			CBM
15203	2			Pottery
22803	5			Animal bone
22804	5			Pottery
22808	7		1004	Pottery
22808	10			Pottery
22808	45			Pottery
22810	6			Pottery
22810	1			Industrial residue
22812	4			Animal bone
22812	8			Pottery
23103	3			CBM
26707	2			CBM
26707	2			Pottery
27803	1			Pottery
29503	2			CBM
30608	38			Pottery
30608	1	5		Metal
30612	1			Slag
30612	9			Pottery
30614	9			Animal bone
30614	2			CBM
35705	1			CBM
40316	5			CBM
44803	1			Flint
44803	3			Pottery
44804	2			Pottery
44804	2			Animal bone
44804	1			CBM
44807	3			Pottery
44807	4			Pottery
44807	7			Pottery
44809	1			Pottery
44809	3			Animal bone
44809	2			Pottery
44811	6			Pottery
44811	5			Pottery
44815	1			Pottery
44818	1			Pottery
44818	1			Pottery
47403	16			CBM
47705	2			Pottery
53204	5			Pottery
53303	2			CBM
53305	7			Pottery
53307	45			Pottery

Context No.	Quantity	Small Find No.	Sample No.	Material
53309	6			Pottery
53311	28			Pottery
53311	24			Pottery
53311	12			Animal bone
55107	2			Pottery
58103	11			Pottery
58103	3			Pottery
58110	14			Pottery
58114	16			Fired clay
58116	5		204	Pottery
58116	27			Pottery
58120	3			Pottery
58124	26			Pottery
58124	3			Pottery
58124	2	2		Metal
58124	1	4		Metal
58127	22			Pottery
70303	7			Pottery
70305	10			Pottery
70305	71			Pottery
70305	6			Animal bone
70307	9			Pottery
70307	4			Pottery
70307	4			Slag
70309	2			Pottery
70313	6			Pottery
70313	11			Pottery
70314	9			Pottery
70807	3			Pottery
70809	1			Pottery
70903	6			Pottery
70904	8			Pottery
70906	47			Pottery
70907	11			CBM
70907	1			Stone
70909	1			Pottery
70914	1			Pottery
70918	5			Pottery
96803	7			Pottery
96803	15			Pottery
96807	102			Pottery
96807	7			Pottery
96807	6			Pottery
96809	3			Pottery
96809	4			Pottery
96811	2			CBM

Context No.	Quantity	Small Find No.	Sample No.	Material
96815	12			Pottery
96826	1			Pottery
357003	1			CBM

## 7 Environmental Record

A total of 62 environmental samples were taken from a range of ditch, gully and pit features across the scheme. These are currently being processed by ASWYAS and will be reported in the forthcoming assessment report.

Table 2. Environmental sample inventory

Sample Number	Trench	Context	Fill of	Feature
207	13	1317	1316	Pit
205	20	2003	2002	Ditch
2014	47	4704	4703	Ditch
201	68	6808	6806	Ditch
200	68	6810	6809	Ditch
202	68	6812	6811	Ditch
204	68	6814	6811	Ditch
203	68	6819	6817	Pit
2007	69	6903	6902	Pit
2008	69	6913	6912	Ditch
2009	69	6921	6920	Gully
2011	69	6926	6925	Gully
2010	69	6927	6923	Ditch
2015	83	8303	8302	Ditch
2029	92	9203	9204	Gully
2017	114	11403	11402	Terminus
2018	114	11405	11404	Ditch
2019	114	11407	11406	Ditch
2020	114	11413	11412	Ditch
2021	115	11503	11502	Possible terminus
2022	115	11504	11502	Possible terminus
2023	115	11505	11502	Possible terminus
2033	119	11904	11902	Ditch
2034	119	11906	11905	Ditch
2016	120	12003	12002	Ditch
2043	121	12113	12112	Ditch
2044	121	12122	12119	Ditch
2046	121	12129	12127	Ditch
2047		12131	12130	Spread
2042	122	12212	12210	Ditch
2030	124	12403	12402	Ditch
2031	124	12405	12404	Ditch
2031	124	12407		Ditch



Sample Number	Trench	Context	Fill of	Feature
2032	125	12506	12505	Terminus
2035	125	12508	12507	Ditch
2039	125	12512	12511	Ditch
2012	133	13305	13304	Pit
2013	133	13306	13304	Pit
1002	228	22803	22802	Ditch
1003	228	22804	22802	Ditch
1000	267	26707	26706	Ditch
1001	278	27803	27802	Ditch
206	306	30608	30607	Ditch
5000	332	33203	33202	Ditch
5001	332	33204	33207	Ditch
208	448	44803	44802	Ditch
209	448	44804	44802	Ditch
210	532	53203	53202	Pond
212	553	55303	55302	Ditch
204	581	58116	58115	Pit
1005	703	70305	70304	Pit
1006	703	70307	70306	Pit
1007	703	70314	70312	Ditch
1008	703	70316	70315	Gully
2038	709	70904	70902	Ditch
2038	709	70907	70902	Ditch
2040	709	70914	70913	Possible linear
2041	709	70918	70917	Possible linear/spread
2003	968	96809	96804	Ditch
2000	968	96814	96816	Gully
2001	968	96822	96821	Pit
2006	968	96826	96825	Ditch

## 8 Discussion and Conclusions

### Feature visibility and reliability

In the majority of cases, the features highlighted by the geophysical survey were located and investigated during the evaluation, with the bulk of the significant archaeological remains concentrated in Field 1e.10, the western part of Field 1a.9 and 2g.2. The apparent ‘blank’ areas were largely confirmed by the results of the trial trenching. The detail of the geophysical survey did not always correspond directly with the archaeological remains, probably to the shallow depth of the features and/or the similarity of the fills with the surrounding geology, but the geophysical survey certainly provided a very good indication of the location of archaeological remains in these areas.

There are notable exceptions to the correlation between the geophysical survey and the observed archaeological remains; firstly, in Field 2b.1 where a number of Romano-British

ditches were found in the vicinity of Trench 228, where only a single small geophysical anomaly was noted. In this case, the lack of correlation is probably the result of recent agricultural activity (ploughing) masking ancient features on the same alignment. A reassessment of the geophysical survey does show faint anomalies broadly corresponding to the archaeological remains observed within the trench. Secondly, the eastern end of the Field 2g.4 contained trenches (31, 448, 450 and 584) with significant archaeological remains that were not previously identified, including multiple large ditches. It is unclear why these were not located by the geophysical survey, but they do correspond with areas where ploughing trends were not identified, which could indicate something in the topsoil layer masking underlying features.

These exceptions aside, few additional features were identified, and these were typically smaller features, which are difficult to identify through geophysical survey. The archaeological features that were revealed were clearly visible against the geological background and no problems were encountered in finding their depth or extent.

### **Dating**

The earliest activity on the Site is indicated by a small number of flint artefacts recovered from gully 1703 (fill 1704) in Trench 17 and ditch 6923 (fill 6924) in Trench 69. These are currently being analysed, but there is little initial indication of wide-spread activity on the site pre-dating the Iron Age.

Initial assessment of the finds by the excavators suggests that the majority of the artefactual evidence recovered from the site is either late Iron Age or Romano-British in date, with many contexts containing pottery featuring a mixture of wheel-thrown and handmade material. Full assessment of the finds will be presented in a later report and interpretations at this stage should be taken with caution.

After the Roman activity on the Site, there is no dateable activity until the post-medieval period, where plough furrows and ceramic land drains are visible across the majority of the scheme. Former post-medieval and modern field boundaries were identified in Fields 1a.9 (Trenches 705 and 968), 1a.11 (Trench 84), 1a.14 (Trench 152), 1e.10 (Trenches 120 and 123), 1e.11 (Trench 174), 1e.14 (Trench 195), 1e.16 (trench 206) and 3b.1 (Trench 332).

### **Areas of archaeological interest**

#### *Field 1a.9*

Trenches 69 and 968 contained a considerable concentration of archaeological remains dating to the Romano-British period, including a pit (6902) with over 700 sherds of pottery (mostly greywares, but also a sherd of samian ware) and a large pit or ditch terminus (6912) exceeding 1m in depth showing multiple layers of deposition. The nature of this activity is difficult to assess at this interim phase, but the density of activity combined with the high recovery rate of ceramic material strongly suggests settlement activity.

While the clarity or detail of the archaeological remains is not entirely in keeping with the geophysical survey, the features within the trenches do broadly correspond to geophysical

anomalies in that area of the field. The additional trenches positioned around them (704, 705 and 706) identified that activity does not extend much further to the north and east, beyond the concentration of geophysical anomalies.

#### *Field 1e.10*

Field 1e.10 appears to contain two concentrations of Romano-British activity. The first is in the north of the field (Trenches 114 and 115) where multiple large ditches crossed Trench 114 and two smaller pits or ditch termini were exposed in Trench 115. These remains broadly correlate with the geophysical survey and were not observed extending into neighbouring trenches suggesting a separate phase of activity to the remains to the south. This was further corroborated by an initial assessment of this pottery by the excavators which suggested an earlier date than the Roman activity to the south due to the presence of grog-tempered pottery.

The Romano-British activity further to the south was concentrated in Trenches 121 and 122, but also extended into Trenches 120, 124, 125, 708 and 709. The archaeological remains observed appeared to extend over a larger area and encompass dense coverage of geophysical anomalies (Trenches 121 and 122) as well as parts almost devoid of any anomalies (Trenches 708 and 709). The reason for this lack of correlation between the geophysical survey and the trial trench evaluation is unclear. The excavated remains comprise large ditches as well as pits, but with less ceramic discard than other parts of the Site. Slag recovered from features in Trench 121 and a lack of ceramic discard compared to other areas of the Site may indicate an industrial focus rather than settlement to this activity.

#### *Field 2b.1*

The centre of the Field 2b.1 contained a concentration of Romano-British ditches around Trenches 228, 702 and 703. Pottery from the features comprised mostly grey wares but also included a fragment of mortarium pottery, which is probably indicative of settlement activity. These features do not correlate closely with the geophysical survey, probably due to the density of post-medieval agricultural activity that has subsequently taken place.

#### *Field 2e.1*

The northern part of Field 2e.1 (Trench 267) contained a ditch from which two sherds of Romano-British pottery were recovered. The function of this feature is unclear as it does not correspond to a geophysical anomaly due to more recent agricultural trends identified by the previous geophysical survey and its continuation was not observed in the neighbouring trenches.

#### *Field 2g.2 and 2g.4*

Field 2g.2 contains the greatest concentration of archaeological activity on the Site, stretching in an arc from Trench 68 in the southwest of the field to Trench 533 in the east. There appears to be a break in this activity in the centre of the field around Trenches 308, 309 and 574 which is corroborated by the geophysical survey. The activity comprises multiple ditches interspersed with the occasional pit which, combined with the geophysical survey, suggests a

series of linear enclosures. Several of these trenches (13, 581) show stratigraphic activity indicating multiple phases of activity. The quantities of pottery recovered from these features suggest a settlement focus. Of particular note are multiple small ring ditches (Trenches 68 and 581) which appear to be too narrow in diameter to comprise roundhouses or barrow features (although without the features fully exposed this is difficult to fully assess) and a spread of possible industrial material in Trench 38.

The eastern end of Field 2g.4 contains further remains which follow the broad arc of activity in Field 2g.2 in Trenches 2, 21, 25, 31 and 448. This activity largely comprises ditches but two small pit or post-hole alignments in Trench 21 are likely to be part of a larger structure or structures, again suggesting settlement activity.

### **Conclusions**

Archaeological evaluation by geophysical survey and subsequent trial trenching has confirmed the presence of at least three Roman sites probably with late Iron Age origins across the scheme largely comprising ditched enclosures with some evidence for settlement activity based on the recovery of finds, particularly pottery and the presence of pits and/or post-holes and in one case possible industrial activity based on the recovery of slag.





Fig. 1. Site location





Reproduced with the permission of the controller of Her Majesty's Stationery Office © Crown Copyright. Archaeological Services WYAS: licence LA076406, 2023.







 © ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)


Project No. XK50  
 Project Code: EYS23  
 Fig. 2  
 Site location plan

Key	
	PEI REPORT SITE BOUNDARY
	LAND NOT INCLUDED IN ORDER LIMITS
	FIGURE LOCATION
	ORDER LIMITS






TYPE OF ANOMALY	INTERPRETATION	
●	DIPOLAR ISOLATED	FERROUS
—	DIPOLAR LINEAR	FERROUS (Strong/Line)
—	DIPOLAR LINEAR	SERVICE (Line)
—	DIPOLAR LINEAR	MODERN/INDUSTRIAL
●	MAGNETIC DISTURBANCE	FERROUS
●	MAGNETIC DISTURBANCE	FERROUS/DEBRIS (Spread)
●	MAGNETIC DISTURBANCE	OVERHEAD CABLES
—	LINEAR TREND	FIELD DRAIN
—	LINEAR TREND	RIDGE AND FURROW
—	LINEAR TREND	AGRICULTURAL
●	MAGNETIC ENHANCEMENT	AGRICULTURAL (Weak)
●	MAGNETIC ENHANCEMENT	AGRICULTURAL (Strong)
●	MAGNETIC ENHANCEMENT	NATURAL (Weak)
●	MAGNETIC ENHANCEMENT	NATURAL (Spread)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY POSSIBLE (Weak)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY POSSIBLE (Strong)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY PROBABLE (Weak)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY PROBABLE (Strong)
●	MAGNETIC ENHANCEMENT	UNDETERMINED (Weak)
●	MAGNETIC ENHANCEMENT	UNDETERMINED (Strong)






TYPE OF ANOMALY	INTERPRETATION	
●	DIPOLAR ISOLATED	FERROUS
—	DIPOLAR LINEAR	FERROUS (Strong/Line)
—	DIPOLAR LINEAR	SERVICE (Line)
—	DIPOLAR LINEAR	MODERN/INDUSTRIAL
●	MAGNETIC DISTURBANCE	FERROUS
●	MAGNETIC DISTURBANCE	FERROUS/DEBRIS (Spread)
●	MAGNETIC DISTURBANCE	OVERHEAD CABLES
—	LINEAR TREND	FIELD DRAIN
—	LINEAR TREND	RIDGE AND FURROW
—	LINEAR TREND	AGRICULTURAL
●	MAGNETIC ENHANCEMENT	AGRICULTURAL (Weak)
●	MAGNETIC ENHANCEMENT	AGRICULTURAL (Strong)
●	MAGNETIC ENHANCEMENT	NATURAL (Weak)
●	MAGNETIC ENHANCEMENT	NATURAL (Spread)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY POSSIBLE (Weak)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY POSSIBLE (Strong)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY PROBABLE (Weak)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY PROBABLE (Strong)
●	MAGNETIC ENHANCEMENT	UNDETERMINED (Weak)
●	MAGNETIC ENHANCEMENT	UNDETERMINED (Strong)










—	PEI REPORT SITE BOUNDARY	—	LAND DRAIN	■	LAND NOT INCLUDED IN ORDER LIMITS
—	TRIAL TRENCH	—	FURROW	—	
■	ARCHAEOLOGICAL FEATURE	—	ORDER LIMITS		



TYPE OF ANOMALY	INTERPRETATION
●	DIPOLAR ISOLATED FERROUS
—	DIPOLAR LINEAR FERROUS (Strong/Line)
—	DIPOLAR LINEAR SERVICE (Line)
—	DIPOLAR LINEAR MODERN/INDUSTRIAL
●	MAGNETIC DISTURBANCE FERROUS
●	MAGNETIC DISTURBANCE FERROUS/DEBRIS (Spread)
●	MAGNETIC DISTURBANCE OVERHEAD CABLES
—	LINEAR TREND FIELD DRAIN
—	LINEAR TREND RIDGE AND FURROW
—	LINEAR TREND AGRICULTURAL
●	MAGNETIC ENHANCEMENT AGRICULTURAL (Weak)
●	MAGNETIC ENHANCEMENT AGRICULTURAL (Strong)
●	MAGNETIC ENHANCEMENT NATURAL (Weak)
●	MAGNETIC ENHANCEMENT NATURAL (Spread)
●	MAGNETIC ENHANCEMENT ARCHAEOLOGY POSSIBLE (Weak)
●	MAGNETIC ENHANCEMENT ARCHAEOLOGY POSSIBLE (Strong)
●	MAGNETIC ENHANCEMENT ARCHAEOLOGY PROBABLE (Weak)
●	MAGNETIC ENHANCEMENT ARCHAEOLOGY PROBABLE (Strong)
●	MAGNETIC ENHANCEMENT UNDETERMINED (Weak)
●	MAGNETIC ENHANCEMENT UNDETERMINED (Strong)




	PEI REPORT SITE BOUNDARY		LAND DRAIN
	TRIAL TRENCH		FURROW
	ARCHAEOLOGICAL FEATURE		ORDER LIMITS

	LAND NOT INCLUDED IN ORDER LIMITS
---	-----------------------------------

Reproduced from the Ordnance Survey mapping with the permission of the Controller of His Majesty's Stationery Office.  
 © Crown Copyright. Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.  
 Wakefield Metropolitan District Council Licence 100019574, 2023.




TYPE OF ANOMALY	INTERPRETATION
●	DIPOLAR ISOLATED FERROUS
—	DIPOLAR LINEAR FERROUS (Strong/Line)
—	DIPOLAR LINEAR SERVICE (Line)
—	DIPOLAR LINEAR MODERN/INDUSTRIAL
●	MAGNETIC DISTURBANCE FERROUS
●	MAGNETIC DISTURBANCE FERROUS/DEBRIS (Spread)
●	MAGNETIC DISTURBANCE OVERHEAD CABLES
—	LINEAR TREND FIELD DRAIN
—	LINEAR TREND RIDGE AND FURROW
—	LINEAR TREND AGRICULTURAL
●	MAGNETIC ENHANCEMENT AGRICULTURAL (Weak)
●	MAGNETIC ENHANCEMENT AGRICULTURAL (Strong)
●	MAGNETIC ENHANCEMENT NATURAL (Weak)
●	MAGNETIC ENHANCEMENT NATURAL (Spread)
●	MAGNETIC ENHANCEMENT ARCHAEOLOGY POSSIBLE (Weak)
●	MAGNETIC ENHANCEMENT ARCHAEOLOGY POSSIBLE (Strong)
●	MAGNETIC ENHANCEMENT ARCHAEOLOGY PROBABLE (Weak)
●	MAGNETIC ENHANCEMENT ARCHAEOLOGY PROBABLE (Strong)
●	MAGNETIC ENHANCEMENT UNDETERMINED (Weak)
●	MAGNETIC ENHANCEMENT UNDETERMINED (Strong)





TYPE OF ANOMALY	INTERPRETATION	
●	DIPOLAR ISOLATED	FERROUS
—	DIPOLAR LINEAR	FERROUS (Strong/Line)
—	DIPOLAR LINEAR	SERVICE (Line)
—	DIPOLAR LINEAR	MODERN/INDUSTRIAL
■	MAGNETIC DISTURBANCE	FERROUS
■	MAGNETIC DISTURBANCE	FERROUS/DEBRIS (Spread)
■	MAGNETIC DISTURBANCE	OVERHEAD CABLES
—	LINEAR TREND	FIELD DRAIN
—	LINEAR TREND	RIDGE AND FURROW
—	LINEAR TREND	AGRICULTURAL
■	MAGNETIC ENHANCEMENT	AGRICULTURAL (Weak)
■	MAGNETIC ENHANCEMENT	AGRICULTURAL (Strong)
■	MAGNETIC ENHANCEMENT	NATURAL (Weak)
■	MAGNETIC ENHANCEMENT	NATURAL (Spread)
■	MAGNETIC ENHANCEMENT	ARCHAEOLOGY POSSIBLE (Weak)
■	MAGNETIC ENHANCEMENT	ARCHAEOLOGY POSSIBLE (Strong)
■	MAGNETIC ENHANCEMENT	ARCHAEOLOGY PROBABLE (Weak)
■	MAGNETIC ENHANCEMENT	ARCHAEOLOGY PROBABLE (Strong)
■	MAGNETIC ENHANCEMENT	UNDETERMINED (Weak)
■	MAGNETIC ENHANCEMENT	UNDETERMINED (Strong)



—	PEI REPORT SITE BOUNDARY	■	LAND DRAIN	■	LAND NOT INCLUDED IN ORDER LIMITS
—	TRIAL TRENCH	■	FURROW		
■	ARCHAEOLOGICAL FEATURE	■	ORDER LIMITS		


TYPE OF ANOMALY	INTERPRETATION
●	DIPOLAR ISOLATED FERROUS
—	DIPOLAR LINEAR FERROUS (Strong/Line)
—	DIPOLAR LINEAR SERVICE (Line)
—	DIPOLAR LINEAR MODERN/INDUSTRIAL
■	MAGNETIC DISTURBANCE FERROUS
■	MAGNETIC DISTURBANCE FERROUS/DEBRIS (Spread)
■	MAGNETIC DISTURBANCE OVERHEAD CABLES
—	LINEAR TREND FIELD DRAIN
—	LINEAR TREND RIDGE AND FURROW
—	LINEAR TREND AGRICULTURAL
■	MAGNETIC ENHANCEMENT AGRICULTURAL (Weak)
■	MAGNETIC ENHANCEMENT AGRICULTURAL (Strong)
■	MAGNETIC ENHANCEMENT NATURAL (Weak)
■	MAGNETIC ENHANCEMENT NATURAL (Spread)
■	MAGNETIC ENHANCEMENT ARCHAEOLOGY POSSIBLE (Weak)
■	MAGNETIC ENHANCEMENT ARCHAEOLOGY POSSIBLE (Strong)
■	MAGNETIC ENHANCEMENT ARCHAEOLOGY PROBABLE (Weak)
■	MAGNETIC ENHANCEMENT ARCHAEOLOGY PROBABLE (Strong)
■	MAGNETIC ENHANCEMENT UNDETERMINED (Weak)
■	MAGNETIC ENHANCEMENT UNDETERMINED (Strong)










—	PEI REPORT SITE BOUNDARY	—	LAND DRAIN	■	LAND NOT INCLUDED IN ORDER LIMITS
—	TRIAL TRENCH	—	FURROW		
■	ARCHAEOLOGICAL FEATURE	—	ORDER LIMITS		





TYPE OF ANOMALY	INTERPRETATION	
●	DIPOLAR ISOLATED	FERROUS
—	DIPOLAR LINEAR	FERROUS (Strong/Line)
—	DIPOLAR LINEAR	SERVICE (Line)
—	DIPOLAR LINEAR	MODERN/INDUSTRIAL
●	MAGNETIC DISTURBANCE	FERROUS
●	MAGNETIC DISTURBANCE	FERROUS/DEBRIS (Spread)
●	MAGNETIC DISTURBANCE	OVERHEAD CABLES
—	LINEAR TREND	FIELD DRAIN
—	LINEAR TREND	RIDGE AND FURROW
—	LINEAR TREND	AGRICULTURAL
●	MAGNETIC ENHANCEMENT	AGRICULTURAL (Weak)
●	MAGNETIC ENHANCEMENT	AGRICULTURAL (Strong)
●	MAGNETIC ENHANCEMENT	NATURAL (Weak)
●	MAGNETIC ENHANCEMENT	NATURAL (Spread)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY POSSIBLE (Weak)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY POSSIBLE (Strong)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY PROBABLE (Weak)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY PROBABLE (Strong)
●	MAGNETIC ENHANCEMENT	UNDETERMINED (Weak)
●	MAGNETIC ENHANCEMENT	UNDETERMINED (Strong)










	PEI REPORT SITE BOUNDARY		LAND DRAIN		LAND NOT INCLUDED IN ORDER LIMITS
	TRIAL TRENCH		FURROW		
	ARCHAEOLOGICAL FEATURE		ORDER LIMITS		


TYPE OF ANOMALY	INTERPRETATION	
●	DIPOLAR ISOLATED	FERROUS
—	DIPOLAR LINEAR	FERROUS (Strong/Line)
—	DIPOLAR LINEAR	SERVICE (Line)
—	DIPOLAR LINEAR	MODERN/INDUSTRIAL
●	MAGNETIC DISTURBANCE	FERROUS
●	MAGNETIC DISTURBANCE	FERROUS/DEBRIS (Spread)
●	MAGNETIC DISTURBANCE	OVERHEAD CABLES
—	LINEAR TREND	FIELD DRAIN
—	LINEAR TREND	RIDGE AND FURROW
—	LINEAR TREND	AGRICULTURAL
●	MAGNETIC ENHANCEMENT	AGRICULTURAL (Weak)
●	MAGNETIC ENHANCEMENT	AGRICULTURAL (Strong)
●	MAGNETIC ENHANCEMENT	NATURAL (Weak)
●	MAGNETIC ENHANCEMENT	NATURAL (Spread)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY POSSIBLE (Weak)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY POSSIBLE (Strong)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY PROBABLE (Weak)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY PROBABLE (Strong)
●	MAGNETIC ENHANCEMENT	UNDETERMINED (Weak)
●	MAGNETIC ENHANCEMENT	UNDETERMINED (Strong)




 © ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nephshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163 Email: archaeology@wyjs.org.uk www.aswyas.com

Project No. XK50  
 Fig. 10.  
 Detailed site plan (sheet 8)

	PEI REPORT SITE BOUNDARY		LAND DRAIN		LAND NOT INCLUDED IN ORDER LIMITS
	TRIAL TRENCH		FURROW		
	ARCHAEOLOGICAL FEATURE		ORDER LIMITS		





  
 1:5000 @ A3

Reproduced from the Ordnance Survey mapping with the permission of the Controller of His Majesty's Stationary Office.  
 © Crown Copyright. Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.  
 Wakefield Metropolitan District Council licence 100019574, 2023.




TYPE OF ANOMALY	INTERPRETATION	
●	DIPOLAR ISOLATED	FERROUS
—	DIPOLAR LINEAR	FERROUS (Strong/Line)
—	DIPOLAR LINEAR	SERVICE (Line)
—	DIPOLAR LINEAR	MODERN/INDUSTRIAL
●	MAGNETIC DISTURBANCE	FERROUS
●	MAGNETIC DISTURBANCE	FERROUS/DEBRIS (Spread)
●	MAGNETIC DISTURBANCE	OVERHEAD CABLES
—	LINEAR TREND	FIELD DRAIN
—	LINEAR TREND	RIDGE AND FURROW
—	LINEAR TREND	AGRICULTURAL
●	MAGNETIC ENHANCEMENT	AGRICULTURAL (Weak)
●	MAGNETIC ENHANCEMENT	AGRICULTURAL (Strong)
●	MAGNETIC ENHANCEMENT	NATURAL (Weak)
●	MAGNETIC ENHANCEMENT	NATURAL (Spread)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY POSSIBLE (Weak)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY POSSIBLE (Strong)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY PROBABLE (Weak)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY PROBABLE (Strong)
●	MAGNETIC ENHANCEMENT	UNDETERMINED (Weak)
●	MAGNETIC ENHANCEMENT	UNDETERMINED (Strong)










	PEI REPORT SITE BOUNDARY		LAND DRAIN		LAND NOT INCLUDED IN ORDER LIMITS
	TRIAL TRENCH		FURROW		
	ARCHAEOLOGICAL FEATURE		ORDER LIMITS		


TYPE OF ANOMALY	INTERPRETATION	
●	DIPOLAR ISOLATED	FERROUS
—	DIPOLAR LINEAR	FERROUS (Strong/Line)
—	DIPOLAR LINEAR	SERVICE (Line)
—	DIPOLAR LINEAR	MODERN/INDUSTRIAL
●	MAGNETIC DISTURBANCE	FERROUS
●	MAGNETIC DISTURBANCE	FERROUS/DEBRIS (Spread)
●	MAGNETIC DISTURBANCE	OVERHEAD CABLES
—	LINEAR TREND	FIELD DRAIN
—	LINEAR TREND	RIDGE AND FURROW
—	LINEAR TREND	AGRICULTURAL
●	MAGNETIC ENHANCEMENT	AGRICULTURAL (Weak)
●	MAGNETIC ENHANCEMENT	AGRICULTURAL (Strong)
●	MAGNETIC ENHANCEMENT	NATURAL (Weak)
●	MAGNETIC ENHANCEMENT	NATURAL (Spread)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY POSSIBLE (Weak)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY POSSIBLE (Strong)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY PROBABLE (Weak)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY PROBABLE (Strong)
●	MAGNETIC ENHANCEMENT	UNDETERMINED (Weak)
●	MAGNETIC ENHANCEMENT	UNDETERMINED (Strong)




 © ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nephshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163 Email: archaeology@wyjs.org.uk www.aswyas.com

Project No. XK50  
 Fig. 12.  
 Detailed site plan (sheet 10)


	PEI REPORT SITE BOUNDARY		LAND DRAIN		LAND NOT INCLUDED IN ORDER LIMITS
	TRIAL TRENCH		FURROW		
	ARCHAEOLOGICAL FEATURE		ORDER LIMITS		








  
 1:5000 @ A3

Reproduced from the Ordnance Survey mapping with the permission of the Controller of His Majesty's Stationery Office.  
 © Crown Copyright. Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.  
 Wakefield Metropolitan District Council Licence 100019574, 2023.



TYPE OF ANOMALY	INTERPRETATION	
●	DIPOLAR ISOLATED	FERROUS
—	DIPOLAR LINEAR	FERROUS (Strong/Line)
—	DIPOLAR LINEAR	SERVICE (Line)
—	DIPOLAR LINEAR	MODERN/INDUSTRIAL
■	MAGNETIC DISTURBANCE	FERROUS
■	MAGNETIC DISTURBANCE	FERROUS/DEBRIS (Spread)
■	MAGNETIC DISTURBANCE	OVERHEAD CABLES
—	LINEAR TREND	FIELD DRAIN
—	LINEAR TREND	RIDGE AND FURROW
—	LINEAR TREND	AGRICULTURAL
■	MAGNETIC ENHANCEMENT	AGRICULTURAL (Weak)
■	MAGNETIC ENHANCEMENT	AGRICULTURAL (Strong)
■	MAGNETIC ENHANCEMENT	NATURAL (Weak)
■	MAGNETIC ENHANCEMENT	NATURAL (Spread)
■	MAGNETIC ENHANCEMENT	ARCHAEOLOGY POSSIBLE (Weak)
■	MAGNETIC ENHANCEMENT	ARCHAEOLOGY POSSIBLE (Strong)
■	MAGNETIC ENHANCEMENT	ARCHAEOLOGY PROBABLE (Weak)
■	MAGNETIC ENHANCEMENT	ARCHAEOLOGY PROBABLE (Strong)
■	MAGNETIC ENHANCEMENT	UNDETERMINED (Weak)
■	MAGNETIC ENHANCEMENT	UNDETERMINED (Strong)




	PEI REPORT SITE BOUNDARY		LAND DRAIN		LAND NOT INCLUDED IN ORDER LIMITS
	TRIAL TRENCH		FURROW		
	ARCHAEOLOGICAL FEATURE		ORDER LIMITS		








Reproduced from the Ordnance Survey mapping with the permission of the Controller of His Majesty's Stationery Office.  
 © Crown Copyright. Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.  
 Wakefield Metropolitan District Council licence 100019574, 2023.

TYPE OF ANOMALY	INTERPRETATION
●	DIPOLAR ISOLATED FERROUS
—	DIPOLAR LINEAR FERROUS (Strong/Line)
—	DIPOLAR LINEAR SERVICE (Line)
—	DIPOLAR LINEAR MODERN/INDUSTRIAL
●	MAGNETIC DISTURBANCE FERROUS
●	MAGNETIC DISTURBANCE FERROUS/DEBRIS (Spread)
●	MAGNETIC DISTURBANCE OVERHEAD CABLES
—	LINEAR TREND FIELD DRAIN
—	LINEAR TREND RIDGE AND FURROW
—	LINEAR TREND AGRICULTURAL
●	MAGNETIC ENHANCEMENT AGRICULTURAL (Weak)
●	MAGNETIC ENHANCEMENT AGRICULTURAL (Strong)
●	MAGNETIC ENHANCEMENT NATURAL (Weak)
●	MAGNETIC ENHANCEMENT NATURAL (Spread)
●	MAGNETIC ENHANCEMENT ARCHAEOLOGY POSSIBLE (Weak)
●	MAGNETIC ENHANCEMENT ARCHAEOLOGY POSSIBLE (Strong)
●	MAGNETIC ENHANCEMENT ARCHAEOLOGY PROBABLE (Weak)
●	MAGNETIC ENHANCEMENT ARCHAEOLOGY PROBABLE (Strong)
●	MAGNETIC ENHANCEMENT UNDETERMINED (Weak)
●	MAGNETIC ENHANCEMENT UNDETERMINED (Strong)




 © ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163 Email: archaeology@wys.org.uk www.aswyas.com

Project No. XK50  
 Fig. 14.  
 Detailed site plan (sheet 12)


	PEI REPORT SITE BOUNDARY		LAND DRAIN		LAND NOT INCLUDED IN ORDER LIMITS
	TRIAL TRENCH		FURROW		
	ARCHAEOLOGICAL FEATURE		ORDER LIMITS		

0 250m  
 1:5000 @ A3

Reproduced from the Ordnance Survey mapping with the permission of the Controller of His Majesty's Stationery Office.  
 © Crown Copyright. Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.  
 Wakefield Metropolitan District Council Licence 100019574, 2023.




TYPE OF ANOMALY	INTERPRETATION
●	DIPOLAR ISOLATED FERROUS
—	DIPOLAR LINEAR FERROUS (Strong/Line)
—	DIPOLAR LINEAR SERVICE (Line)
—	DIPOLAR LINEAR MODERN/INDUSTRIAL
●	MAGNETIC DISTURBANCE FERROUS
●	MAGNETIC DISTURBANCE FERROUS/DEBRIS (Spread)
●	MAGNETIC DISTURBANCE OVERHEAD CABLES
—	LINEAR TREND FIELD DRAIN
—	LINEAR TREND RIDGE AND FURROW
—	LINEAR TREND AGRICULTURAL
●	MAGNETIC ENHANCEMENT AGRICULTURAL (Weak)
●	MAGNETIC ENHANCEMENT AGRICULTURAL (Strong)
●	MAGNETIC ENHANCEMENT NATURAL (Weak)
●	MAGNETIC ENHANCEMENT NATURAL (Spread)
●	MAGNETIC ENHANCEMENT ARCHAEOLOGY POSSIBLE (Weak)
●	MAGNETIC ENHANCEMENT ARCHAEOLOGY POSSIBLE (Strong)
●	MAGNETIC ENHANCEMENT ARCHAEOLOGY PROBABLE (Weak)
●	MAGNETIC ENHANCEMENT ARCHAEOLOGY PROBABLE (Strong)
●	MAGNETIC ENHANCEMENT UNDETERMINED (Weak)
●	MAGNETIC ENHANCEMENT UNDETERMINED (Strong)




—	PEI REPORT SITE BOUNDARY	—	LAND DRAIN	—	LAND NOT INCLUDED IN ORDER LIMITS
—	TRIAL TRENCH	—	FURROW	—	
—	ARCHAEOLOGICAL FEATURE	—	ORDER LIMITS		





TYPE OF ANOMALY	INTERPRETATION
●	DIPOLAR ISOLATED FERROUS
—	DIPOLAR LINEAR FERROUS (Strong/Line)
—	DIPOLAR LINEAR SERVICE (Line)
—	DIPOLAR LINEAR MODERN/INDUSTRIAL
●	MAGNETIC DISTURBANCE FERROUS
●	MAGNETIC DISTURBANCE FERROUS/DEBRIS (Spread)
●	MAGNETIC DISTURBANCE OVERHEAD CABLES
—	LINEAR TREND FIELD DRAIN
—	LINEAR TREND RIDGE AND FURROW
—	LINEAR TREND AGRICULTURAL
●	MAGNETIC ENHANCEMENT AGRICULTURAL (Weak)
●	MAGNETIC ENHANCEMENT AGRICULTURAL (Strong)
●	MAGNETIC ENHANCEMENT NATURAL (Weak)
●	MAGNETIC ENHANCEMENT NATURAL (Spread)
●	MAGNETIC ENHANCEMENT ARCHAEOLOGY POSSIBLE (Weak)
●	MAGNETIC ENHANCEMENT ARCHAEOLOGY POSSIBLE (Strong)
●	MAGNETIC ENHANCEMENT ARCHAEOLOGY PROBABLE (Weak)
●	MAGNETIC ENHANCEMENT ARCHAEOLOGY PROBABLE (Strong)
●	MAGNETIC ENHANCEMENT UNDETERMINED (Weak)
●	MAGNETIC ENHANCEMENT UNDETERMINED (Strong)



 © ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nephshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163 Email: archaeology@wyjs.org.uk www.aswyas.com

Project No. XK50  
 Fig. 16.  
 Detailed site plan (sheet 14)

—	PEI REPORT SITE BOUNDARY	—	LAND DRAIN	■	LAND NOT INCLUDED IN ORDER LIMITS
—	TRIAL TRENCH	—	FURROW		
■	ARCHAEOLOGICAL FEATURE	—	ORDER LIMITS		

0 250m  
 1:5000 @ A3

TYPE OF ANOMALY	INTERPRETATION	
●	DIPOLAR ISOLATED	FERROUS
—	DIPOLAR LINEAR	FERROUS (Strong/Line)
—	DIPOLAR LINEAR	SERVICE (Line)
—	DIPOLAR LINEAR	MODERN/INDUSTRIAL
●	MAGNETIC DISTURBANCE	FERROUS
●	MAGNETIC DISTURBANCE	FERROUS/DEBRIS (Spread)
●	MAGNETIC DISTURBANCE	OVERHEAD CABLES
—	LINEAR TREND	FIELD DRAIN
—	LINEAR TREND	RIDGE AND FURROW
—	LINEAR TREND	AGRICULTURAL
●	MAGNETIC ENHANCEMENT	AGRICULTURAL (Weak)
●	MAGNETIC ENHANCEMENT	AGRICULTURAL (Strong)
●	MAGNETIC ENHANCEMENT	NATURAL (Weak)
●	MAGNETIC ENHANCEMENT	NATURAL (Spread)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY POSSIBLE (Weak)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY POSSIBLE (Strong)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY PROBABLE (Weak)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY PROBABLE (Strong)
●	MAGNETIC ENHANCEMENT	UNDETERMINED (Weak)
●	MAGNETIC ENHANCEMENT	UNDETERMINED (Strong)



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nephshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163 Email: archaeology@wyjs.org.uk www.aswyas.com

Project No. XK50  
 Fig. 17.  
 Detailed site plan (sheet 15)

—	PEI REPORT SITE BOUNDARY	—	LAND DRAIN	■	LAND NOT INCLUDED IN ORDER LIMITS
—	TRIAL TRENCH	—	FURROW		
■	ARCHAEOLOGICAL FEATURE	—	ORDER LIMITS		

0 250m  
 1:5000 @ A3

Reproduced from the Ordnance Survey mapping with the permission of the Controller of His Majesty's Stationary Office.  
 © Crown Copyright. Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.  
 Wakefield Metropolitan District Council Licence 100019874, 2023.



TYPE OF ANOMALY	INTERPRETATION	
●	DIPOLAR ISOLATED	FERROUS
—	DIPOLAR LINEAR	FERROUS (Strong/Line)
—	DIPOLAR LINEAR	SERVICE (Line)
—	DIPOLAR LINEAR	MODERN/INDUSTRIAL
●	MAGNETIC DISTURBANCE	FERROUS
●	MAGNETIC DISTURBANCE	FERROUS/DEBRIS (Spread)
●	MAGNETIC DISTURBANCE	OVERHEAD CABLES
—	LINEAR TREND	FIELD DRAIN
—	LINEAR TREND	RIDGE AND FURROW
—	LINEAR TREND	AGRICULTURAL
●	MAGNETIC ENHANCEMENT	AGRICULTURAL (Weak)
●	MAGNETIC ENHANCEMENT	AGRICULTURAL (Strong)
●	MAGNETIC ENHANCEMENT	NATURAL (Weak)
●	MAGNETIC ENHANCEMENT	NATURAL (Spread)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY POSSIBLE (Weak)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY POSSIBLE (Strong)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY PROBABLE (Weak)
●	MAGNETIC ENHANCEMENT	ARCHAEOLOGY PROBABLE (Strong)
●	MAGNETIC ENHANCEMENT	UNDETERMINED (Weak)
●	MAGNETIC ENHANCEMENT	UNDETERMINED (Strong)



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nephshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163 Email: archaeology@wys.org.uk www.aswys.com

Project No. XK50  
 Fig. 18.  
 Detailed site plan (sheet 16)


—	PEI REPORT SITE BOUNDARY	—	LAND DRAIN	■	LAND NOT INCLUDED IN ORDER LIMITS
—	TRIAL TRENCH	—	FURROW	—	
■	ARCHAEOLOGICAL FEATURE	—	ORDER LIMITS		








0 250m  
 1:5000 @ A3

Reproduced from the Ordnance Survey mapping with the permission of the Controller of His Majesty's Stationery Office.  
 © Crown Copyright. Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.  
 Wakefield Metropolitan District Council Licence 100019574, 2023.




TYPE OF ANOMALY	INTERPRETATION
●	DIPOLAR ISOLATED FERROUS
—	DIPOLAR LINEAR FERROUS (Strong/Line)
—	DIPOLAR LINEAR SERVICE (Line)
—	DIPOLAR LINEAR MODERN/INDUSTRIAL
●	MAGNETIC DISTURBANCE FERROUS
●	MAGNETIC DISTURBANCE FERROUS/DEBRIS (Spread)
●	MAGNETIC DISTURBANCE OVERHEAD CABLES
—	LINEAR TREND FIELD DRAIN
—	LINEAR TREND RIDGE AND FURROW
—	LINEAR TREND AGRICULTURAL
●	MAGNETIC ENHANCEMENT AGRICULTURAL (Weak)
●	MAGNETIC ENHANCEMENT AGRICULTURAL (Strong)
●	MAGNETIC ENHANCEMENT NATURAL (Weak)
●	MAGNETIC ENHANCEMENT NATURAL (Spread)
●	MAGNETIC ENHANCEMENT ARCHAEOLOGY POSSIBLE (Weak)
●	MAGNETIC ENHANCEMENT ARCHAEOLOGY POSSIBLE (Strong)
●	MAGNETIC ENHANCEMENT ARCHAEOLOGY PROBABLE (Weak)
●	MAGNETIC ENHANCEMENT ARCHAEOLOGY PROBABLE (Strong)
●	MAGNETIC ENHANCEMENT UNDETERMINED (Weak)
●	MAGNETIC ENHANCEMENT UNDETERMINED (Strong)



	PEI REPORT SITE BOUNDARY		LAND DRAIN		LAND NOT INCLUDED IN ORDER LIMITS
	TRIAL TRENCH		FURROW		
	ARCHAEOLOGICAL FEATURE		ORDER LIMITS		



TYPE OF ANOMALY	INTERPRETATION
●	DIPOLAR ISOLATED FERROUS
—	DIPOLAR LINEAR FERROUS (Strong/Line)
—	DIPOLAR LINEAR SERVICE (Line)
—	DIPOLAR LINEAR MODERN/INDUSTRIAL
■	MAGNETIC DISTURBANCE FERROUS
■	MAGNETIC DISTURBANCE FERROUS/DEBRIS (Spread)
■	MAGNETIC DISTURBANCE OVERHEAD CABLES
—	LINEAR TREND FIELD DRAIN
—	LINEAR TREND RIDGE AND FURROW
—	LINEAR TREND AGRICULTURAL
■	MAGNETIC ENHANCEMENT AGRICULTURAL (Weak)
■	MAGNETIC ENHANCEMENT AGRICULTURAL (Strong)
■	MAGNETIC ENHANCEMENT NATURAL (Weak)
■	MAGNETIC ENHANCEMENT NATURAL (Spread)
■	MAGNETIC ENHANCEMENT ARCHAEOLOGY POSSIBLE (Weak)
■	MAGNETIC ENHANCEMENT ARCHAEOLOGY POSSIBLE (Strong)
■	MAGNETIC ENHANCEMENT ARCHAEOLOGY PROBABLE (Weak)
■	MAGNETIC ENHANCEMENT ARCHAEOLOGY PROBABLE (Strong)
■	MAGNETIC ENHANCEMENT UNDETERMINED (Weak)
■	MAGNETIC ENHANCEMENT UNDETERMINED (Strong)





© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nephshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163 Email: archaeology@wyjs.org.uk www.aswyas.com

Project No. XK50  
 Fig. 20.  
 Detailed site plan (sheet 18)

—	PEI REPORT SITE BOUNDARY	■	LAND DRAIN	■	LAND NOT INCLUDED IN ORDER LIMITS
—	TRIAL TRENCH	■	FURROW	■	
■	ARCHAEOLOGICAL FEATURE	—	ORDER LIMITS		

0 250m  
 1:5000 @ A3











 © ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

*Project No. XK50*  
*Fig. 21*  
*Trench 1 plan and section*

*Project Code: EYS23*


Key	
	LAND DRAIN

<i>Plans</i>	0	2m (1:50)
<i>Sections</i>	0	1m (1:20)






© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50  
 Project Code: EYS23  
 Fig. 22  
 Trench 9 plan and sections


Key	
	LAND DRAIN


Plans	0	2m (1:50)
Sections	0	1m (1:20)






 © ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

*Project No. XK50*      *Project Code: EYS23*  
*Fig. 23*  
*Trench 12 plan and section*

Key	
	LAND DRAIN






© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
 www.aswyas.com


Project No. XK53      Project Code: EYS23  
 Fig. 24  
 Trench 13 plan and sections

Plans      0 2m (1:50)  
 Sections      0 1m (1:20)


S. 269




S. 270



S. 271



S. 272



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50

Project Code: EYS23




Fig. 25

Trench 13 sections

Key

- POTTERY
- DISTURBANCE
- LENS OF NATURAL








© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com




<i>Project No. XK50</i>	<i>Project Code: EYS23</i>
<i>Fig. 26</i>	
<i>Trench 15 plan and sections</i>	

*Key*

 GEOLOGY (TESTED)

*Plans* 0  2m (1:50)

*Sections* 0  1m (1:20)



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50


Project Code: EYS23

Fig. 27

Trench 17 plan and sections



Plans 0 2m (1:50)

Sections 0 1m (1:20)





4.35m OD

Trench continues below ▶




Trench continues below ▶







S. 243




S. 250




S. 245




S. 247




S. 248




S. 246



S. 252



S. 251



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

Project No. XK50



Project Code: EYS23

Fig. 29

Trench 18 sections




Trench continues below ▶




Trench continues below ▶



S. 214



S. 216



© ASWYAS 2023.  
Archaeological Services W Y A S,  
Nepshaw Lane South, Morley, LS27 7JQ  
Tel: 0113 535 0163  
Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

Project No. XK50






Project Code: EYS23

Fig. 30

Trench 19 plan and sections

Plans 0 2m (1:50)

Sections 0 1m (1:20)



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50

Project Code: EYS23



Fig. 31

Trench 20 plan and sections

Key	
	LAND DRAIN

Plans 0 2m (1:50)

Sections 0 1m (1:20)



© ASWYAS 2023.  
Archaeological Services W Y A S,  
Nepshaw Lane South, Morley, LS27 7JQ  
Tel: 0113 535 0163  
Email: archaeology@wyjs.org.uk  
www.aswyas.com

Project No. XK50

Project Code: EYS23


Fig. 32

Trench 21 plan


Key




S. 304




S. 305




S. 306




S. 307




S. 308




S. 309




S. 310




S. 311




S. 312




S. 313



S. 314




S. 315



S. 316



S. 317



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50

Project Code: EYS23



Fig. 33

Trench 21 sections

Key

- LAND DRAIN
- LENS OF CLAY
- POTTERY
- ANIMAL BONE

0  1m (1:20)



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50


Project Code: EYS23

Fig. 34

Trench 23 plan and section

Plans 0 2m (1:50)

Sections 0 1m (1:20)



© ASWYAS 2023.  
Archaeological Services W Y A S,  
Nepshaw Lane South, Morley, LS27 7JQ  
Tel: 0113 535 0163  
Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

*Project No. XK50*


*Project Code: EYS23*

*Fig. 35*


*Trench 31 plan*

0 2m (1:50)


S. 319



S. 320



S. 321



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

*Project No. XK50*






*Project Code: EYS23*

*Fig. 36*

*Trench 31 sections*

0  1m (1:20)





© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50




Project Code: EYS23

Fig. 37

Trench 36 plan and sections


Plans 0 2m (1:50)

Sections 0 1m (1:20)





 © ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

*Project No. XK50*      *Project Code: EYS23*  
*Fig. 38*  
*Trench 38 plan and section*


Key	
	LAND DRAIN

<i>Plans</i>	0	2m (1:50)
<i>Sections</i>	0	1m (1:20)





 © ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

*Project No. XK50*      *Project Code: EYS23*  
*Fig. 39*  
*Trench 41 plan and section*

*Key*  
 LAND DRAIN

*Plans*      0 ————— 2m (1:50)  
*Sections*      0 ————— 1m (1:20)



© ASWYAS 2023.  
Archaeological Services W Y A S,  
Nepshaw Lane South, Morley, LS27 7JQ  
Tel: 0113 535 0163  
Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

*Project No. XK50*

*Project Code: EYS23*

*Key*

*Fig. 40*

*Trench 47 plan*


 LAND DRAIN

*Plans*


0  2m (1:50)




S. 221




S. 223




S. 225



S. 229



S. 231




S. 233




S. 235




S. 236



S. 227



S. 2044



© ASWYAS 2023.  
Archaeological Services W Y A S,  
Nepshaw Lane South, Morley, LS27 7JQ  
Tel: 0113 535 0163  
Email: archaeology@wyjs.org.uk  
www.aswyas.com


Project No. XK50

Project Code: EYS23

Fig. 41


Trench 47 sections


Sections 0 1m (1:20)



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com


Project No. XK50      Project Code: EYS23  
 Fig. 42  
 Trench 59 plan and section

Key	
	PLOUGH FURROW






Trench continues below ▶



Trench continues below ▶



S. 2041



© ASWYAS 2023.  
Archaeological Services W Y A S,  
Nepshaw Lane South, Morley, LS27 7JQ  
Tel: 0113 535 0163  
Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

Project No. XK50

Project Code: EYS23

Fig. 43

Trench 65 plan and section

Key




LAND DRAIN

Plans 0 2m (1:50)





Sections 0 1m (1:20)



Trench continues below ▶



Trench continues below ▶



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50

Project Code: EYS23

Fig. 44


Trench 68 plan and sections

Plans 0 2m (1:50)


Sections 0 1m (1:20)



S. 213




S. 208



S. 212



S. 202



S. 210



S. 211



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com




Project No. XK50

Project Code: EYS23

Fig. 45


Trench 68 sections



0  1m (1:20)





 © ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50      Project Code: EYS23  
 Fig. 46  
 Trench 69 plan and sections


Key	
	POTTERY

Plans 0  2m (1:50)  
 Sections 0  1m (1:20)


S. 2023




S. 2024




S. 2025




S. 2026



S. 2027



S. 2028



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50

Project Code: EYS23



Fig. 47

Trench 69 sections

Key

 LAND DRAIN

0  1m (1:20)



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

*Project No. XK50*


*Project Code: EYS23*

*Fig. 48*

*Trench 70 plan and section*

*Plans* 0 2m (1:50)

*Sections* 0 1m (1:20)



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

Project No. XK50



Project Code: EYS23

Fig. 49

Trench 71 plan and section

Plans 0  2m (1:50)



Sections 0  1m (1:20)



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50	Project Code: EYS23
Fig. 50	
Trench 83 plan and sections	


Plans	0	2m (1:50)
Sections	0	1m (1:20)





© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50  
 Fig. 51  
 Trench 89 plan and section

Project Code: EYS23

Key  
 LAND DRAIN

Plans 0 2m (1:50)  
 Sections 0 1m (1:20)



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50      Project Code: EYS23

Fig. 52



Trench 92 plan and sections

Key	
	PLOUGH FURROW
	LAND DRAIN
	BURNT BONE

Plans 0 2m (1:50)

Sections 0 1m (1:20)





© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

*Project No. XK50*




*Project Code: EYS23*

*Fig. 53*

*Trench 109 plan and section*

*Plans* 0 2m (1:50)




*Sections* 0 1m (1:20)



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

<i>Project No. XK50</i>	<i>Project Code: EYS23</i>
<i>Fig. 54</i>	
<i>Trench 110 plan and sections</i>	

<i>Plans</i>	0	2m (1:50)
<i>Sections</i>	0	1m (1:20)



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

Project No. XK50

Project Code: EYS23

Fig. 55

Trench 114 plan and sections


Key

 LAND DRAIN


Plans 0  2m (1:50)

Sections 0  1m (1:20)

S. 2067



S. 11410



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

Project No. XK50


Project Code: EYS23

Fig. 56


Trench 114 sections

Plans 0 2m (1:50)


Sections 0 1m (1:20)



S. 2073



S. 2072



© ASWYAS 2023.  
Archaeological Services W Y A S,  
Nepshaw Lane South, Morley, LS27 7JQ  
Tel: 0113 535 0163  
Email: archaeology@wyjs.org.uk  
www.aswyas.com

Project No. XK50

Project Code: EYS23

Fig. 57


Trench 115 plan and sections

Key



Plans 0 2m (1:50)


Sections 0 1m (1:20)



© ASWYAS 2023.  
Archaeological Services W Y A S,  
Nepshaw Lane South, Morley, LS27 7JQ  
Tel: 0113 535 0163  
Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

<i>Project No. XK50</i>	<i>Project Code: EYS23</i>
<i>Fig. 58</i>	
<i>Trench 119 plan and section</i>	

<i>Plans</i>	0	2m (1:50)
<i>Sections</i>	0	1m (1:20)





 © ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

*Project No. XK50*      *Project Code: EYS23*  
*Fig. 59*  
*Trench 120 plan and section*

*Key*  
 [Empty box for key]

*Plans*      0 ————— 2m (1:50)  
*Sections*      0 ————— 1m (1:20)





© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

Project No. XK50

Project Code: EYS23

Fig. 60


Trench 121 plan

Key

 LAND DRAIN

0  2m (1:50)


S. 2107




S. 2115




S. 2114



S. 2110




S. 2116




S. 2105




S. 2106




S. 2104



S. 2112



S. 2111



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

Project No. XK50

Project Code: EYS23


Fig. 61

Trench 121 sections

Key


 LAND DRAIN

0  1m (1:20)





 © ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50      Project Code: EYS23  
 Fig. 62  
 Trench 122 plan


Key  
 LAND DRAIN

0      2m (1:50)


S. 2101



S. 2102



S. 2113



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50

Project Code: EYS23


Fig. 63

Trench 122 sections


Key

# # # CHARCOAL


0 1m (1:20)




S. 2059



S. 2060



S. 2061





© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50

Project Code: EYS23

Fig. 64

Trench 123 plan and sections


Key	
	PLOUGH FURROW
	LAND DRAIN

Plans 0  2m (1:50)

Sections 0  1m (1:20)




Trench continues below ▶



Trench continues below ▶



S. 2080



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

Project No. XK50

Project Code: EYS23

Fig. 65




Trench 124 plan and section

Key







Plans 0 2m (1:50)


Sections 0 1m (1:20)







 © ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

*Project No. XK50*      *Project Code: EYS23*  
*Fig. 66*  
*Trench 125 plan and sections*

Key	
	PLOUGH FURROW
	LAND DRAIN
	BURNING
	POTTERY







© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

Project No. XK50

Project Code: EYS23


Fig. 67



Trench 133 plan and sections

Key

 LAND DRAIN

Plans 0  2m (1:50)

Sections 0  1m (1:20)



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50

Project Code: EYS23

Fig. 68



Trench 152 plan and section

Key




Plans 0 2m (1:50)

Sections 0 1m (1:20)







 © ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

<i>Project No. XK50</i>	<i>Project Code: EYS23</i>
<i>Fig. 69</i>	
<i>Trench 167 plan and section</i>	

<i>Key</i>	
	LAND DRAIN

<i>Plans</i>	0	2m (1:50)
<i>Sections</i>	0	1m (1:20)



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

Project No. XK50

Project Code: EYS23

Fig. 70


Trench 174 plan and sections

Key




Plans 0 2m (1:50)

Sections 0 1m (1:20)



S. 2053



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
 www.aswyas.com

Project No. XK50

Project Code: EYS23

Fig. 71



Trench 175 plan and section

Key



Plans 0 2m (1:50)

Sections 0 1m (1:20)



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

*Project No. XK50*



*Project Code: EYS23*

*Fig. 72*

*Trench 176 plan and section*

*Plans* 0 2m (1:50)

*Sections* 0 1m (1:20)



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

Project No. *XK50*

Project Code: *EYS23*

*Fig. 73*

*Trench 192 plan and section*



Key



Plans 0 2m (1:50)

Sections 0 1m (1:20)





© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50

Project Code: EYS23

Fig. 74






Trench 195 plan and section

Key

 LAND DRAIN

Plans 0 2m (1:50)

Sections 0 1m (1:20)



 © ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com



Project No. XK50      Project Code: EYS23

Fig. 75

Trench 228 plan and sections

Plans 0 2m (1:50)

Sections 0 1m (1:20)



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50



Project Code: EYS23

Fig. 76

Trench 231 plan and sections

Plans 0 2m (1:50)





Sections 0 1m (1:20)



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

<i>Project No. XK50</i>	<i>Project Code: EYS23</i>
<i>Fig. 77</i>	
<i>Trench 253 plan and section</i>	

<i>Plans</i>	0	2m (1:50)
<i>Sections</i>	0	1m (1:20)



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50

Project Code: EYS23

Fig. 78


Trench 267 plan and sections

Key




Plans 0 2m (1:50)

Sections 0 1m (1:20)



S. 1004



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50

Project Code: EYS23

Fig. 79




Trench 278 plan and section

Key


 LAND DRAIN

Plans 0  2m (1:50)

Sections 0  1m (1:20)



S. 1016




 © ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)


Project No. XK50	Project Code: EYS23
Fig. 80	
Trench 295 plan and section	

Plans	0	2m (1:50)
Sections	0	1m (1:20)






S. 1014



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

<i>Project No. XK50</i>	<i>Project Code: EYS23</i>
<i>Fig. 81</i>	
<i>Trench 301 plan and section</i>	

<i>Plans</i>	0	2m (1:50)
<i>Sections</i>	0	1m (1:20)



© ASWYAS 2023.  
Archaeological Services W Y A S,  
Nepshaw Lane South, Morley, LS27 7JQ  
Tel: 0113 535 0163  
Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

Project No. XK50

Project Code: EYS23

Key


 LAND DRAIN

Fig. 82


Trench 306 plan

0  2m (1:50)


S. 266




S. 268




S. 273




S. 267



S. 274



S. 300



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50

Project Code: EYS23


Fig. 83

Trench 306 sections


Key



0 1m (1:20)



S. 254



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50

Project Code: EYS23

Fig. 84



Trench 307 plan and section

Key

 LAND DRAIN

Plans 0 2m (1:50)

Sections 0 1m (1:20)




© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)



*Project No. XK50*      *Project Code: EYS23*


*Fig. 85*

*Trench 332 plan and section*


Key	
	LAND DRAIN

<i>Plans</i>	0	2m (1:50)
<i>Sections</i>	0	1m (1:20)






S. 5014



S. 5013



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

Project No. XK50

Project Code: EYS23





Fig. 87

Trench 337 plan and sections

Plans 0 2m (1:50)

Sections 0 1m (1:20)







 © ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

*Project No. XK50*      *Project Code: EYS23*  
*Fig. 88*  
*Trench 339 plan and sections*

*Plans*      0      2m (1:50)  
*Sections*      0      1m (1:20)



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

*Project No. XK50*



*Project Code: EYS23*

*Fig. 89*

*Trench 344 plan and section*

*Plans* 0 2m (1:50)

*Sections* 0 1m (1:20)



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

Project No. XK50

Project Code: EYS23

Fig. 90

Trench 349 plan and section

Key

 LAND DRAIN

Plans 0 2m (1:50)

Sections 0 1m (1:20)



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

Project No. XK50


Project Code: EYS23

Fig. 91

Trench 357 plan and section

Plans 0 2m (1:50)

Sections 0 1m (1:20)



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50

Project Code: EYS23

Fig. 92


Trench 448 plan

Key


 LAND DRAIN

0  2m (1:50)


S. 297



S. 298



S. 299



S. 300



S. 301



S. 302



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50

Project Code: EYS23

Fig. 93





Trench 448 sections

Key



LAND DRAIN

0  1m (1:20)



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com


Project No. XK50      Project Code: EYS23



Fig. 94

Trench 450 plan and sections

Key

	PLOUGH FURROW
	LAND DRAIN





© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

*Project No. XK50*

*Project Code: EYS23*


*Fig. 95*

*Trench 458 plan and section*

<i>Key</i>	
	PLOUGH FURROW
	LAND DRAIN

<i>Plans</i>	0  2m (1:50)
<i>Sections</i>	0  1m (1:20)





Trench continues below ▶

4.74m OD  
⌵


46303

S. 2079

Trench continues below ▶

4.78m OD  
⌵

S. 2079



© ASWYAS 2023.  
Archaeological Services W Y A S,  
Nepshaw Lane South, Morley, LS27 7JQ  
Tel: 0113 535 0163  
Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

Project No. XK50

Project Code: EYS23

Fig. 96



Trench 463 plan and section

Key

 MODERN DISTURBANCE


Plans 0  2m (1:50)

Sections 0  1m (1:20)







 © ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

*Project No. XK50*      *Project Code: EYS23*  
*Fig. 97*  
*Trench 474 plan and section*

Key	
	LAND DRAIN

<i>Plans</i>	0	2m (1:50)
<i>Sections</i>	0	1m (1:20)



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50

Project Code: EYS23

Fig. 98




Trench 518 plan and sections

Key



Plans 0 2m (1:50)

Sections 0 1m (1:20)



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ.  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

Project No. XK50



Project Code: EYS23

Fig. 99

Trench 526 plan and sections

Plans 0 2m (1:50)

Sections 0 1m (1:20)






© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

*Project No. XK50*      *Project Code: EYS23*

*Fig. 100*

*Trench 530 plan and section*

<i>Key</i>	
	LAND DRAIN


<i>Plans</i>	0  2m (1:50)
<i>Sections</i>	0  1m (1:20)



S. 325  
N

S/E

W



© ASWYAS 2023.  
Archaeological Services W Y A S,  
Nepshaw Lane South, Morley, LS27 7JQ  
Tel: 0113 535 0163  
Email: archaeology@wyjs.org.uk  
www.aswyas.com

Project No. XK50

Project Code: EYS23

Fig. 101


Trench 532 plan and sections

Key

-  TIMBER
-  LAND DRAIN

Plans 0 2m (1:50)

Sections 0 1m (1:20)




 © ASWYAS 2023.  
Archaeological Services W Y A S,  
Nepshaw Lane South, Morley, LS27 7JQ  
Tel: 0113 535 0163  
Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)


<i>Project No. XK50</i>	<i>Project Code: EYS23</i>
<i>Fig. 102</i>	
<i>Trench 533 plan</i>	



S. 281




S. 282




S. 283



S. 284



S. 285



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50



Project Code: EYS23

Fig. 103

Trench 533 sections

0  1m (1:20)





© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

Project No. XK50



Project Code: EYS23

Fig. 104

Trench 542 plan and section

Plans 0 2m (1:50)

Sections 0 1m (1:20)



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

Project No. XK50

Project Code: EYS23

Fig. 105




Trench 548 plan and sections


Key

- LAND DRAIN
- MODERN DISTURBANCE

Plans 0 2m (1:50)


Sections 0 1m (1:20)




 © ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)


Project No. *XK50*      Project Code: *EYS23*  
 Fig. 106  
 Trench 551 plan and sections

Key

 LAND DRAIN


Plans 0 2m (1:50)

Sections 0 1m (1:20)




© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50      Project Code: EYS23  
 Fig. 107  
 Trench 553 plan and sections

Key	
	LAND DRAIN

Plans	0	2m (1:50)
Sections	0	1m (1:20)



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50

Project Code: EYS23

Fig. 108


Trench 581 plan

Key


 LAND DRAIN

Plans 0  2m (1:50)


S. 1024




S. 227




S. 225




S. 236




S. 231



S. 223



S. 233



S. 229



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com




Project No. XK50

Project Code: EYS23

Fig. 109

Trench 581 sections





© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50


Project Code: EYS23

Fig. 110

Trench 702 plan and sections

Plans 0 2m (1:50)

Sections 0 1m (1:20)



© ASWYAS 2023.  
Archaeological Services W Y A S,  
Nepshaw Lane South, Morley, LS27 7JQ  
Tel: 0113 535 0163  
Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

*Project No. XK50*

*Project Code: EYS23*


*Fig. 111*

*Trench 703 plan*


0 2m (1:50)




S. 1018



S. 1019



S. 1020



S. 1021



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)



Project No. XK50

Project Code: EYS23

Fig. 112

Trench 703 sections


0 1m (1:20)



© ASWYAS 2023.  
Archaeological Services W Y A S,  
Nepshaw Lane South, Morley, LS27 7JQ  
Tel: 0113 535 0163  
Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

<i>Project No. XK50</i>	<i>Project Code: EYS23</i>
<i>Fig. 113</i>	
<i>Trench 705 plan and section</i>	






<i>Plans</i>	0	2m (1:50)
<i>Sections</i>	0	1m (1:20)



Trench continues below ▶





Trench continues below ▶





 © ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

Project No. *XK50*      Project Code: *EYS23*  
 Fig. 114  
 Trench 708 plan and sections

Key	
	PLOUGH FURROW
	LAND DRAIN


Plans	0	2m (1:50)
Sections	0	1m (1:20)



© ASWYAS 2023.  
Archaeological Services W Y A S,  
Nepshaw Lane South, Morley, LS27 7JQ  
Tel: 0113 535 0163  
Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)


<i>Project No. XK50</i>	<i>Project Code: EYS23</i>
<i>Fig. 115</i>	
<i>Trench 709 plan</i>	

*Key*


	PLOUGH FURROW
---	---------------

0  2m (1:50)


S. 2089



S. 2090



S. 2091



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)



Project No. XK50

Project Code: EYS23

Fig. 116

Trench 709 sections

0  1m (1:20)



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: archaeology@wyjs.org.uk  
 www.aswyas.com

Project No. XK50

Project Code: EYS23


Fig. 117

Trench 968 plan

Key



S. 2010




S. 2011




S. 2012




S. 2013




S. 2014




S. 2015




S. 2016




S. 2017



S. 2018



S. 2019



© ASWYAS 2023.  
 Archaeological Services W Y A S,  
 Nepshaw Lane South, Morley, LS27 7JQ  
 Tel: 0113 535 0163  
 Email: [archaeology@wyjs.org.uk](mailto:archaeology@wyjs.org.uk)  
[www.aswyas.com](http://www.aswyas.com)

Project No. XK50

Project Code: EYS23

Fig. 118

Trench 968 sections

0 1m (1:20)





*Plate 1. Trench 285, looking southwest*



*Plate 2. Pit 6902, looking north*





*Plate 3. Excavation of pottery in Trench 124*



*Plate 4. Ditches 12402 and 12404, looking northwest*





*Plate 5. Trench 214, looking west*



*Plate 6. Ditch 22807, looking northeast*





*Plate 7. Gullies 58117 and 58119, looking east*



*Plate 8. Pits in Trench 21, looking north*

**Appendix 1: Method Statement**

# East Yorkshire Solar Farm

## Method Statement for Archaeological Evaluation by Trial Trenching

Prepared by: Archaeological Services WYAS  
Nepshaw Lane South  
Morley  
Leeds  
LS27 7JQ

On behalf of: AECOM Ltd

### Document Issue Record

Ver	Author(s)	Reviewer	Approver	Date
1.0	JR	KM	KM	Aug 23
2.0				

August 2023



## **Method Statement for Archaeological Evaluation by Trial Trenching: East Yorkshire Solar Farm**

### **1. Introduction**

- 1.1 This Method Statement has been prepared by Archaeological Services WYAS (ASWYAS) for AECOM Ltd on behalf of their client Boom Power Ltd for archaeological evaluation by trial trenching. The archaeological work will comply with the relevant standard of the Chartered Institute for Archaeologists (2020a-c), Historic England's best practice documents (1991, 2006, 2008) and ASWYAS' (2020) own recording methodologies.
- 1.2 This Method Statement follows a Scope of Works by AECOM (Calder 2023). It is not the intention here to repeat information relating to the background of the scheme or previous archaeological investigations.
- 1.3 An overview of AECOM trench plan locations is provided below, followed by inset figures showing trench locations. This Method Statement relates to trenches in Figures 3a-3q.

### **2. Aims and Objectives**

- 2.1 The general aims of the archaeological trial trenching are:
  - To confirm the presence and absence of surviving archaeological remains;
  - To determine the location, nature, extent, date, condition, state of preservation, heritage significance and complexity of any archaeological remains and palaeoenvironmental sequences;
  - To determine the likely range, quality and quantity of artefactual and environmental evidence present;
  - To interpret the archaeological remains within their local, regional and national archaeological context; and
  - To inform the requirement for and scope of any archaeological mitigation works that may be required, including mitigation strategies for the preservation of archaeological remains.
- 2.2 The site-specific aims of the archaeological trial trenching are:
  - Define the extent of activity 'hot spots' as defined by the geophysical survey.
  - Identify the potential for medieval settlement archaeology to be present in the fields around existing settlement areas.

- Evaluate the extent to which post-medieval drainage and enclosure has affected the presence and preservation of archaeological remains within the site.
  - Test geophysical anomalies indicative of archaeological features, for example the likely Iron Age or Roman period activity noted in the north-western limits of Field 2g, as well as assessing areas apparently devoid of archaeological anomalies.
- 2.3 The objective of the work is to excavate archaeological trial trenches in a controlled manner and assess the resultant areas for their archaeological potential. Any remains will then be subjected to archaeological excavation and a full written, drawn and photographic record will be made. Environmental data will be collected and processed.

### **3. Methodology**

- 3.1 All work will be undertaken in accordance with the relevant standards (ClfA 2020a-c; Historic England 1991, 2006, 2008). The evaluation will be conducted by appropriately qualified and experienced archaeologists who will be present during all ground works. The evaluation will involve the excavation of c. 600 trenches, with their proposed locations detailed in the attached figures. Trench locations have considered the testing of geophysical anomalies, as well as apparently blank areas.
- 3.2 Each trench location will be scanned using a Cable Avoidance Tool (CAT scanner) and genny prior to and during the excavation (mechanical excavation and hand excavation) to ensure that no live buried services are present. This is in addition to a utility search prior to fieldwork commencing.
- 3.3 Ecological constraints are known at the site and include stand offs for waterbodies, hedgerows, individual trees, woodland and badgers. Archaeologists on site will be advised by an ecologist from AECOM.
- 3.4 The trial trenches will be opened and the topsoil and recent overburden removed down to the first significant archaeological horizon in successive level spits of a maximum 0.2m thickness, by the use of an appropriate machine using a wide toothless ditching blade. Under no circumstances will the machine be used to cut arbitrary trenches down to natural deposits. Any machine work will be carried out under direct archaeological supervision and the machine halted if significant archaeological deposits are encountered. The top of the first significant archaeological horizon may be exposed by the machine, but will then be cleaned by hand and inspected for features.
- 3.5 Any archaeological features/deposits will be manually excavated in an archaeologically controlled and stratigraphic manner, in order to meet the aims and objectives outlined above.

- 3.6 No archaeological deposits will be entirely removed unless this is unavoidable in achieving the objectives of this evaluation, although all features identified are expected to be half-sectioned and the full depth of archaeological deposits assessed.
- 3.7 Features will be sample excavated employing the following strategy:
- Linear features: sufficient excavation will be carried out to investigate the depth, profile and fills of a ditch or gully and to recover dating and environmental evidence from its fills. Normally this will involve a minimum of 20% sample dispersed along the length of the feature (each sample section to be not less than 1m). One 1m section will be located and recorded adjacent to the trench edge where possible. Feature intersections will always be excavated in such a way to determine a stratigraphic relationship if appropriate at this evaluation phase.
  - Discrete features: pits, post-holes and other discrete features will normally be half-sectioned to determine and record their form. Stake-holes will be fully excavated. The complete excavation of such features may be appropriate, but only following consultation with the Archaeological Advisor.
  - Special or burnt features: such as hearths, kilns, storage pits, industrial, funerary or ritual structures or buildings are to be the subject of 100% excavation so that their extent, nature, form, date, function and relationships to other features and deposits can be established. Such features will be identified during pre-excavation planning to enable the input and advice of appropriate archaeological specialists. Where in situ burning is identified no excavation shall take place until the possible recovery of samples for scientific dating has been considered. If significantly complex features are identified, such as artefact-rich kilns, it may be possible to cover, protect, and leave these features until the mitigation stage, with the agreement with the Archaeological Advisor.
  - Structural remains: built structures such as walls will be examined and sampled so that their extent, nature, form, date, function and relationship to other features and deposits can be established. If significantly complex structural features are identified, it may be possible to cover, protect, and leave these features until the mitigation stage, with the agreement with the Archaeological Advisor.
- 3.8 A full written, drawn and photographic record of all material revealed during the course of the work shall be made. The excavation limits will be surveyed using electronic survey equipment with larger scale hand drawn plans of features, at 1:20 or 1:50, being created as appropriate. Sections of linear and discrete features will be drawn at 1:10 or 1:20. All sections, plans and elevations will include spot-heights related to Ordnance Datum in metres as correct to two decimal places. Tie-in information will be undertaken during the course of the



evaluation and will be fixed in relation to nearby permanent structures and roads and to the National Grid. The photographic archive will comprise monochrome negative photographs at a minimum format of 35mm, augmented by digital photographs, taken using cameras with a resolution of at least 10 megapixels.

- 3.9 All excavated archaeological contexts shall be fully recorded by written records, giving details of location, composition, shape, dimensions, relationships, finds, samples, and cross-references to other elements of the record and other relevant contexts, in accordance with best practice. All contexts, and any small finds and samples from them will be given unique numbers. Bulk finds will be collected by context.
- 3.10 All artefacts will be removed from the site for assessment and analysis, and where it is appropriate, their find spots shall, if appropriate, be recorded three dimensionally. Non-modern artefacts from the excavated topsoil and subsoil will be collected. Finds material will be stored in controlled environments, where appropriate. All artefacts recovered will be retained, cleaned, labelled and stored as detailed in the guidelines laid out in the ClfA (2020b). Any necessary conservation work will be undertaken by approved conservators working to UKIC guidelines.
- 3.11 A soil-sampling programme shall be undertaken during the course of the investigation for the identification and recovery of carbonised and waterlogged remains, vertebrate remains, molluscs and small artefactual material. This will comprise the removal of a bulk sample from every securely sealed and hand-excavated context, excepting those with excessive levels of residuality or those with minimal 'soil' content. Bulk samples will comprise representative 40 litre samples. Where a context does not yield 40 litres of material, smaller samples will be taken. The post-excavation processing of all palaeoenvironmental samples will be undertaken in line with Historic England's Environmental Archaeology: A guide to the theory and practice of methods from sampling and recovery to post-excavation (2011).
- 3.12 In the event of human remains being discovered they will, in the first instance, be left *in situ*, covered and protected. It is expected that any human remains encountered will be left undisturbed until a later phase of archaeological mitigation. The removal of human remains will only take place in compliance with the Burial Act 1857. An exhumation licence must be obtained from the Ministry of Justice prior to the removal of the remains.
- 3.13 If two or more pieces of prehistoric metalwork, two or more gold and silver coins over 300 years old and/or ten or more copper alloy coins found in association with each other are recovered, they and all associated objects shall be reported to HM Coroner according to the procedures relating to the Treasure Act (1996) and the Treasure (Designation) Order (2002).

- 3.14 Appropriate specialists will visit the site to advise on sampling strategies if required, and their suggested strategies will then be implemented. Further provision will also be made for additional specialist advice, e.g. for finds analysis and conservation.
- 3.15 Any land drains encountered during the archaeological works will be left in situ initially. A buffer of at least 300mm will be left either side of a land drain and excavation will proceed either side of it. A photographic record of any damage will be made. The location of the repaired land drain will be recorded and plotted onto the OS base map for future reference and potential compensation events. A schedule of all damaged land drains will be maintained.

#### **4. Completion of Fieldwork**

- 4.1 A Completion Statement to the Consultant will be prepared within one working day of completing the evaluation. The completion statement will include, as a minimum:
- Site plan showing trial trenches with key to indicate trenches completed, abandoned (if applicable), and deferred (if applicable).
  - Names of key personnel; Project Manager, Project Officer, Site Supervisor.
  - Summary of principal findings, linked to relevant trench numbers/ references.
  - Summary of principal consultation events, including sign-off meetings linked to the completion of areas.
  - Copies of correspondence, if relevant, from local authority Archaeological Advisors confirming sign-off.
- 4.2 The site will be left in a tidy, professional, and safe condition, and the Archaeological Contractor will ensure that all materials brought onto site are removed.
- 4.3 An OASIS entry shall be completed at the end of the fieldwork. The Archaeological Contractor will complete the online form at <http://ads.ahds.ac.uk/project/oasis> within one month following completion of the fieldwork.

#### **5. Analysis and Reporting**

##### *Interim Report*

- 5.1 Within four weeks of completion of the fieldwork, an interim report will be prepared and submitted to the Consultant and the Archaeological Advisor to include a brief summary of the results of the evaluation; a plan of each trench containing archaeological features at an appropriate scale; a preliminary outline

description of the archaeological remains; and a quantification of the primary archive including contexts, finds and samples.

### *Assessment Report*

- 5.2 Following the conclusion of the fieldwork, an assessment report shall be produced.
- 5.3 The site archive will be assembled in line with the recommended composition provided in Historic England's PPN3 (2008) and UKIC's *Guidelines for the Preparation of Excavation Archives for Long-term Storage* (1990) and ClfA's *Standard and Guidance for the Creation, Compilation, Transfer and Deposition of Archaeological Archives* (2014c).
- 5.4 For all categories of material recovered, including finds, palaeo-environmental, industrial and other specialist samples, an assessment by an appropriately experienced specialist will be undertaken. Samples must be processed and sorted, and any artefacts recovered provided to the appropriate specialist(s) to be considered alongside the hand-recovered material. Basic stratigraphic information will be supplied to the project specialists. All finds are to be treated in accordance with current best practice guidance. Finds are to be cleaned and marked, according to accepted principles and in line with appropriate period/material guidelines. For ceramic assemblages, recording shall be carried out in a manner compatible with existing typological series in local pottery reference collections, e.g. the South Yorkshire and North Derbyshire medieval ceramics reference collection. All ferrous objects and a selection of non-ferrous objects (including all coins), will be x-radiographed. Where material suitable for scientific dating was recovered, sufficient dating will be undertaken to meet the aims of the evaluation. Where further fieldwork is not to be undertaken and assessment has identified the need for further analysis, this will be completed drawing upon the contingency allowed.
- 5.5 In addition to the site records, artefacts, ecofacts and other sample residues, the archive shall contain all the data collected during the fieldwork, including records, finds and environmental samples. It will be quantified, ordered, indexed and internally consistent. Archive consolidation will be undertaken immediately following the conclusion of fieldwork and will involve:
  - the site record being checked, cross-referenced and indexed as necessary;
  - retained finds being cleaned, stabilised, marked and packaged in accordance with the requirements of the recipient museum;
  - retained finds being assessed and recorded using *pro forma* recording sheets, by suitably qualified and experienced staff. Initial artefact dating will be integrated within the site matrix; and

- environmental samples being processed by suitably experienced and qualified staff and recorded using pro forma recording sheets.
- 5.6 In addition to the site records, artefacts, ecofacts and other sample residues, the archive shall contain:
- a summary report synthesising the context record;
  - a summary of the artefact record; and
  - a summary of the environment record.
- 5.7 The integrity of the primary field record will be preserved. Security copies will be maintained where appropriate.
- 5.8 An assessment report will be prepared within an agreed timescale following the completion of on-site archaeological investigations and include the following:
- a non-technical summary of the results of the work;
  - a summary of the project's background;
  - the dates the fieldwork took place;
  - the site location, including National Grid Reference;
  - an account of the method;
  - the results of the evaluation, including phasing and interpretation of the site sequence;
  - an assessment of the stratigraphic and other written, drawn and photographic records;
  - a catalogue of the archaeological material recovered during the evaluation;
  - assessment reports for each material category of finds recovered, including their types, quantities and concentrations, illustrations and/or photographs as appropriate;
  - a summary of the contents of the project archive and its location.
- 5.9 The assessment report will be produced within an agreed time-scale. It will be supported by an overall plan of the site, accurately identifying the location of the evaluation and any findings.

- 5.10 The assessment report will outline the archaeological significance of the deposits identified, and provide an interpretation of the results in relation to other sites in the vicinity.
- 5.11 A draft copy of the report will be supplied to AECOM for comment in the first instance (both Word and PDF format), followed by the Archaeological Advisor. A digital copy will also be supplied to Historic England's Science Advisor.
- 5.12 Upon completion of the work, the archaeological contractor will make their work accessible to the wider research community by submitting a copy of the report online to OASIS (<http://ads.ahds.ac.uk/project/oasis/>).
- 5.13 ASWYAS is committed to ensuring that opportunities exist for public involvement and we recognise the valuable contribution of volunteers, but they must not be seen as a substitution for paid employment. The role of volunteers complements, but does not replace, the role of paid staff. ASWYAS will ensure that the use of volunteers is in line with the ClfA's Code of Conduct and published standards for archaeological work. Where possible, volunteers may be able to gain excavation experience by shadowing paid staff on site, or by assisting with finds processing or other similar tasks.
- 5.14 Should no further archaeological fieldwork be undertaken, any recommendations made in the assessment must be met in a final archive report.

## **6. Archiving**

- 6.1 As the majority of the site is located within the East Riding of Yorkshire local authority area, it is anticipated that the archive, in its entirety, and upon completion of all stages of fieldwork associated with the proposed Scheme, will be deposited with the Hull and East Riding Museum.
- 6.2 On completion of the reporting, provision will be made for the deposition of the archive, artefacts and environmental material in the local museum, subject to the permission of the landowner. The museum will be contacted prior to work commencing to discuss archiving requirements (e.g. marking and labelling requirements, accession number). The archive will be prepared following the 'Archaeological Archive Deposition Policy for Museums in Yorkshire and the Humber', produced by Renaissance Yorkshire. This requires the completion and submission of forms to the relevant museum service at the project initiation, mid-point review and completion stages. The archive will otherwise be prepared in accordance with the UKIC (1990), the Museums and Galleries Commission (1994) and ClfA (2014c) guidelines. Provision will be made for the stable storage of paper records and their long-term storage.
- 6.3 A Data Management Plan has also been completed (Appendix 1), indicating that the digital archive will be deposited with the Archaeology Data Service (ADS).

## **7. Copyright, Confidentiality and Publicity**

- 7.1 Copyright in the documentation prepared by ASWYAS and specialist sub-contractors should be the subject of additional licences in favour of the repository accepting the archive to use such documentation for their statutory educational and museum service functions, and to provide copies to third parties as an incidental to such functions.
- 7.2 Under the Environmental Information Regulations 2005 (EIR), information submitted to the HER becomes publicly accessible, except where disclosure might lead to environmental damage, and reports cannot be embargoed as 'confidential' or 'commercially sensitive'.
- 7.3 Requests for sensitive information are subject to a public interest test, and if this is met, then the information has to be disclosed. ASWYAS will inform the client of EIR requirements, and ensure that any information disclosure issues are resolved before completion of the work. Intellectual property rights are not affected by the EIR.
- 7.4 Unless the client commissioning the project wishes to state otherwise, the copyright of any written, graphic or photographic record and reports will rest with the originating body (Archaeological Services WYAS).

## **8. Health and Safety**

- 8.1 ASWYAS has its own Health and Safety policy which has been compiled using national guidelines. These guidelines conform to all relevant Health and Safety legislation.
- 8.2 In addition each project undergoes a 'Risk Assessment', including a utility search, which sets project specific Health and Safety requirements to which all members of staff are made aware of prior to on-site work commencing. Health and Safety will take priority over archaeological matters. Necessary precautions will be taken over underground services and overhead lines at the outset of the project.

## **9. Insurance**

- 9.1 ASWYAS is covered by the insurance and indemnities of the West Yorkshire Joint Services Committee. Insurance has been effected with: Zurich Municipal, Zurich House, 2 Gladiator Way, Farnborough, Hampshire, GU14 6GB (policy number QLA-03R896-0013). Any further enquiries should be directed to: Head of Finance, Wakefield Council, Wakefield One, PO Box 700, Wakefield, WF1 2EB.

## **10. Monitoring**

- 10.1 Access to the site will be arranged through AECOM.

- 10.2 The project will be monitored by AECOM and James Goodyear, Development Management Archaeologist at East Riding of Yorkshire Council & Hull City Council.
- 10.3 If appropriate, the advice of the Regional Advisor for Archaeological Science (Yorkshire and the Humber Region) at Historic England will be called upon.
- 10.4 ASWYAS will ensure that any significant results are brought to the attention of AECOM as soon as is practically possible.
- 10.5 Weekly site inspections by AECOM will be arranged so that the general site stratigraphy can be assessed and archaeological finds and features can be considered. Given the size of the scheme, agreement has been reached that trenches can be backfilled rapidly once appropriately recorded.

## 11. Resourcing

### 11.1 Key project personnel:

---

Project Management:	Kevin Moon BA MIfA
	Jane Richardson PhD MIfA FSA
Site Management:	Richard Edgar
Project Supervisors:	Stephanie Blues, Steffan Golby, Jet Jansen, Rowan Kendrick, Marina Rose, Josh Wood

---

### 11.2 Post-excavation specialists:

---

Prehistoric pottery:	Dr Blaise Vyner
Roman pottery:	Dr Ruth Leary or Ian Rowlandson
Medieval pottery:	Dr Chris Cumberpatch
Ceramic building material	Dr Phil Mills
Flint specialist:	Ann Clarke
Environmental:	Dr Diane Alldritt
Faunal analyst:	Dr Jane Richardson
Human bone:	Malin Holst MA

Metalwork/small finds: Gail Hama

Artefact conservation: Ian Panter

---

11.3 The list of Archaeological Services WYAS project personnel may be subject to change depending on workload and availability.



## **Bibliography**

ASWYAS, 2020, *Archaeological Recording Manual* (unpubl.)

Calder, A., 2023, *East Yorkshire Solar Farm, Scope of Works. Archaeological Trial Trench Evaluation*. AECOM unpubl.

CIfA, 2020a, *Standard and Guidance for Archaeological Evaluation*

CIfA, 2020b, *Standard and Guidance for Collection, Documentation, Conservation and Research of Archaeological Materials*

CIfA, 2020c, *Standard and Guidance for Creation, Compilation and Deposition of Archaeological Archives*

Historic England, 1991, *Management of Archaeological Projects*


Historic England, 2006, *Management of Research Projects in the Historic Environment. The MoRPHE Project Managers' Guide*

Historic England, 2008, *Management of Research Projects in the Historic Environment. Archaeological Excavation (PPN3)*

Museums and Galleries Commission, 1994, *Standards in the Museum Care of Archaeological Collections*

UKIC, 1990, *Guidelines for the Preparation of Excavation Archives for Long-term Storage*, United Kingdom Institute for Conservation






This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as signed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.




**LEGEND**

- PEIR Site Boundary
  - Solar PV Site (xx = Solar PV Area)
  - Trial Trenches
  - Site Constraint Buffers
  - Hedgerows (Phase 1) - 5m Buffer
  - Waterbodies (Phase 1) - 10m Buffer
  - Woodland (Phase 1) - 10m Buffer
  - Individual Trees (Ancient Tree Inventory & Phase 1) - 10m Buffer
  - Field Station
  - Tracks & Access Roads
  - Proposed Woodland Habitat and Screening
  - Proposed Infill Grassland
  - Area Not Surveyed by Phase 1 Survey
- Geophysical Survey Data (points)**
- Ferrous (Strong/Line)
- Geophysical Survey Data (lines)**
- Agricultural (Trend)
  - Drainage Feature (Trend)
  - Ferrous (Trend)
  - - - Ridge and Furrow (Trend)
  - - - Service
  - Null
- Geophysical Survey Data (polygons)**
- Agricultural (Weak)
  - Ferrous/Debris (Spread)
  - Magnetic Disturbance
  - Undetermined (Strong)
  - Undetermined (Weak)



Reproduced from Ordnance Survey digital map data © Crown copyright 2023. All rights reserved. Licence number 0100031673. Geophysical Survey undertaken by Magnitude Surveys on behalf of AECOM. Ancient Tree Inventory, Woodland Trust, Accessed 31/12/2022. Proposed and Existing design features are based upon v2.8 of the Site Layout.



**ISSUE PURPOSE**

Written Scheme of Investigation for Archaeological Trial Trenching

**PROJECT NUMBER**

60683115

**FIGURE TITLE**


Location of Trial Trenches  
Solar PV Area: 1a  
Sheet 1 of 20

**FIGURE NUMBER**

Figure 3a

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.





**AECOM**

**PROJECT**  
East Yorkshire Solar Farm

**CLIENT**  
East Yorkshire Solar Farm Limited

**CONSULTANT**  
AECOM Limited  
Midpoint,  
Alencon Link  
Basingstoke, RG21 7PP  
www.aecom.com

- LEGEND**
- PEIR Site Boundary
  - Solar PV Site (xx = Solar PV Area)
  - Trial Trenches
  - Site Constraint Buffers
  - Hedgerows (Phase 1) - 5m Buffer
  - Waterbodies (Phase 1) - 10m Buffer
  - Woodland (Phase 1) - 10m Buffer
  - Individual Trees (Ancient Tree Inventory & Phase 1) - 10m Buffer
  - Field Station
  - Tracks & Access Roads
  - Proposed Woodland Habitat and Screening
  - Proposed Infill Grassland
  - Proposed Grassland
  - Area Not Surveyed by Phase 1 Survey
- Geophysical Survey Data (points)**
- Ferrous (Strong/Line)
- Geophysical Survey Data (lines)**
- Agricultural (Trend)
  - Drainage Feature (Trend)
  - Ridge and Furrow (Trend)
  - Null
- Geophysical Survey Data (polygons)**
- Agricultural (Weak)
  - Ferrous/Debris (Spread)
  - Magnetic Disturbance
  - Natural (Weak)
  - Undetermined (Strong)
  - Undetermined (Weak)


**ISSUE PURPOSE**  
Written Scheme of Investigation for Archaeological Trial Trenching

**PROJECT NUMBER**  
60683115

**FIGURE TITLE**  
Location of Trial Trenches  
Solar PV Area: 1a, 1b  
Sheet 2 of 20


**FIGURE NUMBER**  
Figure 3b

Reproduced from Ordnance Survey digital map data © Crown copyright 2023. All rights reserved. Licence number 0100031673. Geophysical Survey undertaken by Magnitude Surveys on behalf of AECOM. Ancient Tree Inventory, Woodland Trust, Accessed 31/12/2022. Proposed and Existing design features are based upon v2.8 of the Site Layout.



This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.





**AECOM**

**PROJECT**  
East Yorkshire Solar Farm

**CLIENT**  
East Yorkshire Solar Farm Limited

**CONSULTANT**  
AECOM Limited  
Midpoint,  
Alencon Link  
Basingstoke, RG21 7PP  
www.aecom.com

- LEGEND**
- PEIR Site Boundary
  - Solar PV Site (xx = Solar PV Area)
  - Trial Trenches
  - Site Constraint Buffers
  - Hedgerows (Phase 1) - 5m Buffer
  - Waterbodies (Phase 1) - 10m Buffer
  - Individual Trees (Ancient Tree Inventory & Phase 1) - 10m Buffer
  - Field Station
  - Solar PV Site - 1c (Fixed Infrastructure)
  - Substation
  - Tracks & Access Roads
  - Proposed Woodland Habitat and Screening
  - Proposed Infill Grassland
  - Proposed Grassland
  - Area Not Surveyed by Phase 1 Survey
- Geophysical Survey Data (points)**
- Ferrous (Strong/Line)
- Geophysical Survey Data (lines)**
- Agricultural (Trend)
  - Drainage Feature (Trend)
  - Ridge and Furrow (Trend)
  - Null
- Geophysical Survey Data (polygons)**
- Agricultural (Weak)
  - Ferrous/Debris (Spread)
  - Magnetic Disturbance
  - Natural (Weak)
  - Undetermined (Strong)
  - Undetermined (Weak)

**ISSUE PURPOSE**  
Written Scheme of Investigation for Archaeological Trial Trenching

**PROJECT NUMBER**  
60683115

**FIGURE TITLE**  
Location of Trial Trenches  
Solar PV Area: 1a, 1b, 1c, 1d, 1e  
Sheet 3 of 20


**FIGURE NUMBER**  
Figure 3c

Reproduced from Ordnance Survey digital map data © Crown copyright 2023. All rights reserved. Licence number 0100031673. Geophysical Survey undertaken by Magnitude Surveys on behalf of AECOM. Ancient Tree Inventory, Woodland Trust, Accessed 31/12/2022. Proposed and Existing design features are based upon v2.8 of the Site Layout.



This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.





**AECOM**

**PROJECT**  
East Yorkshire Solar Farm

**CLIENT**  
East Yorkshire Solar Farm Limited

**CONSULTANT**  
AECOM Limited  
Midpoint,  
Alencon Link  
Basingstoke, RG21 7PP  
www.aecom.com

- LEGEND**
- PEIR Site Boundary
  - Solar PV Site (xx = Solar PV Area)
  - Trial Trenches
  - Site Constraint Buffers
  - Hedgerows (Phase 1) - 5m Buffer
  - Waterbodies (Phase 1) - 10m Buffer
  - Woodland (Phase 1) - 10m Buffer
  - Individual Trees (Ancient Tree Inventory & Phase 1) - 10m Buffer
  - Field Station
  - Tracks & Access Roads
  - Proposed Woodland Habitat and Screening
  - Proposed Infill Grassland
  - Area Not Surveyed by Phase 1 Survey
- Geophysical Survey Data (points)**
- Ferrous (Strong/Line)
- Geophysical Survey Data (lines)**
- Agricultural (Trend)
  - Drainage Feature (Trend)
  - - - Ridge and Furrow (Trend)
- Geophysical Survey Data (polygons)**
- Agricultural (Strong)
  - Agricultural (Weak)
  - Archaeology Possible (Strong)
  - Archaeology Possible (Weak)
  - Ferrous/Debris (Spread)
  - Magnetic Disturbance
  - Natural (Spread)
  - Natural (Strong)
  - Natural (Weak)
  - Undetermined (Strong)
  - Undetermined (Weak)

**ISSUE PURPOSE**  
Written Scheme of Investigation for Archaeological Trial Trenching

**PROJECT NUMBER**  
60683115

**FIGURE TITLE**  
Location of Trial Trenches  
Solar PV Area: 1e  
Sheet 4 of 20


**FIGURE NUMBER**  
Figure 3d

Reproduced from Ordnance Survey digital map data © Crown copyright 2023. All rights reserved. Licence number 0100031673. Geophysical Survey undertaken by Magnitude Surveys on behalf of AECOM. Ancient Tree Inventory, Woodland Trust, Accessed 31/12/2022. Proposed and Existing design features are based upon v2.8 of the Site Layout.



This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.





**LEGEND**

- PEIR Site Boundary
  - Solar PV Site (xx = Solar PV Area)
  - Trial Trenches
  - Site Constraint Buffers
  - Hedgerows (Phase 1) - 5m Buffer
  - Waterbodies (Phase 1) - 10m Buffer
  - Woodland (Phase 1) - 10m Buffer
  - Individual Trees (Ancient Tree Inventory & Phase 1) - 10m Buffer
  - Field Station
  - Operations and Maintenance Base (Johnson's Farm)
  - Existing Hardstanding
  - Tracks & Access Roads
  - Wetland Wildlife Zone
  - Proposed Infill Grassland
  - Area Not Surveyed by Phase 1 Survey
- Geophysical Survey Data (points)**
- Ferrous (Strong/Line)
- Geophysical Survey Data (lines)**
- Agricultural (Trend)
  - Drainage Feature (Trend)
  - Ferrous (Trend)
  - Ridge and Furrow (Trend)
  - Service
- Geophysical Survey Data (polygons)**
- Agricultural (Strong)
  - Agricultural (Weak)
  - Ferrous/Debris (Spread)
  - Magnetic Disturbance
  - Natural (Strong)
  - Natural (Weak)
  - Undetermined (Strong)
  - Undetermined (Weak)
  - Null

**ISSUE PURPOSE**

Written Scheme of Investigation for Archaeological Trial Trenching

**PROJECT NUMBER**

60683115


**FIGURE TITLE**

Location of Trial Trenches  
Solar PV Area: 1e  
Sheet 5 of 20


**FIGURE NUMBER**

Figure 3e

Reproduced from Ordnance Survey digital map data © Crown copyright 2023. All rights reserved. Licence number 0100031673. Geophysical Survey undertaken by Magnitude Surveys on behalf of AECOM. Ancient Tree Inventory, Woodland Trust, Accessed 31/12/2022. Proposed and Existing design features are based upon v2.8 of the Site Layout.







**LEGEND**

- PEIR Site Boundary
- Solar PV Site (xx = Solar PV Area)
- Trial Trenches
- Badger Setts - 30m Buffer
- Site Constraint Buffers
- Hedgerows (Phase 1) - 5m Buffer
- Waterbodies (Phase 1) - 10m Buffer
- Woodland (Phase 1) - 10m Buffer
- Individual Trees (Ancient Tree Inventory & Phase 1) - 10m Buffer
- Field Station
- Existing Hardstanding
- Tracks & Access Roads
- Proposed Infill Grassland
- Area Not Surveyed by Phase 1 Survey
- Geophysical Survey Data (points)**
- Ferrous (Strong/Line)
- Geophysical Survey Data (lines)**
- Agricultural (Trend)
- Drainage Feature (Trend)
- Ferrous (Trend)
- Ridge and Furrow (Trend)
- Null
- Geophysical Survey Data (polygons)**
- Agricultural (Weak)
- Ferrous/Debris (Spread)
- Magnetic Disturbance
- Natural (Spread)
- Undetermined (Strong)
- Undetermined (Weak)

**ISSUE PURPOSE**

Written Scheme of Investigation for Archaeological Trial Trenching

**PROJECT NUMBER**

60683115


**FIGURE TITLE**

Location of Trial Trenches  
Solar PV Area: 1f  
Sheet 6 of 20

**FIGURE NUMBER**


Figure 3f

Reproduced from Ordnance Survey digital map data © Crown copyright 2023. All rights reserved. Licence number 0100031673. Geophysical Survey undertaken by Magnitude Surveys on behalf of AECOM. Ancient Tree Inventory, Woodland Trust, Accessed 31/12/2022. Proposed and Existing design features are based upon v2.8 of the Site Layout.



This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.





**PROJECT**

East Yorkshire Solar Farm

**CLIENT**

East Yorkshire Solar Farm Limited

**CONSULTANT**

AECOM Limited  
Midpoint,  
Alencon Link  
Basingstoke, RG21 7PP  
www.aecom.com

**LEGEND**

- PEIR Site Boundary
- Solar PV Site (xx = Solar PV Area)
- Trial Trenches
- Site Constraint Buffers
- Hedgerows (Phase 1) - 5m Buffer
- Waterbodies (Phase 1) - 10m Buffer
- Woodland (Phase 1) - 10m Buffer
- Individual Trees (Ancient Tree Inventory & Phase 1) - 10m Buffer
- Field Station
- Tracks & Access Roads
- Proposed Infill Grassland
- Existing Grassland
- Area Not Surveyed by Phase 1 Survey
- Geophysical Survey Data (points)**
- Ferrous (Strong/Line)
- Geophysical Survey Data (lines)**
- Agricultural (Trend)
- Drainage Feature (Trend)
- Ridge and Furrow (Trend)
- Service
- Null
- Geophysical Survey Data (polygons)**
- Ferrous/Debris (Spread)
- Magnetic Disturbance
- Null

**ISSUE PURPOSE**

Written Scheme of Investigation for Archaeological Trial Trenching

**PROJECT NUMBER**

60683115

**FIGURE TITLE**


Location of Trial Trenches  
Solar PV Area: 2a  
Sheet 7 of 20

**FIGURE NUMBER**

Figure 3g

Reproduced from Ordnance Survey digital map data © Crown copyright 2023. All rights reserved. Licence number 0100031673. Geophysical Survey undertaken by Magnitude Surveys on behalf of AECOM. Ancient Tree Inventory, Woodland Trust, Accessed 31/12/2022. Proposed and Existing design features are based upon v2.8 of the Site Layout.

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.



**AECOM**

**PROJECT**  
East Yorkshire Solar Farm

**CLIENT**  
East Yorkshire Solar Farm Limited

**CONSULTANT**  
AECOM Limited  
Midpoint,  
Alencon Link  
Basingstoke, RG21 7PP  
www.aecom.com

- LEGEND**
- PEIR Site Boundary
  - Solar PV Site (xx = Solar PV Area)
  - Trial Trenches
  - Site Constraint Buffers
  - Hedgerows (Phase 1) - 5m Buffer
  - Waterbodies (Phase 1) - 10m Buffer
  - Woodland (Phase 1) - 10m Buffer
  - Individual Trees (Ancient Tree Inventory & Phase 1) - 10m Buffer
  - Field Station
  - Tracks & Access Roads
  - Proposed Woodland Habitat and Screening
  - Proposed Infill Grassland
  - Proposed Grassland
  - Area Not Surveyed by Phase 1 Survey
- Geophysical Survey Data (points)**
- Ferrous (Strong/Line)
- Geophysical Survey Data (lines)**
- Agricultural (Trend)
  - Drainage Feature (Trend)
- Geophysical Survey Data (polygons)**
- Agricultural (Weak)
  - Ferrous/Debris (Spread)
  - Magnetic Disturbance
  - Undetermined (Strong)
  - Undetermined (Weak)


**ISSUE PURPOSE**  
Written Scheme of Investigation for Archaeological Trial Trenching

**PROJECT NUMBER**  
60683115

**FIGURE TITLE**  
Location of Trial Trenches  
Solar PV Area: 2b  
Sheet 8 of 20


**FIGURE NUMBER**  
Figure 3h

Reproduced from Ordnance Survey digital map data © Crown copyright 2023. All rights reserved. Licence number 0100031673. Geophysical Survey undertaken by Magnitude Surveys on behalf of AECOM. Ancient Tree Inventory, Woodland Trust, Accessed 31/12/2022. Proposed and Existing design features are based upon v2.8 of the Site Layout.



This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.





**AECOM**


**PROJECT**  
East Yorkshire Solar Farm

**CLIENT**  
East Yorkshire Solar Farm Limited

**CONSULTANT**  
AECOM Limited  
Midpoint,  
Alencon Link  
Basingstoke, RG21 7PP  
www.aecom.com

- LEGEND**
- PEIR Site Boundary
  - Solar PV Site (xx = Solar PV Area)
  - Trial Trenches
  - Site Constraint Buffers
  - Hedgerows (Phase 1) - 5m Buffer
  - Waterbodies (Phase 1) - 10m Buffer
  - Woodland (Phase 1) - 10m Buffer
  - Individual Trees (Ancient Tree Inventory & Phase 1) - 10m Buffer
  - Field Station
  - Tracks & Access Roads
  - Proposed Woodland Habitat and Screening
  - Proposed Infill Grassland
  - Proposed Grassland
  - Existing Grassland
  - Area Not Surveyed by Phase 1 Survey
- Geophysical Survey Data (points)**
- Ferrous (Strong/Line)
- Geophysical Survey Data (lines)**
- Drainage Feature (Trend)
  - Service
- Geophysical Survey Data (polygons)**
- Agricultural (Strong)
  - Agricultural (Weak)
  - Ferrous/Debris (Spread)
  - Magnetic Disturbance

Reproduced from Ordnance Survey digital map data © Crown copyright 2023. All rights reserved. Licence number 0100031673. Geophysical Survey undertaken by Magnitude Surveys on behalf of AECOM. Ancient Tree Inventory, Woodland Trust, Accessed 31/12/2022. Proposed and Existing design features are based upon v2.8 of the Site Layout.



**ISSUE PURPOSE**  
Written Scheme of Investigation for Archaeological Trial Trenching

**PROJECT NUMBER**  
60683115

**FIGURE TITLE**  
Location of Trial Trenches  
Solar PV Area: 2c, 2d  
Sheet 9 of 20

**FIGURE NUMBER**  
Figure 3i

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.

**LEGEND**

- PEIR Site Boundary
- Solar PV Site (xx = Solar PV Area)
- Trial Trenches
- Site Constraint Buffers
- Hedgerows (Phase 1) - 5m Buffer
- Waterbodies (Phase 1) - 10m Buffer
- Individual Trees (Ancient Tree Inventory & Phase 1) - 10m Buffer
- Field Station
- Tracks & Access Roads
- Proposed Woodland Habitat and Screening
- Proposed Infill Grassland
- Proposed Grassland
- Area Not Surveyed by Phase 1 Survey
- Geophysical Survey Data (points)**
- Ferrous (Strong/Line)
- Geophysical Survey Data (lines)**
- Agricultural (Trend)
- Drainage Feature (Trend)
- Ridge and Furrow (Trend)
- Service
- Geophysical Survey Data (polygons)**
- Agricultural (Weak)
- Ferrous/Debris (Spread)
- Magnetic Disturbance
- Undetermined (Strong)
- Undetermined (Weak)
- Null

**ISSUE PURPOSE**

Written Scheme of Investigation for Archaeological Trial Trenching

**PROJECT NUMBER**


60683115

**FIGURE TITLE**

Location of Trial Trenches  
Solar PV Area: 2e  
Sheet 10 of 20


**FIGURE NUMBER**

Figure 3j



Reproduced from Ordnance Survey digital map data © Crown copyright 2023. All rights reserved. Licence number 0100031673. Geophysical Survey undertaken by Magnitude Surveys on behalf of AECOM. Ancient Tree Inventory, Woodland Trust, Accessed 31/12/2022. Proposed and Existing design features are based upon v2.8 of the Site Layout.





**AECOM**

**PROJECT**  
East Yorkshire Solar Farm

**CLIENT**  
East Yorkshire Solar Farm Limited

**CONSULTANT**  
AECOM Limited  
Midpoint,  
Alencon Link  
Basingstoke, RG21 7PP  
www.aecom.com

- LEGEND**
- PEIR Site Boundary
  - Solar PV Site (xx = Solar PV Area)
  - Trial Trenches
  - Hedgerows (Phase 1) - 5m Buffer
  - Waterbodies (Phase 1) - 10m Buffer
  - Individual Trees (Ancient Tree Inventory & Phase 1) - 10m Buffer
  - Field Station
  - Tracks & Access Roads
  - Proposed Woodland Habitat and Screening
  - Proposed Infill Grassland
  - Proposed Grassland
  - Area Not Surveyed by Phase 1 Survey
- Geophysical Survey Data (points)**
- Ferrous (Strong/Line)
- Geophysical Survey Data (lines)**
- Agricultural (Trend)
  - Drainage Feature (Trend)
  - - - Ridge and Furrow (Trend)
- Geophysical Survey Data (polygons)**
- Agricultural (Strong)
  - Agricultural (Weak)
  - Ferrous/Debris (Spread)
  - Magnetic Disturbance
  - Undetermined (Strong)
  - Undetermined (Weak)
  - Null

**ISSUE PURPOSE**  
Written Scheme of Investigation for Archaeological Trial Trenching

**PROJECT NUMBER**  
60683115

**FIGURE TITLE**  
Location of Trial Trenches  
Solar PV Area: 2f  
Sheet 11 of 20

**FIGURE NUMBER**  
Figure 3k

Reproduced from Ordnance Survey digital map data © Crown copyright 2023. All rights reserved. Licence number 0100031673. Geophysical Survey undertaken by Magnitude Surveys on behalf of AECOM. Ancient Tree Inventory, Woodland Trust, Accessed 31/12/2022. Proposed and Existing design features are based upon v2.8 of the Site Layout.




This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.




**LEGEND**

- PEIR Site Boundary
  - Solar PV Site (xx = Solar PV Area)
  - Trial Trenches
  - Hedgerows (Phase 1) - 5m Buffer
  - Waterbodies (Phase 1) - 10m Buffer
  - Individual Trees (Ancient Tree Inventory & Phase 1) - 10m Buffer
  - Field Station
  - Tracks & Access Roads
  - Proposed Woodland Habitat and Screening
  - Proposed Infill Grassland
  - Area Not Surveyed by Phase 1 Survey
- Geophysical Survey Data (points)**
- Ferrous (Strong/Line)
- Geophysical Survey Data (lines)**
- Agricultural (Trend)
  - Drainage Feature (Trend)
  - - - Ridge and Furrow (Trend)
  - - - Service
  - Null
- Geophysical Survey Data (polygons)**
- Agricultural (Strong)
  - Agricultural (Weak)
  - Archaeology Possible (Spread)
  - Archaeology Possible (Strong)
  - Archaeology Possible (Weak)
  - Archaeology Probable (Strong)
  - Archaeology Probable (Weak)
  - Ferrous/Debris (Spread)
  - Magnetic Disturbance
  - Natural (Spread)
  - Undetermined (Strong)
  - Undetermined (Weak)
  - Null



Reproduced from Ordnance Survey digital map data © Crown copyright 2023. All rights reserved. Licence number 0100031673. Geophysical Survey undertaken by Magnitude Surveys on behalf of AECOM. Ancient Tree Inventory, Woodland Trust, Accessed 31/12/2022. Proposed and Existing design features are based upon v2.8 of the Site Layout.



1:5,000 @ A3

**ISSUE PURPOSE**

Written Scheme of Investigation for Archaeological Trial Trenching

**PROJECT NUMBER**

60683115

**FIGURE TITLE**


Location of Trial Trenches  
Solar PV Area: 2g  
Sheet 12 of 20

**FIGURE NUMBER**

Figure 3i

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.





**AECOM**

**PROJECT**  
East Yorkshire Solar Farm

**CLIENT**  
East Yorkshire Solar Farm Limited

**CONSULTANT**  
AECOM Limited  
Midpoint,  
Alencon Link  
Basingstoke, RG21 7PP  
www.aecom.com

- LEGEND**
- PEIR Site Boundary
  - Solar PV Site (xx = Solar PV Area)
  - Trial Trenches
  - Hedgerows (Phase 1) - 5m Buffer
  - Waterbodies (Phase 1) - 10m Buffer
  - Individual Trees (Ancient Tree Inventory & Phase 1) - 10m Buffer
  - Field Station
  - Tracks & Access Roads
  - Proposed Woodland Habitat and Screening
  - Proposed Infill Grassland
  - Proposed Grassland
  - Area Not Surveyed by Phase 1 Survey
- Geophysical Survey Data (points)**
- Ferrous (Strong/Line)
- Geophysical Survey Data (lines)**
- Agricultural (Trend)
  - Drainage Feature (Trend)
  - - - Ridge and Furrow (Trend)
  - - - Service
  - Null
- Geophysical Survey Data (polygons)**
- Agricultural (Strong)
  - Agricultural (Weak)
  - Archaeology Possible (Weak)
  - Archaeology Probable (Strong)
  - Archaeology Probable (Weak)
  - Ferrous/Debris (Spread)
  - Magnetic Disturbance
  - Undetermined (Strong)
  - Undetermined (Weak)


**ISSUE PURPOSE**  
Written Scheme of Investigation for Archaeological Trial Trenching

**PROJECT NUMBER**  
60683115

**FIGURE TITLE**  
Location of Trial Trenches  
Solar PV Area: 2g  
Sheet 13 of 20


**FIGURE NUMBER**  
Figure 3m

Reproduced from Ordnance Survey digital map data © Crown copyright 2023. All rights reserved. Licence number 0100031673. Geophysical Survey undertaken by Magnitude Surveys on behalf of AECOM. Ancient Tree Inventory, Woodland Trust, Accessed 31/12/2022. Proposed and Existing design features are based upon v2.8 of the Site Layout.



This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.





# AECOM

**PROJECT**  
East Yorkshire Solar Farm

**CLIENT**  
East Yorkshire Solar Farm Limited

**CONSULTANT**  
AECOM Limited  
Midpoint,  
Alencon Link  
Basingstoke, RG21 7PP  
www.aecom.com

- LEGEND**
- PEIR Site Boundary
  - Solar PV Site (xx = Solar PV Area)
  - Trial Trenches
  - Hedgerows (Phase 1) - 5m Buffer
  - Waterbodies (Phase 1) - 10m Buffer
  - Woodland (Phase 1) - 10m Buffer
  - Individual Trees (Ancient Tree Inventory & Phase 1) - 10m Buffer
  - Field Station
  - Solar PV Site - 3b (Fixed Infrastructure)
  - Tracks & Access Roads
  - Proposed Woodland Habitat and Screening
  - Proposed Infill Grassland
  - Area Not Surveyed by Phase 1 Survey
- Geophysical Survey Data (points)**
- Ferrous (Strong/Line)
- Geophysical Survey Data (lines)**
- Agricultural (Trend)
  - Drainage Feature (Trend)
  - Ridge and Furrow (Trend)
  - - - Service
- Geophysical Survey Data (polygons)**
- Agricultural (Strong)
  - Agricultural (Weak)
  - Ferrous/Debris (Spread)
  - Magnetic Disturbance
  - Undetermined (Strong)
  - Undetermined (Weak)
  - Null

**ISSUE PURPOSE**  
Written Scheme of Investigation for Archaeological Trial Trenching

**PROJECT NUMBER**  
60683115

**FIGURE TITLE**  
Location of Trial Trenches  
Solar PV Area: 3a, 3b  
Sheet 14 of 20


**FIGURE NUMBER**  
Figure 3n

Reproduced from Ordnance Survey digital map data © Crown copyright 2023. All rights reserved. Licence number 0100031673. Geophysical Survey undertaken by Magnitude Surveys on behalf of AECOM. Ancient Tree Inventory, Woodland Trust, Accessed 31/12/2022. Proposed and Existing design features are based upon v2.8 of the Site Layout.



This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.





**AECOM**

**PROJECT**  
East Yorkshire Solar Farm

**CLIENT**  
East Yorkshire Solar Farm Limited

**CONSULTANT**  
AECOM Limited  
Midpoint,  
Alencon Link  
Basingstoke, RG21 7PP  
www.aecom.com

- LEGEND**
- PEIR Site Boundary
  - Solar PV Site (xx = Solar PV Area)
  - Trial Trenches
  - Hedgerows (Phase 1) - 5m Buffer
  - Waterbodies (Phase 1) - 10m Buffer
  - Woodland (Phase 1) - 10m Buffer
  - Individual Trees (Ancient Tree Inventory & Phase 1) - 10m Buffer
  - Field Station
  - Solar PV Site - 3b (Fixed Infrastructure)
  - Substation
  - Existing Hardstanding
  - Tracks & Access Roads
  - Proposed Woodland Habitat and Screening
  - Proposed Infill Grassland
  - Existing Grassland
  - Area Not Surveyed by Phase 1 Survey
- Geophysical Survey Data (points)**
- Ferrous (Strong/Line)
- Geophysical Survey Data (lines)**
- Agricultural (Trend)
  - Drainage Feature (Trend)
  - - - Ridge and Furrow (Trend)
  - - - Service
  - Null
- Geophysical Survey Data (polygons)**
- Agricultural (Spread)
  - Agricultural (Strong)
  - Agricultural (Weak)
  - Ferrous/Debris (Spread)
  - Magnetic Disturbance
  - Undetermined (Strong)
  - Undetermined (Weak)

**ISSUE PURPOSE**  
Written Scheme of Investigation for Archaeological Trial Trenching

**PROJECT NUMBER**  
60683115

**FIGURE TITLE**  
Location of Trial Trenches  
Solar PV Area: 3b  
Sheet 15 of 20

**FIGURE NUMBER**  
Figure 3o

Reproduced from Ordnance Survey digital map data © Crown copyright 2023. All rights reserved. Licence number 0100031673. Geophysical Survey undertaken by Magnitude Surveys on behalf of AECOM. Ancient Tree Inventory, Woodland Trust, Accessed 31/12/2022. Proposed and Existing design features are based upon v2.8 of the Site Layout.



This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.





**LEGEND**

- PEIR Site Boundary
- Solar PV Site (xx = Solar PV Area)
- Trial Trenches
- Hedgerows (Phase 1) - 5m Buffer
- Waterbodies (Phase 1) - 10m Buffer
- Woodland (Phase 1) - 10m Buffer
- Individual Trees (Ancient Tree Inventory & Phase 1) - 10m Buffer
- Field Station
- Solar PV Site - 3b (Fixed Infrastructure)
- Substation
- Existing Hardstanding
- Tracks & Access Roads
- Proposed Woodland Habitat and Screening
- Proposed Infill Grassland
- Proposed Grassland
- Area Not Surveyed by Phase 1 Survey
- Geophysical Survey Data (points)**
- Ferrous (Strong/Line)
- Geophysical Survey Data (lines)**
- Agricultural (Trend)
- Drainage Feature (Trend)
- Ridge and Furrow (Trend)
- Service
- Null
- Geophysical Survey Data (polygons)**
- Agricultural (Spread)
- Agricultural (Strong)
- Agricultural (Weak)
- Ferrous/Debris (Spread)
- Magnetic Disturbance
- Undetermined (Strong)
- Undetermined (Weak)
- Null

**ISSUE PURPOSE**

Written Scheme of Investigation for Archaeological Trial Trenching

**PROJECT NUMBER**

60683115


**FIGURE TITLE**

Location of Trial Trenches  
Solar PV Area: 3c  
Sheet 16 of 20

**FIGURE NUMBER**

Figure 3p

Reproduced from Ordnance Survey digital map data © Crown copyright 2023. All rights reserved. Licence number 0100031673. Geophysical Survey undertaken by Magnitude Surveys on behalf of AECOM. Ancient Tree Inventory, Woodland Trust, Accessed 31/12/2022. Proposed and Existing design features are based upon v2.8 of the Site Layout.








This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.




**PROJECT**  
East Yorkshire Solar Farm


**CLIENT**  
East Yorkshire Solar Farm Limited

**CONSULTANT**  
AECOM Limited  
Midpoint,  
Alencon Link  
Basingstoke, RG21 7PP  
www.aecom.com

- LEGEND**
-  PEIR Site Boundary
  -  Trial Trenches
  -  Waterbodies (Phase 1) - 10m Buffer
  -  Temporary Compound / Storage
  -  Area Not Surveyed by Phase 1 Survey



Reproduced from Ordnance Survey digital map data © Crown copyright 2023. All rights reserved. Licence number 0100031673. Geophysical Survey undertaken by Magnitude Surveys on behalf of AECOM. Ancient Tree Inventory, Woodland Trust, Accessed 31/12/2022. Proposed and Existing design features are based upon v2.8 of the Site Layout.




This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.

**ISSUE PURPOSE**  
Written Scheme of Investigation for Archaeological Trial Trenching

**PROJECT NUMBER**  
60683115

**FIGURE TITLE**  
Location of Trial Trenches  
Solar PV Area: N/A (GCC)  
Sheet 17 of 20

**FIGURE NUMBER**  
Figure 3q



**PROJECT**  
East Yorkshire Solar Farm

**CLIENT**  
East Yorkshire Solar Farm Limited

**CONSULTANT**  
AECOM Limited  
Midpoint,  
Alencon Link  
Basingstoke, RG21 7PP  
www.aecom.com

- LEGEND**
- PEIR Site Boundary
  - Trial Trenches
  - Waterbodies (Phase 1) - 10m Buffer
  - Area Not Surveyed by Phase 1 Survey


**ISSUE PURPOSE**  
Written Scheme of Investigation for Archaeological Trial Trenching

**PROJECT NUMBER**  
60683115

**FIGURE TITLE**  
Location of Trial Trenches  
Solar PV Area: N/A (GCC)  
Sheet 18 of 20


**FIGURE NUMBER**  
Figure 3r

Reproduced from Ordnance Survey digital map data © Crown copyright 2023. All rights reserved. Licence number 0100031673. Geophysical Survey undertaken by Magnitude Surveys on behalf of AECOM. Ancient Tree Inventory, Woodland Trust, Accessed 31/12/2022. Proposed and Existing design features are based upon v2.8 of the Site Layout.



This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.






**LEGEND**


- PEIR Site Boundary
- Trial Trenches
- Waterbodies (Phase 1) - 10m Buffer
- BNG Habitat Provision (Indicatively Traced)
- Area Not Surveyed by Phase 1 Survey

Reproduced from Ordnance Survey digital map data © Crown copyright 2023. All rights reserved. Licence number 0100031673. Geophysical Survey undertaken by Magnitude Surveys on behalf of AECOM. Ancient Tree Inventory, Woodland Trust, Accessed 31/12/2022. Proposed and Existing design features are based upon v2.8 of the Site Layout.



This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.





**AECOM**

**PROJECT**  
East Yorkshire Solar Farm

**CLIENT**  
East Yorkshire Solar Farm Limited

**CONSULTANT**  
AECOM Limited  
Midpoint,  
Alencon Link  
Basingstoke, RG21 7PP  
www.aecom.com

**LEGEND**

- PEIR Site Boundary
- Trial Trenches
- Waterbodies (Phase 1) - 10m Buffer
- Area Not Surveyed by Phase 1 Survey


**ISSUE PURPOSE**  
Written Scheme of Investigation for Archaeological Trial Trenching

**PROJECT NUMBER**  
60683115

**FIGURE TITLE**  
Location of Trial Trenches  
Solar PV Area: N/A (GCC)  
Sheet 20 of 20

**FIGURE NUMBER**  
Figure 3t

Reproduced from Ordnance Survey digital map data © Crown copyright 2023. All rights reserved. Licence number 0100031673. Geophysical Survey undertaken by Magnitude Surveys on behalf of AECOM. Ancient Tree Inventory, Woodland Trust, Accessed 31/12/2022. Proposed and Existing design features are based upon v2.8 of the Site Layout.



This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.

## **Appendix 1: Data Management Plan**

## Digital Data Management Plan

### Project Details

Site Name: East Yorkshire Solar Farm  
 Client: AECOM  
 Project Type: Archaeological Evaluation by Trial Trenching  
 Location: East Yorkshire Solar Farm  
 County: South Yorkshire  
 Grid Reference: Centred on approximate NGR SE 74632 33417  
 Project Number: XK50  
 Site Code: EYS23  
 Planning Application No.: TBC  
 Museum Accession No.: TBC  
 Project Management: Kevin Moon BA MCIfA // [REDACTED]@aswyas.com //  
 [REDACTED]  
 Fieldwork supervisor: Richards Edgar BSc // [REDACTED]@aswyas.com //  
 [REDACTED]  
 Archive officer: Zoe Horn BSc // [REDACTED]@aswyas.com // [REDACTED]  
 [REDACTED]

### Document Issue Record

Ver	Status	Author(s)	Reviewer	Approver	Date
1.0	Issue	JR	KM	KM	09/08/23

## Digital Data Management Plan

### Data Collection

#### *Data Standards / Methods*

Standard methods of data collection will be applied throughout the project, working to best practice guidance where applicable / available. In general, data acquisition standards are defined against ADS Guides to Good Practice.

Methods of collection are specified within the Written Scheme of Investigation and will meet the requirements set out in the relevant ClfA Standards and guidance, and the ASWYAS recording manual.

Where appropriate, project contributors external to ASWYAS will be required to include data standards, collection methodology and metadata with individual reports and data.

The table below provides a summary of the data types, formats and estimated archive volume for data collected/created as part of this project. As the project progresses, more detail regarding files will be added to this DMP.

Type	Format	Estimated volume (Data Archive)
Text / documents	Word (.Docx) PDF (.pdf/a)	12 objects (size <100MB) (Written Scheme of Investigation / Digital Data Management Plan / Assessment Report / Final Report / Individual Specialist Reports x 8)
Spreadsheets	Excel (.xls)	Finds inventory x1 <1MB Environmental lab sheet x1 <1MB
Images	Lossy graphics file (.jpg) Intended deposition format - uncompressed (.tiff)	Archive shots x 1500 (average size 4mb) Archive shots x 1500 (average size 20mb)
Graphics	AutoCAD (.dwg) Illustrator (.ai)	Site plan x10 av size <10MB Trench plans x600 av size <1MB
GIS	xml based format (jobxml; .jxl, plus associated files)	Overall .jxl file <10MB

## Digital Data Management Plan

### *Data storage / file naming*

- The working project archive will be stored in a project specific folder or data specific folder on the Leeds City Council (LCC) server. The server is backed up daily to maintain an up-to-date security copy of all organisation-wide data.
- Project folders are named following established organisational procedures.
- Data collected will be downloaded and raw data will be stored in the appropriate folder.
- File naming conventions following established organisational procedures and include version control management.

### *Quality assurance*

- Instruments used in the collection of data are calibrated prior to use and checked to ensure they are in full working order.
- All site records and data collected will be reviewed during project delivery to ensure data is accurate and secure.
- Data collection and management are reviewed regularly as part of the organisational Quality Policy. This includes an annual review of internal project folders to ensure our organisational data management standards are being met.

## Digital Data Management Plan

### **Documentation and Metadata**

Data collected will include standard formats which maximise opportunities for use and reuse in the future.

Data documentation will meet the requirements of the Scope of Works and Method Statement, Museum Deposition Guidelines and Digital Repository Guidelines.

A Collection Level Metadata Summary (to include project details and a summary of the data included in the archive) will be included in all standard archaeological projects and will be completed as the project is delivered. A working copy will be kept on the organisational server in the Project Folder. The Collection Level Metadata Summary brings together the overarching project details and includes a register of data types and number of objects included in the archive, along with all other archive components.

Metadata tables for each data type will be populated as the project progresses and will use the standard format for each data type as recommended by ADS, who are the intended repository for the digital data archive.

An archive catalogue documenting both physical and digital archive products will be maintained as part of the report.



## Digital Data Management Plan

### **Ethics and Legal Compliance**

The data collected as part of this project is not expected to include the collection of any data that will require anonymisation (such as personal addresses). Any data that is collected will conform to the West Yorkshire Joint Services Data Protection Policy (version 1.1, 2019) and current GDPR legislation.

Copyright for all data collected by the project team belongs to ASWYAS and formal permission to include data from external specialists and contractors is secured on the engagement of the specialist or contractor.

Where formal permissions and/or license agreements are linked to data sharing, they will be included in the project documentation folders and will accompany the archaeological project archive.

## Digital Data Management Plan

### **Storage and Backup**

Organisational IT is managed by Leeds City Council (LCC), who are also responsible for the management and verification of our daily back-ups and who support access to security copies as needed.

Sufficient data storage space is available via the LCC server, which includes two-factor authentication and permissions-based access. The server is accessible by staff on and offsite through a VPN and secure log-in.

Off-site access to the project files on the organisation's server is provided to support back-up of raw data while fieldwork is ongoing. Where internet access for data back-up is not possible, the raw data will be backed up to a separate media device (such as laptop and portable external hard drive).

Project files will be shared with external specialists and contractors directly via LCC's secure file sharing platforms.

## Digital Data Management Plan

### **Selection and Preservation**

The Selection Strategy and DMP will be reviewed and updated as part of the Post-excavation Assessment and Updated Project Design, and following full analysis. Updated documentation will be included in all reporting stages.

Prior to deposition, the Selection Strategy and DMP will be updated and finalised in agreement with all project stakeholders (including the Local Planning Archaeologist, Client, Museum, ADS).

Selection will be informed by the Method Statement, defined against the research aims, regional and national research frameworks, specialist advice and the significance of the project results.

The project will be published as an online technical report (accessible via OASIS), with full access to research data, which raises awareness to the findings of the archaeological excavation and link to the digital archive.

The project results may provide new research data which can be included in the Historic Environment Record and will contribute to the knowledge of the archaeological remains in the area.

The data archive will be ordered, with files named and structured in a logical manner, and accompanied by relevant documentation and metadata, as outlined above.

Digital data created by ASWYAS will be deposited with the ADS which is the only repository in England with the CoreTrustSeal accreditation that will accept digital archives deriving from archaeological and historic environment fieldwork.

## Digital Data Management Plan

### **Data Sharing**

A summary of the project will be included on the OASIS Index of Archaeological Investigation and the museum and digital archive repository, and will be updated as the project progresses.

The investigations are likely to result in a number of documents: Written Scheme of Investigation, Post-excavation Assessment, Updated Project Design and Final Report.

The final report is expected to be completed within 6 months of the completion of fieldwork.

As the project progresses reports will be attached to the project OASIS record.

A final version of the project report will be supplied to the Historic Environment Record via OASIS, and any data which they request can also be provided directly.

The location (s) of the final Archaeological Archive will be added to OASIS when appropriate.

The ADS will disseminate the digital elements of the Archaeological Archive online under a creative commons licence and the dataset will receive a unique identifier (DOI).

Data specific requirements, ethical issues or embargos which are linked to particular data formats will be documented within the relevant metadata tables accompanying the project archive.

## Digital Data Management Plan

### **Responsibilities and Resources**

The Project Manager will be responsible for implementing the DMP, and ensuring it is reviewed and revised at each stage of the project.

Data capture, metadata production and data quality is the responsibility of the Project Team, assured by the Project Manager.

Storage and backup of data in the field is the responsibility of the Field Team.

Once data is incorporated into the organisations project server, storage and backup is managed by LCC.

Data archiving is undertaken by the project team under the guidance of the Archives Officer, who is responsible for the transfer of the Archaeological Project Archive to the agreed repository.

Details of the core Project Team can be found in the Method Statement.

The project manager has overall responsibility for data capture, metadata production, data quality and correct storage and data sharing.

The security and backup of data is the responsibility of LCC.

© Archaeological Services WYAS 2023  
Nepshaw Lane South, Morley, Leeds LS27 7JQ





**Appendix 2: Inventory of primary archive**

Phase	File/Box No	Description	Quantity
Evaluation	File no.1	Trench record sheets	500
		Context record sheets	1621
		Permatrace sheets	100
		Digital photograph record sheets	65
		Drawing registers	17
		Drawing sheet registers	6
		Small find register	1
		Sample register	5
		Context register	3

**Appendix 3: Concordance of contexts**

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
100	Layer	1	Topsoil of Trench 1. Colour: light greyish brown. Composition: silty clay. Compaction: moist, malleable.			0.48 (avg.)
101	Layer	1	Natural of Trench 1. Colour: mid yellowish grey. Composition: silty clay. Compaction: dry, firm.			
102	Cut	1	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: shallow, concave. Break at base: gradual. Base: rounded.	> 2.00	3.12	0.34
103	Fill	1	Fill of ditch [102]. Colour: light greyish brown. Composition: silty clay. Compaction: moist, friable.	> 2.00	3.12	0.34
104	Cut	1	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: steep, concave. Break at base: gradual. Base: rounded.	> 2.00	0.72	> 0.40
105	Fill	1	Fill of ditch [104]. Colour: dark brownish black. Composition: silty clay. Compaction: moist, malleable.	> 2.00	0.72	> 0.40
200	Layer	2	Topsoil of Trench 2. Colour: mid greyish brown. Composition: sandy clay. Compaction: moist, malleable.			0.25 (avg.)
201	Layer	2	Natural of Trench 2. Colour: light greyish yellow. Composition: fine clayey sand. Compaction: moist, malleable.			
300	Layer	3	Topsoil of Trench 3. Colour: mid greyish brown. Composition: sandy clay. Compaction: moist, malleable.			0.40 (avg.)
301	Layer	3	Natural of Trench 3. Colour: light greyish yellow. Composition: fine clayey sand. Compaction: moist, malleable.			
400	Layer	4	Topsoil of Trench 4. Colour: yellowish grey. Composition: silty clay. Compaction: wet, friable.			0.30 (avg.)
401	Layer	4	Natural of Trench 4. Colour: mid greyish yellow. Composition: clay. Compaction: wet, firm.			
500	Layer	5	Topsoil of Trench 5. Colour: dark greyish brown. Composition: clay. Compaction: moist, malleable.			0.39 (avg.)
501	Layer	5	Natural of Trench 5. Colour: mid greyish yellow. Composition: clay. Compaction: moist, firm.			
600	Deposit	6	Natural of Trench 6. Colour: light orangey brown. Composition: clay. Compaction: dry, friable. Inclusions: occasional flecks to medium sub-rounded spheroidal varied stone, evenly distributed.			
601	Deposit	6	Topsoil of Trench 6. Colour: dark blackish brown. Composition: silt. Compaction: moist, malleable. Inclusions: moderate flecks to medium sub-angular to sub-rounded spheroidal stone, evenly distributed.			0.23 to 0.26
700	Layer	7	Topsoil of Trench 7. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.20 to 0.40
701	Layer	7	Natural of Trench 7. Colour: mid yellowish grey. Composition: silty clay. Compaction: moist, malleable.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
800	Layer	8	Topsoil of Trench 8. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.35 (avg.)
801	Layer	8	Natural of Trench 8. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable.			
900	Layer	9	Topsoil of Trench 9. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.50 (avg.)
901	Layer	9	Natural of Trench 9. Colour: mid orangey brown. Composition: mix of silt clay, silty sand. Compaction: moist, friable.			
903	Cut	9	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, concave. Break at base: gradual. Base: rounded.	1	0.68	0.26
904	Fill	9	Fill of ditch [903]. Colour: dark brownish grey. Composition: sandy silt. Compaction: dry, friable. Inclusions: inclusion.	1	0.68	0.26
905	Cut	9	Cut of NW-SE ditch. Shape in plan: regular, linear. Sides: moderate, concave. Break at base: gradual. Base: rounded.	1	0.62	0.22
906	Fill	9	Fill of ditch [905]. Colour: mid greyish brown. Composition: sandy silt. Compaction: dry, firm.	1	0.62	0.22
1000	Layer	10	Topsoil of Trench 10. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.28 (avg.)
1001	Layer	10	Natural of Trench 10. Colour: light yellowish brown. Composition: silty clay. Compaction: moist, firm.			
1100	Layer	11	Topsoil of Trench 11. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.32 (avg.)
1101	Layer	11	Natural of Trench 11. Colour: mid yellowish brown. Composition: silty clay. Compaction: moist, firm.			
1200	Layer	12	Topsoil of Trench 12. Colour: mid brown. Composition: silty clay. Compaction: dry, friable.			0.50 (avg.)
1201	Layer	12	Natural of Trench 12. Colour: mid orangey brown. Composition: silty clay. Compaction: moist, malleable.			
1202	Cut	12	Cut of N-S ditch. Shape in plan: regular, linear. Sides: moderate, straight. Break at base: gradual. Base: flat.	> 1.80	1.08	0.5
1203	Fill	12	Fill of ditch [1202]. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.	> 1.80	1.08	0.5
1300	Layer	13	Topsoil of Trench 13. Colour: light brownish grey. Composition: silty clay. Compaction: dry, malleable.			0.40 (avg.)
1301	Layer	13	Natural of Trench 13. Colour: orangey yellow. Composition: silty clay. Compaction: very dry, malleable.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
1302	Cut	13	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, concave. Break at base: gradual. Base: rounded.	0.84	0.83	0.16
1303	Fill	13	Fill of ditch [1302]. Colour: light brownish grey. Composition: silty clay. Compaction: very dry, malleable.	0.84	0.83	0.16
1304	Cut	13	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: steep, concave. Break at base: gradual. Base: rounded.	1.13	1	0.31
1305	Fill	13	Fill of ditch [1304]. Colour: mid brownish grey. Composition: silty clay. Compaction: dry, malleable.	1.13	1	0.31
1306	Cut	13	Cut of pit. Shape in plan: regular, oval. Break at top: gradual. Sides: steep, concave. Break at base: gradual. Base: rounded.	0.46	0.15	0.13
1307	Fill	13	Fill of pit [1306]. Colour: light brownish grey. Composition: silty clay. Compaction: dry, malleable.	0.46	0.15	0.13
1308	Cut	13	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, concave. Break at base: gradual. Base: rounded.	1.22	1	0.33
1309	Fill	13	Fill of ditch [1308]. Colour: mid brownish grey. Composition: silty clay. Compaction: dry, malleable.	1.22	1	0.33
1310	Cut	13	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: steep, concave. Break at base: sharp. Base: rounded.	1.07	0.72	0.18
1311	Fill	13	Fill of ditch [1310]. Colour: light brownish grey. Composition: silty clay. Compaction: dry, malleable.	1.07	0.72	0.18
1312	Cut	13	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: steep, concave. Break at base: gradual. Base: rounded.	1.12	0.9	0.43
1313	Fill	13	Fill of ditch [1312]. Colour: mid brownish grey. Composition: silty clay. Compaction: dry, malleable.	1.12	0.9	0.43
1314	Cut	13	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: steep, concave. Break at base: gradual. Base: rounded.	1.32	0.88	0.3
1315	Fill	13	Fill of ditch [1314]. Colour: mid brownish grey. Composition: silty clay. Compaction: dry, malleable.	1.32	0.88	0.3
1316	Cut	13	Cut of pit. Shape in plan: irregular, oval. Break at top: gradual. Sides: moderate, concave. Break at base: gradual. Base: rounded.	1.5	0.66	0.55
1317	Fill	13	Fill of pit [1316]. Colour: mid brownish grey. Composition: silty clay. Compaction: dry, malleable.	1.5	0.66	0.55

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
1318	Cut	13	Cut of N-S gully. Shape in plan: regular, linear. Break at top: gradual. Sides: steep, concave. Break at base: sharp. Base: rounded.	1.04	0.37	0.19
1319	Fill	13	Fill of gully [1318]. Colour: light brownish grey. Composition: silty clay. Compaction: dry, malleable.	1.04	0.37	0.19
1320	Cut	13	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: steep, concave. Break at base: gradual.	0.98	1	0.46
1321	Fill	13	Fill of ditch [1320]. Colour: light brownish grey. Composition: silty clay. Compaction: dry, malleable.	0.98	1	0.46
1322	Cut	13	Cut of N-S pit. Shape in plan: irregular, circular. Break at top: gradual. Sides: steep, concave. Break at base: gradual.	1.26	0.84	0.7
1323	Fill	13	Fill of pit [1322]. Colour: dark blackish grey. Composition: silty clay. Compaction: dry, malleable. Inclusions: occasional rounded spheroidal sandstone, evenly distributed.	1.26	0.84	0.7
1324	Cut	13	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: steep, concave. Break at base: gradual. Base: rounded.	1.32	0.74	0.38
1325	Fill	13	Fill of ditch [1324]. Colour: mid grey. Composition: silty clay. Compaction: dry, malleable.	1.32	0.74	0.38
1400	Deposit	14	Natural of Trench 14. Colour: bright orangey brown. Composition: silty clay. Compaction: moist, friable. Inclusions: occasional flecks to small sub-rounded to rounded spheroidal stone, evenly distributed.			
1401	Deposit	14	Topsoil of Trench 14. Colour: dark blackish brown. Composition: silt. Compaction: moist, friable. Inclusions: moderate flecks to medium sub-angular to rounded spheroidal stone, evenly distributed.			0.25 to 0.37
1500	Layer	15	Topsoil of Trench 15. Colour: mid greyish black. Composition: clay. Compaction: dry, firm.			0.40 (avg.)
1501	Layer	15	Subsoil of Trench 15. Colour: light greyish brown. Composition: silty clay. Compaction: dry, firm.			0.20 (avg.)
1502	Layer	15	Natural of Trench 15. Colour: light greyish yellow. Composition: clay. Compaction: very dry, cemented.			
1503	Cut	15	Cut of gully. Shape in plan: irregular, curvilinear. Break at top: sharp. Sides: steep, straight. Break at base: sharp. Base: rounded.	> 0.50	0.3	0.13
1504	Fill	15	Fill of gully [1503]. Colour: light orangey grey. Composition: silty clay. Compaction: dry, cemented.	> 0.50	0.3	0.13
1505	Cut	15	Cut of gully. Shape in plan: regular, linear. Break at base: sharp. Base: rounded.	> 0.75	0.3	0.15
1506	Fill	15	Fill of gully [1505]. Colour: light yellowish grey. Composition: silty clay. Compaction: dry, cemented.	> 0.75	0.3	0.15

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
1550	Layer	155	Topsoil of Trench 155. Colour: dark blackish brown. Composition: silty clay. Compaction: moist, malleable.			0.35 (avg.)
1551	Layer	155	Natural of Trench 155. Colour: yellowish grey. Composition: clay. Compaction: moist, firm.			
1600	Layer	16	Topsoil of Trench 16. Colour: light greyish brown. Composition: clayey loam. Compaction: dry, malleable. Inclusions: stone.			0.34 (avg.)
1601	Layer	16	Natural of Trench 16. Colour: light orangey yellow. Composition: silty clay. Compaction: very dry, malleable.			
1700	Layer	17	Topsoil of Trench 17. Colour: light greyish brown. Composition: clayey loam. Compaction: dry, malleable. Inclusions: stone.			0.36 (avg.)
1701	Layer	17	Subsoil of Trench 17. Colour: mid reddish brown. Composition: silty clay. Compaction: dry, malleable.			0.12 (avg.)
1702	Layer	17	Natural of Trench 17. Colour: light orangey yellow. Composition: silty clay. Compaction: very dry, malleable.			
1703	Cut	17	Cut of NW-SE gully. Shape in plan: regular, linear. Break at top: gradual. Sides: concave. Break at base: gradual. Base: rounded.	1	0.54	0.13
1704	Fill	17	Fill of gully [1703]. Colour: mid brown. Composition: silty clay. Compaction: dry, malleable.	1	0.54	0.13
1705	Cut	17	Cut of NW-SE furrow. Shape in plan: regular, linear. Break at top: imperceptible. Sides: shallow, concave. Break at base: imperceptible.	0.9	0.51	0.07
1706	Fill	17	Fill of furrow [1705]. Colour: light brownish grey. Composition: silty clay. Compaction: dry, malleable.	0.9	0.51	0.07
1707	Cut	17	Cut of pit. Shape in plan: irregular, circular. Break at top: sharp. Sides: steep, concave. Break at base: sharp. Base: flat.	0.76	0.38	0.33
1708	Fill	17	Fill of pit [1707]. Colour: dark brownish black. Composition: silty clay. Compaction: dry, malleable.	0.76	0.38	0.33
1800	Deposit	18	Topsoil of Trench 18. Colour: light brown. Composition: silty clay. Compaction: dry, malleable.			0.50 (avg.)
1801	Deposit	18	Natural of Trench 18. Colour: light orangey yellow. Composition: silty clay. Compaction: very dry, malleable.			
1802	Cut	18	Cut of pit. Shape in plan: irregular, oval. Break at top: sharp. Sides: moderate, concave. Break at base: gradual. Base: flat.	0.84	0.57	0.15
1803	Fill	18	Fill of pit [1802]. Colour: light grey. Composition: silty clay. Compaction: dry, malleable.	0.84	0.57	0.15
1804	Cut	18	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, concave. Break at base: gradual. Base: rounded.	1.05	0.74	0.37
1805	Fill	18	Fill of ditch [1804]. Colour: mid grey. Composition: silty clay. Compaction: dry, malleable.	1.05	0.74	0.37



Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
1806	Cut	18	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, concave. Break at base: gradual. Base: rounded.	1	0.66	0.32
1807	Fill	18	Fill of ditch [1806]. Colour: mid grey. Composition: silty clay. Compaction: dry, malleable.	0.98	0.67	0.32
1808	Cut	18	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, concave. Break at base: gradual. Base: rounded.	0.86	0.85	0.3
1809	Fill	18	Fill of ditch [1808]. Colour: mid blackish brown. Composition: silty clay. Compaction: dry, malleable.	0.86	0.85	0.3
1810	Cut	18	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, straight. Break at base: sharp. Base: tapered.	0.85	0.77	0.44
1811	Fill	18	Fill of ditch [1810]. Colour: mid greyish black. Composition: silty clay. Compaction: dry, malleable.	0.85	0.77	0.44
1812	Cut	18	Cut of ditch. Break at top: imperceptible. Sides: shallow, concave. Break at base: imperceptible. Base: flat.	1.05	1.02	0.08
1813	Fill	18	Fill of ditch [1812]. Colour: dark brownish black. Composition: silty clay. Compaction: dry, malleable.	1.05	1.02	0.08
1814	Cut	18	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, concave. Break at base: gradual.	> 1.88	2.08	0.55
1815	Fill	18	Fill of ditch [1814]. Colour: dark greyish black. Composition: silty clay. Compaction: dry, malleable.	> 1.88	2.08	0.55
1816	Cut	18	Cut of ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: steep, concave. Break at base: gradual.	1.04	1	0.55
1817	Fill	18	Fill of ditch [1816]. Colour: dark brownish black. Composition: silty clay. Compaction: dry, malleable.	1.04	1	0.55
1818	Cut	18	Cut of NW-SE ditch. Shape in plan: irregular, curvi-linear. Break at top: gradual. Sides: steep, concave. Break at base: sharp.	1.05	0.66	0.3
1819	Fill	18	Fill of ditch [1818]. Colour: dark black. Composition: silty clay. Compaction: dry, malleable.	1.05	0.66	0.3
1820	Cut	18	Cut of NE-SW ditch. Break at top: gradual. Sides: shallow, concave. Break at base: gradual.	0.8	0.33	0.08
1821	Fill	18	Fill of ditch [1820]. Colour: dark black. Composition: silty clay. Compaction: dry, malleable.	0.8	0.33	0.08
1900	Layer	19	Topsoil of Trench 19. Colour: light brownish grey. Composition: silty clay. Compaction: dry, malleable.			37.00 (avg.)
1901	Layer	19	Natural of Trench 19. Colour: light orangey yellow. Composition: clayey silt. Compaction: dry, malleable.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
1902	Cut	19	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: moderate, concave. Break at base: sharp. Base: flat.	1	0.74	0.32
1903	Fill	19	Fill of ditch [1902]. Colour: dark greyish black. Composition: silty clay. Compaction: dry, malleable. Inclusions: rare rounded sandstone, evenly distributed.	1	0.74	0.32
1904	Cut	19	Cut of NE-SW ditch. Break at top: sharp. Sides: steep, concave. Break at base: gradual. Base: flat.	0.98	1.05	0.38
1905	Fill	19	Fill of ditch [1904]. Colour: mid brownish black. Composition: silty clay. Compaction: moist, friable.	0.98	1.05	0.24
1906	Fill	19	Fill of ditch [1904]. Colour: dark black. Composition: loamy clay. Compaction: moist, friable.	0.84	0.33	0.16
1907	Fill	19	Fill of ditch [1904]. Colour: mid brownish orange. Composition: silty clay. Compaction: dry, malleable.	0.76	0.44	0.28
2000	Layer	20	Topsoil of Trench 20. Colour: mid greyish brown. Composition: loamy clay. Compaction: moist, malleable.			0.34 (avg.)
2001	Layer	20	Natural of Trench 20. Colour: light orangey yellow. Composition: silty clay. Compaction: very dry, malleable.			
2002	Cut	20	Cut of NW-SE ditch. Shape in plan: regular, sub-linear. Break at top: sharp. Sides: moderate, straight. Break at base: gradual. Base: flat.	> 0.60 to 2.20	1.32	0.37
2003	Fill	20	Fill of ditch [2002]. Colour: mid orangey grey. Composition: silty clay. Compaction: moist, firm. Inclusions: occasional medium sub-angular to sub-rounded spheroidal stone, concentrated towards bottpm.	> 0.60 to 2.20	1.32	0.37
2004	Cut	20	Cut of N-S gully. Shape in plan: regular, sub-linear. Break at top: sharp. Sides: moderate, concave. Break at base: imperceptible. Base: rounded.	> 1.00	0.48	0.16
2005	Fill	20	Fill of gully [2004]. Colour: mid orangey brown. Composition: silty clay. Compaction: moist, firm.	> 1.00	0.48	0.16
2006	Cut	20	Cut of N-S gully. Shape in plan: regular, sub-linear. Break at base: imperceptible. Base: rounded.	> 1.00	0.3	0.11
2007	Fill	20	Fill of gully [2006]. Colour: orangey grey. Composition: silty clay. Compaction: moist, firm.	1	0.3	0.11
2008	Cut	20	Cut of NW-SE gully. Shape in plan: regular, sub-linear. Break at top: sharp. Sides: moderate, concave. Break at base: imperceptible. Base: rounded.	> 1.00	0.3	0.12
2009	Fill	20	Fill of gully [2008]. Colour: orangey brown. Composition: silty clay. Compaction: moist, firm.	> 1.00	0.3	0.12
2100	Layer	21	Natural of Trench 21. Colour: mid yellowish brown. Composition: silty clay. Compaction: dry, friable.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
2101	Layer	21	Topsoil of Trench 21. Colour: mid blackish brown. Composition: clayey silt. Compaction: dry, friable. Inclusions: occasional flecks to medium sub-rounded to rounded spheroidal stone, evenly distributed.			0.35 to 0.45
2102	Cut	21	Cut of pit. Shape in plan: regular, semi-circular. Break at top: sharp. Sides: moderate, concave. Break at base: gradual. Base: rounded.	0.84	> 0.40	0.3
2103	Fill	21	Fill of pit [2102]. Colour: light yellowish grey. Composition: silt. Compaction: moist, friable.	0.62	> 0.40	0.1
2104	Fill	21	Fill of pit. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable. Inclusions: rare flecks to small sub-rounded to rounded spheroidal stone, evenly distributed.	0.79	> 0.40	0.25
2105	Cut	21	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, straight. Break at base: gradual. Base: rounded.	> 1.25	0.79	0.26
2106	Fill	21	Fill of ditch [2105]. Colour: mid greyish brown. Composition: clayey silt. Compaction: dry, friable.	> 1.25	0.79	0.26
2107	Cut	21	Cut of N-S gully. Shape in plan: regular, linear. Break at top: imperceptible. Sides: shallow, straight. Break at base: imperceptible. Base: rounded.	> 1.00	0.56	0.08
2108	Fill	21	Fill of gully [2107]. Colour: mid brown. Composition: silty clay. Compaction: dry, friable.	> 1.00	0.56	0.08
2109	Cut	21	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: moderate, concave. Base: flat.	1	1.78	0.4
2110	Fill	21	Fill of ditch [2109]. Colour: mid brown. Composition: silty clay. Compaction: dry, friable.	1	1.78	0.4
2111	Cut	21	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: moderate, straight. Break at base: sharp.	> 1.00	1.76	0.55
2112	Fill	21	Fill of ditch [2111]. Colour: mid greyish brown. Composition: silty clay. Compaction: dry, friable.	> 1.00	1.76	0.55
2113	Cut	21	Cut of ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: moderate, concave. Break at base: imperceptible. Base: rounded.	> 0.25	0.73	0.21
2114	Fill	21	Fill of ditch [2113]. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, spongey.	> 0.25	0.73	0.21
2115	Cut	21	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, straight. Break at base: gradual. Base: rounded.	1	1.75	0.58
2116	Fill	21	Fill of ditch [2115]. Colour: mid greyish brown. Composition: silty clay. Compaction: wet, spongey.	1	1.75	0.58
2117	Cut	21	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: moderate, straight. Break at base: sharp. Base: flat.	1	1.25	0.4

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
2118	Fill	21	Fill of ditch [2117]. Colour: mid brownish grey. Composition: clayey silt. Compaction: dry, malleable. Inclusions: rare small sandstone.	1	1.25	0.4
2119	Cut	21	Cut of pit. Shape in plan: regular, semi-circular. Break at top: gradual. Sides: moderate, concave. Break at base: imperceptible. Base: rounded.	0.6	> 0.25	0.17
2120	Fill	21	Fill of pit [2119]. Colour: light brownish grey. Composition: clayey silt. Compaction: dry, friable.	0.6	> 0.25	0.17
2121	Cut	21	Cut of pit. Shape in plan: regular, semi-circular. Break at top: gradual. Sides: shallow, concave. Break at base: imperceptible. Base: flat.	0.82	> 0.20	0.11
2122	Fill	21	Fill of pit [2121]. Colour: light brownish grey. Composition: clayey silt. Compaction: dry, friable.	0.82	> 0.20	0.11
2123	Cut	21	Cut of pit. Shape in plan: regular, semi-circular. Break at top: gradual. Sides: moderate, straight. Break at base: imperceptible. Base: rounded.	0.66	> 0.35	0.2
2124	Fill	21	Fill of pit [2123]. Colour: light brownish grey. Composition: clayey silt. Compaction: dry, friable.	0.66	> 0.35	0.2
2125	Cut	21	Cut of pit. Shape in plan: regular, semi-circular. Break at top: gradual. Sides: shallow, concave. Break at base: imperceptible. Base: flat.	0.66	0.24	0.11
2126	Fill	21	Fill of pit [2125]. Colour: light brownish grey. Composition: clayey silt. Compaction: dry, friable.	0.66	0.24	0.11
2127	Cut	21	Cut of pit. Shape in plan: regular, semi-square. Break at top: gradual. Sides: shallow, concave. Break at base: imperceptible. Base: rounded.	0.72	> 0.25	0.1
2128	Fill	21	Fill of pit [2127]. Colour: light greyish brown. Composition: clayey silt. Compaction: dry, friable. Inclusions: inclusion.	0.72	> 0.25	0.1
2129	Cut	21	Cut of pit. Shape in plan: regular, semi-circular. Break at top: gradual. Sides: shallow, concave. Break at base: imperceptible. Base: rounded.	0.56	0.25	0.08
2130	Fill	21	Fill of pit [2129]. Colour: mid greyish brown. Composition: clayey silt. Compaction: dry, friable. Inclusions: rare flecks to small sub-rounded to rounded spheroidal stone, evenly distributed.	0.56	0.25	0.08
2131	Cut	21	Cut of pit. Shape in plan: regular, semi-circular. Break at top: gradual. Sides: shallow, concave. Break at base: imperceptible. Base: rounded.	0.59	> 0.23	0.08
2132	Fill	21	Fill of pit [2131]. Colour: mid greyish brown. Composition: clayey silt. Compaction: dry, friable. Inclusions: inclusion.	0.59	> 0.23	0.08

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
2133	Cut	21	Cut of pit. Shape in plan: regular, semi-circular. Break at top: gradual. Sides: shallow, concave. Break at base: imperceptible. Base: rounded.	0.54	> 0.26	0.1
2134	Fill	21	Fill of pit [2133]. Colour: light greyish brown. Composition: clayey silt. Compaction: dry, friable.	0.54	> 0.26	0.1
2135	Cut	21	Cut of NW-SE gully. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, straight. Break at base: sharp. Base: flat.	1	0.28	0.17
2136	Fill	21	Fill of gully [2135]. Colour: mid greyish brown. Composition: silty clay. Compaction: dry, friable. Inclusions: rare flecks to small sub-rounded to rounded spheroidal stone, evenly distributed.	1	0.28	0.17
2200	Layer	22	Topsoil of Trench 22. Colour: dark greyish brown. Composition: clay. Compaction: moist, malleable.			0.34 (avg.)
2201	Layer	22	Natural of Trench 22. Colour: mid greyish yellow. Composition: clay. Compaction: moist, firm.			
2300	Layer	23	Topsoil of Trench 23. Colour: mid brownish grey. Composition: silty clay. Compaction: very dry, malleable.			0.55 (avg.)
2301	Layer	23	Natural of Trench 23. Colour: light brownish orange. Composition: silty clay. Compaction: very dry, malleable.			
2302	Cut	23	Cut of E-W ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, concave. Break at base: sharp.	1.67	0.8	0.76
2303	Fill	23	Fill of ditch [2302]. Colour: mid brownish grey. Composition: silty clay. Compaction: dry, malleable. Inclusions: occasional rounded sandstone, evenly distributed.	1.67	0.8	0.76
2400	Layer	24	Topsoil of Trench 24. Colour: dark greyish brown. Composition: clay. Compaction: moist, malleable.			0.36 (avg.)
2401	Layer	24	Natural of Trench 24. Colour: mid greyish yellow. Composition: clay. Compaction: moist, firm.			
2500	Layer	25	Topsoil of Trench 25. Colour: mid greyish brown. Composition: sandy clay. Compaction: moist, malleable.			0.28 (avg.)
2501	Layer	25	Natural of Trench 25. Colour: light greyish yellow. Composition: clayey sand. Compaction: moist, malleable.			
2600	Layer	26	Topsoil of Trench 26. Colour: mid greyish brown. Composition: loamy clay. Compaction: moist, malleable.			0.25 (avg.)
2601	Layer	26	Natural of Trench 26. Colour: light greyish orange. Composition: clay. Compaction: moist, firm. Inclusions: occasional medium angular platy stone, evenly distributed.			
2700	Layer	27	Topsoil of Trench 27. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable. Inclusions: rare small angular platy stone, evenly distributed.			0.32 (avg.)
2701	Layer	27	Natural of Trench 27. Colour: light yellow. Composition: clay. Compaction: moist, firm.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
2800	Layer	28	Topsoil of Trench 28. Colour: mid greyish brown. Composition: loamy clay. Compaction: moist, malleable.			0.25 (avg.)
2801	Layer	28	Natural of Trench 28. Colour: light greyish orange. Composition: clay. Compaction: moist, firm. Inclusions: occasional medium angular platy stone, evenly distributed.			
2900	Layer	29	Topsoil of Trench 29. Colour: dark brownish grey. Composition: silty clay. Compaction: moist, friable.			0.43 (avg.)
2901	Layer	29	Natural of Trench 29. Colour: mid orangey brown. Composition: silty clay. Compaction: moist, malleable.			
3000	Deposit	30	Natural of Trench 30. Colour: bright brownish orange. Composition: silty clay. Compaction: moist, malleable. Inclusions: occasional flecks to medium sub-rounded to rounded spheroidal stone, evenly distributed.			
3001	Deposit	30	Topsoil of Trench 30. Colour: dark blackish brown. Composition: silt. Compaction: moist, malleable. Inclusions: moderate flecks to medium sub-angular to rounded stone, evenly distributed.			0.28 to 0.34
3100	Layer	31	Topsoil of Trench 31.			0.50 (avg.)
3101	Layer	31	Subsoil of Trench 31.			0.20 (avg.)
3102	Layer	31	Natural of Trench 31.			
3103	Cut	31	Cut of N-S ditch. Shape in plan: regular, sub-linear. Break at top: gradual. Sides: shallow, concave. Break at base: gradual. Base: flat.	> 1.70	> 1.05	0.33
3104	Fill	31	Fill of ditch [3103]. Colour: orangey grey. Composition: medium silty sand. Compaction: dry, loose.	> 1.70	> 1.05	0.33
3105	Cut	31	Cut of E-W ditch. Shape in plan: sub-linear. Break at top: sharp. Sides: moderate, concave. Break at base: gradual. Base: rounded.	> 0.93	1.4	0.5
3106	Fill	31	Fill of ditch [3105]. Colour: mid orangey grey. Composition: silty clay. Compaction: dry, loose.	> 0.93	1.4	0.5
3107	Cut	31	Cut of ditch. Shape in plan: sub-linear. Break at top: gradual. Sides: shallow, concave. Break at base: gradual. Base: uneven.	> 1.00	2.96	0.6
3108	Fill	31	Fill of ditch [3107]. Colour: mid greyish orange. Composition: silty clay. Compaction: dry, loose.	> 1.00	2.96	0.6
3200	Layer	32	Topsoil of Trench 32. Colour: mid greyish brown. Composition: sandy clay. Compaction: moist, malleable.			0.30 to 0.44
3201	Layer	32	Natural of Trench 32. Colour: light greyish yellow. Composition: clayey sand. Compaction: moist, malleable.			



Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
3300	Layer	33	Topsoil of Trench 33. Colour: mid greyish brown. Composition: loamy clay. Compaction: moist, malleable.			0.30 (avg.)
3301	Layer	33	Natural of Trench 33. Colour: light orangey yellow. Composition: silty clay. Compaction: very dry, malleable.			
3400	Layer	34	Topsoil of Trench 34. Colour: mid greyish brown. Composition: loamy clay. Compaction: moist, malleable.			0.37 (avg.)
3401	Layer	34	Natural of Trench 34. Colour: light yellowish orange. Composition: clay. Compaction: moist, firm. Inclusions: flecks to small angular platy stone, evenly distributed.			
3500	Deposit	35	Natural of Trench 35. Colour: light brownish orange. Composition: silty clay. Compaction: moist, friable. Inclusions: rare flecks to small sub-angular to rounded spheroidal stone, evenly distributed.			
3501	Deposit	35	Topsoil of Trench 35. Colour: dark blackish brown. Composition: clayey silt. Compaction: moist, malleable. Inclusions: moderate flecks to medium angular to rounded spheroidal stone, evenly distributed.			0.47 to 0.35
3600	Deposit	36	Topsoil of Trench 36. Colour: light greyish brown. Composition: clayey silt. Compaction: dry, friable.			0.51 (avg.)
3601	Deposit	36	Natural of Trench 36. Colour: light yellowish orange. Composition: sandy clay. Compaction: dry, friable.			
3602	Cut	36	Cut of N-S ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, straight. Break at base: sharp. Base: rounded.	1	1.37	0.44
3603	Fill	36	Fill of ditch [3602]. Colour: light orangey grey. Composition: clayey silt. Compaction: dry, friable.	1	1.37	0.36
3604	Cut	36	Cut of N-S ditch. Shape in plan: regular, linear. Break at top: none. Sides: shallow, concave. Break at base: imperceptible. Base: flat.	1	> 1.00	0.21
3605	Fill	36	Fill of ditch [3604]. Colour: light orangey grey. Composition: silty clay. Compaction: moist, friable.	1	> 1.00	0.21
3606	Cut	36	Cut of N-S ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: moderate, straight. Break at base: sharp. Base: rounded.	1	1.38	0.5
3607	Fill	36	Fill of ditch [3606]. Colour: light yellowish grey. Composition: silty clay. Compaction: very dry, friable.	1	1.38	0.5
3608	Cut	36	Cut of N-S ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: moderate, concave. Break at base: imperceptible. Base: rounded.	1	1.35	0.3
3609	Fill	36	Fill of ditch [3608]. Colour: light orangey grey. Composition: silty clay. Compaction: dry, friable.	1	1.35	0.3
3700	Layer	37	Topsoil of Trench 37. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.28 (avg.)

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
3701	Layer	37	Natural of Trench 37. Colour: light yellowish brown. Composition: silty clay. Compaction: moist, firm.			
3800	Layer	38	Topsoil of Trench 38. Colour: dark brownish grey. Composition: silty clay. Compaction: moist, friable.			0.38 (avg.)
3801	Layer	38	Natural of Trench 38. Colour: mid orangey brown. Composition: silty clay. Compaction: moist, malleable.			
3802	Deposit	38	Deposit of modern deposit. Colour: light bluish yellow. Composition: clay. Compaction: dry, firm.	1	1.5	0.02
3900	Layer	39	Topsoil of Trench 39. Colour: dark brownish grey. Composition: silty clay. Compaction: moist, friable.			0.28 (avg.)
3901	Layer	39	Natural of Trench 39. Colour: mid orangey brown. Composition: silty clay. Compaction: moist, malleable.			
4000	Layer	40	Topsoil of Trench 40. Colour: dark brownish grey. Composition: silty clay. Compaction: moist, friable.			0.25 (avg.)
4001	Layer	40	Natural of Trench 40. Colour: mid orangey brown. Composition: silty clay. Compaction: moist, malleable.			
4100	Layer	41	Topsoil of Trench 41. Colour: yellowish grey. Composition: silty clay. Compaction: wet, friable.			0.35 (avg.)
4101	Layer	41	Natural of Trench 41. Colour: mid yellowish grey. Composition: clay. Compaction: wet, firm.			
4102	Fill	41	Fill of ditch [4103]. Colour: mid yellowish grey. Composition: clay. Compaction: moist, firm.	> 1.00	0.8	0.38
4103	Cut	41	Cut of NW-SE ditch. Shape in plan: linear. Break at top: sharp. Sides: 1) SW: stepped, concave 2) NE: steep, concave. Break at base: gradual. Base: rounded.	> 1.00	0.8	0.38
4200	Layer	42	Topsoil of Trench 42. Colour: yellowish grey. Composition: silty clay. Compaction: wet, friable.			0.30 (avg.)
4201	Layer	42	Natural of Trench 42. Colour: mid yellowish grey. Composition: clay. Compaction: wet, firm.			
4300	Layer	43	Topsoil of Trench 43. Colour: yellowish grey. Composition: silty clay. Compaction: wet, friable.			0.30 (avg.)
4301	Layer	43	Natural of Trench 43. Colour: mid yellowish grey. Composition: clay. Compaction: wet, firm.			
4400	Layer	44	Topsoil of Trench 44. Colour: yellowish grey. Composition: silty clay. Compaction: wet, friable.			0.30 (avg.)
4401	Layer	44	Natural of Trench 44. Colour: mid yellowish grey. Composition: clay. Compaction: wet, firm.			
4500	Layer	45	Topsoil of Trench 45. Colour: dark reddish brown. Composition: sandy silt. Compaction: moist, malleable.			0.42 (avg.)
4501	Layer	45	Subsoil of Trench 45. Colour: light reddish grey. Composition: fine silty sand. Compaction: moist, friable.			0.20 (avg.)

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
4502	Layer	45	Natural of Trench 45. Colour: light greyish yellow. Composition: silty sand. Compaction: moist, friable.			
4600	Layer	46	Topsoil of Trench 46. Colour: dark reddish brown. Composition: sandy silt. Compaction: moist, malleable.			0.39 (avg.)
4601	Layer	46	Natural of Trench 46. Colour: mid brownish orange. Composition: fine silty sand. Compaction: moist, friable.			
4700	Layer	47	Topsoil of Trench 47. Colour: dark reddish brown. Composition: sandy silt. Compaction: moist, malleable.			0.41 (avg.)
4701	Layer	47	Subsoil of Trench 47. Colour: light reddish grey. Composition: fine silty sand. Compaction: moist, friable.			0.02 to 0.10
4702	Layer	47	Natural of Trench 47. Colour: mid yellowish orange. Composition: clayey silt. Compaction: dry, firm.			
4703	Cut	47	Cut of E-W ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, concave. Break at base: gradual. Base: flat.	> 1.00	0.9	0.14
4704	Fill	47	Fill of ditch [4703]. Colour: mid orangey grey. Composition: silt. Compaction: dry, friable.	> 1.00	0.9	0.14
4800	Layer	48	Topsoil of Trench 48. Colour: dark brownish grey. Composition: silty clay. Compaction: moist, firm.			0.30 (avg.)
4801	Layer	48	Natural of Trench 48. Colour: mid greyish yellow. Composition: silty clay. Compaction: moist, firm.			
4900	Layer	49	Topsoil of Trench 49. Colour: dark brownish grey. Composition: silty clay. Compaction: moist, firm.			0.30 (avg.)
4901	Layer	49	Natural of Trench 49. Colour: mid greyish yellow. Composition: silty clay. Compaction: moist, firm.			
5000	Layer	50	Topsoil of Trench 50. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, firm.			0.32 (avg.)
5001	Layer	50	Natural of Trench 50. Colour: light yellowish grey. Composition: clay. Compaction: moist, malleable.			
5100	Layer	51	Topsoil of Trench 51. Colour: mid greyish brown. Composition: loamy clay. Compaction: moist, malleable.			0.27 (avg.)
5101	Layer	51	Natural of Trench 51. Colour: light greyish orange. Composition: clay. Compaction: moist, firm. Inclusions: occasional medium angular platy stone, evenly distributed.			
5200	Layer	52	Topsoil of Trench 52. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, firm.			0.30 (avg.)
5201	Layer	52	Natural of Trench 52. Colour: light yellowish grey. Composition: clay. Compaction: moist, malleable.			
5300	Layer	53	Topsoil of Trench 53. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, firm.			0.30 (avg.)

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
5301	Layer	53	Subsoil of Trench 53. Colour: mid grey. Composition: clay. Compaction: moist, firm.			0.10 (avg.)
5302	Layer	53	Natural of Trench 53. Colour: light yellowish grey. Composition: clay. Compaction: moist, malleable.			
5400	Layer	54	Topsoil of Trench 54. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, firm.			0.36 (avg.)
5401	Layer	54	Natural of Trench 54. Colour: light yellowish grey. Composition: clay. Compaction: moist, malleable.			
5500	Layer	55	Topsoil of Trench 55. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.32 (avg.)
5501	Layer	55	Natural of Trench 55. Colour: dark orangey grey. Composition: clay. Compaction: moist, malleable.			
5600	Layer	56	Topsoil of Trench 56. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.34 (avg.)
5601	Layer	56	Natural of Trench 56. Colour: dark orangey grey. Composition: clay. Compaction: moist, plastic.			
5700	Layer	57	Topsoil of Trench 57. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.30 (avg.)
5701	Layer	57	Natural of Trench 57. Colour: dark greyish orange. Composition: clay. Compaction: moist, plastic.			
5800	Layer	58	Topsoil of Trench 58. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.42 (avg.)
5801	Layer	58	Natural of Trench 58. Colour: dark greyish orange. Composition: clay. Compaction: moist, plastic.			
5900	Layer	59	Topsoil of Trench 59. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.			0.30 (avg.)
5901	Layer	59	Natural of Trench 59. Colour: mid yellowish grey. Composition: clay. Compaction: moist, plastic.			
5902	Cut	59	Cut of NE-SW furrow. Shape in plan: regular, linear. Break at top: gradual. Sides: shallow, straight. Break at base: gradual. Base: flat.	> 2.00	1.7	0.1
5903	Fill	59	Fill of furrow [5902]. Colour: light brownish grey. Composition: silty clay. Compaction: moist, firm.	> 2.00	1.7	0.1
6000	Layer	60	Topsoil of Trench 60. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable.			0.26 (avg.)
6001	Layer	60	Natural of Trench 60. Colour: light greyish yellow. Composition: clay. Compaction: moist, plastic.			
6100	Layer	61	Topsoil of Trench 61. Colour: yellowish grey. Composition: silty clay. Compaction: wet, friable.			0.33 (avg.)
6101	Layer	61	Natural of Trench 61. Colour: mid greyish yellow. Composition: clay. Compaction: wet, firm.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
6200	Layer	62	Topsoil of Trench 62. Colour: mid yellowish brown. Composition: silty clay. Compaction: moist, firm.			0.29 (avg.)
6201	Layer	62	Natural of Trench 62. Colour: light orangey yellow. Composition: clay. Compaction: moist, firm.			
6300	Layer	63	Topsoil of Trench 63. Colour: mid yellowish brown. Composition: silty clay. Compaction: moist, firm.			0.36 (avg.)
6301	Layer	63	Natural of Trench 63. Colour: light orangey yellow. Composition: clay. Compaction: moist, firm.			
6400	Layer	64	Topsoil of Trench 64. Colour: mid yellowish brown. Composition: silty clay. Compaction: moist, firm.			0.32 (avg.)
6401	Layer	64	Natural of Trench 64. Colour: light orangey yellow. Composition: clay. Compaction: moist, firm.			
6402	Cut	64	Cut of NW-SE furrow. Shape in plan: regular, linear. Break at top: none. Sides: shallow. Break at base: none. Base: flat.	> 1.80	2	0.02
6403	Fill	64	Fill of furrow [6402]. Colour: mid brown. Composition: clay. Compaction: dry, firm.	> 1.80	2	0.02
6500	Layer	65	Topsoil of Trench 65. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable. Inclusions: rare small angular platy stone, evenly distributed.			0.38 (avg.)
6501	Layer	65	Natural of Trench 65. Colour: light yellow. Composition: clay. Compaction: moist, firm.			
6502	Cut	65	Cut of E-W gully. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, concave. Break at base: gradual. Base: flat.	> 1.00	0.66 to 0.96	0.2
6503	Fill	65	Fill of gully [6502]. Colour: dark orangey brown. Composition: clay. Compaction: dry, firm.	> 1.00	0.66 to 0.96	0.2
6600	Layer	66	Topsoil of Trench 66. Colour: mid yellowish brown. Composition: silty clay. Compaction: moist, firm.			0.36 (avg.)
6601	Layer	66	Natural of Trench 66. Colour: light orangey yellow. Composition: clay. Compaction: moist, firm.			
6700	Layer	67	Topsoil of Trench 67. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable. Inclusions: rare small angular platy stone, evenly distributed.			0.30 (avg.)
6701	Layer	67	Natural of Trench 67. Colour: light yellow. Composition: clay. Compaction: moist, firm.			
6800	Layer	68	Topsoil of Trench 68. Colour: light greyish brown. Composition: silty clay. Compaction: moist, malleable.			0.42 (avg.)
6801	Layer	68	Natural of Trench 68. Colour: mid yellowish grey. Composition: silty clay. Compaction: dry, firm.			
6802	Cut	68	Cut of NE-SW gully. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, concave. Break at base: imperceptible. Base: rounded.	2	0.54	0.1

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
6803	Fill	68	Fill of gully [6802]. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable. Inclusions: occasional flecks of angular platy charcoal, evenly distributed.	2	0.54	0.1
6804	Cut	68	Cut of NE-SW gully. Shape in plan: regular, linear. Sides: moderate, concave. Break at base: gradual. Base: rounded.	2	0.52	0.1
6805	Fill	68	Fill of gully [6804]. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable. Inclusions: moderate flecks of very angular platy charcoal, evenly distributed.	2	0.52	0.1
6806	Cut	68	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, concave. Break at base: gradual. Base: rounded.	2	0.9	0.38
6807	Fill	68	Fill of ditch [6806]. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, firm. Inclusions: moderate flecks of very angular platy charcoal, evenly distributed.	2	0.62	0.1
6808	Fill	68	Fill of ditch [6806]. Colour: light brownish grey. Composition: silty clay. Compaction: moist, malleable. Inclusions: inclusion.	2	0.9	0.26
6809	Cut	68	Cut of NW-SE ditch. Shape in plan: regular, curvi-linear. Break at top: gradual. Sides: shallow, concave. Break at base: imperceptible. Base: rounded.	2	0.28	0.1
6810	Fill	68	Fill of ditch [6809]. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable. Inclusions: moderate flecks of very angular platy charcoal, evenly distributed.	2	0.28	0.1
6811	Cut	68	Cut of ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, straight. Break at base: gradual. Base: rounded.	2	1.82	0.86
6812	Fill	68	Fill of ditch [6811]. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable. Inclusions: occasional flecks of very angular platy charcoal, evenly distributed.	2	1.82	0.56
6813	Fill	68	Fill of ditch [6811]. Colour: mid yellowish brown. Composition: silty clay. Compaction: moist, malleable.	0.86	0.04	0.04
6814	Fill	68	Fill of ditch [6811]. Colour: dark brownish grey. Composition: silty clay. Compaction: moist, friable. Inclusions: occasional flecks of charcoal, evenly distributed.	2	0.74	0.28
6815	Cut	68	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, concave. Break at base: gradual. Base: flat.	2	0.76	0.28
6816	Fill	68	Fill of ditch [6815]. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable. Inclusions: 1) inclusion 2) inclusion.	2	0.76	0.28
6817	Cut	68	Cut of pit. Shape in plan: regular, circular. Break at top: gradual. Sides: moderate, concave. Break at base: gradual. Base: rounded.	17	0.92	0.48
6819	Fill	68	Fill of pit [6817]. Colour: dark brownish grey. Composition: silty clay. Compaction: moist, friable. Inclusions: occasional flecks of charcoal, evenly distributed.	17	0.92	0.48



Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
6820	Cut	68	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: shallow, concave. Break at base: imperceptible. Base: rounded.	0.65	0.6	0.18
6821	Fill	68	Fill of ditch [6820]. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.	0.65	0.6	0.18
6822	Cut	68	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: shallow, concave. Break at base: gradual. Base: rounded.	0.63	0.6	0.18
6823	Fill	68	Fill of ditch [6822]. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.	0.63	0.6	0.18
6824	Cut	68	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: shallow, concave. Break at base: gradual. Base: rounded.	2	0.41	0.12
6825	Fill	68	Fill of ditch [6824]. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.	2	0.41	0.12
6826	Cut	68	Cut of N-S ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, straight. Break at base: gradual. Base: rounded.	2	0.86	0.38
6827	Fill	68	Fill of ditch [6826]. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, friable.	2	0.86	0.38
6900	Layer	69	Topsoil of Trench 69. Colour: dark greyish brown. Composition: loamy clay. Compaction: moist, malleable. Inclusions: rare small to medium angular platy stone, evenly distributed.			0.44 (avg.)
6901	Layer	69	Natural of Trench 69. Colour: light yellow. Composition: clay. Compaction: moist, firm.			
6902	Cut	69	Cut of pit. Shape in plan: regular, oval. Break at top: sharp. Sides: steep, concave. Break at base: gradual. Base: flat.	0.85	0.7	0.3
6903	Fill	69	Fill of pit [6902]. Colour: mid orangey brown. Composition: silty clay. Compaction: dry, firm.	0.85	0.7	0.3
6904	Cut	69	Cut of inclined ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, straight. Break at base: gradual. Base: uneven.	> 1.00	1.2	0.45
6905	Fill	69	Fill of ditch [6904]. Colour: dark bluish brown. Composition: silty clay. Compaction: moist, firm.	> 1.00	1.2	4.5
6906	Cut	69	Cut of E-W ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: moderate, concave. Break at base: gradual. Base: flat.	> 1.00	1.18	0.38
6907	Fill	69	Fill of ditch [6906]. Colour: dark orangey brown. Composition: clay. Compaction: dry, firm.	> 1.00	1.18	0.38
6908	Cut	69	Cut of E-W ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: shallow, concave. Break at base: gradual. Base: flat.	> 1.00	1	0.3
6909	Fill	69	Fill of ditch [6908]. Colour: dark orangey brown. Composition: clay. Compaction: dry, firm.	> 1.00	1	0.3

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
6910	Cut	69	Cut of wheel rut. Shape in plan: regular, linear. Break at top: sharp. Sides: moderate, concave. Break at base: gradual. Base: rounded.	> 1.00	0.4	0.36
6911	Fill	69	Fill of wheel rut [6910]. Colour: dark brownish black. Composition: clay. Compaction: dry, firm.	> 1.00	0.4	0.36
6912	Cut	69	Cut of N-S ditch. Break at top: sharp. Sides: steep, concave. Break at base: gradual. Base: rounded.	> 1.70	2.92	1.1
6913	Fill	69	Fill of ditch [6912]. Colour: dark brownish grey. Composition: silty clay. Compaction: moist, firm.	> 1.70	2.4	0.47
6914	Cut	69	Cut of ditch. Break at top: sharp. Sides: steep, concave. Base: uneven.	> 1.70	2.92	0.62 to 0.72
6915	Fill	69	Fill of ditch [6914]. Colour: mid greyish yellow. Composition: silty clay. Compaction: moist, firm.	> 1.00	2.61	0.03 to 0.36
6916	Fill	69	Fill of ditch [6914]. Colour: dark blackish grey. Composition: silty clay. Compaction: moist, firm.	> 1.00	2.74	0.04 to 0.26
6917	Fill	69	Fill of ditch [6914]. Colour: light whitish grey. Composition: silty clay. Compaction: moist, firm.	0.8	1.08	0.02 to 0.14
6918	Fill	69	Fill of ditch [6914]. Colour: mid yellowish grey. Composition: silty clay. Compaction: moist, firm.	1	2.92	0.17
6919	Fill	69	Fill of ditch [6914]. Colour: dark blackish grey. Composition: silty clay. Compaction: moist, firm.	0.8	2	0.15
6920	Cut	69	Cut of E-W gully. Shape in plan: regular, curvi-linear. Break at top: sharp. Sides: steep, straight. Break at base: sharp. Base: tapered.	1	0.6	0.34
6921	Fill	69	Fill of gully [6920]. Colour: dark orangey brown. Composition: clay. Compaction: dry, firm.	1	0.6	0.34
6923	Cut	69	Cut of E-W ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: moderate, concave. Break at base: gradual. Base: rounded.	> 1.00	2.4	0.75
6924	Fill	69	Fill of ditch [6923]. Colour: mid bluish brown. Composition: silty clay. Compaction: moist, firm.	> 1.00	2.4	0.75
6925	Cut	69	Cut of E-W gully. Shape in plan: linear. Break at top: sharp. Sides: steep, concave. Break at base: gradual. Base: rounded.	> 2.00	0.46	0.17
6926	Fill	69	Fill of gully [6925]. Colour: dark greyish brown. Composition: clay. Compaction: dry, cemented.	> 2.00	0.46	0.17
6927	Fill	69	Fill of ditch [6923]. Colour: mid bluish brown. Composition: clay. Compaction: moist, firm.	> 1.00	2.4	0.1

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
7000	Layer	70	Topsoil of Trench 70. Colour: dark greyish brown. Composition: loamy clay. Compaction: moist, malleable. Inclusions: rare small to medium angular platy stone, evenly distributed.			0.26 (avg.)
7001	Layer	70	Natural of Trench 70. Colour: light yellow. Composition: clay. Compaction: moist, firm.			
7002	Fill	70	Fill of ditch [7003]. Colour: mid yellowish brown. Composition: clay. Compaction: moist, firm.	> 1.00	0.3	> 0.20
7003	Cut	70	Cut of NW-SE ditch. Shape in plan: linear. Break at top: sharp. Sides: vertical, straight. Break at base: none.	> 1.00	0.3	> 0.20
7004	Fill	70	Fill of ditch [7005]. Colour: mid yellowish grey. Composition: clay. Compaction: moist, firm.	> 1.00	1.08	0.3
7005	Cut	70	Cut of NW-SE ditch. Shape in plan: linear. Break at top: sharp. Sides: steep, straight. Break at base: sharp. Base: flat.	> 1.00	1.08	0.3
7100	Layer	71	Topsoil of Trench 71. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable. Inclusions: rare small angular platy stone, evenly distributed.			0.30 (avg.)
7101	Layer	71	Natural of Trench 71. Colour: light yellow. Composition: clay. Compaction: moist, firm.			
7102	Cut	71	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: moderate, concave. Break at base: gradual. Base: uneven.	> 1.00	1.14	0.16
7103	Fill	71	Fill of ditch [7102]. Colour: mid yellowish brown. Composition: clay. Compaction: dry, firm.	> 1.00	1.14	0.16
7200	Layer	72	Topsoil of Trench 72. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable. Inclusions: rare small angular platy stone, evenly distributed.			0.35 (avg.)
7201	Layer	72	Natural of Trench 72. Colour: light yellow. Composition: clay. Compaction: moist, firm.			
7300	Layer	73	Topsoil of Trench 73. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable. Inclusions: rare small angular platy stone, evenly distributed.			0.22 (avg.)
7301	Layer	73	Natural of Trench 73. Colour: light yellow. Composition: clay. Compaction: moist, firm.			
7400	Layer	74	Topsoil of Trench 74. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable. Inclusions: rare small angular platy stone, evenly distributed.			0.26 (avg.)
7401	Layer	74	Natural of Trench 74. Colour: light yellow. Composition: clay. Compaction: moist, firm.			
7500	Layer	75	Topsoil of Trench 75. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable. Inclusions: rare small angular platy stone, evenly distributed.			0.29 (avg.)
7501	Layer	75	Natural of Trench 75. Colour: light yellow. Composition: clay. Compaction: moist, firm.			
7600	Layer	76	Topsoil of Trench 76. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable. Inclusions: rare small angular platy stone, evenly distributed.			0.32 (avg.)
7601	Layer	76	Natural of Trench 76. Colour: light yellow. Composition: clay. Compaction: moist, firm.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
7700	Layer	77	Topsoil of Trench 77. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable. Inclusions: rare small angular platy stone, evenly distributed.			0.24 (avg.)
7701	Layer	77	Natural of Trench 77. Colour: light yellow. Composition: clay. Compaction: moist, firm.			
7800	Layer	78	Topsoil of Trench 78. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable. Inclusions: rare small angular platy stone, evenly distributed.			0.32 (avg.)
7801	Layer	78	Natural of Trench 78. Colour: light yellow. Composition: clay. Compaction: moist, firm.			
7900	Layer	79	Topsoil of Trench 79. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable. Inclusions: rare small angular platy stone, evenly distributed.			0.30 (avg.)
7901	Layer	79	Natural of Trench 79. Colour: light yellow. Composition: clay. Compaction: moist, firm.			
8000	Layer	80	Topsoil of Trench 80. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable. Inclusions: rare small angular platy stone, evenly distributed.			0.29 (avg.)
8001	Layer	80	Natural of Trench 80. Colour: light yellow. Composition: clay. Compaction: moist, firm.			
8100	Layer	81	Topsoil of Trench 81. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable. Inclusions: rare small angular platy stone, evenly distributed.			0.31 (avg.)
8101	Layer	81	Natural of Trench 81. Colour: light yellow. Composition: clay. Compaction: moist, firm.			
8200	Layer	82	Topsoil of Trench 82.			0.36 (avg.)
8201	Layer	82	Natural of Trench 82.			
8300	Layer	83	Topsoil of Trench 83. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable. Inclusions: rare small angular platy stone, evenly distributed.			0.36 (avg.)
8301	Layer	83	Natural of Trench 83. Colour: dark. Composition: clayey clay. Compaction: moist, firm.			
8302	Cut	83	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, concave. Break at base: gradual. Base: flat.	> 1.00	1.24	0.44
8303	Fill	83	Fill of ditch [8302]. Colour: light orangey grey. Composition: clay. Compaction: dry, firm.	> 1.00	1.24	0.44
8400	Layer	84	Topsoil of Trench 84. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable. Inclusions: rare small angular platy stone, evenly distributed.			0.34 (avg.)
8401	Layer	84	Natural of Trench 84. Colour: light yellow. Composition: clay. Compaction: moist, firm.			
8500	Layer	85	Topsoil of Trench 85. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable. Inclusions: rare small angular platy stone, evenly distributed.			0.31 (avg.)
8501	Layer	85	Natural of Trench 85. Colour: mid yellowish grey. Composition: clay. Compaction: moist, firm. Inclusions: rare medium angular platy stone, evenly distributed.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
8600	Layer	86	Topsoil of Trench 86.			0.36 (avg.)
8601	Layer	86	Natural of Trench 86.			
8700	Layer	87	Topsoil of Trench 87.			0.34 (avg.)
8701	Layer	87	Natural of Trench 87.			
8800	Layer	88	Topsoil of Trench 88. Colour: dark yellowish brown. Composition: silty clay. Compaction: moist, friable.			0.30 (avg.)
8801	Layer	88	Natural of Trench 88. Colour: light greyish yellow. Composition: clay. Compaction: moist, firm.			
8900	Layer	89	Topsoil of Trench 89. Colour: dark yellowish brown. Composition: silty clay. Compaction: moist, friable.			0.32 (avg.)
8901	Layer	89	Natural of Trench 89. Colour: light greyish yellow. Composition: clay. Compaction: moist, firm.			
8902	Fill	89	Fill of ditch. Colour: mid yellowish grey. Composition: clay. Compaction: moist, firm.	> 2.00	0.96	0.17
8903	Cut	89	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: moderate, concave. Break at base: gradual. Base: flat.	> 2.00	0.96	0.17
9000	Layer	90	Topsoil of Trench 90. Colour: dark yellowish brown. Composition: silty clay. Compaction: moist, friable.			0.35 (avg.)
9001	Layer	90	Natural of Trench 90. Colour: light greyish yellow. Composition: clay. Compaction: moist, firm.			
9100	Layer	91	Topsoil of Trench 91. Colour: dark yellowish brown. Composition: silty clay. Compaction: moist, friable.			0.30 (avg.)
9101	Layer	91	Natural of Trench 91. Colour: light greyish yellow. Composition: clay. Compaction: moist, firm.			
9200	Layer	92	Topsoil of Trench 92. Colour: dark yellowish brown. Composition: silty clay. Compaction: moist, friable.			0.30 (avg.)
9201	Layer	92	Natural of Trench 92. Colour: light greyish yellow. Composition: clay. Compaction: moist, firm.			
9202	Fill	92	Fill of gully [9204]. Colour: dark grey. Composition: silty clay. Compaction: moist, firm.	> 1.00	0.45	0.1
9203	Fill	92	Fill of gully [9204]. Colour: dark greyish black. Composition: silty clay. Compaction: moist, firm.	> 1.00	0.35	0.1
9204	Cut	92	Cut of NW-SE gully. Shape in plan: irregular, linear. Break at top: sharp. Sides: dipping, straight. Break at base: gradual. Base: flat.	> 2.00	0.45	0.2
9300	Layer	93	Topsoil of Trench 93. Colour: dark yellowish brown. Composition: silty clay. Compaction: moist, friable.			0.35 (avg.)

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
9301	Layer	93	Natural of Trench 93. Colour: light greyish yellow. Composition: clay. Compaction: moist, firm.			
9400	Layer	94	Topsoil of Trench 94. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable. Inclusions: rare small angular platy stone, evenly distributed.			0.36 (avg.)
9401	Layer	94	Natural of Trench 94. Colour: light yellow. Composition: clay. Compaction: moist, firm.			
9500	Layer	95	Topsoil of Trench 95. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable. Inclusions: rare small angular platy stone, evenly distributed.			0.33 (avg.)
9501	Layer	95	Natural of Trench 95. Colour: light yellow. Composition: clay. Compaction: moist, firm.			
9600	Layer	96	Topsoil of Trench 96. Colour: dark brownish grey. Composition: clayey silt. Compaction: wet, friable.			0.35 (avg.)
9601	Layer	96	Natural of Trench 96. Colour: light yellow. Composition: clay. Compaction: moist, firm.			
9700	Layer	97	Topsoil of Trench 97. Colour: dark brownish grey. Composition: clayey silt. Compaction: wet, friable.			0.30 (avg.)
9701	Layer	97	Natural of Trench 97. Colour: light yellow. Composition: clay. Compaction: moist, firm.			
9800	Layer	98	Topsoil of Trench 98. Colour: dark greyish brown. Composition: silty clay. Compaction: moist, malleable.			0.35 (avg.)
9801	Layer	98	Natural of Trench 98. Colour: light yellow. Composition: clay. Compaction: moist, firm.			
9900	Layer	99	Topsoil of Trench 99. Colour: dark yellowish brown. Composition: silty clay. Compaction: moist, friable.			0.36 (avg.)
9901	Layer	99	Natural of Trench 99. Colour: yellow. Composition: clay. Compaction: moist, firm.			
10000	Layer	100	Topsoil of Trench 100. Colour: dark yellowish brown. Composition: silty clay. Compaction: moist, friable.			0.36 (avg.)
10001	Layer	100	Natural of Trench 100. Colour: yellow. Composition: clay. Compaction: moist, firm.			
10100	Layer	101	Topsoil of Trench 101. Colour: dark yellowish brown. Composition: silty clay. Compaction: moist, friable.			0.34 (avg.)
10101	Layer	101	Natural of Trench 101. Colour: yellow. Composition: clay. Compaction: moist, firm.			
10200	Layer	102	Topsoil of Trench 102. Colour: dark yellowish brown. Composition: silty clay. Compaction: moist, friable.			0.36 (avg.)
10201	Layer	102	Natural of Trench 102. Colour: yellow. Composition: clay. Compaction: moist, firm.			
10300	Layer	103	Topsoil of Trench 103. Colour: greyish brown. Composition: silty clay. Compaction: moist, firm.			0.30 (avg.)
10301	Layer	103	Natural of Trench 103. Colour: mid orangey grey. Composition: silty clay. Compaction: moist, firm.			



Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
10400	Layer	104	Topsoil of Trench 104. Colour: dark yellowish brown. Composition: silty clay. Compaction: moist, friable.			0.40 (avg.)
10401	Layer	104	Natural of Trench 104. Colour: yellow. Composition: clay. Compaction: moist, firm.			
10500	Layer	105	Topsoil of Trench 105. Colour: mid greyish brown. Composition: clayey silt. Compaction: wet, malleable.			0.35 (avg.)
10501	Layer	105	Natural of Trench 105. Colour: light brownish yellow. Composition: clay. Compaction: moist, firm.			
10600	Layer	106	Topsoil of Trench 106. Colour: mid greyish brown. Composition: clayey silt. Compaction: wet, malleable.			0.40 (avg.)
10601	Layer	106	Natural of Trench 106. Colour: light brownish yellow. Composition: clay. Compaction: moist, firm.			
10700	Layer	107	Topsoil of Trench 107. Colour: mid greyish brown. Composition: clayey silt. Compaction: wet, malleable.			0.40 (avg.)
10701	Layer	107	Natural of Trench 107. Colour: light brownish yellow. Composition: clay. Compaction: moist, firm.			
10800	Deposit	108	Topsoil of Trench 108. Colour: dark blackish brown. Composition: silty clay. Compaction: moist, malleable.			0.35 (avg.)
10801	Deposit	108	Natural of Trench 108. Colour: yellowish grey. Composition: clay. Compaction: moist, firm.			
10900	Layer	109	Topsoil of Trench 109. Colour: dark greyish brown. Composition: silty clay. Compaction: moist, malleable.			0.30 (avg.)
10901	Layer	109	Natural of Trench 109. Colour: light yellow. Composition: clay. Compaction: moist, firm. Inclusions: rare small angular platy angular stones, evenly distributed.			
10902	Cut	109	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: moderate, convex. Break at base: gradual. Base: flat.	> 1.70	1.85	0.37
10903	Fill	109	Fill of ditch [10902]. Colour: mid bluish grey. Composition: silty clay. Compaction: moist, malleable.	> 1.70	1.85	0.37
11000	Layer	110	Topsoil of Trench 110. Colour: dark greyish brown. Composition: silty clay. Compaction: moist, malleable.			35.00 (avg.)
11001	Layer	110	Natural of Trench 110. Colour: light yellow. Composition: clay. Compaction: moist, firm. Inclusions: rare small angular platy angular stones, evenly distributed.			
11002	Cut	110	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: shallow, concave. Break at base: gradual. Base: rounded.	> 2.00	1.3	0.28
11003	Fill	110	Fill of ditch [11002]. Colour: dark greyish brown. Composition: silty clay. Compaction: moist, malleable.	> 2.00	1.3	0.65

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
11004	Cut	110	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: shallow, concave. Break at base: gradual. Base: rounded.	> 1.00	1.5	0.14
11005	Fill	110	Fill of ditch [11004]. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.	> 1.00	1.1	0.1
11100	Layer	111	Topsoil of Trench 111. Colour: dark brownish grey. Composition: clayey silt. Compaction: wet, malleable.			0.30 (avg.)
11101	Layer	111	Natural of Trench 111. Colour: mid brownish orange. Composition: clay. Compaction: moist, firm.			
11200	Layer	112	Topsoil of Trench 112. Colour: dark brownish grey. Composition: clayey silt. Compaction: wet, malleable.			0.30 (avg.)
11201	Layer	112	Natural of Trench 112. Colour: mid brownish orange. Composition: clay. Compaction: moist, firm.			
11300	Layer	113	Topsoil of Trench 113. Colour: dark brownish grey. Composition: clayey silt. Compaction: wet, malleable.			0.30 (avg.)
11301	Layer	113	Natural of Trench 113. Colour: mid brownish orange. Composition: clay. Compaction: moist, firm.			
11400	Layer	114	Topsoil of Trench 114. Colour: mid brownish orange. Composition: clayey silt. Compaction: dry, malleable.			0.30 (avg.)
11401	Layer	114	Natural of Trench 114. Colour: light orangey yellow. Composition: clay. Compaction: moist, firm.			
11402	Cut	114	Cut of NE-SW terminus. Break at top: sharp. Sides: moderate, concave. Break at base: gradual. Base: rounded.	> 0.94	1.29	0.35
11403	Fill	114	Fill of terminus [11402]. Colour: dark blackish brown. Composition: silty clay. Compaction: moist, firm. Inclusions: rare flecks to small sub-rounded to rounded spheroidal stone, evenly distributed.	> 0.94	1.29	0.35
11404	Cut	114	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, straight. Break at base: sharp. Base: uneven.	> 1.00	2.28	0.74
11405	Deposit	114	Deposit of ditch [11404]. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable. Inclusions: rare flecks to small sub-rounded to rounded spheroidal stone, evenly distributed.	> 1.00	1.15	0.2
11406	Cut	114	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, straight. Break at base: gradual. Base: rounded.	> 1.00	2.28	0.59
11407	Fill	114	Fill of ditch [11406]. Colour: dark greyish brown. Composition: clayey silt. Compaction: moist, friable. Inclusions: rare flecks to small sub-rounded to rounded spheroidal stone, evenly distributed.	> 1.00	2.28	0.59

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
11408	Cut	114	Cut of NE-SW furrow. Shape in plan: regular, linear. Break at top: imperceptible. Sides: shallow, concave. Break at base: imperceptible. Base: flat.	> 1.00	> 1.20	0.09
11409	Fill	114	Fill of furrow [11408]. Colour: mid orangey brown. Composition: clayey silt. Compaction: moist, friable.	> 1.00	> 1.20	0.09
11410	Cut	114	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, straight. Break at base: none.	> 1.00	9	> 0.35
11411	Fill	114	Fill of ditch [11410]. Colour: light brownish grey. Composition: clayey silt. Compaction: dry, friable. Inclusions: rare flecks to small sub-rounded to rounded spheroidal stone, evenly distributed.	> 1.00	9	> 0.35
11412	Cut	114	Cut of NE-SW ditch. Shape in plan: regular, semi-oval. Break at top: gradual. Sides: moderate, straight. Break at base: none.	0.53	2.3	0.27
11413	Fill	114	Fill of ditch [11412]. Colour: dark blackish brown. Composition: clayey silt. Compaction: moist, friable. Inclusions: 1) rare flecks to small sub-rounded to rounded spheroidal stone, evenly distributed 2) frequent flecks to small sub-rounded to rounded spheroidal charcoal and burnt clay, concentrated towards centre of feature.	0.53	2.3	0.27
11414	Cut	114	Cut of NE-SW gully. Break at top: gradual. Sides: moderate, straight. Break at base: none.	> 0.75	> 0.55	> 0.25
11415	Fill	114	Fill of gully [11414]. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, firm.	> 0.75	> 0.55	> 0.25
11416	Cut	114	Cut of NE-SW terminus. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, straight. Break at base: gradual. Base: rounded.	> 2.00	> 1.40	1
11417	Fill	114	Fill of terminus [11416]. Colour: light brownish grey. Composition: silty clay. Compaction: moist, firm. Inclusions: occasional medium rounded spheroidal rocks, evenly distributed.	2	1.4	1
11418	Cut	114	Cut of NE-SW terminus. Shape in plan: regular, linear. Break at top: gradual. Sides: shallow, concave. Break at base: gradual. Base: rounded.	2	1.2	0.3
11419	Fill	114	Fill of terminus [11418]. Colour: dark brownish black. Composition: silty clay. Compaction: moist, friable.	2	1.2	0.3
11500	Layer	115	Topsoil of Trench 115. Colour: mid brownish orange. Composition: clayey silt. Compaction: dry, malleable.			0.20 (avg.)
11501	Layer	115	Natural of Trench 115.			
11502	Cut	115	Cut of N-S possible terminus. Break at top: gradual. Sides: moderate, concave. Break at base: gradual. Base: flat.	1.62	0.62	0.44

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
11503	Fill	115	Fill of possible terminus [11502]. Colour: light greyish black. Composition: silty clay. Compaction: moist, malleable.	1.62	0.62	0.44
11504	Fill	115	Fill of possible terminus [11502]. Colour: dark blackish grey. Composition: silty clay. Compaction: moist, friable.	1.62	0.62	0.44
11505	Fill	115	Fill of possible terminus [11502]. Colour: light greyish black. Composition: silty clay. Compaction: moist, malleable. Inclusions: rare flecks of angular platy iron stone, evenly distributed.	1.62	0.62	0.44
11506	Cut	115	Cut of N-S terminus. Break at top: gradual. Sides: steep, concave. Break at base: imperceptible. Base: flat.	0.75	0.67	0.4
11507	Fill	115	Fill of terminus [11506]. Colour: mid orangey grey. Composition: silty clay. Compaction: moist, firm.	0.75	0.67	0.4
11508	Deposit	115	Deposit of terminus [11506]. Colour: dark orangey black. Composition: silty clay. Compaction: moist, friable.	0.11	0.2	0.07
11509	Cut	115	Cut of N-S pit. Shape in plan: regular, circular. Break at top: sharp. Sides: steep, concave. Break at base: sharp. Base: flat.	0.51	0.54	0.6
11510	Fill	115	Fill of pit [11509]. Colour: mid orangey grey. Composition: clayey silt. Compaction: moist, firm.	0.51	0.55	0.6
11600	Layer	116	Topsoil of Trench 116. Colour: mid brownish orange. Composition: clayey silt. Compaction: dry, malleable.			0.34 (avg.)
11601	Layer	116	Natural of Trench 116. Colour: light orangey yellow. Composition: clay. Compaction: moist, firm.			
11700	Layer	117	Topsoil of Trench 117. Colour: mid brownish orange. Composition: clayey silt. Compaction: dry, malleable.			0.25 (avg.)
11701	Layer	117	Natural of Trench 117. Colour: light orangey yellow. Composition: clay. Compaction: moist, firm.			
11800	Layer	118	Topsoil of Trench 118. Colour: mid brownish orange. Composition: clayey silt. Compaction: dry, malleable.			0.30 (avg.)
11801	Layer	118	Natural of Trench 118. Colour: light orangey yellow. Composition: clay. Compaction: moist, firm.			
11900	Layer	119	Topsoil of Trench 119. Colour: mid brownish orange. Composition: clayey silt. Compaction: dry, malleable.			0.45 (avg.)
11901	Layer	119	Natural of Trench 119. Colour: light orangey yellow. Composition: clay. Compaction: moist, firm.			
11902	Cut	119	Cut of E-W ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, straight. Break at base: sharp. Base: flat.	3.98	> 1.00	0.74

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
11903	Fill	119	Fill of ditch [11902]. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.	1.36	> 1.00	0.32
11904	Fill	119	Fill of ditch [11902]. Colour: mid orangey black. Composition: clay. Compaction: moist, firm.	2.5	> 1.00	0.34
11905	Cut	119	Cut of E-W ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, concave. Break at base: sharp. Base: flat.	1.6	> 1.00	0.42
11906	Fill	119	Fill of ditch [11905]. Colour: mid orangey brown. Composition: clay. Compaction: moist, firm.	1.6	> 1.00	0.42
12000	Layer	120	Topsoil of Trench 120. Colour: mid brownish orange. Composition: clayey silt. Compaction: dry, malleable.			0.15 (avg.)
12001	Layer	120	Natural of Trench 120. Colour: light orangey yellow. Composition: clay. Compaction: moist, firm.			
12002	Cut	120	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, concave. Break at base: gradual. Base: rounded.	1	2	0.62
12003	Fill	120	Fill of ditch [12002]. Colour: mid blackish grey. Composition: silty clay. Compaction: moist, firm.	1	2	0.62
12100	Layer	121	Topsoil of Trench 121. Colour: mid brownish orange. Composition: clayey silt. Compaction: dry, malleable.			0.35 (avg.)
12101	Layer	121	Natural of Trench 121. Colour: light orangey yellow. Composition: clay. Compaction: moist, firm.			
12102	Cut	121	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, straight. Break at base: gradual. Base: flat.	> 2.00	1.6	0.46
12103	Fill	121	Fill of ditch [12102]. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable.	> 2.00	1.6	0.46
12104	Cut	121	Cut of N-S ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, straight. Break at base: gradual. Base: flat.	> 2.00	> 1.36	0.28
12105	Fill	121	Fill of ditch [12104]. Colour: light brownish grey. Composition: silty clay. Compaction: dry, malleable.	> 2.00	> 1.36	0.28
12106	Cut	121	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: shallow, straight. Break at base: gradual. Base: flat.	> 2.00	1.22	0.14
12107	Fill	121	Fill of ditch [12106]. Colour: dark brownish grey. Composition: silty clay. Compaction: moist, friable.	> 2.00	1.22	0.14
12110	Cut	121	Cut of terminus. Break at top: gradual. Sides: shallow, concave. Break at base: gradual. Base: flat.	> 1.25	1.8	0.08

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
12111	Fill	121	Fill of terminus [12110]. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, friable.	> 1.25	1.8	0.08
12112	Cut	121	Cut of NE-SW ditch. Shape in plan: linear. Break at top: gradual. Sides: moderate, concave. Break at base: gradual. Base: rounded.	> 2.00	1.3	0.38
12113	Fill	121	Fill of ditch [12112]. Colour: light greyish orange. Composition: silty clay. Compaction: moist, malleable.	2	0.4	0.38
12114	Fill	121	Fill of ditch [12112]. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable.	2	0.8	0.26
12115	Cut	121	Cut of N-S gully. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, straight. Break at base: gradual. Base: tapered.	> 2.00	0.2	0.01
12116	Fill	121	Fill of gully [12115]. Colour: mid blackish grey. Composition: silty clay. Compaction: moist, malleable.	> 2.00	0.2	0.01
12117	Cut	121	Cut of gully. Shape in plan: regular, linear. Break at top: gradual. Sides: shallow, concave. Break at base: gradual. Base: rounded.	0.6	0.25	0.08
12118	Fill	121	Fill of gully [12117]. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, friable.	0.6	0.25	0.08
12119	Cut	121	Cut of NW-SE ditch. Shape in plan: irregular, linear. Break at top: gradual. Sides: 1) NE: shallow, straight 2) SW: steep, straight. Break at base: gradual. Base: flat.	> 0.80	2.54	0.74
12120	Fill	121	Fill of ditch [12119]. Colour: mid grey. Composition: clay. Compaction: moist, firm. Inclusions: clay.	> 0.80	0.82	0.34
12121	Fill	121	Fill of ditch [12119]. Colour: light brownish grey. Composition: clay. Compaction: moist, firm.	> 0.80	2.54	0.36
12122	Fill	121	Fill of ditch [12119]. Colour: mid grey. Composition: clay. Compaction: moist, firm.	> 0.80	1.42	0.34
12123	Cut	121	Cut of N-S linear feature. possible ditch. Shape in plan: irregular, linear. Break at top: sharp. Sides: steep, straight, undercut. Break at base: sharp. Base: uneven.	> 1.80	0.84	0.43
12124	Fill	121	Fill of linear feature. possible ditch [12123]. Colour: light greyish yellow. Composition: clayey silt. Compaction: moist, firm. Inclusions: rare small amount of coal at base.	> 1.80	0.84	0.43
12125	Cut	121	Cut of E-W gully. Shape in plan: irregular, curvi-linear. Sides: steep, concave, undercut. Break at base: sharp. Base: rounded.	> 0.63	0.48	0.16
12126	Fill	121	Fill of gully [12125]. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, firm.	> 0.63	0.48	0.16



Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
12127	Cut	121	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, concave. Break at base: gradual. Base: rounded.	> 1.00	> 1.04	0.3
12128	Fill	121	Fill of ditch [12127]. Colour: light bluish grey. Composition: silty clay. Compaction: moist, firm.	> 1.00	> 1.04	0.07
12129	Fill	121	Fill of ditch [12127]. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.	> 1.00	> 1.04	0.26
12130	Cut		Cut of NE-SW spread. Shape in plan: irregular spread.	> 10.50	> 1.30	> 0.10
12131	Deposit		Deposit of spread [12130]. Colour: light brownish grey. Composition: clayey silt. Compaction: moist, malleable. Inclusions: occasional small charcoal pieces seen.	> 10.50	> 1.30	> 0.10
12200	Layer	122	Topsoil of Trench 122. Colour: mid brownish orange. Composition: clayey silt. Compaction: dry, malleable.			0.45 (avg.)
12201	Layer	122	Natural of Trench 122. Colour: light orangey yellow. Composition: clay. Compaction: moist, firm.			
12202	Cut	122	Cut of E-W ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, concave. Break at base: imperceptible. Base: rounded.	1	0.4	0.15
12203	Fill	122	Fill of ditch [12202]. Colour: dark grey. Composition: clay. Compaction: moist, firm.	1	0.4	0.15
12204	Cut	122	Cut of E-W ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: shallow, concave. Break at base: gradual. Base: rounded.	> 1.00	0.87	0.17
12205	Fill	122	Fill of ditch [12204]. Colour: dark grey. Composition: clay. Compaction: moist, firm.	> 1.00	0.87	0.17
12206	Cut	122	Cut of ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: steep, concave, undercut. Break at base: gradual. Base: uneven.	> 1.00	0.9	0.43
12207	Fill	122	Fill of ditch [12208]. Colour: dark grey. Composition: clay. Compaction: moist, firm.	> 1.00	0.9	0.43
12208	Cut	122	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: steep, concave, undercut. Break at base: gradual. Base: rounded.	> 1.00	2.1	0.69
12209	Fill	122	Fill of ditch [12208]. Colour: dark grey. Composition: clay. Compaction: moist, firm.	> 1.00	0.9	0.43
12210	Cut	122	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, straight. Break at base: gradual.	2	2.39	0.56
12211	Fill	122	Fill of ditch [12210]. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable. Inclusions: rare small sub-rounded spheroidal rock, evenly distributed.	2	2.39	0.56
12212	Fill	122	Fill of ditch [12210]. Colour: dark blackish grey. Composition: silt. Compaction: moist, friable. Inclusions: frequent flecks of angular to sub-angular platy charcoal and rock, evenly distributed.	> 2.00	1.24	0.18

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
12213	Cut	122	Cut of E-W ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, straight. Break at base: sharp. Base: rounded.	> 1.80	2.72	0.72
12214	Fill	122	Fill of ditch [12213]. Colour: dark greyish brown. Composition: silty clay. Compaction: dry, friable.	> 1.80	2.72	0.72
12215	Fill	122	Fill of ditch [12213]. Colour: mid greyish blue. Composition: silty clay. Compaction: dry, loose.	> 1.80	2.3	0.38
12216	Cut	122	Cut of E-W pit. Shape in plan: regular, semi-circular. Break at top: gradual. Sides: shallow, concave. Break at base: gradual. Base: rounded.	0.8	0.96	0.28
12217	Fill	122	Fill of pit [12216]. Colour: dark greyish brown. Composition: silty clay. Compaction: dry, firm.	0.8	0.96	0.28
12218	Cut	122	Cut of E-W pit. Shape in plan: regular, sub-circular. Break at top: gradual. Sides: shallow, concave. Break at base: gradual. Base: rounded.	0.8	0.75	0.12
12219	Fill	122	Fill of pit [12218]. Colour: mid greyish brown. Composition: silty clay. Compaction: dry, firm.	0.8	0.75	0.12
12300	Layer	123	Topsoil of Trench 123. Colour: mid brownish grey. Composition: clayey silt. Compaction: moist, malleable.			0.23 (avg.)
12301	Layer	123	Natural of Trench 123. Colour: light greyish orange. Composition: clay. Compaction: moist, firm.			
12302	Cut	123	Cut of NW-SE gully. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, concave. Break at base: gradual. Base: rounded.	> 1.12	0.61	0.23
12303	Fill	123	Fill of gully [12302]. Colour: light greyish brown. Composition: silty clay. Compaction: dry, firm.	> 1.12	0.61	0.23
12304	Cut	123	Cut of ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: moderate, straight. Break at base: none.	> 0.87	1.8	> 0.41
12305	Fill	123	Fill of ditch [12304]. Colour: light orangey grey. Composition: clay. Compaction: moist, firm.	> 0.87	1.8	> 0.06
12306	Fill	123	Fill of ditch [12304]. Colour: light greyish brown. Composition: silty clay. Compaction: moist, firm.	> 0.87	1.8	0.37
12307	Cut	123	Cut of NE-SW plough furrow. Shape in plan: regular, linear. Break at top: gradual. Sides: shallow, concave. Break at base: gradual. Base: uneven.	> 1.00	1.12	0.07
12308	Fill	123	Fill of plough furrow [12307]. Colour: light orangey grey. Composition: silty clay. Compaction: dry, firm.	> 1.00	1.12	0.07
12309	Cut	123	Cut of hedgerow or ditch. Shape in plan: irregular, linear. Break at top: sharp. Sides: steep, straight. Break at base: gradual. Base: uneven.	> 2.00	1.8	0.4

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
12310	Fill	123	Fill of hedgerow or ditch [12309]. Colour: mid greyish brown. Composition: clayey silt. Compaction: moist, firm. Inclusions: rare medium angular platy rare stones.	> 2.00	1.8	0.4
12400	Layer	124	Topsoil of Trench 124. Colour: dark greyish brown. Composition: clayey silt. Compaction: moist, malleable.			0.26 (avg.)
12401	Layer	124	Natural of Trench 124. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			
12402	Cut	124	Cut of NW-SE ditch. Shape in plan: linear. Break at top: gradual. Sides: steep, concave. Break at base: gradual. Base: rounded.	> 2.00	1.32	0.68
12403	Fill	124	Fill of ditch [12402]. Colour: dark brownish grey. Composition: silty clay. Compaction: moist, friable.	> 2.00	1.32	0.68
12404	Cut	124	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: shallow, concave. Break at base: gradual. Base: rounded.	> 2.00	1.2	0.46
12405	Fill	124	Fill of ditch [12404]. Colour: light orangey grey. Composition: silty clay. Compaction: moist, firm.	> 2.00	1.2	0.46
12406	Cut	124	Cut of NW-SE ditch. Shape in plan: linear. Break at top: gradual. Sides: moderate, concave. Break at base: gradual. Base: flat.	> 2.00	2.24	0.68
12407	Fill	124	Fill of ditch. Colour: dark brownish grey. Composition: silty clay. Compaction: moist, friable.	> 2.00	2.24	0.68
12500	Layer	125	Topsoil of Trench 125. Colour: mid brownish orange. Composition: clayey silt. Compaction: dry, malleable.			0.40 (avg.)
12501	Layer	125	Natural of Trench 125. Colour: light orangey yellow. Composition: clay. Compaction: moist, firm.			
12502	Cut	125	Cut of NW-SE hedgerow. Shape in plan: regular.	> 1.00	> 1.42	0.44
12503	Fill	125	Fill of hedgerow [12502]. Colour: bright blackish grey. Composition: silty clay. Compaction: dry, firm.	1	0.9	0.24
12504	Fill	125	Fill of hedgerow [12502]. Colour: dark greyish black. Composition: clayey silt. Compaction: dry, firm.	1	> 0.92	0.4
12505	Cut	125	Cut of E-W terminus. Break at top: gradual. Sides: shallow, straight. Break at base: gradual. Base: flat.	2.5	1.5	0.1
12506	Fill	125	Fill of terminus [12505]. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, friable.	2.5	1.5	0.1
12507	Cut	125	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, concave. Break at base: gradual. Base: rounded.	1.1	1	0.56
12508	Fill	125	Fill of ditch [12507]. Colour: mid blackish grey. Composition: silty clay. Compaction: moist, firm.	1.1	1	0.56

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
12509	Cut	125	Cut of NE-SW furrow. Shape in plan: regular, linear. Break at top: gradual. Sides: shallow, concave. Break at base: imperceptible. Base: flat.	1.5	1.06	0.12
12510	Fill	125	Fill of furrow [12509]. Colour: bright blackish grey. Composition: clay. Compaction: dry, cemented.	1.5	1.06	0.12
12511	Cut	125	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, concave. Break at base: gradual. Base: flat.	2	2.56	0.54
12512	Fill	125	Fill of ditch [12511]. Colour: light greyish brown. Composition: silty clay. Compaction: moist, friable.	2	2.56	0.54
12513	Fill	125	Fill of ditch [12511]. Colour: light yellowish orange. Composition: clay. Compaction: wet, malleable.	2	1.1	0.12
12600	Layer	126	Topsoil of Trench 126. Colour: mid brownish orange. Composition: clayey silt. Compaction: dry, malleable.			0.28 (avg.)
12601	Layer	126	Natural of Trench 126. Colour: light orangey yellow. Composition: clay. Compaction: moist, firm.			
12700	Layer	127	Topsoil of Trench 127. Colour: mid brownish orange. Composition: clayey silt. Compaction: dry, malleable.			0.34 (avg.)
12701	Layer	127	Natural of Trench 127. Colour: light orangey yellow. Composition: clay. Compaction: moist, firm.			
12800	Layer	128	Topsoil of Trench 128. Colour: mid brownish orange. Composition: clayey silt. Compaction: dry, malleable.			0.34 (avg.)
12801	Layer	128	Natural of Trench 128. Colour: light orangey yellow. Composition: clay. Compaction: moist, firm.			
12900	Layer	129	Topsoil of Trench 129. Colour: dark blackish grey. Composition: clayey silt. Compaction: wet, malleable.			0.24 (avg.)
12901	Layer	129	Natural of Trench 129. Colour: light orangey yellow. Composition: clay. Compaction: moist, firm.			
13000	Layer	130	Topsoil of Trench 130. Colour: dark greyish brown. Composition: clayey silt. Compaction: moist, malleable.			0.27 (avg.)
13001	Layer	130	Natural of Trench 130. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			
13100	Layer	131	Topsoil of Trench 131. Colour: dark greyish brown. Composition: clayey silt. Compaction: moist, malleable.			0.30 (avg.)
13101	Layer	131	Natural of Trench 131. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			
13200	Layer	132	Topsoil of Trench 132. Colour: dark greyish brown. Composition: clayey silt. Compaction: moist, malleable.			0.27 (avg.)
13201	Layer	132	Natural of Trench 132. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
13300	Layer	133	Topsoil of Trench 133. Colour: dark greyish brown. Composition: sandy clay. Compaction: moist, malleable.			0.33 (avg.)
13301	Layer	133	Natural of Trench 133. Colour: light greyish orange. Composition: clay. Compaction: moist, firm. Inclusions: occasional medium angular platy stone, evenly distributed.			
13302	Cut	133	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, concave. Break at base: gradual. Base: flat.	> 1.00	0.82	0.22
13303	Fill	133	Fill of ditch [13302]. Colour: mid brown. Composition: clay. Compaction: dry, firm.	> 1.00	0.82	0.22
13304	Cut	133	Cut of pit. Shape in plan: irregular. Break at top: sharp. Sides: moderate, concave. Break at base: gradual. Base: rounded.	> 1.65	1.18	0.5
13305	Fill	133	Fill of pit [13304]. Colour: light orangey yellow. Composition: clay. Compaction: moist, malleable. Inclusions: occasional flecks of very angular elongate charcoal, concentrated towards base and top.	> 1.65	1.18	0.4
13306	Fill	133	Fill of pit [13304]. Colour: mid brownish grey. Composition: clay. Compaction: moist, malleable. Inclusions: rare flecks of very angular elongate charcoal, concentrated towards base.	> 1.65	1.18	0.4
13307	Cut	133	Cut of NW-SE gully. Shape in plan: regular, linear. Break at top: sharp. Sides: vertical, straight. Break at base: sharp. Base: flat.	> 1.65	0.15	0.5
13308	Fill	133	Fill of gully [13307]. Colour: mid yellowish brown. Composition: clay. Compaction: moist, firm. Inclusions: very large well-rounded elongate ceramic pipe, concentrated towards base.	> 1.65	0.15	0.5
13309	Cut	133	Cut of NW-SE gully. Shape in plan: regular, linear. Break at top: sharp. Sides: vertical, straight. Break at base: sharp. Base: flat.	> 1.65	0.5	0.5
13310	Fill	133	Fill of gully [13309]. Colour: light yellowish brown. Composition: clay. Compaction: moist, malleable.	> 1.65	0.5	0.5
13400	Layer	134	Topsoil of Trench 134. Colour: mid greyish brown. Composition: clayey silt. Compaction: dry, malleable.			0.30 (avg.)
13401	Layer	134	Natural of Trench 134. Colour: light orangey yellow. Composition: clay. Compaction: moist, firm.			
13500	Layer	135	Topsoil of Trench 135. Colour: mid greyish brown. Composition: clayey silt. Compaction: dry, malleable.			0.30 (avg.)
13501	Layer	135	Natural of Trench 135. Colour: light orangey yellow. Composition: clay. Compaction: moist, firm.			
13600	Layer	136	Topsoil of Trench 136. Colour: mid brown. Composition: clayey silt. Compaction: moist, friable.			0.28 (avg.)
13601	Layer	136	Natural of Trench 136. Colour: light yellowish orange. Composition: clay. Compaction: dry, firm.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
13700	Layer	137	Topsoil of Trench 137. Colour: mid brown. Composition: clayey silt. Compaction: moist, friable.			0.28 (avg.)
13701	Layer	137	Natural of Trench 137. Colour: light yellowish orange. Composition: clay. Compaction: dry, firm.			
13800	Layer	138	Topsoil of Trench 138. Colour: mid brown. Composition: clayey silt. Compaction: moist, friable.			0.30 (avg.)
13801	Layer	138	Natural of Trench 138. Colour: light yellowish orange. Composition: clay. Compaction: dry, firm.			
13900	Layer	139	Topsoil of Trench 139. Colour: mid brown. Composition: clayey silt. Compaction: moist, friable.			0.28 (avg.)
13901	Layer	139	Natural of Trench 139. Colour: light yellowish orange. Composition: clay. Compaction: dry, firm.			
14000	Layer	140	Topsoil of Trench 140. Colour: mid brown. Composition: clayey silt. Compaction: moist, friable.			0.28 (avg.)
14001	Layer	140	Natural of Trench 140. Colour: light yellowish orange. Composition: clay. Compaction: dry, firm.			
14100	Layer	141	Topsoil of Trench 141. Colour: mid brown. Composition: clayey silt. Compaction: moist, friable.			0.30 (avg.)
14101	Layer	141	Natural of Trench 141. Colour: light yellowish orange. Composition: clay. Compaction: dry, firm.			
14200	Layer	142	Topsoil of Trench 142. Colour: mid brown. Composition: clayey silt. Compaction: moist, friable.			0.28 (avg.)
14201	Layer	142	Natural of Trench 142. Colour: light yellowish orange. Composition: clay. Compaction: dry, firm.			
14300	Layer	143	Topsoil of Trench 143. Colour: mid greyish brown. Composition: loamy clay. Compaction: moist, malleable.			0.34 (avg.)
14301	Layer	143	Natural of Trench 143. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm. Inclusions: occasional medium angular platy stone, evenly distributed.			
14400	Layer	144	Topsoil of Trench 144. Colour: mid brown. Composition: clayey silt. Compaction: moist, friable.			0.28 (avg.)
14401	Layer	144	Natural of Trench 144. Colour: light yellowish orange. Composition: clay. Compaction: dry, firm.			
14500	Layer	145	Topsoil of Trench 145. Colour: mid brown. Composition: clayey silt. Compaction: moist, friable.			0.30 (avg.)
14501	Layer	145	Natural of Trench 145. Colour: light yellowish orange. Composition: clay. Compaction: dry, firm.			
14600	Layer	146	Topsoil of Trench 146. Colour: dark greyish brown. Composition: sandy clay. Compaction: moist, malleable.			0.41 (avg.)

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
14601	Layer	146	Natural of Trench 146. Colour: light yellowish orange. Composition: sandy clay. Compaction: moist, malleable. Inclusions: rare flecks to small angular platy stone, evenly distributed.			
14700	Layer	147	Topsoil of Trench 147. Colour: mid greyish brown. Composition: clayey silt. Compaction: wet, malleable.			0.35 (avg.)
14701	Layer	147	Natural of Trench 147. Colour: light yellowish orange. Compaction: wet, firm.			
14800	Layer	148	Topsoil of Trench 148. Colour: mid greyish brown. Composition: clayey silt. Compaction: wet, malleable.			0.30 (avg.)
14801	Layer	148	Natural of Trench 148. Colour: light yellowish orange. Compaction: wet, firm.			
15000	Layer	150	Topsoil of Trench 150. Colour: mid greyish brown. Composition: loamy clay. Compaction: moist, malleable.			0.38 (avg.)
15001	Layer	150	Natural of Trench 150. Colour: light greyish orange. Composition: clay. Compaction: moist, firm. Inclusions: occasional medium angular platy stone, evenly distributed.			
15100	Layer	151	Topsoil of Trench 151. Colour: mid greyish brown. Composition: loamy clay. Compaction: moist, malleable.			0.32 (avg.)
15101	Layer	151	Natural of Trench 151. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm. Inclusions: occasional medium angular platy stone, evenly distributed.			
15200	Layer	152	Topsoil of Trench 152. Colour: mid greyish brown. Composition: loamy clay. Compaction: moist, malleable.			0.36 (avg.)
15201	Layer	152	Natural of Trench 152. Colour: light greyish orange. Composition: clay. Compaction: moist, firm. Inclusions: occasional medium angular platy stone, evenly distributed.			
15202	Cut	152	Cut of NW-SE ditch. Shape in plan: regular, curvi-linear. Break at base: imperceptible. Base: rounded.	> 1.00	1.12	0.42
15203	Fill	152	Fill of ditch [15202]. Colour: mid orangey grey. Composition: silty clay. Compaction: moist, firm.	> 1.00	1.12	0.42
15300	Layer	153	Topsoil of Trench 153. Colour: dark yellowish brown. Composition: silty clay. Compaction: moist.			0.30 (avg.)
15301	Layer	153	Natural of Trench 153. Colour: light brownish yellow. Composition: clay. Compaction: moist, firm.			
15400	Layer	154	Topsoil of Trench 154. Colour: dark yellowish brown. Composition: silty clay. Compaction: moist.			0.26 (avg.)
15401	Layer	154	Natural of Trench 154. Colour: light brownish yellow. Composition: clay. Compaction: moist, firm.			
15600	Layer	156	Topsoil of Trench 156. Colour: mid brown. Composition: clayey silt. Compaction: moist, friable.			0.30 (avg.)



Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
15601	Layer	156	Natural of Trench 156. Colour: light yellowish orange. Composition: clay. Compaction: dry, firm.			
15700	Layer	157	Topsoil of Trench 157. Colour: mid brown. Composition: clayey silt. Compaction: moist, friable.			0.30 (avg.)
15701	Layer	157	Natural of Trench 157. Colour: light yellowish orange. Composition: clay. Compaction: dry, firm.			
15800	Layer	158	Topsoil of Trench 158. Colour: mid brown. Composition: clayey silt. Compaction: moist, friable.			0.30 (avg.)
15801	Layer	158	Natural of Trench 158. Colour: light brownish orange. Composition: clay. Compaction: dry, firm.			
15900	Layer	159	Topsoil of Trench 159. Colour: mid brown. Composition: clayey silt. Compaction: moist, friable.			0.30 (avg.)
15901	Layer	159	Natural of Trench 159. Colour: light yellowish orange. Composition: clay. Compaction: dry, firm.			
16000	Layer	160	Topsoil of Trench 160. Colour: mid brown. Composition: clayey silt. Compaction: moist, friable.			0.30 (avg.)
16001	Layer	160	Natural of Trench 160. Colour: light yellowish orange. Composition: clay. Compaction: dry, firm.			
16100	Layer	161	Topsoil of Trench 161. Colour: mid brown. Composition: clayey silt. Compaction: moist, friable.			0.30 (avg.)
16101	Layer	161	Natural of Trench 161. Colour: light yellowish orange. Composition: clay. Compaction: dry, firm.			
16200	Layer	162	Topsoil of Trench 162. Colour: mid brown. Composition: clayey silt. Compaction: moist, friable.			0.30 (avg.)
16201	Layer	162	Natural of Trench 162. Colour: light yellowish orange. Composition: clay. Compaction: dry, firm.			
16300	Layer	163	Topsoil of Trench 163. Colour: mid greyish brown. Composition: loamy clay. Compaction: moist, malleable.			0.36 (avg.)
16301	Layer	163	Natural of Trench 163. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm. Inclusions: occasional medium angular platy stone, evenly distributed.			
16400	Layer	164	Topsoil of Trench 164. Colour: mid brown. Composition: clayey silt. Compaction: moist, friable.			0.30 (avg.)
16401	Layer	164	Natural of Trench 164. Colour: light yellowish orange. Composition: clay. Compaction: dry, firm.			
16500	Layer	165	Topsoil of Trench 165. Colour: mid brown. Composition: clayey silt. Compaction: moist, friable.			0.30 (avg.)
16501	Layer	165	Natural of Trench 165. Colour: light yellowish orange. Composition: clay. Compaction: dry, firm.			
16600	Layer	166	Topsoil of Trench 166. Colour: dark yellowish brown. Composition: silty clay. Compaction: moist.			0.30 (avg.)

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
16601	Layer	166	Natural of Trench 166. Colour: light brownish yellow. Composition: clay. Compaction: moist, firm.			
16700	Layer	167	Topsoil of Trench 167. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, friable.			0.25 (avg.)
16701	Deposit	167	Natural of Trench 167. Colour: light yellowish white. Composition: clay. Compaction: moist, malleable.			
16702	Cut	167	Cut of E-W ditch. Shape in plan: linear. Break at top: sharp. Sides: steep, straight. Base: uneven.	> 2.00	1.46	0.35
16703	Fill	167	Fill of ditch [16702]. Colour: mid orangey grey. Composition: clayey silt. Compaction: moist, malleable.	> 2.00	1.46	0.35
16800	Layer	168	Topsoil of Trench 168. Colour: mid brownish grey. Composition: clayey silt. Compaction: dry, friable.			0.35 (avg.)
16801	Layer	168	Natural of Trench 168. Colour: light brownish yellow. Composition: clay. Compaction: moist, firm.			
16900	Layer	169	Topsoil of Trench 169. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, friable.			0.20 (avg.)
16901	Layer	169	Natural of Trench 169. Colour: light yellowish white. Composition: fine clayey sand. Compaction: moist, friable.			
17000	Layer	170	Topsoil of Trench 170. Colour: mid brownish grey. Composition: clayey silt. Compaction: dry, friable.			0.35 (avg.)
17001	Layer	170	Natural of Trench 170. Colour: light brownish yellow. Composition: clay. Compaction: moist, firm.			
17100	Layer	171	Topsoil of Trench 171. Colour: light brownish grey. Composition: clayey silt. Compaction: dry, friable.			0.34 (avg.)
17101	Layer	171	Natural of Trench 171. Colour: mid brownish orange. Composition: clay. Compaction: moist, firm.			
17102	Layer	171	Colluvium of Trench 171. Colour: mid greyish brown. Composition: clayey silt. Compaction: moist, firm.			0.60 (avg.)
17200	Layer	172	Topsoil of Trench 172.			0.40 (avg.)
17201	Layer	172	Natural of Trench 172. Colour: light yellowish white. Composition: clay. Compaction: moist, malleable.			
17300	Layer	173	Topsoil of Trench 173. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.18 (avg.)
17301	Layer	173	Natural of Trench 173. Colour: light yellowish white. Composition: clay. Compaction: moist, malleable.			
17400	Layer	174	Topsoil of Trench 174. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.30 (avg.)
17401	Layer	174	Natural of Trench 174. Colour: light yellowish white. Composition: clay. Compaction: moist, malleable.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
17402	Cut	174	Cut of N-S gully. Shape in plan: irregular, linear. Break at top: 1) W: gradual 2) E: sharp. Sides: 1) W: moderate, straight 2) E: vertical, undercut. Break at base: sharp. Base: uneven.	> 6.00	0.58	0.2
17403	Fill	174	Fill of gully [17402]. Colour: dark blackish grey. Composition: clayey silt. Compaction: dry, friable. Inclusions: occasional yellow clay.	> 6.00	0.58	0.2
17404	Fill	174	Fill of hedgerow. Colour: dark brownish grey. Composition: clayey silt. Compaction: moist, firm.	> 2.00	3	> 0.80
17500	Layer	175	Topsoil of Trench 175. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.34 (avg.)
17501	Layer	175	Natural of Trench 175. Colour: light yellowish white. Composition: clay. Compaction: moist, malleable.			
17502	Cut	175	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, straight. Break at base: gradual. Base: rounded.	2	0.88	0.34
17503	Fill	175	Fill of ditch [17502]. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, friable.	2	0.88	0.34
17600	Layer	176	Topsoil of Trench 176. Colour: dark greyish brown. Composition: sandy clay. Compaction: moist, malleable.			0.34 (avg.)
17601	Layer	176	Natural of Trench 176. Colour: light greyish orange. Composition: clay. Compaction: moist, firm. Inclusions: occasional medium angular platy stone, evenly distributed.			
17602	Cut	176	Cut of NE-SW gully. Shape in plan: linear. Break at top: gradual. Sides: steep, concave. Break at base: gradual. Base: rounded.	> 1.00	0.62	0.24
17603	Fill	176	Fill of gully [17602]. Colour: light yellowish grey. Composition: clay. Compaction: moist, firm.	> 1.00	0.62	0.24
17700	Layer	177	Topsoil of Trench 177. Colour: light brownish grey. Composition: clayey silt. Compaction: dry, friable.			0.30 (avg.)
17701	Layer	177	Natural of Trench 177. Colour: mid brownish orange. Composition: clay. Compaction: moist, firm.			
17800	Layer	178	Topsoil of Trench 178. Colour: light brownish grey. Composition: clayey silt. Compaction: dry, friable.			0.30 (avg.)
17801	Layer	178	Natural of Trench 178. Colour: mid brownish orange. Composition: clay. Compaction: moist, firm.			
17802	Layer	178	Infill of likely hedgerow of Trench 178. Colour: dark brownish grey. Composition: clayey silt. Compaction: moist, malleable.			0.60 (avg.)
17900	Layer	179	Topsoil of Trench 179. Colour: light brownish grey. Composition: clayey silt. Compaction: dry, friable.			0.36 (avg.)
17901	Layer	179	Natural of Trench 179. Colour: mid brownish orange. Composition: clay. Compaction: moist, firm.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
18000	Layer	180	Topsoil of Trench 180. Colour: mid greyish brown. Composition: silty clay. Compaction: dry, malleable.			0.35 (avg.)
18001	Layer	180	Natural of Trench 180. Colour: mid greyish orange. Composition: clay. Compaction: dry, firm.			
18900	Layer	189	Topsoil of Trench 189. Colour: mid greyish brown. Composition: silty clay. Compaction: dry, firm.			0.40 (avg.)
18901	Layer	189	Natural of Trench 189. Colour: mid greyish orange. Composition: clay. Compaction: dry, firm.			
19000	Layer	190	Topsoil of Trench 190. Colour: very dark greyish brown. Composition: clayey silt. Compaction: dry, firm.			0.38 (avg.)
19001	Layer	190	Natural of Trench 190. Colour: mid greyish yellow. Composition: clay. Compaction: moist, firm.			
19100	Layer	191	Topsoil of Trench 191. Colour: mid greyish brown. Composition: silty clay. Compaction: dry, malleable.			0.35 (avg.)
19101	Layer	191	Natural of Trench 191. Colour: mid greyish orange. Composition: clay. Compaction: dry, firm.			
19200	Layer	192	Topsoil of Trench 192. Colour: mid greyish brown. Composition: silty clay. Compaction: dry, malleable.			0.40 (avg.)
19201	Layer	192	Natural of Trench 192. Colour: mid greyish orange. Composition: clay. Compaction: dry, firm.			
19202	Cut	192	Cut of NE-SW ditch. Shape in plan: irregular, sub-linear. Break at top: sharp. Sides: steep, straight. Break at base: sharp. Base: flat.	> 1.00	0.54	0.44
19203	Fill	192	Fill of ditch [19202]. Colour: mid orangey grey. Composition: clay. Compaction: dry, firm.	> 1.00	0.54	0.44
19300	Layer	193	Topsoil of Trench 193. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable.			0.40 (avg.)
19301	Layer	193	Natural of Trench 193. Colour: mid greyish orange. Composition: clay. Compaction: dry, firm.			
19400	Layer	194	Topsoil of Trench 194. Colour: dark greyish brown. Composition: sandy clay. Compaction: moist, malleable.			0.31 (avg.)
19401	Layer	194	Natural of Trench 194. Colour: light greyish orange. Composition: clay. Compaction: moist, firm. Inclusions: occasional medium angular platy stone, evenly distributed.			
19500	Layer	195	Topsoil of Trench 195. Colour: dark blackish grey. Composition: clayey silt. Compaction: dry, friable.			0.35 (avg.)
19501	Layer	195	Subsoil of Trench 195. Colour: dark blackish grey. Composition: silty clay. Compaction: moist, firm.			0.30 (avg.)
19502	Layer	195	Natural of Trench 195. Colour: mid brownish orange. Composition: silty clay. Compaction: moist, firm.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
19503	Cut	195	Cut of NE-SW ditch. Shape in plan: regular, semi-linear. Break at top: sharp. Sides: steep, straight. Break at base: sharp. Base: flat, sloping towards N.	> 0.75	0.7	0.18
19504	Fill	195	Fill of ditch [19503]. Colour: mid greyish brown. Composition: silty clay. Compaction: dry, firm.	> 0.75	0.7	0.18
19600	Layer	196	Topsoil of Trench 196. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable.			0.40 (avg.)
19601	Layer	196	Natural of Trench 196. Colour: light greyish yellow. Composition: clay. Compaction: moist, firm.			
19700	Layer	197	Topsoil of Trench 197. Colour: mid greyish brown. Composition: silty clay. Compaction: dry, malleable.			0.32 (avg.)
19701	Layer	197	Natural of Trench 197. Colour: light greyish orange. Composition: clay. Compaction: dry, firm.			
19800	Layer	198	Topsoil of Trench 198. Colour: mid greyish brown. Composition: silty clay. Compaction: dry, malleable.			0.25 (avg.)
19801	Layer	198	Natural of Trench 198. Colour: light greyish orange. Composition: clay. Compaction: dry, firm.			
19900	Layer	199	Topsoil of Trench 199. Colour: dark blackish grey. Composition: clayey silt. Compaction: dry, friable.			0.35 (avg.)
19901	Layer	199	Natural of Trench 199. Colour: mid brownish orange. Composition: silty clay. Compaction: moist, firm.			
20000	Layer	200	Topsoil of Trench 200. Colour: light brownish grey. Composition: clayey silt. Compaction: dry, friable.			0.40 (avg.)
20001	Deposit	200	Made ground of Trench 200. Colour: mid brownish grey. Composition: clayey silt. Compaction: moist, firm. Inclusions: medium modern materials.			0.30 (avg.)
20002	Layer	200	Natural of Trench 200. Colour: dark blackish grey. Composition: clay. Compaction: moist, firm. Inclusions: modern refuse.			
20100	Layer	201	Topsoil of Trench 201. Colour: light brownish grey. Composition: clayey silt. Compaction: dry, friable.			0.40 (avg.)
20101	Layer	201	Natural of Trench 201. Colour: mid brownish orange. Composition: clay. Compaction: moist, firm.			
20200	Layer	202	Topsoil of Trench 202. Colour: mid greyish brown. Composition: sandy clay. Compaction: moist, malleable.			0.30 (avg.)
20201	Layer	202	Natural of Trench 202. Colour: mid brownish orange. Composition: clay. Compaction: moist, firm.			
20300	Layer	203	Topsoil of Trench 203. Colour: light brownish grey. Composition: clayey silt. Compaction: dry, friable.			0.40 (avg.)
20301	Layer	203	Natural of Trench 203. Colour: mid brownish orange. Composition: clay. Compaction: moist, firm.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
20400	Layer	204	Topsoil of Trench 204.			0.34 (avg.)
20401	Layer	204	Natural of Trench 204.			
20500	Layer	205	Topsoil of Trench 205. Colour: light brownish grey. Composition: clayey silt. Compaction: dry, friable.			0.38 (avg.)
20501	Layer	205	Natural of Trench 205. Colour: mid brownish orange. Composition: clay. Compaction: moist, firm.			
20600	Layer	206	Topsoil of Trench 206. Colour: light brownish grey. Composition: clayey silt. Compaction: dry, friable.			0.34 (avg.)
20601	Layer	206	Made ground of Trench 206. Colour: dark brownish black. Composition: clayey silt. Compaction: moist, friable.			0.10 (avg.)
20602	Layer	206	Natural of Trench 206. Colour: mid brownish orange. Composition: clay. Compaction: moist, firm.			
20603	Layer	206	Colluvium of Trench 206. Colour: light grey. Composition: clay. Compaction: moist, firm.			0.55 (avg.)
20604	Layer	206	Infill in palaeo channel of Trench 206. Colour: dark greyish black. Composition: clayey silt. Compaction: moist, friable. Inclusions: plastic bag at 1.30 m below.			0.70 (avg.)
20700	Layer	207	Topsoil of Trench 207. Colour: light brownish grey. Composition: clayey silt. Compaction: dry, friable.			0.38 (avg.)
20701	Layer	207	Natural of Trench 207. Colour: mid brownish orange. Composition: clay. Compaction: moist, firm.			
20800	Layer	208	Topsoil of Trench 208. Colour: light brownish grey. Composition: clayey silt. Compaction: dry, friable.			0.40 (avg.)
20801	Layer	208	Natural of Trench 208. Colour: mid brownish orange. Composition: clay. Compaction: moist, firm.			
20900	Layer	209	Topsoil of Trench 209. Colour: light brownish grey. Composition: clayey silt. Compaction: dry, friable.			0.36 (avg.)
20901	Layer	209	Natural of Trench 209. Colour: mid brownish orange. Composition: clay. Compaction: moist, firm.			
21000	Layer	210	Topsoil of Trench 210. Colour: light brownish grey. Composition: clayey silt. Compaction: dry, friable.			0.36 (avg.)
21001	Layer	210	Natural of Trench 210. Colour: mid brownish orange. Composition: clay. Compaction: moist, firm.			
21100	Layer	211	Topsoil of Trench 211. Colour: light brownish grey. Composition: clayey silt. Compaction: dry, friable.			0.36 (avg.)
21101	Layer	211	Natural of Trench 211. Colour: mid brownish orange. Composition: clay. Compaction: moist, firm.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
21200	Layer	212	Topsoil of Trench 212. Colour: light brownish grey. Composition: silty clay. Compaction: dry, friable.			0.34 (avg.)
21201	Layer	212	Natural of Trench 212.			
21300	Layer	213	Topsoil of Trench 213. Colour: light brownish grey. Composition: silty clay. Compaction: dry, friable.			0.34 (avg.)
21301	Layer	213	Natural of Trench 213. Colour: light yellowish grey. Composition: clay. Compaction: moist, firm.			
21400	Layer	214	Topsoil of Trench 214. Colour: light brownish grey. Composition: silty clay. Compaction: dry, friable.			0.25 (avg.)
21401	Layer	214	Natural of Trench 214. Colour: light yellowish grey. Composition: clay. Compaction: moist, firm.			
21500	Layer	215	Topsoil of Trench 215. Colour: light brownish grey. Composition: silty clay. Compaction: dry, friable.			0.43 (avg.)
21501	Layer	215	Natural of Trench 215. Colour: light yellowish grey. Composition: clay. Compaction: moist, firm.			
21600	Layer	216	Topsoil of Trench 216. Colour: light brownish grey. Composition: silty clay. Compaction: dry, friable.			0.34 (avg.)
21601	Layer	216	Natural of Trench 216. Colour: light yellowish grey. Composition: clay. Compaction: moist, firm.			
21700	Layer	217	Topsoil of Trench 217. Colour: light brownish grey. Composition: silty clay. Compaction: dry, friable.			0.30 (avg.)
21701	Layer	217	Natural of Trench 217. Colour: light yellowish grey. Composition: clay. Compaction: moist, firm.			
21800	Layer	218	Topsoil of Trench 218. Colour: light brownish grey. Composition: silty clay. Compaction: dry, friable.			0.25 (avg.)
21801	Layer	218	Natural of Trench 218. Colour: light yellowish grey. Composition: clay. Compaction: moist, firm.			
21900	Layer	219	Topsoil of Trench 219. Colour: yellowish grey. Composition: silty clay. Compaction: wet, friable.			0.28 (avg.)
21901	Layer	219	Natural of Trench 219. Colour: mid greyish yellow. Composition: clay. Compaction: wet, firm.			
22000	Layer	220	Topsoil of Trench 220. Colour: yellowish grey. Composition: silty clay. Compaction: wet, friable.			0.31 (avg.)
22001	Layer	220	Natural of Trench 220. Colour: mid greyish yellow. Composition: clay. Compaction: wet, firm.			
22100	Layer	221	Topsoil of Trench 221. Colour: mid brown. Composition: silty clay. Compaction: moist, firm.			0.30 (avg.)
22101	Layer	221	Natural of Trench 221. Colour: mid orangey yellow. Composition: clay. Compaction: moist, firm.			



Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
22200	Layer	222	Topsoil of Trench 222. Colour: mid brown. Composition: silty clay. Compaction: moist, firm.			0.36 (avg.)
22201	Layer	222	Natural of Trench 222. Colour: mid orangey yellow. Composition: clay. Compaction: moist, firm.			
22300	Layer	223	Topsoil of Trench 223. Colour: mid brown. Composition: silty clay. Compaction: moist, firm.			0.38 (avg.)
22301	Layer	223	Natural of Trench 223. Colour: mid orangey yellow. Composition: clay. Compaction: moist, firm.			
22400	Layer	224	Topsoil of Trench 224. Colour: mid brown. Composition: silty clay. Compaction: moist, firm.			0.31 (avg.)
22401	Layer	224	Natural of Trench 224. Colour: mid orangey yellow. Composition: clay. Compaction: moist, firm.			
22500	Layer	225	Topsoil of Trench 225. Colour: mid brown. Composition: silty clay. Compaction: moist, firm.			0.33 (avg.)
22501	Layer	225	Natural of Trench 225. Colour: mid orangey yellow. Composition: clay. Compaction: moist, firm.			
22600	Layer	226	Topsoil of Trench 226. Colour: mid brown. Composition: silty clay. Compaction: moist, firm.			0.38 (avg.)
22601	Layer	226	Natural of Trench 226. Colour: mid orangey yellow. Composition: clay. Compaction: moist, firm.			
22700	Layer	227	Topsoil of Trench 227. Colour: mid brown. Composition: silty clay. Compaction: moist, firm.			0.30 (avg.)
22701	Layer	227	Natural of Trench 227. Colour: mid orangey yellow. Composition: clay. Compaction: moist, firm.			
22800	Layer	228	Topsoil of Trench 228. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.			0.33 (avg.)
22801	Layer	228	Natural of Trench 228. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
22802	Cut	228	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: moderate, concave. Break at base: gradual. Base: rounded.	> 1.80	1.16	0.31
22803	Fill	228	Fill of ditch [22802]. Colour: mid bluish grey. Composition: silty clay. Compaction: moist, friable.	> 1.80	1.16	0.14
22804	Fill	228	Fill of ditch [22802]. Colour: mid bluish brown. Composition: silty clay. Compaction: dry, loose.	> 1.80	1.16	0.18
22805	Cut	228	Cut of NE-SW pit. Break at top: sharp. Sides: steep, straight. Break at base: sharp. Base: flat.	> 0.58	0.82	0.26
22806	Fill	228	Fill of pit [22805]. Colour: mid bluish grey. Composition: silty clay. Compaction: dry, friable.	> 0.58	0.82	0.26
22807	Cut	228	Cut of N-S ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: moderate, concave. Break at base: sharp. Base: rounded.	> 1.80	1.36	0.37

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
22808	Fill	228	Fill of ditch [22807]. Colour: mid bluish brown. Composition: silty clay. Compaction: moist, friable.	> 1.80	1.36	0.37
22809	Cut	228	Cut of ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: moderate, concave. Break at base: gradual. Base: rounded.	> 1.80	1	0.34
22810	Fill	228	Fill of ditch [22809]. Colour: mid greyish blue. Composition: silty clay. Compaction: dry, friable.	> 1.80	1	0.34
22811	Cut	228	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: moderate, concave. Break at base: sharp. Base: rounded.	> 1.80	1.28	0.6
22812	Fill	228	Fill of ditch [22811]. Colour: mid greyish blue. Composition: silty clay. Compaction: dry, friable.	> 1.80	1.28	0.6
22900	Layer	229	Topsoil of Trench 229. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.			0.38 (avg.)
22901	Layer	229	Natural of Trench 229. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
23000	Layer	230	Topsoil of Trench 230. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.			0.31 (avg.)
23001	Layer	230	Natural of Trench 230. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
23100	Layer	231	Topsoil of Trench 231. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.			0.41 (avg.)
23101	Layer	231	Natural of Trench 231. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
23102	Cut	231	Cut of NE-SW pit. Shape in plan: irregular, sub-oval. Break at top: gradual. Sides: steep, straight. Break at base: gradual. Base: uneven.	1.6	1.2	0.51
23103	Fill	231	Fill of pit [23102]. Colour: mid greyish brown. Composition: silty clay. Compaction: dry, firm.	1.6	1.2	0.51
23200	Layer	232	Topsoil of Trench 232. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.			0.31 (avg.)
23201	Layer	232	Natural of Trench 232. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
23300	Layer	233	Topsoil of Trench 233. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.			0.39 (avg.)
23301	Layer	233	Natural of Trench 233. Colour: light yellowish grey. Composition: silty clay. Compaction: moist, malleable.			
23400	Layer	234	Topsoil of Trench 234. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.			0.30 (avg.)

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
23401	Layer	234	Natural of Trench 234. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
23500	Layer	235	Topsoil of Trench 235. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.			0.35 (avg.)
23501	Layer	235	Natural of Trench 235. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
23600	Layer	236	Topsoil of Trench 236. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.			0.37 (avg.)
23601	Layer	236	Natural of Trench 236. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
23700	Layer	237	Topsoil of Trench 237. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.			0.31 (avg.)
23701	Layer	237	Natural of Trench 237. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
23800	Layer	238	Topsoil of Trench 238. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.			0.30 (avg.)
23801	Layer	238	Natural of Trench 238. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
23900	Layer	239	Topsoil of Trench 239. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.			0.31 (avg.)
23901	Layer	239	Natural of Trench 239. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
24000	Layer	240	Topsoil of Trench 240. Colour: dark greyish brown. Composition: silty clay. Compaction: waterlogged, firm.			0.36 (avg.)
24001	Layer	240	Natural of Trench 240. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
24100	Layer	241	Topsoil of Trench 241. Colour: dark greyish brown. Composition: silty clay. Compaction: waterlogged, firm.			0.35 (avg.)
24101	Layer	241	Natural of Trench 241. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
24200	Layer	242	Topsoil of Trench 242. Colour: dark greyish brown. Composition: silty clay. Compaction: waterlogged, firm.			0.36 (avg.)
24201	Layer	242	Natural of Trench 242. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
24300	Layer	243	Topsoil of Trench 243. Colour: dark greyish brown. Composition: silty clay. Compaction: waterlogged, firm.			0.32 (avg.)
24301	Layer	243	Natural of Trench 243. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
24400	Layer	244	Topsoil of Trench 244. Colour: dark greyish brown. Composition: silty clay. Compaction: waterlogged, firm.			0.28 (avg.)
24401	Layer	244	Natural of Trench 244. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
24500	Layer	245	Topsoil of Trench 245. Colour: dark greyish brown. Composition: silty clay. Compaction: waterlogged, firm.			0.32 (avg.)
24501	Layer	245	Natural of Trench 245. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
24600	Layer	246	Topsoil of Trench 246. Colour: dark greyish brown. Composition: silty clay. Compaction: waterlogged, firm.			0.27 (avg.)
24601	Layer	246	Natural of Trench 246. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
24700	Layer	247	Topsoil of Trench 247. Colour: dark greyish brown. Composition: silty clay. Compaction: waterlogged, firm.			0.32 (avg.)
24701	Layer	247	Natural of Trench 247. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
24800	Layer	248	Topsoil of Trench 248. Colour: dark greyish brown. Composition: silty clay. Compaction: waterlogged, firm.			0.35 (avg.)
24801	Layer	248	Natural of Trench 248. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
24900	Layer	249	Topsoil of Trench 249. Colour: dark greyish brown. Composition: silty clay. Compaction: wet, friable.			0.33 (avg.)
24901	Layer	249	Natural of Trench 249. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
25000	Layer	250	Topsoil of Trench 250. Colour: dark greyish brown. Composition: silty clay. Compaction: wet, friable.			0.33 (avg.)
25001	Layer	250	Natural of Trench 250. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
25100	Layer	251	Topsoil of Trench 251. Colour: dark greyish brown. Composition: silty clay. Compaction: wet, friable.			0.33 (avg.)
25101	Layer	251	Natural of Trench 251. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
25200	Layer	252	Topsoil of Trench 252. Colour: dark greyish brown. Composition: silty clay. Compaction: wet, friable.			0.28 to 0.36
25201	Layer	252	Natural of Trench 252. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
25300	Layer	253	Topsoil of Trench 253. Colour: dark greyish brown. Composition: silty clay. Compaction: wet, friable.			0.35 (avg.)
25301	Layer	253	Natural of Trench 253. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
25302	Cut	253	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, concave. Break at base: gradual. Base: flat.	> 1.80	1.4	0.62
25303	Fill	253	Fill of ditch [25302]. Colour: dark greyish brown. Composition: silty clay. Compaction: wet, friable.	> 1.80	1.4	0.62

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
25400	Layer	254	Topsoil of Trench 254. Colour: dark greyish brown. Composition: silty clay. Compaction: wet, friable.			0.32 (avg.)
25401	Layer	254	Natural of Trench 254. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
25500	Layer	255	Topsoil of Trench 255. Colour: dark greyish brown. Composition: silty clay. Compaction: wet, friable.			0.33 (avg.)
25501	Layer	255	Natural of Trench 255. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
25600	Layer	256	Topsoil of Trench 256. Colour: dark greyish brown. Composition: silty clay. Compaction: wet, friable.			0.35 (avg.)
25601	Layer	256	Natural of Trench 256. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
25700	Layer	257	Topsoil of Trench 257. Colour: dark greyish brown. Composition: silty clay. Compaction: wet, friable.			0.32 (avg.)
25701	Layer	257	Natural of Trench 257. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
25800	Layer	258	Topsoil of Trench 258. Colour: dark greyish brown. Composition: silty clay. Compaction: wet, friable.			0.32 (avg.)
25801	Layer	258	Natural of Trench 258. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
25900	Layer	259	Topsoil of Trench 259. Colour: dark greyish brown. Composition: silty clay. Compaction: wet, friable.			0.32 (avg.)
25901	Layer	259	Natural of Trench 259. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
26000	Layer	260	Topsoil of Trench 260. Colour: dark greyish brown. Composition: silty clay. Compaction: wet, friable.			0.34 (avg.)
26001	Layer	260	Natural of Trench 260. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
26100	Layer	261	Topsoil of Trench 261. Colour: dark greyish brown. Composition: silty clay. Compaction: wet, friable.			0.36 (avg.)
26101	Layer	261	Natural of Trench 261. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
26200	Layer	262	Topsoil of Trench 262. Colour: dark greyish brown. Composition: silty clay. Compaction: wet, friable.			0.32 (avg.)
26201	Layer	262	Natural of Trench 262. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
26300	Layer	263	Topsoil of Trench 263. Colour: dark greyish brown. Composition: silty clay. Compaction: wet, friable.			0.34 (avg.)
26301	Layer	263	Natural of Trench 263. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
26400	Layer	264	Topsoil of Trench 264. Colour: dark greyish brown. Composition: silty clay. Compaction: wet, friable.			0.30 (avg.)
26401	Layer	264	Natural of Trench 264. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
26500	Layer	265	Topsoil of Trench 265. Colour: dark greyish brown. Composition: silty clay. Compaction: wet, friable.			0.36 (avg.)
26501	Layer	265	Natural of Trench 265. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
26600	Layer	266	Topsoil of Trench 266. Colour: dark greyish brown. Composition: silty clay. Compaction: wet, friable.			0.33 (avg.)
26601	Layer	266	Natural of Trench 266. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
26700	Layer	267	Topsoil of Trench 267. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.			0.34 (avg.)
26701	Layer	267	Natural of Trench 267. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
26702	Cut	267	Cut of pit. Shape in plan: semi-oval. Break at top: sharp. Sides: steep, straight. Break at base: sharp. Base: rounded.	0.33	0.29	0.16
26703	Fill	267	Fill of pit [26702]. Colour: light purplish grey. Composition: silty clay. Compaction: moist, firm.	0.33	0.29	0.16
26704	Cut	267	Cut of NE-SW gully. Shape in plan: regular, linear. Break at top: gradual. Sides: shallow, concave. Break at base: gradual. Base: rounded.	1.13	0.5	0.08
26705	Fill	267	Fill of gully [26704]. Colour: light orangey grey. Composition: fine clayey sand. Compaction: moist, loose.	1.13	0.5	0.08
26706	Cut	267	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: moderate, concave. Break at base: gradual. Base: rounded.	> 1.80	1.3	0.46
26707	Fill	267	Fill of ditch [26706]. Colour: dark greyish brown. Composition: silty clay. Compaction: moist, malleable.	> 1.80	1.3	0.46
26800	Layer	268	Topsoil of Trench 268. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.			0.34 (avg.)
26801	Layer	268	Natural of Trench 268. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
26900	Layer	269	Topsoil of Trench 269. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.			0.25 (avg.)
26901	Layer	269	Natural of Trench 269. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
27000	Layer	270	Topsoil of Trench 270. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.			0.25 (avg.)
27001	Layer	270	Natural of Trench 270. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
27100	Layer	271	Topsoil of Trench 271. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.			0.32 (avg.)
27101	Layer	271	Natural of Trench 271. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
27200	Layer	272	Topsoil of Trench 272. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.			0.25 (avg.)
27201	Layer	272	Natural of Trench 272. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
27300	Layer	273	Topsoil of Trench 273. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable.			0.24 (avg.)
27301	Layer	273	Natural of Trench 273. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
27400	Layer	274	Topsoil of Trench 274. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable.			0.29 (avg.)
27401	Layer	274	Natural of Trench 274. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
27500	Layer	275	Topsoil of Trench 275. Colour: mid greyish brown. Composition: silty clay. Compaction: dry, loose.			0.36 (avg.)
27501	Layer	275	Natural of Trench 275. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
27600	Layer	276	Topsoil of Trench 276. Colour: mid greyish brown. Composition: silty clay. Compaction: dry, loose.			0.32 (avg.)
27601	Layer	276	Natural of Trench 276. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
27700	Layer	277	Topsoil of Trench 277. Colour: mid greyish brown. Composition: silty clay. Compaction: dry, loose.			0.32 (avg.)
27701	Layer	277	Natural of Trench 277. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
27800	Layer	278	Topsoil of Trench 278. Colour: mid greyish brown. Composition: silty clay. Compaction: dry, loose.			0.32 (avg.)
27801	Layer	278	Natural of Trench 278. Colour: bright orangey grey. Composition: sandy clay. Compaction: dry, loose.			
27802	Cut	278	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, straight. Break at base: sharp. Base: flat.	1	0.9	0.26
27803	Fill	278	Fill of ditch [27802]. Colour: light orangey grey. Composition: fine clayey sand. Compaction: dry, friable.	1	0.9	0.26



Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
27900	Layer	279	Topsoil of Trench 279. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.			0.27 (avg.)
27901	Layer	279	Natural of Trench 279. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
28000	Layer	280	Topsoil of Trench 280. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.			0.26 (avg.)
28001	Layer	280	Natural of Trench 280. Colour: light greyish yellow. Composition: clay. Compaction: wet, firm.			
28100	Layer	281	Topsoil of Trench 281. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.			0.28 (avg.)
28101	Layer	281	Natural of Trench 281. Colour: light greyish yellow. Composition: clay. Compaction: wet, firm.			
28200	Layer	282	Topsoil of Trench 282. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable.			0.23 (avg.)
28201	Layer	282	Natural of Trench 282. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
28300	Layer	283	Topsoil of Trench 283. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.			0.22 (avg.)
28301	Layer	283	Natural of Trench 283. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
28400	Layer	284	Topsoil of Trench 284. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.			0.27 (avg.)
28401	Layer	284	Natural of Trench 284. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
28500	Layer	285	Topsoil of Trench 285. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.			0.27 (avg.)
28501	Layer	285	Natural of Trench 285. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
28600	Layer	286	Topsoil of Trench 286. Colour: dark greyish brown. Composition: silty clay. Compaction: dry, loose.			0.32 (avg.)
28601	Layer	286	Natural of Trench 286. Colour: very light yellowish grey. Composition: clay. Compaction: moist, malleable.			
28700	Layer	287	Topsoil of Trench 287. Colour: dark greyish brown. Composition: silty clay. Compaction: very dry, loose.			0.31 (avg.)
28701	Layer	287	Natural of Trench 287. Colour: light yellowish grey. Composition: clay. Compaction: moist, firm.			
28800	Layer	288	Topsoil of Trench 288. Colour: dark greyish brown. Composition: silty clay. Compaction: very dry, loose.			0.31 (avg.)
28801	Layer	288	Natural of Trench 288. Colour: light yellowish grey. Composition: clay. Compaction: moist, firm.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
28900	Layer	289	Topsoil of Trench 289. Colour: dark greyish brown. Composition: silty clay. Compaction: dry, loose.			0.34 (avg.)
28901	Layer	289	Natural of Trench 289. Colour: very light yellowish grey. Composition: clay. Compaction: moist, malleable.			
29000	Layer	290	Topsoil of Trench 290. Colour: dark greyish brown. Composition: silty clay. Compaction: dry, loose.			0.33 (avg.)
29001	Layer	290	Natural of Trench 290. Colour: very light yellowish grey. Composition: clay. Compaction: moist, malleable.			
29100	Layer	291	Topsoil of Trench 291. Colour: dark greyish brown. Composition: silty clay. Compaction: very dry, loose.			0.34 (avg.)
29101	Layer	291	Natural of Trench 291. Colour: light yellowish grey. Composition: clay. Compaction: moist, firm.			
29200	Layer	292	Topsoil of Trench 292. Colour: dark greyish brown. Composition: silty clay. Compaction: very dry, loose.			0.30 (avg.)
29201	Layer	292	Natural of Trench 292. Colour: light yellowish grey. Composition: clay. Compaction: moist, firm.			
29300	Layer	293	Topsoil of Trench 293. Colour: dark greyish brown. Composition: silty clay. Compaction: very dry, loose.			0.31 (avg.)
29301	Layer	293	Natural of Trench 293. Colour: light yellowish grey. Composition: clay. Compaction: moist, firm.			
29400	Layer	294	Topsoil of Trench 294. Colour: dark greyish brown. Composition: silty clay. Compaction: dry, loose.			0.36 (avg.)
29401	Layer	294	Natural of Trench 294. Colour: very light yellowish grey. Composition: clay. Compaction: moist, malleable.			
29500	Layer	295	Topsoil of Trench 295. Colour: dark greyish brown. Composition: silty clay. Compaction: very dry, loose.			0.37 (avg.)
29501	Layer	295	Natural of Trench 295. Colour: light yellowish grey. Composition: clay. Compaction: moist, firm.			
29502	Cut	295	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: moderate, concave. Break at base: sharp. Base: flat.	> 1.20	1.3	0.35
29503	Fill	295	Fill of ditch [29502]. Colour: light orangey grey. Composition: silty clay. Compaction: moist, friable.	> 1.20	1.3	0.35
29600	Layer	296	Topsoil of Trench 296. Colour: dark greyish brown. Composition: silty clay. Compaction: dry, loose.			0.36 (avg.)
29601	Layer	296	Natural of Trench 296. Colour: very light yellowish grey. Composition: clay. Compaction: moist, malleable.			
29700	Layer	297	Topsoil of Trench 297. Colour: dark greyish brown. Composition: silty clay. Compaction: dry, loose.			0.31 (avg.)
29701	Layer	297	Natural of Trench 297. Colour: very light yellowish grey. Composition: clay. Compaction: moist, malleable.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
29800	Layer	298	Topsoil of Trench 298. Colour: dark greyish brown. Composition: silty clay. Compaction: dry, loose.			0.32 (avg.)
29801	Layer	298	Natural of Trench 298. Colour: very light yellowish grey. Composition: clay. Compaction: moist, malleable.			
29900	Layer	299	Topsoil of Trench 299. Colour: dark greyish brown. Composition: silty clay. Compaction: dry, loose.			0.30 (avg.)
29901	Layer	299	Natural of Trench 299. Colour: very light yellowish grey. Composition: clay. Compaction: moist, malleable.			
30000	Layer	300	Topsoil of Trench 300. Colour: dark greyish brown. Composition: silty clay. Compaction: very dry, loose.			0.24 (avg.)
30001	Layer	300	Natural of Trench 300. Colour: light yellowish grey. Composition: clay. Compaction: moist, firm.			
30100	Layer	301	Topsoil of Trench 301. Colour: dark greyish brown. Composition: silty clay. Compaction: very dry, loose.			0.36 (avg.)
30101	Layer	301	Natural of Trench 301. Colour: light yellowish grey. Composition: clay. Compaction: moist, firm.			
30102	Cut	301	Cut of NW-SE ditch. Shape in plan: irregular, linear. Break at top: gradual. Sides: moderate, concave. Break at base: imperceptible. Base: rounded.	> 1.00	1.04	0.44
30103	Fill	301	Fill of ditch [30102]. Colour: light orangey grey. Composition: silty clay. Compaction: moist, friable.	> 1.00	1.04	0.44
30200	Layer	302	Topsoil of Trench 302. Colour: dark greyish brown. Composition: silty clay. Compaction: very dry, loose.			0.30 (avg.)
30201	Layer	302	Natural of Trench 302. Colour: light yellowish grey. Composition: clay. Compaction: moist, firm.			
30300	Layer	303	Topsoil of Trench 303. Colour: dark greyish brown. Composition: silty clay. Compaction: very dry, loose.			0.28 (avg.)
30301	Layer	303	Natural of Trench 303. Colour: light yellowish grey. Composition: clay. Compaction: moist, firm.			
30400	Layer	304	Topsoil of Trench 304. Colour: dark greyish brown. Composition: silty clay. Compaction: very dry, loose.			0.33 (avg.)
30401	Layer	304	Natural of Trench 304. Colour: light yellowish grey. Composition: clay. Compaction: moist, firm.			
30500	Layer	305	Topsoil of Trench 305. Colour: mid greyish brown. Composition: loamy clay. Compaction: moist, malleable.			0.45 (avg.)
30501	Layer	305	Natural of Trench 305. Colour: light orangey yellow. Composition: silty clay. Compaction: very dry, malleable.			
30600	Layer	306	Topsoil of Trench 306. Colour: mid greyish brown. Composition: loamy clay. Compaction: moist, malleable.			0.48 (avg.)
30601	Layer	306	Natural of Trench 306. Colour: light orangey yellow. Composition: silty clay. Compaction: very dry, malleable.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
30602	Cut	306	Cut of NE-SW gully. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, straight. Break at base: gradual. Base: rounded.	> 2.00	0.4	0.3
30603	Fill	306	Fill of gully [30602]. Colour: mid brownish grey. Composition: silty clay. Compaction: very dry, firm.	> 2.00	0.4	0.3
30604	Cut	306	Cut of gully. Shape in plan: regular, linear. Break at top: gradual. Sides: shallow, straight. Break at base: gradual. Base: flat.	> 2.00	1.1	0.2
30605	Cut	306	Cut of NE-SW gully. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, straight. Break at base: gradual. Base: rounded.	> 2.00	0.4	0.18
30606	Fill	306	Fill of gully [30605]. Colour: mid brownish grey. Composition: silty clay. Compaction: very dry, firm.	> 2.00	0.4	0.18
30607	Cut	306	Cut of ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, straight. Break at base: gradual. Base: rounded.	> 2.00	1.1	0.45
30608	Fill	306	Fill of ditch [30607]. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, firm.	> 2.00	1.1	0.45
30609	Cut	306	Cut of NE-SW gully. Shape in plan: regular, linear. Break at top: sharp. Sides: moderate, straight. Break at base: gradual. Base: rounded.	> 2.00	0.2	0.18
30610	Fill	306	Fill of gully [30609]. Colour: mid greyish brown. Composition: silty clay. Compaction: very dry, firm.	> 2.00	0.2	0.18
30611	Cut	306	Cut of N-S ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: moderate, straight. Break at base: sharp. Base: flat.	> 1.00	2.2	0.52
30612	Fill	306	Fill of ditch [30611]. Colour: dark orangey grey. Composition: silty clay. Compaction: dry, plastic.	> 1.00	2.2	0.52
30613	Cut	306	Cut of ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, straight. Break at base: sharp. Base: rounded.	> 1.00	1.8	0.8
30614	Fill	306	Fill of ditch [30613]. Colour: mid orangey grey. Composition: silty clay. Compaction: dry, cemented.	> 1.00	1.8	0.8
30615	Fill	306	Fill of gully [30604]. Colour: mid greyish brown. Composition: silty clay. Compaction: dry, friable.	> 2.00	1.1	0.2
30700	Layer	307	Topsoil of Trench 307. Colour: dark brownish grey. Composition: silty clay. Compaction: moist, friable.			0.50 (avg.)
30701	Layer	307	Natural of Trench 307. Colour: mid orangey brown. Composition: silty clay. Compaction: moist, malleable.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
30702	Cut	307	Cut of E-W gully. Shape in plan: regular, linear. Break at top: gradual. Sides: shallow, straight. Break at base: gradual. Base: flat.	2	0.38	0.04
30703	Fill	307	Fill of gully [30702]. Colour: dark brownish grey. Composition: silty clay. Compaction: dry, firm.	2	0.38	0.04
30800	Deposit	308	Natural of Trench 308. Colour: mid orangey brown. Composition: clayey silt. Compaction: moist, friable. Inclusions: rare flecks to small sub-rounded to rounded spheroidal stone, evenly distributed.			
30801	Layer	308	Topsoil of Trench 308. Colour: mid greyish brown. Composition: clayey silt. Compaction: dry, friable. Inclusions: moderate flecks to medium sub-angular to rounded spheroidal stone, evenly distributed.			0.33 to 0.38
30900	Deposit	309	Natural of Trench 309. Colour: mid orangey brown. Composition: silty clay. Compaction: moist, firm. Inclusions: rare flecks to small sub-angular to sub-rounded spheroidal stone, evenly distributed.			
30901	Layer	309	Topsoil of Trench 309. Colour: mid blackish brown. Composition: clayey silt. Compaction: moist, friable. Inclusions: moderate flecks to small sub-angular to sub-rounded spheroidal stone, evenly distributed.			0.38 to 0.27
31000	Layer	310	Topsoil of Trench 310. Colour: black. Composition: clayey silt. Compaction: dry, loose.			0.20 (avg.)
31001	Layer	310	Natural of Trench 310. Colour: orangey yellow. Composition: clay. Compaction: dry, firm.			
31100	Layer	311	Topsoil of Trench 311. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.18 (avg.)
31101	Layer	311	Natural of Trench 311. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable.			
31200	Deposit	312	Topsoil of Trench 312. Colour: dark blackish brown. Composition: clayey silt. Compaction: dry, loose.			0.20 to 0.30
31201	Deposit	312	Natural of Trench 312. Colour: mid orangey yellow. Composition: clay. Compaction: moist, firm.			
31300	Layer	313	Topsoil of Trench 313. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.20 (avg.)
31301	Layer	313	Natural of Trench 313. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			
31400	Layer	314	Topsoil of Trench 314. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.22 (avg.)
31401	Layer	314	Natural of Trench 314. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable.			
31500	Layer	315	Topsoil of Trench 315. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.25 (avg.)
31501	Layer	315	Natural of Trench 315. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
31600	Layer	316	Topsoil of Trench 316. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.32 (avg.)
31601	Layer	316	Natural of Trench 316. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable.			
31700	Layer	317	Topsoil of Trench 317. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.34 (avg.)
31701	Layer	317	Natural of Trench 317. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable.			
31800	Layer	318	Topsoil of Trench 318. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.42 (avg.)
31801	Layer	318	Natural of Trench 318.			
31900	Layer	319	Topsoil of Trench 319. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.28 (avg.)
31901	Layer	319	Natural of Trench 319. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable.			
32000	Layer	320	Topsoil of Trench 320. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.30 (avg.)
32001	Layer	320	Natural of Trench 320. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable.			
32100	Layer	321	Topsoil of Trench 321. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.36 (avg.)
32101	Layer	321	Natural of Trench 321. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable.			
32200	Layer	322	Topsoil of Trench 322. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.33 (avg.)
32201	Layer	322	Natural of Trench 322. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable.			
32300	Layer	323	Topsoil of Trench 323. Colour: mid brownish grey. Composition: silty clay. Compaction: very dry, malleable.			0.35 (avg.)
32301	Layer	323	Natural of Trench 323. Colour: light yellowish orange. Composition: clay. Compaction: very dry, malleable.			
32302	Cut	323	Cut of N-S ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: steep, concave. Break at base: gradual.	> 1.76	2.5	> 0.79
32303	Fill	323	Fill of ditch [32302]. Colour: dark blackish brown. Composition: clay. Compaction: moist, malleable.	> 1.76	0.19	> 0.79
32304	Fill	323	Fill of ditch [32302]. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.	> 1.76	2.5	> 0.79

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
32400	Layer	324	Topsoil of Trench 324. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.25 (avg.)
32401	Layer	324	Natural of Trench 324. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable.			
32500	Layer	325	Topsoil of Trench 325. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.34 (avg.)
32501	Layer	325	Natural of Trench 325. Colour: mid orangey grey. Composition: clay. Compaction: moist, firm.			
32600	Layer	326	Topsoil of Trench 326. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.34 (avg.)
32601	Layer	326	Natural of Trench 326.			
32700	Layer	327	Topsoil of Trench 327. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.34 (avg.)
32701	Layer	327	Natural of Trench 327. Colour: mid orangey grey. Composition: clay. Compaction: moist, firm.			
32800	Layer	328	Topsoil of Trench 328. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.34 (avg.)
32801	Layer	328	Natural of Trench 328. Colour: mid orangey grey. Composition: clay. Compaction: moist, firm.			
32900	Layer	329	Topsoil of Trench 329. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.40 (avg.)
32901	Layer	329	Natural of Trench 329. Colour: mid orangey grey. Composition: clay. Compaction: moist, firm.			
33000	Layer	330	Topsoil of Trench 330. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.40 (avg.)
33001	Layer	330	Natural of Trench 330. Colour: mid orangey grey. Composition: clay. Compaction: moist, firm.			
33100	Layer	331	Topsoil of Trench 331. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.36 (avg.)
33101	Layer	331	Natural of Trench 331. Colour: mid orangey grey. Composition: clay. Compaction: moist, firm.			
33200	Layer	332	Topsoil of Trench 332. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.42 (avg.)
33201	Layer	332	Natural of Trench 332. Colour: mid orangey grey. Composition: clay. Compaction: moist, firm.			
33202	Cut	332	Cut of E-W ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, straight. Break at base: sharp. Base: tapered.	> 2.00	1.32	0.62
33203	Fill	332	Fill of ditch [33202]. Colour: dark brownish grey. Composition: clay. Compaction: moist, firm.	> 2.00	0.32	0.14



Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
33204	Fill	332	Fill of ditch [33207]. Colour: dark orangey brown. Composition: clay. Compaction: moist, firm. Inclusions: 1) inclusion 2) inclusion.	> 2.00	1.34	0.38
33205	Fill	332	Fill of ditch [33207]. Colour: mid orangey brown. Composition: clay. Compaction: moist, firm.	> 2.00	0.42	0.28
33206	Fill	332	Fill of ditch [33202]. Colour: mid brownish grey. Composition: clay. Compaction: moist, firm.	> 2.00	0.28	0.14
33207	Cut	332	Cut of E-W ditch. Shape in plan: regular, linear. Sides: steep, concave. Break at base: sharp. Base: tapered.	> 2.00	0.44	0.58
33300	Layer	333	Topsoil of Trench 333. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.42 (avg.)
33301	Layer	333	Natural of Trench 333. Colour: mid orangey grey. Composition: clay. Compaction: moist, firm.			
33400	Deposit	334	Topsoil of Trench 334. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.38 (avg.)
33401	Layer	334	Natural of Trench 334. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			
33500	Deposit	335	Topsoil of Trench 335. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.38 (avg.)
33501	Deposit	335	Natural of Trench 335. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			
33600	Layer	336	Topsoil of Trench 336. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.42 (avg.)
33601	Layer	336	Natural of Trench 336.			
33602	Cut	336	Cut of NW-SE gully. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, concave. Break at base: sharp. Base: flat.	> 1.00	0.7	0.1
33603	Fill	336	Fill of gully [33602]. Colour: dark blackish grey. Composition: silty clay. Compaction: dry, plastic.	> 1.00	0.7	0.1
33700	Deposit	337	Topsoil of Trench 337. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.44 (avg.)
33701	Deposit	337	Natural of Trench 337. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			
33702	Cut	337	Cut of NE-SW ditch. Shape in plan: linear. Break at top: gradual. Sides: moderate, straight. Break at base: imperceptible. Base: rounded.	> 2.00	0.88	0.22
33703	Fill	337	Fill of ditch [33702]. Colour: light blackish grey. Composition: sandy silt. Compaction: dry, friable.	> 2.00	0.88	0.22

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
33704	Cut	337	Cut of NE-SW furrow. Shape in plan: linear. Break at top: sharp. Sides: steep, straight. Break at base: imperceptible. Base: rounded.	> 2.00	0.58	0.22
33705	Fill	337	Fill of furrow [33704]. Colour: light brownish orange. Composition: clay. Compaction: moist, firm.	> 2.00	0.58	0.22
33800	Deposit	338	Topsoil of Trench 338. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.36 (avg.)
33801	Deposit	338	Natural of Trench 338. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			
33900	Deposit	339	Topsoil of Trench 339. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.38 (avg.)
33901	Deposit	339	Natural of Trench 339. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			
33902	Cut	339	Cut of NE-SW ditch. Shape in plan: linear. Break at top: sharp. Sides: steep, straight. Break at base: sharp. Base: flat.	> 2.00	0.74	0.16
33903	Fill	339	Fill of ditch [33902]. Colour: light brownish grey. Composition: clay. Compaction: dry.	> 2.00	0.74	0.16
33904	Cut	339	Cut of NE-SW ditch. Shape in plan: linear. Break at top: sharp. Sides: steep, straight. Break at base: sharp. Base: tapered.	> 2.00	1.8	0.6
33905	Fill	339	Fill of ditch [33904]. Colour: dark orangey brown. Composition: clay. Compaction: moist, firm.	> 2.00	1.8	0.6
33906	Cut	339	Cut of NE-SW furrow. Shape in plan: linear. Break at top: imperceptible. Sides: shallow, concave. Break at base: imperceptible. Base: rounded.	> 2.00	0.36	0.04
33907	Fill	339	Fill of furrow [33906]. Colour: bright orangey brown. Composition: clay. Compaction: moist, firm.	2	0.36	0.04
34000	Deposit	340	Topsoil of Trench 340. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.32 (avg.)
34001	Deposit	340	Natural of Trench 340. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			
34100	Deposit	341	Topsoil of Trench 341. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.34 (avg.)
34101	Deposit	341	Natural of Trench 341. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			
34200	Deposit	342	Topsoil of Trench 342. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.34 (avg.)
34201	Deposit	342	Natural of Trench 342. Colour: mid orangey grey. Composition: clay. Compaction: moist, firm.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
34202	Cut	342	Cut of NW-SE ditch. Shape in plan: linear. Break at top: sharp. Sides: steep, straight. Break at base: none. Base: uneven.	> 2.00	1.42	0.62
34203	Fill	342	Fill of ditch [34202]. Colour: mid orangey brown. Composition: clay. Compaction: moist, firm.	> 2.00	1.42	0.62
34300	Deposit	343	Topsoil of Trench 343.			0.30 (avg.)
34301	Deposit	343	Natural of Trench 343. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			
34400	Deposit	344	Topsoil of Trench 344. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.28 (avg.)
34401	Deposit	344	Natural of Trench 344. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			
34402	Cut	344	Cut of NW-SE gully. Shape in plan: linear. Break at top: imperceptible. Sides: shallow, concave. Break at base: imperceptible. Base: rounded.	> 2.00	0.4	0.1
34403	Fill	344	Fill of gully [34402]. Colour: orangey black. Composition: silt. Compaction: moist, spongy.	> 2.00	0.4	0.1
34500	Deposit	345	Topsoil of Trench 345. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.36 (avg.)
34501	Deposit	345	Natural of Trench 345. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			
34600	Deposit	346	Topsoil of Trench 346. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.34 (avg.)
34601	Deposit	346	Natural of Trench 346. Colour: mid orangey grey. Composition: clay. Compaction: moist, firm.			
34700	Deposit	347	Topsoil of Trench 347. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.34 (avg.)
34701	Deposit	347	Natural of Trench 347. Colour: mid orangey grey. Composition: clay. Compaction: moist, firm.			
34800	Deposit	348	Topsoil of Trench 348. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.32 (avg.)
34801	Deposit	348	Natural of Trench 348. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			
34900	Deposit	349	Topsoil of Trench 349. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.28 (avg.)
34901	Deposit	349	Natural of Trench 349. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			
34902	Cut	349	Cut of N-S terminus. Break at top: gradual. Sides: shallow, concave. Break at base: gradual. Base: rounded.	1.25	> 0.50	0.3

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
34903	Fill	349	Fill of terminus [34902]. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, firm.	> 1.25	0.5	0.3
35000	Deposit	350	Topsoil of Trench 350. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.32 (avg.)
35001	Deposit	350	Natural of Trench 350. Colour: mid orangey grey. Composition: clay. Compaction: moist, firm.			
35100	Deposit	351	Topsoil of Trench 351. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.20 (avg.)
35101	Deposit	351	Natural of Trench 351. Colour: mid orangey grey. Composition: clay. Compaction: moist, firm.			
35200	Deposit	352	Topsoil of Trench 352. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.18 (avg.)
35201	Deposit	352	Natural of Trench 352. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			
35300	Deposit	353	Topsoil of Trench 353. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.36 (avg.)
35301	Deposit	353	Natural of Trench 353. Colour: mid orangey grey. Composition: clay. Compaction: moist, firm.			
35400	Deposit	354	Topsoil of Trench 354. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.28 (avg.)
35401	Deposit	354	Natural of Trench 354. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			
35500	Deposit	355	Topsoil of Trench 355. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.38 (avg.)
35501	Deposit	355	Natural of Trench 355. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			
35600	Deposit	356	Topsoil of Trench 356. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.30 (avg.)
35601	Deposit	356	Natural of Trench 356. Colour: mid orangey grey. Composition: clay. Compaction: moist, firm.			
35700	Deposit	357	Topsoil of Trench 357. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.24 (avg.)
35701	Deposit	357	Natural of Trench 357. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			
35702	Cut	357	Cut of E-W ditch. Shape in plan: linear. Break at top: imperceptible. Sides: shallow, straight. Break at base: imperceptible. Base: uneven.	> 2.00	1.08	0.16
35703	Fill	357	Fill of ditch [35702]. Colour: light brownish orange. Composition: clay. Compaction: moist, firm.	> 2.00	1.08	0.16

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
35704	Cut	357	Cut of E-W ditch. Shape in plan: linear. Break at top: imperceptible. Sides: shallow, straight. Break at base: imperceptible. Base: flat.	> 2.00	1.5	0.14
35705	Fill	357	Fill of ditch [35704].	> 2.00	1.5	0.14
35800	Deposit	358	Topsoil of Trench 358. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.28 (avg.)
35801	Deposit	358	Natural of Trench 358. Colour: mid orangey grey. Composition: clay. Compaction: moist, firm.			
35900	Deposit	359	Topsoil of Trench 359. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.26 (avg.)
35901	Deposit	359	Natural of Trench 359. Colour: mid orangey grey. Composition: clay. Compaction: moist, firm.			
36000	Deposit	360	Topsoil of Trench 360. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.28 (avg.)
36001	Deposit	360	Natural of Trench 360. Colour: mid orangey grey. Composition: clay. Compaction: moist, firm.			
36100	Deposit	361	Topsoil of Trench 361. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.22 (avg.)
36101	Deposit	361	Natural of Trench 361. Colour: mid orangey grey. Composition: clay. Compaction: moist, firm.			
36200	Deposit	362	Topsoil of Trench 362. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.22 (avg.)
36201	Deposit	362	Natural of Trench 362. Colour: mid orangey grey. Composition: clay. Compaction: moist, firm.			
36300	Deposit	363	Topsoil of Trench 363. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.32 (avg.)
36301	Deposit	363	Natural of Trench 363.			
36400	Deposit	364	Topsoil of Trench 364. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.38 (avg.)
36401	Deposit	364	Natural of Trench 364. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			
36500	Deposit	365	Topsoil of Trench 365. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.26 (avg.)
36501	Deposit	365	Natural of Trench 365.			
36600	Deposit	366	Topsoil of Trench 366. Colour: mid greyish brown. Composition: clayey silt. Compaction: dry, firm.			0.32 (avg.)
36601	Deposit	366	Natural of Trench 366. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
36700	Deposit	367	Topsoil of Trench 367. Colour: mid greyish brown. Composition: clayey silt. Compaction: dry, firm.			0.36 (avg.)
36701	Deposit	367	Natural of Trench 367. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			
36800	Deposit	368	Topsoil of Trench 368. Colour: mid greyish brown. Composition: clayey silt. Compaction: dry, firm.			0.42 (avg.)
36801	Deposit	368	Natural of Trench 368. Colour: mid greyish orange. Composition: silty clay. Compaction: moist.			
36802	Cut	368	Cut of NW-SE furrow. Shape in plan: linear. Break at top: sharp. Sides: shallow, concave. Break at base: imperceptible. Base: flat, sloping towards NE.	> 2.00	> 1.40	0.18
36803	Fill	368	Fill of furrow [36802]. Colour: light yellowish grey. Composition: clay. Compaction: moist, firm.	> 2.00	> 1.40	0.18
36900	Deposit	369	Topsoil of Trench 369. Colour: mid greyish brown. Composition: clayey silt. Compaction: dry, firm.			0.40 (avg.)
36901	Deposit	369	Natural of Trench 369. Colour: mid greyish orange. Composition: silty clay. Compaction: moist.			
36902	Cut	369	Cut of NE-SW furrow. Shape in plan: linear. Break at top: gradual. Sides: shallow, concave. Break at base: imperceptible. Base: rounded.	> 2.00	1.2	0.35
36903	Fill	369	Fill of furrow [36902]. Colour: light yellowish grey. Composition: clay. Compaction: dry, firm.	> 2.00	1.2	0.35
37000	Deposit	370	Topsoil of Trench 370. Colour: mid greyish brown. Composition: clayey silt. Compaction: dry, firm.			0.34 (avg.)
37001	Deposit	370	Natural of Trench 370. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			
37100	Deposit	371	Topsoil of Trench 371. Colour: mid greyish brown. Composition: clayey silt. Compaction: dry, firm.			0.38 (avg.)
37101	Deposit	371	Natural of Trench 371. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			
37200	Deposit	372	Topsoil of Trench 372. Colour: mid greyish brown. Composition: clayey silt. Compaction: dry, firm.			0.38 (avg.)
37201	Deposit	372	Natural of Trench 372. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			
37300	Deposit	373	Topsoil of Trench 373. Colour: mid greyish brown. Composition: clayey silt. Compaction: dry, firm.			0.34 (avg.)
37301	Deposit	373	Natural of Trench 373. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			
37400	Deposit	374	Topsoil of Trench 374. Colour: mid greyish brown. Composition: clayey silt. Compaction: dry, firm.			0.36 (avg.)

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
37401	Deposit	374	Natural of Trench 374. Colour: mid greyish orange. Composition: silty clay. Compaction: moist.			
37500	Deposit	375	Topsoil of Trench 375. Colour: mid greyish brown. Composition: clayey silt. Compaction: dry, firm.			0.36 (avg.)
37501	Deposit	375	Natural of Trench 375. Colour: mid yellowish orange. Composition: medium clayey sand. Compaction: moist, malleable.			
37600	Deposit	376	Topsoil of Trench 376. Colour: mid greyish brown. Composition: clayey silt. Compaction: dry, firm.			0.50 (avg.)
37601	Deposit	376	Natural of Trench 376. Colour: mid bluish grey. Composition: clay. Compaction: moist, firm.			
37700	Deposit	377	Topsoil of Trench 377. Colour: mid greyish brown. Composition: clayey silt. Compaction: dry, firm.			0.54 (avg.)
37701	Deposit	377	Natural of Trench 377. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			
44700	Layer	447	Topsoil of Trench 447. Colour: dark greyish brown. Composition: clay. Compaction: moist, malleable.			0.35 (avg.)
44701	Layer	447	Natural of Trench 447. Colour: mid greyish yellow. Composition: clay. Compaction: moist, firm.			
44800	Layer	448	Topsoil of Trench 448. Colour: dark greyish brown. Composition: clay. Compaction: moist, malleable.			0.40 (avg.)
44801	Layer	448	Natural of Trench 448. Colour: mid greyish yellow. Composition: clay. Compaction: moist, firm.			
44802	Cut	448	Cut of N-S ditch. Shape in plan: regular, sub-linear. Break at top: sharp. Sides: steep, concave. Break at base: sharp. Base: flat.	> 1.00	1.46	0.56
44803	Fill	448	Fill of ditch [44802]. Colour: mid brownish black. Composition: silty clay. Compaction: moist, firm.	> 1.00	1.3	0.56
44804	Fill	448	Fill of ditch [44802]. Colour: dark black. Composition: silty clay. Compaction: moist, firm.	> 1.00	1.2	0.44
44805	Fill	448	Fill of ditch [44802]. Colour: mid orangey brown. Composition: silty clay. Compaction: moist, firm.	> 1.00	0.8	0.3
44806	Cut	448	Cut of E-W ditch. Shape in plan: regular, sub-linear. Break at top: sharp. Sides: steep, concave. Break at base: sharp. Base: rounded.	> 0.70	> 0.96	0.68
44807	Fill	448	Fill of ditch [44806]. Colour: mid orangey brown. Composition: silty clay. Compaction: moist, firm.	> 0.70	> 0.96	0.68
44808	Cut	448	Cut of N-S ditch. Shape in plan: sub-linear. Break at top: sharp. Sides: steep, straight. Break at base: sharp. Base: flat.	> 0.69	2.16	0.64
44809	Fill	448	Fill of ditch [44808]. Colour: mid orangey grey. Composition: silty clay. Compaction: moist, firm.	> 0.69	2.16	0.65



Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
44810	Cut	448	Cut of E-W ditch. Shape in plan: regular, linear. Sides: steep, concave. Break at base: gradual.	1.5	0.7	0.56
44811	Fill	448	Fill of ditch [44810]. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable. Inclusions: occasional rounded sandstone, evenly distributed.	1.5	0.7	0.56
44812	Cut	448	Cut of E-W drain. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, straight. Break at base: sharp. Base: flat.	0.7	0.32	0.46
44813	Fill	448	Fill of drain [44812]. Colour: mid greyish black. Composition: clay. Compaction: moist, malleable.	0.7	0.32	0.46
44814	Cut	448	Cut of E-W ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: steep, concave. Break at base: gradual. Base: rounded.	2.16	0.75	0.58
44815	Fill	448	Fill of ditch [44814]. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable. Inclusions: occasional rounded sandstone, evenly distributed.	2.16	0.75	0.58
44816	Cut	448	Cut of E-W ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: steep, concave. Break at base: gradual. Base: rounded.	1.14	0.7	0.27
44817	Fill	448	Fill of ditch [44816]. Colour: mid brownish grey. Composition: silty clay. Compaction: dry, malleable.	1.14	0.7	0.27
44900	Layer	449	Topsoil of Trench 449. Colour: dark greyish brown. Composition: clay. Compaction: moist, malleable.			0.39 (avg.)
44901	Layer	449	Natural of Trench 449. Colour: mid greyish yellow. Composition: clay. Compaction: moist, firm.			
45000	Layer	450	Topsoil of Trench 450. Colour: dark grey. Composition: sandy silt. Compaction: dry, loose.			0.50 (avg.)
45001	Layer	450	Subsoil of Trench 450. Colour: mid orangey brown. Composition: sandy silt. Compaction: dry, firm.			0.10 (avg.)
45002	Layer	450	Natural of Trench 450. Colour: bright yellowish brown. Composition: sandy silt. Compaction: very dry, cemented.			
45003	Cut	450	Cut of NW-SE gully. Shape in plan: regular, linear. Break at top: gradual. Sides: shallow, straight. Break at base: sharp. Base: sloping towards SW.	1	0.4	0.06
45004	Fill	450	Fill of gully [45003]. Colour: light brownish grey. Composition: sandy silt. Compaction: very dry, cemented.	1	0.4	0.06
45005	Cut	450	Cut of posthole. Shape in plan: regular, circular. Break at top: gradual. Sides: steep, concave. Break at base: gradual. Base: rounded.	0.3	0.3	0.12
45006	Fill	450	Fill of posthole [45005]. Colour: light orangey grey. Composition: sandy silt. Compaction: very dry, cemented.	0.3	0.3	0.12

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
45007	Cut	450	Cut of pit. Shape in plan: regular, oval. Break at top: sharp. Sides: steep, concave. Break at base: gradual. Base: rounded.	0.66	0.5	0.36
45008	Fill	450	Fill of pit [45007]. Colour: dark blackish grey. Composition: sandy silt. Compaction: dry, firm. Inclusions: moderate yellow clay, concentrated towards surface.	0.66	0.5	0.36
45100	Layer	451	Topsoil of Trench 451. Colour: dark greyish brown. Composition: clay. Compaction: moist, malleable.			0.34 (avg.)
45101	Layer	451	Natural of Trench 451. Colour: mid greyish yellow. Composition: clay. Compaction: moist, firm.			
45200	Layer	452	Topsoil of Trench 452. Colour: dark greyish brown. Composition: clay. Compaction: moist, malleable.			0.34 (avg.)
45201	Layer	452	Natural of Trench 452. Colour: mid greyish yellow. Composition: clay. Compaction: moist, firm.			
45300	Layer	453	Topsoil of Trench 453. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.20 (avg.)
45301	Layer	453	Natural of Trench 453. Colour: light yellowish brown. Composition: silty clay. Compaction: moist, firm.			
45400	Layer	454	Topsoil of Trench 454. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.24 (avg.)
45401	Layer	454	Natural of Trench 454. Colour: mid yellowish brown. Composition: silty clay. Compaction: moist, firm.			
45500	Layer	455	Topsoil of Trench 455. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, firm.			0.36 (avg.)
45501	Layer	455	Subsoil of Trench 455. Colour: mid grey. Composition: clay. Compaction: moist, firm.			0.15 (avg.)
45502	Layer	455	Natural of Trench 455. Colour: light yellowish grey. Composition: clay. Compaction: moist, malleable.			
45700	Layer	457	Topsoil of Trench 457. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable.			0.30 (avg.)
45701	Layer	457	Natural of Trench 457. Colour: mid yellowish grey. Composition: clay. Compaction: moist, plastic.			
45800	Layer	458	Topsoil of Trench 458. Colour: mid greyish brown. Composition: loamy clay. Compaction: moist, malleable.			0.35 (avg.)
45801	Layer	458	Natural of Trench 458. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm. Inclusions: occasional medium angular platy stone, evenly distributed.			
45802	Cut	458	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, straight. Break at base: sharp. Base: flat.	> 1.80	0.98	0.4

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
45803	Fill	458	Fill of ditch [45802]. Colour: mid orangey grey. Composition: silty clay. Compaction: dry, firm.	> 1.80	0.4	0.1
45804	Fill	458	Fill of ditch [45802]. Colour: dark blackish grey. Composition: silty clay. Compaction: moist, malleable.	> 1.80	0.6	0.3
45805	Cut	458	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: vertical, straight. Break at base: imperceptible.	> 1.80	0.26	> 0.40
45806	Fill	458	Fill of ditch [45805]. Colour: light orangey brown. Composition: clay. Compaction: moist, firm.	> 1.80	0.26	> 0.40
46000	Layer	460	Topsoil of Trench 460. Colour: mid brown. Composition: clayey silt. Compaction: moist, friable.			0.34 (avg.)
46001	Layer	460	Natural of Trench 460. Colour: light yellowish orange. Composition: clay. Compaction: dry, firm.			
46100	Layer	461	Topsoil of Trench 461. Colour: mid brown. Composition: clayey silt. Compaction: moist, friable.			0.30 (avg.)
46101	Layer	461	Natural of Trench 461. Colour: light yellowish orange. Composition: clay. Compaction: dry, firm.			
46300	Layer	463	Topsoil of Trench 463. Colour: dark greyish brown. Composition: clayey silt. Compaction: moist, malleable. Inclusions: occasional small to medium rounded spheroidal stones/aggregate, evenly distributed.			0.26 (avg.)
46301	Layer	463	Made ground of Trench 463. Colour: mid brown. Composition: clay. Compaction: moist, firm.			0.30 (avg.)
46302	Layer	463	Natural of Trench 463. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.			
46303	Cut	463	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, concave. Break at base: gradual. Base: flat.	0.92	0.86	0.31
46304	Fill	463	Fill of ditch [46303]. Colour: dark orangey grey. Composition: silty clay. Compaction: moist, firm. Inclusions: rare small angular to rounded spheroidal one heat cracked pebble, evenly distributed.	0.92	0.86	0.31
46400	Deposit	464	Natural of Trench 464. Colour: mid brownish orange. Composition: silty clay. Compaction: moist, friable. Inclusions: rare flecks to small sub-rounded to rounded spheroidal stone, evenly distributed.			
46401	Deposit	464	Topsoil of Trench 464. Colour: mid greyish brown. Composition: clayey silt. Compaction: moist, friable. Inclusions: occasional flecks to medium sub-angular to rounded spheroidal stone, evenly distributed.			0.34 to 0.47
46500	Deposit	465	Topsoil of Trench 465. Colour: mid greyish brown. Composition: clayey silt. Compaction: moist, friable. Inclusions: occasional flecks to medium sub-angular to rounded spheroidal stone, evenly distributed.			0.40 (avg.)
46501	Deposit	465	Natural of Trench 465. Colour: mid brownish orange. Composition: silty clay. Compaction: moist, friable. Inclusions: rare flecks to small sub-rounded to rounded spheroidal stone, evenly distributed.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
46600	Layer	466	Topsoil of Trench 466. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.50 (avg.)
46601	Layer	466	Natural of Trench 466. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, malleable.			
46700	Layer	467	Topsoil of Trench 467. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, friable.			0.35 (avg.)
46701	Layer	467	Natural of Trench 467. Colour: mid brownish orange. Composition: medium clayey sand. Compaction: dry, friable.			
46800	Layer	468	Topsoil of Trench 468. Colour: dark greyish brown. Composition: silty clay. Compaction: dry, loose.			0.31 (avg.)
46801	Layer	468	Natural of Trench 468. Colour: very light yellowish grey. Composition: clay. Compaction: moist, malleable.			
46900	Layer	469	Topsoil of Trench 469. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.40 (avg.)
46901	Layer	469	Natural of Trench 469. Colour: mid orangey grey. Composition: clay. Compaction: moist, firm.			
47000	Layer	470	Topsoil of Trench 470. Colour: dark reddish brown. Composition: silty clay. Compaction: moist, malleable.			0.30 (avg.)
47001	Layer	470	Natural of Trench 470. Colour: mid orangey grey. Composition: clay. Compaction: moist, firm.			
47100	Layer	471	Topsoil of Trench 471. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, firm.			0.34 (avg.)
47102	Layer	471	Natural of Trench 471. Colour: mid greyish yellow. Composition: silty clay. Compaction: moist, malleable.			
47200	Layer	472	Topsoil of Trench 472. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, firm.			0.39 (avg.)
47201	Layer	472	Natural of Trench 472. Colour: mid greyish yellow. Composition: silty clay. Compaction: moist, malleable.			
47300	Layer	473	Topsoil of Trench 473. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, firm.			0.39 (avg.)
47301	Layer	473	Natural of Trench 473. Colour: mid greyish yellow. Composition: silty clay. Compaction: moist, malleable.			
47400	Layer	474	Topsoil of Trench 474. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, firm.			0.39 (avg.)
47401	Layer	474	Natural of Trench 474. Colour: mid greyish yellow. Composition: silty clay. Compaction: moist, malleable.			
47402	Cut	474	Cut of N-S ditch. Shape in plan: regular, sub-linear. Break at top: sharp. Sides: shallow, concave. Break at base: imperceptible. Base: uneven.	> 1.00	0.96	0.22
47403	Fill	474	Fill of ditch [47402]. Colour: mid orangey grey. Composition: silty clay. Compaction: moist, firm.	> 1.00	0.96	0.22

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
47404	Cut	474	Cut of N-S ditch. Shape in plan: regular, sub-linear. Break at top: sharp. Sides: moderate, concave. Break at base: imperceptible. Base: rounded.	> 1.00	1.06	0.26
47405	Fill	474	Fill of ditch [47404]. Colour: dark brownish grey. Composition: silty clay. Compaction: moist, firm.	> 1.00	1.06	0.26
47500	Layer	475	Topsoil of Trench 475. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, firm.			0.29 (avg.)
47501	Layer	475	Natural of Trench 475. Colour: mid greyish yellow. Composition: silty clay. Compaction: moist, malleable.			
47600	Layer	476	Topsoil of Trench 476. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, firm.			0.29 (avg.)
47601	Layer	476	Natural of Trench 476. Colour: mid greyish yellow. Composition: silty clay. Compaction: moist, malleable.			
47700	Layer	477	Topsoil of Trench 477. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, firm.			0.28 (avg.)
47701	Layer	477	Natural of Trench 477. Colour: mid greyish yellow. Composition: silty clay. Compaction: moist, malleable.			
47800	Layer	478	Topsoil of Trench 478. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, firm.			0.41 (avg.)
47801	Layer	478	Natural of Trench 478. Colour: mid greyish yellow. Composition: silty clay. Compaction: moist, malleable.			
47900	Layer	479	Topsoil of Trench 479. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, firm.			0.34 (avg.)
47901	Layer	479	Natural of Trench 479. Colour: mid greyish yellow. Composition: silty clay. Compaction: moist, malleable.			
48000	Layer	480	Topsoil of Trench 480. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, firm.			0.42 (avg.)
48001	Layer	480	Natural of Trench 480. Colour: mid greyish yellow. Composition: silty clay. Compaction: moist, malleable.			
48100	Layer	481	Topsoil of Trench 481. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, firm.			0.41 (avg.)
48101	Layer	481	Natural of Trench 481. Colour: mid greyish yellow. Composition: silty clay. Compaction: moist, malleable.			
48200	Layer	482	Topsoil of Trench 482. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, firm.			0.40 (avg.)
48201	Layer	482	Natural of Trench 482. Colour: mid greyish yellow. Composition: silty clay. Compaction: moist, malleable.			
48300	Layer	483	Topsoil of Trench 483. Colour: dark greyish brown. Composition: silty clay. Compaction: waterlogged, firm.			0.28 (avg.)
48301	Layer	483	Natural of Trench 483. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
48400	Layer	484	Topsoil of Trench 484. Colour: dark greyish brown. Composition: silty clay. Compaction: waterlogged, firm.			0.34 (avg.)
48401	Layer	484	Natural of Trench 484. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
48500	Layer	485	Topsoil of Trench 485. Colour: dark greyish brown. Composition: silty clay. Compaction: waterlogged, firm.			0.32 (avg.)
48501	Layer	485	Natural of Trench 485. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
48700	Layer	487	Topsoil of Trench 487.			0.29 (avg.)
48701	Layer	487	Natural of Trench 487. Colour: light yellowish grey. Composition: clay. Compaction: wet, cemented.			
49500	Deposit	495	Topsoil of Trench 495. Colour: dark brownish grey. Composition: silty clay. Compaction: moist, friable.			0.50 (avg.)
49501	Deposit	495	Natural of Trench 495. Colour: mid orangey brown. Composition: silty clay. Compaction: moist, malleable.			
49600	Layer	496	Topsoil of Trench 496. Colour: dark greyish brown. Composition: silty clay. Compaction: waterlogged, firm.			0.31 (avg.)
49601	Layer	496	Natural of Trench 496. Colour: light yellowish grey. Composition: clay. Compaction: wet, cemented.			
49700	Layer	497	Topsoil of Trench 497. Colour: dark greyish brown. Composition: silty clay. Compaction: waterlogged, firm.			0.35 (avg.)
49701	Layer	497	Natural of Trench 497. Colour: light yellowish grey. Composition: clay. Compaction: wet, cemented.			
49800	Layer	498	Topsoil of Trench 498. Colour: dark greyish brown. Composition: silty clay. Compaction: waterlogged, firm.			0.34 (avg.)
49801	Layer	498	Natural of Trench 498. Colour: light yellowish grey. Composition: clay. Compaction: wet, cemented.			
49900	Layer	499	Topsoil of Trench 499. Colour: dark greyish brown. Composition: silty clay. Compaction: waterlogged, firm.			0.35 (avg.)
49901	Layer	499	Natural of Trench 499. Colour: light yellowish grey. Composition: clay. Compaction: wet, cemented.			
50000	Layer	500	Topsoil of Trench 500. Colour: dark greyish brown. Composition: silty clay. Compaction: waterlogged, firm.			0.29 (avg.)
50001	Layer	500	Natural of Trench 500. Colour: light yellowish grey. Composition: clay. Compaction: wet, cemented.			
50100	Layer	501	Topsoil of Trench 501. Colour: dark greyish brown. Composition: silty clay. Compaction: waterlogged, firm.			0.31 (avg.)
50101	Layer	501	Natural of Trench 501. Colour: light yellowish grey. Composition: clay. Compaction: wet, cemented.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
50200	Layer	502	Topsoil of Trench 502. Colour: dark greyish brown. Composition: silty clay. Compaction: waterlogged, firm.			0.31 (avg.)
50201	Layer	502	Natural of Trench 502. Colour: light yellowish grey. Composition: clay. Compaction: wet, cemented.			
50300	Layer	503	Topsoil of Trench 503. Colour: dark greyish brown. Composition: silty clay. Compaction: waterlogged, firm.			0.29 (avg.)
50301	Layer	503	Natural of Trench 503. Colour: light yellowish grey. Composition: clay. Compaction: wet, cemented.			
50400	Layer	504	Topsoil of Trench 504. Colour: dark greyish brown. Composition: silty clay. Compaction: waterlogged, firm.			0.35 (avg.)
50401	Layer	504	Natural of Trench 504. Colour: light yellowish grey. Composition: clay. Compaction: wet, cemented.			
50500	Layer	505	Topsoil of Trench 505. Colour: dark greyish brown. Composition: silty clay. Compaction: waterlogged, firm.			0.32 (avg.)
50501	Layer	505	Natural of Trench 505. Colour: light yellowish grey. Composition: clay. Compaction: wet, cemented.			
50600	Layer	506	Topsoil of Trench 506. Colour: dark greyish brown. Composition: silty clay. Compaction: waterlogged, firm.			0.36 (avg.)
50601	Layer	506	Natural of Trench 506. Colour: light yellowish grey. Composition: clay. Compaction: wet, cemented.			
50700	Layer	507	Topsoil of Trench 507. Colour: dark greyish brown. Composition: silty clay. Compaction: waterlogged, firm.			0.32 (avg.)
50701	Layer	507	Natural of Trench 507. Colour: light yellowish grey. Composition: clay. Compaction: wet, cemented.			
50800	Layer	508	Topsoil of Trench 508. Colour: dark greyish brown. Composition: silty clay. Compaction: waterlogged, firm.			0.32 (avg.)
50801	Layer	508	Natural of Trench 508. Colour: light yellowish grey. Composition: clay. Compaction: wet, cemented.			
50900	Layer	509	Topsoil of Trench 509. Colour: dark greyish brown. Composition: silty clay. Compaction: waterlogged, firm.			0.33 (avg.)
50901	Layer	509	Natural of Trench 509. Colour: light yellowish grey. Composition: clay. Compaction: wet, cemented.			
51000	Layer	510	Topsoil of Trench 510. Colour: dark greyish brown. Composition: silty clay. Compaction: waterlogged, firm.			0.31 (avg.)
51001	Layer	510	Natural of Trench 510. Colour: light yellowish grey. Composition: clay. Compaction: wet, cemented.			
51100	Layer	511	Topsoil of Trench 511. Colour: dark greyish brown. Composition: silty clay. Compaction: waterlogged, firm.			0.32 (avg.)
51101	Layer	511	Natural of Trench 511. Colour: light yellowish grey. Composition: clay. Compaction: wet, cemented.			



Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
51200	Layer	512	Topsoil of Trench 512. Colour: dark greyish brown. Composition: silty clay. Compaction: wet, friable.			0.34 (avg.)
51201	Layer	512	Natural of Trench 512. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
51300	Layer	513	Topsoil of Trench 513. Colour: dark greyish brown. Composition: silty clay. Compaction: wet, friable.			0.33 (avg.)
51301	Layer	513	Natural of Trench 513. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
51400	Layer	514	Topsoil of Trench 514. Colour: mid greyish brown. Composition: clayey silt. Compaction: dry, firm.			0.42 (avg.)
51401	Layer	514	Natural of Trench 514. Colour: bright yellowish grey. Composition: clay. Compaction: moist, firm.			
51500	Layer	515	Topsoil of Trench 515. Colour: mid greyish brown. Composition: clayey silt. Compaction: dry, firm.			0.40 (avg.)
51501	Layer	515	Natural of Trench 515. Colour: bright yellowish grey. Composition: clay. Compaction: moist, firm.			
51600	Layer	516	Topsoil of Trench 516. Colour: mid greyish brown. Composition: clayey silt. Compaction: dry, firm.			0.32 (avg.)
51601	Layer	516	Natural of Trench 516. Colour: bright yellowish grey. Composition: clay. Compaction: moist, firm.			
51700	Layer	517	Topsoil of Trench 517. Colour: mid greyish brown. Composition: clayey silt. Compaction: dry, firm.			0.33 (avg.)
51701	Layer	517	Natural of Trench 517. Colour: bright yellowish grey. Composition: clay. Compaction: moist, firm.			
51800	Layer	518	Topsoil of Trench 518. Colour: mid greyish brown. Composition: loamy clay. Compaction: moist, malleable.			0.41 (avg.)
51801	Layer	518	Natural of Trench 518. Colour: light greyish orange. Composition: clay. Compaction: moist, firm. Inclusions: occasional medium angular platy stone, evenly distributed.			
51802	Cut	518	Cut of NE-SW gully. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, straight. Break at base: imperceptible. Base: tapered.	> 1.00	0.54	0.26
51803	Fill	518	Fill of gully [51802]. Colour: mid orangey brown. Composition: clay. Compaction: dry, firm.	> 1.00	0.54	0.26
51804	Cut	518	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, concave. Break at base: gradual. Base: flat.	1.7	1	0.35
51805	Fill	518	Fill of ditch [51804]. Colour: mid orangey grey. Composition: silty clay. Compaction: moist, firm.	1.7	1	0.35
51900	Layer	519	Topsoil of Trench 519. Colour: dark greyish black. Composition: loam. Compaction: moist, loose.			0.26 (avg.)

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
51901	Layer	519	Natural of Trench 519. Colour: dark yellowish grey. Composition: clay. Compaction: wet, malleable.			
52000	Layer	520	Topsoil of Trench 520. Colour: dark greyish black. Composition: loam. Compaction: moist, firm.			0.25 to 0.30
52001	Layer	520	Natural of Trench 520. Colour: mid greyish yellow. Composition: clay. Compaction: moist, malleable.			
52100	Layer	521	Topsoil of Trench 521. Colour: dark greyish black. Composition: loam. Compaction: moist, loose.			0.25 (avg.)
52101	Layer	521	Natural of Trench 521. Colour: dark yellowish grey. Composition: clay. Compaction: wet, malleable.			
52200	Layer	522	Topsoil of Trench 522. Colour: dark greyish brown. Composition: clayey silt. Compaction: moist, friable. Inclusions: moderate flecks to medium sub-angular to rounded spheroidal stone, evenly distributed.			0.35 (avg.)
52201	Layer	522	Natural of Trench 522. Colour: mid yellowish grey. Composition: medium clayey sand. Compaction: moist, friable.			
52300	Layer	523	Topsoil of Trench 523. Colour: dark greyish brown. Composition: clayey silt. Compaction: moist, friable. Inclusions: moderate flecks to medium sub-angular to rounded spheroidal stone, evenly distributed.			0.35 (avg.)
52301	Layer	523	Natural of Trench 523. Colour: mid orangey yellow. Composition: clay. Compaction: moist, friable.			
52400	Layer	524	Topsoil of Trench 524. Colour: dark greyish brown. Composition: clayey silt. Compaction: moist, friable. Inclusions: moderate flecks to medium sub-angular to rounded spheroidal stone, evenly distributed.			0.35 (avg.)
52401	Layer	524	Natural of Trench 524. Colour: mid orangey yellow. Composition: clay. Compaction: moist, friable.			
52500	Layer	525	Topsoil of Trench 525. Colour: dark greyish brown. Composition: clayey silt. Compaction: moist, friable. Inclusions: moderate flecks to medium sub-angular to rounded spheroidal stone, evenly distributed.			0.40 (avg.)
52501	Layer	525	Natural of Trench 525. Colour: mid orangey yellow. Composition: clay. Compaction: moist, friable.			
52600	Layer	526	Topsoil of Trench 526. Colour: mid greyish brown. Composition: loamy clay. Compaction: moist, malleable.			0.24 (avg.)
52601	Layer	526	Natural of Trench 526. Colour: light greyish orange. Composition: clay. Compaction: moist, firm. Inclusions: occasional medium angular platy stone, evenly distributed.			
52602	Cut	526	Cut of N-S ditch. Shape in plan: linear. Break at top: sharp. Sides: vertical, straight. Break at base: sharp. Base: flat.	> 1.80	0.6	0.24
52603	Fill	526	Fill of ditch. Colour: dark greyish brown. Composition: clay. Compaction: moist, malleable. Inclusions: moderate flecks to medium sub-angular platy CBM, evenly distributed.	> 1.80	0.6	0.24
52700	Layer	527	Topsoil of Trench 527. Colour: dark greyish black. Composition: loam. Compaction: moist, loose.			0.40 (avg.)
52701	Layer	527	Natural of Trench 527. Colour: mid yellowish grey. Composition: clay. Compaction: moist, malleable.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
52800	Layer	528	Topsoil of Trench 528. Colour: dark greyish black. Composition: loam. Compaction: moist, loose.			0.28 (avg.)
52801	Layer	528	Natural of Trench 528. Colour: mid yellowish grey. Composition: clay. Compaction: moist, malleable.			
52900	Layer	529	Topsoil of Trench 529. Colour: dark brownish grey. Composition: silty clay. Compaction: moist, friable.			0.36 (avg.)
52901	Layer	529	Natural of Trench 529. Colour: dark yellowish brown. Composition: silty clay. Compaction: moist, malleable.			
53000	Layer	530	Topsoil of Trench 530. Colour: dark greyish brown. Composition: clayey silt. Compaction: moist, friable. Inclusions: moderate flecks to medium sub-angular to rounded spheroidal stone, evenly distributed.			0.35 to 0.40
53001	Layer	530	Natural of Trench 530. Colour: mid orangey brown. Composition: clay. Compaction: moist, friable.			
53002	Cut	530	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, straight. Break at base: sharp. Base: flat.	> 2.00	0.7	0.3
53003	Fill	530	Fill of ditch [53002]. Colour: dark blackish brown. Composition: clay. Compaction: moist, firm.	> 2.00	0.7	0.3
53100	Layer	531	Topsoil of Trench 531. Colour: dark greyish brown. Composition: clayey silt. Compaction: moist, friable. Inclusions: moderate flecks to medium sub-angular to rounded spheroidal stone, evenly distributed.			0.35 to 0.36
53101	Layer	531	Natural of Trench 531. Colour: mid yellowish grey. Composition: medium clayey sand. Compaction: moist, friable.			
53200	Layer	532	Topsoil of Trench 532. Colour: dark greyish brown. Composition: clayey silt. Compaction: moist, friable. Inclusions: moderate flecks to medium sub-angular to rounded spheroidal stone, evenly distributed.			0.30 to 0.40
53201	Layer	532	Natural of Trench 532. Colour: mid orangey brown. Composition: clay. Compaction: moist, friable.			
53202	Cut	532	Cut of pond. Shape in plan: irregular spread. Break at top: 1) N: sharp 2) N: gradual. Sides: shallow, straight. Break at base: none.	> 2.20	> 1.00	> 0.75
53203	Fill	532	Fill of pond [53202]. Colour: mid yellowish grey. Composition: clayey silt. Compaction: moist, firm. Inclusions: frequent flecks to very large waterlogged natural timbers.	> 1.80	> 1.00	> 0.40
53204	Fill	532	Fill of pond [53202]. Colour: very dark blackish grey. Composition: clayey silt. Compaction: moist, firm. Inclusions: rare small sub-rounded spheroidal chalky limestone.	> 1.90	> 1.00	> 0.35
53205	Fill	532	Fill of pond [53202]. Colour: mid yellowish grey. Composition: silty clay. Compaction: moist, malleable. Inclusions: moderate medium rounded spheroidal yellow clay lumps, concentrated towards base.	> 0.50	> 0.50	> 0.40
53300	Layer	533	Topsoil of Trench 533. Colour: mid greyish brown. Composition: clayey silt. Compaction: moist, friable. Inclusions: moderate flecks to medium sub-angular to rounded spheroidal stone, evenly distributed.			0.41 (avg.)
53301	Layer	533	Natural of Trench 533. Colour: mid orangey brown. Composition: silty clay. Compaction: moist, friable.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
53302	Cut	533	Cut of E-W ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: steep, concave. Break at base: gradual.	0.93	0.9	0.22
53303	Fill	533	Fill of ditch [53302]. Colour: mid brownish grey. Composition: silty clay. Compaction: dry, malleable.	0.93	0.9	0.22
53304	Cut	533	Cut of N-S gully. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, concave. Break at base: gradual.	0.6	0.38	0.17
53305	Fill	533	Fill of gully [53304]. Colour: mid brownish grey. Composition: silty clay. Compaction: dry, malleable.	0.6	0.38	0.17
53306	Cut	533	Cut of N-S ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: steep, concave. Break at base: gradual.	0.89	1	0.32
53307	Fill	533	Fill of ditch [53306]. Colour: mid blackish grey. Composition: silty clay. Compaction: dry, malleable.	0.89	1	0.32
53308	Cut	533	Cut of N-S ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, concave. Break at base: gradual.	0.92	0.6	0.41
53309	Fill	533	Fill of ditch [53308]. Colour: mid brownish grey. Composition: silty clay. Compaction: dry, malleable.	0.92	0.6	0.41
53310	Cut	533	Cut of N-S ditch. Shape in plan: regular, linear. Base: rounded.	> 0.50	2.24	1
53311	Fill	533	Fill of ditch [53310]. Colour: mid orangey grey. Composition: silty clay. Compaction: dry, malleable.	> 0.50	0.6	0.68
53312	Fill	533	Fill of ditch [53310]. Colour: dark blackish grey. Composition: sandy clay. Compaction: dry, malleable.	> 0.50	2.24	0.4
53400	Deposit	534	Topsoil of Trench 534. Colour: dark greyish black. Composition: loam. Compaction: moist, loose.			0.30 to 0.50
53401	Deposit	534	Natural of Trench 534. Colour: dark yellowish grey. Composition: clay. Compaction: wet, malleable.			
53500	Deposit	535	Topsoil of Trench 535. Colour: very dark greyish black. Composition: loam. Compaction: moist, loose. Inclusions: inclusion.			0.20 to 0.35
53501	Deposit	535	Natural of Trench 535. Colour: dark yellowish grey. Composition: clay. Compaction: wet, malleable.			
53600	Deposit	536	Topsoil of Trench 536. Colour: dark greyish black. Composition: loam. Compaction: moist, loose.			0.30 to 0.50
53601	Deposit	536	Natural of Trench 536. Colour: dark yellowish grey. Composition: clay. Compaction: wet, malleable.			
53700	Deposit	537	Topsoil of Trench 537. Colour: greyish black. Composition: loam. Compaction: moist, loose.			0.30 to 0.40

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
53701	Deposit	537	Natural of Trench 537. Colour: yellowish grey. Composition: clay. Compaction: wet, malleable.			
53800	Deposit	538	Topsoil of Trench 538. Colour: dark greyish black. Composition: loam. Compaction: moist, loose.			0.30 to 0.40
53801	Deposit	538	Natural of Trench 538. Colour: dark yellowish grey. Composition: clay. Compaction: wet, malleable.			
53900	Layer	539	Topsoil of Trench 539. Colour: very dark greyish black. Composition: loam. Compaction: moist, loose. Inclusions: inclusion.			0.30 to 0.40
53901	Deposit	539	Natural of Trench 539. Colour: dark yellowish grey. Composition: clay. Compaction: wet, malleable.			
54000	Layer	540	Topsoil of Trench 540. Colour: mid greyish brown. Composition: clayey silt. Compaction: moist, friable. Inclusions: moderate flecks to medium sub-angular to rounded spheroidal stone, evenly distributed.			0.47 (avg.)
54001	Layer	540	Natural of Trench 540. Colour: mid orangey brown. Composition: silty clay. Compaction: moist, friable.			
54100	Deposit	541	Topsoil of Trench 541. Colour: dark greyish black. Composition: loam. Compaction: moist, loose.			0.30 to 0.50
54101	Deposit	541	Natural of Trench 541. Colour: dark yellowish grey. Composition: clay. Compaction: wet, malleable.			
54200	Layer	542	Topsoil of Trench 542. Colour: dark brownish black. Composition: clayey silt. Compaction: moist, loose.			0.30 (avg.)
54201	Layer	542	Natural of Trench 542. Colour: light orangey yellow. Composition: clay. Compaction: moist, firm.			
54202	Cut	542	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, straight. Break at base: gradual. Base: uneven.	> 2.00	2.4	0.5
54203	Fill	542	Fill of ditch [54202]. Colour: mid orangey grey. Composition: clay. Compaction: moist, firm.	> 2.00	2.16	0.22
54204	Fill	542	Fill of ditch [54202]. Colour: mid greyish orange. Composition: clay. Compaction: moist, firm.	> 2.00	1.7	0.32
54205	Fill	542	Fill of ditch [54202]. Colour: orangey brown. Composition: silty clay. Compaction: moist, firm.	> 2.00	1.2	0.12
54206	Cut	542	Cut of NE-SW field drain. Shape in plan: regular, linear. Break at top: sharp. Sides: vertical, straight. Break at base: sharp. Base: flat.	> 2.00	0.22	0.88
54207	Fill	542	Fill of field drain [54206]. Colour: mid orangey brown. Composition: clayey silt.	> 2.00	0.22	0.88
54300	Layer	543	Topsoil of Trench 543. Colour: dark brownish black. Composition: clayey silt. Compaction: moist, loose.			0.30 (avg.)
54301	Layer	543	Natural of Trench 543. Colour: light orangey yellow. Composition: medium clayey sand. Compaction: moist, firm.			
54400	Layer	544	Topsoil of Trench 544. Colour: mid greyish brown. Composition: clayey silt. Compaction: moist, friable. Inclusions: moderate flecks to medium sub-angular to rounded spheroidal stone, evenly distributed.			0.40 (avg.)

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
54401	Layer	544	Natural of Trench 544. Colour: mid orangey brown. Composition: silty clay. Compaction: moist, friable.			
54500	Layer	545	Topsoil of Trench 545. Colour: dark brownish black. Composition: clayey silt. Compaction: moist, loose.			0.30 (avg.)
54501	Layer	545	Natural of Trench 545. Colour: light orangey yellow. Composition: sandy clay. Compaction: moist, firm.			
54600	Layer	546	Topsoil of Trench 546. Colour: dark greyish black. Composition: sandy silt. Compaction: moist, loose.			0.20 (avg.)
54601	Layer	546	Subsoil of Trench 546. Colour: mid brownish grey. Composition: sandy silt. Compaction: moist, friable.			0.30 (avg.)
54602	Layer	546	Natural of Trench 546. Colour: mid orangey yellow. Composition: medium clayey sand. Compaction: moist, loose.			
54700	Layer	547	Topsoil of Trench 547. Colour: dark greyish black. Composition: sandy silt. Compaction: moist, loose.			0.30 (avg.)
54701	Layer	547	Natural of Trench 547. Colour: mid orangey yellow. Composition: medium silty sand. Compaction: moist, friable.			
54800	Layer	548	Topsoil of Trench 548. Colour: dark greyish black. Composition: sandy silt. Compaction: moist, friable.			0.30 (avg.)
54801	Layer	548	Natural of Trench 548. Colour: mid orangey yellow. Composition: sandy clay. Compaction: moist, firm.			
54802	Cut	548	Cut of NW-SE gully. Shape in plan: linear. Break at top: gradual. Sides: moderate, concave. Break at base: gradual. Base: uneven.	> 0.80	0.8	0.22
54803	Fill	548	Fill of gully [54802]. Colour: dark yellowish grey. Composition: silty clay. Compaction: moist, firm. Inclusions: inclusion.	> 0.80	0.8	0.22
54804	Cut	548	Cut of gully. Shape in plan: linear. Break at top: sharp. Sides: steep, straight. Break at base: sharp. Base: tapered.	> 0.80	0.6	0.2
54805	Fill	548	Fill of gully [54804]. Colour: dark yellowish grey. Composition: silty clay. Compaction: moist, firm. Inclusions: inclusion.	> 0.80	0.6	0.2
54806	Cut	548	Cut of gully. Shape in plan: linear. Break at top: gradual. Sides: moderate, concave. Break at base: gradual. Base: rounded.	> 0.80	0.78	0.22
54807	Fill	548	Fill of gully. Colour: dark yellowish grey. Composition: silty clay. Compaction: moist, firm. Inclusions: inclusion.	> 0.80	0.78	0.22
54808	Cut	548	Cut of furrow. Shape in plan: linear. Break at top: gradual. Sides: shallow, straight. Break at base: imperceptible. Base: flat.	> 0.80	> 0.90	0.1
54809	Fill	548	Fill of furrow. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, firm.	> 0.80	> 0.90	0.1

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
54900	Layer	549	Topsoil of Trench 549. Colour: dark greyish black. Composition: clayey silt. Compaction: moist, friable.			0.50 (avg.)
54901	Layer	549	Natural of Trench 549. Colour: mid orangey yellow. Composition: clay. Compaction: wet, firm.			
55000	Layer	550	Topsoil of Trench 550. Colour: dark greyish black. Composition: clayey silt. Compaction: moist, friable.			0.20 to 0.30
55001	Layer	550	Natural of Trench 550. Colour: mid orangey yellow. Composition: clay. Compaction: wet, firm.			
55100	Layer	551	Topsoil of Trench 551. Colour: dark greyish black. Composition: clayey silt. Compaction: moist, friable.			0.40 (avg.)
55101	Layer	551	Natural of Trench 551. Colour: mid orangey yellow. Composition: clay. Compaction: wet, firm.			
55102	Cut	551	Cut of NW-SE ditch. Shape in plan: curvi-linear. Break at top: sharp. Sides: moderate, straight. Break at base: gradual. Base: rounded.	> 1.00	0.46	0.2
55103	Fill	551	Fill of ditch [55102]. Colour: dark greyish brown. Composition: silty clay. Compaction: moist, firm.	> 1.00	0.46	0.2
55104	Cut	551	Cut of NE-SW ditch. Break at top: sharp. Sides: shallow, straight. Break at base: gradual. Base: rounded.	> 1.00	0.36	0.1
55105	Fill	551	Fill of ditch [55104]. Colour: dark greyish brown. Composition: silty clay. Compaction: moist, firm.	> 1.00	0.36	0.1
55106	Cut	551	Cut of ditch. Shape in plan: linear. Break at top: sharp. Sides: dipping, straight. Break at base: sharp. Base: rounded.	> 2.00	1.9	0.4
55107	Fill	551	Fill of ditch [55106]. Colour: dark greyish brown. Composition: clay. Compaction: moist, malleable.	> 2.00	1.9	0.4
55200	Layer	552	Topsoil of Trench 552. Colour: dark greyish black. Composition: clayey silt. Compaction: moist, friable.			0.40 (avg.)
55201	Layer	552	Natural of Trench 552. Colour: mid orangey yellow. Composition: clay. Compaction: wet, firm.			
55300	Layer	553	Topsoil of Trench 553. Colour: dark greyish black. Composition: clayey silt. Compaction: moist, friable.			0.26 to 0.36
55301	Layer	553	Natural of Trench 553. Colour: mid orangey yellow. Compaction: wet, firm.			
55302	Cut	553	Cut of N-S ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, straight. Break at base: sharp. Base: rounded.	> 2.00	0.6	0.28
55303	Fill	553	Fill of ditch [55302]. Colour: dark greyish brown. Composition: clayey silt. Compaction: moist, friable.	> 2.00	0.6	0.28



Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
55400	Layer	554	Topsoil of Trench 554. Colour: dark greyish black. Composition: clayey silt. Compaction: moist, friable.			0.28 to 0.36
55401	Layer	554	Natural of Trench 554. Colour: mid orangey yellow. Compaction: wet, firm.			
55500	Layer	555	Topsoil of Trench 555. Colour: dark greyish black. Composition: clayey silt. Compaction: moist, friable.			0.30 (avg.)
55501	Layer	555	Natural of Trench 555. Colour: mid orangey yellow. Compaction: wet, firm.			
55600	Layer	556	Topsoil of Trench 556. Colour: dark greyish black. Composition: clayey silt. Compaction: moist, friable.			0.28 (avg.)
55601	Layer	556	Natural of Trench 556. Colour: mid orangey yellow. Compaction: wet, firm.			
55700	Layer	557	Topsoil of Trench 557. Colour: dark greyish black. Composition: clayey silt. Compaction: moist, friable.			0.30 (avg.)
55701	Layer	557	Natural of Trench 557. Colour: mid orangey yellow. Composition: clay. Compaction: moist, firm.			
55800	Layer	558	Topsoil of Trench 558. Colour: dark greyish black. Composition: clayey silt. Compaction: moist, friable.			0.24 to 0.34
55801	Layer	558	Natural of Trench 558. Colour: mid orangey yellow. Compaction: wet, firm.			
55900	Layer	559	Topsoil of Trench 559. Colour: dark greyish black. Composition: clayey silt. Compaction: moist, friable.			0.24 to 0.36
55901	Layer	559	Natural of Trench 559. Colour: mid orangey yellow. Compaction: wet, firm.			
56000	Layer	560	Topsoil of Trench 560. Colour: dark greyish black. Composition: clayey silt. Compaction: moist, friable.			0.26 to 0.36
56001	Layer	560	Natural of Trench 560. Colour: mid orangey yellow. Composition: clay. Compaction: wet, firm.			
56100	Layer	561	Topsoil of Trench 561. Colour: dark greyish black. Composition: clayey silt. Compaction: moist, friable.			0.28 to 0.38
56101	Layer	561	Natural of Trench 561. Colour: mid orangey yellow. Compaction: wet, firm.			
56200	Layer	562	Topsoil of Trench 562. Colour: dark greyish black. Composition: clayey silt. Compaction: moist, friable.			0.26 to 0.36
56201	Layer	562	Natural of Trench 562. Colour: mid orangey yellow. Compaction: wet, firm.			
56300	Layer	563	Topsoil of Trench 563. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.			0.30 (avg.)
56301	Layer	563	Natural of Trench 563. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
57400	Deposit	574	Topsoil of Trench 574. Colour: mid brownish orange. Composition: silty clay. Compaction: moist, friable.			0.40 (avg.)
57401	Deposit	574	Natural of Trench 574. Colour: light brownish orange. Composition: medium silty sand. Compaction: dry, friable.			
57500	Layer	575	Topsoil of Trench 575. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, friable.			0.40 (avg.)
57501	Layer	575	Natural of Trench 575. Colour: mid orangey yellow. Composition: silty clay. Compaction: moist, malleable.			
57600	Layer	576	Topsoil of Trench 576. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.35 (avg.)
57601	Layer	576	Natural of Trench 576. Colour: mid yellowish brown. Composition: silty clay. Compaction: moist, malleable.			
57700	Layer	577	Topsoil of Trench 577. Colour: light greyish brown. Composition: silty clay. Compaction: moist, malleable.			0.15 (avg.)
57701	Layer	577	Natural of Trench 577. Colour: mid yellowish grey. Composition: silty clay. Compaction: moist, malleable.			
57800	Layer	578	Topsoil of Trench 578. Colour: light greyish brown. Composition: silty clay. Compaction: moist, malleable.			0.20 (avg.)
57801	Layer	578	Natural of Trench 578. Colour: light yellowish grey. Composition: silty clay. Compaction: moist, malleable.			
57900	Layer	579	Topsoil of Trench 579. Colour: light greyish brown. Composition: silty clay. Compaction: moist, malleable.			0.33 (avg.)
57901	Layer	579	Natural of Trench 579. Colour: mid yellowish grey. Composition: silty clay. Compaction: moist, malleable.			
58000	Layer	580	Topsoil of Trench 580. Colour: light greyish brown. Composition: silty clay. Compaction: moist, malleable.			35.00 (avg.)
58001	Layer	580	Natural of Trench 580. Colour: mid yellowish grey. Composition: silty clay. Compaction: moist, malleable.			
58100	Layer	581	Natural of Trench 581. Colour: mid orangey brown. Composition: silty clay. Compaction: moist, firm.			
58101	Layer	581	Topsoil of Trench 581. Colour: mid blackish brown. Composition: clayey silt. Compaction: moist, friable. Inclusions: occasional flecks to medium sub-angular to rounded spheroidal stone, evenly distributed.			0.60 to 0.40
58102	Cut	581	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: moderate, straight. Break at base: gradual. Base: rounded.	0.77	1.13	0.38
58103	Fill	581	Fill of ditch [58102]. Colour: mid orangey grey. Composition: silty clay. Compaction: moist, firm. Inclusions: rare flecks to small sub-rounded to rounded spheroidal stone, evenly distributed.	> 0.77	0.96	0.19
58104	Fill	581	Fill of ditch [58102]. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, firm. Inclusions: inclusion.	> 0.77	0.97	0.18

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
58105	Cut	581	Cut of pit. Shape in plan: regular, semi-circular. Break at top: sharp. Sides: steep, straight. Break at base: gradual. Base: rounded.	0.4	0.2	0.22
58106	Fill	581	Fill of pit [58105]. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable. Inclusions: rare flecks of sub-rounded to rounded spheroidal stone, evenly distributed.	0.4	0.2	0.22
58107	Cut	581	Cut of NE-SW gully. Shape in plan: regular, linear. Break at top: gradual. Sides: shallow, concave. Break at base: gradual. Base: rounded.	> 0.40	0.42	0.08
58108	Fill	581	Fill of gully [58107]. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable. Inclusions: rare flecks to small sub-rounded to rounded spheroidal stone, evenly distributed.	> 0.40	0.42	0.08
58109	Cut	581	Cut of NE-SW ditch. Shape in plan: regular, rectangular. Break at top: gradual. Sides: moderate, concave. Break at base: gradual. Base: rounded.	1	0.66	0.23
58110	Deposit	581	Deposit of ditch [58109]. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable. Inclusions: rare flecks to small sub-rounded to rounded spheroidal stone, evenly distributed.	1	0.66	0.23
58111	Cut	581	Cut of pit. Shape in plan: regular, semi-oval. Break at top: none. Break at base: none. Base: flat.	0.47	0.2	0.06
58112	Fill	581	Fill of pit [58111]. Colour: mid greyish brown. Composition: silty clay. Compaction: dry, firm.	0.47	0.2	0.06
58113	Cut	581	Cut of pit. Shape in plan: regular, semi-oval. Break at top: gradual. Sides: shallow, concave. Break at base: imperceptible. Base: rounded.	0.48	0.2	0.08
58114	Fill	581	Fill of pit [58113]. Colour: mid greyish brown. Composition: silty clay. Compaction: dry, firm.	0.48	0.2	0.08
58115	Cut	581	Cut of pit. Shape in plan: regular, semi-circular. Break at top: gradual. Sides: moderate, concave. Break at base: imperceptible. Base: rounded.	0.3	> 0.33	0.09
58116	Fill	581	Fill of pit [58115]. Colour: mid greyish brown. Composition: silty clay. Compaction: dry, firm.	0.3	> 0.33	0.09
58117	Cut	581	Cut of E-W gully. Shape in plan: regular, curvi-linear. Break at top: gradual. Sides: moderate, concave. Break at base: gradual. Base: flat.	0.59	0.44	0.08
58118	Fill	581	Fill of gully [58117]. Colour: mid greyish brown. Composition: silty clay. Compaction: dry, firm. Inclusions: rare flecks of sub-rounded to rounded spheroidal stone, evenly distributed.	0.59	0.44	0.08
58119	Cut	581	Cut of E-W gully. Shape in plan: regular, curvi-linear. Break at top: gradual. Sides: moderate, concave. Break at base: gradual. Base: rounded.	0.6	0.22	0.08

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
58120	Fill	581	Fill of gully [58119]. Colour: mid greyish brown. Composition: silty clay. Compaction: dry, firm. Inclusions: rare flecks of sub-rounded spheroidal stone, evenly distributed.	0.6	0.22	0.08
58121	Cut	581	Cut of pit. Shape in plan: regular, semi-circular. Break at top: sharp. Sides: moderate, straight. Break at base: gradual. Base: flat.	> 0.25	0.42	0.2
58122	Fill	581	Fill of pit [58121]. Colour: light greyish brown. Composition: silty clay. Compaction: moist, friable. Inclusions: rare flecks to small sub-rounded to rounded spheroidal stone, evenly distributed.	> 0.25	0.42	0.2
58123	Cut	581	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: moderate, straight. Break at base: sharp. Base: flat.	> 0.60	1.05	0.17
58124	Fill	581	Fill of ditch [58123]. Colour: mid blackish brown. Composition: silty clay. Compaction: moist, firm. Inclusions: rare flecks to small sub-rounded to rounded spheroidal stone, evenly distributed.	> 0.60	1.05	0.17
58125	Cut	581	Cut of NE-SW recut. Shape in plan: regular, linear. Break at top: gradual. Sides: shallow, concave. Break at base: imperceptible. Base: rounded.	> 0.60	1.02	0.22
58126	Fill	581	Fill of recut [58125]. Colour: mid yellowish brown. Composition: silty clay. Compaction: moist, firm.	> 0.60	1.02	0.1
58127	Fill	581	Fill of recut [58125]. Colour: mid greyish brown. Composition: silty clay. Compaction: dry, firm. Inclusions: occasional flecks to small sub-rounded to rounded spheroidal stone, evenly distributed.	> 0.60	0.77	0.15
58128	Cut	581	Cut of NE-SW gully. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, concave. Break at base: gradual. Base: flat.	0.67	0.4	0.13
58129	Deposit	581	Deposit of gully [58128]. Colour: light greyish brown. Composition: clayey silt. Compaction: dry, firm. Inclusions: rare flecks of sub-rounded spheroidal stone, evenly distributed.	0.67	0.4	0.13
58130	Cut	581	Cut of NE-SW gully. Shape in plan: regular, linear. Break at top: sharp. Sides: moderate, concave. Break at base: gradual. Base: rounded.	0.67	0.42	0.13
58131	Fill	581	Fill of gully [58130]. Colour: mid blackish brown. Composition: clayey silt. Compaction: dry, firm. Inclusions: rare flecks of sub-rounded spheroidal stone, evenly distributed.	0.67	0.42	0.13
58300	Layer	583	Topsoil of Trench 583. Colour: light greyish brown. Composition: silty clay. Compaction: moist, malleable.			0.30 (avg.)
58301	Layer	583	Natural of Trench 583. Colour: mid greyish orange. Composition: fine clayey sand. Compaction: moist, malleable.			
58400	Layer	584	Topsoil of Trench 584. Colour: mid greyish brown. Composition: sandy clay. Compaction: moist, malleable.			0.30 (avg.)

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
58401	Layer	584	Natural of Trench 584. Colour: light greyish yellow. Composition: clayey sand. Compaction: moist, malleable.			
58500	Layer	585	Topsoil of Trench 585. Colour: mid blackish grey. Composition: silty clay. Compaction: moist, malleable.			0.20 (avg.)
58501	Layer	585	Natural of Trench 585. Colour: dark orangey grey. Composition: clay. Compaction: moist, plastic.			
58600	Layer	586	Topsoil of Trench 586. Colour: mid brownish grey. Composition: silty clay. Compaction: moist, malleable.			0.34 (avg.)
58601	Layer	586	Natural of Trench 586. Colour: dark greyish orange. Composition: clay. Compaction: moist, plastic.			
58700	Layer	587	Topsoil of Trench 587. Colour: yellowish grey. Composition: silty clay. Compaction: wet, friable.			0.35 (avg.)
58701	Layer	587	Natural of Trench 587. Colour: mid yellowish grey. Composition: clay. Compaction: wet, firm.			
58800	Layer	588	Topsoil of Trench 588. Colour: mid greyish brown. Composition: silty clay. Compaction: moist, friable.			0.36 (avg.)
58801	Layer	588	Natural of Trench 588. Colour: light yellowish grey. Composition: clay. Compaction: wet, firm.			
64500	Deposit	645	Natural of Trench 645. Colour: mid orangey brown. Composition: silty clay. Compaction: moist, friable.			
64501	Deposit	645	Topsoil of Trench 645. Colour: mid blackish brown. Composition: clayey silt. Compaction: moist. Inclusions: moderate flecks to medium sub-angular to rounded spheroidal stone, evenly distributed.			0.36 to 0.40
70100	Layer	701	Topsoil of Trench 701. Colour: dark greyish brown. Composition: silty clay. Compaction: dry, loose.			0.32 (avg.)
70101	Layer	701	Natural of Trench 701. Colour: light yellowish brown. Composition: clay. Compaction: moist, firm.			
70200	Layer	702	Topsoil of Trench 702. Colour: dark greyish brown. Composition: silty clay. Compaction: dry, loose.			0.29 (avg.)
70201	Layer	702	Natural of Trench 702. Colour: light yellowish brown. Composition: clay. Compaction: moist, firm.			
70202	Cut	702	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, concave. Break at base: gradual. Base: flat.	> 1.80	0.8	0.46
70203	Fill	702	Fill of ditch [70202]. Colour: mid greyish brown. Composition: silty clay. Compaction: moist. Inclusions: occasional flecks of very angular spheroidal charcoal, evenly distributed.	> 1.80	0.8	0.46
70204	Cut	702	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, straight. Break at base: sharp. Base: rounded.	> 1.80	1.02	0.52
70205	Fill	702	Fill of ditch [70204]. Colour: mid greyish black. Composition: silty clay. Compaction: wet, friable. Inclusions: occasional flecks of very angular spheroidal charcoal, evenly distributed.	> 1.80	1.02	0.52

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
70206	Cut	702	Cut of NW-SE ditch. Shape in plan: regular, linear. Sides: steep, straight. Break at base: sharp. Base: rounded.	> 1.80	0.68	0.33
70207	Fill	702	Fill of ditch [70206]. Colour: mid greyish black. Composition: silty clay. Compaction: wet, friable. Inclusions: moderate flecks of very angular spheroidal charcoal, evenly distributed.	> 1.80	0.68	0.33
70300	Layer	703	Topsoil of Trench 703. Colour: dark greyish brown. Composition: silty clay. Compaction: dry, loose.			0.36 (avg.)
70301	Layer	703	Natural of Trench 703. Colour: light yellowish brown. Composition: clay. Compaction: moist, firm.			
70302	Cut	703	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: shallow, concave. Break at base: sharp. Base: flat.	> 1.80	2.48	0.6
70303	Fill	703	Fill of ditch [70302]. Colour: mid bluish grey. Composition: silty clay. Compaction: wet, firm.	> 1.80	2.48	0.6
70304	Cut	703	Cut of N-inclined pit. Shape in plan: regular, semi-oval. Break at top: sharp. Sides: moderate, concave. Break at base: sharp. Base: flat.	> 1.80	4.15	0.68
70305	Fill	703	Fill of pit [70304]. Colour: mid greyish brown. Composition: silty clay. Compaction: wet, firm. Inclusions: occasional flecks of angular spheroidal charcoal, evenly distributed.	> 1.80	4.15	0.68
70306	Cut	703	Cut of N-inclined pit. Shape in plan: regular, sub-oval. Break at top: imperceptible. Sides: shallow, concave. Break at base: gradual. Base: rounded.	> 1.60	0.8	0.28
70307	Fill	703	Fill of pit [70306]. Colour: dark greyish brown. Composition: clayey silt. Compaction: dry, friable. Inclusions: frequent small rounded spheroidal charcoal, evenly distributed.	> 1.60	0.8	0.28
70308	Cut	703	Cut of NE-SW gully. Shape in plan: regular, linear. Break at top: gradual. Sides: shallow, concave. Break at base: gradual. Base: flat.	> 1.80	0.75	0.2
70309	Fill	703	Fill of gully [70308]. Colour: mid greyish brown. Composition: silty clay. Compaction: wet, firm.	> 1.80	0.75	0.2
70310	Cut	703	Cut of N-inclined pit. Shape in plan: regular, oval. Break at top: gradual. Sides: moderate, concave. Break at base: gradual. Base: rounded.	0.6	0.56	0.25
70311	Fill	703	Fill of pit [70310]. Colour: greyish brown. Composition: silty clay. Compaction: dry, friable.	0.6	0.56	0.25
70312	Cut	703	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, concave. Break at base: sharp. Base: flat.	> 1.80	1.04	0.44
70313	Fill	703	Fill of ditch [70312]. Colour: mid greyish brown. Composition: silty clay. Compaction: dry, friable.	> 1.80	1.04	0.44
70314	Fill	703	Fill of ditch [70312]. Colour: light greyish brown. Composition: sandy silt. Compaction: dry, loose.	> 1.80	1.04	0.44

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
70315	Cut	703	Cut of NE-SW gully. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, straight. Break at base: sharp. Base: rounded.	> 1.80	0.62	0.44
70316	Fill	703	Fill of gully [70315]. Colour: mid greyish brown. Composition: silty clay. Compaction: dry, firm. Inclusions: frequent small angular platy CBM traces, evenly distributed.	> 1.80	0.62	0.44
70400	Layer	704	Topsoil of Trench 704. Colour: dark greyish brown. Composition: loamy clay. Compaction: moist, malleable. Inclusions: rare small to medium angular platy stone, evenly distributed.			0.30 (avg.)
70401	Layer	704	Natural of Trench 704. Colour: light yellow. Composition: clay. Compaction: moist, firm.			
70500	Layer	705	Topsoil of Trench 705. Colour: dark greyish brown. Composition: loamy clay. Compaction: moist, malleable. Inclusions: rare small to medium angular platy stone, evenly distributed.			0.30 (avg.)
70501	Layer	705	Natural of Trench 705. Colour: light yellow. Composition: clay. Compaction: moist, firm.			
70502	Fill	705	Fill of ditch [70503]. Colour: mid grey. Composition: clay. Compaction: moist, firm.	> 2.40	0.5	0.16
70503	Cut	705	Cut of E-W ditch. Shape in plan: linear. Break at top: sharp. Sides: moderate, straight. Break at base: gradual. Base: flat.	> 2.40	0.5	0.16
70600	Layer	706	Topsoil of Trench 706. Colour: dark greyish brown. Composition: loamy clay. Compaction: moist, malleable. Inclusions: rare small to medium angular platy stone, evenly distributed.			0.30 (avg.)
70601	Layer	706	Natural of Trench 706. Colour: light yellow. Composition: clay. Compaction: moist, firm.			
70700	Layer	707	Topsoil of Trench 707. Colour: dark greyish brown. Composition: loamy clay. Compaction: moist, malleable. Inclusions: rare small to medium angular platy stone, evenly distributed.			0.30 (avg.)
70701	Layer	707	Natural of Trench 707. Colour: light yellow. Composition: clay. Compaction: moist, firm.			
70800	Layer	708	Topsoil of Trench 708. Colour: dark greyish brown. Composition: clayey silt. Compaction: moist, malleable.			0.30 (avg.)
70801	Layer	708	Natural of Trench 708. Colour: mid brownish yellow. Composition: clay. Compaction: moist, firm.			
70802	Cut	708	Cut of E-W ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, straight. Base: flat.	> 1.80	0.6	0.13
70803	Fill	708	Fill of ditch [70802]. Colour: dark yellowish grey. Composition: clayey silt. Compaction: moist, malleable. Inclusions: occasional flecks of charcoal.	> 1.80	0.4	0.13
70804	Fill	708	Fill of ditch [70802]. Colour: dark blackish grey. Composition: clayey silt. Compaction: moist, malleable. Inclusions: moderate flecks of charcoal.	> 1.80	0.17	0.12
70805	Cut	708	Cut of E-W ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, straight. Break at base: gradual. Base: flat.	1.8	1.46	0.28



Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
70806	Fill	708	Fill of ditch [70805]. Colour: mid bluish grey. Composition: silty clay. Compaction: moist, firm.	1.8	0.8	0.08
70807	Fill	708	Fill of ditch [70805]. Colour: dark orangey grey. Composition: silty clay. Compaction: moist, malleable.	1.8	1.46	0.28
70808	Cut	708	Cut of E-W ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: steep, straight. Break at base: gradual. Base: flat.	> 2.00	0.85	0.24
70809	Fill	708	Fill of ditch [70808]. Colour: mid greyish orange. Composition: clayey silt. Compaction: moist, malleable. Inclusions: occasional flecks of charcoal flecks.	> 2.00	0.85	0.24
70810	Fill	708	Fill of ditch [70808]. Colour: orangey grey. Composition: clayey silt. Compaction: moist, malleable.	> 2.00	> 0.40	0.15
70811	Cut	708	Cut of pit. Shape in plan: irregular, oval. Break at top: gradual. Sides: shallow, concave. Break at base: gradual. Base: rounded.	1.26	1.2	0.15
70812	Fill	708	Fill of pit [70811]. Colour: light yellowish grey. Composition: clay. Compaction: moist, firm.	1.26	1.2	0.15
70900	Layer	709	Topsoil of Trench 709. Colour: dark greyish brown. Composition: clayey silt. Compaction: moist, malleable.			0.35 (avg.)
70901	Layer	709	Natural of Trench 709. Colour: mid brownish yellow. Composition: clay. Compaction: moist, firm.			
70902	Cut	709	Cut of ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, concave. Break at base: gradual. Base: rounded.	1	1.98	0.57
70903	Fill	709	Fill of ditch [70902]. Colour: dark grey. Composition: clay. Compaction: moist, firm.	1	1.98	0.57
70904	Fill	709	Fill of ditch [70902]. Colour: dark grey. Composition: clay. Compaction: moist, firm. Inclusions: moderate CBM, evenly distributed.	1	1.3	0.38
70905	Cut	709	Cut of NW-SE spread or possible pit. Shape in plan: irregular spread. Break at top: gradual. Sides: shallow, straight. Break at base: gradual. Base: uneven.	> 2.40	> 1.22	> 0.25
70906	Fill	709	Fill of spread or possible pit [70905]. Colour: light grey. Composition: clayey silt. Compaction: moist, malleable.	> 2.40	> 1.22	> 0.25
70907	Fill	709	Fill of ditch [70902]. Colour: dark grey. Composition: clay. Compaction: moist, firm.	1	1.53	0.15
70908	Cut	709	Cut of NE-SW ditch. Shape in plan: irregular, linear. Break at top: gradual. Sides: moderate, concave. Break at base: imperceptible. Base: flat.	> 1.00	> 1.40	0.42
70909	Fill	709	Fill of ditch [70908]. Colour: brownish grey. Composition: clay. Compaction: moist, cemented.	> 1.00	> 1.40	0.42
70910	Deposit	709	Deposit of ditch [70908]. Colour: bright yellow. Composition: clay. Compaction: dry, friable.	> 1.00	0.42	0.12

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
70911	Cut	709	Cut of E-W possible linear. Shape in plan: linear.	> 1.20	> 1.00	> 0.00
70912	Fill	709	Fill of possible linear [70911]. Colour: bright grey. Composition: clay. Compaction: moist, friable.	> 1.20	> 1.00	> 0.00
70913	Cut	709	Cut of possible linear. Shape in plan: linear.	> 14.00	> 1.20	> 0.00
70914	Fill	709	Fill of possible linear [70913]. Colour: very dark greyish black. Composition: silty clay. Compaction: moist, friable.	> 14.00	> 1.20	> 0.00
70915	Cut	709	Cut of possible pit. Shape in plan: oval.	0.8	0.5	> 0.00
70916	Fill	709	Fill of possible pit [70915]. Colour: light yellowish orange. Composition: clay. Compaction: wet, firm.	0.8	0.5	> 0.00
70917	Cut	709	Cut of NW-SE possible linear/spread. Shape in plan: linear.	> 10.00	> 1.00	> 0.00
70918	Fill	709	Fill of possible linear/spread [70917]. Colour: light grey. Composition: clay. Compaction: moist, friable.	> 10.00	> 1.00	> 0.00
70919	Cut	709	Cut of possible pit/posthole. Shape in plan: regular, circular.	0.4	0.4	> 0.00
70920	Fill	709	Fill of possible pit/posthole [70919]. Colour: bright grey. Composition: clay. Compaction: moist, firm.	0.4	0.4	> 0.00
96800	Layer	968	Topsoil of Trench 968. Colour: dark greyish brown. Composition: loamy clay. Compaction: moist, malleable. Inclusions: rare small to medium angular platy stone, evenly distributed.			0.40 (avg.)
96801	Layer	968	Natural of Trench 968. Colour: light yellow. Composition: clay. Compaction: moist, firm.			
96802	Cut	968	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, concave. Break at base: gradual. Base: rounded.	> 1.00	1.3	0.45
96803	Fill	968	Fill of ditch [96802]. Colour: dark bluish grey. Composition: clay. Compaction: moist, firm.	> 1.00	1.3	0.45
96804	Cut	968	Cut of E-W ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, concave. Break at base: gradual. Base: rounded.	> 1.10	1.13	0.35
96805	Fill	968	Fill of ditch [96804]. Colour: mid bluish grey. Composition: clay. Compaction: moist, firm. Inclusions: occasional medium very angular platy redeposited natural trample, concentrated towards n edge of context.	> 1.10	1.13	0.35
96806	Cut	968	Cut of E-W ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: shallow, concave. Break at base: gradual. Base: rounded.	> 1.10	1.5	0.15
96807	Fill	968	Fill of ditch [96806]. Colour: dark bluish grey. Composition: clay. Compaction: moist, firm.	> 1.10	1.5	0.15
96808	Cut	968	Cut of E-W ditch. Shape in plan: regular, linear. Break at top: gradual. Sides: shallow, concave. Break at base: gradual. Base: rounded.	> 1.10	2.4	0.3

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
96809	Fill	968	Fill of ditch [96804]. Colour: dark bluish grey. Composition: clay. Compaction: moist, firm. Inclusions: occasional flecks of sub-rounded spheroidal charcoal, concentrated towards bottom of context.	> 1.10	2.4	0.3
96810	Cut	968	Cut of pit. Shape in plan: regular, rectangular. Break at top: imperceptible. Sides: shallow, concave. Break at base: imperceptible. Base: flat.	1.25	0.35	0.05
96811	Fill	968	Fill of pit [96810]. Colour: dark blackish brown. Composition: ashy clay. Compaction: moist, firm.	1.25	0.35	0.05
96812	Cut	968	Cut of NW-SE gully. Shape in plan: regular, linear. Break at top: sharp. Sides: moderate, concave. Break at base: gradual. Base: rounded.	> 1.00	0.3	0.1
96813	Fill	968	Fill of gully [96812]. Colour: dark bluish grey. Composition: clay. Compaction: moist, firm.	> 1.00	0.3	0.1
96814	Fill	968	Fill of gully [96816]. Colour: dark grey. Composition: clay. Compaction: moist, firm.	> 1.00	0.71	0.1
96815	Fill	968	Fill of gully [96816]. Colour: mid orangey grey. Composition: clay. Compaction: moist, firm.	> 1.00	0.4	0.09
96816	Cut	968	Cut of NE-SW gully. Shape in plan: curvi-linear. Break at top: sharp. Sides: steep, concave. Break at base: gradual. Base: rounded.	> 1.00	0.71	0.17
96817	Cut	968	Cut of NE-SW ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: moderate, concave. Break at base: sharp. Base: flat.	> 1.00	0.84	0.24
96818	Fill	968	Fill of ditch [96817]. Colour: mid yellowish brown. Composition: clay. Compaction: dry, firm.	> 1.00	0.84	0.24
96819	Fill	968	Fill of spread [96820]. Colour: dark greyish brown. Composition: clay. Compaction: dry, firm.	> 0.58	> 0.80	0.06
96820	Cut	968	Cut of spread. Shape in plan: irregular spread. Break at top: gradual. Sides: shallow, straight. Break at base: imperceptible. Base: uneven.	> 0.58	> 0.80	0.06
96821	Cut	968	Cut of pit. Shape in plan: regular, sub-circular. Break at top: sharp. Sides: steep, concave. Break at base: sharp. Base: flat.	> 0.70	> 0.60	0.42
96822	Fill	968	Fill of pit [96821]. Colour: dark orangey brown. Composition: clay. Compaction: dry, firm.	> 0.70	> 0.60	0.42
96823	Cut	968	Cut of NE-SW gully. Shape in plan: regular, linear. Break at top: gradual. Sides: moderate, concave. Break at base: gradual. Base: flat.	> 1.00	0.32	0.08
96824	Fill	968	Fill of gully [96823]. Colour: dark orangey brown. Composition: clay. Compaction: dry, firm.	> 1.00	0.32	0.08
96825	Cut	968	Cut of NW-SE ditch. Shape in plan: regular, linear. Break at top: sharp. Sides: moderate, concave. Break at base: gradual. Base: rounded.	> 1.15	> 2.45	0.55
96826	Fill	968	Fill of ditch [96825]. Colour: light orangey brown. Composition: clay. Compaction: moist, firm.	> 1.15	> 2.45	0.55

---

Context	Type	Trench	Description	Length (m)	Width (m)	Depth (m)
283100	Layer	2831	Topsoil of Trench 2831. Colour: dark greyish brown. Composition: silty clay. Compaction: dry, loose.			0.34 (avg.)
283101	Layer	2831	Natural of Trench 2831. Colour: very light yellowish grey. Composition: clay. Compaction: moist, malleable.			

---

**Appendix 4: Trench tables**

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
1	1 x NW-SE orientated furrow and 1 x NW-SE orientated ditch located in the SW end of the trench. Furrow 102 cuts ditch 104. 1 x NW-SE orientated furrow located in the centre of the trench. Also, 1x NW-SE orientated field drain located in the centre of the trench.	NE-SW	50	2	0.48 (avg.)
2	Blank trench. Two plough furrows and two land drains present.	NE-SW	50	2	0.25 (avg.)
3	Blank trench.	NW-SE	50	2	0.43 (avg.)
4	Blank trench. One land drain	N-S	50	2	0.30 (avg.)
5	Blank trench.	NE-SW	50	2	0.40 (avg.)
6	Blank trench. X2 land drains orientated sw-ne	NW-SE	50	2	0.34 to 0.47
7	Blank trench. Trench contains two gravel filled French drains and a plastic pipe. All orientated northeast-southwest.	NW-SE	50	2	0.20 to 0.40
8	Blank trench.	NE-SW	50	2	0.35 (avg.)
9	Trench contained one NE-SW ditch 903 and one NW-SE ditch 905	N-S	50	2	0.50 (avg.)
10	Blank trench.	NW-SE	50	2	0.28 (avg.)
11	Blank trench.	NE-SW	50	2	0.40 (avg.)
12	Ditch and land drains. Ditch 1202 contained pottery and CBM	E-W	50	2	0.60 (avg.)
13	Trench contained multiple archaeological features. Ditch 1302 is orientated N-S and contained no finds. Ditch 1304 is orientated N-S and contained no finds. Pit 1306 is a small sub oval pit which contained no finds. Ditch 1308 is orientated NW-SE and contained animal bone and possibly prehistoric pottery. Ditch 1310 is orientated NE-SW which contained Roman pottery and animal bone. Ditch 1312 is orientated E-W and contained Roman pottery. 1312 is cut by ditch 1314 which is orientated NW-SE and contained Roman pottery. Pit 1316 is an irregular pit which contained possible prehistoric pottery. Gully	NE-SW	50	2	0.47 (avg.)

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
	1318 is orientated N-S and was sterile. Ditch 1320 is orientated NW-SE and contained Roman pottery. Pit 1322 is an irregular pit which contained no finds. Ditch 1324 is orientated NW-SE and contained no finds				
14	Blank trench.	N-S	50	2	0.32 to 0.42
15	Trench contains two possible small and shallow gullies, excavated as termini. Also contains 4 field drains. Gully 1503 contained a small amount of pottery. Gully 1505 also contained pottery.	NW-SE	50	2	0.60 (avg.)
16	Blank trench. 4 furrows NW-SE. 1 LD -E-W	NE-SW	50	2	0.46 (avg.)
17	3 features: 1 pit 1 gully 1 furrow. Gully 1703 is orientated NW-SE and contained flint. Furrow 1705 is orientated NW-SE and is sterile. Pit 1707 was sterile and appeared to be modern.	NE-SW	50	2	0.48 (avg.)
18	Trench 18 contained seven possible ditches and one pit. Pit 1802 was shallow and contained no finds. Ditch 1804 was orientated NW-SE. It contained Roman pottery. Ditch 1806 cuts ditch 1804 and contains Roman pottery and animal bone. Ditch 1808 is orientated NW-SE and was sterile. Ditch 1810 is possibly a modern ditch which had a land drain at its base. Ditch 1812 is a ditch terminus which contained Roman pottery. Ditch 1814 contained Roman pottery and is orientated NW-SE. Ditch 1816 is orientated NW-SE and contains Roman pottery. Ditch 1818 truncates 1816 and contains no finds. Ditch 1820 is orientated NE-SW and contains Roman pottery	NE-SW	50	2	0.50 (avg.)
19	Two features: 1 ditch and 1 ditches terminus. Ditch 1902 is orientated NW-SE and contains no finds. Ditch terminus 1904 is orientated NE-SW contained a small ferrous nail.	NE-SW	50	2	0.37 (avg.)
20	4 NW-SE linear features. 2 NW-SE land drains. Ditch 2002 was orientated NW-SE and contained Roman pottery. Gully 2004 was orientated N-S and contained no finds. Gully 2006 was orientated N-S and contained no finds. Gully 2008 was orientated NW-SE and contained no finds.	E-W	50	2	0.36 (avg.)
21	X6 ditches X2 gullies X8 pits X3 land drains. Pit 2102 was a small pit which truncates ditch 2105 both contained Roman pottery. 2105 also contained CBM. Gully 2107 is orientated N-S and was sterile, it is truncated by ditch 2109 which contained pottery. Ditch 2111 is orientated NW-SE and contains Roman pottery and animal bone. Ditch 2113 is sterile and is truncated by ditch 2115 which is orientated NW-SE and contains Roman and possibly pre-historic pottery. Ditch 2117 is orientated NW-SE and contained no finds. Pit 2119 contained no finds. Pit 2121 contained n finds. Pit 2123 contained no finds. Pit 2125 contained no finds. Pit 2127 contained no finds. Pit 2129 contained no finds. Pit 2131 contained no finds. Pit 2133 contained a small piece of possible slag. Gully 2135 is orientated NW-SE contained a small amount of CBM.	E-W	50	2	0.38 to 0.50

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
22	Change in geology near NW end. Sondage machined by KB - likely geological deposit. Measured between 0.20-0.50m in depth and c. 4m in width. No finds or inclusions. Photographed. 1 French LD - N-S.	NW-SE	50	2	0.35 (avg.)
23	One ditch, 3 land drains. Ditch 2302 is orientated E-W and contained no finds.	N-S	50	2	0.70 (avg.)
24	Blank trench. Two French drains present.	NW-SE	50	2	0.40 (avg.)
25	Blank trench. One north-south orientated plough furrow present. Trench moved 15m to the south to avoid concrete manhole.	NW-SE	50	2	0.28 (avg.)
26	Blank trench.	N-S	50	2	0.25 (avg.)
27	Blank trench.	NW-SE	50	2	0.38 (avg.)
28	Blank trench.	E-W	50	2	0.25 (avg.)
29	Blank trench. E-W orientated field drain located in the NE end of the trench.	NE-SW	50	2	0.43 (avg.)
30	Blank trench. Four SE-NW oriented plough scars	E-W	50	2	0.35 to 0.45
31	Contained 2 ditches. Ditch 3103 is orientated N-S and contained no finds. Ditch 3105 is orientated N-S and contained Roman pottery	N-S	50	2	0.70 (avg.)
32	Blank trench.	NW-SE	50	2	0.30 to 0.44
33	Blank trench.	E-W	50	2	0.30 (avg.)
34	Blank trench. 1 LD NW-SE 1 French drain E-W	N-S	50	2	0.45 (avg.)
35	Blank trench. X1 land drain	NW-SE	50	2	0.48 to 0.55
36	Three N-S running ditches 3602, 3606, 3608. One is unclear but in sondage 3604 is cut by 3602. Roman pottery was recovered from 3606.	E-W	50	2	0.64 (avg.)



Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
37	Blank trench.	E-W	50	2	0.25 (avg.)
38	Modern deposit 3802 contained CBM and was observed cutting through the topsoil	N-S	50	2	0.40 (avg.)
39	Blank trench.	E-W	50	2	0.40 (avg.)
40	Blank trench.	NW-SE	50	2	0.30 (avg.)
41	Possible feature indicated by the geophysical survey. Silt below clay natural. Ditch 4103 is orientated NW-SE and contained no finds	NW-SE	50	2	0.35 (avg.)
42	Blank trench. Plough scars and one land drain	NE-SW	50	2	0.30 (avg.)
43	Blank trench.	N-S	50	2	0.30 (avg.)
44	Blank trench. Plough scars and two stone filled land drains	E-W	50	2	0.30 (avg.)
45	Blank trench. 2x N-W field drain, 1x NE-SW field drain	E-W	50	2	0.56 (avg.)
46	1 possible E-W linear tested and found to be a plough scar	N-S	50	2	0.46 (avg.)
47	Possible NE-SW terminus? 2 NE-SW field drains. Ditch 4703 is orientated E-W and contained no finds	NW-SE	50	2	0.46 (avg.)
48	Blank trench.	E-W	50	2	0.30 (avg.)
49	Blank trench.	N-S	50	2	0.30 (avg.)
50	Blank trench.	E-W	50	2	0.32 (avg.)
51	Blank trench.	E-W	50	2	0.27 (avg.)
52	Blank trench.	N-S	50	2	0.30 (avg.)

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
53	Blank trench. 2 land drains	E-W	50	2	0.40 (avg.)
54	Blank trench. Very grey natural. On land drain western end of the trench	E-W	50	2	0.36 (avg.)
55	Blank trench.	N-S	50	2	0.32 (avg.)
56	Blank trench.	N-S	50	2	0.34 (avg.)
57	Blank trench.	E-W	50	2	0.30 (avg.)
58	Blank trench.	NW-SE	50	2	0.49 (avg.)
59	1 field drain. 5 furrows running E-W throughout trench. One excavated. furrow 5902 contained a small amount of CBM.	NW-SE	50	2	0.43 (avg.)
60	Blank trench.	NE-SW	50	2	0.33 (avg.)
61	Blank trench.	NE-SW	50	2	0.33 (avg.)
62	Blank trench.	E-W	50	2	0.29 (avg.)
63	Blank trench.	NW-SE	50	2	0.36 (avg.)
64	Multiple linear features, most probably are furrows. One furrow 6402 tested and contained likely post medieval pottery	NE-SW	50	2	0.38 (avg.)
65	Contains gully [6502] which contained no finds	N-S	50	2	0.38 (avg.)
66	Blank trench.	NE-SW	50	2	0.38 (avg.)
67	Blank trench but for 1 field drain	NE-SW	50	2	0.32 (avg.)
68	Contained multiple features. Gully 6802 is orientated NE-SW and contained no finds. Gully 6804 is adjacent and contains pottery and CBM. Ditch 6806 is orientated NW-SE and contained no finds. Ditch	NW-SE	50	2	0.42 (avg.)

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
	6809 is orientated NW-SE and contained no finds. Ditch 6811 is orientated NE-SW and contained a large amount of Roman pottery and animal bone. Ditch 6815 is orientated NW-SE and contained no finds. Pit 6817 contained CBM. Ditch 6820 is orientated NW-SE and contained no finds. Ditch 6822 is orientated NW-SE and contained no finds. Ditch 6824 is orientated NW-SE and contained no finds. Ditch 6825 is orientated N-S which contained pottery.				
69	6 possible features, including 4 possible ditches, a possible post hole and a spread of what may be fired clay. Field drains x3. Pit 6902 contained a large amount of Roman pottery. Ditch 6904 is orientated E-W which contained Roman pottery. Ditch 6906 is orientated E-W which contained Roman pottery. Ditch 6908 is orientated E-W and contained no finds. Possible wheel rut 6910 is orientated E-W and contained Roman pottery. Ditch or large pit 6912 had been re-cut by 6914, both features contained Roman pottery. Gully 6920 is orientated E-W and contained Roman pottery. Ditch 6923 is orientated E-W, and cut by a land drain. It contained Roman pottery and animal bone. Gully 6925 is orientated E-W and contained no finds	NW-SE	50	2	0.44 (avg.)
70	Ditch 7003 in the middle of the trench is a combination of a post-medieval boundary cut by a land drain.	NE-SW	50	2	0.33 (avg.)
71	Possible old field boundary ditch 7102 crosses the trench at a right angle. It has some metal and wood (bucket) in the top of the fill. Some plough scars.	NE-SW	50	2	0.38 (avg.)
72	Blank trench. Some plough scars.	NW-SE	50	2	0.35 (avg.)
73	Blank trench.	NW-SE	50	2	0.34 (avg.)
74	Blank trench. 1x drain (E-W), plough scars (N-S) throughout.	N-S	50	2	0.40 (avg.)
75	Blank trench. Plough scars throughout.	NE-SW	50	2	0.38 (avg.)
76	Blank trench.	NW-SE	50	2	0.45 (avg.)
77	Blank trench. Plough scars throughout running N-S	NE-SW	50	2	0.37 (avg.)
78	Blank trench.	NW-SE	50	2	0.42 (avg.)
79	Blank trench. Some plough scars running roughly E-W	E-W	50	2	0.35 (avg.)

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
80	Blank trench. A N-S furrow was visible at the northern end of the trench. It was in line with the furrows in Tr 81 and corresponded with the likely furrows marked on the map.	N-S	50	2	0.38 (avg.)
81	Blank trench. 3x furrows, evenly spaced and corresponding to the suggested furrow lines on the map.	E-W	50	2	0.42 (avg.)
82	Blank trench.	E-W	50	2	0.36 (avg.)
83	1 ditch within trench orientated NE-SW. This ditch 8302 is likely a post-medieval drainage ditch and contained no finds.	NW-SE	50	2	0.36 (avg.)
84	Blank trench. Land drain mid-trench.	NW-SE	50	2	0.48 (avg.)
85	Blank trench. Drain running c. N-S. Northern end covered in plough scars. The blob on the geophysics is probably just a change in the natural	E-W	50	2	0.32 (avg.)
86	Blank trench.	E-W	50	2	0.40 (avg.)
87	Blank trench.	NW-SE	50	2	0.40 (avg.)
88	Blank trench. One land drain present	NE-SW	50	2	0.40 (avg.)
89	Linear corresponding to geophysical survey, probable former post-medieval field boundary. Ditch 8903 is orientated NE-SW and contained no finds	NW-SE	48	2	0.32 (avg.)
90	Blank trench. Land drains and plough scars only	E-W	50	2	0.35 (avg.)
91	Blank trench. Two land drains visible	NW-SE	50	2	0.40 (avg.)
92	Trench contains one linear feature which was confirmed to be gully 9204	NE-SW	50	2	0.40 (avg.)
93	Blank trench. One drain visible and multiple plough scars	E-W	50	2	0.45 (avg.)
94	Blank trench.	N-S	50	2	0.38 (avg.)
95	Blank trench. Plough scars throughout	E-W	50	2	0.33 (avg.)

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
96	Blank trench.	NE-SW	50	2	0.35 (avg.)
97	Blank trench.	NW-SE	50	2	0.40 (avg.)
98	Blank trench.	E-W	50	2	0.36 (avg.)
99	Blank trench.	NE-SW	50	2	0.36 (avg.)
100	Blank trench. Land drain at NE end	NE-SW	50	2	0.36 (avg.)
101	Blank trench. Furrow at northern end of the trench corresponding to geophysical survey.	N-S	50	2	0.31 (avg.)
102	Blank trench.	NE-SW	50	2	0.36 (avg.)
103	Blank trench.	E-W	50	2	0.30 (avg.)
104	Blank trench. Furrows orientated ne to sw. One drain visible	NW-SE	50	2	0.45 (avg.)
105	Blank trench.	NE-SW	50	2	0.50 (avg.)
106	Blank trench.	NW-SE	50	2	0.50 (avg.)
107	Blank trench.	NW-SE	50	2	0.50 (avg.)
108	Blank trench. One gravel drain	NE-SW	50	2	0.40 (avg.)
109	Land drains x2. Shallow ditch at southern end on NE to SW alignment (excavated and recorded 10902). Origin unknown but probable post-med boundary. No finds	N-S	50	2	0.36 (avg.)
110	One furrow at northern end. Linear feature on same alignment as geophysics at southern end of the trench appears to be a post-medieval drainage or boundary feature (excavated and recorded 11002). CBM recovered.	NE-SW	50	2	0.31 (avg.)

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
111	Blank trench.	N-S	50	2	0.45 (avg.)
112	Blank trench.	NE-SW	50	2	0.40 (avg.)
113	Blank trench.	N-S	50	2	0.45 (avg.)
114	Trench contained: Terminus 11402, Ditch 11404, Furrow 11408, Ditch 11410, Ditch 11412, Gully 11414 and Terminus 11416	N-S	50	2	0.36 (avg.)
115	Trench contained: Terminus 11502, Terminus 11506 and Pit 11509	NE-SW	50	2	0.25 (avg.)
116	Blank trench.	E-W	50	2	0.28 (avg.)
117	Blank trench.	NW-SE	50	2	0.34 (avg.)
118	Two possible linear features were tested both were natural features.	N-S	50	2	0.35 (avg.)
119	Trench contained two intercutting ditches, 11902 and 11905	NW-SE	50	2	0.50 (avg.)
120	1 ditch 12002 excavated	NW-SE	50	2	0.20 (avg.)
121	Containing - Ditch: 12104, Ditch 12102, Ditch 12106, Gully 12115, Ditch 12127, Ditch 12112, Possible pit 12130, Ditch 12119, Gully 12117, Ditch 12123, Pit 12110	NE-SW	50	2	0.40 (avg.)
122	Trench contained: Ditch 12202, Ditch 12204, Ditch 12206, Ditch 12208, Ditch 12210, Ditch 12213, Ditch 12216 and Pit 12218 as well as 2 land-drains.	N-S	50	2	0.50 (avg.)
123	Trench contained: Gully 12302, Ditch 12304, Furrow 12307 and Ditch/Hedgerow 12309.	NW-SE	50	2	0.36 (avg.)
124	Trench contained three ditches; 12402, 12404 and 12406.	NE-SW	50	2	0.37 (avg.)
125	Trench contained: hedgerow 12502, Terminus 12505, Ditch 12507, Furrow 12509 and Ditch 12511.	N-S	50	2	0.45 (avg.)
126	Blank trench.	NE-SW	50	2	0.30 (avg.)

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
127	Blank trench.	NE-SW	50	2	0.36 (avg.)
128	Blank trench.	N-S	50	2	0.36 (avg.)
129	2xFD, 1 Possible Pit, 1x Gully. All tested and not archaeological.	E-W	50	2	0.33 (avg.)
130	Blank trench. 5 x Field Drain.	NE-SW	50	2	0.38 (avg.)
131	5 x Field Drain, 1 x Gully, 2 x Post Hole, 2 x Possible Agricultural Activities. All tested and nothing recorded as all were either natural features or related to post-medieval farming.	N-S	50	2	0.36 (avg.)
132	4 x Field Drain, 2 x Furrow, 1 x Possible Pit. Two furrows tested and they are furrows. Possible pit tested and is a burrow. See photo numbers 200281 and 200282	NW-SE	50	2	0.35 (avg.)
133	Trench contained: Ditch 13302, Pit 13304, Gully 13307 and Gully 13309.	NW-SE	50	2	0.40 (avg.)
134	Blank trench.	E-W	50	2	0.30 (avg.)
135	One possible gully tested, but not archaeological.	N-S	50	2	0.30 (avg.)
136	Blank trench.	E-W	50	2	0.30 (avg.)
137	Blank trench.	N-S	50	2	0.30 (avg.)
138	One linear and 3 other things to check. All tested. The linear feature is a furrow c. 0.10m deep and 1.10m wide. Sterile fill. The other features were natural or related to mole ploughing	NE-SW	50	2	0.34 (avg.)
139	Blank trench.	E-W	50	2	0.30 (avg.)
140	Blank trench.	N-S	50	2	0.30 (avg.)
141	Blank trench.	N-S	50	2	0.34 (avg.)
142	Blank trench.	N-S	50	2	0.30 (avg.)

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
143	Blank trench. Furrow x1. Drains x3. Plough scars.	E-W	50	2	0.45 (avg.)
144	Two possible linear features to be checked. Both checked. Very shallow. Either natural or very truncated furrows. Photo 20139	NE-SW	50	2	0.30 (avg.)
145	Blank trench.	N-S	50	2	0.30 (avg.)
146	Blank trench. 1x drain and plough scars	NE-SW	50	2	0.47 (avg.)
147	Blank trench. One drain visible.	NE-SW	50	2	0.40 (avg.)
148	Blank trench. One land drain visible slightly obliquely along SE edge of trench. One gravel drain across width of trench at NW end	NW-SE	50	2	0.30 (avg.)
150	Blank trench. Plough scars.	NE-SW	50	2	0.44 (avg.)
151	Blank trench. Lots of drains.	NW-SE	50	2	0.40 (avg.)
152	Trench contained one excavated and recorded ditch 15202, which showed up on the geophysics. One possible gully tested but found to be a field drain. Plough scars. Change in natural to a sandy clay at the E end.	E-W	50	2	0.42 (avg.)
153	Blank trench. Land drains and furrows only	NE-SW	50	2	0.30 (avg.)
154	Blank trench. Plough scars only	N-S	50	2	0.26 (avg.)
155	Blank trench.	NE-SW	50	2	0.45 (avg.)
156	Blank trench. Gravel drain SE end and one near the middle	NW-SE	50	2	0.40 (avg.)
157	Blank trench.	NE-SW	50	2	0.34 (avg.)
158	Blank trench.	NE-SW	50	2	0.40 (avg.)



Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
159	Blank trench. One gravel drain across trench	NW-SE	50	2	0.40 (avg.)
160	Blank trench. One gravel drain orientated E to W	NE-SW	50	2	0.50 (avg.)
161	Blank trench.	NW-SE	50	2	0.34 (avg.)
162	Blank trench.	E-W	50	2	0.34 (avg.)
163	Blank trench. Furrows x4. The curvilinear geophysical anomaly was tested and shown to be modern in origin.	NE-SW	50	2	0.49 (avg.)
164	Blank trench.	NW-SE	50	2	0.34 (avg.)
165	Blank trench.	NE-SW	50	2	0.34 (avg.)
166	Blank trench. One French style land drain and a furrow.	N-S	50	2	0.30 (avg.)
167	Trench contained one linear feature, hedgerow 16702.	NW-SE	50	2	0.30 (avg.)
168	Blank trench.	NE-SW	50	2	0.40 (avg.)
169	Blank trench.	NE-SW	50	2	0.25 (avg.)
170	Blank trench.	NW-SE	50	2	0.40 (avg.)
171	Paleo channel within trench. Machined out to a depth of 1m bgl, recorded as colluvium 17102. Ceramic box drain seen and not damaged at base of channel. Possibly infilled like the other low points in the surrounding fields.	NW-SE	50	2	0.34 to 0.86
172	Blank trench.	NW-SE	50	2	0.50 (avg.)
173	Blank trench.	E-W	50	2	0.20 (avg.)

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
174	One large linear feature. Machine excavated. Corresponds with hedgerow seen in T178. Similar deposits. One small gully 17402 which looks modern. One other linear feature tested and looks modern	NW-SE	50	2	0.35 (avg.)
175	Trench contained one ditch 17502	N-S	50	2	0.40 (avg.)
176	Trench contained a small gully (17602) on a NE to SW orientation. Plough scars were noted throughout. Drains x4 although there may have been more that were destroyed by ploughing. Furrow x1.	E-W	50	2	0.35 (avg.)
177	Two possible slight linear features to look at. Both linear features tested. The one at the NE end had washed away in the rain. The feature toward the middle of the Trench was shallow and very uneven. The fill contains modern material. Likely related to deep ploughing of field.	NE-SW	50	2	0.36 (avg.)
178	Possible ditch or hedgerow near centre of trench. Machine slot used to test feature down to c. 1.10m, deposit recorded as 17802. Small pieces of red brick and pieces of ceramic drain seen in fill. Pieces of decayed rooting also seen. Likely an old hedgerow that has been removed in the 20th century and backfilled to level it off.	NW-SE	50	2	0.30 (avg.)
179	Blank trench.	N-S	50	2	0.40 (avg.)
180	Blank trench. 1 furrow matching with geophysical data and one field drain. Furrow tested.	NE-SW	50	2	0.30 (avg.)
189	Blank trench.	NW-SE	50	2	0.40 (avg.)
190	Trench devoid of archaeological remains. Plough scars on n-s orientation.	NW-SE	50	2	0.33 (avg.)
191	Blank trench. 1 land drain and 2 furrows present. Furrows positions corroborate with geophysical data.	NE-SW	50	2	0.35 (avg.)
192	Trench contains a field boundary ditch (19202) running along its northern edge.	NE-SW	50	2	0.40 (avg.)
193	Blank trench. 1 field drain running E-W through centre of trench	NE-SW	50	2	0.40 (avg.)
194	Blank trench. 1x drain and plough scars throughout.	N-S	50	2	0.37 (avg.)
195	Trench contained one possible former field boundary ditch or hedgerow orientated NE-SW (19502). As well as two gravel drains	NE-SW	50	2	0.65 (avg.)

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
196	Blank trench. 1 field drain running through centre of trench, corroborating with geophysical data	N-S	50	2	0.40 (avg.)
197	Blank trench.	E-W	50	2	0.36 (avg.)
198	Blank trench. 1 land drain and 1 furrow present, corroborating with geophysical data.	N-S	50	2	0.25 (avg.)
199	Blank trench. Drain at West end	E-W	50	2	0.60 (avg.)
200	Full length of trench plus 1.6m width is made ground containing back filled rubbish recorded as deposit 20001.	NE-SW	50	2	0.50 to 0.70
201	Blank trench. Lots of plough scars. No sign of linear anomaly from geophysics	N-S	50	2	0.40 (avg.)
202	Blank trench. Blank trench. Lots of modern disturbance at the SE end	NW-SE	50	2	0.40 (avg.)
203	Blank trench. Contains 3 gravel drains	E-W	50	2	0.40 (avg.)
204	Possible broad linear near centre of trench tested by machine and had a depth of 0.10 m. Likely to be geological in nature.	NW-SE	50	2	0.36 (avg.)
205	Blank trench.	NW-SE	50	2	0.40 (avg.)
206	Trench contained a deposit of made ground (20601). As well as a possible palaeo-channel machine tested to a depth of 1.3m. Appear to have been filled in with modern refuse as plastic bag seen at 1.3m. Deposits within palaeo-channel recorded 20603 and 20604.	E-W	50	2	0.36 to 0.46
207	Possible linear feature near centre of trench. Machine slot through linear feature. Backfill material removed containing brick and plastic. Approx 1m bgl in the middle. Old roots visible in natural clay. Approx 3m wide. It was likely removed hedgerow removed in 20th century and backfilled with modern material to level the area. Not recorded but photos taken.	NE-SW	50	2	0.40 (avg.)
208	Blank trench.	N-S	50	2	0.48 (avg.)
209	Blank trench.	NW-SE	50	2	0.40 (avg.)

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
210	Blank trench.	N-S	50	2	0.40 (avg.)
211	Blank trench.	E-W	50	2	0.40 (avg.)
212	Blank trench.	NE-SW	50	2	0.36 (avg.)
213	Blank trench.	NW-SE	50	2	0.36 (avg.)
214	Possible small linear and posthole observed both tested and found to be geological features.	NE-SW	50	2	0.35 (avg.)
215	Blank trench.	NE-SW	50	2	0.50 (avg.)
216	Blank trench.	E-W	50	2	0.36 (avg.)
217	Blank trench. One furrow observed and tested.	N-S	50	2	0.30 (avg.)
218	Five furrows observed and tested.	E-W	50	2	0.30 (avg.)
219	Blank trench.	E-W	50	2	0.28 (avg.)
220	Blank trench. One stone filled land drain	NW-SE	50	2	0.31 (avg.)
221	Blank trench. One land drain.	E-W	50	2	0.30 (avg.)
222	Blank trench.	N-S	50	2	0.36 (avg.)
223	Blank trench. One drain and one furrow (tested).	N-S	50	2	0.45 (avg.)
224	Blank trench. Patches of the remains of drains already destroyed by ploughing.	E-W	50	2	0.40 (avg.)
225	Blank trench. Plough scars.	NW-SE	50	2	0.41 (avg.)

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
226	Blank trench. 2x drains.	NE-SW	50	2	0.40 (avg.)
227	Blank trench. Drain x2, plough scars.	E-W	50	2	0.41 (avg.)
228	Three NE-SW ditches, one N-S ditch and one pit all likely Roman, all excavated. Ditch 22802 Pit 22805 Ditch 22807 Ditch 22809 Ditch 22811 Some other possible features identified all tested and found to be related to modern ploughing.	NW-SE	50	2	0.35 (avg.)
229	Blank trench. One N-S land drain and one N-S French drain.	NE-SW	50	2	0.38 (avg.)
230	Blank trench. Two N-S Land drains	NW-SE	50	2	0.34 (avg.)
231	One pit in centre lines up with geophysics as agricultural, excavated appears to be disturbance caused by former hedgerow 23102. One small pit tested shown to be modern plough disturbance.	NW-SE	50	2	0.42 (avg.)
232	Blank trench. Plough scars in natural running NE-SW	NE-SW	50	1.8	0.32 (avg.)
233	Blank trench. N-S running plough scars.	NW-SE	50	1.8	0.40 (avg.)
234	Blank trench. N-S running plough scars	NE-SW	50	1.8	0.34 (avg.)
235	Blank trench. One N-S Land drain	NW-SE	50	1.8	0.37 (avg.)
236	Blank trench. E-W running plough scars	N-S	50	1.8	0.38 (avg.)
237	Blank trench. E-W running plough scars in natural	NE-SW	50	1.8	0.34 (avg.)
238	Blank trench. E-W running plough scars	NW-SE	50	1.8	0.32 (avg.)
239	Blank trench. Roughly E-W plough scars in natural	E-W	50	1.8	0.32 (avg.)
240	Blank trench.	N-S	50	1.8	0.37 (avg.)

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
241	Blank trench.	E-W	50	1.8	0.36 (avg.)
242	Blank trench.	NE-SW	50	1.8	0.38 (avg.)
243	Blank trench.	NW-SE	50	1.8	0.37 (avg.)
244	Blank trench.	N-S	50	1.8	0.28 (avg.)
245	Blank trench.	N-S	50	1.8	0.34 (avg.)
246	Blank trench.	E-W	50	1.8	0.27 (avg.)
247	Blank trench.	E-W	50	1.8	0.34 (avg.)
248	Blank trench.	N-S	50	1.8	0.35 (avg.)
249	Blank trench.	E-W	50	1.8	0.34 (avg.)
250	Blank trench.	NW-SE	50	1.8	0.34 (avg.)
251	Blank trench.	NE-SW	50	1.8	0.34 (avg.)
252	Blank trench. Field drains only	NW-SE	50	2	0.30 to 0.40
253	Contains one E-W ditch as geophysics. Excavated and recorded 25303	N-S	50	1.8	0.36 (avg.)
254	Blank trench. Two NE-SW Land drains.	NE-SW	50	1.8	0.32 (avg.)
255	Blank trench. 2 NW-SE Land drains.	N-S	50	1.8	0.34 (avg.)
256	Blank trench.	N-S	50	1.8	0.35 (avg.)

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
257	Blank trench. One N-S French Drain.	E-W	50	1.8	0.32 (avg.)
258	Blank trench. Three E-W land drains.	N-S	50	1.8	0.32 (avg.)
259	Blank trench. One French Drain. One modern drainage feature in centre of trench tested photo:283 (23D0137) modern CBM found - not retained.	E-W	50	1.8	0.32 (avg.)
260	Blank trench. Two N-S French drains, one N-S field drain.	N-S	50	1.8	0.34 (avg.)
261	Blank trench. 2 NE-SW Land drains. One French drain.	E-W	50	1.8	0.36 (avg.)
262	Blank trench. 2 French Drains	N-S	50	1.8	0.32 (avg.)
263	Blank trench. Two French Drains	E-W	50	1.8	0.34 (avg.)
264	Blank trench. X3 E-W Land drains.	N-S	50	1.8	0.31 (avg.)
265	Blank trench. Two N-S Land drains.	E-W	50	1.8	0.37 (avg.)
266	Blank trench. One E-W French drain.	N-S	50	1.8	0.34 (avg.)
267	One ne-sw gully, one ne-sw ditch and one pit/bore hole. All excavated and recorded. Pit 26702 Gully 26704 Ditch 26706	NW-SE	50	1.8	0.47 (avg.)
268	Blank trench. Devoid of archaeological remains significant amount of farming disturbance at SW end. Disturbance tested and photographed photo:38 and 39 (10000)	NE-SW	50	1.8	0.36 (avg.)
269	Blank trench. Geophysics shows possible agricultural linear. This does not appear on trench. This is possibly the result of a Land drain causing a geophysical anomaly.	NE-SW	50	1.8	0.26 (avg.)
270	Blank trench. N-S running plough scars	NW-SE	50	1.8	0.26 (avg.)
271	Blank trench. Plough marks and disturbance in natural.	NE-SW	50	1.8	0.36 (avg.)
272	Blank trench. Agricultural linear identified on geophysics not present in trench	NE-SW	50	1.8	0.27 (avg.)

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
273	Blank trench. Trench contains E-W running plough scars.	N-S	50	1.8	0.24 (avg.)
274	Blank trench. Plough scars running E-W	NE-SW	50	1.8	0.32 (avg.)
275	Blank trench. Field drain in position of agricultural anomaly on geophys	E-W	50	1.8	0.38 (avg.)
276	Blank trench. Three E-W running French drains.	NW-SE	50	1.8	0.34 (avg.)
277	Blank trench.	NW-SE	50	1.8	0.34 (avg.)
278	Trench contains one NE-SW ditch likely farming related containing post medieval pottery. Ditch 27802	E-W	50	1.8	0.38 (avg.)
279	Blank trench. Plough scars	N-S	50	1.8	0.29 (avg.)
280	Blank trench. Natural cut by ploughing	E-W	50	1.8	0.28 (avg.)
281	Blank trench.	NW-SE	50	1.8	0.28 (avg.)
282	Blank trench. Natural cut by several NE-SW plough scars	NW-SE	50	1.8	0.22 (avg.)
283	Blank trench. Plough scars running ne-sw	NW-SE	50	1.8	0.22 (avg.)
284	Blank trench.	E-W	50	1.8	0.29 (avg.)
285	Blank trench. Plough scars running nw-se	NE-SW	50	1.8	0.29 (avg.)
286	Blank trench.	N-S	50	1.8	0.36 (avg.)
287	Blank trench.	E-W	50	1.8	0.32 (avg.)
288	Blank trench. N-S plough scars in natural.	NE-SW	50	1.8	0.31 (avg.)



Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
289	Blank trench. Possible linear tested at southern end investigation showed a plough furrow with modern metal inclusions.	N-S	50	1.8	0.36 (avg.)
290	Blank trench. E-W plough scars	NE-SW	50	1.8	0.35 (avg.)
291	Blank trench.	N-S	50	1.8	0.34 (avg.)
292	Blank trench.	E-W	50	1.8	0.31 (avg.)
293	Blank trench.	N-S	50	1.8	0.32 (avg.)
294	Blank trench. E-W plough scars	NE-SW	50	1.8	0.37 (avg.)
295	One field boundary excavated 29502 and modern deposit/pit not excavated as breeze blocks observed on surface.	N-S	50	1.8	0.37 (avg.)
296	Blank trench.	N-S	50	1.8	0.38 (avg.)
297	Blank trench.	N-S	50	1.8	0.32 (avg.)
298	Blank trench. E-W plough scars	NE-SW	50	1.8	0.34 (avg.)
299	Blank trench.	E-W	50	1.8	0.31 (avg.)
300	Blank trench.	E-W	50	1.8	0.28 (avg.)
301	Trench contains one field boundary excavated 30102.	NE-SW	50	1.8	0.38 (avg.)
302	Blank trench. Trench moved 10m SE outside of overhead exclusion area.	NW-SE	50	1.8	0.32 (avg.)
303	Blank trench.	N-S	50	1.8	0.28 (avg.)
304	Blank trench. Trench moved 10m west out of overhead excision area.	E-W	50	1.8	0.34 (avg.)

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
305	Blank trench. 4 land drains.	N-S	50	1.8	0.45 (avg.)
306	Trench contained: Gully 30602, Gully 30605, Ditch 30607, Gully 30609, Ditch 30611, Ditch 30613. (no context 30604) As well as two land drains.	E-W	50	1.8	0.56 (avg.)
307	Trench contained one gully 30702 and several land-drains.	NE-SW	50	2	0.60 (avg.)
308	Blank trench. X2 land drains	NW-SE	50	2.13	0.44 to 0.53
309	Blank trench.	N-S	50	2.15	0.43 to 0.48
310	Blank trench. 3x NW-SE land drains	NE-SW	50	2	0.30 to 0.40
311	Blank trench.	NW-SE	50	2	0.18 (avg.)
312	Blank trench. 1x NW-SE land drain.	NE-SW	50	2	0.20 to 0.50
313	Blank trench.	N-S	50	2	0.20 (avg.)
314	Blank trench.	NE-SW	50	2	0.22 (avg.)
315	Blank trench.	NW-SE	50	2	0.25 (avg.)
316	Blank trench.	NE-SW	50	2	0.32 (avg.)
317	Blank trench.	NW-SE	50	2	0.34 (avg.)
318	Blank trench.	NE-SW	50	2	0.35 to 0.42
319	Blank trench.	NW-SE	50	2	0.28 (avg.)
320	Blank trench. Two land drains orientated northwest to southeast present.	NE-SW	50	2	0.20 to 0.30

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
321	Blank trench.	NE-SW	50	2	0.30 to 0.36
322	Blank trench.	NE-SW	50	2	0.20 to 0.33
323	Trench contained one ditch 32302.	E-W	50	2	35.00 (avg.)
324	Blank trench.	N-S	50	2	0.25 (avg.)
325	Blank trench. Trench contains 3 north-south orientated field drains only.	E-W	50	2	0.38 (avg.)
326	Blank trench. 3 features tested, two were under machined/depression in natural, one was due to rooting.	N-S	50	2	0.36 (avg.)
327	Blank trench. But for 2 north-south orientated French drains.	NE-SW	50	2	0.36 (avg.)
328	Blank trench. But for 2 north-south orientated field drains	NW-SE	50	2	0.38 (avg.)
329	Blank trench. But for field drains.	NE-SW	50	2	0.44 (avg.)
330	Blank trench. But for French drains & field drains.	N-S	50	2	0.42 (avg.)
331	Blank trench. But for field drains.	E-W	50	2	0.46 (avg.)
332	Trench contained E-W post-medieval field boundary ditch 33202 with recut 33207 as well as four east-west drains that run towards the pond at the western limit of the field.	N-S	50	2	0.46 (avg.)
333	Blank trench. But for field drains.	NW-SE	50	2	0.46 (avg.)
334	Blank trench. But for 1x northwest- southeast field drain.	N-S	50	2	0.42 (avg.)
335	Blank trench. But for 1x northwest-southeast orientated French drain.	NE-SW	50	2	0.46 (avg.)
336	One shallow gully present [33602] containing no finds. Two other features were tested that turned out to be changes in natural.	NE-SW	50	2	0.46 (avg.)

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
337	2x northeast-southwest linears. Poss associated with plough furrows to the west of Trench identified by geophysics. Both excavated & recorded as [33702] and [33704].	NW-SE	50	2	0.44 (avg.)
338	Blank trench. But for indentation in natural probably agricultural. Recorded on GPS.	NW-SE	50	2	0.42 (avg.)
339	Trench contained: Ditch 33902, Ditch 33904 and Furrow 33906.	NW-SE	50	2	0.50 (avg.)
340	1x east-west orientated furrow. Not excavated due to excessive flooding of Trench. Recorded on survey. Probably associated with other furrows of same alignment further to the North.	N-S	50	2	0.38 (avg.)
341	Blank trench.	E-W	50	2	0.42 (avg.)
342	Trench contains modern northwest-southeast orientated linear feature (34202) with unusual modern ceramic field drain at base.	N-S	50	2	0.40 (avg.)
343	Blank trench.	NE-SW	50	2	0.34 (avg.)
344	Trench contained one east-west orientated gully (34402).	N-S	50	2	0.34 (avg.)
345	Trench contained two NW-SE orientated field drains and two NE-SW orientated furrows tested.	E-W	50	2	0.42 (avg.)
346	Trench contained one NE-SW orientated furrow (tested) and four northwest-southeast orientated field drains.	N-S	50	2	0.40 (avg.)
347	Trench contained seven field drains and one possible N-S linear, this was tested but this turned out to be another field drain.	NE-SW	50	2	0.38 (avg.)
348	Three NE-SW plough furrows (tested). Two field drains and one French drain.	NE-SW	50	2	0.38 (avg.)
349	Trench contained one east-west linear feature (34902) and one potential ditch tested due to what appeared to be quantities of charcoal or manganese on surface this turned out not to be a feature but rather a spread of topsoil and natural manganese. It also contained one large area centrally positioned with charcoal/coal, metal, CBM & pottery. Surveyed. Not excavated. 1x E-W linear feature in N .	N-S	50	2	0.32 (avg.)
350	Three northeast-southwest furrows (tested). One northeast-southwest field drain. Five NW-SE field drains.	NE-SW	50	2	0.42 (avg.)
351	Blank trench.	NW-SE	50	2	0.28 (avg.)

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
352	Blank trench. Field drains only.	NW-SE	50	2	0.26 (avg.)
353	3x northeast-southwest possible plough furrows. 1x NE-SW orientated linear feature. None excavated due to excessive flooding of Trench. Recorded via survey.	NW-SE	50	2	0.46 (avg.)
354	Trench contained two furrows (tested), the N-S linear feature on geophysics not visible/non-existent. NW-SE topsoil spread mixed with natural manganese.	NE-SW	50	2	0.40 (avg.)
355	Five N-S furrows (tested). One French drain.	E-W	50	2	0.42 (avg.)
356	Two NE-SW orientated furrows (tested).	N-S	50	2	0.38 (avg.)
357	Trench contained two E-W ditches 35702 and 35704. As well as one NE-SW furrow (tested).	N-S	50	2	0.30 (avg.)
358	Blank trench. Modern plough scars only.	E-W	50	2	0.36 (avg.)
359	Blank trench.	N-S	50	2	0.32 (avg.)
360	Trench contained eight N-S furrows (tested).	E-W	50	2	0.36 (avg.)
361	Trench contained two NE-SW furrows (tested).	N-S	50	2	0.28 (avg.)
362	Trench contained two N-S furrows (tested).	NE-SW	50	2	0.36 (avg.)
363	Trench contained three furrows (tested).	NW-SE	50	2	0.36 (avg.)
364	Trench contained two NW-SE orientated plough furrows (tested).	NE-SW	50	2	0.30 (avg.)
365	Trench contained one NW-SE furrow (tested).	NE-SW	50	2	0.32 (avg.)
366	Blank trench. But for two NE-SW orientated field drains and one NE-SW orientated French drain.	NE-SW	50	2	0.40 (avg.)
367	Blank trench.	E-W	50	2	0.46 (avg.)

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
368	Trench contained one excavated and recorded furrow (36802).	NE-SW	50	2	0.52 (avg.)
369	Trench contained one NE-SW furrow (36902), seven NE-SW orientated field drains and two NW-SE orientated field drains.	NW-SE	50	2	0.50 (avg.)
370	Blank trench. But for six NW-SE orientated field drains one NW-SE field drain and one NE-SW French drain.	N-S	50	2	0.46 (avg.)
371	Blank trench. But for one NE-SW orientated French drain	E-W	50	2	0.48 (avg.)
372	Blank trench.	E-W	50	2	0.40 (avg.)
373	Blank trench. But for one NE-SW orientated French drain and one NE-SW orientated field drain.	N-S	50	2	0.44 (avg.)
374	Blank trench.	NW-SE	50	2	0.42 (avg.)
375	Blank trench. But for one NW-SE orientated field drain and two NE-SW orientated French drains.	NW-SE	50	2	0.46 (avg.)
376	Blank trench.	N-S	50	2	0.60 (avg.)
377	Blank trench. But for 3x NE-SW orientated field drains. 1x NE-SW French drain.	NE-SW	50	2	0.64 (avg.)
447	Blank trench. One French drain present.	NE-SW	50	1.8	0.40 (avg.)
448	Trench contained: Ditch 44802, Ditch 44806, Ditch 44808, Ditch 44810 cut by drain 44812, Ditch 44814 and Ditch 44816.	NW-SE	50	1.8	0.42 (avg.)
449	Blank trench. Four N-S orientated French drains present.	E-W	50	1.8	0.36 (avg.)
450	Trench contained: Gully 45003, Post-hole 45005 and Pit 45007. As well as few furrows running N-S (tested).	E-W	50	2	0.50 to 0.70
451	Trench contained two N-S orientated French drains.	NW-SE	50	1.8	0.35 (avg.)
452	Blank trench. One NE-SW orientated land drain present. One N-S orientated French drain present in north-eastern end of trench.	NE-SW	50	1.8	0.35 (avg.)

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
453	Blank trench.	E-W	50	2	0.35 (avg.)
454	Blank trench.	NW-SE	50	2	0.28 (avg.)
455	Modern? Deposit corresponding with geophysical anomaly contains large amount of broken red clay roof tiles. Possible agricultural pond tested by machine found to only extend to 0.10m deep.	NE-SW	50	2	0.40 (avg.)
457	Blank trench. One field drain running parallel in the east end of trench	E-W	50	1.8	0.45 (avg.)
458	Trench contained a ditch orientated NE-SW across the S end of the trench (45802) which was cut by a drain (45805). Another drain and a plough furrow were also observed.	NW-SE	50	2	0.39 (avg.)
460	Change in natural in centre of trench. Tested with machine down to 0.5m. Sandy grey clay natural	E-W	50	1.8	0.30 (avg.)
461	Blank trench.	N-S	50	1.8	0.34 (avg.)
463	Trench contained: Made ground deposit 46301 and Ditch 46303. Other features in the trench were observed and tested however all appeared geological in nature. The trench also contained one land drain.	NW-SE	50	1.8	0.56 (avg.)
464	Blank trench. Two land drains	NW-SE	50	2.13	0.63 to 0.47
465	Blank trench.		50	2	0.50 (avg.)
466	Blank trench.	E-W	50	2	0.60 (avg.)
467	Blank trench.	E-W	50	2	0.40 (avg.)
468	Blank trench.	NE-SW	50	1.8	0.35 (avg.)
469	Blank trench. But for field drains only.	NW-SE	50	2	0.46 (avg.)
470	Blank trench. But for field drains.	NE-SW	50	2	0.40 (avg.)
471	Blank trench.	NW-SE	50	1.8	0.36 (avg.)

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
472	Blank trench. 1 land drain running NW-SE 1 land drain running E-W	NE-SW	50	1.8	0.30 (avg.)
473	Blank trench.	NE-SW	50	1.8	0.40 (avg.)
474	Trench contained two ditches 47402 and 47404.	NW-SE	50	1.8	0.40 (avg.)
475	Blank trench. Two land drains running NW-SE. Band of geology in the middle.	N-S	50	1.8	0.30 (avg.)
476	Blank trench.	E-W	50	1.8	0.30 (avg.)
477	Blank trench.	NE-SW	50	1.8	0.30 (avg.)
478	Blank trench. Two NW-SE field drains. One possible pit in SE end of trench was tested and observed to be the result of burrowing.	NW-SE	50	1.8	0.42 (avg.)
479	Blank trench.	N-S	50	1.8	0.36 (avg.)
480	Blank trench.	E-W	50	1.8	0.42 (avg.)
481	Blank trench.	NE-SW	50	1.8	0.42 (avg.)
482	Blank trench. E-W land drain.	NW-SE	50	1.8	0.42 (avg.)
483	Blank trench.	NW-SE	50	1.8	0.29 (avg.)
484	Blank trench.	NW-SE	50	1.8	0.35 (avg.)
485	Blank trench.	N-S	50	1.8	0.32 (avg.)
487	Blank trench.	E-W	50	1.8	0.29 (avg.)
495	Blank trench.		50	2	0.55 (avg.)



Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
496	Blank trench.	NE-SW	50	1.8	0.32 (avg.)
497	Blank trench. Possible gully tested, plough scar/burrowing photo:265 E-W furrow tested, surveyed and photographed	NW-SE	50	1.8	0.35 (avg.)
498	Blank trench.	E-W	50	1.8	0.35 (avg.)
499	Blank trench.	NE-SW	50	1.8	0.35 (avg.)
500	Blank trench.	NW-SE	50	1.8	0.28 (avg.)
501	Blank trench.	E-W	50	1.8	0.32 (avg.)
502	Blank trench.	N-S	50	1.8	0.28 (avg.)
503	Blank trench.	E-W	50	1.8	0.29 (avg.)
504	Blank trench.	NW-SE	50	1.8	0.37 (avg.)
505	Blank trench. Spread of post-medieval material at NE end containing glass, iron, CBM and modern pot	NE-SW	50	1.8	0.32 (avg.)
506	Blank trench.	NW-SE	50	1.8	0.38 (avg.)
507	Blank trench.	E-W	50	1.8	0.32 (avg.)
508	Blank trench.	E-W	50	1.8	0.34 (avg.)
509	Blank trench.	N-S	50	1.8	0.34 (avg.)
510	Blank trench.	E-W	50	1.8	0.31 (avg.)
511	Blank trench.	N-S	50	2	0.33 (avg.)

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
512	Blank trench. One E-W French drain. Possible filed boundary identified on geophysics and OS mapping not present in trench. Possibly ploughed away overtime.	NW-SE	50	2	0.35 (avg.)
513	Blank trench. Two NE-SW Land drains	NW-SE	50	2	0.34 (avg.)
514	Blank trench. Faint N-S plough scars. Two French Drains E-W	N-S	50	2	0.42 (avg.)
515	Blank trench. One E-W French drain spanning entire length of trench.	E-W	50	2	0.41 (avg.)
516	Blank trench.	N-S	50	2	0.34 (avg.)
517	Blank trench.	E-W	50	2	0.38 (avg.)
518	Trench contained one ditch (51802) in the very SW corner which may line up with the ditch in 152 (15202) to the S and one gully (51804). Plough scars throughout.	E-W	50	2	0.45 (avg.)
519	Blank trench.	N-S	50	2	0.26 (avg.)
520	Blank trench. Two possible land drains	E-W	50	2	0.25 to 0.30
521	Blank trench.	N-S	50	2	0.25 (avg.)
522	Blank trench. Land drains and some disturbance	N-S	50	2	0.40 (avg.)
523	Blank trench. Land drains and plough scars	N-S	50	2	0.40 (avg.)
524	Blank trench.	E-W	50	2	0.40 (avg.)
525	Blank trench. Land drains and plough scars	N-S	50	2	0.40 (avg.)
526	One linear feature observed, tested and recorded (52602) interpreted as a disused drainage feature. Two N-S orientated French drains present. Patch of modern CBM towards E side.	E-W	50	2	0.24 (avg.)
527	Blank trench. Two land drains. Severe disturbance in the natural probably from ploughing or modern agricultural activities.	N-S	50	2	0.40 (avg.)

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
528	Blank trench.	E-W	50	2	0.28 (avg.)
529	Blank trench.	NE-SW	50	2	0.38 (avg.)
530	Several land drains present. One northwest-southeast orientated ditch (53002) present in Western end of trench. Likely to be a defunct drainage ditch. Two possible features tested and were found to be geological in origin.	E-W	50	2	0.35 to 0.40
531	Blank trench. Plough scars and land drains	NE-SW	50	2	0.40 (avg.)
532	Several land drains and modern disturbance. One large spread of dark topsoil like material with modern/post med pot and CBM in the north to test. Dark spread tested with sondage and recorded (53202): very likely a large, backfilled pond. Contained modern pot, CBM and a roof tile. A lower deposit contained burnt and unburnt timbers as well as CBM.	NW-SE	50	2	0.40 (avg.)
533	Trench contained: Ditch 53302, Ditch 53304, Ditch 53306, Ditch 53308 and Ditch 53310. As well as one N-S orientated field drain located in its centre.	E-W	50	2	0.50 (avg.)
534	Large linear on southern side tested observed to be a modern, agricultural feature possibly a land drain.	N-S	50	2	0.30 to 0.50
535	Blank trench. Two land drains	E-W	50	2	0.30 to 0.50
536	Blank trench containing one land drain	E-W	50	2	0.30 to 0.50
537	Blank trench. Geological anomaly tested in the southern end of trench and deemed not to be archaeological	N-S	50	2	0.40 (avg.)
538	Blank trench.	N-S	50	2	0.30 to 0.40
539	Blank trench. No archaeology, just one land drain on the W section of trench	E-W	50	1.8	0.30 to 0.40
540	Blank trench.	NE-SW	50	2	0.57 (avg.)
541	Blank trench.	E-W	50	2	0.30 to 0.50

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
542	Trench contained one ditch (54202) cut by drain (54206).	NW-SE	50	2	0.30 to 0.40
543	Blank trench.	N-S	50	2	0.30 to 0.40
544	Blank trench.	N-S	50	2	0.52 (avg.)
545	Blank trench. Two NE-SW land drains and one N-S land drain.	E-W	50	2	0.30 to 0.40
546	Blank trench.	E-W	50	2	0.50 to 0.60
547	Blank trench.	NW-SE	50	2	0.30 to 0.40
548	Trench contained: Gully 54802, Gully 54804, Gully 54806 and Furrow 54808.	E-W	50	2	0.50 (avg.)
549	Blank trench containing five NE-SW orientated field drains.	E-W	50	2	0.50 (avg.)
550	Twelve NE-SW orientated field drains Possible pit tested and confirmed as a burrow	NW-SE	50	2	0.50 (avg.)
551	Trench contained: Ditch 55102, Ditch 55104, Ditch 55106. Field drains were present across the trench.	NE-SW	50	2	0.40 to 0.50
552	Blank trench. Three E-W orientated furrows (tested) and ten field drains.	N-S	50	2	0.50 (avg.)
553	Trench contained one N-S ditch (55302) and five field drains.	E-W	50	2	0.30 to 0.40
554	Trench contains two field drains, one plough furrow and one modern (roughly) east-west linear identified on geophysics. Excavated but not recorded due to partial post med unfrogged red brick at base, also contained significant rooting. Feature was possibly hedge-line or partial hedge-line.	NE-SW	50	2	0.30 to 0.40
555	Blank trench. Field drains only.	NW-SE	50	2	0.30 to 0.40
556	Trench contained eight field drains only	NE-SW	50	2	0.32 to 0.42

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
557	Blank trench. Four E-W furrows and field drains.	NW-SE	50	2	0.40 to 0.50
558	Trench contained twelve field drains & two N-S orientated indentations in the natural. These are probably caused by modern heavy farm vehicles. Photographed but not recorded.	E-W	50	2	0.30 to 0.40
559	Trench contained five field drains and five plough furrows. One plough furrow was tested. Contains field drain within furrow, this has been observed in other field drains e.g. tested plough furrow in T.522.	NE-SW	50	2	0.30 to 0.40
560	Trench contained five field drains and one plough furrow only	NE-SW	50	2	0.30 to 0.40
561	Trench contained three field drains & one large area of disturbance identified on geophysics, disturbance contained significant rooting (both decayed & not) along with modern rubble & a fractured fragment of ceramic field drain (photographed but not recorded).	N-S	50	2	0.30 to 0.40
562	Trench contained eight field drains and two plough furrows only.	NW-SE	50	2	0.30 to 0.40
563	Blank trench.	NW-SE	50	2	0.38 (avg.)
574	Blank trench.	E-W	50	2	0.45 (avg.)
575	Blank trench.	NW-SE	50	2	0.50 (avg.)
576	Blank trench.	E-W	50	2	0.45 (avg.)
577	Blank trench.	NE-SW	50	2	0.40 (avg.)
578	Blank trench.	NW-SE	50	2	0.30 to 0.45
579	Blank trench.	NE-SW	50	2	0.43 (avg.)
580	Blank trench.	NW-SE	50	2	0.40 (avg.)
581	Trench contained: Ditch 58102, Pit 58105, Gully 58107, Ditch 58109, Pit 58111, Pit 58113, Pit 58115, Gully 58117, Gully 58119, Pit 58121, Gully 58123 re-cut by 58125, Gully 58128, Gully 58130.	NW-SE	50	2	0.35 to 0.45

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
583	Blank trench. Two NW-SE land drains.	NW-SE	50	2	0.55 (avg.)
584	Blank trench.	NE-SW	50	2	0.30 (avg.)
585	Blank trench.	E-W	50	2	0.30 (avg.)
586	Blank trench. Two field drains, unbroken	NE-SW	50	2	0.34 (avg.)
587	Blank trench.	NW-SE	50	2	0.35 (avg.)
588	Blank trench.	N-S	50	2	0.38 (avg.)
645	Blank trench.	NE-SW	50	2	0.45 to 0.55
701	One N-S Furrow tested. Photo: 176	NE-SW	50	2	0.34 (avg.)
702	One NE-SW ditch 70202 with recut 70204 and one NW-SE ditch 70206. One potential gully tested but found to be modern agricultural so not recorded.	N-S	50	2	0.29 (avg.)
703	3xditches 1xlarge pit Ditch 70302 contained Roman pottery. Pit or possible ditch 70304 contained Roman pottery and appeared to have been recut. Gully 70308 was a possible drainage gully and was truncated by pit 70310. The gully contained pottery. Ditch 70312 contained Roman pottery and was truncated by gully 70315 which contained small amounts of CBM	E-W	50	2	0.34 (avg.)
704	Blank trench. One defunct re clay land drain	NE-SW	50	2	0.30 (avg.)
705	One linear feature that is the same as a previously dug field boundary.	E-W	50	2	0.30 (avg.)
706	Blank trench.	N-S	50	2	0.30 (avg.)
707	Blank trench. Additional trench to identify the extent of the known archaeology.	NE-SW	50	2	0.30 (avg.)

Trench	Notes	Orientation	Length (m)	Width (m)	Depth (m)
708	Trench contains four possible ditches and three pits. Ditch 70802 is orientated E-W, no finds were recovered. Ditch 70805 is adjacent and parallel and contained Roman pottery. Ditch 70808 contained Roman pottery. Pit 70811 was very shallow and truncated by drains.	NE-SW	50	2	0.40 (avg.)
709	Pit at SW end with greyware visible. Three obvious ditches. Large black feature along NW edge of trench. Appears to truncate brown deposit. Both contain RB pottery. Ditch 70902 is orientated NE-SW, Roman pottery was recovered. Pit/Spread 70905 was shallow and contained Roman pottery. Ditch 70908 is orientated NE-SW and contained Roman pottery. Two large areas of intercutting deposits (70911 and 70913) were observed within the trench. Both were recorded in plan as too complex, both contained Roman pottery on the surface. Pit 70915 was cut into deposit 70913 and was recorded in plan. Another possible spread 70917 was recoded in plan and contained Roman pottery. Possible pit 70919 recoded in plan only as intercutting with other contexts.	NW-SE	50	2	0.45 (avg.)
968	Several possible features including what might be minimum 4 ditches, some with possible intersecting gullies. Also contains 3 field drains, at least two of which cut through ditches. Ditch 96802 is orientated NW-SE and contains Roman pottery. Ditch 96804 is orientated E-W and has been re-cut, pottery was recovered. Pit 96810 contained CBM. Gully 96812 contained no finds. Gully 96816 contained pottery. Ditch 96817 is orientated NE-SW, no finds were recovered. Spread 96820 yielded no finds. Pit 96821 yielded no finds. Gully 96823 is orientated NE-SW, no finds were recovered. Ditch 96825 is orientated NW-SE and pottery was recovered.	N-S	50	2	0.49 (avg.)
2831	Blank trench.	E-W	50	2	0.34 (avg.)

## **Bibliography**

AECOM, 2023, *East Yorkshire Solar Farm Preliminary Environmental Information Report Volume 4 Appendix 7-2: Cultural Heritage Desk-based Assessment*

ASWYAS, 2020, *Archaeological Recording Manual* (unpubl.)

Chartered Institute for Archaeologists, 2020, *Standard and Guidance for Archaeological Field Evaluation*

Historic England, 2008, *Management of Research Projects in the Historic Environment. Archaeological Excavation (PPN3)*

Magnitude Surveys, 2023, *East Yorkshire Solar Farm Geophysical Survey*