

Green Hill Solar Farm

EIA Scoping Report Appendices

Part 6 of 8 (Appendix 10: Part 4)

Revision A

Date: July 2024

PINS reference: EN010170


Ordnance Survey Plan
Published 1977 - 1978
Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

SP9055 1978 1:2,500	SP9155 1978 1:2,500
SP9054 1977 1:2,500	SP9154 1977 1:2,500

Historical Map - Segment A12




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland



Large-Scale National Grid Data

Published 1993


Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

SP9055 1993 1:2,500	SP9155 1993 1:2,500
SP9054 1993 1:2,500	SP9154 1993 1:2,500

Historical Map - Segment A12




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland




Historical Aerial Photography

Published 1999

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

Historical Aerial Photography - Segment A12




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland



Historical Mapping Legends

Ordnance Survey County Series and Ordnance Survey Plan 1:2,500

Quarry **Gravel Pit** **Sand Pit**
Clay Pit **Shingle** **Refuse Heap**
Sloping Masonry **Flat Rock**
Marsh **Reeds** **Osiers**
Rough Pasture **Furze** **Wood**
Mixed Wood **Brushwood** **Orchard**
Fir **Ford** **Stepping Stones**
Ferry **Waterfall** **Lock**
Trig. Station **Altitude at Trig. Station**
B.M. 325.9 **Bench Mark** **Surface Level**
Arrow denotes flow of water **Antiquities (site of)**
Cutting **Embankment**
Railway crossing Road **Level Crossing** **Road crossing Railway**
Railway crossing River or Canal **Road over single stream** **Road over River or Canal**
County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
County Borough Boundary (England)
County Burgh Boundary (Scotland)
Boundary Post or Stone **Police Call Box**
B.R. Bridle Road **P Pump**
E.P. Electricity Pylon **S.P. Signal Post**
F.B. Foot Bridge **Sl. Sluice**
F.P. Foot Path **Sp. Spring**
G.P. Guide Post or Board **T.C.B. Telephone Call Box**
M.S. Mile Stone **Tr. Trough**
M.P. M.R. Mooring Post or Ring **W Well**

Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250

Inactive Quarry, Chalk Pit or Clay Pit **Active Quarry, Chalk Pit or Clay Pit**
Rock **Boulders**
Cliff **Slopes** **Top**
Roofed Building **Glazed Roof Building**
Sloping Masonry **Archway**
Non-Coniferous Tree (surveyed) **Coniferous Tree (surveyed)**
Non-Coniferous Trees (not surveyed) **Coniferous Trees (not surveyed)**
Orchard Tree **Scrub** **Bracken**
Coppice, Osier **Reeds** **Marsh, Saltings**
Rough Grassland **Heath** **Culvert**
Direction of water flow **Bench Mark** **Antiquity (site of)**
Cave Entrance **Triangulation Station** **Electricity Pylon**
Electricity Transmission Line
County Boundary (Geographical)
County & Civil Parish Boundary
Civil Parish Boundary
Admin. County or County Bor. Boundary
London Borough Boundary
Symbol marking point where boundary mereing changes
BH Beer House **P Pillar, Pole or Post**
BP, BS Boundary Post or Stone **PO Post Office**
Cn, C Capstan, Crane **PC Public Convenience**
Chy Chimney **PH Public House**
D Fn Drinking Fountain **Pp Pump**
EI P Electricity Pillar or Post **SB, S Br Signal Box or Bridge**
FAP Fire Alarm Pillar **SP, SL Signal Post or Light**
FB Foot Bridge **Spr Spring**
GP Guide Post **Tk Tank or Track**
H Hydrant or Hydraulic **TCB Telephone Call Box**
LC Level Crossing **TCP Telephone Call Post**
MH Manhole **Tr Trough**
MP Mile Post or Mooring Post **Wr Pt, Wr T Water Point, Water Tap**
MS Mile Stone **W Well**
NTL Normal Tidal Limit **Wd Pp Wind Pump**

Large-Scale National Grid Data 1:2,500 and 1:1,250


Cliff **Slopes** **Top**
Rock **Rock (scattered)**
Boulders **Boulders (scattered)**
Positioned Boulder **Scree**
Non-Coniferous Tree (surveyed) **Coniferous Tree (surveyed)**
Non-Coniferous Trees (not surveyed) **Coniferous Trees (not surveyed)**
Orchard Tree **Scrub** **Bracken**
Coppice, Osier **Reeds** **Marsh, Saltings**
Rough Grassland **Heath** **Culvert**
Direction of water flow **Triangulation Station** **Antiquity (site of)**
Electricity Transmission Line **Electricity Pylon**
Bench Mark **Buildings with Building Seed**
Roofed Building **Glazed Roof Building**
Civil parish/community boundary
District boundary
County boundary
Boundary post/stone
Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)
Bks Barracks **P Pillar, Pole or Post**
Bty Battery **PO Post Office**
Cemy Cemetery **PC Public Convenience**
Chy Chimney **Pp Pump**
Cis Cistern **Ppg Sta Pumping Station**
Dismtd Rly Dismantled Railway **PW Place of Worship**
EI Gen Sta Electricity Generating Station **Sewage Ppg Sta Sewage Pumping Station**
EI P Electricity Pole, Pillar **SB, S Br Signal Box or Bridge**
EI Sub Sta Electricity Sub Station **SP, SL Signal Post or Light**
FB Filter Bed **Spr Spring**
Fn / D Fn Fountain / Drinking Ftn. **Tk Tank or Track**
Gas Gov Gas Valve Compound **Tr Trough**
GVC Gas Governor **Wd Pp Wind Pump**
GP Guide Post **Wr Pt, Wr T Water Point, Water Tap**
MH Manhole **Wks Works (building or area)**
MP, MS Mile Post or Mile Stone **W Well**



Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Buckinghamshire	1:2,500	1882	2
Northamptonshire	1:2,500	1882	3
Bedfordshire	1:2,500	1884	4
Northamptonshire	1:2,500	1900	5
Bedfordshire	1:2,500	1901	6
Ordnance Survey Plan	1:2,500	1976 - 1978	7
Large-Scale National Grid Data	1:2,500	1992 - 1993	8
Historical Aerial Photography	1:2,500	1999	9

Historical Map - Segment A14



Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk


Buckinghamshire

Published 1882


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A14





Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland






Northamptonshire

Published 1882


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A14



Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland




Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Bedfordshire
Published 1884


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A14




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland




Northamptonshire

Published 1900


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A14





Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland







Bedfordshire
Published 1901
Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A14



Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland




Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk


Ordnance Survey Plan
Published 1976 - 1978
Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A14




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details


Meikleland




Large-Scale National Grid Data
Published 1992 - 1993
Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A14




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details


Meikleland



Historical Aerial Photography Published 1999

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

Historical Aerial Photography - Segment A14



Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland



Historical Mapping Legends

Ordnance Survey County Series and Ordnance Survey Plan 1:2,500

Quarry **Gravel Pit** **Sand Pit**
Clay Pit **Shingle** **Refuse Heap**
Sloping Masonry **Flat Rock**
Marsh **Reeds** **Osiers**
Rough Pasture **Furze** **Wood**
Mixed Wood **Brushwood** **Orchard**
Fir **Ford** **Stepping Stones**
Ferry **Waterfall** **Lock**
Trig. Station **Altitude at Trig. Station**
B.M. 325.9 **Bench Mark** **Surface Level**
Arrow denotes flow of water **Antiquities (site of)**
Cutting **Embankment**
Railway crossing Road **Level Crossing** **Road crossing Railway**
Railway crossing River or Canal **Road over single stream** **Road over River or Canal**
County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
County Borough Boundary (England)
Co. Boro. Bdy.
County Burgh Boundary (Scotland)
Boundary Post or Stone **Police Call Box**
B.R. Bridle Road **P Pump**
E.P. Electricity Pylon **S.P. Signal Post**
F.B. Foot Bridge **Sl. Sluice**
F.P. Foot Path **Sp. Spring**
G.P. Guide Post or Board **T.C.B. Telephone Call Box**
M.S. Mile Stone **Tr. Trough**
M.P. M.R. Mooring Post or Ring **W Well**

Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250

Inactive Quarry, Chalk Pit or Clay Pit **Active Quarry, Chalk Pit or Clay Pit**
Rock **Boulders**
Cliff **Slopes** **Top**
Roofed Building **Glazed Roof Building**
Sloping Masonry **Archway**
Non-Coniferous Tree (surveyed) **Coniferous Tree (surveyed)**
Non-Coniferous Trees (not surveyed) **Coniferous Trees (not surveyed)**
Orchard Tree **Scrub** **Bracken**
Coppice, Osier **Reeds** **Marsh, Saltings**
Rough Grassland **Heath** **Culvert**
Direction of water flow **Bench Mark** **Antiquity (site of)**
Cave Entrance **Triangulation Station** **Electricity Pylon**
Electricity Transmission Line
County Boundary (Geographical)
County & Civil Parish Boundary
Civil Parish Boundary
Admin. County or County Bor. Boundary
London Borough Boundary
Symbol marking point where boundary mereing changes
BH Beer House **P Pillar, Pole or Post**
BP, BS Boundary Post or Stone **PO Post Office**
Cn, C Capstan, Crane **PC Public Convenience**
Chy Chimney **PH Public House**
D Fn Drinking Fountain **Pp Pump**
EI P Electricity Pillar or Post **SB, S Br Signal Box or Bridge**
FAP Fire Alarm Pillar **SP, SL Signal Post or Light**
FB Foot Bridge **Spr Spring**
GP Guide Post **Tk Tank or Track**
H Hydrant or Hydraulic **TCB Telephone Call Box**
LC Level Crossing **TCP Telephone Call Post**
MH Manhole **Tr Trough**
MP Mile Post or Mooring Post **Wr Pt, Wr T Water Point, Water Tap**
MS Mile Stone **W Well**
NTL Normal Tidal Limit **Wd Pp Wind Pump**

Large-Scale National Grid Data 1:2,500 and 1:1,250


Cliff **Slopes** **Top**
Rock **Rock (scattered)**
Boulders **Boulders (scattered)**
Positioned Boulder **Scree**
Non-Coniferous Tree (surveyed) **Coniferous Tree (surveyed)**
Non-Coniferous Trees (not surveyed) **Coniferous Trees (not surveyed)**
Orchard Tree **Scrub** **Bracken**
Coppice, Osier **Reeds** **Marsh, Saltings**
Rough Grassland **Heath** **Culvert**
Direction of water flow **Triangulation Station** **Antiquity (site of)**
Electricity Transmission Line **Electricity Pylon**
Bench Mark **Buildings with Building Seed**
Roofed Building **Glazed Roof Building**
Civil parish/community boundary
District boundary
County boundary
Boundary post/stone
Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)
Bks Barracks **P Pillar, Pole or Post**
Bty Battery **PO Post Office**
Cemy Cemetery **PC Public Convenience**
Chy Chimney **Pp Pump**
Cis Cistern **Ppg Sta Pumping Station**
Dismtd Rly Dismantled Railway **PW Place of Worship**
EI Gen Sta Electricity Generating Station **Sewage Ppg Sta Sewage Pumping Station**
EI P Electricity Pole, Pillar **SB, S Br Signal Box or Bridge**
EI Sub Sta Electricity Sub Station **SP, SL Signal Post or Light**
FB Filter Bed **Spr Spring**
Fn / D Fn Fountain / Drinking Ftn. **Tk Tank or Track**
Gas Gov Gas Valve Compound **Tr Trough**
GVC Gas Governor **Wd Pp Wind Pump**
GP Guide Post **Wr Pt, Wr T Water Point, Water Tap**
MH Manhole **Wks Works (building or area)**
MP, MS Mile Post or Mile Stone **W Well**



Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Buckinghamshire	1:2,500	1882	2
Northamptonshire	1:2,500	1882	3
Bedfordshire	1:2,500	1884	4
Northamptonshire	1:2,500	1900	5
Bedfordshire	1:2,500	1901	6
Ordnance Survey Plan	1:2,500	1978	7
Large-Scale National Grid Data	1:2,500	1993	8
Historical Aerial Photography	1:2,500	1999	9

Historical Map - Segment A15



Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk


Buckinghamshire

Published 1882


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A15




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland




Northamptonshire

Published 1882


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A15




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland




Bedfordshire
Published 1884


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A15




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland




Northamptonshire

Published 1900


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A15




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland




Bedfordshire

Published 1901


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A15




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland




Ordnance Survey Plan

Published 1978


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A15




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland




Large-Scale National Grid Data

Published 1993


Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A15




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland




Historical Aerial Photography

Published 1999

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

Historical Aerial Photography - Segment A15



Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland



Historical Mapping Legends

Ordnance Survey County Series and Ordnance Survey Plan 1:2,500

Quarry **Gravel Pit** **Sand Pit**
Clay Pit **Shingle** **Refuse Heap**
Sloping Masonry **Flat Rock**
Marsh **Reeds** **Osiers**
Rough Pasture **Furze** **Wood**
Mixed Wood **Brushwood** **Orchard**
Fir **Ford** **Stepping Stones**
Ferry **Waterfall** **Lock**
Trig. Station **Altitude at Trig. Station**
B.M. 325.9 **Bench Mark** **Surface Level**
Arrow denotes flow of water **Antiquities (site of)**
Cutting **Embankment**
Railway crossing Road **Level Crossing** **Road crossing Railway**
Railway crossing River or Canal **Road over single stream** **Road over River or Canal**
County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
County Borough Boundary (England)
Co. Boro. Bdy.
County Burgh Boundary (Scotland)
Boundary Post or Stone **Police Call Box**
B.R. **Bridle Road** **P** **Pump**
E.P. **Electricity Pylon** **S.P.** **Signal Post**
F.B. **Foot Bridge** **Sl.** **Sluice**
F.P. **Foot Path** **Sp.** **Spring**
G.P. **Guide Post or Board** **T.C.B.** **Telephone Call Box**
M.S. **Mile Stone** **Tr.** **Trough**
M.P. M.R. **Mooring Post or Ring** **W** **Well**

Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250

Inactive Quarry, Chalk Pit or Clay Pit **Active Quarry, Chalk Pit or Clay Pit**
Rock **Boulders**
Cliff **Slopes** **Top**
Roofed Building **Glazed Roof Building**
Sloping Masonry **Archway**
Non-Coniferous Tree (surveyed) **Coniferous Tree (surveyed)**
Non-Coniferous Trees (not surveyed) **Coniferous Trees (not surveyed)**
Orchard Tree **Scrub** **Bracken**
Coppice, Osier **Reeds** **Marsh, Saltings**
Rough Grassland **Heath** **Culvert**
Direction of water flow **Bench Mark** **Antiquity (site of)**
Cave Entrance **Triangulation Station** **Electricity Pylon**
Electricity Transmission Line
County Boundary (Geographical)
County & Civil Parish Boundary
Civil Parish Boundary
Admin. County or County Bor. Boundary
London Borough Boundary
Symbol marking point where boundary mereing changes
BH **Beer House** **P** **Pillar, Pole or Post**
BP, BS **Boundary Post or Stone** **PO** **Post Office**
Cn, C **Capstan, Crane** **PC** **Public Convenience**
Chy **Chimney** **PH** **Public House**
D Fn **Drinking Fountain** **Pp** **Pump**
EI P **Electricity Pillar or Post** **SB, S Br** **Signal Box or Bridge**
FAP **Fire Alarm Pillar** **SP, SL** **Signal Post or Light**
FB **Foot Bridge** **Spr** **Spring**
GP **Guide Post** **Tk** **Tank or Track**
H **Hydrant or Hydraulic** **TCB** **Telephone Call Box**
LC **Level Crossing** **TCP** **Telephone Call Post**
MH **Manhole** **Tr** **Trough**
MP **Mile Post or Mooring Post** **Wr Pt, Wr T** **Water Point, Water Tap**
MS **Mile Stone** **W** **Well**
NTL **Normal Tidal Limit** **Wd Pp** **Wind Pump**

Large-Scale National Grid Data 1:2,500 and 1:1,250


Cliff **Slopes** **Top**
Rock **Rock (scattered)**
Boulders **Boulders (scattered)**
Positioned Boulder **Scree**
Non-Coniferous Tree (surveyed) **Coniferous Tree (surveyed)**
Non-Coniferous Trees (not surveyed) **Coniferous Trees (not surveyed)**
Orchard Tree **Scrub** **Bracken**
Coppice, Osier **Reeds** **Marsh, Saltings**
Rough Grassland **Heath** **Culvert**
Direction of water flow **Triangulation Station** **Antiquity (site of)**
Electricity Transmission Line **Electricity Pylon**
B.M. 231.60m **Bench Mark** **Buildings with Building Seed**
Roofed Building **Glazed Roof Building**
Civil parish/community boundary
District boundary
County boundary
Boundary post/stone
Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)
Bks **Barracks** **P** **Pillar, Pole or Post**
Bty **Battery** **PO** **Post Office**
Cemy **Cemetery** **PC** **Public Convenience**
Chy **Chimney** **Pp** **Pump**
Cis **Cistern** **Ppg Sta** **Pumping Station**
Dismtd Rly **Dismantled Railway** **PW** **Place of Worship**
EI Gen Sta **Electricity Generating Station** **Sewage Ppg Sta** **Sewage Pumping Station**
EI P **Electricity Pole, Pillar** **SB, S Br** **Signal Box or Bridge**
EI Sub Sta **Electricity Sub Station** **SP, SL** **Signal Post or Light**
FB **Filter Bed** **Spr** **Spring**
Fn / D Fn **Fountain / Drinking Ftn.** **Tk** **Tank or Track**
Gas Gov **Gas Valve Compound** **Tr** **Trough**
GVC **Gas Governor** **Wd Pp** **Wind Pump**
GP **Guide Post** **Wr Pt, Wr T** **Water Point, Water Tap**
MH **Manhole** **Wks** **Works (building or area)**
MP, MS **Mile Post or Mile Stone** **W** **Well**



Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1882	2
Buckinghamshire	1:2,500	1882	3
Bedfordshire	1:2,500	1884	4
Northamptonshire	1:2,500	1900	5
Bedfordshire	1:2,500	1901	6
Ordnance Survey Plan	1:2,500	1978	7
Large-Scale National Grid Data	1:2,500	1993	8
Historical Aerial Photography	1:2,500	1999	9

Historical Map - Segment A16



Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk


Northamptonshire

Published 1882


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A16




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland




Buckinghamshire

Published 1882


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A16




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland




Bedfordshire
Published 1884


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A16




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland




Northamptonshire

Published 1900


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A16




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland




Bedfordshire

Published 1901


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A16




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland




Ordnance Survey Plan

Published 1978


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A16




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland




Large-Scale National Grid Data

Published 1993


Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A16




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details


Meikleland



Historical Aerial Photography Published 1999

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

Historical Aerial Photography - Segment A16




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490400, 254630
 Slice: A
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland



Historical Mapping Legends

Ordnance Survey County Series 1:10,560

	Gravel Pit		Sand Pit		Other Pits
	Quarry		Shingle		Orchard
	Osiers		Reeds		Marsh
	Mixed Wood		Deciduous		Brushwood
	Fir		Furze		Rough Pasture
	Arrow denotes flow of water		Trigonometrical Station		
	Site of Antiquities		Bench Mark		
	Pump, Guide Post, Signal Post		Well, Spring, Boundary Post		
	-285 Surface Level				
	Sketched Contour		Instrumental Contour		
	Main Roads		Minor Roads		
	Sunken Road		Raised Road		
	Road over Railway		Railway over River		
	Railway over Road		Level Crossing		
	Road over River or Canal		Road over Stream		
	Road over Stream				
	County Boundary (Geographical)				
	County & Civil Parish Boundary				
	Administrative County & Civil Parish Boundary				
	County Borough Boundary (England)				
	County Burgh Boundary (Scotland)				
	Rural District Boundary				
	Civil Parish Boundary				

Ordnance Survey Plan 1:10,000

	Chalk Pit, Clay Pit or Quarry		Gravel Pit
	Sand Pit		Disused Pit or Quarry
	Refuse or Slag Heap		Lake, Loch or Pond
	Dunes		Boulders
	Coniferous Trees		Non-Coniferous Trees
	Orchard		Scrub
	Coppice		
	Bracken		Heath
	Rough Grassland		
	Marsh		Reeds
	Saltings		
	Building		Glasshouse
	Sloping Masonry		Pylon
	Electricity Transmission Line		Pole
	Cutting		Embankment
	Standard Gauge Multiple Track		
	Standard Gauge Single Track		
	Siding, Tramway or Mineral Line		
	Narrow Gauge		
	Geographical County		
	Administrative County, County Borough or County of City		
	Municipal Borough, Urban or Rural District, Burgh or District Council		
	Borough, Burgh or County Constituency Shown only when not coincident with other boundaries		
	Civil Parish Shown alternately when coincidence of boundaries occurs		
	BP, BS Boundary Post or Stone		Pol Sta Police Station
	Ch Church		PO Post Office
	CH Club House		PC Public Convenience
	F E Sta Fire Engine Station		PH Public House
	FB Foot Bridge		SB Signal Box
	Fn Fountain		Spr Spring
	GP Guide Post		TCB Telephone Call Box
	MP Mile Post		TCP Telephone Call Post
	MS Mile Stone		W Well

1:10,000 Raster Mapping


	Gravel Pit		Refuse tip or slag heap
	Rock		Rock (scattered)
	Boulders		Boulders (scattered)
	Shingle		Mud
	Sand		Sand Pit
	Slopes		Top of cliff
	General detail		Underground detail
	Overhead detail		Narrow gauge railway
	Multi-track railway		Single track railway
	County boundary (England only)		Civil, parish or community boundary
	District, Unitary, Metropolitan, London Borough boundary		Constituency boundary
	Area of wooded vegetation		Non-coniferous trees
	Non-coniferous trees (scattered)		Coniferous trees
	Coniferous trees (scattered)		Positioned tree
	Orchard		Coppice or Osiers
	Rough Grassland		Heath
	Scrub		Marsh, Salt Marsh or Reeds
	Water feature		Flow arrows
	MHW(S) Mean high water (springs)		MLW(S) Mean low water (springs)
	Telephone line (where shown)		Electricity transmission line (with poles)
	Bench mark (where shown)		Triangulation station
	Point feature (e.g. Guide Post or Mile Stone)		Pylon, flare stack or lighting tower
	Site of (antiquity)		Glasshouse
	General Building		Important Building



Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Bedfordshire	1:10,560	1883 - 1885	2
Northamptonshire	1:10,560	1884	3
Buckinghamshire	1:10,560	1885	4
Buckinghamshire	1:10,560	1900	5
Bedfordshire	1:10,560	1902	6
Bedfordshire	1:10,560	1902	7
Historical Aerial Photography	1:10,560	1948	8
Bedfordshire	1:10,560	1951 - 1952	9
Buckinghamshire	1:10,560	1952	10
Ordnance Survey Plan	1:10,000	1960	11
Ordnance Survey Plan	1:10,000	1981 - 1982	12
Ordnance Survey Plan	1:10,000	1993	13
10K Raster Mapping	1:10,000	1999	14
10K Raster Mapping	1:10,000	2006	15
VectorMap Local	1:10,000	2024	16

Historical Map - Slice B



Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491880, 254690
 Slice: B
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2024. All Rights Reserved.



Bedfordshire

Published 1883 - 1885


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

006SW 1883 1:10,560	006SE 1883 1:10,560
	010NE 1885 1:10,560

Historical Map - Slice B



Order Details


Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491880, 254690
 Slice: B
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2024. All Rights Reserved.

0 400 m




Northamptonshire

Published 1884


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice B



Order Details


Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491880, 254690
 Slice: B
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




© Crown copyright and Landmark Information Group Limited 2024. All Rights Reserved.




Buckinghamshire
Published 1885
Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice B



Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491880, 254690
 Slice: B
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Buckinghamshire

Published 1900


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

002NE 1900 1:10,560		003SW 1900 1:10,560
---------------------------	--	---------------------------

Historical Map - Slice B




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491880, 254690
 Slice: B
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland



Bedfordshire

Published 1902


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

006SW 1902 1:10,560	006SE 1902 1:10,560
	010NE 1902 1:10,560

Historical Map - Slice B




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491880, 254690
 Slice: B
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland




Bedfordshire

Published 1902


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice B




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491880, 254690
 Slice: B
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland



Historical Aerial Photography

Published 1948

Source map scale - 1:10,560


The Historical Aerial Photos were produced by the Ordnance Survey at a scale of 1:1,250 and 1:10,560 from Air Force photography. They were produced between 1944 and 1951 as an interim measure, pending preparation of conventional mapping, due to post war resource shortages. New security measures in the 1950's meant that every photograph was re-checked for potentially unsafe information with security sites replaced by fake fields or clouds. The original editions were withdrawn and only later made available after a period of fifty years although due to the accuracy of the editing, without viewing both revisions it is not easy to spot the edits. Where available Landmark have included both revisions.

© Landmark Information Group and/or Data Suppliers 2010.

Map Name(s) and Date(s)

SP95NW
1948
1:10,560
SP95SW
1948
1:10,560

Historical Aerial Photography - Slice B




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491880, 254690
 Slice: B
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland



Bedfordshire

Published 1951 - 1952


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

006SW 1952 1:10,560	006SE 1951 1:10,560
---------------------------	---------------------------

Historical Map - Slice B



Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491880, 254690
 Slice: B
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland



Buckinghamshire

Published 1952


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

002NE 1952 1:10,560		003SW 1952 1:10,560
---------------------------	--	---------------------------

Historical Map - Slice B





Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491880, 254690
 Slice: B
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland





© Crown copyright and Landmark Information Group Limited 2024. All Rights Reserved.




Ordnance Survey Plan
Published 1960
Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

- SP95NW
1960
1:10,560
- SP95SW
1960
1:10,560

Historical Map - Slice B



Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491880, 254690
 Slice: B
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk


Ordnance Survey Plan
Published 1981 - 1982
Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SP95NW	1981	1:10,000
SP95SW	1982	1:10,000

Historical Map - Slice B




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491880, 254690
 Slice: B
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland




Ordnance Survey Plan

Published 1993


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice B




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491880, 254690
 Slice: B
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland



10k Raster Mapping

Published 1999

Source map scale - 1:10,000


The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)

SP95NW
1999
1:10,000

SP95SW
1999
1:10,000

Historical Map - Slice B




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491880, 254690
 Slice: B
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland



10k Raster Mapping

Published 2006


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)

SP95NW	2006	1:10,000
SP95SW	2006	1:10,000

Historical Map - Slice B




Order Details


Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491880, 254690
 Slice: B
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland



© Crown copyright. All Rights Reserved. Licence Number 100022432.



© Crown copyright. All Rights Reserved. Licence Number 100022432.




VectorMap Local
Published 2024
Source map scale - 1:10,000

VectorMap Local (Raster) is Ordnance Survey's highest detailed 'backdrop' mapping product. These maps are produced from OS's VectorMap Local, a simple vector dataset at a nominal scale of 1:10,000, covering the whole of Great Britain, that has been designed for creating graphical mapping. OS VectorMap Local is derived from large-scale information surveyed at 1:1250 scale (covering major towns and cities), 1:2500 scale (smaller towns, villages and developed rural areas), and 1:10 000 scale (mountain, moorland and river estuary areas).

Map Name(s) and Date(s)

- SP95NW | 2024 | Variable
- SP95SW | 2024 | Variable

Historical Map - Slice B



Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491880, 254690
 Slice: B
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Historical Mapping Legends

Ordnance Survey County Series 1:10,560

Gravel Pit, **Sand Pit**, **Other Pits**
Quarry, **Shingle**, **Orchard**
Osiers, **Reeds**, **Marsh**
Mixed Wood, **Deciduous**, **Brushwood**
Fir, **Furze**, **Rough Pasture**
 Arrow denotes flow of water, **Trigonometrical Station**
Site of Antiquities, **Bench Mark**
Pump, Guide Post, Signal Post, **Well, Spring, Boundary Post**
-285 Surface Level
Sketched Contour, **Instrumental Contour**
Main Roads (Fenced, Un-Fenced), **Minor Roads** (Fenced, Un-Fenced)
Sunken Road, **Raised Road**
Road over Railway, **Railway over River**
Railway over Road, **Level Crossing**
Road over River or Canal, **Road over Stream**
Road over Stream
County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
County Borough Boundary (England)
County Burgh Boundary (Scotland)
Rural District Boundary
Civil Parish Boundary

Ordnance Survey Plan 1:10,000

Chalk Pit, Clay Pit or Quarry, **Gravel Pit**
Sand Pit, **Disused Pit or Quarry**
Refuse or Slag Heap, **Lake, Loch or Pond**
Dunes, **Boulders**
Coniferous Trees, **Non-Coniferous Trees**
Orchard, **Scrub**, **Coppice**
Bracken, **Heath**, **Rough Grassland**
Marsh, **Reeds**, **Saltings**
Building, **Glasshouse**
Sloping Masonry, **Pylon**, **Electricity Transmission Line**, **Pole**
Cutting, **Embankment**, **Standard Gauge Multiple Track**, **Standard Gauge Single Track**, **Siding, Tramway or Mineral Line**, **Narrow Gauge**
Geographical County
Administrative County, County Borough or County of City
Municipal Borough, Urban or Rural District, Burgh or District Council
Borough, Burgh or County Constituency (Shown only when not coincident with other boundaries)
Civil Parish (Shown alternately when coincidence of boundaries occurs)
BP, BS Boundary Post or Stone, **Pol Sta** Police Station, **Ch** Church, **PO** Post Office, **CH** Club House, **PC** Public Convenience, **F E Sta** Fire Engine Station, **PH** Public House, **FB** Foot Bridge, **SB** Signal Box, **Fn** Fountain, **Spr** Spring, **GP** Guide Post, **TCB** Telephone Call Box, **MP** Mile Post, **TCP** Telephone Call Post, **MS** Mile Stone, **W** Well

1:10,000 Raster Mapping


Gravel Pit, **Refuse tip or slag heap**
Rock, **Rock (scattered)**
Boulders, **Boulders (scattered)**
Shingle, **Mud**, **Mud**
Sand, **Sand Pit**
Slopes, **Top of cliff**
General detail, **Underground detail**
Overhead detail, **Narrow gauge railway**
Multi-track railway, **Single track railway**
County boundary (England only), **Civil, parish or community boundary**
District, Unitary, Metropolitan, London Borough boundary, **Constituency boundary**
Area of wooded vegetation, **Non-coniferous trees**
Non-coniferous trees (scattered), **Coniferous trees**
Coniferous trees (scattered), **Positioned tree**
Orchard, **Coppice or Osiers**
Rough Grassland, **Heath**
Scrub, **Marsh, Salt Marsh or Reeds**
Water feature, **Flow arrows**
MHW(S) Mean high water (springs), **MLW(S)** Mean low water (springs)
Telephone line (where shown), **Electricity transmission line (with poles)**
Bench mark (where shown), **Triangulation station**
Point feature (e.g. Guide Post or Mile Stone), **Pylon, flare stack or lighting tower**
Site of (antiquity), **Glasshouse**
General Building, **Important Building**



Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Bedfordshire	1:10,560	1883	2
Northamptonshire	1:10,560	1884	3
Buckinghamshire	1:10,560	1885	4
Northamptonshire	1:10,560	1900	6
Bedfordshire	1:10,560	1902	7
Historical Aerial Photography	1:10,560	1947 - 1948	8
Bedfordshire	1:10,560	1952	9
Northamptonshire	1:10,560	1952	10
Buckinghamshire	1:10,560	1952	11
Ordnance Survey Plan	1:10,000	1958	12
Ordnance Survey Plan	1:10,000	1960	13
Ordnance Survey Plan	1:10,000	1981 - 1982	14
Ordnance Survey Plan	1:10,000	1993	15
10K Raster Mapping	1:10,000	1999	16
10K Raster Mapping	1:10,000	2006	17
VectorMap Local	1:10,000	2024	18

Historical Map - Slice C



Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk


Bedfordshire

Published 1883


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice C




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland



Northamptonshire

Published 1884


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

046SE
1884
1:10,560
053NE
1884
1:10,560

Historical Map - Slice C




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland




Buckinghamshire

Published 1885


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice C




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland




Buckinghamshire

Published 1900


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice C




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland



© Crown copyright and Landmark Information Group Limited 2024. All Rights Reserved.

Northamptonshire

Published 1900


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

046SE
1900
1:10,560

Historical Map - Slice C




Order Details

Order Number: 346936621_1_1
Customer Ref: DS78309
National Grid Reference: 490420, 256410
Slice: C
Site Area (Ha): 172.36
Search Buffer (m): 1000

Site Details

Meikleland




Bedfordshire

Published 1902


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice C




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland



Historical Aerial Photography

Published 1947 - 1948

Source map scale - 1:10,560


The Historical Aerial Photos were produced by the Ordnance Survey at a scale of 1:1,250 and 1:10,560 from Air Force photography. They were produced between 1944 and 1951 as an interim measure, pending preparation of conventional mapping, due to post war resource shortages. New security measures in the 1950's meant that every photograph was re-checked for potentially unsafe information with security sites replaced by fake fields or clouds. The original editions were withdrawn and only later made available after a period of fifty years although due to the accuracy of the editing, without viewing both revisions it is not easy to spot the edits. Where available Landmark have included both revisions.

© Landmark Information Group and/or Data Suppliers 2010.

Map Name(s) and Date(s)

SP85NE 1947 1:10,560	SP95NW 1948 1:10,560
----------------------------	----------------------------

Historical Aerial Photography - Slice C




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland




Bedfordshire

Published 1952


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice C




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland




Northamptonshire

Published 1952


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice C




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland




Buckinghamshire

Published 1952


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice C




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland




Ordnance Survey Plan

Published 1958


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice C




Order Details


Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland



© Crown copyright and Landmark Information Group Limited 2024. All Rights Reserved.




© Crown copyright and Landmark Information Group Limited 2024. All Rights Reserved.




Ordnance Survey Plan
Published 1960
Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice C



Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland




Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk


Ordnance Survey Plan
Published 1981 - 1982
Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice C




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland




Ordnance Survey Plan

Published 1993


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice C




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland




10k Raster Mapping

Published 1999


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice C




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland




10k Raster Mapping

Published 2006


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice C




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland




VectorMap Local

Published 2024


Source map scale - 1:10,000

VectorMap Local (Raster) is Ordnance Survey's highest detailed 'backdrop' mapping product. These maps are produced from OS's VectorMap Local, a simple vector dataset at a nominal scale of 1:10,000, covering the whole of Great Britain, that has been designed for creating graphical mapping. OS VectorMap Local is derived from large-scale information surveyed at 1:1250 scale (covering major towns and cities), 1:2500 scale (smaller towns, villages and developed rural areas), and 1:10 000 scale (mountain, moorland and river estuary areas).

Map Name(s) and Date(s)



Historical Map - Slice C




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland



Historical Mapping Legends

Ordnance Survey County Series and Ordnance Survey Plan 1:2,500

Quarry **Gravel Pit** **Sand Pit**
Clay Pit **Shingle** **Refuse Heap**
Sloping Masonry **Flat Rock**
Marsh **Reeds** **Osiers**
Rough Pasture **Furze** **Wood**
Mixed Wood **Brushwood** **Orchard**
Fir **Ford** **Stepping Stones**
Ferry **Waterfall** **Lock**
Trig. Station **Altitude at Trig. Station**
B.M. 325.9 **Bench Mark** **Surface Level**
Arrow denotes flow of water **Antiquities (site of)**
Cutting **Embankment**
Railway crossing Road **Level Crossing** **Road crossing Railway**
Railway crossing River or Canal **Road over single stream** **Road over River or Canal**
County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
County Borough Boundary (England)
Co. Boro. Bdy.
County Burgh Boundary (Scotland)
Boundary Post or Stone **Police Call Box**
B.R. **Bridle Road** **P** **Pump**
E.P. **Electricity Pylon** **S.P.** **Signal Post**
F.B. **Foot Bridge** **Sl.** **Sluice**
F.P. **Foot Path** **Sp.** **Spring**
G.P. **Guide Post or Board** **T.C.B.** **Telephone Call Box**
M.S. **Mile Stone** **Tr.** **Trough**
M.P. M.R. **Mooring Post or Ring** **W** **Well**

Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250

Inactive Quarry, Chalk Pit or Clay Pit **Active Quarry, Chalk Pit or Clay Pit**
Rock **Boulders**
Cliff **Slopes** **Top**
Roofed Building **Glazed Roof Building**
Sloping Masonry **Archway**
Non-Coniferous Tree (surveyed) **Coniferous Tree (surveyed)**
Non-Coniferous Trees (not surveyed) **Coniferous Trees (not surveyed)**
Orchard Tree **Scrub** **Bracken**
Coppice, Osier **Reeds** **Marsh, Saltings**
Rough Grassland **Heath** **Culvert**
Direction of water flow **Bench Mark** **Antiquity (site of)**
Cave Entrance **Triangulation Station** **Electricity Pylon**
Electricity Transmission Line
County Boundary (Geographical)
County & Civil Parish Boundary
Civil Parish Boundary
Admin. County or County Bor. Boundary
London Borough Boundary
Symbol marking point where boundary mereing changes
BH **Beer House** **P** **Pillar, Pole or Post**
BP, BS **Boundary Post or Stone** **PO** **Post Office**
Cn, C **Capstan, Crane** **PC** **Public Convenience**
Chy **Chimney** **PH** **Public House**
D Fn **Drinking Fountain** **Pp** **Pump**
EI P **Electricity Pillar or Post** **SB, S Br** **Signal Box or Bridge**
FAP **Fire Alarm Pillar** **SP, SL** **Signal Post or Light**
FB **Foot Bridge** **Spr** **Spring**
GP **Guide Post** **Tk** **Tank or Track**
H **Hydrant or Hydraulic** **TCB** **Telephone Call Box**
LC **Level Crossing** **TCP** **Telephone Call Post**
MH **Manhole** **Tr** **Trough**
MP **Mile Post or Mooring Post** **Wr Pt, Wr T** **Water Point, Water Tap**
MS **Mile Stone** **W** **Well**
NTL **Normal Tidal Limit** **Wd Pp** **Wind Pump**

Large-Scale National Grid Data 1:2,500 and 1:1,250


Cliff **Slopes** **Top**
Rock **Rock (scattered)**
Boulders **Boulders (scattered)**
Positioned Boulder **Scree**
Non-Coniferous Tree (surveyed) **Coniferous Tree (surveyed)**
Non-Coniferous Trees (not surveyed) **Coniferous Trees (not surveyed)**
Orchard Tree **Scrub** **Bracken**
Coppice, Osier **Reeds** **Marsh, Saltings**
Rough Grassland **Heath** **Culvert**
Direction of water flow **Triangulation Station** **Antiquity (site of)**
Electricity Transmission Line **Electricity Pylon**
B.M. 231.60m **Bench Mark** **Buildings with Building Seed**
Roofed Building **Glazed Roof Building**
Civil parish/community boundary
District boundary
County boundary
Boundary post/stone
Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)
Bks **Barracks** **P** **Pillar, Pole or Post**
Bty **Battery** **PO** **Post Office**
Cemy **Cemetery** **PC** **Public Convenience**
Chy **Chimney** **Pp** **Pump**
Cis **Cistern** **Ppg Sta** **Pumping Station**
Dismtd Rly **Dismantled Railway** **PW** **Place of Worship**
EI Gen Sta **Electricity Generating Station** **Sewage Ppg Sta** **Sewage Pumping Station**
EI P **Electricity Pole, Pillar** **SB, S Br** **Signal Box or Bridge**
EI Sub Sta **Electricity Sub Station** **SP, SL** **Signal Post or Light**
FB **Filter Bed** **Spr** **Spring**
Fn / D Fn **Fountain / Drinking Ftn.** **Tk** **Tank or Track**
Gas Gov **Gas Valve Compound** **Tr** **Trough**
GVC **Gas Governor** **Wd Pp** **Wind Pump**
GP **Guide Post** **Wr Pt, Wr T** **Water Point, Water Tap**
MH **Manhole** **Wks** **Works (building or area)**
MP, MS **Mile Post or Mile Stone** **W** **Well**



Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1882 - 1885	2
Buckinghamshire	1:2,500	1882	3
Bedfordshire	1:2,500	1884	4
Northamptonshire	1:2,500	1900	5
Bedfordshire	1:2,500	1901	6
Ordnance Survey Plan	1:2,500	1975 - 1978	7
Large-Scale National Grid Data	1:2,500	1992 - 1993	8
Historical Aerial Photography	1:2,500	1999	9

Historical Map - Segment C2



Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Northamptonshire

Published 1882 - 1885


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

053_03	1885	1:2,500
053_07	1882	1:2,500

Historical Map - Segment C2




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland




Buckinghamshire

Published 1882


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment C2




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland



489600

489800

490000

490200

256400

256400

256200

256200

256000

256000




Bedfordshire Published 1884


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment C2



Order Details

Order Number: 346936621_1_1
Customer Ref: DS78309
National Grid Reference: 490420, 256410
Slice: C
Site Area (Ha): 172.36
Search Buffer (m): 100

Site Details

Meikleland



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Northamptonshire

Published 1900


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

053_03	1900	1:2,500
053_07	1900	1:2,500

Historical Map - Segment C2




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland



Ordnance Survey Plan

Published 1975 - 1978


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

SP8956 1975 12,500	SP9056 1977 12,500
SP8955 1976 12,500	SP9055 1978 12,500

Historical Map - Segment C2




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland




Large-Scale National Grid Data
Published 1992 - 1993
Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

SP8956	SP9056
1992	1993
12,500	12,500
SP8955	SP9055
1992	1993
12,500	12,500

Historical Map - Segment C2



Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details


Meikleland



Historical Aerial Photography Published 1999

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

Historical Aerial Photography - Segment C2




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland



Historical Mapping Legends

Ordnance Survey County Series and Ordnance Survey Plan 1:2,500

Quarry **Gravel Pit** **Sand Pit**
Clay Pit **Shingle** **Refuse Heap**
Sloping Masonry **Flat Rock**
Marsh **Reeds** **Osiers**
Rough Pasture **Furze** **Wood**
Mixed Wood **Brushwood** **Orchard**
Fir **Ford** **Stepping Stones**
Ferry **Waterfall** **Lock**
Trig. Station **Altitude at Trig. Station**
B.M. 325.9 **Bench Mark** **Surface Level**
Arrow denotes flow of water **Antiquities (site of)**
Cutting **Embankment**
Railway crossing Road **Level Crossing** **Road crossing Railway**
Railway crossing River or Canal **Road over single stream** **Road over River or Canal**
County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
County Borough Boundary (England)
Co. Boro. Bdy.
County Burgh Boundary (Scotland)
Boundary Post or Stone **Police Call Box**
B.R. **Bridle Road** **P** **Pump**
E.P. **Electricity Pylon** **S.P.** **Signal Post**
F.B. **Foot Bridge** **Sl.** **Sluice**
F.P. **Foot Path** **Sp.** **Spring**
G.P. **Guide Post or Board** **T.C.B.** **Telephone Call Box**
M.S. **Mile Stone** **Tr.** **Trough**
M.P. M.R. **Mooring Post or Ring** **W** **Well**

Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250

Inactive Quarry, Chalk Pit or Clay Pit **Active Quarry, Chalk Pit or Clay Pit**
Rock **Boulders**
Cliff **Slopes** **Top**
Roofed Building **Glazed Roof Building**
Sloping Masonry **Archway**
Non-Coniferous Tree (surveyed) **Coniferous Tree (surveyed)**
Non-Coniferous Trees (not surveyed) **Coniferous Trees (not surveyed)**
Orchard Tree **Scrub** **Bracken**
Coppice, Osier **Reeds** **Marsh, Saltings**
Rough Grassland **Heath** **Culvert**
Direction of water flow **Bench Mark** **Antiquity (site of)**
Cave Entrance **Triangulation Station** **Electricity Pylon**
Electricity Transmission Line
County Boundary (Geographical)
County & Civil Parish Boundary
Civil Parish Boundary
Admin. County or County Bor. Boundary
London Borough Boundary
Symbol marking point where boundary mereing changes
BH **Beer House** **P** **Pillar, Pole or Post**
BP, BS **Boundary Post or Stone** **PO** **Post Office**
Cn, C **Capstan, Crane** **PC** **Public Convenience**
Chy **Chimney** **PH** **Public House**
D Fn **Drinking Fountain** **Pp** **Pump**
EI P **Electricity Pillar or Post** **SB, S Br** **Signal Box or Bridge**
FAP **Fire Alarm Pillar** **SP, SL** **Signal Post or Light**
FB **Foot Bridge** **Spr** **Spring**
GP **Guide Post** **Tk** **Tank or Track**
H **Hydrant or Hydraulic** **TCB** **Telephone Call Box**
LC **Level Crossing** **TCP** **Telephone Call Post**
MH **Manhole** **Tr** **Trough**
MP **Mile Post or Mooring Post** **Wr Pt, Wr T** **Water Point, Water Tap**
MS **Mile Stone** **W** **Well**
NTL **Normal Tidal Limit** **Wd Pp** **Wind Pump**

Large-Scale National Grid Data 1:2,500 and 1:1,250


Cliff **Slopes** **Top**
Rock **Rock (scattered)**
Boulders **Boulders (scattered)**
Positioned Boulder **Scree**
Non-Coniferous Tree (surveyed) **Coniferous Tree (surveyed)**
Non-Coniferous Trees (not surveyed) **Coniferous Trees (not surveyed)**
Orchard Tree **Scrub** **Bracken**
Coppice, Osier **Reeds** **Marsh, Saltings**
Rough Grassland **Heath** **Culvert**
Direction of water flow **Triangulation Station** **Antiquity (site of)**
Electricity Transmission Line **Electricity Pylon**
BM 231.60m **Bench Mark** **Buildings with Building Seed**
Roofed Building **Glazed Roof Building**
Civil parish/community boundary
District boundary
County boundary
Boundary post/stone
Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)
Bks **Barracks** **P** **Pillar, Pole or Post**
Bty **Battery** **PO** **Post Office**
Cemy **Cemetery** **PC** **Public Convenience**
Chy **Chimney** **Pp** **Pump**
Cis **Cistern** **Ppg Sta** **Pumping Station**
Dismtd Rly **Dismantled Railway** **PW** **Place of Worship**
EI Gen Sta **Electricity Generating Station** **Sewage Ppg Sta** **Sewage Pumping Station**
EI P **Electricity Pole, Pillar** **SB, S Br** **Signal Box or Bridge**
EI Sub Sta **Electricity Sub Station** **SP, SL** **Signal Post or Light**
FB **Filter Bed** **Spr** **Spring**
Fn / D Fn **Fountain / Drinking Ftn.** **Tk** **Tank or Track**
Gas Gov **Gas Valve Compound** **Tr** **Trough**
GVC **Gas Governor** **Wd Pp** **Wind Pump**
GP **Guide Post** **Wr Pt, Wr T** **Water Point, Water Tap**
MH **Manhole** **Wks** **Works (building or area)**
MP, MS **Mile Post or Mile Stone** **W** **Well**



Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Buckinghamshire	1:2,500	1882	2
Northamptonshire	1:2,500	1882 - 1885	3
Bedfordshire	1:2,500	1884	4
Northamptonshire	1:2,500	1900	5
Bedfordshire	1:2,500	1901	6
Ordnance Survey Plan	1:2,500	1977 - 1978	7
Large-Scale National Grid Data	1:2,500	1993	8
Historical Aerial Photography	1:2,500	1999	9

Historical Map - Segment C3



Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk


Buckinghamshire

Published 1882


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment C3




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland



Northamptonshire

Published 1882 - 1885


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

053_03	1885	1:2,500
053_07	1882	1:2,500

Historical Map - Segment C3




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland




Bedfordshire
Published 1884


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment C3




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland



Northamptonshire

Published 1900


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

053_03	1900	1:2,500
053_07	1900	1:2,500

Historical Map - Segment C3




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland




Bedfordshire

Published 1901


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment C3




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland



Ordnance Survey Plan

Published 1977 - 1978


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

SP9056	1977	1:2,500
SP9055	1978	1:2,500

Historical Map - Segment C3




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland




Large-Scale National Grid Data
Published 1993
Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

SP9056	1993	1:2,500
SP9055	1993	1:2,500

Historical Map - Segment C3




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland



Historical Mapping Legends

Ordnance Survey County Series and Ordnance Survey Plan 1:2,500

Quarry **Gravel Pit** **Sand Pit**
Clay Pit **Shingle** **Refuse Heap**
Sloping Masonry **Flat Rock**
Marsh **Reeds** **Osiers**
Rough Pasture **Furze** **Wood**
Mixed Wood **Brushwood** **Orchard**
Fir **Ford** **Stepping Stones**
Ferry **Waterfall** **Lock**
Trig. Station **Altitude at Trig. Station**
B.M. 325.9 **Bench Mark** **Surface Level**
Arrow denotes flow of water **Antiquities (site of)**
Cutting **Embankment**
Railway crossing Road **Level Crossing** **Road crossing Railway**
Railway crossing River or Canal **Road over single stream** **Road over River or Canal**
County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
County Borough Boundary (England)
Co. Boro. Bdy.
County Burgh Boundary (Scotland)
Boundary Post or Stone **Police Call Box**
B.R. **Bridle Road** **P** **Pump**
E.P **Electricity Pylon** **S.P** **Signal Post**
F.B. **Foot Bridge** **Sl** **Sluice**
F.P. **Foot Path** **Sp.** **Spring**
G.P **Guide Post or Board** **T.C.B** **Telephone Call Box**
M.S **Mile Stone** **Tr.** **Trough**
M.P M.R **Mooring Post or Ring** **W** **Well**

Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250

Inactive Quarry, Chalk Pit or Clay Pit **Active Quarry, Chalk Pit or Clay Pit**
Rock **Boulders**
Cliff **Slopes** **Top**
Roofed Building **Glazed Roof Building**
Sloping Masonry **Archway**
Non-Coniferous Tree (surveyed) **Coniferous Tree (surveyed)**
Non-Coniferous Trees (not surveyed) **Coniferous Trees (not surveyed)**
Orchard Tree **Scrub** **Bracken**
Coppice, Osier **Reeds** **Marsh, Saltings**
Rough Grassland **Heath** **Culvert**
Direction of water flow **Bench Mark** **Antiquity (site of)**
Cave Entrance **Triangulation Station** **Electricity Pylon**
Electricity Transmission Line
County Boundary (Geographical)
County & Civil Parish Boundary
Civil Parish Boundary
Admin. County or County Bor. Boundary
London Borough Boundary
Symbol marking point where boundary mereing changes
BH **Beer House** **P** **Pillar, Pole or Post**
BP, BS **Boundary Post or Stone** **PO** **Post Office**
Cn, C **Capstan, Crane** **PC** **Public Convenience**
Chy **Chimney** **PH** **Public House**
D Fn **Drinking Fountain** **Pp** **Pump**
EI P **Electricity Pillar or Post** **SB, S Br** **Signal Box or Bridge**
FAP **Fire Alarm Pillar** **SP, SL** **Signal Post or Light**
FB **Foot Bridge** **Spr** **Spring**
GP **Guide Post** **Tk** **Tank or Track**
H **Hydrant or Hydraulic** **TCB** **Telephone Call Box**
LC **Level Crossing** **TCP** **Telephone Call Post**
MH **Manhole** **Tr** **Trough**
MP **Mile Post or Mooring Post** **Wr Pt, Wr T** **Water Point, Water Tap**
MS **Mile Stone** **W** **Well**
NTL **Normal Tidal Limit** **Wd Pp** **Wind Pump**

Large-Scale National Grid Data 1:2,500 and 1:1,250


Cliff **Slopes** **Top**
Rock **Rock (scattered)**
Boulders **Boulders (scattered)**
Positioned Boulder **Scree**
Non-Coniferous Tree (surveyed) **Coniferous Tree (surveyed)**
Non-Coniferous Trees (not surveyed) **Coniferous Trees (not surveyed)**
Orchard Tree **Scrub** **Bracken**
Coppice, Osier **Reeds** **Marsh, Saltings**
Rough Grassland **Heath** **Culvert**
Direction of water flow **Triangulation Station** **Antiquity (site of)**
Electricity Transmission Line **Electricity Pylon**
B.M. 231.60m **Bench Mark** **Buildings with Building Seed**
Roofed Building **Glazed Roof Building**
Civil parish/community boundary
District boundary
County boundary
Boundary post/stone
Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)
Bks **Barracks** **P** **Pillar, Pole or Post**
Bty **Battery** **PO** **Post Office**
Cemy **Cemetery** **PC** **Public Convenience**
Chy **Chimney** **Pp** **Pump**
Cis **Cistern** **Ppg Sta** **Pumping Station**
Dismtd Rly **Dismantled Railway** **PW** **Place of Worship**
EI Gen Sta **Electricity Generating Station** **Sewage Ppg Sta** **Sewage Pumping Station**
EI P **Electricity Pole, Pillar** **SB, S Br** **Signal Box or Bridge**
EI Sub Sta **Electricity Sub Station** **SP, SL** **Signal Post or Light**
FB **Filter Bed** **Spr** **Spring**
Fn / D Fn **Fountain / Drinking Ftn.** **Tk** **Tank or Track**
Gas Gov **Gas Valve Compound** **Tr** **Trough**
GVC **Gas Governor** **Wd Pp** **Wind Pump**
GP **Guide Post** **Wr Pt, Wr T** **Water Point, Water Tap**
MH **Manhole** **Wks** **Works (building or area)**
MP, MS **Mile Post or Mile Stone** **W** **Well**



Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Buckinghamshire	1:2,500	1882	2
Northamptonshire	1:2,500	1882 - 1885	3
Bedfordshire	1:2,500	1884	4
Northamptonshire	1:2,500	1900	5
Bedfordshire	1:2,500	1901	6
Ordnance Survey Plan	1:2,500	1977 - 1978	7
Large-Scale National Grid Data	1:2,500	1993	8
Historical Aerial Photography	1:2,500	1999	9

Historical Map - Segment C4



Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk


Buckinghamshire

Published 1882


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment C4




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland



Northamptonshire

Published 1882 - 1885


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

053_03 1885 1:2,500	053_04 1885 1:2,500
053_07 1882 1:2,500	053_08 1882 1:2,500

Historical Map - Segment C4




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland




Bedfordshire
Published 1884


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment C4




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland



Northamptonshire

Published 1900


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

053_03 1900 1:2,500	053_04 1900 1:2,500
053_07 1900 1:2,500	053_08 1900 1:2,500

Historical Map - Segment C4




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland




Bedfordshire

Published 1901


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment C4




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland




Ordnance Survey Plan
Published 1977 - 1978
Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

SP9056 1977 1:2,500	SP9156 1977 1:2,500
SP9055 1978 1:2,500	SP9155 1978 1:2,500

Historical Map - Segment C4




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland




Large-Scale National Grid Data
Published 1993
Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

SP9056	SP9156
1993	1993
12,500	12,500
SP9055	SP9155
1993	1993
12,500	12,500

Historical Map - Segment C4




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details


Meikleland



Historical Aerial Photography Published 1999

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

Historical Aerial Photography - Segment C4




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 490420, 256410
 Slice: C
 Site Area (Ha): 172.36
 Search Buffer (m): 100

Site Details

Meikleland



Historical Mapping Legends

Ordnance Survey County Series 1:10,560

	Gravel Pit		Sand Pit		Other Pits
	Quarry		Shingle		Orchard
	Osiers		Reeds		Marsh
	Mixed Wood		Deciduous		Brushwood
	Fir		Furze		Rough Pasture
	Arrow denotes flow of water		Trigonometrical Station		
	Site of Antiquities		Bench Mark		
	Pump, Guide Post, Signal Post		Well, Spring, Boundary Post		
	-285 Surface Level				
	Sketched Contour		Instrumental Contour		
	Main Roads		Minor Roads		
	Sunken Road		Raised Road		
	Road over Railway		Railway over River		
	Railway over Road		Level Crossing		
	Road over River or Canal		Road over Stream		
	Road over Stream				
	County Boundary (Geographical)				
	County & Civil Parish Boundary				
	Administrative County & Civil Parish Boundary				
	County Borough Boundary (England)				
	County Burgh Boundary (Scotland)				
	Rural District Boundary				
	Civil Parish Boundary				

Ordnance Survey Plan 1:10,000

	Chalk Pit, Clay Pit or Quarry		Gravel Pit
	Sand Pit		Disused Pit or Quarry
	Refuse or Slag Heap		Lake, Loch or Pond
	Dunes		Boulders
	Coniferous Trees		Non-Coniferous Trees
	Orchard		Scrub
	Coppice		
	Bracken		Heath
	Rough Grassland		
	Marsh		Reeds
	Saltings		
	Building		Glasshouse
	Sloping Masonry		Pylon
	Electricity Transmission Line		Pole
	Cutting		Embankment
	Standard Gauge Multiple Track		
	Standard Gauge Single Track		
	Siding, Tramway or Mineral Line		
	Narrow Gauge		
	Geographical County		
	Administrative County, County Borough or County of City		
	Municipal Borough, Urban or Rural District, Burgh or District Council		
	Borough, Burgh or County Constituency Shown only when not coincident with other boundaries		
	Civil Parish Shown alternately when coincidence of boundaries occurs		
	BP, BS Boundary Post or Stone		Pol Sta Police Station
	Ch Church		PO Post Office
	CH Club House		PC Public Convenience
	F E Sta Fire Engine Station		PH Public House
	FB Foot Bridge		SB Signal Box
	Fn Fountain		Spr Spring
	GP Guide Post		TCB Telephone Call Box
	MP Mile Post		TCP Telephone Call Post
	MS Mile Stone		W Well

1:10,000 Raster Mapping


	Gravel Pit		Refuse tip or slag heap
	Rock		Rock (scattered)
	Boulders		Boulders (scattered)
	Shingle		Mud
	Sand		Sand Pit
	Slopes		Top of cliff
	General detail		Underground detail
	Overhead detail		Narrow gauge railway
	Multi-track railway		Single track railway
	County boundary (England only)		Civil, parish or community boundary
	District, Unitary, Metropolitan, London Borough boundary		Constituency boundary
	Area of wooded vegetation		Non-coniferous trees
	Non-coniferous trees (scattered)		Coniferous trees
	Coniferous trees (scattered)		Positioned tree
	Orchard		Coppice or Osiers
	Rough Grassland		Heath
	Scrub		Marsh, Salt Marsh or Reeds
	Water feature		Flow arrows
	MHW(S) Mean high water (springs)		MLW(S) Mean low water (springs)
	Telephone line (where shown)		Electricity transmission line (with poles)
	Bench mark (where shown)		Triangulation station
	Point feature (e.g. Guide Post or Mile Stone)		Pylon, flare stack or lighting tower
	Site of (antiquity)		Glasshouse
	General Building		Important Building



Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Bedfordshire	1:10,560	1883	2
Northamptonshire	1:10,560	1884	3
Buckinghamshire	1:10,560	1885	4
Buckinghamshire	1:10,560	1900	5
Northamptonshire	1:10,560	1900	6
Bedfordshire	1:10,560	1901 - 1902	7
Bedfordshire	1:10,560	1901 - 1902	8
Historical Aerial Photography	1:10,560	1948	9
Bedfordshire	1:10,560	1951 - 1952	10
Northamptonshire	1:10,560	1952	11
Buckinghamshire	1:10,560	1952	12
Ordnance Survey Plan	1:10,000	1960	13
Ordnance Survey Plan	1:10,000	1981	14
Ordnance Survey Plan	1:10,000	1993	15
10K Raster Mapping	1:10,000	1999	16
10K Raster Mapping	1:10,000	2006	17
VectorMap Local	1:10,000	2024	18

Historical Map - Slice D



Order Details


Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491830, 256260
 Slice: D
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2024. All Rights Reserved.



Bedfordshire

Published 1883


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

006NE 1883 1:10,560	006SE 1883 1:10,560
006SW 1883 1:10,560	

Historical Map - Slice D



Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491830, 256260
 Slice: D
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Northamptonshire

Published 1884


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

046SE	1884	1:10,560
053NE	1884	1:10,560

Historical Map - Slice D




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491830, 256260
 Slice: D
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland




Buckinghamshire

Published 1885


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice D




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491830, 256260
 Slice: D
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland




Buckinghamshire

Published 1900


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice D





Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491830, 256260
 Slice: D
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland





© Crown copyright and Landmark Information Group Limited 2024. All Rights Reserved.



Northamptonshire

Published 1900


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

046SE
1900
1:10,560

Historical Map - Slice D



Order Details

Order Number: 346936621_1_1
Customer Ref: DS78309
National Grid Reference: 491830, 256260
Slice: D
Site Area (Ha): 172.36
Search Buffer (m): 1000

Site Details

Meikleland



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Bedfordshire

Published 1901 - 1902


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

006NE	1901	1:10,560
006SW	1902	1:10,560
006SE	1902	1:10,560

Historical Map - Slice D




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491830, 256260
 Slice: D
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland



Bedfordshire

Published 1901 - 1902


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

006NE	1901	1:10,560
006SE	1902	1:10,560

Historical Map - Slice D




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491830, 256260
 Slice: D
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland



Historical Aerial Photography


Published 1948

Source map scale - 1:10,560


The Historical Aerial Photos were produced by the Ordnance Survey at a scale of 1:1,250 and 1:10,560 from Air Force photography. They were produced between 1944 and 1951 as an interim measure, pending preparation of conventional mapping, due to post war resource shortages. New security measures in the 1950's meant that every photograph was re-checked for potentially unsafe information with security sites replaced by fake fields or clouds. The original editions were withdrawn and only later made available after a period of fifty years although due to the accuracy of the editing, without viewing both revisions it is not easy to spot the edits. Where available Landmark have included both revisions.

© Landmark Information Group and/or Data Suppliers 2010.

Map Name(s) and Date(s)



Historical Aerial Photography - Slice D





Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491830, 256260
 Slice: D
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland





Bedfordshire

Published 1951 - 1952


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

	006NE	1951	1:10,560
006SW	1952	1:10,560	
	006SE	1951	1:10,560

Historical Map - Slice D



Order Details


Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491830, 256260
 Slice: D
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2024. All Rights Reserved.

0 400 m



Northamptonshire

Published 1952


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

046SE
1952
1:10,560

Historical Map - Slice D



Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491830, 256260
 Slice: D
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk


Buckinghamshire

Published 1952


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice D





Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491830, 256260
 Slice: D
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland






© Crown copyright and Landmark Information Group Limited 2024. All Rights Reserved.




Ordnance Survey Plan
Published 1960
Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice D



Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491830, 256260
 Slice: D
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk


Ordnance Survey Plan

Published 1981


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice D





Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491830, 256260
 Slice: D
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland





© Crown copyright and Landmark Information Group Limited 2024. All Rights Reserved.




Ordnance Survey Plan

Published 1993


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice D



Order Details


Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491830, 256260
 Slice: D
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




© Crown copyright. All Rights Reserved. Licence Number 100022432.




10k Raster Mapping
Published 1999
Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice D



Order Details


Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491830, 256260
 Slice: D
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




10k Raster Mapping

Published 2006


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice D




Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491830, 256260
 Slice: D
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland




VectorMap Local

Published 2024


Source map scale - 1:10,000

VectorMap Local (Raster) is Ordnance Survey's highest detailed 'backdrop' mapping product. These maps are produced from OS's VectorMap Local, a simple vector dataset at a nominal scale of 1:10,000, covering the whole of Great Britain, that has been designed for creating graphical mapping. OS VectorMap Local is derived from large-scale information surveyed at 1:1250 scale (covering major towns and cities), 1:2500 scale (smaller towns, villages and developed rural areas), and 1:10 000 scale (mountain, moorland and river estuary areas).

Map Name(s) and Date(s)



Historical Map - Slice D



Order Details

Order Number: 346936621_1_1
 Customer Ref: DS78309
 National Grid Reference: 491830, 256260
 Slice: D
 Site Area (Ha): 172.36
 Search Buffer (m): 1000

Site Details

Meikleland



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Preliminary Geo-Environmental Risk Assessment
Green Hill Solar Scheme
Delta-Simons Project Number 93791.580478

Appendix E - Landmark Envirocheck[®] Report

Index Map

For ease of identification, your site and buffer have been split into Slices, Segments and Quadrants. These are illustrated on the Index Map opposite and explained further below.

Slice

Each slice represents a 1:10,000 plot area (2.7km x 2.7km) for your site and buffer. A large site and buffer may be made up of several slices (represented by a red outline), that are referenced by letters of the alphabet, starting from the bottom left corner of the slice "grid". This grid does not relate to National Grid lines but is designed to give best fit over the site and buffer.

Segment

A segment represents a 1:2,500 plot area. Segments that have plot files associated with them are shown in dark green, others in light blue. These are numbered from the bottom left hand corner within each slice.

Quadrant

A quadrant is a quarter of a segment. These are labelled as NW, NE, SW, SE and are referenced in the datasheet to allow features to be quickly located on plots. Therefore a feature that has a quadrant reference of A7NW will be in Slice A, Segment 7 and the NW Quadrant.

A selection of organisations who provide data within this report:



Envirocheck reports are compiled from 136 different sources of data.

Client Details

Ms M Booth, Delta Simons, Suite 4A, One Portland Street, Manchester, M1 3BE


Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 480100, 272110
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme

Full Terms and Conditions can be found on the following link:
<http://www.landmarkinfo.co.uk/Terms/Show/515>





© Crown Copyright. All Rights Reserved. License Number 100022412



Groundwater Vulnerability

General

- ◊ Specified Site
- Specified Buffer(s)
- ✕ Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological


Bedrock Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer
- Unproductive Aquifer
- Soluble Rock

Superficial Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 478930, 267820
 Slice: A
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022412



Bedrock Aquifer Designation

General


- ◊ Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 478930, 267820
 Slice: A
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100122412



Superficial Aquifer Designation

General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 478930, 267820
 Slice: A
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



Source Protection Zones


General

- ◇ Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 478930, 267820
 Slice: A
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



Sensitive Land Uses


General

- ▭ Specified Site
- Specified Buffer(s)
- ✕ Bearing Reference Point
- ▭ Slice
- Map ID

Sensitive Land Uses

- | | |
|--|---|
| ■ Ancient Woodland | National Park |
| Area of Adopted Green Belt | Nitrate Sensitive Area |
| Area of Unadopted Green Belt | Nitrate Vulnerable Zone |
| Area of Outstanding Natural Beauty | Ramsar Site |
| Environmentally Sensitive Area | Site of Special Scientific Interest |
| Forest Park | Special Area of Conservation |
| Local Nature Reserve | Special Protection Area |
| Marine Nature Reserve | World Heritage Sites |
| National Nature Reserve | |

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 478930, 267820
 Slice: A
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



BGS Flood GFS Data


General

- ◇ Specified Site
- ◇ Specified Buffer(s)
- X Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice A



Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 478930, 267820
 Slice: A
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

331731401_1_1

Customer Reference:

93791.580478

National Grid Reference:

478930, 267820

Slice:

A

Site Area (Ha):

245.49

Search Buffer (m):

1000

Site Details:

Grendon Solar Scheme

Client Details:

Ms M Booth
Delta Simons
Suite 4A
One Portland Street
Manchester
M1 3BE



Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	17
Hazardous Substances	-
Geological	18
Industrial Land Use	-
Sensitive Land Use	20
Data Currency	21
Data Suppliers	26
Useful Contacts	27

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2024. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and/or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2024. © Natural Resources Wales & United Kingdom Research and Innovation 2024.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2024. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 4			2	1
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls					
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 4	Yes			
Pollution Incidents to Controlled Waters					
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality					
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register					
Water Abstractions	pg 5				2 (*9)
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 7	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk	pg 13	2	n/a	n/a	n/a
Bedrock Aquifer Designations	pg 13	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 13	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences				n/a	n/a
Flooding from Rivers or Sea without Defences				n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 14	1	4	4	15

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites					
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)					
Local Authority Landfill Coverage	pg 17	2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 18	Yes	n/a	n/a	n/a
BGS Recorded Mineral Sites	pg 18			1	
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 18	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards				n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 18	Yes		n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 18	Yes	Yes	n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 18	Yes		n/a	n/a
Radon Potential - Radon Affected Areas	pg 19	Yes	n/a	n/a	n/a
Radon Potential - Radon Protection Measures	pg 19	Yes	n/a	n/a	n/a

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Industrial Land Use					
Contemporary Trade Directory Entries					
Fuel Station Entries					
Gas Pipelines					
Underground Electrical Cables					
Sensitive Land Use					
Ancient Woodland					
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 20	2			
Ramsar Sites					
Sites of Special Scientific Interest	pg 20				1
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A15NE (N)	0	1	479050 268200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A16NE (NE)	0	1	479750 268300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A16NE (NE)	0	1	479850 268350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	0	1	480000 268300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A16NE (NE)	0	1	479900 268400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A16NW (NE)	0	1	479300 268250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A15NE (N)	0	1	479100 268250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NE (S)	0	1	478929 267800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A15SE (N)	0	1	478929 268050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A16NE (NE)	0	1	479700 268450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A15NW (NW)	0	1	478650 268350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	480000 267600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	0	1	478800 268500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A15SE (N)	0	1	479000 268100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A15SE (NE)	0	1	479050 268100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A16NE (NE)	0	1	479800 268350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A15SE (NE)	0	1	479150 268100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A15SE (NE)	0	1	478950 267850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A15SW (N)	0	1	478850 268050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A16SW (NE)	0	1	479350 268000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A15SE (NE)	23	1	479200 268000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	27	1	479200 268850

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A15SE (E)	32	1	479150 267900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NE)	35	1	480000 268450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A15SW (NW)	36	1	478800 267900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NE)	55	1	480050 268300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	85	1	480000 268550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A16SW (E)	87	1	479300 267950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	92	1	479950 268650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12NW (E)	92	1	479250 267820
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A15SW (NW)	108	1	478850 267900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NE)	128	1	480050 268550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NE (E)	132	1	479100 267820
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NE (SW)	139	1	478929 267820
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	140	1	479200 268950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	150	1	480150 268250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(E)	159	1	480100 268150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	160	1	480000 268700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	178	1	480050 268650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A15SW (W)	178	1	478800 267850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	194	1	480150 268150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	199	1	478600 268700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	200	1	480200 268250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A16SE (E)	200	1	479600 267950

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NE (E)	202	1	479050 267800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A16SW (E)	209	1	479500 267850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	210	1	480000 268800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	223	1	478929 268950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12NW (E)	228	1	479300 267820
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NE (SE)	238	1	479000 267750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A16SE (E)	240	1	479600 267900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12NW (E)	252	1	479450 267820
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	259	1	478900 268950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12NW (E)	267	1	479500 267820
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(E)	269	1	480150 268100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	295	1	478500 268700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A11NE (SE)	313	1	479100 267700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	334	1	478929 269050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	343	1	478450 268700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A11NE (SE)	345	1	479050 267650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(E)	346	1	480300 268150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	353	1	480500 268500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	372	1	478600 268950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	399	1	478900 269100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	406	1	480250 267950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12NW (SE)	406	1	479300 267650

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12NW (E)	425	1	479550 267700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NE (SE)	455	1	479100 267550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12NW (E)	458	1	479500 267650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	464	1	478850 269150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A14SE (W)	475	1	478400 267950
1	Discharge Consents Operator: F E Harris & Sons Property Type: Mixed Farming Location: Overstone Grange, Moulton, Northants, Nn3 7xa Authority: Environment Agency, Anglian Region Catchment Area: Catchment 29 Unknown Detail Reference: Gwnlf40590 Permit Version: 1 Effective Date: 1st April 1999 Issued Date: 18th July 2000 Revocation Date: Not Supplied Discharge Type: Agriculture - Livestock Farming Discharge: Onto Land Environment: Receiving Water: Groundwater Status: Deemed Groundwater Regulations Authorisation Positional Accuracy: Located by supplier to within 100m	A12NE (E)	465	2	479900 267800
1	Discharge Consents Operator: F E Harris & Sons Property Type: FARMS (NOT HOUSE)/CROP + ANIMAL REARING/PLANT NURSERY Location: Overstone Grange, Moulton, Northants, Nn3 7xa Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5nf2246a Permit Version: 1 Effective Date: 14th May 1963 Issued Date: 14th May 1963 Revocation Date: 11th June 1991 Discharge Type: Agricultural effluents Discharge: Not Supplied Environment: Receiving Water: Not Supplied Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m	A12NE (E)	465	2	479900 267800
2	Discharge Consents Operator: The Proprietor Property Type: WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Location: Grange Farm, Brampton Ash, Market Harborough, Le16 8pe Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5lf5152 Permit Version: 1 Effective Date: 28th April 1986 Issued Date: 28th April 1986 Revocation Date: 26th February 1992 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Land/Soakaway Environment: Receiving Water: Land Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A11SE (SE)	607	2	479130 267400
	Nearest Surface Water Feature	A15SE (NE)	0	-	479160 268031

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
3	Water Abstractions Operator: R & L Bailey Licence Number: 5/32/03/*S/0010 Permit Version: 100 Location: Brook To North Of Moulton Authority: Environment Agency, Anglian Region Abstraction: General Agriculture: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Status: Perpetuity Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st November 1981 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A10SE (SW)	705	2	478500 267460
4	Water Abstractions Operator: Messrs R C & L Bailey Licence Number: 5/32/03/*s/010 Permit Version: Not Supplied Location: Brook , NORTH OF MOULTON Authority: Environment Agency, Anglian Region Abstraction: Spray Irrigation Abstraction Type: Not Supplied Source: Stream Daily Rate (m3): 1 Yearly Rate (m3): 109110 Details: Status: Perpetuity Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A7NE (S)	968	2	479020 267020
	Water Abstractions Operator: V H E Rushman Licence Number: 5/32/03/*G/0041 Permit Version: 100 Location: Well, Kettering Road, Moulton Authority: Environment Agency, Anglian Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Glacial Sand and Gravel; Status: Perpetuity Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st March 1967 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A8SW (SE)	1277	2	479500 266800
	Water Abstractions Operator: Northamptonshire Cc Licence Number: 5/32/03/*g/016a Permit Version: Not Supplied Location: Well At, MOULTON Authority: Environment Agency, Anglian Region Abstraction: Spray Irrigation Abstraction Type: Not Supplied Source: Groundwater Daily Rate (m3): 4 Yearly Rate (m3): 18180 Details: Northampton Sanstone; Status: Revoked Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A6NW (SW)	1381	2	478000 267000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Northamptonshire Cc Licence Number: 5/32/03/*s/016b Permit Version: Not Supplied Location: Stream At, MOULTON Authority: Environment Agency, Anglian Region Abstraction: Spray Irrigation Abstraction Type: Not Supplied Source: Stream Daily Rate (m3): 2 Yearly Rate (m3): 50000 Details: Status: Revoked Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A6NW (SW)	1385	2	478000 266995
	Water Abstractions Operator: J & M Sheldon Licence Number: 5/32/05/*G/0006 Permit Version: 100 Location: Well At Sandy Hill Farm Authority: Environment Agency, Anglian Region Abstraction: General Agriculture: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Northampton Sanstone; Status: Perpetuity Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st April 2003 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A8SW (S)	1425	2	479300 266600
	Water Abstractions Operator: Northamptonshire Cc Licence Number: 5/32/03/*g/016a Permit Version: Not Supplied Location: Well At, MOULTON Authority: Environment Agency, Anglian Region Abstraction: Spray Irrigation Abstraction Type: Not Supplied Source: Well And Borehole Daily Rate (m3): 4 Yearly Rate (m3): 18180 Details: Northampton Sanstone; Status: Revoked Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A5NE (SW)	1592	2	477800 266900
	Water Abstractions Operator: Moulton College Licence Number: 5/32/03/*G/0114 Permit Version: 1 Location: Borehole At Moulton Authority: Environment Agency, Anglian Region Abstraction: Sports Grounds/Facilities: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 October Permit Start Date: 22nd December 2004 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A5NE (SW)	1599	2	477780 266910

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Northamptonshire Cc Licence Number: 5/32/03/*g/016a Permit Version: Not Supplied Location: Interceptor Pit, MOULTON Authority: Environment Agency, Anglian Region Abstraction: Spray Irrigation Abstraction Type: Not Supplied Source: Well And Borehole Daily Rate (m3): 4 Yearly Rate (m3): 18180 Details: Northampton Sanstone; Status: Revoked Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A5SE (SW)	1741	2	477800 266695
	Water Abstractions Operator: J E Thompson Licence Number: 5/32/03/*G/0008 Permit Version: 100 Location: Well At Moulton Authority: Environment Agency, Anglian Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Northampton Sanstone; Status: Perpetuity Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st January 1966 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A2NE (S)	1782	2	478400 266300
	Water Abstractions Operator: W J C Thomas Licence Number: 5/32/05/*G/0046 Permit Version: 101 Location: Well-North Yard Authority: Environment Agency, Anglian Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Northampton Sanstone; Status: Perpetuity Authorised Start: 01 April Authorised End: 31 October Permit Start Date: 2nd May 1971 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A4NE (SE)	1841	2	479800 266300
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial: <90% Patchiness: <3m Superficial Thickness: <3m Superficial Recharge: No Data	(N)	0	3	479000 269000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NE)	0	3	480000 269000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NE)	0	3	480000 268328
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	A15SE (N)	0	3	479000 267992
	Groundwater Vulnerability Map Combined Classification: Principle Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(N)	0	3	479000 268642

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A15NW (NW)	0	3	478577 268328
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A15SE (N)	0	3	478990 268000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A15SW (NW)	0	3	478853 268000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(N)	0	3	479050 268631

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(N)	0	3	479000 268973
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	A16NE (NE)	0	3	479708 268235
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	A15SE (N)	0	3	479000 268000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	A16NE (NE)	0	3	479718 268240

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	A15SE (N)	0	3	479000 268082
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	A16SW (NE)	0	3	479329 268000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A15SE (N)	0	3	478929 268000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A15SE (N)	0	3	478914 268000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	A15SE (NE)	0	3	479160 268000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	A16SE (E)	0	3	479631 268000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	A15SE (NE)	0	3	479177 268135
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	A15SE (NE)	0	3	479226 268000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	A16SW (E)	0	3	479393 268000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	A15SE (NE)	0	3	478973 267904
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Low Possibility	A15SE (N)	0	3	478929 268000
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	A15SE (N)	0	3	479000 268000
	Bedrock Aquifer Designations Aquifer Designation: Principal Aquifer	(N)	0	3	479050 268631
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	A15SE (N)	0	3	478929 267825
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A11NE (SW)	0	3	478929 267820
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(E)	0	3	480000 267738
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	A15SW (NW)	0	3	478811 267882
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	(NE)	0	3	480000 268328
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A16NE (NE)	0	3	479718 268240
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A16SW (E)	0	3	479243 267821
	Extreme Flooding from Rivers or Sea without Defences None				
	Flooding from Rivers or Sea without Defences None				
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flood Defences None				
5	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 130.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A15SE (NE)	0	4	479118 267967
6	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A15SE (NE)	78	4	479113 267960
7	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 77.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A15SE (NE)	86	4	479075 267894
8	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A15SE (NE)	134	4	479073 267890
9	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 264.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A11NE (SE)	137	4	479001 267756
10	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A11NE (S)	324	4	478940 267665
11	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 83.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A11NE (S)	327	4	478939 267662
12	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A11NE (S)	404	4	478955 267583
13	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 516.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A11NE (S)	408	4	478956 267579

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
14	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 281.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A12SE (E)	570	4	479771 267480
15	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A12SE (SE)	729	4	479763 267462
16	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 285.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A12SE (SE)	732	4	479763 267462
17	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 166.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A11SW (SW)	846	4	478559 267250
18	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 246.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A12SW (SE)	882	4	479421 267187
19	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A12SW (SE)	883	4	479415 267184
20	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 34.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	A12SW (SE)	885	4	479285 267147
21	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 106.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A12SW (SE)	885	4	479313 267156
22	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 29.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A12SW (SE)	888	4	479286 267145

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
23	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 219.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A12SW (SE)	895	4	479286 267145
24	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A7NE (S)	914	4	479084 267080
25	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A12SE (SE)	922	4	479658 267210
26	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 868.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A7NE (S)	925	4	479081 267068
27	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.6 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A7NE (S)	925	4	479081 267068
28	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A10SE (SW)	998	4	478423 267155

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Landfill Coverage Name: Northamptonshire County Council - Has supplied landfill data		0	6	478929 267820
	Local Authority Landfill Coverage Name: Daventry District Council - Landfill data has been supplied by another authority		0	5	478929 267820

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Inferior Oolite Group	A7NW (S)	0	1	478845 267083
	BGS 1:625,000 Solid Geology Description: Great Oolite Group	A11NE (SW)	0	1	478929 267820
29	BGS Recorded Mineral Sites Site Name: Moulton Sand Pit Location: Moulton, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186947 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cromerian - Ipswichian Geology: Glaciofluvial Deposits, Mid Pleistocene Commodity: Sand Positional Accuracy: Located by supplier to within 10m	A11NW (S)	436	1	478843 267571
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NE (SW)	0	1	478929 267820
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NE (SW)	0	1	478929 267820
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NE (SW)	0	1	478929 267820
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NE (SW)	0	1	478929 267820
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A12NW (E)	0	1	479545 267774
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A16NE (NE)	30	1	479904 268258
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A15SE (W)	0	1	478915 267822
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A15SW (NW)	0	1	478811 267882
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NE (SW)	79	1	478929 267820
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NE (SW)	0	1	478929 267820
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A15SE (N)	0	1	478929 267825
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A16NE (NE)	30	1	479904 268258
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Higher probability radon area (more than 30% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A16NE (NE)	0	1	479700 268225

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A16SE (E)	0	1	479625 268025
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A11NE (W)	0	1	478900 267820
	Radon Potential - Radon Protection Measures Protection Measure: Full radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A16NE (NE)	0	1	479700 268225
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A16SE (E)	0	1	479625 268025
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A11NE (W)	0	1	478900 267820

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
30	Nitrate Vulnerable Zones Name: Thrapstone Lake Eutrophic Lake Nvz Description: Eutrophic Water Source: Environment Agency, Head Office	A11NE (SW)	0	3	478929 267820
31	Nitrate Vulnerable Zones Name: River Nene Nvz Description: Surface Water Source: Environment Agency, Head Office	A11NE (SW)	0	3	478929 267820
32	Sites of Special Scientific Interest Name: Pitsford Reservoir Multiple Areas: Y Total Area (m2): 4130710.07 Source: Natural England Reference: 1003637 Designation Details: Local Wildlife Site Designation Date: 1st May 1984 Date Type: Notified Designation Details: Site Of Special Scientific Interest Designation Date: 1st May 1984 Date Type: Notified Designation Details: Water Framework Directive (WFD) Designation Date: 1st May 1984 Date Type: Notified	(NW)	759	7	478119 268990

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices West Northamptonshire Council Environment Agency - Head Office Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	December 2019 November 2023 October 2017 September 2017	Annual Rolling Update Annually Annual Rolling Update Annual Rolling Update
Discharge Consents Environment Agency - Anglian Region	October 2023	Quarterly
Enforcement and Prohibition Notices Environment Agency - Anglian Region	March 2013	
Integrated Pollution Controls Environment Agency - Anglian Region	January 2009	
Integrated Pollution Prevention And Control Environment Agency - Anglian Region	January 2023	Quarterly
Local Authority Integrated Pollution Prevention And Control Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	December 2020 February 2015 May 2014	Variable Variable Variable
Local Authority Pollution Prevention and Controls Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	December 2020 February 2015 May 2014	Annual Rolling Update Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department	February 2015 May 2014 October 2014	Variable Variable Variable
Nearest Surface Water Feature Ordnance Survey	November 2023	
Pollution Incidents to Controlled Waters Environment Agency - Anglian Region	September 1999	
Prosecutions Relating to Authorised Processes Environment Agency - Anglian Region	July 2015	
Prosecutions Relating to Controlled Waters Environment Agency - Anglian Region	March 2013	
Registered Radioactive Substances Environment Agency - Anglian Region Environment Agency - Head Office	June 2016 May 2023	As notified Quarterly
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	April 2012	
River Quality Chemistry Sampling Points Environment Agency - Head Office	April 2012	
Substantiated Pollution Incident Register Environment Agency - Anglian Region - Northern Area	October 2023	Quarterly
Water Abstractions Environment Agency - Anglian Region	October 2023	Quarterly

Agency & Hydrological	Version	Update Cycle
Water Industry Act Referrals Environment Agency - Anglian Region	October 2017	
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Source Protection Zones Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	January 2024	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	Quarterly
OS Water Network Lines Ordnance Survey	October 2023	Quarterly
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified

Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites Environment Agency - Head Office	July 2023	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Anglian Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - Anglian Region - Northern Area	July 2023	Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - Anglian Region - Northern Area	January 2023	Quarterly
Local Authority Landfill Coverage Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department Northamptonshire County Council West Northamptonshire Council	February 2003 February 2003 February 2003 May 2000	Not Applicable Not Applicable Not Applicable Not Applicable
Local Authority Recorded Landfill Sites West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department Northamptonshire County Council	August 2006 October 2018 October 2018 October 2018	
Registered Landfill Sites Environment Agency - Anglian Region - Northern Area	March 2006	Not Applicable
Registered Waste Transfer Sites Environment Agency - Anglian Region - Northern Area	April 2018	
Registered Waste Treatment or Disposal Sites Environment Agency - Anglian Region - Northern Area	June 2015	
Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	March 2023	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements Northamptonshire County Council Daventry District Council (now part of West Northamptonshire Council) Northampton Borough Council (now part of West Northamptonshire Council) - Planning Department West Northamptonshire Council	May 2013 May 2023 May 2023 May 2023	Annual Rolling Update Variable Variable Variable
Planning Hazardous Substance Consents Northamptonshire County Council Northampton Borough Council (now part of West Northamptonshire Council) - Planning Department West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council)	December 2014 February 2016 February 2016 January 2016	Annual Rolling Update Variable Variable Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	June 2023	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	October 2023	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	October 2023	Annually
Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	October 2023	Quarterly
Fuel Station Entries Catalist Ltd - Experian	November 2023	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Underground Electrical Cables National Grid	February 2023	Bi-Annually

Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	October 2023	Bi-Annually
Areas of Adopted Green Belt Daventry District Council (now part of West Northamptonshire Council) Northampton Borough Council (now part of West Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly
Areas of Unadopted Green Belt Daventry District Council (now part of West Northamptonshire Council) Northampton Borough Council (now part of West Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly
Areas of Outstanding Natural Beauty Natural England	November 2023	Bi-Annually
Environmentally Sensitive Areas Natural England	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	August 2023	Bi-Annually
Marine Nature Reserves Natural England	October 2023	Bi-Annually
National Nature Reserves Natural England	August 2023	Bi-Annually
National Parks Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 March 2023	Bi-Annually
Ramsar Sites Natural England	October 2023	Bi-Annually
Sites of Special Scientific Interest Natural England	November 2023	Bi-Annually
Special Areas of Conservation Natural England	October 2023	Bi-Annually
Special Protection Areas Natural England	October 2023	Bi-Annually

A selection of organisations who provide data within this report


Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
4	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
5	Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Lodge Road, Daventry, Northamptonshire, NN11 5AF	Telephone: 01327 871100 Fax: 01327 302540 Website: www.daventrydc.gov.uk
6	Northamptonshire County Council County Hall, Northampton, Northamptonshire, NN1 1DN	Telephone: 0300 126 1000 Website: www.northamptonshire.gov.uk
7	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

- General**
- Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point
 - Map ID
 - Several of Type at Location
- Agency and Hydrological**
- Contaminated Land Register Entry or Notice (Location)
 - Contaminated Land Register Entry or Notice
 - Discharge Consent
 - Enforcement or Prohibition Notice
 - Integrated Pollution Control
 - Integrated Pollution Prevention Control
 - Local Authority Integrated Pollution Prevention and Control
 - Local Authority Pollution Prevention and Control
 - Local Authority Pollution Prevention and Control Enforcement
 - Pollution Incident to Controlled Waters
 - Prosecution Relating to Authorised Processes
 - Prosecution Relating to Controlled Waters
 - Registered Radioactive Substance
 - River Network or Water Feature
 - River Quality Sampling Point
 - Substantiated Pollution Incident Register
 - Water Abstraction
 - Water Industry Act Referral
- Waste**
- BGS Recorded Landfill Site (Location)
 - BGS Recorded Landfill Site
 - EA Historic Landfill (Buffered Point)
 - EA Historic Landfill (Polygon)
 - Integrated Pollution Control Registered Waste Site
 - Licensed Waste Management Facility (Landfill Boundary)
 - Licensed Waste Management Facility (Location)
 - Local Authority Recorded Landfill Site (Location)
 - Local Authority Recorded Landfill Site
 - Registered Landfill Site
 - Registered Landfill Site (Location)
 - Registered Landfill Site (Point Buffered to 100m)
 - Registered Landfill Site (Point Buffered to 250m)
 - Registered Waste Transfer Site (Location)
 - Registered Waste Transfer Site
 - Registered Waste Treatment or Disposal Site (Location)
 - Registered Waste Treatment or Disposal Site
- Hazardous Substances**
- COMAH Site
 - Explosive Site
 - NIHHS Site
 - Planning Hazardous Substance Consent
 - Planning Hazardous Substance Enforcement
- Geological**
- BGS Recorded Mineral Site
- Industrial Land Use**
- Contemporary Trade Directory Entry
 - Fuel Station Entry

Site Sensitivity Map - Slice A



Order Details






Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 478930, 267820
 Slice: A
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details





Grendon Solar Scheme

Industrial Land Use Map


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Industrial Land Use

-  Contemporary Trade Directory Entry
-  Fuel Station Entry
-  Gas Pipeline
-  Underground Electrical Cables

Industrial Land Use Map - Slice A




Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 478930, 267820
 Slice: A
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details






Grendon Solar Scheme




General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

Agency and Hydrological (Flood)

-  Extreme Flooding from Rivers or Sea without Defences (Zone 2)
-  Flooding from Rivers or Sea without Defences (Zone 3)
-  Area Benefiting from Flood Defence
-  Flood Water Storage Areas
-  Flood Defence

Flood Map - Slice A




Order Details






Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 478930, 267820
 Slice: A
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details






Grendon Solar Scheme



General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Map ID
-  Several of Type at Location


Agency and Hydrological (Boreholes)

-  BGS Borehole Depth 0 - 10m
-  BGS Borehole Depth 10 - 30m
-  BGS Borehole Depth 30m +
-  Confidential
-  Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice A




Order Details




Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 478930, 267820
 Slice: A
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme




General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

OS Water Network Data

- | | |
|--|---|
|  Canal |  Drain |
|  Reservoir |  Other |
|  Foreshore |  Lake |
|  Marsh |  Transfer |
|  Tidal River |  Lock Or Flight Of Locks |
|  Inland River |  Sea |

OS Water Network Map - Slice A




Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 478930, 267820
 Slice: A
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



© Crown Copyright. All Rights Reserved. License Number 100022432



© Crown Copyright. All Rights Reserved. License Number 100122412



Groundwater Vulnerability

General

- ▭ Specified Site
- ▭ Specified Buffer(s)
- X Bearing Reference Point
- ▭ Slice
- B Map ID

Agency and Hydrological

Bedrock Aquifers


- ▭ High Vulnerability, Principal Aquifer
- ▭ High Vulnerability, Secondary Aquifer
- ▭ Medium Vulnerability, Principal Aquifer
- ▭ Medium Vulnerability, Secondary Aquifer
- ▭ Low Vulnerability, Principal Aquifer
- ▭ Low Vulnerability, Secondary Aquifer

Superficial Aquifers

- ▭ High Vulnerability, Principal Aquifer
- ▭ High Vulnerability, Secondary Aquifer
- ▭ Medium Vulnerability, Principal Aquifer
- ▭ Medium Vulnerability, Secondary Aquifer
- ▭ Low Vulnerability, Principal Aquifer
- ▭ Low Vulnerability, Secondary Aquifer

- ▭ Unproductive Aquifer
- ⋯ Soluble Rock

Site Sensitivity Context Map - Slice B



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 480660, 268060
 Slice: B
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022912



Bedrock Aquifer Designation

General


- ▭ Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- ▭ Slice
- B Map ID

Agency and Hydrological

Geological Classes

- ▭ Principal Aquifer
- ▭ Secondary A Aquifer
- ▭ Secondary B Aquifer
- ▭ Secondary Undifferentiated
- ▭ Unproductive Strata
- ▭ Unknown
- ▭ Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice B



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 480660, 268060
 Slice: B
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022932



Superficial Aquifer Designation

General


- ◇ Specified Site
- ⬭ Specified Buffer(s)
- ✕ Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice B



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 480660, 268060
 Slice: B
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022932



Source Protection Zones


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice B



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 480660, 268060
 Slice: B
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100122412



Sensitive Land Uses


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice B



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 480660, 268060
 Slice: B
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022932



BGS Flood GFS Data


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice B



Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 480660, 268060
 Slice: B
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

331731401_1_1

Customer Reference:

93791.580478

National Grid Reference:

480660, 268060

Slice:

B

Site Area (Ha):

245.49

Search Buffer (m):

1000

Site Details:

Grendon Solar Scheme

Client Details:

Ms M Booth
Delta Simons
Suite 4A
One Portland Street
Manchester
M1 3BE



Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	14
Hazardous Substances	-
Geological	15
Industrial Land Use	-
Sensitive Land Use	17
Data Currency	18
Data Suppliers	24
Useful Contacts	25

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2024. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2024. © Natural Resources Wales & United Kingdom Research and Innovation 2024.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2024. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 4		1	3	3
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls					
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 5		Yes		
Pollution Incidents to Controlled Waters	pg 5				1
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality					
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register					
Water Abstractions	pg 6				(*1)
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 6	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk	pg 10	1	n/a	n/a	n/a
Bedrock Aquifer Designations	pg 10	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 10	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences				n/a	n/a
Flooding from Rivers or Sea without Defences				n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 10		6	7	13

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites					
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)					
Local Authority Landfill Coverage	pg 14	3	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 15	Yes	n/a	n/a	n/a
BGS Recorded Mineral Sites					
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 15	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards				n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 15	Yes		n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 15	Yes		n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 15	Yes		n/a	n/a
Radon Potential - Radon Affected Areas	pg 16	Yes	n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Industrial Land Use					
Contemporary Trade Directory Entries					
Fuel Station Entries					
Gas Pipelines					
Underground Electrical Cables					
Sensitive Land Use					
Ancient Woodland	pg 17	1			1
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 17	3			
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	479850 268300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NW (W)	0	1	480000 268300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NW (NW)	0	1	480200 268400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B13NW (NW)	0	1	480000 268400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	479350 268250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	479700 268400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	479750 267450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	479950 268650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	479950 268550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	480000 268950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B14SW (NE)	0	1	480664 268061
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	479250 268250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	0	1	479850 268350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	479300 268150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	479900 268700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	480000 268500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	23	1	479250 268050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	27	1	479450 268950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B13NW (NW)	35	1	480050 268450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B13NW (NW)	55	1	480100 268300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	85	1	480050 268550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	87	1	479350 268000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	92	1	480000 268650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	92	1	479450 267950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	128	1	480100 268550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	140	1	479250 268950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B10NW (S)	143	1	480750 267800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NW (W)	150	1	480200 268250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B13SW (W)	159	1	480150 268150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	160	1	480050 268700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	160	1	480850 268500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	169	1	482550 268900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	178	1	480200 268550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B14NW (NE)	194	1	480800 268200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13NE (NW)	200	1	480350 268300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	200	1	479650 268000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	209	1	479600 267950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	210	1	480050 268800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	228	1	479400 267850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	240	1	479650 267950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	252	1	479500 267850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	267	1	479550 267850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B13SE (W)	269	1	480300 268100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	283	1	480700 268700

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	285	1	481600 268850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B14SW (N)	346	1	480664 268100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B14NW (N)	353	1	480800 268400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	387	1	481700 268950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	390	1	481900 269150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13SE (W)	406	1	480450 268061
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	406	1	479350 267650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	425	1	479600 267700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	425	1	481900 269100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	425	1	481950 269150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	455	1	479250 267550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	458	1	479650 267650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	461	1	482000 269150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	476	1	481800 268950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	494	1	481900 269000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	495	1	481950 269050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	496	1	482000 269100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	497	1	482050 269150

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	<p>Discharge Consents</p> <p>Operator: Gary Elliott Property Type: FARMS (NOT HOUSE)/CROP + ANIMAL REARING/PLANT NURSERY Location: Rectory Farm, Kettering Road, Moulton Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5nf5089 Permit Version: 1 Effective Date: 18th October 1985 Issued Date: 18th October 1985 Revocation Date: 25th February 1992 Discharge Type: Agricultural effluents Discharge: Freshwater Stream/River Environment: Receiving Water: Trib River Nene Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m</p>	B13NW (W)	154	2	480020 268210
2	<p>Discharge Consents</p> <p>Operator: G J Elliott Property Type: FARMS (NOT HOUSE)/CROP + ANIMAL REARING/PLANT NURSERY Location: Rectory Farm, Overstone Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5nf2246b Permit Version: 1 Effective Date: 14th May 1963 Issued Date: 14th May 1963 Revocation Date: 16th May 1991 Discharge Type: Agricultural effluents Discharge: Not Supplied Environment: Receiving Water: Not Supplied Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m</p>	B13SW (W)	338	2	480200 268100
2	<p>Discharge Consents</p> <p>Operator: F.E. Harris Esq. Property Type: Not Supplied Location: Cox'S Lodge Rectory Farm, Overstone, Northampton, Nn6 0aw Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5lf3080 Permit Version: 1 Effective Date: 13th May 1968 Issued Date: 13th May 1968 Revocation Date: 1st October 1996 Discharge Type: Unknown Discharge: Land/Soakaway Environment: Receiving Water: Land Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m</p>	B13SW (W)	351	2	480220 268100
3	<p>Discharge Consents</p> <p>Operator: F.E. Harris Esq. Property Type: WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Location: Grange Cottage 33 Kettering Road, Overstone, Northampton Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5lf3079 Permit Version: 1 Effective Date: 13th May 1968 Issued Date: 13th May 1968 Revocation Date: 1st October 1996 Discharge Type: Unknown Discharge: Land/Soakaway Environment: Receiving Water: Land Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m</p>	B9NW (W)	496	2	479910 267770

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
4	<p>Discharge Consents</p> <p>Operator: Mr Barry Walsh Property Type: WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Location: Sywell Lodge Holcot Lane, Sywell, Northamptonshire Authority: Environment Agency, Anglian Region Catchment Area: Upper River Nene (Northampton) Reference: Prnnf18748 Permit Version: 1 Effective Date: 5th March 2007 Issued Date: 2nd April 2007 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Unnamed Tributary Of The Rivee Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	B14NE (E)	697	2	481209 268231
5	<p>Discharge Consents</p> <p>Operator: Mr D Rumfitt Property Type: Domestic Property (Multiple) Location: The Barns At Sywell Lodge Farm Sywell Lodge Farm, Holcot Lane, Sywell, Northampton, Nn6 0bg Authority: Environment Agency, Anglian Region Catchment Area: Not Given Reference: Prnnf09394 Permit Version: 2 Effective Date: 21st October 1992 Issued Date: 21st October 1992 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Trib River Nene Status: Post National Rivers Authority Legislation where issue date > 31/08/1989 Positional Accuracy: Located by supplier to within 100m</p>	B15NW (E)	750	2	481260 268190
5	<p>Discharge Consents</p> <p>Operator: F E Harris & Sons Property Type: Domestic Property (Multiple) Location: The Barns At Sywell Lodge Farm Sywell Lodge Farm, Holcot Lane, Sywell, Northampton, Nn6 0bg Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Prnnf09394 Permit Version: 1 Effective Date: 25th August 1992 Issued Date: 25th August 1992 Revocation Date: 20th October 1992 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Trib River Nene Status: Post National Rivers Authority Legislation where issue date > 31/08/1989 Positional Accuracy: Located by supplier to within 10m</p>	B15NW (E)	750	2	481260 268190
	<p>Nearest Surface Water Feature</p>	B13NW (NW)	92	-	480127 268388
6	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Not Given Location: Kettering District Authority: Environment Agency, Anglian Region Pollutant: Oils - Other Oil Note: Billing Brook Incident Date: 21st May 1994 Incident Reference: 2018 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	B9NW (SW)	559	2	480100 267800

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: J E Werner Licence Number: 5/32/03/*G/0088 Permit Version: 100 Location: Well At Overstone Park Authority: Environment Agency, Anglian Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Northampton Sanstone; Status: Perpetuity Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st July 1970 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	B10NW (SE)	1124	2	480900 267700
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(NW)	0	3	480000 269000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(N)	0	3	480664 269000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(N)	0	3	481000 269000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	B13NE (NW)	0	3	480357 268339
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: >10m Superficial Recharge: Low	(NE)	0	3	482000 269000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NW)	0	3	480000 268916
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	B13NW (W)	0	3	480000 268328

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(W)	0	3	479844 268283
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	B13NW (NW)	0	3	480000 268428
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(W)	0	3	479393 268045
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	B14SE (E)	0	3	481000 268061

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(W)	0	3	479337 268280
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(W)	0	3	479847 268241
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(W)	0	3	479286 268290
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(W)	0	3	479371 268098

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(W)	0	3	479708 268235
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	B13SW (W)	0	3	480000 268061
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	B13NW (NW)	0	3	480000 268428
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	B13NW (W)	0	3	480000 268278
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	B14SW (NE)	0	3	480664 268061
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	B13NW (W)	0	3	480000 268328
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	B14SW (NE)	0	3	480664 268061
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(W)	0	3	479844 268283
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(W)	0	3	479393 268045
	Extreme Flooding from Rivers or Sea without Defences None				
	Flooding from Rivers or Sea without Defences None				
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
7	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 333.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B13NW (NW)	92	4	480129 268391
8	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 7.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B13NW (NW)	167	4	480143 268466

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
9	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 16.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B13NW (NW)	169	4	480153 268485
10	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 349.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B13NW (NW)	169	4	480142 268473
11	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B13NW (W)	186	4	480009 268170
12	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 150.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B13NW (W)	192	4	480006 268163
13	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 6.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B13SW (W)	311	4	479983 268012
14	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 52.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	B13SW (W)	316	4	479983 268012
15	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 62.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B13SW (W)	317	4	479998 267996
16	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 162.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B13SW (W)	350	4	479972 267967
17	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 288.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B13SE (W)	464	4	480245 267935

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
18	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 41.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B13SW (W)	481	4	479985 267829
19	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 285.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B13SE (W)	494	4	480487 268075
20	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 15.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B13SE (W)	502	4	480259 267940
21	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B9NW (W)	504	4	479967 267792
22	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 17.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B9NW (W)	505	4	479964 267789
23	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 35.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B9NW (W)	516	4	479957 267773
24	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 40.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B9NW (SW)	541	4	479948 267739
25	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B9NW (SW)	565	4	479929 267703
26	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	B9NW (SW)	565	4	479929 267703

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
27	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B9NW (SW)	568	4	479927 267699
28	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 281.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B9NW (SW)	570	4	479926 267696
29	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	B9NW (SW)	570	4	479929 267697
30	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 304.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B15NW (E)	641	4	481582 268282
31	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B15NW (E)	828	4	481578 268276
32	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 260.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B15SW (E)	830	4	481534 268033

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Landfill Coverage Name: Northamptonshire County Council - Has supplied landfill data		0	6	480664 268061
	Local Authority Landfill Coverage Name: Wellingborough Borough Council - Has no landfill data to supply		0	5	480847 268155
	Local Authority Landfill Coverage Name: Daventry District Council - Landfill data has been supplied by another authority		0	7	480664 268061

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Great Oolite Group	B14SW (NE)	0	1	480664 268061
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B13SW (W)	0	1	480000 268061
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B14SW (NE)	0	1	480664 268061
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B14SW (NE)	0	1	480664 268061
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B13SW (W)	0	1	480000 268061
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B13SW (W)	0	1	480000 268061
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B14SW (NE)	0	1	480664 268061
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B14SW (NE)	0	1	480664 268061
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B13SW (W)	0	1	480000 268061
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9NW (SW)	0	1	480000 267738
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B13NW (W)	30	1	480000 268278
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B13NW (W)	54	1	480018 268303
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B13SW (W)	0	1	480000 268061
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B13NW (W)	0	1	480000 268328
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B14SW (NE)	0	1	480664 268061
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B14SW (NW)	40	1	480602 268095
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9NW (SW)	0	1	480000 267738
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B13SW (W)	0	1	480000 268061
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B14SW (NE)	0	1	480664 268061

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B13NW (W)	30	1	480000 268278
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B13NW (NW)	40	1	480148 268305
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	B13NW (W)	0	1	480000 268225
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	B13NW (NW)	0	1	480000 268350
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	B14SW (NE)	0	1	480664 268061
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	B13NW (W)	0	1	480000 268225
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	B13NW (NW)	0	1	480000 268350
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	B14SW (NE)	0	1	480664 268061

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
33	Ancient Woodland Name: Sywell Wood Reference: 1108223 Area(m ²): 937799.53 Type: Plantation on Ancient Woodland	(NE)	0	8	482538 269175
34	Ancient Woodland Name: Sywell Wood Reference: 1108223 Area(m ²): 26389.96 Type: Ancient and Semi-Natural Woodland	(NE)	833	8	482836 269170
35	Nitrate Vulnerable Zones Name: Thrapstone Lake Eutrophic Lake Nvz Description: Eutrophic Water Source: Environment Agency, Head Office	B14SW (NE)	0	3	480664 268061
36	Nitrate Vulnerable Zones Name: Northampton Sands Description: Groundwater Source: Environment Agency, Head Office	B11NE (E)	0	3	481667 267725
37	Nitrate Vulnerable Zones Name: River Nene Nvz Description: Surface Water Source: Environment Agency, Head Office	B14SW (NE)	0	3	480664 268061

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Environment Agency - Head Office Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	August 2013 December 2019 December 2019 November 2023 October 2017 September 2017	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annually Annual Rolling Update Annual Rolling Update
Discharge Consents Environment Agency - Anglian Region	October 2023	Quarterly
Enforcement and Prohibition Notices Environment Agency - Anglian Region	March 2013	
Integrated Pollution Controls Environment Agency - Anglian Region	January 2009	
Integrated Pollution Prevention And Control Environment Agency - Anglian Region	January 2023	Quarterly
Local Authority Integrated Pollution Prevention And Control Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	December 2020 December 2020 February 2015 February 2015 May 2014	Variable Variable Variable Variable Variable
Local Authority Pollution Prevention and Controls Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	December 2020 December 2020 February 2015 February 2015 May 2014	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department	December 2014 February 2015 February 2015 May 2014 October 2014	Variable Variable Variable Variable Variable
Nearest Surface Water Feature Ordnance Survey	November 2023	
Pollution Incidents to Controlled Waters Environment Agency - Anglian Region	September 1999	
Prosecutions Relating to Authorised Processes Environment Agency - Anglian Region	July 2015	
Prosecutions Relating to Controlled Waters Environment Agency - Anglian Region	March 2013	
Registered Radioactive Substances Environment Agency - Anglian Region Environment Agency - Head Office	June 2016 May 2023	As notified Quarterly

Agency & Hydrological	Version	Update Cycle
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	April 2012	
River Quality Chemistry Sampling Points Environment Agency - Head Office	April 2012	
Substantiated Pollution Incident Register Environment Agency - Anglian Region - Northern Area	October 2023	Quarterly
Water Abstractions Environment Agency - Anglian Region	October 2023	Quarterly
Water Industry Act Referrals Environment Agency - Anglian Region	October 2017	
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Source Protection Zones Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	January 2024	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	Quarterly
OS Water Network Lines Ordnance Survey	October 2023	Quarterly
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified

Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites Environment Agency - Head Office	July 2023	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Anglian Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - Anglian Region - Northern Area	July 2023	Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - Anglian Region - Northern Area	January 2023	Quarterly
Local Authority Landfill Coverage Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department Northamptonshire County Council Wellingborough Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council West Northamptonshire Council	February 2003 February 2003 February 2003 February 2003 May 2000 May 2000	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable
Local Authority Recorded Landfill Sites North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department Northamptonshire County Council Wellingborough Borough Council (now part of North Northamptonshire Council)	August 2006 August 2006 October 2018 October 2018 October 2018 October 2018	
Registered Landfill Sites Environment Agency - Anglian Region - Northern Area	March 2006	Not Applicable
Registered Waste Transfer Sites Environment Agency - Anglian Region - Northern Area	April 2018	
Registered Waste Treatment or Disposal Sites Environment Agency - Anglian Region - Northern Area	June 2015	

Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	March 2023	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) Northamptonshire County Council Daventry District Council (now part of West Northamptonshire Council) Northampton Borough Council (now part of West Northamptonshire Council) - Planning Department West Northamptonshire Council	February 2016 February 2016 May 2013 May 2023 May 2023 May 2023	Variable Variable Annual Rolling Update Variable Variable Variable
Planning Hazardous Substance Consents Northamptonshire County Council North Northamptonshire Council Northampton Borough Council (now part of West Northamptonshire Council) - Planning Department Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council)	December 2014 February 2016 February 2016 February 2016 February 2016 January 2016	Annual Rolling Update Variable Variable Variable Variable Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	June 2023	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	October 2023	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	October 2023	Annually
Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	October 2023	Quarterly
Fuel Station Entries Catalist Ltd - Experian	November 2023	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Underground Electrical Cables National Grid	February 2023	Bi-Annually

Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	October 2023	Bi-Annually
Areas of Adopted Green Belt Daventry District Council (now part of West Northamptonshire Council) North Northamptonshire Council Northampton Borough Council (now part of West Northamptonshire Council) Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly Quarterly
Areas of Unadopted Green Belt Daventry District Council (now part of West Northamptonshire Council) North Northamptonshire Council Northampton Borough Council (now part of West Northamptonshire Council) Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly Quarterly
Areas of Outstanding Natural Beauty Natural England	November 2023	Bi-Annually
Environmentally Sensitive Areas Natural England	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	August 2023	Bi-Annually
Marine Nature Reserves Natural England	October 2023	Bi-Annually
National Nature Reserves Natural England	August 2023	Bi-Annually
National Parks Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 March 2023	Bi-Annually
Ramsar Sites Natural England	October 2023	Bi-Annually
Sites of Special Scientific Interest Natural England	November 2023	Bi-Annually
Special Areas of Conservation Natural England	October 2023	Bi-Annually
Special Protection Areas Natural England	October 2023	Bi-Annually






A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
4	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
5	Wellingborough Borough Council (now part of North Northamptonshire Council) Croyland Abbey, Tithe Barn Road, Wellingborough, Northamptonshire, NN8 1BJ	Telephone: 01933 229777 Fax: 01933 441375 Website: www.wellingborough.gov.uk
6	Northamptonshire County Council County Hall, Northampton, Northamptonshire, NN1 1DN	Telephone: 0300 126 1000 Website: www.northamptonshire.gov.uk
7	Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Lodge Road, Daventry, Northamptonshire, NN11 5AF	Telephone: 01327 871100 Fax: 01327 302540 Website: www.daventrydc.gov.uk
8	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Map ID
-  Several of Type at Location

Agency and Hydrological

-  Contaminated Land Register Entry or Notice (Location)
-  Contaminated Land Register Entry or Notice
-  Discharge Consent
-  Enforcement or Prohibition Notice
-  Integrated Pollution Control
-  Integrated Pollution Prevention Control
-  Local Authority Integrated Pollution Prevention and Control
-  Local Authority Pollution Prevention and Control
-  Local Authority Pollution Prevention and Control Enforcement
-  Pollution Incident to Controlled Waters
-  Prosecution Relating to Authorised Processes
-  Prosecution Relating to Controlled Waters
-  Registered Radioactive Substance
-  River Quality Sampling Point
-  Substantiated Pollution Incident Register
-  Water Abstraction
-  Water Industry Act Referral

Waste

-  BGS Recorded Landfill Site (Location)
-  BGS Recorded Landfill Site
-  EA Historic Landfill (Buffered Point)
-  EA Historic Landfill (Polygon)
-  Integrated Pollution Control Registered Waste Site
-  Licensed Waste Management Facility (Landfill Boundary)
-  Licensed Waste Management Facility (Location)
-  Local Authority Recorded Landfill Site (Location)
-  Local Authority Recorded Landfill Site
-  Registered Landfill Site
-  Registered Landfill Site (Location)
-  Registered Landfill Site (Point Buffered to 100m)
-  Registered Landfill Site (Point Buffered to 250m)
-  Registered Waste Transfer Site (Location)
-  Registered Waste Transfer Site
-  Registered Waste Treatment or Disposal Site (Location)
-  Registered Waste Treatment or Disposal Site


Geological

-  BGS Recorded Mineral Site

Industrial Land Use

-  Contemporary Trade Directory Entry
-  Fuel Station Entry
-  COMAH Site
-  Explosive Site
-  NIHS Site
-  Planning Hazardous Substance Consent
-  Planning Hazardous Substance Enforcement

Site Sensitivity Map - Slice B



Order Details






Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 480660, 268060
 Slice: B
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details





Grendon Solar Scheme

Industrial Land Use Map


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Industrial Land Use

-  Contemporary Trade Directory Entry
-  Fuel Station Entry
-  Gas Pipeline
-  Underground Electrical Cables

Industrial Land Use Map - Slice B



Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 480660, 268060
 Slice: B
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details






Grendon Solar Scheme




General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

Agency and Hydrological (Flood)

-  Extreme Flooding from Rivers or Sea without Defences (Zone 2)
-  Flooding from Rivers or Sea without Defences (Zone 3)
-  Area Benefiting from Flood Defence
-  Flood Water Storage Areas
-  Flood Defence

Flood Map - Slice B



Order Details






Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 480660, 268060
 Slice: B
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details






Grendon Solar Scheme



General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Map ID
-  Several of Type at Location


Agency and Hydrological (Boreholes)

-  BGS Borehole Depth 0 - 10m
-  BGS Borehole Depth 10 - 30m
-  BGS Borehole Depth 30m +
-  Confidential
-  Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice B



Order Details




Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 480660, 268060
 Slice: B
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details








Grendon Solar Scheme




General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

OS Water Network Data

- | | |
|--|---|
|  Canal |  Drain |
|  Reservoir |  Other |
|  Foreshore |  Lake |
|  Marsh |  Transfer |
|  Tidal River |  Lock Or Flight Of Locks |
|  Inland River |  Sea |

OS Water Network Map - Slice B



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 480660, 268060
 Slice: B
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



© Crown Copyright. All Rights Reserved. License Number 100022432



© Crown Copyright. All Rights Reserved. License Number 100022412



Groundwater Vulnerability

General

- ◇ Specified Site
- ⬭ Specified Buffer(s)
- ✕ Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Bedrock Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer
- Unproductive Aquifer
- Soluble Rock

Superficial Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

Site Sensitivity Context Map - Slice C



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479020, 269160
 Slice: C
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022412



Bedrock Aquifer Designation

General

- ▭ Specified Site
- ▭ Specified Buffer(s)
- X Bearing Reference Point
- ▭ Slice
- Map ID

Agency and Hydrological

Geological Classes

- ▭ Principal Aquifer
- ▭ Secondary A Aquifer
- ▭ Secondary B Aquifer
- ▭ Secondary Undifferentiated
- ▭ Unproductive Strata
- ▭ Unknown
- ▭ Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice C



Order Details


Order Number:	331731401_1_1
Customer Ref:	93791.580478
National Grid Reference:	479020, 269160
Slice:	C
Site Area (Ha):	245.49
Search Buffer (m):	1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. Licence Number 100022432



Superficial Aquifer Designation

General


- ▭ Specified Site
- ▭ Specified Buffer(s)
- X Bearing Reference Point
- ▭ Slice
- Map ID

Agency and Hydrological

Geological Classes

- ▭ Principal Aquifer
- ▭ Secondary A Aquifer
- ▭ Secondary B Aquifer
- ▭ Secondary Undifferentiated
- ▭ Unproductive Strata
- ▭ Unknown
- ▭ Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice C



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479020, 269160
 Slice: C
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. Licence Number 100022412



Source Protection Zones

General

- ▭ Specified Site
- ▭ Specified Buffer(s)
- X Bearing Reference Point
- ▭ Slice
- B Map ID

Agency and Hydrological

- ▭ Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice C



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479020, 269160
 Slice: C
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022412



Sensitive Land Uses

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice C



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479020, 269160
 Slice: C
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. Licence Number 100022412



BGS Flood GFS Data


General

- ▭ Specified Site
- ▭ Specified Buffer(s)
- X Bearing Reference Point
- ▭ Slice

Agency and Hydrological (Flood)

- ▭ Limited Potential for Groundwater Flooding to Occur
- ▭ Potential for Groundwater Flooding of Property Situated Below Ground Level
- ▭ Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice C



Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479020, 269160
 Slice: C
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

331731401_1_1

Customer Reference:

93791.580478

National Grid Reference:

479020, 269160

Slice:

C

Site Area (Ha):

245.49

Search Buffer (m):

1000

Site Details:

Grendon Solar Scheme

Client Details:

Ms M Booth
Delta Simons
Suite 4A
One Portland Street
Manchester
M1 3BE



Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	22
Hazardous Substances	-
Geological	23
Industrial Land Use	27
Sensitive Land Use	28
Data Currency	29
Data Suppliers	33
Useful Contacts	34

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2024. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2024. © Natural Resources Wales & United Kingdom Research and Innovation 2024.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2024. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 4		1		5
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls					
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 5	Yes			
Pollution Incidents to Controlled Waters	pg 5	1			1
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality					
River Quality Biology Sampling Points					
Substantiated Pollution Incident Register					
River Quality Chemistry Sampling Points					
Water Abstractions	pg 6		1	1	5 (*1)
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 8	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk	pg 13	2	n/a	n/a	n/a
Bedrock Aquifer Designations	pg 13	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 14	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences				n/a	n/a
Flooding from Rivers or Sea without Defences				n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 14		1	5	50

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites					
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)					
Local Authority Landfill Coverage	pg 22	2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 23	Yes	n/a	n/a	n/a
BGS Recorded Mineral Sites	pg 23		2	4	5
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities	pg 25	1			1
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 25	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 25	Yes		n/a	n/a
Potential for Ground Dissolution Stability Hazards	pg 25	Yes	Yes	n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 25	Yes		n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 25	Yes	Yes	n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 26	Yes	Yes	n/a	n/a
Radon Potential - Radon Affected Areas			n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Industrial Land Use					
Contemporary Trade Directory Entries	pg 27		1		2
Fuel Station Entries					
Gas Pipelines					
Underground Electrical Cables					
Sensitive Land Use					
Ancient Woodland					
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 28	2			
Ramsar Sites					
Sites of Special Scientific Interest	pg 28				1
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	479050 268250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	479750 268350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	479850 268400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	480050 268550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	0	1	479900 268450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	479300 268300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	479300 268450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	479150 268100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C4SW (S)	0	1	479250 268550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C4SE (SE)	0	1	479700 268500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C3NE (NW)	0	1	479018 269162
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	480000 269162
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C3SW (S)	0	1	478800 268550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	479018 268200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	479150 268300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	0	1	479800 268400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	479250 268250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	0	1	480100 270100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	479018 268100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C3NE (S)	0	1	479100 268950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	479350 268300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	23	1	479200 268050

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C3NE (SE)	27	1	479100 269000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	32	1	479150 268000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	35	1	480000 268550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	36	1	478850 268050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	55	1	480050 268350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	85	1	480000 268700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	87	1	479300 268000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	92	1	479950 268750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	92	1	479350 268000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	108	1	478850 267950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	128	1	480050 268650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	132	1	479100 267900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C8SE (E)	135	1	479800 269300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	139	1	478950 267850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C3NE (SE)	140	1	479200 269000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	150	1	480150 268400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	159	1	480100 268250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	160	1	480000 268800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	178	1	480050 268700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	178	1	478800 267900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	194	1	480150 268250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C3SW (SW)	199	1	478600 268750

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	200	1	480050 268800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	200	1	479600 268000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C8SE (E)	206	1	479750 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	209	1	479550 267950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	210	1	480000 268850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C3NE (SW)	223	1	478950 269050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	228	1	479300 267850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	240	1	479600 267950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	252	1	479450 267850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C3NE (SW)	259	1	478900 269000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	267	1	479500 267850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	269	1	480150 268150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C2SE (SW)	295	1	478500 268750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C3NE (SW)	334	1	478950 269100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C2SE (SW)	343	1	478450 268750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	346	1	480300 268200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	353	1	480500 268600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C3NW (W)	372	1	478600 269000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C3NE (W)	399	1	478900 269150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	406	1	480250 268050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	442	1	480550 269700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	449	1	480300 269700

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C3NW (W)	464	1	478850 269162
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C8SW (NE)	465	1	479500 269450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	475	1	478200 268150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	498	1	480450 269750
1	Discharge Consents Operator: L. A. Wilson Property Type: Domestic Property (Single) Location: Tithe Farm Moulton Road, Holcott, Northampton, Northants, Nn6 9sh Authority: Environment Agency, Anglian Region Catchment Area: Brampton Branch (Brixworth) Reference: Prnnf12920 Permit Version: 1 Effective Date: 9th April 2003 Issued Date: 23rd April 2003 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Tributary Of Foxtton Brook Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	C3SE (S)	38	2	479110 268790
2	Discharge Consents Operator: L A Wilson Property Type: Domestic Property (Single) Location: The Maltings Tithe Farm, Moulton Road, Holcot, Northampton, Nn6 9sh Authority: Environment Agency, Anglian Region Catchment Area: Brampton Branch (Brixworth) Reference: Prnnf18824 Permit Version: 1 Effective Date: 1st August 2007 Issued Date: 3rd September 2007 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Tributary Of The River Nene Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	C7SE (N)	661	2	479010 269420
3	Discharge Consents Operator: Mr Nicholas Cornwell Property Type: Domestic Property (Single) Location: North Farm, Holcot Road, Near Moulton, Northampton, Nn3 7qn Authority: Environment Agency, Anglian Region Catchment Area: Brampton Branch (Brixworth) Reference: Npswqd005704 Permit Version: 1 Effective Date: 12th January 2009 Issued Date: 12th January 2009 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Tributary Of The River Nene Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	C2SW (SW)	725	2	478062 268589

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
4	<p>Discharge Consents</p> <p>Operator: Anglian Water Services Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Holcot Sps, Holcot, Northampton, Nn6 9ss Authority: Environment Agency, Anglian Region Catchment Area: Not Given Reference: Aw5nf1762 Permit Version: 1 Effective Date: 27th July 1987 Issued Date: 27th July 1987 Revocation Date: 5th December 2008 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Lake/Reservoir - with outlet Environment: Receiving Water: Trib Pitsford Reservoir Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m</p>	C12SW (NE)	895	2	479500 270000
5	<p>Discharge Consents</p> <p>Operator: Anglian Water Services Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Holcot Sps, Holcot, Northampton, Nn6 9ss Authority: Environment Agency, Anglian Region Catchment Area: Brampton Branch (Brixworth) Reference: Awnnf2385 Permit Version: 2 Effective Date: 3rd September 2010 Issued Date: 3rd September 2010 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Trib Brixworth Branch Of R Nen Status: Post National Rivers Authority Legislation where issue date > 31/08/1989 Positional Accuracy: Located by supplier to within 100m</p>	C12SW (NE)	952	2	479400 270000
5	<p>Discharge Consents</p> <p>Operator: Anglian Water Services Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Holcot Sps, Holcot, Northampton, Nn6 9ss Authority: Environment Agency, Anglian Region Catchment Area: Not Given Reference: Awnnf2385 Permit Version: 1 Effective Date: 2nd January 1990 Issued Date: 2nd January 1990 Revocation Date: 2nd September 2010 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Trib Brixworth Branch Of R Nen Status: Post National Rivers Authority Legislation where issue date > 31/08/1989 Positional Accuracy: Located by supplier to within 100m</p>	C12SW (NE)	952	2	479400 270000
	<p>Nearest Surface Water Feature</p>	C4SW (SE)	0	-	479397 268514
6	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Engineering Location: Kettering District Authority: Environment Agency, Anglian Region Pollutant: Oils - Other Oil Note: Billing Brook Incident Date: 4th January 1994 Incident Reference: 1880 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Leaking Underground Pipe Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	C4SW (SE)	0	2	479500 268500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
7	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Kettering District Authority: Environment Agency, Anglian Region Pollutant: Unknown Note: Tributary Billing Bk Incident Date: 4th June 1993 Incident Reference: 1695 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	C8NW (NE)	675	2	479400 269600
8	Water Abstractions Operator: D J Coyle Licence Number: 5/32/03/*G/0036 Permit Version: 100 Location: Well At Holcot Authority: Environment Agency, Anglian Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Northampton Sanstone; Status: Perpetuity Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st January 1966 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	C3SE (SE)	105	2	479200 268800
9	Water Abstractions Operator: Mrs M Penn Licence Number: 5/32/03/*G/0020 Permit Version: 100 Location: Well At Moulton Lodge Farm Authority: Environment Agency, Anglian Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Northampton Sanstone; Status: Perpetuity Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st January 1966 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	C2SE (SW)	422	2	478400 268800
10	Water Abstractions Operator: G H & K M Middleton Licence Number: 5/32/03/**/099 Permit Version: Not Supplied Location: Poplar Farm, HOLCOT Authority: Environment Agency, Anglian Region Abstraction: Impounding Abstraction Type: Not Supplied Source: Stream Daily Rate (m3): 0 Yearly Rate (m3): 1000 Details: Status: Perpetuity Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	C8NW (NE)	730	2	479500 269795

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
10	Water Abstractions Operator: G & K Middleton Licence Number: 5/32/03/*S/0099 Permit Version: 100 Location: Stream, Poplar Farm, Holcot Authority: Environment Agency, Anglian Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Status: Perpetuity Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st November 1984 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	C8NW (NE)	733	2	479500 269800
11	Water Abstractions Operator: L A Wilson Licence Number: 5/32/03/**/102 Permit Version: Not Supplied Location: Location Description Not Available Authority: Environment Agency, Anglian Region Abstraction: Impounding Abstraction Type: Not Supplied Source: Stream Daily Rate (m3): 2 Yearly Rate (m3): Not Supplied Details: Status: Perpetuity Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	C7SW (NW)	840	2	478700 269495
11	Water Abstractions Operator: L A Wilson Licence Number: 5/32/03/*S/0102 Permit Version: 100 Location: Un-Named Stream Authority: Environment Agency, Anglian Region Abstraction: Amenity: Make-Up Or Top Up Water Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Status: Perpetuity Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st April 2004 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	C7SW (NW)	844	2	478700 269500
12	Water Abstractions Operator: J E Jeffery Licence Number: 5/32/03/*g/080 Permit Version: Not Supplied Location: Well At, HOLCOT Authority: Environment Agency, Anglian Region Abstraction: Agriculture (General) Abstraction Type: Not Supplied Source: Well And Borehole Daily Rate (m3): 0 Yearly Rate (m3): 1590 Details: Northampton Sanstone; Status: Revoked Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	C12SW (NE)	874	2	479400 269900

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Institute Of Agriculture Licence Number: 5/32/03/*G/0053 Permit Version: 100 Location: Brick Lined Well Authority: Environment Agency, Anglian Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Northampton Sanstone; Status: Perpetuity Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st January 1966 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(W)	1985	2	476800 268600
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	C3NE (SE)	0	3	479039 269137
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(E)	0	3	480000 269162
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(E)	0	3	480000 269000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	(S)	0	3	479000 268000
	Groundwater Vulnerability Map Combined Classification: Principle Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	C3NE (S)	0	3	479000 268973
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	C3SW (S)	0	3	478841 268673
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(S)	0	3	478983 268085

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	C3SE (S)	0	3	478922 268658
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	C3NE (S)	0	3	479024 268974
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	C3NE (S)	0	3	479018 269000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SE)	0	3	479768 268335

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(S)	0	3	479177 268135
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SE)	0	3	479729 268250
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	C3NE (S)	0	3	479092 268976
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(S)	0	3	479371 268098

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(S)	0	3	478918 268042
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(S)	0	3	478916 268041
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(S)	0	3	479311 268317
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SE)	0	3	479708 268235

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(S)	0	3	479286 268290
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(S)	0	3	479335 268272
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SE)	0	3	479703 268233
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	(S)	0	3	478990 268000
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Low Possibility	C3NE (S)	0	3	479000 269000
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	C3NE (S)	0	3	479018 269000
	Bedrock Aquifer Designations Aquifer Designation: Principal Aquifer	C3NE (S)	0	3	479024 268974
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	C3NE (S)	0	3	479092 268976

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(N)	0	3	478822 271784
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(N)	0	3	479406 271867
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(NE)	0	3	480000 270000
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	C3NE (NW)	0	3	479018 269162
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(E)	0	3	480000 269162
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	C11SE (N)	0	3	479018 270000
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	(NE)	0	3	480000 271235
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	(NE)	0	3	480000 270317
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	C3NE (SE)	0	3	479039 269137
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	(E)	0	3	480000 269162
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	(NE)	0	3	480000 270077
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(SE)	0	3	479729 268250
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(S)	0	3	479371 268098
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	C11SE (N)	0	3	479188 270097
	Extreme Flooding from Rivers or Sea without Defences None				
	Flooding from Rivers or Sea without Defences None				
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
13	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 325.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2SE (SW)	247	4	478551 268706

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
14	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 77.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C8SE (NE)	269	4	479729 269484
15	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C8SE (NE)	347	4	479725 269489
16	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 80.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C8NE (NE)	352	4	479670 269547
17	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 24.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C8NE (NE)	432	4	479650 269562
18	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 161.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C8NW (NE)	457	4	479537 269677
19	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 37.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2SE (SW)	542	4	478246 268694
20	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 36.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2SE (SW)	543	4	478249 268730
21	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2SE (SW)	547	4	478249 268734
22	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2SE (SW)	547	4	478250 268744

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
23	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 376.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2NE (W)	552	4	478223 268850
24	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 29.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C8NW (NE)	618	4	479537 269677
25	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C7SE (NW)	630	4	478908 269350
26	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C7SE (NW)	639	4	478898 269356
27	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 271.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C7SE (NW)	644	4	478894 269361
28	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 14.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C8NW (NE)	646	4	479523 269702
29	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 14.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C8NW (NE)	660	4	479501 269714
30	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 21.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C8NW (NE)	660	4	479516 269715
31	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 512.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C12SE (NE)	662	4	479614 269980

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
32	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 15.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C8NW (NE)	670	4	479493 269713
33	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 121.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C8NW (NE)	680	4	479490 269718
34	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 16.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2SW (SW)	723	4	478061 268555
35	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2SW (SW)	725	4	478061 268558
36	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 39.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2SW (SW)	725	4	478061 268598
37	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2SW (SW)	725	4	478061 268602
38	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 32.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2SW (SW)	725	4	478054 268634
39	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2SW (SW)	732	4	478052 268638
40	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 317.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2SW (SW)	734	4	478017 268742

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
41	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 96.3 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C8NW (NE)	761	4	479494 269831
42	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 139.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C12SW (NE)	837	4	479495 269927
43	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2NW (W)	856	4	478041 269049
44	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 17.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2NW (W)	858	4	478039 269051
45	OS Water Network Lines Watercourse Form: Reservoir Watercourse Length: 67.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Pitsford Water Catchment Name: Nene Primacy: 1	C2NW (W)	876	4	478024 269061
46	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 75.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C7NW (NW)	884	4	478689 269538
47	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 26.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C12SW (NE)	891	4	479563 270032
48	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 8.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2NW (W)	902	4	477932 268920
49	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 51.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2NW (W)	910	4	477922 268951

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
50	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C12SW (NE)	916	4	479546 270051
51	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C12SW (NE)	928	4	479538 270063
52	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 44.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C12SW (NE)	930	4	479497 270079
53	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2NW (W)	937	4	477915 268976
54	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2NW (W)	938	4	477915 268976
55	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 53.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2NW (W)	940	4	477946 269049
56	OS Water Network Lines Watercourse Form: Reservoir Watercourse Length: 56.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Pitsford Water Catchment Name: Nene Primacy: 1	C2NW (W)	940	4	477970 269100
57	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 37.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2NW (W)	942	4	477913 268983
58	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 20.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2NW (W)	942	4	477913 269002

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
59	OS Water Network Lines Watercourse Form: Reservoir Watercourse Length: 311.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Pitsford Water Catchment Name: Nene Primacy: 1	C2NW (W)	943	4	477970 269100
60	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2NW (W)	949	4	477915 269005
61	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 34.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C7NW (NW)	952	4	478644 269593
62	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 666.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C12SW (NE)	958	4	479497 270079
63	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2NW (W)	962	4	477883 268961
64	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 34.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C12SW (NE)	964	4	479464 270089
65	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 105.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C1NE (W)	964	4	477880 268958
66	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C7NW (NW)	986	4	478631 269625
67	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 96.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C7NW (NW)	990	4	478629 269628

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
68	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 23.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C12SW (NE)	990	4	479441 270097

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Landfill Coverage Name: Northamptonshire County Council - Has supplied landfill data		0	6	479018 269162
	Local Authority Landfill Coverage Name: Daventry District Council - Landfill data has been supplied by another authority		0	5	479018 269162

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Inferior Oolite Group	C7SW (NW)	0	1	478770 269418
	BGS 1:625,000 Solid Geology Description: Great Oolite Group	C3NE (NW)	0	1	479018 269162
	BGS 1:625,000 Solid Geology Description: Lias Group	C8NW (NE)	0	1	479389 269749
69	BGS Recorded Mineral Sites Site Name: Moulton Lodge Limestone Pits Location: Moulton, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186945 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Blisworth Limestone Formation Commodity: Limestone Positional Accuracy: Located by supplier to within 10m	C3SW (SW)	182	1	478797 268827
70	BGS Recorded Mineral Sites Site Name: Moulton Lodge Limestone Pits Location: Moulton, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186944 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Blisworth Limestone Formation Commodity: Limestone Positional Accuracy: Located by supplier to within 10m	C3SW (SW)	221	1	478670 268815
71	BGS Recorded Mineral Sites Site Name: Moulton Lodge Limestone Pits Location: Moulton, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186943 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Blisworth Limestone Formation Commodity: Limestone Positional Accuracy: Located by supplier to within 10m	C3SW (SW)	264	1	478615 268829
72	BGS Recorded Mineral Sites Site Name: Moulton Lodge Limestone Pits Location: Moulton, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186942 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Blisworth Limestone Formation Commodity: Limestone Positional Accuracy: Located by supplier to within 10m	C2SE (SW)	288	1	478533 268766
73	BGS Recorded Mineral Sites Site Name: Moulton Lodge Limestone Pits Location: Moulton, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186941 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Blisworth Limestone Formation Commodity: Limestone Positional Accuracy: Located by supplier to within 10m	C2NE (SW)	344	1	478522 268848

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
74	BGS Recorded Mineral Sites Site Name: North Farm Pit Location: Moulton, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186946 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Rutland Formation Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	C2SE (SW)	438	1	478348 268630
75	BGS Recorded Mineral Sites Site Name: Moulton Lodge Limestone Pits Location: Moulton, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186940 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Blisworth Limestone Formation Commodity: Limestone Positional Accuracy: Located by supplier to within 10m	C2NE (W)	517	1	478345 268897
76	BGS Recorded Mineral Sites Site Name: Holcot Gravel Pit Location: Holcot, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186927 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cromerian - Ipswichian Geology: Glaciofluvial Deposits, Mid Pleistocene Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	C8NW (NE)	619	1	479438 269557
77	BGS Recorded Mineral Sites Site Name: Holcot Stone Quarry Location: Holcot, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186925 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Stamford Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	C8NW (NE)	742	1	479235 269625
78	BGS Recorded Mineral Sites Site Name: Holcot Stone Quarry Location: Holcot, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186926 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Northampton Sand Formation Commodity: Iron Ore - Ironstone Positional Accuracy: Located by supplier to within 10m	C7NE (N)	900	1	479107 269745
79	BGS Recorded Mineral Sites Site Name: Holcot Gravel Pit Location: Holcot, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 139625 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Quaternary Geology: Glaciofluvial Deposits, Mid Pleistocene Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	C6NE (NW)	986	1	478390 269530

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Natural Cavities Easting: 479542 Northing: 270123 Distance: 0 Quadrant Reference: C12 Quadrant Reference: SW Bearing Ref: NE Cavity Type: Gulls/Fissures due to Cambering x 30 Solid Geology Detail: Great Oolite Group, Inferior Oolite Group, Upper Lias Superficial Geology Detail: Glacial Sand & Gravel, Glacial Till and morainic drift	C12SW (NE)	0	7	479542 270123
	Natural Cavities Easting: 478100 Northing: 269000 Distance: 780 Quadrant Reference: C2 Quadrant Reference: NW Bearing Ref: W Cavity Type: Gulls/Fissures due to Cambering x 10 Solid Geology Detail: Great Oolite Group, Inferior Oolite Group, Upper Lias Superficial Geology Detail: Glacial Till and morainic drift	C2NW (W)	780	7	478100 269000
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C3NE (NW)	0	1	479018 269162
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C11SE (N)	0	1	479188 270097
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	C11SE (N)	0	1	479188 270097
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C3NE (NW)	0	1	479018 269162
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C3NE (NW)	0	1	479018 269162
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C11SE (N)	0	1	479018 270000
	Potential for Ground Dissolution Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C3NE (S)	0	1	479024 268974
	Potential for Ground Dissolution Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C3NW (SW)	85	1	478777 268893
	Potential for Ground Dissolution Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C3NW (SW)	147	1	478740 268851
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C11SE (N)	0	1	479018 270000
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C3NE (NW)	0	1	479018 269162
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C8SW (NE)	168	1	479520 269445
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C3NE (NW)	0	1	479018 269162

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C3NE (SE)	0	1	479039 269137
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C11SE (N)	0	1	479188 270097
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C8SW (NE)	30	1	479413 269417
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C8NE (NE)	187	1	479587 269685
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C3NE (NW)	0	1	479018 269162
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C11SE (N)	0	1	479018 270000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C3NE (SE)	0	1	479039 269137
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C8NE (NE)	187	1	479691 269623
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C3NE (NW)	0	1	479018 269162
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C3NE (NW)	0	1	479018 269162

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
80	<p>Contemporary Trade Directory Entries</p> <p>Name: Crisis Worldwide Location: The Dairy, Tithe Farm, Moulton Road, Holcot, Northampton, NN6 9SH Classification: Freight Forwarders Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	C3SE (S)	44	-	479149 268764
81	<p>Contemporary Trade Directory Entries</p> <p>Name: Woodworking Centre Location: Wychwood House, Sywell Road, Holcot, Northampton, NN6 9SN Classification: Woodworking Machinery Status: Active Positional Accuracy: Automatically positioned to the address</p>	C8NW (NE)	587	-	479530 269624
82	<p>Contemporary Trade Directory Entries</p> <p>Name: Robert Osborne Location: Poplars La, Holcot, Northampton, Northants, NN6 9SW Classification: Woodworking Machinery Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location</p>	C12SW (NE)	901	-	479344 269884

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
83	Nitrate Vulnerable Zones Name: Thrapstone Lake Eutrophic Lake Nvz Description: Eutrophic Water Source: Environment Agency, Head Office	C3NE (NW)	0	3	479018 269162
84	Nitrate Vulnerable Zones Name: River Nene Nvz Description: Surface Water Source: Environment Agency, Head Office	C3NE (NW)	0	3	479018 269162
85	Sites of Special Scientific Interest Name: Pitsford Reservoir Multiple Areas: Y Total Area (m2): 4130710.07 Source: Natural England Reference: 1003637 Designation Details: Local Wildlife Site Designation Date: 1st May 1984 Date Type: Notified Designation Details: Site Of Special Scientific Interest Designation Date: 1st May 1984 Date Type: Notified Designation Details: Water Framework Directive (WFD) Designation Date: 1st May 1984 Date Type: Notified	C7NW (NW)	759	8	478595 269800

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices West Northamptonshire Council Environment Agency - Head Office Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	December 2019 November 2023 September 2017	Annual Rolling Update Annually Annual Rolling Update
Discharge Consents Environment Agency - Anglian Region	October 2023	Quarterly
Enforcement and Prohibition Notices Environment Agency - Anglian Region	March 2013	
Integrated Pollution Controls Environment Agency - Anglian Region	January 2009	
Integrated Pollution Prevention And Control Environment Agency - Anglian Region	January 2023	Quarterly
Local Authority Integrated Pollution Prevention And Control West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	February 2015 May 2014	Variable Variable
Local Authority Pollution Prevention and Controls West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	February 2015 May 2014	Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	February 2015 May 2014	Variable Variable
Nearest Surface Water Feature Ordnance Survey	November 2023	
Pollution Incidents to Controlled Waters Environment Agency - Anglian Region	September 1999	
Prosecutions Relating to Authorised Processes Environment Agency - Anglian Region	July 2015	
Prosecutions Relating to Controlled Waters Environment Agency - Anglian Region	March 2013	
Registered Radioactive Substances Environment Agency - Anglian Region Environment Agency - Head Office	June 2016 May 2023	As notified Quarterly
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	April 2012	
River Quality Chemistry Sampling Points Environment Agency - Head Office	April 2012	
Substantiated Pollution Incident Register Environment Agency - Anglian Region - Northern Area	October 2023	Quarterly
Water Abstractions Environment Agency - Anglian Region	October 2023	Quarterly
Water Industry Act Referrals Environment Agency - Anglian Region	October 2017	
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk Environment Agency - Head Office	June 2018	As notified

Agency & Hydrological	Version	Update Cycle
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Source Protection Zones Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	January 2024	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	Quarterly
OS Water Network Lines Ordnance Survey	October 2023	Quarterly
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified
Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites Environment Agency - Head Office	July 2023	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Anglian Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - Anglian Region - Northern Area	July 2023	Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - Anglian Region - Northern Area	January 2023	Quarterly
Local Authority Landfill Coverage Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Northamptonshire County Council West Northamptonshire Council	February 2003 February 2003 May 2000	Not Applicable Not Applicable Not Applicable
Local Authority Recorded Landfill Sites West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Northamptonshire County Council	August 2006 October 2018 October 2018	
Registered Landfill Sites Environment Agency - Anglian Region - Northern Area	March 2006	Not Applicable
Registered Waste Transfer Sites Environment Agency - Anglian Region - Northern Area	April 2018	
Registered Waste Treatment or Disposal Sites Environment Agency - Anglian Region - Northern Area	June 2015	

Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	March 2023	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements Northamptonshire County Council Daventry District Council (now part of West Northamptonshire Council) West Northamptonshire Council	May 2013 May 2023 May 2023	Annual Rolling Update Variable Variable
Planning Hazardous Substance Consents Northamptonshire County Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council)	December 2014 February 2016 January 2016	Annual Rolling Update Variable Variable
Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	June 2023	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	October 2023	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	October 2023	Annually

Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	October 2023	Quarterly
Fuel Station Entries Catalist Ltd - Experian	November 2023	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Underground Electrical Cables National Grid	February 2023	Bi-Annually
Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	October 2023	Bi-Annually
Areas of Adopted Green Belt Daventry District Council (now part of West Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023	Quarterly Quarterly
Areas of Unadopted Green Belt Daventry District Council (now part of West Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023	Quarterly Quarterly
Areas of Outstanding Natural Beauty Natural England	November 2023	Bi-Annually
Environmentally Sensitive Areas Natural England	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	August 2023	Bi-Annually
Marine Nature Reserves Natural England	October 2023	Bi-Annually
National Nature Reserves Natural England	August 2023	Bi-Annually
National Parks Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 March 2023	Bi-Annually
Ramsar Sites Natural England	October 2023	Bi-Annually
Sites of Special Scientific Interest Natural England	November 2023	Bi-Annually
Special Areas of Conservation Natural England	October 2023	Bi-Annually
Special Protection Areas Natural England	October 2023	Bi-Annually

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
4	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
5	Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Lodge Road, Daventry, Northamptonshire, NN11 5AF	Telephone: 01327 871100 Fax: 01327 302540 Website: www.daventrydc.gov.uk
6	Northamptonshire County Council County Hall, Northampton, Northamptonshire, NN1 1DN	Telephone: 0300 126 1000 Website: www.northamptonshire.gov.uk
7	Stantec UK Ltd Caversham Bridge House, Waterman Place, Reading, RG1 8DN	Telephone: 0118 950 0761 Email: pba.reading@stantec.com Website: www.stantec.com
8	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- ◇ Contaminated Land Register Entry or Notice
- ▲ Enforcement or Prohibition Notice
- ▲ Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- ▲ Local Authority Pollution Prevention and Control
- ▼ Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- ▼ Prosecution Relating to Authorised Processes
- ◆ Prosecution Relating to Controlled Waters
- ▲ Registered Radioactive Substance
- River Network or Water Feature
- + River Quality Sampling Point
- Substantiated Pollution Incident Register
- ◆ Water Abstraction
- ◆ Water Industry Act Referral

Waste

- ▼ BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- ▲ Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Registered Landfill Site
- ▼ Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site


Geological

- ▼ BGS Recorded Mineral Site

Industrial Land Use

- ★ Contemporary Trade Directory Entry
- ★ Fuel Station Entry
- X COMAH Site
- X Explosive Site
- X NIHS Site
- X Planning Hazardous Substance Consent
- X Planning Hazardous Substance Enforcement

Site Sensitivity Map - Slice C




Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479020, 269160
 Slice: C
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details






Grendon Solar Scheme







© Crown Copyright. All Rights Reserved. License Number 100022432.

Industrial Land Use Map


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Industrial Land Use

-  Contemporary Trade Directory Entry
-  Fuel Station Entry
-  Gas Pipeline
-  Underground Electrical Cables

Industrial Land Use Map - Slice C




Order Details




Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479020, 269160
 Slice: C
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details






Grendon Solar Scheme




General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

Agency and Hydrological (Flood)

-  Extreme Flooding from Rivers or Sea without Defences (Zone 2)
-  Flooding from Rivers or Sea without Defences (Zone 3)
-  Area Benefiting from Flood Defence
-  Flood Water Storage Areas
-  Flood Defence

Flood Map - Slice C



Order Details






Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479020, 269160
 Slice: C
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details






Grendon Solar Scheme



General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Map ID
-  Several of Type at Location


Agency and Hydrological (Boreholes)

-  BGS Borehole Depth 0 - 10m
-  BGS Borehole Depth 10 - 30m
-  BGS Borehole Depth 30m +
-  Confidential
-  Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice C




Order Details




Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479020, 269160
 Slice: C
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme




General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

OS Water Network Data

- | | |
|--|---|
|  Canal |  Drain |
|  Reservoir |  Other |
|  Foreshore |  Lake |
|  Marsh |  Transfer |
|  Tidal River |  Lock Or Flight Of Locks |
|  Inland River |  Sea |

OS Water Network Map - Slice C




Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479020, 269160
 Slice: C
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



© Crown Copyright. All Rights Reserved. License Number 100022432.



© Crown Copyright. All Rights Reserved. License Number: 100022412



Groundwater Vulnerability

General

- ⬭ Specified Site
- ⬭ Specified Buffer(s)
- X Bearing Reference Point
- ⬭ Slice
- B Map ID

Agency and Hydrological

Bedrock Aquifers


- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

Superficial Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

- Unproductive Aquifer
- Soluble Rock

Site Sensitivity Context Map - Slice D



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481350, 269750
 Slice: D
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022412



Bedrock Aquifer Designation

General


- ▭ Specified Site
- ▭ Specified Buffer(s)
- X Bearing Reference Point
- ▭ Slice
- Map ID

Agency and Hydrological

Geological Classes

- ▭ Principal Aquifer
- ▭ Secondary A Aquifer
- ▭ Secondary B Aquifer
- ▭ Secondary Undifferentiated
- ▭ Unproductive Strata
- ▭ Unknown
- ▭ Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice D



Order Details


Order Number:	331731401_1_1
Customer Ref:	93791.580478
National Grid Reference:	481350, 269750
Slice:	D
Site Area (Ha):	245.49
Search Buffer (m):	1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number: 100022432



Superficial Aquifer Designation

General


- ◇ Specified Site
- ⬭ Specified Buffer(s)
- X Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice D



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481350, 269750
 Slice: D
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



Source Protection Zones


General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice D



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481350, 269750
 Slice: D
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



Sensitive Land Uses


General

- ◇ Specified Site
- ⬭ Specified Buffer(s)
- ✕ Bearing Reference Point
- Slice
- B Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice D



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481350, 269750
 Slice: D
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number: 100022412



BGS Flood GFS Data


General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice D



Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481350, 269750
 Slice: D
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

331731401_1_1

Customer Reference:

93791.580478

National Grid Reference:

481350, 269750

Slice:

D

Site Area (Ha):

245.49

Search Buffer (m):

1000

Site Details:

Grendon Solar Scheme

Client Details:

Ms M Booth
Delta Simons
Suite 4A
One Portland Street
Manchester
M1 3BE



Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	25
Hazardous Substances	-
Geological	27
Industrial Land Use	31
Sensitive Land Use	32
Data Currency	33
Data Suppliers	38
Useful Contacts	39

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2024. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and/or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2024. © Natural Resources Wales & United Kingdom Research and Innovation 2024.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2024. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 7		1	6	
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls					
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 8	Yes			
Pollution Incidents to Controlled Waters					
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality					
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register					
Water Abstractions	pg 8		1		1
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 9	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk	pg 14	1	n/a	n/a	n/a
Bedrock Aquifer Designations	pg 14	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 15	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences				n/a	n/a
Flooding from Rivers or Sea without Defences				n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 15	1	18	24	34

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites	pg 25		3		
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)	pg 25		1		1
Local Authority Landfill Coverage	pg 26	3	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Registered Landfill Sites	pg 26			1	
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 27	Yes	n/a	n/a	n/a
BGS Recorded Mineral Sites	pg 27				3
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities	pg 27	1			
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 27	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards				n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 28	Yes	Yes	n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 28	Yes	Yes	n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 29	Yes	Yes	n/a	n/a
Radon Potential - Radon Affected Areas	pg 29	Yes	n/a	n/a	n/a
Radon Potential - Radon Protection Measures	pg 29	Yes	n/a	n/a	n/a

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Industrial Land Use					
Contemporary Trade Directory Entries	pg 31		1	1	2
Fuel Station Entries					
Gas Pipelines					
Underground Electrical Cables					
Sensitive Land Use					
Ancient Woodland	pg 32	1	2		1
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 32	3			
Ramsar Sites					
Sites of Special Scientific Interest	pg 32				2
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	0	1	479850 268350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	0	1	480000 268400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D1SW (SW)	0	1	480150 268600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	0	1	481351 271550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	D1SW (SW)	0	1	480000 268500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	479350 268300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	0	1	479700 268450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	479250 268100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D1NW (SW)	0	1	480000 268900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D1SW (SW)	0	1	479950 268650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D5NW (W)	0	1	480000 269700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D7NW (S)	0	1	481351 269700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D12NW (NE)	0	1	482200 270400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D12SW (E)	0	1	482250 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D8NW (E)	0	1	482000 269700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	0	1	479250 268300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SW)	0	1	479850 268400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	479300 268250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D10SE (NW)	0	1	481000 270100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	0	1	481700 271200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D7NE (E)	0	1	481700 269750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D12SW (E)	0	1	482000 270000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D7NE (E)	0	1	481800 269800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D15NE (N)	0	1	481800 271100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D1NW (SW)	0	1	480000 268950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D1SW (SW)	0	1	480000 268650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D12SW (NE)	5	1	482050 270050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	10	1	481750 271250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D11SE (NE)	15	1	481700 270100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	23	1	479250 268050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	27	1	479450 269000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D15NE (NE)	29	1	481900 270950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	D1SW (SW)	35	1	480050 268550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D12SW (E)	41	1	481950 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D11SE (E)	41	1	481850 269900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D11SE (E)	41	1	481900 269950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D16SW (NE)	51	1	482200 270550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SW)	55	1	480100 268350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D8NW (E)	70	1	482000 269600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D12SE (E)	74	1	482450 270150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D7NE (E)	75	1	481850 269600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	76	1	481850 271250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D7NW (S)	77	1	481351 269750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D7NE (E)	81	1	481900 269650

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D1SW (SW)	85	1	480050 268700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	87	1	479350 268000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D1SW (SW)	92	1	480000 268750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	92	1	479450 267950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D16NW (NE)	110	1	482000 271100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D7NE (E)	113	1	481900 269600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D12SE (E)	119	1	482500 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D16SW (NE)	121	1	482250 270600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	D1SW (SW)	128	1	480100 268650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	135	1	479850 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	140	1	479250 269000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	141	1	481950 271250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D7SE (SE)	143	1	481800 269450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D11SW (NE)	147	1	481550 270100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D11SE (NE)	148	1	481700 269950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	150	1	480200 268400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SW)	159	1	480150 268250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D1SW (SW)	160	1	480050 268800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D2SE (S)	160	1	481000 268750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D12SE (E)	169	1	482550 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D8NE (E)	169	1	482550 269753
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D1SW (SW)	178	1	480200 268700

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	179	1	481950 271300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D15SW (N)	185	1	481350 270650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D16SW (NE)	186	1	482150 270850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	194	1	480950 268400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D1NE (SW)	200	1	480500 268900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	200	1	479650 268000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	206	1	479800 269400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	209	1	479600 267950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D1NW (SW)	210	1	480050 268850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D11SW (NE)	218	1	481550 269900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D11SW (N)	219	1	481351 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	227	1	482100 271200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	228	1	479400 267850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D7NW (N)	234	1	481351 269800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	240	1	479650 267950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D7SE (SE)	249	1	481850 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	252	1	479500 267850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D11NE (NE)	265	1	481700 270250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	267	1	479550 267850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SW)	269	1	480300 268150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D2SW (SW)	283	1	480750 268750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D7SE (SE)	285	1	481800 269250

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	293	1	482150 271250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D11SW (NE)	305	1	481500 269850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D7NW (NE)	307	1	481450 269800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D7NW (E)	308	1	481351 269753
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	D8NW (E)	316	1	482200 269650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D7SE (SE)	319	1	481850 269250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D7SE (SE)	320	1	481900 269300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(S)	346	1	480800 268300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D15NW (N)	347	1	481450 270900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	350	1	482150 271350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D2SW (SW)	353	1	480700 268700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D11NE (NE)	376	1	481700 270350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	376	1	482750 270250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D11NE (NE)	387	1	481650 270400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D3NE (SE)	387	1	481850 269150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	D15NW (N)	388	1	481300 271150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D7SE (SE)	390	1	481900 269200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D8SW (SE)	393	1	482050 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D15NW (N)	396	1	481351 270900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	406	1	480450 268100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D15SW (N)	408	1	481351 270850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D11NE (NE)	417	1	481600 270350

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D3NE (SE)	425	1	481900 269150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D8SW (SE)	425	1	481950 269200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D8SW (SE)	426	1	482000 269250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D8SW (SE)	427	1	482050 269300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D8SW (SE)	428	1	482100 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D8SW (SE)	433	1	482150 269400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D6NW (W)	442	1	480700 269750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	D11SW (N)	447	1	481350 269850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D5NE (W)	449	1	480400 269753
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	D14NE (N)	450	1	481250 271100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D8SW (SE)	461	1	482000 269200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D8SW (SE)	462	1	482050 269250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	465	1	479550 269550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D3NE (SE)	476	1	481800 269000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D3NE (SE)	494	1	481900 269050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D4NW (SE)	495	1	481950 269100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D4NW (SE)	496	1	482000 269150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D11NW (N)	497	1	481500 270350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D8SW (SE)	497	1	482050 269200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D5NE (W)	498	1	480500 269753
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D8SE (E)	500	1	482350 269500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	<p>Discharge Consents</p> <p>Operator: Mr E White Property Type: Domestic Property (Single) Location: Yeomans Farm Kettering Road, Hannington, Northampton, Nn6 9te Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5lf5065 Permit Version: 1 Effective Date: 22nd July 1985 Issued Date: 22nd July 1985 Revocation Date: 15th September 1997 Discharge Type: Unknown Discharge: Land/Soakaway Environment: Receiving Water: Land Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m</p>	D6SE (SW)	228	2	481020 269360
2	<p>Discharge Consents</p> <p>Operator: Merrick John Russell Pinny Property Type: WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Location: New College Farm Sywell Road, Holcot, Northampton, Nn6 9sq Authority: Environment Agency, Anglian Region Catchment Area: Not Given Reference: Prmnf02414 Permit Version: 2 Effective Date: 20th February 1992 Issued Date: 20th February 1992 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Moulton Brook Status: Post National Rivers Authority Legislation where issue date > 31/08/1989 Positional Accuracy: Located by supplier to within 100m</p>	D1NW (SW)	298	2	480180 268940
2	<p>Discharge Consents</p> <p>Operator: Merrick John Russell Pinny Property Type: WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Location: New College Farm Sywell Road, Holcot, Northampton, Nn6 9sq Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Prmnf02414 Permit Version: 1 Effective Date: 26th March 1990 Issued Date: 26th March 1990 Revocation Date: 19th February 1992 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Moulton Brook Status: Post National Rivers Authority Legislation where issue date > 31/08/1989 Positional Accuracy: Located by supplier to within 10m</p>	D1NW (SW)	298	2	480180 268940
2	<p>Discharge Consents</p> <p>Operator: Northamptonshire County Council Property Type: WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Location: College Farm Holcot, Holcot, Northampton, Nn6 Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5nf5108 Permit Version: 1 Effective Date: 5th December 1985 Issued Date: 5th December 1985 Revocation Date: 26th February 1992 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Trib River Nene Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m</p>	D1NW (SW)	319	2	480190 268920

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
3	Discharge Consents Operator: M J R Pinny Property Type: WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Location: Nene College Farm, Sywell Road, Holcot Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5lf5107 Permit Version: 1 Effective Date: 5th December 1985 Issued Date: 5th December 1985 Revocation Date: 16th September 1997 Discharge Type: Unknown Discharge: Land/Soakaway Environment: Receiving Water: Land Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	D1NE (SW)	331	2	480320 268910
4	Discharge Consents Operator: D.E. Watson Esq. Property Type: Not Supplied Location: House At Holcot Crossroads, Holcot, Northampton Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5lf3148 Permit Version: 1 Effective Date: 27th August 1971 Issued Date: 27th August 1971 Revocation Date: 1st October 1996 Discharge Type: Unknown Discharge: Land/Soakaway Environment: Receiving Water: Land Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	D2SW (SW)	379	2	480700 268660
5	Discharge Consents Operator: The Trustees Of Northampton Pistol Club Property Type: Not Supplied Location: Sywell Rifle Range, Sywell, Northampton, Nn6 9te Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5lf5160 Permit Version: 1 Effective Date: 5th June 1986 Issued Date: 5th June 1986 Revocation Date: 1st October 1996 Discharge Type: Unknown Discharge: Land/Soakaway Environment: Receiving Water: Land Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	D8NE (E)	420	2	482370 269580
	Nearest Surface Water Feature	D12NW (NE)	0	-	481974 270498
6	Water Abstractions Operator: A C Mumford Licence Number: 5/32/05/*G/0035 Permit Version: 100 Location: Well At Tea Caddy Farm Authority: Environment Agency, Anglian Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Northampton Sanstone; Status: Perpetuity Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st January 1966 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	D7SW (S)	66	2	481300 269300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
7	Water Abstractions Operator: NI & J R Earle Licence Number: 5/32/05/*g/049 Permit Version: Not Supplied Location: Borehole, Sywell Grange, SYWELL Authority: Environment Agency, Anglian Region Abstraction: Agriculture (General) Abstraction Type: Not Supplied Source: Well And Borehole Daily Rate (m3): 1 Yearly Rate (m3): 9090 Details: Northampton Sanstone; Status: Revoked Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	D3SE (SE)	846	2	481900 268600
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	D5SW (W)	0	3	480000 269363
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	D6NE (W)	0	3	481000 269753
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	D7NW (E)	0	3	481351 269753

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(N)	0	3	481058 271421
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	D15NW (N)	0	3	481554 271000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	D2NE (SW)	0	3	481000 269000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: >10m Superficial Recharge: Low	D8NW (E)	0	3	482000 269753

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	D1NW (SW)	0	3	480000 269000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SW)	0	3	480000 268428
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SW)	0	3	479844 268283
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	D1NW (SW)	0	3	479985 268969

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SW)	0	3	479371 268098
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	D3NW (S)	0	3	481351 269000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: No Data	D11SW (N)	0	3	481351 270000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: >10m Superficial Recharge: Low	D12SW (E)	0	3	482000 270000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: >10m Superficial Recharge: Low	D12NW (NE)	0	3	482166 270272
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	D14NE (N)	0	3	481160 271013
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SW)	0	3	479333 268309
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SW)	0	3	479854 268289

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SW)	0	3	479286 268290
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SW)	0	3	479335 268272
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SW)	0	3	479708 268235
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	D15NW (N)	0	3	481351 271000
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	D1NW (SW)	0	3	480000 269000
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	D12NW (NE)	0	3	482166 270272
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	D1NW (SW)	0	3	479985 268969
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(NW)	0	3	480000 271922

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	D11SW (N)	0	3	481351 270000
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	D5NW (W)	0	3	480000 269753
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	D7NW (E)	0	3	481351 269753
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	D9NW (NW)	0	3	480000 270317
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	(NW)	0	3	480208 271269
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	D14SW (NW)	0	3	480628 270630
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	D5SW (W)	0	3	480000 269363
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	D7NW (E)	0	3	481351 269753
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	D11SW (N)	0	3	481351 270000
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(SW)	0	3	479844 268283
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(SW)	0	3	479371 268098
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(W)	0	3	479673 270134
	Extreme Flooding from Rivers or Sea without Defences None				
	Flooding from Rivers or Sea without Defences None				
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
8	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 210.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D12NW (NE)	0	4	481974 270498
9	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 140.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D12NE (NE)	5	4	482375 270195

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
10	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 238.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D12SW (E)	14	4	482196 270080
11	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 16.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D12NE (NE)	45	4	482370 270345
12	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 318.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D12NE (NE)	47	4	482368 270379
13	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 337.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D12NE (NE)	55	4	482379 270359
14	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 619.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D12SE (E)	126	4	482488 270111
15	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 416.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D2NW (SW)	135	4	480773 268995
16	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D16SW (NE)	136	4	481935 270544
17	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 72.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D11NE (NE)	142	4	481877 270500
18	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 314.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D1NE (SW)	161	4	480530 269083

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
19	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 150.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D11SE (NE)	166	4	481841 270077
20	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 349.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D1SE (SW)	169	4	480273 268782
21	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D11SE (NE)	208	4	481837 270075
22	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 116.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D11SE (NE)	210	4	481735 270021
23	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D11NE (NE)	215	4	481872 270497
24	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 285.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D11NE (NE)	221	4	481643 270326
25	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D11SE (NE)	244	4	481731 270021
26	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 312.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D11SW (N)	247	4	481423 269989
27	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 67.0 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D1NE (SW)	312	4	480256 268928

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
28	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 139.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D1NW (SW)	341	4	480196 268897
29	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 22.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D1NE (SW)	386	4	480384 268856
30	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 74.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D14NE (N)	389	4	481255 271161
31	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 61.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D8SW (SE)	394	4	482013 269309
32	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D1NE (SW)	395	4	480364 268846
33	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 150.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D8SW (SE)	398	4	482050 269342
34	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D8SW (SE)	399	4	482007 269295
35	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 114.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D8SW (SE)	400	4	482004 269291
36	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D8SW (SE)	400	4	482004 269291

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
37	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 98.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D1NE (SW)	402	4	480352 268839
38	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 82.5 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D8SW (SE)	435	4	481953 269188
39	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D15NW (N)	438	4	481262 271152
40	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 366.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D8SW (E)	440	4	482183 269418
41	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D14NE (N)	442	4	481245 271151
42	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D8SW (E)	446	4	482180 269416
43	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 554.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D3NE (SE)	449	4	481909 269119
44	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D14NE (N)	455	4	481240 271150
45	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 180.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D11SW (N)	455	4	481355 269864

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
46	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 40.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D14NE (N)	460	4	481209 271128
47	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D11SW (N)	493	4	481418 269988
48	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 201.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D11SW (N)	496	4	481342 269961
49	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D14NE (N)	496	4	481205 271126
50	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 20.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D14NE (N)	500	4	481186 271120
51	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D11NE (NE)	506	4	481637 270321
52	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D11NE (NE)	513	4	481631 270317
53	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D11NE (NE)	521	4	481626 270315
54	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.1 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D14NE (N)	521	4	481183 271119

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
55	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 49.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D14NE (N)	524	4	481146 271086
56	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 160.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D11NW (N)	526	4	481486 270237
57	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1178.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D10SE (NW)	564	4	481136 270036
58	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D3SW (S)	569	4	481592 268689
59	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D14NE (N)	570	4	481146 271086
60	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 60.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D3SW (S)	572	4	481592 268685
61	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D11NW (N)	573	4	481479 270235
62	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 173.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D11SW (N)	577	4	481341 270136
63	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 17.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D14NE (N)	580	4	481134 271088

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
64	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D14NE (N)	590	4	481120 271097
65	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 147.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D14NE (N)	593	4	481117 271100
66	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 36.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D3SE (S)	613	4	481596 268624
67	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 38.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D10SE (NW)	636	4	481224 269988
68	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 19.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D10SE (NW)	636	4	481232 269996
69	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 91.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D11SW (N)	638	4	481270 270083
70	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D3SE (S)	638	4	481600 268588
71	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 304.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D3SE (S)	641	4	481598 268581
72	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 17.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D10SE (NW)	655	4	481217 270008

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
73	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 512.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D9SW (W)	662	4	480037 269908
74	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D9SW (W)	662	4	480040 269907
75	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 24.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D10SE (N)	666	4	481254 270064
76	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 66.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D10SE (NW)	667	4	481207 270022
77	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 10.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D10SE (NW)	672	4	481205 270021
78	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 2.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D10SE (NW)	675	4	481196 270015
79	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 44.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D10SE (NW)	677	4	481195 270017
80	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 18.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D10SE (NW)	718	4	481155 270035
81	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D14NE (N)	719	4	480984 271088

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
82	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 210.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D14NE (N)	723	4	480930 271063
83	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D14NW (NW)	918	4	480793 271048
84	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 529.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D13SE (NW)	921	4	480444 270780

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
85	Historical Landfill Sites Licence Holder: B Muttock Location: Sywell Range, Sywell Name: Northampton and District Gun Club Operator Location: Hall Farm, Barton Road, Kettering Boundary Accuracy: As Supplied Provider Reference: EAHLD02382 First Input Date: 1st June 1992 Last Input Date: Not Supplied Specified Waste Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 2800/0010 BGS Ref: Not Supplied Other Ref: W/033	D7SE (SE)	83	2	481689 269422
86	Historical Landfill Sites Licence Holder: B Muttock Location: Sywell Range, Sywell Name: Northampton and District Gun Club Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD02383 First Input Date: 1st June 1992 Last Input Date: Not Supplied Specified Waste Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 2800/0010 BGS Ref: Not Supplied Other Ref: W/033	D8NW (E)	238	2	482017 269543
87	Historical Landfill Sites Licence Holder: B Muttock Location: Sywell Range, Sywell Name: Northampton and District Gun Club Operator Location: Hall Farm, Barton Road, Kettering Boundary Accuracy: As Supplied Provider Reference: EAHLD02384 First Input Date: 1st June 1992 Last Input Date: Not Supplied Specified Waste Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 2800/0010 BGS Ref: Not Supplied Other Ref: W/033	D7SE (SE)	246	2	481822 269316
88	Licensed Waste Management Facilities (Locations) Licence Number: 102189 Location: A43, Sywell, Northampton, Northamptonshire, NN6 9TE Operator Name: Sywell Leisure Sports Limited Operator Location: Not Supplied Authority: Environment Agency - Anglian Region, Northern Area Site Category: Use of waste in a deposit for recovery op Licence Status: Modified Issued: 7th January 2011 Last Modified: 5th January 2017 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	D7NE (SE)	183	2	481919 269516
89	Licensed Waste Management Facilities (Locations) Licence Number: 103783 Location: Bellman Gate, Holcot Road, Sywell, Northamptonshire, NN6 0BT Operator Name: Sywell Aerodrome Ltd Operator Location: Not Supplied Authority: Environment Agency - Anglian Region, Northern Area Site Category: Use of waste in a deposit for recovery op Licence Status: Surrendered Issued: 15th February 2012 Last Modified: 1st June 2017 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: 12th February 2019 IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	D4SE (SE)	973	2	482306 268781

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Landfill Coverage Name: Northamptonshire County Council - Has supplied landfill data		0	6	481351 269753
	Local Authority Landfill Coverage Name: Wellingborough Borough Council - Has no landfill data to supply		0	5	481596 269514
	Local Authority Landfill Coverage Name: Daventry District Council - Landfill data has been supplied by another authority		0	7	481351 269753
90	Registered Landfill Sites Licence Holder: B Muttock Licence Reference: W/033 Site Location: Northampton & District Gun Club, Sywell Range, Sywell, Northampton, Northamptonshire Licence Easting: 482000 Licence Northing: 269200 Operator Location: Silver Birches, 68 Ecton Lane, SYWELL, Northamptonshire, NN6 0BA Authority: Environment Agency - Anglian Region, Northern Area Site Category: Landfill Max Input Rate: Medium (Equal to or greater than 25,000 and less than 75,000 tonnes per year) Waste Source: No known restriction on source of waste Restrictions: Status: Licence has completion certificateSurrendered Dated: 1st July 1992 Preceded By: Not Given Licence: Superseded By: Not Given Licence: Positional Accuracy: Manually positioned to the address or location Boundary Accuracy: Not Applicable Authorised Waste: Max.Waste Permitted By Licence Northants Cat. A1 -Solid Inert (Soils) Prohibited Waste: Asbestos Northants Cat. B - Slowly Decompose Northants Cat. C - Putresc./Domestic Waste N.O.S.	D8SW (SE)	461	2	482000 269200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Inferior Oolite Group	D10SE (W)	0	1	480993 269851
	BGS 1:625,000 Solid Geology Description: Great Oolite Group	D7NW (E)	0	1	481351 269753
	BGS 1:625,000 Solid Geology Description: Lias Group	D13SE (NW)	0	1	480555 270670
91	BGS Recorded Mineral Sites Site Name: Hannington Quarry Location: Hannington, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186935 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Stamford Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	D14SE (N)	763	1	481088 270805
92	BGS Recorded Mineral Sites Site Name: Hannington Quarry Location: Hannington, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186934 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Stamford Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	D14SE (N)	777	1	481044 270840
93	BGS Recorded Mineral Sites Site Name: Holcot Stone Pit Location: Holcot, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186928 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Northampton Sand Formation Commodity: Iron Ore - Ironstone Positional Accuracy: Located by supplier to within 10m	D9NW (W)	991	1	480180 270239
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Natural Cavities Easting: 480752 Northing: 270073 Distance: 0 Quadrant Reference: D10 Quadrant Reference: SW Bearing Ref: NW Cavity Type: Gulls/Fissures due to Cambering x 30 Solid Geology Detail: Great Oolite Group, Inferior Oolite Group, Upper Lias Superficial Geology Detail: Glacial Sand & Gravel, Glacial Till and morainic drift	D10SW (NW)	0	8	480752 270073
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D5NW (W)	0	1	480000 269753
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D7NW (E)	0	1	481351 269753
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D11SW (N)	0	1	481351 270000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D11SW (N)	0	1	481351 270000
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D7NW (E)	0	1	481351 269753
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D5NW (W)	0	1	480000 269753
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D5NW (W)	0	1	480000 269753
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D9SW (W)	0	1	480000 270000
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D11SW (N)	0	1	481351 270000
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D7NW (E)	0	1	481351 269753
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D7NW (E)	0	1	481351 269753
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D9NW (NW)	0	1	480000 270317
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D11SW (N)	0	1	481351 270000
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D5NW (W)	0	1	480000 269738
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D14NE (N)	0	1	481166 270860
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	D7SE (SE)	132	1	481757 269422
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	D7SE (SE)	133	1	481783 269444
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	D7SE (SE)	190	1	481903 269483
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D10NW (NW)	0	1	480617 270332
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D11SW (N)	0	1	481351 270000
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D5SW (W)	0	1	480000 269363
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D7NW (E)	0	1	481351 269753
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D5NW (W)	30	1	480000 269753
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D1SW (SW)	40	1	480195 268598

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D5SW (W)	117	1	480100 269384
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D5NW (W)	187	1	480000 269738
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D5NW (W)	0	1	480000 269753
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D14SE (N)	0	1	481170 270769
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	D9NW (NW)	0	1	480000 270317
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	D11SW (N)	0	1	481351 270000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	D5SW (W)	0	1	480000 269363
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	D7NW (E)	0	1	481351 269753
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D1SW (SW)	40	1	480195 268598
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D5SW (W)	117	1	480100 269384
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	D5NW (W)	187	1	480000 269738
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Higher probability radon area (10 to 30% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	D14SE (N)	0	1	481175 270825
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	D15NE (N)	0	1	481650 271175
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	D5NW (W)	0	1	480000 269725
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	D7NW (E)	0	1	481351 269753
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	D11SW (N)	0	1	481351 270000
	Radon Potential - Radon Protection Measures Protection Measure: Full radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	D14SE (N)	0	1	481175 270825
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	D15NE (N)	0	1	481650 271175
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	D5NW (W)	0	1	480000 269725

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	D7NW (E)	0	1	481351 269753
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	D11SW (N)	0	1	481351 270000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
94	<p>Contemporary Trade Directory Entries</p> <p>Name: Unitrak Bulk Transfer Ltd Location: Yeoman Farm, Kettering Road, Hannington, Northampton, NN6 9TE Classification: Road Haulage Services Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	D6SE (SW)	148	-	481062 269189
95	<p>Contemporary Trade Directory Entries</p> <p>Name: Trade Coatings Location: 1, RED HOUSE LANE, HANNINGTON, NN6 9SZ Classification: Coating Specialists Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	D15NW (N)	338	-	481367 271156
96	<p>Contemporary Trade Directory Entries</p> <p>Name: Mawsley Commercial Vehicles Location: Holcot Lane, Sywell, Northampton, Northamptonshire, NN6 0BE Classification: Car Dealers - Used Status: Inactive Positional Accuracy: Manually positioned to the address or location</p>	D4SW (SE)	802	-	481990 268733
97	<p>Contemporary Trade Directory Entries</p> <p>Name: Day & Coles (Agricultural) Ltd Location: Holcot Lane, Sywell, Northampton, NN6 0BE Classification: Agricultural Machinery - Sales & Service Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	D4SW (SE)	851	-	481935 268626

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
98	Ancient Woodland Name: Sywell Wood Reference: 1108223 Area(m ²): 937799.53 Type: Plantation on Ancient Woodland	D12SE (E)	0	9	482401 269924
99	Ancient Woodland Name: Hardwick Wood Reference: 1108226 Area(m ²): 346399.7 Type: Plantation on Ancient Woodland	D12NE (NE)	72	9	482407 270346
100	Ancient Woodland Name: Hardwick Wood Reference: 1108226 Area(m ²): 50237.63 Type: Ancient and Semi-Natural Woodland	D12NE (NE)	167	9	482471 270455
101	Ancient Woodland Name: Sywell Wood Reference: 1108223 Area(m ²): 26389.96 Type: Ancient and Semi-Natural Woodland	(E)	833	9	482788 269278
102	Nitrate Vulnerable Zones Name: Thrapstone Lake Eutrophic Lake Nvz Description: Eutrophic Water Source: Environment Agency, Head Office	D7NW (E)	0	3	481351 269753
103	Nitrate Vulnerable Zones Name: Northampton Sands Description: Groundwater Source: Environment Agency, Head Office	D12NE (NE)	0	3	482310 270230
104	Nitrate Vulnerable Zones Name: River Nene Nvz Description: Surface Water Source: Environment Agency, Head Office	D7NW (E)	0	3	481351 269753
105	Sites of Special Scientific Interest Name: Hardwick Lodge Meadow Multiple Areas: N Total Area (m2): 100205.38 Source: Natural England Reference: 1002746 Designation Details: Site Of Special Scientific Interest Designation Date: 1st November 1985 Date Type: Notified	(E)	796	9	483171 270232
106	Sites of Special Scientific Interest Name: Pitsford Reservoir Multiple Areas: Y Total Area (m2): 4130710.07 Source: Natural England Reference: 1003637 Designation Details: Local Wildlife Site Designation Date: 1st May 1984 Date Type: Notified Designation Details: Site Of Special Scientific Interest Designation Date: 1st May 1984 Date Type: Notified Designation Details: Water Framework Directive (WFD) Designation Date: 1st May 1984 Date Type: Notified	(W)	940	9	479440 270059

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Environment Agency - Head Office Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	August 2013 December 2019 December 2019 November 2023 September 2017	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annually Annual Rolling Update
Discharge Consents Environment Agency - Anglian Region	October 2023	Quarterly
Enforcement and Prohibition Notices Environment Agency - Anglian Region	March 2013	
Integrated Pollution Controls Environment Agency - Anglian Region	January 2009	
Integrated Pollution Prevention And Control Environment Agency - Anglian Region	January 2023	Quarterly
Local Authority Integrated Pollution Prevention And Control Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	December 2020 February 2015 February 2015 May 2014	Variable Variable Variable Variable
Local Authority Pollution Prevention and Controls Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	December 2020 February 2015 February 2015 May 2014	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	December 2014 February 2015 February 2015 May 2014	Variable Variable Variable Variable
Nearest Surface Water Feature Ordnance Survey	November 2023	
Pollution Incidents to Controlled Waters Environment Agency - Anglian Region	September 1999	
Prosecutions Relating to Authorised Processes Environment Agency - Anglian Region	July 2015	
Prosecutions Relating to Controlled Waters Environment Agency - Anglian Region	March 2013	
Registered Radioactive Substances Environment Agency - Anglian Region Environment Agency - Head Office	June 2016 May 2023	As notified Quarterly
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	April 2012	
River Quality Chemistry Sampling Points Environment Agency - Head Office	April 2012	

Agency & Hydrological	Version	Update Cycle
Substantiated Pollution Incident Register Environment Agency - Anglian Region - Northern Area	October 2023	Quarterly
Water Abstractions Environment Agency - Anglian Region	October 2023	Quarterly
Water Industry Act Referrals Environment Agency - Anglian Region	October 2017	
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Source Protection Zones Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	January 2024	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	Quarterly
OS Water Network Lines Ordnance Survey	October 2023	Quarterly
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified

Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites Environment Agency - Head Office	July 2023	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Anglian Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - Anglian Region - Northern Area	July 2023	Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - Anglian Region - Northern Area	January 2023	Quarterly
Local Authority Landfill Coverage Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Northamptonshire County Council Wellingborough Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council West Northamptonshire Council	February 2003 February 2003 February 2003 May 2000 May 2000	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable
Local Authority Recorded Landfill Sites North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Northamptonshire County Council Wellingborough Borough Council (now part of North Northamptonshire Council)	August 2006 August 2006 October 2018 October 2018 October 2018	
Registered Landfill Sites Environment Agency - Anglian Region - Northern Area	March 2006	Not Applicable
Registered Waste Transfer Sites Environment Agency - Anglian Region - Northern Area	April 2018	
Registered Waste Treatment or Disposal Sites Environment Agency - Anglian Region - Northern Area	June 2015	
Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	March 2023	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) Northamptonshire County Council Daventry District Council (now part of West Northamptonshire Council) West Northamptonshire Council	February 2016 February 2016 May 2013 May 2023 May 2023	Variable Variable Annual Rolling Update Variable Variable
Planning Hazardous Substance Consents Northamptonshire County Council North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council)	December 2014 February 2016 February 2016 February 2016 January 2016	Annual Rolling Update Variable Variable Variable Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	June 2023	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	October 2023	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	October 2023	Annually
Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	October 2023	Quarterly
Fuel Station Entries Catalist Ltd - Experian	November 2023	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Underground Electrical Cables National Grid	February 2023	Bi-Annually

Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	October 2023	Bi-Annually
Areas of Adopted Green Belt Daventry District Council (now part of West Northamptonshire Council) North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly
Areas of Unadopted Green Belt Daventry District Council (now part of West Northamptonshire Council) North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly
Areas of Outstanding Natural Beauty Natural England	November 2023	Bi-Annually
Environmentally Sensitive Areas Natural England	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	August 2023	Bi-Annually
Marine Nature Reserves Natural England	October 2023	Bi-Annually
National Nature Reserves Natural England	August 2023	Bi-Annually
National Parks Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 March 2023	Bi-Annually
Ramsar Sites Natural England	October 2023	Bi-Annually
Sites of Special Scientific Interest Natural England	November 2023	Bi-Annually
Special Areas of Conservation Natural England	October 2023	Bi-Annually
Special Protection Areas Natural England	October 2023	Bi-Annually

A selection of organisations who provide data within this report


Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
4	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
5	Wellingborough Borough Council (now part of North Northamptonshire Council) Croyland Abbey, Tithe Barn Road, Wellingborough, Northamptonshire, NN8 1BJ	Telephone: 01933 229777 Fax: 01933 441375 Website: www.wellingborough.gov.uk
6	Northamptonshire County Council County Hall, Northampton, Northamptonshire, NN1 1DN	Telephone: 0300 126 1000 Website: www.northamptonshire.gov.uk
7	Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Lodge Road, Daventry, Northamptonshire, NN11 5AF	Telephone: 01327 871100 Fax: 01327 302540 Website: www.daventrydc.gov.uk
8	Stantec UK Ltd Caversham Bridge House, Waterman Place, Reading, RG1 8DN	Telephone: 0118 950 0761 Email: pba.reading@stantec.com Website: www.stantec.com
9	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

- General**
- Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point
 - Map ID
 - Several of Type at Location
- Agency and Hydrological**
- Contaminated Land Register Entry or Notice (Location)
 - Contaminated Land Register Entry or Notice
 - Discharge Consent
 - Enforcement or Prohibition Notice
 - Integrated Pollution Control
 - Integrated Pollution Prevention Control
 - Local Authority Integrated Pollution Prevention and Control
 - Local Authority Pollution Prevention and Control
 - Local Authority Pollution Prevention and Control Enforcement
 - Pollution Incident to Controlled Waters
 - Prosecution Relating to Authorised Processes
 - Prosecution Relating to Controlled Waters
 - Registered Radioactive Substance
 - River Network or Water Feature
 - River Quality Sampling Point
 - Substantiated Pollution Incident Register
 - Water Abstraction
 - Water Industry Act Referral
- Waste**
- BGS Recorded Landfill Site (Location)
 - BGS Recorded Landfill Site
 - EA Historic Landfill (Buffered Point)
 - EA Historic Landfill (Polygon)
 - Integrated Pollution Control Registered Waste Site
 - Licensed Waste Management Facility (Landfill Boundary)
 - Licensed Waste Management Facility (Location)
 - Local Authority Recorded Landfill Site (Location)
 - Local Authority Recorded Landfill Site
 - Registered Landfill Site
 - Registered Landfill Site (Location)
 - Registered Landfill Site (Point Buffered to 100m)
 - Registered Landfill Site (Point Buffered to 250m)
 - Registered Waste Transfer Site (Location)
 - Registered Waste Transfer Site
 - Registered Waste Treatment or Disposal Site (Location)
 - Registered Waste Treatment or Disposal Site
- Hazardous Substances**
- COMAH Site
 - Explosive Site
 - NIHHS Site
 - Planning Hazardous Substance Consent
 - Planning Hazardous Substance Enforcement
- Geological**
- BGS Recorded Mineral Site
- Industrial Land Use**
- Contemporary Trade Directory Entry
 - Fuel Station Entry

Site Sensitivity Map - Slice D



Order Details






Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481350, 269750
 Slice: D
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details





Grendon Solar Scheme

Industrial Land Use Map


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Industrial Land Use

-  Contemporary Trade Directory Entry
-  Fuel Station Entry
-  Gas Pipeline
-  Underground Electrical Cables

Industrial Land Use Map - Slice D




Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481350, 269750
 Slice: D
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details






Grendon Solar Scheme




General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

Agency and Hydrological (Flood)

-  Extreme Flooding from Rivers or Sea without Defences (Zone 2)
-  Flooding from Rivers or Sea without Defences (Zone 3)
-  Area Benefiting from Flood Defence
-  Flood Water Storage Areas
-  Flood Defence

Flood Map - Slice D




Order Details






Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481350, 269750
 Slice: D
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details






Grendon Solar Scheme



General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Map ID
-  Several of Type at Location


Agency and Hydrological (Boreholes)

-  BGS Borehole Depth 0 - 10m
-  BGS Borehole Depth 10 - 30m
-  BGS Borehole Depth 30m +
-  Confidential
-  Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice D




Order Details




Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481350, 269750
 Slice: D
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme




General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

OS Water Network Data

- | | |
|--|---|
|  Canal |  Drain |
|  Reservoir |  Other |
|  Foreshore |  Lake |
|  Marsh |  Transfer |
|  Tidal River |  Lock Or Flight Of Locks |
|  Inland River |  Sea |

OS Water Network Map - Slice D




Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481350, 269750
 Slice: D
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



482000 482500 483000 483500 484000 484500 485000 485500



© Crown Copyright. All Rights Reserved. License Number 100022412



Groundwater Vulnerability

General

- ◇ Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological


Bedrock Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer
- Unproductive Aquifer
- Soluble Rock

Superficial Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

Site Sensitivity Context Map - Slice E



Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 482940, 270150
 Slice: E
 Site Area (Ha): 245.49
 Search Buffer (m): 1000


Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

482000 482500 483000 483500 484000 484500 485000 485500



© Crown Copyright. All Rights Reserved. License Number 100022412



Bedrock Aquifer Designation

General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice E



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 482940, 270150
 Slice: E
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432



Superficial Aquifer Designation

General


- ◇ Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice E



Order Details


Order Number:	331731401_1_1
Customer Ref:	93791.580478
National Grid Reference:	482940, 270150
Slice:	E
Site Area (Ha):	245.49
Search Buffer (m):	1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



Source Protection Zones


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice E



Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 482940, 270150
 Slice: E
 Site Area (Ha): 245.49
 Search Buffer (m): 1000


Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

482000 482500 483000 483500 484000 484500 485000 485500



© Crown Copyright. All Rights Reserved. Licence Number 1000122412



Sensitive Land Uses


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice E



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 482940, 270150
 Slice: E
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100122432



BGS Flood GFS Data


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice E



Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 482940, 270150
 Slice: E
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

331731401_1_1

Customer Reference:

93791.580478

National Grid Reference:

482940, 270150

Slice:

E

Site Area (Ha):

245.49

Search Buffer (m):

1000

Site Details:

Grendon Solar Scheme

Client Details:

Ms M Booth
Delta Simons
Suite 4A
One Portland Street
Manchester
M1 3BE



Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	8
Hazardous Substances	-
Geological	9
Industrial Land Use	-
Sensitive Land Use	10
Data Currency	11
Data Suppliers	16
Useful Contacts	17

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2024. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2024. © Natural Resources Wales & United Kingdom Research and Innovation 2024.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2024. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents					
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls					
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 3		Yes		
Pollution Incidents to Controlled Waters	pg 3				1
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality					
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register					
Water Abstractions	pg 3				1
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 4	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a	n/a	n/a
Bedrock Aquifer Designations	pg 6	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 6	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences				n/a	n/a
Flooding from Rivers or Sea without Defences				n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 6		1		11

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites					
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)					
Local Authority Landfill Coverage	pg 8	3	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 9	Yes	n/a	n/a	n/a
BGS Recorded Mineral Sites					
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 9	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards				n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 9	Yes		n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 9	Yes		n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 9	Yes		n/a	n/a
Radon Potential - Radon Affected Areas			n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Industrial Land Use					
Contemporary Trade Directory Entries					
Fuel Station Entries					
Gas Pipelines					
Underground Electrical Cables					
Sensitive Land Use					
Ancient Woodland	pg 10	1	2		1
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 10	3			
Ramsar Sites					
Sites of Special Scientific Interest	pg 10				1
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	482000 271650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	482000 269550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	482550 270450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	482550 270148
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	482450 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	482150 270150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	482350 270150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	482200 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	481900 271100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	5	1	482100 270100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	10	1	481950 271300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	15	1	482000 270148
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	29	1	482000 271000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	41	1	482000 270050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	41	1	481950 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	51	1	482250 270550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	70	1	482550 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	74	1	482550 270150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	76	1	481950 271250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	81	1	482000 269650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	110	1	482050 271100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	113	1	482000 269600

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	119	1	482550 270050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	121	1	482300 270600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	141	1	482150 271250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	143	1	482350 269600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E9SW (SW)	169	1	482900 270100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E9SW (S)	169	1	482939 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	179	1	482000 271300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	186	1	482500 270800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	227	1	482250 271200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	249	1	482150 269450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	293	1	482200 271250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SW)	316	1	482450 269650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	320	1	482050 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	350	1	482250 271350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E9SW (N)	376	1	482939 270148
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	387	1	481900 269150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	390	1	481950 269200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	393	1	482100 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	425	1	482000 269150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	425	1	482000 269200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	426	1	482050 269250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	427	1	482100 269300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	428	1	482150 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	433	1	482300 269450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	461	1	482050 269200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	462	1	482250 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	494	1	481950 269050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	495	1	482000 269100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	496	1	482050 269150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	497	1	482150 269200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	500	1	482450 269500
	Nearest Surface Water Feature	E9SW (SW)	126	-	482700 269904
1	Pollution Incidents to Controlled Waters Property Type: Engineering Location: Kettering District Authority: Environment Agency, Anglian Region Pollutant: Chemicals - Other Inorganic Note: Ground Incident Date: 4th September 1995 Incident Reference: 2469 Catchment Area: Not Given Receiving Water: Groundwater Cause of Incident: Other Cause Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	E13SE (N)	973	2	483200 270800
2	Water Abstractions Operator: R J Pearce Licence Number: 5/32/03/*G/0079 Permit Version: 100 Location: Well At Hannington Authority: Environment Agency, Anglian Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Boulder Clay; Status: Perpetuity Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st June 1975 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	E13NW (N)	783	2	482740 271050

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial: >90% Patchiness: Superficial 3-10m Thickness: Superficial Low Recharge: Superficial Low	(W)	0	3	482000 270000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial: <90% Patchiness: Superficial 3-10m Thickness: Superficial Low Recharge: Superficial Low	(NW)	0	3	482000 271623
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial: <90% Patchiness: Superficial 3-10m Thickness: Superficial Low Recharge: Superficial Low	(NW)	0	3	481883 271000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial: >90% Patchiness: Superficial >10m Thickness: Superficial Low Recharge: Superficial Low	E9SW (S)	0	3	482939 270000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SW)	0	3	482000 269000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: No Data	(W)	0	3	482000 270148
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: >10m Superficial Recharge: Low	E9SW (N)	0	3	482939 270148
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: >10m Superficial Recharge: Low	(W)	0	3	482191 270346

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NW)	0	3	481827 271222
	Groundwater Vulnerability - Soluble Rock Risk None				
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	(W)	0	3	482191 270346
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	E9SW (N)	0	3	482939 270148
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	E9SW (S)	0	3	482939 270000
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	E9SW (S)	0	3	482939 270000
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	E9SW (N)	0	3	482939 270148
	Extreme Flooding from Rivers or Sea without Defences None				
	Flooding from Rivers or Sea without Defences None				
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
3	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 619.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E9SW (SW)	126	4	482700 269904
4	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E9NE (E)	800	4	483176 270224
5	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 3.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E9NE (E)	813	4	483189 270219

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
6	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 102.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E9NE (E)	816	4	483192 270218
7	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 10.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E9NE (E)	836	4	483212 270202
8	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E9NE (NE)	864	4	483224 270416
9	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E9NE (NE)	871	4	483231 270419
10	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 50.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E9NE (NE)	874	4	483235 270418
11	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E10NW (E)	907	4	483281 270269
12	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 165.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E10NW (E)	911	4	483285 270271
13	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 36.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E10NW (NE)	922	4	483284 270414
14	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 108.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E10NW (NE)	950	4	483314 270393

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Landfill Coverage Name: Northamptonshire County Council - Has supplied landfill data		0	6	482939 270148
	Local Authority Landfill Coverage Name: Wellingborough Borough Council - Has no landfill data to supply		0	5	482939 270148
	Local Authority Landfill Coverage Name: Daventry District Council - Landfill data has been supplied by another authority		0	7	482370 270194

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Great Oolite Group	E9SW (N)	0	1	482939 270148
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E9SW (S)	0	1	482939 270000
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E9SW (N)	0	1	482939 270148
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E9SW (N)	0	1	482939 270148
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E9SW (S)	0	1	482939 270000
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E9SW (N)	0	1	482939 270148
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E9SW (S)	0	1	482939 270000
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E9SW (S)	0	1	482939 270000
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E9SW (N)	0	1	482939 270148
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E9SW (N)	0	1	482939 270148
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E9SW (S)	0	1	482939 270000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E9SW (N)	0	1	482939 270148
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E9SW (S)	0	1	482939 270000
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	E9SW (S)	0	1	482939 270000
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	E9SW (N)	0	1	482939 270148
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	E9SW (S)	0	1	482939 270000
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	E9SW (N)	0	1	482939 270148

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
15	Ancient Woodland Name: Sywell Wood Reference: 1108223 Area(m ²): 937799.53 Type: Plantation on Ancient Woodland	E9SW (S)	0	8	482935 269984
16	Ancient Woodland Name: Hardwick Wood Reference: 1108226 Area(m ²): 346399.7 Type: Plantation on Ancient Woodland	E9NE (N)	72	8	482952 270262
17	Ancient Woodland Name: Hardwick Wood Reference: 1108226 Area(m ²): 50237.63 Type: Ancient and Semi-Natural Woodland	E9NW (NW)	167	8	482614 270432
18	Ancient Woodland Name: Sywell Wood Reference: 1108223 Area(m ²): 26389.96 Type: Ancient and Semi-Natural Woodland	E5SW (S)	833	8	482926 269315
19	Nitrate Vulnerable Zones Name: Thrapstone Lake Eutrophic Lake Nvz Description: Eutrophic Water Source: Environment Agency, Head Office	E9SW (N)	0	3	482939 270148
20	Nitrate Vulnerable Zones Name: Northampton Sands Description: Groundwater Source: Environment Agency, Head Office	E9SW (N)	0	3	482939 270148
21	Nitrate Vulnerable Zones Name: River Nene Nvz Description: Surface Water Source: Environment Agency, Head Office	E9SW (N)	0	3	482939 270148
22	Sites of Special Scientific Interest Name: Hardwick Lodge Meadow Multiple Areas: N Total Area (m ²): 100205.38 Source: Natural England Reference: 1002746 Designation Details: Site Of Special Scientific Interest Designation Date: 1st November 1985 Date Type: Notified	E9NE (E)	796	8	483171 270232

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Environment Agency - Head Office Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	August 2013 December 2019 December 2019 November 2023 September 2017	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annually Annual Rolling Update
Discharge Consents Environment Agency - Anglian Region	October 2023	Quarterly
Enforcement and Prohibition Notices Environment Agency - Anglian Region	March 2013	
Integrated Pollution Controls Environment Agency - Anglian Region	January 2009	
Integrated Pollution Prevention And Control Environment Agency - Anglian Region	January 2023	Quarterly
Local Authority Integrated Pollution Prevention And Control Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	December 2020 February 2015 February 2015 May 2014	Variable Variable Variable Variable
Local Authority Pollution Prevention and Controls Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	December 2020 February 2015 February 2015 May 2014	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	December 2014 February 2015 February 2015 May 2014	Variable Variable Variable Variable
Nearest Surface Water Feature Ordnance Survey	November 2023	
Pollution Incidents to Controlled Waters Environment Agency - Anglian Region	September 1999	
Prosecutions Relating to Authorised Processes Environment Agency - Anglian Region	July 2015	
Prosecutions Relating to Controlled Waters Environment Agency - Anglian Region	March 2013	
Registered Radioactive Substances Environment Agency - Anglian Region Environment Agency - Head Office	June 2016 May 2023	As notified Quarterly
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	April 2012	
River Quality Chemistry Sampling Points Environment Agency - Head Office	April 2012	

Agency & Hydrological	Version	Update Cycle
Substantiated Pollution Incident Register Environment Agency - Anglian Region - Northern Area	October 2023	Quarterly
Water Abstractions Environment Agency - Anglian Region	October 2023	Quarterly
Water Industry Act Referrals Environment Agency - Anglian Region	October 2017	
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Source Protection Zones Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	January 2024	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	Quarterly
OS Water Network Lines Ordnance Survey	October 2023	Quarterly
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified

Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites Environment Agency - Head Office	July 2023	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Anglian Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - Anglian Region - Northern Area	July 2023	Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - Anglian Region - Northern Area	January 2023	Quarterly
Local Authority Landfill Coverage Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Northamptonshire County Council Wellingborough Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council West Northamptonshire Council	February 2003 February 2003 February 2003 May 2000 May 2000	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable
Local Authority Recorded Landfill Sites North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Northamptonshire County Council Wellingborough Borough Council (now part of North Northamptonshire Council)	August 2006 August 2006 October 2018 October 2018 October 2018	
Registered Landfill Sites Environment Agency - Anglian Region - Northern Area	March 2006	Not Applicable
Registered Waste Transfer Sites Environment Agency - Anglian Region - Northern Area	April 2018	
Registered Waste Treatment or Disposal Sites Environment Agency - Anglian Region - Northern Area	June 2015	
Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	March 2023	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) Northamptonshire County Council Daventry District Council (now part of West Northamptonshire Council) West Northamptonshire Council	February 2016 February 2016 May 2013 May 2023 May 2023	Variable Variable Annual Rolling Update Variable Variable
Planning Hazardous Substance Consents Northamptonshire County Council North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council)	December 2014 February 2016 February 2016 February 2016 January 2016	Annual Rolling Update Variable Variable Variable Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	June 2023	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	October 2023	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	October 2023	Annually
Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	October 2023	Quarterly
Fuel Station Entries Catalist Ltd - Experian	November 2023	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Underground Electrical Cables National Grid	February 2023	Bi-Annually

Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	October 2023	Bi-Annually
Areas of Adopted Green Belt Daventry District Council (now part of West Northamptonshire Council) North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly
Areas of Unadopted Green Belt Daventry District Council (now part of West Northamptonshire Council) North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly
Areas of Outstanding Natural Beauty Natural England	November 2023	Bi-Annually
Environmentally Sensitive Areas Natural England	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	August 2023	Bi-Annually
Marine Nature Reserves Natural England	October 2023	Bi-Annually
National Nature Reserves Natural England	August 2023	Bi-Annually
National Parks Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 March 2023	Bi-Annually
Ramsar Sites Natural England	October 2023	Bi-Annually
Sites of Special Scientific Interest Natural England	November 2023	Bi-Annually
Special Areas of Conservation Natural England	October 2023	Bi-Annually
Special Protection Areas Natural England	October 2023	Bi-Annually

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
4	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
5	Wellingborough Borough Council (now part of North Northamptonshire Council) Croyland Abbey, Tithe Barn Road, Wellingborough, Northamptonshire, NN8 1BJ	Telephone: 01933 229777 Fax: 01933 441375 Website: www.wellingborough.gov.uk
6	Northamptonshire County Council County Hall, Northampton, Northamptonshire, NN1 1DN	Telephone: 0300 126 1000 Website: www.northamptonshire.gov.uk
7	Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Lodge Road, Daventry, Northamptonshire, NN11 5AF	Telephone: 01327 871100 Fax: 01327 302540 Website: www.daventrydc.gov.uk
8	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- ◆ Discharge Consent
- ▲ Enforcement or Prohibition Notice
- ▲ Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- ▲ Local Authority Pollution Prevention and Control
- ▼ Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- ▼ Prosecution Relating to Authorised Processes
- ◆ Prosecution Relating to Controlled Waters
- ▲ Registered Radioactive Substance
- River Network or Water Feature
- + River Quality Sampling Point
- Substantiated Pollution Incident Register
- ◆ Water Abstraction
- ◆ Water Industry Act Referral

Waste

- ▼ BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- ▲ Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Registered Landfill Site
- ▼ Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site


Geological

- ▼ BGS Recorded Mineral Site

Industrial Land Use

- ★ Contemporary Trade Directory Entry
- ★ Fuel Station Entry
- ✖ COMAH Site
- ✖ Explosive Site
- ✖ NIHS Site
- ✖ Planning Hazardous Substance Consent
- ✖ Planning Hazardous Substance Enforcement

Site Sensitivity Map - Slice E



Order Details






Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 482940, 270150
 Slice: E
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details





Grendon Solar Scheme

Industrial Land Use Map


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Industrial Land Use

-  Contemporary Trade Directory Entry
-  Fuel Station Entry
-  Gas Pipeline
-  Underground Electrical Cables

Industrial Land Use Map - Slice E




Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 482940, 270150
 Slice: E
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details






Grendon Solar Scheme




General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

Agency and Hydrological (Flood)

-  Extreme Flooding from Rivers or Sea without Defences (Zone 2)
-  Flooding from Rivers or Sea without Defences (Zone 3)
-  Area Benefiting from Flood Defence
-  Flood Water Storage Areas
-  Flood Defence

Flood Map - Slice E




Order Details






Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 482940, 270150
 Slice: E
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details






Grendon Solar Scheme



General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Map ID
-  Several of Type at Location


Agency and Hydrological (Boreholes)

-  BGS Borehole Depth 0 - 10m
-  BGS Borehole Depth 10 - 30m
-  BGS Borehole Depth 30m +
-  Confidential
-  Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice E




Order Details




Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 482940, 270150
 Slice: E
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details



Grendon Solar Scheme




General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

OS Water Network Data

- | | |
|--|---|
|  Canal |  Drain |
|  Reservoir |  Other |
|  Foreshore |  Lake |
|  Marsh |  Transfer |
|  Tidal River |  Lock Or Flight Of Locks |
|  Inland River |  Sea |

OS Water Network Map - Slice E




Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 482940, 270150
 Slice: E
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



© Crown Copyright. All Rights Reserved. License Number 100022432.



© Crown Copyright. All Rights Reserved. License Number 100022412



Groundwater Vulnerability

General

- ◇ Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological

Bedrock Aquifers


- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

Superficial Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

- Unproductive Aquifer
- Soluble Rock

Site Sensitivity Context Map - Slice F



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479040, 272990
 Slice: F
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022412



Bedrock Aquifer Designation

General


- ▭ Specified Site
- ▭ Specified Buffer(s)
- X Bearing Reference Point
- ▭ Slice
- B Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice F



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479040, 272990
 Slice: F
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022412



Superficial Aquifer Designation

General


- ▭ Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice F



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479040, 272990
 Slice: F
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022412



Source Protection Zones


General

- ▭ Specified Site
- ▭ Specified Buffer(s)
- X Bearing Reference Point
- ▭ Slice
- B Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice F



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479040, 272990
 Slice: F
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number: 100022412



Sensitive Land Uses


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice F



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479040, 272990
 Slice: F
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432



BGS Flood GFS Data


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice F



Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479040, 272990
 Slice: F
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

331731401_1_1

Customer Reference:

93791.580478

National Grid Reference:

479040, 272990

Slice:

F

Site Area (Ha):

245.49

Search Buffer (m):

1000

Site Details:

Grendon Solar Scheme

Client Details:

Ms M Booth
Delta Simons
Suite 4A
One Portland Street
Manchester
M1 3BE



Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	14
Hazardous Substances	-
Geological	15
Industrial Land Use	20
Sensitive Land Use	22
Data Currency	23
Data Suppliers	27
Useful Contacts	28

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2024. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2024. © Natural Resources Wales & United Kingdom Research and Innovation 2024.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2024. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 3			1	
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls					
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature		Yes			
Pollution Incidents to Controlled Waters					
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality					
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register					
Water Abstractions	pg 3			1	
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 3	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a	n/a	n/a
Bedrock Aquifer Designations	pg 9	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 9	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences	pg 10	Yes		n/a	n/a
Flooding from Rivers or Sea without Defences	pg 10	Yes		n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 10	6	2	12	8

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites	pg 14				1
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)					
Local Authority Landfill Coverage	pg 14	2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 15	Yes	n/a	n/a	n/a
BGS Recorded Mineral Sites	pg 15	1	2	1	4
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities	pg 16	1			
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 16	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 16	Yes		n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 16	Yes		n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 17	Yes	Yes	n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 17	Yes		n/a	n/a
Radon Potential - Radon Affected Areas	pg 18	Yes	n/a	n/a	n/a
Radon Potential - Radon Protection Measures	pg 18	Yes	n/a	n/a	n/a

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Industrial Land Use					
Contemporary Trade Directory Entries	pg 20		6	3	6
Fuel Station Entries					
Gas Pipelines					
Underground Electrical Cables					
Sensitive Land Use					
Ancient Woodland					
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 22	2			
Ramsar Sites					
Sites of Special Scientific Interest	pg 22				1
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	0	1	480400 274100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	0	1	480250 273950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	0	1	480350 274050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	480450 273450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	0	1	480200 273850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F16SW (NE)	0	1	479550 273550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	0	1	480150 273800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F16SW (NE)	0	1	479500 273300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	F16SW (NE)	0	1	479550 273300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F16SE (E)	0	1	479900 273300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	480450 273500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	0	1	480300 274000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	F16SE (E)	0	1	479700 273250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	480450 273050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	479950 273300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	480000 272950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	F12NE (E)	0	1	479750 272989
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F12NE (E)	0	1	479900 273200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	480000 273150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	0	1	480550 273400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	F16SE (NE)	8	1	479600 273500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	F16NE (NE)	17	1	479600 273600

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	F16NE (NE)	86	1	479650 273650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	97	1	479950 273450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NE)	102	1	480050 273950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	F12SE (SE)	107	1	479700 272700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F15SW (N)	108	1	478850 273450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NE)	125	1	480000 273850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F15SE (N)	153	1	478900 273550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	F12SE (SE)	162	1	479650 272650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	F16NE (NE)	167	1	479900 273800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F15NE (N)	171	1	478950 273600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F15SW (NW)	177	1	478800 273500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F15SW (N)	179	1	478850 273550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F15SW (NW)	194	1	478750 273400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F15NE (N)	196	1	478900 273600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F15SW (NW)	201	1	478750 273450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F15NE (N)	245	1	479040 273700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F15NE (N)	264	1	478950 273700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F15NE (N)	351	1	479000 273800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	F12SW (SE)	363	1	479250 272600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	F8NE (SE)	369	1	479600 272450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	F14SE (NW)	447	1	478500 273450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	F11SE (S)	454	1	479150 272550

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	469	1	479100 273950
1	Discharge Consents Operator: Parochial Church Council Of St. Andrew Property Type: CHURCH/MONASTERY/ABBEY/RELIGIOUS RETREAT/ASSOCIATION HQ Location: St Andrew'S Church Church Lane, Old, Northampton, England, Nn6 9qz Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Eprap3824xx Permit Version: 1 Effective Date: 29th January 2013 Issued Date: 29th January 2013 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge Environment: Land/Soakaway Receiving Water: Trench Arch System Status: New issued under EPR 2010 Positional Accuracy: Located by supplier to within 10m	F10NE (W)	481	2	478543 273133
	Nearest Surface Water Feature	F16SE (NE)	0	-	479669 273375
2	Water Abstractions Operator: T H Britten Licence Number: 5/32/03/*G/0031 Permit Version: 100 Location: Well At Wold Farm, Old Authority: Environment Agency, Anglian Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Northampton Sanstone; Status: Perpetuity Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st July 1988 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	F15SW (NW)	344	2	478600 273400
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial: <90% Patchiness: Superficial Superficial Thickness: 3-10m Superficial Recharge: Low	F11NE (NW)	0	3	479040 272989
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial: <90% Patchiness: Superficial Superficial Thickness: 3-10m Superficial Recharge: Low	F12SE (E)	0	3	479864 272651

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(E)	0	3	480000 272912
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(E)	0	3	480026 272937
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	F12SE (SE)	0	3	479644 272619
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	F16SW (NE)	0	3	479537 273259

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	F12NE (E)	0	3	479786 272924
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	F12SW (SE)	0	3	479329 272691
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	F11NE (W)	0	3	479000 273000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	F11NE (N)	0	3	479040 273000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	F12NW (E)	0	3	479446 273055
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NE)	0	3	480000 274038
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NE)	0	3	480000 274000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(E)	0	3	480077 273229

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(E)	0	3	480055 273000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NE)	0	3	480000 273488
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(E)	0	3	480448 273504
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	F16SW (NE)	0	3	479536 273260

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	F16SE (NE)	0	3	479682 273297
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	F12NW (E)	0	3	479339 272938
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(E)	0	3	480000 272989
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	F16SE (NE)	0	3	479741 273378

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	F12NW (E)	0	3	479362 273000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(E)	0	3	480000 273000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	F12SE (E)	0	3	479815 272844
	Groundwater Vulnerability - Soluble Rock Risk None				
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	F11NE (NW)	0	3	479040 272989
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	F12SE (E)	0	3	479815 272844
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(E)	0	3	480000 272989
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	(E)	0	3	480448 273504
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	F12SW (SE)	0	3	479329 272691
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	(SE)	0	3	480229 272418
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	(SE)	0	3	480235 270942
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(E)	0	3	480026 272937

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	F12NW (E)	0	3	479446 273055
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(NE)	0	3	480000 273488
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	F11NE (NW)	0	3	479040 272989
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	F12SE (E)	0	3	479864 272651
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	(E)	0	3	480000 272912
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	F12SE (SE)	0	3	479644 272619
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	F8NE (SE)	0	2	479615 272510
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	F8NE (SE)	0	2	479615 272505
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
3	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 816.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F16SE (NE)	0	4	479669 273375
4	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 770.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F12NE (E)	0	4	479733 272887
5	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 32.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F12NE (E)	0	4	479761 273206
6	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 31.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F16SE (E)	0	4	479764 273238

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
7	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 768.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F16SE (E)	0	4	479774 273276
8	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F16SE (E)	0	4	479774 273268
9	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 527.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F12SW (SE)	147	4	479243 272873
10	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 134.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F12SE (SE)	234	4	479659 272588
11	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 23.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	F8NE (SE)	360	4	479632 272463
12	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 16.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F8NE (SE)	360	4	479632 272463
13	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 21.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F8NE (SE)	376	4	479623 272450
14	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F15NW (N)	390	4	478773 273750
15	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 314.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F15SW (NW)	392	4	478560 273550

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
16	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 881.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F15NW (N)	393	4	478774 273753
17	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F8NE (SE)	396	4	479608 272434
18	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 385.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F8NE (SE)	401	4	479604 272429
19	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 112.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F14SE (NW)	406	4	478538 273396
20	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 28.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F14SE (NW)	414	4	478545 273525
21	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 102.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F14SE (NW)	419	4	478545 273525
22	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 356.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F14SE (NW)	491	4	478459 273475
23	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 200.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F8NW (S)	604	4	479291 272344
24	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 214.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F8SW (SE)	695	4	479408 272192

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
25	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 522.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F14NW (NW)	798	4	478146 273571
26	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1925.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F14NW (NW)	803	4	478186 273662
27	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 54.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	F7NW (SW)	809	4	478648 272435
28	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 48.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F8SW (S)	851	4	479309 272072
29	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 135.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F8SW (S)	881	4	479315 272034
30	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 97.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	F7NW (SW)	888	4	478594 272374

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
31	Historical Landfill Sites Licence Holder: Not Supplied Location: Old, Northamptonshire Name: Old Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD02065 First Input Date: Not Supplied Last Input Date: 31st December 1960 Specified Waste: Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: Not Supplied BGS Ref: Not Supplied Other Ref: D/H	F10NE (W)	518	2	478539 272981
	Local Authority Landfill Coverage Name: Northamptonshire County Council - Has supplied landfill data		0	6	479040 272989
	Local Authority Landfill Coverage Name: Daventry District Council - Landfill data has been supplied by another authority		0	5	479040 272989

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Inferior Oolite Group	F11NE (NW)	0	1	479040 272989
	BGS 1:625,000 Solid Geology Description: Lias Group	F12SW (SE)	0	1	479305 272695
32	BGS Recorded Mineral Sites Site Name: Old Gravel Pit Location: Old, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186923 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cromerian - Ipswichian Geology: Glaciofluvial Deposits, Mid Pleistocene Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	F16SE (NE)	0	1	479596 273360
33	BGS Recorded Mineral Sites Site Name: Old Gravel Pit Location: Old, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186922 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cromerian - Ipswichian Geology: Glaciofluvial Deposits, Mid Pleistocene Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	F15SW (N)	157	1	478837 273513
34	BGS Recorded Mineral Sites Site Name: Old Sand And Gravel Pit Location: Old, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186919 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cromerian - Ipswichian Geology: Glaciofluvial Deposits, Mid Pleistocene Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	F15SW (NW)	166	1	478785 273445
35	BGS Recorded Mineral Sites Site Name: Old Gravel Pit Location: Old, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186920 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cromerian - Ipswichian Geology: Glaciofluvial Deposits, Mid Pleistocene Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	F11NW (W)	349	1	478682 273102
36	BGS Recorded Mineral Sites Site Name: Old Sand And Gravel Pit Location: Old, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186918 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cromerian - Ipswichian Geology: Glaciofluvial Deposits, Mid Pleistocene Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	F10NE (W)	533	1	478529 272961

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
36	BGS Recorded Mineral Sites Site Name: Old Sand And Gravel Pit Location: Old, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186917 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cromerian - Ipswichian Geology: Glaciofluvial Deposits, Mid Pleistocene Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	F10NE (W)	545	1	478503 273002
37	BGS Recorded Mineral Sites Site Name: Old Gravel Pit Location: Old, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186921 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cromerian - Ipswichian Geology: Glaciofluvial Deposits, Mid Pleistocene Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	F11SW (SW)	588	1	478712 272653
38	BGS Recorded Mineral Sites Site Name: Walgrave Stone Pit Location: Walgrave, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186924 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Northampton Sand Formation Commodity: Iron Ore - Ironstone Positional Accuracy: Located by supplier to within 10m	F8SW (SE)	865	1	479553 271963
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Natural Cavities Easting: 479040 Northing: 272989 Distance: 0 Quadrant Reference: F11 Quadrant Reference: NE Bearing Ref: NW Cavity Type: Gulls/Fissures due to Cambering x 30 Solid Geology Detail: Great Oolite Group, Inferior Oolite Group, Upper Lias Superficial Geology: Glacial Sand & Gravel, Glacial Till and morainic drift Detail:	F11NE (NW)	0	7	479040 272989
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	F11NE (NW)	0	1	479040 272989
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F12SE (SE)	0	1	479644 272619
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F11NE (NW)	0	1	479040 272989
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	F12SE (SE)	0	1	479644 272619
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F11NE (NW)	0	1	479040 272989
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F12NW (E)	0	1	479339 272938

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	F11NE (NW)	0	1	479040 272989
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	F12NE (E)	0	1	479901 273201
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F12SE (E)	0	1	479815 272844
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F12NW (E)	0	1	479339 272938
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	F11NE (NW)	0	1	479040 272989
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	F12SE (E)	0	1	479864 272651
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	F12SE (SE)	0	1	479644 272619
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	F16SE (NE)	134	1	479767 273516
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F12SE (E)	0	1	479815 272844
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F12NW (E)	0	1	479339 272938
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	F11NE (NW)	0	1	479040 272989
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F11NW (W)	112	1	478748 273073
	Radon Potential - Radon Affected Areas Affected Area: The property is an Intermediate probability radon area (3 to 5% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	F16SE (NE)	0	1	479575 273225
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Higher probability radon area (10 to 30% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	F12SE (SE)	0	1	479725 272650
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	F12SW (SE)	0	1	479275 272625
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Higher probability radon area (10 to 30% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	F12NW (E)	0	1	479325 272989
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	F16SE (NE)	0	1	479700 273300
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	F16SE (NE)	0	1	479725 273275
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (5 to 10% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	F12NW (E)	0	1	479475 273100

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	F16SE (E)	0	1	479750 273225
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (5 to 10% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	F12NW (E)	0	1	479450 273075
	Radon Potential - Radon Affected Areas Affected Area: The property is an Intermediate probability radon area (3 to 5% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	F16SE (NE)	0	1	479825 273350
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	F12SE (E)	0	1	479875 272650
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	F11NE (NW)	0	1	479040 272989
	Radon Potential - Radon Protection Measures Protection Measure: Basic radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	F16SE (NE)	0	1	479575 273225
	Radon Potential - Radon Protection Measures Protection Measure: Full radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	F12SE (SE)	0	1	479725 272650
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	F12SW (SE)	0	1	479275 272625
	Radon Potential - Radon Protection Measures Protection Measure: Full radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	F12NW (E)	0	1	479325 272989
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	F16SE (NE)	0	1	479700 273300
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	F16SE (NE)	0	1	479725 273275
	Radon Potential - Radon Protection Measures Protection Measure: Basic radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	F12NW (E)	0	1	479475 273100
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	F16SE (E)	0	1	479750 273225
	Radon Potential - Radon Protection Measures Protection Measure: Basic radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	F12NW (E)	0	1	479450 273075
	Radon Potential - Radon Protection Measures Protection Measure: Basic radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	F16SE (NE)	0	1	479825 273350
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	F12SE (E)	0	1	479875 272650

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	<p>Radon Potential - Radon Protection Measures</p> <p>Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions</p> <p>Source: British Geological Survey, National Geoscience Information Service</p>	F11NE (NW)	0	1	479040 272989

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
39	Contemporary Trade Directory Entries Name: Transtech Location: Broughton Rd, Old, Northampton, Northamptonshire, NN6 9RH Classification: Mechanical Engineers Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	F15SE (N)	12	-	479040 273462
40	Contemporary Trade Directory Entries Name: Morgan Farm Machinery Location: Broughton Road, Old, NORTHAMPTON, NN6 9RH Classification: Agricultural Machinery - Sales & Service Status: Inactive Positional Accuracy: Automatically positioned to the address	F15SE (NW)	115	-	478904 273290
40	Contemporary Trade Directory Entries Name: Morgan Farm Machinery Location: Broughton Road, Old, NORTHAMPTON, NN6 9RH Classification: Agricultural Machinery - Sales & Service Status: Inactive Positional Accuracy: Automatically positioned to the address	F15SE (NW)	115	-	478904 273290
40	Contemporary Trade Directory Entries Name: Green Bottoms Location: Unit 5, Wold Farm Park, Broughton Road, Old, Northampton, NN6 9RH Classification: Recycling Services Status: Inactive Positional Accuracy: Automatically positioned to the address	F15SW (NW)	147	-	478872 273270
40	Contemporary Trade Directory Entries Name: O T G Products Ltd Location: Unit 5, Wold Farm Park, Broughton Road, Old, Northampton, NN6 9RH Classification: Food Products - Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	F15SW (NW)	148	-	478872 273269
40	Contemporary Trade Directory Entries Name: Apex Chilled Logistics Ltd Location: Unit 5, Wold Farm Park, Broughton Road, Old, Northampton, NN6 9RH Classification: Road Haulage Services Status: Active Positional Accuracy: Automatically positioned to the address	F15SW (NW)	148	-	478872 273269
41	Contemporary Trade Directory Entries Name: East West Transport Ltd Location: Cherry Hill Est, Old, Northampton, Northants, NN6 9QY Classification: Road Haulage Services Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	F15SW (NW)	315	-	478656 273270
42	Contemporary Trade Directory Entries Name: Aldridge Glass Location: 19, Townsend Road, Walgrave, Northampton, NN6 9QU Classification: Stained Glass Designers & Producers Status: Active Positional Accuracy: Automatically positioned to the address	F8NE (SE)	410	-	479805 272393
43	Contemporary Trade Directory Entries Name: Knights Of Old Location: Cherry Hill Est, Old, Northampton, Northants, NN6 9QY Classification: Road Haulage Services Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	F11SE (S)	490	-	479046 272588
43	Contemporary Trade Directory Entries Name: Taf Shipping Ltd Location: Cherry Hill Estate, Old, Northampton, Northants, NN6 9QY Classification: Freight Forwarders Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	F11SE (S)	504	-	479038 272577
44	Contemporary Trade Directory Entries Name: Hamsons Coal Location: Scaldwell Road, Old, Northampton, NN6 9RB Classification: Coal & Smokeless Fuel Merchants & Distributors Status: Inactive Positional Accuracy: Automatically positioned to the address	F14SE (W)	576	-	478393 273230
44	Contemporary Trade Directory Entries Name: Brixworth Landfill Site Location: Scaldwell Road, Old, Northampton, NN6 9RB Classification: Waste Disposal Services Status: Inactive Positional Accuracy: Automatically positioned to the address	F14SE (W)	576	-	478393 273230

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
44	Contemporary Trade Directory Entries Name: Household Waste Recycling Centre Location: Scaldwell Road, Old, Northampton, NN6 9RB Classification: Recycling Centres Status: Inactive Positional Accuracy: Automatically positioned to the address	F14SE (W)	576	-	478393 273230
44	Contemporary Trade Directory Entries Name: Hamsons Haulage Location: Scaldwell Road, Old, Northampton, NN6 9RB Classification: Road Haulage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	F14SE (W)	576	-	478393 273230
45	Contemporary Trade Directory Entries Name: Household Waste Recycling Centre Location: Scaldwell Rd, Old, Northampton, Northamptonshire, NN6 9RB Classification: Recycling Centres Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	F10NE (W)	631	-	478350 273184

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
46	Nitrate Vulnerable Zones Name: Thrapstone Lake Eutrophic Lake Nvz Description: Eutrophic Water Source: Environment Agency, Head Office	F11NE (NW)	0	3	479040 272989
47	Nitrate Vulnerable Zones Name: River Nene Nvz Description: Surface Water Source: Environment Agency, Head Office	F11NE (NW)	0	3	479040 272989
48	Sites of Special Scientific Interest Name: Pitsford Reservoir Multiple Areas: Y Total Area (m2): 4130710.07 Source: Natural England Reference: 1003637 Designation Details: Local Wildlife Site Designation Date: 1st May 1984 Date Type: Notified Designation Details: Site Of Special Scientific Interest Designation Date: 1st May 1984 Date Type: Notified Designation Details: Water Framework Directive (WFD) Designation Date: 1st May 1984 Date Type: Notified	F3NW (S)	940	8	478641 271631

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices West Northamptonshire Council Environment Agency - Head Office Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	December 2019 November 2023 September 2017	Annual Rolling Update Annually Annual Rolling Update
Discharge Consents Environment Agency - Anglian Region	October 2023	Quarterly
Enforcement and Prohibition Notices Environment Agency - Anglian Region	March 2013	
Integrated Pollution Controls Environment Agency - Anglian Region	January 2009	
Integrated Pollution Prevention And Control Environment Agency - Anglian Region	January 2023	Quarterly
Local Authority Integrated Pollution Prevention And Control West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	February 2015 May 2014	Variable Variable
Local Authority Pollution Prevention and Controls West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	February 2015 May 2014	Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	February 2015 May 2014	Variable Variable
Nearest Surface Water Feature Ordnance Survey	November 2023	
Pollution Incidents to Controlled Waters Environment Agency - Anglian Region	September 1999	
Prosecutions Relating to Authorised Processes Environment Agency - Anglian Region	July 2015	
Prosecutions Relating to Controlled Waters Environment Agency - Anglian Region	March 2013	
Registered Radioactive Substances Environment Agency - Anglian Region Environment Agency - Head Office	June 2016 May 2023	As notified Quarterly
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	April 2012	
River Quality Chemistry Sampling Points Environment Agency - Head Office	April 2012	
Substantiated Pollution Incident Register Environment Agency - Anglian Region - Northern Area	October 2023	Quarterly
Water Abstractions Environment Agency - Anglian Region	October 2023	Quarterly
Water Industry Act Referrals Environment Agency - Anglian Region	October 2017	
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	As notified

Agency & Hydrological	Version	Update Cycle
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Source Protection Zones Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	January 2024	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	Quarterly
OS Water Network Lines Ordnance Survey	October 2023	Quarterly
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified
Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites Environment Agency - Head Office	July 2023	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Anglian Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - Anglian Region - Northern Area	July 2023	Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - Anglian Region - Northern Area	January 2023	Quarterly
Local Authority Landfill Coverage Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Northamptonshire County Council West Northamptonshire Council	February 2003 February 2003 May 2000	Not Applicable Not Applicable Not Applicable
Local Authority Recorded Landfill Sites West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Northamptonshire County Council	August 2006 October 2018 October 2018	
Registered Landfill Sites Environment Agency - Anglian Region - Northern Area	March 2006	Not Applicable
Registered Waste Transfer Sites Environment Agency - Anglian Region - Northern Area	April 2018	
Registered Waste Treatment or Disposal Sites Environment Agency - Anglian Region - Northern Area	June 2015	

Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	March 2023	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements Northamptonshire County Council Daventry District Council (now part of West Northamptonshire Council) West Northamptonshire Council	May 2013 May 2023 May 2023	Annual Rolling Update Variable Variable
Planning Hazardous Substance Consents Northamptonshire County Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council)	December 2014 February 2016 January 2016	Annual Rolling Update Variable Variable
Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	June 2023	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	October 2023	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	October 2023	Annually

Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	October 2023	Quarterly
Fuel Station Entries Catalist Ltd - Experian	November 2023	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Underground Electrical Cables National Grid	February 2023	Bi-Annually
Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	October 2023	Bi-Annually
Areas of Adopted Green Belt Daventry District Council (now part of West Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023	Quarterly Quarterly
Areas of Unadopted Green Belt Daventry District Council (now part of West Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023	Quarterly Quarterly
Areas of Outstanding Natural Beauty Natural England	November 2023	Bi-Annually
Environmentally Sensitive Areas Natural England	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	August 2023	Bi-Annually
Marine Nature Reserves Natural England	October 2023	Bi-Annually
National Nature Reserves Natural England	August 2023	Bi-Annually
National Parks Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 March 2023	Bi-Annually
Ramsar Sites Natural England	October 2023	Bi-Annually
Sites of Special Scientific Interest Natural England	November 2023	Bi-Annually
Special Areas of Conservation Natural England	October 2023	Bi-Annually
Special Protection Areas Natural England	October 2023	Bi-Annually

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
4	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
5	Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Lodge Road, Daventry, Northamptonshire, NN11 5AF	Telephone: 01327 871100 Fax: 01327 302540 Website: www.daventrydc.gov.uk
6	Northamptonshire County Council County Hall, Northampton, Northamptonshire, NN1 1DN	Telephone: 0300 126 1000 Website: www.northamptonshire.gov.uk
7	Stantec UK Ltd Caversham Bridge House, Waterman Place, Reading, RG1 8DN	Telephone: 0118 950 0761 Email: pba.reading@stantec.com Website: www.stantec.com
8	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- 8 Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- ◇ Discharge Consent
- ▲ Enforcement or Prohibition Notice
- ▲ Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- ▲ Local Authority Pollution Prevention and Control
- ▼ Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- ▼ Prosecution Relating to Authorised Processes
- ◇ Prosecution Relating to Controlled Waters
- ▲ Registered Radioactive Substance
- River Network or Water Feature
- + River Quality Sampling Point
- Substantiated Pollution Incident Register
- ◇ Water Abstraction
- ◇ Water Industry Act Referral

Waste

- ▼ BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- ▲ Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Registered Landfill Site
- ▲ Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site

Geological

- ▼ BGS Recorded Mineral Site


Industrial Land Use

- ★ Contemporary Trade Directory Entry
- ★ Fuel Station Entry

Hazardous Substances

- X COMAH Site
- X Explosive Site
- X NIHS Site
- X Planning Hazardous Substance Consent
- X Planning Hazardous Substance Enforcement

Site Sensitivity Map - Slice F




Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479040, 272990
 Slice: F
 Site Area (Ha): 245.49
 Search Buffer (m): 1000






Site Details

Grendon Solar Scheme







Industrial Land Use Map


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Industrial Land Use

-  Contemporary Trade Directory Entry
-  Fuel Station Entry
-  Gas Pipeline
-  Underground Electrical Cables

Industrial Land Use Map - Slice F




Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479040, 272990
 Slice: F
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details






Grendon Solar Scheme




General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

Agency and Hydrological (Flood)

-  Extreme Flooding from Rivers or Sea without Defences (Zone 2)
-  Flooding from Rivers or Sea without Defences (Zone 3)
-  Area Benefiting from Flood Defence
-  Flood Water Storage Areas
-  Flood Defence

Flood Map - Slice F




Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479040, 272990
 Slice: F
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details






Grendon Solar Scheme








© Crown Copyright. All Rights Reserved. License Number 100022432.



General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Map ID
-  Several of Type at Location


Agency and Hydrological (Boreholes)

-  BGS Borehole Depth 0 - 10m
-  BGS Borehole Depth 10 - 30m
-  BGS Borehole Depth 30m +
-  Confidential
-  Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice F




Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479040, 272990
 Slice: F
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



© Crown Copyright. All Rights Reserved. License Number 100122412



Groundwater Vulnerability

General

- ▬ Specified Site
- ▬ Specified Buffer(s)
- X Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Bedrock Aquifers


- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

Superficial Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

- Unproductive Aquifer
- Soluble Rock

Site Sensitivity Context Map - Slice G



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481250, 272570
 Slice: G
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100012912



Bedrock Aquifer Designation

General


- ▬ Specified Site
- ▬ Specified Buffer(s)
- X Bearing Reference Point
- ▬ Slice
- Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice G



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481250, 272570
 Slice: G
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 1000122412



Superficial Aquifer Designation

General


- ▭ Specified Site
- ▭ Specified Buffer(s)
- X Bearing Reference Point
- ▭ Slice
- Map ID

Agency and Hydrological

Geological Classes

- ▭ Principal Aquifer
- ▭ Secondary A Aquifer
- ▭ Secondary B Aquifer
- ▭ Secondary Undifferentiated
- ▭ Unproductive Strata
- ▭ Unknown
- ▭ Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice G



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481250, 272570
 Slice: G
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022412



Source Protection Zones


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice G



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481250, 272570
 Slice: G
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk








© Crown Copyright. All Rights Reserved. License Number 100022412




















Sensitive Land Uses


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Sensitive Land Uses

-  Ancient Woodland
-  Area of Adopted Green Belt
-  Area of Unadopted Green Belt
-  Area of Outstanding Natural Beauty
-  Environmentally Sensitive Area
-  Forest Park
-  Local Nature Reserve
-  Marine Nature Reserve
-  National Nature Reserve
-  National Park
-  Nitrate Sensitive Area
-  Nitrate Vulnerable Zone
-  Ramsar Site
-  Site of Special Scientific Interest
-  Special Area of Conservation
-  Special Protection Area
-  World Heritage Sites

Site Sensitivity Context Map - Slice G



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481250, 272570
 Slice: G
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022412



BGS Flood GFS Data


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice G



Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481250, 272570
 Slice: G
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

331731401_1_1

Customer Reference:

93791.580478

National Grid Reference:

481250, 272570

Slice:

G

Site Area (Ha):

245.49

Search Buffer (m):

1000

Site Details:

Grendon Solar Scheme

Client Details:

Ms M Booth
Delta Simons
Suite 4A
One Portland Street
Manchester
M1 3BE



Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	36
Hazardous Substances	-
Geological	37
Industrial Land Use	44
Sensitive Land Use	45
Data Currency	46
Data Suppliers	51
Useful Contacts	52

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2024. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and/or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2024. © Natural Resources Wales & United Kingdom Research and Innovation 2024.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2024. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 7	1	5	2	4
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls					
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 9	Yes			
Pollution Incidents to Controlled Waters	pg 10				1
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality					
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register	pg 10		1		1
Water Abstractions	pg 10		5	1	1
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 12	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk	pg 22	1	n/a	n/a	n/a
Bedrock Aquifer Designations	pg 22	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 23	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences	pg 23	Yes		n/a	n/a
Flooding from Rivers or Sea without Defences	pg 23	Yes		n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 23	13	38	17	33

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites					
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)	pg 36				1
Local Authority Landfill Coverage	pg 36	2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 37	Yes	n/a	n/a	n/a
BGS Recorded Mineral Sites	pg 37	3	1		3
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities	pg 38	1			
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 38	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 38	Yes		n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 38	Yes	Yes	n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 39	Yes	Yes	n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 40	Yes	Yes	n/a	n/a
Radon Potential - Radon Affected Areas	pg 41	Yes	n/a	n/a	n/a
Radon Potential - Radon Protection Measures	pg 41	Yes	n/a	n/a	n/a

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Industrial Land Use					
Contemporary Trade Directory Entries	pg 44		1	3	6
Fuel Station Entries					
Gas Pipelines					
Underground Electrical Cables					
Sensitive Land Use					
Ancient Woodland	pg 45		2		
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 45	3			
Ramsar Sites					
Sites of Special Scientific Interest	pg 45				1
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	0	1	481000 273900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G15SW (N)	0	1	481300 273550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	480450 274100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	480300 273950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	G10SE (W)	0	1	481247 272574
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	480400 274050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	0	1	481100 274050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G14SW (N)	0	1	480850 273550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G14SW (NW)	0	1	480700 273400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G13NE (NW)	0	1	480250 273850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	479600 273550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G14SW (N)	0	1	480900 273550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G13NW (NW)	0	1	480200 273800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G15NW (N)	0	1	481350 273800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	G14NE (N)	0	1	481100 273600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	479550 273300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	0	1	479700 273350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G13SW (NW)	0	1	479950 273300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G14SW (NW)	0	1	480600 273550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	0	1	481050 274350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	0	1	481050 274250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	480350 274000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G7NW (SE)	0	1	481400 272400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G4SW (SE)	0	1	482050 271200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	0	1	479800 273100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G10NE (N)	0	1	481250 273100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G3SE (S)	0	1	481650 271250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G9NE (NW)	0	1	480550 273050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G3SE (S)	0	1	481700 271250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G13SW (NW)	0	1	480000 273300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G10NE (NW)	0	1	481000 272950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G3SE (S)	0	1	481700 271200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	0	1	479800 272750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G9NW (NW)	0	1	480000 273150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G9NW (NW)	0	1	480050 273150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G10NE (NW)	0	1	480950 273150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G10NE (NW)	0	1	481000 273150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	8	1	479650 273500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G3SE (SE)	10	1	481900 271450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	15	1	481850 270550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	17	1	479650 273600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	G15NW (N)	19	1	481350 273750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G15NW (N)	23	1	481450 273850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	G14SE (N)	29	1	481150 273550

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	29	1	481950 271100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G15NW (N)	37	1	481350 273600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G7NW (SE)	40	1	481400 272450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	47	1	481100 274400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G15NW (N)	48	1	481400 273750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	51	1	482200 270600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G14SE (N)	59	1	481200 273500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G15SW (N)	67	1	481300 273500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G7NW (SE)	71	1	481400 272500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	72	1	481200 274400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	G10NE (N)	74	1	481050 273200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G3SE (SE)	76	1	481850 271300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G7NW (SE)	79	1	481450 272450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G15SW (N)	84	1	481350 273350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	86	1	479850 273750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	91	1	481550 274100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G14SE (N)	94	1	481247 273300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G13SW (NW)	97	1	480000 273450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	102	1	480100 273950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G14SE (N)	106	1	481200 273350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	107	1	479750 272650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G7NW (E)	110	1	481450 272500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G4SW (SE)	110	1	482000 271200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	115	1	481150 274450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	121	1	482250 270700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G15NW (N)	123	1	481500 273750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	G13NW (NW)	125	1	480050 273850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G11SW (NE)	135	1	481400 272650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G10NE (N)	136	1	481150 273100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G11SW (E)	140	1	481450 272550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G3NE (SE)	141	1	481850 271650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	148	1	481600 274150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G7NW (E)	149	1	481500 272500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G15NW (N)	149	1	481450 273650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	G11SW (E)	154	1	481450 272574
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	162	1	479700 272574
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	G6NE (SW)	164	1	481150 272400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	G13NW (NW)	167	1	480000 273800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	169	1	482550 270850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G4SW (SE)	179	1	481950 271500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G11SW (E)	180	1	481500 272550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G11SW (E)	181	1	481450 272650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	185	1	481600 271050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	186	1	482250 271150

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G15SW (N)	200	1	481300 273350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G11SW (E)	202	1	481500 272574
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G10NE (N)	224	1	481250 273050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	G6NE (SW)	227	1	481100 272350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G4SE (SE)	227	1	482300 271450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G11NW (N)	231	1	481300 273000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G10NE (N)	240	1	481200 273200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G11NW (N)	242	1	481400 273200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G11SW (NE)	247	1	481500 272700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G14SE (N)	249	1	481200 273250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G11NW (N)	249	1	481300 273150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G4SW (SE)	293	1	482150 271300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G16NE (NE)	294	1	482350 273600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	G11NW (N)	304	1	481400 273000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G11SW (NE)	306	1	481500 272850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	311	1	481350 274500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	325	1	481750 274250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G11SE (E)	337	1	481700 272550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G11NW (N)	338	1	481400 273050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	347	1	481450 270950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G4NW (SE)	350	1	482150 271600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	G15SE (NE)	353	1	481850 273300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	G11NW (N)	355	1	481450 273200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G7NE (E)	361	1	481850 272400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	363	1	479300 272574
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G11SE (E)	368	1	481700 272574
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	369	1	479650 272450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	376	1	482900 270800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	G2SE (S)	388	1	481250 271200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G11NW (NE)	391	1	481550 272950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	396	1	481300 270950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	G6NE (SW)	405	1	480950 272250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	408	1	481247 270900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G11NW (N)	409	1	481450 273100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G11NW (NE)	417	1	481550 273000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G11SE (E)	421	1	481700 272650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	G11SE (E)	438	1	481750 272600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G11SE (E)	447	1	481800 272574
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(S)	450	1	481247 271150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G11NW (NE)	456	1	481550 273200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G16SW (NE)	464	1	482150 273300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G11SE (E)	469	1	481750 272650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G8NW (E)	478	1	482000 272500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G11NE (NE)	486	1	481600 273050

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G11SE (E)	493	1	481900 272550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G15SE (NE)	496	1	481650 273250
1	Discharge Consents Operator: John Arnold Knight Property Type: Not Supplied Location: Farmhouse Walgrave Lodge Farm, Walgrave, Northants Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5lf3519 Permit Version: 1 Effective Date: 20th June 1978 Issued Date: 20th June 1978 Revocation Date: 1st October 1996 Discharge Type: Unknown Discharge: Land/Soakaway Environment: Receiving Water: Land Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	G13NW (NW)	0	2	480150 273650
2	Discharge Consents Operator: H.B. Clarke Property Type: Public Conveniences Location: Portable Toilet At Hannington, Hannington, Northampton, Nn6 Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5lf3877 Permit Version: 1 Effective Date: 26th January 1983 Issued Date: 26th January 1983 Revocation Date: 1st October 1996 Discharge Type: Unknown Discharge: Land/Soakaway Environment: Receiving Water: Land Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m	G3SW (S)	142	2	481500 271400
3	Discharge Consents Operator: R D White Property Type: FOOD+BEVERAGE SERVICES/CAFE/RESTAURANT/PUB Location: Equestrian Training Facility Land Off Newlands Road, Walgrave, Northampton, Northamptonshire, Nn6 9pz Authority: Environment Agency, Anglian Region Catchment Area: Brampton Branch (Brixworth) Reference: Eprbp3029xb Permit Version: 1 Effective Date: 22nd June 2010 Issued Date: 22nd June 2010 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Unnamed Ditch Status: New issued under EPR 2010 Positional Accuracy: Located by supplier to within 10m	G9SE (W)	155	2	480272 272786
4	Discharge Consents Operator: P E Tornberg Property Type: Domestic Property (Single) Location: Poldermere Red House Lane, Hannington, Northampton, Nn6 9sz Authority: Environment Agency, Anglian Region Catchment Area: Brampton Branch (Brixworth) Reference: Prnnf18229 Permit Version: 1 Effective Date: 27th September 2004 Issued Date: 13th October 2004 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Unnamed Trib Of Faxton Brook Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	G3SE (SE)	162	2	481800 271490

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
4	<p>Discharge Consents</p> <p>Operator: P E Tornberg Landscaping Property Type: OFFICES ADMIN + SUPPORT Location: Red House Lane/ Office & House, Hannington, Northampton, Nn6 9sz Authority: Environment Agency, Anglian Region Catchment Area: Not Given Reference: Prnnf03869 Permit Version: 2 Effective Date: 4th March 1992 Issued Date: 4th March 1992 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Hannington Stream Status: Post National Rivers Authority Legislation where issue date > 31/08/1989 Positional Accuracy: Located by supplier to within 100m</p>	G3SE (SE)	162	2	481800 271490
4	<p>Discharge Consents</p> <p>Operator: P E Tornberg Landscaping Property Type: OFFICES ADMIN + SUPPORT Location: Red House Lane/ Office & House, Hannington, Northampton, Nn6 9sz Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Prnnf03869 Permit Version: 1 Effective Date: 23rd October 1990 Issued Date: 23rd October 1990 Revocation Date: 3rd March 1992 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Not Supplied Environment: Receiving Water: Not Supplied Status: Post National Rivers Authority Legislation where issue date > 31/08/1989 Positional Accuracy: Located by supplier to within 10m</p>	G3SE (SE)	162	2	481800 271490
5	<p>Discharge Consents</p> <p>Operator: Mr A J Bagshaw Property Type: Domestic Property (Single) Location: Oakstone House Redhouse Lane, Hannington, Northampton, Northants, Nn6 9sz Authority: Environment Agency, Anglian Region Catchment Area: Brampton Branch (Brixworth) Reference: Prnnf00910 Permit Version: 1 Effective Date: 26th May 1989 Issued Date: 26th May 1989 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Land/Soakaway Environment: Receiving Water: Land Status: Post National Rivers Authority Legislation where issue date > 31/08/1989 Positional Accuracy: Located by supplier to within 10m</p>	G3SW (S)	284	2	481400 271230
6	<p>Discharge Consents</p> <p>Operator: P E Tornberg Property Type: WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Location: Industrial Premises Mere Farm, Red House Lane, Hannington, Northamptonshire, Nn6 9su Authority: Environment Agency, Anglian Region Catchment Area: Brampton Branch (Brixworth) Reference: Prnnf12433 Permit Version: 1 Effective Date: 15th September 2000 Issued Date: 16th March 2000 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Tributary Of Faxton Brook Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	G4NW (SE)	344	2	482000 271640

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
7	<p>Discharge Consents</p> <p>Operator: Rxca Properties Ltd Property Type: Domestic Property (Multiple) Location: New Lodge Farm, Kettering Road, Walgrave, Northamptonshire, Nn6 9pj Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Eprmb3696aj Permit Version: 1 Effective Date: 30th August 2019 Issued Date: 13th May 2019 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Tributary Of The River Nene Status: New issued under EPR 2010 Positional Accuracy: Located by supplier to within 10m</p>	G15SE (NE)	530	2	481653 273250
8	<p>Discharge Consents</p> <p>Operator: Mr & Mrs Knight Property Type: WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Location: Hall Farm Walgrave, Walgrave, Northampton, Nn6 Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5nf1528 Permit Version: 1 Effective Date: 12th October 1984 Issued Date: 12th October 1984 Revocation Date: 29th March 1996 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Unknown Trib. Pitsford Reservo Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m</p>	G6SW (SW)	830	2	480630 271960
8	<p>Discharge Consents</p> <p>Operator: Mr B Knight Property Type: WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Location: Hall Farm Walgrave, Northampton, Nn6 9qg, Nn6 9qg Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5nf1527 Permit Version: 1 Effective Date: 12th October 1984 Issued Date: 12th October 1984 Revocation Date: 24th June 1994 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Unknown Trib. Pitsford Reservo Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m</p>	G6SW (SW)	838	2	480650 271920
8	<p>Discharge Consents</p> <p>Operator: Richard, Brian And Jennifer Knight Property Type: WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Location: Hall Farm Walgrave, Northampton, Nn6 9qg, Nn6 9qg Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5nf1526 Permit Version: 1 Effective Date: 12th October 1984 Issued Date: 12th October 1984 Revocation Date: 25th February 1992 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Unknown Trib. Pitsford Reservo Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m</p>	G6SW (SW)	838	2	480650 271920
	<p>Nearest Surface Water Feature</p>	G14SW (NW)	0	-	480682 273473

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
9	Pollution Incidents to Controlled Waters Property Type: Mixed Agricultural Location: Kettering District Authority: Environment Agency, Anglian Region Pollutant: Organic Wastes: Yard Washings Note: Tributary Of Pitsford Reservoir Incident Date: 3rd March 1994 Incident Reference: 1928 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Inadequate Construction Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	G5SE (SW)	971	2	480500 271900
10	Substantiated Pollution Incident Register Authority: Environment Agency - Anglian Region, Northern Area Incident Date: 7th June 2010 Incident Reference: 787736 Water Impact: Category 2 - Significant Incident Air Impact: Category 4 - No Impact Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Pollutant Not Identified: Not Identified	G10SE (W)	140	2	481113 272562
11	Substantiated Pollution Incident Register Authority: Environment Agency - Anglian Region, Northern Area Incident Date: 10th August 2011 Incident Reference: 912326 Water Impact: Category 2 - Significant Incident Air Impact: Category 2 - Significant Incident Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Crude Sewage	G5NW (W)	649	2	480229 272220
12	Water Abstractions Operator: Mr H B Clarke Licence Number: 5/32/03/**/093 Permit Version: Not Supplied Location: HANNINGTON Authority: Environment Agency, Anglian Region Abstraction: Spray Irrigation Abstraction Type: Not Supplied Source: Stream Daily Rate (m3): 7 Yearly Rate (m3): 327310 Details: Status: Perpetuity Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	G3SW (S)	208	2	481405 271495
12	Water Abstractions Operator: H B Clarke Licence Number: 5/32/03/*S/0093 Permit Version: 100 Location: Reservoir At Hannington Authority: Environment Agency, Anglian Region Abstraction: General Agriculture: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Status: Perpetuity Authorised Start: 01 March Authorised End: 30 September Permit Start Date: 1st January 1977 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	G3SW (S)	211	2	481400 271500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
12	Water Abstractions Operator: H B Clarke Licence Number: 5/32/03/*S/0093 Permit Version: 100 Location: Catchpit, Hannington Authority: Environment Agency, Anglian Region Abstraction: General Agriculture: Transfer Between Sources Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Status: Perpetuity Authorised Start: 01 October Authorised End: 31 March Permit Start Date: 1st January 1977 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	G3SW (S)	211	2	481400 271500
13	Water Abstractions Operator: J B Dillon Licence Number: 5/32/03/*S/0098 Permit Version: 100 Location: Northall Brook-Reservoir Authority: Environment Agency, Anglian Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Status: Perpetuity Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st February 1981 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	G9SE (W)	238	2	480400 272750
13	Water Abstractions Operator: J B Dillon Licence Number: 5/32/03/**/098 Permit Version: Not Supplied Location: North Brook Reservoir Authority: Environment Agency, Anglian Region Abstraction: Impounding Abstraction Type: Not Supplied Source: Stream Daily Rate (m3): 1 Yearly Rate (m3): 4000 Details: Status: Perpetuity Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	G9SE (W)	243	2	480400 272745
14	Water Abstractions Operator: H B Clarke Licence Number: 5/32/03/*S/0093 Permit Version: 100 Location: Hannington Brook Authority: Environment Agency, Anglian Region Abstraction: General Agriculture: Transfer Between Sources Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Status: Perpetuity Authorised Start: 01 October Authorised End: 31 March Permit Start Date: 1st January 1977 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	G3SW (S)	388	2	481300 271200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
15	Water Abstractions Operator: A & P Middleton Licence Number: 5/32/03/*G/0052 Permit Version: 100 Location: Borehole At White Lodge Authority: Environment Agency, Anglian Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Northampton Sanstone; Status: Perpetuity Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st October 1990 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	G16NE (NE)	978	2	482300 273600
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	G10SE (N)	0	3	481234 272667
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(W)	0	3	479341 272823
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	G9SW (W)	0	3	480000 272574

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	G7NW (SE)	0	3	481285 272493
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	G10SE (W)	0	3	481000 272574
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	G9NW (W)	0	3	480131 273000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	G6SE (S)	0	3	481247 272000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	G4SW (SE)	0	3	481946 271437
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: No Data	(S)	0	3	481554 271000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: >10m Superficial Recharge: Low	(SE)	0	3	482127 271000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: >10m Superficial Recharge: Low	(SE)	0	3	482000 271000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	G10SE (W)	0	3	481247 272574
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(W)	0	3	479794 272789
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	G3SW (S)	0	3	481504 271449
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	G10SE (W)	0	3	481216 272581

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(W)	0	3	479868 273000
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	G9NW (W)	0	3	479907 272926
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(W)	0	3	479757 272777
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(W)	0	3	479499 273111

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(W)	0	3	479557 273127
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NW)	0	3	480630 274000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NW)	0	3	480325 274000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	G10NE (NW)	0	3	481000 273000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	G9NW (NW)	0	3	480241 273067
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	G13SW (NW)	0	3	480164 273455
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	G10NE (NW)	0	3	480983 273177
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	G10NE (N)	0	3	481218 273000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	G11NE (NE)	0	3	481683 273023
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(N)	0	3	481000 274000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: >10m Superficial Recharge: Low	(N)	0	3	481247 274000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	G13NW (NW)	0	3	480000 273830

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(W)	0	3	479802 273000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(W)	0	3	479667 272784
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	G9NW (W)	0	3	480055 273000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	G3NE (S)	0	3	481617 271591

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	G7NW (S)	0	3	481257 272528
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	G10SE (N)	0	3	481227 272632
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	G9NW (W)	0	3	480000 273000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(W)	0	3	479690 273000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	G9NW (NW)	0	3	480211 273156
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	G14SE (N)	0	3	481173 273515
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	G14SE (N)	0	3	481194 273354
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	G9NW (W)	0	3	480000 272912
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	G10SE (W)	0	3	481247 272574
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	G8NE (E)	0	3	482398 272304
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(W)	0	3	479667 272784
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	G9SW (W)	0	3	480000 272574

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	G7NW (S)	0	3	481257 272528
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	G11SE (E)	0	3	481661 272630
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	G9NW (W)	0	3	479907 272926
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	G10SE (W)	0	3	481247 272574
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	G3SW (S)	0	3	481504 271449
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	G10SE (W)	0	3	481247 272574
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	G9NW (NW)	0	3	480241 273067
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	G13NW (NW)	0	3	480000 273830
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	G13SW (NW)	0	3	480164 273455
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	(W)	0	3	479499 273111
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	G9SW (W)	0	3	480000 272574
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	G7NW (SE)	0	3	481285 272493
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(W)	0	3	479794 272789
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	G10SE (W)	0	2	481247 272574
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	G10SE (W)	0	2	481247 272574
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
16	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 36.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G14SW (NW)	0	4	480645 273432

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
17	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 446.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G14SE (N)	0	4	481227 273557
18	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 95.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G10SE (N)	0	4	481247 272574
19	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G9NE (NW)	0	4	480493 272962
20	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G9NE (NW)	0	4	480493 272970
21	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G9NE (NW)	0	4	480497 272981
22	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 288.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G9NE (NW)	0	4	480498 272985
23	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G13SE (NW)	0	4	480580 273261
24	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 172.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G14SW (NW)	0	4	480581 273265
25	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G14SW (NW)	0	4	480642 273426

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
26	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 816.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	(NW)	0	4	479764 273238
27	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 768.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	(NW)	0	4	479774 273276
28	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 197.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G3SW (S)	0	4	481578 271412
29	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 99.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G9NE (NW)	8	4	480471 272908
30	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 37.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G11SW (NE)	20	4	481285 272615
31	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 47.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G11SW (NE)	20	4	481285 272616
32	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G14SE (N)	43	4	481226 273553
33	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 670.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G11NW (N)	47	4	481301 272928
34	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 152.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G11SW (NE)	51	4	481320 272621

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
35	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 39.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	G11SW (NE)	51	4	481316 272626
36	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G10SE (W)	56	4	481217 272564
37	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 83.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G10SE (W)	59	4	481215 272562
38	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 151.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G11SW (NE)	62	4	481306 272657
39	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 95.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G3SW (S)	64	4	481511 271401
40	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.3 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G9SE (W)	108	4	480454 272870
41	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 125.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G9SE (W)	113	4	480451 272862
42	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 20.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G3SE (SE)	114	4	481777 271467
43	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G6NE (SW)	133	4	481153 272512

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
44	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 26.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G3SE (SE)	134	4	481791 271490
45	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 112.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G6NE (SW)	137	4	481150 272509
46	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 11.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G3SE (SE)	145	4	481780 271496
47	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 22.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G11SW (NE)	149	4	481355 272788
48	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 35.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G11SW (NE)	152	4	481352 272810
49	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 302.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G11SW (NE)	152	4	481352 272810
50	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 90.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G13NW (NW)	152	4	479991 273880
51	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 70.2 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G3SW (S)	153	4	481491 271388
52	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 20.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G3SE (SE)	153	4	481791 271490

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
53	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G11SW (N)	154	4	481339 272843
54	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 84.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G11SW (N)	155	4	481338 272846
55	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G11SW (E)	171	4	481453 272601
56	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 433.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G11SW (E)	172	4	481455 272602
57	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G3SE (SE)	173	4	481809 271499
58	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 77.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G3SE (SE)	180	4	481816 271500
59	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G11NW (N)	183	4	481308 272923
60	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G13NW (NW)	194	4	479981 273869
61	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 257.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G6NE (SW)	196	4	481113 272422

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
62	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G6NE (SW)	206	4	481100 272430
63	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 194.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G3SW (S)	220	4	481419 271348
64	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G9SE (W)	235	4	480391 272756
65	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 77.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G6SE (S)	235	4	481246 272078
66	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 275.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G9SE (W)	243	4	480386 272750
67	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 145.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G3SE (SE)	253	4	481890 271504
68	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	G3SE (SE)	253	4	481890 271504
69	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 318.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G6NE (SW)	272	4	480978 272240
70	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G6SE (S)	272	4	481243 272081

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
71	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 20.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G6NE (SW)	374	4	480978 272264
72	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G3SW (S)	384	4	481295 271232
73	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 23.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G6NE (SW)	385	4	480970 272253
74	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G6NE (SW)	385	4	480976 272243
75	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 74.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G3SW (S)	389	4	481292 271226
76	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 76.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G5NE (W)	390	4	480280 272504
77	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 815.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G6NE (SW)	393	4	480959 272257
78	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 12.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G4NW (SE)	397	4	482024 271560
79	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 317.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G4NW (SE)	407	4	482036 271563

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
80	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G11NW (NE)	433	4	481527 273055
81	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 273.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G11NW (NE)	440	4	481531 273061
82	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G5NE (W)	451	4	480262 272434
83	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 272.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G5NE (W)	455	4	480261 272430
84	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 147.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G15SE (NE)	519	4	481680 273295
85	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G15SE (NE)	524	4	481677 273289
86	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G15SE (NE)	533	4	481755 273422
87	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 205.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G15SE (NE)	534	4	481757 273426
88	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G15NE (NE)	600	4	481888 273580

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
89	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 283.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G15NE (NE)	602	4	481891 273583
90	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G4NE (SE)	637	4	482308 271707
91	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G4NE (SE)	638	4	482309 271707
92	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G4NE (SE)	640	4	482311 271700
93	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G4NE (SE)	645	4	482316 271712
94	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G4NE (SE)	647	4	482318 271713
95	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 140.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G4NE (SE)	651	4	482322 271717
96	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.6 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G5SW (W)	696	4	480228 272169
97	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G5SW (W)	703	4	480226 272161

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
98	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G5SW (W)	706	4	480221 272156
99	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 83.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G5SW (SW)	719	4	480219 272142
100	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 100.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G6SW (SW)	721	4	480819 271893
101	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G16NW (NE)	747	4	482116 273750
102	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G4NE (SE)	748	4	482424 271814
103	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 104.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G16NW (NE)	749	4	482121 273757
104	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 50.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G4NE (SE)	751	4	482427 271817
105	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G6SW (SW)	753	4	480744 271938
106	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G6SW (SW)	755	4	480737 271943

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
107	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 53.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G6SW (SW)	757	4	480734 271945
108	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G16NW (NE)	774	4	482185 273838
109	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 165.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G16NW (NE)	776	4	482190 273845
110	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G4NE (SE)	780	4	482458 271857
111	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 214.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G4NE (SE)	785	4	482463 271863
112	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 20.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G6SW (SW)	788	4	480683 271959
113	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 17.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G6SW (SW)	796	4	480665 271970
114	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 260.7 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G5SE (SW)	797	4	480249 272069
115	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 12.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G8SE (E)	913	4	482594 272033

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
116	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 132.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	G8SE (E)	924	4	482604 272038

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
117	Licensed Waste Management Facilities (Locations) Licence Number: 73260 Location: Hannington Grange Farm, Red House Lane, Hannington, Northampton, Northamptonshire, NN6 9SZ Operator Name: K E R Plant Ltd Operator Location: Not Supplied Authority: Environment Agency - Anglian Region, Northern Area Site Category: Household, Commercial And Industrial Transfer Stations Licence Status: Revoked Issued: 6th February 2006 Last Modified: 16th April 2008 Expires: Not Supplied Suspended: Not Supplied Revoked: 9th February 2016 Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	G8SE (SE)	597	2	482279 271993
	Local Authority Landfill Coverage Name: Northamptonshire County Council - Has supplied landfill data		0	6	481247 272574
	Local Authority Landfill Coverage Name: Daventry District Council - Landfill data has been supplied by another authority		0	5	481247 272574
	Local Authority Landfill Coverage Name: Kettering Borough Council - Has no landfill data to supply		647	7	482607 272854

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Inferior Oolite Group	G10SE (W)	0	1	481247 272574
	BGS 1:625,000 Solid Geology Description: Great Oolite Group	G7NW (SE)	0	1	481487 272458
	BGS 1:625,000 Solid Geology Description: Lias Group	G6NE (SW)	0	1	480946 272442
118	BGS Recorded Mineral Sites Site Name: Walgrave Pit Location: Walgrave, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186937 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Stamford Member Commodity: Common Clay and Shale Positional Accuracy: Located by supplier to within 10m	G9NW (NW)	0	1	480018 273197
119	BGS Recorded Mineral Sites Site Name: Walgrave Pit Location: Walgrave, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186938 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Stamford Member Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	G9NW (NW)	0	1	480170 273213
120	BGS Recorded Mineral Sites Site Name: Walgrave Pit Location: Walgrave, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186939 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Stamford Member Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	G13SW (NW)	0	1	480219 273259
121	BGS Recorded Mineral Sites Site Name: Hannington Pit Location: Hannington, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186933 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Northampton Sand Formation Commodity: Iron Ore - Ironstone Positional Accuracy: Located by supplier to within 10m	G3SW (S)	177	1	481490 271307
122	BGS Recorded Mineral Sites Site Name: Hannington Quarry Location: Hannington, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186932 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Northampton Sand Formation Commodity: Iron Ore - Ironstone Positional Accuracy: Located by supplier to within 10m	G2SE (S)	604	1	481052 271284

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
122	BGS Recorded Mineral Sites Site Name: Hannington Quarry Location: Hannington, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186932 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Northampton Sand Formation Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	G2SE (S)	604	1	481052 271284
123	BGS Recorded Mineral Sites Site Name: Walgrave Quarry Location: Walgrave, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186931 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Northampton Sand Formation Commodity: Iron Ore - Ironstone Positional Accuracy: Located by supplier to within 10m	G2SW (SW)	863	1	480745 271465
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Natural Cavities Easting: 481247 Northing: 272574 Distance: 0 Quadrant Reference: G10 Quadrant Reference: SE Bearing Ref: W Cavity Type: Gulls/Fissures due to Cambering x 30 Solid Geology Detail: Great Oolite Group, Inferior Oolite Group, Upper Lias Superficial Geology Detail: Glacial Sand & Gravel, Glacial Till and morainic drift	G10SE (W)	0	8	481247 272574
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	G9SW (W)	0	1	480000 272574
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	G10SE (W)	0	1	481216 272581
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G10SE (W)	0	1	481247 272574
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G10SE (W)	0	1	481216 272581
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G9SW (W)	0	1	480000 272574
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	G10SE (W)	0	1	481247 272574
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G9SW (W)	0	1	480000 272574
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G10SE (W)	0	1	481247 272574
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	G9SW (W)	0	1	480000 272574

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	G9NW (NW)	0	1	480000 273139
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	G10SE (W)	0	1	481247 272574
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G10SE (N)	0	1	481227 272632
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G7NW (S)	0	1	481257 272528
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G9NW (W)	0	1	480000 272912
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G9NW (W)	0	1	480020 272931
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G6NE (SW)	0	1	481027 272228
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G13NW (NW)	25	1	480000 273680
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G13SW (NW)	53	1	480058 273427
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	G13SW (NW)	106	1	480000 273452
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G10SE (W)	181	1	481069 272552
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G9NW (W)	0	1	480000 272912
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G9NW (NW)	0	1	480211 273156
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G10SE (W)	0	1	481216 272581
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	G7NW (SE)	0	1	481285 272493
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	G13NW (NW)	0	1	480000 273830
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	G9SW (W)	0	1	480000 272574
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	G10SE (W)	0	1	481247 272574
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G7NW (S)	0	1	481257 272528
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G14SE (N)	0	1	481194 273354
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G13NW (NW)	25	1	480000 273645

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	G13SW (NW)	121	1	480000 273488
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	(NW)	134	1	479843 273546
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G13NW (NW)	171	1	480001 273831
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G10SE (N)	0	1	481227 272632
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G14SE (N)	0	1	481194 273354
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G6NE (SW)	0	1	481027 272228
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G9NW (W)	0	1	480000 272912
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G9NW (NW)	0	1	480241 273067
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G7NW (S)	0	1	481257 272528
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	G9SW (W)	0	1	480000 272574
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	G10SE (W)	0	1	481247 272574
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	G11SW (N)	12	1	481311 272878
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	G13NW (NW)	121	1	480020 273846
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G10SE (W)	181	1	481069 272552
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Higher probability radon area (10 to 30% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	G6NE (SW)	0	1	481025 272275
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	G3NE (S)	0	1	481600 271625
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	G10SE (W)	0	1	481247 272574
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	G3SW (S)	0	1	481500 271425
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Higher probability radon area (10 to 30% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	G10SE (N)	0	1	481247 272600

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	G3SE (SE)	0	1	481925 271425
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	G13SW (NW)	0	1	480000 273250
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Higher probability radon area (10 to 30% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	G9SW (W)	0	1	480000 272875
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Higher probability radon area (10 to 30% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	G13NW (NW)	0	1	480150 273775
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Higher probability radon area (10 to 30% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	G9NW (W)	0	1	480075 273000
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	G9NE (NW)	0	1	480275 273050
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	(W)	0	1	479875 272925
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Higher probability radon area (10 to 30% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	G10SE (S)	0	1	481247 272550
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	G13SW (NW)	0	1	479975 273250
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (5 to 10% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	(NW)	0	1	479850 273575
	Radon Potential - Radon Affected Areas Affected Area: The property is an Intermediate probability radon area (3 to 5% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	G13NW (NW)	0	1	480200 273825
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	G10NE (N)	0	1	481247 273175
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	G9SW (W)	0	1	480000 272574
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	G10SE (W)	0	1	481200 272575
	Radon Potential - Radon Protection Measures Protection Measure: Full radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	G6NE (SW)	0	1	481025 272275
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	G3NE (S)	0	1	481600 271625

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	G10SE (W)	0	1	481247 272574
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	G3SW (S)	0	1	481500 271425
	Radon Potential - Radon Protection Measures Protection Measure: Full radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	G10SE (N)	0	1	481247 272600
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	G3SE (SE)	0	1	481925 271425
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	G13SW (NW)	0	1	480000 273250
	Radon Potential - Radon Protection Measures Protection Measure: Full radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	G9SW (W)	0	1	480000 272875
	Radon Potential - Radon Protection Measures Protection Measure: Full radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	G13NW (NW)	0	1	480150 273775
	Radon Potential - Radon Protection Measures Protection Measure: Full radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	G9NW (W)	0	1	480075 273000
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	G9NE (NW)	0	1	480275 273050
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	(W)	0	1	479875 272925
	Radon Potential - Radon Protection Measures Protection Measure: Full radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	G10SE (S)	0	1	481247 272550
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	G13SW (NW)	0	1	479975 273250
	Radon Potential - Radon Protection Measures Protection Measure: Basic radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	(NW)	0	1	479850 273575
	Radon Potential - Radon Protection Measures Protection Measure: Basic radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	G13NW (NW)	0	1	480200 273825
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	G10NE (N)	0	1	481247 273175
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	G9SW (W)	0	1	480000 272574

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	<p>Radon Potential - Radon Protection Measures</p> <p>Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions</p> <p>Source: British Geological Survey, National Geoscience Information Service</p>	G10SE (W)	0	1	481200 272575

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
124	<p>Contemporary Trade Directory Entries</p> <p>Name: Jws Motorsport Location: Unit 3-4, Poldermere Business Centre, Red House Lane, Hannington, Northampton, NN6 9SZ Classification: Classic Car Specialists Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	G3NE (SE)	156	-	481767 271584
125	<p>Contemporary Trade Directory Entries</p> <p>Name: Crisis Logistics Ltd Location: UNIT 14, MERE FARM BUSINESS COMPLEX, RED HOUSE LANE, HANNINGTON, NORTHAMPTON, NN6 9FP Classification: Road Haulage Services Status: Active Positional Accuracy: Automatically positioned to the address</p>	G4NW (SE)	309	-	481978 271702
125	<p>Contemporary Trade Directory Entries</p> <p>Name: Punjaban Ltd Location: Unit 7, Mere Farm Business Complex, Red House Lane, Hannington, Northampton, NN6 9FP Classification: Food Products - Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	G4NW (SE)	317	-	481983 271682
125	<p>Contemporary Trade Directory Entries</p> <p>Name: Reel Tech UK Ltd Location: Aurora House, Red House Lane, Hannington, Northampton, NN6 9SZ Classification: Lighting Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	G4NW (SE)	317	-	481983 271682
126	<p>Contemporary Trade Directory Entries</p> <p>Name: W W Giles (Midlands) Ltd Location: Orchard House, Amber Drive, Walgrave, Northampton, NN6 9RW Classification: Meat - Wholesale Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	G5NW (W)	583	-	480170 272268
126	<p>Contemporary Trade Directory Entries</p> <p>Name: Giles Location: Orchard House, Amber Drive, Walgrave, Northampton, NN6 9RW Classification: Meat Product Manufacturers & Wholesalers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	G5NW (W)	583	-	480170 272268
127	<p>Contemporary Trade Directory Entries</p> <p>Name: Path Masters Location: Kettering Rd, Walgrave, Northampton, Northamptonshire, NN6 9PJ Classification: Commercial Cleaning Services Status: Inactive Positional Accuracy: Manually positioned within the geographical locality</p>	G11NE (NE)	654	-	481795 273050
128	<p>Contemporary Trade Directory Entries</p> <p>Name: Four Villages Garage Location: Zion Hill, Walgrave, Northampton, NN6 9PN Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	G5SE (SW)	704	-	480337 272192
128	<p>Contemporary Trade Directory Entries</p> <p>Name: Corporate Cars (Midlands) Ltd Location: Jasmine Cottage, Sheldons Lane, Walgrave, Northampton, NN6 9PW Classification: Car Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	G5SE (SW)	706	-	480377 272203
129	<p>Contemporary Trade Directory Entries</p> <p>Name: Sywell Range Tip Location: Hannington Road, Walgrave, Northampton, Northamptonshir, NN6 9QG Classification: Waste Disposal Services Status: Inactive Positional Accuracy: Manually positioned within the geographical locality</p>	G5SE (SW)	899	-	480274 271970

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
130	Ancient Woodland Name: Hardwick Wood Reference: 1108226 Area(m ²): 346399.7 Type: Plantation on Ancient Woodland	(SE)	72	9	482674 270867
131	Ancient Woodland Name: Hardwick Wood Reference: 1108226 Area(m ²): 50237.63 Type: Ancient and Semi-Natural Woodland	(SE)	167	9	482558 270636
132	Nitrate Vulnerable Zones Name: Thrapstone Lake Eutrophic Lake Nvz Description: Eutrophic Water Source: Environment Agency, Head Office	G10SE (W)	0	3	481247 272574
133	Nitrate Vulnerable Zones Name: Northampton Sands Description: Groundwater Source: Environment Agency, Head Office	G12SE (E)	0	3	482543 272840
134	Nitrate Vulnerable Zones Name: River Nene Nvz Description: Surface Water Source: Environment Agency, Head Office	G10SE (W)	0	3	481247 272574
135	Sites of Special Scientific Interest Name: Pitsford Reservoir Multiple Areas: Y Total Area (m2): 4130710.07 Source: Natural England Reference: 1003637 Designation Details: Local Wildlife Site Designation Date: 1st May 1984 Date Type: Notified Designation Details: Site Of Special Scientific Interest Designation Date: 1st May 1984 Date Type: Notified Designation Details: Water Framework Directive (WFD) Designation Date: 1st May 1984 Date Type: Notified	(SW)	940	9	479306 271516

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices North Northamptonshire Council West Northamptonshire Council Environment Agency - Head Office Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department	December 2019 December 2019 November 2023 September 2017 September 2017	Annual Rolling Update Annual Rolling Update Annually Annual Rolling Update Annual Rolling Update
Discharge Consents Environment Agency - Anglian Region	October 2023	Quarterly
Enforcement and Prohibition Notices Environment Agency - Anglian Region	March 2013	
Integrated Pollution Controls Environment Agency - Anglian Region	January 2009	
Integrated Pollution Prevention And Control Environment Agency - Anglian Region	January 2023	Quarterly
Local Authority Integrated Pollution Prevention And Control North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department	February 2015 February 2015 May 2014 November 2014	Variable Variable Variable Variable
Local Authority Pollution Prevention and Controls North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department	February 2015 February 2015 May 2014 November 2014	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department	February 2015 February 2015 May 2014 November 2014	Variable Variable Variable Variable
Nearest Surface Water Feature Ordnance Survey	November 2023	
Pollution Incidents to Controlled Waters Environment Agency - Anglian Region	September 1999	
Prosecutions Relating to Authorised Processes Environment Agency - Anglian Region	July 2015	
Prosecutions Relating to Controlled Waters Environment Agency - Anglian Region	March 2013	
Registered Radioactive Substances Environment Agency - Anglian Region Environment Agency - Head Office	June 2016 May 2023	As notified Quarterly
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	April 2012	
River Quality Chemistry Sampling Points Environment Agency - Head Office	April 2012	

Agency & Hydrological	Version	Update Cycle
Substantiated Pollution Incident Register Environment Agency - Anglian Region - Northern Area	October 2023	Quarterly
Water Abstractions Environment Agency - Anglian Region	October 2023	Quarterly
Water Industry Act Referrals Environment Agency - Anglian Region	October 2017	
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Source Protection Zones Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	January 2024	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	Quarterly
OS Water Network Lines Ordnance Survey	October 2023	Quarterly
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified

Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites Environment Agency - Head Office	July 2023	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Anglian Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - Anglian Region - Northern Area	July 2023	Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - Anglian Region - Northern Area	January 2023	Quarterly
Local Authority Landfill Coverage Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department Northamptonshire County Council North Northamptonshire Council West Northamptonshire Council	February 2003 February 2003 February 2003 May 2000 May 2000	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable
Local Authority Recorded Landfill Sites North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department Northamptonshire County Council	August 2006 August 2006 October 2018 October 2018 October 2018	
Registered Landfill Sites Environment Agency - Anglian Region - Northern Area	March 2006	Not Applicable
Registered Waste Transfer Sites Environment Agency - Anglian Region - Northern Area	April 2018	
Registered Waste Treatment or Disposal Sites Environment Agency - Anglian Region - Northern Area	June 2015	
Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	March 2023	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements Kettering Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council Northamptonshire County Council Daventry District Council (now part of West Northamptonshire Council) West Northamptonshire Council	February 2016 February 2016 May 2013 May 2023 May 2023	Variable Variable Annual Rolling Update Variable Variable
Planning Hazardous Substance Consents Northamptonshire County Council Kettering Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council)	December 2014 February 2016 February 2016 February 2016 January 2016	Annual Rolling Update Variable Variable Variable Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	June 2023	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	October 2023	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	October 2023	Annually
Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	October 2023	Quarterly
Fuel Station Entries Catalist Ltd - Experian	November 2023	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Underground Electrical Cables National Grid	February 2023	Bi-Annually

Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	October 2023	Bi-Annually
Areas of Adopted Green Belt Daventry District Council (now part of West Northamptonshire Council) Kettering Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly
Areas of Unadopted Green Belt Daventry District Council (now part of West Northamptonshire Council) Kettering Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly
Areas of Outstanding Natural Beauty Natural England	November 2023	Bi-Annually
Environmentally Sensitive Areas Natural England	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	August 2023	Bi-Annually
Marine Nature Reserves Natural England	October 2023	Bi-Annually
National Nature Reserves Natural England	August 2023	Bi-Annually
National Parks Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 March 2023	Bi-Annually
Ramsar Sites Natural England	October 2023	Bi-Annually
Sites of Special Scientific Interest Natural England	November 2023	Bi-Annually
Special Areas of Conservation Natural England	October 2023	Bi-Annually
Special Protection Areas Natural England	October 2023	Bi-Annually

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
4	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
5	Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Lodge Road, Daventry, Northamptonshire, NN11 5AF	Telephone: 01327 871100 Fax: 01327 302540 Website: www.daventrydc.gov.uk
6	Northamptonshire County Council County Hall, Northampton, Northamptonshire, NN1 1DN	Telephone: 0300 126 1000 Website: www.northamptonshire.gov.uk
7	Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department Municipal Offices, Bowling Green Road, Kettering, Northamptonshire, NN15 7QX	Telephone: 01536 534277 Fax: 01536 410795 Website: www.kettering.gov.uk
8	Stantec UK Ltd Caversham Bridge House, Waterman Place, Reading, RG1 8DN	Telephone: 0118 950 0761 Email: pba.reading@stantec.com Website: www.stantec.com
9	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

General

- ▬ Specified Site
- ▬ Specified Buffer(s)
- X Bearing Reference Point
- Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- ▭ Contaminated Land Register Entry or Notice
- ◆ Discharge Consent
- ▲ Enforcement or Prohibition Notice
- ▲ Integrated Pollution Control
- ▭ Integrated Pollution Prevention Control
- ▭ Local Authority Integrated Pollution Prevention and Control
- ▲ Local Authority Pollution Prevention and Control
- ▼ Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- ▼ Prosecution Relating to Authorised Processes
- ◆ Prosecution Relating to Controlled Waters
- ▲ Registered Radioactive Substance
- ▬ River Network or Water Feature
- + River Quality Sampling Point
- Substantiated Pollution Incident Register
- ◆ Water Abstraction
- ◆ Water Industry Act Referral

Waste

- ▼ BGS Recorded Landfill Site (Location)
- ▭ BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- ▭ EA Historic Landfill (Polygon)
- ▲ Integrated Pollution Control Registered Waste Site
- ▭ Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- ▭ Local Authority Recorded Landfill Site (Location)
- ▭ Local Authority Recorded Landfill Site
- ▭ Registered Landfill Site
- ▭ Registered Landfill Site (Location)
- ▭ Registered Landfill Site (Point Buffered to 100m)
- ▭ Registered Landfill Site (Point Buffered to 250m)
- ▭ Registered Waste Transfer Site (Location)
- ▭ Registered Waste Transfer Site
- ▭ Registered Waste Treatment or Disposal Site (Location)
- ▭ Registered Waste Treatment or Disposal Site

Geological

- ▼ BGS Recorded Mineral Site


Industrial Land Use

- ★ Contemporary Trade Directory Entry
- ★ Fuel Station Entry

Hazardous Substances

- ✖ COMAH Site
- ✖ Explosive Site
- ✖ NIHS Site
- ✖ Planning Hazardous Substance Consent
- ✖ Planning Hazardous Substance Enforcement

Site Sensitivity Map - Slice G



Order Details






Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481250, 272570
 Slice: G
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details





Grendon Solar Scheme

Industrial Land Use Map


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Industrial Land Use

-  Contemporary Trade Directory Entry
-  Fuel Station Entry
-  Gas Pipeline
-  Underground Electrical Cables

Industrial Land Use Map - Slice G




Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481250, 272570
 Slice: G
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details






Grendon Solar Scheme




General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

Agency and Hydrological (Flood)

-  Extreme Flooding from Rivers or Sea without Defences (Zone 2)
-  Flooding from Rivers or Sea without Defences (Zone 3)
-  Area Benefiting from Flood Defence
-  Flood Water Storage Areas
-  Flood Defence

Flood Map - Slice G




Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481250, 272570
 Slice: G
 Site Area (Ha): 245.49
 Search Buffer (m): 1000






Site Details

Grendon Solar Scheme








© Crown Copyright. All Rights Reserved. License Number 100022432

General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Map ID
-  Several of Type at Location


Agency and Hydrological (Boreholes)

-  BGS Borehole Depth 0 - 10m
-  BGS Borehole Depth 10 - 30m
-  BGS Borehole Depth 30m +
-  Confidential
-  Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice G




Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481250, 272570
 Slice: G
 Site Area (Ha): 245.49
 Search Buffer (m): 1000




Site Details

Grendon Solar Scheme










© Crown Copyright. All Rights Reserved. License Number 100022432.


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

OS Water Network Data

- | | |
|--|---|
|  Canal |  Drain |
|  Reservoir |  Other |
|  Foreshore |  Lake |
|  Marsh |  Transfer |
|  Tidal River |  Lock Or Flight Of Locks |
|  Inland River |  Sea |

OS Water Network Map - Slice G





Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481250, 272570
 Slice: G
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme





© Crown Copyright. All Rights Reserved. License Number 100022412



Groundwater Vulnerability

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Bedrock Aquifers


- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

Superficial Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

- Unproductive Aquifer
- Soluble Rock

Site Sensitivity Context Map - Slice H



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 482700, 271570
 Slice: H
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 1000122412



Bedrock Aquifer Designation

General


- ◇ Specified Site
- ⬭ Specified Buffer(s)
- x Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice H



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 482700, 271570
 Slice: H
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100122412



Superficial Aquifer Designation

General


- ◇ Specified Site
- ⬭ Specified Buffer(s)
- X Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice H



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 482700, 271570
 Slice: H
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



Source Protection Zones


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice H



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 482700, 271570
 Slice: H
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




Sensitive Land Uses

- General**
- Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point
 - Slice
 - Map ID

- Sensitive Land Uses**
- Ancient Woodland
 - Area of Adopted Green Belt
 - Area of Unadopted Green Belt
 - Area of Outstanding Natural Beauty
 - Environmentally Sensitive Area
 - Forest Park
 - Local Nature Reserve
 - Marine Nature Reserve
 - National Nature Reserve
 - National Park
 - Nitrate Sensitive Area
 - Nitrate Vulnerable Zone
 - Ramsar Site
 - Site of Special Scientific Interest
 - Special Area of Conservation
 - Special Protection Area
 - World Heritage Sites

Site Sensitivity Context Map - Slice H




Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 482700, 271570
 Slice: H
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



© Crown Copyright. All Rights Reserved. License Number 100122412



BGS Flood GFS Data


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice H



Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 482700, 271570
 Slice: H
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

331731401_1_1

Customer Reference:

93791.580478

National Grid Reference:

482700, 271570

Slice:

H

Site Area (Ha):

245.49

Search Buffer (m):

1000

Site Details:

Grendon Solar Scheme

Client Details:

Ms M Booth
Delta Simons
Suite 4A
One Portland Street
Manchester
M1 3BE



Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	6
Hazardous Substances	-
Geological	7
Industrial Land Use	-
Sensitive Land Use	8
Data Currency	9
Data Suppliers	14
Useful Contacts	15

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2024. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2024. © Natural Resources Wales & United Kingdom Research and Innovation 2024.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2024. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents					
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls					
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 2				Yes
Pollution Incidents to Controlled Waters					
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality					
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register					
Water Abstractions					
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 2	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk	pg 4	1	n/a	n/a	n/a
Bedrock Aquifer Designations	pg 4	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 5	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences				n/a	n/a
Flooding from Rivers or Sea without Defences				n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 5				7

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites					
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)					
Local Authority Landfill Coverage	pg 6	3	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 7	Yes	n/a	n/a	n/a
BGS Recorded Mineral Sites					
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 7	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards				n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 7	Yes		n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 7	Yes		n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 7	Yes		n/a	n/a
Radon Potential - Radon Affected Areas			n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Industrial Land Use					
Contemporary Trade Directory Entries					
Fuel Station Entries					
Gas Pipelines					
Underground Electrical Cables					
Sensitive Land Use					
Ancient Woodland	pg 8		2		
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 8	3			
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	482400 271900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	482550 271400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	482100 271250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	481950 271250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	10	1	481950 271450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	15	1	482050 270600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	29	1	482000 271100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	51	1	482250 270600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	76	1	481950 271300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	84	1	482400 273700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	110	1	482050 271200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	121	1	482300 270700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	141	1	482500 271700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	169	1	482698 270850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	179	1	482050 271500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	186	1	482550 271300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	227	1	482550 271567
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	242	1	481800 273100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	247	1	481950 272800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	293	1	482200 271300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	294	1	482400 273600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	337	1	482000 272400

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	350	1	482400 271567
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	353	1	481900 273300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	361	1	482050 272300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	376	1	482900 270800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	438	1	481950 272600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	464	1	482250 273300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	469	1	482150 272500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	478	1	482050 272350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	493	1	481950 272500
	Nearest Surface Water Feature	H1SW (S)	849	-	482733 271447
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NW)	0	2	482000 272000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(W)	0	2	482000 271623

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(W)	0	2	482000 271458
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: No Data	(SW)	0	2	481883 271000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: >10m Superficial Recharge: Low	(S)	0	2	482698 271000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: >10m Superficial Recharge: Low	(SW)	0	2	482127 271000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NW)	0	2	482000 273000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: >10m Superficial Recharge: Low	(N)	0	2	482000 274000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(W)	0	2	482000 271567
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NW)	0	2	481949 272430
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	(NW)	0	2	482000 272000
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	H1NW (W)	0	2	482624 271595
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	H1NW (SE)	0	2	482698 271567
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	(NW)	0	2	482092 272354

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	H1NW (SE)	0	2	482698 271567
	Extreme Flooding from Rivers or Sea without Defences None				
	Flooding from Rivers or Sea without Defences None				
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
1	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 134.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	H1SW (S)	849	3	482733 271447
2	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 237.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	H1NW (E)	905	3	482766 271557
3	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	H1SW (S)	907	3	482734 271453
4	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 60.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	H1SW (SE)	909	3	482742 271513
5	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 132.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	(N)	924	3	482604 272038
6	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	H1SW (SE)	941	3	482743 271520
7	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 126.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	H1NW (E)	945	3	482749 271560

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Landfill Coverage Name: Northamptonshire County Council - Has supplied landfill data		0	5	482698 271567
	Local Authority Landfill Coverage Name: Wellingborough Borough Council - Has no landfill data to supply		0	4	482764 271558
	Local Authority Landfill Coverage Name: Daventry District Council - Landfill data has been supplied by another authority		0	6	482698 271567

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Great Oolite Group	H1NW (SE)	0	1	482698 271567
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	H1NW (SE)	0	1	482698 271567
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	H1NW (SE)	0	1	482698 271567
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	H1NW (SE)	0	1	482698 271567
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	H1NW (SE)	0	1	482698 271567
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	H1NW (SE)	0	1	482698 271567
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	H1NW (SE)	0	1	482698 271567
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	H1NW (SE)	0	1	482698 271567
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	H1NW (SE)	0	1	482698 271567

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
8	Ancient Woodland Name: Hardwick Wood Reference: 1108226 Area(m ²): 346399.7 Type: Plantation on Ancient Woodland	(S)	72	7	482810 270948
9	Ancient Woodland Name: Hardwick Wood Reference: 1108226 Area(m ²): 50237.63 Type: Ancient and Semi-Natural Woodland	(S)	167	7	482558 270636
10	Nitrate Vulnerable Zones Name: Thrapstone Lake Eutrophic Lake Nvz Description: Eutrophic Water Source: Environment Agency, Head Office	H1NW (SE)	0	2	482698 271567
11	Nitrate Vulnerable Zones Name: Northampton Sands Description: Groundwater Source: Environment Agency, Head Office	H1SW (SE)	0	2	482750 271530
12	Nitrate Vulnerable Zones Name: River Nene Nvz Description: Surface Water Source: Environment Agency, Head Office	H1NW (SE)	0	2	482698 271567

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Environment Agency - Head Office Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department	August 2013 December 2019 December 2019 November 2023 September 2017 September 2017	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annually Annual Rolling Update Annual Rolling Update
Discharge Consents Environment Agency - Anglian Region	October 2023	Quarterly
Enforcement and Prohibition Notices Environment Agency - Anglian Region	March 2013	
Integrated Pollution Controls Environment Agency - Anglian Region	January 2009	
Integrated Pollution Prevention And Control Environment Agency - Anglian Region	January 2023	Quarterly
Local Authority Integrated Pollution Prevention And Control Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department	December 2020 February 2015 February 2015 May 2014 November 2014	Variable Variable Variable Variable Variable
Local Authority Pollution Prevention and Controls Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department	December 2020 February 2015 February 2015 May 2014 November 2014	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department	December 2014 February 2015 February 2015 May 2014 November 2014	Variable Variable Variable Variable Variable
Nearest Surface Water Feature Ordnance Survey	November 2023	
Pollution Incidents to Controlled Waters Environment Agency - Anglian Region	September 1999	
Prosecutions Relating to Authorised Processes Environment Agency - Anglian Region	July 2015	
Prosecutions Relating to Controlled Waters Environment Agency - Anglian Region	March 2013	
Registered Radioactive Substances Environment Agency - Anglian Region Environment Agency - Head Office	June 2016 May 2023	As notified Quarterly

Agency & Hydrological	Version	Update Cycle
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	April 2012	
River Quality Chemistry Sampling Points Environment Agency - Head Office	April 2012	
Substantiated Pollution Incident Register Environment Agency - Anglian Region - Northern Area	October 2023	Quarterly
Water Abstractions Environment Agency - Anglian Region	October 2023	Quarterly
Water Industry Act Referrals Environment Agency - Anglian Region	October 2017	
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Source Protection Zones Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	January 2024	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	Quarterly
OS Water Network Lines Ordnance Survey	October 2023	Quarterly
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified

Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites Environment Agency - Head Office	July 2023	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Anglian Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - Anglian Region - Northern Area	July 2023	Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - Anglian Region - Northern Area	January 2023	Quarterly
Local Authority Landfill Coverage Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department Northamptonshire County Council Wellingborough Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council West Northamptonshire Council	February 2003 February 2003 February 2003 February 2003 May 2000 May 2000	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable
Local Authority Recorded Landfill Sites North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department Northamptonshire County Council Wellingborough Borough Council (now part of North Northamptonshire Council)	August 2006 August 2006 October 2018 October 2018 October 2018 October 2018	
Registered Landfill Sites Environment Agency - Anglian Region - Northern Area	March 2006	Not Applicable
Registered Waste Transfer Sites Environment Agency - Anglian Region - Northern Area	April 2018	
Registered Waste Treatment or Disposal Sites Environment Agency - Anglian Region - Northern Area	June 2015	

Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	March 2023	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements Kettering Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) Northamptonshire County Council Daventry District Council (now part of West Northamptonshire Council) West Northamptonshire Council	February 2016 February 2016 February 2016 May 2013 May 2023 May 2023	Variable Variable Variable Annual Rolling Update Variable Variable
Planning Hazardous Substance Consents Northamptonshire County Council Kettering Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council)	December 2014 February 2016 February 2016 February 2016 February 2016 January 2016	Annual Rolling Update Variable Variable Variable Variable Variable
Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	June 2023	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	October 2023	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	October 2023	Annually

Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	October 2023	Quarterly
Fuel Station Entries Catalist Ltd - Experian	November 2023	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Underground Electrical Cables National Grid	February 2023	Bi-Annually
Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	October 2023	Bi-Annually
Areas of Adopted Green Belt Daventry District Council (now part of West Northamptonshire Council) Kettering Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly Quarterly
Areas of Unadopted Green Belt Daventry District Council (now part of West Northamptonshire Council) Kettering Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly Quarterly
Areas of Outstanding Natural Beauty Natural England	November 2023	Bi-Annually
Environmentally Sensitive Areas Natural England	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	August 2023	Bi-Annually
Marine Nature Reserves Natural England	October 2023	Bi-Annually
National Nature Reserves Natural England	August 2023	Bi-Annually
National Parks Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 March 2023	Bi-Annually
Ramsar Sites Natural England	October 2023	Bi-Annually
Sites of Special Scientific Interest Natural England	November 2023	Bi-Annually
Special Areas of Conservation Natural England	October 2023	Bi-Annually
Special Protection Areas Natural England	October 2023	Bi-Annually

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
3	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
4	Wellingborough Borough Council (now part of North Northamptonshire Council) Croyland Abbey, Tithe Barn Road, Wellingborough, Northamptonshire, NN8 1BJ	Telephone: 01933 229777 Fax: 01933 441375 Website: www.wellingborough.gov.uk
5	Northamptonshire County Council County Hall, Northampton, Northamptonshire, NN1 1DN	Telephone: 0300 126 1000 Website: www.northamptonshire.gov.uk
6	Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Lodge Road, Daventry, Northamptonshire, NN11 5AF	Telephone: 01327 871100 Fax: 01327 302540 Website: www.daventrydc.gov.uk
7	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

General

- ◇ Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- ◇ Contaminated Land Register Entry or Notice
- ◆ Discharge Consent
- ▲ Enforcement or Prohibition Notice
- ▲ Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- ▲ Local Authority Pollution Prevention and Control
- ▼ Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- ▼ Prosecution Relating to Authorised Processes
- ◆ Prosecution Relating to Controlled Waters
- ▲ Registered Radioactive Substance
- River Network or Water Feature
- + River Quality Sampling Point
- Substantiated Pollution Incident Register
- ◇ Water Abstraction
- ◆ Water Industry Act Referral

Waste

- ▼ BGS Recorded Landfill Site (Location)
- ◇ BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- ▲ Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Registered Landfill Site
- ▲ Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site


Geological

- ▼ BGS Recorded Mineral Site

Industrial Land Use

- ★ Contemporary Trade Directory Entry
- ★ Fuel Station Entry
- X COMAH Site
- X Explosive Site
- X NIHS Site
- X Planning Hazardous Substance Consent
- X Planning Hazardous Substance Enforcement

Site Sensitivity Map - Slice H



Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 482700, 271570
 Slice: H
 Site Area (Ha): 245.49
 Search Buffer (m): 1000






Site Details

Grendon Solar Scheme







Industrial Land Use Map


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Industrial Land Use

-  Contemporary Trade Directory Entry
-  Fuel Station Entry
-  Gas Pipeline
-  Underground Electrical Cables

Industrial Land Use Map - Slice H



Order Details




Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 482700, 271570
 Slice: H
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details






Grendon Solar Scheme




General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

Agency and Hydrological (Flood)

-  Extreme Flooding from Rivers or Sea without Defences (Zone 2)
-  Flooding from Rivers or Sea without Defences (Zone 3)
-  Area Benefiting from Flood Defence
-  Flood Water Storage Areas
-  Flood Defence

Flood Map - Slice H



Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 482700, 271570
 Slice: H
 Site Area (Ha): 245.49
 Search Buffer (m): 1000






Site Details

Grendon Solar Scheme








© Crown Copyright. All Rights Reserved. License Number 100022432.

General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Map ID
-  Several of Type at Location


Agency and Hydrological (Boreholes)

-  BGS Borehole Depth 0 - 10m
-  BGS Borehole Depth 10 - 30m
-  BGS Borehole Depth 30m +
-  Confidential
-  Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice H




Order Details




Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 482700, 271570
 Slice: H
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details



Grendon Solar Scheme




General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

OS Water Network Data

- | | |
|--|---|
|  Canal |  Drain |
|  Reservoir |  Other |
|  Foreshore |  Lake |
|  Marsh |  Transfer |
|  Tidal River |  Lock Or Flight Of Locks |
|  Inland River |  Sea |

OS Water Network Map - Slice H




Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 482700, 271570
 Slice: H
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



© Crown Copyright. All Rights Reserved. License Number 100022432.



© Crown Copyright. All Rights Reserved. License Number 100012942



Groundwater Vulnerability

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological


Bedrock Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer
- Unproductive Aquifer
- Soluble Rock

Superficial Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

Site Sensitivity Context Map - Slice I



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479230, 274260
 Slice: I
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100012412



Bedrock Aquifer Designation

General


- ◇ Specified Site
- ⬭ Specified Buffer(s)
- X Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice I



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479230, 274260
 Slice: I
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number: 100012412



Superficial Aquifer Designation

General


- ◇ Specified Site
- ◇ Specified Buffer(s)
- X Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice I



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479230, 274260
 Slice: I
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number: 1000122412



Source Protection Zones


General

- ◇ Specified Site
- ◇ Specified Buffer(s)
- X Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice I



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479230, 274260
 Slice: I
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022412



Sensitive Land Uses


General

- ◇ Specified Site
- ◇ Specified Buffer(s)
- X Bearing Reference Point
- Slice
- 85 Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice I



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479230, 274260
 Slice: I
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number: 1000122412



BGS Flood GFS Data


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice I



Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479230, 274260
 Slice: I
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

331731401_1_1

Customer Reference:

93791.580478

National Grid Reference:

479230, 274260

Slice:

I

Site Area (Ha):

245.49

Search Buffer (m):

1000

Site Details:

Grendon Solar Scheme

Client Details:

Ms M Booth
Delta Simons
Suite 4A
One Portland Street
Manchester
M1 3BE



Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	8
Hazardous Substances	-
Geological	9
Industrial Land Use	-
Sensitive Land Use	11
Data Currency	12
Data Suppliers	17
Useful Contacts	18

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2024. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2024. © Natural Resources Wales & United Kingdom Research and Innovation 2024.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2024. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents					
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls					
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 2			Yes	
Pollution Incidents to Controlled Waters					
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality					
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register					
Water Abstractions	pg 2				(*3)
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 3	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a	n/a	n/a
Bedrock Aquifer Designations	pg 6	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 7	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences				n/a	n/a
Flooding from Rivers or Sea without Defences				n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 7			1	3

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites					
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)					
Local Authority Landfill Coverage	pg 8	2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 9	Yes	n/a	n/a	n/a
BGS Recorded Mineral Sites					
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities	pg 9	1			
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 9	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 9	Yes		n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 9	Yes		n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 9	Yes		n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 9	Yes		n/a	n/a
Radon Potential - Radon Affected Areas	pg 10	Yes	n/a	n/a	n/a
Radon Potential - Radon Protection Measures	pg 10	Yes	n/a	n/a	n/a

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Industrial Land Use					
Contemporary Trade Directory Entries					
Fuel Station Entries					
Gas Pipelines					
Underground Electrical Cables					
Sensitive Land Use					
Ancient Woodland					
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 11	2			
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	480400 274150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	480250 274000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	480350 274100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	480450 273500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	480200 273900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	479550 273600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	480150 273850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	479500 273350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	0	1	479550 273500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	479900 273400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	480450 273750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	480300 274050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	0	1	479700 273350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	479950 273400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	480000 273700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	479950 273300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	480550 273500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	8	1	479600 273550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	17	1	479600 273650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	86	1	479700 273800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	97	1	479950 273650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(E)	102	1	480050 274000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	108	1	478850 273550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(E)	125	1	480000 273950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	153	1	478900 273600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	I4SE (SE)	167	1	479850 273900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	171	1	478950 273650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	177	1	478800 273550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	179	1	478850 273600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	194	1	478750 273450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	196	1	479050 273850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	201	1	478750 273500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	245	1	479050 273750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	264	1	478950 273800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	I3SE (SW)	351	1	479100 273950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SW)	447	1	478500 273500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	I3SE (S)	469	1	479150 274000
	Nearest Surface Water Feature	I4SW (S)	373	-	479241 273908
	Water Abstractions Operator: H G Hayward Licence Number: 5/32/03/*g/055 Permit Version: Not Supplied Location: Spring, Kites Hall Farm Authority: Environment Agency, Anglian Region Abstraction: Agriculture (General) Abstraction Type: Not Supplied Source: Groundwater Daily Rate (m3): 2 Yearly Rate (m3): 4550 Details: Status: Revoked Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	I11SE (N)	1653	2	479150 275275

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: H G Hayward Licence Number: 5/32/03/gs/055 Permit Version: Not Supplied Location: Spring At Kites Hall Farm, OLD Authority: Environment Agency, Anglian Region Abstraction: Agriculture (General) Abstraction Type: Not Supplied Source: Stream Daily Rate (m3): 4 Yearly Rate (m3): 1659 Details: Status: Revoked Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	I11SE (N)	1656	2	479150 275280
	Water Abstractions Operator: F M Beers Licence Number: 5/32/03/*G/0019 Permit Version: 100 Location: 6 Wells At Faxton Authority: Environment Agency, Anglian Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Northampton Sanstone; Status: Perpetuity Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st March 1966 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	I6NE (NW)	1715	2	478300 275000
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SE)	0	3	479658 273645
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(S)	0	3	479000 273686

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	14SW (S)	0	3	479231 274000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SE)	0	3	479628 273784
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(E)	0	3	480000 274260
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(E)	0	3	480000 274038

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SE)	0	3	480086 273629
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SE)	0	3	480099 273208
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SE)	0	3	480000 273830
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(E)	0	3	480477 273746

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SE)	0	3	479677 273755
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SE)	0	3	479671 273500
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SE)	0	3	479766 273612
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SE)	0	3	480000 273488
	Groundwater Vulnerability - Soluble Rock Risk None				
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	I4NW (E)	0	3	479231 274260
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(SE)	0	3	479824 273682
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(E)	0	3	480000 274260

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	(E)	0	3	480477 273746
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	I3NE (W)	0	3	479210 274266
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(SE)	0	3	480099 273208
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(SE)	0	3	479628 273784
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(E)	0	3	480000 274038
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	I4NW (E)	0	3	479231 274260
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	(E)	0	3	480000 274260
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	I7SW (NW)	0	3	478762 274633
	Extreme Flooding from Rivers or Sea without Defences None				
	Flooding from Rivers or Sea without Defences None				
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
1	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 881.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	I3NE (NW)	393	4	479164 274304
2	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1925.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	I7SW (NW)	803	4	478732 274634
3	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 61.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	I4NW (NE)	837	4	479299 274422
4	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 610.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	I4NW (NE)	865	4	479345 274462

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Landfill Coverage Name: Northamptonshire County Council - Has supplied landfill data		0	6	479231 274260
	Local Authority Landfill Coverage Name: Daventry District Council - Landfill data has been supplied by another authority		0	5	479231 274260

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Inferior Oolite Group	I4NW (E)	0	1	479231 274260
	BGS 1:625,000 Solid Geology Description: Lias Group	I3SE (SW)	0	1	479133 274201
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Natural Cavities Easting: 479240 Northing: 274129 Distance: 0 Quadrant Reference: I4 Quadrant Reference: SW Bearing Ref: S Cavity Type: Gulls/Fissures due to Cambering x 30 Solid Geology Detail: Great Oolite Group, Inferior Oolite Group, Upper Lias Superficial Geology Detail: Glacial Sand & Gravel, Glacial Till and morainic drift	I4SW (S)	0	7	479240 274129
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	I4NW (E)	0	1	479231 274260
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	I7SW (NW)	0	1	478762 274633
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	I4NW (E)	0	1	479231 274260
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	I7SW (NW)	0	1	478762 274633
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	I4NW (E)	0	1	479231 274260
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	I4NW (E)	0	1	479231 274260
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	I4NW (W)	0	1	479231 274261
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	I4NW (E)	0	1	479231 274260
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	I7SW (NW)	0	1	478762 274633
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	(SE)	0	1	479628 273784
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	I4NW (E)	0	1	479231 274260
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (5 to 10% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	(SE)	0	1	479650 273850
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	I4NW (E)	0	1	479250 274260

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Radon Potential - Radon Protection Measures Protection Measure: Basic radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	(SE)	0	1	479650 273850
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	I4NW (E)	0	1	479250 274260

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
5	Nitrate Vulnerable Zones Name: Thrapstone Lake Eutrophic Lake Nvz Description: Eutrophic Water Source: Environment Agency, Head Office	I4NW (E)	0	3	479231 274260
6	Nitrate Vulnerable Zones Name: River Nene Nvz Description: Surface Water Source: Environment Agency, Head Office	I4NW (E)	0	3	479231 274260

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices North Northamptonshire Council West Northamptonshire Council Environment Agency - Head Office Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department	December 2019 December 2019 November 2023 September 2017 September 2017	Annual Rolling Update Annual Rolling Update Annually Annual Rolling Update Annual Rolling Update
Discharge Consents Environment Agency - Anglian Region	October 2023	Quarterly
Enforcement and Prohibition Notices Environment Agency - Anglian Region	March 2013	
Integrated Pollution Controls Environment Agency - Anglian Region	January 2009	
Integrated Pollution Prevention And Control Environment Agency - Anglian Region	January 2023	Quarterly
Local Authority Integrated Pollution Prevention And Control North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department	February 2015 February 2015 May 2014 November 2014	Variable Variable Variable Variable
Local Authority Pollution Prevention and Controls North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department	February 2015 February 2015 May 2014 November 2014	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department	February 2015 February 2015 May 2014 November 2014	Variable Variable Variable Variable
Nearest Surface Water Feature Ordnance Survey	November 2023	
Pollution Incidents to Controlled Waters Environment Agency - Anglian Region	September 1999	
Prosecutions Relating to Authorised Processes Environment Agency - Anglian Region	July 2015	
Prosecutions Relating to Controlled Waters Environment Agency - Anglian Region	March 2013	
Registered Radioactive Substances Environment Agency - Anglian Region Environment Agency - Head Office	June 2016 May 2023	As notified Quarterly
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	April 2012	
River Quality Chemistry Sampling Points Environment Agency - Head Office	April 2012	

Agency & Hydrological	Version	Update Cycle
Substantiated Pollution Incident Register Environment Agency - Anglian Region - Northern Area	October 2023	Quarterly
Water Abstractions Environment Agency - Anglian Region	October 2023	Quarterly
Water Industry Act Referrals Environment Agency - Anglian Region	October 2017	
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Source Protection Zones Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	January 2024	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	Quarterly
OS Water Network Lines Ordnance Survey	October 2023	Quarterly
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified

Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites Environment Agency - Head Office	July 2023	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Anglian Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - Anglian Region - Northern Area	July 2023	Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - Anglian Region - Northern Area	January 2023	Quarterly
Local Authority Landfill Coverage Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department Northamptonshire County Council North Northamptonshire Council West Northamptonshire Council	February 2003 February 2003 February 2003 May 2000 May 2000	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable
Local Authority Recorded Landfill Sites North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department Northamptonshire County Council	August 2006 August 2006 October 2018 October 2018 October 2018	
Registered Landfill Sites Environment Agency - Anglian Region - Northern Area	March 2006	Not Applicable
Registered Waste Transfer Sites Environment Agency - Anglian Region - Northern Area	April 2018	
Registered Waste Treatment or Disposal Sites Environment Agency - Anglian Region - Northern Area	June 2015	
Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	March 2023	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements Kettering Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council Northamptonshire County Council Daventry District Council (now part of West Northamptonshire Council) West Northamptonshire Council	February 2016 February 2016 May 2013 May 2023 May 2023	Variable Variable Annual Rolling Update Variable Variable
Planning Hazardous Substance Consents Northamptonshire County Council Kettering Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council)	December 2014 February 2016 February 2016 February 2016 January 2016	Annual Rolling Update Variable Variable Variable Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	June 2023	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	October 2023	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	October 2023	Annually
Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	October 2023	Quarterly
Fuel Station Entries Catalist Ltd - Experian	November 2023	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Underground Electrical Cables National Grid	February 2023	Bi-Annually

Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	October 2023	Bi-Annually
Areas of Adopted Green Belt Daventry District Council (now part of West Northamptonshire Council) Kettering Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly
Areas of Unadopted Green Belt Daventry District Council (now part of West Northamptonshire Council) Kettering Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly
Areas of Outstanding Natural Beauty Natural England	November 2023	Bi-Annually
Environmentally Sensitive Areas Natural England	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	August 2023	Bi-Annually
Marine Nature Reserves Natural England	October 2023	Bi-Annually
National Nature Reserves Natural England	August 2023	Bi-Annually
National Parks Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 March 2023	Bi-Annually
Ramsar Sites Natural England	October 2023	Bi-Annually
Sites of Special Scientific Interest Natural England	November 2023	Bi-Annually
Special Areas of Conservation Natural England	October 2023	Bi-Annually
Special Protection Areas Natural England	October 2023	Bi-Annually

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
4	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
5	Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Lodge Road, Daventry, Northamptonshire, NN11 5AF	Telephone: 01327 871100 Fax: 01327 302540 Website: www.daventrydc.gov.uk
6	Northamptonshire County Council County Hall, Northampton, Northamptonshire, NN1 1DN	Telephone: 0300 126 1000 Website: www.northamptonshire.gov.uk
7	Stantec UK Ltd Caversham Bridge House, Waterman Place, Reading, RG1 8DN	Telephone: 0118 950 0761 Email: pba.reading@stantec.com Website: www.stantec.com
8	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- ◇ Discharge Consent
- ▲ Enforcement or Prohibition Notice
- ▲ Integrated Pollution Control
- Integrated Pollution Prevention and Control
- Local Authority Integrated Pollution Prevention and Control
- ▲ Local Authority Pollution Prevention and Control
- ▼ Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- ▼ Prosecution Relating to Authorised Processes
- ◇ Prosecution Relating to Controlled Waters
- ▲ Registered Radioactive Substance
- ~ River Network or Water Feature
- + River Quality Sampling Point
- Substantiated Pollution Incident Register
- ◇ Water Abstraction
- ◇ Water Industry Act Referral

Waste

- ▼ BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- ▲ Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Registered Landfill Site
- ▲ Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site


Geological

- ▼ BGS Recorded Mineral Site

Industrial Land Use

- ★ Contemporary Trade Directory Entry
- ★ Fuel Station Entry
- ✖ COMAH Site
- ✖ Explosive Site
- ✖ NIHS Site
- ✖ Planning Hazardous Substance Consent
- ✖ Planning Hazardous Substance Enforcement

Site Sensitivity Map - Slice I



Order Details






Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479230, 274260
 Slice: I
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details





Grendon Solar Scheme

Industrial Land Use Map


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Industrial Land Use

-  Contemporary Trade Directory Entry
-  Fuel Station Entry
-  Gas Pipeline
-  Underground Electrical Cables

Industrial Land Use Map - Slice I




Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479230, 274260
 Slice: I
 Site Area (Ha): 245.49
 Search Buffer (m): 1000



Site Details

Grendon Solar Scheme











General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

Agency and Hydrological (Flood)

-  Extreme Flooding from Rivers or Sea without Defences (Zone 2)
-  Flooding from Rivers or Sea without Defences (Zone 3)
-  Area Benefiting from Flood Defence
-  Flood Water Storage Areas
-  Flood Defence

Flood Map - Slice I








Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479230, 274260
 Slice: I
 Site Area (Ha): 245.49
 Search Buffer (m): 1000






Site Details

Grendon Solar Scheme

General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Map ID
-  Several of Type at Location


Agency and Hydrological (Boreholes)

-  BGS Borehole Depth 0 - 10m
-  BGS Borehole Depth 10 - 30m
-  BGS Borehole Depth 30m +
-  Confidential
-  Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice I




Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479230, 274260
 Slice: I
 Site Area (Ha): 245.49
 Search Buffer (m): 1000




Site Details

Grendon Solar Scheme



© Crown Copyright. All Rights Reserved. License Number 100022432.


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

OS Water Network Data

- | | |
|--|---|
|  Canal |  Drain |
|  Reservoir |  Other |
|  Foreshore |  Lake |
|  Marsh |  Transfer |
|  Tidal River |  Lock Or Flight Of Locks |
|  Inland River |  Sea |

OS Water Network Map - Slice I





Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 479230, 274260
 Slice: I
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme





© Crown Copyright. All Rights Reserved. License Number 1000122412



Groundwater Vulnerability

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological


Bedrock Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer
- Unproductive Aquifer
- Soluble Rock

Superficial Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

Site Sensitivity Context Map - Slice J



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481080, 274550
 Slice: J
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022412



Bedrock Aquifer Designation

General


- ◊ Specified Site
- ⬭ Specified Buffer(s)
- X Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice J



Order Details


Order Number:	331731401_1_1
Customer Ref:	93791.580478
National Grid Reference:	481080, 274550
Slice:	J
Site Area (Ha):	245.49
Search Buffer (m):	1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022912



Superficial Aquifer Designation

General


- ▭ Specified Site
- ▭ Specified Buffer(s)
- X Bearing Reference Point
- ▭ Slice
- Map ID

Agency and Hydrological

Geological Classes

- ▭ Principal Aquifer
- ▭ Secondary A Aquifer
- ▭ Secondary B Aquifer
- ▭ Secondary Undifferentiated
- ▭ Unproductive Strata
- ▭ Unknown
- ▭ Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice J



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481080, 274550
 Slice: J
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 1000122412



Source Protection Zones


General

- ▭ Specified Site
- ▭ Specified Buffer(s)
- X Bearing Reference Point
- ▭ Slice
- B Map ID

Agency and Hydrological

- ▭ Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice J



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481080, 274550
 Slice: J
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022412



Sensitive Land Uses


General

- ◇ Specified Site
- ◇ Specified Buffer(s)
- X Bearing Reference Point
- Slice
- 8 Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice J



Order Details


Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481080, 274550
 Slice: J
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number: 1000129412



BGS Flood GFS Data


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice J



Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481080, 274550
 Slice: J
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

331731401_1_1

Customer Reference:

93791.580478

National Grid Reference:

481080, 274550

Slice:

J

Site Area (Ha):

245.49

Search Buffer (m):

1000

Site Details:

Grendon Solar Scheme

Client Details:

Ms M Booth
Delta Simons
Suite 4A
One Portland Street
Manchester
M1 3BE



Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	14
Hazardous Substances	-
Geological	15
Industrial Land Use	-
Sensitive Land Use	18
Data Currency	19
Data Suppliers	24
Useful Contacts	25

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2024. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2024. © Natural Resources Wales & United Kingdom Research and Innovation 2024.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2024. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 4		1	3	
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls					
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 4	Yes			
Pollution Incidents to Controlled Waters					
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality					
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register					
Water Abstractions					
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 5	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a	n/a	n/a
Bedrock Aquifer Designations	pg 9	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 9	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences				n/a	n/a
Flooding from Rivers or Sea without Defences				n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 10	6	9	2	13

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites					
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)					
Local Authority Landfill Coverage	pg 14	2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 15	Yes	n/a	n/a	n/a
BGS Recorded Mineral Sites	pg 15	1			
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities	pg 15	1			
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 15	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards				n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 15	Yes		n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 15	Yes		n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 16	Yes	Yes	n/a	n/a
Radon Potential - Radon Affected Areas	pg 16	Yes	n/a	n/a	n/a
Radon Potential - Radon Protection Measures	pg 16	Yes	n/a	n/a	n/a

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Industrial Land Use					
Contemporary Trade Directory Entries					
Fuel Station Entries					
Gas Pipelines					
Underground Electrical Cables					
Sensitive Land Use					
Ancient Woodland					
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 18	3			
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	J2SE (S)	0	1	481000 274050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	481300 273750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	J1SE (SW)	0	1	480450 274150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	J1SE (SW)	0	1	480300 274000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	J1SE (SW)	0	1	480400 274100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	J2NE (S)	0	1	481079 274250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	J2NE (S)	0	1	481000 274350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	480700 273450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	J1SE (SW)	0	1	480250 273900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	0	1	479600 273600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	J2SE (S)	0	1	480950 273900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	480200 273850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	J3SW (S)	0	1	481350 273900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	J2NE (SE)	0	1	481200 274350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	0	1	479550 273350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SW)	0	1	479700 273500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	479950 273400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	J2NW (SW)	0	1	480900 274250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	J2NE (S)	0	1	481050 274400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	J2NE (S)	0	1	481079 274400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	J1SE (SW)	0	1	480350 274050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SW)	0	1	479800 273300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	481250 273800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	480000 273400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	J2NE (N)	0	1	481079 274552
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	480000 273300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	480850 273550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	J2NE (S)	0	1	481100 274400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SW)	8	1	479650 273550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SW)	17	1	479650 273650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(S)	19	1	481350 273800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	J3SW (SE)	23	1	481500 274100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(S)	29	1	481100 273600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	37	1	481350 273750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	J2NE (S)	47	1	481079 274450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	48	1	481400 273850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	59	1	481150 273550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	67	1	481300 273550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	J2NE (SE)	72	1	481150 274500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(S)	74	1	481100 273500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	J3SW (SE)	84	1	481550 274100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SW)	86	1	479850 273850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	J3SW (SE)	91	1	481550 274150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	94	1	481200 273500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	97	1	480000 273650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	J1SW (SW)	102	1	480100 274000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	106	1	481150 273500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	J2NE (S)	115	1	481100 274500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	J3SW (SE)	123	1	481550 273950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	J1SW (SW)	125	1	480050 273950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	136	1	481100 273300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	J3SE (SE)	148	1	481600 274200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	149	1	481450 273700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	J1SW (SW)	167	1	480000 273950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	200	1	481300 273400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	240	1	481150 273250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	J3SE (SE)	242	1	481700 274000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	249	1	481150 273350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	249	1	481300 273350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	J7SE (E)	294	1	481650 274650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	J3NW (E)	311	1	481300 274552
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	J3NE (E)	325	1	481750 274350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	J3SE (SE)	353	1	481750 273900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(S)	355	1	481450 273300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	456	1	481550 273250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	J7SE (E)	464	1	481700 274700

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	496	1	481650 273300
1	Discharge Consents Operator: Mr Karl M Stanley Property Type: WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Location: White Lodge Farm, Walgrave, Northampton, Nn6 8jf Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5nf1516 Permit Version: 1 Effective Date: 12th October 1984 Issued Date: 12th October 1984 Revocation Date: 1st October 1996 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge Environment: Lake/Reservoir - with outlet Receiving Water: Trib. Pitsford Reservoir Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	J3NW (SE)	195	2	481590 274250
2	Discharge Consents Operator: A J Middleton Property Type: Arable Farming Location: White Lodge Farm Walgrave, Northampton, Northamptonshire, Nn6 8jf Authority: Environment Agency, Anglian Region Catchment Area: Catchment 29 Unknown Detail Reference: Gwnlf40007 Permit Version: 1 Effective Date: 1st April 1999 Issued Date: 6th July 2000 Revocation Date: Not Supplied Discharge Type: Trade Discharge - Agricultural And Surface Discharge Environment: Onto Land Receiving Water: Groundwater Status: Deemed Groundwater Regulations Authorisation Positional Accuracy: Located by supplier to within 100m	J3NE (E)	309	2	481700 274300
3	Discharge Consents Operator: Mr A M Middleton Property Type: Domestic Property (Single) Location: White Lodge Farm Walgrave, Kettering, Northamptonshire, Nn6 9py Authority: Environment Agency, Anglian Region Catchment Area: Brampton Branch (Brixworth) Reference: Prnnf12892 Permit Version: 1 Effective Date: 10th January 2003 Issued Date: 20th January 2003 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Tributary Of Faxton Brook Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	J3NE (E)	331	2	481630 274390
4	Discharge Consents Operator: Topaz Real Estates Ltd Property Type: Domestic Property (Single) Location: White Lodge Farm Offices Walgrave, Kettering, Northamptonshire, Nn6 9py Authority: Environment Agency, Anglian Region Catchment Area: Brampton Branch (Brixworth) Reference: Prnnf12908 Permit Version: 1 Effective Date: 11th February 2003 Issued Date: 19th February 2003 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Tributary Of Faxton Brook Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	J3SE (SE)	442	2	481900 274140
	Nearest Surface Water Feature	J3SW (SE)	0	-	481262 274187

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Unproductive Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial <90% Patchiness: Superficial 3-10m Thickness: Superficial Low Recharge:	(SW)	0	3	480000 273830
	Groundwater Vulnerability Map Combined Secondary Superficial Aquifer - Medium Vulnerability Classification: Medium Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial <90% Patchiness: Superficial 3-10m Thickness: Superficial Low Recharge:	J1SW (SW)	0	3	479908 274000
	Groundwater Vulnerability Map Combined Secondary Superficial Aquifer - Medium Vulnerability Classification: Medium Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial <90% Patchiness: Superficial 3-10m Thickness: Superficial Low Recharge:	J1SW (SW)	0	3	480000 274000
	Groundwater Vulnerability Map Combined Secondary Superficial Aquifer - Medium Vulnerability Classification: Medium Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial >90% Patchiness: Superficial 3-10m Thickness: Superficial Low Recharge:	J2NE (W)	0	3	481000 274552

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	J1NE (SW)	0	3	480501 274311
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	J2SW (SW)	0	3	480630 274000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SW)	0	3	480269 273305
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	J1SE (SW)	0	3	480325 274000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	J2SE (S)	0	3	481000 274000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(S)	0	3	481173 273515
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	J2SE (S)	0	3	481079 274000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	J2NE (SW)	0	3	481000 274380

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: >10m Superficial Recharge: Low	J2NE (SE)	0	3	481124 274485
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	J1SW (SW)	0	3	480000 273960
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SW)	0	3	479821 273349
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SW)	0	3	480000 273764

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SW)	0	3	480141 273509
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(S)	0	3	481199 273838
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	J3SW (SE)	0	3	481386 273920
	Groundwater Vulnerability - Soluble Rock Risk None				
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	J1NW (W)	0	3	480000 274552
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(SW)	0	3	480000 273830
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	J2NE (N)	0	3	481079 274552
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	J2NE (SE)	0	3	481124 274485
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	J1SW (SW)	0	3	480000 273960
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(S)	0	3	481313 273683
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(SW)	0	3	480269 273305
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	J1SW (SW)	0	3	480000 274038

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	J1NE (SW)	0	3	480501 274311
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	J1NW (W)	0	3	480000 274552
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	J2NE (N)	0	3	481079 274552
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(SW)	0	3	479821 273349
	Extreme Flooding from Rivers or Sea without Defences None				
	Flooding from Rivers or Sea without Defences None				
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
5	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 446.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	J3SW (SE)	0	4	481388 273972
6	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 414.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	J3SW (SE)	0	4	481442 274098
7	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 149.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	J3SW (SE)	0	4	481310 274093
8	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	J3SW (SE)	0	4	481306 274097
9	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 247.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	J3NW (SE)	0	4	481267 274319
10	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 768.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	J1SW (SW)	0	4	480182 273899

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
11	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 148.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	J2NE (S)	82	4	481134 274394
12	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	J3NW (SE)	122	4	481262 274322
13	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 458.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	J1NW (W)	133	4	480241 274383
14	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 18.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	J1SW (SW)	143	4	480061 273963
15	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	J1SW (SW)	146	4	480053 273946
16	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	J1SW (SW)	148	4	480050 273942
17	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 90.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	J1SW (SW)	152	4	480045 273939
18	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	J3NE (SE)	249	4	481610 274310
19	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	J1NW (W)	249	4	480243 274390

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
20	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 431.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	J5SE (W)	252	4	480306 274687
21	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 91.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	J3NE (E)	253	4	481632 274398
22	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	J5SE (W)	566	4	480327 274813
23	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 325.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	J5SE (W)	566	4	480324 274812
24	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 85.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	J4SW (SE)	679	4	482138 274103
25	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 195.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	J6NE (N)	690	4	481098 275077
26	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 58.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	J5NE (NW)	767	4	480511 275086
27	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 165.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	(SE)	776	4	482190 273845
28	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	J5NE (NW)	808	4	480453 275113

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
29	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 327.2 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	J5NE (NW)	808	4	480448 275107
30	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	J5NE (NW)	810	4	480459 275113
31	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	J5NE (NW)	812	4	480457 275115
32	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 28.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	J10SW (N)	906	4	480803 275295
33	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 152.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	J10SW (N)	906	4	480807 275296
34	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 268.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	J7NE (NE)	962	4	481652 275101

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Landfill Coverage Name: Northamptonshire County Council - Has supplied landfill data		0	6	481079 274552
	Local Authority Landfill Coverage Name: Daventry District Council - Landfill data has been supplied by another authority		0	5	481079 274552
	Local Authority Landfill Coverage Name: Kettering Borough Council - Has no landfill data to supply		647	7	481411 274908

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Inferior Oolite Group	J2NE (N)	0	1	481079 274552
	BGS 1:625,000 Solid Geology Description: Great Oolite Group	J2NE (SE)	0	1	481103 274513
35	BGS Recorded Mineral Sites Site Name: Walgrave Lodge Sand Pit Location: Walgrave, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 186936 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cromerian - Ipswichian Geology: Glaciofluvial Deposits, Mid Pleistocene Commodity: Sand Positional Accuracy: Located by supplier to within 10m	J1SE (SW)	0	1	480245 273904
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Natural Cavities Easting: 480541 Northing: 273975 Distance: 0 Quadrant Reference: J1 Quadrant Reference: SE Bearing Ref: SW Cavity Type: Gulls/Fissures due to Cambering x 30 Solid Geology Detail: Great Oolite Group, Inferior Oolite Group, Upper Lias Superficial Geology Detail: Glacial Sand & Gravel, Glacial Till and morainic drift	J1SE (SW)	0	8	480541 273975
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	J1NW (W)	0	1	480000 274552
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	J2NE (N)	0	1	481079 274552
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	J2NE (N)	0	1	481079 274552
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	J1NW (W)	0	1	480000 274552
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	J1NW (W)	0	1	480000 274552
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	J2NE (N)	0	1	481079 274552
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	J1NW (W)	0	1	480000 274552
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	J2NE (N)	0	1	481079 274552
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	J2NE (N)	0	1	481079 274552
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	J1NW (W)	0	1	480000 274552
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	J3SW (SE)	0	1	481386 273920

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	J3SW (SE)	0	1	481386 273920
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	J1NE (SW)	0	1	480501 274311
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	J1SW (SW)	0	1	480000 274038
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	J1NW (W)	0	1	480000 274552
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	J2NE (N)	0	1	481079 274552
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	J1SW (SW)	121	1	480086 274010
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	J1SE (SW)	0	1	480325 273975
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (5 to 10% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	J1SW (SW)	0	1	480000 274025
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	J1NE (W)	0	1	480525 274325
	Radon Potential - Radon Affected Areas Affected Area: The property is an Intermediate probability radon area (3 to 5% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	J1SE (SW)	0	1	480325 274025
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	J3SW (SE)	0	1	481375 273950
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	J1NW (W)	0	1	480000 274552
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	J2NE (N)	0	1	481079 274552
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	J1SE (SW)	0	1	480325 273975
	Radon Potential - Radon Protection Measures Protection Measure: Basic radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	J1SW (SW)	0	1	480000 274025
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	J1NE (W)	0	1	480525 274325
	Radon Potential - Radon Protection Measures Protection Measure: Basic radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	J1SE (SW)	0	1	480325 274025

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	J3SW (SE)	0	1	481375 273950
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	J1NW (W)	0	1	480000 274552
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	J2NE (N)	0	1	481079 274552

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
36	Nitrate Vulnerable Zones Name: Thrapstone Lake Eutrophic Lake Nvz Description: Eutrophic Water Source: Environment Agency, Head Office	J2NE (N)	0	3	481079 274552
37	Nitrate Vulnerable Zones Name: Northampton Sands Description: Groundwater Source: Environment Agency, Head Office	J4NW (E)	0	3	481944 274548
38	Nitrate Vulnerable Zones Name: River Nene Nvz Description: Surface Water Source: Environment Agency, Head Office	J2NE (N)	0	3	481079 274552

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices North Northamptonshire Council West Northamptonshire Council Environment Agency - Head Office Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department	December 2019 December 2019 November 2023 September 2017 September 2017	Annual Rolling Update Annual Rolling Update Annually Annual Rolling Update Annual Rolling Update
Discharge Consents Environment Agency - Anglian Region	October 2023	Quarterly
Enforcement and Prohibition Notices Environment Agency - Anglian Region	March 2013	
Integrated Pollution Controls Environment Agency - Anglian Region	January 2009	
Integrated Pollution Prevention And Control Environment Agency - Anglian Region	January 2023	Quarterly
Local Authority Integrated Pollution Prevention And Control North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department	February 2015 February 2015 May 2014 November 2014	Variable Variable Variable Variable
Local Authority Pollution Prevention and Controls North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department	February 2015 February 2015 May 2014 November 2014	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department	February 2015 February 2015 May 2014 November 2014	Variable Variable Variable Variable
Nearest Surface Water Feature Ordnance Survey	November 2023	
Pollution Incidents to Controlled Waters Environment Agency - Anglian Region	September 1999	
Prosecutions Relating to Authorised Processes Environment Agency - Anglian Region	July 2015	
Prosecutions Relating to Controlled Waters Environment Agency - Anglian Region	March 2013	
Registered Radioactive Substances Environment Agency - Anglian Region Environment Agency - Head Office	June 2016 May 2023	As notified Quarterly
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	April 2012	
River Quality Chemistry Sampling Points Environment Agency - Head Office	April 2012	

Agency & Hydrological	Version	Update Cycle
Substantiated Pollution Incident Register Environment Agency - Anglian Region - Northern Area	October 2023	Quarterly
Water Abstractions Environment Agency - Anglian Region	October 2023	Quarterly
Water Industry Act Referrals Environment Agency - Anglian Region	October 2017	
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Source Protection Zones Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	January 2024	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	Quarterly
OS Water Network Lines Ordnance Survey	October 2023	Quarterly
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified

Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites Environment Agency - Head Office	July 2023	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Anglian Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - Anglian Region - Northern Area	July 2023	Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - Anglian Region - Northern Area	January 2023	Quarterly
Local Authority Landfill Coverage Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department Northamptonshire County Council North Northamptonshire Council West Northamptonshire Council	February 2003 February 2003 February 2003 May 2000 May 2000	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable
Local Authority Recorded Landfill Sites North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department Northamptonshire County Council	August 2006 August 2006 October 2018 October 2018 October 2018	
Registered Landfill Sites Environment Agency - Anglian Region - Northern Area	March 2006	Not Applicable
Registered Waste Transfer Sites Environment Agency - Anglian Region - Northern Area	April 2018	
Registered Waste Treatment or Disposal Sites Environment Agency - Anglian Region - Northern Area	June 2015	
Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	March 2023	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements Kettering Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council Northamptonshire County Council Daventry District Council (now part of West Northamptonshire Council) West Northamptonshire Council	February 2016 February 2016 May 2013 May 2023 May 2023	Variable Variable Annual Rolling Update Variable Variable
Planning Hazardous Substance Consents Northamptonshire County Council Kettering Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council)	December 2014 February 2016 February 2016 February 2016 January 2016	Annual Rolling Update Variable Variable Variable Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	June 2023	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	October 2023	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	October 2023	Annually
Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	October 2023	Quarterly
Fuel Station Entries Catalist Ltd - Experian	November 2023	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Underground Electrical Cables National Grid	February 2023	Bi-Annually

Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	October 2023	Bi-Annually
Areas of Adopted Green Belt Daventry District Council (now part of West Northamptonshire Council) Kettering Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly
Areas of Unadopted Green Belt Daventry District Council (now part of West Northamptonshire Council) Kettering Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly
Areas of Outstanding Natural Beauty Natural England	November 2023	Bi-Annually
Environmentally Sensitive Areas Natural England	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	August 2023	Bi-Annually
Marine Nature Reserves Natural England	October 2023	Bi-Annually
National Nature Reserves Natural England	August 2023	Bi-Annually
National Parks Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 March 2023	Bi-Annually
Ramsar Sites Natural England	October 2023	Bi-Annually
Sites of Special Scientific Interest Natural England	November 2023	Bi-Annually
Special Areas of Conservation Natural England	October 2023	Bi-Annually
Special Protection Areas Natural England	October 2023	Bi-Annually



A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
4	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
5	Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Lodge Road, Daventry, Northamptonshire, NN11 5AF	Telephone: 01327 871100 Fax: 01327 302540 Website: www.daventrydc.gov.uk
6	Northamptonshire County Council County Hall, Northampton, Northamptonshire, NN1 1DN	Telephone: 0300 126 1000 Website: www.northamptonshire.gov.uk
7	Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department Municipal Offices, Bowling Green Road, Kettering, Northamptonshire, NN15 7QX	Telephone: 01536 534277 Fax: 01536 410795 Website: www.kettering.gov.uk
8	Stantec UK Ltd Caversham Bridge House, Waterman Place, Reading, RG1 8DN	Telephone: 0118 950 0761 Email: pba.reading@stantec.com Website: www.stantec.com
9	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Map ID
-  Several of Type at Location



Agency and Hydrological

-  Contaminated Land Register Entry or Notice (Location)
-  Contaminated Land Register Entry or Notice
-  Discharge Consent
-  Enforcement or Prohibition Notice
-  Integrated Pollution Control
-  Integrated Pollution Prevention Control
-  Local Authority Integrated Pollution Prevention and Control
-  Local Authority Pollution Prevention and Control
-  Local Authority Pollution Prevention and Control Enforcement
-  Pollution Incident to Controlled Waters
-  Prosecution Relating to Authorised Processes
-  Prosecution Relating to Controlled Waters
-  Registered Radioactive Substance
-  River Network or Water Feature
-  River Quality Sampling Point
-  Substantiated Pollution Incident Register
-  Water Abstraction
-  Water Industry Act Referral

Geological

-  BGS Recorded Mineral Site






Industrial Land Use

-  Contemporary Trade Directory Entry
-  Fuel Station Entry


Waste

-  BGS Recorded Landfill Site (Location)
-  BGS Recorded Landfill Site
-  EA Historic Landfill (Buffered Point)
-  EA Historic Landfill (Polygon)
-  Integrated Pollution Control Registered Waste Site
-  Licensed Waste Management Facility (Landfill Boundary)
-  Licensed Waste Management Facility (Location)
-  Local Authority Recorded Landfill Site (Location)
-  Local Authority Recorded Landfill Site
-  Registered Landfill Site
-  Registered Landfill Site (Location)
-  Registered Landfill Site (Point Buffered to 100m)
-  Registered Landfill Site (Point Buffered to 250m)
-  Registered Waste Transfer Site (Location)
-  Registered Waste Transfer Site
-  Registered Waste Treatment or Disposal Site (Location)
-  Registered Waste Treatment or Disposal Site

Hazardous Substances

-  COMAH Site
-  Explosive Site
-  NIHS Site
-  Planning Hazardous Substance Consent
-  Planning Hazardous Substance Enforcement

Site Sensitivity Map - Slice J



Order Details






Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481080, 274550
 Slice: J
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details





Grendon Solar Scheme

Industrial Land Use Map


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Industrial Land Use

-  Contemporary Trade Directory Entry
-  Fuel Station Entry
-  Gas Pipeline
-  Underground Electrical Cables

Industrial Land Use Map - Slice J




Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481080, 274550
 Slice: J
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details






Grendon Solar Scheme




General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

Agency and Hydrological (Flood)

-  Extreme Flooding from Rivers or Sea without Defences (Zone 2)
-  Flooding from Rivers or Sea without Defences (Zone 3)
-  Area Benefiting from Flood Defence
-  Flood Water Storage Areas
-  Flood Defence

Flood Map - Slice J




Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481080, 274550
 Slice: J
 Site Area (Ha): 245.49
 Search Buffer (m): 1000






Site Details

Grendon Solar Scheme








© Crown Copyright. All Rights Reserved. License Number 100022432

General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Map ID
-  Several of Type at Location


Agency and Hydrological (Boreholes)

-  BGS Borehole Depth 0 - 10m
-  BGS Borehole Depth 10 - 30m
-  BGS Borehole Depth 30m +
-  Confidential
-  Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice J




Order Details




Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481080, 274550
 Slice: J
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details



Grendon Solar Scheme



General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

OS Water Network Data

- | | |
|--|---|
|  Canal |  Drain |
|  Reservoir |  Other |
|  Foreshore |  Lake |
|  Marsh |  Transfer |
|  Tidal River |  Lock Or Flight Of Locks |
|  Inland River |  Sea |

OS Water Network Map - Slice J




Order Details

Order Number: 331731401_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481080, 274550
 Slice: J
 Site Area (Ha): 245.49
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Index Map

For ease of identification, your site and buffer have been split into Slices, Segments and Quadrants. These are illustrated on the Index Map opposite and explained further below.

Slice

Each slice represents a 1:10,000 plot area (2.7km x 2.7km) for your site and buffer. A large site and buffer may be made up of several slices (represented by a red outline), that are referenced by letters of the alphabet, starting from the bottom left corner of the slice "grid". This grid does not relate to National Grid lines but is designed to give best fit over the site and buffer.

Segment

A segment represents a 1:2,500 plot area. Segments that have plot files associated with them are shown in dark green, others in light blue. These are numbered from the bottom left hand corner within each slice.

Quadrant

A quadrant is a quarter of a segment. These are labelled as NW, NE, SW, SE and are referenced in the datasheet to allow features to be quickly located on plots. Therefore a feature that has a quadrant reference of A7NW will be in Slice A, Segment 7 and the NW Quadrant.

A selection of organisations who provide data within this report:



Envirocheck reports are compiled from 136 different sources of data.

Client Details

Ms M Booth, Delta Simons, Suite 4A, One Portland Street, Manchester, M1 3BE


Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 483780, 268190
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme

Full Terms and Conditions can be found on the following link:
<http://www.landmarkinfo.co.uk/Terms/Show/515>





© Crown Copyright. All Rights Reserved. License Number 100022412



Groundwater Vulnerability

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological


Bedrock Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer
- Unproductive Aquifer
- Soluble Rock

Superficial Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484030, 266460
 Slice: A
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022412



Bedrock Aquifer Designation

General


- ◇ Specified Site
- Specified Buffer(s)
- ✕ Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484030, 266460
 Slice: A
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100012242



Superficial Aquifer Designation

General


- ◇ Specified Site
- Specified Buffer(s)
- ✕ Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484030, 266460
 Slice: A
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme








Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk










Source Protection Zones


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Agency and Hydrological

-  Inner zone (Zone 1)
-  Inner zone - subsurface activity only (Zone 1c)
-  Outer zone (Zone 2)
-  Outer zone - subsurface activity only (Zone 2c)
-  Total catchment (Zone 3)
-  Total catchment - subsurface activity only (Zone 3c)
-  Special interest (Zone 4)

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484030, 266460
 Slice: A
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



Sensitive Land Uses


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484030, 266460
 Slice: A
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



BGS Flood GFS Data


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice A



Order Details

Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484030, 266460
 Slice: A
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

331730783_1_1

Customer Reference:

93791.580478

National Grid Reference:

484030, 266460

Slice:

A

Site Area (Ha):

102.14

Search Buffer (m):

1000

Site Details:

Grendon Solar Scheme

Client Details:

Ms M Booth
Delta Simons
Suite 4A
One Portland Street
Manchester
M1 3BE



Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	10
Hazardous Substances	-
Geological	11
Industrial Land Use	-
Sensitive Land Use	13
Data Currency	14
Data Suppliers	20
Useful Contacts	21

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2024. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and/or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2024. © Natural Resources Wales & United Kingdom Research and Innovation 2024.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2024. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 2			1	2
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls					
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 2			Yes	
Pollution Incidents to Controlled Waters					
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality					
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register					
Water Abstractions	pg 2				(*5)
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 4	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk	pg 6	2	n/a	n/a	n/a
Bedrock Aquifer Designations	pg 6	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 6	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences	pg 6	Yes		n/a	n/a
Flooding from Rivers or Sea without Defences	pg 6	Yes		n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 6	1		7	14

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites	pg 10			1	
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)					
Local Authority Landfill Coverage	pg 10	2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Registered Landfill Sites	pg 10				1
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 11	Yes	n/a	n/a	n/a
BGS Recorded Mineral Sites					
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 11	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 11		Yes	n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 11	Yes	Yes	n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 11	Yes	Yes	n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 11	Yes	Yes	n/a	n/a
Radon Potential - Radon Affected Areas	pg 12	Yes	n/a	n/a	n/a
Radon Potential - Radon Protection Measures	pg 12	Yes	n/a	n/a	n/a

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Industrial Land Use					
Contemporary Trade Directory Entries					
Fuel Station Entries					
Gas Pipelines					
Underground Electrical Cables					
Sensitive Land Use					
Ancient Woodland					
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 13	3			
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	0	1	484050 267250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	0	1	484031 267150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	0	1	484050 266900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A14NW (NW)	0	1	483600 266750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	0	1	484031 267300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A15NW (E)	0	1	484150 266500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A15NW (NE)	35	1	484100 266500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	37	1	483950 267050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	40	1	484200 267050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	51	1	484900 267400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	51	1	484100 266950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	106	1	483700 267100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A15NW (E)	145	1	484250 266500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	146	1	482100 266750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	247	1	484700 267450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A15NE (NE)	276	1	484500 266800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	317	1	484750 267400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	333	1	483650 266950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	406	1	483600 266850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	435	1	485000 267400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	446	1	485450 267450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A15SW (E)	496	1	484150 266464

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	<p>Discharge Consents</p> <p>Operator: Ward-Ambery Developments Ltd. Property Type: Domestic Property (Multiple) Location: Dale Farm Cottages Mears Ashby, Northampton, Northants, Nn6 0eh Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5lf3161 Permit Version: 1 Effective Date: 30th March 1972 Issued Date: 30th March 1972 Revocation Date: 1st October 1996 Discharge Type: Unknown Discharge: Land/Soakaway Environment: Receiving Water: Land Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m</p>	A14NE (N)	419	2	484030 266560
2	<p>Discharge Consents</p> <p>Operator: Mears Ashby And Sywell Sports Club Property Type: Not Supplied Location: Clubhouse At Earls Barton Road, Mears Ashby, Northampton Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5lf3593 Permit Version: 1 Effective Date: 27th April 1979 Issued Date: 27th April 1979 Revocation Date: 1st October 1996 Discharge Type: Unknown Discharge: Land/Soakaway Environment: Receiving Water: Land Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m</p>	A14NW (W)	597	2	483600 266550
3	<p>Discharge Consents</p> <p>Operator: Anglian Water Services Limited Property Type: Not Supplied Location: Mears Ashby, Mears Ashby, Northampton, Nn6 Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Aw5nf646 Permit Version: 1 Effective Date: 16th September 1976 Issued Date: 16th September 1976 Revocation Date: 26th June 1991 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Lake/Reservoir - with outlet Environment: Receiving Water: Trib Swanspool Brook Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m</p>	A14SE (SW)	665	2	483930 266320
	<p>Nearest Surface Water Feature</p>	A14NE (NW)	276	-	483777 266697
	<p>Water Abstractions</p> <p>Operator: B B Rice Licence Number: 5/32/05/*s/058 Permit Version: Not Supplied Location: Sywell Reservoir, MEARS ASHBY Authority: Environment Agency, Anglian Region Abstraction: Spray Irrigation Abstraction Type: Not Supplied Source: Stream Daily Rate (m3): 45 Yearly Rate (m3): 1150000 Details: Status: Revoked Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	A9NE (SW)	1214	2	483300 266000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: J W Pitts Licence Number: 5/32/09/*G/0096 Permit Version: 100 Location: Well At Glebe Farm Authority: Environment Agency, Anglian Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Northampton Sanstone; Status: Perpetuity Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st February 1972 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(E)	1535	2	485500 266400
	Water Abstractions Operator: J W Pitts Licence Number: 5/32/09/*g/096 Permit Version: Not Supplied Location: Well At Glebe Farm, MEARS ASHBY Authority: Environment Agency, Anglian Region Abstraction: Spray Irrigation Abstraction Type: Not Supplied Source: Well And Borehole Daily Rate (m3): 0 Yearly Rate (m3): 9090 Details: Northampton Sanstone; Status: Perpetuity Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(E)	1538	2	485500 266395
	Water Abstractions Operator: W Callis & Sons Licence Number: 5/32/09/*G/0059 Permit Version: 100 Location: Well At Mears Ashby Authority: Environment Agency, Anglian Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Northampton Sanstone; Status: Perpetuity Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st March 1966 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A12SE (SE)	1864	2	485180 265520
	Water Abstractions Operator: Higham Ferrers & Rushden Water Licence Number: 5/32/05/*s/014 Permit Version: Not Supplied Location: Sywell Reservoir, SYWELL Authority: Environment Agency, Anglian Region Abstraction: Public Water Supply Abstraction Type: Not Supplied Source: Stream Daily Rate (m3): 1136 Yearly Rate (m3): Not Supplied Details: Status: Revoked Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A5NW (SW)	1879	2	483000 265400

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	A15NW (NE)	0	3	484210 266627
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(N)	0	3	484031 267000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NE)	0	3	484717 267000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(N)	0	3	484000 267000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Unproductive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(N)	0	3	484000 267115
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Unproductive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(N)	0	3	483990 267000
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(N)	0	3	483843 267000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(N)	0	3	483960 267000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(N)	0	3	484000 267307
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	A14SE (S)	0	3	484031 266464
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	(N)	0	3	484031 267000
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	(NE)	0	3	484733 266853
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A14SE (S)	0	3	484031 266464
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	A14SE (W)	0	3	483946 266451
	Superficial Aquifer Designations Aquifer Designation: Unproductive Strata	(N)	0	3	484026 266904
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	A15NW (NE)	0	3	484210 266627
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A14SE (SW)	0	2	483920 266405
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A14SE (SW)	0	2	483915 266415
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
4	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1657.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A14NE (NW)	0	4	483790 266652
5	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.2 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A14NE (NW)	399	4	483790 266649

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
6	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A14NE (NW)	402	4	483790 266640
7	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 49.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A14NE (NW)	409	4	483807 266596
8	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 51.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A14NE (NW)	434	4	483807 266592
9	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A14NE (NW)	438	4	483807 266592
10	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 152.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A14SE (W)	442	4	483868 266461
11	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 490.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A15NW (E)	443	4	484337 266488
12	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 17.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A14SE (W)	540	4	483875 266445
13	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 79.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A14SE (SW)	553	4	483896 266391
14	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 89.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A15SW (E)	583	4	484273 266431

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
15	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 117.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A15SW (SE)	603	4	484197 266353
16	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.2 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A14SE (SW)	617	4	483906 266372
17	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 49.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A14SE (SW)	619	4	483907 266370
18	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.7 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A15SW (SE)	656	4	484188 266342
19	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 199.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A15SW (SE)	658	4	484174 266328
20	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A14SE (SW)	659	4	483928 266326
21	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 136.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A14SE (SW)	659	4	483928 266326
22	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A14SE (S)	750	4	484029 266229
23	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 43.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A14SE (S)	754	4	484020 266225

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
24	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 306.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A14SE (S)	768	4	483980 266212
25	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 666.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A13NE (W)	878	4	483077 266527

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
26	Historical Landfill Sites Licence Holder: Barton Plant Limited Location: Tinkers Crescent Junction, Mears Ashby Name: Site Opposite Tinkers Crescent Junction Operator Location: Hall Farm, Barton Road, Kettering Boundary Accuracy: As Supplied Provider Reference: EAHLD02258 First Input Date: 1st April 1980 Last Input Date: 30th June 1981 Specified Waste: Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 2800/0186 BGS Ref: Not Supplied Other Ref: W/007	A14NW (NW)	468	2	483587 266776
	Local Authority Landfill Coverage Name: Northamptonshire County Council - Has supplied landfill data		0	6	484031 266464
	Local Authority Landfill Coverage Name: Wellingborough Borough Council - Has no landfill data to supply		0	5	484031 266464
27	Registered Landfill Sites Licence Holder: Barton Plant Ltd Licence Reference: W/007 Site Location: Tinkers Crescent Junction, Mears Ashby, Wellingborough, Northamptonshire Licence Easting: 483400 Licence Northing: 266750 Operator Location: Hall Farm, Barton Road, Kettering, Northamptonshire Authority: Environment Agency - Anglian Region, Northern Area Site Category: Landfill Max Input Rate: Undefined Waste Source: No known restriction on source of waste Restrictions: Status: Licence lapsed/cancelled/defunct/not applicable/surrenderedCancelled Dated: 1st April 1980 Preceded By: Not Given Licence: Superseded By: Not Given Licence: Positional Accuracy: Manually positioned to the address or location Boundary Accuracy: Not Applicable Authorised Waste: Northants/Lincs Cat. A -Sol.Inert *	A13NE (NW)	650	2	483400 266750

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Inferior Oolite Group	A14SE (S)	0	1	484031 266464
	BGS 1:625,000 Solid Geology Description: Great Oolite Group	A15NW (NE)	0	1	484120 266510
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A14SE (S)	0	1	484031 266464
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13SE (W)	26	1	483148 266229
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A14SE (SW)	176	1	483919 266399
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A14SE (S)	0	1	484031 266464
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A13SE (W)	26	1	483148 266229
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A14SE (SW)	176	1	483919 266399
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A14SE (S)	0	1	484031 266464
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A15NW (NE)	0	1	484106 266504
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A14SE (W)	0	1	483946 266451
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A14SE (S)	0	1	484031 266464
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A9NE (SW)	26	1	483337 266052
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A14SE (S)	0	1	484031 266464
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A15NW (NE)	0	1	484189 266570
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A13SE (W)	26	1	483148 266229
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A14SE (SW)	176	1	483919 266399
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A14SE (S)	0	1	484031 266464
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A15NW (NE)	0	1	484189 266570

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A14SE (W)	0	1	483946 266451
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A9NE (SW)	26	1	483337 266052
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (5 to 10% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A14SE (W)	0	1	483975 266464
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A15NW (E)	0	1	484125 266500
	Radon Potential - Radon Protection Measures Protection Measure: Basic radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A14SE (W)	0	1	483975 266464
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A15NW (E)	0	1	484125 266500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
28	Nitrate Vulnerable Zones Name: Thrapstone Lake Eutrophic Lake Nvz Description: Eutrophic Water Source: Environment Agency, Head Office	A14SE (S)	0	3	484031 266464
29	Nitrate Vulnerable Zones Name: Northampton Sands Description: Groundwater Source: Environment Agency, Head Office	A14SE (S)	0	3	484031 266464
30	Nitrate Vulnerable Zones Name: River Nene Nvz Description: Surface Water Source: Environment Agency, Head Office	A14SE (S)	0	3	484031 266464

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Environment Agency - Head Office Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department South Northamptonshire Council (now part of West Northamptonshire Council) - Environment Division	August 2013 December 2019 December 2019 November 2023 October 2017 September 2017 September 2017	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annually Annual Rolling Update Annual Rolling Update Annual Rolling Update
Discharge Consents Environment Agency - Anglian Region	October 2023	Quarterly
Enforcement and Prohibition Notices Environment Agency - Anglian Region	March 2013	
Integrated Pollution Controls Environment Agency - Anglian Region	January 2009	
Integrated Pollution Prevention And Control Environment Agency - Anglian Region	January 2023	Quarterly
Local Authority Integrated Pollution Prevention And Control South Northamptonshire Council (now part of West Northamptonshire Council) - Environmental Health Department Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	December 2014 December 2020 December 2020 February 2015 February 2015 May 2014	Variable Variable Variable Variable Variable Variable
Local Authority Pollution Prevention and Controls South Northamptonshire Council (now part of West Northamptonshire Council) - Environmental Health Department Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	December 2014 December 2020 December 2020 February 2015 February 2015 May 2014	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annual Rolling Update Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements South Northamptonshire Council (now part of West Northamptonshire Council) - Environmental Health Department Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department	December 2014 December 2014 February 2015 February 2015 May 2014 October 2014	Variable Variable Variable Variable Variable Variable
Nearest Surface Water Feature Ordnance Survey	November 2023	
Pollution Incidents to Controlled Waters Environment Agency - Anglian Region	September 1999	

Agency & Hydrological	Version	Update Cycle
Prosecutions Relating to Authorised Processes Environment Agency - Anglian Region	July 2015	
Prosecutions Relating to Controlled Waters Environment Agency - Anglian Region	March 2013	
Registered Radioactive Substances Environment Agency - Anglian Region Environment Agency - Head Office	June 2016 May 2023	As notified Quarterly
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	April 2012	
River Quality Chemistry Sampling Points Environment Agency - Head Office	April 2012	
Substantiated Pollution Incident Register Environment Agency - Anglian Region - Northern Area	October 2023	Quarterly
Water Abstractions Environment Agency - Anglian Region	October 2023	Quarterly
Water Industry Act Referrals Environment Agency - Anglian Region	October 2017	
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Source Protection Zones Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	January 2024	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	Quarterly
OS Water Network Lines Ordnance Survey	October 2023	Quarterly
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified

Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites Environment Agency - Head Office	July 2023	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Anglian Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - Anglian Region - Northern Area	July 2023	Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - Anglian Region - Northern Area	January 2023	Quarterly
Local Authority Landfill Coverage Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department Northamptonshire County Council South Northamptonshire Council (now part of West Northamptonshire Council) - Environmental Health Department Wellingborough Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council West Northamptonshire Council	February 2003 February 2003 February 2003 February 2003 February 2003 May 2000 May 2000	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable
Local Authority Recorded Landfill Sites North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department Northamptonshire County Council South Northamptonshire Council (now part of West Northamptonshire Council) - Environmental Health Department Wellingborough Borough Council (now part of North Northamptonshire Council)	August 2006 August 2006 October 2018 October 2018 October 2018 October 2018 October 2018	
Registered Landfill Sites Environment Agency - Anglian Region - Northern Area	March 2006	Not Applicable
Registered Waste Transfer Sites Environment Agency - Anglian Region - Northern Area	April 2018	
Registered Waste Treatment or Disposal Sites Environment Agency - Anglian Region - Northern Area	June 2015	

Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	March 2023	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) Northamptonshire County Council Daventry District Council (now part of West Northamptonshire Council) Northampton Borough Council (now part of West Northamptonshire Council) - Planning Department South Northamptonshire Council (now part of West Northamptonshire Council) West Northamptonshire Council	February 2016 February 2016 May 2013 May 2023 May 2023 May 2023 May 2023	Variable Variable Annual Rolling Update Variable Variable Variable Variable
Planning Hazardous Substance Consents Northamptonshire County Council North Northamptonshire Council Northampton Borough Council (now part of West Northamptonshire Council) - Planning Department South Northamptonshire Council (now part of West Northamptonshire Council) Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council)	December 2014 February 2016 February 2016 February 2016 February 2016 February 2016 February 2016 January 2016	Annual Rolling Update Variable Variable Variable Variable Variable Variable Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	June 2023	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	October 2023	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	October 2023	Annually
Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	October 2023	Quarterly
Fuel Station Entries Catalist Ltd - Experian	November 2023	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Underground Electrical Cables National Grid	February 2023	Bi-Annually

Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	October 2023	Bi-Annually
Areas of Adopted Green Belt Daventry District Council (now part of West Northamptonshire Council) North Northamptonshire Council Northampton Borough Council (now part of West Northamptonshire Council) South Northamptonshire Council (now part of West Northamptonshire Council) Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly Quarterly Quarterly
Areas of Unadopted Green Belt Daventry District Council (now part of West Northamptonshire Council) North Northamptonshire Council Northampton Borough Council (now part of West Northamptonshire Council) South Northamptonshire Council (now part of West Northamptonshire Council) Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly Quarterly Quarterly
Areas of Outstanding Natural Beauty Natural England	November 2023	Bi-Annually
Environmentally Sensitive Areas Natural England	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	August 2023	Bi-Annually
Marine Nature Reserves Natural England	October 2023	Bi-Annually
National Nature Reserves Natural England	August 2023	Bi-Annually
National Parks Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 March 2023	Bi-Annually
Ramsar Sites Natural England	October 2023	Bi-Annually
Sites of Special Scientific Interest Natural England	November 2023	Bi-Annually
Special Areas of Conservation Natural England	October 2023	Bi-Annually
Special Protection Areas Natural England	October 2023	Bi-Annually

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
4	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
5	Wellingborough Borough Council (now part of North Northamptonshire Council) Croyland Abbey, Tithe Barn Road, Wellingborough, Northamptonshire, NN8 1BJ	Telephone: 01933 229777 Fax: 01933 441375 Website: www.wellingborough.gov.uk
6	Northamptonshire County Council County Hall, Northampton, Northamptonshire, NN1 1DN	Telephone: 0300 126 1000 Website: www.northamptonshire.gov.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- 8 Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- ◇ Discharge Consent
- ▲ Enforcement or Prohibition Notice
- ▲ Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- ▲ Local Authority Pollution Prevention and Control
- ▼ Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- ▼ Prosecution Relating to Authorised Processes
- ◇ Prosecution Relating to Controlled Waters
- ▲ Registered Radioactive Substance
- + River Network or Water Feature
- + River Quality Sampling Point
- Substantiated Pollution Incident Register
- ◇ Water Abstraction
- ◇ Water Industry Act Referral

Waste

- ▼ BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- ▲ Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- ▶ Registered Landfill Site
- ▶ Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site


Geological

- ▼ BGS Recorded Mineral Site

Industrial Land Use

- ★ Contemporary Trade Directory Entry
- ★ Fuel Station Entry
- ✖ COMAH Site
- ✖ Explosive Site
- ✖ NIHS Site
- ✖ Planning Hazardous Substance Consent
- ✖ Planning Hazardous Substance Enforcement

Site Sensitivity Map - Slice A




Order Details

Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484030, 266460
 Slice: A
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details






Grendon Solar Scheme







© Crown Copyright. All Rights Reserved. License Number 100022432.

Industrial Land Use Map


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Industrial Land Use

-  Contemporary Trade Directory Entry
-  Fuel Station Entry
-  Gas Pipeline
-  Underground Electrical Cables

Industrial Land Use Map - Slice A



Order Details

Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484030, 266460
 Slice: A
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme








© Crown Copyright. All Rights Reserved. License Number 100022432


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

Agency and Hydrological (Flood)

-  Extreme Flooding from Rivers or Sea without Defences (Zone 2)
-  Flooding from Rivers or Sea without Defences (Zone 3)
-  Area Benefiting from Flood Defence
-  Flood Water Storage Areas
-  Flood Defence

Flood Map - Slice A



Order Details

Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484030, 266460
 Slice: A
 Site Area (Ha): 102.14
 Search Buffer (m): 1000






Site Details

Grendon Solar Scheme








© Crown Copyright. All Rights Reserved. License Number 100022432.

General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Map ID
-  Several of Type at Location


Agency and Hydrological (Boreholes)

-  BGS Borehole Depth 0 - 10m
-  BGS Borehole Depth 10 - 30m
-  BGS Borehole Depth 30m +
-  Confidential
-  Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice A




Order Details

Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484030, 266460
 Slice: A
 Site Area (Ha): 102.14
 Search Buffer (m): 1000




Site Details

Grendon Solar Scheme










© Crown Copyright. All Rights Reserved. License Number 100022432.


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

OS Water Network Data

- | | |
|--|---|
|  Canal |  Drain |
|  Reservoir |  Other |
|  Foreshore |  Lake |
|  Marsh |  Transfer |
|  Tidal River |  Lock Or Flight Of Locks |
|  Inland River |  Sea |

OS Water Network Map - Slice A




Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484030, 266460
 Slice: A
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



© Crown Copyright. All Rights Reserved. License Number 100022432.



© Crown Copyright. All Rights Reserved. License Number 100022412



Groundwater Vulnerability

General

- ▭ Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- ▭ Slice
- B Map ID

Agency and Hydrological

Bedrock Aquifers


- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

Superficial Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

- Unproductive Aquifer
- ⋯ Soluble Rock

Site Sensitivity Context Map - Slice B



Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481870, 268690
 Slice: B
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022412



Bedrock Aquifer Designation

General


- ▭ Specified Site
- ▭ Specified Buffer(s)
- X Bearing Reference Point
- ▭ Slice
- B Map ID

Agency and Hydrological

Geological Classes

- ▭ Principal Aquifer
- ▭ Secondary A Aquifer
- ▭ Secondary B Aquifer
- ▭ Secondary Undifferentiated
- ▭ Unproductive Strata
- ▭ Unknown
- ▭ Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice B



Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481870, 268690
 Slice: B
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number: 100022412



Superficial Aquifer Designation

General


- ▭ Specified Site
- ▭ Specified Buffer(s)
- X Bearing Reference Point
- ▭ Slice
- B Map ID

Agency and Hydrological

Geological Classes

- ▭ Principal Aquifer
- ▭ Secondary A Aquifer
- ▭ Secondary B Aquifer
- ▭ Secondary Undifferentiated
- ▭ Unproductive Strata
- ▭ Unknown
- ▭ Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice B



Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481870, 268690
 Slice: B
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



Source Protection Zones


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice B



Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481870, 268690
 Slice: B
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022412



Sensitive Land Uses


General

- ◇ Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Slice
- B Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice B



Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481870, 268690
 Slice: B
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



BGS Flood GFS Data


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice B



Order Details

Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481870, 268690
 Slice: B
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

331730783_1_1

Customer Reference:

93791.580478

National Grid Reference:

481870, 268690

Slice:

B

Site Area (Ha):

102.14

Search Buffer (m):

1000

Site Details:

Grendon Solar Scheme

Client Details:

Ms M Booth
Delta Simons
Suite 4A
One Portland Street
Manchester
M1 3BE



Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	11
Hazardous Substances	13
Geological	14
Industrial Land Use	16
Sensitive Land Use	20
Data Currency	21
Data Suppliers	27
Useful Contacts	28

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2024. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and/or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2024. © Natural Resources Wales & United Kingdom Research and Innovation 2024.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2024. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 5				2
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls	pg 6				1
Local Authority Pollution Prevention and Control Enforcements	pg 6				1
Nearest Surface Water Feature	pg 6	Yes			
Pollution Incidents to Controlled Waters					
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality					
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register					
Water Abstractions	pg 6			2	(*2)
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 7	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a	n/a	n/a
Bedrock Aquifer Designations	pg 8	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 8	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences				n/a	n/a
Flooding from Rivers or Sea without Defences				n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 9	2	7		8

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites	pg 11	1	1	1	
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)	pg 11			1	
Local Authority Landfill Coverage	pg 11	2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Registered Landfill Sites	pg 12		1		
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)	pg 13				1
Planning Hazardous Substance Consents	pg 13				1
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 14	Yes	n/a	n/a	n/a
BGS Recorded Mineral Sites					
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 14	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards				n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 14	Yes	Yes	n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 15	Yes		n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 15	Yes		n/a	n/a
Radon Potential - Radon Affected Areas			n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Industrial Land Use					
Contemporary Trade Directory Entries	pg 16			2	39
Fuel Station Entries					
Gas Pipelines					
Underground Electrical Cables					
Sensitive Land Use					
Ancient Woodland	pg 20	1	1		
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 20	3			
Ramsar Sites					
Sites of Special Scientific Interest	pg 20				1
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B15SE (NE)	0	1	482050 269050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	0	1	483050 268400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	483350 268350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	0	1	482750 268693
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	0	1	482850 268693
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	483400 268450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B11NE (W)	0	1	481850 268693
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(E)	0	1	483100 268650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B15SE (NW)	0	1	481750 268850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B11NW (W)	0	1	481550 268693
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B15SE (N)	0	1	481800 268950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	0	1	482250 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	0	1	482000 269600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B11NE (E)	0	1	481950 268693
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	0	1	483250 268693
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	483300 268693
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(E)	0	1	483050 268600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	483250 268650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B16SE (NE)	0	1	482500 269000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B16NW (NE)	0	1	482350 269500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	482900 268150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B12NE (E)	0	1	482550 268750

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B16NW (NE)	0	1	482300 269300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	0	1	482000 269550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B15SE (N)	0	1	481900 269100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B15SE (NE)	0	1	482050 269100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B16SE (E)	0	1	482550 268900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B15SE (N)	0	1	482050 269150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B16SW (NE)	0	1	482150 269150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	483300 268200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B15SE (N)	0	1	481950 269050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B16NW (NE)	2	1	482250 269250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B16NW (NE)	3	1	482350 269450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	4	1	483350 268700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B15SE (N)	7	1	482000 269100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B15SE (N)	8	1	481900 269000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B16NE (NE)	8	1	482400 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	11	1	483250 268700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B16NW (NE)	13	1	482150 269200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B12SW (SE)	13	1	482150 268400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B15SE (N)	17	1	481900 269150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B16NW (NE)	34	1	482350 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B15NE (N)	39	1	482050 269200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B15NE (N)	40	1	481870 269200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B16NW (NE)	45	1	482250 269300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B15SE (NE)	49	1	482000 268900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B15SE (N)	50	1	482000 269150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B15NE (N)	52	1	481900 269200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B15SE (N)	54	1	481950 269150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B16NW (NE)	61	1	482350 269400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B16NW (NE)	61	1	482300 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B15SE (N)	78	1	481870 268950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B16NW (NE)	87	1	482150 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B15NE (N)	89	1	481870 269250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B15NE (N)	92	1	482000 269200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B15SE (N)	94	1	481950 268900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B16NW (NE)	103	1	482300 269400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B15NE (N)	108	1	482050 269250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	117	1	482500 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	122	1	482000 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B16NW (N)	124	1	482100 269300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	136	1	482900 268000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B11NE (NW)	146	1	481870 268693
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B15NE (N)	151	1	482050 269300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B11NE (E)	154	1	482000 268650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	156	1	482450 270150

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B15SE (NE)	159	1	482050 268850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	166	1	482550 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	173	1	481850 269550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B12SW (SE)	182	1	482250 268400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	199	1	481800 269550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B8NE (SE)	239	1	482650 267850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	269	1	482000 270050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	278	1	482050 270050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	303	1	481500 269700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	308	1	481870 269550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B12SE (SE)	314	1	482400 268400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	344	1	481900 269550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B12NW (E)	360	1	482150 268693
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	364	1	481450 269750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	373	1	481950 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	376	1	481900 269600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	377	1	481870 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B12SW (SE)	385	1	482350 268300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	401	1	481500 269800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	403	1	483200 269400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	412	1	481450 269800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	423	1	481900 269950

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B12NW (E)	428	1	482100 268600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	440	1	482900 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	446	1	481550 269850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	454	1	483350 269150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B12NW (E)	469	1	482250 268550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	472	1	483000 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	476	1	481870 269900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	492	1	483100 269450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	495	1	481350 269850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	496	1	481700 269900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	497	1	482750 267750
1	Discharge Consents Operator: Mr E White Property Type: Domestic Property (Single) Location: Yeomans Farm Kettering Road, Hannington, Northampton, Nn6 9te Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5lf5065 Permit Version: 1 Effective Date: 22nd July 1985 Issued Date: 22nd July 1985 Revocation Date: 15th September 1997 Discharge Type: Unknown Discharge Environment: Land/Soakaway Receiving Water: Land Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	B14NW (NW)	543	2	481020 269360
2	Discharge Consents Operator: The Secretary Property Type: Not Supplied Location: Sywell Aerodrome, Northampton, Nn6 0bt Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5lf3578 Permit Version: 1 Effective Date: 6th February 1979 Issued Date: 6th February 1979 Revocation Date: 1st October 1996 Discharge Type: Unknown Discharge Environment: Land/Soakaway Receiving Water: Land Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Approximate location provided by supplier	B7NE (S)	874	2	482000 268000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
3	Local Authority Pollution Prevention and Controls Name: Hendrickson Europe Limited Location: Sywell Airport, Sywell, NORTHAMPTON, Northamptonshire, NN6 0BN Authority: Wellingborough Borough Council (now part of North Northamptonshire Council), Environmental Health Department Permit Reference: Epa/15/1992 Dated: Not Supplied Process Type: Local Authority Air Pollution Control Description: PG6/23 Coating of metal and plastic Status: Authorisation revoked Positional Accuracy: Automatically positioned to the address	B8SE (SE)	568	3	482714 267725
4	Local Authority Pollution Prevention and Control Enforcements Location: Sywell Airport, Sywell, NORTHAMPTON, Northamptonshire, NN6 0BN Type: Air Pollution Control Enforcement Notice Reference: EPA/15/1992 Date Issued: 30th October 1995 Enforcement Date: Not Supplied Details: N/A Positional Accuracy: Automatically positioned to the address	B8SE (SE)	568	3	482714 267725
	Nearest Surface Water Feature	B16NW (NE)	0	-	482374 269502
5	Water Abstractions Operator: A C Mumford Licence Number: 5/32/05/*G/0035 Permit Version: 100 Location: Well At Tea Caddy Farm Authority: Environment Agency, Anglian Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Northampton Sanstone; Status: Perpetuity Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st January 1966 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	B14NE (NW)	281	2	481300 269300
6	Water Abstractions Operator: NI & J R Earle Licence Number: 5/32/05/*g/049 Permit Version: Not Supplied Location: Borehole, Sywell Grange, SYWELL Authority: Environment Agency, Anglian Region Abstraction: Agriculture (General) Abstraction Type: Not Supplied Source: Well And Borehole Daily Rate (m3): 1 Yearly Rate (m3): 9090 Details: Northampton Sanstone; Status: Revoked Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	B11NE (S)	450	2	481900 268600
	Water Abstractions Operator: H J & J H Turner Licence Number: 5/32/05/*g/041 Permit Version: Not Supplied Location: Well, Cottage Farm, SYWELL Authority: Environment Agency, Anglian Region Abstraction: Agriculture (General) Abstraction Type: Not Supplied Source: Well And Borehole Daily Rate (m3): 1 Yearly Rate (m3): 4550 Details: Miscellaneous Jurassic; Status: Revoked Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	B4NW (S)	1301	2	482200 267200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: J E Werner Licence Number: 5/32/03/*G/0088 Permit Version: 100 Location: Well At Overstone Park Authority: Environment Agency, Anglian Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Northampton Sanstone; Status: Perpetuity Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st July 1970 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	B6SW (SW)	1707	2	480900 267700
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial: >90% Patchiness: Superficial 3-10m Thickness: Superficial Low Recharge:	B15SE (N)	0	4	481870 269000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial: >90% Patchiness: Superficial >10m Thickness: Superficial Low Recharge:	B15SE (NE)	0	4	482000 269000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial: >90% Patchiness: Superficial 3-10m Thickness: Superficial Low Recharge:	(E)	0	4	483000 268693

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	B11NE (E)	0	4	482000 268693
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: >10m Superficial Recharge: Low	(N)	0	4	482000 270000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SE)	0	4	483000 268128
	Groundwater Vulnerability - Soluble Rock Risk None				
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(N)	0	4	481870 270000
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	B11NE (NW)	0	4	481870 268693
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	B11NE (NW)	0	4	481870 268693
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	(N)	0	4	481870 270000
	Extreme Flooding from Rivers or Sea without Defences None				
	Flooding from Rivers or Sea without Defences None				
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
7	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 554.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B11NW (NW)	0	5	481634 268819
8	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 366.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B16NW (NE)	0	5	482183 269418
9	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 82.5 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B15SE (N)	3	5	481909 269119
10	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 114.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B15NE (N)	82	5	481953 269188
11	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B15NE (N)	189	5	482004 269291
12	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B15NE (N)	194	5	482007 269295
13	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 61.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B15NE (N)	197	5	482009 269298
14	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 150.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B15NE (N)	207	5	482050 269342
15	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B16NW (NE)	207	5	482180 269416

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
16	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B11NW (W)	510	5	481592 268685
17	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 60.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B11NW (W)	514	5	481593 268674
18	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 36.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B11NW (W)	562	5	481596 268624
19	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B11NW (W)	588	5	481600 268588
20	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 304.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B11NW (SW)	595	5	481598 268581
21	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B11SW (SW)	857	5	481582 268282
22	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 260.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B11SW (SW)	863	5	481578 268276
23	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 416.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B14SW (W)	888	5	480773 268995

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
24	Historical Landfill Sites Licence Holder: B Muttock Location: Sywell Range, Sywell Name: Northampton and District Gun Club Operator Location: Hall Farm, Barton Road, Kettering Boundary Accuracy: As Supplied Provider Reference: EAHLD02384 First Input Date: 1st June 1992 Last Input Date: Not Supplied Specified Waste: Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 2800/0010 BGS Ref: Not Supplied Other Ref: W/033	B15SE (N)	0	2	481975 269059
25	Historical Landfill Sites Licence Holder: B Muttock Location: Sywell Range, Sywell Name: Northampton and District Gun Club Operator Location: Hall Farm, Barton Road, Kettering Boundary Accuracy: As Supplied Provider Reference: EAHLD02382 First Input Date: 1st June 1992 Last Input Date: Not Supplied Specified Waste: Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 2800/0010 BGS Ref: Not Supplied Other Ref: W/033	B15NE (N)	45	2	481736 269293
26	Historical Landfill Sites Licence Holder: B Muttock Location: Sywell Range, Sywell Name: Northampton and District Gun Club Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD02383 First Input Date: 1st June 1992 Last Input Date: Not Supplied Specified Waste: Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 2800/0010 BGS Ref: Not Supplied Other Ref: W/033	B16NW (N)	306	2	482055 269477
27	Licensed Waste Management Facilities (Locations) Licence Number: 103783 Location: Bellman Gate, Holcot Road, Sywell, Northamptonshire, NN6 0BT Operator Name: Sywell Aerodrome Ltd Operator Location: Not Supplied Authority: Environment Agency - Anglian Region, Northern Area Site Category: Use of waste in a deposit for recovery op Licence Status: Surrendered Issued: 15th February 2012 Last Modified: 1st June 2017 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: 12th February 2019 IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	B12NW (E)	390	2	482306 268781
	Local Authority Landfill Coverage Name: Northamptonshire County Council - Has supplied landfill data		0	7	481870 268693
	Local Authority Landfill Coverage Name: Wellingborough Borough Council - Has no landfill data to supply		0	6	481870 268693
	Local Authority Landfill Coverage Name: Daventry District Council - Landfill data has been supplied by another authority		53	8	481363 269317

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
28	<p>Registered Landfill Sites</p> <p>Licence Holder: B Muttock Licence Reference: W/033 Site Location: Northampton & District Gun Club, Sywell Range, Sywell, Northampton, Northamptonshire Licence Easting: 482000 Licence Northing: 269200 Operator Location: Silver Birches, 68 Ecton Lane, SYWELL, Northamptonshire, NN6 0BA Authority: Environment Agency - Anglian Region, Northern Area Site Category: Landfill Max Input Rate: Medium (Equal to or greater than 25,000 and less than 75,000 tonnes per year) Waste Source: No known restriction on source of waste Restrictions: Status: Licence has completion certificateSurrendered Dated: 1st July 1992 Preceded By: Not Given Licence: Superseded By: Not Given Licence: Positional Accuracy: Manually positioned to the address or location Boundary Accuracy: Not Applicable Authorised Waste: Max.Waste Permitted By Licence Northants Cat. A1 -Solid Inert (Soils) Prohibited Waste: Asbestos Northants Cat. B - Slowly Decompose Northants Cat. C - Putresc./Domestic Waste N.O.S.</p>	B15NE (N)	119	2	482000 269200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
29	<p>Notification of Installations Handling Hazardous Substances (NIHHS)</p> <p>Name: Camping Gaz (GB) Limited Location: Holcot Lane, SYWELL, Northamptonshire, NN6 0BE Status: Not Active Positional Accuracy: Manually positioned to the address or location</p>	B7NE (S)	941	9	481997 267881
30	<p>Planning Hazardous Substance Consents</p> <p>Name: Camping Gas Ltd Location: Units 21, 22, 23 & 24 Bellman Gate, The Cartridge Store, Holcot Lane, Sywell, Northampton, Northamptonshire, Nn8 0bl Authority: Wellingborough Borough Council (now part of North Northamptonshire Council) Application Ref: WP/1992/0416/HS Hazardous Substance: Liquefied extremely flammable gas (including LPG) and natural gas (whether liquefied or not) Maximum Quantity: 390 Application date: 7th October 1992 Decision: Deemed Consent Granted Positional Accuracy: Manually positioned within the geographical locality</p>	B7NE (S)	918	10	481956 267990

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Inferior Oolite Group	B7SW (S)	0	1	481506 267764
	BGS 1:625,000 Solid Geology Description: Great Oolite Group	B11NE (NW)	0	1	481870 268693
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B11NE (NW)	0	1	481870 268693
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B11NE (NW)	0	1	481870 268693
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B11NE (NW)	0	1	481870 268693
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B11NE (NW)	0	1	481870 268693
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B15SE (N)	0	1	481948 269081
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B7SE (S)	0	1	481982 267788
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B15SE (N)	0	1	482009 269096
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B15SE (N)	0	1	481919 269124
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B16NW (NE)	23	1	482323 269303
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B16NW (NE)	25	1	482284 269278
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B16NW (NE)	32	1	482107 269177
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B16NW (NE)	34	1	482233 269257
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B16NE (NE)	42	1	482404 269455
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B16NW (NE)	82	1	482350 269452
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B15NE (N)	118	1	481763 269373
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B16NW (NE)	124	1	482296 269408
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B15NE (N)	173	1	481796 269430

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B16NW (N)	174	1	482056 269312
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B16NW (N)	188	1	482104 269357
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B16NW (N)	188	1	482149 269387
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B11NW (W)	0	1	481660 268752
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B11NE (NW)	0	1	481870 268693
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B11NW (W)	0	1	481660 268752
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B11NE (NW)	0	1	481870 268693
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	B11NE (NW)	0	1	481870 268693
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	B11NE (NW)	0	1	481870 268693

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
31	Contemporary Trade Directory Entries Name: Mawsley Commercial Vehicles Location: Holcot Lane, Sywell, Northampton, Northamptonshire, NN6 0BE Classification: Car Dealers - Used Status: Inactive Positional Accuracy: Manually positioned to the address or location	B11NE (E)	311	-	481990 268733
32	Contemporary Trade Directory Entries Name: Day & Coles (Agricultural) Ltd Location: Holcot Lane, Sywell, Northampton, NN6 0BE Classification: Agricultural Machinery - Sales & Service Status: Inactive Positional Accuracy: Automatically positioned to the address	B11NE (SE)	420	-	481935 268626
33	Contemporary Trade Directory Entries Name: Unitrak Bulk Transfer Ltd Location: Yeoman Farm, Kettering Road, Hannington, Northampton, NN6 9TE Classification: Road Haulage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	B14NE (NW)	544	-	481062 269189
34	Contemporary Trade Directory Entries Name: A K L Engineering Location: Sywell Airport Business Park, Wellingborough Road, Sywell, Northampton, NN6 0BT Classification: Sheet Metal Work Status: Inactive Positional Accuracy: Automatically positioned to the address	B8SE (SE)	568	-	482714 267725
34	Contemporary Trade Directory Entries Name: Sps Location: Sywell Airport Business Park, Wellingborough Road, Sywell, Northampton, NN6 0BT Classification: Printers Status: Inactive Positional Accuracy: Automatically positioned to the address	B8SE (SE)	568	-	482714 267725
34	Contemporary Trade Directory Entries Name: Modern Office Aids Location: Sywell Airport Business Park, Wellingborough Road, Sywell, Northampton, NN6 0BT Classification: Office Furniture & Equipment Status: Inactive Positional Accuracy: Automatically positioned to the address	B8SE (SE)	568	-	482714 267725
34	Contemporary Trade Directory Entries Name: Sywell Aerodrome Ltd Location: Sywell Airport Business Park, Wellingborough Road, Sywell, Northampton, Northamptonshire, NN6 0BT Classification: Airports Status: Inactive Positional Accuracy: Automatically positioned to the address	B8SE (SE)	568	-	482714 267725
34	Contemporary Trade Directory Entries Name: Paving Direct Location: Sywell Airport Business Park, Wellingborough Road, Sywell, Northampton, NN6 0BT Classification: Concrete Products Status: Inactive Positional Accuracy: Automatically positioned to the address	B8SE (SE)	568	-	482714 267725
34	Contemporary Trade Directory Entries Name: Fordaire Aviation Ltd Location: Sywell Airport Business Park, Wellingborough Road, Sywell, Northampton, NN6 0BT Classification: Aviation Engineers Status: Inactive Positional Accuracy: Automatically positioned to the address	B8SE (SE)	568	-	482714 267725
34	Contemporary Trade Directory Entries Name: Sywell Aerodrome Ltd Location: Sywell Airport Business Park, Wellingborough Road, Sywell, Northampton, NN6 0BT Classification: Airports Status: Inactive Positional Accuracy: Automatically positioned to the address	B8SE (SE)	568	-	482714 267725

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
34	<p>Contemporary Trade Directory Entries</p> <p>Name: Cougar Flex Location: Sywell Airport Business Park, Wellingborough Rd, Sywell, Northampton, NN6 0BN Classification: Hydraulic Equipment & Accessories - Sales & Service Status: Inactive Positional Accuracy: Manually positioned to the address or location</p>	B8SE (SE)	569	-	482713 267724
35	<p>Contemporary Trade Directory Entries</p> <p>Name: Sloane Aviation Location: Tiger Hangar 15a, Sywell Airport Business Park, Wellingborough Road, Sywell, Northampton, NN6 0BN Classification: Aviation Engineers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	B8SE (SE)	586	-	482653 267756
35	<p>Contemporary Trade Directory Entries</p> <p>Name: Air Leasing Limited Within Sywell Aerodrome Location: Hall Farm, Sywell Airport Business Park, Wellingborough Road, Sywell, Northampton, NN6 0BN Classification: Aviation Engineers Status: Active Positional Accuracy: Automatically positioned to the address</p>	B8SE (SE)	625	-	482640 267714
35	<p>Contemporary Trade Directory Entries</p> <p>Name: All Print Display Ltd Location: 15d, Sywell Airport Business Park, Wellingborough Road, Sywell, Northampton, NN6 0BN Classification: Printers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	B8SE (SE)	625	-	482640 267715
35	<p>Contemporary Trade Directory Entries</p> <p>Name: M K Engineering Location: Sywell Airport Business Park, Wellingborough Road, Sywell, Northampton, NN6 0BN Classification: Engineers - General Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	B8SE (SE)	625	-	482640 267715
35	<p>Contemporary Trade Directory Entries</p> <p>Name: Hydraulics Direct Location: Sywell Airport Business Pk, Wellingborough Rd, Sywell, Northampton, Northamptonshire, NN6 0BN Classification: Hydraulic Engineers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	B8SE (SE)	625	-	482640 267714
35	<p>Contemporary Trade Directory Entries</p> <p>Name: Renmar Location: Building 5, Hendrickson Site, Sywell Airport Business Pk, Welli, Sywell, Northampton, Northamptonshire, NN6 0BN Classification: Plastics - Machinery & Equipment Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	B8SE (SE)	625	-	482640 267714
35	<p>Contemporary Trade Directory Entries</p> <p>Name: Design Print Management Ltd Dpm Ltd Location: Unit 2, Airways House, Sywell Airport Business Park, Wellingborough Road, Sywell, Northampton, NN6 0BN Classification: Printers Status: Active Positional Accuracy: Automatically positioned to the address</p>	B8SE (SE)	625	-	482640 267714
35	<p>Contemporary Trade Directory Entries</p> <p>Name: Access Global Logistics Ltd Location: Sywell Airport Business Park, Wellingborough Road, Sywell, Northampton, Northamptonshire, NN6 0BN Classification: Freight Forwarders Status: Active Positional Accuracy: Manually positioned to the road within the address or location</p>	B8SE (SE)	662	-	482624 267679
36	<p>Contemporary Trade Directory Entries</p> <p>Name: Sywell Aerodrome Ltd Location: Hall Farm, Sywell Airport Business Park, Wellingborough Road, Sywell, Northampton, NN6 0BN Classification: Airports Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	B8SE (SE)	682	-	482577 267697

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
36	<p>Contemporary Trade Directory Entries</p> <p>Name: Dawn Treader Performance Location: 12c Shackleton Hangar, Wellingborough Road, Sywell, Northampton, Northamptonshire, NN6 0BN Classification: Car Body Repairs Status: Active Positional Accuracy: Manually positioned within the geographical locality</p>	B8SE (SE)	690	-	482561 267703
36	<p>Contemporary Trade Directory Entries</p> <p>Name: Collingwood Lighting Location: Brooklands House Sywell Airport Business Park, Wellingborough Road, Sywell, Northampton, Northamptonshire, NN6 0BT Classification: Lighting Manufacturers Status: Active Positional Accuracy: Manually positioned to the address or location</p>	B8SE (SE)	694	-	482580 267677
36	<p>Contemporary Trade Directory Entries</p> <p>Name: Fast-Tech Supplies Ltd Location: Site A Unit 36, Sywell Airport Business Park, Wellingborough Road, Northampton, NN6 0BT Classification: Nuts, Bolts & Fixings Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	B8SE (SE)	708	-	482542 267696
37	<p>Contemporary Trade Directory Entries</p> <p>Name: Thomas & Davis Location: Wellingborough Rd, Sywell, Northampton, Northamptonshire, NN6 0BN Classification: Food Products - Manufacturers Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location</p>	B8SE (SE)	712	-	482668 267580
38	<p>Contemporary Trade Directory Entries</p> <p>Name: Graphicom Location: Skyways House, Sywell Airport Business Park, Wellingborough Road, Sywell, Northampton, Northamptonshire, NN6 0BN Classification: Printers Status: Inactive Positional Accuracy: Manually positioned to the address or location</p>	B8SE (SE)	723	-	482617 267603
38	<p>Contemporary Trade Directory Entries</p> <p>Name: Classic Sport Engineering Location: Sywell Airport Business Park, Wellingborough Road, Sywell, Northampton, NN6 0BN Classification: Aviation Engineers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	B8SE (SE)	738	-	482617 267586
39	<p>Contemporary Trade Directory Entries</p> <p>Name: Sywell Garage Ltd Location: Site A Unit 44, Sywell Airport Business Park, Wellingborough Road, Northampton, NN6 0BN Classification: Garage Services Status: Active Positional Accuracy: Automatically positioned to the address</p>	B8SE (SE)	742	-	482488 267708
40	<p>Contemporary Trade Directory Entries</p> <p>Name: Classic Sport Engineering Ltd Location: Bentley House Sywell Aerodrome, Wellingborough Road, Sywell, Northampton, Northamptonshire, NN6 0BN Classification: Boatbuilders & Repairers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	B8SE (SE)	755	-	482524 267646
40	<p>Contemporary Trade Directory Entries</p> <p>Name: Bespoke Commercial Kitchens Ltd Location: 80-81 Sywell Aerodrome Business Park, Wellingborough Road, Sywell, Northampton, Northamptonshire, NN6 0BN Classification: Catering Equipment Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	B8SE (SE)	755	-	482524 267646
41	<p>Contemporary Trade Directory Entries</p> <p>Name: Sharp End Services Location: 4, Sywell Airport Business Park, Wellingborough Road, Sywell, Northampton, NN6 0BN Classification: Electrical Goods Sales, Manufacturers & Wholesalers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	B8SE (SE)	780	-	482595 267549

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
41	<p>Contemporary Trade Directory Entries</p> <p>Name: A1 Fabrications & Engineering Ltd Location: Unit 1, Sywell Airport Business Pk, Wellingborough Rd, Sywell, Northampton, Northamptonshire, NN6 0BN Classification: Machine Shops Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location</p>	B8SE (SE)	789	-	482622 267518
41	<p>Contemporary Trade Directory Entries</p> <p>Name: Welkin Sports Location: 1 Wellingborough Rd, Sywell Aerodrome, Northampton, Northamptonshire, NN6 0BN Classification: Sports Equipment Manufacturers & Distributors Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location</p>	B8SE (SE)	794	-	482618 267514
42	<p>Contemporary Trade Directory Entries</p> <p>Name: Serenco Location: Unit 3 Wellingborough Rd, Sywell, Northampton, Northamptonshire, NN6 0BN Classification: Garage Equipment Status: Inactive Positional Accuracy: Manually positioned within the geographical locality</p>	B8SE (SE)	816	-	482429 267663
42	<p>Contemporary Trade Directory Entries</p> <p>Name: Kartell Location: Lancaster Gate, Wellingborough Rd, Sywell, Northampton, Northamptonshire, NN6 0BN Classification: Distribution Services Status: Inactive Positional Accuracy: Manually positioned within the geographical locality</p>	B8SE (SE)	816	-	482429 267663
43	<p>Contemporary Trade Directory Entries</p> <p>Name: Utility Fasteners Location: Unit 4, Bellman Gate, Holcot Lane, Sywell, Northampton, NN6 0BL Classification: Fasteners & Fixing Devices Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	B7NE (S)	829	-	482027 268045
43	<p>Contemporary Trade Directory Entries</p> <p>Name: Avalon Cars Ltd Location: Unit 6, Bellman Gate, Holcot Lane, Sywell, Northampton, NN6 0BL Classification: Car Dealers - Used Status: Active Positional Accuracy: Automatically positioned to the address</p>	B7NE (S)	834	-	482033 268025
43	<p>Contemporary Trade Directory Entries</p> <p>Name: Utility Fasteners Location: Unit 4, Bellman Gate, Holcot Lane, Sywell, Northampton, NN6 0BL Classification: Fasteners & Fixing Devices Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	B7NE (S)	840	-	482016 268044
43	<p>Contemporary Trade Directory Entries</p> <p>Name: Utility Fasteners Location: Unit 4, Bellman Gate, Holcot Lane, Sywell, Northampton, NN6 0BL Classification: Nuts, Bolts & Fixings Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	B7NE (S)	840	-	482016 268044
44	<p>Contemporary Trade Directory Entries</p> <p>Name: M L S Solutions Location: 21-22, Bellman Gate, Holcot Lane, Sywell, Northampton, NN6 0BL Classification: Engineers - General Status: Active Positional Accuracy: Automatically positioned to the address</p>	B8NW (S)	876	-	482076 267883
44	<p>Contemporary Trade Directory Entries</p> <p>Name: Skytech Helicopters Location: Unit 23-24, Bellman Gate, Holcot Lane, Sywell, NORTHAMPTON, NN6 0BL Classification: Aviation Engineers Status: Active Positional Accuracy: Automatically positioned to the address</p>	B8NW (S)	884	-	482065 267884
45	<p>Contemporary Trade Directory Entries</p> <p>Name: Peoples Logistics Location: Hall Farm, Sywell Airport Business Pk, Wellingborough Rd, Sywell, Northampton, Northamptonshire, NN6 0BN Classification: Hospitals Status: Inactive Positional Accuracy: Manually positioned to the address or location</p>	B8SW (SE)	938	-	482358 267558

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
46	Ancient Woodland Name: Sywell Wood Reference: 1108223 Area(m ²): 937799.53 Type: Plantation on Ancient Woodland	B16SE (NE)	0	11	482546 269162
47	Ancient Woodland Name: Sywell Wood Reference: 1108223 Area(m ²): 26389.96 Type: Ancient and Semi-Natural Woodland	(E)	103	11	482782 268983
48	Nitrate Vulnerable Zones Name: Thrapstone Lake Eutrophic Lake Nvz Description: Eutrophic Water Source: Environment Agency, Head Office	B11NE (NW)	0	4	481870 268693
49	Nitrate Vulnerable Zones Name: Northampton Sands Description: Groundwater Source: Environment Agency, Head Office	B11NE (E)	0	4	481970 268658
50	Nitrate Vulnerable Zones Name: River Nene Nvz Description: Surface Water Source: Environment Agency, Head Office	B11NE (NW)	0	4	481870 268693
51	Sites of Special Scientific Interest Name: Hardwick Lodge Meadow Multiple Areas: N Total Area (m2): 100205.38 Source: Natural England Reference: 1002746 Designation Details: Site Of Special Scientific Interest Designation Date: 1st November 1985 Date Type: Notified	(NE)	821	11	483171 270232

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Environment Agency - Head Office Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	August 2013 December 2019 December 2019 November 2023 October 2017 September 2017	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annually Annual Rolling Update Annual Rolling Update
Discharge Consents Environment Agency - Anglian Region	October 2023	Quarterly
Enforcement and Prohibition Notices Environment Agency - Anglian Region	March 2013	
Integrated Pollution Controls Environment Agency - Anglian Region	January 2009	
Integrated Pollution Prevention And Control Environment Agency - Anglian Region	January 2023	Quarterly
Local Authority Integrated Pollution Prevention And Control Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	December 2020 December 2020 February 2015 February 2015 May 2014	Variable Variable Variable Variable Variable
Local Authority Pollution Prevention and Controls Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	December 2020 December 2020 February 2015 February 2015 May 2014	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department	December 2014 February 2015 February 2015 May 2014 October 2014	Variable Variable Variable Variable Variable
Nearest Surface Water Feature Ordnance Survey	November 2023	
Pollution Incidents to Controlled Waters Environment Agency - Anglian Region	September 1999	
Prosecutions Relating to Authorised Processes Environment Agency - Anglian Region	July 2015	
Prosecutions Relating to Controlled Waters Environment Agency - Anglian Region	March 2013	
Registered Radioactive Substances Environment Agency - Anglian Region Environment Agency - Head Office	June 2016 May 2023	As notified Quarterly

Agency & Hydrological	Version	Update Cycle
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	April 2012	
River Quality Chemistry Sampling Points Environment Agency - Head Office	April 2012	
Substantiated Pollution Incident Register Environment Agency - Anglian Region - Northern Area	October 2023	Quarterly
Water Abstractions Environment Agency - Anglian Region	October 2023	Quarterly
Water Industry Act Referrals Environment Agency - Anglian Region	October 2017	
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Source Protection Zones Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	January 2024	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	Quarterly
OS Water Network Lines Ordnance Survey	October 2023	Quarterly
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified

Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites Environment Agency - Head Office	July 2023	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Anglian Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - Anglian Region - Northern Area	July 2023	Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - Anglian Region - Northern Area	January 2023	Quarterly
Local Authority Landfill Coverage Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department Northamptonshire County Council Wellingborough Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council West Northamptonshire Council	February 2003 February 2003 February 2003 February 2003 May 2000 May 2000	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable
Local Authority Recorded Landfill Sites North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department Northamptonshire County Council Wellingborough Borough Council (now part of North Northamptonshire Council)	August 2006 August 2006 October 2018 October 2018 October 2018 October 2018	
Registered Landfill Sites Environment Agency - Anglian Region - Northern Area	March 2006	Not Applicable
Registered Waste Transfer Sites Environment Agency - Anglian Region - Northern Area	April 2018	
Registered Waste Treatment or Disposal Sites Environment Agency - Anglian Region - Northern Area	June 2015	

Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	March 2023	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) Northamptonshire County Council Daventry District Council (now part of West Northamptonshire Council) Northampton Borough Council (now part of West Northamptonshire Council) - Planning Department West Northamptonshire Council	February 2016 February 2016 May 2013 May 2023 May 2023 May 2023	Variable Variable Annual Rolling Update Variable Variable Variable
Planning Hazardous Substance Consents Northamptonshire County Council North Northamptonshire Council Northampton Borough Council (now part of West Northamptonshire Council) - Planning Department Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council)	December 2014 February 2016 February 2016 February 2016 February 2016 January 2016	Annual Rolling Update Variable Variable Variable Variable Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	June 2023	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	October 2023	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	October 2023	Annually
Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	October 2023	Quarterly
Fuel Station Entries Catalist Ltd - Experian	November 2023	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Underground Electrical Cables National Grid	February 2023	Bi-Annually

Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	October 2023	Bi-Annually
Areas of Adopted Green Belt Daventry District Council (now part of West Northamptonshire Council) North Northamptonshire Council Northampton Borough Council (now part of West Northamptonshire Council) Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly Quarterly
Areas of Unadopted Green Belt Daventry District Council (now part of West Northamptonshire Council) North Northamptonshire Council Northampton Borough Council (now part of West Northamptonshire Council) Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly Quarterly
Areas of Outstanding Natural Beauty Natural England	November 2023	Bi-Annually
Environmentally Sensitive Areas Natural England	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	August 2023	Bi-Annually
Marine Nature Reserves Natural England	October 2023	Bi-Annually
National Nature Reserves Natural England	August 2023	Bi-Annually
National Parks Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 March 2023	Bi-Annually
Ramsar Sites Natural England	October 2023	Bi-Annually
Sites of Special Scientific Interest Natural England	November 2023	Bi-Annually
Special Areas of Conservation Natural England	October 2023	Bi-Annually
Special Protection Areas Natural England	October 2023	Bi-Annually

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department Croyland Abbey, Tithe Barn Road, Wellingborough, Northamptonshire, NN8 1BJ	Telephone: 01933 229777 extn 4705 Fax: 01933 441375 Email: environment@wellingborough.gov.uk Website: www.wellingborough.gov.uk
4	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
5	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
6	Wellingborough Borough Council (now part of North Northamptonshire Council) Croyland Abbey, Tithe Barn Road, Wellingborough, Northamptonshire, NN8 1BJ	Telephone: 01933 229777 Fax: 01933 441375 Website: www.wellingborough.gov.uk
7	Northamptonshire County Council County Hall, Northampton, Northamptonshire, NN1 1DN	Telephone: 0300 126 1000 Website: www.northamptonshire.gov.uk
8	Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Lodge Road, Daventry, Northamptonshire, NN11 5AF	Telephone: 01327 871100 Fax: 01327 302540 Website: www.daventrydc.gov.uk
9	Health and Safety Executive 5S.2 Redgrave Court, Merton Road, Bootle, L20 7HS	Website: www.hse.gov.uk
10	Wellingborough Borough Council (now part of North Northamptonshire Council) Croyland Abbey, Tithe Barn Road, Wellingborough, Northamptonshire, NN8 1BN	Telephone: 01933 229777 Fax: 01933 441375 Website: www.wellingborough.gov.uk
11	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- ◇ Discharge Consent
- ▲ Enforcement or Prohibition Notice
- ▲ Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- ▲ Local Authority Pollution Prevention and Control
- ▼ Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- ▼ Prosecution Relating to Authorised Processes
- ◆ Prosecution Relating to Controlled Waters
- ▲ Registered Radioactive Substance
- + River Quality Sampling Point
- Substantiated Pollution Incident Register
- ◇ Water Abstraction
- ◆ Water Industry Act Referral
- ▼ River Network or Water Feature
- + River Quality Sampling Point
- Substantiated Pollution Incident Register
- ◇ Water Abstraction
- ◆ Water Industry Act Referral

Waste

- ▼ BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- ▲ Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Registered Landfill Site
- ▼ Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site


Geological

- ▼ BGS Recorded Mineral Site

Industrial Land Use

- ★ Contemporary Trade Directory Entry
- ★ Fuel Station Entry
- ✖ COMAH Site
- ✖ Explosive Site
- ✖ NIHS Site
- ✖ Planning Hazardous Substance Consent
- ✖ Planning Hazardous Substance Enforcement

Site Sensitivity Map - Slice B




Order Details






Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481870, 268690
 Slice: B
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details






Grendon Solar Scheme



General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Map ID
-  Several of Type at Location


Agency and Hydrological (Boreholes)

-  BGS Borehole Depth 0 - 10m
-  BGS Borehole Depth 10 - 30m
-  BGS Borehole Depth 30m +
-  Confidential
-  Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice B




Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481870, 268690
 Slice: B
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



© Crown Copyright. All Rights Reserved. License Number 100022432




General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

OS Water Network Data

- | | |
|--------------|-------------------------|
| Canal | Drain |
| Reservoir | Other |
| Foreshore | Lake |
| Marsh | Transfer |
| Tidal River | Lock Or Flight Of Locks |
| Inland River | Sea |

OS Water Network Map - Slice B




Order Details

Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481870, 268690
 Slice: B
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



© Crown Copyright. All Rights Reserved. License Number 100022412



Groundwater Vulnerability

General

- ⬠ Specified Site
- ⬠ Specified Buffer(s)
- ✕ Bearing Reference Point
- ⬠ Slice
- B Map ID

Agency and Hydrological

Bedrock Aquifers


- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

Superficial Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

- Unproductive Aquifer
- ⋯ Soluble Rock

Site Sensitivity Context Map - Slice C



Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484060, 268170
 Slice: C
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022412



Bedrock Aquifer Designation

General


- ▭ Specified Site
- ▭ Specified Buffer(s)
- X Bearing Reference Point
- ▭ Slice
- Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice C



Order Details


Order Number:	331730783_1_1
Customer Ref:	93791.580478
National Grid Reference:	484060, 268170
Slice:	C
Site Area (Ha):	102.14
Search Buffer (m):	1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number: 100022412



Superficial Aquifer Designation

General


- ▭ Specified Site
- ▭ Specified Buffer(s)
- X Bearing Reference Point
- ▭ Slice
- Map ID

Agency and Hydrological

Geological Classes

- ▭ Principal Aquifer
- ▭ Secondary A Aquifer
- ▭ Secondary B Aquifer
- ▭ Secondary Undifferentiated
- ▭ Unproductive Strata
- ▭ Unknown
- ▭ Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice C



Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484060, 268170
 Slice: C
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number: 100022412



Source Protection Zones


General

- ◇ Specified Site
- ⬭ Specified Buffer(s)
- ✕ Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice C



Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484060, 268170
 Slice: C
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk








© Crown Copyright. All Rights Reserved. License Number: 100022412




Sensitive Land Uses


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Sensitive Land Uses

-  Ancient Woodland
-  Area of Adopted Green Belt
-  Area of Unadopted Green Belt
-  Area of Outstanding Natural Beauty
-  Environmentally Sensitive Area
-  Forest Park
-  Local Nature Reserve
-  Marine Nature Reserve
-  National Nature Reserve
-  National Park
-  Nitrate Sensitive Area
-  Nitrate Vulnerable Zone
-  Ramsar Site
-  Site of Special Scientific Interest
-  Special Area of Conservation
-  Special Protection Area
-  World Heritage Sites

Site Sensitivity Context Map - Slice C



Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484060, 268170
 Slice: C
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022412



BGS Flood GFS Data


General

- ◊ Specified Site
- ◊ Specified Buffer(s)
- X Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice C



Order Details

Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484060, 268170
 Slice: C
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

331730783_1_1

Customer Reference:

93791.580478

National Grid Reference:

484060, 268170

Slice:

C

Site Area (Ha):

102.14

Search Buffer (m):

1000

Site Details:

Grendon Solar Scheme

Client Details:

Ms M Booth
Delta Simons
Suite 4A
One Portland Street
Manchester
M1 3BE



Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	19
Hazardous Substances	-
Geological	20
Industrial Land Use	-
Sensitive Land Use	24
Data Currency	25
Data Suppliers	29
Useful Contacts	30

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2024. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and/or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2024. © Natural Resources Wales & United Kingdom Research and Innovation 2024.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2024. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 6	1	6		
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls					
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 7	Yes			
Pollution Incidents to Controlled Waters	pg 7		1		1
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality					
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register	pg 8				1
Water Abstractions	pg 8	1			
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 8	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk	pg 13	3	n/a	n/a	n/a
Bedrock Aquifer Designations	pg 13	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 13	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences	pg 14	Yes		n/a	n/a
Flooding from Rivers or Sea without Defences	pg 14	Yes		n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 14	7	2	16	14

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites					
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)					
Local Authority Landfill Coverage	pg 19	2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 20	Yes	n/a	n/a	n/a
BGS Recorded Mineral Sites	pg 20	1	2	1	5
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 21	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 21		Yes	n/a	n/a
Potential for Ground Dissolution Stability Hazards	pg 22	Yes	Yes	n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 22	Yes	Yes	n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 22	Yes	Yes	n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 22	Yes	Yes	n/a	n/a
Radon Potential - Radon Affected Areas	pg 23	Yes	n/a	n/a	n/a
Radon Potential - Radon Protection Measures	pg 23	Yes	n/a	n/a	n/a

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Industrial Land Use					
Contemporary Trade Directory Entries					
Fuel Station Entries					
Gas Pipelines					
Underground Electrical Cables					
Sensitive Land Use					
Ancient Woodland	pg 24	1	1		
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 24	3			
Ramsar Sites					
Sites of Special Scientific Interest	pg 24				1
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	482100 269050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C10NW (NW)	0	1	483500 268500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C11SW (E)	0	1	484150 268200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C9SE (W)	0	1	483400 268300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C9NE (NW)	0	1	483300 268750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C9NE (NW)	0	1	483250 268550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C10SW (W)	0	1	483450 268400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	482350 269450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C11SW (E)	0	1	484150 268168
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C2NE (S)	0	1	484064 267300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	C9NE (NW)	0	1	483150 268600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C2NE (S)	0	1	484050 267250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C11SW (E)	0	1	484100 268168
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	482500 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	482400 269850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C7SW (S)	0	1	484150 267700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	482550 268850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C9NE (NW)	0	1	483300 268650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C9NE (NW)	0	1	483350 268650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	C9NE (W)	0	1	483100 268500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C10NW (NW)	0	1	483600 268550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	482550 269000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	0	1	482500 269500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C9SE (W)	0	1	483100 268168
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C9SE (W)	0	1	483100 268200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C7SW (S)	0	1	484200 267650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	482400 269300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	482500 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C10SW (NW)	0	1	483500 268450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	482100 269100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C13SE (NW)	0	1	483400 269000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	482150 269150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	482450 269250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C10SE (SW)	0	1	484064 268168
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C2NE (S)	0	1	484050 267350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C3NW (S)	0	1	484250 267400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	2	1	482300 269250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	3	1	482450 269450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C10NW (NW)	4	1	483500 268700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	7	1	482050 269100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	8	1	482450 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C9NE (NW)	11	1	483350 268700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	13	1	482200 269200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C9SW (W)	13	1	482850 268168

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	34	1	482400 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C2SE (S)	35	1	483950 267000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C2SE (S)	37	1	483950 267100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	39	1	482250 269300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C3NW (S)	40	1	484200 267150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	45	1	482300 269300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	49	1	482050 268900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	50	1	482050 269150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C11SE (E)	51	1	484600 268168
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C3SW (S)	51	1	484100 267000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	52	1	482050 269250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	61	1	482400 269400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	61	1	482350 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	87	1	482300 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	89	1	482150 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	92	1	482050 269200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	103	1	482350 269400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C2NE (S)	106	1	483850 267450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	108	1	482100 269250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	117	1	482550 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	122	1	482250 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	124	1	482150 269300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C5NW (W)	136	1	483000 268050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C3NE (SE)	145	1	484600 267400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	146	1	482100 268450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	151	1	482100 269300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	154	1	482550 268800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	156	1	482550 270150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	159	1	482100 268850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	166	1	482900 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	173	1	482100 269700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	182	1	482550 268168
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C7SE (SE)	222	1	484650 267550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C5NW (W)	239	1	482900 268000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C7SE (SE)	247	1	484700 267550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	269	1	482100 270100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	C3NE (SE)	276	1	484600 267200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	278	1	482100 270050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C12SW (E)	279	1	484850 268250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	314	1	482450 268350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C15SE (NE)	316	1	484600 268850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C7SE (SE)	317	1	484750 267500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C2SW (S)	333	1	483650 267100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	360	1	482350 268650

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	385	1	482400 268250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C14SW (NW)	393	1	483500 269100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C14SW (NW)	403	1	483450 269100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C2SW (S)	406	1	483600 266950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	428	1	482350 268600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C12SW (E)	429	1	485000 268200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C12SW (E)	435	1	485000 268168
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C15SE (NE)	436	1	484700 268950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	440	1	483500 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C14SW (NW)	442	1	483500 269150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C12NW (NE)	446	1	485000 268650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C13SE (NW)	454	1	483400 269150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C15SW (N)	456	1	484250 269100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	469	1	482300 268500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C13NE (NW)	472	1	483400 269500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C14NW (NW)	492	1	483500 269200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	496	1	484150 266500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C5SW (W)	497	1	482800 267750

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	<p>Discharge Consents</p> <p>Operator: C H Dixon Property Type: WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Location: Grange Farm, Merrs Ashby, Northampton, Nn6 0ea Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5nf2181 Permit Version: 1 Effective Date: 20th June 1963 Issued Date: 20th June 1963 Revocation Date: 11th June 1991 Discharge Type: Unknown Discharge: Not Supplied Environment: Receiving Water: Not Supplied Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m</p>	C7SW (S)	0	2	484300 267500
2	<p>Discharge Consents</p> <p>Operator: Beckworth Limited Property Type: SHOP INCL GARDEN CENTRE/RETAIL TRADE(NOT MOTOR VEHICLE) Location: Beckworth Emporium, 120 - 140 Glebe Road, Mears Ashby, Northampton, Nn6 0dl Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Eprxp3228gk Permit Version: 1 Effective Date: 4th October 2012 Issued Date: 4th October 2012 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Tributary Of Swanspool Brook Status: New issued under EPR 2010 Positional Accuracy: Located by supplier to within 10m</p>	C6NE (SW)	11	2	483904 267910
3	<p>Discharge Consents</p> <p>Operator: Mr John B Gaggini Property Type: FARMS (NOT HOUSE)/CROP + ANIMAL REARING/PLANT NURSERY Location: Glebe House Glebe Road, Mears Ashby, Northampton, Nn6 0dl Authority: Environment Agency, Anglian Region Catchment Area: River Ise (Kettering) Reference: Pr5nf723 Permit Version: 2 Effective Date: 20th March 1992 Issued Date: 20th March 1992 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Trib Swanspool Brook Status: Post National Rivers Authority Legislation where issue date > 31/08/1989 Positional Accuracy: Located by supplier to within 100m</p>	C6NW (W)	19	2	483480 268060
3	<p>Discharge Consents</p> <p>Operator: Mr J Gaggini Property Type: FARMS (NOT HOUSE)/CROP + ANIMAL REARING/PLANT NURSERY Location: Glebe House Glebe Road, Mears Ashby, Northampton, Nn6 0dl Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5nf723 Permit Version: 1 Effective Date: 24th November 1983 Issued Date: 24th November 1983 Revocation Date: 19th March 1992 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Lake/Reservoir - with outlet Environment: Receiving Water: Swanspool Brook Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m</p>	C6NW (W)	19	2	483480 268060

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
3	<p>Discharge Consents</p> <p>Operator: Mears Ashby Nurseries Ltd Property Type: WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Location: Mears Ashby Nurseries Glebe House, Glebe Road, Mears Ashby Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pmrf02044 Permit Version: 1 Effective Date: 22nd January 1990 Issued Date: 22nd January 1990 Revocation Date: 11th February 1992 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Lake/Reservoir - with outlet Environment: Receiving Water: Trib Swanspool Brook Status: Post National Rivers Authority Legislation where issue date > 31/08/1989 Positional Accuracy: Located by supplier to within 10m</p>	C6NW (W)	53	2	483520 268030
4	<p>Discharge Consents</p> <p>Operator: Mears Ashby Nurseries Ltd Property Type: Arable Farming Location: Glebe House Glebe Road, Mears Ashby, Northampton, Nn6 0dl Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Gwnlf40680 Permit Version: 1 Effective Date: 31st March 1999 Issued Date: 19th July 2000 Revocation Date: Not Supplied Discharge Type: Trade Discharge - Agricultural And Surface Discharge: Land/Soakaway Environment: Receiving Water: Groundwater Status: Deemed Groundwater Regulations Authorisation Positional Accuracy: Located by supplier to within 10m</p>	C6NW (W)	54	2	483700 268050
5	<p>Discharge Consents</p> <p>Operator: Mears Ashby Nurseries Ltd Property Type: WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Location: Mears Ashby Nurseries Glebe House, Glebe Road, Mears Ashby Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pmrf02044 Permit Version: 2 Effective Date: 12th February 1992 Issued Date: 12th February 1992 Revocation Date: 8th March 1992 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Lake/Reservoir - with outlet Environment: Receiving Water: Trib Swanspool Brook Status: Post National Rivers Authority Legislation where issue date > 31/08/1989 Positional Accuracy: Located by supplier to within 10m</p>	C6NW (SW)	186	2	483640 267910
	<p>Nearest Surface Water Feature</p>	C11SW (NE)	0	-	484311 268491
6	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Not Applicable Location: Kettering District Authority: Environment Agency, Anglian Region Pollutant: Miscellaneous - Natural Note: Tributary Swanspool Brook Incident Date: 6th June 1996 Incident Reference: 2712 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Benthic Algae Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	C2NE (S)	169	2	483800 267200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
7	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Kettering District Authority: Environment Agency, Anglian Region Pollutant: Unknown Note: Roadside Ditch Incident Date: 22nd May 1992 Incident Reference: 1347 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	C5SW (W)	539	2	482800 267700
8	Substantiated Pollution Incident Register Authority: Environment Agency - Anglian Region, Northern Area Incident Date: 12th May 2017 Incident Reference: 1522721 Water Impact: Category 2 - Significant Incident Air Impact: Category 4 - No Impact Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Organic Chemicals : Paints / Varnishes	C5SW (SW)	628	2	482981 267513
9	Water Abstractions Operator: B B Rice Licence Number: 5/32/05/*s/058 Permit Version: Not Supplied Location: Sywell Reservoir, MEARS ASHBY Authority: Environment Agency, Anglian Region Abstraction: Spray Irrigation Abstraction Type: Not Supplied Source: Stream Daily Rate (m3): 45 Yearly Rate (m3): 1150000 Details: Status: Revoked Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	C9SE (W)	0	2	483400 268200
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: >10m Superficial Recharge: Low	C13SW (NW)	0	3	483000 269000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	C10SE (NW)	0	3	483987 268247

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	C2SE (S)	0	3	484064 267000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	C7NW (SE)	0	3	484188 268000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	C7NW (SE)	0	3	484319 268000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	C2SE (S)	0	3	484000 267115

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	C9SW (W)	0	3	483000 268168
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	C11SW (E)	0	3	484222 268174
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	C10SE (NW)	0	3	484000 268260
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	C7NW (E)	0	3	484340 268113

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: >10m Superficial Recharge: Low	(NW)	0	3	483000 270000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Unproductive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	C3NW (S)	0	3	484132 267409
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Unproductive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	C7NW (SE)	0	3	484158 268000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Unproductive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	C2NE (S)	0	3	484000 267307

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, Unproductive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	C11SW (E)	0	3	484180 268159
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	C2NE (S)	0	3	483977 267345
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	C10SE (SW)	0	3	484064 268168
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	C9SE (W)	0	3	483368 268400

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	C10SE (W)	0	3	484000 268168
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	C6NE (S)	0	3	484000 268000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	C6NE (S)	0	3	484064 268000
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	C2SE (S)	0	3	484064 267000
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	C6NE (S)	0	3	484064 268000
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	C10SE (SW)	0	3	484064 268168
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	C7NW (E)	0	3	484340 268113
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(N)	0	3	484064 270000
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	C10SE (SW)	0	3	484064 268168
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	C2NE (S)	0	3	483977 267345
	Superficial Aquifer Designations Aquifer Designation: Unproductive Strata	C3NW (S)	0	3	484132 267409

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Superficial Aquifer Designations Aquifer Designation: Unproductive Strata	C11SW (E)	0	3	484180 268159
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	C10SE (NW)	0	3	483987 268247
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	(N)	0	3	484064 270000
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	C6SE (S)	0	2	484075 267670
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	C6SE (S)	0	2	484075 267665
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
10	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 218.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C9SE (W)	0	4	483113 268436
11	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C9SE (W)	0	4	483116 268432
12	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 753.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C10NW (NW)	0	4	483520 268627
13	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 382.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C9SE (W)	0	4	483296 268268
14	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 246.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C9SE (W)	0	4	483296 268268
15	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1657.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C11SW (E)	0	4	484154 268157

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
16	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1644.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C11SW (E)	0	4	484167 268188
17	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C5NE (W)	176	4	483107 267947
18	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 207.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C5NE (W)	179	4	483114 267930
19	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 438.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C12SW (E)	294	4	484843 268376
20	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C6SW (SW)	298	4	483695 267711
21	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C6SW (SW)	300	4	483691 267711
22	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 233.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C6SW (SW)	303	4	483687 267711
23	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 52.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C3NE (SE)	321	4	484727 267479
24	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C6SW (SW)	356	4	483454 267719

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
25	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C6SW (SW)	356	4	483447 267719
26	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 154.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C3NE (SE)	359	4	484715 267429
27	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 22.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C5SW (W)	371	4	483037 267765
28	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C5SW (W)	372	4	483038 267763
29	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 325.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C5SW (W)	373	4	483038 267763
30	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 141.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C3NE (SE)	406	4	484672 267274
31	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 239.2 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C3NE (SE)	411	4	484616 267150
32	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C3NE (SE)	411	4	484617 267152
33	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C3NE (SE)	423	4	484674 267280

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
34	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 490.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C3SE (S)	443	4	484535 266925
35	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 570.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C5SW (SW)	621	4	483008 267510
36	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C5SW (SW)	634	4	482983 267506
37	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 119.5 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C12SE (E)	707	4	485273 268450
38	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 252.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C8SE (SE)	820	4	485378 267606
39	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 10.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C12SE (E)	823	4	485392 268467
40	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C8SE (SE)	828	4	485380 267612
41	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 246.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C8SE (SE)	829	4	485380 267612
42	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 8.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C12SE (E)	832	4	485401 268470

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
43	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 10.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C12SE (E)	832	4	485401 268470
44	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 21.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C12SE (E)	842	4	485411 268467
45	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 38.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C1SE (SW)	847	4	483130 267092
46	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 29.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C12SE (E)	851	4	485418 268443
47	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1093.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C4NE (SE)	877	4	485347 267364
48	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 666.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C1SE (SW)	878	4	483101 267079

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Landfill Coverage Name: Northamptonshire County Council - Has supplied landfill data		0	6	484064 268168
	Local Authority Landfill Coverage Name: Wellingborough Borough Council - Has no landfill data to supply		0	5	484064 268168

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Inferior Oolite Group	C9SE (W)	0	1	483361 268285
	BGS 1:625,000 Solid Geology Description: Great Oolite Group	C10SE (SW)	0	1	484064 268168
49	BGS Recorded Mineral Sites Site Name: Mears Ashby Location: Mears Ashby, Wellingborough, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 139636 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Northampton Sand Formation Commodity: Iron Ore - Ironstone Positional Accuracy: Located by supplier to within 10m	C2NE (S)	0	1	484019 267421
50	BGS Recorded Mineral Sites Site Name: Hundhill Location: Mears Ashby, Wellingborough, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 120679 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Northampton Sand Formation Commodity: Iron Ore - Ironstone Positional Accuracy: Located by supplier to within 100m	C5NE (W)	100	1	483300 268000
51	BGS Recorded Mineral Sites Site Name: Mears Ashby Sand Pit Location: Mears Ashby, Wellingborough, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 139635 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Stamford Member Commodity: Sand Positional Accuracy: Located by supplier to within 10m	C2SE (S)	160	1	483969 266827
52	BGS Recorded Mineral Sites Site Name: Mears Ashby Location: Mears Ashby, Wellingborough, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 120680 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Northampton Sand Formation Commodity: Iron Ore - Ironstone Positional Accuracy: Located by supplier to within 10m	C5SE (SW)	422	1	483080 267700
53	BGS Recorded Mineral Sites Site Name: Hundhill Location: Mears Ashby, Wellingborough, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 9227 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Northampton Sand Formation (Northampton Sand Ironstone) Commodity: Iron Ore - Ironstone Positional Accuracy: Located by supplier to within 10m	C2SW (SW)	562	1	483460 266850

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
54	BGS Recorded Mineral Sites Site Name: Mears Ashby Location: Mears Ashby, Wellingborough, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 120681 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Northampton Sand Formation Commodity: Iron Ore - Ironstone Positional Accuracy: Located by supplier to within 10m	C5SE (SW)	576	1	483125 267535
55	BGS Recorded Mineral Sites Site Name: Mears Ashby Location: Mears Ashby, Wellingborough, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 120682 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Northampton Sand Formation Commodity: Iron Ore - Ironstone Positional Accuracy: Located by supplier to within 10m	C1NE (SW)	653	1	483150 267455
56	BGS Recorded Mineral Sites Site Name: Mears Ashby Location: Mears Ashby, Wellingborough, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 120684 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Northampton Sand Formation Commodity: Iron Ore - Ironstone Positional Accuracy: Located by supplier to within 10m	C1NE (SW)	731	1	483195 267375
56	BGS Recorded Mineral Sites Site Name: Mears Ashby Location: Mears Ashby, Wellingborough, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 120683 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Northampton Sand Formation Commodity: Iron Ore - Ironstone Positional Accuracy: Located by supplier to within 10m	C1NE (SW)	742	1	483160 267365
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C10SE (SW)	0	1	484064 268168
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C5NE (W)	26	1	483192 268065
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C2SE (S)	176	1	483827 266957
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C10SE (SW)	0	1	484064 268168
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	C5NE (W)	26	1	483192 268065

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	C2SE (S)	176	1	483827 266957
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C10SE (SW)	0	1	484064 268168
	Potential for Ground Dissolution Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C3NW (S)	0	1	484175 267415
	Potential for Ground Dissolution Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C11SE (E)	60	1	484594 268179
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C10SE (SW)	0	1	484064 268168
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C2NE (S)	0	1	483977 267345
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C7SW (S)	0	1	484127 267721
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C5NE (W)	26	1	483192 268065
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C10SE (SW)	0	1	484064 268168
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C10SE (NW)	0	1	483987 268247
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C5NE (W)	26	1	483192 268065
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C2SE (S)	176	1	483827 266957
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C10SE (SW)	0	1	484064 268168
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C10SE (NW)	0	1	483987 268247
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C2NE (S)	0	1	483977 267345
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C5NE (W)	26	1	483192 268065
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C10SE (W)	0	1	484025 268168
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C10SE (N)	0	1	484025 268350
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (5 to 10% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C6SE (S)	0	1	483975 267625
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Higher probability radon area (10 to 30% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C7SW (S)	0	1	484100 267750

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C2NE (S)	0	1	484050 267325
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C10SE (SW)	0	1	484064 268168
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C10SE (W)	0	1	484025 268168
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C10SE (N)	0	1	484025 268350
	Radon Potential - Radon Protection Measures Protection Measure: Basic radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C6SE (S)	0	1	483975 267625
	Radon Potential - Radon Protection Measures Protection Measure: Full radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C7SW (S)	0	1	484100 267750
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C2NE (S)	0	1	484050 267325
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C10SE (SW)	0	1	484064 268168

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
57	Ancient Woodland Name: Sywell Wood Reference: 1108223 Area(m ²): 937799.53 Type: Plantation on Ancient Woodland	C10NW (NW)	0	7	483491 268632
58	Ancient Woodland Name: Sywell Wood Reference: 1108223 Area(m ²): 26389.96 Type: Ancient and Semi-Natural Woodland	C13SW (NW)	103	7	482908 269013
59	Nitrate Vulnerable Zones Name: Thrapstone Lake Eutrophic Lake Nvz Description: Eutrophic Water Source: Environment Agency, Head Office	C10SE (SW)	0	3	484064 268168
60	Nitrate Vulnerable Zones Name: Northampton Sands Description: Groundwater Source: Environment Agency, Head Office	C10SE (SW)	0	3	484064 268168
61	Nitrate Vulnerable Zones Name: River Nene Nvz Description: Surface Water Source: Environment Agency, Head Office	C10SE (SW)	0	3	484064 268168
62	Sites of Special Scientific Interest Name: Hardwick Lodge Meadow Multiple Areas: N Total Area (m ²): 100205.38 Source: Natural England Reference: 1002746 Designation Details: Site Of Special Scientific Interest Designation Date: 1st November 1985 Date Type: Notified	(N)	821	7	483573 270045

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council Environment Agency - Head Office	August 2013 December 2019 November 2023	Annual Rolling Update Annual Rolling Update Annually
Discharge Consents Environment Agency - Anglian Region	October 2023	Quarterly
Enforcement and Prohibition Notices Environment Agency - Anglian Region	March 2013	
Integrated Pollution Controls Environment Agency - Anglian Region	January 2009	
Integrated Pollution Prevention And Control Environment Agency - Anglian Region	January 2023	Quarterly
Local Authority Integrated Pollution Prevention And Control Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council	December 2020 February 2015	Variable Variable
Local Authority Pollution Prevention and Controls Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council	December 2020 February 2015	Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council	December 2014 February 2015	Variable Variable
Nearest Surface Water Feature Ordnance Survey	November 2023	
Pollution Incidents to Controlled Waters Environment Agency - Anglian Region	September 1999	
Prosecutions Relating to Authorised Processes Environment Agency - Anglian Region	July 2015	
Prosecutions Relating to Controlled Waters Environment Agency - Anglian Region	March 2013	
Registered Radioactive Substances Environment Agency - Anglian Region Environment Agency - Head Office	June 2016 May 2023	As notified Quarterly
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	April 2012	
River Quality Chemistry Sampling Points Environment Agency - Head Office	April 2012	
Substantiated Pollution Incident Register Environment Agency - Anglian Region - Northern Area	October 2023	Quarterly
Water Abstractions Environment Agency - Anglian Region	October 2023	Quarterly
Water Industry Act Referrals Environment Agency - Anglian Region	October 2017	
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk Environment Agency - Head Office	June 2018	As notified

Agency & Hydrological	Version	Update Cycle
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Source Protection Zones Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	January 2024	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	Quarterly
OS Water Network Lines Ordnance Survey	October 2023	Quarterly
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified
Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites Environment Agency - Head Office	July 2023	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Anglian Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - Anglian Region - Northern Area	July 2023	Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - Anglian Region - Northern Area	January 2023	Quarterly
Local Authority Landfill Coverage Northamptonshire County Council Wellingborough Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council	February 2003 February 2003 May 2000	Not Applicable Not Applicable Not Applicable
Local Authority Recorded Landfill Sites North Northamptonshire Council Northamptonshire County Council Wellingborough Borough Council (now part of North Northamptonshire Council)	August 2006 October 2018 October 2018	
Registered Landfill Sites Environment Agency - Anglian Region - Northern Area	March 2006	Not Applicable
Registered Waste Transfer Sites Environment Agency - Anglian Region - Northern Area	April 2018	
Registered Waste Treatment or Disposal Sites Environment Agency - Anglian Region - Northern Area	June 2015	

Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	March 2023	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) Northamptonshire County Council	February 2016 February 2016 May 2013	Variable Variable Annual Rolling Update
Planning Hazardous Substance Consents Northamptonshire County Council North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council)	December 2014 February 2016 February 2016	Annual Rolling Update Variable Variable
Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	June 2023	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	October 2023	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	October 2023	Annually

Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	October 2023	Quarterly
Fuel Station Entries Catalist Ltd - Experian	November 2023	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Underground Electrical Cables National Grid	February 2023	Bi-Annually
Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	October 2023	Bi-Annually
Areas of Adopted Green Belt North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council)	August 2023 August 2023	Quarterly Quarterly
Areas of Unadopted Green Belt North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council)	August 2023 August 2023	Quarterly Quarterly
Areas of Outstanding Natural Beauty Natural England	November 2023	Bi-Annually
Environmentally Sensitive Areas Natural England	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	August 2023	Bi-Annually
Marine Nature Reserves Natural England	October 2023	Bi-Annually
National Nature Reserves Natural England	August 2023	Bi-Annually
National Parks Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 March 2023	Bi-Annually
Ramsar Sites Natural England	October 2023	Bi-Annually
Sites of Special Scientific Interest Natural England	November 2023	Bi-Annually
Special Areas of Conservation Natural England	October 2023	Bi-Annually
Special Protection Areas Natural England	October 2023	Bi-Annually

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
4	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
5	Wellingborough Borough Council (now part of North Northamptonshire Council) Croyland Abbey, Tithe Barn Road, Wellingborough, Northamptonshire, NN8 1BJ	Telephone: 01933 229777 Fax: 01933 441375 Website: www.wellingborough.gov.uk
6	Northamptonshire County Council County Hall, Northampton, Northamptonshire, NN1 1DN	Telephone: 0300 126 1000 Website: www.northamptonshire.gov.uk
7	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

General

- ▭ Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- 8 Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- ▭ Contaminated Land Register Entry or Notice
- ◆ Discharge Consent
- ▲ Enforcement or Prohibition Notice
- ▲ Integrated Pollution Control
- ▭ Integrated Pollution Prevention Control
- ▭ Local Authority Integrated Pollution Prevention and Control
- ▲ Local Authority Pollution Prevention and Control
- ▼ Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- ▼ Prosecution Relating to Authorised Processes
- ◆ Prosecution Relating to Controlled Waters
- ▲ Registered Radioactive Substance
- + River Network or Water Feature
- + River Quality Sampling Point
- Substantiated Pollution Incident Register
- ◆ Water Abstraction
- ◆ Water Industry Act Referral

Waste

- ▼ BGS Recorded Landfill Site (Location)
- ▭ BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- ▭ EA Historic Landfill (Polygon)
- ▲ Integrated Pollution Control Registered Waste Site
- ▭ Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- ▭ Local Authority Recorded Landfill Site (Location)
- ▭ Local Authority Recorded Landfill Site
- ▭ Registered Landfill Site
- ▭ Registered Landfill Site (Location)
- ▭ Registered Landfill Site (Point Buffered to 100m)
- ▭ Registered Landfill Site (Point Buffered to 250m)
- ▭ Registered Waste Transfer Site (Location)
- ▭ Registered Waste Transfer Site
- ▭ Registered Waste Treatment or Disposal Site (Location)
- ▭ Registered Waste Treatment or Disposal Site

Geological

- ▼ BGS Recorded Mineral Site


Industrial Land Use

- ★ Contemporary Trade Directory Entry
- ★ Fuel Station Entry

Hazardous Substances

- ✖ COMAH Site
- ✖ Explosive Site
- ✖ NIHS Site
- ✖ Planning Hazardous Substance Consent
- ✖ Planning Hazardous Substance Enforcement

Site Sensitivity Map - Slice C




Order Details

Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484060, 268170
 Slice: C
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details






Grendon Solar Scheme







© Crown Copyright. All Rights Reserved. License Number 100022432.

Industrial Land Use Map


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Industrial Land Use

-  Contemporary Trade Directory Entry
-  Fuel Station Entry
-  Gas Pipeline
-  Underground Electrical Cables

Industrial Land Use Map - Slice C




Order Details

Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484060, 268170
 Slice: C
 Site Area (Ha): 102.14
 Search Buffer (m): 1000




Site Details

Grendon Solar Scheme








© Crown Copyright. All Rights Reserved. License Number 100022432.


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

Agency and Hydrological (Flood)

-  Extreme Flooding from Rivers or Sea without Defences (Zone 2)
-  Flooding from Rivers or Sea without Defences (Zone 3)
-  Area Benefiting from Flood Defence
-  Flood Water Storage Areas
-  Flood Defence

Flood Map - Slice C




Order Details

Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484060, 268170
 Slice: C
 Site Area (Ha): 102.14
 Search Buffer (m): 1000






Site Details

Grendon Solar Scheme








© Crown Copyright. All Rights Reserved. License Number 100022432.

General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Map ID
-  Several of Type at Location


Agency and Hydrological (Boreholes)

-  BGS Borehole Depth 0 - 10m
-  BGS Borehole Depth 10 - 30m
-  BGS Borehole Depth 30m +
-  Confidential
-  Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice C




Order Details

Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484060, 268170
 Slice: C
 Site Area (Ha): 102.14
 Search Buffer (m): 1000




Site Details

Grendon Solar Scheme





© Crown Copyright. All Rights Reserved. License Number 100022432.


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

OS Water Network Data

- | | |
|--|---|
|  Canal |  Drain |
|  Reservoir |  Other |
|  Foreshore |  Lake |
|  Marsh |  Transfer |
|  Tidal River |  Lock Or Flight Of Locks |
|  Inland River |  Sea |

OS Water Network Map - Slice C




Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484060, 268170
 Slice: C
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



© Crown Copyright. All Rights Reserved. License Number 10002432



© Crown Copyright. All Rights Reserved. License Number: 100022412



Groundwater Vulnerability

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Bedrock Aquifers


- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

Superficial Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

- Unproductive Aquifer
- Soluble Rock

Site Sensitivity Context Map - Slice D



Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485490, 268160
 Slice: D
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022412



Bedrock Aquifer Designation

General


- ◇ Specified Site
- ⬭ Specified Buffer(s)
- X Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice D



Order Details


Order Number:	331730783_1_1
Customer Ref:	93791.580478
National Grid Reference:	485490, 268160
Slice:	D
Site Area (Ha):	102.14
Search Buffer (m):	1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022412



Superficial Aquifer Designation

General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice D



Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485490, 268160
 Slice: D
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk








© Crown Copyright. All Rights Reserved. License Number 100022412










Source Protection Zones


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Agency and Hydrological

-  Inner zone (Zone 1)
-  Inner zone - subsurface activity only (Zone 1c)
-  Outer zone (Zone 2)
-  Outer zone - subsurface activity only (Zone 2c)
-  Total catchment (Zone 3)
-  Total catchment - subsurface activity only (Zone 3c)
-  Special interest (Zone 4)

Site Sensitivity Context Map - Slice D



Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485490, 268160
 Slice: D
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk








© Crown Copyright. All Rights Reserved. License Number: 1000122412




















Sensitive Land Uses


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Sensitive Land Uses

-  Ancient Woodland
-  Area of Adopted Green Belt
-  Area of Unadopted Green Belt
-  Area of Outstanding Natural Beauty
-  Environmentally Sensitive Area
-  Forest Park
-  Local Nature Reserve
-  Marine Nature Reserve
-  National Nature Reserve
-  National Park
-  Nitrate Sensitive Area
-  Nitrate Vulnerable Zone
-  Ramsar Site
-  Site of Special Scientific Interest
-  Special Area of Conservation
-  Special Protection Area
-  World Heritage Sites

Site Sensitivity Context Map - Slice D



Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485490, 268160
 Slice: D
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022412



BGS Flood GFS Data


General

- ◇ Specified Site
- ◇ Specified Buffer(s)
- X Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice D



Order Details

Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485490, 268160
 Slice: D
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

331730783_1_1

Customer Reference:

93791.580478

National Grid Reference:

485490, 268160

Slice:

D

Site Area (Ha):

102.14

Search Buffer (m):

1000

Site Details:

Grendon Solar Scheme

Client Details:

Ms M Booth
Delta Simons
Suite 4A
One Portland Street
Manchester
M1 3BE



Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	4
Hazardous Substances	-
Geological	5
Industrial Land Use	-
Sensitive Land Use	6
Data Currency	7
Data Suppliers	11
Useful Contacts	12

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2024. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and/or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2024. © Natural Resources Wales & United Kingdom Research and Innovation 2024.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2024. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents					
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls					
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 1				Yes
Pollution Incidents to Controlled Waters					
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality					
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register					
Water Abstractions	pg 1				(*2)
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 2	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk	pg 2	3	n/a	n/a	n/a
Bedrock Aquifer Designations	pg 2	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 3	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences				n/a	n/a
Flooding from Rivers or Sea without Defences				n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 3				5

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites					
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)					
Local Authority Landfill Coverage	pg 4	2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 5	Yes	n/a	n/a	n/a
BGS Recorded Mineral Sites					
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards				n/a	n/a
Potential for Compressible Ground Stability Hazards				n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards				n/a	n/a
Potential for Running Sand Ground Stability Hazards				n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards				n/a	n/a
Radon Potential - Radon Affected Areas			n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Industrial Land Use					
Contemporary Trade Directory Entries					
Fuel Station Entries					
Gas Pipelines					
Underground Electrical Cables					
Sensitive Land Use					
Ancient Woodland					
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 6	3			
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	0	1	484750 267450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	51	1	485000 268150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	145	1	484800 267350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	247	1	484750 267550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	279	1	485000 268159
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	317	1	484800 267500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D9SW (NW)	429	1	485487 268159
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	435	1	485300 268159
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	436	1	484750 268950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D9SW (E)	446	1	485550 268159
	Nearest Surface Water Feature	D5NW (S)	829	-	485480 267827
	Water Abstractions Operator: J W Pitts Licence Number: 5/32/09/*G/0096 Permit Version: 100 Location: Well At Glebe Farm Authority: Environment Agency, Anglian Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Northampton Sanstone; Status: Perpetuity Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st February 1972 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(S)	1535	2	485500 266400
	Water Abstractions Operator: J W Pitts Licence Number: 5/32/09/*g/096 Permit Version: Not Supplied Location: Well At Glebe Farm, MEARS ASHBY Authority: Environment Agency, Anglian Region Abstraction: Spray Irrigation Abstraction Type: Not Supplied Source: Well And Borehole Daily Rate (m3): 0 Yearly Rate (m3): 9090 Details: Northampton Sanstone; Status: Perpetuity Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(S)	1538	2	485500 266395

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SW)	0	3	484746 267533
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SW)	0	3	484862 267794
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(W)	0	3	484483 268533
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(W)	0	3	484657 268000
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	(SW)	0	3	485000 267000
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	(W)	0	3	485000 268000
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	(W)	0	3	485000 268159
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	(SW)	0	3	484862 267794

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(N)	0	3	485000 270000
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(SW)	0	3	484746 267533
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	(W)	0	3	485000 268159
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	(N)	0	3	485000 270000
	Extreme Flooding from Rivers or Sea without Defences None				
	Flooding from Rivers or Sea without Defences None				
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
1	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 246.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D5NW (S)	829	4	485482 267831
2	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 29.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D9SW (N)	851	4	485436 268426
3	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 592.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D9SW (E)	871	4	485493 268159
4	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D5NW (S)	920	4	485483 267836
5	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 9.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D5NW (S)	922	4	485484 267845

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Landfill Coverage Name: Northamptonshire County Council - Has supplied landfill data		0	6	485487 268159
	Local Authority Landfill Coverage Name: Wellingborough Borough Council - Has no landfill data to supply		0	5	485487 268159

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Great Oolite Group	D9SW (NW)	0	1	485487 268159
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards No Hazard				
	Potential for Compressible Ground Stability Hazards No Hazard				
	Potential for Ground Dissolution Stability Hazards No Hazard				
	Potential for Landslide Ground Stability Hazards No Hazard				
	Potential for Running Sand Ground Stability Hazards No Hazard				
	Potential for Shrinking or Swelling Clay Ground Stability Hazards No Hazard				
	Radon Potential - Radon Affected Areas No Data Available				
	Radon Potential - Radon Protection Measures No Data Available				

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
6	Nitrate Vulnerable Zones Name: Thrapstone Lake Eutrophic Lake Nvz Description: Eutrophic Water Source: Environment Agency, Head Office	D9SW (NW)	0	3	485487 268159
7	Nitrate Vulnerable Zones Name: Northampton Sands Description: Groundwater Source: Environment Agency, Head Office	D9SW (NW)	0	3	485487 268159
8	Nitrate Vulnerable Zones Name: River Nene Nvz Description: Surface Water Source: Environment Agency, Head Office	D9SW (NW)	0	3	485487 268159

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council Environment Agency - Head Office	August 2013 December 2019 November 2023	Annual Rolling Update Annual Rolling Update Annually
Discharge Consents Environment Agency - Anglian Region	October 2023	Quarterly
Enforcement and Prohibition Notices Environment Agency - Anglian Region	March 2013	
Integrated Pollution Controls Environment Agency - Anglian Region	January 2009	
Integrated Pollution Prevention And Control Environment Agency - Anglian Region	January 2023	Quarterly
Local Authority Integrated Pollution Prevention And Control Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council	December 2020 February 2015	Variable Variable
Local Authority Pollution Prevention and Controls Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council	December 2020 February 2015	Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council	December 2014 February 2015	Variable Variable
Nearest Surface Water Feature Ordnance Survey	November 2023	
Pollution Incidents to Controlled Waters Environment Agency - Anglian Region	September 1999	
Prosecutions Relating to Authorised Processes Environment Agency - Anglian Region	July 2015	
Prosecutions Relating to Controlled Waters Environment Agency - Anglian Region	March 2013	
Registered Radioactive Substances Environment Agency - Anglian Region Environment Agency - Head Office	June 2016 May 2023	As notified Quarterly
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	April 2012	
River Quality Chemistry Sampling Points Environment Agency - Head Office	April 2012	
Substantiated Pollution Incident Register Environment Agency - Anglian Region - Northern Area	October 2023	Quarterly
Water Abstractions Environment Agency - Anglian Region	October 2023	Quarterly
Water Industry Act Referrals Environment Agency - Anglian Region	October 2017	
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk Environment Agency - Head Office	June 2018	As notified

Agency & Hydrological	Version	Update Cycle
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Source Protection Zones Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	January 2024	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	Quarterly
OS Water Network Lines Ordnance Survey	October 2023	Quarterly
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified
Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites Environment Agency - Head Office	July 2023	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Anglian Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - Anglian Region - Northern Area	July 2023	Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - Anglian Region - Northern Area	January 2023	Quarterly
Local Authority Landfill Coverage Northamptonshire County Council Wellingborough Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council	February 2003 February 2003 May 2000	Not Applicable Not Applicable Not Applicable
Local Authority Recorded Landfill Sites North Northamptonshire Council Northamptonshire County Council Wellingborough Borough Council (now part of North Northamptonshire Council)	August 2006 October 2018 October 2018	
Registered Landfill Sites Environment Agency - Anglian Region - Northern Area	March 2006	Not Applicable
Registered Waste Transfer Sites Environment Agency - Anglian Region - Northern Area	April 2018	
Registered Waste Treatment or Disposal Sites Environment Agency - Anglian Region - Northern Area	June 2015	

Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	March 2023	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) Northamptonshire County Council	February 2016 February 2016 May 2013	Variable Variable Annual Rolling Update
Planning Hazardous Substance Consents Northamptonshire County Council North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council)	December 2014 February 2016 February 2016	Annual Rolling Update Variable Variable
Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	June 2023	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	October 2023	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	October 2023	Annually

Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	October 2023	Quarterly
Fuel Station Entries Catalist Ltd - Experian	November 2023	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Underground Electrical Cables National Grid	February 2023	Bi-Annually
Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	October 2023	Bi-Annually
Areas of Adopted Green Belt North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council)	August 2023 August 2023	Quarterly Quarterly
Areas of Unadopted Green Belt North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council)	August 2023 August 2023	Quarterly Quarterly
Areas of Outstanding Natural Beauty Natural England	November 2023	Bi-Annually
Environmentally Sensitive Areas Natural England	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	August 2023	Bi-Annually
Marine Nature Reserves Natural England	October 2023	Bi-Annually
National Nature Reserves Natural England	August 2023	Bi-Annually
National Parks Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 March 2023	Bi-Annually
Ramsar Sites Natural England	October 2023	Bi-Annually
Sites of Special Scientific Interest Natural England	November 2023	Bi-Annually
Special Areas of Conservation Natural England	October 2023	Bi-Annually
Special Protection Areas Natural England	October 2023	Bi-Annually

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
4	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
5	Wellingborough Borough Council (now part of North Northamptonshire Council) Croyland Abbey, Tithe Barn Road, Wellingborough, Northamptonshire, NN8 1BJ	Telephone: 01933 229777 Fax: 01933 441375 Website: www.wellingborough.gov.uk
6	Northamptonshire County Council County Hall, Northampton, Northamptonshire, NN1 1DN	Telephone: 0300 126 1000 Website: www.northamptonshire.gov.uk
7	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Map ID
-  Several of Type at Location

Agency and Hydrological

-  Contaminated Land Register Entry or Notice (Location)
-  Contaminated Land Register Entry or Notice
-  Discharge Consent
-  Enforcement or Prohibition Notice
-  Integrated Pollution Control
-  Integrated Pollution Prevention Control
-  Local Authority Integrated Pollution Prevention and Control
-  Local Authority Pollution Prevention and Control
-  Local Authority Pollution Prevention and Control Enforcement
-  Pollution Incident to Controlled Waters
-  Prosecution Relating to Authorised Processes
-  Prosecution Relating to Controlled Waters
-  Registered Radioactive Substance
-  River Network or Water Feature
-  River Quality Sampling Point
-  Substantiated Pollution Incident Register
-  Water Abstraction
-  Water Industry Act Referral

Waste

-  BGS Recorded Landfill Site (Location)
-  BGS Recorded Landfill Site
-  EA Historic Landfill (Buffered Point)
-  EA Historic Landfill (Polygon)
-  Integrated Pollution Control Registered Waste Site
-  Licensed Waste Management Facility (Landfill Boundary)
-  Licensed Waste Management Facility (Location)
-  Local Authority Recorded Landfill Site (Location)
-  Local Authority Recorded Landfill Site
-  Registered Landfill Site
-  Registered Landfill Site (Location)
-  Registered Landfill Site (Point Buffered to 100m)
-  Registered Landfill Site (Point Buffered to 250m)
-  Registered Waste Transfer Site (Location)
-  Registered Waste Transfer Site
-  Registered Waste Treatment or Disposal Site (Location)
-  Registered Waste Treatment or Disposal Site


Geological

-  BGS Recorded Mineral Site

Industrial Land Use

-  Contemporary Trade Directory Entry
-  Fuel Station Entry
-  COMAH Site
-  Explosive Site
-  NIHS Site
-  Planning Hazardous Substance Consent
-  Planning Hazardous Substance Enforcement

Site Sensitivity Map - Slice D



Order Details






Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485490, 268160
 Slice: D
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details





Grendon Solar Scheme

Industrial Land Use Map


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Industrial Land Use

-  Contemporary Trade Directory Entry
-  Fuel Station Entry
-  Gas Pipeline
-  Underground Electrical Cables

Industrial Land Use Map - Slice D



Order Details

Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485490, 268160
 Slice: D
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details






Grendon Solar Scheme




General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

Agency and Hydrological (Flood)

-  Extreme Flooding from Rivers or Sea without Defences (Zone 2)
-  Flooding from Rivers or Sea without Defences (Zone 3)
-  Area Benefiting from Flood Defence
-  Flood Water Storage Areas
-  Flood Defence

Flood Map - Slice D



Order Details






Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485490, 268160
 Slice: D
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details






Grendon Solar Scheme



General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Map ID
-  Several of Type at Location


Agency and Hydrological (Boreholes)

-  BGS Borehole Depth 0 - 10m
-  BGS Borehole Depth 10 - 30m
-  BGS Borehole Depth 30m +
-  Confidential
-  Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice D



Order Details




Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485490, 268160
 Slice: D
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details



Grendon Solar Scheme




General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

OS Water Network Data

- | | |
|--|---|
|  Canal |  Drain |
|  Reservoir |  Other |
|  Foreshore |  Lake |
|  Marsh |  Transfer |
|  Tidal River |  Lock Or Flight Of Locks |
|  Inland River |  Sea |

OS Water Network Map - Slice D



Order Details

Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485490, 268160
 Slice: D
 Site Area (Ha): 102.14
 Search Buffer (m): 1000


Site Details

Grendon Solar Scheme



© Crown Copyright. All Rights Reserved. License Number 100022432

479500 480000 480500 481000 481500 482000 482500 483000



© Crown Copyright. All Rights Reserved. License Number 100022412



Groundwater Vulnerability

General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

- | Bedrock Aquifers | Superficial Aquifers |
|---|---|
| High Vulnerability, Principal Aquifer | High Vulnerability, Principal Aquifer |
| High Vulnerability, Secondary Aquifer | High Vulnerability, Secondary Aquifer |
| Medium Vulnerability, Principal Aquifer | Medium Vulnerability, Principal Aquifer |
| Medium Vulnerability, Secondary Aquifer | Medium Vulnerability, Secondary Aquifer |
| Low Vulnerability, Principal Aquifer | Low Vulnerability, Principal Aquifer |
| Low Vulnerability, Secondary Aquifer | Low Vulnerability, Secondary Aquifer |

- Unproductive Aquifer
- Soluble Rock

Site Sensitivity Context Map - Slice E



Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481870, 270120
 Slice: E
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022412



Bedrock Aquifer Designation

General


- ▭ Specified Site
- ▭ Specified Buffer(s)
- X Bearing Reference Point
- ▭ Slice
- 8 Map ID

Agency and Hydrological

Geological Classes

- ▭ Principal Aquifer
- ▭ Secondary A Aquifer
- ▭ Secondary B Aquifer
- ▭ Secondary Undifferentiated
- ▭ Unproductive Strata
- ▭ Unknown
- ▭ Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice E



Order Details


Order Number:	331730783_1_1
Customer Ref:	93791.580478
National Grid Reference:	481870, 270120
Slice:	E
Site Area (Ha):	102.14
Search Buffer (m):	1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022412



Superficial Aquifer Designation

General


- ◇ Specified Site
- ⬭ Specified Buffer(s)
- X Bearing Reference Point
- Slice
- 8 Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice E



Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481870, 270120
 Slice: E
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number: 100022412



Source Protection Zones


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice E



Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481870, 270120
 Slice: E
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number: 100022412



Sensitive Land Uses


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice E



Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481870, 270120
 Slice: E
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022412



BGS Flood GFS Data


General

- ▭ Specified Site
- ▭ Specified Buffer(s)
- X Bearing Reference Point
- ▭ Slice

Agency and Hydrological (Flood)

- ▭ Limited Potential for Groundwater Flooding to Occur
- ▭ Potential for Groundwater Flooding of Property Situated Below Ground Level
- ▭ Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice E



Order Details

Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481870, 270120
 Slice: E
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

331730783_1_1

Customer Reference:

93791.580478

National Grid Reference:

481870, 270120

Slice:

E

Site Area (Ha):

102.14

Search Buffer (m):

1000

Site Details:

Grendon Solar Scheme

Client Details:

Ms M Booth
Delta Simons
Suite 4A
One Portland Street
Manchester
M1 3BE



Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	12
Hazardous Substances	-
Geological	13
Industrial Land Use	-
Sensitive Land Use	15
Data Currency	16
Data Suppliers	21
Useful Contacts	22

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2024. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2024. © Natural Resources Wales & United Kingdom Research and Innovation 2024.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2024. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 4		1		
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls					
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 4	Yes			
Pollution Incidents to Controlled Waters					
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality					
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register					
Water Abstractions	pg 5				(*4)
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 6	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a	n/a	n/a
Bedrock Aquifer Designations	pg 7	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 7	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences				n/a	n/a
Flooding from Rivers or Sea without Defences				n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 7	1	3	4	29

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites	pg 12	1	1	1	
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)	pg 12			1	
Local Authority Landfill Coverage	pg 12	2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 13	Yes	n/a	n/a	n/a
BGS Recorded Mineral Sites					
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 13	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards				n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 13	Yes		n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 13	Yes		n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 13	Yes		n/a	n/a
Radon Potential - Radon Affected Areas			n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Industrial Land Use					
Contemporary Trade Directory Entries					
Fuel Station Entries					
Gas Pipelines					
Underground Electrical Cables					
Sensitive Land Use					
Ancient Woodland	pg 15	1	1	2	
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 15	3			
Ramsar Sites					
Sites of Special Scientific Interest	pg 15				1
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	482050 269100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	482950 268950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	482950 268850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E3SE (S)	0	1	482000 269550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	481850 269250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E3NE (S)	0	1	481850 269900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	481867 269150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E8SW (NE)	0	1	482150 270350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E4NW (E)	0	1	482200 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	482500 269450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	482500 269250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	E4SW (SE)	0	1	482200 269650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	482600 268950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	482300 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E4SW (SE)	0	1	482200 269750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	481900 269150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	482050 269150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E4NE (E)	0	1	482550 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	482050 269200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	482200 269300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	481950 269100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	2	1	482250 269300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	3	1	482350 269500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	4	1	483350 268900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	7	1	482000 269150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	8	1	481900 269050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	8	1	482400 269450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	11	1	483400 269100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	13	1	482150 269250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	17	1	481900 269200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	34	1	482350 269400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	39	1	482150 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	40	1	481867 269250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	45	1	482250 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	49	1	482000 269000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	50	1	482000 269200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	52	1	482000 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	54	1	481950 269200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	61	1	482350 269450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	61	1	482300 269400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	78	1	481867 269000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	87	1	482250 269450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	89	1	482000 269450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	92	1	482000 269250

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	94	1	481950 268950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	103	1	482300 269450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	108	1	482050 269300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E4NE (E)	117	1	482500 270050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E3NE (SE)	122	1	482000 270050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	124	1	482100 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	146	1	481867 268900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	151	1	482050 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	154	1	482250 268950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E4NE (E)	156	1	482450 270150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	159	1	482050 268900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E4NE (E)	166	1	482550 270120
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E3NE (SE)	173	1	481950 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E3SE (S)	199	1	481850 269800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E7SE (NE)	269	1	481950 270200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E3NE (E)	278	1	482050 270100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E3NE (S)	303	1	481867 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E3SE (S)	308	1	481867 269600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E3SE (S)	344	1	481900 269600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E3SW (SW)	364	1	481450 269800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E3NE (SE)	373	1	481950 270050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E3SE (S)	376	1	481900 269650

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E3NE (SW)	377	1	481867 270120
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E8SW (NE)	390	1	482200 270400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E3NW (SW)	401	1	481500 269850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	403	1	483200 269450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E3NW (SW)	412	1	481700 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E3NE (S)	423	1	481900 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	440	1	482750 270250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E3NW (SW)	446	1	481550 269900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	454	1	483350 269200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	472	1	483000 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E3NE (S)	476	1	481867 269950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	492	1	483100 269500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	E3NW (W)	495	1	481450 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E3NW (SW)	496	1	481700 269950
1	Discharge Consents Operator: The Trustees Of Northampton Pistol Club Property Type: Not Supplied Location: Sywell Rifle Range, Sywell, Northampton, Nn6 9te Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5lf5160 Permit Version: 1 Effective Date: 5th June 1986 Issued Date: 5th June 1986 Revocation Date: 1st October 1996 Discharge Type: Unknown Discharge: Land/Soakaway Environment: Receiving Water: Land Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	E4SW (SE)	23	2	482370 269580
	Nearest Surface Water Feature	E4SE (SE)	0	-	482448 269532

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: H B Clarke Licence Number: 5/32/03/*S/0093 Permit Version: 100 Location: Hannington Brook Authority: Environment Agency, Anglian Region Abstraction: General Agriculture: Transfer Between Sources Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Status: Perpetuity Authorised Start: 01 October Authorised End: 31 March Permit Start Date: 1st January 1977 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	E10NE (NW)	1609	2	481300 271200
	Water Abstractions Operator: Mr H B Clarke Licence Number: 5/32/03/**/093 Permit Version: Not Supplied Location: HANNINGTON Authority: Environment Agency, Anglian Region Abstraction: Spray Irrigation Abstraction Type: Not Supplied Source: Stream Daily Rate (m3): 7 Yearly Rate (m3): 327310 Details: Status: Perpetuity Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	E11NW (N)	1778	2	481405 271495
	Water Abstractions Operator: H B Clarke Licence Number: 5/32/03/*S/0093 Permit Version: 100 Location: Reservoir At Hannington Authority: Environment Agency, Anglian Region Abstraction: General Agriculture: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Status: Perpetuity Authorised Start: 01 March Authorised End: 30 September Permit Start Date: 1st January 1977 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	E11NW (N)	1785	2	481400 271500
	Water Abstractions Operator: H B Clarke Licence Number: 5/32/03/*S/0093 Permit Version: 100 Location: Catchpit, Hannington Authority: Environment Agency, Anglian Region Abstraction: General Agriculture: Transfer Between Sources Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Status: Perpetuity Authorised Start: 01 October Authorised End: 31 March Permit Start Date: 1st January 1977 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	E11NW (N)	1785	2	481400 271500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial: >90% Patchiness: Superficial 3-10m Thickness: Superficial Low Recharge: Superficial Low	E3NE (S)	0	3	481867 270000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial: >90% Patchiness: Superficial >10m Thickness: Superficial Low Recharge: Superficial Low	E3NE (SE)	0	3	482000 270000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial: >90% Patchiness: Superficial 3-10m Thickness: Superficial Low Recharge: Superficial Low	(SE)	0	3	483000 269000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial: >90% Patchiness: Superficial 3-10m Thickness: Superficial Low Recharge: Superficial Low	(S)	0	3	482000 269000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: >10m Superficial Recharge: Low	E3NE (E)	0	3	482000 270120
	Groundwater Vulnerability - Soluble Rock Risk None				
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	E3NE (SW)	0	3	481867 270120
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	E3NE (S)	0	3	481867 270000
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	E3NE (S)	0	3	481867 270000
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	E3NE (SW)	0	3	481867 270120
	Extreme Flooding from Rivers or Sea without Defences None				
	Flooding from Rivers or Sea without Defences None				
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
2	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 366.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	(SE)	0	4	482263 269471
3	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 619.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E4NE (E)	144	4	482488 270111
4	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 140.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E8SW (E)	145	4	482375 270195

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
5	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 238.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E4NW (E)	180	4	482196 270080
6	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 16.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E8SW (NE)	336	4	482370 270345
7	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 337.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E8SW (NE)	349	4	482379 270359
8	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 318.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E8SW (NE)	370	4	482368 270379
9	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 150.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E3NE (SE)	428	4	481879 270098
10	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 180.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E2NE (SW)	505	4	481355 269864
11	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E3NE (SW)	538	4	481841 270077
12	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 116.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E3NE (SW)	542	4	481837 270075
13	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 312.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E3NE (SW)	591	4	481731 270021

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
14	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 201.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E3NW (W)	599	4	481418 269988
15	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E3NW (W)	602	4	481423 269989
16	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 210.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E7SE (N)	634	4	481976 270497
17	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E3NE (SW)	638	4	481735 270021
18	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 38.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E2NE (W)	676	4	481224 269988
19	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 19.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E2NE (W)	679	4	481232 269996
20	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E7NE (N)	696	4	481935 270544
21	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 72.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E7SE (N)	697	4	481877 270500
22	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 17.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E2NE (W)	697	4	481217 270008

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
23	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E7SE (N)	704	4	481872 270497
24	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 285.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E7SW (NW)	705	4	481689 270360
25	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 66.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E2NE (W)	713	4	481254 270064
26	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 2.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E2NE (W)	714	4	481196 270015
27	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 10.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E2NE (W)	714	4	481205 270021
28	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 44.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E2NE (W)	716	4	481195 270017
29	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 24.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E2NE (W)	729	4	481270 270083
30	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 91.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E2NE (W)	740	4	481341 270136
31	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 18.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E2NE (W)	752	4	481155 270035

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
32	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1178.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E2NE (W)	763	4	481136 270036
33	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 173.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E7SW (W)	765	4	481479 270235
34	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E7SW (NW)	799	4	481643 270326
35	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E7SW (NW)	803	4	481637 270321
36	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E7SW (NW)	808	4	481631 270317
37	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 160.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E7SW (NW)	811	4	481626 270315
38	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E7SW (W)	835	4	481486 270237

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
39	Historical Landfill Sites Licence Holder: B Muttock Location: Sywell Range, Sywell Name: Northampton and District Gun Club Operator Location: Hall Farm, Barton Road, Kettering Boundary Accuracy: As Supplied Provider Reference: EAHLD02384 First Input Date: 1st June 1992 Last Input Date: Not Supplied Specified Waste: Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 2800/0010 BGS Ref: Not Supplied Other Ref: W/033	(S)	0	2	481895 269400
40	Historical Landfill Sites Licence Holder: B Muttock Location: Sywell Range, Sywell Name: Northampton and District Gun Club Operator Location: Hall Farm, Barton Road, Kettering Boundary Accuracy: As Supplied Provider Reference: EAHLD02382 First Input Date: 1st June 1992 Last Input Date: Not Supplied Specified Waste: Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 2800/0010 BGS Ref: Not Supplied Other Ref: W/033	E3SE (S)	45	2	481986 269726
41	Historical Landfill Sites Licence Holder: B Muttock Location: Sywell Range, Sywell Name: Northampton and District Gun Club Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD02383 First Input Date: 1st June 1992 Last Input Date: Not Supplied Specified Waste: Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 2800/0010 BGS Ref: Not Supplied Other Ref: W/033	E3SE (S)	306	2	482052 269587
42	Licensed Waste Management Facilities (Locations) Licence Number: 102189 Location: A43, Sywell, Northampton, Northamptonshire, NN6 9TE Operator Name: Sywell Leisure Sports Limited Operator Location: Not Supplied Authority: Environment Agency - Anglian Region, Northern Area Site Category: Use of waste in a deposit for recovery op Licence Status: Modified Issued: 7th January 2011 Last Modified: 5th January 2017 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	E3SE (S)	335	2	481919 269516
	Local Authority Landfill Coverage Name: Northamptonshire County Council - Has supplied landfill data		0	6	481867 270120
	Local Authority Landfill Coverage Name: Wellingborough Borough Council - Has no landfill data to supply		0	5	482030 269945
	Local Authority Landfill Coverage Name: Daventry District Council - Landfill data has been supplied by another authority		53	7	481867 270120

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Inferior Oolite Group	E2NW (W)	0	1	481030 269988
	BGS 1:625,000 Solid Geology Description: Great Oolite Group	E3NE (SW)	0	1	481867 270120
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E3NE (S)	0	1	481867 270000
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E3NE (SW)	0	1	481867 270120
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E3NE (SW)	0	1	481867 270120
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E3NE (S)	0	1	481867 270000
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E3NE (SW)	0	1	481867 270120
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E3NE (S)	0	1	481867 270000
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E3NE (S)	0	1	481867 270000
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E3NE (SW)	0	1	481867 270120
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	(SE)	0	1	482241 269446
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E3NE (SW)	0	1	481867 270120
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E3NE (S)	0	1	481867 270000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E3NE (SW)	0	1	481867 270120
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E3NE (S)	0	1	481867 270000
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	E3NE (S)	0	1	481867 270000
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	E3NE (SW)	0	1	481867 270120
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	E3NE (S)	0	1	481867 270000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	<p>Radon Potential - Radon Protection Measures</p> <p>Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions</p> <p>Source: British Geological Survey, National Geoscience Information Service</p>	E3NE (SW)	0	1	481867 270120

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
43	Ancient Woodland Name: Sywell Wood Reference: 1108223 Area(m ²): 937799.53 Type: Plantation on Ancient Woodland	E4NW (E)	0	8	482363 270159
44	Ancient Woodland Name: Sywell Wood Reference: 1108223 Area(m ²): 26389.96 Type: Ancient and Semi-Natural Woodland	(SE)	103	8	482807 269074
45	Ancient Woodland Name: Hardwick Wood Reference: 1108226 Area(m ²): 346399.7 Type: Plantation on Ancient Woodland	E8SE (NE)	337	8	482407 270346
46	Ancient Woodland Name: Hardwick Wood Reference: 1108226 Area(m ²): 50237.63 Type: Ancient and Semi-Natural Woodland	E8SE (NE)	450	8	482471 270455
47	Nitrate Vulnerable Zones Name: Thrapstone Lake Eutrophic Lake Nvz Description: Eutrophic Water Source: Environment Agency, Head Office	E3NE (SW)	0	3	481867 270120
48	Nitrate Vulnerable Zones Name: Northampton Sands Description: Groundwater Source: Environment Agency, Head Office	E8SW (E)	0	3	482310 270230
49	Nitrate Vulnerable Zones Name: River Nene Nvz Description: Surface Water Source: Environment Agency, Head Office	E3NE (SW)	0	3	481867 270120
50	Sites of Special Scientific Interest Name: Hardwick Lodge Meadow Multiple Areas: N Total Area (m ²): 100205.38 Source: Natural England Reference: 1002746 Designation Details: Site Of Special Scientific Interest Designation Date: 1st November 1985 Date Type: Notified	(E)	821	8	483171 270232

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Environment Agency - Head Office Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department	August 2013 December 2019 December 2019 November 2023 September 2017 September 2017	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annually Annual Rolling Update Annual Rolling Update
Discharge Consents Environment Agency - Anglian Region	October 2023	Quarterly
Enforcement and Prohibition Notices Environment Agency - Anglian Region	March 2013	
Integrated Pollution Controls Environment Agency - Anglian Region	January 2009	
Integrated Pollution Prevention And Control Environment Agency - Anglian Region	January 2023	Quarterly
Local Authority Integrated Pollution Prevention And Control Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department	December 2020 February 2015 February 2015 May 2014 November 2014	Variable Variable Variable Variable Variable
Local Authority Pollution Prevention and Controls Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department	December 2020 February 2015 February 2015 May 2014 November 2014	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department	December 2014 February 2015 February 2015 May 2014 November 2014	Variable Variable Variable Variable Variable
Nearest Surface Water Feature Ordnance Survey	November 2023	
Pollution Incidents to Controlled Waters Environment Agency - Anglian Region	September 1999	
Prosecutions Relating to Authorised Processes Environment Agency - Anglian Region	July 2015	
Prosecutions Relating to Controlled Waters Environment Agency - Anglian Region	March 2013	
Registered Radioactive Substances Environment Agency - Anglian Region Environment Agency - Head Office	June 2016 May 2023	As notified Quarterly

Agency & Hydrological	Version	Update Cycle
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	April 2012	
River Quality Chemistry Sampling Points Environment Agency - Head Office	April 2012	
Substantiated Pollution Incident Register Environment Agency - Anglian Region - Northern Area	October 2023	Quarterly
Water Abstractions Environment Agency - Anglian Region	October 2023	Quarterly
Water Industry Act Referrals Environment Agency - Anglian Region	October 2017	
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Source Protection Zones Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	January 2024	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	Quarterly
OS Water Network Lines Ordnance Survey	October 2023	Quarterly
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified

Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites Environment Agency - Head Office	July 2023	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Anglian Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - Anglian Region - Northern Area	July 2023	Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - Anglian Region - Northern Area	January 2023	Quarterly
Local Authority Landfill Coverage Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department Northamptonshire County Council Wellingborough Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council West Northamptonshire Council	February 2003 February 2003 February 2003 February 2003 May 2000 May 2000	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable
Local Authority Recorded Landfill Sites North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department Northamptonshire County Council Wellingborough Borough Council (now part of North Northamptonshire Council)	August 2006 August 2006 October 2018 October 2018 October 2018 October 2018	
Registered Landfill Sites Environment Agency - Anglian Region - Northern Area	March 2006	Not Applicable
Registered Waste Transfer Sites Environment Agency - Anglian Region - Northern Area	April 2018	
Registered Waste Treatment or Disposal Sites Environment Agency - Anglian Region - Northern Area	June 2015	

Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	March 2023	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements Kettering Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) Northamptonshire County Council Daventry District Council (now part of West Northamptonshire Council) West Northamptonshire Council	February 2016 February 2016 February 2016 May 2013 May 2023 May 2023	Variable Variable Variable Annual Rolling Update Variable Variable
Planning Hazardous Substance Consents Northamptonshire County Council Kettering Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council)	December 2014 February 2016 February 2016 February 2016 February 2016 January 2016	Annual Rolling Update Variable Variable Variable Variable Variable
Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	June 2023	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	October 2023	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	October 2023	Annually

Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	October 2023	Quarterly
Fuel Station Entries Catalist Ltd - Experian	November 2023	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Underground Electrical Cables National Grid	February 2023	Bi-Annually
Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	October 2023	Bi-Annually
Areas of Adopted Green Belt Daventry District Council (now part of West Northamptonshire Council) Kettering Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly Quarterly
Areas of Unadopted Green Belt Daventry District Council (now part of West Northamptonshire Council) Kettering Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly Quarterly
Areas of Outstanding Natural Beauty Natural England	November 2023	Bi-Annually
Environmentally Sensitive Areas Natural England	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	August 2023	Bi-Annually
Marine Nature Reserves Natural England	October 2023	Bi-Annually
National Nature Reserves Natural England	August 2023	Bi-Annually
National Parks Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 March 2023	Bi-Annually
Ramsar Sites Natural England	October 2023	Bi-Annually
Sites of Special Scientific Interest Natural England	November 2023	Bi-Annually
Special Areas of Conservation Natural England	October 2023	Bi-Annually
Special Protection Areas Natural England	October 2023	Bi-Annually

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
4	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
5	Wellingborough Borough Council (now part of North Northamptonshire Council) Croyland Abbey, Tithe Barn Road, Wellingborough, Northamptonshire, NN8 1BJ	Telephone: 01933 229777 Fax: 01933 441375 Website: www.wellingborough.gov.uk
6	Northamptonshire County Council County Hall, Northampton, Northamptonshire, NN1 1DN	Telephone: 0300 126 1000 Website: www.northamptonshire.gov.uk
7	Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Lodge Road, Daventry, Northamptonshire, NN11 5AF	Telephone: 01327 871100 Fax: 01327 302540 Website: www.daventrydc.gov.uk
8	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- ◻ Contaminated Land Register Entry or Notice
- ◆ Discharge Consent
- ▲ Enforcement or Prohibition Notice
- ▲ Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- ▲ Local Authority Pollution Prevention and Control
- ▼ Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- ▼ Prosecution Relating to Authorised Processes
- ◆ Prosecution Relating to Controlled Waters
- ▲ Registered Radioactive Substance
- ~ River Network or Water Feature
- + River Quality Sampling Point
- Substantiated Pollution Incident Register
- ◆ Water Abstraction
- ◆ Water Industry Act Referral

Waste

- ▼ BGS Recorded Landfill Site (Location)
- ◻ BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- ▲ Integrated Pollution Control Registered Waste Site
- ◻ Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- ◻ Local Authority Recorded Landfill Site
- ◻ Registered Landfill Site
- ▼ Registered Landfill Site (Location)
- ◻ Registered Landfill Site (Point Buffered to 100m)
- ◻ Registered Landfill Site (Point Buffered to 250m)
- ◻ Registered Waste Transfer Site (Location)
- ◻ Registered Waste Transfer Site
- ◻ Registered Waste Treatment or Disposal Site (Location)
- ◻ Registered Waste Treatment or Disposal Site

Geological

- ▼ BGS Recorded Mineral Site


Industrial Land Use

- ★ Contemporary Trade Directory Entry
- ★ Fuel Station Entry

Hazardous Substances

- ✖ COMAH Site
- ✖ Explosive Site
- ✖ NIHS Site
- ✖ Planning Hazardous Substance Consent
- ✖ Planning Hazardous Substance Enforcement

Site Sensitivity Map - Slice E




Order Details

Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481870, 270120
 Slice: E
 Site Area (Ha): 102.14
 Search Buffer (m): 1000






Site Details

Grendon Solar Scheme







Industrial Land Use Map


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Industrial Land Use

-  Contemporary Trade Directory Entry
-  Fuel Station Entry
-  Gas Pipeline
-  Underground Electrical Cables

Industrial Land Use Map - Slice E




Order Details




Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481870, 270120
 Slice: E
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details






Grendon Solar Scheme




General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

Agency and Hydrological (Flood)

-  Extreme Flooding from Rivers or Sea without Defences (Zone 2)
-  Flooding from Rivers or Sea without Defences (Zone 3)
-  Area Benefiting from Flood Defence
-  Flood Water Storage Areas
-  Flood Defence

Flood Map - Slice E




Order Details

Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481870, 270120
 Slice: E
 Site Area (Ha): 102.14
 Search Buffer (m): 1000






Site Details

Grendon Solar Scheme








© Crown Copyright. All Rights Reserved. License Number 100022432.

General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Map ID
-  Several of Type at Location


Agency and Hydrological (Boreholes)

-  BGS Borehole Depth 0 - 10m
-  BGS Borehole Depth 10 - 30m
-  BGS Borehole Depth 30m +
-  Confidential
-  Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice E




Order Details

Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481870, 270120
 Slice: E
 Site Area (Ha): 102.14
 Search Buffer (m): 1000




Site Details

Grendon Solar Scheme















© Crown Copyright. All Rights Reserved. License Number 100022432


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

OS Water Network Data

- | | |
|--|---|
|  Canal |  Drain |
|  Reservoir |  Other |
|  Foreshore |  Lake |
|  Marsh |  Transfer |
|  Tidal River |  Lock Or Flight Of Locks |
|  Inland River |  Sea |

OS Water Network Map - Slice E





Order Details

Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 481870, 270120
 Slice: E
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme





© Crown Copyright. All Rights Reserved. License Number 100022412



Groundwater Vulnerability

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological


Bedrock Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer
- Unproductive Aquifer
- Soluble Rock

Superficial Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

Site Sensitivity Context Map - Slice F



Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 483220, 270010
 Slice: F
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022412



Bedrock Aquifer Designation

General


- ◇ Specified Site
- ⬭ Specified Buffer(s)
- X Bearing Reference Point
- Slice
- 8 Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice F



Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 483220, 270010
 Slice: F
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. Licence Number 100022412



Superficial Aquifer Designation

General


- ◇ Specified Site
- ⬭ Specified Buffer(s)
- X Bearing Reference Point
- Slice
- 8 Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice F



Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 483220, 270010
 Slice: F
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk








© Crown Copyright. All Rights Reserved. Licence Number 100022412










Source Protection Zones


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Agency and Hydrological

-  Inner zone (Zone 1)
-  Inner zone - subsurface activity only (Zone 1c)
-  Outer zone (Zone 2)
-  Outer zone - subsurface activity only (Zone 2c)
-  Total catchment (Zone 3)
-  Total catchment - subsurface activity only (Zone 3c)
-  Special interest (Zone 4)

Site Sensitivity Context Map - Slice F



Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 483220, 270010
 Slice: F
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



Sensitive Land Uses


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice F



Order Details


Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 483220, 270010
 Slice: F
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number: 100122412



BGS Flood GFS Data


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice F



Order Details

Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 483220, 270010
 Slice: F
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

331730783_1_1

Customer Reference:

93791.580478

National Grid Reference:

483220, 270010

Slice:

F

Site Area (Ha):

102.14

Search Buffer (m):

1000

Site Details:

Grendon Solar Scheme

Client Details:

Ms M Booth
Delta Simons
Suite 4A
One Portland Street
Manchester
M1 3BE



Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	9
Hazardous Substances	-
Geological	10
Industrial Land Use	-
Sensitive Land Use	11
Data Currency	12
Data Suppliers	17
Useful Contacts	18

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2024. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and/or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2024. © Natural Resources Wales & United Kingdom Research and Innovation 2024.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2024. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents					
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls					
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 3		Yes		
Pollution Incidents to Controlled Waters					
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality					
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register					
Water Abstractions	pg 4				(*1)
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 4	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk	pg 5	1	n/a	n/a	n/a
Bedrock Aquifer Designations	pg 5	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 5	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences				n/a	n/a
Flooding from Rivers or Sea without Defences				n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 6	1	1		16

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites					
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)					
Local Authority Landfill Coverage	pg 9	2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 10	Yes	n/a	n/a	n/a
BGS Recorded Mineral Sites					
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 10	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards				n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 10	Yes		n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 10	Yes		n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 10	Yes		n/a	n/a
Radon Potential - Radon Affected Areas			n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Industrial Land Use					
Contemporary Trade Directory Entries					
Fuel Station Entries					
Gas Pipelines					
Underground Electrical Cables					
Sensitive Land Use					
Ancient Woodland	pg 11	1	1	2	
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 11	3			
Ramsar Sites					
Sites of Special Scientific Interest	pg 11				1
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	0	1	482100 269100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	484300 269100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	483216 269000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	483050 268850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	482350 269600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F3SW (SE)	0	1	484200 269550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	482550 270050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	482450 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	0	1	482550 269450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	483550 268950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	482550 269250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SW)	0	1	482500 269600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	483150 269100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	482400 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	482550 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	482100 269150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F1NW (SW)	0	1	483050 269900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	482150 269200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	0	1	482450 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F2SW (SE)	0	1	483650 269550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	2	1	482300 269300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	3	1	482450 269500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	4	1	483400 268950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	7	1	482050 269150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	8	1	482450 269450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	11	1	483400 269100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	13	1	482200 269250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	34	1	482400 269400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	39	1	482250 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	45	1	482300 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	49	1	482050 269000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	50	1	482050 269200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	51	1	484700 268600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	52	1	482050 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SW)	61	1	482400 269450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SW)	61	1	482350 269400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	87	1	482300 269450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	89	1	482150 269450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	92	1	482050 269250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	103	1	482350 269450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	108	1	482100 269300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	117	1	482550 270006
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	122	1	482350 270150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	124	1	482150 269350

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	151	1	482100 269350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	154	1	482500 268900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	156	1	482550 270150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	159	1	482100 268900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F1NW (W)	166	1	482900 270006
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	173	1	482200 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	269	1	482150 270150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	278	1	482100 270050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F2SW (SE)	316	1	483600 269600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	377	1	482000 270050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	390	1	482550 270450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	393	1	483450 269150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	403	1	483216 269450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	436	1	484650 269050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F1NE (NW)	440	1	483216 270006
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	442	1	483450 269200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	446	1	485000 268900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	454	1	483350 269200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	456	1	484250 269150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F1NE (S)	472	1	483216 270000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F1SE (SE)	492	1	483400 269800
	Nearest Surface Water Feature	F1SW (SW)	144	-	482899 269722

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: R J Pearce Licence Number: 5/32/03/*G/0079 Permit Version: 100 Location: Well At Hannington Authority: Environment Agency, Anglian Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Boulder Clay; Status: Perpetuity Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st June 1975 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	F9SW (NW)	1100	2	482740 271050
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: >10m Superficial Recharge: Low	F1NW (W)	0	3	483000 270000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(S)	0	3	483216 269000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(S)	0	3	483000 269000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SE)	0	3	484000 269000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SE)	0	3	484640 268894
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: >10m Superficial Recharge: Low	F1NW (W)	0	3	483000 270006
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	(SE)	0	3	484000 269000
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	(SE)	0	3	484640 268894
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	F1NE (NW)	0	3	483216 270006
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	F1NE (S)	0	3	483216 270000
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	F1NE (S)	0	3	483216 270000
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	F1NE (NW)	0	3	483216 270006
	Extreme Flooding from Rivers or Sea without Defences None				
	Flooding from Rivers or Sea without Defences None				
	Areas Benefiting from Flood Defences None				

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flood Water Storage Areas None				
	Flood Defences None				
1	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1644.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F3SW (SE)	0	4	484126 269611
2	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 619.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F1SW (SW)	144	4	482899 269722
3	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F5SE (N)	823	4	483189 270219
4	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 3.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F5SE (N)	834	4	483192 270218
5	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 102.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F5SE (N)	838	4	483192 270218
6	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 10.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F5SE (N)	853	4	483212 270202
7	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 7.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F3SW (SE)	921	4	484123 269617
8	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 16.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F3SW (SE)	927	4	484111 269629

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
9	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F5SE (N)	935	4	483224 270416
10	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F5SE (N)	936	4	483281 270269
11	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F3SW (SE)	938	4	484109 269631
12	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 165.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F5SE (N)	940	4	483285 270271
13	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 40.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F3SW (E)	940	4	484081 269661
14	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F5SE (N)	943	4	483235 270418
15	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 50.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F5SE (N)	946	4	483238 270418
16	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F2SE (E)	968	4	484077 269666
17	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 442.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F2NE (E)	973	4	483760 269955

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
18	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 36.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F5SE (N)	989	4	483314 270393

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Landfill Coverage Name: Northamptonshire County Council - Has supplied landfill data		0	6	483216 270006
	Local Authority Landfill Coverage Name: Wellingborough Borough Council - Has no landfill data to supply		0	5	483216 270006
	Local Authority Landfill Coverage Name: Daventry District Council - Landfill data has been supplied by another authority		53	7	482370 270194

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Great Oolite Group	F1NE (NW)	0	1	483216 270006
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	F1NE (S)	0	1	483216 270000
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	F1NE (NW)	0	1	483216 270006
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F1NE (NW)	0	1	483216 270006
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F1NE (S)	0	1	483216 270000
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F1NE (NW)	0	1	483216 270006
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F1NE (S)	0	1	483216 270000
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	F1NE (S)	0	1	483216 270000
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	F1NE (NW)	0	1	483216 270006
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	F1NE (NW)	0	1	483216 270006
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	F1NE (S)	0	1	483216 270000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	F1NE (NW)	0	1	483216 270006
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	F1NE (S)	0	1	483216 270000
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	F1NE (S)	0	1	483216 270000
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	F1NE (NW)	0	1	483216 270006
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	F1NE (S)	0	1	483216 270000
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	F1NE (NW)	0	1	483216 270006

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
19	Ancient Woodland Name: Sywell Wood Reference: 1108223 Area(m ²): 937799.53 Type: Plantation on Ancient Woodland	F1NW (W)	0	8	483023 269975
20	Ancient Woodland Name: Sywell Wood Reference: 1108223 Area(m ²): 26389.96 Type: Ancient and Semi-Natural Woodland	(SW)	103	8	482823 269081
21	Ancient Woodland Name: Hardwick Wood Reference: 1108226 Area(m ²): 346399.7 Type: Plantation on Ancient Woodland	F5SE (N)	337	8	483180 270258
22	Ancient Woodland Name: Hardwick Wood Reference: 1108226 Area(m ²): 50237.63 Type: Ancient and Semi-Natural Woodland	(NW)	450	8	482614 270432
23	Nitrate Vulnerable Zones Name: Thrapstone Lake Eutrophic Lake Nvz Description: Eutrophic Water Source: Environment Agency, Head Office	F1NE (NW)	0	3	483216 270006
24	Nitrate Vulnerable Zones Name: Northampton Sands Description: Groundwater Source: Environment Agency, Head Office	F1NE (NW)	0	3	483216 270006
25	Nitrate Vulnerable Zones Name: River Nene Nvz Description: Surface Water Source: Environment Agency, Head Office	F1NE (NW)	0	3	483216 270006
26	Sites of Special Scientific Interest Name: Hardwick Lodge Meadow Multiple Areas: N Total Area (m ²): 100205.38 Source: Natural England Reference: 1002746 Designation Details: Site Of Special Scientific Interest Designation Date: 1st November 1985 Date Type: Notified	F1NE (NE)	821	8	483290 270170

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Environment Agency - Head Office Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department	August 2013 December 2019 December 2019 November 2023 September 2017 September 2017	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annually Annual Rolling Update Annual Rolling Update
Discharge Consents Environment Agency - Anglian Region	October 2023	Quarterly
Enforcement and Prohibition Notices Environment Agency - Anglian Region	March 2013	
Integrated Pollution Controls Environment Agency - Anglian Region	January 2009	
Integrated Pollution Prevention And Control Environment Agency - Anglian Region	January 2023	Quarterly
Local Authority Integrated Pollution Prevention And Control Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department	December 2020 February 2015 February 2015 May 2014 November 2014	Variable Variable Variable Variable Variable
Local Authority Pollution Prevention and Controls Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department	December 2020 February 2015 February 2015 May 2014 November 2014	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department	December 2014 February 2015 February 2015 May 2014 November 2014	Variable Variable Variable Variable Variable
Nearest Surface Water Feature Ordnance Survey	November 2023	
Pollution Incidents to Controlled Waters Environment Agency - Anglian Region	September 1999	
Prosecutions Relating to Authorised Processes Environment Agency - Anglian Region	July 2015	
Prosecutions Relating to Controlled Waters Environment Agency - Anglian Region	March 2013	
Registered Radioactive Substances Environment Agency - Anglian Region Environment Agency - Head Office	June 2016 May 2023	As notified Quarterly

Agency & Hydrological	Version	Update Cycle
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	April 2012	
River Quality Chemistry Sampling Points Environment Agency - Head Office	April 2012	
Substantiated Pollution Incident Register Environment Agency - Anglian Region - Northern Area	October 2023	Quarterly
Water Abstractions Environment Agency - Anglian Region	October 2023	Quarterly
Water Industry Act Referrals Environment Agency - Anglian Region	October 2017	
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Source Protection Zones Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	January 2024	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	Quarterly
OS Water Network Lines Ordnance Survey	October 2023	Quarterly
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified

Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites Environment Agency - Head Office	July 2023	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Anglian Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - Anglian Region - Northern Area	July 2023	Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - Anglian Region - Northern Area	January 2023	Quarterly
Local Authority Landfill Coverage Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department Northamptonshire County Council Wellingborough Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council West Northamptonshire Council	February 2003 February 2003 February 2003 February 2003 May 2000 May 2000	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable
Local Authority Recorded Landfill Sites North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Kettering Borough Council (now part of North Northamptonshire Council) - Environmental Health Department Northamptonshire County Council Wellingborough Borough Council (now part of North Northamptonshire Council)	August 2006 August 2006 October 2018 October 2018 October 2018 October 2018	
Registered Landfill Sites Environment Agency - Anglian Region - Northern Area	March 2006	Not Applicable
Registered Waste Transfer Sites Environment Agency - Anglian Region - Northern Area	April 2018	
Registered Waste Treatment or Disposal Sites Environment Agency - Anglian Region - Northern Area	June 2015	

Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	March 2023	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements Kettering Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) Northamptonshire County Council Daventry District Council (now part of West Northamptonshire Council) West Northamptonshire Council	February 2016 February 2016 February 2016 May 2013 May 2023 May 2023	Variable Variable Variable Annual Rolling Update Variable Variable
Planning Hazardous Substance Consents Northamptonshire County Council Kettering Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council)	December 2014 February 2016 February 2016 February 2016 February 2016 January 2016	Annual Rolling Update Variable Variable Variable Variable Variable
Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	June 2023	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	October 2023	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	October 2023	Annually

Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	October 2023	Quarterly
Fuel Station Entries Catalist Ltd - Experian	November 2023	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Underground Electrical Cables National Grid	February 2023	Bi-Annually
Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	October 2023	Bi-Annually
Areas of Adopted Green Belt Daventry District Council (now part of West Northamptonshire Council) Kettering Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly Quarterly
Areas of Unadopted Green Belt Daventry District Council (now part of West Northamptonshire Council) Kettering Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly Quarterly
Areas of Outstanding Natural Beauty Natural England	November 2023	Bi-Annually
Environmentally Sensitive Areas Natural England	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	August 2023	Bi-Annually
Marine Nature Reserves Natural England	October 2023	Bi-Annually
National Nature Reserves Natural England	August 2023	Bi-Annually
National Parks Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 March 2023	Bi-Annually
Ramsar Sites Natural England	October 2023	Bi-Annually
Sites of Special Scientific Interest Natural England	November 2023	Bi-Annually
Special Areas of Conservation Natural England	October 2023	Bi-Annually
Special Protection Areas Natural England	October 2023	Bi-Annually






A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
4	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
5	Wellingborough Borough Council (now part of North Northamptonshire Council) Croyland Abbey, Tithe Barn Road, Wellingborough, Northamptonshire, NN8 1BJ	Telephone: 01933 229777 Fax: 01933 441375 Website: www.wellingborough.gov.uk
6	Northamptonshire County Council County Hall, Northampton, Northamptonshire, NN1 1DN	Telephone: 0300 126 1000 Website: www.northamptonshire.gov.uk
7	Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Lodge Road, Daventry, Northamptonshire, NN11 5AF	Telephone: 01327 871100 Fax: 01327 302540 Website: www.daventrydc.gov.uk
8	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.






General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Map ID
-  Several of Type at Location

Agency and Hydrological

-  Contaminated Land Register Entry or Notice (Location)
-  Contaminated Land Register Entry or Notice
-  Discharge Consent
-  Enforcement or Prohibition Notice
-  Integrated Pollution Control
-  Integrated Pollution Prevention Control
-  Local Authority Integrated Pollution Prevention and Control
-  Local Authority Pollution Prevention and Control
-  Local Authority Pollution Prevention and Control Enforcement
-  Pollution Incident to Controlled Waters
-  Prosecution Relating to Authorised Processes
-  Prosecution Relating to Controlled Waters
-  Registered Radioactive Substance
-  River Network or Water Feature
-  River Quality Sampling Point
-  Substantiated Pollution Incident Register
-  Water Abstraction
-  Water Industry Act Referral

Waste

-  BGS Recorded Landfill Site (Location)
-  BGS Recorded Landfill Site
-  EA Historic Landfill (Buffered Point)
-  EA Historic Landfill (Polygon)
-  Integrated Pollution Control Registered Waste Site
-  Licensed Waste Management Facility (Landfill Boundary)
-  Licensed Waste Management Facility (Location)
-  Local Authority Recorded Landfill Site (Location)
-  Local Authority Recorded Landfill Site
-  Registered Landfill Site
-  Registered Landfill Site (Location)
-  Registered Landfill Site (Point Buffered to 100m)
-  Registered Landfill Site (Point Buffered to 250m)
-  Registered Waste Transfer Site (Location)
-  Registered Waste Transfer Site
-  Registered Waste Treatment or Disposal Site (Location)
-  Registered Waste Treatment or Disposal Site


Geological

-  BGS Recorded Mineral Site

Industrial Land Use

-  Contemporary Trade Directory Entry
-  Fuel Station Entry
-  COMAH Site
-  Explosive Site
-  NIHS Site
-  Planning Hazardous Substance Consent
-  Planning Hazardous Substance Enforcement

Site Sensitivity Map - Slice F



Order Details






Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 483220, 270010
 Slice: F
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details





Grendon Solar Scheme

Industrial Land Use Map


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Industrial Land Use

-  Contemporary Trade Directory Entry
-  Fuel Station Entry
-  Gas Pipeline
-  Underground Electrical Cables

Industrial Land Use Map - Slice F



Order Details

Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 483220, 270010
 Slice: F
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details






Grendon Solar Scheme




General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

Agency and Hydrological (Flood)

-  Extreme Flooding from Rivers or Sea without Defences (Zone 2)
-  Flooding from Rivers or Sea without Defences (Zone 3)
-  Area Benefiting from Flood Defence
-  Flood Water Storage Areas
-  Flood Defence

Flood Map - Slice F



Order Details

Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 483220, 270010
 Slice: F
 Site Area (Ha): 102.14
 Search Buffer (m): 1000






Site Details

Grendon Solar Scheme








© Crown Copyright. All Rights Reserved. License Number 100022432.

General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Map ID
-  Several of Type at Location


Agency and Hydrological (Boreholes)

-  BGS Borehole Depth 0 - 10m
-  BGS Borehole Depth 10 - 30m
-  BGS Borehole Depth 30m +
-  Confidential
-  Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice F



Order Details




Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 483220, 270010
 Slice: F
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details



Grendon Solar Scheme




General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

OS Water Network Data

- | | |
|--|---|
|  Canal |  Drain |
|  Reservoir |  Other |
|  Foreshore |  Lake |
|  Marsh |  Transfer |
|  Tidal River |  Lock Or Flight Of Locks |
|  Inland River |  Sea |

OS Water Network Map - Slice F



Order Details

Order Number: 331730783_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 483220, 270010
 Slice: F
 Site Area (Ha): 102.14
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Index Map

For ease of identification, your site and buffer have been split into Slices, Segments and Quadrants. These are illustrated on the Index Map opposite and explained further below.

Slice

Each slice represents a 1:10,000 plot area (2.7km x 2.7km) for your site and buffer. A large site and buffer may be made up of several slices (represented by a red outline), that are referenced by letters of the alphabet, starting from the bottom left corner of the slice "grid". This grid does not relate to National Grid lines but is designed to give best fit over the site and buffer.

Segment

A segment represents a 1:2,500 plot area. Segments that have plot files associated with them are shown in dark green, others in light blue. These are numbered from the bottom left hand corner within each slice.

Quadrant

A quadrant is a quarter of a segment. These are labelled as NW, NE, SW, SE and are referenced in the datasheet to allow features to be quickly located on plots. Therefore a feature that has a quadrant reference of A7NW will be in Slice A, Segment 7 and the NW Quadrant.

A selection of organisations who provide data within this report:



Envirocheck reports are compiled from 136 different sources of data.

Client Details

Ms M Booth, Delta Simons, Suite 4A, One Portland Street, Manchester, M1 3BE


Order Details

Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484810, 266210
 Site Area (Ha): 312.44
 Search Buffer (m): 1000


Site Details

Grendon Solar Scheme

Full Terms and Conditions can be found on the following link:
<http://www.landmarkinfo.co.uk/Terms/Show/515>



482000 482500 483000 483500 484000 484500 485000 485500 486000



© Crown Copyright. All Rights Reserved. License Number 100022412



Groundwater Vulnerability


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

- | Bedrock Aquifers | Superficial Aquifers |
|---|---|
| High Vulnerability, Principal Aquifer | High Vulnerability, Principal Aquifer |
| High Vulnerability, Secondary Aquifer | High Vulnerability, Secondary Aquifer |
| Medium Vulnerability, Principal Aquifer | Medium Vulnerability, Principal Aquifer |
| Medium Vulnerability, Secondary Aquifer | Medium Vulnerability, Secondary Aquifer |
| Low Vulnerability, Principal Aquifer | Low Vulnerability, Principal Aquifer |
| Low Vulnerability, Secondary Aquifer | Low Vulnerability, Secondary Aquifer |
| Unproductive Aquifer | |
| Soluble Rock | |

Site Sensitivity Context Map - Slice A



Order Details

Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484390, 263040
 Slice: A
 Site Area (Ha): 312.44
 Search Buffer (m): 1000


Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

482000 482500 483000 483500 484000 484500 485000 485500 486000



© Crown Copyright. All Rights Reserved. License Number 100022412



Bedrock Aquifer Designation

General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484390, 263040
 Slice: A
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 1000122412



Superficial Aquifer Designation

General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484390, 263040
 Slice: A
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022412



Source Protection Zones


General

- ◊ Specified Site
- ⬭ Specified Buffer(s)
- X Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice A



Order Details

Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484390, 263040
 Slice: A
 Site Area (Ha): 312.44
 Search Buffer (m): 1000


Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

482000 482500 483000 483500 484000 484500 485000 485500 486000



© Crown Copyright. All Rights Reserved. License Number 100022412




Sensitive Land Uses

- General**
- Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point
 - Slice
 - Map ID

- Sensitive Land Uses**
- Ancient Woodland
 - Area of Adopted Green Belt
 - Area of Unadopted Green Belt
 - Area of Outstanding Natural Beauty
 - Environmentally Sensitive Area
 - Forest Park
 - Local Nature Reserve
 - Marine Nature Reserve
 - National Nature Reserve
 - National Park
 - Nitrate Sensitive Area
 - Nitrate Vulnerable Zone
 - Ramsar Site
 - Site of Special Scientific Interest
 - Special Area of Conservation
 - Special Protection Area
 - World Heritage Sites

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484390, 263040
 Slice: A
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022412



BGS Flood GFS Data


General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice A



Order Details

Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484390, 263040
 Slice: A
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

331730476_1_1

Customer Reference:

93791.580478

National Grid Reference:

484390, 263040

Slice:

A

Site Area (Ha):

312.44

Search Buffer (m):

1000

Site Details:

Grendon Solar Scheme

Client Details:

Ms M Booth
Delta Simons
Suite 4A
One Portland Street
Manchester
M1 3BE



Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	20
Hazardous Substances	-
Geological	21
Industrial Land Use	24
Sensitive Land Use	26
Data Currency	27
Data Suppliers	33
Useful Contacts	34

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2024. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and/or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2024. © Natural Resources Wales & United Kingdom Research and Innovation 2024.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2024. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 2		1	1	1
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls	pg 2				1
Local Authority Pollution Prevention and Control Enforcements	pg 2				2
Nearest Surface Water Feature		Yes			
Pollution Incidents to Controlled Waters					
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality	pg 3				1
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register					
Water Abstractions	pg 3		2	4	5 (*10)
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 8	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk	pg 12	1	n/a	n/a	n/a
Bedrock Aquifer Designations	pg 12	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 12	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences	pg 13	Yes		n/a	n/a
Flooding from Rivers or Sea without Defences	pg 13	Yes	Yes	n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 13	1	10	6	36

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites	pg 20		1		2
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)					
Local Authority Landfill Coverage		2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 21	Yes	n/a	n/a	n/a
BGS Recorded Mineral Sites	pg 21			2	
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 21	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 21	Yes	Yes	n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 22	Yes	Yes	n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 22	Yes	Yes	n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 22	Yes	Yes	n/a	n/a
Radon Potential - Radon Affected Areas	pg 23	Yes	n/a	n/a	n/a
Radon Potential - Radon Protection Measures	pg 23	Yes	n/a	n/a	n/a

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Industrial Land Use					
Contemporary Trade Directory Entries	pg 24		1		21
Fuel Station Entries					
Gas Pipelines					
Underground Electrical Cables					
Sensitive Land Use					
Ancient Woodland					
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 26	3			
Ramsar Sites					
Sites of Special Scientific Interest	pg 26				1
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A11SE (S)	0	1	484400 263000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A8NW (SE)	0	1	485000 262700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A8NW (SE)	0	1	484800 262650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A8NE (SE)	14	1	485150 262550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A15SW (N)	16	1	484200 263700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A15SW (N)	35	1	484200 263800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A8NW (SE)	62	1	484900 262800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A8SW (SE)	68	1	484850 262500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A8SW (SE)	79	1	484800 262500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	114	1	485450 262600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A8SE (SE)	115	1	485100 262450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A8SW (SE)	117	1	484900 262450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A8SW (SE)	117	1	484950 262450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A16NW (NE)	120	1	484950 264150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A8NW (E)	125	1	485000 262850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A16NW (NE)	163	1	485000 264150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	220	1	485550 262650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A12SW (E)	224	1	485000 262900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A7NW (SW)	236	1	484200 262800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	261	1	485800 264000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	330	1	485650 262700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A7NW (SW)	386	1	484150 262650

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	<p>Discharge Consents</p> <p>Operator: M P White Property Type: Not Supplied Location: Private Dwelling On Old Clay Lane(A, Earls Barton, Northants Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5lf5265 Permit Version: 1 Effective Date: 8th January 1987 Issued Date: 8th January 1987 Revocation Date: 17th September 1997 Discharge Type: Unknown Discharge: Not Supplied Environment: Receiving Water: Not Supplied Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m</p>	A12SW (SE)	52	2	484670 262900
2	<p>Discharge Consents</p> <p>Operator: John E Beesley Property Type: WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Location: South Lodge, Ecton Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5nf2180 Permit Version: 1 Effective Date: 28th May 1963 Issued Date: 28th May 1963 Revocation Date: 16th May 1991 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Barton Brook Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m</p>	A10NE (NW)	490	2	483800 263300
3	<p>Discharge Consents</p> <p>Operator: Breedon Trading Limited (3) Property Type: MINERAL/GRAVEL EXTRACTION/QUARRYING Location: Earls Barton Spinney Quarry Grendon Lane, Earls Barton, Wellingborough, Northamptonshire, Nn6 0rb Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Eprgb3499ej Permit Version: 1 Effective Date: 13th November 2017 Issued Date: 13th November 2017 Revocation Date: Not Supplied Discharge Type: Trade Effluent Discharge-Site Drainage Discharge: Freshwater Stream/River Environment: Receiving Water: River Nene Status: New issued under EPR 2010 Positional Accuracy: Located by supplier to within 10m</p>	A4NE (SE)	583	2	485089 261982
4	<p>Local Authority Pollution Prevention and Controls</p> <p>Name: A Barker & Sons Limited Location: Station Road, Earls Barton, NORTHAMPTON, Northamptonshire, NN6 0NU Authority: Wellingborough Borough Council (now part of North Northamptonshire Council), Environmental Health Department Permit Reference: PPC/30/2006 Dated: Not Supplied Process Type: Local Authority Air Pollution Control Description: Part B - General Coating Process (No Specific Reference) Status: Authorised Positional Accuracy: Located by supplier to within 10m</p>	A16SE (NE)	723	3	485062 263677
5	<p>Local Authority Pollution Prevention and Control Enforcements</p> <p>Location: A Barker & Sons Limited, Station Road, Earls Barton, NORTHAMPTON, Northamptonshire, NN6 0NU Type: Air Pollution Control Enforcement Notice Reference: EPA/24/1992 Date Issued: 28th October 1994 Enforcement Date: Not Supplied Details: N/A Positional Accuracy: Manually positioned to the road within the address or location</p>	A12NE (E)	584	3	485240 263309

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
5	Local Authority Pollution Prevention and Control Enforcements Location: A Barker & Sons Limited, Station Road, Earls Barton, NORTHAMPTON, Northamptonshire, NN6 0NU Type: Air Pollution Control Enforcement Notice Reference: EPA/24/1992 Date Issued: 13th July 1994 Enforcement Date: Not Supplied Details: N/A Positional Accuracy: Manually positioned to the road within the address or location	A12NE (E)	584	3	485240 263309
	Nearest Surface Water Feature	A15SW (N)	0	-	484239 263632
	River Quality Name: Nene GQA Grade: River Quality C Reach: Ecton Bk...Gt Doddington (1) Estimated Distance (km): 4 Flow Rate: Flow less than 5 cumecs Flow Type: River Year: 2000	A3NE (S)	523	2	484591 261897
6	Water Abstractions Operator: E Ward & Son Licence Number: 5/32/05/*G/0030 Permit Version: 100 Location: Well 1, Lower End Farm Authority: Environment Agency, Anglian Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Miscellaneous Jurassic; Status: Perpetuity Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st March 1966 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A12SW (E)	36	2	484720 263080
7	Water Abstractions Operator: E Ward & Son Licence Number: 5/32/05/*G/0030 Permit Version: 100 Location: Well 2, Lower End Farm Authority: Environment Agency, Anglian Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Miscellaneous Jurassic; Status: Perpetuity Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st March 1966 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A8SW (SE)	133	2	484800 262470
8	Water Abstractions Operator: Breedon Trading Limited Licence Number: An/032/0005/017 Permit Version: 2 Location: Lagoon C At Earls Barton Spinney Quarry Authority: Environment Agency, Anglian Region Abstraction: Extractive: Dust Suppression Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 29th September 2021 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A8SW (SE)	287	2	484849 262284

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
8	Water Abstractions Operator: Breedon Trading Limited Licence Number: An/032/0005/017 Permit Version: 2 Location: Lagoon C At Earls Barton Spinney Quarry Authority: Environment Agency, Anglian Region Abstraction: Extractive: Mineral Washing Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 29th September 2021 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A8SW (SE)	287	2	484849 262284
8	Water Abstractions Operator: Breedon Southern Limited Licence Number: An/032/0005/017 Permit Version: 1 Location: Lagoon C At Earls Barton Spinney Quarry Authority: Environment Agency, Anglian Region Abstraction: Extractive: Mineral Washing Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 30th November 2020 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A8SW (SE)	287	2	484849 262284
8	Water Abstractions Operator: Breedon Southern Limited Licence Number: An/032/0005/017 Permit Version: 1 Location: Lagoon C At Earls Barton Spinney Quarry Authority: Environment Agency, Anglian Region Abstraction: Extractive: Dust Suppression Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 30th November 2020 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A8SW (SE)	287	2	484849 262284
9	Water Abstractions Operator: Breedon Trading Limited Licence Number: An/032/0005/011 Permit Version: 3 Location: River Nene At Earls Barton Spinney Quarry Authority: Environment Agency, Anglian Region Abstraction: Extractive: Mineral Washing Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 29th September 2021 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A4NE (SE)	547	2	485105 262018

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
9	Water Abstractions Operator: Breedon Southern Limited Licence Number: An/032/0005/011 Permit Version: 2 Location: River Nene At Earls Barton Spinney Quarry Authority: Environment Agency, Anglian Region Abstraction: Extractive: Mineral Washing Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 30th November 2020 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A4NE (SE)	547	2	485105 262018
9	Water Abstractions Operator: Breedon Southern Limited Licence Number: An/032/0005/011 Permit Version: 1 Location: River Nene At Earls Barton Spinney Quarry Authority: Environment Agency, Anglian Region Abstraction: Extractive: Mineral Washing Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 23rd January 2018 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A4NE (SE)	547	2	485105 262018
10	Water Abstractions Operator: A Barker & Son Ltd Licence Number: 5/32/05/*g/003 Permit Version: Not Supplied Location: Well At, EARLS BARTON Authority: Environment Agency, Anglian Region Abstraction: Industrial Processing (Miscellaneous) Abstraction Type: Not Supplied Source: Well And Borehole Daily Rate (m3): 2 Yearly Rate (m3): 4550 Details: Northampton Sanstone; Status: Revoked Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A16SW (NE)	634	2	484900 263700
11	Water Abstractions Operator: F S Marriott Licence Number: 5/32/05/*g/034 Permit Version: Not Supplied Location: Springs, Rear Of 80 High Street Authority: Environment Agency, Anglian Region Abstraction: Spray Irrigation Abstraction Type: Not Supplied Source: Groundwater Daily Rate (m3): 0 Yearly Rate (m3): 36370 Details: Status: Revoked Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A16SE (NE)	817	2	485200 263700

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Breedon Trading Limited Licence Number: An/032/0005/015 Permit Version: 2 Location: Earls Barton Spinney Quarry Authority: Environment Agency, Anglian Region Abstraction: Extractive: Make-Up Or Top Up Water Abstraction Type: Water may be abstracted from any point within an area Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 29th September 2021 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A5NW (W)	1535	2	482863 262628
	Water Abstractions Operator: Breedon Trading Limited Licence Number: An/032/0005/015 Permit Version: 2 Location: Earls Barton Spinney Quarry Authority: Environment Agency, Anglian Region Abstraction: Extractive: Dewatering Abstraction Type: Water may be abstracted from any point within an area Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 29th September 2021 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A5NW (W)	1535	2	482863 262628
	Water Abstractions Operator: Breedon Trading Limited Licence Number: An/032/0005/017 Permit Version: 2 Location: Earls Barton Spinney Quarry Authority: Environment Agency, Anglian Region Abstraction: Extractive: Mineral Washing Abstraction Type: Water may be abstracted from any point within an area Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 29th September 2021 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A5NW (W)	1535	2	482863 262628
	Water Abstractions Operator: Breedon Trading Limited Licence Number: An/032/0005/017 Permit Version: 2 Location: Earls Barton Spinney Quarry Authority: Environment Agency, Anglian Region Abstraction: Extractive: Dust Suppression Abstraction Type: Water may be abstracted from any point within an area Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 29th September 2021 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A5NW (W)	1535	2	482863 262628

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Breedon Southern Limited Licence Number: An/032/0005/015 Permit Version: 1 Location: Earls Barton Spinney Quarry Authority: Environment Agency, Anglian Region Abstraction: Extractive: Make-Up Or Top Up Water Abstraction Type: Water may be abstracted from any point within an area Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 30th November 2020 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A5NW (W)	1535	2	482863 262628
	Water Abstractions Operator: Breedon Southern Limited Licence Number: An/032/0005/015 Permit Version: 1 Location: Earls Barton Spinney Quarry Authority: Environment Agency, Anglian Region Abstraction: Extractive: Dewatering Abstraction Type: Water may be abstracted from any point within an area Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 30th November 2020 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A5NW (W)	1535	2	482863 262628
	Water Abstractions Operator: Breedon Southern Limited Licence Number: An/032/0005/017 Permit Version: 1 Location: Earls Barton Spinney Quarry Authority: Environment Agency, Anglian Region Abstraction: Extractive: Dust Suppression Abstraction Type: Water may be abstracted from any point within an area Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 30th November 2020 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A5NW (W)	1535	2	482863 262628
	Water Abstractions Operator: Breedon Southern Limited Licence Number: An/032/0005/017 Permit Version: 1 Location: Earls Barton Spinney Quarry Authority: Environment Agency, Anglian Region Abstraction: Extractive: Mineral Washing Abstraction Type: Water may be abstracted from any point within an area Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 30th November 2020 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A5NW (W)	1535	2	482863 262628

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Hanson Quarry Products Europe Ltd Licence Number: An/032/0005/016 Permit Version: 2 Location: Earls Barton Quarry - River Terrace Gravels - Area Authority: Environment Agency, Anglian Region Abstraction: Mineral Products: Dewatering Abstraction Type: Water may be abstracted from any point within an area Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 30th September 2022 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A1SE (SW)	1622	2	483202 261838
	Water Abstractions Operator: Hanson Quarry Products Europe Ltd Licence Number: An/032/0005/016 Permit Version: 1 Location: Earls Barton Quarry - River Terrace Gravels - Area Authority: Environment Agency, Anglian Region Abstraction: Mineral Products: Dewatering Abstraction Type: Water may be abstracted from any point within an area Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 30th October 2019 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A1SE (SW)	1622	2	483202 261838
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(N)	0	4	484781 264781
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A15NW (N)	0	4	484230 264000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(N)	0	4	485000 264841
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A11SE (S)	0	4	484383 263000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: No Data	A12SW (E)	0	4	485000 262889
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A11SE (W)	0	4	484385 263038

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A11SE (SE)	0	4	484423 263000
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(N)	0	4	484819 264850
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(N)	0	4	484726 264691
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A15NE (N)	0	4	484389 264000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A12SW (E)	0	4	484675 263000
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A11SE (S)	0	4	484389 263000
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A11SE (S)	0	4	484389 263037
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A11SW (W)	0	4	484297 263005

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(N)	0	4	484000 264506
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A16NW (N)	0	4	484705 264000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A16NW (NE)	0	4	485000 264000
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	A16NW (NE)	0	4	485000 264000
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	A11SE (S)	0	4	484389 263037
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	(N)	0	4	484726 264691
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	A12SW (E)	0	4	485000 263037
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	(N)	0	4	485000 264817
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A16SW (NE)	0	4	484874 263638
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A16SW (NE)	0	4	485000 263548
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A11SE (W)	0	4	484385 263038

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(N)	0	4	484781 264781
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(N)	0	4	485000 264841
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A12SW (E)	0	4	485000 262889
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11SE (SW)	0	2	484385 263035
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11SE (W)	0	2	484370 263035
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A8SE (SE)	225	2	485086 262260
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
12	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1610.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A11SE (W)	0	5	484336 263050
13	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 199.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A15NW (N)	14	5	484197 264034
14	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 29.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A15NW (N)	15	5	484174 264025
15	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 12.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A11SE (SW)	67	5	484333 262913
16	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1077.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A11SE (S)	70	5	484337 262909

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
17	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A11SE (SW)	72	5	484327 262910
18	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 652.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A11SE (SW)	72	5	484327 262910
19	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 155.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A8SE (SE)	88	5	485028 262423
20	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 18.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	A15NW (N)	164	5	484119 264201
21	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A15NW (N)	164	5	484119 264201
22	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 28.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A15NW (N)	166	5	484122 264209
23	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 104.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A4NE (SE)	378	5	485327 262160
24	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 196.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A4NE (SE)	381	5	485132 262118
25	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A4NE (SE)	381	5	485324 262160

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
26	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A4NE (SE)	446	5	485125 262118
27	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 80.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A4NE (SE)	447	5	485045 262108
28	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 795.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 1	A4NW (SE)	499	5	484902 261893
29	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 269.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A4NW (S)	653	5	484722 261898
30	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A10SE (W)	669	5	483677 262940
31	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 149.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A10SE (W)	673	5	483673 262940
32	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 161.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 1	A4NW (SE)	675	5	484902 261893
33	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 52.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A4NW (S)	707	5	484695 261889
34	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 34.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A4NW (S)	707	5	484674 261891

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
35	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A4NW (S)	708	5	484664 261896
36	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 249.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A3NE (S)	718	5	484584 261901
37	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 124.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	A4SE (SE)	750	5	485176 261806
38	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 156.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	A4SE (SE)	751	5	485027 261771
39	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A3NE (S)	763	5	484424 261963
40	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 15.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A3NE (S)	763	5	484424 261963
41	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 307.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	A4SW (S)	765	5	484766 261813
42	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 1	A4SW (S)	765	5	484766 261813
43	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A3NE (S)	766	5	484420 261963

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
44	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 131.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 2	A3SE (S)	768	5	484651 261804
45	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 541.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A3NW (S)	769	5	484021 262077
46	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 105.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 1	A4SW (S)	772	5	484757 261807
47	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A3NE (S)	775	5	484425 261948
48	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 107.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A3NE (S)	782	5	484426 261938
49	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 204.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	A4SE (SE)	809	5	485275 261733
50	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 149.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 2	A3SE (S)	812	5	484539 261788
51	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	A3SE (S)	812	5	484630 261799
52	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A10SW (W)	817	5	483523 262947

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
53	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	A3SE (S)	820	5	484628 261790
54	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 119.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A10SW (W)	828	5	483512 262947
55	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 56.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	A3SE (S)	828	5	484626 261784
56	OS Water Network Lines Watercourse Form: Lock or flight of locks Watercourse Length: 27.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 1	A3SE (S)	836	5	484664 261763
57	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 47.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 1	A3SE (S)	850	5	484638 261756
58	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 208.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A3SE (S)	858	5	484445 261834
59	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 115.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 1	A3SE (S)	873	5	484483 261774
60	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 148.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 1	A3SE (S)	892	5	484483 261774
61	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 70.5 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A3NW (S)	959	5	483999 262086

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
62	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 730.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A2NE (SW)	960	5	483956 262103
63	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 18.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A10NW (W)	960	5	483322 263219
64	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 24.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	A10NW (W)	969	5	483319 263210

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
65	Historical Landfill Sites Licence Holder: Not Supplied Location: Earls Barton Name: Aggate Way Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD02277 First Input Date: 31st December 1980 Last Input Date: 31st December 1991 Specified Waste: Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: Not Supplied BGS Ref: Not Supplied Other Ref: BW/80/431C	A7NE (S)	56	2	484478 262719
66	Historical Landfill Sites Licence Holder: Barton Plant Limited Location: Ecton, Northamptonshire Name: Old Gravel Pit Operator Location: Hall Farm, Barton Road, Kettering Boundary Accuracy: As Supplied Provider Reference: EAHLD02276 First Input Date: 1st September 1989 Last Input Date: 28th February 1993 Specified Waste: Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 2800/0012 BGS Ref: Not Supplied Other Ref: W/020	A3NW (S)	894	2	484289 261893
67	Historical Landfill Sites Licence Holder: Barton Plant Limited Location: Ecton, Northamptonshire Name: Old Gravel Pit Operator Location: Hall Farm, Barton Road, Kettering Boundary Accuracy: As Supplied Provider Reference: EAHLD02275 First Input Date: 1st September 1989 Last Input Date: 28th February 1993 Specified Waste: Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 2800/0012 BGS Ref: Not Supplied Other Ref: W/020	A3SW (S)	961	2	484231 261830
	Local Authority Landfill Coverage Name: Northamptonshire County Council - Has supplied landfill data		0	7	484389 263037
	Local Authority Landfill Coverage Name: Wellingborough Borough Council - Has no landfill data to supply		0	6	484389 263037
	Local Authority Landfill Coverage Name: South Northamptonshire District Council - Has supplied landfill data		710	8	484589 261898

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Inferior Oolite Group	A10NE (NW)	0	1	483824 263370
	BGS 1:625,000 Solid Geology Description: Lias Group	A11SE (S)	0	1	484389 263037
68	BGS Recorded Mineral Sites Site Name: Earls Barton Clay Pit Location: Earls Barton, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 43278 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Quaternary Geology: Alluvium Commodity: Common Clay and Shale Positional Accuracy: Located by supplier to within 10m	A7NW (S)	352	1	484265 262635
69	BGS Recorded Mineral Sites Site Name: Earls Barton Gravel Pit Location: Earls Barton, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 43280 Type: Opencast Status: Ceased Operator: Individual'S Name Withheld Operator Location: Not Supplied Periodic Type: Quaternary Geology: River Terrace Deposits Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	A8SW (SE)	378	1	484915 262190
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11SE (S)	0	1	484389 263037
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11SW (W)	0	1	484297 263005
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A12SW (E)	0	1	485000 263037
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11SE (W)	0	1	484385 263038
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11SE (S)	0	1	484389 263037
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11SW (W)	0	1	484297 263005
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A12SW (E)	0	1	485000 263037
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A11SE (W)	0	1	484385 263038
	Potential for Compressible Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A15SW (N)	28	1	484177 263714
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11SE (S)	0	1	484389 263037

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A12SW (E)	0	1	485000 263037
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11SE (S)	0	1	484389 263037
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A12SW (E)	0	1	485000 263037
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A15SE (N)	0	1	484638 263840
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A16SW (NE)	0	1	484874 263638
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A16NW (NE)	145	1	484955 264177
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11SE (S)	0	1	484389 263037
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11SW (W)	0	1	484297 263005
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A12SW (E)	0	1	485000 263037
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A11SE (W)	0	1	484385 263038
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11SE (SE)	0	1	484423 263000
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A12SW (E)	0	1	485000 262889
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A15SW (N)	28	1	484177 263714
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A16SW (NE)	0	1	484874 263638
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A16SW (NE)	0	1	485000 263548
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11SE (SE)	0	1	484488 262923
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A8NW (E)	0	1	485000 262829
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A11SE (S)	0	1	484389 263037
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A7NE (S)	152	1	484515 262697
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A7NE (SE)	174	1	484618 262551
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A12SW (E)	212	1	485000 263037

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (5 to 10% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A16SW (NE)	0	1	484825 263625
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Higher probability radon area (10 to 30% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A12NW (NE)	0	1	485000 263500
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A12SW (E)	0	1	485000 263037
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A11SE (S)	0	1	484389 263037
	Radon Potential - Radon Protection Measures Protection Measure: Basic radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A16SW (NE)	0	1	484825 263625
	Radon Potential - Radon Protection Measures Protection Measure: Full radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A12NW (NE)	0	1	485000 263500
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A12SW (E)	0	1	485000 263037
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A11SE (S)	0	1	484389 263037

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
70	Contemporary Trade Directory Entries Name: T G P Trucking Location: Unit 340 Aggateway, Earls Barton, Northampton, Northamptonshire, NN6 0EP Classification: Road Haulage Services Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A12SW (E)	31	-	484689 262948
71	Contemporary Trade Directory Entries Name: Dave Tate Location: A, 98, Station Road, Earls Barton, Northampton, NN6 0NX Classification: Washing Machines - Servicing & Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A12NE (E)	554	-	485209 263304
71	Contemporary Trade Directory Entries Name: Dave Tate Service & Repairs Location: 98a, Station Road, Earls Barton, Northampton, NN6 0NX Classification: Domestic Appliances - Servicing, Repairs & Parts Status: Active Positional Accuracy: Automatically positioned to the address	A12NE (E)	557	-	485212 263305
71	Contemporary Trade Directory Entries Name: Thomas Tirrell Location: 95, STATION ROAD, EARLS BARTON, NN6 0NT Classification: Mechanical Engineers Status: Active Positional Accuracy: Automatically positioned to the address	A12NE (E)	599	-	485238 263343
72	Contemporary Trade Directory Entries Name: Captain Stoves Direct Location: 83, Station Road, Earls Barton, Northampton, NN6 0NT Classification: Woodburning Stoves Status: Inactive Positional Accuracy: Automatically positioned to the address	A12NE (NE)	610	-	485207 263408
73	Contemporary Trade Directory Entries Name: Printer Trento (Uk) Ltd Location: 30, Northampton Road, Earls Barton, NORTHAMPTON, NN6 0HA Classification: Printers Status: Inactive Positional Accuracy: Automatically positioned to the address	A16NW (NE)	617	-	484930 263922
74	Contemporary Trade Directory Entries Name: Abbots Garage (Earls Barton) Ltd Location: 45, West Street, Earls Barton, Northampton, NN6 0ES Classification: Car Dealers - Used Status: Inactive Positional Accuracy: Automatically positioned to the address	A16SW (NE)	619	-	484872 263745
75	Contemporary Trade Directory Entries Name: Rutland Shoe Co Ltd Location: Station Rd, Earls Barton, Northampton, Northamptonshire, NN6 0NT Classification: Footwear Manufacturers & Wholesale Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A12NE (NE)	635	-	485182 263476
76	Contemporary Trade Directory Entries Name: Rutland Shoe Co Ltd Location: Station Rd, Earls Barton, Northampton, Northants, NN6 0NT Classification: Footwear Manufacturers Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A12NE (NE)	675	-	485182 263532
77	Contemporary Trade Directory Entries Name: Manna Distribution Associates Location: 1, Harrowick Lane, Earls Barton, Northampton, Northamptonshire, NN6 0HD Classification: Distribution Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A16SE (NE)	742	-	485027 263840
78	Contemporary Trade Directory Entries Name: Pressure Control Solutions Location: 16, Knights Close, Earls Barton, Northampton, NN6 0JD Classification: Blast Cleaning Equipment Manufacturers Status: Active Positional Accuracy: Automatically positioned to the address	A16NE (NE)	745	-	485322 264045
79	Contemporary Trade Directory Entries Name: Jw Printing Location: 21, West Street, Earls Barton, NORTHAMPTON, NN6 0EW Classification: Printers Status: Inactive Positional Accuracy: Automatically positioned to the address	A16SE (NE)	785	-	485049 263778

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
80	Contemporary Trade Directory Entries Name: Alert Fire Safety Location: Knights cl, Earls Barton, Northampton, Northamptonshire, NN6 0JD Classification: Firefighting Equipment Status: Active Positional Accuracy: Manually positioned to the road within the address or location	A16NE (NE)	799	-	485337 263992
81	Contemporary Trade Directory Entries Name: Phoenix Soundworks Location: 3 The Square, Earls Barton, Northampton, Northamptonshire, NN6 0NA Classification: Sound Equipment Systems Manufacturers Status: Active Positional Accuracy: Automatically positioned to the address	A16SE (NE)	813	-	485172 263714
81	Contemporary Trade Directory Entries Name: Oldeways Joinery Location: 3, The Square, Earls Barton, Northampton, NN6 0NA Classification: Joinery Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A16SE (NE)	813	-	485172 263714
81	Contemporary Trade Directory Entries Name: Barker Shoes Ltd Location: 3, STATION ROAD, EARLS BARTON, NN6 0NT Classification: Footwear - Manufacturers and Suppliers Status: Active Positional Accuracy: Automatically positioned to the address	A16SE (NE)	817	-	485206 263696
81	Contemporary Trade Directory Entries Name: Sjtackle Location: 3, Station Road, Earls Barton, Northampton, NN6 0NT Classification: Washing Machines - Servicing & Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A16SE (NE)	817	-	485206 263696
82	Contemporary Trade Directory Entries Name: Syndicom Location: 34b, The Square, Earls Barton, Northampton, NN6 0NA Classification: Radio Communication Equipment Status: Inactive Positional Accuracy: Automatically positioned to the address	A16SE (NE)	819	-	485250 263664
82	Contemporary Trade Directory Entries Name: St George Sporting Location: 34b, The Square, Earls Barton, Northampton, NN6 0NA Classification: Fishing & Angling Equipment - Manufacturers & Distributors Status: Inactive Positional Accuracy: Automatically positioned to the address	A16SE (NE)	819	-	485250 263664
82	Contemporary Trade Directory Entries Name: Perry Bros Location: 34a, The Square, Earls Barton, Northampton, NN6 0NA Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A16SE (NE)	831	-	485254 263677
83	Contemporary Trade Directory Entries Name: Midland Trade Stringing Service Ltd Location: 9-10, The Square, Earls Barton, Northampton, NN6 0NA Classification: Print Finishers Status: Active Positional Accuracy: Automatically positioned to the address	A16SE (NE)	838	-	485146 263760
84	Contemporary Trade Directory Entries Name: J.A.P Japanese Auto Parts Location: High St, Earls Barton, Northampton, Northamptonshire, NN6 0JG Classification: Mechanical Engineers Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A16NE (NE)	893	-	485326 263884

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
85	Nitrate Vulnerable Zones Name: Thrapstone Lake Eutrophic Lake Nvz Description: Eutrophic Water Source: Environment Agency, Head Office	A11SE (S)	0	4	484389 263037
86	Nitrate Vulnerable Zones Name: Northampton Sands Description: Groundwater Source: Environment Agency, Head Office	A11SE (S)	0	4	484389 263037
87	Nitrate Vulnerable Zones Name: River Nene Nvz Description: Surface Water Source: Environment Agency, Head Office	A11SE (S)	0	4	484389 263037
88	Sites of Special Scientific Interest Name: Upper Nene Valley Gravel Pits Multiple Areas: Y Total Area (m2): 13824194.5 Source: Natural England Reference: 2000494 Designation Details: Ramsar Site Designation Date: 24th November 2005 Date Type: Notified Designation Details: Special Protection Area Designation Date: 24th November 2005 Date Type: Notified Designation Details: Site Of Special Scientific Interest Designation Date: 24th November 2005 Date Type: Notified Designation Details: Water Framework Directive (WFD) Designation Date: 24th November 2005 Date Type: Notified	(SE)	600	9	485788 262153

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Environment Agency - Head Office Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department South Northamptonshire Council (now part of West Northamptonshire Council) - Environment Division	August 2013 December 2019 December 2019 November 2023 October 2017 September 2017	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annually Annual Rolling Update Annual Rolling Update
Discharge Consents Environment Agency - Anglian Region	October 2023	Quarterly
Enforcement and Prohibition Notices Environment Agency - Anglian Region	March 2013	
Integrated Pollution Controls Environment Agency - Anglian Region	January 2009	
Integrated Pollution Prevention And Control Environment Agency - Anglian Region	January 2023	Quarterly
Local Authority Integrated Pollution Prevention And Control South Northamptonshire Council (now part of West Northamptonshire Council) - Environmental Health Department Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council	December 2014 December 2020 December 2020 February 2015 February 2015	Variable Variable Variable Variable Variable
Local Authority Pollution Prevention and Controls South Northamptonshire Council (now part of West Northamptonshire Council) - Environmental Health Department Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council	December 2014 December 2020 December 2020 February 2015 February 2015	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements South Northamptonshire Council (now part of West Northamptonshire Council) - Environmental Health Department Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department	December 2014 December 2014 February 2015 February 2015 October 2014	Variable Variable Variable Variable Variable
Nearest Surface Water Feature Ordnance Survey	November 2023	
Pollution Incidents to Controlled Waters Environment Agency - Anglian Region	September 1999	
Prosecutions Relating to Authorised Processes Environment Agency - Anglian Region	July 2015	
Prosecutions Relating to Controlled Waters Environment Agency - Anglian Region	March 2013	
Registered Radioactive Substances Environment Agency - Anglian Region Environment Agency - Head Office	June 2016 May 2023	As notified Quarterly

Agency & Hydrological	Version	Update Cycle
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	April 2012	
River Quality Chemistry Sampling Points Environment Agency - Head Office	April 2012	
Substantiated Pollution Incident Register Environment Agency - Anglian Region - Northern Area	October 2023	Quarterly
Water Abstractions Environment Agency - Anglian Region	October 2023	Quarterly
Water Industry Act Referrals Environment Agency - Anglian Region	October 2017	
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Source Protection Zones Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	January 2024	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	Quarterly
OS Water Network Lines Ordnance Survey	October 2023	Quarterly
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified

Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites Environment Agency - Head Office	July 2023	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Anglian Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - Anglian Region - Northern Area	July 2023	Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - Anglian Region - Northern Area	January 2023	Quarterly
Local Authority Landfill Coverage Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department Northamptonshire County Council South Northamptonshire Council (now part of West Northamptonshire Council) - Environmental Health Department Wellingborough Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council West Northamptonshire Council	February 2003 February 2003 February 2003 February 2003 May 2000 May 2000	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable
Local Authority Recorded Landfill Sites North Northamptonshire Council West Northamptonshire Council Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department Northamptonshire County Council South Northamptonshire Council (now part of West Northamptonshire Council) - Environmental Health Department Wellingborough Borough Council (now part of North Northamptonshire Council)	August 2006 August 2006 October 2018 October 2018 October 2018 October 2018	
Registered Landfill Sites Environment Agency - Anglian Region - Northern Area	March 2006	Not Applicable
Registered Waste Transfer Sites Environment Agency - Anglian Region - Northern Area	April 2018	
Registered Waste Treatment or Disposal Sites Environment Agency - Anglian Region - Northern Area	June 2015	

Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	March 2023	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) Northamptonshire County Council Northampton Borough Council (now part of West Northamptonshire Council) - Planning Department South Northamptonshire Council (now part of West Northamptonshire Council) West Northamptonshire Council	February 2016 February 2016 May 2013 May 2023 May 2023 May 2023	Variable Variable Annual Rolling Update Variable Variable Variable
Planning Hazardous Substance Consents Northamptonshire County Council North Northamptonshire Council Northampton Borough Council (now part of West Northamptonshire Council) - Planning Department South Northamptonshire Council (now part of West Northamptonshire Council) Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council	December 2014 February 2016 February 2016 February 2016 February 2016 February 2016 February 2016	Annual Rolling Update Variable Variable Variable Variable Variable Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	June 2023	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	October 2023	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	October 2023	Annually
Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	October 2023	Quarterly
Fuel Station Entries Catalist Ltd - Experian	November 2023	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Underground Electrical Cables National Grid	February 2023	Bi-Annually

Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	October 2023	Bi-Annually
Areas of Adopted Green Belt North Northamptonshire Council Northampton Borough Council (now part of West Northamptonshire Council) South Northamptonshire Council (now part of West Northamptonshire Council) Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly Quarterly
Areas of Unadopted Green Belt North Northamptonshire Council Northampton Borough Council (now part of West Northamptonshire Council) South Northamptonshire Council (now part of West Northamptonshire Council) Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly Quarterly
Areas of Outstanding Natural Beauty Natural England	November 2023	Bi-Annually
Environmentally Sensitive Areas Natural England	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	August 2023	Bi-Annually
Marine Nature Reserves Natural England	October 2023	Bi-Annually
National Nature Reserves Natural England	August 2023	Bi-Annually
National Parks Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 March 2023	Bi-Annually
Ramsar Sites Natural England	October 2023	Bi-Annually
Sites of Special Scientific Interest Natural England	November 2023	Bi-Annually
Special Areas of Conservation Natural England	October 2023	Bi-Annually
Special Protection Areas Natural England	October 2023	Bi-Annually

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department Croyland Abbey, Tithe Barn Road, Wellingborough, Northamptonshire, NN8 1BJ	Telephone: 01933 229777 extn 4705 Fax: 01933 441375 Email: environment@wellingborough.gov.uk Website: www.wellingborough.gov.uk
4	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
5	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
6	Wellingborough Borough Council (now part of North Northamptonshire Council) Croyland Abbey, Tithe Barn Road, Wellingborough, Northamptonshire, NN8 1BJ	Telephone: 01933 229777 Fax: 01933 441375 Website: www.wellingborough.gov.uk
7	Northamptonshire County Council County Hall, Northampton, Northamptonshire, NN1 1DN	Telephone: 0300 126 1000 Website: www.northamptonshire.gov.uk
8	South Northamptonshire Council (now part of West Northamptonshire Council) - Environmental Health Department Springfields, Towcester, Northamptonshire, NN12 6AE	Telephone: 0845 2300226 Fax: 01327 359219 Website: www.southnorthants.gov.uk
9	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- ID Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- ◇ Discharge Consent
- ▲ Enforcement or Prohibition Notice
- ▲ Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- ▲ Local Authority Pollution Prevention and Control
- ▼ Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- ▼ Prosecution Relating to Authorised Processes
- ◇ Prosecution Relating to Controlled Waters
- ▲ Registered Radioactive Substance
- + River Network or Water Feature
- + River Quality Sampling Point
- Substantiated Pollution Incident Register
- ◇ Water Abstraction
- ◇ Water Industry Act Referral

Waste

- ▼ BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- ▲ Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Registered Landfill Site
- ▼ Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site


Geological

- ▼ BGS Recorded Mineral Site

Industrial Land Use

- ★ Contemporary Trade Directory Entry
- ★ Fuel Station Entry
- ✖ COMAH Site
- ✖ Explosive Site
- ✖ NIHS Site
- ✖ Planning Hazardous Substance Consent
- ✖ Planning Hazardous Substance Enforcement

Site Sensitivity Map - Slice A




Order Details

Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484390, 263040
 Slice: A
 Site Area (Ha): 312.44
 Search Buffer (m): 1000






Site Details

Grendon Solar Scheme







Industrial Land Use Map


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Industrial Land Use

-  Contemporary Trade Directory Entry
-  Fuel Station Entry
-  Gas Pipeline
-  Underground Electrical Cables

Industrial Land Use Map - Slice A




Order Details

Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484390, 263040
 Slice: A
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme








© Crown Copyright. All Rights Reserved. License Number 100022432


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

Agency and Hydrological (Flood)

-  Extreme Flooding from Rivers or Sea without Defences (Zone 2)
-  Flooding from Rivers or Sea without Defences (Zone 3)
-  Area Benefiting from Flood Defence
-  Flood Water Storage Areas
-  Flood Defence

Flood Map - Slice A




Order Details

Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484390, 263040
 Slice: A
 Site Area (Ha): 312.44
 Search Buffer (m): 1000






Site Details

Grendon Solar Scheme








© Crown Copyright. All Rights Reserved. License Number 100022432.

General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Map ID
-  Several of Type at Location


Agency and Hydrological (Boreholes)

-  BGS Borehole Depth 0 - 10m
-  BGS Borehole Depth 10 - 30m
-  BGS Borehole Depth 30m +
-  Confidential
-  Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice A




Order Details

Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484390, 263040
 Slice: A
 Site Area (Ha): 312.44
 Search Buffer (m): 1000




Site Details

Grendon Solar Scheme





© Crown Copyright. All Rights Reserved. License Number 100022432.


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

OS Water Network Data

- | | |
|--|---|
|  Canal |  Drain |
|  Reservoir |  Other |
|  Foreshore |  Lake |
|  Marsh |  Transfer |
|  Tidal River |  Lock Or Flight Of Locks |
|  Inland River |  Sea |

OS Water Network Map - Slice A




Order Details


Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484390, 263040
 Slice: A
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



© Crown Copyright. All Rights Reserved. License Number 100022432



© Crown Copyright. All Rights Reserved. License Number 100022412



Groundwater Vulnerability

General

- ◇ Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological


Bedrock Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer
- Unproductive Aquifer
- Soluble Rock

Superficial Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

Site Sensitivity Context Map - Slice B



Order Details


Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485740, 262700
 Slice: B
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown copyright. All Rights Reserved. License Number 100022412



Bedrock Aquifer Designation

General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice B



Order Details


Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485740, 262700
 Slice: B
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk








© Crown Copyright. All Rights Reserved. License Number 100022422









Superficial Aquifer Designation

General


-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Agency and Hydrological

Geological Classes

-  Principal Aquifer
-  Secondary A Aquifer
-  Secondary B Aquifer
-  Secondary Undifferentiated
-  Unproductive Strata
-  Unknown
-  Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice B



Order Details


Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485740, 262700
 Slice: B
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432



Source Protection Zones


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice B



Order Details


Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485740, 262700
 Slice: B
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk








© Crown Copyright. All Rights Reserved. License Number: 100022432




Sensitive Land Uses


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Sensitive Land Uses

-  Ancient Woodland
-  Area of Adopted Green Belt
-  Area of Unadopted Green Belt
-  Area of Outstanding Natural Beauty
-  Environmentally Sensitive Area
-  Forest Park
-  Local Nature Reserve
-  Marine Nature Reserve
-  National Nature Reserve
-  National Park
-  Nitrate Sensitive Area
-  Nitrate Vulnerable Zone
-  Ramsar Site
-  Site of Special Scientific Interest
-  Special Area of Conservation
-  Special Protection Area
-  World Heritage Sites

Site Sensitivity Context Map - Slice B



Order Details


Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485740, 262700
 Slice: B
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432



BGS Flood GFS Data


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice B



Order Details

Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485740, 262700
 Slice: B
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

331730476_1_1

Customer Reference:

93791.580478

National Grid Reference:

485740, 262700

Slice:

B

Site Area (Ha):

312.44

Search Buffer (m):

1000

Site Details:

Grendon Solar Scheme

Client Details:

Ms M Booth
Delta Simons
Suite 4A
One Portland Street
Manchester
M1 3BE



Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	24
Hazardous Substances	-
Geological	25
Industrial Land Use	27
Sensitive Land Use	28
Data Currency	29
Data Suppliers	34
Useful Contacts	35

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2024. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and/or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2024. © Natural Resources Wales & United Kingdom Research and Innovation 2024.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2024. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 2				14
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls	pg 5				3
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 5			Yes	
Pollution Incidents to Controlled Waters	pg 6				5
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality	pg 6				2
River Quality Biology Sampling Points	pg 7				1
River Quality Chemistry Sampling Points	pg 8				1
Substantiated Pollution Incident Register	pg 8			1	
Water Abstractions	pg 9				(*17)
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 13	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk	pg 16	1	n/a	n/a	n/a
Bedrock Aquifer Designations	pg 16	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 16	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences	pg 16	Yes		n/a	n/a
Flooding from Rivers or Sea without Defences	pg 16	Yes	Yes	n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 17			10	47

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites	pg 24				1
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)	pg 24				1
Local Authority Landfill Coverage		2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 25	Yes	n/a	n/a	n/a
BGS Recorded Mineral Sites	pg 25		1		2
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 25	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards				n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 25	Yes		n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 25	Yes		n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 25		Yes	n/a	n/a
Radon Potential - Radon Affected Areas	pg 26	Yes	n/a	n/a	n/a
Radon Potential - Radon Protection Measures	pg 26	Yes	n/a	n/a	n/a

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Industrial Land Use					
Contemporary Trade Directory Entries	pg 27		1	3	7
Fuel Station Entries					
Gas Pipelines					
Underground Electrical Cables					
Sensitive Land Use					
Ancient Woodland					
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 28	3			
Ramsar Sites					
Sites of Special Scientific Interest	pg 28				1
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	0	1	485000 262700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B5NE (NW)	0	1	485738 262701
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	484850 262650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	14	1	485250 262550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	62	1	485000 262701
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	68	1	484900 262500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	79	1	484850 262500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B5NW (SW)	114	1	485500 262600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	115	1	485150 262450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	117	1	484950 262450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	117	1	485000 262450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	120	1	485000 264150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	125	1	485200 262850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13NW (N)	163	1	485350 264050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B5NW (SW)	220	1	485650 262650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	224	1	485050 262850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13NE (N)	261	1	485850 263950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B5NE (W)	330	1	485700 262700

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	<p>Discharge Consents</p> <p>Operator: White Mills Marina Limited Property Type: SPORT, AMUSEMENT+RECREATION/GOLF CLUB/GYM/THEME PK/SPA Location: White Mills Marina Station Road, Earls Barton, Northampton, -, Nn6 0rb Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Eprdb3199ez Permit Version: 1 Effective Date: 7th October 2015 Issued Date: 7th October 2015 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Trib Of The River Nene Status: New issued under EPR 2010 Positional Accuracy: Located by supplier to within 10m</p>	B5SE (S)	503	2	485700 262199
2	<p>Discharge Consents</p> <p>Operator: Anglian Water Services Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Earls Barton Sso & Sw, Earls Barton, Northampton, Nn6 Authority: Environment Agency, Anglian Region Catchment Area: Not Given Reference: Aw5nf448 Permit Version: 1 Effective Date: 13th December 1968 Issued Date: 13th December 1968 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Trib River Nene Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m</p>	B1NE (S)	581	2	485760 262150
2	<p>Discharge Consents</p> <p>Operator: Anglian Water Services Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Earls Barton Tps Grendon Raod, Earls Barton, Northampton, Northamptonshire, Nn6 0rb Authority: Environment Agency, Anglian Region Catchment Area: Upper River Nene (Northampton) Reference: Awcnf2266 Permit Version: 4 Effective Date: 31st March 2019 Issued Date: 18th January 2019 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: River Nene Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m</p>	B1NE (S)	587	2	485750 262130
2	<p>Discharge Consents</p> <p>Operator: Anglian Water Services Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Earls Barton Tps Grendon Raod, Earls Barton, Northampton, Northamptonshire, Nn6 0rb Authority: Environment Agency, Anglian Region Catchment Area: Upper River Nene (Northampton) Reference: Awcnf2266 Permit Version: 4 Effective Date: 31st March 2019 Issued Date: 18th January 2019 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: River Nene Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m</p>	B1NE (S)	587	2	485750 262130

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
2	<p>Discharge Consents</p> <p>Operator: Anglian Water Services Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Earls Barton Tps Grendon Raod, Earls Barton, Northampton, Northamptonshire, Nn6 0rb Authority: Environment Agency, Anglian Region Catchment Area: Upper River Nene (Northampton) Reference: Awcnf2266 Permit Version: 3 Effective Date: 12th May 2017 Issued Date: 12th May 2017 Revocation Date: 30th March 2019 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: River Nene Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m</p>	B1NE (S)	587	2	485750 262130
2	<p>Discharge Consents</p> <p>Operator: Anglian Water Services Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Earls Barton Tps Grendon Raod, Earls Barton, Northampton, Northamptonshire, Nn6 0rb Authority: Environment Agency, Anglian Region Catchment Area: Upper River Nene (Northampton) Reference: Awcnf2266 Permit Version: 3 Effective Date: 12th May 2017 Issued Date: 12th May 2017 Revocation Date: 30th March 2019 Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: River Nene Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m</p>	B1NE (S)	587	2	485750 262130
2	<p>Discharge Consents</p> <p>Operator: Anglian Water Services Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Station Rd Sso E Barton Station Rd, Earls Barton, Northampton, Nn6 Authority: Environment Agency, Anglian Region Catchment Area: Not Given Reference: Aw5nf2031 Permit Version: 1 Effective Date: 6th June 1963 Issued Date: 6th June 1963 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Trib River Nene Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m</p>	B1NE (S)	587	2	485750 262130
3	<p>Discharge Consents</p> <p>Operator: Anglian Water Services Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Land Near White Mills, Northampton Authority: Environment Agency, Anglian Region Catchment Area: Upper River Nene (Northampton) Reference: Awnnf13578 Permit Version: 1 Effective Date: 12th July 2001 Issued Date: 21st June 2001 Revocation Date: 12th July 2002 Discharge Type: Trade Effluent Discharge: Freshwater Stream/River Environment: Receiving Water: The River Nene Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	B1NE (S)	644	2	485770 262071

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
3	<p>Discharge Consents</p> <p>Operator: Anglian Water Services Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Land Near White Mills, Northampton Authority: Environment Agency, Anglian Region Catchment Area: Upper River Nene (Northampton) Reference: Awnnf13578 Permit Version: 1 Effective Date: 12th July 2001 Issued Date: 21st June 2001 Revocation Date: 12th July 2002 Discharge Type: Sewage Discharges - Sludge - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: The River Nene Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	B1NE (S)	645	2	485770 262070
4	<p>Discharge Consents</p> <p>Operator: Anglian Water Services Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Earls Barton Tps Grendon Raod, Earls Barton, Northampton, Northamptonshire, Nn6 0rb Authority: Environment Agency, Anglian Region Catchment Area: Upper River Nene (Northampton) Reference: Awcnf2266 Permit Version: 2 Effective Date: 3rd September 2010 Issued Date: 3rd September 2010 Revocation Date: 11th May 2017 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: R Nene Status: Post National Rivers Authority Legislation where issue date > 31/08/1989 Positional Accuracy: Located by supplier to within 100m</p>	B1NE (S)	785	2	485900 262000
4	<p>Discharge Consents</p> <p>Operator: Anglian Water Services Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Earls Barton Tps Grendon Raod, Earls Barton, Northampton, Northamptonshire, Nn6 0rb Authority: Environment Agency, Anglian Region Catchment Area: Not Given Reference: Awcnf2266 Permit Version: 1 Effective Date: 2nd January 1990 Issued Date: 2nd January 1990 Revocation Date: 2nd September 2010 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: R Nene Status: Post National Rivers Authority Legislation where issue date > 31/08/1989 Positional Accuracy: Located by supplier to within 100m</p>	B1NE (S)	785	2	485900 262000
5	<p>Discharge Consents</p> <p>Operator: Mr J A Dunkley Property Type: Domestic Property (Single) Location: The Stables Castle Ashby Station, Whiston, Northampton, Nn7 1nw Authority: Environment Agency, Anglian Region Catchment Area: Mid River Nene (Oundle) Reference: Prnnf18375 Permit Version: 1 Effective Date: 6th June 2005 Issued Date: 16th June 2005 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Unnamed Trib Of R. Nene Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	B1SE (S)	970	2	485955 261800

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
6	Discharge Consents Operator: John Andrew Dunkley Property Type: Domestic Property (Single) Location: Restaurant Former Castle Ashby Station, Cogenhoe, Northampton Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5lf3931 Permit Version: 2 Effective Date: 14th December 2011 Issued Date: 14th December 2011 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Land/Soakaway Environment: Receiving Water: Land Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m	B1SE (S)	987	2	485920 261750
6	Discharge Consents Operator: John Andrew Dunkley Property Type: Domestic Property (Single) Location: Restaurant Former Castle Ashby Station, Cogenhoe, Northampton Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5lf3931 Permit Version: 1 Effective Date: 24th April 1984 Issued Date: 24th April 1984 Revocation Date: 13th December 2011 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Land/Soakaway Environment: Receiving Water: Land Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	B1SE (S)	987	2	485920 261750
7	Local Authority Pollution Prevention and Controls Name: White Plant: Recycling Centre Location: Grendon Road, Earls Barton, NORTHAMPTON, Northamptonshire, NN6 0RB Authority: Wellingborough Borough Council (now part of North Northamptonshire Council), Environmental Health Department Permit Reference: Epa/50/2002 Dated: 28th June 2002 Process Type: Local Authority Air Pollution Control Description: Part B - General Waste Disposal Process (No Specific Reference) Status: Authorisation revoked Positional Accuracy: Manually positioned to the address or location	B5NE (SE)	528	3	485855 262645
7	Local Authority Pollution Prevention and Controls Name: White Plant Location: The Recycling Centre, Grendon Road, Earls Barton, NN6 0RB Authority: Wellingborough Borough Council (now part of North Northamptonshire Council), Environmental Health Department Permit Reference: PPC/9/2004 Dated: Not Supplied Process Type: Local Authority Pollution Prevention and Control Description: PG3/16 Mobile screening and crushing processes Status: Permitted Positional Accuracy: Manually positioned to the address or location	B5NE (SE)	530	3	485856 262652
8	Local Authority Pollution Prevention and Controls Name: Martin White Crushing Location: 333a Billing Road East, Northampton, Nn3 3ll Authority: Wellingborough Borough Council (now part of North Northamptonshire Council), Environmental Health Department Permit Reference: EPR/10/2009 Dated: Not Supplied Process Type: Local Authority Pollution Prevention and Control Description: PG3/16 Mobile screening and crushing processes Status: Permitted Positional Accuracy: Located by supplier to within 10m	B5NE (E)	612	3	485940 262651
	Nearest Surface Water Feature	B1NW (SW)	378	-	485431 262157

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
9	Pollution Incidents to Controlled Waters Property Type: Not Applicable Location: Kettering District Authority: Environment Agency, Anglian Region Pollutant: Miscellaneous - Inert Suspended Solids Note: Nene Incident Date: 20th April 1998 Incident Reference: 3347 Catchment Area: Not Given Receiving Water: Groundwater Cause of Incident: High Flow Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	B5SE (S)	525	2	485800 262300
10	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Sewage Treatment Works Location: Kettering District Authority: Environment Agency, Anglian Region Pollutant: Sewage - Treated Effluent Note: River Nene Incident Date: 31st July 1995 Incident Reference: 2437 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Mechanical Failure Incident Severity: Category 1 - Major Incident Positional Accuracy: Located by supplier to within 100m	B1NW (S)	605	2	485600 262000
11	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Kettering District Authority: Environment Agency, Anglian Region Pollutant: Unknown Note: River Nene Incident Date: 29th March 1993 Incident Reference: 1605 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	B1NE (S)	644	2	485800 262100
11	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Pumping Station Location: Kettering District Authority: Environment Agency, Anglian Region Pollutant: Crude Sewage Note: Tributary Of River Nene Incident Date: 31st August 1996 Incident Reference: 2828 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Electrical Failure Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	B1NE (S)	648	2	485800 262095
12	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Surface Water Outfall Location: Kettering District Authority: Environment Agency, Anglian Region Pollutant: Miscellaneous - Unknown Note: River Nene Incident Date: 28th July 1997 Incident Reference: 3099 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	B1NE (S)	656	2	485700 262000
	River Quality Name: Nene GQA Grade: River Quality C Reach: Ecton Bk....Gt Doddington (1) Estimated Distance (km): 4 Flow Rate: Flow less than 5 cumecs Flow Type: River Year: 2000	B1NE (S)	523	2	485746 261974

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	River Quality Name: Nene GQA Grade: River Quality C Reach: Ecton Bk....Gt Doddington (2) Estimated Distance (km): 7 Flow Rate: Flow less than 5 cumecs Flow Type: River Year: 2000	B1NE (S)	704	2	485858 262017
13	River Quality Biology Sampling Points Name: Nene Reach: Ecton Brook To Gt Doddington (2) Estimated Distance: 7.00 Positional Accuracy: Located by supplier to within 100m Year: 1990 GQA Grade: River Quality Biology GQA Grade C - Fairly Good Year: 1995 GQA Grade: River Quality Biology GQA Grade B - Good Year: 2000 GQA Grade: River Quality Biology GQA Grade B - Good Year: 2002 GQA Grade: River Quality Biology GQA Grade B - Good Year: 2003 GQA Grade: River Quality Biology GQA Grade B - Good Year: 2004 GQA Grade: River Quality Biology GQA Grade B - Good Year: 2005 GQA Grade: River Quality Biology GQA Grade B - Good Year: 2006 GQA Grade: River Quality Biology GQA Grade B - Good Year: 2007 GQA Grade: River Quality Biology GQA Grade B - Good Year: 2008 GQA Grade: River Quality Biology GQA Grade C - Fairly Good Year: 2009 GQA Grade: River Quality Biology GQA Grade C - Fairly Good	B1NE (S)	717	2	485800 262000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
13	River Quality Chemistry Sampling Points Name: Nene Reach: Ecton Brook To Earls Barton Estimated Distance: 4.00 Objective: Not Supplied Positional Accuracy: Located by supplier to within 10m Year: 1990 GQA Grade: River Quality Chemistry GQA Grade E - Poor Compliance: Not Supplied Year: 1993 GQA Grade: River Quality Chemistry GQA Grade D - Fair Compliance: Not Supplied Year: 1994 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 1995 GQA Grade: River Quality Chemistry GQA Grade D - Fair Compliance: Not Supplied Year: 1996 GQA Grade: River Quality Chemistry GQA Grade D - Fair Compliance: Not Supplied Year: 1997 GQA Grade: River Quality Chemistry GQA Grade D - Fair Compliance: Not Supplied Year: 1998 GQA Grade: River Quality Chemistry GQA Grade D - Fair Compliance: Not Supplied Year: 1999 GQA Grade: River Quality Chemistry GQA Grade D - Fair Compliance: Not Supplied Year: 2000 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2001 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2002 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 2003 GQA Grade: River Quality Chemistry GQA Grade D - Fair Compliance: Not Supplied Year: 2004 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2005 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2006 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2007 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 2008 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 2009 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied	B1NE (S)	684	2	485764 262013
14	Substantiated Pollution Incident Register Authority: Environment Agency - Anglian Region, Northern Area Incident Date: 23rd March 2018 Incident Reference: 1599195 Water Impact: Category 3 - Minor Incident Air Impact: Category 4 - No Impact Land Impact: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 10m Pollutant: Crude Sewage	B1NW (S)	499	2	485573 262105

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Pioneer Aggregates (Uk) Ltd Licence Number: 5/32/05/*G/0010 Permit Version: 100 Location: Gravel Pit Earls Barton Authority: Environment Agency, Anglian Region Abstraction: Mineral Products: Mineral Washing Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Fluvial Sand and Gravel; Status: Perpetuity Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st December 1993 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	B6SW (SE)	1024	2	486300 262200
	Water Abstractions Operator: Hanson Quarry Products Europe Ltd Licence Number: 5/32/05/*G/0010 Permit Version: 103 Location: Gravel Pit - Earls Barton Authority: Environment Agency, Anglian Region Abstraction: Mineral Products: General Washing/Process Washing Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 13th August 2012 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	B2NW (SE)	1079	2	486340 262150
	Water Abstractions Operator: Hanson Quarry Products Europe Ltd Licence Number: 5/32/05/*G/0010 Permit Version: 103 Location: Gravel Pit - Earls Barton Authority: Environment Agency, Anglian Region Abstraction: Mineral Products: Mineral Washing Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 13th August 2012 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	B2NW (SE)	1079	2	486340 262150
	Water Abstractions Operator: Hanson Quarry Products Europe Ltd Licence Number: 5/32/05/*G/0010 Permit Version: 103 Location: Gravel Pit - Earls Barton Authority: Environment Agency, Anglian Region Abstraction: Mineral Products: Dust Suppression Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 13th August 2012 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	B2NW (SE)	1079	2	486340 262150

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Hanson Quarry Products Europe Ltd Licence Number: 5/32/05/*G/0010 Permit Version: 101 Location: Gravel Pit - Earls Barton Authority: Environment Agency, Anglian Region Abstraction: Mineral Products: General Washing/Process Washing Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st August 2000 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	B2NW (SE)	1079	2	486340 262150
	Water Abstractions Operator: Hanson Quarry Products Europe Ltd Licence Number: 5/32/05/*G/0010 Permit Version: 101 Location: Gravel Pit - Earls Barton Authority: Environment Agency, Anglian Region Abstraction: Mineral Products: Mineral Washing Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st August 2000 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	B2NW (SE)	1079	2	486340 262150
	Water Abstractions Operator: Hanson Quarry Products Europe Ltd Licence Number: 5/32/05/*G/0010 Permit Version: 102 Location: Gravel Pit - Earls Barton Authority: Environment Agency, Anglian Region Abstraction: Mineral Products: Dust Suppression Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st August 2000 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	B2NW (SE)	1079	2	486340 262150
	Water Abstractions Operator: Hanson Quarry Products Europe Ltd Licence Number: 5/32/05/*G/0010 Permit Version: 102 Location: Gravel Pit - Earls Barton Authority: Environment Agency, Anglian Region Abstraction: Mineral Products: General Washing/Process Washing Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st August 2000 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	B2NW (SE)	1079	2	486340 262150

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Hanson Quarry Products Europe Ltd Licence Number: 5/32/05/*G/0010 Permit Version: 102 Location: Gravel Pit - Earls Barton Authority: Environment Agency, Anglian Region Abstraction: Mineral Products: Mineral Washing Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st August 2000 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	B2NW (SE)	1079	2	486340 262150
	Water Abstractions Operator: C C Elderton Licence Number: 5/32/05/**/036 Permit Version: Not Supplied Location: Impounded Watercourse, EARLS BARTON Authority: Environment Agency, Anglian Region Abstraction: Impounding Abstraction Type: Not Supplied Source: Stream Daily Rate (m3): 2 Yearly Rate (m3): 81830 Details: Status: Revoked Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	B15SW (NE)	1711	2	486700 263595
	Water Abstractions Operator: C C Elderton Licence Number: 5/32/05/**/036 Permit Version: Not Supplied Location: Impounded Watercourse, EARLS BARTON Authority: Environment Agency, Anglian Region Abstraction: Spray Irrigation Abstraction Type: Not Supplied Source: Stream Daily Rate (m3): 2 Yearly Rate (m3): 81830 Details: Status: Revoked Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	B15SW (NE)	1714	2	486700 263600
	Water Abstractions Operator: R Tomkins Licence Number: 5/32/09/*s/097 Permit Version: Not Supplied Location: Streams At, GRENDON Authority: Environment Agency, Anglian Region Abstraction: Spray Irrigation Abstraction Type: Not Supplied Source: Stream Daily Rate (m3): 31 Yearly Rate (m3): 1136500 Details: Status: Revoked Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(SE)	1800	2	486800 261500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: T C Elderton Licence Number: 5/32/05/*G/0015 Permit Version: 101 Location: Underground Strata (Sand & Gravel) - Earls Barton Authority: Environment Agency, Anglian Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st April 2004 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	B11SE (E)	1877	2	487100 263190
	Water Abstractions Operator: T C Elderton Licence Number: 5/32/05/*G/0015 Permit Version: 101 Location: Underground Strata (Sand & Gravel)- Earls Barton Authority: Environment Agency, Anglian Region Abstraction: General Agriculture: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 March Authorised End: 30 September Permit Start Date: 1st April 2004 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	B11SE (E)	1877	2	487100 263190
	Water Abstractions Operator: F C Elderton Licence Number: 5/32/05/*G/0015 Permit Version: 100 Location: Two Wells At Earls Barton Authority: Environment Agency, Anglian Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Miscellaneous Jurassic; Status: Perpetuity Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st June 1977 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	B11NE (E)	1881	2	487100 263200
	Water Abstractions Operator: F C Elderton Licence Number: 5/32/05/*G/0015 Permit Version: 100 Location: Two Wells At Earls Barton Authority: Environment Agency, Anglian Region Abstraction: General Agriculture: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Miscellaneous Jurassic; Status: Perpetuity Authorised Start: 01 March Authorised End: 30 September Permit Start Date: 1st June 1977 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	B11NE (E)	1881	2	487100 263200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Mr F C Elderton Licence Number: 5/32/05/*g/015 Permit Version: Not Supplied Location: Two Wells, EARLS BARTON Authority: Environment Agency, Anglian Region Abstraction: Unspecified Abstraction Type: Not Supplied Source: Well And Borehole Daily Rate (m3): 10 Yearly Rate (m3): Not Supplied Details: Miscellaneous Jurassic; Status: Perpetuity Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	B11SE (E)	1884	2	487105 263195
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(N)	0	4	484931 264800
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(N)	0	4	485000 264841
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(W)	0	4	485000 262701

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: No Data	B5NE (NW)	0	4	485738 262701
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(W)	0	4	484675 263000
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(N)	0	4	484904 264859
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(NW)	0	4	484873 264688

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(NW)	0	4	484705 264000
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(W)	0	4	485000 262889
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(W)	0	4	485000 263000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(NW)	0	4	485000 264000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	B13NE (N)	0	4	485738 264000
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	B13NE (N)	0	4	485738 264000
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	(W)	0	4	485000 262701
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	(NW)	0	4	484873 264688
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	B5NE (NW)	0	4	485738 262701
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	(N)	0	4	485314 264814
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(NW)	0	4	485000 263548
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	B9NW (N)	0	4	485624 263386
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(W)	0	4	485000 262701
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(N)	0	4	484931 264800
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(N)	0	4	485000 264841
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	B5NE (NW)	0	4	485738 262701
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	B5SE (S)	0	2	485828 262455
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	(SW)	0	2	485069 262250
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	B5SE (S)	225	2	485833 262440
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
15	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 104.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B1NW (SW)	378	5	485431 262157
16	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 46.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B1NW (SW)	397	5	485476 262143
17	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B1NW (SW)	423	5	485479 262142
18	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 91.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B1NW (S)	425	5	485569 262145
19	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 58.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B9SW (NW)	437	5	485428 263008
20	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 136.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B5SE (S)	459	5	485683 262218
21	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 197.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B5SE (S)	478	5	485690 262221
22	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B9SW (NW)	478	5	485397 263057
23	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 42.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B9SW (NW)	484	5	485391 263065

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
24	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 795.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 1	B1NW (S)	499	5	485599 261931
25	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 110.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B9SE (N)	582	5	485744 262982
26	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 44.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B1NW (S)	611	5	485633 262010
27	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 120.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 2	B1NE (S)	627	5	485730 262051
28	OS Water Network Lines Watercourse Form: Lock or flight of locks Watercourse Length: 27.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 2	B1NE (S)	633	5	485756 262059
29	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 2	B1NE (S)	643	5	485758 262060
30	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 30.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 2	B1NE (S)	644	5	485787 262067
31	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 33.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B1NE (S)	651	5	485774 262043
32	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 59.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 1	B1NW (S)	652	5	485644 261970

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
33	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 126.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 1	B1NE (S)	652	5	485757 262008
34	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 53.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 1	B1NE (S)	658	5	485787 262067
35	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 489.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 2	B1NE (S)	667	5	485894 262024
36	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B1NE (S)	667	5	485774 262043
37	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 19.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B1NE (S)	672	5	485781 262043
38	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 52.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 2	B1NE (S)	684	5	485801 262024
39	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 20.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B1NE (S)	687	5	485800 262039
40	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 50.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 1	B1NE (S)	687	5	485809 262022
41	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 41.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 1	B1NE (S)	705	5	485837 262050

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
42	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 63.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 1	B1NE (S)	705	5	485837 262050
43	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1022.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 1	B1NE (S)	765	5	485894 262024
44	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 371.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B6SW (SE)	771	5	486040 262230
45	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 204.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	(SW)	809	5	485275 261733
46	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 80.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B1NE (S)	887	5	485954 261910
47	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 94.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	B1SW (S)	920	5	485451 261629
48	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 61.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B13NW (N)	930	5	485534 263938
49	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B13NW (N)	936	5	485506 263922
50	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 44.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	B13NW (N)	942	5	485486 263884

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
51	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B13NW (N)	943	5	485512 263915
52	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B13NW (N)	945	5	485522 263929
53	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B13NW (N)	946	5	485517 263917
54	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 52.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B1SE (S)	951	5	485831 261733
55	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 146.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B1SE (S)	951	5	485960 261802
56	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 42.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B13NW (N)	951	5	485486 263884
57	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 273.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B1SE (S)	951	5	485786 261705
58	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B13NW (N)	952	5	485513 263914
59	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 26.8 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B1SE (S)	959	5	485970 261827

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
60	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B1SE (S)	959	5	485981 261835
61	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 23.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B1SE (S)	960	5	485981 261835
62	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B13SW (N)	964	5	485482 263870
63	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 45.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B1SW (S)	971	5	485538 261592
64	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 46.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B2NW (S)	977	5	486047 261850
65	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 27.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	B1SE (S)	977	5	486005 261835
66	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 217.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B1SW (S)	980	5	485496 261575
67	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 175.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B6NW (E)	982	5	486319 262575
68	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 197.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B2NW (SE)	983	5	486180 262043

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
69	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B2NW (S)	996	5	486055 261854
70	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 68.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	B1SE (S)	997	5	486005 261807
71	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 16.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B2NW (S)	998	5	486065 261862

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
72	Historical Landfill Sites Licence Holder: Mixconcrete Aggregates Limited Location: Station Road, Earls Barton, Northamptonshire Name: Earls Barton Quarry Operator Location: Little Billing, Northampton Boundary Accuracy: As Supplied Provider Reference: EAHLD02252 First Input Date: 1st October 1979 Last Input Date: 30th September 1986 Specified Waste: Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 2800/0187 BGS Ref: Not Supplied Other Ref: W/005	B2NW (SE)	962	2	486192 261930
73	Licensed Waste Management Facilities (Locations) Licence Number: 100097 Location: Recycling Centre, Grendon Road, Earls Barton, Northampton, Northamptonshire, NN6 0RB Operator Name: Viridor Waste (Earls Barton) Limited Operator Location: Not Supplied Authority: Environment Agency - Anglian Region, Northern Area Site Category: Household, Commercial And Industrial Transfer Stations Licence Status: Surrendered Issued: 12th January 2008 Last Modified: 5th August 2014 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: 18th February 2015 IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	B5NE (E)	621	2	485950 262640
	Local Authority Landfill Coverage Name: Northamptonshire County Council - Has supplied landfill data		0	7	485738 262701
	Local Authority Landfill Coverage Name: Wellingborough Borough Council - Has no landfill data to supply		0	6	485738 262701
	Local Authority Landfill Coverage Name: South Northamptonshire District Council - Has supplied landfill data		710	8	485187 261802

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Inferior Oolite Group	B9NE (N)	0	1	485819 263490
	BGS 1:625,000 Solid Geology Description: Lias Group	B5NE (NW)	0	1	485738 262701
74	BGS Recorded Mineral Sites Site Name: Earls Barton Gravel Pit Location: Earls Barton, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 43279 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Quaternary Geology: River Terrace Deposits Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	B5NW (SW)	114	1	485450 262560
75	BGS Recorded Mineral Sites Site Name: Earls Barton Sand Pit Location: Earls Barton, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 43281 Type: Opencast Status: Ceased Operator: Mixconcrete Aggregate Ltd. Operator Location: Not Supplied Periodic Type: Quaternary Geology: Alluvium (River Nene Gravel, Concealed) Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	B6SW (SE)	932	1	486249 262355
76	BGS Recorded Mineral Sites Site Name: Earls Barton Quarry Location: Earls Barton, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 225900 Type: Opencast Status: Dormant Operator: Hanson Aggregates Operator Location: Not Supplied Periodic Type: Quaternary Geology: Alluvium (River Nene Gravel, Concealed) Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	B2NW (SE)	981	1	486130 261970
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B5NE (NW)	0	1	485738 262701
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B5NE (NW)	0	1	485738 262701
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B5NE (NW)	0	1	485738 262701
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B5NE (NW)	0	1	485738 262701
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9SE (N)	0	1	485693 262945
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B5NE (NW)	0	1	485738 262701
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9NW (N)	0	1	485624 263386

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B5NE (NW)	0	1	485738 262701
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B5NE (N)	212	1	485728 262784
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Higher probability radon area (10 to 30% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	B9NW (N)	0	1	485625 263350
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	B5NE (NW)	0	1	485738 262701
	Radon Potential - Radon Protection Measures Protection Measure: Full radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	B9NW (N)	0	1	485625 263350
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	B5NE (NW)	0	1	485738 262701

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
77	Contemporary Trade Directory Entries Name: M A M Transport Services Ltd Location: Unit 2-20, 340, Grendon Road, Earls Barton, Northampton, NN6 0RB Classification: Road Haulage Services Status: Active Positional Accuracy: Automatically positioned to the address	B5SW (SW)	227	-	485502 262392
78	Contemporary Trade Directory Entries Name: Retro Restoration Location: Unit 1, 340, Grendon Road, Earls Barton, Northampton, NN6 0RB Classification: Car Body Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	B5SW (SW)	342	-	485549 262279
79	Contemporary Trade Directory Entries Name: Viridor Waste Management Location: 301, Grendon Road, Earls Barton, Northampton, NN6 0RB Classification: Recycling Services Status: Active Positional Accuracy: Automatically positioned to the address	B5NE (SE)	496	-	485818 262667
79	Contemporary Trade Directory Entries Name: White Plant Location: 301, Grendon Road, Earls Barton, Northampton, NN6 0RB Classification: Recycling Centres Status: Inactive Positional Accuracy: Automatically positioned to the address	B5NE (SE)	497	-	485818 262667
80	Contemporary Trade Directory Entries Name: Tescom Corporation Location: Knights Close, Earls Barton, Northampton, NN6 0JD Classification: Valve Manufacturers & Suppliers Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	B13NW (N)	810	-	485346 263984
81	Contemporary Trade Directory Entries Name: Track 7 Location: 9, Stevens Court, Wellingborough Road, Earls Barton, Northampton, NN6 0GZ Classification: Road Haulage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	B13NW (N)	846	-	485611 264134
82	Contemporary Trade Directory Entries Name: Marine Chart Services Location: 6, Shurville Close, Earls Barton, Northampton, NN6 0JB Classification: Marine Equipment & Supplies Status: Inactive Positional Accuracy: Automatically positioned to the address	B9NW (N)	904	-	485606 263442
83	Contemporary Trade Directory Entries Name: Apollo Office Furniture Ltd Location: 20, Wellingborough Road, Northampton, NN6 0JR Classification: Office Furniture & Equipment Status: Inactive Positional Accuracy: Automatically positioned to the address	B13NW (N)	914	-	485638 264064
84	Contemporary Trade Directory Entries Name: Desirable Diesels Location: 1, Doddington Road, Earls Barton, Northampton, NN6 0NF Classification: Car Dealers - Used Status: Inactive Positional Accuracy: Automatically positioned to the address	B13SW (N)	959	-	485462 263648
85	Contemporary Trade Directory Entries Name: Wasteland Clothing Location: 12, Doddington Road, Earls Barton, Northampton, NN6 0NF Classification: T-Shirts Status: Inactive Positional Accuracy: Automatically positioned to the address	B13SW (N)	992	-	485511 263639
85	Contemporary Trade Directory Entries Name: Wasteland T-Shirts Location: 12, Doddington Road, Earls Barton, Northampton, NN6 0NF Classification: T-Shirts Status: Inactive Positional Accuracy: Automatically positioned to the address	B13SW (N)	992	-	485511 263639

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
86	Nitrate Vulnerable Zones Name: Thrapstone Lake Eutrophic Lake Nvz Description: Eutrophic Water Source: Environment Agency, Head Office	B5NE (NW)	0	4	485738 262701
87	Nitrate Vulnerable Zones Name: Northampton Sands Description: Groundwater Source: Environment Agency, Head Office	B5NE (NW)	0	4	485738 262701
88	Nitrate Vulnerable Zones Name: River Nene Nvz Description: Surface Water Source: Environment Agency, Head Office	B5NE (NW)	0	4	485738 262701
89	Sites of Special Scientific Interest Name: Upper Nene Valley Gravel Pits Multiple Areas: Y Total Area (m2): 13824194.5 Source: Natural England Reference: 2000494 Designation Details: Ramsar Site Designation Date: 24th November 2005 Date Type: Notified Designation Details: Special Protection Area Designation Date: 24th November 2005 Date Type: Notified Designation Details: Site Of Special Scientific Interest Designation Date: 24th November 2005 Date Type: Notified Designation Details: Water Framework Directive (WFD) Designation Date: 24th November 2005 Date Type: Notified	B6SW (SE)	600	9	486043 262418

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Environment Agency - Head Office South Northamptonshire Council (now part of West Northamptonshire Council) - Environment Division	August 2013 December 2019 December 2019 November 2023 September 2017	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annually Annual Rolling Update
Discharge Consents Environment Agency - Anglian Region	October 2023	Quarterly
Enforcement and Prohibition Notices Environment Agency - Anglian Region	March 2013	
Integrated Pollution Controls Environment Agency - Anglian Region	January 2009	
Integrated Pollution Prevention And Control Environment Agency - Anglian Region	January 2023	Quarterly
Local Authority Integrated Pollution Prevention And Control South Northamptonshire Council (now part of West Northamptonshire Council) - Environmental Health Department Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council	December 2014 December 2020 February 2015 February 2015	Variable Variable Variable Variable
Local Authority Pollution Prevention and Controls South Northamptonshire Council (now part of West Northamptonshire Council) - Environmental Health Department Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council	December 2014 December 2020 February 2015 February 2015	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements South Northamptonshire Council (now part of West Northamptonshire Council) - Environmental Health Department Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council	December 2014 December 2014 February 2015 February 2015	Variable Variable Variable Variable
Nearest Surface Water Feature Ordnance Survey	November 2023	
Pollution Incidents to Controlled Waters Environment Agency - Anglian Region	September 1999	
Prosecutions Relating to Authorised Processes Environment Agency - Anglian Region	July 2015	
Prosecutions Relating to Controlled Waters Environment Agency - Anglian Region	March 2013	
Registered Radioactive Substances Environment Agency - Anglian Region Environment Agency - Head Office	June 2016 May 2023	As notified Quarterly
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	April 2012	
River Quality Chemistry Sampling Points Environment Agency - Head Office	April 2012	

Agency & Hydrological	Version	Update Cycle
Substantiated Pollution Incident Register Environment Agency - Anglian Region - Northern Area	October 2023	Quarterly
Water Abstractions Environment Agency - Anglian Region	October 2023	Quarterly
Water Industry Act Referrals Environment Agency - Anglian Region	October 2017	
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Source Protection Zones Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	January 2024	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	Quarterly
OS Water Network Lines Ordnance Survey	October 2023	Quarterly
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified

Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites Environment Agency - Head Office	July 2023	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Anglian Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - Anglian Region - Northern Area	July 2023	Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - Anglian Region - Northern Area	January 2023	Quarterly
Local Authority Landfill Coverage Northamptonshire County Council South Northamptonshire Council (now part of West Northamptonshire Council) - Environmental Health Department Wellingborough Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council West Northamptonshire Council	February 2003 February 2003 February 2003 May 2000 May 2000	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable
Local Authority Recorded Landfill Sites North Northamptonshire Council West Northamptonshire Council Northamptonshire County Council South Northamptonshire Council (now part of West Northamptonshire Council) - Environmental Health Department Wellingborough Borough Council (now part of North Northamptonshire Council)	August 2006 August 2006 October 2018 October 2018 October 2018	
Registered Landfill Sites Environment Agency - Anglian Region - Northern Area	March 2006	Not Applicable
Registered Waste Transfer Sites Environment Agency - Anglian Region - Northern Area	April 2018	
Registered Waste Treatment or Disposal Sites Environment Agency - Anglian Region - Northern Area	June 2015	
Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	March 2023	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) Northamptonshire County Council South Northamptonshire Council (now part of West Northamptonshire Council) West Northamptonshire Council	February 2016 February 2016 May 2013 May 2023 May 2023	Variable Variable Annual Rolling Update Variable Variable
Planning Hazardous Substance Consents Northamptonshire County Council North Northamptonshire Council South Northamptonshire Council (now part of West Northamptonshire Council) Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council	December 2014 February 2016 February 2016 February 2016 February 2016	Annual Rolling Update Variable Variable Variable Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	June 2023	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	October 2023	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	October 2023	Annually
Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	October 2023	Quarterly
Fuel Station Entries Catalist Ltd - Experian	November 2023	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Underground Electrical Cables National Grid	February 2023	Bi-Annually

Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	October 2023	Bi-Annually
Areas of Adopted Green Belt North Northamptonshire Council South Northamptonshire Council (now part of West Northamptonshire Council) Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly
Areas of Unadopted Green Belt North Northamptonshire Council South Northamptonshire Council (now part of West Northamptonshire Council) Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly
Areas of Outstanding Natural Beauty Natural England	November 2023	Bi-Annually
Environmentally Sensitive Areas Natural England	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	August 2023	Bi-Annually
Marine Nature Reserves Natural England	October 2023	Bi-Annually
National Nature Reserves Natural England	August 2023	Bi-Annually
National Parks Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 March 2023	Bi-Annually
Ramsar Sites Natural England	October 2023	Bi-Annually
Sites of Special Scientific Interest Natural England	November 2023	Bi-Annually
Special Areas of Conservation Natural England	October 2023	Bi-Annually
Special Protection Areas Natural England	October 2023	Bi-Annually

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department Croyland Abbey, Tithe Barn Road, Wellingborough, Northamptonshire, NN8 1BJ	Telephone: 01933 229777 extn 4705 Fax: 01933 441375 Email: environment@wellingborough.gov.uk Website: www.wellingborough.gov.uk
4	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
5	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
6	Wellingborough Borough Council (now part of North Northamptonshire Council) Croyland Abbey, Tithe Barn Road, Wellingborough, Northamptonshire, NN8 1BJ	Telephone: 01933 229777 Fax: 01933 441375 Website: www.wellingborough.gov.uk
7	Northamptonshire County Council County Hall, Northampton, Northamptonshire, NN1 1DN	Telephone: 0300 126 1000 Website: www.northamptonshire.gov.uk
8	South Northamptonshire Council (now part of West Northamptonshire Council) - Environmental Health Department Springfields, Towcester, Northamptonshire, NN12 6AE	Telephone: 0845 2300226 Fax: 01327 359219 Website: www.southnorthants.gov.uk
9	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- ◇ Discharge Consent
- ▲ Enforcement or Prohibition Notice
- ▲ Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- ▲ Local Authority Pollution Prevention and Control
- ▼ Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- ▼ Prosecution Relating to Authorised Processes
- ◇ Prosecution Relating to Controlled Waters
- ▲ Registered Radioactive Substance
- River Network or Water Feature
- + River Quality Sampling Point
- Substantiated Pollution Incident Register
- ◇ Water Abstraction
- ◇ Water Industry Act Referral

Waste

- ▼ BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- ▲ Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Registered Landfill Site
- ▼ Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site

Geological

- ▼ BGS Recorded Mineral Site


Industrial Land Use

- ★ Contemporary Trade Directory Entry
- ★ Fuel Station Entry

Hazardous Substances

- ✖ COMAH Site
- ✖ Explosive Site
- ✖ NIHS Site
- ✖ Planning Hazardous Substance Consent
- ✖ Planning Hazardous Substance Enforcement

Site Sensitivity Map - Slice B



Order Details






Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485740, 262700
 Slice: B
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details





Grendon Solar Scheme

Industrial Land Use Map


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Industrial Land Use

-  Contemporary Trade Directory Entry
-  Fuel Station Entry
-  Gas Pipeline
-  Underground Electrical Cables

Industrial Land Use Map - Slice B




Order Details

Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485740, 262700
 Slice: B
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details






Grendon Solar Scheme




General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

Agency and Hydrological (Flood)

-  Extreme Flooding from Rivers or Sea without Defences (Zone 2)
-  Flooding from Rivers or Sea without Defences (Zone 3)
-  Area Benefiting from Flood Defence
-  Flood Water Storage Areas
-  Flood Defence

Flood Map - Slice B




Order Details






Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485740, 262700
 Slice: B
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details






Grendon Solar Scheme



General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Map ID
-  Several of Type at Location


Agency and Hydrological (Boreholes)

-  BGS Borehole Depth 0 - 10m
-  BGS Borehole Depth 10 - 30m
-  BGS Borehole Depth 30m +
-  Confidential
-  Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice B




Order Details




Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485740, 262700
 Slice: B
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details



Grendon Solar Scheme




General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

OS Water Network Data

- | | |
|--|---|
|  Canal |  Drain |
|  Reservoir |  Other |
|  Foreshore |  Lake |
|  Marsh |  Transfer |
|  Tidal River |  Lock Or Flight Of Locks |
|  Inland River |  Sea |

OS Water Network Map - Slice B




Order Details


Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485740, 262700
 Slice: B
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



© Crown Copyright. All Rights Reserved. License Number 100022432



Groundwater Vulnerability

General

- ▭ Specified Site
- ▭ Specified Buffer(s)
- X Bearing Reference Point
- ▭ Slice
- B Map ID

Agency and Hydrological

Bedrock Aquifers


- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

Superficial Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

- Unproductive Aquifer
- Soluble Rock

Site Sensitivity Context Map - Slice C



Order Details


Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484080, 265580
 Slice: C
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022942



Bedrock Aquifer Designation

General


- ▭ Specified Site
- ▭ Specified Buffer(s)
- X Bearing Reference Point
- ▭ Slice
- B Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice C



Order Details


Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484080, 265580
 Slice: C
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



Superficial Aquifer Designation

General


- ▭ Specified Site
- ▭ Specified Buffer(s)
- X Bearing Reference Point
- ▭ Slice
- Map ID

Agency and Hydrological

Geological Classes

- ▭ Principal Aquifer
- ▭ Secondary A Aquifer
- ▭ Secondary B Aquifer
- ▭ Secondary Undifferentiated
- ▭ Unproductive Strata
- ▭ Unknown
- ▭ Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice C



Order Details


Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484080, 265580
 Slice: C
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



Source Protection Zones


General

- ◊ Specified Site
- ⬭ Specified Buffer(s)
- X Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice C



Order Details


Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484080, 265580
 Slice: C
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk








© Crown Copyright. All Rights Reserved. License Number: 1000122412




















Sensitive Land Uses


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Sensitive Land Uses

-  Ancient Woodland
-  Area of Adopted Green Belt
-  Area of Unadopted Green Belt
-  Area of Outstanding Natural Beauty
-  Environmentally Sensitive Area
-  Forest Park
-  Local Nature Reserve
-  Marine Nature Reserve
-  National Nature Reserve
-  National Park
-  Nitrate Sensitive Area
-  Nitrate Vulnerable Zone
-  Ramsar Site
-  Site of Special Scientific Interest
-  Special Area of Conservation
-  Special Protection Area
-  World Heritage Sites

Site Sensitivity Context Map - Slice C



Order Details


Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484080, 265580
 Slice: C
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. Licence Number: 100022412



BGS Flood GFS Data


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice C



Order Details

Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484080, 265580
 Slice: C
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

331730476_1_1

Customer Reference:

93791.580478

National Grid Reference:

484080, 265580

Slice:

C

Site Area (Ha):

312.44

Search Buffer (m):

1000

Site Details:

Grendon Solar Scheme

Client Details:

Ms M Booth
Delta Simons
Suite 4A
One Portland Street
Manchester
M1 3BE



Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	38
Hazardous Substances	-
Geological	39
Industrial Land Use	48
Sensitive Land Use	50
Data Currency	51
Data Suppliers	57
Useful Contacts	58

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2024. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and/or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2024. © Natural Resources Wales & United Kingdom Research and Innovation 2024.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2024. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 6	2	10	1	3
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls	pg 10		3		
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 10	Yes			
Pollution Incidents to Controlled Waters	pg 10		5		3
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality					
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register	pg 11		2		
Water Abstractions	pg 12	1		1	1 (*1)
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 13	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk	pg 27	6	n/a	n/a	n/a
Bedrock Aquifer Designations	pg 27	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 28	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences	pg 29	Yes		n/a	n/a
Flooding from Rivers or Sea without Defences	pg 29	Yes		n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 29	10	21	23	17

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites	pg 38				1
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)					
Local Authority Landfill Coverage	pg 38	2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Registered Landfill Sites	pg 38				1
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 39	Yes	n/a	n/a	n/a
BGS Recorded Mineral Sites	pg 39	1	3		1
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 40	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 40	Yes	Yes	n/a	n/a
Potential for Ground Dissolution Stability Hazards	pg 41	Yes		n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 41	Yes	Yes	n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 43	Yes	Yes	n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 44	Yes		n/a	n/a
Radon Potential - Radon Affected Areas	pg 46	Yes	n/a	n/a	n/a
Radon Potential - Radon Protection Measures	pg 46	Yes	n/a	n/a	n/a

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Industrial Land Use					
Contemporary Trade Directory Entries	pg 48		18	3	
Fuel Station Entries					
Gas Pipelines					
Underground Electrical Cables					
Sensitive Land Use					
Ancient Woodland					
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 50	3			
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	0	1	484650 267500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	0	1	485150 267500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	0	1	484750 267400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	0	1	485200 267250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	0	1	485100 267150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C11SW (NE)	0	1	484084 265579
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C15SW (N)	0	1	484250 266500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C15SE (N)	0	1	484400 266500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C15SE (N)	0	1	484450 266500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C16NE (NE)	0	1	485250 266600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C15SE (N)	0	1	484350 266450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C15SE (N)	0	1	484400 266450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C16SE (NE)	0	1	485250 266450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C15SW (N)	0	1	484300 266350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C16SW (NE)	0	1	485000 266350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C16SE (NE)	0	1	485050 266350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C15SW (N)	0	1	484300 266400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C15SE (N)	0	1	484350 266400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C16SE (NE)	0	1	485250 266400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C15NE (N)	0	1	484450 266600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C15NE (N)	0	1	484500 266600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C16NW (NE)	0	1	484950 266900

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C16NW (NE)	0	1	485000 266900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C16NW (NE)	0	1	484850 266600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C16SW (NE)	0	1	485000 266550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NE)	0	1	485400 266600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C15NE (NE)	0	1	484650 266850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C16NW (NE)	0	1	484900 266850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	0	1	485600 266850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	0	1	485050 267000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	0	1	485400 267000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	0	1	485300 267100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	0	1	485000 267400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C12NW (NE)	0	1	484850 266150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C16SW (NE)	0	1	485000 266400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	0	1	484700 267450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	0	1	485250 267450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C15NE (NE)	0	1	484550 266700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	0	1	484900 267400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C15NE (NE)	0	1	484600 266700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C16NW (NE)	0	1	485000 266700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C11SW (NE)	0	1	484300 265750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C16SW (NE)	0	1	485000 266500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C16SE (NE)	0	1	485300 266500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	0	1	485000 266950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	0	1	485450 266950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C15NE (N)	0	1	484500 266650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C15NE (NE)	0	1	484550 266650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C16NW (NE)	0	1	484900 266650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C16NW (NE)	0	1	485000 266650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	C15NE (N)	0	1	484500 266800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C16NW (NE)	0	1	484900 266800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	0	1	485500 266800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C15SW (N)	0	1	484150 266500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	0	1	485150 267200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C16SW (NE)	0	1	484900 266300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C15NE (NE)	0	1	484600 266750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C15SW (N)	11	1	484100 266500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	12	1	485600 266900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(S)	16	1	484150 263750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	19	1	485350 267450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NE)	21	1	485600 266500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	31	1	485600 266950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(S)	35	1	484150 263900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	39	1	485450 267250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	43	1	485400 267350

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NE)	44	1	485650 266550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	51	1	485550 266350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	51	1	485500 266300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	54	1	485550 267100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	62	1	485650 266500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	63	1	485450 267300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	C15SW (N)	69	1	484150 266450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	73	1	485450 266200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	76	1	485700 266750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	77	1	485500 266200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	84	1	485700 266600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	94	1	485450 266150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	95	1	485550 266300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	98	1	485600 267100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	102	1	485550 267200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	106	1	485450 267400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	114	1	485450 266000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C15NW (N)	115	1	484084 266900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	117	1	485800 266650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	117	1	485600 266350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	119	1	485550 266250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C4NW (SE)	120	1	484800 264600

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	122	1	485600 267150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	130	1	485700 266450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	163	1	485700 266400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C4NW (SE)	163	1	485000 264550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	163	1	485650 266350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	183	1	485650 266250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	185	1	484100 266950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	201	1	485800 266550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	201	1	484200 267050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	210	1	485700 267150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	261	1	485650 264900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	271	1	485800 266350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	310	1	485750 265050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	327	1	485950 266800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	358	1	485950 266400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	380	1	485900 266300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	387	1	483950 267050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	404	1	484050 267150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	414	1	486000 266450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	451	1	484084 267250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	482	1	485950 266200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	<p>Discharge Consents</p> <p>Operator: W Callis & Son Property Type: Arable Farming Location: Village Farm, Mears Ashby, Northants, Nn6 0dx Authority: Environment Agency, Anglian Region Catchment Area: Catchment 29 Unknown Detail Reference: Gwnlf40578 Permit Version: 1 Effective Date: 1st April 1999 Issued Date: 18th July 2000 Revocation Date: Not Supplied Discharge Type: Trade Discharge - Agricultural And Surface Discharge: Onto Land Environment: Receiving Water: Groundwater Status: Deemed Groundwater Regulations Authorisation Positional Accuracy: Located by supplier to within 100m</p>	C12NW (NE)	0	2	484900 266100
2	<p>Discharge Consents</p> <p>Operator: Chelmsford Developments Limited Property Type: Not Supplied Location: Site Off Fornham Road, Bury St Edmunds, Suffolk Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Prcnf01210 Permit Version: 1 Effective Date: 22nd August 1989 Issued Date: 22nd August 1989 Revocation Date: 10th February 1992 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: River Lark Status: Post National Rivers Authority Legislation where issue date > 31/08/1989 Positional Accuracy: Located by supplier to within 100m</p>	C12SE (E)	0	2	485300 265600
3	<p>Discharge Consents</p> <p>Operator: D & D Developments Ltd, Units 2/3 Property Type: WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Location: D & D Development White House Industrial Estate, Mainroad, Earls Barton, Northamptonshire, Nn6 0hj Authority: Environment Agency, Anglian Region Catchment Area: Not Given Reference: Prnnf12277 Permit Version: 1 Effective Date: 6th May 1999 Issued Date: 27th August 1999 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: The Swanspool Brook Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m</p>	C4NW (SE)	46	2	484850 264800
3	<p>Discharge Consents</p> <p>Operator: William Thomas Toone Property Type: REAL ESTATE ACTIVITIES/BUYING/SELLING/RENTING Location: White House Industrial Estate, 80 Main Road, Earls Barton, Northamptonshire, Nn6 0hj Authority: Environment Agency, Anglian Region Catchment Area: Not Given Reference: Prnnf12320 Permit Version: 1 Effective Date: 14th July 1999 Issued Date: 1st September 1999 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Tributary Of Swanspool Brook Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m</p>	C4NW (SE)	49	2	484800 264800

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
3	<p>Discharge Consents</p> <p>Operator: E B Engineering Company Limited Property Type: Not Supplied Location: Factory Premises At Earls Barton, Northants Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5lf3447 Permit Version: 1 Effective Date: 27th September 1977 Issued Date: 27th September 1977 Revocation Date: 1st October 1996 Discharge Type: Unknown Discharge: Land/Soakaway Environment: Receiving Water: Land Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m</p>	C4NW (SE)	49	2	484800 264800
4	<p>Discharge Consents</p> <p>Operator: Anglian Water Services Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Mears Ashby Main Ps Mears Ashby Road, Earls Barton, Northampton, Northamptonshire, Nn6 0hj Authority: Environment Agency, Anglian Region Catchment Area: Upper River Nene (Northampton) Reference: Aw5nf455 Permit Version: 2 Effective Date: 23rd October 2020 Issued Date: 23rd October 2020 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Swanspool Brook Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m</p>	C7SW (SE)	48	2	484300 265220
4	<p>Discharge Consents</p> <p>Operator: Anglian Water Services Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Mears Ashby Main Ps Mears Ashby Road, Earls Barton, Northampton, Northamptonshire, Nn6 0hj Authority: Environment Agency, Anglian Region Catchment Area: Upper River Nene (Northampton) Reference: Aw5nf455 Permit Version: 2 Effective Date: 23rd October 2020 Issued Date: 23rd October 2020 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Swanspool Brook Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m</p>	C7SW (SE)	48	2	484300 265220
4	<p>Discharge Consents</p> <p>Operator: Anglian Water Services Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Mears Ashby Main Ps Mears Ashby Road, Earls Barton, Northampton, Northamptonshire, Nn6 0hj Authority: Environment Agency, Anglian Region Catchment Area: Not Given Reference: Aw5nf587 Permit Version: 1 Effective Date: 7th September 1972 Issued Date: 7th September 1972 Revocation Date: 5th December 2008 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Lake/Reservoir - with outlet Environment: Receiving Water: Swanspool Brook Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m</p>	C7SW (SE)	48	2	484300 265220

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
4	<p>Discharge Consents</p> <p>Operator: Anglian Water Services Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Mears Ashby Main Ps Mears Ashby Road, Earls Barton, Northampton, Northamptonshire, Nn6 0hj Authority: Environment Agency, Anglian Region Catchment Area: Upper River Nene (Northampton) Reference: Aw5nf455 Permit Version: 1 Effective Date: 9th February 1969 Issued Date: 9th February 1969 Revocation Date: 22nd October 2020 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Swanspool Brook Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m</p>	C7SW (SE)	48	2	484300 265220
5	<p>Discharge Consents</p> <p>Operator: Anglian Water Services Limited Property Type: Not Supplied Location: Mears Ashby, Mears Ashby, Northampton, Nn6 Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Aw5nf646 Permit Version: 1 Effective Date: 16th September 1976 Issued Date: 16th September 1976 Revocation Date: 26th June 1991 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Lake/Reservoir - with outlet Environment: Receiving Water: Trib Swanspool Brook Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m</p>	C14SE (N)	79	2	483930 266320
6	<p>Discharge Consents</p> <p>Operator: Messrs Dunnett & Curtis Property Type: Not Supplied Location: Farmhouse At Doddington Road, Earls Barton, Northampton Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5lf3843 Permit Version: 1 Effective Date: 2nd August 1982 Issued Date: 2nd August 1982 Revocation Date: 1st October 1996 Discharge Type: Unknown Discharge: Land/Soakaway Environment: Receiving Water: Land Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m</p>	C4NW (SE)	147	2	484800 264700
7	<p>Discharge Consents</p> <p>Operator: Ward-Ambery Developments Ltd. Property Type: Domestic Property (Multiple) Location: Dale Farm Cottages Mears Ashby, Northampton, Northants, Nn6 0eh Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5lf3161 Permit Version: 1 Effective Date: 30th March 1972 Issued Date: 30th March 1972 Revocation Date: 1st October 1996 Discharge Type: Unknown Discharge: Land/Soakaway Environment: Receiving Water: Land Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m</p>	C15SW (N)	189	2	484030 266560

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
8	<p>Discharge Consents</p> <p>Operator: Mears Ashby And Sywell Sports Club Property Type: Not Supplied Location: Clubhouse At Earls Barton Road, Mears Ashby, Northampton Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5lf3593 Permit Version: 1 Effective Date: 27th April 1979 Issued Date: 27th April 1979 Revocation Date: 1st October 1996 Discharge Type: Unknown Discharge: Land/Soakaway Environment: Receiving Water: Land Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m</p>	C14SW (NW)	367	2	483600 266550
9	<p>Discharge Consents</p> <p>Operator: Anglian Water Services Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Sywell Sps, Sywell, Northampton Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Aw5nf588 Permit Version: 1 Effective Date: 7th September 1972 Issued Date: 7th September 1972 Revocation Date: 28th June 1995 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Trib River Nene Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m</p>	C5SE (SW)	630	2	483200 265100
9	<p>Discharge Consents</p> <p>Operator: Anglian Water Services Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Sywell Sps, Sywell, Northampton Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Aw5nf573 Permit Version: 1 Effective Date: 27th March 1972 Issued Date: 27th March 1972 Revocation Date: 28th June 1995 Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Trib River Nene Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Manually corrected supplier location</p>	C5SE (SW)	630	2	483200 265100
10	<p>Discharge Consents</p> <p>Operator: R D White Property Type: Not Supplied Location: East Lodge, Ecton, Northampton, Nn6 0qu Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5nf2155 Permit Version: 1 Effective Date: 28th May 1963 Issued Date: 28th May 1963 Revocation Date: 20th June 1991 Discharge Type: Unknown Discharge: Not Supplied Environment: Receiving Water: Not Supplied Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m</p>	C1NE (SW)	824	2	483100 264600
11	<p>Prosecutions Relating to Controlled Waters</p> <p>Location: Ashby Pumping Station, Mears Ashby, NORTHAMPTON, Northamptonshire, NN6 Prosecution Text: Environment Times Volume 4 Issue 3, Polluting Swanpool Brook with crude sewage after a rising main collapsed. Prosecution Act: WRA91 Hearing Date: 8th December 1997 Verdict: Guilty Fine: 4000 Cost: 580 Positional Accuracy: Manually positioned within the geographical locality</p>	C7SW (SE)	57	2	484292 265215

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
12	Local Authority Pollution Prevention and Controls Name: Homepack Ltd Location: Unit 6 Whitehouse Industrial Estate, Main Road, Earls Barton, NORTHAMPTON, NN6 0HJ Authority: Wellingborough Borough Council (now part of North Northamptonshire Council), Environmental Health Department Permit Reference: Not Given Dated: 27th November 2001 Process Type: Local Authority Air Pollution Control Description: Part B - General Wood Process (No Specific Reference) Status: Authorised Positional Accuracy: Manually positioned to the address or location	C4NW (SE)	83	3	484895 264740
12	Local Authority Pollution Prevention and Controls Name: Della Mix Concrete Ltd Location: 80 Main Road, White House Industrial Estate, Earls Barton, NORTHAMPTON, Northamptonshire, NN6 0HJ Authority: Wellingborough Borough Council (now part of North Northamptonshire Council), Environmental Health Department Permit Reference: EPR/4/2004 Dated: Not Supplied Process Type: Local Authority Pollution Prevention and Control Description: PG3/1 Blending, packing, loading and use of bulk cement Status: Permitted Positional Accuracy: Located by supplier to within 10m	C4NW (SE)	83	3	484896 264737
12	Local Authority Pollution Prevention and Controls Name: Homepack Ltd Location: Unit 6 Whitehouse Industrial Estate, Main Road, Earls Barton, NORTHAMPTON, Northamptonshire, NN6 0HJ Authority: Wellingborough Borough Council (now part of North Northamptonshire Council), Environmental Health Department Permit Reference: EPR/8/2010 Dated: 28th March 2002 Process Type: Local Authority Pollution Prevention and Control Description: PG3/1 Blending, packing, loading and use of bulk cement Status: Permitted Positional Accuracy: Manually positioned to the address or location	C4NW (SE)	86	3	484891 264742
	Nearest Surface Water Feature	C8SE (SE)	0	-	485276 264982
13	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Pumping Station Location: Kettering District Authority: Environment Agency, Anglian Region Pollutant: Crude Sewage Note: Swanspool Brook Incident Date: 22nd July 1997 Incident Reference: 3085 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Electrical Failure Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	C7NW (SE)	5	2	484300 265300
14	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Rising Main Location: Kettering District Authority: Environment Agency, Anglian Region Pollutant: Crude Sewage Note: Swanspool Brook Incident Date: 31st March 1997 Incident Reference: 2965 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Ineffective Pumping Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	C7SW (SE)	62	2	484305 265200
14	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Pumping Station Location: Kettering District Authority: Environment Agency, Anglian Region Pollutant: Crude Sewage Note: Ground Incident Date: 6th August 1994 Incident Reference: 2143 Catchment Area: Not Given Receiving Water: Groundwater Cause of Incident: Burst/Leaking Stores Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	C7SW (SE)	64	2	484300 265200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
14	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Pumping Station Location: Kettering District Authority: Environment Agency, Anglian Region Pollutant: Crude Sewage Note: Swanspool Bk Incident Date: 15th October 1997 Incident Reference: 3179 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Electrical Failure Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	C7SW (SE)	66	2	484305 265195
14	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Rising Main Location: MEARS ASHBY Authority: Environment Agency, Anglian Region Pollutant: Crude Sewage Note: Swanspool Brook Incident Date: 31st March 1997 Incident Reference: 2965 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Ineffective Pumping Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	C7SW (SE)	69	2	484300 265195
15	Pollution Incidents to Controlled Waters Property Type: Other General Premises Location: Kettering District Authority: Environment Agency, Anglian Region Pollutant: Miscellaneous - Other Note: Sywell Reservoir Incident Date: 7th November 1994 Incident Reference: 2226 Catchment Area: Not Given Receiving Water: Into And/Or Watercourse Cause of Incident: Algal Bloom Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	C5NE (W)	566	2	483300 265400
16	Pollution Incidents to Controlled Waters Property Type: Other General Premises Location: Kettering District Authority: Environment Agency, Anglian Region Pollutant: Miscellaneous - Natural Note: Tributary Of Nene Incident Date: 2nd January 1996 Incident Reference: 2569 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Other Cause Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	C5SE (SW)	640	2	483200 265200
17	Pollution Incidents to Controlled Waters Property Type: Other General Premises Location: Kettering District Authority: Environment Agency, Anglian Region Pollutant: Miscellaneous - Natural Note: Sywell Reservoir Incident Date: 22nd February 1994 Incident Reference: 1923 Catchment Area: Not Given Receiving Water: Into And/Or Watercourse Cause of Incident: Other Cause Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	C5NE (W)	666	2	483200 265300
18	Substantiated Pollution Incident Register Authority: Environment Agency - Anglian Region, Northern Area Incident Date: 18th April 2005 Incident Reference: 306547 Water Impact: Category 2 - Significant Incident Air Impact: Category 4 - No Impact Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Crude Sewage	C7SW (SE)	50	2	484299 265219

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
18	Substantiated Pollution Incident Register Authority: Environment Agency - Anglian Region, Northern Area Incident Date: 24th October 2015 Incident Reference: 1383293 Water Impact: Category 2 - Significant Incident Air Impact: Category 4 - No Impact Land Impact: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 10m Pollutant: Crude Sewage	C7SW (SE)	55	2	484297 265214
19	Water Abstractions Operator: W Callis & Sons Licence Number: 5/32/09/*G/0059 Permit Version: 100 Location: Well At Mears Ashby Authority: Environment Agency, Anglian Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Northampton Sanstone; Status: Perpetuity Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st March 1966 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	C8NE (E)	0	2	485180 265520
20	Water Abstractions Operator: B B Rice Licence Number: 5/32/05/*s/058 Permit Version: Not Supplied Location: Sywell Reservoir, MEARS ASHBY Authority: Environment Agency, Anglian Region Abstraction: Spray Irrigation Abstraction Type: Not Supplied Source: Stream Daily Rate (m3): 45 Yearly Rate (m3): 1150000 Details: Status: Revoked Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	C9NE (NW)	432	2	483300 266000
21	Water Abstractions Operator: Higham Ferrers & Rushden Water Licence Number: 5/32/05/*s/014 Permit Version: Not Supplied Location: Sywell Reservoir, SYWELL Authority: Environment Agency, Anglian Region Abstraction: Public Water Supply Abstraction Type: Not Supplied Source: Stream Daily Rate (m3): 1136 Yearly Rate (m3): Not Supplied Details: Status: Revoked Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	C5NE (W)	850	2	483000 265400
	Water Abstractions Operator: Trustees Of Ecton Estates Licence Number: 5/32/05/*G/0025 Permit Version: 100 Location: Two Wells, West Lodge, Ecton Authority: Environment Agency, Anglian Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Northampton Sanstone; Status: Perpetuity Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st March 1993 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(SW)	1954	2	482000 264300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	C11NE (NE)	0	4	484408 266000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	C15NW (N)	0	4	484222 266618
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	C16NW (NE)	0	4	484729 266679
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	C16NW (NE)	0	4	484766 266821

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	C16NW (NE)	0	4	485000 266843
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	C16NW (NE)	0	4	485000 266727
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	C16NW (NE)	0	4	485000 266730
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NE)	0	4	485000 266971

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	C7NW (W)	0	4	484000 265551
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	C10SE (NW)	0	4	483929 265686
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	C11SE (NE)	0	4	484469 265861
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	C7NW (SW)	0	4	484052 265533

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NE)	0	4	484947 267394
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(N)	0	4	484084 267000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NE)	0	4	484717 267000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NE)	0	4	485000 267397

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NE)	0	4	485016 267000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NE)	0	4	485074 267000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NE)	0	4	485000 267000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Unproductive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	C15SW (N)	0	4	484222 266554

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	C12SE (E)	0	4	485312 265744
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	C12NE (E)	0	4	485279 266008
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	C7SE (SE)	0	4	484575 265000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	C11SW (N)	0	4	484000 265815

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	C11SW (N)	0	4	484118 265716
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	C3SW (S)	0	4	484000 264345
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	C8SW (SE)	0	4	485000 264901
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(S)	0	4	484178 264000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	C11SW (NW)	0	4	484000 265758
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	C11SW (NE)	0	4	484158 265744
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	C11SW (N)	0	4	484084 265690
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	C8SW (SE)	0	4	484973 265015

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	C11NW (N)	0	4	484073 266000
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	C12NE (NE)	0	4	485028 266099
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	C7SE (SE)	0	4	484631 265000
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	C8SW (SE)	0	4	485000 265000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	C7SE (SE)	0	4	484536 265000
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	C3SW (S)	0	4	484000 264506
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	C12SE (E)	0	4	485106 265627
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(S)	0	4	484230 264000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Unproductive Combined Vulnerability: Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial <90% Patchiness: Superficial <3m Thickness: Superficial No Data Recharge:	(S)	0	4	484084 264000
	Groundwater Vulnerability Map Combined Secondary Bedrock Aquifer - High Vulnerability Classification: High Combined Vulnerability: Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial <90% Patchiness: Superficial <3m Thickness: Superficial Low Recharge:	C11NW (N)	0	4	484084 266000
	Groundwater Vulnerability Map Combined Secondary Bedrock Aquifer - High Vulnerability Classification: High Combined Vulnerability: Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial <90% Patchiness: Superficial <3m Thickness: Superficial Low Recharge:	C12NW (NE)	0	4	484785 266000
	Groundwater Vulnerability Map Combined Secondary Bedrock Aquifer - High Vulnerability Classification: High Combined Vulnerability: Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial <90% Patchiness: Superficial 3-10m Thickness: Superficial Low Recharge:	C12NW (NE)	0	4	485000 266000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	C16NE (NE)	0	4	485006 266730
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	C7SW (S)	0	4	484000 265000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	C8SW (SE)	0	4	484772 265000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	C7SW (S)	0	4	484084 265000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	C4NW (SE)	0	4	485000 264817
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	C12SW (E)	0	4	485000 265579
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	C10NE (N)	0	4	483965 266000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	C11SW (NE)	0	4	484256 265687

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	C11SW (NE)	0	4	484084 265579
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	C11SW (W)	0	4	484000 265579
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(N)	0	4	484452 267000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NE)	0	4	485243 267233

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NE)	0	4	485243 267453
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NE)	0	4	485435 267000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NE)	0	4	485303 267000
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	C11NW (N)	0	4	484084 266000
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Low Possibility	C12NW (NE)	0	4	485000 266000
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	C12SW (E)	0	4	485000 265579
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	(N)	0	4	484084 267000
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Low Possibility	(NE)	0	4	485000 267000
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	C8SW (SE)	0	4	485000 265000
	Bedrock Aquifer Designations Aquifer Designation: Principal Aquifer	(NE)	0	4	484947 267394
	Bedrock Aquifer Designations Aquifer Designation: Principal Aquifer	(NE)	0	4	485769 266398

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	C16NW (NE)	0	4	484766 266821
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	(NE)	0	4	485000 266971
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	C6SW (SW)	0	4	483650 264996
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	C7SE (SE)	0	4	484536 265000
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	(SE)	0	4	485073 263796
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	C8SW (SE)	0	4	485000 265000
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	C8SW (SE)	0	4	484772 265000
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	C7SW (S)	0	4	484084 265000
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	C4NW (SE)	0	4	485000 264817
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	C11SW (NE)	0	4	484084 265579
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	C12SW (E)	0	4	485000 265579
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	C16NW (NE)	0	4	484729 266679
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	C16NW (NE)	0	4	485000 266730
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	C12SE (E)	0	4	485106 265627
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	C11SW (N)	0	4	484084 265690
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	C8SW (SE)	0	4	484973 265015
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	C11SE (NE)	0	4	484469 265861
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	C16NW (NE)	0	4	485000 266727
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	C10SE (NW)	0	4	483929 265686
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	C7NW (SW)	0	4	484052 265533
	Superficial Aquifer Designations Aquifer Designation: Unproductive Strata	C15SW (N)	0	4	484222 266554
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	C11SW (N)	0	4	484118 265716

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	C12SE (E)	0	4	485312 265744
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	C2NW (SW)	0	4	483547 264838
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	C7SE (SE)	0	4	484575 265000
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	C8SW (SE)	0	4	485000 264901
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	C6SW (SW)	0	2	483370 265220
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	C11SW (N)	0	2	484125 265705
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	C6SW (SW)	0	2	483350 265205
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	C11SW (N)	0	2	484130 265710
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
22	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 362.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C4NW (SE)	0	5	484953 264869
23	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C8SE (SE)	0	5	485272 264979
24	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 456.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C8SE (SE)	0	5	485276 264981
25	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 776.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C12SE (E)	0	5	485323 265734

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
26	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C12SE (E)	0	5	485331 265705
27	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 490.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C15SE (N)	0	5	484337 266488
28	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1682.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C11SW (NE)	0	5	484154 265713
29	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 89.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C15SW (N)	0	5	484273 266431
30	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C4NW (SE)	0	5	484945 264850
31	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 531.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C12SE (E)	0	5	485333 265705
32	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 117.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C15SW (N)	1	5	484192 266346
33	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C11NW (N)	3	5	484000 265923
34	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 306.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C11NW (N)	8	5	483999 265928

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
35	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.7 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C15SW (N)	22	5	484188 266342
36	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 199.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C11NW (N)	28	5	484029 266229
37	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 43.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C11NW (N)	59	5	483994 266212
38	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 136.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C10NE (N)	59	5	483980 266212
39	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C14SE (N)	81	5	483928 266326
40	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 49.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C14SE (N)	82	5	483928 266326
41	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C11NW (N)	100	5	484020 266225
42	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.2 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C14SE (N)	107	5	483907 266370
43	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 79.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C14SE (N)	109	5	483906 266372

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
44	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 28.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C3SW (S)	166	5	484109 264224
45	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 17.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C14SE (N)	176	5	483875 266445
46	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 17.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	C3SW (S)	185	5	484101 264228
47	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C3SW (S)	186	5	484101 264228
48	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 152.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C14SE (N)	192	5	483868 266461
49	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 361.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2SE (S)	194	5	483864 264356
50	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2SE (S)	213	5	483940 264505
51	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2SE (S)	226	5	483932 264493
52	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 144.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2SE (S)	234	5	483927 264486

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
53	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 121.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2SE (S)	251	5	483866 264535
54	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 515.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C6SW (SW)	324	5	483420 264914
55	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 51.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C14NE (N)	329	5	483807 266592
56	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C14NE (N)	329	5	483807 266592
57	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 49.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C14NE (N)	333	5	483807 266596
58	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 132.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2SE (S)	365	5	483708 264534
59	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 119.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2SE (S)	365	5	483784 264443
60	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2SE (S)	371	5	483785 264445
61	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 510.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C2SE (S)	374	5	483708 264534

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
62	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.2 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C14NE (N)	379	5	483790 266649
63	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1657.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C14NE (N)	379	5	483790 266652
64	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C14NE (N)	379	5	483790 266640
65	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 41.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	C6SW (SW)	417	5	483415 264918
66	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C6SW (SW)	417	5	483415 264918
67	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C6SW (SW)	420	5	483414 264922
68	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 59.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C6SW (SW)	421	5	483389 264970
69	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	C6SW (SW)	425	5	483408 264932
70	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C6SW (SW)	425	5	483408 264932

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
71	OS Water Network Lines Watercourse Form: Transfer Watercourse Length: 7.3 Watercourse Level: On ground surface Permanent: False Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	C6SW (SW)	427	5	483401 264966
72	OS Water Network Lines Watercourse Form: Transfer Watercourse Length: 2.0 Watercourse Level: Underground Permanent: False Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	C6SW (SW)	433	5	483395 264967
73	OS Water Network Lines Watercourse Form: Transfer Watercourse Length: 4.9 Watercourse Level: On ground surface Permanent: False Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	C6SW (SW)	435	5	483393 264968
74	OS Water Network Lines Watercourse Form: Transfer Watercourse Length: 342.6 Watercourse Level: On ground surface Permanent: False Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C6SW (SW)	439	5	483344 265027
75	OS Water Network Lines Watercourse Form: Reservoir Watercourse Length: 778.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Sywell Reservoir Catchment Name: Nene Primacy: 1	C10SW (W)	465	5	483318 265691
76	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 71.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C9NE (NW)	534	5	483178 266102
77	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C9NE (NW)	542	5	483162 266170
78	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 102.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C9NE (NW)	544	5	483160 266173
79	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 126.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C13SE (NW)	593	5	483114 266253

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
80	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 15.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C13SE (NW)	593	5	483114 266253
81	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 68.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	C13SE (NW)	600	5	483105 266259
82	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 76.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C13SE (NW)	603	5	483105 266259
83	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	C13SE (NW)	634	5	483081 266310
84	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 139.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C13SE (NW)	641	5	483074 266311
85	OS Water Network Lines Watercourse Form: Reservoir Watercourse Length: 439.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C5NE (W)	647	5	483229 265361
86	OS Water Network Lines Watercourse Form: Reservoir Watercourse Length: 196.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Sywell Reservoir Catchment Name: Nene Primacy: 1	C5NE (W)	647	5	483229 265361
87	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C13SE (NW)	662	5	483064 266362
88	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 89.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C13SE (NW)	663	5	483063 266365

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
89	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 12.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C13SE (NW)	688	5	483065 266453
90	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 666.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C13SE (NW)	689	5	483070 266465
91	OS Water Network Lines Watercourse Form: Reservoir Watercourse Length: 170.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C9SW (W)	951	5	482849 265574
92	OS Water Network Lines Watercourse Form: Reservoir Watercourse Length: 116.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	C9SW (W)	951	5	482849 265574

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
93	Historical Landfill Sites Licence Holder: Barton Plant Limited Location: Tinkers Crescent Junction, Mears Ashby Name: Site Opposite Tinkers Crescent Junction Operator Location: Hall Farm, Barton Road, Kettering Boundary Accuracy: As Supplied Provider Reference: EAHLD02258 First Input Date: 1st April 1980 Last Input Date: 30th June 1981 Specified Waste: Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 2800/0186 BGS Ref: Not Supplied Other Ref: W/007	C14NW (NW)	577	2	483587 266776
	Local Authority Landfill Coverage Name: Northamptonshire County Council - Has supplied landfill data		0	7	484084 265579
	Local Authority Landfill Coverage Name: Wellingborough Borough Council - Has no landfill data to supply		0	6	484084 265579
94	Registered Landfill Sites Licence Holder: Barton Plant Ltd Licence Reference: W/007 Site Location: Tinkers Crescent Junction, Mears Ashby, Wellingborough, Northamptonshire Licence Easting: 483400 Licence Northing: 266750 Operator Location: Hall Farm, Barton Road, Kettering, Northamptonshire Authority: Environment Agency - Anglian Region, Northern Area Site Category: Landfill Max Input Rate: Undefined Waste Source: No known restriction on source of waste Restrictions: Status: Licence lapsed/cancelled/defunct/not applicable/surrenderedCancelled Dated: 1st April 1980 Preceded By: Not Given Licence: Superseded By: Not Given Licence: Positional Accuracy: Manually positioned to the address or location Boundary Accuracy: Not Applicable Authorised Waste: Northants/Lincs Cat. A -Sol.Inert *	C14NW (NW)	633	2	483400 266750

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Inferior Oolite Group	C11SW (NE)	0	1	484084 265579
	BGS 1:625,000 Solid Geology Description: Great Oolite Group	C11SE (NE)	0	1	484385 265866
	BGS 1:625,000 Solid Geology Description: Lias Group	C6NW (W)	0	1	483458 265341
95	BGS Recorded Mineral Sites Site Name: Ward'S Barn Sand Pit Location: Mears Ashby, Wellingborough, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 139631 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Stamford Member Commodity: Sand Positional Accuracy: Located by supplier to within 10m	C6NE (W)	0	1	483890 265525
96	BGS Recorded Mineral Sites Site Name: Barton Grange Brick Field Location: Earls Barton, Wellingborough, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 139629 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Whitby Mudstone Formation Commodity: Common Clay and Shale Positional Accuracy: Located by supplier to within 10m	C4NW (SE)	113	1	484870 264719
97	BGS Recorded Mineral Sites Site Name: Earls Barton Quarries Location: New Barton, Earls Barton, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 29067 Type: Opencast Status: Ceased Operator: Earls Barton Iron Ore Co., Ltd. Operator Location: Not Supplied Periodic Type: Jurassic Geology: Northampton Sand Formation (Northampton Sand Ironstone) Commodity: Iron Ore - Ironstone Positional Accuracy: Located by supplier to within 10m	C4NE (SE)	154	1	485150 264685
98	BGS Recorded Mineral Sites Site Name: Mears Ashby Sand Pit Location: Mears Ashby, Wellingborough, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 139635 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Stamford Member Commodity: Sand Positional Accuracy: Located by supplier to within 10m	C14NE (N)	218	1	483969 266827
99	BGS Recorded Mineral Sites Site Name: Hundhill Location: Mears Ashby, Wellingborough, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 9227 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Northampton Sand Formation (Northampton Sand Ironstone) Commodity: Iron Ore - Ironstone Positional Accuracy: Located by supplier to within 10m	C14NW (NW)	698	1	483460 266850
	Coal Mining Affected Areas In an area that might not be affected by coal mining				

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C7SE (SE)	0	1	484631 265000
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C7SW (S)	0	1	484084 265000
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C6SW (SW)	0	1	483335 265000
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C11SW (NE)	0	1	484084 265579
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C12SW (E)	0	1	485000 265579
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C4NW (SE)	0	1	485000 264841
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C8SW (SE)	0	1	485000 265000
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C11SW (N)	0	1	484118 265716
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C12SE (E)	0	1	485312 265744
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C7SE (SE)	0	1	484575 265000
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C2NW (SW)	0	1	483547 264838
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C8SW (SE)	0	1	485000 264901
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C7SE (SE)	0	1	484631 265000
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C7SW (S)	0	1	484084 265000
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C6SW (SW)	0	1	483335 265000
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C4NW (SE)	0	1	485000 264841
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C8SW (SE)	0	1	485000 265000
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	C7SE (SE)	0	1	484575 265000
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	C2NW (SW)	0	1	483547 264838
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	C8SW (SE)	0	1	485000 264901

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	C11SW (N)	0	1	484118 265716
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	C12SE (E)	0	1	485312 265744
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C11SW (NE)	0	1	484084 265579
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C12SW (E)	0	1	485000 265579
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	C4NE (SE)	86	1	485083 264698
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C11SW (NE)	0	1	484084 265579
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C12SW (E)	0	1	485000 265579
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C7SW (S)	0	1	484084 265000
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C8SW (SE)	0	1	485000 265000
	Potential for Ground Dissolution Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C16NW (NE)	0	1	484670 266742
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C3NE (SE)	0	1	484629 264763
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C8SW (SE)	0	1	484830 264955
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C11SW (NE)	0	1	484084 265579
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C11SW (NE)	0	1	484323 265775
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C11SW (NE)	0	1	484179 265675
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C6SW (SW)	0	1	483650 264996
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C7SE (SE)	0	1	484584 265000
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C4NE (SE)	0	1	485083 264698
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C8SW (SE)	0	1	485000 264935
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C16SE (NE)	0	1	485024 266341
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C12SE (E)	0	1	485106 265627

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C8NE (E)	0	1	485251 265459
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C11SW (E)	0	1	484229 265588
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C11SW (N)	0	1	484084 265690
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C7SE (SE)	0	1	484489 265207
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C12NE (NE)	0	1	485248 266087
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C7SE (SE)	0	1	484536 265000
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C12SE (E)	0	1	485215 265837
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C12SE (E)	0	1	485245 265632
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C12NE (NE)	0	1	485281 266139
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C3SW (S)	0	1	484210 264440
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C8SW (SE)	0	1	484719 265042
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C8SW (SE)	0	1	484973 265015
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C8SW (SE)	0	1	485000 265033
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C8SW (SE)	0	1	484725 265000
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C8SW (SE)	0	1	485000 265000
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C12NE (NE)	0	1	485051 266089
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C11SW (NE)	0	1	484240 265686
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C7SW (S)	0	1	484084 265000
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C8SW (SE)	0	1	484772 265000
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C4NW (SE)	0	1	485000 264817
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C11SW (N)	0	1	484097 265614

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C12SW (E)	0	1	485000 265579
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C10NE (N)	5	1	483986 265965
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C4NW (SE)	9	1	485000 264881
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C12NE (E)	12	1	485331 265909
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C11NW (N)	94	1	484043 266160
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C4NE (SE)	110	1	485226 264850
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C4NW (SE)	145	1	484848 264611
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C2NE (SW)	245	1	483711 264736
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C7SE (SE)	0	1	484631 265000
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C7SW (S)	0	1	484084 265000
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C6SW (SW)	0	1	483335 265000
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C4NW (SE)	0	1	485000 264841
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C8SW (SE)	0	1	485000 265000
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C11SW (NE)	0	1	484084 265579
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C12SW (E)	0	1	485000 265579
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C11SE (NE)	0	1	484469 265861
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C11SW (N)	0	1	484118 265716
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C12SE (E)	0	1	485312 265744
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C16NW (NE)	0	1	485000 266727
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C2NW (SW)	0	1	483547 264838
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C8SW (SE)	0	1	485000 264901

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C7SE (SE)	0	1	484575 265000
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C10SE (NW)	0	1	483929 265686
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C7NW (SW)	0	1	484052 265533
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C4NE (SE)	86	1	485083 264698
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C11SW (NE)	0	1	484084 265579
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C12SW (E)	0	1	485000 265579
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C8SW (SE)	0	1	484772 265000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C7SW (S)	0	1	484084 265000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C4NW (SE)	0	1	485000 264817
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C7SE (SE)	0	1	484536 265000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C6SW (SW)	0	1	483650 264996
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C8SW (SE)	0	1	485000 265000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C8SW (SE)	0	1	484973 265015
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C16NW (NE)	0	1	485000 266727
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C12SE (E)	0	1	485106 265627
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C11SE (NE)	0	1	484469 265861
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	C11SW (N)	0	1	484084 265690
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Higher probability radon area (10 to 30% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C4NW (SE)	0	1	484975 264850
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (5 to 10% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C7SW (S)	0	1	484084 264975
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Higher probability radon area (10 to 30% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C4NW (SE)	0	1	485000 264850

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C11SW (NE)	0	1	484150 265700
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Higher probability radon area (more than 30% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C11SW (E)	0	1	484100 265579
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Higher probability radon area (more than 30% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C7SW (S)	0	1	484084 265000
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Higher probability radon area (more than 30% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C11SW (NE)	0	1	484225 265675
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Higher probability radon area (more than 30% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C12SW (E)	0	1	485000 265579
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (5 to 10% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C11NW (N)	0	1	484000 266000
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C10SE (NW)	0	1	483950 265650
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Higher probability radon area (more than 30% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C8SW (SE)	0	1	484750 265000
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (5 to 10% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C8SW (SE)	0	1	484775 264975
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C11SE (NE)	0	1	484375 265725
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C16SW (NE)	0	1	484975 266425
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C16SE (NE)	0	1	485025 266375
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C11SW (NE)	0	1	484084 265579
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C10SE (W)	0	1	483975 265579
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Higher probability radon area (10 to 30% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C7SW (S)	0	1	484025 264975
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C12NE (NE)	0	1	485050 266100

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C8SW (SE)	0	1	485000 265000
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C6SW (SW)	0	1	483625 264950
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C7SE (SE)	0	1	484575 265000
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C11SW (E)	0	1	484225 265625
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C11SE (NE)	0	1	484475 265875
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C12SE (E)	0	1	485175 265675
	Radon Potential - Radon Protection Measures Protection Measure: Full radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C4NW (SE)	0	1	484975 264850
	Radon Potential - Radon Protection Measures Protection Measure: Basic radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C7SW (S)	0	1	484084 264975
	Radon Potential - Radon Protection Measures Protection Measure: Full radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C4NW (SE)	0	1	485000 264850
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C11SW (NE)	0	1	484150 265700
	Radon Potential - Radon Protection Measures Protection Measure: Full radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C11SW (E)	0	1	484100 265579
	Radon Potential - Radon Protection Measures Protection Measure: Full radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C7SW (S)	0	1	484084 265000
	Radon Potential - Radon Protection Measures Protection Measure: Full radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C11SW (NE)	0	1	484225 265675
	Radon Potential - Radon Protection Measures Protection Measure: Full radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C12SW (E)	0	1	485000 265579
	Radon Potential - Radon Protection Measures Protection Measure: Basic radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C11NW (N)	0	1	484000 266000
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C10SE (NW)	0	1	483950 265650

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Radon Potential - Radon Protection Measures Protection Measure: Full radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C8SW (SE)	0	1	484750 265000
	Radon Potential - Radon Protection Measures Protection Measure: Basic radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C8SW (SE)	0	1	484775 264975
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C11SE (NE)	0	1	484375 265725
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C16SW (NE)	0	1	484975 266425
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C16SE (NE)	0	1	485025 266375
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C11SW (NE)	0	1	484084 265579
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C10SE (W)	0	1	483975 265579
	Radon Potential - Radon Protection Measures Protection Measure: Full radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C7SW (S)	0	1	484025 264975
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C12NE (NE)	0	1	485050 266100
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C8SW (SE)	0	1	485000 265000
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C6SW (SW)	0	1	483625 264950
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C7SE (SE)	0	1	484575 265000
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C11SW (E)	0	1	484225 265625
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C11SE (NE)	0	1	484475 265875
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C12SE (E)	0	1	485175 265675

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
100	Contemporary Trade Directory Entries Name: David Corbett Location: White House Industrial Estate, Main Road, Earls Barton, Northampton, NN6 0HJ Classification: Electronic Equipment - Manufacturers & Assemblers Status: Inactive Positional Accuracy: Automatically positioned in the proximity of the address	C4NW (SE)	47	-	484933 264740
100	Contemporary Trade Directory Entries Name: S C Autocare Location: Unit 16, White House Ind Est, Main Road, Earls Barton, Northampton, Northamptonshire, NN6 0HJ Classification: Garage Services Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	C4NW (SE)	70	-	484911 264733
100	Contemporary Trade Directory Entries Name: Proline Specialist Finishing Ltd Location: 4-5, White House Industrial Estate, Main Road, Earls Barton, Northampton, NN6 0HJ Classification: Car Body Repairs Status: Active Positional Accuracy: Automatically positioned to the address	C4NW (SE)	70	-	484911 264733
100	Contemporary Trade Directory Entries Name: D & D Developments Ltd Location: 2/3, White House Industrial Estate, Main Road, Earls Barton, Northampton, NN6 0HJ Classification: Lift Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	C4NW (SE)	72	-	484921 264698
100	Contemporary Trade Directory Entries Name: Earls Barton M O T Co Ltd Location: 12 Main Road, Earls Barton, Northampton, Northamptonshire, NN6 0HJ Classification: Mot Testing Centres Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	C4NW (SE)	82	-	484896 264738
100	Contemporary Trade Directory Entries Name: Homepack Ltd Location: 6, White House Industrial Estate, Main Road, Earls Barton, Northampton, NN6 0HJ Classification: Sand, Gravel & Other Aggregates Status: Active Positional Accuracy: Automatically positioned to the address	C4NW (SE)	82	-	484896 264738
100	Contemporary Trade Directory Entries Name: Totally Frank Uk Ltd Location: Suite A Unit 9-11 White House Industrial Estate, Main Road, Earls Barton, Northampton, Northamptonshire, NN6 0HJ Classification: Mailing Machines & Equipment Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	C4NW (SE)	82	-	484896 264738
101	Contemporary Trade Directory Entries Name: Dellamix Concrete Ltd Location: 12-15, White House Industrial Estate, Main Road, Earls Barton, Northampton, NN6 0HJ Classification: Concrete Contractors Status: Inactive Positional Accuracy: Automatically positioned to the address	C4NW (SE)	52	-	484906 264795
101	Contemporary Trade Directory Entries Name: Dellamix Concrete Location: 12-15, White House Industrial Estate, Main Road, Earls Barton, Northampton, NN6 0HJ Classification: Concrete Contractors Status: Inactive Positional Accuracy: Automatically positioned to the address	C4NW (SE)	53	-	484917 264768
101	Contemporary Trade Directory Entries Name: Advance Electro Mechanical Solutions Ltd Location: Unit 16 White House Industrial Estate, Main Road, Earls Barton, Northampton, Northamptonshire, NN6 0HJ Classification: Mechanical Engineers Status: Active Positional Accuracy: Automatically positioned to the address	C4NW (SE)	55	-	484910 264780

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
101	<p>Contemporary Trade Directory Entries</p> <p>Name: A C Print Location: 16, White House Industrial Estate, Main Road, Earls Barton, Northampton, Northamptonshire, NN6 0HJ Classification: Printers Status: Inactive Positional Accuracy: Manually positioned to the address or location</p>	C4NW (SE)	60	-	484906 264779
101	<p>Contemporary Trade Directory Entries</p> <p>Name: R.N.J Motor Sport Location: 16, White House Industrial Estate, Main Road, Earls Barton, Northampton, Northamptonshire, NN6 0HJ Classification: Classic Car Specialists Status: Inactive Positional Accuracy: Manually positioned to the address or location</p>	C4NW (SE)	60	-	484906 264779
102	<p>Contemporary Trade Directory Entries</p> <p>Name: Northampton Concrete Location: 9-11, WHITE HOUSE INDUSTRIAL ESTATE, 80, MAIN ROAD, EARLS BARTON, NN6 0HJ Classification: Concrete & Mortar Ready Mixed Status: Active Positional Accuracy: Automatically positioned to the address</p>	C4NW (SE)	73	-	484864 264770
102	<p>Contemporary Trade Directory Entries</p> <p>Name: Northants Concrete Group Ltd Location: 9-11, WHITE HOUSE INDUSTRIAL ESTATE, 80, MAIN ROAD, EARLS BARTON, NN6 0HJ Classification: Concrete & Mortar Ready Mixed Status: Active Positional Accuracy: Automatically positioned to the address</p>	C4NW (SE)	73	-	484864 264770
103	<p>Contemporary Trade Directory Entries</p> <p>Name: Orton & Mcleod Minimix Ltd Location: Main Road, Earls Barton, Northampton, NN6 0HJ Classification: Concrete & Mortar Ready Mixed Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	C4NE (SE)	162	-	485188 264788
104	<p>Contemporary Trade Directory Entries</p> <p>Name: Chrysalis Cleaning Uk Ltd Location: 51, Mears Ashby Road, Earls Barton, Northampton, NN6 0HQ Classification: Engineering Services Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	C7SW (S)	177	-	484098 264943
104	<p>Contemporary Trade Directory Entries</p> <p>Name: Chrysalis Cleaning Uk Ltd Location: 51, Mears Ashby Road, Earls Barton, Northampton, NN6 0HQ Classification: Commercial Cleaning Services Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	C7SW (S)	177	-	484098 264943
105	<p>Contemporary Trade Directory Entries</p> <p>Name: Fiery Furnace Location: 81, Northampton Road, Northampton, NN6 0HF Classification: Blacksmiths & Forgemasters Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	C3SE (S)	214	-	484606 264212
106	<p>Contemporary Trade Directory Entries</p> <p>Name: Bells Motor Group Location: 120, Main Road, Earls Barton, Northampton, NN6 0HL Classification: Car Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	C3NE (SE)	346	-	484585 264587
106	<p>Contemporary Trade Directory Entries</p> <p>Name: Newman & Reidy Location: 120, Main Road, Earls Barton, Northampton, NN6 0HJ Classification: Car Dealers Status: Active Positional Accuracy: Automatically positioned to the address</p>	C3NE (SE)	346	-	484585 264587
107	<p>Contemporary Trade Directory Entries</p> <p>Name: Just Electrics Ltd Location: 11, STREETON WAY, EARLS BARTON, NN6 0HX Classification: Electrical Engineers Status: Active Positional Accuracy: Automatically positioned to the address</p>	C4SE (SE)	448	-	485111 264281

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
108	Nitrate Vulnerable Zones Name: Thrapstone Lake Eutrophic Lake Nvz Description: Eutrophic Water Source: Environment Agency, Head Office	C11SW (NE)	0	4	484084 265579
109	Nitrate Vulnerable Zones Name: Northampton Sands Description: Groundwater Source: Environment Agency, Head Office	C11SW (NE)	0	4	484084 265579
110	Nitrate Vulnerable Zones Name: River Nene Nvz Description: Surface Water Source: Environment Agency, Head Office	C11SW (NE)	0	4	484084 265579

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Environment Agency - Head Office Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	August 2013 December 2019 December 2019 November 2023 October 2017 September 2017	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annually Annual Rolling Update Annual Rolling Update
Discharge Consents Environment Agency - Anglian Region	October 2023	Quarterly
Enforcement and Prohibition Notices Environment Agency - Anglian Region	March 2013	
Integrated Pollution Controls Environment Agency - Anglian Region	January 2009	
Integrated Pollution Prevention And Control Environment Agency - Anglian Region	January 2023	Quarterly
Local Authority Integrated Pollution Prevention And Control Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	December 2020 December 2020 February 2015 February 2015 May 2014	Variable Variable Variable Variable Variable
Local Authority Pollution Prevention and Controls Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	December 2020 December 2020 February 2015 February 2015 May 2014	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department	December 2014 February 2015 February 2015 May 2014 October 2014	Variable Variable Variable Variable Variable
Nearest Surface Water Feature Ordnance Survey	November 2023	
Pollution Incidents to Controlled Waters Environment Agency - Anglian Region	September 1999	
Prosecutions Relating to Authorised Processes Environment Agency - Anglian Region	July 2015	
Prosecutions Relating to Controlled Waters Environment Agency - Anglian Region	March 2013	
Registered Radioactive Substances Environment Agency - Anglian Region Environment Agency - Head Office	June 2016 May 2023	As notified Quarterly

Agency & Hydrological	Version	Update Cycle
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	April 2012	
River Quality Chemistry Sampling Points Environment Agency - Head Office	April 2012	
Substantiated Pollution Incident Register Environment Agency - Anglian Region - Northern Area	October 2023	Quarterly
Water Abstractions Environment Agency - Anglian Region	October 2023	Quarterly
Water Industry Act Referrals Environment Agency - Anglian Region	October 2017	
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Source Protection Zones Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	January 2024	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	Quarterly
OS Water Network Lines Ordnance Survey	October 2023	Quarterly
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified

Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites Environment Agency - Head Office	July 2023	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Anglian Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - Anglian Region - Northern Area	July 2023	Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - Anglian Region - Northern Area	January 2023	Quarterly
Local Authority Landfill Coverage Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department Northamptonshire County Council Wellingborough Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council West Northamptonshire Council	February 2003 February 2003 February 2003 February 2003 May 2000 May 2000	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable
Local Authority Recorded Landfill Sites North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Northampton Borough Council (now part of West Northamptonshire Council) - Environmental Health Department Northamptonshire County Council Wellingborough Borough Council (now part of North Northamptonshire Council)	August 2006 August 2006 October 2018 October 2018 October 2018 October 2018	
Registered Landfill Sites Environment Agency - Anglian Region - Northern Area	March 2006	Not Applicable
Registered Waste Transfer Sites Environment Agency - Anglian Region - Northern Area	April 2018	
Registered Waste Treatment or Disposal Sites Environment Agency - Anglian Region - Northern Area	June 2015	

Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	March 2023	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) Northamptonshire County Council Daventry District Council (now part of West Northamptonshire Council) Northampton Borough Council (now part of West Northamptonshire Council) - Planning Department West Northamptonshire Council	February 2016 February 2016 May 2013 May 2023 May 2023 May 2023	Variable Variable Annual Rolling Update Variable Variable Variable
Planning Hazardous Substance Consents Northamptonshire County Council North Northamptonshire Council Northampton Borough Council (now part of West Northamptonshire Council) - Planning Department Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council)	December 2014 February 2016 February 2016 February 2016 February 2016 February 2016 January 2016	Annual Rolling Update Variable Variable Variable Variable Variable Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	June 2023	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	October 2023	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	October 2023	Annually
Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	October 2023	Quarterly
Fuel Station Entries Catalist Ltd - Experian	November 2023	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Underground Electrical Cables National Grid	February 2023	Bi-Annually

Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	October 2023	Bi-Annually
Areas of Adopted Green Belt Daventry District Council (now part of West Northamptonshire Council) North Northamptonshire Council Northampton Borough Council (now part of West Northamptonshire Council) Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly Quarterly
Areas of Unadopted Green Belt Daventry District Council (now part of West Northamptonshire Council) North Northamptonshire Council Northampton Borough Council (now part of West Northamptonshire Council) Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly Quarterly
Areas of Outstanding Natural Beauty Natural England	November 2023	Bi-Annually
Environmentally Sensitive Areas Natural England	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	August 2023	Bi-Annually
Marine Nature Reserves Natural England	October 2023	Bi-Annually
National Nature Reserves Natural England	August 2023	Bi-Annually
National Parks Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 March 2023	Bi-Annually
Ramsar Sites Natural England	October 2023	Bi-Annually
Sites of Special Scientific Interest Natural England	November 2023	Bi-Annually
Special Areas of Conservation Natural England	October 2023	Bi-Annually
Special Protection Areas Natural England	October 2023	Bi-Annually

A selection of organisations who provide data within this report


Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department Croyland Abbey, Tithe Barn Road, Wellingborough, Northamptonshire, NN8 1BJ	Telephone: 01933 229777 extn 4705 Fax: 01933 441375 Email: environment@wellingborough.gov.uk Website: www.wellingborough.gov.uk
4	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
5	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
6	Wellingborough Borough Council (now part of North Northamptonshire Council) Croyland Abbey, Tithe Barn Road, Wellingborough, Northamptonshire, NN8 1BJ	Telephone: 01933 229777 Fax: 01933 441375 Website: www.wellingborough.gov.uk
7	Northamptonshire County Council County Hall, Northampton, Northamptonshire, NN1 1DN	Telephone: 0300 126 1000 Website: www.northamptonshire.gov.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

- General**
- Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point
 - Map ID
 - Several of Type at Location
- Agency and Hydrological**
- Contaminated Land Register Entry or Notice (Location)
 - Contaminated Land Register Entry or Notice
 - Enforcement or Prohibition Notice
 - Integrated Pollution Control
 - Integrated Pollution Prevention Control
 - Local Authority Integrated Pollution Prevention and Control
 - Local Authority Pollution Prevention and Control Enforcement
 - Pollution Incident to Controlled Waters
 - Prosecution Relating to Authorised Processes
 - Prosecution Relating to Controlled Waters
 - Registered Radioactive Substance
 - River Network or Water Feature
 - River Quality Sampling Point
 - Substantiated Pollution Incident Register
 - Water Abstraction
 - Water Industry Act Referral
- Waste**
- BGS Recorded Landfill Site (Location)
 - BGS Recorded Landfill Site
 - EA Historic Landfill (Buffered Point)
 - EA Historic Landfill (Polygon)
 - Integrated Pollution Control Registered Waste Site
 - Licensed Waste Management Facility (Landfill Boundary)
 - Licensed Waste Management Facility (Location)
 - Local Authority Recorded Landfill Site (Location)
 - Local Authority Recorded Landfill Site
 - Registered Landfill Site
 - Registered Landfill Site (Location)
 - Registered Landfill Site (Point Buffered to 100m)
 - Registered Landfill Site (Point Buffered to 250m)
 - Registered Waste Transfer Site (Location)
 - Registered Waste Transfer Site
 - Registered Waste Treatment or Disposal Site (Location)
 - Registered Waste Treatment or Disposal Site
- Hazardous Substances**
- COMAH Site
 - Explosive Site
 - NIHHS Site
 - Planning Hazardous Substance Consent
 - Planning Hazardous Substance Enforcement
- Geological**
- BGS Recorded Mineral Site
- Industrial Land Use**
- Contemporary Trade Directory Entry
 - Fuel Station Entry

Site Sensitivity Map - Slice C




Order Details

Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484080, 265580
 Slice: C
 Site Area (Ha): 312.44
 Search Buffer (m): 1000






Site Details

Grendon Solar Scheme







Industrial Land Use Map


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Industrial Land Use

-  Contemporary Trade Directory Entry
-  Fuel Station Entry
-  Gas Pipeline
-  Underground Electrical Cables

Industrial Land Use Map - Slice C




Order Details

Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484080, 265580
 Slice: C
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details






Grendon Solar Scheme




General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

Agency and Hydrological (Flood)

-  Extreme Flooding from Rivers or Sea without Defences (Zone 2)
-  Flooding from Rivers or Sea without Defences (Zone 3)
-  Area Benefiting from Flood Defence
-  Flood Water Storage Areas
-  Flood Defence

Flood Map - Slice C



Order Details

Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484080, 265580
 Slice: C
 Site Area (Ha): 312.44
 Search Buffer (m): 1000






Site Details

Grendon Solar Scheme








© Crown Copyright. All Rights Reserved. License Number 100022432

General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Map ID
-  Several of Type at Location


Agency and Hydrological (Boreholes)

-  BGS Borehole Depth 0 - 10m
-  BGS Borehole Depth 10 - 30m
-  BGS Borehole Depth 30m +
-  Confidential
-  Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice C




Order Details




Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484080, 265580
 Slice: C
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details



Grendon Solar Scheme




General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

OS Water Network Data

- | | |
|--|---|
|  Canal |  Drain |
|  Reservoir |  Other |
|  Foreshore |  Lake |
|  Marsh |  Transfer |
|  Tidal River |  Lock Or Flight Of Locks |
|  Inland River |  Sea |

OS Water Network Map - Slice C




Order Details


Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484080, 265580
 Slice: C
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



© Crown Copyright. All Rights Reserved. License Number 100022432.



© Crown Copyright. All Rights Reserved. Licence Number 100022412



Groundwater Vulnerability

General

- ◇ Specified Site
- ◇ Specified Buffer(s)
- X Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Bedrock Aquifers


- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

Superficial Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

- Unproductive Aquifer
- Soluble Rock

Site Sensitivity Context Map - Slice D



Order Details


Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485900, 265640
 Slice: D
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100122412



Bedrock Aquifer Designation

General


- ▭ Specified Site
- ▭ Specified Buffer(s)
- X Bearing Reference Point
- ▭ Slice
- B Map ID

Agency and Hydrological

Geological Classes

- ▭ Principal Aquifer
- ▭ Secondary A Aquifer
- ▭ Secondary B Aquifer
- ▭ Secondary Undifferentiated
- ▭ Unproductive Strata
- ▭ Unknown
- ▭ Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice D



Order Details


Order Number:	331730476_1_1
Customer Ref:	93791.580478
National Grid Reference:	485900, 265640
Slice:	D
Site Area (Ha):	312.44
Search Buffer (m):	1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



Superficial Aquifer Designation

General


- ◊ Specified Site
- ⬮ Specified Buffer(s)
- ✕ Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice D



Order Details


Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485900, 265640
 Slice: D
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. Licence Number 100022412



Source Protection Zones


General

- ◇ Specified Site
- ◇ Specified Buffer(s)
- ✕ Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice D



Order Details


Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485900, 265640
 Slice: D
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk








© Crown Copyright. All Rights Reserved. Licence Number 100022412




















Sensitive Land Uses


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Sensitive Land Uses

-  Ancient Woodland
-  Area of Adopted Green Belt
-  Area of Unadopted Green Belt
-  Area of Outstanding Natural Beauty
-  Environmentally Sensitive Area
-  Forest Park
-  Local Nature Reserve
-  Marine Nature Reserve
-  National Nature Reserve
-  National Park
-  Nitrate Sensitive Area
-  Nitrate Vulnerable Zone
-  Ramsar Site
-  Site of Special Scientific Interest
-  Special Area of Conservation
-  Special Protection Area
-  World Heritage Sites

Site Sensitivity Context Map - Slice D



Order Details


Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485900, 265640
 Slice: D
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100122412



BGS Flood GFS Data


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice D



Order Details

Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485900, 265640
 Slice: D
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

331730476_1_1

Customer Reference:

93791.580478

National Grid Reference:

485900, 265640

Slice:

D

Site Area (Ha):

312.44

Search Buffer (m):

1000

Site Details:

Grendon Solar Scheme

Client Details:

Ms M Booth
Delta Simons
Suite 4A
One Portland Street
Manchester
M1 3BE



Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	21
Hazardous Substances	-
Geological	22
Industrial Land Use	28
Sensitive Land Use	32
Data Currency	33
Data Suppliers	37
Useful Contacts	38

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2024. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and/or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2024. © Natural Resources Wales & United Kingdom Research and Innovation 2024.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2024. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 5	1	1	2	2
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control	pg 6			1	
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls	pg 6			1	1
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 7	Yes			
Pollution Incidents to Controlled Waters					
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality					
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register	pg 7			1	
Water Abstractions	pg 7		2		(*3)
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 8	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk	pg 18	6	n/a	n/a	n/a
Bedrock Aquifer Designations	pg 18	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 19	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences	pg 19	Yes		n/a	n/a
Flooding from Rivers or Sea without Defences	pg 19	Yes		n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 19	4	5		

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites	pg 21		1		
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)	pg 21			1	
Local Authority Landfill Coverage	pg 21	2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Registered Landfill Sites	pg 21		1		
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 22	Yes	n/a	n/a	n/a
BGS Recorded Mineral Sites	pg 22		1	4	5
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 23	Yes	Yes	n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 24	Yes	Yes	n/a	n/a
Potential for Ground Dissolution Stability Hazards	pg 24	Yes	Yes	n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 24	Yes	Yes	n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 25	Yes	Yes	n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 25	Yes		n/a	n/a
Radon Potential - Radon Affected Areas	pg 26	Yes	n/a	n/a	n/a
Radon Potential - Radon Protection Measures	pg 26	Yes	n/a	n/a	n/a

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Industrial Land Use					
Contemporary Trade Directory Entries	pg 28		6	13	25
Fuel Station Entries	pg 31			1	
Gas Pipelines					
Underground Electrical Cables					
Sensitive Land Use					
Ancient Woodland					
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 32	3			
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	484700 267500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	0	1	485200 267500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	484800 267400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	0	1	485250 267250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	485150 267150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	484650 266800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D13SW (NW)	0	1	485450 266500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D13SW (NW)	0	1	485350 266450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	485050 266350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	485100 266350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	485300 266400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	485000 266900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	485050 266900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	485000 266550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	485100 266550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	D13SW (NW)	0	1	485500 266550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	484700 266850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	484950 266850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D13NW (N)	0	1	485650 266850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	485100 267000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	0	1	485450 267000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	0	1	485600 267000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	485100 267400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	484900 266150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	485100 266400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	484750 267450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	0	1	485300 267450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	485000 267400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	484850 266700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	485050 266700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	484900 265750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	485250 266400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D13SW (NW)	0	1	485400 266450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	485050 266950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	0	1	485600 266950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	485000 266650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	485100 266650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	0	1	487400 263850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	485000 266800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D13NW (N)	0	1	485550 266800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	484300 266550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	485250 267200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	484950 266300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D13NW (N)	12	1	485650 266900

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	19	1	485400 267450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	D13SW (N)	21	1	485650 266500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D13NE (N)	31	1	485700 266900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	39	1	485500 267250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	43	1	485450 267350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	D13SE (N)	44	1	485700 266550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D13SW (NW)	51	1	485600 266350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D13SW (NW)	51	1	485550 266300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	54	1	485600 267100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D13SE (N)	62	1	485700 266500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	63	1	485500 267300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D9NW (NW)	73	1	485500 266200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D13NE (N)	76	1	485750 266750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D9NW (NW)	77	1	485550 266200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D13NE (N)	84	1	485750 266600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D9NW (NW)	94	1	485500 266150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D13SW (NW)	95	1	485600 266300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	98	1	485650 267100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	102	1	485600 267200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	106	1	485500 267400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D10SW (NE)	114	1	486100 265750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D13NE (N)	117	1	485900 266650

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D13SW (N)	117	1	485650 266350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D13SW (NW)	119	1	485600 266250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	120	1	484950 264600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	122	1	485650 267150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D13SE (N)	130	1	485750 266450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D13SE (N)	163	1	485950 266300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D1NW (SW)	163	1	485350 264600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D13SE (N)	163	1	485700 266350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D13SE (N)	183	1	485700 266250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D13SE (N)	201	1	485850 266550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	210	1	485750 267150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D5SE (S)	261	1	485904 265000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D13SE (N)	271	1	485900 266350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D6SW (SE)	310	1	486100 265200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D13NE (N)	327	1	485950 266800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D13SE (N)	358	1	486000 266350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D13SE (N)	380	1	485904 266300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D13SE (N)	414	1	486000 266450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D14NW (N)	426	1	486050 266700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D14SW (N)	474	1	486150 266250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D14NW (N)	476	1	486100 266600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D14NW (N)	477	1	486100 266800

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D9NE (N)	482	1	485950 266200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	D14NW (N)	485	1	486100 266900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	D14SW (N)	496	1	486100 266550
1	Discharge Consents Operator: Michael Selwyn Hart Property Type: Domestic Property (Single) Location: Hockerhill Farm Main Road, Wilby, Wellingborough, Northamptonshire, Nn8 2uf Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5nf5209 Permit Version: 1 Effective Date: 6th November 1986 Issued Date: 6th November 1986 Revocation Date: 26th February 1992 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Lake/Reservoir - with outlet Environment: Receiving Water: Trib Swanspool Brook Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	D5NW (SW)	0	2	485480 265420
1	Discharge Consents Operator: Michael Selwyn Hart Property Type: WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Location: Hockerhill Farm, Wilby Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5lf5208 Permit Version: 1 Effective Date: 6th November 1986 Issued Date: 6th November 1986 Revocation Date: 1st October 1996 Discharge Type: Unknown Discharge: Not Supplied Environment: Receiving Water: Not Supplied Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	D5NW (SW)	16	2	485470 265390
2	Discharge Consents Operator: Herbert James Bull Property Type: Domestic Property (Single) Location: Brookhill Farm Main Road, Wilby, Wellingborough, Northants, Nn8 2uf Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5nf2167 Permit Version: 1 Effective Date: 6th February 1964 Issued Date: 6th February 1964 Revocation Date: 11th June 1991 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Not Supplied Environment: Receiving Water: Not Supplied Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	D5NE (SW)	280	2	485763 265318
3	Discharge Consents Operator: Spacewall Ltd Property Type: REAL ESTATE ACTIVITIES/BUYING/SELLING/RENTING Location: Baron Avenue Unit D6, Earls Barton, Northampton, Nn6 0je Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5lf5112 Permit Version: 1 Effective Date: 13th January 1986 Issued Date: 13th January 1986 Revocation Date: 30th November 1992 Discharge Type: Trade Effluent Discharge: Land/Soakaway Environment: Receiving Water: Land Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m	D1NW (S)	483	2	485600 264600

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
4	<p>Discharge Consents</p> <p>Operator: The Secretary Property Type: REAL ESTATE ACTIVITIES/BUYING/SELLING/RENTING Location: Baron Avenue, Earls Barton, Northampton, Nn6 0je Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5lf3743 Permit Version: 1 Effective Date: 3rd November 1980 Issued Date: 3rd November 1980 Revocation Date: 1st October 1996 Discharge Type: Unknown Discharge: Land/Soakaway Environment: Receiving Water: Land Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m</p>	D1SW (S)	530	2	485500 264500
5	<p>Discharge Consents</p> <p>Operator: Welfab Engineers Ltd. Property Type: REAL ESTATE ACTIVITIES/BUYING/SELLING/RENTING Location: Earls Barton Industrial Estate, Earls Barton, Northamoton, Nn6 0je Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5lf3750 Permit Version: 1 Effective Date: 20th November 1980 Issued Date: 20th November 1980 Revocation Date: 1st October 1996 Discharge Type: Unknown Discharge: Land/Soakaway Environment: Receiving Water: Land Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m</p>	D1SW (S)	593	2	485500 264400
6	<p>Integrated Pollution Prevention And Control</p> <p>Name: Davis Commercial Services Ltd Location: Earls Barton Fridge Recycling Facility - Epr/Eb3100hn, Davis Comercial Services Ltd, 12 Baron Avenue,Earl Barton,, Northampton, Northants, NN6 0JE Authority: Environment Agency, Anglian Region Permit Reference: YP3800PC Original Permit Ref: Yp3800pc Effective Date: 29th July 2020 Status: Effective Application Type: Application App. Sub Type: New Positional Accuracy: Located by supplier to within 10m Activity Code: 5.6 A(1) a) Activity Description: TEMPORARY STORAGE OF HAZ WASTE NOT UNDER S 5.2 PENDING ACTIVITIES LISTED IN S 5.1, 5.2, 5.3 AND PARAGRAPH (B) OF THIS SECTION WITH A TOTAL CAPACITY > 50 TONNES, EXCL TEMP STORAGE WHERE GENERATED Primary Activity: N Activity Code: 5.3 A(1) a) (ii) Activity Description: DISPOSAL OR RECOVERY OF HAZARDOUS WASTE WITH A CAPACITY EXCEEDING 10 TONNES PER DAY INVOLVING PHYSICO-CHEMICAL TREATMENT Primary Activity: Y</p>	D1NW (S)	479	2	485510 264560
7	<p>Local Authority Pollution Prevention and Controls</p> <p>Name: Jazolo Location: Baron Avenue, Earls Barton, Northampton, Northamptonshire, Nn6 Authority: Wellingborough Borough Council (now part of North Northamptonshire Council), Environmental Health Department Permit Reference: EPR/3/2014 Dated: 31st July 1998 Process Type: Local Authority Pollution Prevention and Control Description: PG6/2 Manufacture of timber and wood-based products Status: Permitted Positional Accuracy: Located by supplier to within 10m</p>	D1SW (SW)	469	3	485401 264476
8	<p>Local Authority Pollution Prevention and Controls</p> <p>Name: Northampton Vehicle Refinishers Location: 22 Baron Avenue, Earls Barton, NN6 0JE Authority: Wellingborough Borough Council (now part of North Northamptonshire Council), Environmental Health Department Permit Reference: EPR/29/2010 Dated: Not Supplied Process Type: Local Authority Pollution Prevention and Control Description: PG6/34 Respraying of road vehicles Status: Permitted Positional Accuracy: Manually positioned to the address or location</p>	D1SW (S)	582	3	485526 264455

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Nearest Surface Water Feature	D5SW (SW)	0	-	485440 265055
9	Substantiated Pollution Incident Register Authority: Environment Agency - Anglian Region, Northern Area Incident Date: 7th November 2018 Incident Reference: 1662654 Water Impact: Category 4 - No Impact Air Impact: Category 4 - No Impact Land Impact: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 10m Pollutant: Specific Waste Materials: Electrical Equipment	D1NW (SW)	385	2	485360 264582
10	Water Abstractions Operator: J W Pitts Licence Number: 5/32/09/*G/0096 Permit Version: 100 Location: Well At Glebe Farm Authority: Environment Agency, Anglian Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Northampton Sanstone; Status: Perpetuity Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st February 1972 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	D13SW (NW)	27	2	485500 266400
10	Water Abstractions Operator: J W Pitts Licence Number: 5/32/09/*g/096 Permit Version: Not Supplied Location: Well At Glebe Farm, MEARS ASHBY Authority: Environment Agency, Anglian Region Abstraction: Spray Irrigation Abstraction Type: Not Supplied Source: Well And Borehole Daily Rate (m3): 0 Yearly Rate (m3): 9090 Details: Northampton Sanstone; Status: Perpetuity Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	D13SW (NW)	30	2	485500 266395
	Water Abstractions Operator: Peter Day (Finedon) Ltd Licence Number: 5/32/06/*s/068c Permit Version: Not Supplied Location: Swanpool Brook, WILBY Authority: Environment Agency, Anglian Region Abstraction: Spray Irrigation Abstraction Type: Not Supplied Source: Stream Daily Rate (m3): 1 Yearly Rate (m3): 436420 Details: Status: Revoked Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	D11SW (E)	1310	2	486800 265700
	Water Abstractions Operator: R H Thompson Licence Number: 5/32/09/*G/0108 Permit Version: 100 Location: Well, Manor House Farm, Wilby Authority: Environment Agency, Anglian Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Northampton Sanstone; Status: Perpetuity Authorised Start: 01 June Authorised End: 30 June Permit Start Date: 1st June 1966 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	D11NW (E)	1337	2	486800 266000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: R H Thompson Licence Number: 5/32/09/*G/0108 Permit Version: 100 Location: Well At Wilby Authority: Environment Agency, Anglian Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Northampton Sanstone; Status: Perpetuity Authorised Start: 01 May Authorised End: 31 October Permit Start Date: 1st June 1966 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	D15SW (NE)	1399	2	487000 266500
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	(W)	0	4	484785 266000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	(NW)	0	4	485000 266730
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	(NW)	0	4	484888 266854

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NW)	0	4	485000 266843
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NW)	0	4	485006 266730
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NW)	0	4	485283 266728
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NW)	0	4	485000 266971

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	(W)	0	4	484802 265818
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NW)	0	4	485000 267397
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NW)	0	4	484717 267000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NW)	0	4	485000 267000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NW)	0	4	485087 267420
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NW)	0	4	485074 267000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NW)	0	4	485303 267000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(N)	0	4	485739 267000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	D5NE (S)	0	4	485893 265498
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NW)	0	4	485317 266000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(SW)	0	4	485000 264901
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	D5SW (SW)	0	4	485391 265000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	(SW)	0	4	484772 265000
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	(SW)	0	4	485000 265033
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NW)	0	4	485283 266000
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(SW)	0	4	485000 265000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(SW)	0	4	485292 265000
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(SW)	0	4	485000 264841
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(SW)	0	4	484628 264347
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	D5NW (SW)	0	4	485628 265383

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Unproductive Combined Vulnerability: Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial <90% Patchiness: Superficial <3m Thickness: Superficial No Data Recharge:	(SW)	0	4	484887 264000
	Groundwater Vulnerability Map Combined Secondary Bedrock Aquifer - High Vulnerability Classification: High Combined Vulnerability: Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial <90% Patchiness: Superficial <3m Thickness: Superficial Low Recharge:	(W)	0	4	485000 266000
	Groundwater Vulnerability Map Combined Secondary Bedrock Aquifer - High Vulnerability Classification: High Combined Vulnerability: Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial <90% Patchiness: Superficial 3-10m Thickness: Superficial Low Recharge:	D9NE (N)	0	4	485904 266000
	Groundwater Vulnerability Map Combined Secondary Bedrock Aquifer - High Vulnerability Classification: High Combined Vulnerability: Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial <90% Patchiness: Superficial 3-10m Thickness: Superficial Low Recharge:	D13NW (NW)	0	4	485405 266668

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(SW)	0	4	484967 265000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(SW)	0	4	485000 264817
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	D5SE (S)	0	4	485904 265000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	D5NW (SW)	0	4	485539 265356

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	(W)	0	4	485000 265641
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(NW)	0	4	485243 267233
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(N)	0	4	485243 267453
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(N)	0	4	485625 267000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(N)	0	4	485662 267000
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	(W)	0	4	485000 266000
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Low Possibility	D9NE (N)	0	4	485904 266000
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	D9SE (SE)	0	4	485904 265641
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	(NW)	0	4	485000 267000
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Low Possibility	(N)	0	4	485904 267000
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	D5SE (S)	0	4	485904 265000
	Bedrock Aquifer Designations Aquifer Designation: Principal Aquifer	(NW)	0	4	485000 267397
	Bedrock Aquifer Designations Aquifer Designation: Principal Aquifer	D10NW (NE)	0	4	486200 266136
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	(NW)	0	4	484888 266854
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	D10NW (NE)	0	4	486182 265990
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	(SW)	0	4	484628 264347
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	(SW)	0	4	485000 265000
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	(S)	0	4	485600 264069
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	D5SW (SW)	0	4	485524 265000
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(SW)	0	4	484967 265000
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(SW)	0	4	485000 264817
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	D5SE (S)	0	4	485904 265000
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(W)	0	4	485000 265641

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	D9SE (SE)	0	4	485904 265641
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	(NW)	0	4	485000 266730
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	D10SW (NE)	0	4	486154 265844
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	D9SE (SW)	0	4	485895 265634
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	(SW)	0	4	484772 265000
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	(SW)	0	4	485000 265033
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	(W)	0	4	484802 265818
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	D13SE (N)	0	4	485894 266488
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	D5NE (S)	0	4	485893 265498
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(SW)	0	4	485000 264901
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	D5SW (SW)	0	4	485391 265000
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(SE)	0	4	487353 263804
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	D5NE (S)	0	2	485904 265500
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	D5NE (S)	0	2	485904 265500
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
11	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 456.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D5NW (SW)	0	5	485609 265250
12	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 776.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	(W)	0	5	485335 265716

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
13	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 531.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D5NE (SW)	0	5	485700 265363
14	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1093.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D13SW (NW)	0	5	485514 266400
15	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D13SW (NW)	12	5	485493 266396
16	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D13SW (NW)	23	5	485495 266395
17	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 152.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D5NE (SW)	184	5	485700 265363
18	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1817.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Swanspool Brook Catchment Name: Nene Primacy: 1	D5NE (S)	203	5	485905 265475
19	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.9 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	D5NW (SW)	211	5	485612 265254

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
20	Historical Landfill Sites Licence Holder: Barton Plant Limited Location: Wilby, Mears Ashby Name: Ashby Road Operator Location: Hall Farm, Barton Road, Kettering Boundary Accuracy: As Supplied Provider Reference: EAHLD02260 First Input Date: 1st November 1984 Last Input Date: 31st December 1986 Specified Waste: Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: Not Supplied BGS Ref: Not Supplied Other Ref: W/013	D13SE (N)	3	2	485696 266495
21	Licensed Waste Management Facilities (Locations) Licence Number: 403231 Location: 12 Baron Avenue, Earls Barton, Northamptonshire, NN6 0JE Operator Name: Davis Commercial Services Limited Operator Location: Not Supplied Authority: Environment Agency - Anglian Region, Northern Area Site Category: WEEE treatment facility Licence Status: Modified Issued: 15th November 2016 Last Modified: 29th July 2020 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	D1NW (S)	470	2	485514 264571
	Local Authority Landfill Coverage Name: Northamptonshire County Council - Has supplied landfill data		0	7	485904 265641
	Local Authority Landfill Coverage Name: Wellingborough Borough Council - Has no landfill data to supply		0	6	485904 265641
22	Registered Landfill Sites Licence Holder: Barton Plant Ltd Licence Reference: W/013 Site Location: Former Quarry At Mears Ashby Road, Wilby, Wellingborough, Northamptonshire Licence Easting: 485650 Licence Northing: 266550 Operator Location: Hall Farm, Barton Road, Kettering, Northamptonshire Authority: Environment Agency - Anglian Region, Northern Area Site Category: Landfill Max Input Rate: Undefined Waste Source: No known restriction on source of waste Restrictions: Status: Licence lapsed/cancelled/defunct/not applicable/surrenderedCancelled Dated: 1st November 1984 Preceded By: Not Given Licence: Superseded By: Not Given Licence: Positional Accuracy: Manually positioned to the road within the address or location Boundary Accuracy: Not Applicable Authorised Waste: Northants/Lincs Category A *	D13SW (N)	62	2	485650 266550

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Inferior Oolite Group	D9SE (SE)	0	1	485904 265641
	BGS 1:625,000 Solid Geology Description: Great Oolite Group	D9NE (N)	0	1	486012 265924
	BGS 1:625,000 Solid Geology Description: Lias Group	D5NE (S)	0	1	486010 265376
23	BGS Recorded Mineral Sites Site Name: Wilby Stone Pit Location: Wilby, Wellingborough, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 139634 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Northampton Sand Formation Commodity: Iron Ore - Ironstone Positional Accuracy: Located by supplier to within 10m	D13SW (NW)	45	1	485481 266329
24	BGS Recorded Mineral Sites Site Name: Brookhill Farm Sand Pit Location: Wilby, Wellingborough, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 139630 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Stamford Member Commodity: Sand Positional Accuracy: Located by supplier to within 10m	D5SE (S)	335	1	485772 265010
25	BGS Recorded Mineral Sites Site Name: Earls Barton Sand Pit Location: Earls Barton, Wellingborough, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 139637 Type: Opencast Status: Dormant Operator: T. E. Gray & Co., Ltd. Operator Location: Not Supplied Periodic Type: Jurassic Geology: Stamford Member Commodity: Ganister Positional Accuracy: Located by supplier to within 10m	D5SE (S)	427	1	485860 264977
25	BGS Recorded Mineral Sites Site Name: Earls Barton Sand Pit Location: Earls Barton, Wellingborough, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 139637 Type: Opencast Status: Dormant Operator: T. E. Gray & Co., Ltd. Operator Location: Not Supplied Periodic Type: Jurassic Geology: Stamford Member Commodity: Silica Sand Positional Accuracy: Located by supplier to within 10m	D5SE (S)	427	1	485860 264977
25	BGS Recorded Mineral Sites Site Name: Earls Barton Sand Pit Location: Earls Barton, Wellingborough, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 139637 Type: Opencast Status: Dormant Operator: T. E. Gray & Co., Ltd. Operator Location: Not Supplied Periodic Type: Jurassic Geology: Stamford Member Commodity: Sand Positional Accuracy: Located by supplier to within 10m	D5SE (S)	427	1	485860 264977

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
26	BGS Recorded Mineral Sites Site Name: Earls Barton Quarries Location: New Barton, Earls Barton, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 29068 Type: Opencast Status: Ceased Operator: Earls Barton Iron Ore Co., Ltd. Operator Location: Not Supplied Periodic Type: Jurassic Geology: Northampton Sand Formation (Northampton Sand Ironstone) Commodity: Iron Ore - Ironstone Positional Accuracy: Located by supplier to within 10m	D1SW (S)	624	1	485510 264360
27	BGS Recorded Mineral Sites Site Name: Wilby Stone Pit Location: Wilby, Wellingborough, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 139632 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Blisworth Limestone Formation Commodity: Limestone Positional Accuracy: Located by supplier to within 10m	D14SW (NE)	651	1	486199 266336
28	BGS Recorded Mineral Sites Site Name: Grange Farm Pits Location: Earl'S Barton, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 205231 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Wellingborough Limestone Member Commodity: Limestone Positional Accuracy: Located by supplier to within 10m	D1NE (S)	692	1	485976 264617
29	BGS Recorded Mineral Sites Site Name: Grange Farm Pits Location: Earl'S Barton, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 205232 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Wellingborough Limestone Member Commodity: Limestone Positional Accuracy: Located by supplier to within 10m	D1SE (S)	738	1	485967 264539
30	BGS Recorded Mineral Sites Site Name: Wilby Stone Pit Location: Wilby, Wellingborough, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 139633 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Blisworth Limestone Formation Commodity: Limestone Positional Accuracy: Located by supplier to within 10m	D14SW (NE)	790	1	486324 266276
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D9SE (SE)	0	1	485904 265641
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D5SE (S)	0	1	485904 265000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D5NE (S)	0	1	485893 265498
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D5SW (SW)	0	1	485391 265000
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D5NE (S)	34	1	485938 265448
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D5SE (S)	0	1	485904 265000
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	D5SW (SW)	0	1	485391 265000
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	D5NE (S)	0	1	485893 265498
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D9SE (SE)	0	1	485904 265641
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D5NE (S)	34	1	485938 265448
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	(SW)	86	1	485201 264735
	Potential for Ground Dissolution Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D13NE (N)	0	1	485837 266712
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D9SE (SE)	0	1	485904 265641
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D5SE (S)	0	1	485904 265000
	Potential for Ground Dissolution Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	D13SE (N)	145	1	485894 266488
	Potential for Ground Dissolution Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D10NW (NE)	217	1	486200 266136
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D5SE (S)	0	1	485904 265000
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D5SW (SW)	0	1	485352 265000
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D10SW (E)	0	1	486139 265691
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D9SE (SW)	0	1	485895 265634
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	D5NW (SW)	0	1	485583 265388
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	D9SW (W)	0	1	485391 265560
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	D5NW (SW)	0	1	485607 265332

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D5SE (S)	0	1	485717 265000
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D9SE (SE)	0	1	485904 265641
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	D5SW (SW)	9	1	485524 265000
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	D9SW (W)	12	1	485498 265572
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	D5NE (S)	13	1	485918 265466
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D9SW (W)	89	1	485419 265805
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D5NE (S)	98	1	485921 265405
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D5SW (SW)	117	1	485523 264973
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D5SE (S)	0	1	485904 265000
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D9SE (SE)	0	1	485904 265641
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	D5NE (S)	0	1	485893 265498
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D13SE (N)	0	1	485894 266488
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	D5SW (SW)	0	1	485391 265000
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D5NE (S)	34	1	485938 265448
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	(SW)	86	1	485201 264735
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D9SE (SE)	0	1	485904 265641
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D5SE (S)	0	1	485904 265000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	D5SW (SW)	0	1	485524 265000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	D10SW (NE)	0	1	486154 265844
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	D9SE (SW)	0	1	485895 265634
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D5NE (S)	98	1	485921 265405

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D10NW (NE)	217	1	486200 266136
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Higher probability radon area (10 to 30% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	D5SE (S)	0	1	485725 264975
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	D13SW (NW)	0	1	485475 266350
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	D13SW (NW)	0	1	485450 266325
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Higher probability radon area (more than 30% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	D9SE (SE)	0	1	485904 265641
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	D9NW (NW)	0	1	485375 266200
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	D13SW (NW)	0	1	485425 266300
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	D9NE (NW)	0	1	485700 266025
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	(NW)	0	1	485325 265975
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	D5SW (SW)	0	1	485400 265000
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	D9SE (SW)	0	1	485875 265625
	Radon Potential - Radon Protection Measures Protection Measure: Full radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	D5SE (S)	0	1	485725 264975
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	D13SW (NW)	0	1	485475 266350
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	D13SW (NW)	0	1	485450 266325
	Radon Potential - Radon Protection Measures Protection Measure: Full radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	D9SE (SE)	0	1	485904 265641
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	D9NW (NW)	0	1	485375 266200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	D13SW (NW)	0	1	485425 266300
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	D9NE (NW)	0	1	485700 266025
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	(NW)	0	1	485325 265975
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	D5SW (SW)	0	1	485400 265000
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	D9SE (SW)	0	1	485875 265625

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
31	Contemporary Trade Directory Entries Name: A E S Rescue Location: Caravan, 36, Main Road, Northampton, NN6 0TW Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	D5SW (SW)	142	-	485547 264962
31	Contemporary Trade Directory Entries Name: A E S Rescue Location: 36-38, Main Road, Earls Barton, Northampton, NN6 0TW Classification: Car Breakdown & Recovery Services Status: Active Positional Accuracy: Automatically positioned to the address	D5SW (SW)	158	-	485554 264945
31	Contemporary Trade Directory Entries Name: A E Services Ltd Location: 36, Main Road, Earls Barton, Northampton, NN6 0TW Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	D5SW (SW)	159	-	485553 264943
31	Contemporary Trade Directory Entries Name: The Paint Shack Location: 36, Main Road, Earls Barton, Northampton, Northamptonshire, NN6 0TW Classification: Car Body Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	D5SW (SW)	159	-	485553 264943
31	Contemporary Trade Directory Entries Name: Earls Barton Motor Location: 36, Main Road, Earls Barton, Northampton, NN6 0TW Classification: Car Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address	D5SW (SW)	159	-	485553 264943
31	Contemporary Trade Directory Entries Name: A G Trading Location: 36, Main Road, Earls Barton, Northampton, NN6 0TW Classification: Car Dealers - Used Status: Inactive Positional Accuracy: Automatically positioned to the address	D5SW (SW)	159	-	485553 264943
32	Contemporary Trade Directory Entries Name: Focus Cars Location: The Bungalow, Brook Hill Farm, Main Road, Wilby, Wellingborough, Northamptonshire, NN8 2UF Classification: Car Dealers - Used Status: Inactive Positional Accuracy: Automatically positioned to the address	D5NE (SW)	268	-	485702 265255
32	Contemporary Trade Directory Entries Name: J F Smith Location: The Bungalow, Brook Hill Farm, Main Road, Wilby, Wellingborough, Northamptonshire, NN8 2UF Classification: Car Body Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	D5NE (SW)	269	-	485727 265282
33	Contemporary Trade Directory Entries Name: Tradecars Direct Ltd Location: 130, Wellingborough Road, Earls Barton, Northampton, NN6 0JS Classification: Car Dealers - Used Status: Active Positional Accuracy: Automatically positioned to the address	D1NW (S)	395	-	485651 264721
34	Contemporary Trade Directory Entries Name: Pro Tiler Location: 23 Mallard Close, Earls Barton, Northampton, Northamptonshire, NN6 0JF Classification: Builders' Tools & Equipment Manufacturers Status: Active Positional Accuracy: Automatically positioned to the address	D1SW (SW)	454	-	485387 264482
34	Contemporary Trade Directory Entries Name: Warm Floor Store Location: 23, MALLARD CLOSE, EARLS BARTON, NN6 0JF Classification: Under Floor Heating Status: Active Positional Accuracy: Automatically positioned to the address	D1SW (SW)	454	-	485387 264482

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
34	Contemporary Trade Directory Entries Name: Spacewall Ltd Location: 21-23, Mallard Close, Earls Barton, Northampton, NN6 0JF Classification: Shop Fittings Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	D1SW (SW)	469	-	485402 264477
34	Contemporary Trade Directory Entries Name: Jazolo Location: 21-23, Mallard Close, Earls Barton, Northampton, NN6 0JF Classification: Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	D1SW (SW)	469	-	485402 264477
35	Contemporary Trade Directory Entries Name: Premiership Toiletries Location: J B House, 40, Mallard Close, Earls Barton, Northampton, NN6 0JF Classification: Toiletries Status: Inactive Positional Accuracy: Automatically positioned to the address	D1NW (S)	458	-	485460 264561
35	Contemporary Trade Directory Entries Name: Davis Commercial Services Ltd Location: 12, Baron Avenue, Earls Barton, Northampton, NN6 0JE Classification: Refrigerators & Freezers - Servicing & Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	D1NW (S)	479	-	485509 264559
35	Contemporary Trade Directory Entries Name: K H S Plastics Solutions Ltd Location: 28, Mallard Close, Earls Barton, Northampton, NN6 0JF Classification: Plastic Products - Manufacturers Status: Active Positional Accuracy: Automatically positioned to the address	D1SW (S)	495	-	485450 264513
36	Contemporary Trade Directory Entries Name: Essentra Location: Unit F, 1, Baron Avenue, Earls Barton, Northampton, NN6 0JE Classification: Boxes & Cartons Status: Inactive Positional Accuracy: Automatically positioned to the address	D1NW (S)	468	-	485580 264608
36	Contemporary Trade Directory Entries Name: Clondalkin Pharma & Healthcare (Northampton) Ltd Location: Unit F, 1, Baron Avenue, Earls Barton, Northampton, NN6 0JE Classification: Boxes & Cartons Status: Inactive Positional Accuracy: Automatically positioned to the address	D1NW (S)	468	-	485580 264608
37	Contemporary Trade Directory Entries Name: Earls Barton Auto Service Location: Tittley Bawk Avenue, Earls Barton, Northampton, NN6 0LA Classification: Garage Services Status: Active Positional Accuracy: Automatically positioned to the address	D1NE (S)	498	-	485703 264633
37	Contemporary Trade Directory Entries Name: P W Autos Location: 3 Tittley Bawk Avenue, Earls Barton, Northampton, Northamptonshire, NN6 0LA Classification: Mot Testing Centres Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	D1NE (S)	527	-	485714 264605
37	Contemporary Trade Directory Entries Name: Precision Test Solutions Location: 4,4a Tittley Bawk Av, Earls Barton, Northampton, Northamptonshire, NN6 0LA Classification: Testing, Inspection & Calibration Equipment Manufacturers Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	D1NE (S)	535	-	485747 264617
38	Contemporary Trade Directory Entries Name: Husse Wellingborough Location: 16, The Pyghtle, Earls Barton, Northampton, NN6 0LG Classification: Pet Foods & Animal Feeds Status: Active Positional Accuracy: Automatically positioned to the address	D1SW (S)	523	-	485395 264377

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
39	Contemporary Trade Directory Entries Name: Atomic Wheels Location: Unit 24, Baron Av, Earls Barton, Northampton, Northamptonshire, NN6 0JE Classification: Alloys Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	D1SW (S)	530	-	485585 264540
40	Contemporary Trade Directory Entries Name: Noble Express Location: 1, Baron Avenue, Northampton, NN6 0DQ Classification: Catering Equipment Status: Inactive Positional Accuracy: Automatically positioned to the address	D1NW (S)	540	-	485642 264555
40	Contemporary Trade Directory Entries Name: Noble Express Location: 1, BARON AVENUE, EARLS BARTON, NN6 0DQ Classification: Catering Equipment Status: Active Positional Accuracy: Automatically positioned to the address	D1NW (S)	540	-	485642 264555
41	Contemporary Trade Directory Entries Name: Makkipak Ltd Location: Mallard Cl, Earls Barton, Northampton, Northamptonshire, NN6 0JF Classification: Packaging Materials Manufacturers & Suppliers Status: Inactive Positional Accuracy: Manually positioned to the address or location	D1SW (S)	540	-	485459 264434
42	Contemporary Trade Directory Entries Name: Gloverall Location: Unit D, Baron Avenue, Earls Barton, Northampton, NN6 0JE Classification: Clothing & Fabrics - Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	D1SW (S)	544	-	485586 264525
42	Contemporary Trade Directory Entries Name: Regent Mouldings Location: 4, Mallard Close, Earls Barton, Northampton, NN6 0JF Classification: Plastics - Injection Moulding Status: Inactive Positional Accuracy: Automatically positioned to the address	D1SW (S)	586	-	485589 264479
42	Contemporary Trade Directory Entries Name: Pretech Tools Location: 4, Mallard Close, Earls Barton, Northampton, NN6 0JF Classification: Tool Design, Manufacturers & Makers Status: Inactive Positional Accuracy: Automatically positioned to the address	D1SW (S)	586	-	485589 264479
43	Contemporary Trade Directory Entries Name: Columbia Metals Ltd Location: 2, Titley Bawk Avenue, Earls Barton, Northampton, NN6 0LA Classification: Non-Ferrous Metals Status: Inactive Positional Accuracy: Automatically positioned to the address	D1NE (S)	549	-	485720 264583
44	Contemporary Trade Directory Entries Name: Brentmere Leisure Location: 8, Mallard Close, Earls Barton, Northampton, Northamptonshire, NN6 0JF Classification: Caravan Dealers & Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	D1SW (S)	565	-	485501 264458
44	Contemporary Trade Directory Entries Name: Blast Wash Uk Ltd Location: 24, Baron Avenue, Earls Barton, NORTHAMPTON, NN6 0JE Classification: Blast Cleaning Equipment Manufacturers Status: Active Positional Accuracy: Automatically positioned to the address	D1SW (S)	581	-	485526 264455
44	Contemporary Trade Directory Entries Name: Minster Cleaning Services Location: 18, Baron Avenue, Earls Barton, Northampton, NN6 0JE Classification: Commercial Cleaning Services Status: Active Positional Accuracy: Automatically positioned to the address	D1SW (S)	581	-	485526 264455
44	Contemporary Trade Directory Entries Name: Earls Barton Auto Services Ltd Location: 22, Baron Avenue, Northampton, NN6 0JE Classification: Garage Services Status: Active Positional Accuracy: Automatically positioned to the address	D1SW (S)	607	-	485540 264433

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
45	Contemporary Trade Directory Entries Name: Trevor Denny Engineering Ltd Location: 10, Titley Bawk Avenue, Earls Barton, NORTHAMPTON, NN6 0LA Classification: Precision Engineers Status: Active Positional Accuracy: Automatically positioned to the address	D1NE (S)	565	-	485769 264596
46	Contemporary Trade Directory Entries Name: Nobles Engineering Solutions Ltd Location: 11, Mallard Close, Earls Barton, Northampton, NN6 0JF Classification: Sheet Metal Work Status: Inactive Positional Accuracy: Automatically positioned to the address	D1SW (S)	585	-	485457 264353
47	Contemporary Trade Directory Entries Name: Track Tek Location: 11 Mallard Court, Earls Barton, Northampton, Northamptonshire, NN6 0JF Classification: Garage Services Status: Inactive Positional Accuracy: Manually positioned to the address or location	D1SW (S)	636	-	485537 264378
47	Contemporary Trade Directory Entries Name: Twintech Components Ltd Location: Unit 10 Mallard Close, Mallard Court, Earls Barton, Northampton, Northamptonshire, NN6 0GA Classification: Lighting Manufacturers Status: Active Positional Accuracy: Manually positioned within the geographical locality	D1SW (S)	655	-	485540 264349
48	Contemporary Trade Directory Entries Name: O G Tinting Location: 7, Mallard Close, Earls Barton, Northampton, NN6 0JF Classification: Window Tinting Status: Active Positional Accuracy: Automatically positioned to the address	D1SW (S)	668	-	485559 264353
48	Contemporary Trade Directory Entries Name: Motech Location: 7, Mallard Close, Earls Barton, Northampton, NN6 0JF Classification: Car Engine Tuning & Diagnostic Services Status: Inactive Positional Accuracy: Automatically positioned to the address	D1SW (S)	668	-	485559 264353
48	Contemporary Trade Directory Entries Name: Able Labels Location: 5, Mallard Close, Earls Barton, Northampton, NN6 0LS Classification: Printers Status: Inactive Positional Accuracy: Automatically positioned to the address	D1SW (S)	668	-	485559 264353
48	Contemporary Trade Directory Entries Name: Ralph Wrightson Ltd Location: 2-3, Mallard Close, Earls Barton, Northampton, NN6 0JF Classification: Printers Status: Inactive Positional Accuracy: Automatically positioned to the address	D1SW (S)	687	-	485602 264374
48	Contemporary Trade Directory Entries Name: Ralph Wrightsons Printers Location: 2-3, Mallard Close, Earls Barton, Northampton, NN6 0JF Classification: Printers Status: Inactive Positional Accuracy: Automatically positioned to the address	D1SW (S)	687	-	485602 264374
49	Contemporary Trade Directory Entries Name: R D M Mechanical Location: 25, King Street, Earls Barton, Northampton, NN6 0LQ Classification: Plant & Machinery Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	D1SW (S)	673	-	485502 264270
50	Fuel Station Entries Name: Earls Barton Service Station Location: , Earls Barton , Northampton, Northamptonshire, NN6 0LA Brand: Obsolete Premises Type: Not Applicable Status: Obsolete Positional Accuracy: Automatically positioned to the address	D1NE (S)	500	-	485704 264631

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
51	Nitrate Vulnerable Zones Name: Thrapstone Lake Eutrophic Lake Nvz Description: Eutrophic Water Source: Environment Agency, Head Office	D9SE (SE)	0	4	485904 265641
52	Nitrate Vulnerable Zones Name: Northampton Sands Description: Groundwater Source: Environment Agency, Head Office	D9SE (SE)	0	4	485904 265641
53	Nitrate Vulnerable Zones Name: River Nene Nvz Description: Surface Water Source: Environment Agency, Head Office	D9SE (SE)	0	4	485904 265641

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council Environment Agency - Head Office	August 2013 December 2019 November 2023	Annual Rolling Update Annual Rolling Update Annually
Discharge Consents Environment Agency - Anglian Region	October 2023	Quarterly
Enforcement and Prohibition Notices Environment Agency - Anglian Region	March 2013	
Integrated Pollution Controls Environment Agency - Anglian Region	January 2009	
Integrated Pollution Prevention And Control Environment Agency - Anglian Region	January 2023	Quarterly
Local Authority Integrated Pollution Prevention And Control Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council	December 2020 February 2015	Variable Variable
Local Authority Pollution Prevention and Controls Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council	December 2020 February 2015	Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council	December 2014 February 2015	Variable Variable
Nearest Surface Water Feature Ordnance Survey	November 2023	
Pollution Incidents to Controlled Waters Environment Agency - Anglian Region	September 1999	
Prosecutions Relating to Authorised Processes Environment Agency - Anglian Region	July 2015	
Prosecutions Relating to Controlled Waters Environment Agency - Anglian Region	March 2013	
Registered Radioactive Substances Environment Agency - Anglian Region Environment Agency - Head Office	June 2016 May 2023	As notified Quarterly
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	April 2012	
River Quality Chemistry Sampling Points Environment Agency - Head Office	April 2012	
Substantiated Pollution Incident Register Environment Agency - Anglian Region - Northern Area	October 2023	Quarterly
Water Abstractions Environment Agency - Anglian Region	October 2023	Quarterly
Water Industry Act Referrals Environment Agency - Anglian Region	October 2017	
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk Environment Agency - Head Office	June 2018	As notified

Agency & Hydrological	Version	Update Cycle
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Source Protection Zones Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	January 2024	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	Quarterly
OS Water Network Lines Ordnance Survey	October 2023	Quarterly
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified
Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites Environment Agency - Head Office	July 2023	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Anglian Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - Anglian Region - Northern Area	July 2023	Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - Anglian Region - Northern Area	January 2023	Quarterly
Local Authority Landfill Coverage Northamptonshire County Council Wellingborough Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council	February 2003 February 2003 May 2000	Not Applicable Not Applicable Not Applicable
Local Authority Recorded Landfill Sites North Northamptonshire Council Northamptonshire County Council Wellingborough Borough Council (now part of North Northamptonshire Council)	August 2006 October 2018 October 2018	
Registered Landfill Sites Environment Agency - Anglian Region - Northern Area	March 2006	Not Applicable
Registered Waste Transfer Sites Environment Agency - Anglian Region - Northern Area	April 2018	
Registered Waste Treatment or Disposal Sites Environment Agency - Anglian Region - Northern Area	June 2015	

Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	March 2023	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) Northamptonshire County Council	February 2016 February 2016 May 2013	Variable Variable Annual Rolling Update
Planning Hazardous Substance Consents Northamptonshire County Council North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council)	December 2014 February 2016 February 2016	Annual Rolling Update Variable Variable
Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	June 2023	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	October 2023	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	October 2023	Annually

Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	October 2023	Quarterly
Fuel Station Entries Catalist Ltd - Experian	November 2023	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Underground Electrical Cables National Grid	February 2023	Bi-Annually
Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	October 2023	Bi-Annually
Areas of Adopted Green Belt North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council)	August 2023 August 2023	Quarterly Quarterly
Areas of Unadopted Green Belt North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council)	August 2023 August 2023	Quarterly Quarterly
Areas of Outstanding Natural Beauty Natural England	November 2023	Bi-Annually
Environmentally Sensitive Areas Natural England	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	August 2023	Bi-Annually
Marine Nature Reserves Natural England	October 2023	Bi-Annually
National Nature Reserves Natural England	August 2023	Bi-Annually
National Parks Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 March 2023	Bi-Annually
Ramsar Sites Natural England	October 2023	Bi-Annually
Sites of Special Scientific Interest Natural England	November 2023	Bi-Annually
Special Areas of Conservation Natural England	October 2023	Bi-Annually
Special Protection Areas Natural England	October 2023	Bi-Annually

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department Croyland Abbey, Tithe Barn Road, Wellingborough, Northamptonshire, NN8 1BJ	Telephone: 01933 229777 extn 4705 Fax: 01933 441375 Email: environment@wellingborough.gov.uk Website: www.wellingborough.gov.uk
4	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
5	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
6	Wellingborough Borough Council (now part of North Northamptonshire Council) Croyland Abbey, Tithe Barn Road, Wellingborough, Northamptonshire, NN8 1BJ	Telephone: 01933 229777 Fax: 01933 441375 Website: www.wellingborough.gov.uk
7	Northamptonshire County Council County Hall, Northampton, Northamptonshire, NN1 1DN	Telephone: 0300 126 1000 Website: www.northamptonshire.gov.uk
8	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

General

- ◊ Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- ◊ Contaminated Land Register Entry or Notice
- ◊ Discharge Consent
- ▲ Enforcement or Prohibition Notice
- ▲ Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- ▲ Local Authority Pollution Prevention and Control
- ▼ Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- ▼ Prosecution Relating to Authorised Processes
- ◆ Prosecution Relating to Controlled Waters
- ▲ Registered Radioactive Substance
- River Network or Water Feature
- + River Quality Sampling Point
- Substantiated Pollution Incident Register
- ◆ Water Abstraction
- ◆ Water Industry Act Referral

Waste

- ▼ BGS Recorded Landfill Site (Location)
- ◊ BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- ▲ Integrated Pollution Control Registered Waste Site
- ◊ Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Registered Landfill Site
- ▼ Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site


Geological

- ▼ BGS Recorded Mineral Site

Industrial Land Use

- ★ Contemporary Trade Directory Entry
- ★ Fuel Station Entry
- ✖ COMAH Site
- ✖ Explosive Site
- ✖ NIHS Site
- ✖ Planning Hazardous Substance Consent
- ✖ Planning Hazardous Substance Enforcement

Site Sensitivity Map - Slice D



Order Details






Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485900, 265640
 Slice: D
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details





Grendon Solar Scheme

Industrial Land Use Map


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Industrial Land Use

-  Contemporary Trade Directory Entry
-  Fuel Station Entry
-  Gas Pipeline
-  Underground Electrical Cables

Industrial Land Use Map - Slice D




Order Details

Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485900, 265640
 Slice: D
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details






Grendon Solar Scheme




General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

Agency and Hydrological (Flood)

-  Extreme Flooding from Rivers or Sea without Defences (Zone 2)
-  Flooding from Rivers or Sea without Defences (Zone 3)
-  Area Benefiting from Flood Defence
-  Flood Water Storage Areas
-  Flood Defence

Flood Map - Slice D




Order Details

Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485900, 265640
 Slice: D
 Site Area (Ha): 312.44
 Search Buffer (m): 1000






Site Details

Grendon Solar Scheme








© Crown Copyright. All Rights Reserved. License Number 100022432

General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Map ID
-  Several of Type at Location


Agency and Hydrological (Boreholes)

-  BGS Borehole Depth 0 - 10m
-  BGS Borehole Depth 10 - 30m
-  BGS Borehole Depth 30m +
-  Confidential
-  Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice D




Order Details




Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485900, 265640
 Slice: D
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme




General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

OS Water Network Data

- | | |
|--|---|
|  Canal |  Drain |
|  Reservoir |  Other |
|  Foreshore |  Lake |
|  Marsh |  Transfer |
|  Tidal River |  Lock Or Flight Of Locks |
|  Inland River |  Sea |

OS Water Network Map - Slice D





Order Details

Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485900, 265640
 Slice: D
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme





© Crown Copyright. All Rights Reserved. License Number: 100012912



Groundwater Vulnerability

General

- ◇ Specified Site
- ◇ Specified Buffer(s)
- X Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological


Bedrock Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer
- Unproductive Aquifer
- Soluble Rock

Superficial Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

Site Sensitivity Context Map - Slice E



Order Details


Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484460, 267780
 Slice: E
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100012912



Bedrock Aquifer Designation

General


- ◇ Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice E



Order Details


Order Number:	331730476_1_1
Customer Ref:	93791.580478
National Grid Reference:	484460, 267780
Slice:	E
Site Area (Ha):	312.44
Search Buffer (m):	1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. Licence Number: 100012912



Superficial Aquifer Designation

General


- ▭ Specified Site
- ▭ Specified Buffer(s)
- X Bearing Reference Point
- ▭ Slice
- Map ID

Agency and Hydrological

Geological Classes

- ▭ Principal Aquifer
- ▭ Secondary A Aquifer
- ▭ Secondary B Aquifer
- ▭ Secondary Undifferentiated
- ▭ Unproductive Strata
- ▭ Unknown
- ▭ Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice E



Order Details


Order Number:	331730476_1_1
Customer Ref:	93791.580478
National Grid Reference:	484460, 267780
Slice:	E
Site Area (Ha):	312.44
Search Buffer (m):	1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk








© Crown Copyright. All Rights Reserved. Licence Number: 100022412










Source Protection Zones


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Agency and Hydrological

-  Inner zone (Zone 1)
-  Inner zone - subsurface activity only (Zone 1c)
-  Outer zone (Zone 2)
-  Outer zone - subsurface activity only (Zone 2c)
-  Total catchment (Zone 3)
-  Total catchment - subsurface activity only (Zone 3c)
-  Special interest (Zone 4)

Site Sensitivity Context Map - Slice E



Order Details


Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484460, 267780
 Slice: E
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. Licence Number: 100012912



Sensitive Land Uses


General

- ◇ Specified Site
- ◌ Specified Buffer(s)
- X Bearing Reference Point
- Slice
- Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice E



Order Details


Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484460, 267780
 Slice: E
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number: 100012912



BGS Flood GFS Data


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice E



Order Details

Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484460, 267780
 Slice: E
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

331730476_1_1

Customer Reference:

93791.580478

National Grid Reference:

484460, 267780

Slice:

E

Site Area (Ha):

312.44

Search Buffer (m):

1000

Site Details:

Grendon Solar Scheme

Client Details:

Ms M Booth
Delta Simons
Suite 4A
One Portland Street
Manchester
M1 3BE



Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	18
Hazardous Substances	-
Geological	19
Industrial Land Use	-
Sensitive Land Use	22
Data Currency	23
Data Suppliers	28
Useful Contacts	29

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2024. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and/or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2024. © Natural Resources Wales & United Kingdom Research and Innovation 2024.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2024. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 6			1	3
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls					
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 6	Yes			
Pollution Incidents to Controlled Waters	pg 7				1
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality					
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register					
Water Abstractions	pg 7				(*2)
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 7	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk	pg 14	4	n/a	n/a	n/a
Bedrock Aquifer Designations	pg 14	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 15	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences	pg 15	Yes		n/a	n/a
Flooding from Rivers or Sea without Defences	pg 15	Yes		n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 15	8		1	7

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites					
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)					
Local Authority Landfill Coverage	pg 18	2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 19	Yes	n/a	n/a	n/a
BGS Recorded Mineral Sites	pg 19				1
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 19	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 19	Yes		n/a	n/a
Potential for Ground Dissolution Stability Hazards	pg 19	Yes		n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 19	Yes		n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 20	Yes		n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 20	Yes		n/a	n/a
Radon Potential - Radon Affected Areas	pg 20	Yes	n/a	n/a	n/a
Radon Potential - Radon Protection Measures	pg 20	Yes	n/a	n/a	n/a

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Industrial Land Use					
Contemporary Trade Directory Entries					
Fuel Station Entries					
Gas Pipelines					
Underground Electrical Cables					
Sensitive Land Use					
Ancient Woodland					
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 22	3			
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E3NE (SE)	0	1	484650 267550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E8SE (E)	0	1	485150 267600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E4NW (SE)	0	1	484750 267500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E4NE (SE)	0	1	485200 267400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E4SE (SE)	0	1	485100 267200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E3NE (S)	0	1	484600 267400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	484450 266550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	484455 266600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	485250 266650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	484400 266500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	484450 266500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	485250 266600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	484350 266400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	485000 266400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	485050 266400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	484350 266450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	484400 266450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	485250 266450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	484455 266650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	484500 266650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E4SW (SE)	0	1	484950 266950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E4SW (SE)	0	1	485000 266950

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	484850 266700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	485000 266650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	0	1	485550 266900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E3SE (S)	0	1	484650 266950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	484900 266900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	485600 266900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E4SE (SE)	0	1	485050 267150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	485400 267050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E4NE (E)	0	1	485300 267450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E8SW (E)	0	1	485000 267781
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	484950 266500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	485000 266500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E8NW (NE)	0	1	485000 268200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E4NW (SE)	0	1	484700 267550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E4NE (E)	0	1	485250 267550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	484550 266750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E7NE (NE)	0	1	484650 267950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	484650 266850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	485000 266750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	484700 266750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	485100 266650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	485300 266550

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E4SW (SE)	0	1	485000 267000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	485450 267000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	484500 266700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	484550 266700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	484950 266750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	485000 266700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	E3SE (S)	0	1	484600 267200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	484950 266900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	485450 266950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E3NE (SE)	0	1	484600 267500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E4NE (SE)	0	1	485150 267250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	484900 266400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	484600 266800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E2SE (SW)	11	1	483950 267000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	12	1	485600 266950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	19	1	485350 267500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	21	1	485600 266550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	31	1	485650 267100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	39	1	485450 267300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	43	1	485400 267400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	44	1	485650 266650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	51	1	485600 266500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	51	1	485500 266350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	54	1	485550 267150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	62	1	485650 266550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	63	1	485450 267350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	69	1	484200 266500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	73	1	485450 266250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	76	1	485700 266850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	77	1	485500 266300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	84	1	485700 266700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	95	1	485550 266350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	98	1	485600 267150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	102	1	485550 267250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	106	1	485450 267450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E7SW (SW)	115	1	484300 267700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	117	1	485450 267650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	117	1	485600 266400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	119	1	485550 266300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	122	1	485600 267200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	130	1	485700 266500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	134	1	485450 267700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	163	1	485800 266650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	163	1	485650 266400

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	183	1	485650 266350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E3SW (S)	185	1	484150 267000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	201	1	485800 266600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E3SW (S)	201	1	484300 267150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	210	1	485700 267250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E8NW (NE)	252	1	484900 268150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E7SW (W)	260	1	484300 267781
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	271	1	485800 266400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E7SW (SW)	279	1	484300 267650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	327	1	485800 267600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	358	1	485950 266550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	380	1	485900 266350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E2SE (SW)	387	1	483950 267100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E3NW (SW)	404	1	484050 267250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E7SW (W)	410	1	484150 267781
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	414	1	486000 266500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E3NW (SW)	451	1	484100 267300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	482	1	485950 266250

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	<p>Discharge Consents</p> <p>Operator: C H Dixon Property Type: WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Location: Grange Farm, Merrs Ashby, Northampton, Nn6 0ea Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5nf2181 Permit Version: 1 Effective Date: 20th June 1963 Issued Date: 20th June 1963 Revocation Date: 11th June 1991 Discharge Type: Unknown Discharge: Not Supplied Environment: Receiving Water: Not Supplied Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m</p>	E3NW (SW)	350	2	484300 267500
2	<p>Discharge Consents</p> <p>Operator: Beckworth Limited Property Type: SHOP INCL GARDEN CENTRE/RETAIL TRADE(NOT MOTOR VEHICLE) Location: Beckworth Emporium, 120 - 140 Glebe Road, Mears Ashby, Northampton, Nn6 0dl Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Eprxp3228gk Permit Version: 1 Effective Date: 4th October 2012 Issued Date: 4th October 2012 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Tributary Of Swanspool Brook Status: New issued under EPR 2010 Positional Accuracy: Located by supplier to within 10m</p>	E6SE (W)	675	2	483904 267910
3	<p>Discharge Consents</p> <p>Operator: Mears Ashby Nurseries Ltd Property Type: Arable Farming Location: Glebe House Glebe Road, Mears Ashby, Northampton, Nn6 0dl Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Gwnlf40680 Permit Version: 1 Effective Date: 31st March 1999 Issued Date: 19th July 2000 Revocation Date: Not Supplied Discharge Type: Trade Discharge - Agricultural And Surface Discharge: Land/Soakaway Environment: Receiving Water: Groundwater Status: Deemed Groundwater Regulations Authorisation Positional Accuracy: Located by supplier to within 10m</p>	E6NE (W)	910	2	483700 268050
4	<p>Discharge Consents</p> <p>Operator: Mears Ashby Nurseries Ltd Property Type: WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Location: Mears Ashby Nurseries Glebe House, Glebe Road, Mears Ashby Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Prnnf02044 Permit Version: 2 Effective Date: 12th February 1992 Issued Date: 12th February 1992 Revocation Date: 8th March 1992 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Lake/Reservoir - with outlet Environment: Receiving Water: Trib Swanspool Brook Status: Post National Rivers Authority Legislation where issue date > 31/08/1989 Positional Accuracy: Located by supplier to within 10m</p>	E6SW (W)	933	2	483640 267910
	<p>Nearest Surface Water Feature</p>	E4NW (SE)	0	-	484684 267310

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
5	Pollution Incidents to Controlled Waters Property Type: Not Applicable Location: Kettering District Authority: Environment Agency, Anglian Region Pollutant: Miscellaneous - Natural Note: Tributary Swanspool Brook Incident Date: 6th June 1996 Incident Reference: 2712 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Benthic Algae Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	E2SE (SW)	598	2	483800 267200
	Water Abstractions Operator: B B Rice Licence Number: 5/32/05/*s/058 Permit Version: Not Supplied Location: Sywell Reservoir, MEARS ASHBY Authority: Environment Agency, Anglian Region Abstraction: Spray Irrigation Abstraction Type: Not Supplied Source: Stream Daily Rate (m3): 45 Yearly Rate (m3): 1150000 Details: Status: Revoked Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	E6NW (W)	1243	2	483400 268200
	Water Abstractions Operator: H J & J H Turner Licence Number: 5/32/05/*g/041 Permit Version: Not Supplied Location: Well, Cottage Farm, SYWELL Authority: Environment Agency, Anglian Region Abstraction: Agriculture (General) Abstraction Type: Not Supplied Source: Well And Borehole Daily Rate (m3): 1 Yearly Rate (m3): 4550 Details: Miscellaneous Jurassic; Status: Revoked Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(W)	1809	2	482200 267200
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial: <90% Patchiness: Superficial Thickness: <3m Superficial Recharge: Low	E3SE (S)	0	3	484593 267000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial: <90% Patchiness: Superficial Thickness: <3m Superficial Recharge: Low	E3SE (S)	0	3	484452 267000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	(SE)	0	3	485000 266843
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	E4SW (S)	0	3	484717 267000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	E4SE (SE)	0	3	485016 267000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SE)	0	3	485000 266730

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	E4SE (SE)	0	3	485074 267000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	E4SW (SE)	0	3	485000 267000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	E8NW (NE)	0	3	484688 267955
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	E7SW (W)	0	3	484314 267778

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	E7SE (E)	0	3	484455 267781
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	E8SW (E)	0	3	485000 267781
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	E4NE (SE)	0	3	485243 267453
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	E4SE (SE)	0	3	485125 267139

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	E4NW (SE)	0	3	485000 267397
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Unproductive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	(S)	0	3	484374 266901
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SE)	0	3	485401 266292
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	(S)	0	3	484282 266435

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Unproductive Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial <90% Patchiness: 3-10m Superficial Thickness: Low Superficial Recharge:	(S)	0	3	485029 266273
	Groundwater Vulnerability Map Combined Secondary Bedrock Aquifer - High Vulnerability Classification: High Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial <90% Patchiness: <3m Superficial Thickness: Low Superficial Recharge:	E3SE (S)	0	3	484455 267000
	Groundwater Vulnerability Map Combined Secondary Bedrock Aquifer - High Vulnerability Classification: High Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial <90% Patchiness: <3m Superficial Thickness: Low Superficial Recharge:	(SE)	0	3	485000 266727
	Groundwater Vulnerability Map Combined Secondary Bedrock Aquifer - High Vulnerability Classification: High Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial <90% Patchiness: 3-10m Superficial Thickness: Low Superficial Recharge:	(SE)	0	3	485000 266727

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	E4SE (SE)	0	3	485303 267000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	E2SE (SW)	0	3	483785 267000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	E3SE (S)	0	3	484574 267077
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	E4NE (E)	0	3	485258 267507

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	E4NE (E)	0	3	485212 267526
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	E4NE (E)	0	3	485315 267442
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	E4NE (E)	0	3	485276 267462
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	E3SE (S)	0	3	484455 267000
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Low Possibility	E4SW (SE)	0	3	485000 267000
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	E7SE (E)	0	3	484455 267781
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Low Possibility	E8SW (E)	0	3	485000 267781
	Bedrock Aquifer Designations Aquifer Designation: Principal Aquifer	E8NW (NE)	0	3	484688 267955
	Bedrock Aquifer Designations Aquifer Designation: Principal Aquifer	E8SW (E)	0	3	485000 267781
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	E7SE (E)	0	3	484455 267781
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	E4NW (SE)	0	3	485000 267397

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	E7SW (W)	0	3	484314 267778
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	E4NE (E)	0	3	485258 267507
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	(SE)	0	3	485000 266843
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	E4NE (E)	0	3	485276 267462
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	(S)	0	3	485029 266273
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	E3NW (SW)	0	3	483990 267340
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	E7SE (E)	0	3	484455 267781
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	E8SW (E)	0	3	485000 267781
	Superficial Aquifer Designations Aquifer Designation: Unproductive Strata	(S)	0	3	484374 266901
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	E2SE (SW)	0	3	483827 266957
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(SE)	0	3	485401 266292
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	E7SW (W)	0	2	484110 267660
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	E7SW (W)	0	2	484110 267660
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
6	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 490.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E3SE (S)	0	4	484535 266925
7	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 239.2 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E3SE (S)	0	4	484616 267150

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
8	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 141.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E4NW (SE)	0	4	484672 267274
9	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E3SE (S)	0	4	484617 267152
10	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E4NW (SE)	0	4	484674 267280
11	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 154.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E4NW (SE)	0	4	484715 267429
12	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 252.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E4NE (E)	0	4	485325 267455
13	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 52.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E4NW (SE)	0	4	484727 267479
14	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1657.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E7SW (W)	379	4	484128 267787
15	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 438.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E12SW (NE)	501	4	484843 268376
16	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 119.5 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E12SE (NE)	570	4	485273 268450

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
17	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1644.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E7NW (NW)	584	4	484167 268188
18	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 666.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E1SE (SW)	689	4	483101 267079
19	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E6SE (W)	866	4	483695 267711
20	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E6SE (W)	870	4	483691 267711
21	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 233.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	E6SE (W)	874	4	483687 267711

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Landfill Coverage Name: Northamptonshire County Council - Has supplied landfill data		0	6	484455 267781
	Local Authority Landfill Coverage Name: Wellingborough Borough Council - Has no landfill data to supply		0	5	484455 267781

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Inferior Oolite Group	(SW)	0	1	483969 266799
	BGS 1:625,000 Solid Geology Description: Great Oolite Group	E7SE (E)	0	1	484455 267781
22	BGS Recorded Mineral Sites Site Name: Mears Ashby Location: Mears Ashby, Wellingborough, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 139636 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Jurassic Geology: Northampton Sand Formation Commodity: Iron Ore - Ironstone Positional Accuracy: Located by supplier to within 10m	E3NW (SW)	634	1	484019 267421
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E7SE (E)	0	1	484455 267781
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E8SW (E)	0	1	485000 267781
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E2SE (SW)	0	1	483827 266957
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	E2SE (SW)	0	1	483827 266957
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E7SE (E)	0	1	484455 267781
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E8SW (E)	0	1	485000 267781
	Potential for Ground Dissolution Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E4NE (E)	0	1	485184 267554
	Potential for Ground Dissolution Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E8SW (E)	0	1	485000 267781
	Potential for Ground Dissolution Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E8NW (NE)	0	1	484688 267955
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E7SE (E)	0	1	484455 267781
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E4NW (SE)	0	1	485000 267397
	Potential for Ground Dissolution Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E3SE (S)	0	1	484654 267031
	Potential for Ground Dissolution Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E4NE (SE)	0	1	485243 267453
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E7SE (E)	0	1	484455 267781

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E3NW (SW)	0	1	483990 267340
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E8SW (E)	0	1	485000 267781
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E7SW (W)	0	1	484136 267715
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E7SW (W)	0	1	484163 267798
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E4NE (E)	0	1	485212 267526
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E7SE (E)	0	1	484455 267781
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E2SE (SW)	0	1	483827 266957
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E8SW (E)	0	1	485000 267781
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E7SW (W)	0	1	484163 267798
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E4NE (E)	0	1	485315 267442
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E4NE (E)	0	1	485258 267507
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E8SW (E)	0	1	485000 267781
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E7SE (E)	0	1	484455 267781
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E3NW (SW)	0	1	483990 267340
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (5 to 10% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	E6SE (W)	0	1	483975 267625
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	E7SE (E)	0	1	484455 267781
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	E8SW (E)	0	1	485000 267781
	Radon Potential - Radon Protection Measures Protection Measure: Basic radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	E6SE (W)	0	1	483975 267625
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	E7SE (E)	0	1	484455 267781

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	<p>Radon Potential - Radon Protection Measures</p> <p>Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions</p> <p>Source: British Geological Survey, National Geoscience Information Service</p>	E8SW (E)	0	1	485000 267781

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
23	Nitrate Vulnerable Zones Name: Thrapstone Lake Eutrophic Lake Nvz Description: Eutrophic Water Source: Environment Agency, Head Office	E7SE (E)	0	3	484455 267781
24	Nitrate Vulnerable Zones Name: Northampton Sands Description: Groundwater Source: Environment Agency, Head Office	E7SE (E)	0	3	484455 267781
25	Nitrate Vulnerable Zones Name: River Nene Nvz Description: Surface Water Source: Environment Agency, Head Office	E7SE (E)	0	3	484455 267781

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Environment Agency - Head Office Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	August 2013 December 2019 December 2019 November 2023 September 2017	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annually Annual Rolling Update
Discharge Consents Environment Agency - Anglian Region	October 2023	Quarterly
Enforcement and Prohibition Notices Environment Agency - Anglian Region	March 2013	
Integrated Pollution Controls Environment Agency - Anglian Region	January 2009	
Integrated Pollution Prevention And Control Environment Agency - Anglian Region	January 2023	Quarterly
Local Authority Integrated Pollution Prevention And Control Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	December 2020 February 2015 February 2015 May 2014	Variable Variable Variable Variable
Local Authority Pollution Prevention and Controls Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	December 2020 February 2015 February 2015 May 2014	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department	December 2014 February 2015 February 2015 May 2014	Variable Variable Variable Variable
Nearest Surface Water Feature Ordnance Survey	November 2023	
Pollution Incidents to Controlled Waters Environment Agency - Anglian Region	September 1999	
Prosecutions Relating to Authorised Processes Environment Agency - Anglian Region	July 2015	
Prosecutions Relating to Controlled Waters Environment Agency - Anglian Region	March 2013	
Registered Radioactive Substances Environment Agency - Anglian Region Environment Agency - Head Office	June 2016 May 2023	As notified Quarterly
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	April 2012	
River Quality Chemistry Sampling Points Environment Agency - Head Office	April 2012	

Agency & Hydrological	Version	Update Cycle
Substantiated Pollution Incident Register Environment Agency - Anglian Region - Northern Area	October 2023	Quarterly
Water Abstractions Environment Agency - Anglian Region	October 2023	Quarterly
Water Industry Act Referrals Environment Agency - Anglian Region	October 2017	
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Source Protection Zones Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	January 2024	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	Quarterly
OS Water Network Lines Ordnance Survey	October 2023	Quarterly
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified

Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites Environment Agency - Head Office	July 2023	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Anglian Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - Anglian Region - Northern Area	July 2023	Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - Anglian Region - Northern Area	January 2023	Quarterly
Local Authority Landfill Coverage Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Northamptonshire County Council Wellingborough Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council West Northamptonshire Council	February 2003 February 2003 February 2003 May 2000 May 2000	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable
Local Authority Recorded Landfill Sites North Northamptonshire Council West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council) - Environmental Health Department Northamptonshire County Council Wellingborough Borough Council (now part of North Northamptonshire Council)	August 2006 August 2006 October 2018 October 2018 October 2018	
Registered Landfill Sites Environment Agency - Anglian Region - Northern Area	March 2006	Not Applicable
Registered Waste Transfer Sites Environment Agency - Anglian Region - Northern Area	April 2018	
Registered Waste Treatment or Disposal Sites Environment Agency - Anglian Region - Northern Area	June 2015	
Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	March 2023	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) Northamptonshire County Council Daventry District Council (now part of West Northamptonshire Council) West Northamptonshire Council	February 2016 February 2016 May 2013 May 2023 May 2023	Variable Variable Annual Rolling Update Variable Variable
Planning Hazardous Substance Consents Northamptonshire County Council North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council Daventry District Council (now part of West Northamptonshire Council)	December 2014 February 2016 February 2016 February 2016 January 2016	Annual Rolling Update Variable Variable Variable Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	June 2023	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	October 2023	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	October 2023	Annually
Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	October 2023	Quarterly
Fuel Station Entries Catalist Ltd - Experian	November 2023	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Underground Electrical Cables National Grid	February 2023	Bi-Annually

Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	October 2023	Bi-Annually
Areas of Adopted Green Belt Daventry District Council (now part of West Northamptonshire Council) North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly
Areas of Unadopted Green Belt Daventry District Council (now part of West Northamptonshire Council) North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) West Northamptonshire Council	August 2023 August 2023 August 2023 August 2023	Quarterly Quarterly Quarterly Quarterly
Areas of Outstanding Natural Beauty Natural England	November 2023	Bi-Annually
Environmentally Sensitive Areas Natural England	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	August 2023	Bi-Annually
Marine Nature Reserves Natural England	October 2023	Bi-Annually
National Nature Reserves Natural England	August 2023	Bi-Annually
National Parks Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 March 2023	Bi-Annually
Ramsar Sites Natural England	October 2023	Bi-Annually
Sites of Special Scientific Interest Natural England	November 2023	Bi-Annually
Special Areas of Conservation Natural England	October 2023	Bi-Annually
Special Protection Areas Natural England	October 2023	Bi-Annually

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
4	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
5	Wellingborough Borough Council (now part of North Northamptonshire Council) Croyland Abbey, Tithe Barn Road, Wellingborough, Northamptonshire, NN8 1BJ	Telephone: 01933 229777 Fax: 01933 441375 Website: www.wellingborough.gov.uk
6	Northamptonshire County Council County Hall, Northampton, Northamptonshire, NN1 1DN	Telephone: 0300 126 1000 Website: www.northamptonshire.gov.uk
7	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- ◆ Discharge Consent
- ▲ Enforcement or Prohibition Notice
- ▲ Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- ▲ Local Authority Pollution Prevention and Control
- ▼ Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- ▼ Prosecution Relating to Authorised Processes
- ◆ Prosecution Relating to Controlled Waters
- ▲ Registered Radioactive Substance
- + River Network or Water Feature
- + River Quality Sampling Point
- Substantiated Pollution Incident Register
- ◆ Water Abstraction
- ◆ Water Industry Act Referral

Waste

- ▼ BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- ▲ Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Registered Landfill Site
- ▼ Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site


Geological

- ▼ BGS Recorded Mineral Site

Industrial Land Use

- ★ Contemporary Trade Directory Entry
- ★ Fuel Station Entry
- ✖ COMAH Site
- ✖ Explosive Site
- ✖ NIHS Site
- ✖ Planning Hazardous Substance Consent
- ✖ Planning Hazardous Substance Enforcement

Site Sensitivity Map - Slice E




Order Details

Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484460, 267780
 Slice: E
 Site Area (Ha): 312.44
 Search Buffer (m): 1000






Site Details

Grendon Solar Scheme







Industrial Land Use Map


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Industrial Land Use

-  Contemporary Trade Directory Entry
-  Fuel Station Entry
-  Gas Pipeline
-  Underground Electrical Cables

Industrial Land Use Map - Slice E




Order Details




Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484460, 267780
 Slice: E
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details






Grendon Solar Scheme




General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

Agency and Hydrological (Flood)

-  Extreme Flooding from Rivers or Sea without Defences (Zone 2)
-  Flooding from Rivers or Sea without Defences (Zone 3)
-  Area Benefiting from Flood Defence
-  Flood Water Storage Areas
-  Flood Defence

Flood Map - Slice E




Order Details

Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484460, 267780
 Slice: E
 Site Area (Ha): 312.44
 Search Buffer (m): 1000






Site Details

Grendon Solar Scheme








© Crown Copyright. All Rights Reserved. License Number 100022432

General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Map ID
-  Several of Type at Location


Agency and Hydrological (Boreholes)

-  BGS Borehole Depth 0 - 10m
-  BGS Borehole Depth 10 - 30m
-  BGS Borehole Depth 30m +
-  Confidential
-  Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice E



Order Details

Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484460, 267780
 Slice: E
 Site Area (Ha): 312.44
 Search Buffer (m): 1000




Site Details

Grendon Solar Scheme









© Crown Copyright. All Rights Reserved. License Number 100022432


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point

OS Water Network Data

- | | |
|--|---|
|  Canal |  Drain |
|  Reservoir |  Other |
|  Foreshore |  Lake |
|  Marsh |  Transfer |
|  Tidal River |  Lock Or Flight Of Locks |
|  Inland River |  Sea |

OS Water Network Map - Slice E




Order Details


Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 484460, 267780
 Slice: E
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



© Crown Copyright. All Rights Reserved. License Number 100022432



© Crown Copyright. All Rights Reserved. License Number: 1000122412



Groundwater Vulnerability

General

- ◇ Specified Site
- ◇ Specified Buffer(s)
- X Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Bedrock Aquifers


- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

Superficial Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

- Unproductive Aquifer
- Soluble Rock

Site Sensitivity Context Map - Slice F



Order Details


Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485830, 267720
 Slice: F
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100012912



Bedrock Aquifer Designation

General


- ⬭ Specified Site
- ⬭ Specified Buffer(s)
- X Bearing Reference Point
- ⬭ Slice
- Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice F



Order Details


Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485830, 267720
 Slice: F
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 1000122412



Superficial Aquifer Designation

General


- ▭ Specified Site
- ▭ Specified Buffer(s)
- X Bearing Reference Point
- ▭ Slice
- B Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice F



Order Details

Order Number:	331730476_1_1
Customer Ref:	93791.580478
National Grid Reference:	485830, 267720
Slice:	F
Site Area (Ha):	312.44
Search Buffer (m):	1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk








© Crown Copyright. All Rights Reserved. Licence Number 100022412










Source Protection Zones


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Agency and Hydrological

-  Inner zone (Zone 1)
-  Inner zone - subsurface activity only (Zone 1c)
-  Outer zone (Zone 2)
-  Outer zone - subsurface activity only (Zone 2c)
-  Total catchment (Zone 3)
-  Total catchment - subsurface activity only (Zone 3c)
-  Special interest (Zone 4)

Site Sensitivity Context Map - Slice F



Order Details


Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485830, 267720
 Slice: F
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk








© Crown Copyright. All Rights Reserved. Licence Number 1000122412




















Sensitive Land Uses


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Sensitive Land Uses

-  Ancient Woodland
-  Area of Adopted Green Belt
-  Area of Unadopted Green Belt
-  Area of Outstanding Natural Beauty
-  Environmentally Sensitive Area
-  Forest Park
-  Local Nature Reserve
-  Marine Nature Reserve
-  National Nature Reserve
-  National Park
-  Nitrate Sensitive Area
-  Nitrate Vulnerable Zone
-  Ramsar Site
-  Site of Special Scientific Interest
-  Special Area of Conservation
-  Special Protection Area
-  World Heritage Sites

Site Sensitivity Context Map - Slice F



Order Details


Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485830, 267720
 Slice: F
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100122412



BGS Flood GFS Data


General

- ◇ Specified Site
- ◇ Specified Buffer(s)
- X Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice F



Order Details

Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485830, 267720
 Slice: F
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

331730476_1_1

Customer Reference:

93791.580478

National Grid Reference:

485830, 267720

Slice:

F

Site Area (Ha):

312.44

Search Buffer (m):

1000

Site Details:

Grendon Solar Scheme

Client Details:

Ms M Booth
Delta Simons
Suite 4A
One Portland Street
Manchester
M1 3BE



Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	17
Hazardous Substances	-
Geological	18
Industrial Land Use	20
Sensitive Land Use	23
Data Currency	24
Data Suppliers	28
Useful Contacts	29

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2024. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and/or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2024. © Natural Resources Wales & United Kingdom Research and Innovation 2024.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2024. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 5				2
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls					
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature		Yes			
Pollution Incidents to Controlled Waters	pg 5				5
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality					
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register	pg 6				1
Water Abstractions					
Water Industry Act Referrals	pg 6				2
Groundwater Vulnerability Map	pg 7	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk	pg 12	4	n/a	n/a	n/a
Bedrock Aquifer Designations	pg 12	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 13	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences				n/a	n/a
Flooding from Rivers or Sea without Defences				n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 13	2	2	3	21

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites					
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)	pg 17				1
Local Authority Landfill Coverage	pg 17	2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 18	Yes	n/a	n/a	n/a
BGS Recorded Mineral Sites					
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 18	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards				n/a	n/a
Potential for Ground Dissolution Stability Hazards	pg 18	Yes	Yes	n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 18	Yes		n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 18	Yes		n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 18	Yes		n/a	n/a
Radon Potential - Radon Affected Areas	pg 19	Yes	n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Industrial Land Use					
Contemporary Trade Directory Entries	pg 20				23
Fuel Station Entries					
Gas Pipelines					
Underground Electrical Cables					
Sensitive Land Use					
Ancient Woodland					
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 23	3			
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	484700 267550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	485200 267600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	484800 267500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	485250 267400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	485150 267200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	484800 267350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	485400 266650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	485300 266600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	0	1	485050 266400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	485100 266400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	0	1	485300 266450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	485000 266950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	0	1	485050 266950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	485000 266650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	485100 266650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(S)	0	1	485600 266900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	0	1	484700 266950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	484950 266900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	485650 266900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	485100 267150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F1SW (SW)	0	1	485450 267050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F1NW (SW)	0	1	485400 267450

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	485300 268050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	485000 266500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	485050 266500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F5SW (NW)	0	1	485600 267850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	484750 267550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F5SW (W)	0	1	485400 267600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	485000 267721
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	484900 266850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	0	1	485050 266750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	484950 266600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	485200 266650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	485400 266550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	485050 267000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F1SW (S)	0	1	485600 267000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	0	1	485000 266750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	0	1	485100 266700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	0	1	485000 266900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F1SW (S)	0	1	485600 266950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	484800 267400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	485250 267250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	0	1	484950 266400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F1SW (S)	12	1	485650 266950

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F1NW (SW)	19	1	485400 267500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(S)	21	1	485650 266550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F1SE (S)	31	1	485700 267100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F1NW (SW)	39	1	485500 267300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F1NW (SW)	43	1	485450 267400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(S)	44	1	485700 266650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	51	1	485650 266500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	51	1	485550 266350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F1SW (S)	54	1	485600 267150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	62	1	485700 266550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F1NW (SW)	63	1	485500 267350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	73	1	485500 266250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	76	1	485750 266850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	77	1	485550 266300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	84	1	485750 266700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	95	1	485600 266350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F1SW (S)	98	1	485650 267150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F1NW (SW)	102	1	485600 267250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F1NW (SW)	106	1	485500 267450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F5SE (NE)	117	1	485831 267721
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	117	1	485650 266400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	119	1	485600 266300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F1SW (S)	122	1	485650 267200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	130	1	485750 266500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F5SW (W)	134	1	485500 267700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	163	1	485900 266750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	163	1	485700 266400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	183	1	485700 266350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	201	1	485831 266600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F1NE (S)	210	1	485750 267250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	252	1	485000 268150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	271	1	485831 266400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F5SE (E)	327	1	485850 267721
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	358	1	485950 266550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	380	1	485900 266350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	414	1	486000 266500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	426	1	486050 266750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	474	1	486050 266450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	476	1	486200 266900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	477	1	486100 266850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	482	1	485950 266250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F2SW (S)	485	1	486100 266950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(S)	496	1	486100 266600

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	Discharge Consents Operator: G N Mills & Sons Property Type: Livestock Production, Food Production Location: Appleby Lodge Sywell Road, Wellingborough, Northants, Nn8 6bs Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Gwnlf40747 Permit Version: 1 Effective Date: 31st March 1999 Issued Date: 19th July 2000 Revocation Date: Not Supplied Discharge Type: Agriculture - Livestock Farming Discharge: Land/Soakaway Environment: Receiving Water: Groundwater Status: Deemed Groundwater Regulations Authorisation Positional Accuracy: Located by supplier to within 100m	F9NW (N)	813	2	485600 268600
2	Discharge Consents Operator: J R Watson & Co Property Type: FARMS (NOT HOUSE)/CROP + ANIMAL REARING/PLANT NURSERY Location: Appleby Lodge, Wellingborough, Nn8 6bs Authority: Environment Agency, Anglian Region Catchment Area: Not Supplied Reference: Pr5nf2256a Permit Version: 1 Effective Date: 27th May 1963 Issued Date: 27th May 1963 Revocation Date: 12th August 1991 Discharge Type: Agricultural effluents Discharge: Not Supplied Environment: Receiving Water: Not Supplied Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m	F9NW (N)	995	2	485600 268800
	Nearest Surface Water Feature	F1SW (S)	0	-	485551 266977
3	Pollution Incidents to Controlled Waters Property Type: Food industry Location: Kettering District Authority: Environment Agency, Anglian Region Pollutant: Chemicals - Other Organic Note: Harrowden Brook Tributary Incident Date: 6th September 1996 Incident Reference: 2841 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Poor Operational Practice Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	F1NE (S)	554	2	485900 267500
4	Pollution Incidents to Controlled Waters Property Type: Construction Location: Kettering District Authority: Environment Agency, Anglian Region Pollutant: Rubble/Litter Or Solids Note: Ditch Incident Date: 5th June 1995 Incident Reference: 2372 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Poor Operational Practice Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	F5SE (E)	686	2	486000 267700
5	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Surface Water Outfall Location: Kettering District Authority: Environment Agency, Anglian Region Pollutant: Miscellaneous - Unknown Note: Tributary Swanspool Brook Incident Date: 27th June 1996 Incident Reference: 2752 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	F2NW (SE)	816	2	486200 267500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
6	Pollution Incidents to Controlled Waters Property Type: Oil Industry (Not Garages) Location: Kettering District Authority: Environment Agency, Anglian Region Pollutant: Oils - Diesel (Including Agricultural) Note: Tributary Of Nene Incident Date: 6th June 1996 Incident Reference: 2711 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Overflowing During Delivery Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	F6NW (NE)	862	2	486100 268000
7	Pollution Incidents to Controlled Waters Property Type: Other General Premises Location: Kettering District Authority: Environment Agency, Anglian Region Pollutant: Oils - Other Oil Note: Tributary Swanspool Brook Incident Date: 11th October 1996 Incident Reference: 2853 Catchment Area: Not Given Receiving Water: Potential River Cause of Incident: Other Cause Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	F2NE (E)	992	2	486400 267500
8	Substantiated Pollution Incident Register Authority: Environment Agency - Anglian Region, Northern Area Incident Date: 15th January 2007 Incident Reference: 461948 Water Impact: Category 3 - Minor Incident Air Impact: Category 4 - No Impact Land Impact: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 10m Pollutant: Inert : Construction / Demolition Material Pollutant: Asbestos Waste Pollutant: Specific Waste Materials: Batteries Pollutant: Specific Waste Materials: Commercial Waste Pollutant: Specific Waste Materials: Household Waste Pollutant: Specific Waste Materials: Metal Wastes Pollutant: Specific Waste Materials: Tyres	F9NW (N)	914	2	485602 268711
9	Water Industry Act Referrals Name: Cummins Ltd Location: 40-44 RUTHERFORD DRIVE, PARK FARM SOUTH, WELLINGBOROUGH, NORTHAMPTONSHIRE, NN8 6AN Authority: Environment Agency, Anglian Region Permit Reference: CD8112 Dated: 18th May 2009 Process Type: Permissions or amendments to discharge under the Water Industry Act 1991 Description: Processes which result in the discharge of Special Category effluents under The Trade Effluents (Prescribed Processes and Substances) Regulations Status: Application received by the EA but is not yet authorised Positional Accuracy: Automatically positioned to the address	F2NW (SE)	876	2	486240 267551
10	Water Industry Act Referrals Name: Sarantal Ltd Location: UNIT 2 WENDEL POINT, RYLE DRIVE, PARK FARM SOUTH, WELLINGBOROUGH, NORTHAMPTONSHIRE, NN8 6AQ Authority: Environment Agency, Anglian Region Permit Reference: B14265 Dated: 22nd June 2001 Process Type: Permissions or amendments to discharge under the Water Industry Act 1991 Description: Processes which result in the discharge of Special Category effluents under The Trade Effluents (Prescribed Processes and Substances) Regulations Status: Application has been authorised and any conditions apply to the operator Positional Accuracy: Automatically positioned to the address	F6NW (NE)	980	2	486252 267932

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	(SW)	0	3	485000 266971
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	(SW)	0	3	485000 266843
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	(SW)	0	3	485000 267000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SW)	0	3	485074 267000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SW)	0	3	485006 266730
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SW)	0	3	485303 267000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SW)	0	3	485016 267000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(W)	0	3	485000 267721

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(W)	0	3	484776 267483
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(W)	0	3	485000 267397
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	F5SW (W)	0	3	485444 267819
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SW)	0	3	485250 267440

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(SW)	0	3	485170 267175
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	F5SW (W)	0	3	485497 267753
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(S)	0	3	485445 266303
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	(S)	0	3	485582 266585

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Low	(SW)	0	3	485000 266727
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	F1SW (S)	0	3	485625 267000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	F1SW (SW)	0	3	485435 267000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	F5SW (W)	0	3	485397 267617

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	F5SW (W)	0	3	485452 267723
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	F1NW (SW)	0	3	485346 267438
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Low	F1NW (SW)	0	3	485364 267505
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	(SW)	0	3	485000 267000
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Low Possibility	F1SE (S)	0	3	485831 267000
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	(W)	0	3	485000 267721
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Low Possibility	F5SE (NE)	0	3	485831 267721
	Bedrock Aquifer Designations Aquifer Designation: Principal Aquifer	(W)	0	3	485000 267721
	Bedrock Aquifer Designations Aquifer Designation: Principal Aquifer	F5SE (NE)	0	3	485831 267721
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	(W)	0	3	485000 267397
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	F5SW (W)	0	3	485497 267753

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(W)	0	3	484776 267483
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	F5SW (W)	0	3	485414 267618
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	(SW)	0	3	485000 266843
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	F1NW (SW)	0	3	485364 267505
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	F3NW (SE)	0	3	486810 267263
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	(W)	0	3	485000 267721
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	F5SE (NE)	0	3	485831 267721
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(S)	0	3	485445 266303
	Extreme Flooding from Rivers or Sea without Defences None				
	Flooding from Rivers or Sea without Defences None				
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
11	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 252.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F5SW (W)	0	4	485378 267606
12	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1093.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F1NW (SW)	0	4	485347 267364
13	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F5SW (W)	59	4	485380 267612
14	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 246.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F5SW (W)	61	4	485472 267778

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
15	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F5SW (W)	252	4	485483 267834
16	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 9.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F5SW (W)	257	4	485483 267836
17	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 592.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F5SW (W)	258	4	485485 267847
18	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 239.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F5SE (E)	561	4	485886 267712
19	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 119.5 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F9SW (NW)	570	4	485392 268467
20	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 29.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F9SW (NW)	587	4	485436 268426
21	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 472.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F1NE (SE)	598	4	485935 267531
22	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 21.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F9SW (NW)	600	4	485418 268447
23	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 463.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F1NE (SE)	605	4	485943 267532

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
24	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 16.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F1NE (SE)	607	4	485943 267532
25	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 50.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F1NE (SE)	607	4	485946 267581
26	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 10.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F9SW (NW)	611	4	485401 268470
27	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 6.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F1NE (SE)	614	4	485957 267522
28	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 8.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F9SW (NW)	617	4	485401 268470
29	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 10.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F9SW (NW)	617	4	485411 268467
30	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 193.4 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F5SE (E)	624	4	485968 267713
31	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 298.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F5NE (N)	749	4	485916 268162
32	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 27.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F2NW (SE)	776	4	486190 267461

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
33	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 242.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F2NW (SE)	857	4	486318 267369
34	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 25.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F6NW (NE)	923	4	486115 268156
35	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 99.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F6NW (NE)	934	4	486168 268099
36	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 34.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F2SE (SE)	939	4	486478 267203
37	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 50.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F9SE (N)	964	4	485927 268538
38	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1209.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	F2SE (SE)	973	4	486512 267211

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
39	Licensed Waste Management Facilities (Locations) Licence Number: 100017 Location: Appleby Lodge Farm, Sywell Road, Wellingborough, Northamptonshire, NN8 6BS Operator Name: Ashby Waste Management Limited Operator Location: Not Supplied Authority: Environment Agency - Anglian Region, Northern Area Site Category: HCl Waste TS + treatment Licence Status: Surrendered Issued: 13th November 2007 Last Modified: 25th February 2013 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: 30th April 2014 IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	F9NW (N)	983	2	485592 268790
	Local Authority Landfill Coverage Name: Northamptonshire County Council - Has supplied landfill data		0	6	485831 267721
	Local Authority Landfill Coverage Name: Wellingborough Borough Council - Has no landfill data to supply		0	5	485831 267721

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Great Oolite Group	F5SE (NE)	0	1	485831 267721
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	F5SE (NE)	0	1	485831 267721
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F5SE (NE)	0	1	485831 267721
	Potential for Ground Dissolution Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	F5SW (W)	0	1	485444 267819
	Potential for Ground Dissolution Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	F5SE (NE)	0	1	485831 267721
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F5SW (W)	0	1	485497 267753
	Potential for Ground Dissolution Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	F5SW (W)	38	1	485414 267618
	Potential for Ground Dissolution Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	F5SW (W)	122	1	485518 267760
	Potential for Ground Dissolution Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	F1NW (SW)	128	1	485503 267408
	Potential for Ground Dissolution Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	F2NW (SE)	145	1	486143 267524
	Potential for Ground Dissolution Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	F1NW (SW)	168	1	485537 267365
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	F5SE (NE)	0	1	485831 267721
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F5SW (W)	0	1	485452 267723
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	F5SE (NE)	0	1	485831 267721
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F1SW (SW)	0	1	485600 267232
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F5SW (W)	0	1	485397 267617
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	F5SE (NE)	0	1	485831 267721
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	F1SW (S)	0	1	485650 267025
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	F5SE (NE)	0	1	485831 267721

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	F1SW (S)	0	1	485650 267025
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	F5SE (NE)	0	1	485831 267721

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
40	Contemporary Trade Directory Entries Name: Linkline Transport Ltd Location: Appleby Lodge Way, Wellingborough, Northamptonshire, NN8 6BT Classification: Road Haulage Services Status: Active Positional Accuracy: Manually positioned to the address or location	F9SW (N)	595	-	485630 268313
41	Contemporary Trade Directory Entries Name: Clenaware Systems Location: 30, Huxley Close, WELLINGBOROUGH, Northamptonshire, NN8 6AB Classification: Catering Equipment Status: Inactive Positional Accuracy: Automatically positioned to the address	F5SE (E)	614	-	485922 267741
42	Contemporary Trade Directory Entries Name: Full Support Health Care Ltd Location: 66-80, Huxley Close, Wellingborough, Northamptonshire, NN8 6AB Classification: Medical Equipment Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	F5SE (E)	694	-	486010 267664
43	Contemporary Trade Directory Entries Name: Eterna Lighting Ltd Location: Huxley Close, Wellingborough, Northamptonshire, NN8 6AB Classification: Distribution Services Status: Inactive Positional Accuracy: Automatically positioned to the address	F6SW (SE)	696	-	486017 267613
43	Contemporary Trade Directory Entries Name: Alde International Uk Ltd Location: 43-53, Huxley Close, Wellingborough, NN8 6AB Classification: Central Heating Supplies & Equipment Status: Active Positional Accuracy: Automatically positioned to the address	F6SW (E)	734	-	486053 267637
44	Contemporary Trade Directory Entries Name: R G S Technical Services Location: 28, Huxley Close, Wellingborough, NN8 6AB Classification: Wheel Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	F6SW (E)	707	-	486018 267731
44	Contemporary Trade Directory Entries Name: Saeloc Ltd Location: 28, Huxley Close, Wellingborough, Northamptonshire, NN8 6AB Classification: Packaging & Wrapping Equipment & Supplies Status: Inactive Positional Accuracy: Automatically positioned to the address	F6SW (E)	707	-	486018 267731
44	Contemporary Trade Directory Entries Name: Penhall Ltd Location: 28, Huxley Close, Wellingborough, NN8 6AB Classification: Die-Casting Equipment & Services Status: Inactive Positional Accuracy: Automatically positioned to the address	F6SW (E)	707	-	486018 267731
45	Contemporary Trade Directory Entries Name: Emplas Window Systems Ltd Location: 2-6, Huxley Close, Wellingborough, NN8 6AB Classification: Window Frame Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	F6SW (E)	801	-	486108 267767
46	Contemporary Trade Directory Entries Name: Krohne Ltd Location: 34-38, Rutherford Drive, Park Farm Industrial Estate, Wellingborough, NN8 6AE Classification: Industrial Instrument & Apparatus Manufacturers Status: Active Positional Accuracy: Automatically positioned to the address	F6SW (E)	852	-	486170 267651
47	Contemporary Trade Directory Entries Name: Cummins (UK) Location: Rutherford Drive, Park Farm Industrial Estate, Wellingborough, Northamptonshire, NN8 6AN Classification: Diesel Engine Equipment & Services Status: Inactive Positional Accuracy: Automatically positioned to the address	F2NW (SE)	876	-	486240 267551

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
47	<p>Contemporary Trade Directory Entries</p> <p>Name: Cummins Diesel Location: Rutherford Drive, Park Farm Industrial Estate, Wellingborough, Northamptonshire, NN8 6AN Classification: Diesel Engine Equipment & Services Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	F2NW (SE)	876	-	486240 267551
47	<p>Contemporary Trade Directory Entries</p> <p>Name: Cummins Distribution Europe Location: 40-44, Rutherford Drive, Park Farm Industrial Estate, Wellingborough, Northamptonshire, NN8 6AN Classification: Distribution Services Status: Active Positional Accuracy: Automatically positioned to the address</p>	F2NW (SE)	876	-	486240 267551
48	<p>Contemporary Trade Directory Entries</p> <p>Name: Liquid Control Ltd Location: Unit 2 Ryle Drive, Park Farm Industrial Estate, Wellingborough, Northamptonshire, NN8 6BA Classification: Pumps - Sales, Servicing & Repairs Status: Inactive Positional Accuracy: Manually positioned within the geographical locality</p>	F6SW (NE)	900	-	486182 267886
49	<p>Contemporary Trade Directory Entries</p> <p>Name: Volvo Trucks Location: Rutherford Drive, Park Farm Industrial Estate, Wellingborough, NN8 6AQ Classification: Commercial Vehicle Servicing, Repairs, Parts & Accessories Status: Active Positional Accuracy: Automatically positioned to the address</p>	F6NW (NE)	943	-	486200 267971
49	<p>Contemporary Trade Directory Entries</p> <p>Name: Dana Uk Driveshaft Ltd Location: Rutherford Drive, Park Farm Industrial Estate, Wellingborough, NN8 6AQ Classification: Engineering Materials Status: Active Positional Accuracy: Automatically positioned to the address</p>	F6NW (NE)	943	-	486200 267971
49	<p>Contemporary Trade Directory Entries</p> <p>Name: Refco Metals Ltd Location: Rutherford Drive, Park Farm Industrial Estate, Wellingborough, NN8 6AQ Classification: Aluminium Fabricators Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	F6NW (NE)	943	-	486200 267971
49	<p>Contemporary Trade Directory Entries</p> <p>Name: F F A Concepts Location: Rutherford Drive, Park Farm Industrial Estate, WELLINGBOROUGH, Northamptonshire, NN8 6AQ Classification: Metal Workers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	F6NW (NE)	947	-	486189 268009
50	<p>Contemporary Trade Directory Entries</p> <p>Name: Avalon Cars Ltd Location: Unit 9-10, Appleby Lodge, 184, Sywell Road, Wellingborough, Northamptonshire, NN8 6BS Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	F9NW (N)	949	-	485609 268746
51	<p>Contemporary Trade Directory Entries</p> <p>Name: Sarantel Ltd Location: 2, Ryle Drive, Park Farm Industrial Estate, Wellingborough, Northamptonshire, NN8 6BA Classification: Telecommunications Equipment & Systems Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	F6NW (NE)	980	-	486252 267932
52	<p>Contemporary Trade Directory Entries</p> <p>Name: Jaybeam Ltd Location: Rutherford Drive, Park Farm Industrial Estate, Wellingborough, Northamptonshire, NN8 6AX Classification: Radio Communication Equipment Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	F2NE (E)	990	-	486393 267509

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
52	Contemporary Trade Directory Entries Name: Amphenol Antennas Location: Amphenol Building,46-50 Rutherford Drive, Park Farm Industrial Estate, Wellingborough, Northamptonshire, NN8 6AX Classification: Wire Products - Manufacturers Status: Inactive Positional Accuracy: Manually positioned to the address or location	F2NE (E)	990	-	486393 267509
52	Contemporary Trade Directory Entries Name: Material Change Location: 46-50, Rutherford Drive, Park Farm Industrial Estate, Wellingborough, NN8 6AX Classification: Recycling Services Status: Active Positional Accuracy: Automatically positioned to the address	F2NE (E)	991	-	486403 267494

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
53	Nitrate Vulnerable Zones Name: Thrapstone Lake Eutrophic Lake Nvz Description: Eutrophic Water Source: Environment Agency, Head Office	F5SE (NE)	0	3	485831 267721
54	Nitrate Vulnerable Zones Name: Northampton Sands Description: Groundwater Source: Environment Agency, Head Office	F5SE (NE)	0	3	485831 267721
55	Nitrate Vulnerable Zones Name: River Nene Nvz Description: Surface Water Source: Environment Agency, Head Office	F5SE (NE)	0	3	485831 267721

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council Environment Agency - Head Office	August 2013 December 2019 November 2023	Annual Rolling Update Annual Rolling Update Annually
Discharge Consents Environment Agency - Anglian Region	October 2023	Quarterly
Enforcement and Prohibition Notices Environment Agency - Anglian Region	March 2013	
Integrated Pollution Controls Environment Agency - Anglian Region	January 2009	
Integrated Pollution Prevention And Control Environment Agency - Anglian Region	January 2023	Quarterly
Local Authority Integrated Pollution Prevention And Control Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council	December 2020 February 2015	Variable Variable
Local Authority Pollution Prevention and Controls Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council	December 2020 February 2015	Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements Wellingborough Borough Council (now part of North Northamptonshire Council) - Environmental Health Department North Northamptonshire Council	December 2014 February 2015	Variable Variable
Nearest Surface Water Feature Ordnance Survey	November 2023	
Pollution Incidents to Controlled Waters Environment Agency - Anglian Region	September 1999	
Prosecutions Relating to Authorised Processes Environment Agency - Anglian Region	July 2015	
Prosecutions Relating to Controlled Waters Environment Agency - Anglian Region	March 2013	
Registered Radioactive Substances Environment Agency - Anglian Region Environment Agency - Head Office	June 2016 May 2023	As notified Quarterly
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	April 2012	
River Quality Chemistry Sampling Points Environment Agency - Head Office	April 2012	
Substantiated Pollution Incident Register Environment Agency - Anglian Region - Northern Area	October 2023	Quarterly
Water Abstractions Environment Agency - Anglian Region	October 2023	Quarterly
Water Industry Act Referrals Environment Agency - Anglian Region	October 2017	
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk Environment Agency - Head Office	June 2018	As notified

Agency & Hydrological	Version	Update Cycle
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Source Protection Zones Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	January 2024	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	Quarterly
OS Water Network Lines Ordnance Survey	October 2023	Quarterly
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified
Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites Environment Agency - Head Office	July 2023	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Anglian Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - Anglian Region - Northern Area	July 2023	Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - Anglian Region - Northern Area	January 2023	Quarterly
Local Authority Landfill Coverage Northamptonshire County Council Wellingborough Borough Council (now part of North Northamptonshire Council) North Northamptonshire Council	February 2003 February 2003 May 2000	Not Applicable Not Applicable Not Applicable
Local Authority Recorded Landfill Sites North Northamptonshire Council Northamptonshire County Council Wellingborough Borough Council (now part of North Northamptonshire Council)	August 2006 October 2018 October 2018	
Registered Landfill Sites Environment Agency - Anglian Region - Northern Area	March 2006	Not Applicable
Registered Waste Transfer Sites Environment Agency - Anglian Region - Northern Area	April 2018	
Registered Waste Treatment or Disposal Sites Environment Agency - Anglian Region - Northern Area	June 2015	

Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	March 2023	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council) Northamptonshire County Council	February 2016 February 2016 May 2013	Variable Variable Annual Rolling Update
Planning Hazardous Substance Consents Northamptonshire County Council North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council)	December 2014 February 2016 February 2016	Annual Rolling Update Variable Variable
Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	June 2023	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	October 2023	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	October 2023	Annually

Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	October 2023	Quarterly
Fuel Station Entries Catalist Ltd - Experian	November 2023	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Underground Electrical Cables National Grid	February 2023	Bi-Annually
Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	October 2023	Bi-Annually
Areas of Adopted Green Belt North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council)	August 2023 August 2023	Quarterly Quarterly
Areas of Unadopted Green Belt North Northamptonshire Council Wellingborough Borough Council (now part of North Northamptonshire Council)	August 2023 August 2023	Quarterly Quarterly
Areas of Outstanding Natural Beauty Natural England	November 2023	Bi-Annually
Environmentally Sensitive Areas Natural England	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	August 2023	Bi-Annually
Marine Nature Reserves Natural England	October 2023	Bi-Annually
National Nature Reserves Natural England	August 2023	Bi-Annually
National Parks Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 March 2023	Bi-Annually
Ramsar Sites Natural England	October 2023	Bi-Annually
Sites of Special Scientific Interest Natural England	November 2023	Bi-Annually
Special Areas of Conservation Natural England	October 2023	Bi-Annually
Special Protection Areas Natural England	October 2023	Bi-Annually

A selection of organisations who provide data within this report


Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
4	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
5	Wellingborough Borough Council (now part of North Northamptonshire Council) Croyland Abbey, Tithe Barn Road, Wellingborough, Northamptonshire, NN8 1BJ	Telephone: 01933 229777 Fax: 01933 441375 Website: www.wellingborough.gov.uk
6	Northamptonshire County Council County Hall, Northampton, Northamptonshire, NN1 1DN	Telephone: 0300 126 1000 Website: www.northamptonshire.gov.uk
7	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

- General**
- Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point
 - Map ID
 - Several of Type at Location
- Agency and Hydrological**
- Contaminated Land Register Entry or Notice (Location)
 - Contaminated Land Register Entry or Notice
 - Discharge Consent
 - Enforcement or Prohibition Notice
 - Integrated Pollution Control
 - Integrated Pollution Prevention Control
 - Local Authority Integrated Pollution Prevention and Control
 - Local Authority Pollution Prevention and Control
 - Local Authority Pollution Prevention and Control Enforcement
 - Pollution Incident to Controlled Waters
 - Prosecution Relating to Authorised Processes
 - Prosecution Relating to Controlled Waters
 - Registered Radioactive Substance
 - River Network or Water Feature
 - River Quality Sampling Point
 - Substantiated Pollution Incident Register
 - Water Abstraction
 - Water Industry Act Referral
- Waste**
- BGS Recorded Landfill Site (Location)
 - BGS Recorded Landfill Site
 - EA Historic Landfill (Buffered Point)
 - EA Historic Landfill (Polygon)
 - Integrated Pollution Control Registered Waste Site
 - Licensed Waste Management Facility (Landfill Boundary)
 - Licensed Waste Management Facility (Location)
 - Local Authority Recorded Landfill Site (Location)
 - Local Authority Recorded Landfill Site
 - Registered Landfill Site
 - Registered Landfill Site (Location)
 - Registered Landfill Site (Point Buffered to 100m)
 - Registered Landfill Site (Point Buffered to 250m)
 - Registered Waste Transfer Site (Location)
 - Registered Waste Transfer Site
 - Registered Waste Treatment or Disposal Site (Location)
 - Registered Waste Treatment or Disposal Site
- Hazardous Substances**
- COMAH Site
 - Explosive Site
 - NIHHS Site
 - Planning Hazardous Substance Consent
 - Planning Hazardous Substance Enforcement
- Geological**
- BGS Recorded Mineral Site
- Industrial Land Use**
- Contemporary Trade Directory Entry
 - Fuel Station Entry

Site Sensitivity Map - Slice F



Order Details






Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485830, 267720
 Slice: F
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details





Grendon Solar Scheme

Industrial Land Use Map


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Industrial Land Use

-  Contemporary Trade Directory Entry
-  Fuel Station Entry
-  Gas Pipeline
-  Underground Electrical Cables

Industrial Land Use Map - Slice F



Order Details

Order Number: 331730476_1_1
 Customer Ref: 93791.580478
 National Grid Reference: 485830, 267720
 Slice: F
 Site Area (Ha): 312.44
 Search Buffer (m): 1000

Site Details

Grendon Solar Scheme



© Crown Copyright. All Rights Reserved. License Number 100022432