

BT-NG-020621-545-0147

Bramford to Twinstead Reinforcement

Volume 7: Other Documents

Document 7.8.3: LEMP Appendix C – Planting Schedules

Final Issue A
April 2023

Planning Inspectorate Reference: EN020002

Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 Regulation 5(2)(q)

nationalgrid



Page intentionally blank

Contents

| | | |
|-----------|---|----------|
| 1. | Introduction | 1 |
| 1.1 | Overview | 1 |
| 1.2 | Purpose of the Planting Schedules | 1 |
| 1.3 | Structure of the Planting Schedules | 1 |
| 2. | Woodland Planting | 3 |
| 2.1 | Introduction | 3 |
| 2.2 | W1 Mixed Broadleaved Native Woodland | 3 |
| 2.3 | W2 Woodland Edge | 4 |
| 3. | Individual Tree Planting | 5 |
| 3.1 | Introduction | 5 |
| 3.2 | T1 Individual Tree Planting | 5 |
| 4. | Hedgerow Planting | 6 |
| 4.1 | Introduction | 6 |
| 4.2 | H1 Species Rich Hedgerow Mix | 6 |
| 4.3 | H2 Species Rich Hedgerow Mix with Trees | 7 |
| 5. | Scrub Planting | 8 |
| 5.1 | Introduction | 8 |
| 5.2 | S1 Scrub Mix | 8 |

| | | |
|-----------|---|-----------|
| 5.3 | S2 Low Growing Scrub Mix | 9 |
| 6. | Marginal and Emergent Planting | 10 |
| 6.1 | Introduction | 10 |
| 6.2 | ME1 Marginal Mix | 10 |
| 6.3 | ME2 Emergent Mix | 11 |
| 7. | Grass Seeding | 13 |
| 7.1 | Introduction | 13 |
| 7.2 | G1 Species Rich Grass Seed Mix | 13 |
| 7.3 | G2 Low Maintenance Grass Seed Mix | 14 |
| 7.4 | G3 Grass Seed Mix for Amenity Grassland (Where Grazing is Likely) | 15 |
| 7.5 | G4 Grass Seed Mix for Marshy Grassland | 15 |

| | |
|---|----|
| Table 1.1 – Abbreviations Used | 2 |
| Table 2.1 – W1 Mixed Broadleaved Native Woodland | 3 |
| Table 2.2 – W2 Woodland Edge | 4 |
| Table 3.1 – T1 Individual Tree Planting | 5 |
| Table 4.1 – H1 Species Rich Hedgerow Mix | 6 |
| Table 4.2 – H2 Species Rich Hedgerow Mix | 7 |
| Table 5.1 – S1 Scrub Mix | 8 |
| Table 5.2 – S2 Low Growing Scrub Mix | 9 |
| Table 6.1 – ME1 Marginal Mix | 10 |
| Table 6.2 – ME2 Emergent Mix | 11 |
| Table 7.1 – G1 Species Rich Grass Seed Mix | 13 |
| Table 7.2 – G2 Grass Seed Mix for Amenity Grassland (General Purpose) | 14 |
| Table 7.3 – G3 Grass Seed Mix for Amenity Grassland (Where Grazing is Likely) | 15 |
| Table 7.3 – G4 Grass Seed Mix for Marshy Grassland | 15 |

1. Introduction

1.1 Overview

- 1.1.1 National Grid Electricity Transmission plc (here on referred to as National Grid) is making an application for development consent to reinforce the transmission network between Bramford Substation in Suffolk, and Twinstead Tee in Essex. The Bramford to Twinstead Reinforcement ('the project') would be achieved by the construction and operation of a new electricity transmission line over a distance of approximately 29km (18 miles), the majority of which would follow the general alignment of the existing overhead line network.
- 1.1.2 This is the Planting Schedule that has been produced to support the Landscape and Ecological Management Plan (LEMP) (**application document 7.8**) provided with the application for development consent.

1.2 Purpose of the Planting Schedules

- 1.2.1 This Planting Schedule has been produced to set out the typical species mixes and where relevant, plant sizes that would be planted during the landscape contract of the project. The Planting Schedules should be read alongside LEMP Appendix B: Vegetation Reinstatement Plans (**application document 7.8.2**), which shows the locations where each Planting Schedule would be applied. In accordance with Requirement 9, the Planting Schedules will be submitted to the relevant planning authorities alongside the reinstatement plans for that stage.

1.3 Structure of the Planting Schedules

- 1.3.1 The Planting Schedules are divided into vegetation type as follows:
- Chapter 2: Woodland Planting;
 - Chapter 3: Individual Tree Planting;
 - Chapter 4: Hedgerow Planting;
 - Chapter 5: Scrub Planting;
 - Chapter 6: Marginal and Emergent Planting; and
 - Chapter 7: Grass Seeding.

1.3.2 Table 1.1 sets out the abbreviations that are used within the tables in this Appendix.

Table 1.1 – Abbreviations Used

| Abbreviation | Reference |
|--------------------------------------|--|
| Root Zone | |
| B | Bare rooted and bagged |
| RB | Root balled |
| C | Container grown |
| Form and Age/Method of Growth | |
| L | Container size in litres |
| 1+0 | One year seedling that has not been transplanted |
| 1+1 | Two year seedling transplanted after first year |
| 0/2 | Two year cutting not transplanted |
| 2x | Two times transplanted |
| Breaks | Minimum number of branches, breaks or shoots |

2. Woodland Planting

2.1 Introduction

2.1.1 This chapter sets out the typical mixes and sizes for woodland planting as follows:

- W1 Mixed broadleaved native woodland; and
- W2 Woodland edge.

2.2 W1 Mixed Broadleaved Native Woodland

2.2.1 Table 2.1 sets out the planting mix for W1 Mixed broadleaved native woodland.

Table 2.1 – W1 Mixed Broadleaved Native Woodland

| Botanical Names | Common Names | Height (cm) | Root Zone | Form and Age /Method of Growth | % mix | Density |
|------------------------------|--------------|-------------|-----------|--------------------------------|-------|------------------|
| <i>Acer campestre</i> | Field maple | 175-200 | B | Feather; 2x; 5 breaks | 10 | 1/m ² |
| <i>Betula pendula</i> | Silver birch | 175-200 | B | Feather; 2x; 5 breaks | 10 | |
| <i>Betula pendula</i> | Silver birch | 300-350 | RB | Standard; 2x; 10-12cm girth | 5 | |
| <i>Corylus avellana</i> | Hazel | 40-60 | B | 1+1; branched, 2 breaks | 10 | |
| <i>Crataegus monogyna</i> | Hawthorn | 125-150 | B | Feather; 2x | 5 | |
| <i>Ilex aquifolium</i> | Holly | 40-60 | C | 2L; leader and laterals | 10 | |
| <i>Lonicera periclymenum</i> | Honeysuckle | 40-60 | C | 3L | 5 | |
| <i>Prunus spinosa</i> | Blackthorn | 40-60 | B | 1+1; branched; 2 breaks | 5 | |
| <i>Quercus robur</i> | Oak | 175-200 | B | Feather; 2x; 5 breaks | 15 | |
| <i>Quercus robur</i> | Oak | 300-350 | RB | Standard; 2x; 10-12cm girth | 10 | |

| Botanical Names | Common Names | Height (cm) | Root Zone | Form and Age /Method of Growth | % mix | Density |
|-----------------------|--------------|-------------|-----------|--------------------------------|-------|---------|
| <i>Sambucus nigra</i> | Elder | 40-60 | B | 1+0; branched; 2 breaks | 5 | |
| <i>Tilia cordata</i> | Lime | 150-175 | B | Feather; 2x; 5 breaks | 10 | |

2.3 W2 Woodland Edge

2.3.1 Table 2.2 sets out the planting mix for W2 Woodland edge.

Table 2.2 – W2 Woodland Edge

| Botanical Names | Common Names | Height (cm) | Root Zone | Form and Age /Method of Growth | % mix | Density |
|------------------------------|--------------|-------------|-----------|--------------------------------|-------|------------------|
| <i>Acer campestre</i> | Field maple | 40-60 | B | 1+1 | 5 | 1/m ² |
| <i>Betula pendula</i> | Silver birch | 175-200 | B | Feather; 2x; 5 breaks | 5 | |
| <i>Corylus avellana</i> | Hazel | 40-60 | B | 1+1; branched, 2 breaks | 15 | |
| <i>Crataegus monogyna</i> | Hawthorn | 125-150 | B | Feather; 2x | 20 | |
| <i>Ilex aquifolium</i> | Holly | 40-60 | C | 2L; leader and laterals | 5 | |
| <i>Lonicera periclymenum</i> | Honeysuckle | 40-60 | C | 3L | 5 | |
| <i>Prunus avium</i> | Bird cherry | 40-60 | B | 1+1; branched | 5 | |
| <i>Prunus spinosa</i> | Blackthorn | 40-60 | B | 1+1; branched; 2 breaks | 10 | |
| <i>Rosa canina</i> | Dog rose | 40-60 | B | 1+0; branched | 15 | |
| <i>Sambucus nigra</i> | Elder | 40-60 | B | 1+0; branched; 2 breaks | 15 | |

3. Individual Tree Planting

3.1 Introduction

3.1.1 This chapter sets out the typical mixes and sizes for individual tree planting as follows:

- T1 Individual tree planting.

3.2 T1 Individual Tree Planting

3.2.1 Table 3.1 sets out the planting mix for T1 Individual tree planting which would include tree planting within hedgerows.

Table 3.1 – T1 Individual Tree Planting

| Botanical Names | Common Names | Height (cm) | Root Zone | Form and Age /Method of Growth |
|---------------------------|-------------------|-------------|-----------|--------------------------------|
| <i>Acer campestre</i> | Field maple | 300-350 | B | Feathered; 2x; 7 breaks |
| <i>Alnus glutinosa</i> | Common alder | 300-350 | RB | Standard; 2x; 10-12cm girth |
| <i>Betula pendula</i> | Silver birch | 300-350 | RB | Standard; 2x; 10-12cm girth |
| <i>Carpinus betulus</i> | Hornbeam | 300-350 | RB | Standard; 2x; 10-12cm girth |
| <i>Fagus sylvatica</i> | Beech | 300-350 | RB | Standard; 2x; 10-12cm girth |
| <i>Populus nigra</i> | Black poplar | 300-350 | B | Feathered; 2x; 7 breaks |
| <i>Quercus robur</i> | Oak | 300-350 | RB | Standard; 2x; 10-12cm girth |
| <i>Tilia cordata</i> | Lime | 300-350 | RB | Standard; 2x; 10-12cm girth |
| <i>Tilia platyphyllos</i> | Large leaved lime | 300-350 | RB | Standard; 2x; 10-12cm girth |

4. Hedgerow Planting

4.1 Introduction

4.1.1 This chapter sets out the typical mixes and sizes for hedgerow planting as follows:

- H1 Species rich hedgerow mix; and
- H2 Species rich hedgerow mix with trees.

4.2 H1 Species Rich Hedgerow Mix

4.2.1 Table 4.1 sets out the planting mix for H1 Species rich hedgerow mix. This mix will be used where the locations of overhead lines and underground cables or requirements for visibility splays precludes the use of tree species within the hedgerows.

Table 4.1 – H1 Species Rich Hedgerow Mix

| Botanical Names | Common Names | Height (cm) | Root Zone | Form and Age/Method of Growth | % mix | Density |
|---------------------------|--------------|-------------|-----------|-------------------------------|-------|---|
| <i>Acer campestre</i> | Field maple | 40-60 | B | 1+1 | 10 | 7/lm, double staggered rows at 450mm linear centres, random groups of 3-5 |
| <i>Corylus avellana</i> | Hazel | 40-60 | B | 1+1; branched; 2 breaks | 15 | |
| <i>Crataegus monogyna</i> | Hawthorn | 125-150 | B | Feather; 2x | 20 | |
| <i>Euonymus europaeus</i> | Spindle | 40-60 | B | 1+1; branched; 3 breaks | 5 | |
| <i>Ilex aquifolium</i> | Holly | 40-60 | C | 2L; leader and laterals | 10 | |
| <i>Prunus spinosa</i> | Blackthorn | 40-60 | B | 1+1; branched; 2 breaks | 20 | |
| <i>Rosa canina</i> | Dog rose | 40-60 | B | 1+0; branched | 5 | |
| <i>Sambucus nigra</i> | Elder | 40-60 | B | 1+0; branched; 2 breaks | 10 | |
| <i>Ulmus glabra</i> | Elm | 40-60 | B | 1+0; branched; 2 breaks | 5 | |

4.3 H2 Species Rich Hedgerow Mix with Trees

4.3.1 Table 4.2 sets out the planting mix for H2 Species rich hedgerow mix with trees. This mix will be used where the locations of overhead lines and underground cables or requirements for visibility splays do not preclude the use of tree species within the hedgerows.

Table 4.2 – H2 Species Rich Hedgerow Mix

| Botanical Names | Common Names | Height (cm) | Root Zone | Form and Age/Method of Growth | % mix | Density |
|---------------------------|-------------------|-------------|-----------|-------------------------------|-------|--|
| <i>Acer campestre</i> | Field maple | 40-60 | B | 1+1 | 10 | 7/lm, double staggered rows at 450mm linear centres, random groups of 3-5, standard trees random spacings along length of hedgerow no closer than 5m centres |
| <i>Alnus glutinosa</i> | Common alder | 300-350 | RB | Standard; 2x; 10-12cm girth | 0.25 | |
| <i>Corylus avellana</i> | Hazel | 40-60 | B | 1+1; branched; 2 breaks | 19.5 | |
| <i>Crataegus monogyna</i> | Hawthorn | 125-150 | B | Feather; 2x | 19 | |
| <i>Euonymus europaeus</i> | Spindle | 40-60 | B | 1+1; branched; 3 breaks | 5 | |
| <i>Ilex aquifolium</i> | Holly | 40-60 | C | 2L; leader and laterals | 10 | |
| <i>Prunus avium</i> | Wild cherry | 300-350 | RB | Standard; 2x; 10-12cm girth | 0.5 | |
| <i>Prunus spinosa</i> | Blackthorn | 40-60 | B | 1+1; branched; 2 breaks | 20 | |
| <i>Quercus robur</i> | Oak | 300-350 | RB | Standard; 2x; 10-12cm girth | 0.5 | |
| <i>Rosa canina</i> | Dog rose | 40-60 | B | 1+0; branched | 5 | |
| <i>Sambucus nigra</i> | Elder | 40-60 | B | 1+0; branched; 2 breaks | 10 | |
| <i>Tilia cordata</i> | Small leaved lime | 300-350 | RB | Standard; 2x; 10-12cm girth | 0.25 | |

5. Scrub Planting

5.1 Introduction

5.1.1 This chapter sets out the typical mixes and sizes for scrub planting as follows:

- S1 Scrub mix; and
- S2 Low growing scrub mix.

5.2 S1 Scrub Mix

5.2.1 Table 5.1 sets out the planting mix for S1 Scrub mix.

Table 5.1 – S1 Scrub Mix

| Botanical Names | Common Names | Height (cm) | Root Zone | Form and Age/Method of Growth | % mix | Density |
|------------------------------|--------------|-------------|-----------|-------------------------------|-------|------------------|
| <i>Corylus avellana</i> | Hazel | 40-60 | B | 1+1; branched; 2 breaks | 20 | 1/m ² |
| <i>Crataegus monogyna</i> | Hawthorn | 125-150 | B | Feather; 2x | 15 | |
| <i>Ilex aquifolium</i> | Holly | 40-60 | C | 2L; leader and laterals | 10 | |
| <i>Ligustrum vulgare</i> | Privet | 40-60 | C | 2L; branched; 3 breaks | 5 | |
| <i>Lonicera periclymenum</i> | Honeysuckle | 40-60 | C | 3L | 5 | |
| <i>Prunus spinosa</i> | Blackthorn | 40-60 | B | 1+1; branched; 2 breaks | 15 | |
| <i>Rosa canina</i> | Dog rose | 40-60 | B | 1+0; branched | 10 | |
| <i>Salix caprea</i> | Goat Willow | 40-60 | B | 1+1; branched; 2 breaks | 5 | |
| <i>Sambucus nigra</i> | Elder | 40-60 | B | 1+0; branched; 2 breaks | 15 | |

5.3 S2 Low Growing Scrub Mix

5.3.1 Table 5.2 sets out the planting mix for S2 Low growing scrub mix which would be predominantly used in locations beneath overhead lines where planting will be required to be kept low for clearances.

Table 5.2 – S2 Low Growing Scrub Mix

| Botanical Names | Common Names | Height (cm) | Root Zone | Form and Age/Method of Growth | % mix | Density |
|------------------------------|--------------|-------------|-----------|-------------------------------|-------|------------------|
| <i>Corylus avellana</i> | Hazel | 40-60 | B | 1+1; branched; 2 breaks | 10 | |
| <i>Ilex aquifolium</i> | Holly | 40-60 | C | 2L; leader and laterals | 10 | 1/m ² |
| <i>Lonicera periclymenum</i> | Honeysuckle | 60-80 | C | 2L; several shoots | 15 | |
| <i>Prunus spinosa</i> | Blackthorn | 40-60 | B | 1+1; branched; 2 breaks | 15 | |
| <i>Rosa canina</i> | Dog rose | 40-60 | B | 1+0; branched | 20 | |
| <i>Salix caprea</i> | Goat Willow | 40-60 | B | 1+1; branched; 2 breaks | 5 | |
| <i>Sambucus nigra</i> | Elder | 40-60 | B | 1+0; branched; 2 breaks | 25 | |

6. Marginal and Emergent Planting

6.1 Introduction

6.1.1 This chapter sets out the typical mixes and sizes for marginal and emergent planting for pond locations (and ditches if appropriate) as follows:

- ME1 Marginal mix; and
- ME2 Emergent mix.

6.2 ME1 Marginal Mix

6.2.1 Table 6.1 sets out the planting mix for ME1 Marginal Mix to be used on pond margins up to +300mm from mean water level.

Table 6.1 – ME1 Marginal Mix

| Botanical Names | Common Names | Height (cm) | Root Zone | Form and Age/Method of Growth | % mix | Density |
|------------------------------|--------------------|-------------|-----------|---|-------|------------------|
| <i>Caltha palustris</i> | Marsh Marigold | 10-50 | C | Containerised, 13cm dia, 10-50cm spread | 7.5 | 7/m ² |
| <i>Cardamine pratensis</i> | Cuckooflower | 10-50 | C | Containerised, 13cm dia, 10-50cm spread | 7.5 | |
| <i>Filipendula ulmaria</i> | Meadowsweet | 10-50 | C | Containerised, 13cm dia, 10-50cm spread | 5 | |
| <i>Lychnis flos-cuculi</i> | Ragged Robin | 10-50 | C | Containerised, 13cm dia, 10-50cm spread | 5 | |
| <i>Lycopus europaeus</i> | Gypsywort | 10-50 | C | Containerised, 13cm dia, 10-50cm spread | 7.5 | |
| <i>Lysimachia nummularia</i> | Creeping Jenny | 10-50 | C | Containerised, 13cm dia, 10-50cm spread | 5 | |
| <i>Lythrum salicaria</i> | Purple Loosestrife | 10-50 | C | Containerised, 13cm dia, 10-50cm spread | 5 | |
| <i>Persicaria amphibia</i> | Amphibious Bistort | 10-50 | C | Containerised, 13cm dia, 10-50cm spread | 7.5 | |
| <i>Potentilla palustris</i> | Marsh Cinquefoil | 10-50 | C | Containerised, 13cm dia, 10-50cm spread | 5 | |
| <i>Ranunculus flammula</i> | Lesser Spearwort | 10-50 | C | Containerised, 13cm dia, 10-50cm spread | 7.5 | |

| Botanical Names | Common Names | Height (cm) | Root Zone | Form and Age/Method of Growth | % mix | Density |
|-------------------------------|-------------------|-------------|-----------|---|-------|---------|
| <i>Veronica beccabunga</i> | Brooklime | 10-50 | C | Containerised, 13cm dia, 10-50cm spread | 7.5 | |
| <i>Agrostis stolonifera</i> | Creeping Bent | 10-50 | C | Containerised, 13cm dia, 10-50cm spread | 5 | |
| <i>Alopecurus geniculatus</i> | Marsh Foxtail | 10-50 | C | Containerised, 13cm dia, 10-50cm spread | 5 | |
| <i>Carex acutiformis</i> | Lesser Pond Sedge | 10-50 | C | Containerised, 13cm dia, 10-50cm spread | 5 | |
| <i>Eleocharis palustris</i> | Common Spike Rush | 10-50 | C | Containerised, 13cm dia, 10-50cm spread | 5 | |
| <i>Juncus effusus</i> | Soft Rush | 10-50 | C | Containerised, 13cm dia, 10-50cm spread | 5 | |
| <i>Juncus inflexus</i> | Hard Rush | 10-50 | C | Containerised, 13cm dia, 10-50cm spread | 5 | |

6.3 ME2 Emergent Mix

6.3.1 Table 6.2 sets out the planting mix for ME2 Emergent Mix which would be predominantly used in locations up to -300mm from mean water level in ponds.

Table 6.2 – ME2 Emergent Mix

| Botanical Names | Common Names | Height (cm) | Root Zone | Form and Age /Method of Growth | % mix | Density |
|---------------------------------|---------------------|-------------|-----------|---|-------|------------------|
| <i>Alisma plantago-aquatica</i> | Water Plantain | 10-50 | C | Containerised, 13cm dia, 10-50cm spread | 10 | 7/m ² |
| <i>Mentha aquatica</i> | Water Mint | 10-50 | C | Containerised, 13cm dia, 10-50cm spread | 20 | |
| <i>Myosotis scorpioides</i> | Water Forget-me-not | 10-50 | C | Containerised, 13cm dia, 10-50cm spread | 15 | |
| <i>Persicaria hydropiper</i> | Water Pepper | 10-50 | C | Containerised, 13cm dia, 10-50cm spread | 10 | |
| <i>Ranunculus lingua</i> | Greater Spearwort | 10-50 | C | Containerised, 13cm dia, 10-50cm spread | 15 | |
| <i>Sagittaria sagittifolia</i> | Arrowhead | 10-50 | C | Containerised, 13cm dia, 10-50cm spread | 10 | |
| <i>Butomus umbellatus</i> | Flowering Rush | 10-50 | C | Containerised, 13cm dia, 10-50cm spread | 10 | |

| Botanical Names | Common Names | Height (cm) | Root Zone | Form and Age /Method of Growth | % mix | Density |
|--------------------------|---------------------|--------------------|------------------|---|--------------|----------------|
| <i>Glyceria fluitans</i> | Floating Sweetgrass | 10-50 | C | Containerised, 13cm dia, 10-50cm spread | 10 | |

7. Grass Seeding

7.1 Introduction

7.1.1 This chapter sets out the typical mixes for grass seeding planting as follows:

- G1 Species rich grass seed mix;
- G2 Low maintenance grass seed mix;
- G3 Grass seed mix for amenity grassland (where grazing is likely); and
- G4 Grass seed mix for marshy grassland.

7.2 G1 Species Rich Grass Seed Mix

7.2.1 Table 7.1 sets out the planting mix for G1 Species rich grass seed mix.

Table 7.1 – G1 Species Rich Grass Seed Mix

| Botanical Names | Common Names | % mix | Density |
|-----------------------------|---------------------|--------------|-------------------|
| <i>Betonica officinalis</i> | Betony | 1.0 | 4g/m ² |
| <i>Centurea nigra</i> | Common Knapweed | 3.5 | |
| <i>Daucus carota</i> | Wild Carrot | 0.1 | |
| <i>Filipenula ulmaria</i> | Meadowsweet | 1.0 | |
| <i>Galium verum</i> | Lady's Bedstraw | 0.3 | |
| <i>Leucanthemum vulgare</i> | Oxeye Daisy | 0.5 | |
| <i>Lotus corniculatus</i> | Bird's-foot Trefoil | 0.9 | |
| <i>Malva moschata</i> | Musk Mallow | 1.0 | |

| Botanical Names | Common Names | % mix | Density |
|-----------------------------|-----------------------------|--------------|----------------|
| <i>Plantago lanceolata</i> | Ribwort Plantain | 2.0 | |
| <i>Primula veris</i> | Cowslip | 0.1 | |
| <i>Prunella vulgaris</i> | Selfheal | 0.1 | |
| <i>Ranunculus acris</i> | Meadow Buttercup | 1.0 | |
| <i>Vicia cracca</i> | Tufted Vetch | 3.5 | |
| <i>Agriostis capillaris</i> | Common Bent | 8.5 | |
| <i>Cynosurus cristatus</i> | Crested Dog's-tail | 34 | |
| <i>Festuca Rubra</i> | Red Fescue | 25.5 | |
| <i>Poa pratensis</i> | Smooth-stalked Meadow-grass | 17.0 | |

7.3 G2 Low Maintenance Grass Seed Mix

7.3.1 Table 7.2 sets out the planting mix for G1 Low maintenance grass seed mix. No areas have currently been identified for reinstatement with this grass seed mix at present within the Order Limits.

Table 7.2 – G2 Grass Seed Mix for Amenity Grassland (General Purpose)

| Botanical Names | Common Names | % mix | Density |
|--------------------------------|------------------------|--------------|--------------------|
| <i>Festuca rubra</i> | Red fescue | 65 | 35g/m ² |
| <i>Festuca ovina</i> | Sheep's fescue | 20 | |
| <i>Festuca rubra commutata</i> | Joanna chewings fescus | 10 | |
| <i>Agrostis capillaris</i> | Common bent | 5 | |

7.4 G3 Grass Seed Mix for Amenity Grassland (Where Grazing is Likely)

7.4.1 Table 7.3 sets out the planting mix for G3 Grass seed mix for amenity grassland (general purpose). No areas have currently been identified for reinstatement with this grass seed mix at present within the Order Limits.

Table 7.3 – G3 Grass Seed Mix for Amenity Grassland (Where Grazing is Likely)

| Botanical Names | Common Names | % mix | Density |
|----------------------------|--------------------|-------|--------------------|
| <i>Trifolium repens</i> | White clover | 5 | 40g/m ² |
| <i>Festuca rubra</i> | Red fescue | 20 | |
| <i>Festuca ovina</i> | Sheep's fescue | 45 | |
| <i>Agrostis capillaris</i> | Common bent | 10 | |
| <i>Lolium perenne</i> | Perennial ryegrass | 20 | |

7.5 G4 Grass Seed Mix for Marshy Grassland

7.5.1 Table 7.3 sets out the planting mix for G4 Grass seed mix for marshy grassland where soils are seasonally wet flooding for short times over the winter months.

Table 7.3 – G4 Grass Seed Mix for Marshy Grassland

| Botanical Names | Common Names | % mix | Density |
|-----------------------------|-----------------|-------|--------------------|
| <i>Achillea millefolium</i> | Yarrow | 2.4 | 40g/m ² |
| <i>Betonica officinalis</i> | Betony | 0.1 | |
| <i>Centaurea nigra</i> | Common Knapweed | 4 | |
| <i>Daucus carota</i> | Wild Carrot | 0.1 | |
| <i>Filipendula ularia</i> | Meadowsweet | 0.4 | |
| <i>Galium album</i> | Hedge Bedstraw | 0.6 | |

| Botanical Names | Common Names | % mix | Density |
|------------------------------|-----------------------------|--------------|----------------|
| <i>Galium verum</i> | Lady's Bedstraw | 2 | |
| <i>Lathyrus pratensis</i> | Meadow Vetchling | 0.4 | |
| <i>Leucanthemum vulgare</i> | Oxeye Daisy | 0.3 | |
| <i>Lotus corniculatus</i> | Bird's-foot Trefoil | 0.2 | |
| <i>Lotus pedunculatus</i> | Greater Bird's-foot Trefoil | 0.4 | |
| <i>Medicago lupulina</i> | Black Medick | 0.2 | |
| <i>Plantago lanceolata</i> | Ribwort Plantain | 4 | |
| <i>Primula veris</i> | Cowslip | 0.1 | |
| <i>Ranunculus acris</i> | Meadow Buttercup | 1.4 | |
| <i>Rhinanthus minor</i> | Yellow Rattle | 1.5 | |
| <i>Rumex acetosa</i> | Common Sorrel | 0.1 | |
| <i>Silaum silaus</i> | Pepper Saxifrage | 0.1 | |
| <i>Silene flos-cuculi</i> | Ragged Robin | 1.6 | |
| <i>Succisa pratensis</i> | Devil's-bit Scabious | 0.1 | |
| <i>Agrostis capillaris</i> | Common Bent | 2 | |
| <i>Anthoxanthum odoratum</i> | Sweet Vernal-grass | 2 | |
| <i>Briza media</i> | Quaking Grass | 4 | |
| <i>Cynosurus cristatus</i> | Crested Dog's-tail | 48 | |
| <i>Deschampsia cespitosa</i> | Tufted Hair-grass | 2 | |
| <i>Festuca rubra</i> | Red Fescue | 22 | |

Page intentionally blank

National Grid plc
National Grid House,
Warwick Technology Park,
Gallows Hill, Warwick.
CV34 6DA United Kingdom

Registered in England and Wales
No. 4031152
nationalgrid.com