

From: [Hodge, Sarah](#)
To: [Richborough](#)
Cc: [Elsenaar, Marnix](#); [Hereward Phillpot QC](#)
Subject: RE: Deadline 3 - Ref EN020017 - South East Water - Deadline 3 Submission - Email 1 of 2 - Documents 1 - 5
Date: 04 August 2016 18:21:39

Dear All

We act for South East Water in relation to this matter.

We confirm that South East Water would like to be represented and make submissions at any further ISH which impact on its interest. South East Water also request that a Compulsory Acquisition Hearing is held.

We attach the documents detailed on the attached Deadline 3 Documents List.

Please note that in preparing the detailed appendix list for South East Water's Written Representation, it has become clear that the Alternatives Report (Appendix 11 to South East Water's Written Representation) only has five appendix documents attached to it being Appendix A - E. Appendix F of the Alternatives report (as stated in the report itself) is not included in the report but is available on request. Therefore, in the hard copy bundle of documents, please feel free to remove the documents at Appendix 11 which are not listed on our attached updated appendix list for the Written Representation at 11.1 - 11.5, many thanks.

Kind regards

Sarah

Sarah Hodge

Associate
for Addleshaw Goddard LLP

DDI: +44 (0)20 7160 3313
Mobile: +44 (0)7568 423066
Fax: +44 (0)20 7606 4390
Office Locations: <http://www.addleshawgoddard.com/contactus>

This e-mail (including any attachments) is confidential to the intended addressee, may be subject to copyright, and may also be privileged. If you are not the intended addressee, please do not read, print, re-transmit, copy, store, alter or otherwise disclose it or any of its attachments to anyone; nor should you act in reliance on it or any of its attachments. Instead, please notify the error to the sender by e-mail and immediately permanently delete this email and any of its attachments from your system.

E-mails sent to and from Addleshaw Goddard LLP may be monitored and read for legitimate business purposes, notably to ensure compliance with the law and our regulatory obligations. Emails cannot be guaranteed to be secure or error-free, and you should protect your systems. Addleshaw Goddard LLP does not accept any liability arising from interception, corruption, loss or destruction of this e-mail, or if it arrives late or incomplete or with viruses.

Addleshaw Goddard LLP is a limited liability partnership registered in England and Wales (with registered number OC318149) and is authorised and regulated by the Solicitors Regulation Authority (SRA) (with SRA identification number 440721) (www.sra.org.uk). A list of members is open to inspection at our registered office, Milton Gate, 60 Chiswell Street, London EC1Y 4AG. The term partner refers to any individual who is a member of any Addleshaw Goddard entity or association or an employee or consultant with equivalent standing and qualifications. For further

information please consult our website, www.addleshawgoddard.com

This email has been scanned by the Symantec Email Security.cloud service.
For more information please visit <http://www.symanteccloud.com>

Application by National Grid Electricity Transmission Plc for an Order granting Development Consent for the Richborough Connection Project

Planning Inspectorate Reference No: EN020017

Representation No. 14

Index of Deadline 3 Documents submitted by South East Water

No	Document
1.	A detailed Appendix List for South East Water's Written Representation
2.	<p>A summary of South East Water's Oral Submissions at the Broad Oak Issue Specific Hearing of 29 July 2016, including the following appendix documents:</p> <p>2.1 Appendix 1: HSE Guidelines</p> <p>2.2 Appendix 2: CDM Guidelines Extracts</p>
3.	<p>Note on reservoir top level 32.5 m AOD vs 36m AOD, including the following appendix documents:</p> <p>3.1 Appendix A: EA Final Water Resources Planning Guideline May 2016</p> <p>3.2 Appendix B: DEFRA Guiding principles for water resources planning May 2016</p>
	3.3 Appendix C: Table 6-3 Summary Output of the Resource Availability Analysis
4.	<p>South East Water's Deadline 3 Document (Responses to National Grid's Deadline Two Submissions), including the following appendix documents:</p> <p>4.1 Appendix 1: Response to Mott MacDonald Report dated 3 August 2016 - project number B14000AT</p> <p>4.2 Appendix 2: SEW Response to Applicant's answer to Written question 1.12.40 (Alternatives)</p>
5.	Plan relied on at site visits held on 25 and 26 July 2016
6.	Updated Protective Provisions to replace Appendix 33 of South East Water's Written Representation - PDF document (showing changes)
7.	Updated Protective Provisions to replace Appendix 33 of South East Water's Written Representation - word document (clean)
8.	Signed Statement of Common Ground
9.	Summary of details for plans requested by ExA at ISH on 29 July 2016 showing interactions between the Reservoir and the RCP
10.	Note on Bird Collision Risk
11.	Note on Policy addressing the relationship between the Planning Act 2008 and Water Industry Act 1991