

© WSP UK Ltd
wspgroup.com/central/data/Projects/62100xv/62100616 - Aquind VO No.3/A.DCCOD.EIA5.WP4.Landscape and Visual (LVA)Visualisations/Design/1_00degree_HFDV_sheets_VP1_VP17



Baseline Panorama

This image provides landscape and visual context only



Wireline Panorama

This image provides landscape and visual context only

Viewpoint location: (E) 469253 (N) 114436, 108.6m AOD
See Figure 15.17 for Viewpoint Location Plan
Horizontal field of view: 90° (cylindrical projection)

Date and time of photography: 26th February 2019, 10:46 am
Camera & lens: Canon 6D, 50mm f1.4 prime lens
Distance from camera to Option B(ii): 2.14km, bearing 248°


Infrastructure Planning (Applications: Prescribed Forms and Procedure)
Regulations 2009 - Regulation 5 (2)(a)
This figure is to be printed at A1 width x A4 height: 841 x 297 mm



\\uk.wspgroup.com\central\data\Projects\62100xxx\62100616 - Aquind VO No.3\A.DC.O.D. EIA\5. WIP\4. Landscape and Visual (LVIA)\Visualisations\InDesign\A3_27degree_HFOV_sheets_Summer_VP1 - VP17

Key
 — Converter Station visible
 - - - Converter Station screened by intervening objects in the view

Colours
 — Option B(i)
 — Option B(ii)



Wireline (Summer)



Viewpoint location: (E) 469253 (N) 114436, 108.6m AOD
 Date and time of photography: 25th July 2018, 2:18 pm
 Camera & lens: Canon 6D, 50mm f1.4 prime lens
 Horizontal field of view: 27° (cylindrical projection)
 Print at A3 or view full frame on a 24" monitor

Distance from camera to Option B(ii): 2.14km, bearing 248°
 For Viewpoint Location Plan See Figure 15.17

Infrastructure Planning (Applications:
 Prescribed Forms and Procedure)
 Regulations 2009 - Regulation 5 (2)(a)


Drawn: TO Checked MB Approved: AF
 Date 09/09/2019
 Dwg No: EN 020022-ES-15.22B

AQUIND Interconnector
Viewpoint 5: Catherington SSSI
Figure 15.22 B

\\uk.wspgroup.com\central\data\Projects\62100xxx\62100616 - Aquind VO No.3\A.DCOID. EIA\5. WIP\4. Landscape and Visual (LVIA)\Visualisations\InDesign\A3_27degree_HFOV_sheets_Winter_VP1 - VP17

Key
 — Converter Station visible
 - - - Converter Station screened by intervening objects in the view

Colours
 — Option B(i)
 — Option B(ii)



Wireline (Winter)



Viewpoint location: (E) 469253 (N) 114436, 108.6m AOD
 Date and time of photography: 26th February 2019, 10:46 am
 Camera & lens: Canon 6D, 50mm f1.4 prime lens
 Horizontal field of view: 27° (cylindrical projection)
 Print at A3 or view full frame on a 24" monitor

Distance from camera to Option B(ii): 2.14km, bearing 248°
 For Viewpoint Location Plan See Figure 15.17

Infrastructure Planning (Applications:
 Prescribed Forms and Procedure)
 Regulations 2009 - Regulation 5 (2)(a)

Drawn: TO Checked MB Approved: AF
 Date 09/09/2019
 Dwg No: EN 020022-ES-15.22C

AQUIND Interconnector
Viewpoint 5: Catherington SSSI
Figure 15.22 C