

Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 - Regulation 5 (2)(a) Drawn: TO Checked: MB Approved: AF Date: 12/09/2019
Dwg No: EN 020022-ES-15.35A


Distance from camera to Option B(i): 0.54km, bearing 8.8° For Viewpoint Location Plan See Figure 15.17



Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 - Regulation 5 (2)(a) Drawn: TO Checked: MB Approved: AF Date: 12/09/2019
Dwg No: EN 020022-ES-15.35B

Distance from camera to Option B(i): 0.54km, bearing 8.8° For Viewpoint Location Plan See Figure 15.17

AQUIND Interconnector
Viewpoint A: View from Broadway Lane (south) - 0 years
Indicative photomontage based on Option B(i) for the purposes of the LVIA
Figure 15.35 B



Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 - Regulation 5 (2)(a) Drawn: TO Checked: MB Approved: AF Date: 12/09/2019
Dwg No: EN 020022-ES-15.35C

Distance from camera to Option B(i): 0.54km, bearing 8.8° For Viewpoint Location Plan See Figure 15.17

AQUIND Interconnector
Viewpoint A: View from Broadway Lane (south) - 10 years
Indicative photomontage based on Option B(i) for the purposes of the LVIA
Figure 15.35 C



Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 - Regulation 5 (2)(a) Drawn: TO Checked: MB Approved: AF Date: 12/09/2019
Dwg No: EN 020022-ES-15.35D

Distance from camera to Option B(i): 0.54km, bearing 8.8° For Viewpoint Location Plan See Figure 15.17

AQUIND Interconnector
Viewpoint A: View from Broadway Lane (south) - 20 years
Indicative photomontage based on Option B(i) for the purposes of the LVIA
Figure 15.35 D