



**AQUIND Limited**

---

## **AQUIND INTERCONNECTOR**

### **Environmental Statement – Volume 3 – Appendix 24.3 Lists of Sensitive Receptors for Noise and Vibration Assessment of Converter Station and Telecommunications Infrastructure**

The Planning Act 2008

The Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 – Regulation 5(2)(a)

The Infrastructure Planning (Environmental Impact Assessment) Regulations 2017

Document Ref: 6.3.24.3

PINS Ref.: EN020022

**AQUIND Limited**

---

# **AQUIND INTERCONNECTOR**

Environmental Statement – Volume 3 –  
Appendix 24.3 Lists of Sensitive Receptors for  
Noise and Vibration Assessment of Converter  
Station and Telecommunications  
Infrastructure

**PINS REF.: EN020022**

**DOCUMENT: 6.3.24.3**

**DATE: 14 NOVEMBER 2019**

WSP

WSP House

70 Chancery Lane

London

WC2A 1AF

+44 20 7314 5000

[www.wsp.com](http://www.wsp.com)

## DOCUMENT

<b>Document</b>	<b>6.3.24.3 Environmental Statement – Volume 3 – Appendix 24.3 Lists of Sensitive Receptors for Noise and Vibration Assessment of Converter Station and Telecommunications Infrastructure</b>
<b>Revision</b>	001
<b>Document Owner</b>	WSP UK Limited
<b>Prepared By</b>	T. Farmer
<b>Date</b>	7 November 2019
<b>Approved By</b>	L. Beamish
<b>Date</b>	7 November 2019

## CONTENTS

<b>APPENDIX 24.3 LISTS OF SENSITIVE RECEPTORS FOR NOISE AND VIBRATION ASSESSMENT OF CONVERTER STATION AND TELECOMMUNICATIONS INFRASTRUCTURE</b>		<b>1</b>
<hr/>		
<b>1.1.</b>	<b>SECTION 1 – CONVERTER STATION</b>	<b>1</b>
<b>1.2.</b>	<b>SECTION 10 – TELECOMMUNICATIONS INFRASTRUCTURE AT LANDFALL</b>	<b>4</b>

---

## ***TABLES***

<b>Table 1 - Converter station - sensitive receptors</b>	<b>1</b>
<b>Table 2 - Telecommunication infrastructure at landfall - sensitive receptors</b>	<b>4</b>

---

# APPENDIX 24.3 LISTS OF SENSITIVE RECEPTORS FOR NOISE AND VIBRATION ASSESSMENT OF CONVERTER STATION AND TELECOMMUNICATIONS INFRASTRUCTURE

---

## 1.1. SECTION 1 – CONVERTER STATION

- 1.1.1.1. The sensitive receptors included in the operational assessment of the Converter Station are detailed in the table below.
- 1.1.1.2. The sensitive receptors included in the construction assessment of the Converter Station comprise R1, R2, R3, R5, R10 and R11.

**Table 1 - Converter Station - sensitive receptors**

Receptor Group Name	Receptor Group Number	Addresses
<b>The Haven and Old Mill Cottage</b>	R1	The Haven, Old Mill Lane, Lovedean, Waterlooville, PO8 0SN Caravan 1, The Haven, Old Mill Lane, Lovedean, PO8 0SN Caravan 2, The Haven, Old Mill Lane, Lovedean, PO8 0SN Old Mill Cottage, Old Mill Lane, Lovedean, Waterlooville, PO8 0SN
<b>Hillcrest</b>	R2	Hillcrest, Old Mill Lane, Lovedean, Waterlooville, PO8 0SN

<b>Millfield Farm</b>	R3	Mobile Home, Mill View Farm, Old Mill Lane, Lovedean, PO8 0SN Mobile Home 2, Mill View Farm, Old Mill Lane, Lovedean, PO8 0SN
<b>Kimberley House</b>	R4	Kimberley House, Old Mill Lane, Denmead, Waterlooville, PO7 6JW
<b>Little Denmead Farm</b>	R5	Little Denmead Farm, Broadway Lane, Denmead, Waterlooville, PO8 0SL The Cottage, Little Denmead Farm, Broadway Lane, Denmead, Waterlooville, PO8 0SL Kimville, Broadway Lane, Denmead, Waterlooville, PO8 0SL Nairobi, Broadway Lane, Denmead, Waterlooville, PO8 0SL The Caravan, Little Denmead Farm, Broadway Lane, Denmead, Waterlooville, PO8 0SL
<b>Holme and Highfield Cottages</b>	R6	Holme Cottage, Broadway Lane, Lovedean, Waterlooville, PO8 0SS Highfield Cottage, Broadway Lane, Lovedean, Waterlooville, PO8 0SS
<b>Lower Chapters</b>	R7	Lower Chapters, Broadway Lane, Lovedean, Waterlooville, PO8 0SS
<b>The Arrows</b>	R8	The Arrows, Broadway Lane, Lovedean, Waterlooville, PO8 0SS
<b>Broadways</b>	R9	Broadways, Broadway Lane, Lovedean, Waterlooville, PO8 0SP
<b>Broadway Farm House</b>	R10	Broadway Farm House, Broadway Lane, Lovedean, Waterlooville, PO8 0SJ 1 Broadway Farm Barn, Broadway Lane, Lovedean, Waterlooville, PO8 0SJ 2 Broadway Farm Barn, Broadway Lane, Lovedean, Waterlooville, PO8 0SJ 3 Broadway Farm Barn, Broadway Lane, Lovedean, Waterlooville, PO8 0SJ Little Lovedean, Broadway Lane, Lovedean, Waterlooville, PO8 0SJ

<b>Broadway Farm Cottages</b>	R11	1 Broadway Farm Cottages, Broadway Lane, Lovedean, Waterloooville, PO8 0SJ 2 Broadway Farm Cottages, Broadway Lane, Lovedean, Waterloooville, PO8 0SJ
<b>Hinton Daubnay</b>	R12	Hinton Daubnay House, Broadway Lane, Lovedean, Waterloooville, PO8 0SG Coach House, Hinton Daubnay, Broadway Lane, Lovedean, Waterloooville, PO8 0SG Northorn, Broadway Lane, Waterloooville, PO8 0SG
<b>Ludmore Cottages</b>	R13	1 Ludmore Cottages, Broadway Lane, Lovedean, Waterloooville, PO8 0SG 2 Ludmore Cottages, Broadway Lane, Lovedean, Waterloooville, PO8 0SG
<b>Old Mill House and The Shieling</b>	R14	Old Mill House, Old Mill Lane, Lovedean, Waterloooville, PO8 0SW The Shieling, Old Mill Lane, Lovedean, Waterloooville, PO8 0SW
<b>The Ranch</b>	R15	The Ranch, Old Mill Lane, Lovedean, Waterloooville, PO8 0SN Windy Ridge, Old Mill Lane, Lovedean, Waterloooville, PO8 0SN

## 1.2. SECTION 10 – TELECOMMUNICATIONS INFRASTRUCTURE AT LANDFALL

1.2.1.1. The sensitive receptors included in the operational assessment of the Telecommunications Infrastructure at Landfall are detailed in the table below.

**Table 2 - Telecommunication Infrastructure at Landfall - sensitive receptors**

Receptor Group Name	Receptor Group Number	Addresses
<b>Southsea Leisure Park (Caravans)</b>	R16	Southsea Leisure Park, Melville Road, Southsea, PO4 9TB.
<b>41-51 Fort Cumberland Road</b>	R17	41 Fort Cumberland Road, Southsea, PO4 9LG 43 Fort Cumberland Road, Southsea, PO4 9LG 45 Fort Cumberland Road, Southsea, PO4 9LG 47 Fort Cumberland Road, Southsea, PO4 9LG 49 Fort Cumberland Road, Southsea, PO4 9LG 51 Fort Cumberland Road, Southsea, PO4 9LG



